

PROCEEDINGS OF THE UNITED STATES NATIONAL MUSEUM



SMITHSONIAN INSTITUTION
U. S. NATIONAL MUSEUM

Vol. 94

Washington: 1944

No. 3171

CATALOG OF HUMAN CRANIA IN THE UNITED STATES NATIONAL MUSEUM COLLECTIONS: NON-ESKIMO PEOPLE OF THE NORTHWEST COAST, ALASKA, AND SIBERIA

By ALEŠ HRDLIČKA*

INTRODUCTION

THE present catalog of crania is the seventh and concluding part of a work describing the large and valuable collections of human skulls in the United States National Museum. Its object, as that of all the previous parts, is to furnish American and other students of man with reliable, detailed measurements, made by the same experienced observer, using tested methods and standard instruments, as the basis of future studies and the solution of anthropological problems.

The data given herein are supplemented by those obtained by me in various Russian institutions, principally the anthropological museums at Leningrad and Moscow and the City Museum at Irkutsk. They extend to the Indian and other non-Eskimo populations of the Northwest Coast of North America, Alaska (including Kodiak Island and the Aleutian Islands), and Siberia.

The extension of the catalog to the Siberian materials grew gradually in urgency, for as the work progressed evidence pointed more and more to northern Asia as the source of the original American Indian population. Since it was of prime importance that the data be collected and collated by the same observer and by the same methods as those for the North American skulls, I made a trip to the Soviet Union, including Siberia, in 1939. All possible facilities and aid were accorded

*Dr. Hrdlička died on September 5, 1943, a few days after galley proofs of this paper were received from the printer.—EDITOR.

me by the Russian scientists, and as a result I was able to examine a considerable number of Siberian crania from all periods of occupation. In view of the importance of some of this material, particularly that from the neolithic and more modern periods, the gist of the observations, with some details, was published in the *American Journal of Physical Anthropology* (vol. 29, pp. 435-481, 1942); but the detailed measurements of all except the prehistoric specimens were reserved for the present publication. Meanwhile there was published also the final catalog of the Eskimo crania (*Proc. U. S. Nat. Mus.*, vol. 91, pp. 169-429, 1942).

It was once hoped that this series of catalogs might be extended also to cranial materials from Mexico, Central America, the Antilles, and South America, but except for Peru the collections from these regions are still scarce, much of these vast territories being entirely unrepresented. For the present, therefore, nothing systematic covering these areas is feasible.

It may be useful to show the field covered by the six previous catalogs. These were as follows:

1. The Eskimo, Alaska and Related Indians, Northeastern Asiatics: *Proc. U. S. Nat. Mus.*, vol. 63, art. 12, 51 pp., 1924. (Long out of print and wholly replaced by the 1942 catalog on the Eskimo in general and by the present number.)

2. The Algonkin and Related Iroquois, Siouan, Caddoan, Salish and Sahaptin, Shoshonean, and Californian Indians: *Ibid.*, vol. 69, art. 5, 127 pp., 1927.

3. Australians, Tasmanians, South African Bushmen, Hottentots, and Negro: *Ibid.*, vol. 71, art. 24, 140 pp., 1928.

4. Pueblos, Southeastern Utah Basket-makers, Navaho: *Ibid.*, vol. 78, art. 2, 95 pp., 1931.

5. Indians of the Gulf States: *Ibid.*, vol. 87, pp. 315-464, 1940.

6. Eskimo in General: *Ibid.*, vol. 91, pp. 169-429, 1942.

Meanwhile, since 1926, important collections were gathered in Alaska and the neighboring parts of the Northwest Coast on the Indian and other non-Eskimo groups of the region. These included materials from two hitherto unknown large groups, the Pre-Koniag of Kodiak Island and the Pre-Aleuts of the Aleutian Archipelago. The detailed measurements of the crania of all these are given in the present catalog. This includes, therefore, data on the crania from the following localities:

- | | |
|--------------------------|-----------------------------------|
| 1. The Northwest Coast. | 7. Kodiak Island (Koniag). |
| 2. Southeastern Alaska. | 8. Kodiak Island (Pre-Koniag). |
| 3. Southwestern Alaska. | 9. Aleutian Islands (Aleut). |
| 4. The Yukon. | 10. Aleutian Islands (Pre-Aleut). |
| 5. Shageluk Slough. | 11. Siberia. |
| 6. The Alaska Peninsula. | |

The methods of measurement were outlined in the 1942 catalog on the Eskimo in general, and comparisons as well as other details are given in the same catalog and also in two papers now in press.¹ The present data will require, therefore, but little discussion. This will be found at the conclusion of this paper.

¹ "Anthropology of Kodiak Island" and "Anthropology of the Aleutian and Commander Islands," Wistar Institute, Philadelphia.

NORTHWEST COAST INDIANS: MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella and maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Irdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
XVI-A-6	Nat. Mus. Canada.	Lytton	50		18.3	14.0		72.5							
XVI-A-83	do.	Spencers Bridge	80		17.5	14.0	13.3	89.0	84.44		14.93				
99-1185	A.M.N.H.	Lytton	60		18.2	14.6		86.2							
99-1067	do.	do.	60		18.1	14.6	14.3	86.7	87.46		15.07				7.7
XVI-A-13	Nat. Mus. Canada.	50 miles above Prince Rupert.	65		17.6	14.2	12.9	86.7	81.13		14.90				
99-1567	do.	Port Hammond	55		17.7	14.4	13.0	81.4	81.0		15.03				
99-4308	do.	Thompson River	65		17.5	14.3	13.6	81.7	85.53		15.13				
XVI-A-15	Nat. Mus. Canada.	Spencers Bridge	60		17.6	14.4	13.2	81.8	82.50		15.07				7.8
XVI-A-20	do.	do.	80		18.0	14.8	12.8	82.2	78.05		15.20				
XVI-A-10	do.	Lytton	55		17.4	14.5	13.4	85.3	84.01		15.10				7.3
XVI-A-68	do.	Kamloops	35		17.2	14.6	14.0	84.9	88.05		15.27				
Specimens			(11)		(11)	(11)	(9)	(11)	(9)		(9)				(3)
Totals			615		185.1	158.4	120.5	81.19	83.57		136.3				22.8
Averages			55.9		17.74	14.40	13.39	81.19	83.57		15.14				7.60
Minima			30		17.2	14.0	12.8	76.5	78.1		14.90				
Maxima			80		18.3	14.8	14.3	84.9	88.1		15.67				

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a}{b} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index	Lower Jaw—Height at Symphysis	
XVI-A-6	14.4					10.0			3.5		3.8		92.11									
XVI-A-83						10.6	88.0	47.5	3.55		4.15		85.54		5.1	2.6	50.98					
99-1185	14.3		53.85	10.7	9.0	10.0			3.85	3.9	4.1	4.05	93.90	96.30	5.1	2.55	50.0					
99-1057	14.9				9.1	10.3																
XVI-A-13						10.4	68.0	57.0	3.5	3.5	4.0	3.9	87.50	89.74	4.8	2.3	47.92				4.0	
99-1567	14.3				9.2	10.4			3.35	3.3	3.7	3.65	90.54	90.41	5.65	2.2	58.94				3.5	
99-4308	14.3		54.55	10.4	9.4	10.4																
XVI-A-15	14.3				9.4	10.4																
XVI-A-20	14.3				9.4	10.4																
XVI-A-10	13.5		54.07	9.8	8.8	10.3	73.0	55.5	3.5		4.1		85.87		5.3	2.6	49.06					
XVI-A-68						10.2																
Specimens	(6)		(3)	(3)	(5)	(9)	(3)	(3)	(6)	(3)	(6)	(3)	(6)	(3)	(5)	(5)	(5)	(2)	(2)	(2)	(2)	
Totals	85.7			30.9	45.5	92.6	209.0	160.0	21.25	10.7	23.85	11.6	89.10	92.24	25.95	12.25	47.81	11.2	12.7	88.2	7.5	
Averages	14.28		54.16	10.30	9.10	10.29	69.7	63.3	3.57	3.97	3.87	3.87	85.87	88.91	4.8	2.2	48.91	5.60	6.35	88.2	3.75	
Minima	13.5				8.8	10.0			3.35	3.7	3.7	3.65	85.87	88.91	4.8	2.2	48.91					
Maxima	14.9				9.4	10.6			3.85	4.15	4.15		93.90		5.65	2.6	50.98					

NORTHWEST COAST INDIANS: FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Monton-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
XVI-A-11	Nat. Mus.	Lytton	40	-----	17.2	13.4	13.2	77.9	86.3	-----	14.60	-----	-----	-----	6.7
99-1082	Can.	do.	25	-----	17.3	13.5	13.1	78.0	85.1	-----	14.63	-----	-----	-----	6.9
99-1307	A.M.N.H.	Thompson River	22	-----	17.4	13.6	13.5	78.2	87.1	-----	14.83	-----	-----	11.2	-----
XVI-A-5	Nat. Mus.	Lytton	65	-----	17.3	13.8	12.6	79.8	81.0	-----	14.57	-----	-----	-----	-----
99-1923	Can.	do.	55	-----	16.6	13.4	12.9	80.7	80.0	-----	14.30	-----	-----	-----	7.4
XVI-A-8	A.M.N.H.	do.	40	-----	17.2	13.9	13.0	80.8	83.6	-----	14.70	-----	-----	-----	-----
XVI-B-11	Nat. Mus.	do.	24	-----	17.7	14.3	13.8	80.8	86.8	-----	15.27	-----	-----	-----	7.5
XVI-A-86	Can.	Haida	24	-----	16.8	13.7	12.1	81.5	79.3	-----	14.20	-----	-----	-----	6.5
99-98	do.	Spencers Bridge	35	-----	16.9	13.2	12.4	81.5	81.7	-----	13.93	-----	-----	9.9	7.0
XVI-A-16	A.M.N.H.	do.	55	-----	17.6	14.6	12.8	81.6	73.6	-----	15.10	-----	-----	-----	7.2
99-1313	N.M.C.	do.	30	-----	16.3	13.6	12.4	81.9	82.1	-----	14.20	-----	-----	11.7	7.1
XVI-A-7	A.M.N.H.	Thompson River	30	-----	16.3	13.6	12.4	81.9	82.1	-----	14.20	-----	-----	-----	7.1
XVI-A-3	Nat. Mus.	Lytton	60	-----	10.7	13.7	13.2	82.0	86.6	-----	14.53	-----	-----	-----	-----
XVI-A-3	Can.	Kamboops	60	-----	17.0	14.1	13.2	82.0	81.9	-----	14.77	-----	-----	-----	6.7
XVI-A-27	do.	Spencers Bridge	30	-----	16.8	14.0	12.3	83.3	77.0	-----	14.37	-----	-----	-----	6.7
XVI-A-69	do.	Kamboops	60	-----	16.9	14.4	13.6	83.2	80.9	-----	14.97	-----	-----	-----	-----
XVI-A-14	do.	Lillooet	65	-----	16.6	14.4	12.2	85.7	78.7	-----	13.40	-----	-----	-----	-----
Specimens	(16)		(16)	-----	272.2	221.6	246.3	(16)	(16)	-----	(16)	-----	-----	(4)	(11)
Totals	701		701	-----	17.01	13.85	12.89	81.4	83.6	-----	233.37	-----	-----	41.8	73.8
Averages	43.8		43.8	-----	16.2	13.2	12.1	77.9	78.7	-----	14.99	-----	-----	11.20	6.89
Minima	22		22	-----	16.2	13.2	12.1	77.9	78.7	-----	14.93	-----	-----	3.9	6.2
Maxima	65		65	-----	17.9	14.6	13.8	86.7	87.1	-----	15.27	-----	-----	12.0	7.3

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{ax100}\right)$	Facial Index, upper $\left(\frac{c}{bx100}\right)$	Basion-Alveolar Pt.	Basion Subnasal Pt.	Basion-Nasion	Facial angle	Alveolar angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphysis
XVI-A-11	12.8		52.3	10.1	9.2	10.0	71.0	61.5	3.55	3.55	3.75	3.75	3.9	91.0	4.6	2.25	48.9	5.3	6.0	88.3	
99-1062	13.0	86.2	53.1	10.1	8.8	9.9	71.0	55.0	3.55	3.75	3.75	3.75	3.75	100.0	4.7	2.2	47.8	5.5	6.6	83.3	3.4
99-4307	13.2				8.7	9.9			3.45		3.75				4.9	2.1	42.9				
XVI-A-5																					
99-1223						9.4	66.0	45.5	3.5	3.5	3.6	3.5	3.5	100.0	5.4	2.55	47.2	5.5	6.1	90.2	
XVI-A-8	12.8		57.8	10.0	8.6	9.7			3.5	3.5	3.6	3.5	3.5	97.2	5.0	2.45	48.5	5.7	6.8	83.8	
XVI-B-11	13.5	88.9	53.6	10.4	8.8	9.8	69.0	45.5	3.95	3.95	4.0	4.0	4.0	98.7	5.05	2.45	48.5	5.7	6.8	83.8	
XVI-A-86	12.9		50.4	9.5	8.6	9.5	70.0	58.0	3.55	3.5	3.7	3.6	3.5	99.0	4.6	2.4	46.2	5.0	6.0	83.3	
99-98	12.4	79.8	60.4	9.3	8.2	9.5	72.0	46.0	3.25	3.2	3.6	3.5	3.6	90.1	4.7	2.35	50.0	4.9	5.8	84.5	2.7
XVI-A-16	13.5		51.9	10.4	9.2	10.2	68.5	49.0	3.3	3.3	3.95	3.85	3.85	85.7	5.1	2.65	52.0	5.9	6.4	82.2	2.7
99-4313	13.3	88.0	53.1	10.2	8.0	9.6	65.0	49.0	3.3	3.3	3.8	3.7	3.7	86.8	5.0	2.45	49.0	5.3	6.2	85.6	
XVI-A-7	12.5		56.3	10.2	8.0	9.7	63.0	50.0	3.6	3.55	3.85	3.55	3.55	92.6	5.1	2.3	45.1	5.6	6.4	87.6	3.7
XVI-A-3	13.7		48.9	9.8	8.0	10.0	71.5	53.0	3.45	3.5	4.1	4.0	4.0	84.2	4.95	2.35	47.5	5.2	5.9	88.1	
XVI-A-27	13.5		49.9	9.8	8.0	9.4	66.0	47.5	3.45	3.45	3.8	3.75	3.75	90.8	4.85	2.35	50.0	5.2	6.2	83.9	
XVI-A-69	13.5				7.8	10.0			3.8	3.7	4.05	3.85	3.85	93.8	5.3	2.3	43.1	5.2	6.0	86.7	
XVI-A-14					7.8	9.2			3.5	3.6	3.8	3.6	3.6	92.1	5.2	2.75	52.0	5.4	6.2	87.1	
Spectrums	(13)	(4)	(11)	(11)	(14)	(16)	(11)	(11)	(13)	(13)	(13)	(13)	(13)	(13)	(14)	(14)	(14)	(13)	(13)	(13)	(3)
Totals	170.6		109.8	121.8	136.0	136.0	733.0	500.0	43.65	45.85	49.75	40.0	40.0	97.8	69.45	33.55	48.3	62.7	80.6	86.6	9.80
Averages	13.12		85.8	9.98	8.70	9.75	68.6	50.9	3.51	3.53	3.83	3.77	3.77	93.6	4.96	2.40	46.3	5.36	6.20	86.9	3.27
Minima	12.4		79.8	9.3	7.8	9.2	65.0	45.0	3.25	3.2	3.6	3.5	3.5	83.6	4.6	2.1	42.9	4.9	5.8	83.2	
Maxima	13.7		57.8	10.4	9.2	10.2	72.0	61.5	3.95	3.95	4.1	4.0	4.0	98.7	5.4	2.75	52.9	5.7	6.8	92.2	

1 Allowance made for wear of teeth, where needed.

SOUTHEAST ALASKA INDIANS: MALES
(Dall and Pennoek Islands)

TLINGIT

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium (gabella ad maximum)	Diam. lateral maxium.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
379170	(Julian Steward) U. S. N. M.	Boobs Bay (Dall Island).	40	18.9	15.0	14.1	79.57	83.19	16.00	13.4	8.0
379172	do.	do.	24	19.0	15.2	13.8	80.0	80.70	16.00	12.5	7.4
379163	do.	do.	30	18.7	15.2	13.8	81.28	81.42	15.90	12.0	7.5
379168	do.	Pennoek Island.	35	18.8	15.5	13.8	82.45	80.47	16.03	12.7	7.7
379167	do.	do.	30	17.9	14.8	14.2	82.68	86.85	15.63	12.7	7.9
379165	do.	do.	55	17.8	15.1	13.5	84.83	82.07	15.47	12.3	7.4
Specimens.			(6)		(6)	(6)	(6)	(6)	(6)		(6)			(5)	(6)
Totals.			234		11.1	90.80	83.2	82.42		95.03			62.90	45.90
Averages.			39.0		18.52	15.13	13.87	81.73	82.42		15.81			12.58	7.65
Minimum.			24		17.8	14.8	13.5	79.4	80.5		15.47			12.0	7.4
Maximum.			55		19.0	15.5	14.2	84.8	86.8		16.03			13.4	8.0

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth, max- im.	Nasal Index	Upper Alveolar Arch— Length, maxim.	Upper Alveolar Arch— Breadth, maxim.	Upper Alveolar Arch— Length, max- im.	Upper Alveolar Arch— Breadth, max- im.	Lower Jaw—Height at Symphysis
379170	15.1	88.74	62.98	11.1	9.6	11.2	68.5	59.5	3.5	3.6	4.4	4.3	79.55	83.76	5.1	5.1	65.67	5.7	7.2	5.7	7.2	83.52
379172	14.9	83.89	49.66	10.7	9.6	10.4	67.0	56.0	3.6	3.55	4.1	4.0	65.37	68.75	5.05	2.8	65.45	5.7	7.2	5.7	7.2	79.17
379166	15.4	77.92	48.70	10.5	9.4	10.8	71.5	56.5	3.6	3.6	4.0	3.9	60.91	63.81	5.15	2.5	48.54	5.6	6.7	5.6	6.7	83.58
379168	15.2	86.39	60.66	9.8	8.7	10.2	69.5	57.0	3.8	3.8	4.3	4.2	83.37	90.78	5.15	2.65	49.46	5.6	6.8	5.6	6.8	82.32
379167	14.7	81.46	63.74	10.0	9.0	10.2	68.0	59.0	3.8	3.75	4.1	4.0	82.68	93.72	5.4	2.4	44.41	5.7	6.4	5.7	6.4	89.09
379165	15.1	81.46	69.01	10.5	9.5	10.2	67.0	54.5	3.25	3.2	4.0	3.9	81.23	82.09	5.45	2.75	63.46	5.7	6.8	5.7	6.8	83.82
Specimens	(6)	(9)	(6)	(9)	(9)	(9)	(9)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)
Totals	90.4	83.64	60.77	10.43	9.35	10.50	68.58	56.58	3.58	3.58	4.15	4.05	86.14	88.48	5.22	2.60	49.84	5.72	6.85	5.72	6.85	82.46
Averages	15.07	77.9	48.7	9.8	8.7	10.2	67.0	54.5	3.25	3.2	4.0	3.9	79.6	82.1	5.05	2.4	44.4	5.6	6.4	5.6	6.4	79.2
Minima	14.7	88.7	63.7	11.1	9.9	11.2	71.5	52.0	3.8	3.8	4.4	4.3	92.7	93.8	5.45	2.8	55.4	9.0	7.2	9.0	7.2	82.1
Maxima	15.4																					

¹ Near.
² Allowance made for wear of teeth.

SOUTHEAST ALASKA INDIANS: FEMALES
(Dall Island)

TLINGIT

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Alveol. Pt.-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)							
379173	U.S.N.M.	Bobs Bay	20		17.8	14.6	13.4	82.02	82.72		15.27											
379171	do.	do.	50		17.2	14.3	13.5	83.14	85.71		15.00				7.4							
Catalog No.	Diam. Bizygomatic max. (c)	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits-Height, right	Orbits-Height, left	Orbits-Breadth, right	Orbits-Breadth, left	Orbital Index, right	Orbital Index, left	Nose-Height	Nose-Breadth max.	Nasal Index	Upper Alveolar Arch-Length, max.	Upper Alveolar Arch-Breadth, max.	Upper Alveolar Arch-Index	Lower Jaw-Height at Symphysis	
379173	14.0	88.57	62.80	10.6	9.2	10.0	61.5	51.5	3.7	3.7	4.0	3.9	92.60	94.87	4.8	2.8	58.33	5.7	6.7	85.07		
379171																						

¹ Near.

² Allowance made for wear of teeth.

SOUTHEAST ALASKA INDIANS: MALES

HAIDA

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a) ¹	Alveol. Pt.-Nasion Height (b)
304053	U. S. N. M.	Queen Charlotte Islands.	Adult.		17.7	14.4	13.6	81.4	84.7		15.23	1,400		12.4	7.7
304052	do.	do.	do.		17.8	15.4	13.2	86.5	79.5		15.47	1,600		12.0	7.0

TLINGIT

300898	U. S. N. M.	Admiralty Island	Adult.		18.2	14.1	14.6	77.5	90.4		15.63	1,630		12.9	8.0
242885	do.	Southeast Alaska	do.		18.8	14.6	12.6	77.7	75.4		15.33	1,590		12.4	8.0
228795	do.	do.	55		19.0	14.9	13.9	78.4	82.0		15.93	1,505		12.4	7.1
304095	do.	Admiralty Island	Adult.		18.8	14.8	13.8	78.7	82.1		15.80	1,620		12.1	7.8
300896	do.	Prince of Wales Island.	do.		18.3	14.4	13.3	78.7	81.4		15.33	1,450		12.1	7.7
242048	do.	Near Sitka	do.		19.3	15.2	14.6	78.8	84.6		16.37	1,580		12.8	8.0
243986	do.	Southeast Alaska	do.		18.2	14.4	12.2	79.1	74.8		14.93	1,410		10.4	6.6
273205	do.	Near Wrangell	28		18.8	14.9	14.6	79.8	86.6		16.10	1,590		13.3	7.9
242952	do.	Southeast Alaska	Adult.		17.8	14.2	13.4	79.8	83.8		15.13	1,590		11.6	7.4
242904	do.	Near Sitka	Adult.		18.8	15.0	13.6	79.8	80.5		15.80	1,725		12.9	7.9
225255	do.	Wrangell	do.		18.8	15.1	12.9	80.3	76.6		15.60	1,610		12.8	7.8
300894	do.	Heceta Island, near Prince of Wales Island.	do.		18.7	15.4	14.2	82.4	83.3		16.10	1,580		12.8	7.8
Specimens				(12)	(12)	(12)	(12)	(12)	(12)		(12)	(12)		(9)	(11)
Totals				223.5	177.0	163.7	163.7	79.2	81.7		188.1	18,820		111.2	84.2
Averages				18.63	14.75	13.64	13.64	77.5	74.8		15.67	1,568		12.86	7.65
Minima				17.8	13.4	12.2	12.2	77.5	74.8		14.93	1,410		10.4	6.6
Maxima				19.3	15.4	14.6	14.6	82.4	90.4		16.37	1,725		12.9	8.0

¹ Allowance made for wear of teeth, where needed.

SOUTHEAST ALASKA INDIANS: MALES—Continued

HAIDA

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Lower Jaw—Height at Symphysis
304053	13.4	92.5	57.5	10.2	9.2	10.1	67.0	57.0	3.7	3.8	3.85	3.85	96.1	93.7	5.6	2.6	49.7	5.3	6.8	3.4
304052	14.5	82.8	43.3	10.0	9.2	10.4	73.0	59.0	3.65	3.65	4.25	4.25	89.9	83.9	5.3	2.9	67.7	5.4	6.7	3.7

TLINGIT

	(12)	(9)	(11)	(12)	(12)	(12)	(11)	(11)	(12)	(12)	(12)	(12)	(12)	(12)	(12)	(12)	(12)	(11)	(10)	(4)
300698	13.8	69.5	59.0	10.3	9.2	10.2	69.5	57.0	3.6	3.75	4.0	3.9	90.0	86.1	5.6	2.3	41.1	5.7	6.6	3.6
242855	14.7	64.4	46.0	10.8	9.3	10.2	61.0	50.0	3.4	3.55	4.1	3.9	83.9	80.1	4.25	2.45	47.1	5.1	7.0	87.7
228795	14.6	66.0	46.0	10.5	9.3	10.4	69.0	54.0	3.4	3.4	4.1	4.1	83.9	83.9	4.85	2.7	47.7	5.5	7.1	93.0
304055	15.3	81.0	61.0	10.0	9.1	10.0	67.5	61.5	3.6	3.6	4.2	4.1	85.7	87.8	4.4	2.5	46.5	5.5	6.8	82.9
300895	13.5	89.6	57.0	10.1	8.8	9.8	65.0	50.0	3.8	3.9	4.1	3.95	92.7	94.9	3.4	2.7	50.0	5.6	(3.8)	(69.6)
242948	14.9	85.9	53.7	10.8	10.0	11.3	72.0	64.0	3.5	3.7	3.8	3.9	92.1	93.9	3.7	2.5	43.9	3.9	6.8	89.8
243886	14.4	72.2	45.8	10.1	9.1	10.0	70.0	47.0	3.6	3.55	4.1	4.1	87.8	86.6	3.15	2.9	56.3	4.4	6.2	87.1
273205	14.4	85.9	54.9	10.3	9.4	10.5	69.0	62.5	3.75	3.8	4.2	4.1	89.3	92.7	3.4	2.25	41.7	3.7	6.8	83.8
242902	13.6	85.3	54.4	9.4	8.4	9.4	67.0	56.5	3.55	3.7	3.9	3.9	91.0	94.9	5.3	2.4	45.3	3.3	6.2	85.6
242901	14.9	86.6	53.0	10.7	9.3	10.4	66.0	50.5	3.65	3.6	4.4	4.2	83.0	80.5	5.6	2.9	42.7	3.6	7.1	78.9
225255	14.4	86.5	52.7	10.2	8.9	9.7	70.0	52.0	3.6	3.55	4.0	4.0	90.0	87.8	5.2	2.7	51.9	3.4	7.1	85.6
300694	14.8	86.5	52.7	10.4	9.2	10.7	70.0	52.0	3.55	3.6	4.15	4.1	85.5	83.8	5.7	3.0	52.6	5.4	7.1	76.0
Specimens	(12)	(9)	(11)	(12)	(12)	(12)	(11)	(11)	(12)	(12)	(12)	(12)	(12)	(12)	(12)	(12)	(12)	(11)	(10)	(4)
Totals	173.3	123.6	109.9	122.6	109.9	122.6	746.0	605.0	43.0	43.9	49.05	48.25	87.7	91.0	61.4	31.3	61.8	67.3	67.3	14.4
Averages	14.44	85.8	53.0	10.22	9.16	10.22	67.8	55.0	3.58	3.66	4.09	4.02	87.7	88.9	5.37	2.61	48.6	5.62	6.73	3.60
Minima	13.5	72.2	45.8	9.4	8.4	9.4	64.0	47.0	3.4	3.4	3.8	3.9	82.9	82.9	4.85	2.25	41.1	5.3	6.2	3.5
Maxima	15.3	93.6	58.0	10.8	10.0	11.3	72.0	64.0	3.8	3.9	4.4	4.2	92.7	93.7	5.7	3.0	56.3	6.1	7.1	3.7

SOUTHEAST ALASKA INDIANS: FEMALES

HAIDA

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium (Glabella ad maximum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
304051	U.S.N.M.	Queen Charlotte Islands.	Adult.	17.4	14.2	13.0	81.6	82.3	14.87	1,240	7.0
304054	do.	do.	do.	16.8	13.8	12.8	82.1	83.7	14.47	1,130	6.8

TLINGIT

369465	U.S.N.M.	Near Wrangell.	45	18.0	14.2	13.1	78.9	81.4	15.10	11.9	7.2
242929	do.	Southeast Alaska.	Adult	18.4	14.6	13.2	79.7	89.0	15.40	7.3
300865	do.	Admiralty Islands.	do.	18.0	14.3	12.9	79.7	79.9	15.07	1,310	11.4	6.9
242899	do.	Southeast Alaska	do.	17.0	13.9	13.2	81.8	85.0	14.70	1,370	6.4
3486	State Mus.	Island northwest of Sitka.	do.	17.4	14.4	13.0	82.8	81.8	14.33	7.1
300897	Seattle, U.S.N.M.	Prince of Wales Island	do.	17.4	14.4	12.1	82.8	76.1	14.63	1,450	11.7	7.3
329755	do.	do.	35	16.8	14.2	12.7	84.5	81.7	14.57	10.7	6.5
369496	do.	Wrangell	60	17.3	14.7	12.2	85.0	76.3	14.73	12.2	7.1
329753	do.	Prince of Wales Island	25	17.0	14.5	13.1	85.3	83.2	14.87	11.1	6.7
Specimens	(9)	(9)	(9)	(9)	(9)	(9)	(3)	(6)	(9)
Totals	157.3	129.2	115.5	131.0	130.0	131.0	4,130	69.0	62.5
Averages	17.48	14.86	12.83	82.1	80.6	14.89	1,377	11.50	6.94
Minima	16.8	13.9	12.1	78.9	76.1	14.57	10.7	6.4
Maxima	18.4	14.7	13.2	85.9	83.2	15.40	12.2	7.3

1 Allowance made for wear of teeth, where needed.

SOUTHEAST ALASKA INDIANS: FEMALES—Continued

HAIDA

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Ocular Index, right	Ocular Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphysis
304051	13.3	---	52.6	9.1	8.2	9.6	72.0	60.0	3.3	3.4	4.0	3.8	82.5	89.5	4.7	2.3	48.9	4.8	6.2	77.4	---
304054	13.4	---	50.8	9.5	8.4	9.4	68.5	51.5	3.4	3.45	3.6	3.6	94.4	95.8	4.9	2.2	44.9	5.1	5.9	86.4	---

TLINGIT

369495	13.3	89.5	54.1	10.5	9.3	10.2	70.0	52.5	3.6	3.6	3.9	4.0	92.3	90.0	5.0	2.4	48.0	5.8	6.7	86.9	3.35	
242926	13.1	---	55.7	9.2	8.3	9.7	71.0	56.5	3.65	3.45	3.75	3.8	97.3	96.1	5.5	2.5	45.4	4.9	6.1	80.9	---	
300895	13.7	85.2	60.4	10.8	9.0	10.2	66.0	51.5	3.3	3.35	4.0	4.1	89.1	87.1	4.85	2.3	47.4	5.8	6.1	95.1	3.2	
242889	---	---	---	9.8	8.8	10.0	73.0	50.5	3.6	3.7	3.6	3.7	84.6	91.9	4.8	(2.0)	(60.1)	5.4	6.8	79.1	---	
3486	13.5	---	52.6	11.1	9.8	10.2	64.0	51.0	3.5	3.55	3.85	3.85	83.0	87.8	4.3	2.55	53.1	5.6	6.8	81.8	---	
300897	13.2	---	55.3	9.4	8.2	9.2	65.0	50.0	3.8	3.85	4.15	4.15	93.3	90.5	5.3	2.5	47.9	5.3	6.0	88.3	---	
329755	13.0	---	60.0	9.1	8.4	9.2	70.0	59.5	3.5	3.45	3.7	3.7	94.0	90.5	4.9	2.5	51.0	4.3	5.9	87.5	2.9	
369496	13.9	86.7	51.1	10.0	8.7	9.6	66.0	52.0	3.6	3.7	4.0	4.0	90.0	89.2	4.7	2.7	57.4	4.3	6.5	87.5	2.9	
329753	12.8	---	52.3	8.8	7.9	9.3	72.0	57.0	3.95	4.0	3.9	3.75	101.3	106.7	4.85	2.2	45.4	4.7	5.7	82.5	2.9	
Specimens	(8)	(6)	(8)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(8)	(8)	(9)	(9)	(9)	(9)	(5)
Totals	106.5	---	480.5	88.7	79.0	87.6	614.5	480.5	32.1	32.2	35.35	33.05	---	---	44.7	19.65	---	47.6	56.4	---	15.75	
Averages	13.25	---	52.7	9.86	8.78	9.73	68.3	53.4	3.58	3.58	3.93	3.89	90.8	91.9	4.97	2.46	49.2	5.29	6.27	81.4	3.15	
Minima	12.8	---	50.0	8.8	7.9	9.2	64.0	50.0	3.2	3.25	3.7	3.7	82.1	84.1	4.7	2.2	45.4	4.7	5.7	79.1	2.9	
Maxima	13.7	---	55.7	11.1	9.8	10.2	73.0	59.5	4.0	4.15	4.1	4.1	101.3	106.7	5.5	2.7	57.4	5.8	6.8	93.4	3.4	

SOUTH AND SOUTHWEST ALASKA INDIANS: MALES

COPPER RIVER

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma Height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
379851.....	Dr. Chase.....	Near W. channel of Copper River.	55	-----	18.8	14.2	13.1	75.5	79.4	-----	15.37	-----	-----	12.7	7.8

CORDOVA

363604.....	(A.H.) U.S.N.M.....	Indian burials near Cordova.	40	-----	18.2	14.4	13.8	79.1	84.7	-----	15.47	-----	-----	12.7	7.5
-------------	------------------------	------------------------------	----	-------	------	------	------	------	------	-------	-------	-------	-------	------	-----

FRINCE WILLIAM SOUND ISLANDS

225040.....	U.S.N.M.....	Cordova region.....	55	-----	17.6	14.8	13.7	84.1	84.6	-----	15.37	1,525	-----	-----	-----
-------------	--------------	---------------------	----	-------	------	------	------	------	------	-------	-------	-------	-------	-------	-------

KENAI PENINSULA

C-1.....	Nat. Mus. Can.	Kenai Peninsula.....	55	-----	18.0	14.8	14.0	82.2	85.4	-----	15.60	-----	-----	-----	7.9
----------	----------------	----------------------	----	-------	------	------	------	------	------	-------	-------	-------	-------	-------	-----

ILLIAMNA LAKE

363563.....	(A.H.) U.S.N.M.....	Knudsen Bay.....	60	-----	17.6	15.2	13.6	86.4	82.9	-----	15.47	-----	-----	12.2	7.2
Specimens			(5)		(5)	(5)	(5)	(6)	(5)		(5)			(5)	(4)
Totals			263		90.2	73.4	68.2				77.27			37.6	30.4
Averages			53.0		18.04	14.68	13.64	87.4	83.4		15.45			12.33	7.6

SOUTH AND SOUTHWEST ALASKA INDIANS: MALES—Continued

COPPER RIVER

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pl.	Basion-Subnasal Pl.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—	Lower Jaw—Height at Symphysis		
379551.....	13.5	94.1	67.8	10.8	9.2	10.0	62.0	48.0	3.4	(3.1)	3.85	3.9	88.3	(80.8)	5.45	2.8	51.4	5.8	6.2	93.5	3.7

CORDOVA

363604.....	14.5	87.6	51.7	9.7	8.8	10.0	70.0	60.5	3.75	3.8	3.9	3.9	95.2	97.4	5.2	2.25	43.3	5.3	6.5	81.6	3.8
-------------	------	------	------	-----	-----	------	------	------	------	-----	-----	-----	------	------	-----	------	------	-----	-----	------	-----

PRINCE WILLIAM SOUND ISLANDS

229040.....	15.0	8.8	10.0	3.4	3.4	4.0	3.85	85.0	88.3	5.2	2.6	50.0
-------------	------	-------	-------	-------	-----	------	-------	-------	-----	-----	-----	------	------	------	-----	-----	------	-------	-------	-------	-------	-------

KENAI PENINSULA

C-1.....	14.2	55.6	10.6	9.3	10.3	66.0	54.0	4.0	4.1	4.0	4.05	100.0	101.2	5.35	2.55	47.7	5.7	6.7	85.1
----------	------	-------	------	------	-----	------	------	------	-----	-----	-----	------	-------	-------	------	------	------	-----	-----	------	-------

ILLIAMNA LAKE

363593.....	14.3	85.3	60.4	9.0	8.4	9.8	69.5	49.5	3.8	3.9	4.45	4.4	87.4	88.6	5.2	2.8	53.8	5.2	6.2	83.9	3.5	
Specimens	(5)	(3)	(4)	(4)	(5)	(5)	(4)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(4)	(4)	(3)	(3)
Totals	71.5	40.7	41.5	50.1	237.5	212.0	18.35	18.3	20.2	20.1	293.4	293.4	22.0	25.6	220	22.0	25.6	11.0	11.0	
Averages	14.3	82.09	53.8	10.18	8.9	10.02	66.9	53.0	3.67	3.66	4.04	4.02	99.84	91.04	5.28	2.6	49.2	5.5	6.4	85.97	3.67	

SOUTH AND SOUTHWEST ALASKA INDIANS: FEMALES
PRINCE WILLIAM SOUND ISLANDS

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
339757	U.S.N.M.	Cordova region	60	---	17.8	14.9	12.2	85.71	74.62	---	14.57	---	---	7.4	7.4
339756	do	do	55	---	16.8	14.2	12.1	84.52	74.01	---	14.37	---	---	---	7.6

ILLIAMNA LAKE

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
203596	(A. I.) U.S.N.M.	Knudsen Bay	24	---	16.1	13.6	12.0	84.5	80.8	---	13.90	---	---	10.9	6.7
303594	do	do	35	---	16.9	14.4	12.2	86.2	78.5	---	14.43	---	---	12.1	7.4
Specimens	(4)				(4)	(4)	(4)	(4)	(4)		(4)			(2)	(4)
Totals	174				67.6	57.1	48.5	57.7	57.7		57.7			23.0	20.1
Averages	43.5				16.90	14.28	12.13	84.5	77.8		14.43			11.50	7.27

PRINCE WILLIAM SOUND ISLANDS

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits-Height, right	Orbits-Height, left	Orbits-Breadth, right	Orbits-Breadth, left	Orbital Index, right	Orbital Index, left	Nose-Height	Nose-Breadth maxim.	Nasal Index	Upper Alveolar Arch-Length maxim.	Upper Alveolar Arch-Breadth maxim.	Upper Alveolar Arch-Synphysis	Lower Jaw-Height at
339757	13.0	---	56.9	10.2	9.1	9.8	65.0	58.0	3.6	3.65	3.8	3.9	94.7	93.6	4.8	2.85	59.4	5.0	9.9	76.0	---
339756	13.4	---	56.7	9.2	7.9	9.4	67.0	51.0	3.65	3.6	4.0	3.8	91.5	94.7	5.3	1.3	42.4	3.1	6.2	52.5	---

SOUTH AND SOUTHWEST ALASKA INDIANS: FEMALES—Continued

ILLIAMNA LAKE

363596.....	12.3	88.6	54.5	8.8	7.9	8.8	8.8	67.5	55.0	3.4	3.5	3.6	3.55	94.4	98.6	4.85	2.2	45.4	5.0	6.3	79.4	3.0
363594.....	12.9	93.8	57.4	9.1	8.3	8.3	9.1	56.0	61.5	3.35	3.25	3.55	3.55	94.4	91.6	5.05	2.45	48.6	5.2	6.7	77.6	3.7
Specimens.....	(4)	(2)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(2)
Totals.....	51.6	37.3	33.2	37.1	33.2	37.1	37.1	265.5	225.5	14.0	11.0	14.05	14.8	94.6	94.6	20.0	9.8	20.3	25.7	25.7	79.0	6.7
Averages.....	12.90	91.3	56.4	9.27	8.30	8.30	9.27	66.4	56.4	3.50	3.50	3.74	3.70	93.6	94.6	5.0	2.45	49.0	5.08	6.43	79.0	3.35

YUKON INDIANS: MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxym. (glabella ad maxym.)	Diam. lateral maxym.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pl.-Nasion Height (b)
345344.....	(A, H)	Above Greyling River	35		18.6	14.8	13.8	79.57	82.62		15.73		Slight	12.5	7.7
345335.....	U. S. N. M.	Near Holy Cross River	50		19.0	14.8	14.2	77.89	84.02		16.0		Medium	12.0	7.6
345314.....	do.	Ghost Creek	55		17.7	14.0	13.2	79.10	83.83		14.97		Medium to pronounced	13.3	7.5
345293.....	do.	do.	50		18.6	14.1	14.3	75.81	87.46		15.67		Medium	13.9	8.4
34574 (small).....	do.	do.	50		17.4	13.3	13.4	76.43	87.30		14.70		do.	11.6	7.1
345345.....	do.	Kozhircovski	55		18.3	13.6	13.5	74.93	84.64		15.13		do.	12.8	7.2
345346.....	do.	do.	50		17.8	13.6	13.7	76.40	87.26		15.03		Moderate	12.8	7.9
345223.....	do.	do.	60		18.7	14.0	13.2	74.87	80.22		15.30		Marked	12.9	7.3
345233.....	do.	do.	60		18.4	14.0	13.0	76.09	83.65		15.33		do.	12.8	7.7
345731.....	do.	do.	60		18.4	14.0	13.0	76.09	83.65		15.33		do.	12.8	7.7
363910 (probably Indian).....	do.	Above Russian Mission.	45		19.1	14.5	14.4	73.92	83.71		16.0		Moderate	13.9	8.2
Specimens.....			(10)		(10)	(10)	(10)	(10)	(10)		(10)			(10)	(10)
Totals.....			500		183.6	140.7	137.3	761.3	84.07		133.87			128.5	76.6
Averages.....			50		18.36	14.07	13.73	76.63	84.07		13.39			12.85	7.60
Minima.....			35		17.4	13.3	13.2	74.32	80.73		14.70			11.6	7.1
Maxima.....			60		19.1	14.8	14.4	79.67	87.46		16.0			13.9	8.4

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a}{100}\right) \times c$	Facial Index, upper $\left(\frac{b}{100}\right) \times c$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphysis	
345344	14.4	81.68	62.49	10.5	9.2	10.0	64.0	55.0	3.3	3.4	3.85	3.8	85.71	89.47	5.15	2.3	44.69	5.8	6.5	89.23	3.9	
345345	14.8	81.08	61.95	10.3	9.2	10.5	70.0	54.0	3.5	3.6	3.9	3.9	89.74	92.51	5.5	2.6	47.27	5.7	7.1	80.23	3.8	
345346	13.8	96.88	61.95	9.5	8.4	9.8	69.0	55.0	3.7	4.15	4.05	4.05	85.54	91.96	5.2	2.5	48.08	5.1	6.3	80.96	4.1	
345347	13.3	97.90	58.71	10.4	9.2	10.4	66.0	57.0	3.5	3.65	3.9	3.9	89.74	93.69	5.55	2.65	47.75	5.7	6.8	83.82	4.8	
345348	13.7	88.55	61.90	9.9	8.9	10.0	70.0	57.5	3.3	3.3	4.1	4.0	80.49	82.60	5.0	2.55	51.0	5.1	6.0	82.99	3.6	
345349	12.7	109.8	56.60	10.2	8.8	10.0	68.0	45.0	3.4	3.5	3.85	3.95	88.31	88.61	5.2	2.4	46.15	5.6	6.6	84.85	4.0	
345350	14.0	91.89	56.73	10.5	9.4	10.6	68.5	56.5	3.5	3.6	3.9	3.8	89.74	94.74	5.55	2.5	45.05	5.8	6.7	86.67	3.9	
345351	14.1	91.49	57.77	9.8	8.6	9.9	68.5	54.0	3.65	3.65	4.1	4.0	89.02	91.25	4.95	2.5	50.51	5.6	7.1	78.87	4.5	
345352	14.2	90.14	54.93	10.3	8.8	10.3	69.0	51.5	3.65	3.65	4.1	4.1	89.02	89.02	5.35	2.6	48.60	5.6	6.5	86.15	3.7	
345353	13.7	101.5	53.85	10.2	9.0	10.2	63.0	55.0	3.65	3.65	4.2	4.2	86.90	86.90	5.65	2.35	41.59	5.6	9.3	86.15	4.1	
345390 (probably In- dian).	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
Specimens	139.1	89.86	55.07	10.14	8.96	10.17	67.9	50.5	35.0	35.7	40.05	39.7	87.59	89.92	5.31	2.50	46.99	55.6	66.1	84.11	40.4	
Totals	13.91	87.08	57.35	9.5	8.4	9.8	64.0	45.0	3.3	3.3	3.85	3.8	80.19	82.50	4.95	2.3	41.69	5.1	6.0	78.87	3.6	
Averages	12.7	101.5	59.85	10.5	9.4	10.6	70.0	57.5	3.65	3.7	4.2	4.2	89.74	94.74	5.65	2.65	51.0	5.8	7.1	89.23	4.8	
Minima	14.8																					

1 Allowance made for wear of teeth, where needed.
2 Near.

YUKON INDIANS: FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (labella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean <i>Teight</i> Index	<i>Teight</i> -Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Monton-Nastion Height (a)	Alveol. Pt.-Nastion Height (b)
345289	(A. H.)	Near Greyling River.	25		17.4	14.2	13.0	81.61	82.98		14.87		Very slight	11.3	6.8
345291	U.S.N.M.	Near Holy Cross	25		17.6	14.2	13.4	80.68	84.28		15.07		do	12.0	7.5
345716	do	do	50		17.6	13.5	12.0	76.70	77.17		14.37		Medium	11.9	7.0
345319	do	do	50		16.4	13.2	12.2	80.49	82.43		13.93		do	11.2	6.8
345312	do	Ghost Creek	35		16.9	12.8	12.2	75.74	82.15		13.97		Slight	11.9	7.3
345391	do	do	25		17.1	13.0	13.8	76.02	91.69		14.63		Very slight	11.2	7.0
345352	do	do	55		17.1	13.7	13.4	80.12	87.01		14.73		Medium to considerable	11.2	7.0
351349	do	Kozherevski	55		17.3	13.4	12.9	77.46	84.04		14.53		Considerable	12.8	7.5
Specimens			(8)		(8)	(8)	(8)	(8)	(8)		(8)			(7)	(7)
Totals			320		137.4	108.0	102.9				116.1			82.3	49.0
Averages			40		17.18	13.50	12.86	78.60	83.86		14.51			11.76	7.13
Minima			25		16.4	12.8	12.0	75.74	77.17		13.93			11.2	6.8
Maxima			55		17.6	14.2	13.8	81.61	91.69		15.07			12.8	7.5

KOBUK RIVER

300216	U.S.N.M.	Shungnak Village	50		17.3	13.4	13.5	77.5	87.9		14.73			11.9	7.1
--------	----------	------------------	----	--	------	------	------	------	------	--	-------	--	--	------	-----

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index $\left(\frac{a}{b \times 100}\right)$ total	Facial Index $\left(\frac{b}{c \times 100}\right)$ upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index	Lower Jaw—Height at Symphysis
345389	81	88.98	69.18	9.3	8.0	9.3	69.0	48.5	3.35	3.35	3.8	3.7	88.16	90.54	4.75	2.35	49.47	5.1	6.1	83.61	3.45
345391	81	92.81	67.69	10.1	9.2	10.2	68.5	60.5	3.7	3.65	3.8	3.7	97.37	98.65	5.3	2.45	46.23	5.3	6.1	86.89	3.4
345716	13.4	88.81	64.24	9.9	8.5	9.8	68.5	51.0	3.4	3.45	3.8	3.7	89.47	93.24	5.0	2.4	48.0	5.2	6.1	85.25	3.7
345719	12.2	91.80	66.74	9.8	8.7	9.6	68.0	52.0	3.35	3.35	3.75	3.75	89.53	89.33	4.9	2.3	46.94	5.2	6.2	83.87	3.45
345312	12.8	92.97	67.03	9.2	8.0	9.0	64.5	53.0	3.65	3.65	3.8	3.7	96.05	98.66	4.9	2.3	46.94	5.2	5.9	88.14	3.75
345391	13.0	86.16	65.85	10.3	9.2	10.2	68.5	52.0	3.5	3.4	3.9	3.75	89.74	90.67	5.0	2.4	48.0	5.6	7.3	76.71	3.45
345392	13.1	84.46	67.69	9.9	8.4	9.4	64.0	49.5	3.7	3.6	3.95	3.85	93.67	93.61	4.95	2.35	47.47	5.7	6.5	87.69	3.2
351349	13.0	98.46	67.69	9.9	8.6	9.4	64.0	49.5	3.4	3.4	4.3	4.1	79.07	82.93	5.25	2.6	49.52	5.7	6.5	87.69	3.8
Specimens	(S)	(7)	(7)	(7)	(8)	(8)	(7)	(7)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(7)	(7)	(7)	(S)
Totals	103.3	91.24	65.92	9.79	8.61	9.61	67.3	52.4	3.51	3.48	3.89	3.78	90.19	92.07	5.01	2.39	47.82	37.3	44.2	84.99	28.2
Averages	12.91	86.15	62.24	9.2	8.0	9.0	64.0	48.5	3.35	3.35	3.75	3.7	79.07	82.63	4.75	2.3	46.23	5.33	6.31	76.71	3.52
Minima	12.2	86.15	62.24	9.2	8.0	9.0	64.0	48.5	3.35	3.35	3.75	3.7	79.07	82.63	4.75	2.3	46.23	5.1	5.9	76.71	3.2
Maxima	13.4	98.46	67.69	10.3	9.2	10.2	69.0	60.5	3.7	3.65	4.3	4.1	97.37	98.66	5.3	2.6	49.52	5.7	7.3	88.14	3.8

KOBUK RIVER

300210	13.4	88.5	53.0	9.2	7.8	9.6	71.0	48.5	3.3	3.3	3.9	3.75	84.6	83.0	4.9	2.6	53.1	5.5	6.4	85.9	3.9
--------	------	------	------	-----	-----	-----	------	------	-----	-----	-----	------	------	------	-----	-----	------	-----	-----	------	-----

1 Allowance made for wear of teeth, where needed.
2 Near.

SHAGELUK (YUKON) INDIANS: MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabelle ad maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth, wear	Men-ton-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
345378	(A. H.) U. S. N. M.	Refuge Creek above Grevling River.	55	-----	18.6	13.2	14.1	70.97	88.68	-----	15.30	-----	Considerable	12.2	7.3
345369	do.	Near Shageluk	60	-----	18.3	13.1	13.8	71.58	87.90	-----	15.07	-----	do.	12.8	7.9
345356	do.	do.	60	-----	18.3	13.0	14.8	75.17	91.96	-----	15.73	-----	do.	13.4	8.3
345371	do.	Holokachakat	40	-----	18.6	14.0	13.0	75.97	79.75	-----	15.20	-----	Slight	13.6	8.0
345379	do.	Near Shageluk	60	-----	18.3	13.8	13.6	76.41	84.74	-----	15.23	-----	Considerable	12.6	7.6
Specimens			(5)	-----	(5)	(5)	(5)	(5)	(5)	-----	(5)	-----	-----	(5)	(5)
Totals			275	-----	92.30	68.00	63.30	75.67	86.76	-----	76.53	-----	-----	64.60	39.10
Averages			55	-----	18.46	13.60	13.86	75.67	86.76	-----	13.31	-----	-----	12.92	7.82
Minima			40	-----	18.3	13.1	13.0	70.97	79.75	-----	13.07	-----	-----	12.2	7.3
Maxima			60	-----	18.6	14.0	14.8	76.41	91.96	-----	13.73	-----	-----	13.6	8.3

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—	Lower Jaw—Height at Symphysis	
345378	13.9	87.77	62.62	10.2	9.0	10.5	71.5	51.0	3.7	3.8	4.2	4.0	88.10	95.0	5.35	2.5	46.73	5.4	6.4	84.88	3.7	
345369	13.4	95.52	68.96	10.3	9.3	10.4	68.0	58.0	3.6	3.8	4.1	4.1	87.80	92.68	5.65	2.5	44.25	5.4	6.4	84.88	4.0	
345356	13.8	87.10	60.14	10.5	9.0	10.4	64.0	52.0	3.45	3.6	4.15	4.05	83.15	88.89	5.45	2.9	42.21	5.9	6.2	85.16	4.1	
345371	13.7	89.27	68.39	10.5	9.0	10.0	64.0	52.0	3.25	3.3	3.65	3.6	89.04	91.67	5.15	2.05	46.15	5.5	6.5	81.62	4.25	
345379	13.7	91.97	55.47	10.3	9.2	10.4	69.5	57.0	3.65	3.8	4.3	4.1	84.88	92.68	5.2	2.4	46.15	5.5	6.5	81.62	3.9	
Spectaculus	(5)	(5)	(5)	(4)	(5)	(5)	(4)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(3)	(3)	(3)	(5)	(5)
Totals	68.50	94.51	67.08	41.30	45.50	51.70	273.0	218.0	17.65	18.30	20.40	19.85	86.52	92.19	26.8	12.35	16.08	16.80	19.10	87.97	19.95	
Averages	13.70	87.77	62.52	10.33	9.10	10.34	68.25	54.50	3.53	3.66	4.04	3.97	83.13	88.89	5.36	2.47	46.08	5.60	6.37	84.88	3.99	
Minima	13.4	87.77	52.52	10.2	9.0	10.0	64.0	51.0	3.25	3.3	3.65	3.6	83.13	88.89	5.15	2.05	39.81	5.4	6.2	81.62	3.7	
Maxima	13.9	99.27	60.14	10.5	9.3	10.5	71.5	58.0	3.7	3.8	4.3	4.1	89.04	95.0	5.65	2.9	53.21	5.9	6.5	91.62	4.25	

* Near.

¹ Allowance made for wear of teeth, where needed.

SHAGELUK (YUKON) INDIANS: FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (gabella ad maxm.)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
345364	U.S.N.M.	Near Shageluk	60	17.6	12.8	13.4	72.72	88.16	14.60	Considerable	12.9	7.6
345380	do.	do.	35	18.2	13.3	13.5	73.08	85.77	15.0	Moderate	12.2	7.7
345361	do.	do.	20	18.1	13.4	13.4	74.03	85.08	14.97	11.6	7.1
345382 (large)	do.	do.	65	18.4	13.7	14.1	74.46	89.72	15.50	Considerable	12.3	7.0
345383	do.	do.	45	17.6	13.2	12.8	75.0	83.12	14.53	Medium to considerable	13.0	8.1
345359	do.	Holokachak	20	17.4	13.2	12.7	75.86	80.89	14.43	12.1	7.6
345363	do.	Near Shageluk	28	17.3	13.2	12.4	76.20	87.37	14.30	Slight	11.8	7.3
345366 (massive)	do.	do.	50	18.4	14.1	13.8	76.63	84.93	15.43	Medium	12.4	7.3
345360	do.	do.	35	17.2	13.2	13.6	76.74	89.47	14.67	Slight	11.4	7.1
345353	do.	do.	65	17.4	13.4	13.4	77.01	87.01	14.73	Considerable	12.5	6.9
345370	do.	Near Greyling River (Refuge Creek)	50	17.3	13.3	13.0	77.23	85.25	14.50	Medium	12.5	7.5
345377	do.	Near Shageluk	55	17.6	13.7	13.2	77.84	84.87	14.83	Medium to considerable	13.0	7.6
345381	do.	do.	30	16.8	13.6	12.6	80.95	82.89	14.33	Slight	13.1	8.1
Specimens			(13)	13	13	13	13	13	13	(12)	(13)
Totals			558	229.3	174.10	172.2	191.82	148.9	98.9
Averages			42.9	17.64	13.39	13.25	75.62	85.37	14.76	12.41	7.45
Minima			20	16.8	12.8	12.4	72.73	80.89	14.30	11.4	6.9
Maxima			65	18.4	14.1	14.4	80.95	89.72	15.50	13.6	8.1

Catalog No.	Diam. Blyzomatic maxm. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, n/pt $\left(\frac{b}{c} \times 100\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxm.	Nasal Index	Upper Alveolar Arch—Length maxm.	Upper Alveolar Arch—Breadth maxm.	Upper Alveolar Arch—	Lower Jaw—Height at Symphysis
345364	12.9	100.0	58.91	10.1	6.7	64.5	45.5	3.8	3.9	4.1	3.8	3.8	92.68	95.12	5.4	2.6	48.15	6.2	86.71	3.6	
345365	12.9	94.57	59.69	10.2	10.4	69.0	54.5	3.7	3.75	4.0	3.95	3.95	92.50	94.04	5.3	2.4	45.28	6.4	85.94	3.45	
345366	12.9	92.67	59.17	9.6	8.8	71.0	62.0	3.4	3.5	3.7	3.6	3.6	91.89	97.22	5.0	2.2	44.0	5.9	86.44	3.25	
345367	12.9	93.55	57.56	9.9	9.0	74.0	58.0	3.3	3.55	4.1	3.9	3.9	89.49	89.74	5.1	2.6	50.88	6.5	83.68	3.9	
345368 (large)	13.3	102.30	60.90	10.2	8.6	64.0	48.5	3.8	3.85	4.1	3.8	3.8	92.68	93.42	5.35	2.3	42.99	6.4	89.06	4.1	
345369	13.3	83.50	58.91	9.1	8.4	63.0	58.5	3.75	3.8	3.8	3.75	3.8	98.68	101.9	5.3	2.2	41.51	6.5	80.0	3.45	
345370	12.5	94.49	58.40	10.1	8.0	66.5	51.5	3.1	3.45	3.9	3.8	3.8	87.18	90.79	5.1	2.4	47.06	6.0	91.67	3.75	
345371	13.5	91.55	54.07	9.8	8.8	71.0	58.0	3.45	3.5	4.2	4.0	4.0	82.14	87.50	5.0	2.5	50.0	6.6	86.80	3.75	
345372	13.5	84.44	52.59	9.7	10.0	66.0	60.0	3.3	3.5	3.55	3.85	3.85	88.54	90.91	5.15	2.4	47.06	6.2	88.71	3.45	
345373	13.0	87.00	55.08	9.4	9.4	68.5	60.0	3.0	3.5	3.8	3.65	3.65	88.80	88.61	5.1	2.4	47.06	6.5	85.63	3.5	
345374	13.0	100.0	60.0	9.4	8.5	66.0	60.0	3.0	3.6	4.05	3.8	3.8	88.80	88.61	5.2	2.3	44.23	6.1	88.52	3.85	
345375	13.0	100.0	58.46	9.4	8.4	66.0	58.0	3.0	3.6	3.8	3.8	3.8	94.74	94.74	5.2	2.4	47.15	6.7	80.60	3.7	
345376	12.8	102.3	63.23	9.3	8.0	64.5	53.5	3.8	3.9	3.9	3.9	3.9	97.44	102.6	5.3	2.3	41.82	6.6	80.50	3.9	
Specimens.....	(13)	(12)	(13)	(12)	(13)	(12)	(12)	(12)	(13)	(12)	(13)	(13)	(12)	(13)	(13)	(13)	(13)	(13)	(13)	(13)	(13)
Totals.....	167.7	117.0	128.2	112.6	125.2	811.0	663.0	42.9	46.9	47.66	59.10	59.10	99.13	99.61	61.70	31.15	46.01	82.69	85.59	47.35	47.35
Averages.....	12.90	96.27	67.78	9.75	8.67	67.58	55.25	3.58	3.61	3.47	3.83	3.83	89.49	87.50	5.21	2.40	46.01	6.33	85.69	3.64	
Minima.....	12.0	84.44	52.59	9.3	8.0	63.0	45.5	3.3	3.45	3.7	3.6	3.6	80.49	87.50	5.0	2.2	41.51	5.9	80.0	3.25	
Maxima.....	13.5	102.3	69.99	10.2	9.0	74.0	62.0	3.8	3.9	4.1	4.1	4.1	98.68	102.6	5.5	2.6	50.98	6.7	91.67	4.1	

2 Near.

1 Allowance made for wear of teeth, where needed.

NORTHWEST CANADA INDIANS: MALES
(Dené)
TUKKUTHKUCHIN

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (gabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Men-tion-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
243446	U.S.N.M.	Fort McPherson, Peel River.	Adult		18.5	14.6	13.2	78.9	79.8		15.43	1,440		12.4	7.5
243448	do	do	do		19.1	15.3	13.3	80.1	77.3		15.90	1,550		12.4	7.5
HARES															
243986	do	Fort Good Hope	Adult		18.0	14.9	13.4	82.8	81.5		15.43	1,700		11.9	7.0
Specimens					(3)	(3)	(3)	(3)	(3)		(3)	(3)		(3)	(3)
Totals					55.6	44.8	39.9	46.77	46.90		46.77	4,690		36.7	22.0
Averages					18.53	14.03	13.30	80.6	79.5		15.59	1,563		12.23	7.33

TUKKUTHKUCHIN

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{A \times 100}{c}\right)$	Facial Index, upper $\left(\frac{B \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphysis
24346	15.3	81.0	49.0	10.4	9.3	10.3	68.0	54.5	3.45	3.5	4.1	4.05	87.1	86.7	5.4	2.4	44.4	6.2	7.0	88.6	4.2
24348	14.5	85.5	61.7	10.5	9.4	10.4	68.5	52.5	3.2	3.2	4.0	3.95	89.0	81.0	5.5	2.6	47.3	5.7	6.6	86.4	3.8

HARES

24396	14.4	82.6	48.6	10.3	9.3	9.9	67.0	52.5	3.25	3.2	4.1	4.05	79.9	79.0	5.2	2.45	47.1	5.7	6.9	82.6	3.65
Specimens	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Totals	44.2	31.2	159.5	30.6	28.0	30.6	203.5	159.5	9.9	9.9	12.2	12.05	81.1	82.2	16.1	7.45	17.6	17.6	20.5	83.0	11.65
Averages	14.73	83.0	49.8	10.40	9.33	10.20	67.8	53.2	3.30	3.30	4.07	4.02	81.1	82.2	5.37	2.48	45.3	5.87	6.83	85.9	3.88

NORTHWESTERN AND ALASKAN INDIAN CRANIA
(General Abstract)

Measurement	MALES						FEMALES					
	North-west coast	Southeast Alaska		South-west Alaska	Shageluk (Yukon) Indians	North-west Doné, Canada	North-west coast	Southeast Alaska		South-west Alaska	Yukon Indians	Shageluk (Yukon) Indians
		Haida	Tlingit					Haida	Tlingit			
Approximate mean age.....	{ 55.9 (11)	{ 17.75 (11)	{ 18.59 (18)	{ 53.0 (5)	{ 50.0 (10)	{ 55.0 (5)	{ 43.8 (16)	{ 17.10 (2)	{ 17.48 (11)	{ 43.5 (4)	{ 40.0 (8)	{ 42.9 (13)
Vault:												
Length.....	{ 17.74 (11)	{ 17.75 (2)	{ 18.59 (18)	{ 18.04 (6)	{ 18.36 (10)	{ 18.46 (5)	{ 17.01 (16)	{ 17.10 (2)	{ 17.48 (11)	{ 16.90 (4)	{ 17.18 (8)	{ 17.61 (13)
Breadth.....	{ 14.40 (9)	{ 14.90 (2)	{ 14.88 (18)	{ 14.68 (5)	{ 14.07 (10)	{ 13.60 (5)	{ 13.55 (16)	{ 14.0 (2)	{ 14.57 (11)	{ 14.28 (4)	{ 13.50 (8)	{ 13.39 (13)
Height.....	{ 13.39 (11)	{ 13.40 (2)	{ 13.72 (18)	{ 13.64 (5)	{ 13.73 (10)	{ 13.88 (5)	{ 12.50 (16)	{ 12.9 (2)	{ 12.95 (11)	{ 12.13 (4)	{ 12.86 (8)	{ 13.25 (13)
Cranial index.....	{ 81.2 (9)	{ 83.9 (2)	{ 80.0 (18)	{ 81.4 (5)	{ 76.6 (10)	{ 73.7 (5)	{ 81.1 (16)	{ 81.9 (2)	{ 82.2 (11)	{ 84.5 (4)	{ 78.6 (8)	{ 75.9 (13)
Mean height index.....	{ 83.6 (9)	{ 82.1 (2)	{ 82.0 (18)	{ 83.1 (5)	{ 84.7 (10)	{ 86.5 (5)	{ 83.6 (16)	{ 83.0 (2)	{ 81.3 (11)	{ 77.8 (4)	{ 83.0 (8)	{ 81.4 (13)
Module.....	{ 15.14 (9)	{ 15.35 (2)	{ 15.73 (18)	{ 15.45 (5)	{ 15.39 (10)	{ 15.31 (5)	{ 14.59 (16)	{ 14.67 (2)	{ 14.93 (11)	{ 14.43 (4)	{ 14.51 (8)	{ 14.76 (13)
Capacity.....	{ 1,500 (12)	{ 1,500 (2)	{ 1,568 (12)	{ 1,525 (1)	{ 1,539 (10)	{ 1,531 (5)	{ 1,559 (16)	{ 1,467 (2)	{ 1,493 (11)	{ 1,443 (4)	{ 1,451 (8)	{ 1,476 (13)
Face:												
Total height.....	{ 12.20 (3)	{ 12.44 (14)	{ 12.53 (14)	{ 12.92 (3)	{ 12.85 (10)	{ 12.92 (5)	{ 11.20 (4)	{ 11.20 (2)	{ 11.63 (7)	{ 11.50 (2)	{ 11.76 (7)	{ 12.41 (12)
Upper height.....	{ 7.60 (3)	{ 7.35 (17)	{ 7.63 (4)	{ 7.82 (10)	{ 7.66 (10)	{ 7.82 (5)	{ 6.99 (11)	{ 6.9 (2)	{ 6.99 (10)	{ 7.27 (4)	{ 7.13 (7)	{ 7.45 (13)
Maximum breadth.....	{ 14.28 (6)	{ 13.95 (2)	{ 14.65 (18)	{ 14.3 (5)	{ 13.91 (10)	{ 13.70 (5)	{ 14.73 (13)	{ 13.12 (2)	{ 13.39 (13)	{ 12.90 (1)	{ 12.91 (8)	{ 12.99 (12)
Facial index: Total.....	{ 87.5 (3)	{ 85.0 (14)	{ 85.0 (14)	{ 89.09 (4)	{ 89.9 (10)	{ 94.3 (5)	{ 83.0 (4)	{ 86.7 (2)	{ 86.7 (7)	{ 91.3 (2)	{ 91.2 (7)	{ 96.3 (12)
Facial index: Upper.....	{ 54.2 (3)	{ 52.7 (17)	{ 52.2 (17)	{ 53.8 (4)	{ 55.1 (10)	{ 57.1 (5)	{ 52.7 (11)	{ 51.7 (2)	{ 52.7 (9)	{ 56.4 (4)	{ 55.3 (7)	{ 57.8 (13)
Base, etc.:												
Endobasion-Prealveolar point.....	{ 10.30 (3)	{ 10.10 (18)	{ 10.31 (18)	{ 10.18 (4)	{ 10.14 (10)	{ 10.33 (5)	{ 9.98 (11)	{ 9.30 (2)	{ 9.93 (10)	{ 9.32 (4)	{ 9.79 (7)	{ 9.75 (12)
Endobasion-Subnasal point.....	{ 9.10 (5)	{ 9.20 (18)	{ 9.22 (18)	{ 8.9 (5)	{ 8.96 (10)	{ 9.10 (5)	{ 8.7 (14)	{ 8.30 (2)	{ 8.82 (10)	{ 8.30 (4)	{ 8.61 (8)	{ 8.67 (13)
Endobasion-Nasion.....	{ 10.29 (9)	{ 10.25 (18)	{ 10.31 (18)	{ 10.02 (5)	{ 10.17 (10)	{ 10.31 (5)	{ 9.75 (16)	{ 9.50 (2)	{ 9.76 (16)	{ 9.27 (1)	{ 9.61 (8)	{ 9.80 (13)
Facial angle.....	{ 69.7 (3)	{ 70.0 (17)	{ 69.7 (17)	{ 66.9 (4)	{ 67.9 (10)	{ 68.3 (5)	{ 63.6 (11)	{ 70.2 (2)	{ 67.90 (10)	{ 66.4 (4)	{ 67.3 (7)	{ 67.6 (12)
Alveolar angle.....	{ 53.3 (3)	{ 53.0 (17)	{ 55.56 (17)	{ 53.0 (4)	{ 54.1 (10)	{ 54.5 (5)	{ 50.9 (11)	{ 55.8 (2)	{ 53.20 (10)	{ 50.4 (4)	{ 52.4 (7)	{ 55.3 (13)

ALASKA PENINSULA: MALES
(Mixed Group: Eskimo-Koniag-Aleut)

Catalog No.	Collection	Locality	A. p. provi- mate acc of sub- ject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdlicka's method)	Teeth, wear	Men- tion-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
363559	(A. H.) U. S. N. M.	Kvichak River	65		18.7	14.2	12.8	75.94	77.81	---	15.23	---	---	12.7	7.3
363587	do	do	40		18.5	14.0	13.6	76.92	83.44	---	13.40	---	---	12.7	7.7
363582	do	Pawik, Naknok River	35		18.0	14.0	12.4	77.73	87.90	---	14.80	---	---	12.9	7.7
363578	do	do	60		17.5	13.8	13.4	78.89	87.68	---	14.90	---	---	---	---
363578	do	do	60		18.2	14.4	13.9	79.12	89.28	---	15.30	---	---	12.5	7.1
363589	do	Egegik	60		18.4	14.0	13.3	79.35	89.61	---	15.33	---	---	12.8	7.7
363568	do	Pawik	24		18.3	14.7	13.8	79.46	89.19	---	15.67	---	---	12.2	7.7
363548	do	Kvichak River	50		19.8	15.0	14.8	79.79	87.57	---	16.20	---	---	12.2	7.8
363562	do	do	21		17.8	14.2	13.7	79.79	85.69	---	15.23	---	---	11.6	7.1
363560	do	do	60		18.4	14.7	13.4	79.89	89.97	---	15.90	---	---	11.6	7.8
363589	do	do	60		17.4	14.1	12.7	81.09	89.63	---	14.73	---	---	13.3	7.8
363556	do	do	65		18.2	14.8	13.2	81.52	89.0	---	15.40	---	---	12.3	6.9
363557	do	do	45		18.0	14.3	13.2	81.82	83.25	---	15.40	---	---	12.6	7.2
363574	do	do	50		17.6	14.4	13.8	81.82	83.25	---	15.27	---	---	13.0	8.1
363557	do	Pawik	65		18.0	15.0	12.7	83.53	76.97	---	15.23	---	---	12.8	7.6
363502	do	do	45		17.7	14.8	13.7	83.62	84.91	---	15.40	---	---	12.6	7.6
363522	do	Kvichak River	35		17.4	14.6	12.8	83.91	82.0	---	14.93	---	---	12.8	7.8
363579	do	Pawik	50		17.2	14.9	13.7	85.63	85.96	---	15.27	---	---	12.8	7.5
363577	do	do	35		17.5	15.2	13.3	83.86	81.55	---	15.33	---	---	12.8	8.6
363588	do	Egegik	65	Moderate lateral ocell- pial flattening.	17.8	15.4	14.6	---	---	---	15.33	---	---	14.5	8.6
Specimens			(19)		(18)	(18)	(18)	(18)	(18)	(18)	(19)			(18)	(18)
Totals			890		323.8	261.5	241.0	---	---	---	291.36	---	---	229.7	136.8
Averages			46.8		17.99	14.53	13.39	80.77	82.85	---	15.33	---	---	12.70	7.6
Minima			21		17.2	13.8	12.4	76.94	76.97	---	14.73	---	---	11.6	6.9
Maxima			65		18.8	15.2	14.8	86.86	87.67	---	16.20	---	---	14.5	8.6

Catalog No.	Diam. Bizygomatic max. (c)		Facial Index, total		Facial Index, upper		Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right		Orbits—Height, left		Orbits—Breadth, right		Orbits—Breadth, left		Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length max. im.	Upper Alveolar Arch—Breadth max. im.	Upper Alveolar Arch—Index	Lower Jaw—Height at Symphysis
	(18)	(19)	(18)	(19)	(18)	(19)						(18)	(19)	(18)	(19)	(18)	(19)	(18)	(19)									
363559	13.1	96.96	55.73	62.09	10.0	71.5	55.0	3.8	4.1	4.0	92.68	95.0	5.5	2.45	44.65	4.9	6.3	77.78	3.35									
363587	14.8	85.81	62.03	68.5	10.0	66.0	44.5	3.5	4.0	3.8	87.50	92.11	5.55	2.5	45.05	5.7	7.2	79.17	3.7									
363582	13.8	93.48	65.63	70.5	9.3	63.5	52.5	3.5	4.0	4.0	90.0	90.0	5.2	2.2	42.31	5.5	6.6	83.33	3.9									
363570	13.6	91.91	62.21	68.5	9.8	69.5	54.5	3.6	4.0	3.8	90.0	92.11	5.4	2.2	40.74	5.3	6.8	77.94	3.4									
363589	14.3	82.61	63.85	70.5	10.1	67.0	56.5	3.55	3.6	3.8	91.08	92.11	4.7	2.1	44.63	5.7	7.0	81.43	3.7									
363568	14.2	85.92	64.23	70.5	11.1	75.0	57.0	3.65	4.2	4.15	84.52	90.24	5.35	2.3	42.99	5.5	6.7	82.09	3.55									
363548	14.5	83.23	63.79	70.5	10.0	77.0	53.0	3.65	3.9	3.7	89.02	90.24	5.2	2.35	45.19	6.0	6.7	80.65	3.6									
363562	13.8	84.06	61.45	70.5	10.9	70.0	46.0	3.5	4.0	4.15	84.34	86.76	5.2	2.2	44.23	5.3	7.1	74.65	3.3									
363560	14.3	90.01	64.55	70.5	10.9	70.0	46.0	3.5	4.0	4.15	84.34	86.76	5.2	2.2	44.23	5.3	7.1	74.65	3.3									
363589	13.9	88.49	64.64	70.5	9.6	69.0	53.5	3.35	3.6	3.9	93.59	97.44	5.4	2.7	44.26	5.5	6.5	78.09	3.6									
363557	14.0	92.0	61.45	73.0	10.2	73.0	60.5	3.6	4.0	3.9	83.75	92.31	4.9	2.6	41.84	5.1	6.4	79.69	3.45									
363557	13.9	92.62	68.27	72.0	10.1	71.0	61.0	3.75	3.8	4.1	89.26	92.68	5.3	2.6	49.06	5.1	6.5	78.09	3.5									
363574	14.7	87.07	61.70	72.0	10.8	72.0	56.0	3.45	3.9	3.8	88.46	88.16	5.1	2.5	47.62	5.9	6.4	79.69	3.5									
363592	15.5	81.29	49.03	70.5	10.2	65.0	60.0	3.6	4.1	4.0	87.87	91.95	5.55	2.5	45.10	5.1	6.4	70.69	3.45									
363562	13.5	94.81	67.28	70.5	9.1	69.0	50.0	3.7	3.9	3.8	97.37	102.6	5.7	2.5	42.17	4.8	7.3	76.19	3.6									
363579	14.4	88.85	62.68	70.5	10.0	69.0	54.0	3.5	4.0	4.0	87.50	87.50	5.3	2.4	47.17	5.5	7.3	79.34	3.6									
363577	14.3	89.51	63.15	70.5	9.8	69.5	65.5	3.8	3.85	3.9	98.70	98.70	5.3	2.5	45.38	5.4	6.6	81.32	3.9									
363583	15.2	95.39	66.38	70.5	10.8	71.0	61.0	3.55	3.55	4.0	88.76	88.75	5.7	2.35	47.23	5.3	7.4	71.63	4.2									
Specimens	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)	(18)
Totals	255.8	89.80	181.0	170.1	105.4	1,256.5	1,043.0	67.95	69.05	73.20	73.20	101.5	46.3	121.6	68.35	97.3	121.6	68.35	68.35									
Averages	14.21	89.50	65.46	70.5	10.08	69.5	55.7	3.58	3.63	3.96	87.77	91.82	5.34	2.39	44.73	5.41	6.76	80.02	3.60									
Minima	13.1	81.29	49.03	70.5	9.6	63.5	44.5	3.35	3.35	3.7	83.75	89.75	4.7	2.03	40.74	4.8	6.3	71.69	3.3									
Maxima	15.5	96.39	68.27	70.5	11.4	77.0	65.5	3.8	3.9	4.2	58.70	102.6	6.1	2.7	50.6	6.0	7.4	89.65	4.2									

1 Allowance made for wear of teeth, where needed.

ALASKA PENINSULA: FEMALES
(Mixed Group: Eskimo-Koniag-Aleut)

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium (glabela ad maximum)	Diam. lateral maxium.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a) ¹	Alveol. Pt.-Nasion Height (b)
363549	(A. H.) U. S. N. M.	Kvichak River	35		17.6	13.2	12.2	75.0	79.22		14.33				
363587	do.	Egegik	24		18.0	13.8	13.2	76.67	82.02		15.0			11.8	7.3
363567	do.	Pavik	55		17.7	13.6	12.9	76.81	82.47		14.73			11.8	7.0
363591	do.	Egegik	60		17.2	13.6	13.0	79.07	84.42		11.61			10.8	6.3
363598	do.	Near Iliamna	50		16.8	13.3	12.5	79.17	83.66		11.29			10.8	6.3
363588	do.	Kvichak River	70		17.3	13.8	13.0	79.77	83.60		11.70				
363558	do.	do.	60		17.1	13.8	13.0	80.23	86.45		11.63			11.6	6.8
363600	do.	Near Iliamna	45		17.0	13.7	13.4	80.59	87.80		11.70			12.4	7.2
363547	do.	Kvichak River	65		17.1	13.8	13.0	80.70	84.14		11.63			11.4	6.6
363575	do.	Pavik	60		17.5	14.3	13.1	81.71	82.39		11.97			12.5	7.2
363555	do.	do.	25		16.6	13.6	13.0	81.93	86.09		11.49			11.2	7.0
363576	do.	Kvichak River	24		17.2	14.2	12.8	82.50	81.53		14.73			10.5	6.1
363603	do.	Egegik	24		17.1	14.4	13.0	84.21	82.51		14.83			11.5	6.1
363561	do.	Pavik	55		16.4	15.0	13.1	86.21	80.89		15.17			12.0	7.9
363580	do.	do.	25		16.4	13.9	13.0	87.76	85.81		14.43			11.1	6.9
363573	do.	do.	50		16.8	14.6	13.7	87.99	85.85		15.03			11.7	6.8
363583	do.	do.	60		16.8	14.0	13.4	86.09	85.85		14.03			12.7	7.5
363551	do.	Kvichak River	60		16.9	14.8	13.6	87.57	85.37		15.19			11.5	6.5
363590	do.	Egegik	40		16.4	14.1	12.5	87.87	81.70		14.43			11.2	7.2
363584	do.	Pavik	55		16.5	14.8	12.8	89.70	81.79		14.79			12.7	7.5
Specimens			(20)		(20)	(20)	(20)	(20)	(20)		(20)			(18)	
Totals			942		311.5	281.2	263.6	82.34	83.70		291.4			211.1	123.2
Averages			47.1		17.08	14.06	13.03	75.0	79.22		14.72			11.73	6.96
Minima			24		16.4	13.2	12.2	75.0	79.22		11.20			10.9	6.1
Maxima			70		18.0	15.0	13.7	89.70	87.50		15.17			12.9	7.9

Catalog No.	Diam. Bizygomatic (g)	Facial Index, $\left(\frac{a \times 100}{c}\right)$		Facial Index, $\left(\frac{b \times 100}{c}\right)$, upper		Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right		Orbits—Height, left		Orbits—Breadth, right		Orbits—Breadth, left		Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphys
		(15)	(18)	(15)	(18)						(15)	(18)	(15)	(18)	(17)	(17)	(17)	(17)									
363549	13.1	90.08	65.78	63.0	51.5	9.8	9.8	63.0	51.5	3.25	3.4	3.8	3.7	85.63	91.89	5.15	2.5	46.54	5.6	6.6	84.85	3.4					
363557	13.6	86.76	51.47	74.0	47.5	9.4	9.8	74.0	47.5	3.45	3.4	3.85	3.8	89.61	89.47	5.05	2.55	59.50	5.3	6.1	86.89	3.3					
363567	13.7	86.13	51.69	71.0	56.0	8.2	9.6	71.0	56.0	3.7	3.65	4.05	4.0	91.39	91.25	4.95	2.3	46.46	5.1	5.9	86.44	3.3					
363591	13.0	83.08	48.46	73.5	48.5	8.5	9.8	73.5	48.5	3.4	3.5	4.0	3.95	85.0	88.61	4.8	2.6	54.17	4.9	5.8	87.48	3.3					
363598	12.5					8.0	9.2			3.35	3.35	3.65	3.75	91.78	89.93	4.7	2.3	48.94				3.3					
363558	13.3	87.22	51.13	72.0	67.5	8.8	10.2	72.0	67.5	3.4	3.4	4.0	4.0	91.78	85.0	4.6	2.5	51.35	5.2	6.1	85.25	3.3					
363550	12.8	95.31	56.95	73.0	57.5	9.8	8.8	73.0	57.5	3.45	3.35	4.1	4.0	84.15	83.75	5.0	2.4	43.60	5.1	6.0	86.0	3.3					
363600	12.6	90.18	59.88	73.5	52.5	9.8	10.3	73.5	52.5	3.5	3.65	3.9	3.7	89.74	98.05	5.15	2.4	43.60	5.1	6.3	80.95	3.6					
363547	12.6	90.18	59.88	73.5	52.5	9.8	10.3	73.5	52.5	3.5	3.65	3.9	3.7	89.74	98.05	5.15	2.4	43.60	5.1	6.3	80.95	3.6					
363573	13.2	91.70	51.95	69.0	55.0	8.2	9.5	69.0	55.0	3.6	3.55	3.7	3.7	94.59	91.03	4.9	2.1	42.0	5.1	5.9	86.44	3.3					
363555	13.2	88.59	51.96	70.0	55.5	10.0	9.4	70.0	55.5	3.6	3.55	3.9	3.9	92.31	91.03	4.9	2.1	42.0	5.1	5.9	86.44	3.3					
363576	12.7	88.68	48.63	72.5	58.5	8.4	9.1	72.5	58.5	3.45	3.3	3.85	3.7	89.61	89.19	4.25	2.15	50.59	5.1	6.1	83.61	3.3					
363603	14.1	91.49	56.63	76.5	62.5	8.4	9.8	76.5	62.5	3.85	3.95	4.2	3.85	89.61	89.19	4.05	2.15	50.59	5.1	6.3	80.95	3.6					
363580	13.2	84.69	42.27	68.0	57.0	8.6	9.7	68.0	57.0	3.85	3.95	4.2	3.85	91.67	100.0	5.15	2.3	52.53	4.9	6.2	79.63	3.3					
363573	13.1	89.31	51.91	69.0	56.0	8.6	9.6	69.0	56.0	3.2	3.15	3.8	3.0	84.21	87.80	4.8	2.3	44.63	5.3	6.1	80.16	3.5					
363583	13.7	92.70	52.74	70.5	52.0	9.0	9.8	70.5	52.0	3.55	3.55	3.9	3.7	85.90	91.89	4.95	2.7	44.63	5.3	6.4	82.81	3.5					
363551	13.2	84.83	49.24	73.0	51.0	8.4	9.8	73.0	51.0	3.45	3.4	3.8	3.85	90.79	88.31	4.7	2.2	44.44	5.0	6.5	86.16	3.8					
363590	13.3	87.97	54.14	69.5	62.0	8.6	9.7	69.5	62.0	3.45	3.6	3.85	3.85	89.61	90.91	5.1	2.5	49.02	5.1	6.3	86.96	3.4					
363584	13.6	93.38	55.16			9.9	9.9			3.45	3.5	3.85	3.9	92.31	92.31	5.1	2.5	42.16	5.2	5.9	88.14	3.6					
Specimens	(18)	(17)	(17)	(17)	(17)	(20)	(18)	(17)	(17)	(15)	(18)	(15)	(18)	(15)	(18)	(19)	(19)	(19)	(19)	(17)	(17)	(17)	(17)	(19)			
Totals	237.6	163.8	154.9	1,208.0	937.5	1,196.6	98.35	1,208.0	937.5	51.95	62.70	58.35	69.0	89.25	90.87	93.25	45.15	88.3	104.4	88.3	104.4	63.15	63.15				
Averages	13.20	88.67	52.78	71.1	55.1	9.83	9.83	71.1	55.1	3.46	3.48	3.89	3.83	89.09	90.87	4.91	2.38	48.42	5.19	6.14	84.58	3.32					
Minima	12.5	82.68	48.03	63.0	47.5	8.0	9.2	63.0	47.5	3.2	3.15	3.65	3.6	84.15	83.75	4.25	2.1	42.0	4.9	5.8	79.03	2.75					
Maxima	14.1	96.31	56.25	76.0	67.5	10.6	9.4	76.0	67.5	3.85	3.95	4.2	4.0	94.59	100.0	5.15	2.7	54.65	5.6	6.6	90.16	3.8					

1 Allowance made for wear of teeth, where needed.

KODIAK ISLAND: KONIAGS, MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabelle ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
366720	(A. H.) U. S. N. M.	West shore, mouth of Uyak Bay.	50.		18.4	14.7	13.0	79.89	78.55	88.44	15.37				8.0
374762	do	Our Point, Uyak Bay.	28.		18.4	14.8	13.9	80.43	83.73	93.92	15.70			12.4	7.3
363606	do	do	24.		18.0	14.5	13.2	80.56	81.23	93.23	15.23			11.8	7.2
363608	do	do	18.1		18.1	14.7	13.3	81.22	81.10	90.48	15.37			12.2	7.3
367209	do	do	Y o u n g adult.		18.6	15.2		81.72							7.6
372886	do	do	45.		17.8	14.6	14.0	82.02	86.42	95.89	15.47			13.0	7.8
372893	do	do	30.		17.5	14.4	13.0	82.29	81.51	90.88	14.97			12.4	7.3
363625	do	do	40.		17.7	14.6	13.6	82.49	84.21	93.15	15.30			13.1	7.6
374784	do	do	30.		17.3	14.3	12.6	82.66	79.75	88.11	14.73			12.4	8.1
363621	do	do	50.		18.3	15.2	13.3	83.06	79.42	87.60	15.60			12.4	7.2
363636 (small)	do	do	Y o u n g adult.		17.3	14.4	13.0	83.24	82.02	90.28	14.90				8.0
366711	do	do	23.		17.3	14.4	13.5	83.24	85.17	93.75	15.07			12.3	7.7
374746	do	do	45.		18.0	15.0	13.4	83.53	81.21	89.39	15.47			12.8	7.8
362473	do	Karluk Lake	do		17.1	14.3	13.2	83.63	84.03	92.31	14.87				
374788	do	Our Point, Uyak Bay	Age'd		18.1	15.2	13.2	83.93	79.28	86.84	15.50				7.9
366640 (small)	do	do	30.		17.1	14.4	12.6	84.21	80.0	87.60	14.70				7.0
377706	do	do	24.		17.8	15.0	12.8	84.27	78.05	85.33	15.20			12.2	7.3
378252	do	do	50.		18.7	15.8	14.2	84.49	82.32	89.87	16.23				8.4
367263	do	Karluk	do		17.8	15.0	13.2	84.83	86.32	96.32	15.70			13.2	8.0
377711	do	Our Point, Uyak Bay	55.		17.8	15.1	13.7	84.83	83.28	89.75	15.63			12.8	7.7
367217	do	Klavak	25.	Slight lateral oc- cipital flatten- ing.	17.1	14.6	13.8	85.98	87.06	94.52	15.17			12.2	7.2
372892	do	Our Point, Uyak Bay	35.		17.8	15.2	14.7	85.39	89.09	89.09	15.90			12.8	7.8
367236	do	do	45.		17.9	15.3	14.7	85.47	88.55	88.55	15.97				7.7
372826	do	do	35.		18.0	15.4	13.4	85.56	80.24	87.01	15.60				7.7
366601	do	do	45.	Slight lateral oc- cipital flatten- ing.	17.6	15.1	14.1	85.80	86.24	88.74	15.60				8.1
374761	do	do	23.		17.6	15.1	13.4	85.80	81.96	88.74	15.37			12.3	6.8
377715	do	do	30.		17.0	14.6	13.3	85.88	84.18	91.10	14.97				7.5
366657 (small)	do	do	50.		16.8	14.5	13.5	86.31	86.20	89.10	14.86				8.0

374750	do	do	17.6	15.2	13.6	86.36	84.93	89.47	15.47	12.7	7.9
363600	do	do	17.7	15.3	13.7	86.44	85.03	89.54	15.57	12.9	7.7
374760	do	do	17.9	15.5	14.3	86.59	85.63	92.23	15.90	11.4	8.4
	45	Y o i n g adult									
374749	do	do	16.8	14.6	13.0	86.30	84.80	89.04	14.80	11.4	6.5
363623	do	do	17.6	15.3	13.2	86.83	80.25	86.87	15.37	Face injured	7.3
377703(6)	do	do	17.9	15.0	13.4	87.15	80.0	85.90	15.63		
	24	do	17.2	15.0		87.21			15.40	12.3	7.0
372898	do	do	17.4	15.3	13.5	87.58	85.57	88.24	15.40	11.6	7.4
	21	Slight lateral occipital flattening.									
372887 (skel- ton)	do	do	16.7	14.7	12.8	88.02	81.53	87.07	14.73	12.8	7.5
198513	do	Near Wash Creek	17.9	15.9	14.0	88.83	82.84	88.05	15.93	13.0	7.6
3787163	do	Wash Creek, Uyak Bay.	17.6	15.7	13.8	88.80	82.83	87.9	15.70	12.8	7.5
363642	do	Our Point, Uyak Bay.	17.7	15.8	13.7	89.27	81.80	86.71	15.73	14.2	(9.1)
374748	do	do	16.8	15.0	12.8	89.29	80.50	85.83	14.87	12.4	7.3
372917	do	do	17.2	15.4	14.1	89.53	86.50	91.56	15.57	12.2	7.4
367225 (prob- ably small σ)	do	West site, mouth of Uyak Bay.	16.3	14.6	14.0	89.67	90.61	95.89	14.97	12.0	7.1
372804	do	Our Point, Uyak Bay	18.0	16.2	14.2	90.0	85.04	87.65	16.13	12.4	7.5
366656	do	do	17.1	15.4	13.6	90.06	83.70	88.31	15.37	12.4	7.4
374752	do	do	16.8	15.2	12.9	90.48	80.63	84.87	14.97	12.3	7.3
374747	do	do	17.8	16.2	13.4	91.01	78.82	82.72	15.80	12.1	7.4
367204 (prob- ably small σ, skele- ton)	do	do	16.3	14.9	13.5	91.41	86.54	90.60	14.90	12.7	7.5
363606	do	do	17.1	16.4	14.5	95.91	86.57	88.41	16.0	11.7	8.3
372888 (small)	do	do			13.0					11.8	6.7
364630	do	do								11.8	7.0
366724	do	Klavak	(hyperbrachycephalic)								7.6
367229	do	West site, mouth of Uyak Bay.	(17.6)	(15.7)	(13.9)	(89.20)	(83.48)	(88.54)	15.73	12.8	7.4
Specimens			(49)	(46)	(48)	(40)	(48)	(47)	(45)	(35)	(50)
Totals			860.3	738.7	649.6	65.87	63.01	738.96	3,150	436.4	376.7
Averages			17.56	15.08	13.53	79.89	73.05	89.72	15.40	12.47	7.53
Minima			16.3	14.3	12.6	85.91	80.61	82.72	14.70	11.4	6.5
Maxima			18.7	16.4	14.7	95.91	90.61	96.89	16.23	14.2	8.3

Footnotes on p. 37 at end of table.

KODIAK ISLAND: KONIAGS, MALES—Continued

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial total $\left(\frac{a \times 100}{c}\right)$	Facial $\left(\frac{b \times 100}{c}\right)$ upper	Facial $\left(\frac{b \times 100}{c}\right)$ upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
366720	14.4	99.59	11.1	8.6	10.5	64.5	52.5	3.8	3.8	4.05	3.9	93.84	97.44	5.0	2.9	61.79	5.8	6.7	86.67
371762	13.4	88.11	50.69	10.1	9.2	10.1	72.0	60.0	3.35	3.3	3.95	3.9	84.81	84.69	5.1	2.35	46.08	5.2	6.8	76.47
373002	13.4	88.06	63.73	10.4	9.1	10.5	67.5	52.0	3.0	3.0	3.5	3.6	91.71	91.71	4.65	(2.1)	(39.91)	5.7	6.4	89.06
383606	13.5	90.37	64.07	10.3	9.2	10.2	68.5	56.0	3.5	3.4	4.0	3.6	87.50	87.14	5.0	2.5	50.0	5.6	6.6	81.85
387209	13.6	48.72	3.56	3.56	3.95	89.87	5.3	2.6	79.06	5.6	7.1	78.87
372886	14.6	80.01	63.42	10.4	9.5	11.0	73.0	61.0	3.65	3.65	4.1	4.1	85.68	85.68	5.0	2.75	45.45	5.4	7.0	77.14
372886	14.7	81.85	49.66	9.5	8.7	9.9	71.0	63.0	3.4	3.45	3.9	3.9	87.18	88.40	5.0	2.25	45.45	5.4	6.5	81.64
372893	14.3	91.61	63.14	10.2	9.2	10.2	68.0	58.0	3.4	3.4	4.0	4.0	86.75	86.25	5.3	2.2	50.91	5.7	6.9	82.61
369225	14.5	55.68	10.4	9.8	9.6	61.0	48.0	3.35	3.45	4.0	4.0	83.0	83.0	5.1	2.4	44.11	5.7	7.2	79.17
374784	15.0	82.67	67.56	10.3	8.8	9.8	63.5	53.5	3.4	3.3	3.5	3.5	86.0	84.62	4.15	2.4	50.19	5.5	6.5	81.69
373021	13.9	57.56	10.3	8.4	9.8	63.5	49.5	3.5	3.5	4.1	4.1	85.37	84.62	5.1	2.4	44.74	5.4	6.0	81.82
369580	14.2	86.62	54.82	10.2	9.8	10.0	70.5	55.5	3.5	3.5	4.1	4.1	86.37	86.37	5.2	2.4	43.08	5.5	7.0	78.37
366711	14.2	91.43	53.71	10.6	9.1	10.0	64.0	55.0	3.6	3.6	4.1	3.9	87.50	92.11	5.2	2.6	50.0	5.7	7.0	73.67
374746	14.1	3.4	3.4	4.1	4.1	89.16	89.16	5.0	2.3	40.0	6.0	7.8	81.08
362473	15.1	62.67	11.1	10.0	10.4	67.0	55.0	3.75	3.75	4.1	4.2	91.46	89.29	5.75	2.3	40.0	6.0	7.8	81.08
374788	13.0	47.91	10.2	9.2	10.0	69.5	61.5	3.6	3.6	3.8	3.8	94.74	94.74	5.5	2.4	42.64	3.3	6.4	77.91
366040	14.6	48.81	10.6	9.8	10.6	70.0	61.5	3.55	3.55	4.2	4.1	84.52	86.59	5.25	2.5	42.64	3.4	6.7	80.60
377706	15.1	80.79	43.81	10.8	9.8	11.0	68.5	61.0	3.45	3.5	4.1	4.1	84.15	85.37	5.8	2.3	39.66	3.8	7.2	85.71
375252	15.4	54.65	10.1	9.3	10.7	71.5	63.0	3.7	3.7	4.1	4.1	90.24	90.24	5.7	2.5	43.86	3.5	6.6	83.33
367203	14.6	87.67	52.74	10.1	9.0	10.2	68.5	54.0	3.7	3.6	3.9	4.0	84.87	90.0	5.6	2.4	42.86	3.4	6.8	79.44
377711	14.6	87.67	52.74	10.3	9.8	10.7	66.5	45.0	3.55	3.5	4.15	4.15	85.54	87.21	5.5	2.8	54.90	6.1	7.1	80.88
367217	14.6	83.56	49.59	10.9	9.9	10.8	72.5	56.0	3.75	3.75	4.2	4.3	91.67	87.21	5.5	2.5	46.04	5.7	7.2	81.84
372892	15.0	85.35	52.0	10.7	9.5	11.0	71.0	48.0	3.65	3.65	4.4	4.2	89.77	91.67	5.9	2.4	40.68	5.9	7.2	81.84
367246	15.1	60.99	10.7	9.7	10.8	67.0	55.0	3.85	3.85	4.4	4.2	89.77	91.67	5.9	2.5	45.45	6.3	8.5	85.71
372826	14.0	55.0	9.8	8.7	9.8	67.0	55.0	3.4	3.4	4.0	3.8	90.79	89.47	5.15	2.8	54.37	5.9	6.5	90.77
372826	14.7	55.10	10.8	9.6	10.6	67.0	59.0	3.3	3.3	4.0	3.9	82.50	84.62	5.0	2.6	44.79	6.2	6.9	75.96
366901	14.6	46.58	9.8	8.9	9.8	70.0	58.0	3.3	3.3	4.0	4.0	90.70	94.05	4.8	2.15	44.79	5.0	7.0	85.71
374781	14.2	86.62	52.82	10.5	9.3	10.5	69.5	53.5	3.3	3.35	4.3	4.2	84.62	84.62	5.4	2.6	49.06	6.0	6.8	79.17
377715	14.2	86.62	52.82	10.5	9.3	10.5	69.5	53.5	3.3	3.4	4.3	4.2	84.62	84.62	5.4	2.6	49.06	6.0	6.8	79.17
890557	14.3	55.04	10.0	8.8	10.0	66.5	46.5	3.3	3.4	4.3	4.2	76.74	80.95	5.6	2.5	44.74	5.7	7.2	79.17
374750	14.7	87.39	53.74	10.1	8.6	10.0	64.0	46.5	3.3	3.4	4.3	4.2	83.99	88.75	5.6	2.5	48.55	5.5	6.7	82.09
368609	14.8	87.16	52.03	10.0	9.0	10.8	74.0	60.5	3.5	3.55	4.4	4.0	83.10	83.10	5.15	2.5	48.55	5.5	6.7	82.09
374760	15.2	55.29	11.2	10.0	11.2	77.0	60.5	3.7	3.7	4.2	4.2	83.10	83.10	5.15	2.5	48.55	5.5	6.7	82.09
374749	13.9	85.01	46.76	9.6	8.8	9.8	72.0	57.5	3.4	3.4	3.8	3.7	89.47	91.89	4.85	2.35	48.45	4.9	6.3	77.78
368623	14.6	50.0	10.1	9.6	10.2	69.5	53.5	3.5	3.5	3.95	3.8	88.62	92.11	5.2	2.5	48.08	5.4	6.4	84.38
377708(a)	(14.1)	10.0	3.9	3.9	3.95	4.1	88.73	95.12

374751	14.4	65.42	48.61	10.4	9.0	10.4	70.0	55.0	3.8	3.8	4.1	3.9	75.61	82.05	4.9	2.4	48.98	5.6	6.9	81.16
372895	23.0	85.29	54.71	10.4	8.8	9.9	64.5	47.0	3.5	3.5	3.95	3.9	86.44	98.72	5.3	2.0	49.09	5.6	6.6	83.35
372897	14.3	89.51	52.45	10.5	8.8	10.0	64.5	47.0	3.5	3.55	4.05	3.9	86.44	91.02	4.85	2.5	51.55	5.9	6.6	89.39
378716 ¹	21.4	92.50	53.60	9.8	8.8	10.0	68.5	58.5	4.0	3.95	3.8	3.95	105.30	100.0	5.2	2.55	49.04	5.4	6.2	87.10
363642	23.0	92.05	58.60	10.0	8.6	9.6	65.0	49.0	4.0	3.85	3.9	4.0	103.90	97.60	5.2	(2.35)	(39.78)	5.9	7.9	88.52
374748	14.8	(65.66)	(61.49)	10.0	8.8	10.2	(64.0)	(59.5)	3.7	3.8	4.2	4.1	88.10	92.68	(5.9)	2.35	47.47	5.2	6.5	74.08
372917	14.1	84.94	51.77	8.8	7.8	9.2	69.0	57.0	3.55	3.5	3.8	3.7	93.42	94.59	4.95	2.6	50.88	5.0	7.0	85.71
367225	14.7	83.69	50.34	10.5	9.0	10.0	65.0	47.0	3.45	3.65	4.15	4.05	83.43	86.44	5.1	2.3	42.21	5.4	6.9	78.26
372894	14.2	84.51	50.0	10.0	9.2	10.0	70.0	57.5	3.6	3.5	3.9	3.8	92.31	96.05	5.45	2.7	50.94	5.9	7.4	79.73
366656	15.4	80.52	48.70	10.8	9.8	10.7	69.0	58.0	3.55	3.55	4.1	4.3	87.80	81.40	5.0	2.4	48.0	5.8	6.4	90.63
374752	13.7	90.51	54.01	10.4	9.0	10.0	68.0	59.0	3.23	3.4	3.85	3.65	87.01	93.16	5.15	2.5	48.54	5.2	6.8	76.47
374747	14.8	83.11	49.32	9.5	8.0	9.6	68.5	59.0	3.55	3.6	3.8	4.0	86.59	90.0	4.9	2.65	51.08	5.7	7.3	78.08
367204	15.2	79.01	48.68	10.7	9.6	9.8	62.5	57.5	3.55	3.7	3.8	3.8	100.0	97.37	5.1	2.8	43.11	5.6	6.3	88.89
363606	14.0	90.71	52.57	10.1	8.4	9.5	63.0	43.5	3.35	3.3	4.1	3.8	87.50	91.71	5.1	2.3	45.10	5.4	6.4	84.33
372888	15.6	82.99	47.18	10.9	9.6	10.4	64.0	50.5	3.35	3.0	4.0	4.1	90.50	89.46	5.25	2.6	50.0	5.4	7.0	78.57
360630	15.2	77.63	46.05	9.3	8.2	9.8	73.5	47.0	3.9	3.3	4.3	4.1	89.39	80.49	5.25	2.5	47.62	5.2	6.5	80.0
360724	15.9	80.50	46.54	9.9	8.9	10.6	74.0	55.0	3.55	3.6	4.1	4.0	89.59	90.0	5.55	2.6	46.85	5.3	7.1	74.65
367226	15.9	80.50	46.54	9.9	8.9	10.6	74.0	55.0	3.55	3.6	4.1	4.0	89.59	90.0	5.55	2.6	46.85	5.3	7.1	74.65
Specimens	(33)	(48)	(48)	(49)	(47)	(47)	(45)	(45)	(50)	(48)	(50)	(48)	(50)	(48)	(48)	(48)	(48)	(50)	(50)	(50)
Totals	728.1	481.7	427.4	431.7	427.4	500.6	3,070.5	2,454.5	179.15	171.2	201.95	190.3	88.71	89.96	253.15	120.0	47.40	278.0	310.6	31.50
Averages	14.56	85.80	51.74	9.83	9.09	10.22	68.23	54.54	3.58	3.57	4.04	3.96	75.61	80.49	5.27	2.50	47.40	5.49	6.81	81.50
Minima	13.4	77.63	46.05	8.8	7.8	9.2	61.0	43.5	3.1	3.2	3.8	3.65	75.61	80.49	4.8	2.15	39.65	4.9	6.1	74.05
Maxima	15.9	82.20	57.65	11.3	10.0	11.2	74.0	63.0	4.0	3.95	4.4	4.3	105.30	100.0	5.9	2.9	54.99	6.1	7.9	90.77

¹ Allowance made for wear of teeth, where needed.

² Near.

³ It was discovered, while this paper was in proof, that these two numbers refer to the same specimen.—EDITOR.

KODIAK ISLAND: KONIAGS, FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Ptc.-Nasion Height (b)
363643	(A. II.)														
367454	U.S.N.M.	Our Point, Uyak Bay	35		17.9	14.4	13.6	80.45	84.21	74.70	15.30			11.8	7.3
367219	do.	do	24		18.0	14.5	12.3	80.56	75.70	87.41	14.93			12.0	7.0
367452	do.	Kiyak	25		15.7	12.9	12.5	82.17	87.41	96.90	13.70			11.6	6.9
367282	do.	Our Point, Uyak Bay	Old		17.3	14.3	12.0	82.66	75.95	83.98	14.53				
367298	do.	do	Old		17.9	14.3	13.3	82.68	81.85	89.86	15.33				
360600	do.	Chief's Point, Uyak Bay	25		18.1	15.0	13.4	82.87	80.97	89.53	15.50				
362575	do.	Our Point, Uyak Bay	25		16.8	14.0	13.2	83.93	85.71	94.99	14.67			11.7	7.2
193814	do.	Neat Wash Creek	22		16.7	14.1	12.6	84.73	81.82	89.86	14.47	1,210		11.5	7.1
373887	do.	do	46		17.0	14.4	13.0	84.77	82.80	90.56	14.80			12.3	7.3
378716	do.	do	24		16.5	14.0	12.4	84.59	83.81	88.67	14.30	1,195		11.4	7.0
374789	do.	do	26		17.0	14.5	13.2	86.29	88.81	97.05	14.90			11.5	7.1
377746	do.	do	30		17.2	14.8	13.2	89.05	88.84	89.19	15.10			12.0	7.4
374766	do.	do	30		16.7	14.3	13.0	86.63	85.87	90.91	14.67			11.4	7.0
360601	do.	do	30		16.8	14.4	13.1	85.71	83.97	90.97	14.77			12.3	7.4
372889	do.	do	35		17.2	14.8	13.3	86.05	85.75	89.86	16.10			12.0	7.1
372912	do.	do	Young adult.		16.8	14.5	13.2	86.51	84.55	91.03	14.83			12.3	7.4
367222	do.	do	28		17.0	14.8	12.3	87.06	77.86	83.11	14.70			11.9	7.5
367220	do.	do	50		16.3	14.2	12.5	87.12	81.97	88.09	14.33			11.9	7.2
363633	do.	do	35	Some occipital assymetry.	17.2	15.0	13.0	87.21	80.76	86.67	15.07				
367218	do.	Kiyak	25		16.5	14.4	13.1	87.27	84.79	90.97	14.67				
367230	do.	Spiridon Bay	26		16.9	14.8	13.4	87.57	84.54	90.64	15.03			12.2	7.3
374755	do.	Our Point, Uyak Bay	25	Slight lateral occipital flattening.	16.8	14.8	13.2	88.10	85.54	89.19	14.93			11.3	6.9
372918	do.	do	50		16.6	14.7	13.4	88.55	85.08	91.16	14.90				
374753	do.	do	30		16.7	14.8	13.2	88.62	83.81	89.19	14.90			11.8	7.3
363043	do.	Spiridon Bay	30-35		16.9	15.0	13.0	88.76	81.50	86.67	14.97			12.2	7.6
372922	do.	Our Point, Uyak Bay	24		16.4	14.6	13.2	89.02	85.16	90.41	14.73			11.9	7.5
367202	do.	Kariak	30		15.4	13.8	12.8	89.61	87.67	92.75	14.0			11.9	7.5
374757	do.	Our Point, Uyak Bay	25		16.6	14.9	13.6	89.76	86.95	91.83	15.03			13.1	8.2
362817	do.	Alltak Bay, Kodiak Island.	50		16.7	15.0	13.6	89.82	85.80	90.67	15.10				7.1

Specimens	Age	Sex	Site	Alveolar Angle	Facial Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max.	Nasal Index	Upper Alveolar Arch—Length max.	Upper Alveolar Arch—Breadth max.	Upper Alveolar Arch—Index
	(35)			(33)	(33)	(33)	(33)	(33)	(33)	(33)	(33)	(35)	(35)	(2)	(21)	(28)	
360689	35	do	Chief's Point, Uyak Bay.	16.2	14.6	12.2	90.12	83.66	14.33	0.9							
366723	20	do	West site, mouth of Uyak Bay.	16.6	15.1	13.6	90.96	86.08	15.10								
362818	Aged	do	Alitak Bay, Kodiak Island.	15.9	14.6	13.4	91.82	87.87	14.63								
367227	35	do	West site, mouth of Uyak Bay.	16.3	15.0	12.2	92.02	77.96	14.50	11.9	7.3						
366721	55	do	do	(15.8)	(14.9)	(13.0)	(94.30)	(84.69)	(87.85)	7.2							
366722	55	do	do	(16.5)	(14.2)	(13.0)	(88.06)	(84.69)	(91.65)	7.3							
Totals	3,282			554.7	479.8	423.0						316.96	2,465		249.8	201.2	
Averages	36.6			16.81	14.54	13.0	86.50	82.94	89.41			14.77	1,202.5		11.90	7.19	
Minima	20			13.4	12.9	12.0	80.45	73.70	81.53			13.70			11.3	6.2	
Maxima	70			18.1	15.1	13.6	92.02	87.87	96.90			15.50			13.1	8.2	

Footnotes on p. 40 at end of table.

KODIAK ISLAND: KONIAGS, FEMALES—Continued

Catalog No.	Diam. Bifurcomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max-Im.	Nasal Index	Upper Alveolar Arch—Length maxIm.	Upper Alveolar Arch—Breadth maxIm.	Upper Alveolar Arch—Index	
372912	14.0	85.0	65.97	10.2	8.8	9.6			3.75	3.85	4.0	3.9	93.76	98.72	5.35	2.45	47.79	5.3	6.4	52.81	
367222	13.4	88.81	53.73	8.9	8.0	9.3			3.65	3.6	3.8	3.7	96.05	97.30	5.05	2.3	45.55	4.7	6.4	73.44	
367220	13.4			8.5	8.5	9.2			3.2	3.45	4.2	4.1	85.71	84.16	4.9	2.4	48.98				
368363	12.5		49.60	9.5	8.2	9.2	63.0		3.55	3.55	3.7	3.6	86.49	88.89	4.7	2.55	56.67	5.0	6.0	89.33	
367218	13.3	91.73	54.89	9.6	8.6	9.3	69.5	43.5	3.2	3.2	4.0	4.0	88.75	88.75	4.7	2.5	53.19	5.6	6.2	90.32	
367284	13.6	83.09	50.73	10.0	8.4	9.3	63.5	43.5	3.35	3.35	3.9	3.8	85.90	88.16	4.85	2.45	52.99	5.6	6.1	83.58	
374755	13.3		56.64	9.4	8.0	9.5	68.0	51.5	3.55	3.45	3.9	3.9	91.03	88.46	4.85	2.85	48.45	5.3	6.1	85.89	
372918	13.3	88.06	54.48	10.2	8.5	9.0	66.5	48.5	3.55	3.55	3.95	3.95	89.87	89.87	5.1	2.8	54.90	5.7	6.3	90.43	
374753	13.4	91.04	56.72	9.8	8.5	9.0	66.5	50.5	3.6	3.65	3.75	3.75	96.0	97.53	5.3	2.4	50.71	5.4	6.1	88.52	
363043	13.3		48.87	9.4	8.4	9.3	71.0	52.0	3.35	3.35	3.8	3.7	88.16	90.54	4.75	2.15	42.16	5.2	6.0	86.67	
367292				9.0	7.8	8.9	64.5	53.0	3.95	4.0	4.1	4.0	95.34	100.0	5.1	2.2	46.0	5.5	6.8	80.58	
367291	13.4	97.76	61.15	9.8	8.3	9.5	63.5	52.0	3.3	3.35	3.8	3.8	85.84		5.0	2.2	46.0	5.0	6.8	86.67	
371757				10.1	8.9	10.1	69.5	52.0	3.3	3.35	3.9	3.8	84.62	88.16	5.0	2.55	51.0	4.8	6.3	76.19	
362947				9.5	8.2	9.4	68.0	46.5	3.3	3.35	3.9	3.8			5.0	2.55	51.0	4.8	6.3	76.19	
366689	12.7		54.33			9.7															
366723						9.8															
362918	13.4	88.81	54.48	9.6	8.5	9.0	62.5	57.0	3.4	3.4	3.9	3.7	97.15	91.89	4.7	2.45	52.12	5.3	6.5	81.54	
367227	13.2		54.55	9.8	8.6	9.3	64.0	51.5	3.45	3.45	4.3	4.3	90.79		5.0	2.5	50.0	5.4	6.4	84.38	
366721	13.9		52.52	9.9	8.9	10.4	72.5	57.5	3.65	3.65	4.3	4.3	84.88		5.1	2.2	47.05				
366722																					
Specimens	(28)	(19)	(28)	(28)	(31)	(33)	(26)	(26)	(29)	(26)	(29)	(29)	(29)	(26)	(31)	(31)	(31)	(26)	(26)	(26)	
Totals	373.2			272.6	265.2	317.7	1,749.0	1,348.5	101.7	91.5	113.8	90.8	89.37	91.68	154.1	74.85	136.8	106.1	106.1	6.39	
Averages	13.39			67.27	63.51	9.63	67.27	51.87	3.51	3.52	3.92	3.84	83.33	83.33	4.97	2.41	48.57	5.26	6.39	82.36	
Minima	12.5			8.9	7.8	8.9	62.0	42.0	3.2	3.2	3.6	3.5	83.33	83.33	4.7	2.0	47.74	4.7	5.8	79.44	
Maxima	13.9			10.4	9.0	10.4	72.5	60.0	3.95	4.0	4.3	4.1	97.22	104.43	5.5	3.0	56.67	6.0	7.6	90.43	

1 Allowance made for wear of teeth, where needed.

2 Near.

3 It was discovered, while this paper was in proof, that these two numbers refer to the same specimen.—Eboros.

KODIAK ISLAND: KONIAGS, CHILDREN AND ADOLESCENTS

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max (glabella ad maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
374702	(A. IL)														
372915	U.S.N.M.	Our Point, Uyak Bay	1½ years		15.8	13.4	12.2	84.81	83.56	91.04	13.80			8.3	5.6
372916	do	do	2-3 years		15.6	12.8									5.1
372920	do	do	3		15.9	13.6	12.2	85.53	82.71	89.71	13.90			9.1	5.8
374786	do	Spiridon Bay, Uyak Bay	3		14.5	13.3	11.0	91.72	79.14	82.71	12.57			7.9	4.7
363045 (♀)	do	do	3 or 4												
374766(a)	do	Our Point, Uyak Bay	4	Medium occipital flattening.	(15.6)	(14.9)								9.1	5.6
363655	do	do	5		15.1	14.0	12.4	92.72	85.81	88.57	13.83			9.5	5.9
372914	do	do	5-6		16.2	14.3	12.8	88.87	83.53	89.51	14.43			8.7	5.2
374785	do	do	6		16.9	14.3	12.0	84.63	76.92	83.99	14.40			9.8	16.0
363663	do	do	6		14.8	13.2	12.2	89.19	87.14	92.42	13.40			8.9	15.5
372913	do	do	6-7		15.8	13.7		86.71						10.0	6.0
363664	do	do	8		15.5	14.8	12.4	95.48	81.85	83.78	14.23			6.1	6.1
374710 (♂)	do	do	10		17.9	14.4	13.7	80.45	84.83	95.11	15.33			6.6	6.6
374787	do	do	10		16.4	14.9	12.8	90.85	81.79	85.91	14.70			6.2	6.2
363668 (♂)	do	do	10		17.6	15.2	12.1	86.36	78.05	79.61	14.97			6.5	6.5
367223 (♂)	do	do	10-12		13.6	14.8	12.3	94.87	80.99	83.11	14.23			9.8	5.9
372915	do	do	11		16.6	14.1	12.8	90.75	82.58	88.89	14.60			6.4	6.0
372921 (♀)	do	do	11		15.0	14.1	13.0	89.58	87.54	92.90	14.23			6.4	6.4
363657	do	do	12		16.3	14.0	12.8	84.95	83.54	91.43	14.43			6.5	6.5
372919 (♂)	do	do	15		17.8	14.6	12.8	82.03	79.01	87.67	15.07			6.7	6.7
374788 (probably ♀)	do	do	16	Slight lateral occipital flattening	16.6	14.8	12.7	89.16	80.89	85.81	14.70			11.5	6.9
374783 (♀)	do	do	17		16.3	13.6	12.9	80.95	84.87	94.85	14.43			10.8	6.4
374614 (♀)	do	do	Adolescent		17.7	14.8	12.8	83.62	78.78	86.49	15.10			11.1	6.5
363666	do	do	do		16.0	14.2		88.75							

KODIAK ISLAND: KONIAGS, CHILDREN AND ADOLESCENTS—Continued

Catalog No.	Diam. Bitygomatic maxm. (c)	Facial Index, total	Facial Index, upper $\left(\frac{b}{a} \times 100\right)$	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxm.	Nasal Index	Upper Alveolar Arch—Length maxm.	Upper Alveolar Arch—Breadth maxm.	Upper Alveolar Arch—
374702	10.1	79.05	59.59	76.5	70.0	3.2		3.5		91.43		3.85	2.0	51.96			Upper Alveolar Arch—
372915	10.5		48.57			3.4	3.3	3.95	3.95	88.08	88.57	4.6	2.1	55.85			5.0
372920	10.8		53.70			3.2	3.2	3.4	3.4	91.12	94.12	3.8	2.1	55.96			5.0
374768(6)				7.6		2.0	3.2	3.2	3.2	90.63		(3.4)	2.0	(58.89)			5.2
363045(3)				7.1		3.3	3.3	3.4	3.4	97.06	100.0	3.3	2.0	81.89			5.0
374706						3.3	3.35	3.4	3.35	97.70	100.0	3.3	2.0	81.89			5.0
363655	10.9		51.88	8.0	52.0	3.15	3.15	3.5	3.35	96.46	97.70	3.35	2.0	46.91			5.0
372919	11.1		53.16	8.5		3.35	3.35	3.5	3.45	96.46	96.46	3.55	2.0	46.91			5.0
374783	11.0		47.71	7.6	63.5	3.35	3.35	3.5	3.45	96.46	96.46	3.55	2.0	46.91			5.0
374783	11.1		47.71	8.3	62.5	3.35	3.35	3.5	3.45	96.46	96.46	3.55	2.0	46.91			5.0
368663	10.9		60.40	8.4	53.5	3.05	3.05	3.5	3.4	90.0	88.24	3.7	1.8	48.66			5.4
372913	11.0		54.50	7.6		3.1	3.1	3.5	3.4	90.0	93.94	4.3	2.0	46.91			5.7
368664	11.8		61.69	8.1		3.25	3.1	3.5	3.4	92.86	97.04	4.4	2.0	45.45			6.1
374710(5)	12.5		62.80	8.5	68.0	3.35	3.35	3.5	3.4	90.84	93.24	4.4	2.0	45.45			6.0
374787				8.7		3.35	3.35	3.7	3.7	90.84	93.24	4.4	2.0	45.45			6.0
368668(5)	12.3		62.85	9.5	69.0	3.6	3.45	3.7	3.6	94.59	100.0	4.4	2.0	45.45			5.7
367223(5)	11.9		49.58	8.9	61.0	3.6	3.6	3.7	3.6	94.59	100.0	4.4	2.0	45.45			5.7
372915	11.7		61.26	8.5	58.5	3.6	3.6	3.7	3.5	97.90	102.86	4.4	2.2	50.0			6.4
372915	11.7		61.26	8.6	65.0	3.2	3.3	3.5	3.5	86.49	94.26	4.25	2.0	47.06			5.9
372919(9)	12.1		62.89	8.7	61.5	3.25	3.25	3.95	3.95	82.28	82.28	4.25	2.0	47.06			6.2
368637	12.1		63.72	8.5	57.0	3.2	3.25	3.65	3.7	87.67	87.64	4.4	2.3	62.87			5.9
372919(5)	12.1		62.76	8.2	70.0	3.5	3.5	3.7	3.7	87.67	87.64	4.4	2.3	62.87			6.2
372919(5)	12.7		62.76	10.1	57.0	3.5	3.7	3.7	3.7	94.59	100.0	4.55	2.4	62.75			6.4
374758(prob. 9)	12.9		63.49	10.2	71.5	3.3	3.3	3.8	3.8	86.84	86.80	4.95	2.35	47.47			6.3
374783(5)	12.8		60.0	9.6	69.5	3.25	3.35	4.0	3.9	81.26	89.90	4.8	2.1	45.76			6.4
374614(5)	13.2		49.24	8.4	69.5	3.6	3.65	3.8	3.7	94.74	98.65	4.9	2.4	48.85			6.0
368666				9.2	55.5	3.6	3.65	3.8	3.7	94.74	98.65	4.9	2.4	48.85			6.5

1 Near.

KODIAK ISLAND INDIANS: CHILDREN
(Pre-Koniag)¹

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
377712	U.S.N.M.	Our Point, Uyak Bay	5		16.7	12.4	12.7	74.85	87.29	102.42	13.93			9.3	5.8
372837 (♂)	do	do	9		15.6	13.0	12.2	83.33	86.91	93.85	13.60				6.0
372829 (♂)	do	do	9-10		17.4	13.6	13.6	73.16	87.74	100.0	14.87				6.4
372782 (♀)	do	do	15		17.8	13.6		76.40							6.2

"BLUE"

374674	U.S.N.M.	Our Point, Uyak Bay	16		16.9	13.2	13.0	73.11	86.38	98.48	14.37					6.7
--------	----------	---------------------	----	--	------	------	------	-------	-------	-------	-------	--	--	--	--	-----

"RED"

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits-Height, right	Orbits-Height, left	Orbits-Breadth, right	Orbits-Breadth, left	Orbits-Height, right	Orbits-Height, left	Orbital Index, right	Orbital Index, left	Nose-Height	Nose-Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Length maxim.
377712	410.8	86.11	53.70	9.0	8.4	8.4	65.0	50.0	3.2	3.2	3.35	3.2	3.35	3.4	95.62	94.42	4.1	2.0	48.78	5.6		
372837 (♀)	410.6		56.60	8.2	7.4	8.4	71.0	58.0	3.45	3.45	3.45	3.45	3.45	3.45	100.0	100.0	4.25	2.1	49.41	5.7		
372829 (♂)	411.5		55.65	9.5	8.6	9.4	69.5	53.0	3.6	3.6	3.7	3.6	3.7	3.6	98.65	100.0	4.75	2.15	45.26	5.7		
372782 (♀)	412.4		50.0						3.3	3.3	3.6	3.6	3.6	3.6	91.67		4.4	2.2	50.0	6.3		

"BLUE"

374674									3.25	3.4	3.7	3.6	3.6	3.6	87.84	94.44	4.5	2.2	46.89	5.0	5.9	84.75
--------	--	--	--	--	--	--	--	--	------	-----	-----	-----	-----	-----	-------	-------	-----	-----	-------	-----	-----	-------

¹ Specimens recovered from the upper and supposedly more recent portion of the excavations were marked with a red pencil and those from below with a blue pencil, and thus came to be known as "red" and "blue," respectively.

² Near.

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth, max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
374765	9.2	90.22	54.55																	
374716	10.1	67.34	65.45						3.4			3.15		107.95	3.8	2.0	52.63		4.8	
365065	10.2	67.06	60.78			1 8.7		3.5	3.4		3.4		192.94	4.15	2.0	48.19		5.3		
366713	11.1	83.78	50.45	8.5	8.0	8.7	73.5	57.0	3.3	3.3	3.5	3.4	92.86	3.9	2.1	63.85		5.9		
366718																			5.6	
365719																				
374680	11.1	87.39	62.25	8.3	7.8	8.6	72.5	66.5	3.1	3.15	3.4	3.4	91.18	4.2	2.3	64.76		5.9		
374711	11.3	68.16	68.16					3.25	3.25	3.45	3.45	3.45	94.20	3.95	2.0	50.63		5.9		
374707																				
363662																				
366065																				
366091																				
365658																				
363669	11.6	85.21	52.45			9.0		3.4	3.25	3.7	3.6	3.6	94.44	4.7	2.4	61.06		5.9		
366034																				
374628 (Q)	10.9	89.91	55.21					3.15	3.15	3.3	3.3	3.3	95.45	3.9	2.0	51.28		3.3		
363667	11.3		59.29	9.4	8.6	9.4	69.0	59.5	3.2	3.0	3.6	3.35	89.58	4.2	2.0	47.62		3.7		
366009																				
366013																				
374625	11.8	65.59	51.69	8.4	8.4	9.4		8.25	3.3	3.5	3.5	3.5	88.50	4.75	2.15	45.26		3.7		
374630	11.9	94.21	56.90	9.6	8.4	9.4	67.5	53.0	3.4	3.45	3.8	3.7	94.29	4.35	2.05	47.13		3.0		
374672	12.7	89.08	54.69	9.8	8.8	10.2	74.5	53.0	3.1	3.15	3.4	3.6	86.47	4.5	2.3	46.31		3.4		
366015	11.6	86.62	52.19	9.6	8.5	9.4	62.0	52.5	3.1	2.55	3.7	3.65	91.18	4.8	2.3	47.62		3.5		
374617			58.62					3.35	3.3	3.4	3.4	3.4	91.85	4.9	2.15	43.43		6.2		
374647			53.79	9.2	8.4	9.6	71.5	62.0	3.4	3.35	3.8	3.6	88.53	4.9	2.2	44.88		5.6		
374677 (P)	13.2					10.6			3.7	3.7	3.8	3.9	80.47	5.25	2.1	40.0		6.3		

1 Near.

KODIAK ISLAND: PRE-KONIAG, "RED" MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maximum (gibbella ad)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Men-tion-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
367298	(A. H.)		40		19.5	13.8		70.77	91.97	108.95	15.20				7.7
368015	U.S.N.M.	Our Point, Uyak Bay.	65		18.1	13.2	14.3	72.55	88.07	104.56	15.70				8.4
372895	do	do	50		18.9	13.8	14.3	73.02	88.07	104.56	15.47				8.0
369678	do	do	60		18.2	13.4	14.5	73.63	95.67	110.46	15.13			13.8	8.5
367216	do	do	50		18.2	13.5	13.7	74.18	86.44	101.48	15.43			13.2	8.0
374621	do	do	45		18.5	13.9	13.0	75.14	86.80	100.0	15.60			12.0	7.3
374609	do	do	24		18.0	14.0	14.2	75.27	95.25	101.43	14.97			12.7	8.0
374627	do	do	55		17.5	13.2	14.2	75.43	92.61	107.68	15.43			13.6	8.2
368655	do	do	30		19.3	14.6	13.4	75.58	95.04	108.09	15.77			12.7	8.0
374616	do	do	45		18.0	13.6	14.7	75.65	79.06	91.78	15.40			12.7	8.2
367206	do	do	65		18.0	13.7	14.5	76.11	91.48	105.84	15.40			12.7	7.9
372810	do	do	50		18.0	13.7	13.7	76.11	86.43	100.0	15.13			12.7	7.9
372810	do	do	30		18.0	13.7	14.0	76.17	82.95	95.24	16.0			12.9	7.7
372896	do	do	55		19.3	14.7	14.0	76.24	87.15	100.78	15.27			13.4	7.9
377786	do	do	55		18.1	13.8	13.9	76.24	87.15	100.78	14.83			12.9	7.3
369617	do	do	45		17.7	13.5	13.5	76.27	86.54	100.0	14.83			12.9	8.0
369611	do	do	40		18.0	14.2	13.8	76.34	84.15	97.18	15.53				
374685	do	do	45		18.5	14.2	13.8	76.76	84.40	97.18	15.50				8.3
372836	do	do	35		17.4	13.4	14.2	77.01	92.21	105.97	15.0			13.6	8.5
374682	do	do	50		18.7	14.4	14.8	77.01	89.43	102.78	15.97			13.4	8.1
363612	do	do	Mid-aged		18.3	14.1	13.4	77.05	82.72	95.04	15.27				7.4
363624	do	do	Mid-aged		18.6	14.4	14.4	77.42	87.27	100.0	15.80				8.4
374607	do	do	35		18.4	14.3	14.2	77.72	86.85	99.30	15.63			13.4	8.3
363618	do	do	25		17.6	13.7	14.2	77.84	90.74	109.65	15.17			13.0	7.7
363622	do	do	30		18.1	14.1	14.3	77.90	88.82	101.42	15.50			12.9	7.8
374606	do	do	40		17.7	13.8	14.0	77.97	88.89	101.45	15.17			13.2	7.9
367221	do	do	45		17.4	13.6	13.2	78.16	85.16	97.66	14.73			13.2	7.5
374675 (some- what C-like but proba- bly ♂)	do	West side mouth of Uyak Bay.	40		17.4	13.6	14.0	78.16	90.32	102.84	15.0			13.0	7.5
372817	do	Our Point, Uyak Bay.	50		18.4	14.4	14.0	78.26	85.97	97.22	15.60			13.1	7.8
362915	do	Chief's Point, Uyak Bay.	50		17.6	13.8	13.8	78.41	87.90	100.0	15.07				7.4
363620	do	Our Point, Uyak Bay.	30		18.3	14.4	14.4	78.69	88.07	100.0	15.70			13.1	7.9
362913	do	Chief's Point, Uyak Bay.	40		17.9	14.1	14.0	78.77	87.50	99.29	15.33				7.6

372910	do	Our Point, Uyak Bay	55	18.4	14.5	13.6	78.80	82.68	93.79	15.50	12.7	7.7
372813 (some- what ♀-like but ♂skele- ton)	do	do	23	17.6	13.9	13.0	78.98	82.54	93.53	14.83	12.3	7.5
366652	do	do	Y o u n g adult.	18.0	14.3	14.0	79.44	86.69	97.90	15.43		
372911	do	do	40	18.0	14.3	14.0	79.44	86.69	97.90	15.43	13.3	8.0
374688	do	do	35	17.7	14.0	14.7	79.69	92.15	104.26	15.50		8.3
367297	do	do	Old	17.4	13.9	13.5	79.89	86.46	97.12	14.93		
374622	do	do	65	17.9	14.3	14.4	79.89	89.44	100.70	15.53	12.3	7.4
374042	do	do	55	16.8	13.5	13.6	80.36	89.77	100.74	14.63	12.8	7.6
366660 (♂ skeletal cranium)	do	do	Aged	18.1	14.6	14.2	80.66	86.85	97.26	15.63		
374676	do	do	50	18.1	14.6	13.5	80.66	82.67	92.47	15.40	12.9	7.9
362916	do	Chief's Point, Uyak Bay.	40	17.6	14.2	14.2	80.68	89.31	100.0	15.33		7.4
372891	do	Our Point, Uyak Bay	65	18.0	14.6	12.6	81.11	77.90	86.30	15.07		
374610	do	do	60	17.2	14.0	14.0	81.40	89.74	100.0	15.07	12.5	7.3
377714 (some- what ♀-like but ♂skele- ton)	do	do	19	16.9	13.9	13.7	82.25	88.96	98.56	14.83	12.9	7.7
372811	do	do	35	17.5	14.4	14.0	82.29	87.77	97.22	15.30	13.5	8.1
363619 (mix- ed?, red- Koring?)	do	do	50	17.4	14.4	14.4	82.76	90.57	100.0	15.40		7.7
362914	do	Chief's Point, Uyak Bay.	60	(17.0)	(13.9)	(13.6)	(81.76)	(88.03)	(97.84)	14.83		7.8
366710	do	Our Point, Uyak Bay	50	(16.9)	(13.8)	(14.4)	(81.66)	(93.81)	(104.85)	15.03		8.0
367201	do	Middle Goose Island	55	(16.3)	(14.1)	(13.2)	(86.80)	(86.84)	(93.62)	14.53		7.1
374698	do	Our Point, Uyak Bay	55	(18.2)	(15.1)	(13.5)	(82.97)	(81.08)	(89.40)	15.60	13.7	8.2
374674 (a typ- ical extra- necous?)	do	do	50	(17.8)	(15.1)	(14.0)	(84.83)	(84.83)	(92.72)	15.63	13.6	7.8
378251	do	do	50	(17.5)	(15.0)	(14.3)	(85.71)	(88.00)	(95.83)	15.60	13.5	8.4
Specimens			(54)	(48)	(46)	(48)	(40)	(46)	(46)	(52)	(33)	(48)
Totals			2487	865.4	672.1	643.1	77.66	87.85	99.77	796.33	432.5	378.0
Averages			46.1	18.03	14.0	13.98	14.0	14.0	14.0	15.31	13.11	7.88
Minima			19	16.8	13.2	12.6	70.77	77.30	86.30	14.53	12.0	7.3
Maxima			70	19.5	14.7	14.8	82.76	93.67	110.45	16.00	14.3	8.5

Footnotes on P. 49 at end of table.

KODIAK ISLAND: PRE-KONIAG, "RED" MALES—Continued

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total	Facial Index, upper	$\frac{c}{a \times 100}$	$\frac{c}{b \times 100}$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	
3672908											3.75		4.0		63.75		5.3	2.8	52.83	5.1	6.5	78.46	
363615	14.0		60.0			11.4																	
3728915	14.3					10.6					3.65		4.0		91.25	94.87	5.9	2.45	41.53	5.6	6.7	83.58	
366678	14.0	98.67	61.43			11.2			71.5	60.5	3.7	3.7	4.0	3.9	91.25	94.87	5.9	2.45	41.53	5.6	6.7	83.58	
367216	13.8	103.62	61.59			8.9	10.4	10.6	64.0	54.0	3.85	3.85	4.1	4.0	92.68	96.25	5.4	2.5	46.30	6.2	7.1	87.52	
3674021	14.4	91.67	55.56			9.4	10.6	10.6	66.0	55.0	3.9	4.0	4.1	4.0	85.12	100.0	5.3	2.55	48.11	5.7	6.9	82.61	
374600	13.7	95.62	58.39			9.4	10.7	69.0	56.5	3.65	3.65	3.65	4.2	4.1	86.90	89.02	5.65	2.35	41.59	5.4	6.9	78.26	
374607	13.3	60.83	54.89			9.5	10.6				3.7	3.55	3.9	3.8	94.87	93.42	5.35	2.5	46.72	5.5			
3636235						11.7	10.4	11.4	67.5	50.5	3.7	3.65	4.1	4.0	90.24	91.25	5.45	2.45	42.24	5.9	7.0	84.29	
374010	14.9	91.48	55.03			9.8	10.6	10.6	66.5	62.0	3.7	3.65	4.1	4.0	88.89	88.46	6.0	2.4	40.0	6.0	7.2	83.33	
372906	15.0	92.70	57.66			11.1	10.8	10.8	54.0	54.0	4.0	3.45	4.5	3.9	94.74	88.46	5.4	2.6	42.59	5.8	7.2	80.66	
372808	13.7	97.73	58.93			10.3	10.3		66.0	55.5	3.6	3.45	3.8	4.2	94.74	88.46	5.5	2.6	42.59	5.8	7.2	80.66	
372810	13.2	97.73	58.93			10.3	10.3		66.0	55.5	3.6	3.45	3.8	4.2	94.74	88.46	5.5	2.6	42.59	5.8	7.2	80.66	
372806	13.5	92.41	53.68			9.6	10.8	9.6	73.5	63.0	3.7	3.7	4.3	4.2	83.72	89.29	5.3	2.6	47.27	5.5	6.7	82.09	
377756	13.6	94.85	56.82			10.2	10.2	10.2	68.0	46.0	3.8	3.9	4.0	4.0	95.0	97.5	5.8	2.5	49.07	5.9	7.0	84.29	
363611	14.6					10.6					3.5						5.5						
374085	14.0					10.6					3.5						5.5						
374086	13.2	103.62	64.39			10.2	9.3	10.8	67.0	62.0	3.85	3.45	4.1	3.8	85.97	90.79	5.85	2.7	49.00	5.7	6.7	86.07	
374087	14.0	95.71	57.86			11.1	10.0	11.5	70.0	68.0	3.9	3.85	4.2	4.2	92.86	90.78	5.3	2.65	41.03	5.5	7.3	85.94	
363612	14.5					11.0					3.5						5.5						
363621	14.8					11.0					3.85						5.15						
374007	14.6	91.78	56.85			10.4	10.4	10.4	64.5	52.5	3.7	3.85	4.1	4.2	93.90	93.90	5.25	2.8	44.66	5.8	6.9	85.96	
363618	14.2	91.65	54.22			10.6	10.4	10.6	63.0	61.0	3.7	3.85	4.1	4.2	93.90	93.90	5.25	2.8	44.66	5.8	6.9	85.96	
363622	14.6	91.65	54.22			10.6	10.4	10.6	63.0	61.0	3.7	3.85	4.1	4.2	93.90	93.90	5.25	2.8	44.66	5.8	6.9	85.96	
363618	14.2	91.65	54.22			10.6	10.4	10.6	63.0	61.0	3.7	3.85	4.1	4.2	93.90	93.90	5.25	2.8	44.66	5.8	6.9	85.96	
363622	14.6	91.65	54.22			10.6	10.4	10.6	63.0	61.0	3.7	3.85	4.1	4.2	93.90	93.90	5.25	2.8	44.66	5.8	6.9	85.96	
374006	13.7	92.35	57.66			10.4	9.3	10.8	63.5	57.5	3.65	3.65	4.0	3.9	82.35	83.74	5.85	2.9	43.57	5.8	7.2	80.58	
367221	13.8	95.65	54.55			10.1	10.1	10.6	63.5	57.5	3.65	3.65	4.0	3.9	82.35	83.74	5.85	2.9	43.57	5.8	7.2	80.58	
374075	13.7	94.89	54.74			10.5	9.2	10.2	66.5	54.0	3.4	3.5	4.1	3.9	86.0	84.77	4.85	2.9	43.57	5.8	7.2	80.58	
372817	14.9	87.92	52.55			10.6	10.6	10.5	68.0	47.5	3.7	3.7	3.9	3.9	89.15	84.77	5.3	2.5	49.06	6.0	6.8	74.68	
362915	14.2	88.51	53.11			10.9	9.6	10.9	70.5	60.5	3.8	3.8	4.4	4.3	85.64	88.37	5.4	2.5	46.30	5.4	6.8	74.41	
363620	14.3					10.9	9.6	10.9	70.5	60.5	3.8	3.8	4.4	4.3	85.64	88.37	5.4	2.5	46.30	5.4	6.8	74.41	
362913	14.8					9.7			69.0	58.0	3.45	3.45	4.05	4.0	83.95	79.27	5.2	2.8	48.08	6.0	7.5	76.75	
372910	15.0	84.67	51.53			10.4	9.2	10.4	68.5	55.0	3.25	3.35	4.1	4.0	79.27	83.56	5.35	2.8	52.54	6.0	7.5	80.0	

372813	13.9	88.49	53.96	9.7	8.8	9.6	66.5	61.0	3.55	3.6	3.95	3.8	89.87	94.74	5.25	2.3	48.82	5.1	6.6	77.27
366652	14.2	93.66	56.34	10.2	8.8	10.3	67.5	53.0	3.4	3.4	4.1	3.9	82.93	87.18	5.3	2.2	41.51	5.5	6.0	83.35
372911	13.0	87.20	63.85	10.1	8.8	10.4	68.5	57.0	3.8	3.85	4.0	3.9	86.0	93.72	5.35	2.3	42.39	5.6	6.7	83.58
374608	13.5	89.13	63.62	10.0	9.2	10.2	70.0	62.0	3.4	3.45	3.85	3.75	83.31	90.67	5.1	2.45	43.04	---	---	---
367287	13.8	96.37	57.58	9.6	8.4	9.6	67.0	56.0	3.0	3.0	3.9	3.8	92.31	94.74	4.95	2.4	48.48	---	---	---
374622	13.2	88.37	54.48	9.9	9.3	10.7	65.0	61.0	3.5	3.7	4.1	3.9	86.37	94.87	5.4	2.4	44.44	5.4	6.5	83.08
369660	14.5	91.03	51.03	10.2	9.2	10.4	68.0	54.0	3.3	3.3	4.2	4.1	79.76	82.33	5.2	2.5	48.08	5.6	7.0	80.0
372916	14.1	93.98	54.89	10.1	9.2	10.1	70.0	60.0	3.55	3.45	3.95	3.85	82.50	82.50	4.9	2.5	51.02	---	---	---
374610	13.3	97.73	58.33	9.6	8.6	10.0	65.0	60.0	3.8	3.75	4.1	3.9	89.87	89.61	5.2	2.2	42.31	5.5	6.5	81.54
377714	14.3	94.41	56.64	10.4	9.4	10.1	68.0	60.0	3.6	3.6	4.1	4.0	87.80	92.31	5.6	2.4	47.06	5.5	6.4	85.94
372811	14.6	95.32	55.32	10.6	9.4	10.3	66.5	55.0	3.4	3.45	4.1	3.9	87.80	90.0	5.2	2.6	46.43	5.6	6.8	82.35
362914	14.1	95.00	57.31	10.2	8.2	9.7	71.5	55.5	3.7	3.8	3.9	3.8	94.87	100.0	5.7	2.7	47.37	5.4	6.6	82.81
366710	13.6	95.80	57.31	10.2	8.2	9.2	70.0	61.5	3.5	3.55	3.9	3.9	89.74	91.03	5.1	2.0	39.22	5.2	6.3	82.54
367291	14.2	92.52	53.06	10.0	8.8	10.4	70.0	53.5	3.8	3.8	4.0	4.0	93.75	95.0	5.5	2.3	42.21	5.5	6.4	85.94
374608	14.7	91.84	57.14	10.5	9.2	10.8	69.0	53.5	3.8	3.85	4.3	4.1	88.37	93.90	5.5	2.6	47.27	5.2	6.8	76.47
378231	14.7	91.84	57.14	10.5	9.2	10.8	69.0	53.5	3.8	3.8	4.5	4.1	84.44	---	5.95	2.65	44.54	5.6	6.7	83.58
Specimens	(50)	(32)	(46)	(42)	(48)	(51)	(43)	(46)	(43)	(46)	(43)	(43)	(46)	(43)	(49)	(49)	(49)	(43)	(43)	(43)
Totals	703.9	442.5	442.5	442.5	439.2	531.7	2,946.5	2,438.5	107.05	156.2	187.05	169.85	1,091.85	264.9	122.5	236.9	262.0	262.0	262.0	262.0
Averages	13.08	68.11	55.88	10.29	9.15	10.43	68.52	56.71	3.63	3.63	4.07	3.95	89.31	91.96	5.41	2.50	46.21	5.51	6.79	81.13
Minima	13.0	84.67	50.00	9.2	8.2	9.6	64.0	46.0	3.25	3.3	3.8	3.7	79.27	82.50	4.85	2.0	39.22	5.0	6.2	74.63
Maxima	13.0	103.62	64.39	11.7	10.4	11.4	74.5	63.0	4.0	4.0	4.5	4.2	97.37	100.0	6.0	2.9	52.83	6.2	7.5	91.94

1 See footnote 1, p. 43.

2 Near.

3 Inside

KODIAK ISLAND: PRE-KONIG, "BLUE" MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Men's Height (a) Nasion	Alveol. Pl.-Nasion Height (b)
360692	(A, II.) U.S.N.M.	Our Point, Uyak Bay.	50		18.8	13.2	(High)	70.21						14.0	8.4
360690	do	do	Sub-adult		17.6	12.9		73.30						12.9	7.5
360623	do	do	65		18.0	13.2		73.35						12.5	7.8
372776	do	do	18		18.5	13.6	13.2	73.51	82.24	97.06	15.10				7.8
360697	do	do	60		18.5	13.7	(High)	74.05							7.2
360648	do	do	35		18.0	13.8	13.6	76.67	85.65	96.55	15.13				8.0
360694	do	do	50		18.0	14.6	13.7	76.84	81.65	95.84	15.77				7.8
366701	do	do	19.0		17.5	13.6	14.2	77.71	91.32	104.41	15.10				7.8
374569	do	do	60	Mid-aged	17.9	14.0	13.8	78.21	86.62	98.57	15.23				8.0
377703	do	do	35		17.5	13.8	13.4	78.86	85.62	97.1	14.90				8.1
374560	do	do	60		18.2	14.4	13.6	79.12	83.44	94.44	15.40				7.6
360717	do	do	26		18.1	14.4	14.0	79.56	86.16	97.22	15.50				
374578	do	do	30		18.6	14.8	14.6	79.57	87.43	93.65	16.0				
374696	do	do	40		18.2	14.5	13.8	79.67	84.40	95.17	15.50				7.2
377713	do	do	60		17.3	13.8	13.7	79.77	83.10	89.28	14.93				7.3
360695 (probably small ♂)	do	do	35		16.7	13.4	13.4	80.24	89.03	100.0	14.50				
374552	do	do	25		17.6	14.2	13.8	80.68	86.79	97.18	15.20				8.1
360619	do	do	19		17.7	14.5	14.0	81.92	86.96	96.55	15.40				7.6
374568	do	do	65		17.8	14.6	13.4	82.02	82.72	91.78	15.27				8.0
360016A	do	do	Sub-adult												
360624	do	do	30												
360633	do	do	35												
Specimens			(22)		(19)	(19)	(oblong)	(15)	(15)	(15)	(15)			(11)	(15)
Totals			883		341.5	265.0	206.2				228.93			142.0	116.5
Averages			40.1		18.0	13.9	13.7	77.60	85.81	97.26	15.26			12.9	7.8
Minima			18		16.7	12.9	13.2	70.21	81.65	93.84	14.50			11.9	7.2
Maxima			65		19.0	14.8	14.6	82.02	91.32	104.41	16.0			14.4	8.6

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	
366682									4.0	3.8	4.0	4.0	95.0		5.75	2.45	42.61	6.1	7.1	85.92	
366620									3.9	3.70	3.9	(High)	96.15		5.15	2.2	42.73				
366623															5.7	2.5	48.86	5.5	7.2	76.89	
372776	13.5	92.69	67.78																		
366687	14.0		61.43	10.6	9.5	10.4	68.5	56.0	4.1	3.45	4.1	4.1	84.15		4.9	2.6	58.06	5.9	6.9	85.61	
366648	14.4	100.0	69.72	10.3	8.9	10.0	68.5	53.0	4.4	3.63	4.4	4.1	82.96		5.8	2.8	48.28	6.0	6.8	88.84	
366694	13.8	92.03	66.52	10.4	9.2	10.5	68.0	54.0	4.1	3.55	4.1	3.9	86.69		5.5	2.6	47.27	5.6	6.2	90.32	
366701	14.2		66.34	10.0	9.0	10.4	70.0	60.5	4.0	3.55	4.0	3.9	83.75		5.3	2.75	52.58	5.7	6.6	86.86	
374569	13.8	97.83	68.70	9.9	9.0	10.7	72.5	63.0	4.4	4.2	4.4	4.3	93.45		5.3	2.45	46.23	5.5	6.1	90.16	
377703															5.2	2.4	51.92				
374566	13.7	89.78	65.47	9.8	9.0	10.2	70.5	61.0	3.7	3.3	3.7	3.7	88.84		5.0	2.7	42.86	5.3	6.7	79.10	
366717															5.2	2.7	51.92				
374578																					81.64
374666	13.6	87.50	62.94						4.1	3.9	4.1	4.0	95.12		5.2	2.4	46.15				
377713	13.8	87.68	68.90	9.9	8.9	10.0	69.5	59.5	4.0	3.45	4.0	3.8	86.25		4.86	2.56	52.68	5.3	6.5	81.54	
366695	13.5	97.01	60.0	10.7	9.6	10.4	65.5	50.0	4.0	3.5	4.0	3.9	87.60		5.3	2.5	47.17	5.9	6.4	92.16	
374552	13.3	94.74	67.14	10.5	9.5	10.5	66.0	63.0	3.7	3.3	3.7	3.75	91.56		5.3	2.15	40.67	5.6	6.3	86.16	
366619	13.8		67.97	10.6	9.3	10.2	64.5	55.0	3.9	3.25	3.9	3.8	83.34		5.3	2.25	42.46	5.6	6.0	84.86	
374568																					84.62
366816A	14.5			10.0	9.2																83.08
366824																					83.08
366833																					83.53
Specimens	(13)	(9)	(12)	(11)	(12)	(10)	(10)	(10)	(13)	(10)	(10)	(10)	(13)	(10)	(16)	(16)	(16)	(16)	(16)	(16)	(16)
Totals	179.9		112.7	102.9	123.0	679.5	584.0	46.70	52.3	40.15	40.15	40.15	89.29	90.04	85.3	40.0	46.89	89.70	105.7	105.7	
Averages	13.8	93.27	66.41	10.2	9.15	10.3	67.95	58.40	4.0	3.6	4.0	4.0	87.96	88.63	5.3	2.5	47.57	5.6	6.6	84.86	
Minima	13.3	87.50	61.43	9.8	8.8	10.0	63.5	53.0	3.7	3.25	3.7	3.7	82.96	85.63	4.85	2.15	40.67	5.3	6.1	76.39	
Maxima	14.5	100.0	60.0	10.7	9.6	10.7	72.5	63.0	4.4	4.2	4.4	4.3	96.15	100.0	5.8	2.8	53.06	6.1	7.2	92.19	

! Allowance made for wear of teeth, where needed.
 † Near.

KODIAK ISLANDS: PRE-KONIG, "RED" FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (gabella ad max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
374652	(A. II.)	Our Point, Uyak Bay	35		18.2	12.8	14.0	70.85	90.32	109.87	15.0				7.9
368632	U.S.N.M.	do	Mid-aged		17.5	12.6	13.4	72.0	89.04	106.55	14.50				7.5
374658	do	do	Elderly		18.3	13.2		72.13							
374635	do	do	35		17.3	12.5		72.85						11.7	7.0
372830	do	do	25		17.6	12.8	14.0	72.73	92.11	109.87	14.80				7.2
374611 (slightly like but probably ♀)	do	do	25		18.0	13.1	13.0	72.78	83.60	99.24	14.70				7.1
374614	do	do	Sub-adult		17.9	13.1	13.1	73.18			14.60				
366639	do	do	30		17.7	13.0		73.45	85.34	100.77					
377704	do	do	50		18.0	13.3	13.7	73.89	87.54	103.01	15.0				
372834	do	do	30		17.5	13.0	14.0	74.29	91.80	107.69	14.83				7.6
372827	do	do	60		17.8	13.6	13.7	76.10	87.86	100.74	15.03				
372828	do	do	50		17.9	13.6	13.6	74.80	87.18	102.26	14.93				
374001	do	do	40		18.3	13.7	14.2	74.92	85.90	100.74	15.20				7.6
374634	do	do	40		17.6	13.1	13.0	74.65	84.70	99.24	14.57				7.2
372812	do	do	20		17.8	13.3	12.4	74.72	73.75	83.83	14.50				6.7
366633	do	do	60		17.8	13.4		75.28							
377702	do	do	75		17.8	13.4	12.6	75.23	80.77	94.63	11.60				8.2
363627	do	do	Sub-adult		17.4	13.1	14.0	75.29	91.80	106.87	11.83				7.2
374632	do	do	30		17.0	12.5	13.4	75.29	89.63	104.69	14.40				7.4
366651	do	do	Near mid-aged		17.5	13.2		75.43							7.5
366703	do	do	Young adult or near.		18.0	13.6		75.56							6.8
366709	do	do	50		17.7	13.4	14.3	75.71	91.91	106.72	15.13				7.7
374662	do	do	Young adult.		17.8	13.5		75.83							
366648	do	do	40		17.4	13.2	13.8	75.86	90.20	104.55	14.80				7.7
377728	do	do	25		17.0	12.9	13.9	75.83	92.88	107.75	14.60				7.6
374656	do	do	30		17.5	13.3	(High)	76.0							8.0
374653	do	do	Mid-aged		17.6	13.4	13.5	76.14	87.10	100.75	14.83				8.0
374657	do	do	30		16.8	12.8	12.8	76.16	86.49	100.0	14.13				8.9
374686	do	do	Mid-aged		17.3	13.2	12.6	76.30							7.7
374651	do	do	Old		18.0	13.8	12.6	76.67	79.25	97.50	14.80				

374655	do	20	18.0	13.8	14.0	76.67	88.06	101.46	15.27	11.9	7.2
374657	do	30	17.6	13.5	12.5	76.70	80.39	92.59	14.53	12.0	7.4
374655	do	30	17.8	13.7	12.8	76.87	81.87	93.45	14.77	12.1	7.3
374657	do	24	17.2	13.3	12.8	77.32	84.99	96.21	14.43	11.7	7.2
374659	do	45	17.7	13.7	13.7	77.40	87.39	100.00	15.03	12.8	7.7
374671	do	Elderly	17.8	13.8	12.8	77.63	81.01	92.75	14.80	11.8	7.3
374682	do	30	16.5	12.8	12.8	77.68	87.37	100.0	14.03	13.0	8.0
383326	do	30	17.4	13.5	13.4	77.69	86.79	93.26	14.77	13.0	8.1
3729831	do	50	18.0	14.0	13.8	77.78	86.95	98.67	15.27	12.0	7.3
377729	do	63	17.1	13.3	13.3	77.78	88.16	100.75	14.60	12.0	7.3
374624	do	Old	17.6	13.7	13.3	77.84	87.79	97.08	14.87	11.9	7.2
374624	do	Old	17.2	13.4	13.8	77.91	90.80	102.99	14.80	11.9	7.3
368444	do	65	17.2	13.4	13.8	77.91	90.80	102.99	14.80	12.0	7.2
368708	do	24	17.2	13.4	13.8	77.91	86.97	98.51	14.60	12.0	7.2
374654	do	30	17.2	13.4	13.2	77.97	87.63	100.0	15.10	12.0	7.9
377721	do	40	17.7	13.8	13.6	77.97	87.63	100.0	14.60	12.0	7.9
369512	do	Aged	17.3	13.5	13.1	78.03	84.48	96.30	14.60	12.0	7.6
374619	do	55	17.3	13.5	13.1	78.03	83.06	97.04	14.63	12.0	7.4
374635	do	Elderly	17.8	13.9	13.9	78.09	87.70	100.0	13.20	12.0	7.4
367235	do	25	16.9	13.2	14.0	78.11	93.02	106.06	14.70	12.0	7.4
374664	do	55	17.4	13.6	13.2	78.16	85.16	97.06	14.73	6.9	6.9
372838	do	Our Point, Uyak Bay	17.0	13.3	12.6	78.24	82.26	94.74	14.30	7.2	7.2
366672	do	25	17.5	13.7	13.2	78.29	84.62	96.35	14.80	11.9	7.4
372835	do	50	17.1	13.4	13.1	78.35	85.60	97.76	14.53	11.9	7.7
374683	do	30	17.1	13.4	13.1	78.36	92.46	105.22	14.87	12.4	7.6
374683	do	55	17.1	13.4	13.6	78.36	89.18	101.49	14.70	12.3	7.7
374613	do	35	18.1	14.2	13.8	78.45	85.45	97.18	15.37	12.4	7.4
367732	do	55	16.8	13.2	13.6	78.57	90.67	103.63	14.53	6.2	6.2
367229	do	18	17.3	13.6	12.2	78.61	78.37	89.71	14.37	12.4	7.6
374665	do	Elderly	16.9	13.3	12.6	78.70	83.44	94.74	14.27	8.0	8.0
374683	do	40	17.5	13.8	14.6	78.86	93.89	105.80	15.30	6.6	6.6
367210	do	Old	17.2	13.6	12.7	79.07	82.47	93.58	14.50	6.6	6.6
374639	do	24	16.4	13.0	13.2	79.37	89.80	101.54	14.20	7.4	7.4
374634	do	35	16.9	13.4	13.5	79.39	89.11	100.75	14.60	7.6	7.6
374546	do	45	16.9	13.4	13.4	79.41	87.37	90.26	14.63	12.4	7.4
374584	do	24	17.0	13.5	13.2	79.53	85.90	97.06	14.63	7.1	7.1
366674	do	24	17.1	13.6	13.6	79.53	83.60	100.0	14.77	12.3	7.0
372815	do	40	17.1	13.6	13.6	79.65	83.02	99.27	14.83	12.1	7.4
374673	do	45	17.2	13.7	13.1	79.76	86.75	97.76	14.43	12.8	7.7
366664	do	35	16.8	13.4	14.3	79.78	80.37	100.70	15.43	11.9	7.2
366671	do	30	17.8	14.2	14.3	79.78	80.37	100.70	15.43	11.9	7.2
363629	do	Y o u n g adult.	16.0	12.8	13.0	80.0	90.28	101.56	13.93	12.3	7.1
363629	do	Y o u n g adult.	16.0	12.8	13.0	80.0	90.28	101.56	13.93	12.3	7.1
363634	do	Aged	17.0	13.6	13.8	80.0	90.80	101.47	14.80	7.3	7.3
366675	do	20	17.5	14.0	13.2	80.0	83.81	94.29	14.90	11.1	6.7
372915	do	50	17.5	14.0	13.8	80.0	87.63	98.67	15.10	13.2	7.9
374657	do	20	17.0	13.6	13.6	80.0	88.89	100.0	14.73	10.9	6.6
366631	do	30	17.5	14.1	14.0	80.11	89.11	100.75	14.63	12.3	7.0
363631	do	Mid-aged	16.6	13.3	14.0	80.12	93.64	105.29	14.63	7.0	7.0
372816	do	60	17.2	13.8	13.6	80.37	87.74	98.55	14.87	12.2	7.1
374615	do	50	17.2	13.8	13.6	80.37	87.74	98.55	14.87	12.3	7.1

KODIAK ISLANDS: PRE-KONIAG, "RED" FEMALES—Continued

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
366549	do	do	22		17.8	14.3	13.0	80.54	81.0	90.91	15.03			11.6	7.2
374620	do	do	20		16.1	13.0	12.8	80.75	87.97	98.46	13.97			12.2	6.8
368513	do	do	20		17.3	14.0	13.3	80.92	95.0	84.98	14.87			12.2	7.4
366063	do	do	24	Mid-aged	16.3	13.2	13.8	80.98	93.56	101.55	14.43			11.9	6.8
366010	do	do	19		16.5	13.4	12.8	81.21	91.79	14.07	14.93			11.9	7.5
363044	do	do	30		17.2	14.0	13.0	81.40	87.18	97.14	14.37			7.8	7.8
366004	do	do	35		16.6	13.2	13.3	81.48	89.26	100.76	14.37			7.8	7.8
374635	do	do	30	Elderly	17.2	14.0	13.4	81.60	85.90	95.71	14.87			7.3	7.3
374661	do	do	30		16.7	13.6	13.3	81.61	87.79	97.79	14.53			12.1	7.0
377790	do	do	30		17.4	14.2	13.4	81.61	84.81	94.37	15.0			12.6	7.6
374670	do	do	30		16.9	13.5	13.2	81.66	91.20	101.65	14.90			12.0	7.0
372814	do	do	25	Elderly	16.5	13.5	13.2	81.82	88.0	97.78	14.47			12.0	7.0
363630	do	do	24		16.6	13.6	13.5	81.93	89.10	99.96	14.57			11.9	7.1
366082	do	do	24		16.9	13.8	13.5	82.14	86.77	95.95	14.60			6.8	6.8
377734	do	do	35		16.8	13.4	13.2	82.49	89.31	100.66	14.30			7.1	7.0
374617	do	do	35		17.5	14.4	14.3	82.59	86.65	99.71	14.80			12.1	7.8
363014	do	do	25		17.0	14.0	13.4	82.59	88.59	97.56	14.80			11.8	7.1
374653	do	do	40	(Asymmetry)	17.0	14.0	13.4	82.55	86.45	95.71	14.80			11.8	7.5
374648	do	do	55		17.4	14.1	12.4	82.46	78.73	87.84	14.63			7.1	7.1
366002	do	do	17		16.7	13.8	13.0	82.63	85.05	94.50	14.30			7.5	7.5
374611	do	do	55		16.8	13.9	13.4	82.74	87.74	96.40	14.70			7.7	7.7
374659	do	do	30		16.8	13.9	13.4	82.74	88.60	97.84	14.77			6.0	6.0
377735	do	do	30		16.8	13.9	13.6	82.74	88.67	97.86	14.87			7.2	7.2
374681	do	do	30		16.9	14.0	13.7	82.84	88.74	97.87	14.97			11.7	7.2
366707	do	do	24		17.0	14.1	13.8	82.94	88.74	97.81	14.53			7.5	7.5
366673	do	do	24		16.5	13.7	13.4	83.03	88.74	97.81	14.53			7.1	7.1
374655	do	do	35		17.8	14.8	13.2	83.15	80.68	89.19	15.27			7.9	7.9
367207	do	do	45		16.8	14.1	14.2	83.53	91.91	100.71	15.03			7.6	7.6
363628	do	do	40	Badly crushed	(long and narrow) (oblong)										
363645	do	do	40												
Specimens			(110)		(108)	(108)	(95)	(108)	(95)	(95)	(95)			(51)	(91)
Totals			4335		1,865.6	1,461.7	1,273.4	78.55	87.06	98.90	1,399.51			615.7	669.9
Averages			18		17.27	13.53	13.40	78.55	87.06	98.90	14.73			12.07	7.36
Minimum			40		16.00	12.5	12.2	70.53	78.73	87.94	13.93			10.8	6.2
Maximum			75		18.3	14.8	14.6	83.95	93.64	109.87	15.43			13.2	8.2

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—	
374652						10.8			3.8	3.55	4.0	3.65		95.0	5.6	2.3	41.07			Upper Alveolar Arch—	
363632	12.3		60.98			10.7			3.55	3.55	3.6	3.65		97.26							
374658									3.25	3.35	3.7	3.6	87.84	88.06	4.8	2.35	48.96	5.1	5.8	87.98	
366635									3.4	3.8	3.8	3.8	86.84	89.47	5.1	2.3	45.10	5.1	6.1	82.56	
372830	12.5		57.60	9.8	9.0	10.1	65.0	3.3	3.25	3.8	3.8	3.8	55.53	50.0	2.4	2.4	48.0	3.3	6.7	82.09	
366611	13.0	90.0	54.62																		
366614																					
366639																					
377704	14.0	90.71	54.29	10.7	9.8	11.2		3.65		3.95			92.41		5.45	2.5	45.87	5.6	6.3	88.89	
372834	12.0					10.4															80.00
372827	12.1					10.3	74.0	60.0	3.45	3.5	3.7	3.7	93.24	94.69	5.1	2.2	43.14	5.3	6.7	79.10	
372828	12.1		62.81	10.1	8.9	10.4	73.0	60.0	3.4	3.35	3.9	3.9	87.18	85.90	5.2	2.3	44.28	5.6	6.4	87.60	
374601	13.0	86.92	59.25	10.0	8.8	10.1	68.5	56.0	3.4	3.35	3.9	3.8	91.03	90.79	5.15	2.2	44.28	5.2	5.9	88.14	
374604	12.8	86.38	56.25	10.0	8.9	10.0	69.5	53.5	3.5	3.45	3.9	3.8	91.03	90.79	5.15	2.2	44.28	5.2	6.0	86.67	
372812	12.5	86.40	53.60	9.8	8.8	9.5	67.5	54.5	3.4	3.4	3.7	3.8	91.89	89.47	4.75	2.1	44.22	5.5	6.7	82.09	
360663																					
377702	13.6		60.29	9.8	9.0	10.2	69.0	64.5	3.55	3.65	4.2	4.2	82.56	86.90	5.5	2.8	50.91	5.6	6.7	83.68	
363627	12.9	93.80	55.81	10.5	9.4	10.4	69.0	54.5	3.5	3.55	3.7	3.6	94.69	98.61	5.1	2.2	43.14	5.6	6.7	83.68	
374602	13.2	90.91	56.06	9.9	8.7	9.8	67.5	54.5	3.5	3.65	3.8	3.8	83.61	96.05	4.95	2.4	43.48	5.4	6.6	81.82	
366651									3.8	3.8	3.8	3.8	93.42		5.2	2.1	40.38				
366703									3.7	3.6	3.5	3.6	105.71	100.0	5.2	2.2	44.0	5.1	6.1	83.61	
366709	12.8	100.0	60.16	10.4	9.2	10.5	69.0	55.5	3.5	3.5	3.8	3.8	89.74	92.11	5.25	2.5	47.62	5.3	6.7	79.10	
374662																					
366668	13.0		59.23	9.9	8.8	10.0	68.5	57.5	3.4	3.35	3.7	3.6	91.89	93.05	5.2	2.55	45.04	5.3	6.7	83.35	
377728	12.8	100.81	61.79	10.2	8.8	10.1	67.5	52.5	3.45	3.55	3.8	3.7	90.79	95.95	4.95	2.45	49.49	5.5	6.6	83.35	
374626	12.3	86.88	62.60	10.8	9.4	10.0	62.5	53.5	3.35	3.5	4.0	3.85	82.75	90.91	5.4	2.3	42.59	5.5	6.0	81.67	
374683	13.3	87.74	60.15	10.8	9.4	10.0	62.5	53.5	3.5	3.55	3.9	3.8	89.74	93.42	5.15	2.55	49.51	5.9	7.1	83.10	
374687	12.3	91.06	56.10	10.2	9.0	9.8	66.5	54.5	3.35	3.4	3.7	3.7	88.16	91.89	4.45	2.25	50.56	5.6	6.1	91.80	
374686									3.7	3.7	4.0	4.0	92.50		5.4	2.5	46.30	5.1	6.3	80.95	
374651	13.4		54.96	9.7	8.6	10.0	74.0	55.0	3.65	3.75	3.8	4.0	96.05	93.75							
374656	13.1	90.84	57.81	10.0	8.8	9.8	66.0	51.0	3.8	3.8	4.0	3.5	107.14	95.0	5.05	2.4	47.53	4.9	6.5	75.98	
374667	12.8	93.75	57.81	10.0	8.8	9.8	66.0	51.0	3.75	3.75	3.5	3.5	107.14	95.0	5.05	2.4	47.53	4.9	6.5	75.98	
374625	13.2	91.67	55.30	10.4	9.2	10.0	66.0	55.0	3.9	3.9	3.9	3.9	90.77	91.62	4.75	2.35	49.47	6.0	6.7	83.58	
374629	13.1	89.91	54.96	9.4	8.8	10.2	74.5	65.0	3.7	3.7	4.0	4.0	92.50	92.50	5.35	2.45	45.79	5.0	6.3	79.37	
372832	12.9	89.22	59.69	9.5	8.5	9.9	70.0	60.0	3.55	3.5	3.7	3.7	95.90	94.69	4.95	2.4	48.49	5.3	6.5	81.54	

KODIAK ISLANDS: PRE-KONIAG, "RED" FEMALES—Continued

Catalog No.	Diam. Bizygomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
374071	13.0	90.77	55.15	10.3	9.2	8.6	52.0	3.25	3.35	3.9	3.8	82.39	88.16	5.3	2.3	43.40	5.5	6.5	84.02	
374032	13.7	102.36	62.90	10.2	9.2	10.6	60.5	3.65	3.55	4.1	4.1	89.02	86.58	5.1	2.3	42.59	5.4	6.3	85.71	
383626	13.2	97.33	61.96	10.5	9.4	10.6	58.0	3.6	3.8	4.1	4.1	92.68	92.68	5.45	2.5	45.87	5.5	6.2	88.71	
372531	13.2	93.31	56.15	10.8	9.6	9.5	53.0	3.3	3.4	3.65	3.6	90.41	94.44	5.0	2.5	50.0	5.7	6.4	89.06	
377229	13.0			10.8	9.2	9.5	53.0	3.35	3.6	3.9	3.7	91.03	97.50	5.0	2.45	49.0				
374021	13.0			10.1	9.2	10.5	62.0	3.4	3.4	3.7	3.9	91.89	94.89	4.85	2.5	51.55	5.4	6.4	84.38	
363343	12.6			9.4	8.6	9.8	71.0	3.5	3.5	3.8	3.9	92.11	89.74	5.4	2.65	49.07	5.3	6.4	82.81	
395708	12.5	95.50	55.40	9.4	8.6	9.8	71.0	3.5	3.5	3.8	3.9	92.11	89.74	5.4	2.65	49.07	5.3	6.4	82.81	
374054	12.5			9.4	8.6	9.8	71.0	3.5	3.5	3.8	3.9	92.11	89.74	5.4	2.65	49.07	5.3	6.4	82.81	
377731	12.8			(11.6)	(9.9)	10.0	(58.0)	3.7	3.5	3.9	3.7	87.87	100.0	5.1	2.2	49.14				
386612	12.8			10.6	9.9	10.2	55.0	3.6	3.7	3.9	4.0	87.80	92.60	5.1	2.35	47.73				
374019	13.5	93.33	56.30	10.6	8.9	10.2	65.0	3.6	3.7	4.1	4.0	88.75	90.0	5.4	2.4	47.06				
374645	12.9			10.2	8.9	9.9	58.5	3.5	3.6	4.1	4.0	88.75	90.0	5.4	2.65	49.07				
307235	12.0	100.0	61.67	9.9	8.8	9.9	52.5	3.85	3.75	3.85	3.7	100.0	101.95	4.9	2.3	49.94	5.0	6.7	71.63	
374064	13.0			10.0	8.8	10.0	63.5	3.7	3.7	3.9	3.9	94.87	94.87	5.05	2.35	46.53	5.3	6.2	85.48	
372833	13.0			10.1	9.4	9.4	56.5	3.45	3.6	4.1	3.9	84.15	92.81	5.05	2.4	47.53	5.3	6.3	84.73	
306672	13.2			9.5	8.6	10.0	61.0	3.5	3.55	3.8	3.7	92.41	95.95	5.05	2.2	43.27	5.1	6.6	77.87	
372532	13.1			9.7	8.8	10.2	71.5	3.5	3.55	4.0	3.8	90.39	103.94	5.2	2.3	44.93	5.1	6.2	82.66	
3734003	13.2	90.15	58.53	9.7	8.8	10.2	70.5	3.85	3.95	4.0	3.7	90.39	103.94	5.2	2.3	44.93	5.1	6.2	82.66	
374033	12.6			9.8	8.8	9.8	60.0	3.6	3.65	3.8	3.7	91.74	93.69	5.0	2.4	46.80	5.4	6.4	81.88	
374013	13.0			10.2	9.2	10.8	73.0	3.4	3.5	3.8	3.6	89.46	90.82	5.2	2.2	44.01	5.2	6.5	80.0	
374032	12.7			10.3	8.9	10.2	61.0	3.4	3.5	3.8	3.6	89.46	90.82	5.2	2.2	44.01	5.2	6.5	80.0	
377732	12.7			9.6	8.4	9.4	50.5	3.25	3.25	3.6	3.6	89.46	90.82	5.2	2.2	44.01	5.2	6.5	80.0	
387229	12.0			9.6	8.4	9.4	63.5	3.55	3.55	3.7	3.5	95.99	101.43	4.85	2.4	48.9	5.2	6.1	82.91	
374055	13.4	92.64	55.72	9.6	8.8	9.4	63.5	3.35	3.35	3.7	3.5	95.99	101.43	4.85	2.4	48.9	5.2	6.1	82.91	
374055	13.4			9.4	8.4	10.4	69.0	3.6	3.55	4.1	3.9	81.71	89.74	5.1	2.35	46.03	5.3	6.2	87.10	
374053	13.3			9.4	8.4	10.4	73.0	3.6	3.55	4.0	3.8	89.0	93.42	5.35	2.6	48.61	5.3	6.1	82.81	
317210	13.6			9.4	8.6	10.2	69.0	3.5	3.65	4.1	3.9	89.87	95.89	5.15	2.3	44.67	5.3	6.1	82.81	
374049	12.0			9.7	8.8	9.6	69.0	3.6	3.5	3.6	3.6	100.0	97.82	4.8	2.0	41.67	5.1	5.9	86.44	
374031	13.1			10.2	9.0	9.9	66.0	3.45	3.55	4.0	3.9	86.35	91.03	5.4	2.6	48.15	5.2	7.0	74.89	
374046	13.6	95.38	58.46	9.8	8.6	9.8	68.0	3.65	3.75	3.9	3.8	93.59	98.68	5.4	2.2	40.74	5.4	6.4	84.38	
374084	13.0			9.6	8.8	9.8	57.5	3.4	3.4	4.0	3.8	85.0	89.47	5.0	2.35	47.0	5.0	6.3	79.37	
309574	12.9			10.0	8.6	10.2	49.0	3.45	3.7	3.95	3.9	87.84	94.87	4.85	2.1	49.49	5.6	6.6	84.55	
372815	13.3	92.43	58.73	10.0	8.6	10.2	71.5	3.45	3.45	3.6	3.7	87.69	95.14	5.1	2.7	52.91	5.5	6.5	81.62	
374173	12.6			9.6	8.6	9.6	53.0	3.15	3.15	3.6	3.6	90.28	101.32	4.95	2.1	46.47	5.7	6.8	83.82	
365654	12.5	102.40	61.60	10.2	8.8	9.9	65.5	3.7	3.35	3.6	3.8	90.28	92.98	4.9	2.55	52.04	5.4	6.6	81.82	
396871	13.1	90.84	54.96	9.8	8.8	9.8	68.5	3.25	3.3	3.6	3.55	94.87	92.98	4.9	2.3	46.47	5.7	6.8	81.82	

363984	13.3	54.89	8.3	10.0	3.35	4.1	4.0	85.37	83.75	5.0	2.5	50.0	5.2	6.8	76.57
366975	12.5	53.69	9.3	9.2	3.45	3.7	3.5	93.29	98.57	4.6	2.3	60.0	5.2	6.8	80.60
367205	13.3	59.09	9.4	9.6	3.63	4.05	3.9	92.59	97.69	5.2	2.45	47.12	5.4	6.7	
374567	12.4	57.90	10.1	10.1	3.4	3.7	3.6	90.64	94.44	3.7	2.3	48.94			
369331	12.8	51.69		10.2	3.65		3.65	109.0	109.0	4.8	2.5	52.08			
372816	12.8	71.72		8.5	3.6	3.6	3.8	100.0	97.37	4.7	2.2	60.0	5.0	5.5	60.01
369515					3.9	3.85		86.81	86.84	4.85	2.4	49.49	5.3	6.0	53.35
374620	13.0	52.31	10.4	9.6	3.3	3.8	3.8	93.84	92.11	4.75	2.4	49.49	5.3	6.0	53.35
363933	13.4	55.22	10.3	9.1	3.55	3.8	3.8	92.42	92.11	4.8	2.35	48.95	5.7	6.6	86.56
366993	12.1	56.20	9.3	9.4	3.25	3.45	3.4	92.75	95.59	4.8	2.3	47.92	5.2	6.1	82.09
369510	12.9	58.14	10.1	8.9	3.5	3.9	3.7	88.46	94.69	5.3	2.1	46.28	5.6	6.7	82.09
369514	13.1	59.54	10.3	10.2	3.45	3.95	4.0	94.94	93.75	5.35	2.3	43.0	5.6	6.8	82.55
369691	12.5	61.80	10.6	9.8	3.5	3.7	3.6	94.59	109.0	5.15	2.3	44.67	5.6	6.2	90.32
371635	13.6	63.68	10.2	9.2	3.35	3.9	3.9	92.11	95.91	5.2	2.45	47.11	4.8	6.2	77.42
374661	12.6	56.02	9.2	8.4	3.55	3.8	3.7	92.11	95.91	4.8	2.15	44.79	4.8	6.2	77.42
377730	13.0	58.46	9.5	8.4	3.55	4.25	4.1	84.71	86.58	5.2	2.3	44.23	5.1	6.7	76.12
374670	13.2	53.03	9.8	8.8	3.45	3.95	3.85	87.34	89.61	4.7	2.65	56.33			
363630	13.4	89.55	9.9	10.2	3.4	3.8	3.8	89.47	85.84	5.0	2.1	42.0	5.2	6.3	82.54
366982	12.7	55.91	10.1	8.8	3.3	3.8	3.8	86.84	86.84	4.8	2.1	43.75	5.4	6.3	85.71
366989	12.4	57.95	9.3	8.3	3.35	3.7	3.7	90.61	89.19	4.85	2.2	45.37	5.3	6.2	85.48
377631	12.0	57.71	9.7	9.6	3.45	3.75	3.7	90.67	93.24	5.2	2.4	49.15	5.2	6.6	78.79
374617	13.5	53.59	9.5	8.5	3.6	3.95	3.8	91.14	94.74	5.05	2.4	47.53	5.1	6.8	75.0
363914	12.5	56.0	9.2	8.2	3.55	3.9	3.9	94.87	95.05	4.65	2.2	47.32	5.1	6.2	82.26
374653	13.0	60.0	10.0	10.0	3.7	4.1	3.9	90.24	94.87	5.25	2.3	43.82			
374948					3.75	3.7	3.8	100.0	97.37	5.1	2.4	47.05			
369602	13.2	53.79	9.5	8.2	3.6	3.8	3.7	92.11	97.39	5.2	2.6	50.0	5.6	6.6	84.85
374611	12.9	58.14	9.9	8.7	3.5	3.8	3.7	92.11	97.39	5.2	2.6	50.0			
374659					3.4	3.7	3.5	89.77	105.71	4.8	2.5	52.08	5.4	6.6	81.82
377735	12.9	59.69	10.0	8.8	3.4	3.8	3.7	89.77	105.71	4.8	2.5	52.08	5.4	6.6	81.82
377737	13.3	63.38	10.0	9.9	3.55	3.7	3.6	91.89	98.61	4.9	2.2	41.90	5.3	6.5	81.51
374681	12.7	54.35	9.8	8.8	3.75	3.75	3.6	97.39	102.78	4.95	2.5	50.51	5.2	6.1	85.25
366707	12.6	57.14	9.6	8.4	3.65	3.8	3.6	82.99	90.26	5.05	2.5	49.51	5.0	6.6	75.76
366673	12.4	60.48	9.3	8.3	3.15	3.5	3.5	91.24	98.72	5.1	2.45	48.04	5.4	6.6	50.0
374655	14.2	83.10	69.0	10.2	3.7	3.8	4.1	91.02	98.72	5.1	2.3	41.82	5.4	6.2	87.10
367207	13.4	58.95	9.9	8.9	3.55	3.9	3.9	91.02	91.02	5.5	2.3	46.0	5.4	6.2	87.10
363628					3.5	3.5	3.5	94.59	94.59	5.0	2.6	49.06	5.1	6.2	83.26
363645					3.4	3.5	3.4	92.93	92.11	5.3	2.3	49.06			
Specimens	(87)	(81)	(73)	(91)	(85)	(89)	(85)	(85)	(89)	(93)	(93)	(93)	(79)	(79)	(79)
Totals	1,125	2	4,053.5	297.95	315.2	327.95	335.85	99.85	93.85	471.8	233.2	450.3	420.3	506.9	23.92
Averages	12.93	55.83	9.82	9.07	3.51	3.86	3.77	80.77	83.75	4.45	2.37	45.67	5.32	6.42	74.89
Minima	12.0	83.10	51.67	9.2	3.15	3.45	3.4	105.71	107.14	5.8	2.0	56.33	4.8	5.5	71.80
Maxima	14.2	102.40	64.80	10.8	3.9	3.95	4.2			2.8					

¹ Allowance made for wear of teeth, where needed.

² Near.

KODIAK ISLANDS: PRE-KONIAG, "RED" OR "BLUE" FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. anteroposterior maximum (gabella ad maximum)	Diam. lateral maximum.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Men's Height (a)	Alveol. Pt.-Nasion Height (b)					
377707 (some-what C-like, but a strong C)	U.S.N.M.	Our Point, Uyak Bay.	30		17.7	13.5	13.4	76.87	85.90	90.96	14.87			12.1	7.3					
378640	do	do	Young adult		18.1	14.0		77.55												
Catalog No.	Diam. Bizygomatic	Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maximum.	Upper Alveolar Arch— Breadth maximum.	Upper Alveolar Arch—
									3.5	3.6	4.1	4.0	85.27	90.0	4.9	2.5	51.02	5.7	6.5	87.69

1 Allowance made for wear of teeth, where needed.

2 N ear.

KODIAK ISLAND: PRE-KONIG, "BLUE" FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maxm.)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
366636	U. S. N. M.	Our Point, Uyak Bay	45	---	17.9	12.8	13.4	71.51	85.55	100.75	14.93	---	---	12.0	7.3
374560	do	do	60	---	18.1	13.3	13.8	73.48	87.90	102.99	15.07	---	---	8.0	8.0
377747	do	do	70	---	18.0	13.4	13.4	74.44	87.90	102.99	15.07	---	---	7.0	7.0
366666	do	do	Sub-adult	---	18.1	13.7	13.4	75.69	81.51	97.81	15.07	---	---	12.1	7.6
366696	do	do	Near mid-aged	---	16.6	12.6	11.9	75.90	81.51	94.44	13.70	---	---	---	---
374553	do	do	30	---	17.3	13.2	13.8	76.80	90.50	104.55	14.77	---	---	12.2	7.8
374555	do	do	25	---	17.3	13.2	12.2	76.80	80.0	92.42	14.23	---	---	11.5	6.8
363610	do	do	35	---	17.7	13.6	13.2	76.84	81.55	97.06	14.83	---	---	11.2	7.1
366620	do	do	Mid-aged	---	17.7	13.6	13.6	76.84	86.90	100.00	14.97	---	---	---	---
374557	do	do	65	---	18.3	14.1	13.5	77.05	90.50	108.55	14.43	---	---	---	7.7
374567	do	do	60	---	16.8	13.0	12.8	77.88	84.81	96.24	14.40	---	---	---	7.0
372780	do	do	30	---	17.1	13.3	12.8	77.88	84.81	96.24	14.40	---	---	---	6.5
374060	do	do	Young adult	---	18.0	14.0	13.0	78.00	87.70	100.00	15.20	---	---	---	7.0
372781	do	do	20	---	17.8	13.9	13.2	78.00	86.16	97.06	14.73	---	---	---	---
374064	do	do	Elderly	---	17.4	13.6	13.2	78.00	86.16	97.06	14.73	---	---	---	---
366683	do	do	Mid-aged	---	18.0	14.1	13.6	78.88	84.74	96.45	13.23	---	---	---	7.2
366702	do	do	Somewhat aged	---	17.7	13.9	13.1	78.65	82.91	94.24	14.90	---	---	---	7.5
366606	do	do	25	---	17.1	13.5	13.2	78.95	86.87	97.78	14.00	---	---	12.6	7.8
366025	do	do	23	---	16.4	13.0	12.7	79.27	86.87	97.78	14.00	---	---	---	6.8
377727	do	do	30	---	16.8	13.4	13.2	79.27	87.42	98.51	14.47	---	---	---	7.2
374566	do	do	60	---	16.9	13.5	13.2	79.88	86.84	97.78	14.53	---	---	12.3	7.6
372779	do	do	55	---	17.2	13.8	13.9	80.23	89.68	100.72	14.97	---	---	7.9	7.9
372778	do	do	60	---	16.6	13.4	13.0	80.72	86.87	97.01	14.33	---	---	11.9	6.9
366637	do	do	23	---	17.8	14.4	13.2	80.80	81.99	91.67	15.13	---	---	12.5	7.5
374551	do	do	Elderly	---	16.8	14.2	---	84.52	---	---	---	---	---	12.0	7.0
372881	do	do	35	---	(oblong)	---	---	---	---	---	---	---	---	7.9	7.9
374575	do	do	Near adult	---	---	---	---	---	---	---	---	---	---	11.8	7.3
Specimens	(27)	---	---	---	(25)	(25)	(20)	(25)	(20)	(20)	(20)	---	---	(11)	(23)
Totals	1126	---	---	---	435.4	338.5	265.1	---	---	---	294.49	---	---	132.10	168.5
Averages	41.7	---	---	---	17.42	13.54	13.26	77.74	85.74	98.04	14.72	---	---	12.01	7.32
Minima	20	---	---	---	16.4	12.6	11.9	71.51	80.0	91.67	13.70	---	---	11.2	6.5
Maxima	70	---	---	---	18.3	14.4	13.9	84.52	90.60	104.55	15.23	---	---	12.6	8.0

KODIAK ISLAND: PRE-KONIGAG, "BLUE" FEMALES—Continued

Catalog No.	Diam. Blyzomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max.	Nasal Index	Upper Alveolar Arch—Length max.	Upper Alveolar Arch—Breadth max.	Upper Alveolar Arch—Index
366636	13.3	90.23	54.89	10.1	8.9	10.2	69.5	53.0	3.9	3.65	4.3	4.1	90.70	89.02	5.1	2.7	52.94	5.3	6.4	82.81
374560						11.0									5.0	2.45	49.0	5.4	6.4	81.98
377747						9.9				3.8	3.7	3.7		102.7	5.3	2.9	97.71	5.4	6.4	81.10
366666	12.8	94.63	59.28	9.9	8.7	9.1	63.5	52.0	3.5	3.5	3.9	3.9		89.44	3.4	2.8	51.55	6.1	6.3	83.87
366996	12.6	96.83	61.90	10.3	10.3	10.3	67.5	52.5	3.3	3.3	3.6	3.5	91.67	94.29	4.9	2.5	51.02	3.2	6.2	83.87
374555	12.7	90.55	53.54	9.8	8.8	9.6	72.0	57.0	3.6	3.7	4.05	3.9	88.90	84.87	5.0	2.4	48.0	3.0	6.0	83.83
366910	13.1	86.60	54.20	9.6	8.6	11.0										2.4	44.01			
366626	12.7		60.63							3.4	3.9	3.8	84.62	89.47	4.65	2.4	41.63	3.0	6.2	80.05
374557	13.1		63.44		8.6	9.8	64.0	45.0	3.3	3.8	3.8	3.8	86.84		4.6	2.6	56.52	3.5	6.8	80.83
374587	12.8		50.78	10.5	9.2	9.6														
374680						10.0														
372781	11.8		59.32		8.9	10.0				3.5	3.9	3.8	89.74	92.11	4.8	2.15	42.71	3.1	6.3	80.95
374664	13.0					10.0				3.6	4.0	3.9	92.60	93.59	5.1	2.4	47.06	5.4	6.3	80.95
366993						10.0				3.6	3.8	3.8	94.74	94.74	5.3	2.2	41.61	3.1	6.3	86.71
366702	13.5		55.66		9.0	10.0	66.5	49.5	3.4	3.4	3.8	3.8	89.47	89.47	4.95	2.5	46.80	5.7	7.0	81.43
366906	13.1	96.18	59.54	10.1	8.7	10.0														
366625						10.0														
372727	12.4		58.06	10.2	9.0	10.0	67.5	48.5	3.6	3.6	4.0	4.0	90.0	90.0	5.3	2.4	45.23	3.1	6.3	80.95
374566	13.4		56.72			10.1				3.5	3.9	3.9	89.74	97.37	5.2	2.2	42.31	5.2	5.8	89.66
374566	12.5		63.20	9.8	8.8	10.3	70.5	59.5	3.8	3.7	3.9	3.8	97.44	97.44	5.35	2.55	47.69	5.2	5.8	89.66
372778	12.5		55.20	9.1	8.2	9.3	69.5	58.5	3.45	3.4	3.9	3.9	88.46	87.18	4.8	2.5	62.08	5.2	6.5	80.0
366537	13.0		57.69	10.1	8.8	9.6	64.5	51.0							5.15	2.1	40.78	5.2	6.1	85.25
374581	13.3		80.23	10.1	8.8	9.6														
372884	13.3		59.40						3.75	3.4	3.95	3.7	94.94	91.89	5.3	2.3	43.40	5.3	6.6	80.30
374575				9.4	8.5	9.8	71.0	58.5												
Specimens.....	(19)	(10)	(18)	(11)	(14)	(20)	(11)	(11)	(14)	(14)	(14)	(14)	(14)	(14)	(23)	(23)	(23)	(16)	(16)	(16)
Totals.....	244.9	108.0	108.0	122.7	122.7	199.9	746.0	585.0	49.4	49.55	64.6	63.5	90.48	92.62	117.4	54.85	84.20	102.3	102.3	82.31
Averages.....	12.80	92.66	57.96	9.87	8.76	10.0	67.82	53.18	3.53	3.54	3.90	3.82	90.48	92.62	5.10	2.35	46.72	5.20	6.30	82.31
Minima.....	11.8	83.60	52.63	9.1	8.2	9.3	63.5	43.0	3.3	3.3	3.6	3.5	84.62	87.18	4.6	2.0	37.71	5.0	5.8	76.76
Maxima.....	13.5	96.83	63.20	10.5	9.2	11.0	72.0	59.5	3.9	3.8	4.3	4.1	97.44	102.7	5.45	2.8	56.52	5.7	7.0	89.66

* Allowance made for wear of teeth, where needed.

ALEUTS: MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maxm.)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth, wear	Menstruation Height (a)	Alveol. Pt.-Nasion Height (b)
242924	U. S. N. M.	Černovskii	Adult		18.4	14.7	13.0	79.9	78.6		15.37	1,580.0		12.9	7.9
342818	do.	Umalaska	do.		18.3	14.7	13.0	80.3	78.8		15.33	1,475.0			7.4
242863	do.	Adak Island	do.		18.0	14.5	12.4	80.6	76.8		14.97				7.3
365731	do.	Veseli Island	40		18.2	14.7	13.4	80.8	81.5		15.43				7.8
378300	do.	Černovskii	60		18.2	14.7	12.9	80.8	78.4		15.27			13.5	8.0
378305	do.	do.	65		18.6	15.1	12.6	81.2	74.8		15.43				7.9
7764	Moscow Mus.	Umnak	55		18.2	14.8	13.2	81.3	80.0		15.40				7.3
365727	U. S. N. M.	Veseli Island	60		18.2	14.8	12.6	81.3	76.4		15.20				
378461	do.	Shiprock near Umnak	28		18.9	15.4	13.0	81.5	75.8		15.77	1,470.0		12.3	7.5
242980	do.	Černovskii	Adult		17.8	14.5	12.6	81.5	78.0		14.97	1,360.0			
7785	Moscow Mus.	Umnak	do.		18.4	15.0	13.8	81.5	82.6		15.73				7.5
7795	do.	do.	55		18.4	15.0	12.6	81.5	82.6		15.33			13.0	7.7
7788	do.	do.	35		17.9	14.6	12.7	81.6	79.5		15.07				7.7
374827	U. S. N. M.	Kanaga	35		17.4	14.2	12.7	81.6	78.2		14.77			12.6	7.5
378273	do.	Kashega	45		17.4	14.2	12.5	81.6	80.4		14.70				7.6
7821	Moscow Mus.	Umnak	50		18.0	14.7	13.0	81.7	79.5		13.23				7.0
225966	U. S. N. M.	Umalaska	Adult		17.6	14.4	12.7	81.8	79.4		14.90	1,420.0		11.6	6.6
378464	do.	Shiprock	25		17.6	14.4	11.8	81.8	73.8		14.60			12.0	7.0
378911	do.	Umnak	50		18.3	15.0	13.4	82.0	80.5		15.57	1,505.0		12.5	7.7
242880	do.	Černovskii	Adult		18.4	15.1	13.3	82.1	79.4		15.60	1,630.0			8.4
7791	Moscow Mus.	Umnak	45		18.0	14.8	12.8	82.2	78.1		15.20				7.2
7783	do.	do.	55		18.0	14.8	13.4	82.2	81.7		15.40				7.2
242868	U. S. N. M.	Amchitka	Adult		18.6	15.3	12.2	82.2	79.4		15.37	1,440.0		12.7	7.6
378349	do.	Ilak	25		18.2	15.0	11.5	82.4	71.1		15.0				7.4
242940	do.	Černovskii	Adult		18.9	15.6	12.8	82.5	74.2		15.77	1,700.0			7.8
352456	do.	Umnak	40		17.7	14.6	12.7	82.5	73.64		15.00				7.4
378270	do.	Kashega	35		17.8	14.7	12.7	82.6							7.3
242982	do.	Černovskii	Adult		18.4	15.2	12.9	82.6	76.8		15.50	1,510.0			7.5
378486	do.	Shiprock	35		18.5	15.3	12.4	82.7	73.4		15.40				

ALEUTS: MALES—Continued

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabelle ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
7808	Moscow Mus.	Umnak	70		17.4	14.4	12.0	82.8	75.5		14.60			12.4	7.5
7818	do	do	60		18.0	14.9	12.8	82.8	77.8		15.23			12.6	6.9
378703	U. S. N. M.	Shiprock	50		18.0	14.9	12.8	82.8	77.8		15.23			12.6	7.3
7810	Moscow Mus.	Umnak	55		17.5	14.5	12.1	82.9	75.6		14.70			12.3	7.2
365730	U. S. N. M.	Vesel Island	24		18.1	15.0	13.0	82.9	78.6		15.37			12.4	7.4
378303	do	Cernovski	55		18.1	15.0	12.9	82.9	78.0		15.33			12.4	8.0
322-1	Leningrad Mus.	Secondarily from Commander Islands.	Adult		18.1	15.0	12.8	82.9	77.3		15.30			12.4	7.2
5215	do	do	do		17.8	14.8	13.5	82.8	82.8		15.37			12.8	7.8
219869	U. S. N. M.	Atka	18.0		18.0	15.0	13.2	83.3	80.0		15.40	1,600.0		12.8	6.5
352246	Moscow Mus.	Umnak	55		17.6	14.7	11.8	83.5	73.1		14.70			12.4	7.4
7936	U. S. N. M.	do	50		17.7	14.8	12.8	83.6	78.8		15.10			12.2	7.4
242209	Moscow Mus.	do	60		18.4	15.4	13.5	83.7	79.9		15.77			11.3	6.7
378481	U. S. N. M.	Atka	Adult		17.8	14.9	13.2	83.7	80.7		15.30	1,680.0		11.3	6.7
378462	do	do	55		10.3	16.2	11.9	83.9	67.0		15.80	1,680.0		13.3	7.4
378304	do	Cernovski	45		18.1	15.2	13.6	84.0	81.7		15.63			13.0	7.4
378476	do	Shiprock	60		17.6	14.8	12.8	84.1	79.0		15.07			12.6	7.5
17479	do	Four Mountains	Adult		18.2	15.3	13.0	84.1	77.6		15.50	1,710.0		12.6	7.6
378717	do	Cernovski	55		18.4	15.5	12.0	84.2	70.8		16.30			12.4	7.4
242922	do	do	Adult		18.2	15.4	12.8	84.6	76.2		15.47	1,620.0		11.5	7.2
242871	do	Unga	do		18.2	15.4	12.3	84.6	73.2		15.30	1,550.0		11.6	6.8
242910	do	do	do		18.2	15.4	12.6	84.6	75.0		15.40	1,510.0		11.6	7.5
242900	do	Four Mountains	35		18.5	15.8	12.2	84.9	70.83		15.53			11.3	7.7
7798	Moscow Mus.	Umnak	55		18.0	15.3	13.2	85.0	79.3		15.50			13.2	7.5
378368 (some what ♀-like)	U. S. N. M.	Agatu	35		18.0	15.3	12.2	85.0	75.3		15.17			13.0	7.0
7817	Moscow Mus.	Umnak	55		17.4	14.8	13.6	85.1	84.5		15.27			12.0	6.8
242872	U. S. N. M.	Atka	Adult		18.1	15.4	13.0	85.1	85.1		15.13			12.0	7.2
5215	Leningrad Mus.	Secondarily from Commander Islands.	do		17.5	14.9	13.0	85.1	80.8		15.13			12.0	7.0

242915	U. S. N. M.	do	18.4	15.7	12.6	85.5	75.0	15.57	1,580.0	11.9	7.5
7825	Moscow Mus.	Umnak	18.0	15.4	12.8	85.6	76.7	15.40		13.6	7.9
365728	U. S. N. M.	Vesell Island	18.1	15.5	13.2	85.6	78.6	15.60			7.8
17485	do	Four Mis. Islands	18.0	15.5	12.9	86.1	77.9	15.37		11.8	7.6
378480	do	Shiprock	17.3	14.9	12.6	86.1	78.5	14.93		11.3	7.1
5215	Leningrad Mus.	Secondarily from Commander Islands.	18.1	15.6	13.2	86.2	78.5	15.63		12.3	7.0
378693	U. S. N. M.	Archtika	18.3	15.8	13.1	86.5	76.8	15.73	1,450.0	13.5	7.9
378694	do	do	18.4	16.0	12.6	87.0	78.3	15.67	1,625.0	12.5	7.5
378708	do	Shiprock	17.7	15.4	13.6	87.0	82.2	15.57	1,560.0		7.1
242937	do	Alentian Islands	18.1	15.8	13.6	87.7	80.2	15.83			
5215	Leningrad Mus.	Secondarily from Commander Islands.	17.1	15.0	13.2	87.7	82.2	15.10		11.8	7.3
378079	U. S. N. M.	Umnak	17.6	15.5	12.6	88.1	76.1	15.23	1,490.0		7.5
7762	Moscow Mus.	do	17.4	15.4	14.1	88.5	86.0	15.63			
242912	U. S. N. M.	Unga	17.6	15.7	12.8	89.2	76.9	15.33	1,610.0	12.5	7.7
Specimens			(71)	(71)	(69)	(71)	(69)	(69)	(23)	(36)	(65)
Totals			1,281.1	1,070.4	886.2	83.55	77.55	1,057.11	35,715.0	447.5	483.1
Averages			18.04	15.08	12.84	79.9	67.0	15.32	1,562.8	12.43	7.43
Minima			17.3	14.2	11.8	79.9	67.0	14.60	1,360.0	11.3	6.5
Maxima			19.3	16.2	14.1	89.2	86.0	15.83	1,710.0	13.6	8.4

1 Allowance made for wear of teeth, where needed.

2 Near.

322-1	13.9	89.2	51.8	9.9	8.6	9.2	62.5	50.0	3.4	3.4	4.0	3.9	85.0	87.2	5.0	2.6	62.0	5.3	7.2	73.6
5215	14.2	89.1	51.9	10.1	8.9	9.5	64.5	55.5	3.6	3.6	4.0	3.9	90.0	92.5	5.5	2.6	49.5	5.5	6.6	83.9
242869	14.5	89.2	52.0	10.3	9.0	9.8	65.5	54.0	3.5	3.5	3.9	3.9	89.0	89.7	4.8	2.7	66.2	5.4	6.8	79.4
7711	14.3	86.7	51.8	10.5	8.0	9.4	61.5	51.0	3.65	3.7	4.1	4.0	86.4	87.5	4.9	2.7	55.1	5.6	6.5	86.2
352246	14.5	82.4	50.0	10.4	8.6	9.8	64.0	49.0	3.5	3.5	3.7	3.9	96.1	97.9	5.5	2.45	44.0	5.5	6.4	85.9
7735	14.7	79.6	47.2	9.8	8.2	9.8	66.0	43.0	3.4	3.4	3.8	3.8	89.5	89.5	5.0	2.75	55.0	5.7	6.6	87.4
242909	14.2	89.2	51.9	10.3	9.0	9.5	64.5	54.0	3.5	3.5	3.9	3.8	89.5	91.9	5.1	2.5	49.0	5.1	6.4	82.8
378481	14.1	92.4	54.9	11.3	9.3	10.0	59.5	41.0	3.75	3.75	4.4	4.2	81.9	80.3	4.8	2.6	48.1	5.2	6.7	92.5
378504	13.8	90.4	53.6	11.1	9.8	10.0	61.5	54.0	3.55	3.6	3.9	3.9	86.9	87.2	4.8	2.6	51.9	5.6	6.7	96.6
378476	14.2	91.6	52.8	9.7	8.4	9.4	61.5	50.5	3.65	3.65	4.2	4.0	86.9	87.6	5.15	2.35	45.6	5.6	7.0	80.0
17479	15.3	82.4	49.7	10.2	8.8	9.7	63.5	48.5	4.0	4.0	4.3	4.1	82.0	82.6	5.3	2.45	47.2	5.3	6.8	80.9
378717	14.2	87.3	52.1	10.0	8.9	9.5	64.0	50.0	3.4	3.4	4.1	4.0	82.0	82.6	5.0	2.45	49.0	5.4	6.3	85.7
242922	14.8	77.7	43.6	10.6	9.4	9.9	64.0	50.0	3.6	3.6	4.0	3.8	90.9	84.7	5.2	2.6	50.0	5.0	6.1	81.8
342871	14.6	79.5	46.6	10.0	8.8	9.6	66.5	44.0	3.5	3.7	4.2	4.2	86.7	88.1	5.2	2.6	50.0	5.4	6.7	80.6
242910	14.9	80.0	50.3	10.0	8.6	10.2	69.5	47.0	3.9	4.0	4.2	4.0	82.6	100.0	5.4	2.4	44.4	5.5	6.7	82.1
242900	14.7	82.4	52.4	10.1	8.8	9.4	62.0	52.5	3.55	3.55	4.1	4.0	91.5	91.3	5.2	2.35	45.2	5.7	6.8	8.83
7768	14.5	91.0	51.7	10.7	9.4	10.4	67.0	52.0	3.75	3.75	4.1	3.9	92.4	93.6	5.7	2.25	43.3	5.7	6.4	89.1
378308	14.6	89.0	52.1	10.2	9.0	9.6	63.0	55.5	3.65	3.65	3.95	3.9	92.4	93.6	4.9	2.4	49.0	5.5	6.5	84.6
7817	13.3	81.6	51.1	9.7	8.5	9.6	69.0	50.0	3.3	3.25	3.9	3.9	84.6	83.3	4.8	2.5	62.1	5.2	6.3	82.5
242872	14.4	83.3	48.6	11.1	9.8	10.2	64.0	50.0	3.5	3.5	3.9	3.9	89.7	89.7	5.3	2.9	54.7	5.8	6.9	84.1
5215	14.4	80.4	50.0	10.7	9.6	10.3	66.0	55.0	3.3	3.4	3.8	3.75	95.9	95.9	5.7	2.65	54.6	5.7	6.6	86.4
242916	14.8	80.4	50.7	10.7	9.6	10.3	66.0	55.0	3.3	3.4	3.9	4.0	84.6	85.0	5.3	2.8	52.8	5.6	6.3	88.9
7825	14.5	93.8	51.5	10.8	9.4	10.2	64.0	52.5	3.7	3.7	4.2	4.1	88.1	90.2	5.25	2.65	50.5	5.8	6.4	94.6
365728	15.1	80.5	61.7	10.5	9.3	10.5	68.0	56.0	3.5	3.6	4.1	4.0	85.4	90.0	5.2	2.5	48.1	5.4	7.0	77.1
17485	14.6	80.8	52.1	10.3	8.9	9.7	63.5	47.0	3.9	3.6	4.2	4.1	92.9	87.8	5.4	2.2	40.7	5.4	6.4	82.8
378480	13.5	83.7	52.6	9.9	8.9	9.5	60.5	53.0	3.85	3.8	4.1	4.0	93.9	95.0	5.2	2.55	49.0	5.3	6.4	82.8
5215	14.7	83.7	47.6	10.6	9.2	9.8	64.0	48.5	3.5	3.5	4.1	3.8	84.2	82.1	4.7	2.6	55.3	5.3	6.4	82.8
374983	14.5	91.2	53.1	9.8	8.9	9.7	65.5	52.0	3.4	3.25	3.7	3.7	91.9	92.7	5.2	2.4	46.2	5.9	7.1	83.1
378084	13.5	92.6	55.6	10.7	9.2	9.7	61.5	60.0	3.6	3.5	3.95	3.95	91.1	88.6	4.8	2.55	53.1	5.8	6.9	84.1
378708	14.3	89.6	49.7	9.6	8.6	10.2	73.5	57.0	3.4	3.4	3.7	3.95	91.9	88.6	5.0	2.55	50.0	5.2	6.3	82.5
242937	14.0	84.3	62.1	10.1	8.6	9.7	65.5	47.0	3.3	3.35	4.05	3.95	81.5	84.8	5.65	2.95	52.8	5.4	6.4	81.4
5215	14.8	80.7	50.7	10.4	9.2	9.6	62.5	53.5	3.55	3.5	4.15	3.9	85.5	89.7	5.0	2.65	50.5	5.6	6.5	86.2
7762	14.4	82.8	50.6	10.6	9.8	9.8	62.0	48.5	3.5	3.0	3.7	3.8	89.7	91.7	4.9	2.35	48.0	6.0	7.5	80.0
242912	15.2	82.8	50.6	10.6	9.2	9.8	62.0	48.5	3.7	3.7	4.2	4.2	88.1	88.1	5.4	2.5	46.5	6.0	7.5	80.0
Specimens	(86)	(36)	(63)	(63)	(67)	(67)	(62)	(67)	(67)	(66)	(67)	(66)	(67)	(66)	(69)	(69)	(69)	(61)	(61)	(61)
Totals	951.6	657.6	615.0	667.4	615.0	667.4	4,012.5	3,214.0	237.35	235.65	263.85	261.5	356.3	356.3	173.35	173.35	342.0	342.0	404.4	404.4
Averages	14.42	86.46	51.62	9.96	9.18	9.96	64.72	51.84	3.54	3.57	4.03	3.96	76.90	90.11	5.16	2.54	49.22	5.62	6.63	81.72
Minima	13.30	77.7	46.5	9.6	8.4	9.0	59.0	41.0	3.0	3.05	3.7	3.7	80.3	80.3	4.6	2.2	40.7	5.0	6.1	73.6
Maxima	15.30	96.4	67.9	11.6	10.2	10.8	73.5	62.0	4.0	4.05	4.4	4.2	97.6	101.3	5.8	3.05	53.1	6.4	7.5	96.4

* Near. * In one isolated case = 66.3.

ALEUTS: MALES
(Kagamil Caves)

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (labelle ad max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c.c. (Hrdlicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
377910	(A.H.)	Kagamil Island	45		18.1	14.4	12.9	79.6	79.4		15.13	1,415.0		12.7	7.7
377901	U.S.N.M.	do	45		18.2	14.6	13.4	80.2	81.7		15.30	1,545.0		12.8	7.7
377815	do	do	55		18.6	15.0	12.3	89.6	73.2		15.30	1,480.0		12.8	7.5
377900	do	do	30		18.6	15.0	12.5	89.6	74.4		15.37	1,417.0		12.1	7.4
377852	do	do	28		17.7	14.3	13.2	89.8	82.5		15.07	1,440.0		7.3	7.7
377835	do	do	50		18.0	14.6	12.8	81.1	78.6		15.13	1,780.0		7.3	7.7
377845	do	do	40		18.7	15.2	13.3	81.3	78.5		15.73	1,480.0		7.7	7.7
377856	do	do	40		17.9	14.6	13.0	81.6	80.0		15.17	1,425.0		7.8	7.7
377853	do	do	35		17.6	14.4	12.6	81.8	78.8		14.87	1,530.0		13.0	8.0
377858	do	do	23		18.2	14.9	12.6	81.9	76.1		15.23	1,580.0		7.7	7.7
377917	do	do	55		18.2	14.9	13.7	81.9	82.8		15.69	1,680.0		13.0	8.0
377916	do	do	65		18.3	15.0	13.4	82.0	80.5		15.57	1,565.0		7.7	7.7
377906	do	do	55		18.0	14.8	13.2	82.2	80.5		15.33	1,530.0		8.3	8.3
377851	do	do	24		17.6	14.5	12.8	82.4	79.9		15.07	1,480.0		12.4	7.6
378401	do	do	55		17.0	14.5	12.8	82.4	79.7		14.97	1,480.0		13.4	8.2
378401	do	do	35		18.4	15.2	12.2	82.6	73.5		15.13	1,500.0		7.7	7.7
37850	do	do	70		17.4	14.4	12.7	82.6	79.9		14.83	1,380.0		13.0	7.5
377810	do	do	65		17.4	14.4	12.7	83.1	82.2		15.33	1,380.0		7.5	7.5
377809	do	do	24		18.3	15.2	13.5	83.1	76.4		15.43	1,500.0		12.8	8.1
377817	do	do	24		18.5	15.4	13.5	83.2	79.7		15.80	1,500.0		7.4	7.4
377839	do	do	50		18.0	15.0	13.6	83.5	83.6		15.67	1,650.0		7.5	7.5
377833	do	do	35		18.2	15.2	13.1	83.5	81.4		15.50	1,520.0		7.5	7.5
377846	do	do	30		18.2	15.2	13.0	83.5	77.8		15.47	1,600.0		12.3	7.5
377859	do	do	60		18.3	15.3	12.8	83.6	76.2		15.47	1,547		12.3	8.0
377834	do	do	20		17.8	14.9	13.7	83.7	83.8		15.47	1,480.0		13.6	8.3
377907	do	do	50		18.1	15.2	13.1	84.0	78.7		15.47	1,500.0		13.6	8.3
377816	do	do	45		17.6	14.8	13.0	84.1	80.3		15.13	1,500.0		13.6	8.3

378410	do	18.5	15.6	13.4	84.5	78.6	15.83	1,470.0	13.1	8.2
377903	do	18.0	15.2	11.9	84.4	71.7	15.03		13.0	7.9
377857	do	18.0	15.2	12.3	84.4	74.1	15.17		13.1	7.6
377909	do	18.2	15.4	13.9	84.6	82.7	15.83	1,605.0	13.1	7.9
377838	do	17.9	15.2	12.7	84.9	76.7	15.27	1,380.0	12.9	7.3
377919	do	18.3	15.6	12.8	85.2	75.5	15.57	1,600.0	12.0	7.6
377848	do	17.8	15.3	13.7	86.0	82.8	15.60	1,720.0	13.0	7.75
377833	do	18.4	15.9	12.2	86.4	71.1	15.50	1,500.0	13.0	7.9
377842	do	17.1	14.8	12.7	86.6	79.6	14.87	1,525.0	12.7	7.3
377812	do	18.0	15.6	14.2	86.7	81.5	15.93	1,630.0	12.7	7.7
377837	do	18.4	16.0	13.1	87.0	76.2	15.88	1,555.0	12.7	7.4
377849	do	16.8	14.7	12.6	87.5	80.0	14.70	1,465.0	13.0	7.4
377854	do	17.6	15.4	12.0	87.5	72.7	15.00	1,465.0	13.0	8.0
Specimens		(42)	(42)	(42)	(42)	(42)	(42)	(32)	(21)	(37)
Totals		758.2	632.1	545.6	632.2	48,802.0	645.3	48,802.0	293.9	285.65
Averages		18.05	15.05	12.90	83.37	73.49	15.36	1,525.1	12.85	7.72
Minima		16.5	14.3	11.9	79.6	71.1	14.70	1,380.0	12.0	7.3
Maxima		18.7	16.0	14.2	87.5	84.5	15.93	1,780.0	13.6	8.3

ALEUTS: MALES—Continued
(Kagamil Caves)—Continued

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total	Facial Index, upper	Facial Index, $\frac{c}{b \times 100}$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch—
377010	14.2	89.4	74.2	101.5	9.0	10.0	65.0	50.0	3.35	3.45	3.9	3.8	8.9	89.9	5.1	2.95	62.0	4.4	6.3	85.7	
377011	14.5	88.3	63.1	11.0	8.8	10.6	66.5	40.0	3.7	3.75	4.3	4.2	8.6	86.1	5.1	2.6	61.0	5.8	6.7	86.6	
377012	14.5	87.0	61.7	10.2	9.0	10.3	69.0	36.5	3.65	3.75	4.0	4.1	8.7	87.3	4.9	2.45	57.0	5.3	6.5	81.5	
377013	14.5	89.6	63.8	10.4	9.4	10.4	67.5	39.0	3.5	3.55	3.9	3.8	8.8	87.4	5.4	2.3	49.6	5.6	6.6	84.8	
377014	14.3	89.6	63.2	10.1	8.8	9.6	64.5	51.5	3.5	3.55	3.8	3.8	8.9	87.4	5.05	2.2	43.6	5.6	6.6	84.8	
377015	13.9	87.1	60.7	10.7	9.5	10.3	66.5	52.5	3.6	3.7	4.1	4.0	8.7	87.8	5.0	2.5	50.0	5.8	6.6	87.9	
377016	14.4	87.8	64.6	10.3	9.6	10.0	59.5	53.0	3.45	3.6	4.0	3.9	8.6	87.9	5.2	2.45	47.1	5.5	7.1	77.5	
377017	14.1	87.8	64.6	10.3	9.6	10.0	59.5	53.0	3.45	3.6	4.0	3.9	8.6	87.9	5.2	2.45	47.1	5.5	7.1	77.5	
377018	14.0	87.8	64.6	10.3	9.6	10.0	59.5	53.0	3.45	3.6	4.0	3.9	8.6	87.9	5.2	2.45	47.1	5.5	7.1	77.5	
377019	14.2	87.8	64.9	10.2	9.6	9.7	62.0	55.5	3.9	3.9	4.35	4.35	8.7	89.7	5.25	2.2	49.5	5.6	6.9	81.2	
377020	14.2	87.8	64.9	10.2	9.6	9.7	62.0	55.5	3.9	3.9	4.35	4.35	8.7	89.7	5.25	2.2	49.5	5.6	6.9	81.2	
377021	13.3	87.8	67.9	10.9	11.5	11.0	69.0	57.5	3.45	3.45	3.7	4.1	8.4	84.2	5.6	2.7	44.2	5.6	6.6	84.8	
377022	14.9	89.0	64.8	10.9	10.4	11.0	62.0	55.0	3.45	3.45	4.1	4.1	8.4	84.2	5.6	2.7	44.2	5.6	6.6	84.8	
377023	14.7	88.4	62.4	9.8	8.8	10.0	68.5	55.0	3.6	3.65	3.8	3.9	8.7	84.7	4.9	2.55	45.0	5.5	6.7	82.1	
377024	14.7	88.4	62.4	9.8	8.8	10.0	68.5	55.0	3.6	3.65	3.8	3.9	8.7	84.7	4.9	2.55	45.0	5.5	6.7	82.1	
377025	14.6	90.4	66.8	11.9	10.2	10.5	59.5	49.0	3.5	3.55	4.1	4.1	8.5	84.9	5.4	2.45	43.0	5.2	7.1	73.2	
377026	14.7	90.4	66.8	11.9	10.2	10.5	59.5	49.0	3.5	3.55	4.1	4.1	8.5	84.9	5.4	2.45	43.0	5.2	7.1	73.2	
377027	13.2	93.9	67.6	10.1	8.6	9.4	62.0	49.0	3.9	3.95	4.2	4.1	8.5	84.9	5.0	2.3	45.0	5.4	7.0	91.1	
377028	14.3	93.7	67.9	10.0	8.7	9.2	59.5	53.0	3.85	3.9	4.1	4.0	8.5	84.9	5.5	2.3	45.0	5.4	7.0	91.1	
377029	13.7	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377030	14.1	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377031	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377032	14.1	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377033	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377034	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377035	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377036	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377037	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377038	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377039	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377040	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377041	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377042	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377043	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377044	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377045	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377046	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377047	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377048	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377049	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377050	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377051	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377052	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377053	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377054	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377055	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377056	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377057	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377058	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377059	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377060	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377061	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377062	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377063	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377064	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377065	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377066	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377067	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377068	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377069	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377070	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377071	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4	83.7	5.35	2.65	49.5	5.05	6.3	89.7	
377072	14.0	93.7	67.9	10.0	8.7	9.2	66.0	56.5	3.95	4.05	4.2	3.9	8.4								

ALEUTS: FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (gabella ad maxum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
374827	U. S. N. M.	Kanaga	40		17.4	14.1	12.6	81.0	80.0		14.70			11.4	7.5
5022.6	Leningrad Mus.	Atka	Adult		17.5	14.2	12.6	81.1	79.5		14.77			11.4	7.0
375719	U. S. N. M.	Kanaga	27		17.0	13.8	12.6	81.2	81.8		14.47			11.4	6.9
7752	Moscow Mus.	Umnak	60		17.6	14.3	12.9	81.2	80.9		14.98			11.4	6.8
375695	U. S. N. M.	Amehitka	20		17.6	14.3	12.9	81.2	80.9		14.98			11.4	6.8
378271	do	Kashega	40		17.7	14.4	11.8	81.4	78.8		14.97			11.4	7.6
379205	do	Hog Island	17.2		17.2	14.0	11.8	81.4	75.6		14.33	1,400.0		12.2	7.5
378350	do	Agatu	18		17.3	14.1	12.2	81.5	77.7		14.53			11.2	6.7
378369	do	Agatu	24		16.8	13.7	12.2	81.6	80.0		14.23			11.1	7.0
242866	do	Unga	Adult		17.4	14.2	11.9	81.6	75.3		14.50	1,300.0		11.3	7.1
242939	do	Cernovski	do		17.4	14.2	11.9	81.6	75.3		14.50	1,380.0			6.7
7778	Moscow Mus.	Umnak	70		18.0	14.7	12.8	81.7	78.9		15.17				
242874	U. S. N. M.	Atka	Adult		17.6	14.4	12.3	81.8	76.9		14.77	1,300.0			7.0
7767	Moscow Mus.	Umnak	60		17.0	13.9	11.8	81.8	76.1		14.23				6.7
50223	Leningrad Mus.	Atka	Adult		17.2	14.1	11.9	82.0	76.0		14.40			11.3	7.1
378301	U. S. N. M.	Cernovski	65		17.3	14.2	12.8	82.1	81.3		14.77				
242914	do	do	Adult		17.4	14.3	12.0	82.2	75.7		14.57	1,330.0		11.1	6.8
225296	do	Amoknak	55		17.4	14.3	12.6	82.2	79.5		14.77			6.7	
378374	do	Agatu	50		18.0	14.8	13.2	82.2	80.5		15.33	1,375.0		12.3	7.2
60255	Moscow Mus.	Umnak	40		17.6	14.5	12.3	82.4	76.6		14.80			7.1	
378331	Leningrad Mus.	Umalaska	Adult		17.1	14.1	12.2	82.5	78.2		14.47			7.1	
378351	U. S. N. M.	Amliia	70		17.2	14.2	13.0	82.6	82.8		14.80				
60255	do	do	Adult		17.2	14.2	12.6	82.6	80.2		14.67				
378331	Leningrad Mus.	Umalaska	50		17.8	14.7	12.0	82.6	73.7		14.83				
60254	U. S. N. M.	Amoknak	Adult		17.4	14.4	12.2	82.8	76.7		14.67	1,330.0		11.4	7.0
242853	Leningrad Mus.	Umalaska	do		17.4	14.4	11.4	82.8	71.7		14.40			7.3	
60251	do	Umalaska	do		17.4	14.4	12.2	82.9	76.3		14.73			11.9	7.2
374826	U. S. N. M.	Kanaga	20		17.5	14.5	12.2	82.9	76.3		14.73				
242944	do	Cernovski	Adult		17.0	14.1	11.5	82.9	74.0		14.20	1,250.0			
377754	do	Amoknak	30		17.0	14.0	12.4	83.0	77.0		14.87			11.6	7.0
378248	do	Ilak	60		17.6	14.6	12.7	83.0	78.7		14.97			7.2	
378350	do	do	40		17.6	14.6	13.0	83.0	80.7		15.07			6.9	
378653	do	Umnak	40		17.6	14.6	12.1	83.0	73.2		14.77			7.3	
7886	Moscow Mus.	do	60		17.1	14.2	12.0	83.0	76.7		14.43			6.4	
378299	U. S. N. M.	Cernovski	40		17.2	14.3	12.4	83.1	78.7		14.63			11.7	6.8
378275	do	Kashega	60		18.0	15.0	12.2	83.3	73.9		15.07				

378482	do	Shiprock	70	17.7	14.8	11.8	85.6	72.6	14.77	6.8
378277	do	Kashaga	30	17.9	15.0	12.0	85.8	73.0	14.97	7.0
7835	Moscow Mus.	Umnak	60	16.7	14.0	12.6	85.8	73.0	14.87	6.8
7794	do	do	30	17.4	14.6	12.6	83.9	78.8	14.87	7.0
242918	U.S.N.M.	Adult	30	17.0	14.3	12.5	84.1	79.9	14.60	10.3
378302	do	do	30	17.0	14.3	12.4	84.1	79.2	14.57	11.9
377756	do	do	30	17.0	14.3	13.1	84.1	83.7	14.80	11.9
378306	do	Little Kiska	60	16.4	13.8	12.8	84.2	84.8	14.33	6.6
378306	do	Cernovski	60	16.6	14.0	11.8	84.5	77.1	14.13	6.6
242901	do	Amoknak	70	17.2	14.5	12.4	84.5	78.2	14.70	7.1
378483	do	Shiprock	35	16.6	14.0	12.1	84.5	79.1	14.23	7.1
378332	do	Amla	30	16.6	14.0	12.1	84.5	79.1	14.23	7.1
242879	do	Cernovski	30	17.0	14.4	12.6	84.7	80.2	14.67	7.2
378696	do	do	20	17.7	15.0	12.8	85.0	78.5	15.17	7.2
279204	do	Amechitka	20	17.4	14.8	12.2	85.1	75.8	14.80	7.4
279204	do	Hog Island	Adult	16.8	14.3	11.5	85.1	74.0	14.20	6.3
243976	do	Atka	40	16.8	14.3	12.5	85.1	80.1	14.53	6.6
378371	do	Agatu	27	16.8	14.3	12.5	85.1	80.1	14.53	7.3
7781	Moscow Mus.	Umnak	55	17.6	15.0	12.9	85.2	73.7	14.93	7.3
377752	do	do	33	16.4	14.0	11.3	85.4	87.0	14.07	7.4
378723	U.S.N.M.	Amoknak	23	16.3	14.0	13.1	85.4	86.3	14.47	6.7
378723	do	Amla	60	16.3	14.0	13.1	85.4	86.3	14.47	6.7
242886	do	Cernovski	Adult	17.2	14.8	12.6	86.0	78.8	14.87	7.3
242920	do	do	do	17.3	14.9	11.9	86.1	73.7	14.70	7.3
378309 ?	do	do	do	16.6	14.3	12.0	86.1	73.7	14.70	7.0
279206	do	Hog Island	do	17.0	14.7	12.0	86.5	75.7	14.57	11.4
378718	do	Kanaga	55	16.4	14.2	13.0	86.6	85.0	14.53	11.7
378370	do	Agatu	40	17.3	15.0	11.9	86.7	73.7	14.73	6.9
7827	Moscow Mus.	Umnak	19	16.6	14.4	11.8	86.8	76.1	14.27	6.2
242877	U.S.N.M.	Adult	17.4	15.1	11.8	86.8	76.6	72.6	14.77	7.8
378705	do	Cernovski	55	16.8	14.6	12.0	86.9	73.0	14.07	7.0
378373	do	Shiprock	50	17.6	15.3	12.9	87.0	86.7	14.33	7.2
378249	do	Agatu	40	16.1	14.0	13.0	87.0	83.6	14.70	6.2
5022-4	Leningrad Mus	Atka	Adult	16.6	14.5	13.0	87.3	83.6	14.70	7.3
378247	do	do	65	16.1	14.1	13.2	87.6	87.4	14.47	7.3
7799	U.S.N.M.	Itak	30	17.3	15.2	12.6	87.9	77.5	15.03	6.5
378606	Moscow Mus.	Umnak	30	17.3	15.2	12.6	87.9	77.5	15.03	6.5
378606	do	do	50	16.7	14.7	11.9	88.0	76.8	14.43	7.0
279203	do	Hog Island	Adult	17.2	15.2	12.3	88.4	76.9	14.90	7.7
Specimens	(47)	do	(70)	1,203.4	1,000.4	814.2	83.88	77.99	(66)	(59)
Totals	2063	do	1,000.4	1,000.4	814.2	83.88	77.99	77.99	967.4	414.1
Averages	43.9	do	14.42	12.34	12.34	83.88	77.99	77.99	14.66	7.02
Minima	18	do	13.7	11.4	11.4	81.0	71.7	71.7	14.07	6.2
Maxima	70	do	18.0	15.3	13.2	88.4	87.4	87.4	15.33	7.8

1 Allowance made for wear of teeth, where needed. * Cremated.

ALEUTS: FEMALES—Continued

Catalog No.	Diam. Bizygomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth	Nasal Index	Upper Alveolar Arch—Length max.	Upper Alveolar Arch—Breadth max.	Upper Alveolar Arch—
374827	14.0		68.9	10.3	8.8	9.7	63.0	45.5	3.3	3.35	3.0	3.8	84.6	88.2	5.1	2.4	47.1	6.0	6.9	80.95
50226	13.1	87.0	65.4	9.2	8.0	9.6	71.0	50.0	3.6	3.35	3.55	3.85	83.6	92.2	5.0	2.5	52.1	5.4	6.2	85.7
373719	12.7	84.3	64.3	10.0	8.9	9.6	66.0	53.0	3.3	3.35	3.75	3.65	83.0	90.0	4.2	2.5	52.1	5.4	6.3	85.1
7782	13.5	84.1	64.1						3.6	3.6		4.0	83.4	90.0	4.3	2.45	52.0	5.2	6.3	85.6
37-695	12.7	89.8	65.5	9.3	8.7	9.4	69.5	65.0	3.55	3.55	3.8	4.0	83.4	90.7	4.9	2.45	52.0	5.2	6.1	86.9
37-271	13.2	87.6	67.6	9.8	8.6	9.8	67.0	55.5	3.4	3.85	3.75	3.75	86.7	90.7	4.9	2.45	52.0	5.2	6.7	91.83
279205	12.5	97.6	69.0	9.2	8.1	8.9	63.0	56.0	3.4	3.5	3.9	3.8	87.2	92.1	5.1	2.15	43.2	5.0	6.3	81.9
37-880	13.2	84.9	60.8	10.1	8.6	9.6	69.5	51.5	3.7	3.8	4.1	4.0	82.5	89.5	5.05	2.6	45.9	5.0	6.3	92.0
37-8369	13.4		66.5	8.8	8.0	8.8	66.5	58.0	3.6	3.9	3.8	3.8	91.0	94.7	5.1	2.3	46.1	5.0	6.7	92.0
242860	13.4	84.3	63.0	10.5	9.3	9.6	64.0	48.0	3.7	3.7	4.0	4.0	92.5	92.5	5.1	2.4	47.1	5.3	6.7	92.0
242939	13.1		61.2	9.8	9.0	9.6	68.0	48.0	3.5	3.7	3.8	3.8	92.1	97.4	5.0	2.05	41.0	5.0	5.9	84.7
7779	13.9			9.6	9.6	9.6														
242874	13.4		52.2	10.5	9.4	9.4	64.5	53.0	3.4	3.5	3.7	3.7	91.9	94.6	4.9	2.6	63.1	5.2	6.2	83.9
7767	13.4		60.0	9.9	8.4	9.2	63.5	45.0	3.2	3.3	3.8	3.9	84.2	84.6	4.6	2.15	46.7	5.4	6.1	88.6
50223	12.2	92.6	66.2	8.0	9.0	9.0	64.5	50.5	3.45	3.55	3.7	3.6	83.2	95.6	4.75	2.1	44.2	4.9	6.1	80.3
37-891	13.0		66.2	8.2	8.2	9.2	65.0	53.5	3.7	3.8	4.1	4.0	90.2	95.0	4.95	2.55	51.5	5.3	6.4	82.8
242914	13.8	80.4	69.3	10.2	9.2	9.6	65.0	53.5	3.5	3.6	4.0	3.9	87.5	92.3	4.9	2.7	55.1	5.3	6.4	82.8
229266	13.7		67.9	9.8	8.6	9.8	70.0	49.5	3.45	3.35	3.9	3.9	88.5	85.9	4.8	2.35	49.0	5.1	6.1	89.6
37-8374	13.0		69.5	9.9	8.8	10.0	69.5	55.5	3.4	3.35	3.9	3.9	87.2	85.9	4.95	2.2	44.4	5.1	6.2	82.3
7814	13.2		68.8	9.9	8.5	9.8	61.0	46.5	3.3	3.3	4.0	4.0	82.5	86.5	4.9	2.5	51.0	5.1	6.2	82.3
50255	13.6		69.2	9.9	8.8	9.8	68.0	53.5	3.3	3.3	3.8	3.8	86.8	82.5	5.05	2.35	46.5	5.2	6.2	83.9
37-8381	12.5		77.9	9.2	7.7	9.2	68.0	54.0	3.4	3.65	3.7	3.55	91.9	102.3	4.8	2.25	46.9	5.1	6.0	85.0
50254	13.4		61.5	8.9	7.8	9.6	68.0	52.0	3.5	3.55	3.7	3.55	94.6	102.3	4.7	2.3	48.9	5.1	6.0	85.0
242853	13.4		63.7	10.5	8.8	9.6	65.0	53.0	3.6	3.65	4.0	4.0	88.8	88.8	5.0	2.6	52.0	5.6	6.4	87.5
50253	13.5		64.1	9.5	8.4	9.6	63.5	53.5	3.5	3.55	3.7	3.7	88.8	88.8	5.0	2.6	52.0	5.6	6.4	87.5
37-4826	13.3	89.5	64.1	10.7	9.6	9.9	66.0	47.0	3.8	3.85	4.2	4.1	90.5	93.9	4.8	2.3	47.9	5.4	6.3	85.7
242944	13.0		64.1	10.7	8.6	9.9	64.0	59.0	3.3	3.35	3.6	3.6	91.7	93.1	5.35	2.45	46.8	5.3	6.1	86.9
377764	13.0		64.1	10.8	8.5	9.3	64.0	59.0	3.4	3.4	3.9	3.9	87.2	87.2	4.8	2.4	63.3	5.7	6.2	91.9
372448	14.5		49.7	10.6	8.6	10.0	63.5	56.0	3.9	3.9	3.9	3.9	87.2	87.2	4.8	2.6	54.2	5.0	6.4	78.1
375248	14.6		47.5	10.1	8.9	10.3	66.0	60.0	3.9	3.9	4.1	4.1	89.0	91.5	5.0	2.75	55.0	5.1	6.9	73.9
375350	14.4		60.7	9.8	8.6	9.6	66.0	52.5	3.5	3.5	4.1	4.1	89.0	91.5	5.0	2.55	51.0	5.5	6.5	84.6
378653	13.5		60.7	9.8	8.6	9.6	66.0	52.5	3.8	3.8	4.1	4.1	92.1	93.9	4.75	2.4	60.6	5.0	6.3	79.4
7836	13.5		67.4	9.5	8.2	9.0	69.5	49.0	3.7	3.7	4.0	4.0	91.3	92.5	5.05	2.6	51.5	5.0	6.3	79.4
375299	12.9	90.7	62.7	9.5	8.4	9.5	69.5	49.0	3.65	3.7	4.0	4.0	91.3	92.5	5.05	2.6	51.5	5.0	6.3	79.4
375275	14.5		60.8	10.2	9.2	10.2	66.0	52.5	3.6	3.65	4.1	4.0	87.8	91.2	4.65	2.55	54.8	5.1	6.9	73.9

378277	13.4	50.8	9.9	8.8	9.7	67.5	52.0	3.3	3.45	3.9	84.6	5.0	2.5	60.0	5.1	6.6	77.3
7835	51.9	61.8	10.6	9.2	9.6	61.5	46.5	3.5	3.45	3.9	89.7	4.9	2.3	46.9	4.9	6.5	75.4
7794	78.6	60.9	8.8	8.1	9.1	81.0	49.0	3.6	3.6	3.9	92.81	4.7	2.4	49.0	4.5	5.8	90.3
243918	13.1	66.9	10.1	8.6	9.2	69.0	58.5	3.45	3.55	3.9	81.9	4.9	2.4	44.7	5.6	6.1	91.8
375302	13.2	63.0	9.7	8.5	9.4	67.0	51.5	3.45	3.55	3.9	88.5	5.1	2.3	49.0	5.1	6.0	85.0
377556	13.2	60.0	9.7	8.6	9.4	67.0	55.0	3.4	3.4	3.8	89.5	4.7	2.3	48.8	5.1	6.1	83.6
275306	12.9	51.2	9.2	8.2	9.3	69.5	55.0	3.4	3.4	3.8	89.5	4.5	2.4	52.2	5.0	5.8	85.2
242901	13.0	54.6	10.0	9.0	9.4	64.0	58.5	3.6	3.55	3.7	87.5	4.6	2.3	60.0	5.1	5.8	87.9
378483	13.0	53.7	9.6	8.4	9.4	66.0	51.0	3.8	3.9	4.0	88.2	5.4	2.6	48.2	5.5	6.3	87.9
378532	13.4	53.7	9.6	8.4	10.2	66.0	51.0	3.8	3.9	4.0	95.0	5.0	2.45	49.0	5.5	6.3	87.9
242879	13.4	53.7	9.6	8.4	10.2	66.0	51.0	3.8	3.9	4.0	95.0	5.0	2.45	49.0	5.5	6.3	87.9
378396	13.1	66.6	10.4	9.0	9.8	64.0	45.0	3.75	3.75	4.1	91.5	5.4	2.35	48.6	5.5	6.3	87.9
278204	13.1	48.1	9.4	8.5	9.3	69.5	47.5	3.2	3.6	3.8	92.1	5.0	2.7	54.0	4.8	5.9	81.4
243976	13.5	48.9	10.0	8.9	9.3	68.5	49.0	3.2	3.2	3.8	84.9	4.7	2.3	48.9	5.2	5.7	91.2
378371	13.7	65.3	10.6	9.2	9.8	63.0	43.0	3.55	3.6	4.0	83.8	5.0	2.5	60.0	5.6	6.4	87.6
7781	13.4	65.2	10.1	9.0	9.3	61.5	53.5	3.55	3.55	3.8	93.4	5.15	2.4	46.6	5.2	6.4	81.3
377752	13.3	60.4	9.2	8.6	9.8	74.0	64.5	3.4	3.45	3.9	85.9	4.9	2.6	53.1	5.5	6.3	87.3
378723	13.4	54.5	10.3	8.8	9.4	61.5	45.0	3.9	3.9	4.0	87.5	5.1	2.45	48.0	5.5	6.3	87.3
242886	13.5	54.5	9.8	8.6	9.4	61.5	45.0	3.9	3.9	4.0	100.0	5.3	2.3	49.4	5.5	6.3	87.3
242920	13.5	54.5	9.8	8.6	9.4	61.5	45.0	3.9	3.9	4.0	100.0	5.3	2.3	49.4	5.5	6.3	87.3
378309 ²	13.4	66.1	9.6	8.4	9.0	63.0	50.0	3.2	3.3	3.8	84.3	4.9	2.5	61.0	5.1	6.5	76.5
279206	13.1	66.1	9.6	8.4	9.0	63.0	50.0	3.2	3.3	3.8	84.3	4.9	2.5	61.0	5.1	6.5	76.5
378718	13.1	66.1	9.6	8.4	9.0	63.0	50.0	3.2	3.3	3.8	84.3	4.9	2.5	61.0	5.1	6.5	76.5
378370	13.4	89.6	11.5	9.8	8.7	59.0	47.5	3.3	3.25	3.8	86.8	4.7	2.5	65.3	5.3	6.0	83.3
7827	12.5	49.6	9.3	8.3	8.8	65.5	48.0	3.6	3.5	3.8	94.7	4.65	2.5	63.8	5.0	5.2	80.7
242877	13.3	68.6	10.1	8.8	9.2	60.0	51.5	3.6	3.7	3.8	94.7	5.3	2.2	41.6	5.4	5.9	91.5
378705	13.3	68.6	10.1	8.8	9.2	60.0	51.5	3.6	3.7	3.8	94.7	5.3	2.2	41.6	5.4	5.9	91.5
378705	13.3	68.6	10.1	8.8	9.2	60.0	51.5	3.6	3.7	3.8	94.7	5.3	2.2	41.6	5.4	5.9	91.5
378373	13.3	68.6	10.1	8.8	9.2	60.0	51.5	3.6	3.7	3.8	94.7	5.3	2.2	41.6	5.4	5.9	91.5
378249	13.1	65.0	9.1	8.0	9.2	64.0	53.0	3.2	3.3	3.9	82.1	4.6	2.6	66.5	5.1	6.3	81.0
5022-4	13.2	68.5	9.1	8.0	9.4	72.0	51.0	3.4	3.35	3.85	88.3	4.6	2.5	64.5	4.9	6.0	81.7
378247	14.2	86.6	11.5	9.8	8.8	10.0	58.0	3.6	3.65	3.9	92.8	5.0	2.7	64.6	5.4	6.3	85.7
7799	13.5	68.2	9.9	8.6	9.2	64.5	44.0	3.5	3.5	3.9	89.7	4.75	2.4	60.5	5.1	6.1	83.6
378606	13.4	68.2	9.9	8.6	9.2	64.5	44.0	3.5	3.5	3.9	89.7	4.75	2.4	60.5	5.1	6.1	83.6
279203	13.4	68.2	9.9	8.6	9.2	64.5	44.0	3.5	3.5	3.9	89.7	4.75	2.4	60.5	5.1	6.1	83.6
378606	13.4	68.2	9.9	8.6	9.2	64.5	44.0	3.5	3.5	3.9	89.7	4.75	2.4	60.5	5.1	6.1	83.6
279203	13.4	68.2	9.9	8.6	9.2	64.5	44.0	3.5	3.5	3.9	89.7	4.75	2.4	60.5	5.1	6.1	83.6
Specimens	(63)	(54)	(55)	(62)	(66)	(54)	(54)	(55)	(57)	(55)	(57)	(65)	(64)	(64)	(56)	(56)	(56)
Totals	642.8	599.1	585.4	625.6	3,553.5	2,814.5	191.6	201.65	213.55	219.8	319.55	319.55	155.0	294.1	348.1	348.1	348.1
Averages	13.58	59.76	9.81	8.64	9.48	63.81	52.12	3.48	3.54	3.88	89.72	4.92	2.42	49.28	5.25	6.22	84.49
Minima	12.2	47.3	8.8	7.7	8.7	59.0	44.0	3.2	3.2	3.6	82.1	4.5	2.05	41.0	4.5	5.7	73.9
Maxima	14.6	97.6	10.7	9.6	10.3	74.0	65.0	3.9	3.9	4.2	97.5	5.4	2.75	66.5	6.0	6.9	91.9

ALEUTS: FEMALES
(Kagamil Caves)

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium (glabella ad maxium)	Diam. lateral maxium.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menon-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
377905	(A. II.)		45		18.4	14.6	12.2	79.4	73.9		15.07	1,360.0		12.3	7.3
377873	U. S. N. M.	Kagamil	24		18.0	14.4	12.5	89.0	77.2		14.97	1,400.0			7.3
377861	do.	do.	50		17.6	14.1	12.2	80.1	77.9		14.63	1,360.0			7.3
377867	do.	do.	25		16.7	13.4	12.6	80.2	83.7		14.23	1,275.0			7.3
377923	do.	do.	20		17.2	13.9	12.6	80.8	81.0		14.57	1,275.0			7.35
377819	do.	do.	70		18.6	15.1	13.3	81.2	78.9		15.67	1,380.0		11.7	7.0
377814	do.	do.	55		17.7	14.4	13.1	81.4	81.6		15.07	1,385.0		11.8	7.2
377911	do.	do.	50		17.9	14.6	12.6	81.6	77.5		15.03	1,330.0		12.5	7.5
378119	do.	do.	25		17.1	14.0	12.0	81.9	77.2		14.37				
377871	do.	do.	25		17.1	14.0	12.0	81.9	77.2		14.37	1,370.0			7.3
377836	do.	do.	40		17.7	14.5	12.4	81.9	77.0		14.87	1,425.0			6.4
377908	do.	do.	45		17.7	14.5	12.3	81.9	76.4		14.83	1,300.0		12.2	7.2
378700	do.	do.	30		17.8	14.6	12.0	82.0	74.1		14.80	1,420.0			7.8
378703	do.	do.	35		17.2	14.2	12.4	82.6	79.0		14.60			12.0	7.6
378422	do.	do.	60		17.4	14.4	11.8	82.8	74.2		14.53				
378603	do.	do.	20		17.4	14.4	12.6	82.8	79.3		14.80	1,505.0		10.8	6.5
378808	do.	do.	55		17.6	14.6	12.2	83.0	75.8		14.80	1,385.0		12.6	7.7
377904	do.	do.	55		17.6	14.6	12.8	83.0	79.5		15.0	1,430.0		11.6	6.9
378413	do.	do.	55		17.6	14.6	12.8	83.0	82.6		15.17				
377874	do.	do.	23		17.0	14.2	12.4	83.5	79.5		14.53	1,420.0			7.0
378415	do.	do.	55		16.5	13.8	12.2	83.6	80.5		14.17				6.4
377806	do.	do.	60		16.5	14.0	13.0	83.9	81.2		15.0				
377920	do.	do.	55		17.0	14.8	12.0	84.1	74.5		14.80			12.5	7.4
377872	do.	do.	40		17.6	14.8	11.9	84.1	73.5		14.77	1,370.0		12.2	7.4
377818	do.	do.	75		17.1	14.9	11.9	84.2	80.0		14.53	1,300.0			
378416	do.	do.	50		17.1	14.4	12.6	84.2	78.1		14.70			12.7	7.6
377870	do.	do.	55		17.8	15.0	12.8	84.3	78.1		14.57	1,445.0			7.2
378411	do.	do.	50		17.3	14.6	11.8	84.4	74.0		14.57				7.2
377926	do.	do.	70		18.1	15.3	12.2	84.5	73.1		15.20				7.1
378423	do.	do.	75		17.0	14.4	12.4	84.7	79.0		14.00				

ALEUTS: FEMALES—Continued
(Kagamil Caves)—Continued

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pl.	Basion-Subnasal Pl.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
377905	14.0	87.9	59.1	10.2	8.8	4.4	62.0	51.0	3.75	3.8	4.1	4.1	91.5	92.7	4.8	2.7	56.2	5.3	6.0	88.8
377873	13.8	87.8	59.9	9.1	8.1	9.3	68.0	58.0	3.85	3.8	3.9	3.0	98.7	95.0	4.95	2.4	48.5	5.0	6.7	74.6
377881	13.0	86.1	58.1	9.8	8.0	9.6	66.5	51.5	3.5	3.55	3.9	3.9	89.7	91.0	5.15	2.6	50.5	5.3	6.4	82.8
377867	12.6	87.8	57.9	8.9	8.0	9.6	72.0	58.5	3.85	3.75	4.0	3.7	96.2	96.1	5.1	2.1	41.2	4.8	5.9	81.4
377893	12.8	87.8	57.4	8.9	8.0	9.0	79.0	59.0	3.6	3.7	3.85	3.7	93.5	100.0	5.1	2.25	44.1	5.1	5.9	86.4
377819	14.0	87.6	50.0	10.7	9.9	10.3	67.5	62.5	3.3	3.3	4.0	4.0	82.5	82.5	4.8	2.7	56.2	5.3	6.5	81.5
377814	13.2	89.7	51.5	10.3	9.0	9.9	67.0	51.0	3.6	3.7	4.2	4.0	85.7	92.5	4.95	2.55	51.5	5.5	6.5	84.6
377911	13.4	88.5	56.0	9.9	8.6	9.2	62.0	54.0	3.6	3.55	3.95	3.8	91.1	93.4	4.95	2.85	47.5	5.5	6.2	88.7
377819	13.4	88.5	56.0	9.9	8.6	9.2	62.0	54.0	3.6	3.55	3.95	3.8	91.1	93.4	4.95	2.85	47.5	5.5	6.2	88.7
377831	13.2	87.8	55.3	10.6	9.0	9.7	64.0	49.0	3.4	3.4	3.95	3.95	86.1	86.1	4.8	2.5	52.1	5.6	6.3	86.2
377830	13.9	87.7	46.0	10.9	9.5	9.7	66.0	48.0	3.7	3.75	4.15	4.0	89.2	93.7	4.65	2.5	53.8	5.3	6.3	84.1
377908	13.7	89.1	52.0	10.7	9.3	9.6	61.5	51.0	3.3	3.35	3.9	3.8	81.6	88.2	4.7	2.4	51.1	5.7	6.5	87.7
377830	13.5	87.5	57.5	10.7	9.0	9.6	60.0	46.5	3.4	3.5	4.0	3.8	85.0	92.1	5.05	2.65	52.5	6.2	6.0	93.9
378103	13.4	89.6	56.7	10.0	8.8	9.4	63.0	53.0	3.55	3.95	4.05	3.95	95.1	100.0	5.1	2.5	49.0	5.2	6.1	85.5
378422	12.3	87.8	52.9	9.3	8.4	9.2	68.5	57.0	3.6	3.55	3.7	3.7	97.3	96.0	4.6	2.0	43.5	5.9	6.1	82.0
377863	13.7	87.9	56.2	10.1	8.8	9.6	63.5	53.0	3.6	3.55	3.9	4.0	92.3	88.8	4.6	2.3	46.0	5.3	6.1	87.0
377808	13.2	87.9	52.3	9.7	8.4	9.2	64.0	43.5	3.95	3.95	4.0	4.1	93.7	96.3	4.95	2.3	46.5	5.2	5.8	89.7
378004	12.7	87.5	57.5	9.4	8.2	9.5	66.5	54.0	3.75	3.9	4.2	4.1	89.3	95.1	4.45	2.25	40.6	5.3	5.5	86.7
378113	12.7	87.5	57.5	9.4	8.2	9.5	66.5	54.0	3.75	3.9	4.2	4.1	89.3	95.1	4.45	2.25	40.6	5.3	5.5	86.7
377874	13.5	87.5	46.7	9.3	8.2	9.2	68.5	47.5	3.65	3.65	4.0	3.95	88.3	92.4	4.6	2.2	47.8	5.0	5.0	91.1
378415	13.7	87.5	46.7	9.3	8.2	9.2	68.5	47.5	3.65	3.65	4.0	3.95	88.3	92.4	4.6	2.2	47.8	5.0	5.0	91.1
378415	13.7	87.5	46.7	9.3	8.2	9.2	68.5	47.5	3.65	3.65	4.0	3.95	88.3	92.4	4.6	2.2	47.8	5.0	5.0	91.1
377800	14.3	87.4	51.8	10.2	9.0	9.6	63.5	54.5	3.75	3.75	4.15	3.85	97.4	97.4	4.95	2.6	52.5	5.4	6.3	85.7
377920	14.2	86.9	52.1	10.4	8.9	9.3	60.0	47.5	3.6	3.65	4.0	4.0	86.8	91.3	4.95	2.85	57.6	5.7	6.0	86.4
377872	14.0	87.8	52.1	10.4	8.9	9.3	60.0	47.5	3.6	3.65	4.15	3.85	97.4	97.4	4.95	2.85	57.6	5.7	6.0	86.4
378116	14.0	87.8	52.1	10.4	8.9	9.3	60.0	47.5	3.6	3.65	4.15	3.85	97.4	97.4	4.95	2.85	57.6	5.7	6.0	86.4
378416	14.1	90.1	55.3	10.4	8.8	9.9	64.0	47.0	3.5	3.5	3.9	3.8	89.7	92.1	5.25	2.45	46.7	5.6	6.7	83.6
377870	13.3	87.5	51.1	10.1	8.8	9.8	67.0	49.0	3.5	3.6	4.05	3.9	86.4	92.5	5.0	2.3	46.0	5.2	6.2	83.9
378411	13.3	87.5	51.1	10.1	8.8	9.8	67.0	49.0	3.5	3.6	4.05	3.9	86.4	92.5	5.0	2.3	46.0	5.2	6.2	83.9
378411	13.3	87.5	51.1	10.1	8.8	9.8	67.0	49.0	3.5	3.6	4.05	3.9	86.4	92.5	5.0	2.3	46.0	5.2	6.2	83.9
377926	14.4	87.5	40.3	9.6	8.2	8.8	61.0	49.0	3.8	3.8	3.8	4.2	96.1	97.3	4.7	2.4	51.1	5.0	6.7	83.6
377926	14.4	87.5	40.3	9.6	8.2	8.8	61.0	49.0	3.8	3.8	3.8	4.2	96.1	97.3	4.7	2.4	51.1	5.0	6.7	83.6
378423	13.3	87.5	40.3	9.6	8.2	8.8	61.0	49.0	3.8	3.8	3.8	4.2	96.1	97.3	4.7	2.4	51.1	5.0	6.7	83.6
878414	14.1	87.5	51.1	10.4	9.0	9.8	65.0	43.0	3.95	3.95	4.05	4.0	97.5	98.7	5.1	2.35	46.1	5.6	6.7	82.6
377865	13.1	87.5	49.6	10.5	9.4	9.9	66.0	51.0	3.35	3.35	4.0	3.9	83.8	85.9	4.6	2.25	48.9	5.4	6.6	81.8

378389	13.4	88.1	52.2	9.5	8.3	8.8	62.0	52.5	3.65	3.7	3.95	3.9	92.4	94.9	4.65	2.2	47.3	5.3	5.8	91.4
377924	12.9	86.8	64.3	10.2	9.4	9.4	63.0	50.0	3.4	3.45	3.9	3.8	87.2	90.8	4.55	2.3	60.6	5.3	5.8	
378402	13.4				8.8	9.6			3.15	3.25	3.8	3.7	82.9	87.8	4.6	2.8	(60.9)			
377869	13.7	88.2	64.7	10.0	8.8	9.6	64.5	53.5	3.55	3.6	3.8	3.75	93.4	96.0	5.15	2.5	48.5	5.1	6.3	81.0
377914	13.6		62.9	10.1	9.0	9.8	64.5	56.5			4.15		91.6	96.9	4.8	2.65	55.2			
377875	13.5		65.6	10.6	9.2	9.3	59.0	47.5	3.8	3.5	3.75	3.65	93.3	98.4	5.2	2.65	61.0	5.6	6.5	86.2
378417	13.1		62.7	10.1	(9.0)	(8.8)	(59.0)	(57.0)	3.6	3.55	3.8	3.8	87.7	84.2	4.4	2.2	60.0	5.4	6.0	90.0
378412	13.0		65.4	9.8	8.4	9.2	63.5	50.0	3.5	3.5	4.15	4.1	82.1	85.4	4.7	2.4	51.1	5.2	6.3	82.5
378412	13.0		61.5	10.5	8.7	9.4	61.0	41.5	3.55	3.45	4.05	4.1	87.7	84.2	4.6	2.5	54.3	5.9	6.9	85.5
377879	13.6	84.6	61.5	10.5	9.4	9.8	61.5	41.0	3.45	3.5	4.2	4.1	82.1	85.4	4.7	2.6	55.3	5.6	6.5	86.2
377811	14.0	79.3	48.6	11.0	9.4	9.5	68.5	61.0	3.55		3.7		95.9		4.5	2.2	43.9	5.0	6.0	83.3
378427	13.4	80.6	46.3	10.1	9.4	9.5														
378421																				
377875	13.1																			
Specimens	(41)	(18)	(36)	(35)	(39)	(41)	(31)	(34)	(37)	(36)	(37)	(36)	(37)	(36)	(39)	(39)	(39)	(34)	(34)	(34)
Totals	553.0	553.0	351.4	351.4	342.7	389.4	2,191.5	1,749.5	132.6	129.95	147.25	140.9	90.05	92.23	188.9	95.15	182.3	214.5	182.3	214.5
Averages	13.49	87.27	62.84	10.04	8.79	9.50	64.46	51.46	3.58	3.61	3.98	3.91	81.0	82.5	4.84	2.44	50.37	5.36	6.31	84.99
Minima	12.3	79.3	45.0	8.9	8.0	8.5	59.0	41.0	3.15	3.25	3.7	3.65	81.0	82.5	4.4	2.0	41.2	4.8	5.6	74.6
Maxima	14.4	93.3	67.9	11.0	9.9	10.3	72.0	62.5	3.95	3.95	4.2	4.2	93.7	100.0	5.3	2.85	57.6	6.2	6.9	93.9

Pairs, all:

(96)	(96)	(96)	(96)
303.3	306.25	337.75	332.85
3.33	3.56	3.93	3.87
		80.8	82.0

PRE-ALEUTS: MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium. (glabella ad)	Diam. lateral maxium.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
378438	U. S. N. M.	Umnak	28		18.5	13.3	13.4	71.9	81.3		15.07			12.5	7.4
378614	do.	do.	60		19.1	13.8	(14.7)	72.3	(82.4)		15.87			12.5	7.2
378588	do.	Aenuk	40		18.8	13.6	13.1	72.5	80.9		1,345.0			13.0	7.2
378615	do.	Umnak	55		19.0	13.8	13.1	72.6	79.9		15.30			13.0	7.7
377757	do.	Little Kiska	55		19.2	14.1		73.4						13.0	7.6
5215-7	Leningrad Mus.	Secondarily from Com-mander Islands.			19.6	14.4	13.4	73.5	78.8		15.80			13.4	7.8
378626	U. S. N. M.	Umnak	60		19.1	14.1		73.8							8.2
378633	do.	do.	60		18.4	13.6	13.4	73.9	83.7		15.13				
378602	do.	do.	45		18.9	14.0	14.1	74.1	85.7		15.67	1,490.0		12.5	7.4
7832	Moscow Mus.	do.	50		18.6	13.8	13.1	74.2	80.9		15.17				
378463	U. S. N. M.	Shiprock	60		18.3	13.6	13.1	74.3	82.1		15.0			13.4	7.8
378619	do.	Umnak	55		19.5	14.5	13.8	74.4	81.2		15.93			13.4	8.3
378731	do.	do.	40		19.2	14.3		74.5							
378731	do.	Kagamil	45		18.8	14.0	13.6	74.5	76.8		15.13			12.0	7.0
378478	do.	Shiprock	45		19.3	14.4	13.5	74.7	80.1		15.73			12.8	7.3
378618	do.	Umnak	55		18.6	13.9	12.4	74.7	76.8		14.97	1,680.0		12.8	7.7
7812	Moscow Mus.	do.	55		18.6	14.2	13.0	74.7	78.8		15.40				
378622	U. S. N. M.	do.	60		18.4	13.8	12.6	74.9	78.3		14.93			12.5	7.4
378641	do.	do.	55		18.6	14.0	12.3	75.3	75.5		14.97				7.5
7813	Moscow Mus.	do.	55		19.5	14.7		75.4							
378635	U. S. N. M.	do.	70		18.8	14.2	12.8	75.5	77.6		15.27				
378645	do.	do.	50		18.5	14.0		75.7						6.7	
7823	Moscow Mus.	do.	60		19.0	14.4	13.6	75.8	81.4		15.67			13.2	7.9
7806	do.	do.	55		19.0	14.4	14.0	75.8	83.8		13.80				7.7
7829	do.	do.	55		18.2	13.8	12.8	75.8	80.0		14.93				
7828	do.	do.	55		18.2	13.8	12.9	75.8	80.6		14.97				
377913	U. S. N. M.	Kagamil	45		18.2	13.4	12.8	76.1	82.6		14.60			13.0	8.2
365739	do.	Wislow Island	70		17.6	13.4	12.8	76.3	81.1		13.37				
378603	do.	Umnak	50		18.6	14.2	13.3	76.3	81.1		15.37			12.9	7.6
378607	do.	do.	55		18.7	14.3	13.8	76.5	83.6		13.60	1,385.0		13.2	7.0
378609	do.	do.	50		18.4	14.1	13.0	76.6	80.0		15.17	1,390.0		12.2	7.3
378612	do.	do.	50		18.9	14.5	13.4	76.7	80.2		15.60	1,510.0		13.4	7.8
378643	do.	do.	55		19.8	15.2	14.0	76.8	80.0		16.33	1,690.0		14.7	8.8
378627	do.	do.	35		19.0	14.6	13.4	76.8	79.8		15.67				
378543	do.	do.	35		19.0	14.6	13.0	76.8	77.4		15.53	1,500.0		13.2	8.1
378408	do.	do.	70		19.0	14.6	13.3	76.8	79.2		15.63				7.5

378631	do	do	18.6	14.3	13.4	76.9	81.5	15.43	13.0	7.8
378328	do	Amlia	18.2	14.0	12.4	76.9	77.0	14.87	12.4	8.1
378691	do	Amchitka	18.8	14.5	12.7	76.9	76.9	14.97	12.4	7.3
3292	Leningrad Mus.	Secondarily from Com- mander Islands.	18.8	14.5	12.8	77.1	76.9	15.37		
7790	Moscow Mus.	Umnak	18.8	14.5	14.0	77.1	84.1	15.77	13.1	8.2
378276	U.S.N.M.	Kashega	18.6	14.4	12.2	77.4	79.1	15.20	13.5	8.1
378475	do	Shiprock	18.8	14.6	12.2	77.7	76.3	14.73	11.4	6.7
378479	do	do	18.0	14.0	12.2	77.8	79.9	15.77	13.4	7.7
378250	do	Amchitka	19.0	14.8	13.5	77.9	75.5	15.93	13.7	8.3
378544	do	Shiprock	10.5	15.2	13.1	77.9	75.5	1,530.0	13.0	7.8
7811	do	Umnak	17.4	13.0	12.4	78.2	80.0	14.47		7.2
378729	Moscow Mus.	Umnak	18.4	14.4	13.0	78.3	79.3	15.27		7.7
378841	U.S.N.M.	Kagamil	18.4	14.5	13.0	78.8				7.4
378694	Moscow Mus.	Umnak	18.5	14.6	13.5	78.9	81.6	15.53	13.0	7.4
378694	do	Atka	18.2	14.4	14.4	79.1	88.3	15.67	12.8	7.6
378699	do	Umnak	17.8	14.1	12.8	79.2	80.3	14.90	11.8	7.0
37877	do	do	18.4	14.6	13.0	79.4	78.8	15.33	11.7	6.8
37877	do	Shiprock	18.4	14.6	13.2	79.4	80.0	15.40	12.8	8.0
378910	do	Agatui	18.4	14.6	13.0	79.8	79.0	1,410.0	12.1	7.1
378661	do	Umnak	18.3	14.6	13.3	79.8	80.9	15.40	12.7	7.0
378620	do	do	19.5	15.6	12.8	80.0	72.9	1,660.0	14.9	9.0
37874	do	Shiprock	18.4	14.8	13.4	80.4	80.7	15.53	13.3	7.9
Specimens			(57)	(57)	(49)	(57)	(49)	(50)	(36)	(46)
Totals			1,065.6	812.7	644.1	76.3	79.8	768.19	465.3	351.4
Averages			18.69	14.26	13.14	77.9	72.9	15.36	12.93	7.64
Minima			17.4	13.3	12.2	71.9	72.9	14.47	11.4	6.7
Maxima			19.8	15.6	14.4	80.4	88.3	16.33	14.9	9.0

Footnotes on p. 81 at end of table.

PRE-ALEUTS: MALES—Continued

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{a}{b} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Rasion-Alveolar Pt.	Rasion-Subnasal Pt.	Rasion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max.	Nasal Index	Upper Alveolar Arch—Length maxm.	Upper Alveolar Arch—Breadth maxm.	Upper Alveolar Arch—	
378638	14.3		51.7	10.7	9.9	10.9	69.0	61.5	3.25	3.25	4.1	4.0	79.3	81.2	5.3	2.6	49.1	5.5	6.8	80.9	
378639	13.0	96.1	55.4	10.9	10.2	11.4	74.5	60.5	3.8	3.8	4.2	3.85	80.5	81.8	5.0	2.5	44.6	5.3	6.5	81.7	
378640	13.8		52.2	9.9	9.0	10.0	69.5	60.0	3.1	3.15	4.0	3.95	77.6	77.6	4.95	2.3	46.6	5.3	6.5	83.7	
378641	14.0	92.9	55.0	10.4	9.0	10.0	65.0	48.5	3.8	3.8	3.9	3.9	97.4	97.4	5.4	2.4	44.4	5.3	6.2	83.6	
377757	14.7	88.4	51.7						3.7	3.7	3.9	4.3	94.9	88.4	5.35	2.85	48.6	5.5	7.0	78.6	
52157	14.4	95.1	54.2			10.3			3.8	3.8	4.3	4.3	88.4	88.4	5.5	2.85	51.8	5.9	7.2	87.9	
378626									3.6	3.6	4.2	4.2	85.7	85.7	5.8	2.55	44.0				
378633						10.7			3.7	3.7	4.2	4.05	88.1	91.4	5.5	2.6	47.3	5.4	6.4	84.4	
378602	14.6	85.6	50.7	10.0	9.0	10.3	71.0	55.0	3.7	3.7	3.9	3.8	97.4	97.4	5.4	2.5	46.3	5.4	6.5	83.1	
7892	14.0	92.9	55.7	10.1	8.8	10.0	66.5	54.0	3.6	3.7	3.75	3.8	96.0	97.4	5.2	2.7	51.9	5.2	6.2	83.9	
378649	14.9	89.9	55.7	10.0	9.2	10.6			3.6	3.6	3.75	3.8	96.0	97.4	5.2	2.7	51.9	5.1	6.5	78.6	
378731																					
378748	14.6		48.0	10.7	9.6	10.2	65.5	52.0	3.3	3.35	4.0	3.8	82.5	83.2	5.1	2.6	51.0	5.3	6.4	82.8	
378618	14.5	88.5	50.3	10.8	9.8	10.6	70.0	50.5	3.5	3.5	4.4	4.25	79.6	82.4	5.7	2.65	46.5	5.8	6.8	85.4	
7892	14.1	90.8	54.6	10.7	9.8	10.6	68.0	62.0	3.8	3.8	4.1	4.0	92.7	95.0	5.25	2.5	47.6	5.4	6.4	84.3	
378622	14.7			11.4	9.4	10.3	62.0	42.5	3.5	3.5	4.1	3.95	85.4	88.6	5.5	2.8	50.9	5.4	6.4	84.4	
378641									3.45	3.45	3.9	3.9		88.5	5.4	2.6	48.2	5.3	6.0	88.3	
7893	13.6		55.2	9.1	7.8	9.2	66.5	55.5			4.2	3.9	85.5	88.5	4.95	2.45	49.5	5.3	6.6	80.5	
378635	15.0								3.5	3.5	4.2	4.2									
378645	14.3					10.4			3.6	3.65	4.0	3.8	90.0	96.0	5.35	2.45	45.8	5.6	6.8	82.4	
7823	14.1		47.6						3.55	3.55	4.0	3.9	88.6	91.0	4.7	2.6	55.3	5.6	6.8	82.4	
7806	14.9	88.6	53.0	10.2	9.2	10.0	65.5	60.0	3.95	4.0	3.9	3.9	101.9	102.6	5.25	2.65	50.5	5.6	6.9	81.2	
7829	14.2		54.2	10.5	9.4	10.7	70.0	58.0	3.7	3.45	3.9	3.9	89.7	88.5	5.4	2.4	44.4				
7828						9.3			3.7	3.7	3.6	3.6	100.0	108.3	5.0	2.1	42.0				
377913	13.3	87.7	61.6	10.6	9.6	10.4	65.5	61.5	3.85	3.85	4.1	4.0	93.9	96.2	5.0	2.1	48.2	5.6	6.4	87.6	
365726	13.8					10.4			3.6	3.6	3.9	3.9	92.3	91.0	5.1	2.6	51.0	5.7	6.8	83.8	
378603	14.6	88.4	52.1			11.4			3.7	3.7	4.2	4.2	85.1	88.1	5.1	2.5	49.0	5.7	6.8	83.8	

378607	14.8	51.4	10.8	9.9	10.6	68.0	62.0	3.8	3.85	4.4	4.3	86.4	89.6	5.3	2.75	51.9	5.9	6.8	86.8
378608	14.6	83.6	60.0	11.0	10.4	67.5	63.0	3.4	3.4	4.0	3.9	86.0	87.2	5.05	2.5	49.5	5.2	6.5	80.0
378612	14.2	54.4	54.9	10.4	8.9	10.4	49.0	3.8	3.6	4.0	4.0	95.0	90.0	5.4	2.65	49.1	5.9	6.9	85.5
378643	15.7	95.6	56.0	10.8	9.5	10.9	66.5	3.85	3.95	4.7	4.5	81.9	87.8	5.8	2.65	45.7	6.1	6.9	58.4
378627	14.8	89.2	54.7	10.4	9.3	10.4	67.0	3.75	3.75	4.1	4.0	91.5	93.7	5.6	2.8	50.0	5.3	6.0	83.3
378408	14.5	51.7	10.6	9.2	10.4	67.5	50.0	3.7	3.65	4.0	3.8	92.5	96.0	5.15	3.05	59.2	5.4	6.7	80.6
378631	13.7	69.1	10.3	9.3	10.6	70.0	55.0	3.8	3.85	4.0	3.9	95.0	98.7	5.9	2.3	42.6	5.2	6.0	86.7
378828	14.0	88.6	52.1	11.3	10.0	10.4	63.0	3.55	3.55	3.8	3.8	88.8	95.4	5.35	2.6	48.6	6.2	6.7	92.5
378691	14.3	82.92	52.1	11.3	10.0	10.4	63.0	3.3	3.35	3.8	3.7	86.8	90.5	4.85	2.6	53.6	6.2	7.2	86.1
7790	14.1	52.9	58.2	10.3	9.0	10.2	66.0	3.9	3.9	4.1	4.1	91.7	95.1	5.6	2.55	48.2	5.7	7.1	80.3
378276	15.0	60.0	61.0	10.2	10.0	65.0	65.0	3.85	3.9	4.2	4.1	91.7	95.1	5.6	2.55	48.2	5.7	7.1	80.3
378475	13.9	82.0	48.2	10.9	10.0	10.3	66.5	3.35	3.3	3.9	3.8	85.9	86.8	4.8	2.45	51.0	5.6	6.6	81.8
378259	15.0	89.5	51.5	11.2	10.1	10.6	65.0	3.6	3.65	4.0	4.05	90.0	93.6	5.05	2.55	50.5	5.7	7.2	76.9
378544	15.1	90.7	55.0	11.2	10.2	10.5	63.0	3.6	3.65	4.0	3.9	90.0	93.6	5.25	2.63	50.5	6.1	6.5	52.7
7811	14.1	55.8	55.8	10.1	8.8	9.9	66.0	3.6	3.65	4.05	4.0	88.9	91.8	5.2	2.55	49.0	5.8	6.8	85.3
378729	14.3	50.4	50.4	10.1	9.4	9.9	69.0	3.4	3.45	4.0	3.9	85.0	87.2	4.75	2.3	51.0	5.7	6.9	82.6
7768	14.2	50.9	50.9	10.5	9.4	10.7	70.0	3.5	3.5	3.9	3.9	89.7	93.6	5.4	2.4	48.2	5.7	6.2	91.9
378341	14.3	50.9	50.9	10.5	9.4	10.7	70.0	3.5	3.55	4.0	4.0	86.6	87.6	5.2	2.55	49.0	5.7	6.2	91.9
378624	14.4	88.9	62.8	10.3	9.2	10.2	67.5	3.55	3.5	4.1	4.0	86.6	87.6	5.05	2.5	49.5	6.0	7.1	84.6
378029	14.2	83.1	49.5	10.3	9.1	10.2	67.5	3.55	3.5	4.1	4.0	86.6	87.6	5.05	2.5	49.5	6.0	7.1	84.6
378377	15.2	77.0	44.7	10.2	9.1	10.2	67.5	3.35	3.4	3.9	3.9	85.9	90.2	4.65	2.35	53.8	5.6	6.3	85.7
378347	14.7	87.1	54.4	10.1	8.8	9.7	64.0	3.75	3.85	4.1	4.1	91.5	96.2	5.7	2.45	43.0	5.5	6.5	81.6
378610	14.5	85.6	49.0	10.0	8.9	10.1	70.0	3.55	3.55	4.1	4.0	86.6	88.8	5.45	2.7	49.5	5.2	6.6	78.8
378651	14.9	85.2	47.0	11.0	9.9	10.7	68.5	3.5	3.6	4.1	4.1	85.4	87.8	4.8	2.6	54.2	5.6	7.0	80.0
378620	15.0	99.3	60.0	11.6	9.7	10.6	60.0	3.45	3.55	4.2	4.25	82.1	85.5	5.6	2.55	45.5	6.3	7.3	86.5
378474	14.8	85.9	53.4	10.8	9.5	10.5	67.0	3.7	3.75	4.2	4.1	88.1	91.5	5.45	2.45	45.0	5.8	6.9	84.1
Specimens	(48)	(84)	(42)	(41)	(47)	(39)	(39)	(47)	(44)	(47)	(44)	(47)	(44)	(51)	(51)	(51)	(43)	(43)	(43)
Totals	691.7	429.9	438.5	526.3	2,613.0	2,145.5	170.0	159.3	190.8	174.8	174.8	89.10	269.10	130.7	240.7	287.0	240.7	287.0	287.0
Averages	14.41	89.43	62.91	10.49	9.33	10.32	67.0	3.62	3.62	4.06	3.97	91.18	91.18	5.28	2.56	48.57	5.60	6.67	83.87
Minima	13.0	77.0	44.7	9.1	7.8	9.2	60.0	3.1	3.15	3.7	3.7	77.5	81.2	4.65	2.1	39.0	5.0	6.0	77.8
Maxima	15.7	99.3	69.1	11.6	10.2	11.4	73.5	3.95	4.0	4.7	4.5	101.3	108.5	5.9	3.05	61.0	6.3	7.3	92.5

1 Allowance made for wear of teeth, where needed.

2 Small, but male characters.

3 Not negroid.

PRE-ALEUTS: FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabela ad maximum)	Diam. lateral max.	Basion-Bregm height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
378628	U.S.N.M.	Umnak	60		18.4	13.4	13.9	69.1	84.8		15.57				
378658	do	do	50		18.5	12.9	69.7								7.6
378652	do	do	65		18.4	13.0	13.5	70.5	86.0		14.97	1,305			7.1
378456	do	do	80		18.4	13.2		71.7							
378659	do	do	80		18.4	13.3		72.3							
378655	do	do	60		18.5	13.4		72.4							7.4
378680	do	do	55		18.9	13.6	12.3	73.0	76.2		15.0				
378637	do	do	70		17.9	13.1	13.5	73.2			14.83				
378634	do	do	75		18.0	13.2	12.7	73.3	81.4		14.63	1,255			7.1
378634	do	do	35		18.0	13.3	13.8	73.9	88.2		15.03				
378646	do	do	35		18.4	13.7	13.4	74.5	83.5		15.17				7.1
378632	do	do	60		18.8	14.0		74.5							
378642	do	do	55		18.8	14.0	12.8	74.5	78.1		15.20				
378648	do	do	18		18.1	13.5	12.0	74.6	76.0		14.53	1,430			6.9
378658	do	do	60		18.6	13.9		74.7							
378648	do	do	30		18.3	13.8	13.8	75.4	86.0		15.30	1,360			7.6
378473	do	do	65		18.3	13.8	12.1	75.4	75.4		14.73				7.9
378473	do	do	75		17.4	13.2	12.0	75.9	78.4		14.20				
378706	do	Shiprock	70		17.4	13.5	12.0	76.3	76.9		14.40				
7831	Moscow Mus.	Umnak	70		17.7	13.5	13.6	76.4	84.7		15.23	1,335			6.6
378621	U.S.N.M.	do	55		18.2	13.9	12.4	76.6	74.7		15.20	1,350			6.7
378647	do	do	50		18.8	14.4	12.4	76.6	81.6		14.27				
378697	do	Anchitka	50		18.0	13.2	12.4	76.7	80.5		14.87				7.0
5215	Leningrad Mus.	Secondarily from Commander Islands			17.2	13.8	12.8	76.7							
378398	U.S.N.M.	do	60		17.0	13.1		77.1							6.9
378623	do	do	70		17.9	13.8	12.4	77.1	78.2		14.70	1,255			
7807	Moscow Mus.	Umnak	70		18.4	14.2	11.8	77.2	72.4		14.80				7.3
378398	U.S.N.M.	do	20		17.6	13.6	11.8	77.3	75.6		14.33				6.6
7757	Moscow Mus.	Attu	20		17.2	13.3	13.0	77.3	85.2		14.50				7.2

378392	U.S.N.M.	Agatu.	45	18.1	77.6	73.5	14.67	1,140.0	11.8	7.2
378165	do.	Shiprock	50	13.8	77.6	79.0	14.37			7.4
378400	do.	Kagamil	65	17.4	77.8	78.8	14.87			7.1
378334	do.	Atka	18.0	14.0	77.8	73.8	14.60			7.7
378272	do.	Kashega	18.0	14.0	11.8	77.8	14.60			7.9
378298	do.	Cernovskl.	18.0	14.0	12.9	80.6	14.97	1,340.0	12.5	6.8
378542	do.	Shiprock	18.0	14.0	12.8	80.0	14.93		12.7	7.9
378704	do.	do.	30	17.9	78.2		14.83	1,230.0		8.5
378701	do.	Amchitka	18.0	14.2	13.1	88.4	14.87			7.1
378317	do.	Umnak	18.0	14.2	12.4	78.9	15.0	1,350.0	12.0	7.1
379115	do.	Kagamil	18.0	14.2	12.8	79.5	14.40		11.5	7.7
378640	Leningrad Mus.	Atka	17.2	13.6	12.4	80.5	14.67			6.7
6022	U.S.N.M.	Umnak	17.3	13.7	13.0	79.2	14.70			7.2
7830	Moscow Mus.	do.	18.1	12.2	79.2	76.5	14.70			7.2
7762	do.	do.	17.5	13.9	12.3	79.4	14.57			
do.	do.	do.	17.1	13.6	11.8	79.5	14.17			
70	do.	do.	17.1	13.6	11.4	79.5	14.03		11.6	6.8
37753	U.S.N.M.	Amoknak	17.1	13.6	13.3	79.6	15.17		13.2	8.0
378039	do.	Umnak	17.6	14.0	12.6	79.8	14.57			7.5
378343	do.	Atka	17.3	13.8	13.0	80.0	14.83			6.9
378454	do.	Umnak	17.5	14.0	13.0	80.0	14.83			
378406	do.	Shiprock	17.6	14.1	12.6	80.1	14.77			
378470	do.	do.	17.6	14.1	12.8	80.1	14.83		11.5	7.2
378604	do.	Umnak	18.4	14.8	12.8	80.1	15.33		12.4	7.4
7809	Moscow Mus.	do.	17.4	14.0	12.4	80.5	14.60			6.5
378330	U.S.N.M.	Ambla	17.4	14.0	12.4	80.5	14.93			7.1
7816	Moscow Mus.	Umnak	20	14.2	12.7	80.7	14.83			6.6
7777	do.	do.	65	14.2	12.3	80.7	14.70		11.7	7.1
378405	U.S.N.M.	Kagamil	17.6	14.2	12.4	80.7	14.70		12.4	7.4
378468	do.	Shiprock	17.6	14.2	11.8	80.7	14.53		12.4	6.7
378616	do.	Umnak	18.3	14.8	13.3	80.9	15.47		10.9	6.4
378601	do.	do.	17.8	14.4	12.8	80.9	15.0	1,400.0	12.6	7.7
do.	do.	do.	16.8	13.6	12.9	81.0	14.43		12.3	7.5
378372	do.	Agatu	35	17.4	13.0	81.0	14.83		11.8	7.2
7796	Moscow Mus.	Umnak	17.4	14.1	13.0	81.0	14.83			7.3
7782	do.	do.	60	17.6	81.5	78.3	15.17			
7779	do.	do.	18.0	14.7	12.8	81.7	14.23			
7767	do.	do.	50	17.0	11.8	81.8	14.23			
Specimens			(61)	(64)	(54)	(64)	(54)	(13)	(20)	(45)
Totals			1,144.0	884.7	682.8	798.06	798.06	16,980.0	240.7	321.3
Averages			17.88	13.82	12.64	14.78	14.78	1,306.2	12.04	7.14
Minimum			16.8	12.9	11.4	79.4	14.03	1,140.0	10.9	6.4
Maxima			19.4	14.8	13.9	81.8	15.57	1,430.0	13.2	7.9

1 Allowance made for tooth wear, where needed.

KODIAK AND ALEUTIAN ISLANDS
(Abstract)

Measurement	MALES				FEMALES			
	Koniag	pre-Koniag	Aleut	pre-Aleut	Koniag	pre-Koniag	Aleut	pre-Aleut
Approximate age.....	(52) 37.7	(76) 44.3	(88) 44.9	(55) 50.4	(35) 36.6	(139) 43.7	(92) 43.5	(61) 52.2
Vault:								
Length.....	(49) 17.56	(67) 18.01	(113) 18.05	(57) 18.69	(33) 16.81	(135) 17.31	(115) 17.25	(64) 17.88
Breadth.....	(49) 15.08	(67) 13.99	(113) 15.07	(57) 14.26	(33) 14.54	(135) 13.54	(115) 14.47	(64) 13.82
Height.....	(48) 13.33	(61) 13.92	(111) 12.90	(49) 13.44	(33) 13.0	(116) 13.36	(111) 12.92	(54) 12.64
<i>Cranial index</i>	(49) 85.87	(67) 77.65	(113) 83.48	(57) 76.27	(33) 86.30	(135) 78.21	(115) 83.85	(61) 77.33
<i>Mean height index</i>	(48) 83.01	(61) 86.97	(111) 77.90	(49) 79.8	(33) 82.94	(116) 86.82	(111) 77.93	(59) 78.82
Module (mean diam.).....	(48) 15.40	(67) 15.30	(111) 15.34	(50) 15.36	(35) 14.77	(116) 14.61	(111) 14.09	(59) 14.78
Capacity.....	(2) 1,575.0	(2) 1,536.7	(55) 1,536.7	(13) 1,502.3	(2) 1,202.5	(42) 1,368.0	(42) 1,368.0	(13) 1,306.2
Face:								
Total height.....	(35) 12.47	(44) 13.06	(57) 12.50	(36) 12.93	(21) 11.90	(63) 12.06	(46) 11.70	(20) 12.04
Upper height.....	(50) 7.53	(53) 7.85	(102) 7.54	(46) 7.64	(28) 7.19	(115) 7.35	(95) 7.06	(45) 7.14
Maximum breadth.....	(50) 14.36	(63) 14.03	(106) 14.43	(48) 14.41	(28) 13.33	(107) 12.93	(104) 13.42	(47) 13.35
<i>Facial index, total</i>	(35) 85.80	(41) 93.38	(57) 87.32	(31) 80.23	(19) 89.02	(57) 98.41	(42) 87.42	(18) 89.88
<i>Facial index, upper</i>	(50) 51.74	(58) 55.93	(99) 52.31	(42) 52.91	(28) 53.91	(100) 56.92	(69) 52.62	(42) 53.62
Base, etc.:								
Basion-Alveolar Pt.....	(49) 9.83	(54) 10.28	(100) 10.52	(41) 10.49	(28) 9.74	(86) 9.94	(93) 9.90	(38) 9.96
Basion-Subnasal Pt.....	(47) 9.09	(60) 9.15	(105) 9.22	(47) 9.33	(31) 8.55	(96) 8.81	(43) 8.63	(43) 8.81
Basion-Nasion.....	(49) 10.22	(63) 10.41	(108) 10.01	(51) 10.32	(33) 9.63	(112) 9.98	(53) 9.23	(53) 9.76
Facial angle.....	(45) 68.23	(53) 68.42	(98) 64.57	(39) 67.0	(26) 67.37	(85) 68.34	(88) 65.28	(37) 66.65
Alveolar angle.....	(45) 54.54	(53) 57.03	(97) 52.07	(39) 55.00	(26) 51.87	(85) 55.37	(88) 51.86	(37) 53.73
Orbits:								
Mean height.....	(53) 3.57	(61) 3.63	(109) 3.68	(30) 3.62	(80) 3.51	(117) 3.53	(99) 3.54	(48) 3.51
Mean breadth.....	(53) 4.0	(61) 4.01	(109) 4.11	(30) 4.02	(80) 3.85	(117) 3.82	(99) 3.90	(48) 3.90
<i>Orbital index</i>	(53) 89.30	(61) 90.37	(109) 89.67	(30) 90.07	(80) 80.45	(117) 82.21	(99) 80.89	(48) 89.87
Nose:								
Height.....	(48) 5.27	(65) 5.39	(108) 5.19	(51) 5.28	(31) 4.97	(117) 5.08	(94) 4.89	(47) 4.95
Breadth.....	(48) 2.50	(65) 2.50	(108) 2.53	(51) 2.56	(31) 2.41	(117) 2.37	(94) 2.43	(47) 2.44

<i>Index</i>	(48)	(65)	(108)	(51)	(117)	(103)	(47)
Upper Alveolar Arch.....	47.10	46.40	48.72	48.87	46.72	49.69	49.50
Length.....	(50)	(50)	(99)	(43)	(96)	(90)	(98)
Breadth.....	5.57	5.54	5.64	5.60	5.31	5.29	5.32
<i>Index</i>	(50)	(50)	(99)	(43)	(96)	(90)	(98)
Lower jaw.....	6.81	6.74	6.80	6.67	6.41	6.25	6.31
Height at symphysis.....	(50)	(50)	(99)	(43)	(96)	(90)	(98)
Diam. frontal minimum.....	81.8	82.19	85.47	83.87	82.87	84.68	84.43
	(36)	(55)	(22)	(71)	(71)		
	3.50	3.73	3.33	3.45	3.45		
	(48)	(67)	(38)	(117)	(117)		
	9.73	9.47	9.25	9.19	9.19		

SIBERIA: NEOLITHIC CRANIA 1
(Abstract)

Measurement	MALES		FEMALES		Measurement	MALES		FEMALES	
	Angara River	Upper Lena River	Angara River	Upper Lena River		Angara River	Upper Lena River	Angara River	Upper Lena River
Approximate age.....	{ (39)	(7)	{ (30)	(6)	Base, etc.—Continued.				
Vault:					Basion—Subnasal Pt.....	{ (17)	(6)	{ (10)	(4)
Length.....	{ (39)	(7)	{ (20)	(6)	Basion—Nasion.....	{ 9.56	9.72	{ 8.94	8.95
Breadth.....	{ 19.47	(7)	{ 18.48	(6)	Facial angle.....	{ (27)	(6)	{ (12)	(5)
Height.....	{ (39)	(7)	{ (20)	(6)	Alveolar angle.....	{ 10.66	10.60	{ 10.0	9.70
Cranial index.....	{ 14.32	(7)	{ 13.93	(6)	Orbits (mean):	{ (17)	(5)	{ (9)	(4)
Mean height index.....	{ (27)	(6)	{ (5)	(5)	Height.....	{ 69.2	68.7	{ 67.0	67.0
Module (mean diam.).....	{ 13.43	(7)	{ 12.65	(6)	Breadth.....	{ (17)	(5)	{ (9)	(4)
Face:	{ 73.6	(7)	{ 75.7	(6)	<i>Index</i>	{ 54.8	56.1	{ 53.9	51.1
Total height.....	{ (39)	(7)	{ 75.7	(6)	Nose:	{ (20)	(7)	{ (10)	(6)
Upper height.....	{ (27)	(6)	{ (13)	(5)	Height.....	{ 3.13	3.38	{ 3.30	3.38
Breadth.....	{ 79.2	(6)	{ 78.0	(5)	Breadth.....	{ (20)	(7)	{ (10)	(6)
Facial index Total.....	{ (27)	(6)	{ (13)	(5)	<i>Index</i>	{ 3.94	3.82	{ 3.82	3.76
Facial index Upper.....	{ 15.78	(6)	{ 15.03	(5)	Upper Alveolar Arch:	{ (20)	(7)	{ (10)	(6)
Basion-Alveolar Pt.....	{ (10)	(2)	{ (3)	(2)	Length.....	{ 86.9	84.4	{ 86.1	90.0
	{ 12.60	(2)	{ (11.30)	(5)	Breadth.....	{ (10)	(7)	{ (12)	(5)
	{ (19)	(6)	{ (13)	(5)	<i>Index</i>	{ 5.41	5.22	{ 5.03	4.80
	{ 7.69	(6)	{ 7.08	(5)	Length.....	{ (21)	(7)	{ (12)	(5)
	{ (24)	(7)	{ (12)	(6)	Breadth.....	{ 2.61	2.45	{ 2.48	2.33
	{ 14.28	(7)	{ 13.20	(6)	<i>Index</i>	{ (21)	(7)	{ (12)	(5)
	{ (10)	(2)	{ (3)	(2)	Upper Alveolar Arch:	{ 48.3	46.9	{ 46.3	47.9
	{ 88.2	(2)	{ (85.8)	(5)	Length.....	{ (21)	(4)	{ (11)	(4)
	{ (18)	(6)	{ (11)	(5)	Breadth.....	{ 5.81	5.93	{ 5.56	5.60
	{ 54.1	(6)	{ 54.0	(5)	<i>Index</i>	{ (21)	(4)	{ (11)	(4)
	{ (17)	(5)	{ 10.68	(4)	Breadth.....	{ 6.69	6.75	{ 6.34	6.20
	{ 10.68	(5)	{ 10.08	(4)	<i>Index</i>	{ (21)	(4)	{ (11)	(4)
						{ 86.8	87.8	{ 87.7	90.3

1 Detailed measurements published in Amer. Journ. Phys. Anthropol., vol. 29, 1942.

SIBERIA: SAMOYED

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maxm.)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menton-Height (a)	Alveol. Pt.-Nasion Height (b)
974	Voienno-Med. Acad.	Yenisei	19.1	14.8	13.4	77.49	79.06	15.77	112.7	7.6
129 ²	Leningrad Mus.	Northwest Asia	18.4	14.3	12.1	77.72	74.01	14.93	7.3
4339	Moscow Mus.	Archangelski Gub.	35	18.8	14.8	12.6	78.72	76.0	15.40	8.0
4348 ³	do	Elderly	17.8	14.2	12.6	79.78	78.75	14.87
50066	Leningrad Mus.	Archangelski Kraj	17.7	14.2	13.1	80.23	82.13	15.00	91.9	7.3
4344	Moscow Mus.	Archangelski Gub.	17.3	14.2	13.0	82.08	82.54	14.83
4340	do	do	28	17.5	14.5	12.6	82.86	78.76	14.87	7.8
50062	Leningrad Mus.	Archangelski Kraj	17.5	15.1	12.8	86.29	78.53	15.13	7.4
4346 ³	Moscow Mus.	Archangelski Gub.	Elderly	17.4	15.4	12.9	85.51	78.66	15.23	7.5
8-1 ⁴	Leningrad Mus.	17.1	15.2	12.5	83.89	77.40	11.93
Specimens	(10)	(10)	(10)	(10)	(10)	(10)	(3)	(8)
Totals	178.6	146.7	127.6	150.96	37.10	60.20
Averages	17.86	14.67	12.76	82.14	78.45	16.00	12.37	7.53
Minima	17.1	14.2	12.1	77.49	74.01	14.83	11.9	7.3
Maxima	19.1	15.4	13.4	88.89	82.54	15.77	12.7	8.0

SAMOYED-YURAK

1344 (shaman) ¹	Leningrad Mus.	Turnchanski Kraj	19.9	16.2	12.5	81.41	69.85	16.20
----------------------------	----------------	------------------	-------	-------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------

SIBERIA: SAMOYED—Continued

MALES

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index
974	13.2	96.21	57.68	10.7	9.6	10.2	65.0	46.5	3.5	3.5	3.85	3.85	90.91	90.91	5.3	2.5	47.17	5.7	6.4	89.06
129 ²	14.0	—	52.14	10.1	8.8	9.8	66.0	49.0	3.2	3.2	3.55	3.55	90.14	90.14	5.15	2.65	51.46	7.0	7.0	78.57
4339	14.6	—	64.79	10.3	9.4	10.6	69.0	58.0	3.6	3.65	4.05	3.95	88.80	92.41	6.0	3.05	50.83	5.4	7.1	76.06
4348 ³	13.8	—	—	—	8.6	9.0	—	—	3.15	3.35	4.0	3.9	78.75	85.90	4.8	2.9	60.42	—	—	—
50966	14.2	83.80	51.41	9.2	8.4	9.7	71.0	60.0	3.4	3.4	3.8	3.7	80.47	91.89	5.2	2.3	42.69	—	—	78.13
4344	13.4	—	64.48	9.5	8.5	9.5	67.5	56.0	3.4	3.3	3.8	3.7	89.47	89.19	5.2	2.7	51.92	6.4	6.4	81.31
4340	14.1	—	65.32	9.7	8.8	9.6	65.0	59.5	3.6	3.6	3.85	3.8	93.51	94.74	5.65	2.65	46.90	5.1	6.9	73.91
50062	13.5	—	64.81	9.3	8.3	9.3	67.0	55.5	3.35	3.5	4.0	3.8	88.16	91.89	5.3	2.2	41.51	6.6	6.6	80.30
4346 ⁵	14.6	—	51.37	—	8.2	9.4	—	—	3.65	3.5	4.0	3.7	91.25	87.60	5.2	2.55	49.01	—	—	—
Prov. No. S-1 ⁶	14.3	—	—	—	8.8	9.8	—	—	3.35	3.4	3.9	3.9	85.90	87.18	4.9	2.5	51.02	—	—	—
Specimens	(10)	(3)	(8)	(7)	(10)	(10)	(7)	(7)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(7)	(7)	(7)
Totals	139.7	—	68.50	87.0	87.0	95.9	470.5	384.5	34.20	34.30	38.60	38.05	—	—	52.00	26.0	—	37.3	46.90	—
Averages	13.97	—	53.91	9.83	8.7	9.69	67.21	54.93	3.43	3.43	3.86	3.81	88.60	92.14	5.29	2.60	49.16	5.33	6.70	79.63
Minima	13.2	—	51.37	9.2	8.2	9.0	65.0	46.5	3.13	3.2	3.55	3.55	78.75	85.90	4.8	2.2	41.51	5.0	6.4	73.91
Maxima	14.6	—	67.68	10.7	9.4	10.6	71.0	60.0	3.65	3.65	4.05	4.0	93.51	94.74	6.0	3.05	60.42	7.1	7.1	82.06

SAMOYED—YURAK

1384 (shaman) ⁷	14.6	—	—	—	—	10.5	—	—	3.35	—	4.2	—	79.76	—	—	—	—	—	—	—
----------------------------	------	---	---	---	---	------	---	---	------	---	-----	---	-------	---	---	---	---	---	---	---

¹ Allowance made for wear of teeth, where needed.

² Much like those from Yukagir Sopka.

³ Both upper median incisors lost long ago.

⁴ Near.

⁵ Both right and left upper median incisors lost long ago.

⁶ Much like an Aleut.

⁷ Pronounced type.

SIBERIA: SAMOYED

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabela ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Men-tion-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
50061	Leningrad Mus.	Archangel'ski Krai.	18.2	14.2	12.4	78.02	76.54	14.93	6.9
1301	do.	Northwest Asia.	17.4	14.0	12.2	80.46	77.71	14.53	7.1
50065	do.	Archangel'ski Krai.	17.2	14.1	11.8	81.78	76.40	14.37	7.0
50063	do.	do.	16.8	13.8	12.2	82.14	79.74	14.27	7.0
50061	do.	do.	17.2	14.2	13.0	82.56	82.80	14.80	7.1
4343 1	Moscow Mus.	do.	Mid-aged	16.7	14.0	12.6	83.83	82.08	14.43	6.8
4342	do.	do.	25	16.6	14.0	12.2	84.54	79.74	14.27	7.1
976	Leningrad Mus.	Yenisei.	17.2	15.0	12.8	87.21	79.50	15.00	6.8
Specimens	(8)	(8)	(8)	(8)	(8)	(8)
Totals	137.3	113.3	99.2	116.6	55.8
Averages	17.16	14.16	12.40	82.52	79.17	14.58	6.98
Minima	16.6	13.8	11.8	78.02	75.40	14.27	6.8
Maxima	18.2	15.0	13.0	87.21	82.80	15.0	7.1

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a}{b \times 100}\right) \times 100$	Facial Index, upper $\left(\frac{c}{b \times 100}\right) \times 100$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
50001	13.0	85.22	65.08	10.0	10.4	73.0	48.0	3.4	3.45	3.85	3.8	88.81	90.79	5.5	2.4	48.64	5.4	0.4	87.93	
1307	13.4	82.59	62.59	10.0	10.0	69.5	47.5	3.5	3.4	3.9	3.7	89.74	91.89	5.3	2.55	48.11	5.4	0.4	87.21	
50065	12.5	80.40	66.0	9.3	8.3	65.0	55.0	3.4	3.55	3.8	3.6	89.47	96.61	5.0	1.95	86.0	4.8	0.4	86.44	
50063	13.1	84.73	63.44	10.1	9.0	67.0	51.0	3.25	3.3	3.7	3.6	87.84	91.67	5.1	2.3	45.10	5.1	5.9	86.44	
50064	13.3	85.88	65.88	9.8	8.8	68.5	50.0	3.55	3.55	3.8	3.8	89.42	93.42	5.5	2.8	50.91	5.0	6.3	79.37	
4343	13.2	84.34	61.52	8.9	8.9	68.5	50.0	3.1	3.0	3.7	3.65	88.78	92.19	5.1	2.65	51.96	5.2	6.3	82.54	
4342	13.1	84.20	64.20	9.2	8.8	70.5	57.5	3.35	3.45	3.7	3.7	89.54	93.24	5.1	2.45	48.04	5.0	6.5	76.92	
976	13.0	82.51	62.51	9.3	8.3	67.5	51.0	3.4	3.4	3.9	3.8	87.18	89.47	4.75	2.2	46.32	5.1	5.9	86.44	
Specimens	(8)	(8)	(8)	(7)	(8)	(7)	(7)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(7)	(7)	(7)
Totals	104.6	86.92	62.35	67.70	69.20	481.0	360.0	25.95	27.10	30.35	29.65	88.80	91.40	41.35	19.30	46.67	35.60	43.0	82.79	
Averages	13.08	84.73	61.52	9.2	8.1	65.0	47.50	3.1	3.0	3.7	3.6	88.78	92.19	5.17	2.41	46.67	5.09	6.14	76.92	
Minima	12.5	80.40	66.0	10.1	9.0	73.0	57.5	3.55	3.55	3.9	3.8	89.42	93.42	4.75	1.95	45.10	4.8	5.7	79.37	
Maxima	13.4	86.44	66.0	10.4	10.4	68.5	47.5	3.4	3.4	3.9	3.8	87.18	89.47	5.5	2.8	51.96	5.4	6.5	86.44	

¹ Much like those from Yukagir Sopka.

² Both upper median incisors lost long ago.

³ Near.

SIBERIA: OSTIAK
MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella and maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
6913 ²	Moscow Mus.	Little Ob River.	Elderly		19.7	13.4	13.1	68.02	79.15	97.76	15.40			7.4	
7027	do	do	35 Elderly		20.6	14.0	12.0	70.0	76.88	94.14	15.63			7.7	
7053 ³	do	do	do		19.7	13.5	13.5	71.43	88.38	100.0	15.87			8.1	
7083	do	do	do		18.2	13.4	12.4	73.63	78.95	93.10	15.90			7.2	
7087	do	do	25 do		18.4	13.4	12.4	73.63	78.95	93.10	15.83			6.4	
134 ⁴	Leningrad Mus.	Kornysukl.	Mid-aged		18.4	13.7	13.1	74.46	76.66	90.54	15.73			8.2	
6802 ⁶	Moscow Mus.	Little Ob River	Elderly		19.5	14.6	13.4	74.87	76.83	95.73	15.60			7.0	
7088	do	do	40		19.1	14.3	12.4	74.87	76.83	95.73	15.60			7.8	
7153	do	do	do		18.3	13.8	12.4	76.41	77.26	89.86	14.83			7.1	
7004	do	do	20.0		20.0	15.1	12.3	76.60	73.50	86.43	16.00			7.8	
6980	do	do	Elderly		18.8	14.2	12.3	76.53	74.55	86.62	15.27			7.1	
7141	do	do	40		18.8	14.2	12.8	76.53	77.58	90.14	15.47			7.8	
6927	do	do	Elderly		19.4	14.7	12.3	76.77	72.14	83.67	15.47			7.1	
6992	do	do	Old		19.0	14.4	13.0	76.79	77.84	90.28	15.27			7.8	
7112	do	do	do		10.0	14.4	12.4	76.79	74.25	86.11	15.27			7.1	
7065 ⁷	do	do	Elderly		18.7	14.2	12.8	76.54	77.81	90.14	15.23			7.1	
7092	do	do	do		18.4	14.0	12.8	76.09	79.01	91.43	15.07			7.8	
6944	do	do	do		18.0	13.7	12.6	76.11	79.50	91.97	14.77			7.0	
6950 ⁸	do	do	Mid-aged		19.7	15.0	13.2	76.14	76.08	88.0	15.97			7.4	
7083	do	do	40		18.5	14.2	13.2	76.76	80.73	94.96	15.30			8.2	
7101 ⁹	do	do	24		18.2	14.0	12.5	76.92	77.64	89.29	14.90			7.1	
7129	do	do	do		18.2	14.0	13.3	76.92	82.61	95.0	15.17			7.9	
7125	do	do	Mid-aged		17.8	13.7	12.3	76.97	78.10	89.78	14.60			7.6	
7017	do	do	do		18.7	14.4	12.6	77.01	76.13	87.50	15.23			8.2	
7295	do	do	35		17.9	13.8	13.2	77.09	83.28	95.65	14.97			7.4	
51914 ¹⁰	Leningrad Mus.	do	18.4		18.4	14.2	12.6	77.17	77.50	83.73	15.07			7.0	
7078	Moscow Mus.	do	10.3		18.0	13.9	13.8	77.40	80.70	92.62	16.00			8.2	
7132	do	do	40		18.6	14.4	12.4	77.22	77.74	89.21	14.77			7.9	
6932	do	do	Old		17.8	13.8	12.6	77.49	76.56	87.50	15.20			7.5	
6910	Moscow Mus.	do	Elderly		18.6	14.4	12.8	77.65	81.01	95.75	14.80			8.0	
7062	do	do	Mid-aged		17.8	13.8	13.7	77.55	86.71	95.28	15.00			7.7	
7086	do	do	do		18.4	14.3	12.3	77.72	75.25	86.01	15.13			7.6	
7134 ¹¹	do	do	35		18.4	14.3	12.7	77.72	77.68	88.81	15.73			7.9	
7174	do	do	Elderly		10.3	15.0	12.9	77.72	75.25	86.0	15.73			7.8	
6946	do	do	do		18.5	14.4	12.2	77.81	74.16	84.78	15.03			7.3	
7118	do	do	do		17.7	13.8	12.7	77.97	80.63	95.08	14.73			7.3	

SIBERIA: OSTIAK—Continued

MALES—Continued

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Irdhicka's method)	Teeth, wear	Menton-Height (a) 1	Alveol. Pt.-Nasion Height (b)
7154 ²⁴	Moscow Mus	Little Ob River.	40	17.2	14.6	12.4	84.88	77.99	84.93	14.73	12.0	87.3
7037 ³⁰	do	do	Mid-aged	17.4	14.8	12.0	85.06	74.63	81.08	14.73	12.0	87.3
7104 ³¹	do	do	do	17.6	15.0	12.4	85.23	76.07	82.67	15.00	12.4	7.8
6998	do	do	do	17.3	14.8	12.8	85.55	79.75	86.49	14.97	12.4	7.7
6996	do	do	do	18.2	15.6	12.9	85.71	76.83	82.69	15.57	12.4	8.4
6896	do	do	Mid-aged	17.3	14.9	12.6	86.13	78.26	84.66	14.93	12.4	8.4
7183	do	do	Mid-aged	17.8	15.4	12.6	86.62	75.90	81.82	15.27	12.4	7.5
7059	do	do	Mid-aged	17.3	14.9	11.0	87.65	68.97	73.83	14.30	12.4	7.7
7036	do	do	Old	17.0	15.2	12.8	87.86	78.77	84.21	15.10	12.4	7.1
7139	do	do	do	17.3	15.2	12.8	87.86	78.77	84.21	15.10	12.4	7.6
7061	do	do	Mid-aged	17.2	15.4	12.8	89.65	78.55	83.72	15.13	12.4	7.6
Specimens.....					(90)	(99)	(99)	(90)	(99)	(99)	(90)			(20)	(90)
Totals.....					183.1	144.2	127.0	85.23	78.00	80.87	1,508.23	243.30	681.9
Averages.....					18.31	14.28	12.84	85.23	78.00	80.87	15.16	12.17	7.57
Minima.....					17.0	13.4	11.0	68.02	68.97	73.83	14.30	11.2	6.4
Maxima.....					20.0	15.6	14.1	89.65	86.88	100.00	16.23	13.2	8.4

OSTIAK-SAMOYED

1340 ³²	Leningrad Mus...	Surnshanski Krai	17.8	15.3	12.1	85.96	73.11	15.07	12.7	7.7
46144 ³³	Leningrad Mus...	Northern Yenisei	17.9	14.8	12.7	83.68	77.68	15.13	12.2	7.3

DOLGAN

Catalog No.	Diam. Bizygomatic	Facial Index, $\left(\frac{a}{100}\right)$ local	Facial Index, $\left(\frac{b \times 100}{c}\right)$ upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
6013 1	14.2	79.5	59.5	10.4	9.2	10.2	79.5	59.5	4.1	3.9	4.1	4.1	85.57	87.80	3.5	2.85	58.27	3	6.7	79.10
7027	14.2	79.5	59.5	10.4	9.2	10.2	79.5	59.5	4.1	3.9	4.1	4.1	87.80	89.02	3.5	2.85	59.19	3	6.7	75.63
7063 3	15.2	68.0	54.5	11.0	10.0	11.0	68.0	54.5	4.0	4.0	4.2	4.15	95.24	96.96	6.0	2.6	61.67	6.0	7.0	85.71
7083	13.8	67.0	54.0	10.0	10.0	10.0	67.0	54.0	3.8	3.95	3.8	3.8	86.84	85.53	5.2	2.6	56.0	5.8	7.0	81.69
7087	13.5	68.5	54.0	8.8	8.8	8.8	68.5	54.0	3.5	3.5	3.7	3.8	94.59	92.11	3.25	2.5	62.46	3.4	6.5	83.08
131 7	13.5	68.5	54.0	8.8	8.8	8.8	68.5	54.0	3.5	3.5	3.5	3.5	83.64	82.50	4.8	2.4	60.00	3.4	6.5	83.08
6822 6	13.9	69.5	51.5	10.5	10.5	10.5	69.5	51.5	3.2	3.2	3.5	3.5	86.11	91.43	4.8	2.4	42.86	6.0	6.8	88.24
7088	14.6	67.0	53.5	10.7	10.7	10.7	67.0	53.5	3.75	3.75	4.2	4.1	83.29	91.46	3.65	2.35	41.69	3.7	6.8	83.82
7004	13.5	96.30	68.62	10.4	9.2	10.2	96.0	68.62	3.35	3.5	4.0	3.85	83.70	90.71	3.45	2.55	46.79	3.7	6.1	91.80
7153	13.9	86.68	62.58	10.7	9.8	11.2	72.5	61.5	3.9	3.9	4.3	4.3	78.75	82.56	4.9	2.56	47.9	3.7	6.9	82.61
6980	13.9	87.77	60.43	10.1	8.8	9.8	65.0	50.0	3.4	3.55	4.0	3.9	78.75	86.90	3.2	2.3	44.83	3.4	6.5	83.08
7141	14.3	83.22	49.02	10.2	9.2	9.8	66.5	54.0	3.5	3.5	4.0	4.0	86.42	87.60	3.7	3.0	52.63	3.0	6.5	83.08
6927	15.1	91.66	46.0	10.2	9.6	10.2	63.0	46.0	3.5	3.5	4.2	4.2	95.23	94.05	5.7	2.9	50.88	3.0	7.4	81.08
6992	14.6	90.41	53.42	10.3	9.3	10.6	70.0	56.5	4.0	3.95	4.2	4.1	81.70	86.08	3.25	2.9	50.88	3.0	7.4	81.08
7112	13.6	51.47	11.2	10.0	10.3	10.3	64.0	46.5	3.4	3.4	4.1	3.95	79.17	87.21	5.0	2.65	63.0	6.0	6.7	89.56
7066 7	14.2	55.64	12.1	10.4	10.6	10.6	60.0	39.0	3.8	3.75	4.8	4.3	85.37	87.21	5.0	2.65	63.0	6.0	6.7	89.56
7092	13.3	54.29	10.7	9.8	10.3	10.3	66.0	63.0	3.5	3.5	4.1	4.1	90.00	85.37	5.3	2.85	63.0	6.6	6.5	101.54
6944	14.0	57.24	11.2	10.0	10.3	10.3	61.0	57.0	3.4	3.5	4.0	4.1	88.46	87.18	5.0	2.65	63.0	6.6	7.0	80.0
6959 8	14.3	50.35	10.2	9.4	10.2	10.2	70.0	54.0	3.45	3.4	3.9	3.9	88.46	87.18	5.6	2.6	47.87	6.2	7.0	88.57
7083	14.1	54.29	10.5	9.5	10.2	10.2	67.0	58.0	3.2	3.3	4.1	4.1	78.05	80.49	5.35	2.5	44.64	5.7	6.0	86.56
7101 9	14.0	54.29	10.5	9.5	10.2	10.2	67.0	58.0	3.2	3.3	4.1	4.1	78.05	80.49	5.35	2.5	44.64	5.7	6.0	86.56
7120	14.0	56.43	11.2	9.8	10.8	10.8	66.0	60.5	3.7	3.7	3.75	3.75	75.61	98.67	5.5	2.35	48.33	6.0	6.4	87.50
7125	13.3	94.74	57.14	9.4	8.3	9.8	69.5	52.0	3.1	3.55	4.1	4.05	87.80	86.59	5.7	2.35	40.25	5.4	6.3	86.71
7017	14.5	66.55	10.9	10.0	10.6	10.6	65.5	63.0	3.6	3.6	4.05	4.1	87.80	86.59	5.5	2.75	50.0	6.0	6.6	90.91
7295	13.6	55.22	10.6	9.4	10.1	10.1	65.5	63.0	3.6	3.6	4.05	4.05	88.89	92.31	5.05	2.35	43.56	5.5	7.1	77.46
51914 10	13.4	51.47	10.5	9.9	10.0	10.0	70.0	54.0	3.3	3.25	3.75	3.65	88.00	89.04	5.25	2.35	44.76	5.0	6.3	79.37
7078	14.6	66.16	10.5	9.6	10.7	10.7	68.5	62.5	3.4	3.4	4.0	4.0	85.0	85.0	5.0	2.3	42.73	5.5	6.5	84.62
7173	13.4	68.06	9.6	8.4	9.9	9.9	68.0	62.5	3.65	3.6	3.9	3.85	93.59	93.51	5.5	2.3	41.82	5.4	6.3	85.71
6982	14.5	61.72	10.6	9.5	10.4	10.4	67.5	58.0	3.4	3.45	4.2	4.3	80.95	90.87	5.0	2.8	50.0	5.8	6.1	95.08
6910	13.3	60.15	10.6	9.4	10.6	10.6	69.0	60.0	3.4	3.7	4.2	3.9	80.95	90.87	5.45	2.5	50.0	5.8	6.1	95.08
7062	13.5	67.01	10.7	9.1	10.0	10.0	63.0	48.0	3.55	3.6	4.0	3.9	88.75	92.31	5.25	2.4	43.81	6.1	6.3	96.83
7086	14.2	53.52	10.0	8.0	10.0	10.0	67.5	56.0	3.85	3.9	4.15	3.95	90.77	98.73	5.45	2.8	44.01	6.6	6.7	83.58
7194 11	13.7	67.66	11.1	8.5	10.4	10.4	63.5	47.5	3.6	3.6	4.0	3.9	88.75	92.31	5.7	2.8	50.00	6.1	7.2	81.72
7174	14.1	53.06	11.1	10.0	11.2	11.2	70.0	54.5	3.55	3.55	4.05	4.05	83.54	80.25	5.7	2.85	60.00	5.7	7.2	81.07
6946	14.7	51.77	10.7	8.7	10.2	10.2	66.0	53.0	3.75	3.75	4.1	4.05	91.46	91.46	3.5	2.8	43.06	3.7	6.7	95.07
7055	13.3	64.89	10.5	9.2	10.1	10.1	66.5	48.5	3.6	3.6	3.9	3.9	92.31	92.31	3.25	2.45	46.67	3.6	6.1	91.80
7118	14.0	66.00	9.5	8.5	9.8	9.8	68.5	56.0	3.0	3.0	4.0	4.0	87.80	90.00	5.6	2.8	42.86	3.6	6.0	85.91
7079	13.9	90.65	10.2	9.1	10.0	10.0	65.5	54.5	3.85	3.85	4.3	4.1	86.63	96.31	5.56	2.6	50.49	3.6	6.0	85.91
7095	13.9	66.12	10.8	9.8	10.4	10.4	65.5	56.0	3.75	3.85	4.4	4.2	85.23	91.67	5.6	2.8	47.07	3.7	6.5	87.69
7096 12	13.9	63.46	10.8	9.3	10.2	10.2	65.5	56.0	3.7	3.75	4.0	4.2	92.60	92.60	5.45	2.3	42.30	3.7	6.5	87.69

See footnotes at end of table.

SIBERIA: OSTIAK—Continued
MALES—Continued

Catalog No.	Diam. Bizygomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pl.	Basion-Subnasal Pl.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length max. im.	Upper Alveolar Arch—Breadth max. im.	Upper Alveolar Arch—Xpper Index
7195	14.4	79	46.86	10.2	9.4	10.8	72.0	62.0	3.8	3.75	3.9	3.9	97.44	96.15	6.8	2.7	44.81	5.5	6.5	84.69
7196	14.5	80.03	46.98	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7197	14.6	80.55	47.10	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7198	14.7	81.07	47.22	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7199	14.8	81.59	47.34	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7200	14.9	82.11	47.46	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7201	15.0	82.63	47.58	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7202	15.1	83.15	47.70	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7203	15.2	83.67	47.82	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7204	15.3	84.19	47.94	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7205	15.4	84.71	48.06	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7206	15.5	85.23	48.18	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7207	15.6	85.75	48.30	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7208	15.7	86.27	48.42	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7209	15.8	86.79	48.54	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7210	15.9	87.31	48.66	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7211	16.0	87.83	48.78	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7212	16.1	88.35	48.90	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7213	16.2	88.87	49.02	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7214	16.3	89.39	49.14	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7215	16.4	89.91	49.26	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7216	16.5	90.43	49.38	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7217	16.6	90.95	49.50	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7218	16.7	91.47	49.62	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7219	16.8	91.99	49.74	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7220	16.9	92.51	49.86	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7221	17.0	93.03	49.98	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7222	17.1	93.55	50.10	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7223	17.2	94.07	50.22	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7224	17.3	94.59	50.34	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7225	17.4	95.11	50.46	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7226	17.5	95.63	50.58	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7227	17.6	96.15	50.70	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7228	17.7	96.67	50.82	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7229	17.8	97.19	50.94	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7230	17.9	97.71	51.06	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7231	18.0	98.23	51.18	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7232	18.1	98.75	51.30	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7233	18.2	99.27	51.42	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7234	18.3	99.79	51.54	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7235	18.4	100.31	51.66	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7236	18.5	100.83	51.78	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7237	18.6	101.35	51.90	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7238	18.7	101.87	52.02	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7239	18.8	102.39	52.14	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7240	18.9	102.91	52.26	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7241	19.0	103.43	52.38	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7242	19.1	103.95	52.50	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7243	19.2	104.47	52.62	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7244	19.3	104.99	52.74	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7245	19.4	105.51	52.86	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7246	19.5	106.03	52.98	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7247	19.6	106.55	53.10	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7248	19.7	107.07	53.22	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7249	19.8	107.59	53.34	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7250	19.9	108.11	53.46	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7251	20.0	108.63	53.58	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7252	20.1	109.15	53.70	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7253	20.2	109.67	53.82	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7254	20.3	110.19	53.94	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7255	20.4	110.71	54.06	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7256	20.5	111.23	54.18	9.4	10.2	10.6	72.0	62.0	3.4	3.4	4.2	4.0	97.96	95.90	3.2	2.7	45.77	5.5	6.5	84.69
7257	20.6	111.75	54.30																	

7119 ²³	-----	55.40	10.8	9.6	10.7	68.5	49.5	3.65	3.75	4.1	4.0	89.02	93.75	5.85	2.65	45.30	5.5	6.5	84.62
6938	-----	53.06	10.7	9.4	10.4	66.0	49.0	3.63	3.65	4.2	4.0	86.90	91.25	5.7	2.5	43.86	5.9	7.1	83.70
7211	-----	57.75	10.8	9.4	10.0	61.5	51.5	3.3	3.3	3.9	3.8	84.62	86.84	5.6	2.5	44.64	5.9	6.4	93.75
2733	-----	-----	-----	8.8	9.9	-----	-----	-----	3.5	4.1	3.9	86.59	91.01	5.35	2.8	40.45	5.8	6.5	84.00
7066	-----	56.34	11.3	10.4	10.6	64.0	62.0	3.55	3.55	4.1	4.1	86.59	90.24	5.5	2.8	40.91	5.4	6.6	81.82
7046	-----	56.32	10.0	8.8	10.2	68.5	53.5	3.6	3.7	4.1	4.1	87.00	91.58	5.5	2.4	43.64	5.6	6.4	87.50
6898	-----	56.97	10.1	9.1	10.1	68.5	55.0	3.6	3.65	4.0	3.9	87.50	90.34	5.5	2.6	43.05	5.9	7.1	83.10
6899	-----	56.12	10.6	9.4	10.0	64.0	55.5	3.5	3.45	4.0	3.9	87.50	83.45	5.3	2.6	43.05	5.9	7.1	83.10
7154 ²⁴	-----	-----	-----	9.3	10.0	-----	-----	3.4	3.4	3.8	3.8	87.50	89.67	5.2	2.5	48.08	5.6	6.8	82.35
7037 ³⁰	-----	54.07	9.5	8.6	9.6	68.0	57.0	3.5	3.4	3.8	3.75	83.97	89.67	5.3	2.5	47.17	5.1	6.2	82.26
7164 ³¹	-----	53.42	10.4	9.4	10.4	68.0	58.0	3.5	3.5	3.9	3.9	89.74	89.74	5.3	2.5	46.45	5.7	6.7	85.07
6948	-----	53.85	10.3	9.2	9.7	63.5	57.0	3.55	3.15	4.1	4.0	89.59	85.25	5.25	2.3	43.81	5.9	7.0	84.39
6896	-----	57.14	10.3	9.2	10.4	63.5	57.0	3.7	3.7	3.85	3.7	91.25	100.00	6.0	2.7	45.09	5.3	6.6	80.39
7183	-----	52.45	10.0	9.0	9.9	67.0	55.0	3.65	3.8	4.0	3.9	91.25	97.44	5.5	2.35	42.73	5.3	6.0	88.33
7059	-----	54.61	10.2	9.0	9.6	63.0	55.0	3.5	3.5	3.75	3.7	93.33	94.59	5.15	2.55	44.75	5.6	6.7	83.53
7036	-----	-----	-----	7.8	9.0	-----	-----	3.4	3.45	4.0	3.9	85.00	85.90	5.5	2.7	49.09	-----	-----	80.88
7139	-----	48.97	10.3	9.4	10.1	68.0	57.0	3.4	3.45	3.9	3.9	83.45	88.45	5.28	2.5	47.62	5.5	6.8	80.88
7061	-----	53.15	9.6	8.5	9.6	67.0	54.0	3.5	3.4	3.8	3.7	92.11	91.89	5.4	2.2	40.74	5.2	6.9	75.36
Specimens.	(98)	(20)	(90)	(87)	(96)	(87)	(87)	(95)	(93)	(95)	(98)	(98)	(96)	(95)	(98)	(98)	(58)	(58)	(88)
Totals.	135-2301	-----	905.50	892.90	1010.3	5,310.0	4,670.5	342.10	338.05	393.10	377.80	-----	-----	520.60	219.85	-----	197.90	153.80	-----
Averages	-----	-----	53.87	52.89	10.41	66.78	53.68	3.49	3.52	4.01	3.94	-----	82.97	5.40	2.57	47.18	5.65	6.66	84.99
Minima	-----	-----	82.27	46.98	9.3	7.8	9.0	60.0	3.1	3.2	3.6	75.61	79.73	4.8	2.2	40.55	5.0	6.1	75.96
Maxima	-----	-----	96.30	60.15	12.1	10.4	74.0	64.0	4.0	4.0	4.8	100.00	101.83	6.0	3.05	60.4	6.6	7.4	101.54

OSTIAK—SAMOYED

1340 ³²	-----	14.7	86.39	52.58	9.0	7.8	8.8	63.0	46.5	3.85	3.85	4.3	4.2	89.53	91.67	5.9	2.65	44.92	5.4	6.5	83.06
--------------------	-------	------	-------	-------	-----	-----	-----	------	------	------	------	-----	-----	-------	-------	-----	------	-------	-----	-----	-------

DOLGAN

4614 ³³	-----	14.6	83.56	50.0	10.2	9.4	10.0	67.0	61.5	3.5	3.5	4.1	4.0	85.37	87.50	5.25	2.4	45.71	5.5	6.5	84.62
--------------------	-------	------	-------	------	------	-----	------	------	------	-----	-----	-----	-----	-------	-------	------	-----	-------	-----	-----	-------

- 1 Allowance made for wear of teeth, where needed.
- 2 Maxillary lingual hyperostoses, both sides of last molars (M₃).
- 3 Eskimoid; atypical—place apart.
- 4 All upper incisors lost long ago.
- 5 Near.
- 6 External maxillary hyperostoses, canines to end.
- 7 Right upper lateral, and both left upper incisors lost long ago.
- 8 Very massive; pronounced maxillary lingual hyperostoses in molar region, on both sides.
- 9 Labial maxillary and lingual mandibular hyperostoses.
- 10 Left upper median incisor lost long ago.
- 11 Labial maxillary hyperostoses.
- 12 Right upper median incisor lost long ago.
- 13 Massive; both upper median incisors lost long ago.
- 14 Metopic sutures.
- 15 Both median and lateral upper incisors lost long ago.
- 16 Both right upper, and left median upper incisors lost long ago.
- 17 Both right and left median upper incisors, and lower left median incisor lost long ago.
- 18 Both lower median incisors lost long ago.
- 19 Maxillary lingual hyperostoses on both sides of last two molars.
- 20 Vault and face sphenoidal.
- 21 Somewhat ♀-like, but ♂.
- 22 Measurements (some) still somewhat less than adult.
- 23 Somewhat weak, but ♂.
- 24 Right upper median incisor lost long ago.
- 25 Left upper lateral incisor lost long ago.
- 26 Left upper median incisor lost long ago.
- 27 Left upper incisors lost long ago.
- 28 Maxillary lingual hyperostoses on right side, molar region; on mandible, bilateral.
- 29 All incisors, lower jaw, lost long ago.
- 30 Right upper median incisor lost long ago.
- 31 Left upper incisors lost long ago; also lower left lateral incisor.
- 32 Somewhat ♀-like.
- 33 Much like Samoeyed and Yukagirskaia Sopka crania (also close to Aleuts and Athapascan).
- 34 Much like an Athapascan; like a Siber-Samoeyed (or Ostiak).

SIBERIA: OSTIAK
FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior ad maxim. (glabella ad maximum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdtchka's method)	Teeth wear	Menon-Nasion Height (a) 1	Alveol. Pt.-Nasion Height (b)
7135	Moscow Mus.	Little Ob River.	40		17.8	13.0	12.8	73.03	83.12	98.46	14.53			11.6	7.2
6967	do.	do.	Elderly		18.3	13.4	12.4	75.22	78.23	92.54	14.70				6.4
6985	do.	do.	30		18.3	13.8	12.2	73.40	74.95	88.41	14.93				7.4
135	Leningrad Mus.	do.			18.6	13.7	12.8	73.66	84.49	91.43	15.03				7.8
7044	Moscow Mus.	Koiminski Little Ob River.	Old		18.6	13.7	12.4	73.66	76.78	90.51	14.90				6.9
6991	do.	do.	40		17.8	13.2	12.5	74.16	80.65	94.70	14.50				7.0
7099	do.	do.	35		17.8	13.2	13.0	74.16	83.87	98.28	14.67				6.8
6893 3	do.	do.	Elderly		18.4	13.8	11.8	75.0	73.89	85.51	14.67				7.3
6995	do.	do.	40		16.9	12.7	12.0	75.15	81.08	94.49	13.87				6.8
7070 4	do.	do.	Old		17.8	13.4	12.6	75.28	80.77	94.93	14.60				6.8
5592-5	Leningrad Mus.	do.			18.3	13.8	13.2	75.41	89.24	95.65	15.10				6.8
7189	Moscow Mus.	do.	30		17.2	13.0	12.7	75.58	84.11	97.69	14.30			10.8	6.7
7011	do.	do.	Aged		18.7	14.0	12.0	75.94	72.95	84.51	14.97				
6900	do.	do.	Elderly		18.4	14.0	12.2	76.06	74.17	87.14	14.40				
7023	do.	do.	35		17.6	13.4	12.2	76.14	78.71	91.04	14.40				
7113	do.	do.	45		17.8	13.6	12.4	76.40	78.98	91.18	14.60				
6886	do.	do.	Old		18.0	13.8	11.6	76.67	72.95	84.05	14.47				
6969	do.	do.	50		17.9	13.8	12.4	77.09	78.23	89.86	14.70				
6900	do.	do.	35		17.5	13.5	12.8	77.14	82.58	94.81	14.60				
7131 5	do.	do.	Elderly		18.4	14.2	13.1	77.17	80.37	92.25	15.23				
7013	do.	do.	40		18.0	13.9	12.8	77.22	80.95	92.09	14.90				
6978	do.	do.	45		18.1	14.0	12.9	77.35	80.37	92.14	15.00				
6988 6	do.	do.	Elderly		17.8	13.8	12.8	77.53	81.01	92.75	14.80				
6887 7	do.	do.	do.		17.5	13.6	11.8	77.71	75.88	86.76	14.30				
6965	do.	do.	55		18.0	14.0	12.8	77.78	80.00	91.43	14.93				
7124	do.	do.	Old		18.0	14.0	12.6	77.78	78.75	90.60	14.87				
6991	do.	do.	Elderly		17.8	13.8	12.6	77.97	80.00	91.90	14.70				
7043	do.	do.	35		17.8	13.9	13.1	78.00	82.65	91.24	14.93				
6876	do.	do.	40		17.4	13.6	13.0	78.16	76.77	87.54	14.30				
7074 8	do.	do.	Elderly		17.4	13.6	13.2	78.16	78.71	89.71	14.40				
7076	do.	do.	Old		17.4	13.6	11.7	78.16	78.16	86.03	14.23				
1005 9	Leningrad Mus.	do.			17.6	13.8	12.4	78.41	79.68	89.86	14.60				
5532-4	do.	do.			17.6	13.8	12.9	78.41	81.07	93.48	14.77				
7196	Moscow Mus.	do.	45		17.7	13.9	12.4	78.45	79.68	98.48	14.60				
7170	do.	do.	Old		17.7	13.9	13.0	78.55	82.28	93.58	14.87				
6948 10	do.	do.	40		17.4	13.7	12.2	78.74	78.46	89.05	14.53				
6870	do.	do.	50		17.3	13.8	12.4	78.86	79.23	89.86	14.57				

SIBERIA: OSTIAK—Continued
FEMALES—Continued

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad maximum)	Diam. lateral max. (Basion-Bregma height)	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Irdhøka's method)	Teeth, wear	Menton-Nasion Height (a) ¹	Alveol. Pt.-Nasion Height (b)
7072	Moscow Mus.	Little Ob River	24		16.4	12.0	82.93	80.0	88.23	14.0				6.4
7143	do	do	24		16.4	11.8	82.93	78.67	80.76	13.93				6.4
6955 a	do	do	Old		17.0	12.0	82.91	77.17	85.11	14.37				6.6
6873	do	do	30		17.6	12.2	82.92	76.40	83.56	14.80				7.3
7179	do	do	30		17.6	12.2	83.92	76.40	84.25	14.83				7.0
5191-5	do	do	35		16.0	11.2	83.92	76.40	81.21	13.50				7.1
7088	do	do	Mid-aged		16.6	12.8	83.15	81.21	92.71	14.40				7.3
7187	do	do	Mid-aged		17.8	13.1	83.16	80.76	88.51	15.23				7.1
6956	do	do	Elderly		17.3	12.8	83.24	80.76	88.80	14.83				6.8
6941 22	do	do	40		17.4	11.1	83.33	82.59	79.56	14.33				6.8
6962 24	do	do	30		17.0	12.3	83.53	80.77	86.02	14.50				7.0
7056 24	do	do	Mid aged		17.0	12.6	83.53	80.77	88.73	14.40			11.7	7.8
6966 23	do	do	30		16.9	12.3	84.02	79.10	85.02	14.47				7.1
7052	do	do	22		17.0	12.7	84.12	81.16	88.81	14.67				6.9
7048	do	do	Mid-aged		17.8	12.6	84.27	76.85	84.0	13.13			11.2	7.6
7210	do	do	25		17.0	14.4	84.71	80.25	87.5	14.47				7.8
7040	do	do	55		16.6	13.0	84.94	84.69	92.2	14.37				7.0
7201	do	do	35		16.2	12.8	85.19	85.53	92.76	14.27				7.1
7081	do	do	40		16.7	12.6	85.23	77.90	84.0	13.07				6.9
7092	do	do	35		16.9	12.5	85.63	80.65	87.41	14.50				6.9
7202	do	do	30		16.7	12.8	85.80	81.53	88.28	14.73				7.5
7053 26	do	do	33		17.0	12.2	85.88	77.22	83.56	14.60				6.7
5191-1	do	do	23		17.2	14.8	86.05	76.25	82.43	13.73				7.4
5191-1	do	do	23		16.4	11.8	86.59	77.12	83.1	14.13			11.0	6.7
5191-1	do	do	23		17.0	12.7	87.65	79.62	85.23	14.87				6.1
7175	do	do	Mid-aged		16.2	12.2	87.65	80.25	85.92	14.20				6.7
7060	do	do	Mid-aged		16.4	12.3	87.80	79.87	85.42	14.37				6.6
Specimens			(66)		(115)	(115)	(115)	(115)	(115)	(115)			(1S)	(110)
Totals			2220		1493.1	1419.7	80.18	78.72	88.45	1.675.54			201.7	768.8
Averages			35.2		17.41	13.96	78.03	69.57	76.65	15.33			11.21	6.99
Minimum			20		16.0	12.7	87.80	84.71	98.86	13.50			10.6	6.0
Maxima			55		18.8	15.0	87.80	84.71	98.86	15.33			11.9	7.8

OSTIAK-SAMOYED

1341	Leningrad Mus	Surchanski Krai			16.9	14.3	12.0	84.62	76.52	14.40				6.6
------	---------------	-----------------	--	--	------	------	------	-------	-------	-------	--	--	--	-----

SIBERIA: OSTIAK—Continued
FEMALES—Continued

Catalog No.	Diam. Biyzomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Ocular Index, right	Ocular Index, left	Nose—Height	Nose—Breadth max.	Nasal Index	Upper Alveolar Arch—Length max.	Upper Alveolar Arch—Breadth max.	Upper Alveolar Arch—Index
6888	13.5	79	79	10.2	0	1.7	64.0	59.0	3.7	3.8	3.8	3.3	99.10	100.0	5.7	2.5	43.88	5.7	6.6	86.98
7160 13	13.5	85.27	85.27	9.9	9.2	10.6	73.0	61.0	3.5	3.5	4.05	3.9	96.42	97.74	5.7	2.25	44.55	5.7	6.6	86.98
6905	12.9	57.30	57.30	9.9	9.2	10.4	65.0	53.0	3.15	3.1	3.9	3.8	94.74	92.11	4.9	2.3	46.94	5.0	6.3	79.97
7047	13.2	56.30	56.30	11.1	10.0	10.3	64.0	48.5	3.8	4.0	4.0	3.8	95.0	91.98	4.9	2.65	50.94	5.6	6.3	88.89
6878	13.3	57.15	57.15	10.3	9.1	9.3	71.5	57.0	3.45	3.45	3.95	3.9	98.61	98.46	4.9	2.5	43.08	5.3	6.3	84.15
6884	13.3	61.88	61.88	8.8	8.0	9.0	68.0	53.0	3.6	3.6	3.9	3.9	89.74	92.31	3.85	2.8	43.08	5.3	6.3	84.15
6954	13.8	52.17	52.17	10.4	9.4	10.0	64.0	47.0	3.0	3.0	4.0	4.0	76.0	71.50	5.35	2.8	52.54	5.7	6.5	87.69
7128	13.1	86.26	86.26	9.4	8.4	9.2	67.5	53.5	3.2	3.2	3.7	3.75	89.19	86.53	4.8	2.35	48.96	5.7	6.5	87.69
6871 14	12.7	52.76	52.76	9.4	8.8	9.2	61.0	42.5	3.5	3.5	3.8	3.8	92.11	92.11	4.9	2.75	56.12	5.9	6.6	89.39
7029	13.0	52.85	52.85	10.3	8.9	9.4	64.0	48.0	3.35	3.35	3.65	3.65	93.06	92.96	4.9	2.45	55.06	5.3	6.2	85.48
6922	13.4	53.85	53.85	10.0	8.9	9.4	68.0	53.0	3.45	3.45	3.85	3.85	93.61	93.42	4.95	2.45	49.49	5.3	6.2	85.48
7100	12.7	55.19	55.19	9.7	8.4	9.4	74.5	54.5	3.5	3.5	3.8	3.7	92.11	94.59	4.9	2.2	44.90	4.4	5.6	78.57
7010	12.9	59.39	59.39	8.6	7.7	8.4	66.0	51.0	3.55	3.55	3.9	3.8	88.61	93.42	3.15	2.6	50.49	4.7	6.3	90.48
7035	13.7	51.82	51.82	10.2	9.1	9.3	66.0	51.0	3.5	3.5	3.9	3.8	93.61	93.42	3.15	2.2	44.90	4.4	5.6	78.57
7035	13.7	50.39	50.39	9.9	8.7	9.0	68.5	48.0	3.65	3.65	3.9	3.8	93.61	93.42	3.15	2.6	50.49	4.7	6.3	90.48
7142	13.9	52.79	52.79	9.4	8.0	8.8	64.0	41.0	3.35	3.5	3.9	3.8	86.25	95.06	5.1	2.2	43.14	5.3	6.4	82.81
7071 13	12.9	54.81	54.81	10.2	8.7	9.0	65.0	45.0	3.45	3.5	4.0	4.0	86.25	92.11	4.7	2.5	62.19	5.4	5.8	95.10
6942	13.2	51.65	51.65	9.6	8.7	9.0	67.0	45.0	3.55	3.55	3.95	3.9	89.87	87.50	5.05	2.6	51.49	5.6	6.8	82.55
6940 15	13.2	55.01	55.01	9.4	8.2	9.2	66.5	51.0	3.5	3.5	4.0	4.0	93.49	95.95	4.95	2.5	50.51	5.4	6.4	78.15
7140	13.9	55.01	55.01	9.4	8.2	9.2	66.5	53.5	3.3	3.4	3.9	3.75	93.49	95.95	4.95	2.55	48.48	5.1	5.9	86.44
6983 17	13.6	51.47	51.47	10.2	9.2	9.6	66.5	53.5	3.4	3.4	3.7	3.6	84.62	90.67	5.1	2.55	50.0	5.4	6.4	84.58
7098	13.1	52.67	52.67	8.8	8.0	9.1	69.5	50.0	3.4	3.4	3.7	3.6	91.89	94.44	5.0	2.5	50.0	4.9	6.2	79.03
7105	13.1	51.15	51.15	9.1	8.0	9.3	70.0	54.5	3.2	3.4	3.9	3.8	82.05	89.47	5.0	2.4	46.15	4.9	5.9	83.05
7167	13.8	71.67	71.67	8.2	8.0	9.6	65.0	57.5	3.5	3.6	3.7	3.6	94.69	100.0	5.2	2.4	46.15	5.0	6.2	80.65
6911 18	12.6	56.55	56.55	9.1	8.2	9.0	70.0	59.5	3.1	3.1	3.75	3.75	82.67	82.67	4.8	2.45	61.04	5.0	6.3	82.54
7090	13.3	51.88	51.88	9.7	8.9	9.8	73.0	57.0	3.35	3.25	3.8	3.7	88.16	87.86	4.95	2.45	48.48	5.0	6.0	83.83
6879	13.5	50.0	50.0	9.8	9.0	10.2	72.5	53.5	3.6	3.7	4.1	4.05	87.80	91.98	5.65	2.7	47.79	5.2	5.9	88.14
7007	13.5	50.0	50.0	9.8	9.0	10.2	72.5	53.5	3.6	3.7	4.1	4.05	87.80	91.98	5.65	2.7	47.79	5.2	5.9	88.14
7009	12.7	53.51	53.51	9.6	8.6	9.0	63.5	50.5	3.45	3.4	3.9	3.9	86.25	87.15	5.1	2.4	47.09	5.2	6.3	82.54
7145	13.1	57.15	57.15	8.0	7.0	8.6	63.0	48.0	3.6	3.6	4.1	3.9	84.15	92.91	4.75	2.35	49.47	5.1	6.1	88.61
7202	13.4	53.7	53.7	10.6	9.4	10.1	68.0	48.0	3.55	3.55	3.9	3.8	89.74	98.49	4.3	2.4	45.28	5.6	6.5	86.15
6916	12.6	50.08	50.08	10.0	9.0	9.4	62.0	49.5	3.2	3.4	3.75	3.7	85.93	91.80	4.3	2.4	65.81	5.2	6.0	86.67
6953	13.5	49.6	49.6	9.4	8.9	9.0	68.2	48.0	3.4	3.7	3.7	3.6	91.80	91.80	4.85	2.35	48.48	5.2	6.0	80.65
6953-2	13.1	80.74	80.74	8.9	8.3	9.2	70.5	62.0	3.3	3.35	3.65	3.6	90.41	93.06	5.05	2.23	44.55	4.8	6.3	76.19
6953	13.1	61.13	61.13	8.9	8.3	9.2	70.5	62.0	3.3	3.35	3.65	3.6	90.41	93.06	5.05	2.23	44.55	4.8	6.3	76.19
7108	13.4	51.45	51.45	10.7	9.6	10.2	71.0	51.0	3.25	3.2	3.8	3.8	92.31	97.37	5.1	2.43	48.04	5.3	6.0	88.93
7115	12.5	53.69	53.69	8.9	8.1	9.2	71.0	57.0	3.5	3.7	3.8	3.75	85.93	85.93	4.95	2.45	46.67	4.8	5.9	81.90
7115	12.8	89.84	89.84	9.2	8.6	9.4	64.5	56.0	3.25	3.25	4.0	4.0	89.84	89.84	4.75	2.5	46.67	5.2	5.8	89.66
6904	14.2	47.89	47.89	10.7	9.6	9.9	66.0	42.0	3.3	3.3	4.0	4.0	82.0	87.70	5.1	2.5	50.53	5.6	6.5	86.15
7051 19	13.1	77.46	77.46	9.4	8.6	9.4	66.0	42.0	3.3	3.3	4.0	4.0	82.0	87.70	5.1	2.5	50.53	5.6	6.5	86.15
7054	13.3	48.23	48.23	10.6	9.4	10.0	66.0	42.0	3.3	3.3	4.0	4.0	82.0	87.70	5.1	2.5	50.53	5.6	6.5	86.15
7094	13.3	49.62	49.62	9.6	9.4	9.6	70.0	62.0	3.5	3.6	3.7	3.7	89.74	97.30	4.9	2.31	46.08	4.9	6.0	83.00
7212	12.9	65.8	65.8	9.0	8.0	9.0	66.0	53.0	3.5	3.65	3.95	3.7	89.87	98.66	3.35	2.31	45.93	4.0	6.6	75.76

OSTIAK-SAMOYED

7213	11.9	61.34	9.6	8.4	9.0	62.5	53.0	3.75	3.83	3.7	3.7	101.35	104.05	4.9	2.2	44.90	5.5	96.49	
7100 20	14.4	48.61	10.2	9.4	10.0	68.0	60.0	3.3	3.0	3.9	3.9	89.74	94.74	5.0	2.45	43.0	5.6	93.83	
7218	13.1	51.91	9.8	8.4	9.0	70.5	35.0	3.3	3.35	3.9	3.9	87.4	91.81	5.5	2.6	47.27	5.4	87.10	
6830	12.8	54.40	10.3	9.2	9.8	65.0	54.0	3.25	3.2	3.7	3.7	87.84	89.47	4.05	2.55	54.84	5.4	91.63	
7077	12.5	48.44	9.3	8.6	9.6	73.5	55.5	3.2	3.4	3.9	3.8	82.05	86.17	4.9	2.6	63.06	5.0	81.97	
7053	12.6	86.61	10.1	8.8	9.4	68.0	48.5	3.2	3.3	3.6	3.5	88.89	91.89	4.8	2.45	51.04	5.5	88.71	
7072	12.8	60.0	9.3	8.8	9.5	72.0	63.5	3.15	3.15	3.55	3.5	83.73	90.0	5.05	2.45	48.51	4.6	76.67	
7143	11.9	63.78	9.9	8.9	9.6	68.0	50.5	3.3	3.3	3.7	3.7	89.19	89.19	4.55	2.35	51.65	5.1	79.68	
6955 31	13.4	49.25	10.1	8.9	9.6	61.5	43.5	3.4	3.4	3.85	3.9	88.81	87.18	5.0	2.7	54.0	6.4	84.15	
6873	13.3	54.89	10.1	9.0	9.8	65.0	53.5	3.1	3.3	3.85	3.75	80.62	83.0	5.2	2.3	48.08	5.3	80.15	
7170	13.7	51.09	10.1	9.0	9.6	65.0	44.5	3.5	3.55	3.8	3.8	89.74	89.42	5.3	2.3	43.40	5.4	88.14	
5101 5	12.5	48.0	10.1	9.0	9.4	65.5	37.5	3.0	3.0	3.7	3.65	81.08	82.19	4.75	2.6	51.74	5.2	89.37	
7082	12.8	57.03	9.2	8.1	9.1	65.5	54.5	3.55	3.55	3.7	3.6	95.95	100.0	5.1	2.65	51.96	5.0	86.89	
7187	13.6	53.91	9.9	8.8	9.6	66.5	53.5	3.45	3.45	3.7	3.7	93.24	86.95	4.7	2.6	55.92	5.3	84.19	
6936	13.5	50.37	10.2	9.4	10.0	68.5	62.0	3.5	3.55	3.8	3.75	93.19	102.70	4.7	2.7	57.45	5.6	87.85	
6934 2	13.4	50.0	10.6	9.2	9.1	59.0	42.0	3.55	3.45	4.1	4.0	85.37	86.25	4.7	2.7	65.92	5.3	84.19	
6962 30	13.2	88.64	10.4	8.2	9.1	68.5	53.0	3.8	3.8	3.9	3.7	97.44	102.70	5.0	2.15	43.0	6.3	84.19	
7050 24	13.0	56.04	10.0	8.6	9.7	64.5	51.5	3.45	3.6	3.7	3.6	93.74	105.0	5.1	2.35	45.19	5.4	84.58	
6960 26	13.3	61.88	9.8	8.6	9.4	64.5	52.5	3.55	3.6	3.8	3.6	93.74	105.0	5.1	2.35	45.19	5.4	84.58	
7018	12.1	84.21	9.7	8.6	9.4	67.0	45.0	3.25	3.3	3.9	3.9	92.11	97.90	5.1	2.7	51.16	5.4	84.58	
7210	13.3	64.56	9.4	8.3	9.3	68.5	52.0	3.3	3.3	3.9	3.9	83.83	84.02	5.25	2.7	51.16	5.4	84.58	
7090	13.1	59.54	10.2	9.1	10.1	66.0	38.0	3.7	3.75	3.55	3.5	92.00	92.83	4.7	2.65	51.93	5.3	80.30	
7201	12.7	56.12	9.8	8.6	9.6	67.0	47.0	3.35	3.35	3.9	3.9	94.37	97.97	5.2	2.45	47.55	5.0	82.14	
7181	14.3	48.25	10.5	9.5	10.3	69.0	53.0	3.38	3.38	3.8	3.75	88.16	89.35	5.1	2.7	52.94	6.3	84.19	
7054	13.0	53.08	9.8	9.1	9.6	69.0	61.0	3.65	3.7	3.9	3.85	95.0	96.70	5.1	2.3	46.10	5.8	87.30	
7162	12.5	60.0	9.6	8.4	9.2	64.0	55.5	3.4	3.55	3.8	3.7	89.47	95.95	4.95	2.25	46.45	4.8	82.76	
7216	13.0	56.92	9.4	8.3	9.2	65.5	53.5	3.4	3.4	3.65	3.5	93.15	97.14	5.3	2.45	46.23	4.8	83.33	
7053 26	13.5	49.63	9.4	8.4	9.4	69.0	51.5	3.5	3.55	3.8	3.75	92.11	94.67	4.8	2.35	46.96	5.0	82.73	
5191-1	12.3	89.43	9.5	8.0	9.0	63.5	44.5	3.2	3.35	3.9	3.7	82.05	90.54	4.95	2.6	48.66	5.0	81.97	
237-1	14.0	47.86	8.9	8.1	9.5	73.0	55.0	3.1	3.1	3.7	3.7	83.78	83.78	5.15	2.7	52.43	5.1	85.48	
7175	12.9	51.94	8.8	8.2	9.2	71.0	61.0	3.2	3.1	4.05	3.8	79.01	81.58	5.2	2.6	50.0	4.8	77.27	
7060	13.5	48.89	10.4	8.9	9.4	62.0	41.5	3.3	3.2	3.9	3.7	84.62	86.49	4.6	2.45	53.26	5.3	83.33	
Specimens.	(114)	(109)	(114)	(114)	(109)	(109)	(109)	(113)	(112)	(113)	(112)	(113)	(112)	(114)	(114)	(114)	(101)	(101)	(101)
Totals.	1,494.6	1,073.5	1,001.2	1,099.7	7,334.0	5,697.5	385.65	386.25	435.65	424.45	424.45	435.65	424.45	577.35	284.4	533.6	631.1	533.6	631.1
Averages.	13.1	86.81	9.85	8.78	9.65	67.28	52.27	3.41	3.45	3.86	3.79	88.52	91.0	5.00	2.49	49.26	5.28	84.65	
Minima.	10.4	77.46	8.6	7.7	8.6	59.0	35.0	3.0	3.0	3.3	3.5	75.0	77.60	4.3	2.1	41.35	4.4	72.73	
Maxima.	14.4	95.30	11.1	10.0	10.6	75.0	63.5	3.9	4.0	4.25	4.15	101.35	105.29	5.8	3.1	59.05	6.2	100.00	

1 Allowance made for wear of teeth, where needed.
 2 Near.
 3 Right upper incisors lost long ago.
 4 Left upper median incisor lost long ago.
 5 Vault over right frontal, occipital and in left parietal caten through—cancer?
 6 All upper incisors and right canine lost long ago.
 7 Palate U-shaped; right upper median incisor lost long ago.
 8 All upper incisors lost long ago.
 9 Left upper median incisor lost long ago.
 10 Left upper median incisor lost long ago.
 11 Right upper median incisor lost long ago.
 12 U-palate; left median incisor evidently torn out, forward.
 13 All upper incisors lost long ago.

14 Upper median incisors lost long ago.
 15 Left upper median incisor lost long ago.
 16 Left upper lateral incisor lost long ago.
 17 M₂ and M₃, both sides, in maxilla, never erupted.
 18 External maxillary hyperostosis.
 19 Somewhat ♂-like, but probably ♀; right upper median incisor lost long ago.
 20 Vault badly syphilitic.
 21 Vault badly syphilitic, palate also.
 22 Base much impressed.
 23 Vault badly syphilitic, also lower jaw.
 24 Right upper median incisor lost long ago.
 25 Vault badly syphilitic, also palate and right maxilla.
 26 Somewhat ♂-like, but probably ♀.

1341.-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(109)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

(114)-----48.89-----9.6-----8.6-----9.3-----67.0-----49.0-----3.7-----4.05-----91.39-----5.0-----2.3-----46.0-----

SIBERIA: VOGUL

MALES¹

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Birlik's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
4382	Moscow Mus.	Ob River (southwest of Ostiaks).	Elderly	-----	19.6	13.5	12.8	68.88	77.34	-----	15.30	-----	-----	-----	7.4
4358	do	do	45	-----	19.8	13.8	12.8	69.70	76.19	-----	15.47	-----	-----	-----	7.4
4360	do	do	Mid-aged	-----	18.9	13.1	12.6	70.90	78.02	-----	14.97	-----	-----	-----	7.5
4353	do	do	Elderly	-----	18.6	13.4	12.2	72.04	76.25	-----	14.73	-----	-----	-----	7.4
4373	do	do	do	-----	19.2	14.0	12.6	72.92	75.50	-----	15.27	-----	-----	-----	7.4
4385	do	do	Mid-aged	-----	19.6	14.4	12.6	73.47	74.12	-----	15.53	-----	-----	-----	7.0
4110	do	do	35	-----	19.0	14.0	13.7	73.68	82.03	-----	15.57	-----	-----	-----	7.1
4381	do	do	Old	-----	18.7	14.0	12.6	74.87	77.06	-----	15.10	-----	-----	-----	8.0
4361	do	do	Elderly	-----	19.2	14.6	12.3	76.01	72.78	-----	15.37	-----	-----	-----	7.4
4402	do	do	40	-----	17.8	13.6	13.1	76.40	85.55	-----	14.93	-----	-----	-----	7.3
4376	do	do	40	-----	18.8	14.4	13.0	76.60	78.91	-----	15.40	-----	-----	-----	7.0
4381	do	do	25	-----	18.5	14.4	12.2	77.84	74.16	-----	15.03	-----	-----	-----	6.7
4375	do	do	Mid-aged	-----	18.4	14.4	12.8	78.26	78.05	-----	15.20	-----	-----	-----	6.9
4362	do	do	15	-----	18.2	14.3	12.4	78.57	76.91	-----	14.97	-----	-----	-----	7.0
4427	do	do	Mid-aged	-----	18.0	14.2	12.6	78.80	78.23	-----	14.93	-----	-----	-----	7.0
Specimens			(15)	-----	(15)	(15)	(15)	(15)	(15)	-----	(15)	-----	-----	(1)	(14)
Totals			282.3	-----	210.1	190.6	190.6	71.5	77.4	-----	227.77	-----	-----	(11.6)	101.5
Averages			18.82	-----	13.08	12.71	12.71	68.9	72.8	-----	15.18	-----	-----	-----	7.25
Minima			17.8	-----	13.4	12.2	12.2	68.0	72.8	-----	14.73	-----	-----	-----	6.7
Maxima			19.8	-----	14.6	13.7	13.7	73.9	85.4	-----	15.57	-----	-----	-----	8.0

ABERRANT

4659	Moscow	Ob River (Southwest of Ostiaks).	Mid-aged	-----	18.8	15.3	13.0	81.88	76.25	-----	15.70	-----	-----	-----	7.4
4380	do	do	40	-----	17.9	14.8	12.5	82.08	76.45	-----	15.07	-----	-----	-----	7.8
4366	do	do	Elderly	-----	18.0	15.0	13.8	83.33	82.64	-----	15.60	-----	-----	-----	-----

MALES

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, $\frac{c}{a \times 100}$, oval	Facial Index, $\frac{c}{b \times 100}$, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
4382	13.4	---	55.22	10.0	9.0	10.1	69.0	57.5	3.5	3.5	3.7	3.7	94.59	94.59	5.25	2.85	43.57	5.4	26.5	83.03
4388	14.0	---	52.86	10.1	9.3	10.2	69.0	61.5	3.5	3.5	4.0	3.9	83.75	94.12	5.3	2.85	53.77	5.4	6.0	78.96
4389	13.1	---	67.29	10.2	9.3	10.2	68.5	57.5	3.6	3.6	3.65	3.1	98.63	96.65	5.5	2.7	61.82	5.6	6.4	97.50
4383	13.6	---	44.41	10.0	9.3	10.4	71.5	66.0	3.2	3.1	3.75	3.75	86.67	82.97	5.05	2.0	61.40	5.4	6.7	80.60
4373	13.8	---	63.62	10.7	9.8	10.3	65.5	53.0	3.3	3.3	3.75	3.65	84.42	86.71	5.7	2.05	46.49	5.3	6.5	80.23
4395	14.2	---	49.30	10.5	9.4	10.2	68.0	48.5	3.3	3.2	3.7	3.7	89.19	86.49	5.3	2.7	60.94	5.3	6.5	81.54
4410	13.7	---	61.82	10.2	9.6	10.8	75.0	66.0	3.2	3.2	3.9	3.9	82.05	82.05	5.1	2.5	49.02	5.2	6.1	85.25
4394	13.8	---	---	9.7	9.3	10.2	66.0	55.0	3.3	3.5	4.0	3.9	82.50	89.74	5.3	2.85	63.77	5.3	6.5	81.54
4365	13.5	---	59.26	9.9	8.7	9.8	72.0	58.0	3.2	3.2	3.8	3.8	84.21	---	5.2	2.4	46.15	5.3	6.4	82.81
4402	13.8	---	52.90	9.4	9.0	10.2	74.0	71.5	3.5	3.5	3.8	3.8	93.42	---	5.4	2.25	41.67	5.1	5.8	87.92
4376	13.2	---	53.03	9.6	8.4	9.8	70.5	42.5	3.75	3.75	3.85	3.8	97.40	98.68	5.5	2.6	47.27	5.1	6.2	82.26
4381	14.2	---	47.18	9.7	8.9	10.0	72.5	58.5	3.4	3.4	3.7	3.7	87.84	91.89	4.9	2.65	64.08	5.4	7.0	77.14
4375	13.9	---	83.45	10.6	9.4	10.2	67.0	46.5	3.5	3.5	3.7	3.8	94.59	90.79	5.15	2.65	61.45	5.3	6.5	81.54
4362	13.8	---	50.72	10.0	8.9	9.9	68.5	51.5	3.4	3.5	4.0	3.8	85.0	93.42	5.1	2.5	49.02	5.4	6.4	84.38
4427	13.8	---	---	10.7	9.8	10.8	75.0	71.5	3.75	3.75	4.0	3.9	88.1	88.7	6.0	2.85	64.1	5.8	7.0	89.2
Specimens	(14)	(1)	(13)	(14)	(15)	(15)	(14)	(14)	(15)	(12)	(15)	(12)	(15)	(12)	(15)	(15)	(15)	(15)	(14)	(14)
Totals	192.0	---	140.8	140.8	137.2	152.7	978.0	795.5	51.1	41.15	57.05	45.4	89.6	50.6	79.75	38.85	75.0	90.4	75.0	88.85
Averages	13.71	(83.45)	52.8	10.06	9.15	10.18	69.9	56.8	3.41	3.43	3.80	3.78	89.6	82.1	5.32	2.59	43.7	6.46	5.36	82.0
Minima	13.1	---	44.4	9.4	8.4	9.8	66.0	42.5	3.2	3.1	3.65	3.7	82.1	82.1	4.9	2.25	41.7	5.8	5.1	77.1
Maxima	14.2	---	69.3	10.7	9.8	10.8	75.0	71.5	3.75	3.75	4.0	3.9	88.7	88.7	6.0	2.85	64.1	7.0	5.8	89.2

ABERRANT

4659	14.4	86.42	51.39	10.3	9.1	10.0	66.5	51.5	3.4	3.4	3.9	3.9	87.18	87.18	5.25	2.5	47.62	5.6	6.9	81.16	
4380	13.7	94.89	66.93	10.5	8.8	9.8	62.5	43.5	3.6	3.6	3.6	3.6	100.0	100.0	5.1	2.3	42.59	6.0	6.7	89.55	
4366	13.8	---	---	---	---	10.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1 See Sillinec, I., Vogul, Antrop. Žurnal, vol. 5, pp. 94-115, 1904.

2 Near.

3 Vault sphyllitic.

4 Some labial maxillary hyperostosis.

5 Vault Eskimoid; face Indian-like.

6 Face and nose rather pronounced.

SIBERIA: VOGUL
FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium. (glabella ad maxium)	Diam. lateral maxium.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c.c. (Hrdlicka's method)	Teeth, wear	Menstruation Height (a)	Alveol. Pt.-Nasion Height (b)
4369	Moscow Mus.	Ob River (southwest of Ostiaks).	Elderly		19.0	13.6	12.2	71.58	74.85		14.93				7.1
4415	do	do	45		18.5	13.4	11.8	72.43	73.98		14.57				7.1
4417	do	do	Old		17.6	12.8	11.8	72.73	77.63		14.07				
4393	do	do	Elderly		18.4	13.4	12.2	72.83	76.73		14.67				6.8
4394	do	do	25		18.2	13.3	12.4	73.08	78.73		14.63				7.3
4423 †	do	do	Old		19.0	14.0	12.6	73.68	76.36		15.20				6.2
4385	do	do	25		17.2	12.7		73.84							3 6.5
4386	do	do	Elderly		18.1	13.4	11.6	74.03	73.65		14.37				7.2
4389 †	do	do	55		18.6	13.8	12.4	74.19	76.54		14.93				
4389 †	do	do	17.9		17.9	13.3	11.7	74.30	75.0		14.30				6.2
4361	do	do	Old		17.6	13.1	12.6	74.43	82.08		14.43				6.6
4400	do	do	30		17.7	13.2	12.5	74.58	80.91		14.47				6.8
4413	do	do	35		18.4	13.8	12.2	75.0	75.78		14.80				6.8
4379	do	do	Mid-aged		18.4	13.8	12.3	75.14	81.19		14.70				6.8
4386	do	do	Old		18.3	13.8	12.0	75.41	74.77		14.10				6.2
4424	do	do	Old		17.9	13.3	11.4	75.57	73.79		14.27				7.0
4377	do	do	Elderly		17.3	13.1	11.4	75.72	81.53		14.50				7.1
4367 †	do	do	Mid-aged		17.0	13.5	12.4	76.70	79.74		14.27				6.9
4384	do	do	Old		17.0	13.0	12.0	77.27	76.92		14.40				7.1
4419	do	do	Elderly		16.7	13.0	12.0	77.81	80.81		13.90				6.8
4420	do	do	Old		17.4	13.6	12.0	78.16	77.42		14.33				6.0
4405	do	do	Elderly		17.6	13.8	13.1	78.41	83.41		14.30				6.8
4374	do	do	30		17.5	13.8	12.9	78.89	80.12		15.03				6.5
4397	do	do	Mid-aged		18.0	13.2	12.9	78.89	76.87		14.17				6.6
4370	do	do	25		17.0	13.7	11.8	80.59	76.87		15.0				6.9
4425 †	do	do	25		16.6	13.4	12.0	80.72	80.0		14.43				6.9
4378	do	do	35		17.4	14.2	11.7	81.61	74.65						
Speelmen	(27)		(11)		(27)	(27)	(26)	(27)	(26)		(26)			(1)	(22)
Totals	390.10		363.8		315.6		276.53	75.78	77.54		14.48			147.9	6.72
Averages	17.78		13.47		12.14		13.90	71.58	73.66		15.20			147.9	6.72
Minima	16.6		12.7		11.4		13.90	71.58	73.66		14.30			147.9	6.72
Maxima	19.0		14.2		13.1		15.20	81.61	83.44		15.20			147.9	7.3

Specimens	(25)	(1)	(21)	(21)	(25)	(25)	(18)	(18)	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
4369	13.5	63.79	10.2	8.0	9.3	66.5	49.5	3.6	3.6	3.7	3.3	3.7	3.7	92.31	97.30	5.2	2.55	49.01	5.4	6.5	88.08
4415	12.5	66.80	10.1	8.5	9.4	65.5	48.5	3.3	3.5	3.7	3.3	3.7	3.7	89.19	87.84	3.0	2.45	49.0	3.4	6.1	88.52
4368	12.7	53.54	9.8	8.9	9.9	70.0	52.0	3.35	3.4	4.0	3.8	3.8	3.8	83.75	89.47	5.25	2.7	51.43	5.2	6.0	86.67
4390	12.8	50.78	8.9	8.3	9.4	73.0	62.5	3.6	3.5	3.8	3.8	3.85	3.85	92.11	92.11	4.9	2.45	50.0	4.5	5.6	80.56
4425	12.9	66.69	9.0	8.2	9.8	73.0	62.5	3.2	3.2	3.8	3.8	3.8	3.8	84.21	84.21	4.5	2.3	45.79	5.1	6.0	85.0
4385	12.0	60.69		8.0	9.6			3.2	3.2	3.2	3.2	3.55	3.55	90.14	90.14	4.85	2.4	49.48			
4389	13.3	64.14	9.9	8.8	10.0	69.0	51.5	3.7	3.65	4.2	4.1	4.1	4.1	88.10	89.02	5.4	2.4	44.44	5.3	3 6.0	88.33
4361	12.7	47.55	10.0	8.8	9.8	72.0	55.5	3.25	3.3	3.8	3.9	3.8	3.8	83.33	83.81	4.9	2.3	46.61			
4400	13.1	60.77	9.2	8.4	10.0	75.5	63.5	3.2	3.4	3.9	3.7	3.7	3.7	82.05	81.89	4.7	2.55	54.36	5.1	6.2	82.96
4413	13.0	50.75	9.1	8.4	9.8	72.0	63.0	3.35	3.3	3.75	3.8	3.75	3.8	89.35	89.19	5.25	2.65	50.18	4.9	6.0	81.67
4379	13.4	52.37	9.8	8.4	9.6	67.5	47.0	3.4	3.4	3.9	3.8	3.8	3.8	88.16	93.42	4.9	2.5	51.02	4.9	6.1	80.53
4386	12.6	52.37	9.8	8.4	9.6	67.5	47.0	3.4	3.4	3.9	3.8	3.8	3.8	87.18	91.89	5.3	2.4	45.38	5.3	6.0	86.33
4424	13.0	47.69	9.0	8.4	9.8			3.65	3.65	3.9	3.9	3.7	3.7	88.46	96.05	4.8	2.8	58.38			
4377	13.0	65.12	10.4	9.0	9.6	63.5	46.0	3.3	3.25	3.7	3.7	3.6	3.6	89.19	90.28	4.9	2.5	51.02	5.6	6.3	88.69
4391	12.7	53.03	9.7	8.7	9.8			3.35	3.3	3.7	3.8	3.7	3.8	90.51	86.81						81.03
4367	13.0	58.09	9.1	8.0	9.6	71.5	53.5	3.2	3.35	3.9	3.9	3.7	3.7	82.05	100.51	5.0	2.3	47.05	4.7	5.8	80.63
4384	12.4	53.13	9.2	8.6	9.6	70.0	51.0	3.6	3.5	4.1	3.9	3.5	3.5	87.80	89.74	4.9	2.6	53.06	5.0	6.2	80.63
4419	12.8	41.50	9.2	8.4	9.6	73.0	58.0	3.4	3.5	3.7	3.6	3.7	3.6	91.89	87.29	4.5	2.4	53.06	4.7	6.2	75.81
4405	13.4	47.78	9.0	8.3	9.2	73.0	58.0	3.55	3.6	4.1	3.9	3.9	3.9	86.50	92.31	5.1	2.85	62.78			
4397	14.2	47.89	9.2	8.8	10.2	70.0	45.0	3.2	3.15	3.7	3.7	3.7	3.7	86.49	85.14	4.95	2.4	44.48	5.1	6.4	79.69
4370	13.0	50.6	9.1	8.0	9.2	70.0	45.0	3.1	3.15	3.6	3.5	3.45	3.45	86.11	91.30	4.45	2.5	60.18	5.3	6.0	88.33
4198	12.5	52.90	9.2	8.6	9.0	64.0	54.0	3.1	3.1	3.3	3.3	3.3	3.3	80.26	86.49	5.2	2.7	51.02	4.6	6.5	70.77
4368	12.5	58.20	9.2	8.4	9.5	70.5	57.0	3.05	3.2	3.8	3.7	3.7	3.7	80.26	86.49	5.2	2.7	51.02			
Totals	322.4	168.9	221.6	249.7	249.7	1,200.5	937.0	77.4	82.0	8.25	8.25	8.25	8.25	89.56	123.9	62.20	2.49	50.20	91.10	109.7	83.04
Averages	12.90	89.47	9.47	8.52	9.60	70.03	54.83	3.37	3.42	3.84	3.73	3.73	3.73	87.71	91.67	4.96	2.49	50.20	5.06	6.09	83.04
Minima	11.4	44.78	8.9	7.5	8.8	63.5	46.0	3.05	3.15	3.55	3.45	3.45	3.45	80.26	85.14	4.3	2.3	44.44	4.5	5.6	70.77
Maxima	14.2	66.80	10.4	9.2	10.2	77.0	69.5	3.8	3.8	4.2	4.1	4.1	4.1	98.70	100.0	5.5	2.85	53.33	5.5	6.5	88.89

1 Upper median incisors lost long ago.
 2 Right upper median incisor torn out long ago.
 3 Right upper median incisor lost long ago.
 4 Allowance made for wear of teeth.
 5 Vault sphenoidal.
 6 Vault sphenoidal.

SIBERIA: TUNGUS (MOSCOW SERIES)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maxmum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
8071	Moscow Mus.	Near Tampa River	35		19.8	14.4	13.0	72.7	76.0		15.73				
8069	do.	"Dagar"	40		19.0	13.9	12.6	75.2	76.6		15.17				
8078	do.	do.	50		19.2	14.1	13.4	78.4	80.5		15.57				
8080	do.	do.	40		19.4	14.5	12.9	74.7	76.1		15.60			13.4	8.0
8078a	do.	do.	30		19.2	14.4	13.4	75.0	79.8		15.67			11.8	7.2
8089	do.	Northeast of Lake Balkal.	30		19.4	14.8	13.9	76.3	81.3		16.03				6.5
8087	do.	"Dagar"	20		19.1	14.6	12.6	76.4	74.8		15.43				7.2
8085	do.	Northeast of Lake Balkal.	35		19.2	14.7	13.4	76.5	79.1		15.77				7.6
4635	do.	Prinorskaia Obl.	50		18.0	13.8	12.8	76.7	80.5		14.87				7.4
8076	do.	"Dagar"	50		19.4	15.3	13.2	78.9	76.1		15.97				8.0
4634	do.	Prinorskaia Obl.	45		18.3	14.5	13.7	79.2	83.5		15.50				7.8
Specimens			(11)		(11)	(11)	(11)	(11)	(11)		(11)				(11)
Totals			425		210.0	159.0	144.9				171.31			(3)	37.0
Averages			38.6		19.09	14.45	13.17	75.71	78.54		15.57			12.33	7.58
Minima			20		18.0	13.8	12.6	72.7	74.8		14.87			11.8	6.5
Maxima			50		19.8	15.3	13.9	79.2	83.5		16.03			13.4	8.5

FEMALES

8077	Moscow Mus	Northeast of Lake Balkal.	40	18.3	13.8	11.8	75.41	73.52	14.03		7.4
8082	do	do	30	17.2	13.2	11.3	76.74	74.84	13.00		6.8
8083	do	do	30	18.2	14.0	11.7	76.02	72.67	14.03		7.2
8079	do	do	40	17.4	13.4	11.6	77.01	73.32	14.13		7.2
8081 (slightly c ² -like)	do	do	35	18.9	14.6	12.2	77.25	72.54	13.23	11.7	7.3
8074	do	do	35	17.2	13.5	12.0	78.49	78.18	14.23		7.3
8073	do	do	25	17.4	13.7	12.0	78.74	77.17	14.37		7.1
8070	do	do	35	17.3	13.8	11.9	79.77	76.53	14.33		7.5
8086	do	do	35	18.3	14.6	12.6	79.78	76.60	15.17		7.8
8084	do	do	25	17.4	14.0	12.2	80.46	77.71	14.53	110.4	6.5
Specimens			(10)								
Totals			330	177.6	138.6	119.3	(10)	(10)	(10)	(3)	(10)
Averages			33	17.76	13.86	11.93	78.04	75.46	14.52	34.10	72.10
Minima			25	17.2	13.2	11.3	75.41	72.67	13.90	11.37	7.21
Maxima			40	18.9	14.6	12.6	80.46	78.18	15.23	12.0	7.8

¹ Near.

SIBERIA: TUNGUS (MOSCOW SERIES)—Continued

MALES

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total	$\left(\frac{a \times 100}{c}\right)$	Facial Index, upper	$\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index
8071	14.0	---	---	55.0	---	10.4	9.4	10.2	68.5	59.0	3.5	3.4	3.8	3.75	92.1	90.7	5.35	2.7	60.5	5.4	7.0	77.1
8079	13.5	---	---	56.2	---	10.1	9.0	10.0	67.5	52.0	3.5	3.4	3.8	3.7	92.1	91.0	5.85	2.7	59.3	5.1	6.9	73.9
8078	14.5	---	---	58.6	---	11.2	9.8	10.8	64.5	53.0	3.8	3.8	4.0	3.9	95.0	97.4	5.8	2.7	46.6	6.0	7.2	73.9
8080	14.7	91.2	---	54.4	---	10.5	9.3	10.4	67.0	50.0	3.8	3.7	4.2	4.0	90.5	92.5	5.0	2.7	46.0	5.8	6.2	77.0
8078a	14.3	---	---	50.4	---	10.7	9.8	10.6	69.5	57.0	3.4	3.45	3.8	3.75	89.5	92.0	5.35	2.8	42.5	5.5	6.8	83.3
8089	13.0	---	---	50.0	---	9.5	8.6	10.3	77.5	51.5	3.25	3.6	3.6	3.6	90.3	89.7	5.1	2.6	51.0	5.1	6.8	81.0
8087	13.5	---	---	53.3	---	10.8	9.6	10.4	67.0	49.0	3.45	3.5	4.05	3.9	86.2	89.7	5.3	2.65	60.0	5.5	6.8	80.9
8085	14.2	---	---	53.6	---	11.3	9.8	10.6	64.5	44.0	3.3	3.4	3.9	3.9	84.6	87.2	5.4	2.55	47.3	5.9	6.7	83.1
4035	14.0	---	---	52.9	---	10.0	9.0	10.4	71.5	56.0	3.3	3.25	3.7	3.7	89.2	87.8	5.3	2.5	47.2	5.2	7.1	73.2
8076	15.3	---	---	52.3	---	10.4	9.1	10.2	66.0	50.0	3.65	3.7	4.0	3.9	91.3	94.9	5.85	2.8	47.9	5.7	7.1	80.3
4034	13.8	---	---	56.5	---	10.3	9.2	10.1	66.0	57.0	3.45	3.55	3.9	3.9	88.5	91.0	5.1	3.0	53.8	5.5	7.0	78.6
Specimens	(11)	(3)	(11)	(11)	(11)	(11)	(11)	(11)	(11)	(11)	(10)	(10)	(11)	(10)	(11)	(10)	(11)	(11)	(11)	(11)	(11)	(11)
Totals	154.9	---	---	115.2	---	114.0	102.6	114.0	747.5	578.5	38.4	35.15	42.75	38.40	89.82	91.54	60.1	29.9	49.75	60.2	75.5	79.74
Averages	14.08	---	---	63.64	---	10.47	9.33	10.36	76.95	52.59	3.49	3.52	3.89	3.84	89.82	91.54	5.46	2.72	46.75	5.47	6.86	77.74
Minima	13.0	---	---	50.0	---	9.5	8.6	10.0	64.5	44.0	3.25	3.25	3.6	3.7	84.6	87.2	5.1	2.5	45.0	5.1	6.3	73.2
Maxima	15.3	---	---	68.6	---	11.3	9.8	10.8	77.5	59.0	3.8	3.8	4.2	4.0	95.0	97.4	6.0	3.0	53.8	6.0	7.2	88.1

SIBERIA: TUNGUS (LENINGRAD SERIES)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabela ad maxmum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Mrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
730-2	Leningrad Mus.	Mouth of Angara River.			18.2	14.2	12.2	78.02	75.31		14.87			12.5	8.0
5537-2	do.	Urut River, Chabarovsk region.			18.3	15.0	13.0	81.97	78.08		15.43			12.4	7.5
5192-1	do.	Lake Essoi.			18.0	15.0	12.3	83.83	74.55		15.10			12.2	7.4
5146-4	do.	Lower Tunguska.			17.8	15.1	13.5	84.83	82.07		15.47			13.0	7.5
5192-2	do.	Lake Essoi.			17.6	15.4	12.5	87.50	75.76		15.17			12.4	8.3
1200-6	do.	Turchanski Krai.			17.0	14.9	12.6	87.65	79.0		14.83			12.4	7.6
Specimens--					(6)	(6)	(6)	(6)	(5)		(6)			(5)	(6)
Totals.					106.9	89.6	76.10	83.89	77.46		90.87			62.50	43.3
Averages.					17.82	14.93	12.68	78.02	74.55		15.15			12.50	7.72
Minima.					17.0	14.2	12.2	87.65	82.07		14.83			12.2	7.4
Maxima.					18.3	15.4	13.5	87.65	82.07		15.47			13.0	8.3

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabela ad maxmum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Mrdlička's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
730-1	Leningrad Mus.	Mouth of Angara River.			18.0	14.2	13.1	78.89	81.97		15.10			11.7	7.4
5537-1	do.	Chabarovsk region.			17.0	13.6	12.0	80.0	78.43		14.20			11.2	6.9
5537-3	do.	do.			17.4	14.0	11.8	80.46	75.16		14.40			10.8	6.9
5275-1	do.	Yenisei River.			17.7	14.3	12.5	80.79	78.13		14.83			10.3	6.6
5537-7	do.	Chabarovsk region.			16.7	13.8	12.4	82.63	81.81		14.30			11.2	6.6
5146-5	do.	Lower Tunguska.			18.0	14.9	12.8	82.78	77.81		15.23			7.0	7.0
5242-1	do.	(?)			17.0	14.2	11.8	83.53	75.64		14.33			7.2	7.2
5275-2	do.	Yenisei River.			17.6	15.2	13.0	86.96	79.27		15.27			11.1	6.8
5240-1	do.	do.			17.0	15.1	11.8	88.82	73.52		14.63			11.2	6.0
Specimens--					(9)	(9)	(9)	(9)	(9)		(9)			(7)	(9)
Totals.					156.40	129.30	111.2	82.67	77.81		132.29			77.50	62.30
Averages.					17.38	14.37	12.36	82.67	77.81		14.70			11.07	6.92
Minima.					16.7	13.6	11.8	78.89	73.52		14.20			10.3	6.6
Maxima.					18.0	15.2	13.1	88.82	81.97		15.27			11.7	7.4

MALES

Specimens	Diam. Bizygomatic max. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Basion-Alveolar Pt.	Basion Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length max. im.	Upper Alveolar Arch—Breadth max. im.	Upper Alveolar Arch—	Upper Alveolar Arch—
730-2	13.8	50.58	57.07	10.4	9.2	10.4	67.0	51.0	3.25	3.4	3.9	3.7	85.32	91.89	5.95	2.85	47.90	5.3	6.3	84.13	84.13
5537-9	14.6	84.95	41.57	10.3	9.3	10.5	70.0	55.0	3.25	3.25	4.0	3.7	81.25	87.84	5.55	2.65	47.75	3.4	6.5	79.10	83.08
5192-1	14.8	82.43	50.0	10.2	8.6	10.2	67.0	49.0	3.55	3.55	3.7	3.9	88.75	91.62	5.15	2.6	66.49	3.3	7.1	80.28	80.28
5146-4	14.1	83.19	53.19	9.9	9.2	9.9	70.5	53.0	3.2	3.2	3.7	4.1	87.14	86.49	5.5	2.65	48.18	3.3	6.1	90.16	90.16
5192-2	14.4	90.28	47.64	10.5	9.2	9.9	62.0	53.0	3.5	3.65	4.0	4.1	87.60	89.02	5.75	2.65	46.09	3.5	6.1	90.16	90.16
1200-6	14.1	87.91	53.90	10.0	8.8	9.8	69.0	48.5	3.6	3.7	4.2	4.0	85.71	92.50	5.7	2.5	43.86	3.4	6.4	84.58	84.58
Specimens	(6)	(5)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)
Totals	85.8	61.3	54.30	60.80	402.5	314.0	20.75	23.80	23.10	23.10	23.10	23.10	85.29	89.83	5.6	2.65	47.32	22.60	39.10	85.98	85.98
Averages	14.30	87.17	53.96	10.22	9.05	10.13	67.68	52.33	3.38	3.46	3.97	3.7	81.26	87.49	5.15	2.5	43.86	5.3	6.52	79.10	79.10
Minima	13.8	82.43	41.57	9.9	8.6	9.8	62.0	48.5	3.2	3.2	3.7	4.1	83.75	82.50	5.95	2.5	40.49	5.3	6.1	80.16	80.16
Maxima	14.8	90.58	57.57	10.5	9.3	10.5	70.5	57.5	3.6	3.7	4.2	4.1	88.75	92.50	5.95	2.85	60.49	5.7	7.1	90.16	90.16

FEMALES

Specimens	Diam. Bizygomatic max. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Basion-Alveolar Pt.	Basion Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length max. im.	Upper Alveolar Arch—Breadth max. im.	Upper Alveolar Arch—	Upper Alveolar Arch—
730-1	12.6	92.86	58.73	9.4	8.4	9.6	68.0	53.0	3.5	3.55	3.5	3.4	100.0	104.41	5.5	2.6	47.27	4.8	6.4	75.0	75.0
5537-1	13.2	81.85	52.27	10.0	9.0	9.9	69.0	55.5	3.15	3.1	3.7	3.6	85.14	86.11	4.85	2.5	61.55	5.0	6.7	74.63	74.63
5537-3	12.8	81.98	53.91	9.4	8.5	9.4	68.0	57.0	3.2	3.15	3.5	3.4	91.65	92.65	5.0	2.3	46.0	6.5	6.5	76.92	76.92
5275-1	13.6	76.74	48.53	9.7	8.7	9.6	69.0	51.0	3.4	3.35	3.7	3.65	91.89	91.78	4.4	2.5	51.02	4.9	6.4	76.56	76.56
5537-7	13.3	81.21	49.62	9.6	8.7	9.5	69.0	48.0	3.1	3.15	3.8	3.7	81.58	85.14	4.9	2.4	51.55	6.2	6.2	80.65	80.65
5146-5	13.4	82.21	52.21	9.6	8.5	9.6	68.0	44.5	3.55	3.65	4.0	3.8	88.75	92.65	5.1	2.6	60.98	5.3	6.6	86.48	86.48
5242-1	12.7	81.46	56.69	10.6	9.4	9.6	61.5	42.0	3.15	3.15	3.5	3.5	90.0	92.65	5.0	2.55	51.0	5.5	6.6	83.93	83.93
5275-2	13.8	80.73	49.28	9.8	8.7	9.7	68.5	52.0	3.05	3.05	3.5	3.5	87.14	87.14	4.9	2.5	51.02	5.1	6.5	78.46	78.46
5240-1	13.2	81.85	52.27	10.0	8.5	9.2	62.5	42.0	3.2	3.2	3.7	3.7	86.49	86.49	4.9	2.6	53.06	5.4	6.1	88.52	88.52
Specimens	(9)	(7)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)
Totals	118.6	83.76	52.53	88.40	583.5	454.5	29.35	32.00	32.15	32.15	32.15	32.15	89.06	91.29	4.95	2.51	50.62	46.0	57.6	79.86	79.86
Averages	13.18	82.74	48.53	9.82	8.71	9.59	67.66	50.50	3.36	3.36	3.96	3.7	81.53	85.14	4.95	2.3	47.0	5.11	6.40	74.63	74.63
Minima	12.6	76.74	43.53	9.4	8.4	9.2	61.5	42.0	3.15	3.15	3.5	3.4	81.58	85.14	4.4	2.3	46.0	4.8	6.1	74.63	74.63
Maxima	13.8	92.86	58.73	10.6	9.4	9.9	69.0	57.0	3.55	3.65	4.0	3.8	100.0	104.41	5.5	2.6	60.98	6.7	6.7	88.52	88.52

SIBERIA: BURIAT (U. S. N. M. SERIES)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. (Hrdliczk's method)	Tooth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
283607	A. H. U. S. N. M.	Near Troickosvsk (Khabta).	60		18.7	14.5	13.0	77.5	73.5		15.40	1,590.0			
282614	do	do	25		18.4	14.3	13.8	77.7	84.4		15.50	1,605.0			7.4
283306	do	do	30		18.0	14.0	13.2	77.8	82.5		15.07	1,520.0			8.1
283703	do	do	28		17.8	14.0	13.4	78.7	84.3		15.07	1,400.0			7.0
283629	do	do	40		19.2	15.2	13.2	79.2	76.7		15.87	1,650.0			7.4
283707	do	do	40		18.0	14.4	13.3	80.0	82.1		15.23	1,490.0			11.5
283608	do	do	25		18.0	14.6	13.0	81.1	79.8		15.20	1,545.0			7.3
283604	do	do	35		18.2	15.1	12.9	83.0	77.5		15.40	1,490.0			8.2
283615	do	do	50		17.4	14.6	13.0	83.9	81.3		15.00	1,570.0			8.2
283616	do	do	45		18.2	15.3	12.8	84.1	76.4		15.43	1,550.0			7.7
283701	do	do	45		17.7	14.9	13.6	84.2	83.4		15.30	1,510.0			7.4
283613	do	do	35		18.2	15.4	13.8	84.6	82.1		15.80	1,640.0			7.6
283621	do	do	60		17.6	14.9		84.7							7.6
283621	do	do	60		17.7	15.0	12.4	84.8	75.8		15.03	1,470.0			13.0
283706	do	do	60		18.1	15.5	12.9	85.6	76.8		15.50	1,500.0			7.6
283705	do	do	75		17.3	15.1	12.7	87.3	73.8		15.03	1,500.0			7.6
283612	do	do	35		17.6	15.4	12.9	87.5	78.2		15.30	1,450.0			7.9
283711	do	do	30		18.5	16.2	13.9	87.6	80.1		16.20	1,915.0			7.1
283710	do	do	24		18.5	16.0	12.9	87.6	77.9		15.33	1,520.0			8.1
283699	do	do	55		17.6	15.5	12.9	88.1							8.1
Specimens			(19)		18.7	14.5	13.0	77.5	73.5		15.40	1,590.0			
Totals			822		342.2	283.9	236.7	(19)	(18)		(18)	(18)		(8)	(15)
Averages			43.3		18.01	14.91	13.15	82.96	79.75		15.38	1,552.5		12.73	7.64
Minima			24		17.3	14.0	12.4	77.5	75.8		15.00	1,400.0		11.4	7.0
Maxima			75		19.2	16.2	13.9	88.1	84.4		16.20	1,915.0		13.7	8.2

Catalog No.	Diam. Bizygomatic maxim. (c)		Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphysis
	(17)	(8)																				
283607	14.3				3.6	8.6	10.2	72.0	55.5	3.4	3.45	4.1	4.05	82.9	81.2	5.35	2.6	54.2	5.1	6.7	76.7	
283614	13.7				9.6	8.6	10.2	68.5	56.0	3.5	3.35	3.65	3.65	91.9	91.1	5.35	2.6	48.6	5.6	6.7	76.7	
283606	13.9				8.9	8.2	9.6	73.0	91.0	3.45	3.4	3.75	3.75	92.0	90.7	5.45	2.35	47.7	4.9	6.4	81.9	4.1
278708	13.8				10.5	9.4	10.5	69.0	53.0	3.15	3.5	3.8	3.6	82.9	87.9	5.15	2.7	46.1	5.4	6.5	83.1	3.1
283620	13.6				9.6	8.5	9.9	67.5	46.0	3.35	3.35	3.8	3.8	82.9	83.2	5.0	2.65	57.0	5.2	6.5	80.0	3.3
278707	13.4				10.2	8.4	9.6	67.5	53.0	3.4	3.35	3.5	3.5	87.2	93.7	5.5	2.55	46.4	5.4	6.5	83.7	
283608	14.3				9.5	8.1	10.4	67.5	53.0	3.4	3.4	3.9	4.0	87.2	86.0	5.0	3.0	46.0	5.4	5.0	85.0	
283604	13.5				10.0	8.8	10.0	63.5	51.0	3.65	3.5	3.85	3.85	94.8	90.9	5.65	2.7	48.2	5.4	5.0	91.5	3.95
283615	13.5				10.0	8.8	10.0	67.0	50.5	3.7	3.7	3.7	3.7	93.9	93.2	5.65	2.5	44.2	5.3	6.7	82.1	
278716	14.3				9.7	8.8	10.1	70.5	59.0	3.2	3.15	3.8	3.7	81.2	85.1	5.25	2.75	52.4	5.4	6.7	82.1	3.4
278701	13.5				9.0	8.2	10.4	76.5	59.0	3.55	3.65	4.0	4.0	88.8	91.3	5.7	2.6	45.6	4.9	6.5	72.4	3.4
283613	14.4				9.7	8.4	9.4	61.5	49.5	3.8	3.85	3.75	3.9	101.3	98.7	5.4	2.7	60.0	5.6	6.2	90.3	3.9
283621	13.7				9.7	8.4	9.4	61.5	49.5	3.8	3.85	3.75	3.9	101.3	98.7	5.4	2.7	60.0	5.6	6.2	90.3	3.9
278706	13.5				9.9	8.4	10.7	65.0	43.5	3.3	3.2	3.75	3.75	88.0	85.3	5.4	2.7	50.0	5.3	6.6	80.3	
278705	14.1				10.5	9.6	10.0	64.0	50.0	3.65	3.4	3.5	3.65	101.5	93.2	5.5	2.5	45.5	5.3	6.6	80.3	
283612	14.8				10.3	9.0	9.4	62.0	47.0	3.65	3.65	3.9	3.85	93.6	91.8	5.75	2.75	47.8	5.9	6.9	85.5	3.35
278711	13.5				10.5	9.4	10.0	64.0	50.0	3.65	3.65	3.6	3.5	84.7	87.1	5.1	2.9	66.9	5.8	7.1	81.7	
278710	14.6				9.6	8.2	9.5	64.0	50.5	3.55	3.5	3.85	3.85	92.2	90.9	5.6	2.55	45.5	5.5	7.1	77.5	3.75
283639	14.6				10.5	9.6	9.5	64.0	50.5	3.55	3.5	3.85	3.85	92.2	90.9	5.6	2.55	45.5	5.5	7.1	77.5	3.75
Specimens	(17)	(8)	(15)	(15)	(15)	(18)	(15)	(15)	(15)	(16)	(18)	(16)	(16)	(16)	(18)	(18)	(18)	(18)	(15)	(15)	(15)	(8)
Totals	266.9		147.4	1,099.5	179.0	157.9	179.0	4,099.5	797.5	55.0	61.80	60.4	67.65	61.80	61.80	97.85	48.0	81.0	81.0	98.9	98.9	32.25
Averages	13.94		51.81	67.30	9.94	8.77	9.94	67.30	53.17	3.44	3.43	3.78	3.76	91.06	91.55	5.44	2.67	49.05	5.40	6.59	81.90	4.0
Minims.	13.4		50.7	62.0	9.4	8.1	9.4	62.0	43.5	3.05	3.05	3.5	3.5	82.9	85.0	5.0	2.35	44.2	4.9	5.9	75.4	3.1
Maxims.	14.8		60.7	76.5	10.7	9.6	10.7	76.5	61.0	3.8	3.85	4.1	4.05	101.5	98.7	6.0	3.0	66.9	5.9	7.1	91.5	4.1

1 Extraordinarily difficult in these people to estimate age.

2 Near.

3 Allowance made for wear of teeth.

SIBERIA: BURIAT (IRKUTSK SERIES)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlička's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
7539-10	Irkutsk Mus.	Ostraiā Sopka, near Kiakhta.	30		18.4	14.8	14.0	89.43	84.54	94.59	15.73				
7539-5	do	do	25		18.5	15.0	13.1	81.08	78.21	87.53	15.53				8.0
7539-17	do	do	24		18.2	14.8	12.6	81.32	76.96	85.14	15.20				7.5
7539-9	do	do	30		18.4	15.0	13.3	81.52	79.64	88.67	15.57				7.7
7003-1	do	do	Mid-aged		18.3	15.0	13.0	81.37	78.08	86.67	15.43				8.1
7539-18	do	Balaganski	do		18.8	16.1	12.9	85.64	73.93	80.12	15.93				8.3
7539-16	do	Ostraiā Sopka, near Kiakhta.	28		17.9	15.4	13.0	86.03	78.08	84.42	15.43				7.7
7539-6	do	do	40		17.6	15.3	13.4	86.53	81.46	87.58	15.43				7.7
7874-3	do	Ostraiā Sopka, near Kiakhta.	30		17.4	15.2	13.6	87.56	83.44	89.47	15.40				7.5
7539-1	do	do	25		17.9	16.0	12.3	89.39	72.57	76.88	15.10				7.7
Specimens			(8)		(10)	(10)	(10)	(10)	(10)	(10)	(10)				(9)
Totals			232		181.4	152.6	131.2				155.05				70.20
Averages			29		18.14	15.26	13.12	84.12	78.56	86.98	15.51				7.8
Minima			24		17.4	14.8	12.3	80.43	72.67	76.88	15.20				7.5
Maxima			40		18.8	16.1	14.0	89.59	84.54	94.59	15.93				8.3

SIBERIA: BURIAT (U.S.N.M. SERIES)

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maxmum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Irdhicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)		
282695	U.S.N.M. (A. H.)	Near Troickosvsk do. do. do. do. do. do. do. do. do. do. do. do. do. do.	70		17.7	13.8	12.7	78.0	80.6		14.73	1,450		11.3	7.4		
282704			26		18.2	14.3	13.2	78.6	81.2		15.23	1,335					
282709			70		17.9	14.5	12.2	81.0	75.5		14.87	1,340					
283022			30		17.3	14.2	12.6	82.1	80.0		14.70	1,350					
283611			40		18.0	14.9	12.6	82.8	76.6		15.17	1,370					
283610			50		17.3	14.4	12.5	82.2	78.9		14.73	1,370					
283619			35		16.8	14.0	12.1	83.3	78.6		14.30	1,300					
283617			32		16.5	13.8	12.9	83.6	83.1		14.40	1,210					
283703			55	Asymmetrical	17.4	14.7	12.3	84.5	76.7		14.80	1,470				12.6	7.7
283601			do	do	35		17.6	15.0	13.4	85.2	76.1		15.00	1,410			6.9
283702 (large O)			do	do	35		17.8	15.4	12.4	85.5	77.7		15.20	1,415			7.9
278712			do	do	55		17.0	14.9	12.4	87.7	77.7		14.77	1,350			17.4
283603			do	do	30		17.1	15.2	12.5	83.9	77.4		14.93	1,440			7.4
283626			do	do	60		17.3	15.4	12.7	89.0	77.7		15.13				
Specimens	(14)				(14)	(14)	(14)	(14)	(14)		(14)	(12)		(4)	(10)		
Totals	631		243.9		204.5	176.5	176.5	83.85	78.28		207.96	16,440		48.89	72.90		
Averages	45.1		17.42		14.61	12.54	81.85	78.28			14.85	1,370		12.20	7.20		
Minima	26		16.5		13.8	12.1	78.0	74.7			11.30	1,210		11.3	6.6		
Maxima	70		18.2		15.4	13.2	89.0	85.1			15.23	1,470		12.7	7.9		

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, upper $\left(\frac{b}{c} \times 100\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max-Im.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index	Lower Jaw—Height at Symphysis	
283625	13.1	86.3	56.5	8.9	8.2	9.7	70.5	63.0	3.3	3.35	3.5	3.5	91.9	95.7	5.3	2.6	49.1	5.1	6.3	81.0	3.05	
283704	13.3			8.0	8.0	8.7			3.6	3.6	3.6	3.5	100.0	102.9	5.35	2.7	50.5		6.3		3.2	
283602	13.8		56.5	9.1	8.2	9.9	71.0	59.5	3.65	3.7	3.9	3.8	93.6	97.4	5.6	2.75	49.1	4.9	6.5	75.4		
283611																						
283610	13.1		59.4	9.4	8.4	9.8	71.0	58.0	3.3	3.3	3.7	3.6	89.9	91.7	4.7	2.35	50.0	4.7	6.1	77.1		
283619	13.4		56.0	9.0	8.2	9.1	68.5	56.0	3.3	3.35	3.7	3.7	90.2	90.5	5.15	2.4	46.6	4.8	6.1	78.7		
283617	12.8		57.0	9.5	8.6	9.9	72.5	57.0	3.25	3.2	3.6	3.55	90.5	90.7	5.1	2.6	51.0	4.8	6.1	78.7		
283703	13.4	94.0	57.5	9.5	8.1	9.5	66.0	47.5	3.5	3.5	3.9	3.9	89.7	89.7	5.5	2.6	47.3	5.3	5.9	88.8	3.05	
283501	13.3		51.9	9.5	8.4	9.4	67.5	52.0	3.45	3.35	3.8	3.75	90.8	89.8	4.9	2.5	51.0	4.9	6.4	76.6		
283702 Q	13.9		56.8	10.2	8.7	10.1	66.5	43.5	3.5	3.5	3.8	3.75	92.1	93.3	5.85	2.8	47.9				3.2	
283712	14.3		51.7	10.3	9.2	10.0	66.5	53.0	3.55	3.6	4.15	4.2	85.5	85.7	5.4	2.85	52.3	5.2	6.5	80.0	3.2	
283603	14.0		52.9	9.7	8.4	9.5	66.0	48.0	3.6	3.6	3.65	3.65	98.6	98.6	5.3	2.45	46.2	5.5	6.7	82.1		
283626	13.8				8.0	9.6			3.4	3.4	3.9	3.8	87.2	89.5	5.4	2.9	53.7					
Specimens	(12)	(4)	(10)	(10)	(12)	(14)	(10)	(10)	(12)	(11)	(12)	(11)	(12)	(11)	(12)	(12)	(12)	(9)	(9)	(9)	(9)	(9)
Totals	162.2		95.10	100.4	135.3	135.3	686.0	533.5	41.4	37.85	45.2	41.05	91.59	92.20	63.55	31.5	49.57	45.20	56.00	79.86	13.70	
Averages	13.52		63.96	9.51	8.37	9.66	68.60	53.35	3.45	3.44	3.77	3.73	85.5	85.7	5.30	2.63	49.57	5.02	6.29	79.86	3.14	
Minima	12.8		50.4	8.9	8.0	9.1	66.0	43.5	3.25	3.2	3.5	3.5	85.5	85.7	4.7	2.35	46.2	4.7	5.9	75.4	3.05	
Maxima	14.3		57.5	10.3	9.2	10.1	72.5	63.0	3.65	3.7	4.15	4.2	100.0	102.9	5.85	2.9	53.7	5.5	6.7	89.8	3.2	

1 Near.

SIBERIA: BURIAT (IRKUTSK SERIES)

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium. (glabella ad maxium)	Diam. lateral maxium.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
7699-1	Irkutsk Mus.	(?)	Old		17.8	14.2	12.8	79.78	80.00	90.14	14.93				
6020-15	do	Ostraja Sopka, near Kiakhua.	35		17.6	14.4	13.0	81.82	81.95	90.83	15.00				7.4
7609-12	do	do	20		17.5	14.9	13.0	83.24	80.95	87.95	15.13				7.1
7609-2	do	do	35		16.8	14.0	12.0	83.33	77.92	85.71	14.27				6.9
5531-14	do	do	Old		17.4	14.6	12.4	83.91	77.50	81.93	14.80				
6020-5	do	Sulka	25		16.6	14.7	13.2	88.55	81.57	89.50	14.83				7.4
5531-11	do	Ostraja Sopka, near Kiakhua.	Elderly		17.0	15.2	12.4	82.41	77.02	81.68	14.87				
5531-8	do	do	25		16.8	15.2	11.7	90.48	73.48	76.97	14.57				6.9
5531-13	do	do	35		16.8	15.2	12.9	60.48	80.63	81.87	14.97				7.3
5531-7	do	do	Elderly		16.6	15.2	12.6	91.67	79.55	82.89	14.80				7.4
Specimens.			(6)		(10)	(10)	(10)	(10)	(10)	(10)	(10)				(7)
Totals			175		170.9	147.6	126.0				148.17				50.4
Averages			20		17.09	14.76	12.00	85.56	79.10	85.97	14.81				7.2
Minima			20		16.6	14.0	11.7	79.78	73.13	76.97	14.27				6.9
Maxima			35		17.8	15.2	13.2	91.67	84.55	90.88	15.13				7.4

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pl.	Basion-Subnasal Pl.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index
7600-1	14.2	---	54.81	9.5	9.3	10.4	70.0	55.0	3.8	3.7	4.0	4.0	95.0	84.87	5.6	2.9	51.79	5.5	6.6	83.32
6020-15	13.5	---	---	9.5	8.4	9.8	---	---	3.6	3.55	4.1	4.0	87.80	83.75	5.3	2.75	51.80	5.5	6.0	83.08
7600-12	13.9	---	51.08	10.6	9.4	10.4	69.0	51.0	3.5	3.4	3.9	3.8	89.74	89.47	5.15	2.65	51.46	5.4	6.5	88.83
7600-2	13.1	---	52.07	9.8	8.5	9.1	63.5	43.5	3.4	3.5	3.7	3.6	91.89	97.92	4.95	2.7	54.55	5.3	6.0	88.83
5531-14	13.3	---	---	8.0	8.0	10.0	---	---	3.6	3.6	3.8	3.8	91.74	94.74	5.6	2.85	50.89	---	---	---
6020-5	13.6	---	54.41	9.7	8.5	9.8	68.5	48.5	3.5	3.55	3.9	3.7	89.74	93.95	5.55	2.55	49.95	5.5	6.5	84.02
5531-11	13.6	---	---	---	8.5	9.4	---	---	3.35	3.4	3.9	3.8	85.90	89.47	5.05	2.8	55.45	---	---	---
5531-8	14.2	---	49.59	9.3	8.1	9.0	65.5	47.0	3.4	3.6	3.9	3.9	87.78	92.31	5.1	3.1	62.78	4.9	6.7	73.15
5531-13	14.3	---	51.09	---	7.5	9.4	---	---	3.25	3.3	3.6	3.55	90.28	92.96	5.1	3.1	62.78	4.6	6.3	73.02
5531-7	13.5	---	51.87	---	8.5	9.5	---	---	3.5	3.7	4.1	3.9	92.68	94.87	5.2	2.7	51.92	5.0	6.3	79.37
Specimens	(10)	---	(7)	(5)	(10)	(10)	(5)	(5)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(9)	(9)	(7)	(7)	(7)
Totals	137.2	---	---	48.9	83.7	96.5	336.5	248.0	35.29	35.30	38.90	37.95	90.49	93.02	47.50	25.00	52.00	36.25	44.90	80.02
Averages	13.72	---	50.10	9.78	8.57	9.69	67.9	49.6	3.52	3.53	3.89	3.80	85.60	88.75	5.28	2.78	52.63	5.17	6.41	79.02
Minima	13.1	---	48.59	9.3	7.6	9.0	63.5	45.5	3.25	3.3	3.6	3.55	85.60	88.75	4.95	2.55	45.95	4.6	6.0	73.02
Maxima	14.3	---	54.81	10.6	9.4	10.4	70.0	55.0	3.8	3.7	4.1	4.0	95.0	97.92	5.6	3.1	60.78	5.5	6.7	83.32

SIBERIA: BURIAT

(Summary)

MALES

	Approximate age of subject	Diam. anterior-posterior maxill. (glabella ad maximum)	Diam. lateral maxill.	Basion-Bregma height	Cranial Index	Mean Height Index	Cranial Module	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)	Diam. Bizygo-nasale maxill. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion
	(27)	(29)	(29)	(28)	(28)	(28)	(28)	(8)	(24)	(27)	(8)	(24)	(24)	(28)	(28)
Specimens	1, 054	523.6	436.5	307.9	431.61	101.8	184.8	101.8	7.70	377.7	90.73	55.05	237.5	246.5	279.7
Totals	39	15.05	13.14	79.32	15.42	12.73	7.70	12.73	14.0	14.0	83.0	60.4	9.90	8.80	9.90
Averages	21	17.3	14.0	72.57	15.00	11.4	7.9	13.2	8.9	13.2	83.0	60.7	8.9	8.1	9.4
Minima	75	19.2	16.2	84.4	16.29	13.7	8.3	15.0	10.6	15.0	101.48	60.7	10.6	9.6	10.7

FEMALES

	Approximate age of subject	Diam. anterior-posterior maxill. (glabella ad maximum)	Diam. lateral maxill.	Basion-Bregma height	Cranial Index	Mean Height Index	Cranial Module	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)	Diam. Bizygo-nasale maxill. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion
	(20)	(21)	(24)	(24)	(24)	(24)	(24)	(4)	(17)	(22)	(4)	(17)	(15)	(22)	(24)
Specimens	806	414.8	352.1	301.5	356.13	48.80	123.3	48.80	7.25	299.4	89.21	65.53	144.0	186.1	232.2
Totals	40.3	17.28	14.67	12.56	14.84	12.90	7.25	12.90	6.6	13.61	85.3	48.59	9.60	8.46	9.1
Averages	20	16.5	13.8	11.7	11.27	10.7	7.9	12.8	7.9	14.3	85.3	48.59	8.9	7.6	9.1
Minima	70	18.2	15.4	13.2	15.23	12.7	8.3	15.0	10.6	15.0	101.48	60.7	10.6	9.6	10.7

MALES

	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index	Lower Jaw—Height at Symphysis
	(24)	(24)	(26)	(28)	(26)	(28)	(26)	(28)	(28)	(28)	(28)	(24)	(24)	(24)	(8)
Specimens.....	(24)	(24)	(26)	(28)	(26)	(28)	(26)	(28)	(28)	(28)	(28)	(24)	(24)	(24)	(8)
Totals.....	1,015.0	1,277.0	90.50	97.65	99.2	105.25	91.23	92.78	153.25	73.85	48.19	130.0	158.6	81.97	32.25
Averages.....	67.29	53.21	3.48	3.40	3.82	3.76	80.49	85.0	5.47	2.64	45.62	5.42	6.61	75.4	4.03
Minima.....	62.0	43.5	3.5	3.05	3.5	3.5	101.5	104.17	5.0	3.0	45.55	4.9	5.9	71.5	3.1
Maxima.....	76.5	61.0	3.8	3.85	4.1	4.05			6.0	3.0	66.9	5.9	7.1	91.5	4.1

FEMALES

	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxim.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index	Lower Jaw—Height at Symphysis
	(15)	(15)	(22)	(21)	(22)	(21)	(22)	(21)	(21)	(21)	(21)	(16)	(16)	(16)	(5)
Specimens.....	(15)	(15)	(22)	(21)	(22)	(21)	(22)	(21)	(21)	(21)	(21)	(16)	(16)	(16)	(5)
Totals.....	1,022.5	781.5	76.5	73.15	84.1	79.0	91.08	92.59	111.05	56.5	60.88	81.4	101.5	80.90	15.70
Averages.....	68.17	52.10	3.48	3.48	3.92	3.76	86.5	85.7	5.29	2.69	45.55	5.00	6.34	73.02	3.14
Minima.....	63.5	43.5	3.2	3.2	3.5	3.5	100.0	102.0	4.7	2.85	45.55	4.6	5.9	89.8	3.05
Maxima.....	72.5	63.0	3.8	3.7	4.15	4.2			5.85	3.1	60.78	5.5	6.7	89.8	3.2

SIBERIA: ULCHI—D

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella and max. max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlička's method)	Teeth wear	Menon-Nasion Height (a) ¹	Alveol. Pt.-Nasion Height (b)
8270	Moscow Mus.	Mouth of Amur River.	Mid-aged		19.8	14.3	13.6	71.72	80.0		15.87			12.8	27.6
8275	do.	do.	Elderly		18.0	13.3	13.0	75.89	89.46		15.10			7.8	7.8
8284	do.	do.	do.		18.8	14.0	13.0	74.67	79.87		15.27			11.9	7.9
8281	do.	do.	do.		18.0	13.8	13.1	76.67	83.59		14.97				7.5
Specimens.					(4)	(4)	(4)	(4)	(4)		(4)			(2)	(1)
Totals					74.60	55.3	53.7	74.75	83.68		61.21			21.70	30.80
Averages					18.63	13.83	13.45	74.75	83.68		15.30			12.55	7.70
Minima					18.0	13.3	13.0	71.7	79.8		14.97				7.5
Maxima					19.8	14.2	14.0	76.7	89.5		15.87				7.9

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella and max. max.)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlička's method)	Teeth wear	Menon-Nasion Height (a) ¹	Alveol. Pt.-Nasion Height (b)
8285	Moscow Mus.	Mouth of Amur River	Old		17.9	13.4	12.6	74.86	80.51		14.63				
8291	do.	do.	do.		17.6	13.2	12.3	75.0	79.87		14.37				7.1
8288	do.	do.	Mid-aged		18.0	13.8	12.8	76.87	80.50		14.87				7.2
8277	do.	do.	do.		17.8	13.8	12.2	77.53	77.22		14.60				7.2
8282 ³	do.	do.	25		18.2	14.3	12.8	78.57	78.77		15.10				27.3
8255 ⁴	do.	do.	40		18.2	14.4	12.6	79.19	77.90		15.07			12.1	7.8
8251 ⁵	do.	do.	25		17.6	14.0	12.4	79.55	78.48		14.67				7.3
8259 ³	do.	do.	35		17.2	13.8	12.6	80.83	81.39		14.53				7.0
8260 (small)	do.	do.	35		17.2	13.8	12.5	80.35	83.58		14.50				7.1
Perhaps ♀															
8269 ⁶	do.	do.	Mid-aged		17.4	14.0	12.4	80.46	78.98		14.60				7.2
8274	do.	do.	Old		17.6	14.2	13.5	80.68	81.91		15.10				7.2
8256 ⁷	do.	do.	Elderly		17.4	14.2	12.6	81.61	79.75		14.73			12.7	8.0
8271	do.	do.	35		17.1	14.0	12.3	81.87	79.10		14.47				7.3
Specimens			(13)		(13)	(13)	(13)	(13)	(13)		(13)			(3)	(10)
Totals			595		224.2	180.9	163.9	78.03	79.76		191.34			36.0	73.3
Averages			45.8		13.02	12.61	12.61	78.03	79.76		14.72			12.0	7.33
Minima			24		13.2	12.2	12.2	74.86	77.22		14.37			11.2	7.0
Maxima			70		14.4	13.5	13.5	81.87	84.91		15.10			12.7	8.0

MALES

Specimens	Diam. Bizygomatic maxim. (c)	Facial Index, total (a×100)	Facial Index, upper (b×100)	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbits—Breadth max.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index
8270	13.6	94.12	56.88	10.5	10.2	69.0	53.5	3.95	3.95	3.9	3.9	3.9	2.9	5.7	6.7	85.07	
8275	14.0	55.71	210.6	8.9	9.4	70.0	49.0	3.55	3.5	4.1	4.05	4.05	2.7	4.7	4.38	47.86	
8294	13.7	57.66	10.2	8.9	10.4	68.5	49.0	3.45	3.5	4.0	3.9	3.9	2.8	5.4	6.7	77.6	
8281	13.8	86.23	54.35	9.9	8.8	72.5	51.0	3.6	3.6	3.8	3.9	3.9	2.65	46.90	6.7	77.61	
Totals	(4)	(2)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(3)	(3)	(3)
Averages	13.78	60.16	55.90	10.30	9.15	69.25	50.75	3.54	3.54	3.94	3.94	3.94	2.76	47.53	6.7	81.09	
Minima	13.6	54.4	10.2	8.9	8.8	66.0	49.0	3.25	3.25	3.8	3.8	3.8	2.65	45.4	6.7	77.6	
Maxima	14.0	57.7	10.6	10.6	10.8	72.5	53.5	3.85	3.8	4.1	4.05	4.05	2.9	50.0	5.7	85.1	

FEMALES

Specimens	Diam. Bizygomatic maxim. (c)	Facial Index, total (a×100)	Facial Index, upper (b×100)	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbits—Breadth max.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—Index
8265	13.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8261	12.3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8268	12.8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8277	13.2	54.55	9.8	8.6	9.6	66.5	46.5	3.35	3.35	3.8	3.8	3.8	2.6	5.0	6.1	81.97	
8282	13.8	62.90	10.7	8.9	10.4	74.0	60.5	3.55	3.5	4.0	3.85	3.85	2.55	5.9	6.3	70.37	
8285	13.9	56.12	10.7	9.3	10.0	63.0	50.0	3.8	3.8	4.0	4.0	4.0	2.6	48.15	5.9	75.38	
8281	13.6	53.68	10.4	9.0	10.6	71.0	48.5	3.6	3.6	3.9	3.9	3.9	2.5	46.73	6.7	86.57	
8289	12.7	55.12	9.7	8.4	9.6	67.5	45.5	3.8	3.4	3.9	3.9	3.9	2.5	48.08	6.7	83.68	
8260	13.4	53.58	62.09	10.5	9.0	66.0	46.0	3.55	3.55	3.9	4.0	4.0	2.35	48.45	6.3	81.75	
8269	13.4	53.73	9.1	8.3	9.5	70.0	57.0	3.4	3.4	3.9	3.9	3.9	3.15	52.25	5.4	81.82	
8274	13.8	62.02	9.9	8.9	9.9	66.0	59.5	3.5	3.5	3.9	3.9	3.9	3.15	60.68	6.7	71.64	
8256	12.9	57.94	9.6	8.4	8.8	61.0	50.0	3.5	3.55	3.7	3.7	3.7	2.5	48.15	5.4	81.82	
8271	12.6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Specimens	(13)	(3)	(10)	(10)	(13)	(10)	(10)	(13)	(13)	(13)	(13)	(13)	(13)	(13)	(10)	(10)	(10)
Totals	171.3	---	99.3	128.5	114.3	673.0	513.5	45.45	42.1	50.90	46.45	46.45	34.35	52.35	63.0	63.0	80.54
Averages	13.18	89.66	55.45	9.93	8.79	67.30	51.35	3.51	3.51	3.92	3.87	3.87	2.64	50.71	5.24	6.30	80.54
Minima	12.3	53.68	52.00	9.1	8.3	61.0	45.50	3.25	3.2	3.7	3.6	3.6	2.35	46.60	4.8	6.1	71.64
Maxima	13.9	98.45	62.02	10.7	9.8	74.0	60.5	3.8	3.8	4.1	4.0	4.0	3.13	60.68	5.8	6.7	86.57

1 Allowance made for wear of teeth, where needed.
 2 Near.
 3 Right upper median incisor lost long ago.
 4 Moderate maxillary hyperostosis.
 5 Maxillary hyperostosis, pm2 to M3.
 6 Left upper median incisor lost long ago.
 7 Very pronounced maxillary, and slight mandibular, hyperostoses.

SIBERIA: ULCHI—B

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabelle ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Weight, wear	Men-ton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
8263	Moscow Mus.	Mouth of Amur River	Elderly		17.8	14.6	14.0	82.02	86.42		15.47				8.5
8266	do.	do.	do.		17.1	14.2	13.5	83.04	86.26		14.33				7.9
8267	do.	do.	Mid-aged		17.8	14.8	13.8	83.15	84.66		15.47				8.5
8275	do.	do.	40		17.4	15.0	13.8	86.21	85.19		15.40				8.6
8275	do.	do.	30		18.2	15.6	12.8	85.71	75.74		15.53				7.6
Specimens.					(5)	(5)	(5)	(5)	(5)		(5)			(2)	(5)
Totals.					88.3	74.2	67.9	84.63	82.67		76.8			27.7	41.10
Averages					17.66	14.84	13.58	84.03	82.67		15.36			13.85	8.22
Minima					17.1	14.2	12.8	82.02	75.74		14.93			13.7	7.6
Maxima					18.2	15.6	14.0	86.21	86.42		15.53			14.0	8.6

FEMALES

8279	Moscow Mus.	Mouth of Amur River	24		16.7	14.2	12.5	85.03	80.91		14.47				7.2
8282	do.	do.	50		16.4	14.2	12.4	86.59	81.05		14.33				6.9

MALES

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—	
S263	14.2	---	49.88	11.0	9.3	10.4	62.5	51.0	3.5	3.55	4.1	4.2	82.97	84.62	5.35	2.65	49.53	6.0	7.2	83.53	
S266	14.3	---	55.21	10.7	9.2	10.0	63.0	49.5	3.6	3.65	3.9	3.9	92.41	92.91	5.3	2.75	61.89	5.6	7.1	78.87	
S267	14.3	67.90	59.14	11.0	9.7	11.0	67.0	55.0	3.5	3.45	3.9	3.8	89.74	90.79	5.85	3.0	61.28	5.7	7.0	81.53	
S272	15.3	89.54	56.21	10.9	9.5	10.4	63.0	54.5	3.4	3.5	4.15	4.15	81.93	84.34	5.65	2.45	43.93	5.0	6.8	73.53	
S273	15.0	---	60.67	9.9	8.8	10.3	70.5	51.5	3.6	3.6	4.0	4.0	---	90.0	5.7	2.5	43.86	5.0	6.8	73.53	
Specimens	(6)	(2)	(6)	(5)	(5)	(5)	(5)	(5)	(4)	(5)	(4)	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(4)	(4)	(4)
Totals	73.10	---	---	53.5	46.5	52.1	326.0	261.5	14.05	17.70	16.10	20.05	87.27	88.28	5.57	13.35	47.94	22.3	28.10	79.36	
Averages	14.62	---	---	10.7	9.3	10.42	65.20	52.30	3.51	3.64	4.03	4.01	87.97	88.28	5.57	2.67	47.94	5.58	7.03	76.63	
Minima	14.2	---	---	9.9	8.8	10.0	62.5	49.5	3.4	3.45	3.9	3.8	81.93	84.34	5.3	2.45	43.56	3.0	6.8	76.63	
Maxima	15.3	---	---	11.0	9.7	11.0	70.5	55.0	3.65	3.6	4.15	4.2	92.41	92.51	5.85	3.0	61.89	6.0	7.2	83.53	

FEMALES

S279	13.6	---	62.94	10.4	9.2	9.8	65.0	53.0	3.4	3.5	4.0	3.9	85.0	89.74	4.9	2.65	64.08	5.5	6.5	84.62
S282	13.7	---	60.56	9.8	8.6	9.4	65.5	49.0	3.35	3.3	4.05	3.95	82.72	83.54	4.95	2.5	60.51	5.5	6.5	84.62

SIBERIA: GILIAK—LB (SAKHALIN)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxill. (glabella ad maxillam)	Diam. lateral maxill.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Irdlicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
5106-2	Leningrad Mus.	Sakhalin Island			18.2	14.4	13.8	79.12	84.66		15.47				7.4
840	do.	do.			18.4	14.6	14.0	79.95	84.85		15.67				7.6
5106-4	do.	do.			18.4	15.0	14.2	81.52	85.03		15.87			13.4	8.2
843	do.	do.			18.2	15.0	13.6	82.49	81.83		15.60				8.2
842	do.	do.			18.1	15.0	13.0	82.87	78.55		15.37				8.2
850	do.	do.			17.9	15.3	14.0	85.47	84.94		15.73				8.2
5106-5	do.	do.			18.0	15.6	13.4	86.67	79.76		15.67			13.2	8.3
852	do.	do.			17.5	15.2	13.0	86.85	79.51		15.23				8.3
3926-14	do.	do.			17.1	15.2	12.4	88.89	76.78		14.90				7.4
Specimens					(9)	(9)	(9)	(9)	(9)		(9)			(2)	(7)
Totals					161.8	135.3	121.4				139.51			26.6	55.3
Averages					17.88	15.03	13.49	83.62	81.72		15.50			13.3	7.90
Minimum					17.1	14.4	12.4	79.12	76.78		14.90			13.2	7.4
Maximum					18.4	15.6	14.2	88.89	85.03		15.87			13.4	8.3

FEMALES

5106-8	Leningrad Mus.	Sakhalin Island	17.8	13.2	74.16	80.0	14.47		7.6
845	do	do	17.2	13.8	80.83	87.89	14.70		7.5
844	do	do	17.4	14.2	81.61	77.95	14.63		6.9
5106-9	do	do	17.0	13.9	81.76	87.44	14.70	(10.5)	6.1
5106-7	do	do	17.5	14.4	82.99	87.80	14.97	12.3	7.8
849	do	do	16.7	13.8	82.68	80.00	14.23		
841	do	do	17.0	14.3	84.12	79.87	14.60		7.3
5106-6	do	do	17.1	14.5	84.80	78.43	14.67		
838	do	do	16.8	14.4	85.71	82.05	14.67		6.7
836	do	do	17.1	15.0	86.21	77.16	14.97		7.6
839	do	do	16.1	14.0	86.96	71.76	13.63		7.3
851	do	do	17.2	15.0	87.21				
5106-3	do	do	16.6	14.6	87.95	83.97	14.77	8 12.0	7.4
848	do	do	16.9	15.0	88.76	82.76	15.03		
Specimens			(14)	(14)	(14)	(13)	(13)		(10)
Totals			238.70	200.1	163.5		190.04	(2)	72.20
Averages			17.05	14.29	83.83	80.42	14.62	12.15	7.22
Minima			16.1	13.2	74.16	71.76	13.63	12.0	6.1
Maxima			17.8	15.0	88.76	85.44	15.03	12.3	7.8

See footnotes at end of table.

SIBERIA: GILIAK—LB (SAKHALIN)—Continued
MALES

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index	
5106-2	13.8	---	53.62	10.4	9.4	10.3	68.0	54.5	3.55	3.45	4.0	4.0	88.75	86.25	5.5	2.55	46.96	5.6	6.9	81.16	
840	14.2	---	53.52	10.8	9.8	11.0	71.0	61.0	3.15	3.25	3.9	3.9	80.77	83.53	5.05	2.25	44.55	5.8	7.2	80.56	
5106-4	15.1	---	54.30	10.5	9.3	10.6	67.5	56.0	3.8	3.8	4.1	4.1	92.68	92.68	5.7	2.8	49.12	6.0	7.6	78.95	
843 2	14.4	---	56.94	10.9	9.6	10.8	67.0	54.0	3.45	3.5	4.1	4.0	84.15	87.50	5.6	2.7	48.21	5.4	6.7	80.60	
842	14.2	---	47.75	10.9	9.6	10.5	64.5	56.0	3.4	3.45	4.0	4.0	85.0	86.25	5.3	2.6	49.06	5.8	6.9	84.06	
850	10.2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5106-5	14.6	90.41	56.85	10.9	9.5	10.5	64.5	51.0	3.55	3.6	3.8	3.8	93.42	94.74	5.8	2.75	47.41	5.8	6.9	84.06	
852	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3920-1	14.0	---	52.86	11.0	9.6	9.8	60.5	45.0	3.35	3.2	3.9	3.9	85.90	82.05	5.35	2.7	50.47	5.8	6.8	85.29	
Specimens	(8)	(2)	(7)	(7)	(7)	(8)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)
Totals	111.0	---	75.40	66.80	83.50	433.0	377.5	24.25	24.25	27.70	27.70	27.70	87.29	87.55	38.3	18.35	40.20	49.0	49.0	---	
Averages	13.88	---	55.13	10.77	9.54	10.44	66.14	53.93	3.46	3.45	3.97	3.96	87.97	87.91	5.47	2.62	47.91	5.74	7.0	82.07	
Minima	10.7	---	47.75	10.4	9.3	9.8	60.5	45.0	3.2	3.2	3.8	3.8	80.77	82.05	5.05	2.25	44.55	5.4	6.7	78.95	
Maxima	15.1	90.41	56.94	11.0	9.8	11.0	71.0	61.0	3.8	3.8	4.1	4.1	93.42	94.74	5.8	2.8	50.47	6.0	7.6	85.29	

FEMALES

5105-8	13.3	56.39	9.9	8.6	9.6	65.0	51.0	3.3	3.7	88.19	5.25	2.6	49.52	5.0	6.8	75.53
845	9.7	53.08	9.8	8.8	9.9	69.0	60.0	3.5	3.95	88.91	5.2	2.4	46.15	15.1	6.1	83.61
844	13.0	(77.21)	9.6	8.8	9.4	65.5	54.0	3.55	3.6	91.03	5.0	2.4	48.0	5.2	6.3	82.54
5105-9	13.6	58.21	10.9	9.6	10.2	63.5	52.5	3.45	3.7	85.24	4.85	2.5	51.65	4.6	6.5	70.77
5105-7	13.4	52.90	10.6	9.3	9.8	63.0	51.0	3.3	3.8	86.84	4.95	2.8	60.45	6.0	7.2	85.33
849	13.8	49.26	11.1	10.1	10.4	66.5	58.0	3.0	3.8	97.50	5.5	2.4	43.64	5.4	6.5	83.08
5105-6	13.6	55.07	10.3	8.8	9.7	63.5	48.5	3.35	3.4	78.95	4.4	2.2	60.0	5.4	6.5	88.89
836	13.8	57.48	10.4	(9.0)	9.0	(58.0)	(48.0)	3.25	3.75	86.67	5.0	2.5	50.0	5.5	6.3	88.71
839?	12.7	53.62	10.8	9.1	10.1	64.0	41.0	3.5	3.9	89.74	5.2	2.5	48.08	5.3	6.5	81.54
851	13.8															
5105-3	13.8	86.96	10.8	9.1	10.1	64.0	41.0	3.5	3.9	89.74	5.2	2.5	48.08	5.3	6.5	81.54
848																
Specimens	(10)	(2)	(10)	(10)	(12)	(9)	(9)	(11)	(10)	(11)	(11)	(11)	(11)	(9)	(9)	(9)
Totals	134.0	69.87	103.1	91.10	118.4	596.0	467.5	37.45	42.2	37.75	55.95	27.2	47.70	58.4	58.4	(9)
Averages	13.40	69.87	10.31	9.11	9.87	66.22	51.94	3.4	3.42	3.84	5.09	2.47	48.61	5.30	6.49	81.68
Minimum	12.7	56.96	9.6	8.6	9.0	63.0	41.0	3.0	3.7	78.95	4.4	2.2	43.64	4.6	6.1	70.77
Maximum	13.8	91.79	11.1	10.1	10.4	76.0	60.0	3.9	3.9	99.50	5.55	2.8	63.54	6.4	7.2	88.89

1 Like an Athapascan; somewhat unusual for a Gilliak, but +.

2 Upper median incisors lost long ago.

3 Near.

4 Resembles those of Yukagirskaja, Sopka, Samoyeds, etc.; base depressed (common, more or less).

5 Upper incisors lost long ago.

6 Aleutlike.

7 Possibly not quite normal; base impressed.

8 Allowance made for wear of teeth.

SIBERIA: GILIAK-D (AMUR)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
46153	Leningrad Mus.	Northern Okhotsk Sea.	Adult	-----	18.8	13.2	13.7	70.21	85.63	-----	15.23	-----	-----	-----	7.6
50331	do.	Lower Amur	do.	-----	18.8	14.0	13.6	74.47	82.93	-----	15.47	-----	-----	-----	7.6

FEMALES

50101	Leningrad Mus.	Lower Amur	Adult	-----	18.4	13.5	13.4	78.57	84.01	-----	15.10	-----	-----	-----	-----	6.9
-------	----------------	------------	-------	-------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-----

MALES

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxm.	Nasal Index	Upper Alveolar Arch—Length maxm.	Upper Alveolar Arch—Breadth maxm.	Upper Alveolar Arch—Index
46153	14.0	54.29	11.3	9.9	11.2	71.0	57.5	3.4	3.55	4.2	4.2	80.85	84.52	5.3	2.5	47.17	6.0	6.7	89.55
50331	13.5	56.50	10.4	9.1	10.6	70.0	48.0	3.35	3.4	3.9	3.9	85.60	87.18	5.6	2.75	49.11	5.7	6.9	82.61

FEMALES

50101	13.1	52.67	10.5	9.2	10.0	61.0	49.5	3.25	3.35	4.0	3.8	81.25	83.16	4.75	2.9	61.0	5.6	6.3	83.89
-------	------	-------	-------	------	-----	------	------	------	------	------	-----	-----	-------	-------	------	-----	------	-----	-----	-------

¹ Near.

SIBERIA: YAKUT

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabelle ad maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Morditchka's method)	Teeth wear	Men-tion-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
59894	Leningrad Mus.	Yakutia	Adult		19.6	14.7	14.2	75.0	82.8		16.17				8.4
59897	do.	do.	do.		18.8	14.5	13.8	77.1	82.9		13.70				8.1
59895	do.	do.	do.		17.6	14.6	13.4	81.6	82.9		13.30			13.1	8.0
36702	Moscow Mus.	do.	do.		18.3	13.0	14.0	82.0	84.1		13.77				
36708	do.	do.	do.		19.0	13.6	13.4	82.1	77.5		16.0				8.1
10773	Leningrad Mus.	do.	do.		18.2	13.1	12.4	83.0	74.5		15.23			12.5	7.9
36701	Moscow Mus.	do.	do.		18.6	13.5	13.4	83.3	78.5		15.83			13.0	8.0
Specimens					(7)	(7)	(7)	(7)	(7)		(7)			(3)	(6)
Totals					130.4	105.0	91.6				110.0			38.6	48.5
Averages					18.63	15.0	13.51		89.4		15.71			12.87	8.08
Minima					17.9	14.5	12.4		75.0		15.23			12.5	7.9
Maxima					19.6	15.6	14.2		84.1		16.17			13.1	8.4

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth maxm.	Nasal Index	Upper Alveolar Arch—Length maxm.	Upper Alveolar Arch—Breadth maxm.	Upper Alveolar Arch—Index
52824	14.8	---	56.8	10.5	9.2	10.8	68.5	53.0	3.45	3.5	4.1	4.0	84.2	87.5	5.9	2.75	46.6	7.0	84.3	
52827	13.9	---	58.3	10.2	9.2	10.6	69.5	60.0	3.2	3.35	3.9	3.85	82.1	87.0	5.55	2.9	52.6	7.0	83.1	
52825	14.3	---	55.9	11.0	9.6	10.2	62.5	54.5	3.3	3.25	3.75	3.75	88.0	86.7	5.25	2.7	51.4	6.5	89.9	
36702	13.8	---	---	---	8.4	10.0	---	---	3.2	3.15	3.85	3.85	83.1	81.8	5.8	2.3	39.7	6.2	---	
36705	15.6	---	51.9	10.3	9.1	10.8	71.0	52.0	3.7	3.7	4.1	4.1	90.2	90.2	6.0	3.15	52.5	5.9	79.7	
10773	14.2	---	55.6	9.4	8.2	9.2	63.5	52.0	3.5	3.4	3.8	3.9	92.1	87.2	5.6	2.5	44.6	5.3	77.9	
36701	15.1	---	53.0	10.6	9.3	11.0	70.5	51.0	3.6	3.7	4.3	4.3	83.7	86.1	5.8	2.95	50.9	6.8	83.8	
Specimens	(7)	(3)	(6)	(6)	(7)	(7)	(6)	(6)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(6)	(6)	(6)
Totals	101.7	---	62.0	72.6	63.0	72.6	405.5	322.5	33.05	24.05	27.8	27.75	39.9	31.4	39.9	10.25	48.2	31.4	41.4	---
Averages	14.53	---	55.2	10.33	9.0	10.37	67.6	53.8	3.42	3.44	3.97	3.96	86.2	86.7	5.70	2.75	48.2	6.90	83.1	
Minima	13.8	---	51.9	9.4	8.2	9.2	62.5	51.0	3.2	3.15	3.75	3.75	82.1	81.8	5.25	2.3	39.7	6.5	77.9	
Maxima	15.6	---	58.3	11.0	9.6	11.0	71.0	60.0	3.7	3.7	4.3	4.3	92.1	90.2	6.0	3.15	52.5	7.4	89.9	

SIBERIA: YUKAGIR

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium. (glabella ad maxium)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Irdhicka's method)	Wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
42556	Leningrad Mus.	Yukagirskaja Sopka	19.2	14.8	13.2	77.08	77.65	15.73	13.3	8.0
8407	Moscow Mus.	Korkodon River	18.2	14.2	13.0	78.02	80.25	15.13	12.5	7.9
42555	Leningrad Mus.	Yukagirskaja Sopka	18.0	14.2	12.4	78.91	79.63	15.70	12.9	7.9
42558	do.	do.	18.4	14.6	13.6	78.89	77.02	14.87
42574	do.	do.	18.4	14.6	13.4	79.95	82.42	15.53
42593	do.	do.	18.6	14.8	13.4	79.67	80.21	15.60	7.8
42592	do.	do.	18.2	13.0	12.0	82.42	75.90	15.27	7.6
Specimens					(7)	(7)	(7)	(7)	(7)		(7)			(3)	(5)
Totals					129.5	102.4	91.6	79.1	79.0		107.83			38.7	39.20
Averages					18.50	14.63	13.09	77.08	75.90		15.40			12.90	7.84
Minima					18.0	14.2	12.4	77.08	75.90		14.87			12.5	7.6
Maxima					19.2	15.0	13.6	82.42	82.42		15.73			13.3	8.0

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium. (glabella ad maxium)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Irdhicka's method)	Wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
42598	Leningrad Mus.	Yukagirskaja Sopka	18.6	13.8	12.3	74.19	75.93	14.90	7.4
42597	do.	do.	18.0	13.6	12.8	75.66	81.01	14.80	6.8
42590	do.	do.	18.8	14.3	12.4	76.06	71.92	15.17	7.3
42594	do.	do.	18.2	14.2	12.8	78.02	79.01	15.07	7.9
42572	do.	do.	18.2	14.2	(Low)	78.02	7.4
42557	do.	do.	18.5	14.2	(Med.)	79.78	12.0	7.5
42573	do.	do.	17.8	14.4	(Med.)	79.78	7.5
42564	do.	do.	18.0	14.4	13.1	80.23	80.86	15.17	7.3
42569	do.	do.	17.2	13.8	11.8	80.23	76.13	14.97	6.7
42551	do.	do.	17.9	14.4	12.2	80.45	73.54	14.83	7.5
42566 ?	do.	do.	17.6	14.4	13.0	81.82	81.25	15.90	6.3
42571	do.	do.	16.8	13.8	12.2	82.14	74.74	14.27	7.3
42565	do.	do.	17.4	14.3	12.0	82.18	75.71	14.57	7.3
Specimens					(13)	(13)	(10)	(13)	(10)		(10)			(2)	(12)
Totals					232.8	183.8	124.60	78.95	73.0		148.05			23.80	87.10
Averages					17.91	14.14	12.46	78.95	73.0		14.81			11.90	7.26
Minima					16.8	13.6	11.80	74.19	74.92		14.27			11.8	6.3
Maxima					18.8	14.4	13.10	82.18	81.25		15.17			12.0	7.9

MALES

Catalog No.	Diam. Bizygomatic max. (c)	Facial Index, total (a×100)	Facial Index, upper (b×100)	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length max.	Upper Alveolar Arch—Breadth max.	Upper Alveolar Arch—Index	
42556	15.0	88.67	53.53	10.0	9.0	10.6	71.0	55.5	3.7	3.6	4.1	4.1	90.24	87.80	5.95	3.0	70.42	5.4	7.0	77.14	
8107	13.6	84.46	53.98	9.8	8.4	9.9	69.0	62.0	3.4	3.45	3.9	3.9	87.18	88.46	5.2	2.65	60.94	5.2	6.7	77.61	
42555	14.8	90.85	55.63	10.0	9.0	10.2	68.5	55.5	3.4	3.45	3.9	3.9	87.18	88.46	5.8	2.5	43.10	5.6	6.8	82.35	
42558	14.2	87.46	52.78	9.8	8.9	10.3	71.0	60.5	3.3	3.3	3.9	3.9	84.62	84.62	5.35	2.4	62.34	5.5	7.0	78.67	
42574	14.4	86.93	54.68	10.0	8.8	10.0	67.0	51.5	3.3	3.35	3.8	3.75	86.84	86.84	5.6	2.8	42.86	5.1	6.6	77.57	
42562	14.2	86.20	54.68	10.0	8.8	10.0	67.0	51.5	3.3	3.35	3.8	3.75	86.84	86.84	5.6	2.8	42.86	5.1	6.6	77.57	
Specimens	(6)	(3)	(5)	(6)	(6)	(7)	(6)	(5)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(5)	(5)	(5)	(5)
Totals	86.20	88.0	54.68	9.92	8.83	10.20	69.3	57.0	3.41	3.44	3.93	3.91	86.7	88.0	5.52	2.65	48.0	5.36	34.1	78.6	
Averages	14.37	87.46	52.78	9.8	8.4	9.9	67.0	51.5	3.3	3.3	3.8	3.75	83.75	84.62	5.2	2.4	42.86	5.1	6.6	77.14	
Minima	13.6	84.46	52.78	8.8	8.4	9.0	67.0	51.5	3.3	3.3	3.8	3.75	83.75	84.62	5.2	2.4	42.86	5.1	6.6	77.14	
Maxima	15.0	90.85	55.63	10.0	9.0	10.6	71.0	62.0	3.7	3.6	4.1	4.1	90.24	89.33	5.95	3.0	52.34	5.0	7.0	82.35	

FEMALES

42568	12.9	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42567	13.2	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42569	13.6	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42559	14.0	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42560	14.0	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42561	13.9	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42572	13.2	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42573	13.2	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42574	13.6	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42564	13.6	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42569	12.6	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42551	13.7	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42566	13.4	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42571	13.4	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42571	13.4	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42565	13.2	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
42565	13.2	87.96	57.96	9.9	8.8	10.0	68.5	53.5	3.1	3.0	3.7	3.7	83.78	81.08	5.35	2.65	49.53	5.2	6.5	80.0	
Specimens	(12)	(2)	(12)	(10)	(8)	(11)	(10)	(10)	(11)	(10)	(11)	(10)	(11)	(10)	(12)	(12)	(12)	(12)	(12)	(12)	(12)
Totals	159.9	88.16	54.47	93.6	83.8	107.1	697.5	555.0	37.15	37.03	41.15	36.80	368.0	311.0	63.3	2.59	19.13	61.6	78.10	80.0	
Averages	13.33	88.16	54.47	9.36	8.36	9.74	69.75	55.5	3.38	3.30	3.74	3.68	90.28	91.90	5.28	2.59	15.93	6.51	6.51	78.87	
Minima	12.4	86.96	50.81	8.5	7.5	8.9	66.0	53.5	3.1	3.0	3.5	3.25	83.78	81.08	4.7	2.45	11.95	4.7	6.1	71.93	
Maxima	14.0	89.59	57.56	9.9	8.8	10.4	76.5	57.5	3.6	3.6	4.0	4.0	97.14	97.90	5.8	2.9	54.57	5.5	7.3	87.90	

3 Vault sphenoidal.

1 Near.

SIBERIA: OROCHI
MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabella ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Men-tion-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
8617	Moscow Mus.		Mid-aged		17.8	15.0	13.1	84.27	79.88		15.30				7.4

FEMALES

8616	Moscow Mus.	(?)	Young adult		17.6	14.3	12.4	81.26	77.74		14.77				6.6
7439 ²	do.		40		17.6	14.6	12.3	82.96	76.40		14.83				6.8
889	Volenko-Med. Acad. Leningrad	Imperatorski Bay			16.6	13.2	13.0	79.62	87.26		14.27			11.6	6.9

MALES

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index
8617	14.8	50.0	10.1	9.0	9.8	69.0	55.0	3.4	3.4	4.05	3.9	83.95	87.18	5.2	2.45	47.1

FEMALES

8016	13.1	10.1	9.6	10.1	69.0	49.0	4.9	2.5	51.09	5.2	6.4	87.26
7459 ¹	10.2	9.3	10.2	64.5	56.0	3.2	3.3	3.8	3.7	84.21	89.19	4.8	2.85	48.96	5.5	6.6	83.53
889	12.9	53.40	10.0	9.0	9.4	64.5	56.0	3.2	3.3	3.8	3.7	84.21	89.19	4.8	2.85	48.96	5.5	6.6	83.53

¹ Samoed type.

² Marked intranasal shelves.

SIBERIA: KORIAK, LAMUT, AND KAMCHADAL

KORIAK

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (gabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
4653 ♂	Moscow Mus.	Kuel River	35		18.1	14.2	13.8	78.46	85.46		15.37				6.8
4654 ♀	do	do			17.2	13.5	12.5	78.49	81.43		14.40				6.8

LAMUT

4650 (♀) ³	Moscow Mus.	Yakutskaja Obl.	50		17.8	13.7	12.4	76.97	78.73		14.63					7.2
-----------------------	-------------	-----------------	----	--	------	------	------	-------	-------	--	-------	--	--	--	--	-----

KAMCHADAL

893 (♀)	Leningrad Mus.	Kamehatka			17.4	13.3	13.6	76.44	88.60		14.77					7.0
---------	----------------	-----------	--	--	------	------	------	-------	-------	--	-------	--	--	--	--	-----

KORJAK

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{a \times 100}\right)$	Facial Index, upper $\left(\frac{c}{b \times 100}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
4653 1	12.8	—	52.15	9.6	8.6	9.6	69.0	53.5	3.4	3.4	3.8	3.8	89.47	89.47	5.0	2.35	47.0	—	—	—
4654 (♀)	12.8	—	53.15	9.6	8.3	9.2	67.5	49.5	3.4	3.5	3.7	3.7	84.69	84.69	4.8	2.6	64.17	—	—	—

LAMUT

4650 (♂) ²	13.1	—	64.96	9.7	8.5	9.6	67.5	50.5	3.3	3.4	3.9	3.6	84.62	86.84	5.1	2.35	46.08	—	—	—
-----------------------	------	---	-------	-----	-----	-----	------	------	-----	-----	-----	-----	-------	-------	-----	------	-------	---	---	---

KAMCHADAL

893 (♀)	13.5	—	61.85	9.6	8.7	9.8	70.5	59.0	3.25	—	3.8	—	85.65	—	4.9	2.4	48.98	—	—	—
---------	------	---	-------	-----	-----	-----	------	------	------	---	-----	---	-------	---	-----	-----	-------	---	---	---

¹ Face ♀-like, but probably a boy.

² Near.

³ External maxillary hyperostoses.

SIBERIA: CHUKCHI
(Chukchi Peninsula)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maximi. (glabella ad maximum)	Diam. lateral maximi.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
6539	Moscow Mus.	Chukchi Peninsula	35	---	18.6	13.6	14.1	73.12	87.68	103.68	15.43	---	---	---	7.6
6597	do	do	50	---	19.0	14.0	13.6	73.68	82.12	97.14	15.33	---	---	---	8.0
6521	do	do	28	---	18.9	14.0	14.0	74.07	85.11	100.00	15.63	---	---	---	8.5
6516	do	do	26	---	19.0	14.1	13.9	74.91	83.99	98.68	15.67	---	---	---	7.6
6527	do	do	45	---	19.6	13.6	13.8	74.49	80.70	98.68	16.00	---	---	---	8.3
6511	do	do	55	---	18.4	13.8	13.6	72.0	84.47	98.65	15.97	---	---	---	8.4
6518	do	do	60	---	19.2	14.4	13.8	72.0	82.44	93.68	15.80	---	---	---	7.5
6532	do	do	40	---	18.4	13.8	13.9	72.0	86.34	100.72	13.72	---	---	---	8.5
6546	do	do	60	---	18.0	13.5	14.2	72.0	80.19	105.19	13.33	---	---	---	8.2
6552	do	do	30	---	18.2	13.8	13.4	72.33	83.70	97.10	15.13	---	---	---	7.7
6514	do	do	35	---	18.4	14.0	13.5	76.09	83.35	96.45	15.30	---	---	---	7.6
6506	do	do	60	---	18.1	13.8	13.0	76.24	81.60	94.30	14.97	---	---	---	7.7
6553	do	do	40	---	18.7	14.3	13.6	76.47	82.43	95.10	15.53	---	---	---	8.6
6517	do	do	35	---	18.0	13.8	13.9	76.67	87.42	100.72	15.23	---	---	---	7.7
6524	do	do	65	---	18.6	14.3	14.4	76.88	87.54	100.70	15.77	---	---	---	7.3
6517	do	do	65	---	19.1	15.1	12.8	77.44	73.99	84.77	13.80	---	---	---	8.0
3245-1	Leninograd Mus.	do	35	---	19.4	15.2	14.1	78.35	81.60	92.76	16.23	---	---	---	8.6
3115	Moscow Mus.	do	30	---	18.6	14.8	13.0	79.67	77.84	87.84	15.47	---	---	---	7.7
6549	do	do	35	---	18.2	14.5	13.0	82.29	79.27	87.84	15.27	---	---	---	7.7
6540	do	do	35	---	18.0	14.8	13.0	82.69	87.87	97.80	15.17	---	---	---	7.7
6523	do	do	23	---	17.3	14.3	13.9	82.69	87.87	97.80	15.73	---	---	---	7.7
6509	do	do	50	---	18.4	15.4	13.4	83.70	79.89	87.01	15.73	---	---	---	8.3
6506	do	do	50	---	18.4	15.4	13.4	83.70	79.89	87.01	15.73	---	---	---	8.3
Speelmen	---	---	927	---	(22)	(22)	(21)	(22)	(21)	(21)	(21)	---	---	(1)	(21)
Totals	---	---	927	---	408.50	313.19	286.90	---	---	---	325.53	---	---	---	167.1
Averages	---	---	42.1	---	18.57	14.27	13.66	76.7	83.2	95.62	15.50	---	---	---	7.96
Minima	---	---	22	---	17.3	13.5	12.8	73.12	73.99	84.77	14.97	---	---	---	7.3
Maxima	---	---	65	---	19.6	15.4	14.4	83.70	90.16	105.19	16.23	---	---	---	8.5

Catalog No.	Diam. Bizygomatic		Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pl.	Basion Subnasal Pl.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index	
	(22)	(1)																				(21)
6359	14.3		53.15		10.6	9.6	10.8	70.5	57.0	3.7	3.8	4.1	4.1	90.24	92.68	5.45	2.2	40.37	5.8	6.7	86.37	
6367	13.9		57.66		10.4	9.1	10.2	66.0	53.0	3.75	3.75	4.0	4.0	93.75	93.75	5.5	2.5	45.45	5.5	7.0	78.57	
6321	14.4		59.03		9.4	11.1	11.1	72.5	66.0	4.1	4.0	4.15	4.15	98.80	96.39	5.7	2.4	42.11	5.4	6.4	84.83	
6316	14.9		57.80		11.0	9.4	10.6	66.5	54.5	3.6	3.6	3.9	3.8	92.31	94.74	5.25	2.15	40.95	5.7	6.7	85.07	
6327	14.9		57.70		10.4	9.8	10.4	66.5	60.5	3.7	3.75	4.15	4.05	89.16	92.59	5.7	2.6	45.61				
6311	14.0		60.00		11.2	9.4	10.6	63.5	53.5	3.8	3.75	4.2	4.1	90.48	91.46	5.6	2.75	49.11	6.1	7.0	87.14	
6318	14.8		60.68		10.9	10.0	11.2	72.5	57.5	3.8	3.7	4.5	4.3	84.44	86.05	5.7	2.85	50.00				
6335	13.8		61.69		10.8	9.9	10.6	65.5	64.0	3.65	3.55	4.1	4.1	93.02	96.59	5.75	2.7	46.96	5.7	6.0	95.00	
6346	14.2		58.57		11.0	10.0	10.5	66.5	61.5	3.75	3.85	4.0	4.0	93.75	96.85	5.5	2.45	44.56	5.7	6.8	86.76	
6552	14.2		54.93		10.7	9.6	10.5	67.0	57.0	3.6	3.7	4.1	3.9	87.80	91.87	5.4	2.3	43.59	5.6	6.8	82.55	
6314	14.6		52.74		10.8	8.8	10.4	67.5	54.5	3.85	3.8	4.2	4.4	91.67	95.36	5.1	2.0	39.22	5.6	6.3	88.89	
6500	14.2		53.62		10.0	8.5	10.6	68.0	53.5	3.85	3.85	4.15	4.15	92.77	92.77	5.3	2.55	48.11	5.6	6.7	93.58	
6551	14.3		59.44		10.6	9.4	10.4	65.0	56.0	3.8	4.0	4.45	4.4	85.39	90.91	5.9	2.5	42.57	6.1	7.2	84.72	
6517	13.8		52.80		10.2	9.2	10.1	68.5	56.5	3.7	3.65	3.9	3.9	94.87	93.59	5.1	2.4	47.06	5.4	6.6	84.82	
6524	14.5		53.69		10.3	9.0	11.0	66.5	54.5	3.8	3.85	4.1	4.1	92.68	93.90	5.55	2.2	39.61				
6549	14.9		56.59		10.3	9.0	10.3	66.5	54.5	3.65	3.75	4.25	4.35	85.88	86.91	5.35	2.7	50.77	6.1	7.0	87.14	
5245-1	15.1		56.29		11.5	10.4	11.2	66.0	58.0	3.75	3.7	4.1	4.05	91.67	91.36	6.35	2.1	35.00	5.9	6.7	88.06	
8115	14.3		52.85		10.1	9.4	10.4	70.0	63.5	3.3	3.2	3.8	3.7	86.84	86.49	5.35	2.8	50.45	5.8	7.1	77.46	
6540	14.0		55.00		10.6	10.1	10.4	64.5	56.5	3.6	3.6	3.9	3.9	92.31	92.31	5.3	2.4	43.64	5.6	7.1	78.87	
6523	14.3		53.85		10.0	9.0	10.2	68.5	57.0	3.6	3.6	4.1	4.1	87.80	87.80	5.35	2.3	43.00	5.7	7.2	79.17	
6509	13.6		56.62		10.2	9.3	10.4	69.5	62.0	3.4	3.4	4.0	3.85	85.00	88.31	5.1	2.1	41.18	5.3	6.7	79.10	
6506	14.1		58.87		10.5	11.8	9.8	61.5	42.5	3.6	3.7	3.95	3.9	91.14	94.87	5.75	2.8	43.70	5.9	7.2	81.94	
Specimens	(22)	(1)	(21)	(21)	(21)	(22)	(22)	(21)	(21)	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(19)
Totals	313.5		222.10	1,412.5	208.70	231.40	90.10	1,196.0	1,196.0	81.35	81.55	90.10	89.30	90.28	91.32	121.10	53.75	108.40	129.20	108.40	129.20	(19)
Averages	14.25		40.58	67.3	10.52	9.49	4.10	67.3	58.0	3.70	3.71	4.10	4.06	90.28	91.32	5.51	2.44	44.38	5.71	6.80	83.90	
Minima	13.5		40.68	61.5	8.7	9.8	3.8	61.5	42.5	3.3	3.2	3.8	3.7	84.44	86.05	5.1	2.0	35.00	5.3	6.3	77.46	
Maxima	13.1		61.59	72.5	11.5	11.2	4.1	72.5	66.0	4.1	4.0	4.5	4.4	98.80	96.39	6.0	2.85	60.47	6.1	7.2	95.00	

1 Somewhat ♀-like, but probably ♂.
 2 Asym., bet. 1.
 3 U-shaped palate.
 4 Intranasal shelves.
 5 Near.
 6 Left upper median incisor lost long ago.
 7 Somewhat ♀-like, but probably ♂.
 8 Scurvy.
 9 Atlas attached.
 10 Intranasal shelf.
 11 Somewhat ♀-like, but probably ♂.
 12 Atlas fused on left with occipital.

SIBERIA: CHUKCHI—Continued
(Chukchi Peninsula)

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (glabela ad maxim.)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlička's method)	Teeth wear	Menton-Nasion Height (m)	Alveol. Pt.-Nasion Height (b)
1242 1 (red)	Leningrad Mus.	Chukchi Peninsula	60		18.2	13.3	13.3	73.08	84.44	100.00	14.33				7.8
425-32	do	do	25		18.0	13.2	13.3	73.33	85.25	100.76	14.88				7.6
6507 2	Moscow Mus.	do	35		18.2	13.4	13.6	73.03	86.08	101.49	15.07				7.6
6498 3	do	do	45		17.8	13.2	13.3	74.16	85.81	100.76	14.77				7.5
6548	do	do	35		18.0	13.4	13.6	74.44	86.62	101.49	15.00				7.0
425-13 4	Leningrad Mus.	do	60		18.2	13.6	13.2	74.75	83.02	97.06	15.00				7.0
4722 3	Moscow Mus.	do	20		17.5	13.4	12.8	74.87	83.66	97.71	14.47				7.0
425-26	Leningrad Mus.	do	20		18.4	13.8	13.7	75.0	85.09	99.81	15.30				(6.9)
4610 1	do	do	50		18.5	13.9	13.0	75.14	80.95	93.53	15.30				7.6
6337	Moscow Mus.	do	45		18.1	13.6	12.9	75.14	81.39	94.85	15.37				7.1
6320 5	do	do	50		18.2	13.6	12.8	75.27	80.25	93.43	14.90				7.5
425-16	Leningrad Mus.	do	70		18.0	13.6	13.2	75.66	83.54	97.06	14.93				7.4
425-36	do	do	35		17.4	13.2	13.0	75.86	84.97	98.48	14.53				7.2
6332 2	Moscow Mus.	do	23		18.7	14.2	12.9	75.94	78.42	90.85	15.27				7.6
6496	do	do	90		17.6	13.4	13.6	76.11	87.74	101.49	14.87				7.1
425-45	Leningrad Mus.	do	20		17.3	13.2	13.0	76.30	85.25	98.18	14.50				7.2
425-49	do	do	25		17.8	13.6	13.2	76.40	82.80	95.69	14.80				7.8
6525	Moscow Mus.	do	35		17.8	13.6	13.0	76.40	84.05	97.06	14.87				7.4
6508 8	do	do	24		17.4	13.3	13.0	76.41	84.69	97.74	14.57				7.8
6519 8	do	do	28		17.4	13.3	12.8	76.41	83.59	93.94	14.50				7.7
425-38	Leningrad Mus.	do	50		17.0	13.0	12.6	76.41	81.00	96.62	14.90				7.7
6541	Moscow Mus.	do	25		17.4	13.4	13.8	77.47	85.09	97.76	14.63				7.7
6533	do	do	75		17.6	13.6	12.8	77.97	82.03	91.12	14.67				6.9
6545 11	do	do	22		18.1	14.0	13.6	77.35	84.74	97.14	15.23				7.2
6544	do	do	20		17.8	13.8	13.8	77.53	87.34	100.00	13.43				7.4
6513	do	do	25		17.0	13.2	13.1	77.65	86.73	99.24	14.33				7.8
8114 12	do	do	40		18.8	14.6	12.7	77.69	76.66	86.39	13.37				12.8

6536 13	Moscow Mus.	40	18.0	14.0	13.4	77.78	83.75	95.71.	15.13	7.4
425-37	Leningrad Mus.	35	18.1	14.1	12.7	77.90	78.68	90.07	14.37	7.3
6504 3	Moscow Mus.	35	17.2	13.4	13.4	77.91	87.58	100.00	14.67	7.5
6543 3	do	30	17.2	13.4	13.2	77.91	86.27	98.51	14.60	7.5
425-52	Leningrad Mus.	25	17.6	13.8	12.8	78.41	87.53	92.75	14.73	7.4
753-5 14	do	35	17.6	13.8	13.0	78.41	82.80	94.20	14.80	7.4
6534	Moscow Mus.	25	17.8	14.0	13.3	78.65	83.65	95.00	15.03	7.7
198-1 13	Leningrad Mus.	50	17.4	13.8	13.6	79.31	87.18	98.65	14.93	7.7
6510	Moscow Mus.	60	17.5	13.8	13.3	79.43	84.71	95.68	14.90	7.4
1243 (red) 15	Leningrad Mus.	96	18.6	14.8	13.7	79.67	82.04	92.67	15.70	7.7
425-41	do	40	17.4	14.1	13.3	81.03	84.44	94.33	14.93	7.0
4310-2	do	21	17.0	14.1	13.4	82.94	86.17	95.04	14.83	7.5
425-53	do	22	16.6	13.8	13.2	83.13	86.84	95.65	14.53	6.7
425-30	do	24	17.6	14.7	13.6	83.52	84.21	92.52	15.30	7.0
Specimens.		(41)	(41)	(41)	(41)	(41)	(41)	(41)	(41)	(38)
Totals.		1,512	560.9	510.8	609.82	77.07	82.92	96.12	47.20	280.7
Averages.		36.9	13.68	13.19	11.87	73.08	76.05	86.99	11.80	7.39
Minimum.		20	13.0	12.6	10.9	83.52	87.74	101.76	12.8	6.7
Maximum.		75	18.8	14.8	13.8					7.8

Footnotes at end of table.

SIBERIA: CHUKCHI—Continued
(Chukchi Peninsula)

FEMALES—Continued

Catalog No.	Diam. Bizygomatic maxim. (c)	Facial Index, total $\left(\frac{c}{a} \times 100\right)$	Facial Index, upper $\left(\frac{c}{b} \times 100\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth, max- im.	Nasal Index	Upper Alveolar Arch— Length maxim.	Upper Alveolar Arch— Breadth maxim.	Upper Alveolar Arch— Index
1242 1 (red)	13.0	69.00	10.3	9.2	10.6	70.0	56.5	3.8	3.85	4.4	4.4	86.96	87.50	5.5	5	47.05	5.4	6.8	79.41	
425-32	13.0	68.40	10.3	9.2	10.0	65.5	57.5	3.4	3.45	3.8	3.8	89.47	90.79	5.1	2.2	45.10	5.4	6.8	81.82	
6507 1	14.2	53.52	11.0	9.8	10.8	68.0	54.0	3.5	3.45	3.95	3.95	87.50	87.31	5.25	2.85	44.70	5.4	6.6	83.58	
6498 3	12.8	60.82	10.4	9.0	10.0	66.0	50.5	3.8	3.3	3.9	4.0	86.20	95.00	5.05	2.5	49.50	5.6	6.7	80.83	
6548	12.8	64.09	9.9	8.7	10.0	70.0	50.0	3.4	3.3	3.9	3.9	89.47	84.62	5.05	2.4	47.50	5.3	5.9	80.83	
425-43 4	(12.2)	64.09	10.5	9.4	10.2	67.5	52.0	3.55	3.4	3.9	3.9	91.03	87.18	5.1	6.6	50.98	5.1	6.6	77.97	
6522 3	13.2	56.50	9.7	8.8	9.6	68.5	58.5	3.3	3.3	3.7	3.7	89.19	89.19	4.8	2.4	60.00	5.4	6.3	85.71	
425-26	13.2	57.58	10.3	9.3	10.4	68.5	57.5	3.5	3.4	3.4	3.4	91.59	100.00	5.4	2.4	40.74	5.4	6.3	85.71	
4610-1	13.6	52.21	10.1	8.8	9.9	67.5	48.5	3.6	3.6	4.0	4.0	93.0	90.00	5.05	2.6	47.52	5.8	6.7	83.08	
6537	14.1	53.19	10.2	9.2	10.0	66.5	50.5	3.6	3.55	4.0	4.0	87.80	88.75	5.0	2.6	52.00	5.6	6.7	85.08	
6526 5	12.5	59.20	9.7	8.6	9.5	66.0	57.5	3.6	3.55	3.75	3.65	96.00	97.20	4.9	2.2	44.00	5.4	6.7	83.58	
425-46 1	12.7	55.12	9.6	8.4	9.7	69.0	50.0	3.65	3.65	4.0	4.0	91.95	97.20	5.0	2.5	51.00	5.5	6.1	90.10	
425-36	13.0	55.98	10.2	9.0	9.9	67.0	54.5	3.8	3.75	4.2	4.2	92.68	89.30	4.75	2.0	64.74	5.5	6.7	80.60	
6582 6	13.0	58.46	10.2	8.8	10.0	66.5	50.0	3.65	3.95	4.0	3.9	95.41	90.00	5.25	2.0	49.62	5.4	6.7	78.46	
6496	13.3	54.14	9.5	8.6	9.7	69.0	58.5	3.7	3.7	4.0	3.9	95.00	94.87	5.1	1.15	42.10	5.1	6.5	82.54	
425-45	12.7	55.91	9.3	8.5	9.5	66.5	49.5	3.55	3.5	3.75	3.75	94.07	93.33	5.1	1.4	47.05	5.2	6.3	88.71	
425-49 1	12.9	60.47	10.3	8.9	10.0	63.5	51.0	3.7	3.6	3.9	3.9	94.87	90.00	5.3	2.55	48.11	5.5	6.2	88.71	
6525	13.5	54.81	10.6	9.0	9.8	63.0	46.0	3.3	3.2	3.8	3.8	89.19	84.21	5.0	2.35	51.00	5.4	6.9	78.20	
6508 7	12.8	60.91	9.9	9.0	9.8	63.0	46.0	3.3	3.2	3.8	3.8	94.87	94.74	5.45	2.35	45.12	5.5	6.5	84.62	
6519 8	13.2	58.85	10.0	9.2	10.2	66.0	51.0	3.7	3.65	3.9	3.9	91.26	91.26	5.45	2.35	45.87	5.6	6.9	81.16	
425-38	10 13.2	54.69	9.9	8.6	9.7	67.5	49.5	3.6	3.6	3.9	3.9	92.31	92.31	4.85	2.35	48.46	5.8	6.9	84.06	
6541	13.2	58.93	10.4	9.1	9.4	60.0	54.5	3.9	3.45	3.9	3.9	94.44	96.83	4.9	2.35	45.99	5.5	6.6	89.55	
6533	13.5	58.93	10.4	9.0	10.1	60.0	54.5	3.9	3.45	4.1	4.1	86.59	86.69	5.15	2.35	45.99	5.5	6.6	89.55	
6545 11	13.2	53.91	10.3	9.2	10.0	67.0	63.5	3.55	3.45	3.9	3.9	86.59	88.40	4.8	2.4	52.03	5.5	6.7	74.63	
6544	13.2	54.55	9.5	8.9	10.0	72.0	64.0	3.55	3.6	3.85	3.85	92.21	93.51	5.1	2.45	47.06	5.0	6.0	83.33	
6513	13.0	56.92	9.3	8.2	9.4	67.0	52.5	3.8	3.85	3.8	3.7	109.0	104.05	5.4	2.1	47.06	5.0	6.0	83.33	
8114 12	13.7	58.43	10.6	9.1	10.2	65.0	45.0	3.05	3.85	4.2	4.2	86.90	91.67	5.6	2.2	39.29	6.0	6.7	89.55	

6536 13	13.6	54.41	10.4	9.2	10.0	65.5	55.5	3.45	3.4	4.2	4.1	82.14	85.93	4.85	2.2	45.96	5.8	86.99	
425-37	13.3	54.89	10.2	9.0	9.8	65.5	53.0	3.8	3.7	3.8	3.9	100.	94.87	5.05	2.45	48.51	5.6	90.32	
6504 3	13.5	56.56	9.8	8.6	9.7	66.5	54.5	3.55	3.0	4.0	4.0	88.75	90.00	5.1	2.4	47.06	5.4	81.98	
6543 3	13.7	54.75	10.3	9.1	10.0	66.0	55.0	3.75	3.75	3.9	3.9	96.15	96.15	5.1	2.05	40.20	6.2	88.71	
425-52	13.4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
753-5 14	13.0	66.92	9.7	8.4	8.5	66.5	50.5	3.55	3.75	4.0	4.0	88.75	93.75	5.2	2.8	44.28	5.1	83.61	
6534	13.6	56.62	10.7	9.5	10.0	63.0	50.0	3.0	3.05	4.0	4.0	90.00	91.25	5.1	2.4	47.06	6.1	82.43	
198-1 13	13.0	59.25	9.9	8.7	10.2	69.5	56.5	3.0	3.0	3.7	3.7	91.89	94.59	5.0	2.2	43.14	5.5	87.30	
6510	12.9	57.96	10.2	9.2	9.8	65.5	60.0	3.4	3.5	3.7	3.9	83.67	85.69	5.15	2.45	49.00	5.5	87.30	
1243 (red) 13	13.2	56.35	11.0	9.6	10.5	65.5	52.0	3.7	3.65	3.95	3.9	82.35	82.35	4.95	2.2	42.72	5.9	88.10	
425-41	13.7	57.09	10.6	9.4	10.0	66.0	52.0	3.5	3.5	4.25	4.25	89.47	94.59	5.05	2.45	49.49	5.7	90.18	
4610-2	13.0	57.09	10.3	8.8	9.6	63.5	48.5	3.4	3.5	3.8	3.7	89.47	94.59	4.8	2.35	48.99	4.9	80.33	
425-53	12.8	55.94	9.7	8.8	9.8	71.0	56.5	3.25	3.35	3.7	3.6	87.84	83.06	4.8	2.35	48.99	4.9	80.33	
425-30	13.6	61.47	9.9	8.8	9.8	68.5	50.5	3.65	3.7	4.0	3.9	91.25	94.87	5.15	2.2	42.72	5.2	78.79	
Specimens.	(40)	(39)	(39)	(39)	(41)	(38)	(38)	(37)	(40)	(37)	(40)	(37)	(40)	(40)	(40)	(32)	(32)	(32)	(32)
1. Ovals.	528.0	395.6	349.1	406.7	406.7	2, 538.0	2, 026.	132.35	142.60	145.10	156.15	---	---	204.05	95	174.8	208.2	208.2	208.2
2. Averages.	13.20	56.65	10.20	8.95	9.92	66.79	53.32	3.58	3.57	3.92	3.90	91.21	91.92	5.10	2.38	46.50	3.46	6.51	6.51
3. Minimum.	12.5	50.15	9.3	8.2	9.4	60.0	45.0	3.25	3.2	3.6	3.4	82.14	82.25	4.75	2.05	39.29	4.9	5.9	5.9
4. Maxima.	13.7	94.70	60.94	11.0	9.6	72.0	64.0	3.8	3.85	4.4	4.4	100.00	104.05	5.60	2.60	54.74	6.10	7.4	7.4

1 Vault old syphilitic.

2 Somewhat ♂-like, but probably ♀.

3 Nasal shelves occasional; subnasal grooves frequent; occasional torus palatinal.

4 Left upper median incisor lost long ago.

5 Right upper median incisor lost long ago.

6 Signs of old osteoporosis in both orbits; vault syphilitic.

7 Atlas synostosed with occiput.

8 Vault badly syphilitic.

9 Allowance made for wear of teeth.

10 N ear.

11 Right malar anomalous.

12 Somewhat ♂-like, but probably ♀.

13 Vault syphilitic.

14 Syphilitic vault; nose somewhat affected.

15 Somewhat ♂-like, but probably strong ♀.

SIBERIA: CHUKCHI
(Anadyr Region)
MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maxm.)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
7589	Leningrad Mus.	Anadyr Region	35	19.0	13.6	13.5	71.6	82.8	15.37	13.4	8.3
42539	do	do	50	19.0	13.8	14.4	72.6	87.8	15.73	13.9	8.5
42534	do	do	30	19.0	14.1	13.4	74.2	81.0	15.50	7.5
831	V.-M.A.L. ²	do	Adult	18.8	14.2	13.8	75.6	82.1	15.53	8.2
4255	Leningrad Mus.	do	45	19.1	14.5	13.8	75.9	82.1	15.80	8.3
4251	do	do	60	19.2	14.6	13.6	76.0	80.5	15.80	7.6
4256	do	do	50	18.8	14.1	13.1	76.9	79.6	15.33	8.4
874	V.-M.A.L.	do	Adult	18.5	14.1	13.3	76.9	81.6	15.30	8.4
42535	Leningrad Mus.	do	50	18.3	14.0	13.4	76.3	83.0	15.23	7.9
42533	do	do	35	18.4	14.1	13.3	76.6	81.9	15.27	8.0
830	V.-M.A.L.	do	Adult	18.4	14.1	13.3	76.6	81.9	15.27	7.7
871	do	do	do	18.2	14.0	13.4	76.0	83.2	15.20	9.8
4252	Leningrad Mus.	do	75	18.5	14.3	13.6	77.3	82.9	15.47
7584	do	do	30	18.5	14.3	13.2	77.3	86.6	15.67
523	V.-M.A.L.	do	Adult	18.1	14.0	13.6	77.4	84.7	15.23
42527	Leningrad Mus.	do	55	19.0	14.7	14.4	77.4	85.5	16.03
75311	do	do	45	17.8	13.9	14.0	78.1	88.3	16.23	8.1
823	V.-M.A.L.	do	Adult	17.3	13.6	13.6	78.6	83.0	14.83	7.5
42540	Leningrad Mus.	do	50	18.4	14.5	13.6	78.8	82.7	15.50
42529	do	do	55	18.0	14.2	13.3	78.9	82.6	15.17
42544	do	do	30	19.1	15.1	13.3	79.1	77.8	15.83
42543	do	do	35	18.4	14.6	13.7	79.4	83.0	15.57
878	V.-M.A.L.	do	Adult	18.5	14.7	14.2	79.6	85.6	15.80
4254	Leningrad Mus.	do	30	18.6	14.8	14.8	79.6	88.6	16.07	8.3
4253	do	do	28	17.7	14.4	12.8	81.4	79.8	14.97	8.2
819	V.-M.A.L.	do	Adult	18.0	14.5	13.5	82.2	82.8	15.43	7.9
827	do	do	do	17.6	14.6	13.6	82.9	84.5	15.27	8.0
Specimens	(18)	(27)	(27)	(27)	(27)	(27)	(27)	(8)	(24)
Totals	788	498.2	385.7	368.3	77.4	83.9	417.4	106.6	191.5
Averages	43.87	18.45	14.29	13.64	77.4	83.9	15.46	13.32	7.98
Minima	28	17.3	13.6	12.8	71.6	77.8	14.83	12.7	7.5
Maxima	75	19.2	15.1	14.8	82.9	88.6	16.07	13.9	8.5

Catalog No.	Diam. Bizygomatic	Facial Index, total	Facial Index, upper	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—
7539	12.8	104.7	64.9	10.7	10.2	63.5	53.5	6	6	3.75	3.7	99.0	97.6	5.25	2.4	45.7	5.8	6.4	90.6	
42539	13.9	100.0	61.2	10.9	10.9	67.0	62.0	3.85	3.9	4.2	4.1	91.7	95.1	5.6	2.4	47.6	5.6	6.7	87.6	
42534	13.7	95.4	56.2	10.5	9.0	66.5	60.5	3.7	3.8	4.2	4.0	88.1	90.5	5.05	2.4	47.5	5.9	7.0	87.7	
831	14.6	93.1	56.2	10.5	9.2	67.0	54.5	3.4	3.3	3.6	4.0	96.1	82.5	5.5	2.35	47.5	5.7	6.5	87.5	
42555	13.9	93.9	59.7	10.8	9.6	66.0	57.5	3.0	3.05	4.2	4.1	92.9	96.3	5.5	2.4	45.6	6.0	7.0	85.7	
4251	15.0	90.7	60.7	11.3	10.1	67.0	61.0	3.05	3.0	4.15	4.0	95.9	94.0	5.5	2.4	45.6	5.3	7.2	76.4	
874	13.8	92.5	57.3	10.2	9.1	66.5	57.5	3.7	3.45	4.0	4.0	87.5	86.3	5.4	2.55	45.5	5.5	6.8	84.1	
42535	13.9	95.0	57.6	10.4	9.4	66.5	58.5	3.7	3.65	4.0	4.1	94.9	88.0	5.4	2.55	45.5	5.3	6.8	84.1	
42533	14.4	92.4	56.3	11.2	10.0	66.0	47.5	3.5	3.5	4.1	4.2	85.4	83.3	5.2	2.3	44.2	6.0	6.8	88.2	
830	13.3	97.9	57.9	10.0	8.4	69.0	47.5	3.75	3.7	4.1	4.0	93.8	92.5	5.25	2.3	44.2	5.4	6.4	84.4	
871	13.3	97.1	57.1	10.0	8.9	68.5	51.0	3.3	3.2	4.1	4.0	88.0	84.2	4.95	2.4	43.8	5.4	6.4	84.4	
929	14.5	93.9	56.3	10.4	9.8	68.5	51.0	3.6	3.6	4.2	4.1	86.7	87.8	5.5	2.5	45.5	5.8	6.5	89.2	
534	13.8	92.2	56.3	10.4	9.2	67.0	55.5	3.85	3.85	4.0	3.9	96.3	98.7	5.95	2.55	42.6	5.8	6.5	89.2	
823	13.8	94.4	57.4	10.7	9.6	67.0	55.5	3.4	3.4	4.0	3.8	85.0	87.5	5.2	2.35	45.2	5.8	6.5	89.2	
42327	14.5	90.9	55.9	10.0	9.1	70.5	61.0	3.6	3.6	4.3	4.2	83.7	85.7	5.8	2.8	48.3	5.6	6.1	91.8	
73311	13.3	94.3	60.9	10.6	9.2	66.0	51.5	3.6	3.65	4.1	4.0	87.8	91.3	5.6	2.4	42.9	5.7	6.1	93.4	
833	13.5	94.1	56.6	10.6	10.4	64.0	58.0	3.45	3.45	3.75	3.85	92.0	94.5	4.6	2.05	44.6	5.6	6.1	93.4	
42640	14.3	90.4	55.2	10.3	9.4	68.0	62.0	3.75	3.8	4.15	4.1	90.4	92.7	5.45	2.45	45.0	5.9	6.7	88.1	
42629	14.1	85.3	52.6	11.1	9.8	64.5	57.0	3.8	3.5	4.2	4.1	83.3	83.3	5.7	2.25	39.5	5.9	6.7	88.1	
42644	15.6	85.3	52.6	11.1	9.8	64.5	57.0	3.8	3.7	4.3	4.3	88.4	86.1	5.2	2.3	44.2	5.9	7.4	79.7	
42643	14.3	95.1	59.4	10.5	9.3	62.5	59.0	3.95	3.9	3.9	3.9	101.3	100.0	5.45	2.45	45.0	5.6	6.3	89.9	
878	14.2	94.9	54.9	10.7	10.0	66.3	56.0	3.6	3.65	3.8	3.8	94.7	93.4	6.0	2.6	43.9	5.7	6.7	85.1	
4254	13.8	90.1	60.1	10.3	9.0	67.5	55.5	3.75	3.75	4.0	3.9	93.8	96.2	5.65	2.45	43.4	5.7	6.7	85.1	
4253	14.4	85.3	56.9	11.1	9.6	59.5	52.0	3.6	3.6	4.2	4.2	85.7	85.7	5.7	2.55	48.1	5.9	6.7	88.1	
819	14.5	81.9	54.5	10.1	9.2	69.5	59.5	4.2	4.2	4.2	4.1	100.0	101.2	5.7	2.45	43.0	5.9	6.7	88.1	
827	13.8	90.7	58.0	9.6	8.7	68.5	61.0	3.5	3.4	4.0	3.85	87.5	88.3	5.55	2.1	37.8	5.8	7.4	93.4	
Speimens.....	(27)	(8)	(24)	(23)	(26)	(23)	(23)	(27)	(27)	(26)	(27)	(26)	(27)	(17)						(17)
Totals.....	378.9	242.1	242.1	269.9	242.5	1,294.5	1,294.5	95.5	98.45	108.35	108.35	146.95	146.95	112.5	65.95	97.0	97.0	112.5	97.0	112.5
Averages.....	14.03	95.4	56.9	10.53	9.33	66.3	66.3	3.67	3.65	4.05	4.01	90.7	90.9	5.44	2.44	44.9	5.71	6.62	86.2	6.62
Minima.....	12.8	85.3	50.7	9.6	8.4	63.5	47.5	3.2	3.2	3.75	3.65	83.7	82.5	4.6	2.05	37.8	5.3	6.1	76.4	5.3
Maxima.....	15.6	101.7	64.8	11.3	10.1	70.5	62.0	4.2	4.15	4.5	4.3	101.3	101.2	6.0	2.9	52.8	6.0	7.4	93.4	6.0

¹ Allowance made for wear of teeth, where needed
² Voenno-meditsinskaii Akademia (Military Medical Academy), Leningrad.

SIBERIA: CHUKCHI
(Anadyr Region)
FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menon-Nasion Height (a) ¹	Alveol. Pt.-Nasion Height (b)
4258	Leningrad Mus.	Anadyr Region.	75		17.9	12.0	13.0	79.6	84.1		14.63				
4259	do.	do.	23		17.4	12.0	13.0	77.0	86.4		14.37				7.2
42516 (prob ♀)	do.	do.	70		18.6	14.0	13.2	74.1	86.2		15.37				8.1
8343	V.-M.-A.L.	do.	Adult.		17.6	13.7	12.8	79.0	83.1		14.53			11.7	7.8
42517	Leningrad Mus.	do.	Adult.		18.2	13.5	13.5	76.3	84.6		15.13				7.3
876	V.-M.-A.L.	do.	Adult.		18.8	14.2	12.6	76.5	76.4		15.20			11.7	7.1
42511	Leningrad Mus.	do.	70		17.8	13.3	13.3	77.8	85.0		14.87				7.2
42513	do.	do.	35		17.5	13.3	13.4	76.0	87.0		14.73				7.4
4239	do.	do.	18		17.8	13.6	12.6	76.4	80.3		14.67				6.8
42312	do.	do.	35		17.6	13.6	13.8	77.3	88.5		15.0				7.7
822	V.-M.-A.L.	do.	Adult.		18.1	14.0	13.8	77.4							7.6
821	do.	do.	do.		17.0	13.2	13.9	77.7	92.0		14.70			12.3	7.3
42515	Leningrad Mus.	do.	30		17.5	13.7	13.0	78.5	85.3		14.73				8.0
42514	do.	do.	45		17.6	13.8	13.3	78.4	84.7		14.90				7.4
8247	V.-M.-A.L.	do.	Sub-adult		17.2	13.5	13.0	78.5	84.7		14.57				7.4
880	do.	do.	Adult.		17.7	13.9	12.5	78.5	79.1		14.70			11.7	7.1
52452	Leningrad Mus.	do.	24		17.7	13.9	14.0	78.5	88.6		15.20				7.7
820	V.-M.-A.L.	do.	Adult.		17.5	13.8	12.6	78.9	80.5		14.63			10.8	7.2
579	do.	do.	Aged adult.		18.0	14.2	12.6	78.9	78.3		14.63				7.3
42518	Leningrad Mus.	do.	45		17.2	13.6	13.1	79.1	85.1		14.63				7.3
835	V.-M.-A.L.	do.	Adult.		17.8	14.2	13.6	79.8	85.0		15.20				7.6
873	do.	do.	do.		17.8	14.2	12.7	76.8	79.4		14.60			11.0	7.5
572	do.	do.	do.		17.1	13.8	13.3	80.7	86.1		14.73				7.3
829	do.	do.	do.		15.8	12.8	12.8	81.0	89.5		13.80				6.7
875	do.	do.	do.		17.8	14.7	11.9	88.6	78.2		14.80				7.1
828	do.	do.	do.		16.9	14.2	12.6	81.0	81.0		14.57				7.1
826	do.	do.	do.		16.6	14.0	13.4	81.5							7.1
8257	do.	do.	do.		16.3	13.8	13.4	81.7	86.0		14.50				2(6.7)
Specimens.			(12)		(28)	(28)	(26)	(28)	(26)		(26)			(8)	(22)
Totals.			570		491.1	381.2	330.4	78.2	83.5		384.0			93.2	161.9
Averages.			43.3		17.54	13.72	13.05	78.2	79.2		14.77			11.65	7.36
Minima.			18		15.8	12.8	11.9	72.6	78.2		13.80			10.8	6.7
Maxima.			75		18.9	14.7	14.0	84.7	92.0		15.37			12.5	8.1

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, (a × 100) / c		Facial Index, upper (b × 100) / c		Basion-Subnasal Pt.	Basion-Alveolar Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right		Orbits—Height, left		Orbits—Breadth, right		Orbits—Breadth, left		Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max-Im.	Nasal Index	Upper Alveolar Arch—Length maxm.	Upper Alveolar Arch—Breadth maxm.	Upper Alveolar Arch—		
		(s)	(8)	(22)	(21)						(24)	(25)	(20)	(23)	(25)	(23)	(25)	(25)									(25)	(25)
4258	13.1			56.7	10.5	8	8	10.1	65.0	50.5	3.45	3.55	4.05	4.1	3.9	4.05	4.1	3.8	86.6	91.2	5.1	2.4	47.1	5.5	6.6	63.3		
42510	12.7			61.8	10.4	9.2	9.2	9.9	67.0	65.0	3.45	3.65	4.0	4.0	3.9	4.0	3.9	3.8	91.2	91.2	4.95	2.3	46.5	5.5	6.6	63.3		
42516 (prob. ♀)	13.1			88.6	10.4	9.4	10.4	10.4	66.5	57.5	3.8	3.8	3.9	3.8	3.9	3.9	3.8	3.8	100.0	100.0	5.5	2.45	44.6	5.3	6.4	63.8		
42517	13.5			54.1	10.3	9.4	10.0	10.0	67.0	60.0	3.55	3.6	3.9	3.9	3.9	3.9	3.9	3.8	92.3	92.3	5.15	2.4	45.3	5.3	6.4	63.8		
876	13.0			54.6	9.5	8.4	9.6	9.6	68.5	49.5	3.6	3.7	4.15	4.15	3.9	4.0	3.9	3.8	92.3	92.3	5.35	2.65	45.0	5.0	6.5	76.9		
42511	13.3			57.4	10.1	8.7	10.0	9.8	68.0	45.5	3.6	3.65	3.9	3.9	3.9	3.9	3.9	3.9	92.3	92.3	5.2	2.15	45.2	5.5	6.2	88.7		
42513	12.9			57.4	10.2	9.0	10.0	9.8	65.5	53.5	3.6	3.6	3.7	3.7	3.8	3.7	3.8	3.8	98.2	98.2	4.85	2.45	50.2	5.5	6.2	88.7		
4259	12.7			53.5	9.9	9.0	10.0	10.4	70.0	59.0	3.45	3.5	3.7	3.7	3.9	3.9	3.9	3.9	93.8	93.8	5.25	2.6	49.5	5.5	6.2	88.7		
42512	13.0			59.2	10.0	8.9	10.0	10.4	70.5	57.0	3.75	3.75	4.0	4.0	4.0	4.0	4.0	4.0	91.9	92.3	5.25	2.4	40.4	5.0	6.4	83.0		
822	12.8			59.1	9.8	8.8	10.0	10.4	69.5	57.0	3.65	3.6	4.0	4.0	4.0	4.0	4.0	4.0	91.9	92.3	5.15	2.2	40.4	5.0	6.4	83.0		
821	13.4			54.5	9.8	8.8	10.0	10.4	69.5	57.0	3.4	3.5	4.0	4.0	4.0	4.0	4.0	4.0	91.9	92.3	5.15	2.2	40.4	5.0	6.4	83.0		
4255	13.3			60.1	10.2	9.2	9.2	9.8	65.0	61.0	3.4	3.5	3.85	3.85	3.85	3.85	3.85	3.85	94.4	94.4	5.15	2.0	46.3	5.4	6.4	84.4		
42514	13.2			59.1	10.2	9.0	9.8	9.8	65.0	61.0	3.45	3.45	3.85	3.85	3.85	3.85	3.85	3.85	94.4	94.4	5.15	2.0	46.3	5.4	6.4	84.4		
824	13.2			59.1	10.2	9.0	9.8	9.8	65.0	61.0	3.45	3.45	3.85	3.85	3.85	3.85	3.85	3.85	94.4	94.4	5.15	2.0	46.3	5.4	6.4	84.4		
2 (12.9)	13.2			60.0	9.0	8.0	10.0	10.4	72.0	48.5	3.25	3.25	3.8	3.8	3.8	3.8	3.8	3.8	83.1	83.1	5.05	2.4	46.3	5.9	6.6	89.4		
880	13.0			63.8	9.9	9.0	10.0	10.4	70.0	58.5	3.15	3.15	3.5	3.5	3.5	3.5	3.5	3.5	85.5	87.8	4.6	2.5	52.5	5.6	6.6	84.9		
523452	13.7			60.3	9.9	9.0	10.0	10.4	70.0	58.5	3.15	3.15	3.5	3.5	3.5	3.5	3.5	3.5	85.5	87.8	4.6	2.5	52.5	5.6	6.6	84.9		
820	13.5			61.2	9.7	8.7	10.2	10.2	69.5	58.0	3.5	3.6	3.9	3.9	3.9	3.9	3.9	3.9	89.7	94.7	5.1	2.5	49.0	5.0	6.1	88.0		
879	13.5			65.3	9.6	8.6	10.0	10.4	68.0	58.5	3.5	3.45	3.9	3.9	3.9	3.9	3.9	3.9	89.7	94.7	5.1	2.5	49.0	5.0	6.1	88.0		
42518	13.3			64.9	9.4	8.1	9.4	10.0	70.0	57.5	3.3	3.3	3.8	3.8	3.8	3.8	3.8	3.8	86.8	88.5	4.9	2.7	56.1	5.2	6.2	85.9		
835	13.3			64.9	9.8	8.8	10.0	10.2	70.0	57.5	3.35	3.35	3.8	3.8	3.8	3.8	3.8	3.8	86.8	88.5	4.9	2.7	56.1	5.2	6.2	85.9		
873	13.0			65.2	10.0	8.8	10.0	10.2	68.0	52.0	3.25	3.3	3.75	3.7	3.7	3.7	3.7	3.7	89.2	89.2	5.3	2.7	60.9	5.4	6.9	78.3		
872	13.1			65.7	9.7	8.8	10.0	10.2	68.0	52.0	3.4	3.45	3.75	3.7	3.7	3.7	3.7	3.7	89.2	89.2	5.3	2.7	60.9	5.4	6.9	78.3		
829	12.6			63.2	9.3	8.2	9.0	9.8	66.0	50.0	3.5	3.5	3.6	3.6	3.6	3.6	3.6	3.6	93.1	97.1	4.8	2.3	47.9	5.1	6.2	82.5		
875	13.6			63.8	8.8	8.3	9.0	9.8	66.0	50.0	3.35	3.35	3.6	3.6	3.6	3.6	3.6	3.6	93.1	97.1	4.8	2.3	47.9	5.1	6.2	82.5		
828	13.1			64.2	9.1	8.0	9.3	9.8	69.0	52.5	3.55	3.55	3.9	3.9	3.9	3.9	3.9	3.9	91.0	93.4	5.1	2.2	43.1	4.8	6.0	80.0		
826	12.3			57.7	8.4	7.7	8.4	9.0	67.0	50.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	100.0	100.0	4.75	2.3	43.4	5.0	6.3	79.4		
825	11.6			57.8	8.4	8.4	9.0	9.0	67.0	50.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	100.0	100.0	4.75	2.3	43.4	5.0	6.3	79.4		
Specimens	(8)	(22)	(21)	(24)	(25)	(24)	(25)	(25)	(20)	(20)	(23)	(25)	(23)	(25)	(23)	(23)	(23)	(23)	(25)	(25)	(26)	(26)	(26)	(19)	(19)	(19)	(19)	
Totals	328.5	208.2	211.6	247.3	1,116.0	80.65	88.85	95.3	88.85	62.9	133.55	62.9	62.9	62.9	62.9	62.9	62.9	62.9	90.5	90.5	120.0	120.0	120.0	120.0	120.0	120.0	120.0	
Averages	13.14	87.3	56.1	9.91	8.82	68.3	3.61	3.62	3.81	5.14	2.42	2.42	2.42	2.42	2.42	2.42	2.42	2.42	47.1	47.1	5.24	2.42	47.1	5.24	6.32	82.0		
Minima	12.3	80.9	63.2	9.1	8.0	9.0	9.0	9.0	65.0	45.5	3.15	3.15	3.5	3.45	3.45	3.45	3.45	3.45	86.6	86.6	4.6	2.0	58.8	4.7	5.8	76.9		
Maxima	13.7	91.8	61.8	10.5	9.4	10.9	10.9	10.9	79.0	65.0	3.8	3.8	4.2	4.2	4.2	4.2	4.2	4.2	100.0	100.0	5.5	2.8	60.9	5.9	6.9	89.4		

1 Allowance made for wear of teeth, where needed.
 † Somewhat immature.

SIBERIA: CHUKCHI
(Miscellaneous)

MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxm. (glabella ad maximum)	Diam. lateral maxm.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity [†] in c. c. (Hrdlicka's method)	Teeth, wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
860	V. M. A. L.	Chaplin Cape	Adult		18.4	13.8	13.4	75.0	83.2		15.20	1,445			7.6
225028	U. S. N. M.	Arikameche Island (Hering Strait).	30		18.4	14.2	13.2	77.2	81.0		15.27				8.4
225025	do	Plover Bay	35		18.8	14.8	13.2	78.7	78.6		15.60	1,510			7.8
850	V. M. A. L.	Providoni Bay	Adult		17.8	14.2	14.1	79.8	88.1		15.37				8.1
225032	U. S. N. M.	do	65		18.7	15.0	13.7	80.2	81.3		15.80	1,515			
225026	do	Plover Bay	40		18.3	14.8	13.6	80.9	82.2		15.57	1,575		11.4	7.6
Specimens			(4)		(6)	(6)	(6)	(6)	(6)		(6)	(4)		(1)	(5)
Totals			170		110.4	86.8	81.2	88.8	82.4		92.8	6,045		(11.4)	39.5
Averages			42.5		18.40	14.47	13.53	78.6	82.4		15.47	1,511			7.90
Minima					17.8	13.8	13.2	75.0	78.6		15.20	1,445			7.6
Maxima					18.8	15.0	14.1	80.9	83.1		15.80	1,575			8.4

FEMALES

225029	U. S. N. M.	Arikameche Island	35		18.2	13.8	13.6	75.8	85.0		15.20	1,450			7.2
--------	-------------	-------------------	----	--	------	------	------	------	------	--	-------	-------	--	--	-----

MALES

Catalog No.	Diam. Bizygomatic maxm. (c)	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index	Lower Jaw—Height at Symphysis	
860	13.3	---	57.1	10.6	9.4	10.3	66.5	55.0	3.6	3.65	4.1	4.0	87.8	91.2	5.2	2.7	51.9	5.8	7.2	80.6	---	
225028	14.7	---	57.1	10.2	9.3	10.5	68.0	62.5	3.6	3.6	4.0	4.0	88.8	90.0	5.9	2.3	39.0	6.1	7.1	85.9	---	
225025	14.4	---	54.2	10.8	9.5	10.2	64.0	53.0	3.55	3.55	4.0	4.0	88.8	88.8	5.4	2.2	40.7	6.1	6.3	84.1	---	
850	13.2	---	61.4	9.9	8.8	10.0	66.5	58.5	3.65	3.65	3.9	3.9	89.6	89.6	5.4	2.4	44.4	5.3	6.3	---	---	
225032	14.5	---	---	---	8.5	9.9	---	---	3.85	3.85	4.1	4.0	89.9	86.5	5.6	2.4	42.9	5.4	6.9	---	---	
225029	13.3	85.7	57.1	10.0	8.7	9.7	65.0	52.0	3.4	3.3	3.9	3.85	87.2	85.7	5.2	2.55	49.0	5.4	6.9	78.3	3.2	
Specimens	(6)	(1)	(5)	(5)	(6)	(6)	(5)	(5)	(6)	(5)	(6)	(5)	(6)	(5)	(6)	(6)	(6)	(4)	(4)	(4)	(4)	(1)
Totals	83.4	85.7	57.2	10.30	9.03	10.10	66.0	56.2	3.60	3.59	4.0	3.97	90.0	90.1	5.45	2.42	44.5	5.65	6.87	82.2	3.2	
Averages	13.80	85.7	57.2	10.30	9.03	10.10	66.0	56.2	3.60	3.59	4.0	3.97	90.0	90.1	5.45	2.42	44.5	5.65	6.87	82.2	3.2	
Minima	13.2	---	54.2	9.9	8.5	9.7	64.0	52.0	3.4	3.3	3.9	3.85	87.2	85.7	5.2	2.2	39.0	5.3	6.3	78.3	---	
Maxima	14.7	---	61.4	10.8	9.5	10.5	68.0	62.5	3.85	3.85	4.1	4.0	89.9	96.5	5.9	2.7	51.9	6.1	7.2	85.9	---	

FEMALES

225020	13.2	---	54.5	10.2	9.4	10.3	70.0	61.5	3.45	3.5	3.7	3.7	83.2	94.6	5.2	2.7	51.9	5.5	6.9	79.7	---
--------	------	-----	------	------	-----	------	------	------	------	-----	-----	-----	------	------	-----	-----	------	-----	-----	------	-----

CHUKCHI CRANIA, SIBERIA
(Abstract)

Measurement	Male				Female			
	Chukchi Peninsula	Anadyr Region	Miscellaneous	Chukchi All	Chukchi Peninsula	Anadyr Region	Miscellaneous	Chukchi All
Approximate age.....	(22) 42.1	(18) 43.8	(4) 42.5	(44) 42.8	(41) 36.9	(12) 43.3	(1) -----	(54) 38.3
Vault:								
Length.....	(22) 18.57	(27) 18.45	(6) 18.40	(55) 18.49	(41) 17.8	(28) 17.54	-----	(70) 17.67
Breadth.....	(22) 14.27	(27) 14.29	(6) 14.47	(55) 14.30	(41) 13.7	(28) 13.72	-----	(70) 13.70
Height.....	(21) 13.66	(27) 13.64	(6) 13.53	(54) 13.64	(41) 13.2	(26) 13.05	-----	(68) 13.14
Cranial index.....	(22) 76.7	(27) 77.4	(6) 78.6	(55) 77.3	(41) 77.1	(28) 78.2	-----	(70) 77.5
Mean height index.....	(21) 87.9	(27) 83.9	(6) 82.4	(54) 83.2	(41) 82.9	(26) 83.5	-----	(68) 83.8
Module.....	(21) 15.50	(27) 15.46	(6) 15.47	(54) 15.48	(41) 14.87	(20) 14.77	-----	(68) 14.84
Capacity.....			(4) 1,911					
Face:								
Total height.....	(1) 13.5	(8) 13.32	(1) 11.4	(10) 13.15	(4) 11.80	(8) 11.65	-----	(12) 11.70
Upper height.....	(21) 7.96	(24) 7.98	(5) 7.90	(50) 7.96	(39) 7.37	(22) 7.36	-----	(62) 7.37
Maximum breadth.....	(22) 14.25	(27) 14.03	(6) 13.90	(55) 14.11	(41) 13.18	(25) 13.14	-----	(67) 13.16
Facial index: Total.....	(1) (89.4)	(8) 95.4	(1) (82.7)	(10) 94.1	(4) 88.6	(8) 87.3	-----	(12) 87.7
Facial index: Upper.....	(21) 55.9	(24) 56.9	(5) 57.3	(50) 56.5	(39) 56.0	(22) 56.1	-----	(37) 56.0
Base, etc.:								
Basion--Alveolar point.....	(21) 10.58	(23) 10.53	(5) 10.30	(49) 10.52	(39) 10.20	(21) 9.91	-----	(61) 10.07
Basion--Subnasal point.....	(22) 9.49	(26) 9.33	(6) 9.03	(54) 9.36	(39) 8.95	(24) 8.82	-----	(64) 8.91
Basion--Nasion.....	(22) 10.52	(26) 10.38	(6) 10.10	(54) 10.41	(41) 9.92	(25) 9.89	-----	(67) 9.91
Facial angle.....	(21) 67.3	(23) 66.3	(5) 66.0	(49) 66.7	(38) 66.8	(20) 68.3	-----	(59) 67.4
Alveolar angle.....	(21) 58.0	(23) 56.3	(5) 56.2	(49) 56.6	(38) 53.3	(20) 55.8	-----	(59) 54.3

Orbits:											
Mean height.....	{	(22)	3.70	(27)	3.67	(40)	3.57	(25)	3.52	(66)	3.55
Mean breadth.....	{	(22)	4.08	(27)	4.04	(40)	3.91	(25)	3.83	(66)	3.88
Index.....	{	(22)	90.8	(27)	90.7	(40)	91.3	(25)	91.6	(66)	91.5
Nose:											
Height.....	{	(22)	5.51	(27)	5.44	(40)	5.10	(26)	5.14	(67)	5.12
Breadth.....	{	(22)	2.44	(27)	2.44	(40)	2.38	(26)	2.42	(67)	2.40
Index.....	{	(22)	44.4	(27)	44.9	(40)	46.6	(26)	47.1	(67)	47.8
Upper Alveolar Arch:											
Length.....	{	(19)	5.71	(17)	5.70	(32)	5.46	(19)	5.24	(52)	5.38
Breadth.....	{	(19)	6.80	(17)	6.62	(32)	6.51	(19)	6.32	(52)	6.44
Index.....	{	(19)	53.9	(17)	56.2	(32)	54.0	(19)	52.9	(52)	53.5

SIBERIA: MONGOL,
MALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxium (glabella ad maxium)	Diam. lateral maxium	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlička's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
278782	U. S. N. M.	Urga	50	1210.4	14.4	13.8	74.2	81.7	15.87	1,520.0	13.8	8.4
278794	do	do	55	119.8	14.8	13.0	74.7	75.1	15.87	1,680.0	7.6
278772	do	do	26	do	1218.7	14.2	12.0	75.0	72.9	14.97	1,550.0	12.7	8.0
278783	do	do	35	do	119.2	14.6	13.1	76.0	77.5	15.63	1,550.0	7.8
278768	do	do	45	do	119.2	14.6	13.7	76.0	81.1	15.83	1,730.0	17.4
278777	do	do	50	do	119.2	14.8	13.1	77.1	77.1	15.70	1,610.0	12.7	7.3
278769	do	do	65	Asymmetry	119.2	14.8	13.4	77.1	78.8	15.80	1,630.0	7.9
278781	do	do	35	do	118.1	14.0	13.2	77.5	82.2	15.10	1,450.0	8.1
278791	do	do	40	do	118.6	14.4	12.5	77.4	75.8	15.17	1,500.0	7.9
278793	do	do	50	do	117.7	14.5	12.4	77.5	74.7	15.20	1,500.0	7.8
278856	do	do	28	do	119.4	15.1	12.8	77.8	74.2	15.77	1,690.0	13.2	7.8
278850	do	do	45	do	119.5	15.2	13.2	77.9	76.1	15.97	1,620.0	8.2
278798	do	do	55	do	118.6	14.5	11.8	78.0	71.3	15.40	1,500.0	7.5
278848	do	do	18.3	do	118.3	14.3	13.6	78.1	83.1	13.40	1,500.0	12.6	7.7
278775	do	do	26	Slight frontal	118.6	14.6	14.0	78.5	84.3	13.73	1,740.0	8.0
278833	do	do	65	bilateral flattening	118.4	14.5	13.2	78.8	80.2	13.37	1,480.0	12.4	7.6
278870	do	do	35	do	119.4	15.3	13.7	78.9	79.0	16.13	1,750.0	8.5
278873	do	do	50	do	119.0	15.0	14.0	78.9	82.4	16.00	1,720.0	7.8
278843	do	do	50	do	119.0	15.0	13.4	78.9	77.3	15.80	1,480.0	12.2	7.8
278776	do	do	35	do	118.5	14.6	12.8	78.9	78.8	15.30	1,550.0	13.6	8.0
278863	do	do	40	do	119.1	15.1	13.6	79.1	79.5	15.93	1,770.0	8.0
278802	do	do	50	do	118.2	14.4	12.7	79.1	77.9	15.10	1,800.0	8.1
278860	do	do	45	do	118.3	14.5	13.2	79.2	80.5	15.83	1,510.0	8.1
278824	do	do	24	do	118.4	14.6	13.4	79.3	79.5	15.47	1,500.0	6.6
278866	do	do	69	do	118.5	14.9	13.4	79.3	76.6	15.70	1,650.0	6.6
278790	do	do	35	do	119.1	15.2	13.9	79.6	81.0	16.07	1,650.0	113.6	8.5
278730	do	do	55	do	118.7	14.9	13.5	79.7	80.4	15.70	1,620.0	8.0
278909	do	do	45	do	118.7	14.9	13.6	79.7	80.2	15.73	1,600.0	8.0
278900	do	do	50	do	118.3	14.6	13.2	79.8	79.6	15.37	1,480.0	8.0
278829	do	do	70	do	118.3	14.6	13.1	79.8	79.6	15.33	1,430.0	8.0
278872	do	do	40	do	118.3	14.6	13.0	79.8	79.6	15.30	1,500.0	7.7
278853	do	do	18.5	do	118.5	14.8	13.6	80.0	81.7	15.63	1,620.0	7.5
278916	do	do	24	do	118.0	14.4	12.9	80.0	79.6	15.10	1,490.0	7.5

SIBERIA: MONGOL—Continued
MALES—Continued

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior max. (glabella ad maximum)	Diam. lateral max.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity, in c. c. (Hrdlicka's method)	Teeth wear	Menton-Nasion Height (a)	Alveol. Pt.-Nasion Height (b)
278845	U. S. N. M.	Urga	60	---	217.3	14.8	12.7	85.5	79.1	---	14.93	1,345.0	---	---	---
278759	do.	do.	60	---	217.5	15.0	12.8	85.7	78.8	---	15.10	1,480.0	---	---	7.8
278755	do.	do.	65	---	18.2	15.6	12.9	85.7	79.2	---	15.57	1,620.0	---	---	7.6
278757	do.	do.	60	---	18.4	15.8	12.7	85.9	74.5	---	13.63	1,860.0	---	---	8.2
278767	do.	do.	30	---	17.8	15.3	13.4	89.0	81.0	---	15.30	1,620.0	---	---	7.7
278884	do.	do.	35	---	18.6	16.0	13.2	89.0	79.3	---	15.93	1,710.0	---	---	8.0
278805	do.	do.	45	---	18.6	16.0	13.2	89.0	79.3	---	15.93	1,685.0	---	---	8.3
278754	do.	do.	40	---	18.0	15.5	13.2	89.1	78.8	---	15.87	1,530.0	---	---	8.2
278729	do.	do.	50	---	218.2	15.7	13.1	89.3	77.3	---	15.67	1,590.0	---	---	---
278725	do.	do.	26	---	17.6	15.2	13.3	86.4	81.1	---	15.37	1,660.0	---	---	7.1
278849	do.	do.	35	---	17.6	15.2	13.3	86.4	81.1	---	15.40	1,550.0	---	---	7.7
278760	do.	do.	45	---	18.7	16.2	13.5	86.6	77.4	---	16.13	1,750.0	---	---	8.8
278723	do.	do.	40	---	18.5	16.1	13.2	87.0	76.3	---	15.93	1,810.0	---	---	7.8
278731	do.	do.	50	---	18.3	16.1	13.2	87.4	76.8	---	15.77	1,610.0	---	---	---
278814	do.	do.	65	---	18.2	15.9	13.0	87.4	76.8	---	15.73	1,940.0	---	---	---
278857	do.	do.	40	---	18.2	15.9	13.1	87.4	76.8	---	15.73	1,940.0	---	---	8.1
278740	do.	do.	25	---	17.9	15.2	13.2	87.4	78.6	---	15.60	1,740.0	---	---	7.6
278722	do.	do.	60	---	17.2	15.2	13.8	88.4	85.2	---	15.40	1,570.0	---	---	8.3
278729	do.	do.	35	---	17.6	15.6	13.4	88.6	80.7	---	15.53	1,530.0	---	---	7.4
278724	do.	do.	35	---	17.5	15.5	12.0	88.6	72.7	---	15.00	1,550.0	---	---	---
278751	do.	do.	60	---	17.2	15.9	13.0	92.4	78.5	---	15.37	1,650.0	---	---	8.3
Specimens	(104)				(104)	(104)	(104)	(104)	(104)						
Totals	4,389				1,918.2	1,571.7	1,370.8				1,620.21	162,155		(29)	(82)
Averages	44.1				18.44	15.11	13.18	81.94	78.56		15.58	1,589.7		12.95	7.91
Minima	24				17.2	14.0	11.4	74.2	66.1		14.83	1,345.0		12.2	6.6
Maxima	75				19.8	16.2	14.4	92.4	86.2		16.33	1,810.0		14.3	9.0

Catalog No.	Diam. Bizygomatic	Facial Index, total $\left(\frac{a \times 100}{c}\right)$	Facial Index, upper $\left(\frac{b \times 100}{c}\right)$	Basion-Alveolar Pt.	Basion-Subnasal Pt.	Basion-Nasion	Racial Angle	Alveolar Angle	Orbits—Height, right		Orbits—Height, left		Orbits—Breadth, right		Orbits—Breadth, left		Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max. im.	Nasal Index	Upper Alveolar Arch—Length maxim.	Upper Alveolar Arch—Breadth maxim.	Upper Alveolar Arch—	
									3	3	3	3	3	3	3	3									3
278782																									
278794	14.6	76.9	59.0	10.8	9.8	11.0	72.0	55.5	3.85	3.55	3.85	3.75	4.1	4.1	38.9	94.5	5.9	2.45	41.9	5.9	6.8	86.8	86.8		
278795	14.6	92.0	59.0	10.8	9.8	11.0	72.0	55.5	3.85	3.55	3.85	3.75	4.1	4.1	38.9	94.5	5.9	2.45	41.9	5.9	6.8	86.8	86.8		
278796	13.8	92.0	59.0	10.8	9.8	11.0	72.0	55.5	3.85	3.55	3.85	3.75	4.1	4.1	38.9	94.5	5.9	2.45	41.9	5.9	6.8	86.8	86.8		
278797	13.8	92.0	59.0	10.8	9.8	11.0	72.0	55.5	3.85	3.55	3.85	3.75	4.1	4.1	38.9	94.5	5.9	2.45	41.9	5.9	6.8	86.8	86.8		
278798	13.8	92.0	59.0	10.8	9.8	11.0	72.0	55.5	3.85	3.55	3.85	3.75	4.1	4.1	38.9	94.5	5.9	2.45	41.9	5.9	6.8	86.8	86.8		
278799	13.8	92.0	59.0	10.8	9.8	11.0	72.0	55.5	3.85	3.55	3.85	3.75	4.1	4.1	38.9	94.5	5.9	2.45	41.9	5.9	6.8	86.8	86.8		
278800	14.4	91.7	57.2	10.6	9.6	10.6	68.0	48.5	3.4	3.4	3.4	3.4	3.9	3.7	84.6	89.5	5.7	2.4	43.2	5.7	6.8	83.8	83.8		
278801	14.4	91.7	57.2	10.6	9.6	10.6	68.0	48.5	3.4	3.4	3.4	3.4	3.9	3.7	84.6	89.5	5.7	2.4	43.2	5.7	6.8	83.8	83.8		
278802	13.7	90.0	57.0	10.3	9.2	10.3	66.5	54.0	3.3	3.4	3.4	3.4	3.9	3.7	84.6	89.5	5.7	2.4	43.2	5.7	6.8	83.8	83.8		
278803	14.0	90.0	57.0	10.3	9.2	10.3	66.5	54.0	3.3	3.4	3.4	3.4	3.9	3.7	84.6	89.5	5.7	2.4	43.2	5.7	6.8	83.8	83.8		
278804	13.7	87.3	53.5	9.8	8.7	10.2	70.0	55.5	3.9	3.7	3.6	3.6	4.1	4.0	102.6	102.6	5.8	2.55	44.0	5.0	6.5	90.8	90.8		
278805	15.1	87.3	53.5	9.8	8.7	10.2	70.0	55.5	3.9	3.7	3.6	3.6	4.1	4.0	102.6	102.6	5.8	2.55	44.0	5.0	6.5	90.8	90.8		
278806	14.3	85.0	53.1	10.2	9.4	11.0	71.0	53.0	3.5	3.4	3.4	3.4	4.15	4.1	84.3	82.9	6.3	2.8	49.1	5.5	7.3	75.3	75.3		
278807	14.7	85.0	53.1	10.2	9.4	11.0	71.0	53.0	3.5	3.4	3.4	3.4	4.15	4.1	84.3	82.9	6.3	2.8	49.1	5.5	7.3	75.3	75.3		
278808	14.6	93.2	54.8	10.1	8.8	10.0	65.5	48.5	3.6	3.7	3.7	3.7	3.9	3.8	92.3	97.4	5.95	3.05	52.1	5.1	6.8	75.0	75.0		
278809	14.2	87.3	56.3	10.8	9.6	11.0	70.0	53.5	3.75	3.7	3.7	3.7	4.0	4.1	90.8	90.2	5.7	2.6	45.6	5.9	7.0	84.3	84.3		
278810	14.6	85.5	55.5	10.0	9.5	10.6	71.0	58.0	3.6	3.6	3.6	3.6	3.7	3.7	91.3	95.9	5.5	2.8	47.5	5.5	6.5	81.6	81.6		
278811	14.8	85.5	55.5	10.0	9.5	10.6	71.0	58.0	3.6	3.6	3.6	3.6	3.7	3.7	91.3	95.9	5.5	2.8	47.5	5.5	6.5	81.6	81.6		
278812	13.8	84.8	47.8	9.6	8.8	10.7	73.5	57.5	3.1	3.25	3.25	3.25	4.0	4.0	91.3	91.3	6.1	2.7	51.0	5.1	6.0	85.0	85.0		
278813	14.5	84.8	47.8	9.6	8.8	10.7	73.5	57.5	3.1	3.25	3.25	3.25	4.0	4.0	91.3	91.3	6.1	2.7	51.0	5.1	6.0	85.0	85.0		
278814	14.7	83.2	57.8	10.4	9.7	10.8	68.5	66.5	3.85	3.85	3.85	3.85	3.9	3.85	98.0	103.8	5.85	2.9	49.6	5.6	7.2	77.3	77.3		
278815	14.6	83.2	57.8	10.4	9.7	10.8	68.5	66.5	3.85	3.85	3.85	3.85	3.9	3.85	98.0	103.8	5.85	2.9	49.6	5.6	7.2	77.3	77.3		
278816	15.5	83.2	57.8	9.7	8.9	10.8	74.0	62.5	3.85	3.6	3.6	3.6	3.9	3.8	91.9	91.9	6.1	2.7	41.2	5.5	6.5	84.6	84.6		
278817	13.9	81.6	51.6	9.6	8.4	9.9	67.5	53.0	3.8	3.75	3.6	3.6	3.6	3.6	105.0	101.2	5.2	2.8	43.5	5.2	6.9	76.4	76.4		
278818	14.5	81.6	51.6	9.6	8.4	9.9	67.5	53.0	3.8	3.75	3.6	3.6	3.6	3.6	105.0	101.2	5.2	2.8	43.5	5.2	6.9	76.4	76.4		
278819	14.1	80.1	50.2	9.8	8.9	10.5	71.5	54.0	3.4	3.5	3.5	3.5	4.0	3.9	85.0	91.0	5.0	2.75	45.6	5.0	6.8	82.4	82.4		
278820	14.1	80.1	50.2	9.8	8.9	10.5	71.5	54.0	3.4	3.5	3.5	3.5	4.0	3.9	85.0	91.0	5.0	2.75	45.6	5.0	6.8	82.4	82.4		
278821	14.7	79.7	49.7	9.6	9.0	10.6	74.0	64.5	3.5	3.5	3.5	3.5	4.05	3.85	89.4	83.0	5.6	3.0	55.0	4.9	6.4	76.6	76.6		
278822	14.7	79.7	49.7	9.6	9.0	10.6	74.0	64.5	3.5	3.5	3.5	3.5	4.05	3.85	89.4	83.0	5.6	3.0	55.0	4.9	6.4	76.6	76.6		
278823	14.3	78.1	48.3	10.2	9.0	10.2	68.0	55.0	3.4	3.45	3.45	3.45	3.9	3.8	92.4	83.2	6.0	2.7	49.1	5.0	6.8	82.4	82.4		
278824	14.4	78.1	48.3	10.2	9.0	10.2	68.0	55.0	3.4	3.45	3.45	3.45	3.9	3.8	92.4	83.2	6.0	2.7	49.1	5.0	6.8	82.4	82.4		
278825	14.0	76.6	46.6	9.8	8.6	10.2	71.0	55.0	3.0	3.7	3.7	3.7	4.1	4.0	92.7	92.6	5.8	3.05	43.2	5.1	6.8	76.0	76.0		
278826	14.0	76.6	46.6	9.8	8.6	10.2	71.0	55.0	3.0	3.7	3.7	3.7	4.1	4.0	92.7	92.6	5.8	3.05	43.2	5.1	6.8	76.0	76.0		
278827	14.2	80.1	51.9	10.4	9.4	10.8	71.0	58.0	3.5	3.0	3.0	3.0	4.0	3.9	88.3	92.3	5.6	2.9	53.6	5.4	7.0	80.0	80.0		
278828	14.3	80.1	51.9	10.4	9.4	10.8	71.0	58.0	3.5	3.0	3.0	3.0	4.0	3.9	88.3	92.3	5.6	2.9	53.6	5.4	7.0	80.0	80.0		

SIBERIA: MONGOL—Continued
 MALES—Continued

Catalog No.	Diam. Pitzgomatic maxm. (c)	Facial Index, total	Facial Index, upper	Basion-Alveolar Pl.	Basion-Subnasal Pl.	Basion-Nasion	Facial Angle	Alveolar Angle	Orbits—Height, right	Orbits—Height, left	Orbits—Breadth, right	Orbits—Breadth, left	Orbital Index, right	Orbital Index, left	Nose—Height	Nose—Breadth max- im.	Nasal Index	Upper Alveolar Arch— Length maxm.	Upper Alveolar Arch— Breadth maxm.	Upper Alveolar Arch— Index
278789	14.3	87.4	54.5	10.0	8.9	9.8	65.5	47.0	3.45	3.6	4.05	3.9	85.9	90.0	3.0	53.1	5.5	6.8	80.9	
278877	14.3	87.4	50.7	9.9	8.8	9.8	68.0	56.5	3.9	3.05	3.9	3.9	100.0	101.3	2.55	53.1	5.5	7.0	78.6	
278820	14.6	87.4	50.3	10.4	9.4	10.6	71.0	55.0	3.6	3.05	4.0	4.0	100.0	101.3	2.85	51.8	5.5	6.7	83.6	
278907	13.7	87.4	56.2	10.1	9.2	10.4	70.0	56.0	3.55	3.65	3.9	3.9	88.8	93.6	2.8	47.9	5.6	6.4	76.6	
278889	14.8	87.4	50.0	9.4	8.6	10.4	75.5	60.0	3.35	3.35	3.9	3.9	86.9	85.0	2.5	45.6	4.9	6.4	76.6	
278828	13.7	87.4	57.3	10.3	8.0	9.3	68.5	45.5	3.25	3.25	3.7	3.7	87.8	87.8	2.5	58.5	5.5	6.3	89.5	
278927	14.3	87.4	50.5	9.2	8.9	10.6	68.5	45.5	3.6	3.8	4.0	4.0	90.0	93.0	2.8	44.8	5.2	6.3	89.5	
278915	13.4	87.4	50.5	9.2	8.0	9.4	65.5	55.5	3.8	3.75	3.9	4.0	97.4	93.8	2.6	48.2	5.2	6.7	77.6	
278854	13.9	87.4	53.2	9.7	8.8	9.9	69.5	58.5	3.5	3.45	3.7	3.8	94.6	90.8	2.6	52.8	5.2	6.7	77.6	
278845	13.5	87.4	54.1	9.9	8.4	9.6	66.0	42.5	3.25	3.4	3.9	3.9	83.3	87.3	2.75	61.9	5.3	6.3	84.1	
278842	14.6	87.4	56.2	10.1	8.9	10.4	67.0	56.0	3.35	3.3	3.75	3.75	89.3	89.2	2.85	48.7	5.2	6.9	76.4	
278862	13.7	87.4	51.4	9.5	9.1	10.0	67.0	56.0	3.25	3.4	3.6	3.6	90.3	94.4	2.6	46.4	5.2	6.9	76.4	
278879	14.7	87.4	51.4	9.5	9.5	9.8	76.0	64.0	3.7	3.75	4.15	4.0	89.2	93.8	2.7	49.6	5.0	6.4	76.1	
278808	14.8	87.4	55.1	10.3	8.4	10.3	68.0	60.0	3.4	3.5	3.8	3.75	89.5	93.3	2.5	46.6	5.6	6.6	84.9	
278830	13.8	89.9	55.1	10.3	9.4	10.3	68.0	60.0	3.45	3.45	3.75	3.7	92.0	93.2	2.7	50.0	5.6	6.6	84.9	
278894	15.4	87.4	58.1	10.8	9.2	10.8	66.5	51.5	4.2	3.8	4.1	4.0	102.4	96.0	3.0	51.7	5.0	7.0	84.3	
278806	13.5	87.4	56.5	10.4	8.8	10.0	64.5	47.0	3.35	3.5	3.95	3.9	84.8	89.7	2.6	48.6	5.8	7.0	86.3	
278857	14.7	87.4	55.1	10.6	9.4	11.0	70.5	55.0	3.8	3.65	4.2	4.1	90.5	89.0	3.0	61.7	5.5	7.0	78.6	
278910	13.9	87.4	50.4	9.3	8.4	10.0	74.5	57.0	3.25	3.35	3.6	3.6	90.8	93.1	2.75	53.9	5.1	6.7	83.6	
278821	15.0	87.4	56.0	9.9	8.6	10.4	68.5	52.5	3.8	3.95	4.15	4.05	91.6	95.0	2.5	50.0	5.6	6.7	83.6	
278827	13.9	89.9	54.0	10.3	8.8	9.7	64.0	48.0	3.35	3.4	3.7	3.65	90.5	93.2	2.5	49.5	5.5	6.4	86.9	
278822	(13.1)	(93.9)	(68.8)	10.0	10.4	10.4	71.0	58.0	3.7	3.75	3.8	3.75	87.4	100.0	2.5	49.5	5.6	6.4	87.6	
278855	14.9	87.9	53.7	9.9	8.4	9.8	65.5	46.5	3.85	3.95	4.2	4.2	91.7	94.0	2.8	43.7	5.5	6.9	79.7	
278835	14.2	90.9	54.2	9.6	8.6	10.2	71.5	57.0	3.4	3.4	3.75	3.7	90.7	91.9	2.8	50.5	5.0	6.4	78.1	
278847	13.7	87.4	54.2	9.6	8.4	9.6	68.0	57.0	3.45	3.25	3.4	3.4	90.8	87.8	2.3	47.9	4.8	6.4	78.1	
278866	15.0	87.4	54.2	9.6	8.4	9.6	68.0	57.0	3.8	3.75	4.2	4.2	90.5	89.3	2.8	48.8	4.8	7.1	77.6	
278744	15.1	88.7	45.6	9.5	8.6	10.1	68.0	55.0	3.6	3.75	4.1	4.0	87.8	93.8	2.1	48.4	5.5	7.1	77.6	
278743	14.8	87.4	53.1	10.5	8.6	9.7	66.5	46.0	3.8	3.75	3.95	3.95	86.2	94.9	2.95	51.8	5.3	6.7	82.1	
278802	14.1	87.4	58.9	10.3	8.9	10.2	65.5	50.5	3.9	4.0	4.0	4.0	97.6	97.6	2.8	49.1	5.5	6.7	82.1	
278801	14.8	87.4	56.1	10.8	9.4	10.8	68.0	51.0	3.4	3.55	4.0	4.0	90.0	88.8	2.7	50.9	5.8	7.0	82.9	
278861	15.5	87.4	56.1	10.8	9.4	10.8	68.0	51.0	3.4	3.3	4.0	4.0	79.1	82.5	3.2	51.6	5.8	7.0	82.9	
278800	13.7	87.4	56.1	10.8	9.3	10.8	68.0	51.0	3.65	3.3	4.0	4.0	91.3	82.5	3.2	44.6	5.2	6.4	81.3	
278780	14.4	87.4	62.8	9.8	9.0	10.2	70.0	62.0	3.7	3.7	3.9	3.9	94.9	94.9	2.6	48.1	5.2	6.4	81.3	

278844	13.7	50.4	9.7	8.8	9.6	68.5	55.0	3.3	3.35	3.7	3.7	89.8	90.5	5.1	2.7	52.9	5.4	0.6	81.8
278850	14.3	67.3	10.1	8.0	10.2	66.5	46.0	3.4	3.4	3.9	3.7	87.9	91.9	5.05	2.75	49.2	3.6	0.9	81.2
278851	14.1	95.0	69.6	9.9	8.6	65.0	53.0	3.7	3.7	3.8	3.7	97.4	100.0	5.8	2.45	49.2	3.6	0.7	85.0
278917	11.5	53.1	9.9	8.8	10.2	69.5	54.0	3.3	3.3	3.5	3.4	93.1	89.7	5.55	2.9	52.3	5.4	0.7	80.9
278816	13.9	50.7	9.6	8.4	10.0	70.0	52.5	3.0	3.5	3.5	3.6	94.7	97.1	5.45	2.2	49.4	5.4	0.6	81.8
278875	15.3	---	9.4	9.0	10.4	---	---	3.7	3.5	4.4	3.6	84.1	90.5	5.95	3.05	61.3	---	---	---
278735	14.0	---	9.4	8.6	10.4	66.0	55.5	3.6	3.0	3.9	3.7	92.3	97.3	5.4	2.5	46.3	5.3	7.0	75.7
278748	15.1	---	9.4	8.2	9.8	---	---	3.75	3.7	4.0	4.0	91.5	97.5	5.8	2.75	47.4	---	---	---
278792	14.4	98.6	10.9	9.6	10.6	64.0	57.0	3.65	3.45	3.95	3.95	92.4	93.7	5.9	3.0	60.9	6.0	7.5	80.0
278758	14.4	---	10.2	8.9	10.0	---	---	3.35	3.45	3.7	3.7	90.5	93.2	5.35	2.6	48.6	5.4	6.7	80.6
278834	14.3	88.1	8.9	8.0	9.8	71.5	59.5	3.5	3.55	3.8	3.9	89.7	91.0	5.55	2.7	48.6	5.0	6.5	76.9
278845	13.9	---	8.9	8.0	9.8	---	---	3.5	3.5	3.9	3.8	89.7	92.1	5.6	2.75	49.10	---	---	---
278759	14.2	---	9.7	8.4	9.6	65.5	54.0	3.6	3.6	3.9	3.9	92.3	91.0	5.1	2.65	52.0	---	---	---
278755	13.6	64.7	---	8.4	10.8	---	---	3.55	3.55	4.0	3.9	87.5	89.0	5.55	2.65	47.7	---	---	---
278757	13.1	---	9.9	8.9	10.4	69.5	59.0	3.5	3.5	4.0	3.9	90.0	89.7	5.8	3.0	61.7	---	---	---
278767	14.2	---	9.6	8.6	10.1	69.0	59.0	3.9	3.9	3.9	3.9	100.0	100.0	5.5	2.65	48.2	5.1	6.7	76.1
278805	14.0	---	10.5	9.1	10.4	68.0	48.5	3.45	3.4	3.9	3.9	88.5	87.2	5.5	2.5	45.4	5.8	7.3	79.5
278806	14.9	45.70	---	9.0	10.4	---	---	3.75	3.8	4.1	4.1	91.5	92.7	6.0	2.6	43.3	5.4	6.9	78.3
278754	14.2	97.2	67.7	8.8	10.2	---	---	3.9	3.8	4.2	4.1	92.9	92.7	5.7	2.75	48.2	5.4	7.0	77.1
278729	14.7	---	---	8.6	10.0	---	---	3.4	3.4	4.0	4.1	85.0	82.9	4.8	2.6	54.2	5.5	6.6	83.9
278725	14.2	86.9	66.0	9.7	9.6	67.5	47.0	3.45	3.5	3.9	3.9	88.5	89.7	4.8	2.6	54.2	5.5	6.6	83.9
278743	14.3	88.8	63.8	10.0	10.3	69.5	55.0	3.7	3.7	3.7	3.7	87.6	85.8	5.75	2.7	47.0	5.3	6.8	77.9
278700	15.5	---	10.0	8.4	10.0	64.0	47.5	3.9	3.85	4.45	4.5	87.6	85.8	6.2	2.9	46.8	5.7	6.9	82.6
278723	15.5	---	10.4	9.1	10.2	66.0	54.0	3.7	3.65	4.25	4.2	87.1	86.9	5.2	2.95	56.7	5.7	6.9	82.6
278731	---	---	---	8.4	9.8	---	---	3.5	4.0	4.0	4.0	87.5	87.5	5.4	2.7	50.0	---	---	---
278814	14.4	---	---	8.7	10.0	---	---	3.4	3.5	3.9	3.8	87.2	92.1	5.4	2.7	50.1	---	---	---
278867	14.6	55.6	9.9	8.4	10.2	68.0	48.0	3.7	3.7	4.1	4.15	90.2	89.2	5.55	3.0	53.5	5.5	6.0	83.8
278740	14.0	---	10.0	8.9	9.8	66.0	54.0	3.2	3.45	3.75	3.75	85.3	89.2	5.4	2.5	46.3	5.2	6.8	76.9
278722	14.2	---	9.4	8.2	9.5	64.5	51.5	3.85	3.65	3.9	3.9	98.7	98.7	6.1	2.75	45.1	4.8	6.4	76.0
278724	14.5	85.6	61.0	8.6	7.4	64.5	46.5	3.6	3.65	4.0	4.0	90.0	91.5	5.5	2.5	45.6	5.4	6.4	76.0
278751	14.5	83.8	67.2	8.1	9.0	---	---	3.65	3.65	4.0	4.0	91.5	91.5	6.0	2.6	45.3	5.4	6.6	81.8
Specimens.	(98)	(81)	(80)	(103)	(103)	(78)	(78)	(102)	(98)	(102)	(98)	(102)	(98)	(103)	(103)	(103)	(71)	(71)	(71)
Totals.	1,405.2	---	797.5	907.7	1,063.1	5,350.5	4,227.0	366.5	354.05	400.1	380.6	---	580.45	282.05	---	385.2	477.3	---	---
Averages.	14.34	90.67	65.17	8.81	10.32	54.19	45.19	3.89	3.81	3.92	3.88	91.60	88.02	5.64	2.73	48.59	5.43	6.72	80.70
Minima.	13.5	83.0	45.6	7.4	8.6	61.0	42.5	3.1	3.55	3.6	3.6	79.1	82.6	4.8	2.2	40.4	4.8	6.0	72.9
Maxima.	15.5	98.6	62.8	10.9	11.1	75.0	66.5	4.2	4.2	4.45	4.5	105.6	104.2	6.5	3.2	58.5	6.0	7.5	90.8

SIBERIA: MONGOL

FEMALES

Catalog No.	Collection	Locality	Approximate age of subject	Deformation	Diam. antero-posterior maxim. (gabella ad maximum)	Diam. lateral maxim.	Basion-Bregma height	Cranial Index	Mean Height Index	Height-Breadth Index	Cranial Module	Capacity in c. c. (Hrdlicka's method)	Teeth wear	Menton-Height (a)	Alveol. Pt.-Nasion Height (b)
278913	U. S. N. M.	Urga.	30	---	18.6	13.6	12.6	71.7	79.2	---	14.80	1,450	---	11.8	7.2
278779	do.	do.	26	---	17.8	13.1	12.5	72.8	80.1	---	14.57	1,250	---	11.8	7.0
278778	do.	do.	23	---	17.8	13.5	12.7	72.8	81.2	---	14.67	1,450	---	11.1	6.8
278800	do.	do.	28	---	18.2	13.8	13.0	70.6	81.3	---	15.00	1,500	---	11.5	7.3
278797	do.	do.	35	---	17.5	13.3	12.4	70.9	80.5	---	14.40	1,433	---	11.5	6.9
278770	do.	do.	40	---	18.5	14.1	12.0	70.2	79.0	---	14.87	1,510	---	11.5	7.5
278788	do.	do.	24	---	17.6	13.7	12.5	77.8	79.9	---	14.60	1,410	---	11.1	6.9
278787	do.	do.	70	---	18.2	14.2	13.0	78.0	80.2	---	15.13	1,470	---	---	---
278795	do.	do.	35	---	18.6	14.5	13.4	78.0	81.0	---	15.13	1,550	---	---	---
278792	do.	do.	55	---	17.6	13.8	12.4	78.4	79.0	---	14.60	1,300	---	---	---
278793	do.	do.	65	---	18.0	14.6	12.9	78.6	77.1	---	13.37	1,389	---	---	---
278784	do.	do.	35	---	18.2	14.2	13.0	78.6	80.7	---	13.37	1,389	---	11.5	6.7
278841	do.	do.	40	---	18.6	14.4	12.3	79.1	79.5	---	14.97	1,340	---	11.8	7.3
278801	do.	do.	25	---	17.7	14.0	12.7	79.1	80.1	---	14.80	1,470	---	11.3	6.9
278826	do.	do.	25	---	17.7	14.0	12.4	79.1	78.2	---	14.70	1,410	---	---	---
278876	do.	do.	55	---	17.8	14.1	13.4	79.2	81.0	---	15.10	1,410	---	---	---
278804	do.	do.	26	---	18.4	14.6	13.2	79.3	80.0	---	15.40	---	---	---	---
278825	do.	do.	26	---	17.9	14.2	12.6	78.3	78.5	---	14.90	1,460	---	---	---
278885	do.	do.	30	---	16.8	13.4	11.8	72.8	78.1	---	14.00	1,260	---	---	---
278802	do.	do.	40	---	17.8	14.2	12.0	79.8	75.0	---	14.67	1,330	---	11.9	7.2
278809	do.	do.	35	---	17.4	13.9	12.5	79.9	79.9	---	14.60	1,350	---	---	---
278809	do.	do.	40	---	18.0	14.4	12.4	80.0	76.5	---	14.93	1,420	---	12.0	7.0
278851	do.	do.	40	---	18.2	14.6	13.0	80.2	79.3	---	15.27	1,450	---	---	---
278903	do.	do.	30	---	17.3	13.9	12.3	80.3	78.8	---	14.50	1,170	---	---	---
278823	do.	do.	40	---	17.1	13.8	12.2	80.7	79.0	---	14.37	1,300	---	---	---
278839	do.	do.	25	---	17.9	14.5	12.0	81.0	74.1	---	14.80	1,345	---	---	---
278815	do.	do.	24	---	18.0	14.6	12.8	81.1	78.5	---	15.13	1,500	---	11.0	6.7
278838	do.	do.	45	---	17.2	14.0	12.1	81.4	77.6	---	14.43	1,335	---	12.5	7.4
278840	do.	do.	35	---	17.9	14.6	12.7	81.6	78.2	---	15.07	1,590	---	11.2	6.8
278863	do.	do.	40	---	17.4	14.2	12.4	81.6	78.5	---	14.67	1,370	---	12.4	7.6
278807	do.	do.	24	---	16.4	13.4	11.8	81.7	79.2	---	13.87	1,170	---	---	---
278868	do.	do.	45	---	17.5	14.3	13.0	81.7	81.8	---	14.93	1,395	---	---	---
278810	do.	do.	45	---	16.9	13.8	13.2	81.7	83.0	---	14.63	1,360	---	---	---
278824	do.	do.	26	---	17.6	14.4	12.8	81.8	80.0	---	14.93	1,405	---	---	---
278874	do.	do.	30	---	17.0	13.9	12.9	81.8	83.5	---	14.60	1,290	---	---	---
278911	do.	do.	23	---	17.8	14.6	13.2	82.0	81.5	---	15.20	1,540	---	---	---
278893	do.	do.	45	---	17.2	14.1	11.8	82.0	75.4	---	14.37	1,260	---	---	---
278832	do.	do.	25	---	17.4	14.3	12.8	82.2	80.8	---	14.83	1,390	---	11.8	7.2

275592	13.0	56.2	8.9	7.9	9.4	70.0	53.0	3.65	3.7	3.8	3.65	98.0	101.4	5.4	2.9	53.7	4.6	5.6	82.1
275593	12.7	66.7	9.7	8.4	9.4	65.5	54.5	3.3	3.4	3.8	3.75	91.0	90.7	5.2	2.2	49.9	5.0	6.0	83.9
275594	14.0	62.9	9.7	8.4	9.6	60.0	50.0	3.55	3.5	3.9	3.55	91.0	91.0	5.2	2.5	48.1	5.3	6.2	85.6
275595	13.0	63.1	7.8	9.0	9.0	69.5	61.0	3.3	3.4	3.7	3.6	89.9	91.4	5.15	2.7	52.1	4.0	6.3	77.8
275596	13.3	63.4	9.6	8.8	9.9	67.5	50.5	3.2	3.15	3.65	3.6	87.7	87.7	5.05	2.55	54.3	4.0	6.7	73.7
275597	13.3	65.0	9.6	8.8	9.7	67.0	50.0	3.2	3.3	3.75	3.65	88.0	90.4	5.2	2.8	41.2	5.1	6.2	82.7
275598	12.8	64.5	9.2	8.2	9.6	65.0	55.0	3.7	3.75	3.75	3.7	98.7	101.4	4.86	2.85	43.5	5.1	6.2	82.3
275599	12.1	64.9	9.2	7.9	9.4	68.0	53.0	3.3	3.3	3.8	3.6	86.8	91.7	4.8	2.5	42.1	4.5	6.6	77.3
275600	12.7	65.8	8.0	7.7	8.8	69.0	53.5	3.4	3.35	3.7	3.7	91.2	90.6	5.6	2.75	49.1	4.5	6.2	72.6
275601	13.8	66.1	10.3	8.6	9.6	63.0	42.0	3.4	3.35	4.1	3.9	97.2	97.2	5.0	2.7	61.4	5.0	6.8	73.5
275602	14.1	66.6	9.0	8.0	9.7	69.0	52.5	3.7	3.8	4.1	3.9	97.2	90.6	5.25	2.7	49.1	4.8	6.8	73.5
275603	12.9	68.5	9.1	8.0	9.8	66.5	52.5	3.5	3.55	3.8	3.6	92.1	98.6	4.7	2.3	43.9	4.8	6.1	78.7
275604	13.0	67.2	9.9	8.4	9.8	65.0	40.0	3.45	3.45	3.8	3.8	97.8	90.8	5.0	2.55	51.0	5.3	6.5	81.5
275605	13.0	64.6	9.1	8.1	9.2	68.0	54.0	3.3	3.35	3.7	3.6	82.2	93.0	5.1	2.5	49.0	5.05	6.2	81.5
275606	12.7	68.12	9.8	8.1	10.0	71.5	57.0	3.35	3.35	3.8	3.65	83.2	91.8	5.1	2.5	49.0	4.9	5.9	83.1
275607	13.9	68.9	9.8	9.0	10.0	68.0	42.0	3.4	3.35	3.5	3.4	97.1	98.6	5.5	2.6	47.3	4.9	6.2	79.0
275608	13.5	68.2	9.1	8.3	9.0	68.0	42.0	3.4	3.35	3.7	3.6	97.2	97.2	5.3	2.7	60.9	5.2	6.5	78.8
275609	13.3	64.1	9.5	8.4	9.4	67.0	50.5	3.45	3.45	3.7	3.9	83.8	85.9	5.05	2.75	54.6	5.3	5.8	91.4
275610	14.1	62.6	9.8	8.6	10.0	70.5	56.0	3.35	3.35	4.0	4.1	86.9	87.0	5.0	2.5	60.0	5.2	6.3	82.5
275611	13.5	67.21	9.7	8.8	10.0	68.0	53.0	3.2	3.25	3.5	3.5	91.4	92.9	5.25	2.75	62.4	5.2	6.3	82.5
275612	12.8	67.0	8.7	8.1	9.1	68.0	58.0	3.2	3.3	3.8	3.8	84.2	86.8	5.3	2.55	48.1	4.9	6.3	77.8
275613	13.9	63.6	9.1	8.3	9.2	67.0	56.0	3.6	3.7	3.8	3.8	94.7	97.4	5.3	2.4	45.3	4.9	6.2	79.0
275614	13.4	63.7	9.2	8.3	9.2	67.0	56.0	3.6	3.7	3.8	3.8	94.7	97.4	5.2	2.6	60.0	5.3	6.1	83.9
275615	13.3	64.9	9.8	8.8	9.4	63.0	55.0	3.45	3.4	3.9	3.95	88.5	86.1	5.3	2.85	63.8	5.4	6.4	81.4
275616	13.4	48.5	9.4	8.4	9.4	70.0	60.0	2.95	2.85	3.5	3.45	84.5	82.6	4.85	2.55	62.6	5.4	6.4	81.4
275617	12.6	67.9	8.8	8.2	9.2	69.0	65.0	3.6	3.7	3.6	3.65	100.0	101.4	5.4	2.6	48.2	4.7	6.6	71.2
275618	12.7	91.3	9.0	8.0	9.0	63.0	51.5	3.8	3.75	3.65	3.7	104.1	101.4	5.05	2.5	49.6	4.9	6.4	76.6
275619	13.4	61.8	9.0	8.5	9.3	62.0	48.0	3.55	3.6	3.9	3.9	91.0	92.5	5.7	2.8	49.1	4.7	6.4	76.6
275620	13.4	63.0	8.8	7.8	9.4	71.5	54.0	3.6	3.6	3.9	3.8	92.9	94.7	5.2	2.8	44.2	4.7	5.8	81.0
275621	13.8	60.0	9.0	8.0	9.4	72.5	49.5	3.2	3.3	3.6	3.6	97.2	91.7	5.0	2.45	49.0	4.4	6.1	72.1
275622	13.8	65.6	9.4	8.4	10.2	73.5	54.0	3.5	3.5	3.6	3.7	97.2	91.6	5.55	2.4	43.2	5.1	6.2	82.9
275623	(12.4)	(85.6)	(8.5)	(8.0)	(9.0)	(72.5)	(65.0)	3.2	3.25	3.7	3.6	86.5	90.9	5.05	2.5	49.5	(4.5)	(5.5)	(81.8)
275624	13.5	63.3	9.2	8.5	9.6	70.5	62.5	3.55	3.5	3.7	3.7	97.3	95.9	5.3	2.5	47.2	4.6	6.3	73.0
275625	12.8	63.9	9.3	8.6	9.2	67.0	40.5	3.6	3.55	3.7	3.7	98.7	95.9	5.3	2.4	45.3	4.9	6.3	77.8
275626	13.4	64.5	8.6	7.7	9.1	69.0	50.5	3.6	3.75	3.8	3.75	98.7	101.1	5.3	2.55	43.1	4.7	6.1	77.1
275627	12.4	68.0	9.3	8.2	9.2	68.0	50.5	3.6	3.6	3.4	3.4	91.7	102.6	4.8	2.3	47.9	4.8	6.0	81.4
275628	12.7	68.2	9.1	8.2	9.1	69.0	51.0	3.2	3.6	3.4	3.6	91.7	102.6	4.8	2.3	47.9	4.8	6.0	81.4
275629	13.0	68.1	9.1	8.2	9.1	68.0	53.0	3.6	3.5	3.7	3.6	97.3	98.6	5.25	2.4	45.7	4.5	6.0	75.0
275630	13.9	68.4	9.1	8.2	9.1	68.0	53.0	3.6	3.5	3.7	3.6	97.3	98.6	5.25	2.4	45.7	4.5	6.0	75.0
275631	12.8	62.3	8.5	8.7	9.0	67.0	43.3	3.35	3.35	3.5	3.75	88.2	89.2	4.7	2.8	61.4	3.6	6.0	70.9
275632	12.8	62.3	8.5	8.7	9.0	67.0	43.3	3.35	3.35	3.5	3.7	90.5	89.2	4.7	2.8	61.4	3.6	6.0	70.9
275633	13.1	67.4	9.1	8.0	9.4	70.0	53.0	3.1	3.2	3.6	3.65	80.1	88.9	4.8	2.4	44.4	5.3	6.3	84.1
275634	13.6	67.4	9.1	8.0	9.4	70.0	50.0	3.6	3.5	3.75	3.65	90.7	94.6	5.2	2.35	45.2	5.2	6.0	73.4
275635	13.6	62.9	10.1	8.5	9.4	63.0	46.0	3.4	3.45	3.75	3.65	90.7	94.6	4.65	2.65	47.0	4.9	6.2	73.4
275636	13.4	60.0	8.4	7.4	8.8	70.0	54.5	3.5	3.5	3.75	3.7	93.3	94.6	4.65	2.65	47.0	4.9	6.2	73.4
275637	14.5	49.0	9.7	8.8	9.8	69.5	52.0	3.8	3.8	4.0	3.9	95.0	97.4	5.55	2.55	45.9	4.8	6.3	76.2
275638	(80)	(78)	(71)	(60)	(81)	(70)	(70)	(81)	(81)	(79)	(81)	(79)	(81)	(81)	(81)	(81)	(65)	(66)	(66)
275639	1,057.3	89.28	667.7	670.7	770.1	4,895.5	3,710.5	287.5	281.7	297.5	301.2	91.90	93.63	417.95	208.6	2.58	330.15	415.4	56.4
275640	13.22	82.1	8.4	8.36	9.51	68.65	53.01	3.46	3.45	3.77	3.72	91.90	93.63	5.16	2.58	49.91	5.0	6.23	79.48
275641	12.4	82.1	8.4	7.4	8.6	62.0	40.0	2.95	2.85	3.4	3.4	82.9	82.9	4.4	2.2	41.1	4.4	5.6	70.8
275642	14.5	98.4	10.9	9.4	10.2	74.5	66.0	3.8	3.8	4.2	4.1	104.1	101.4	5.7	3.05	58.7	6.0	7.2	91.4

Specimens
Totals
Averages
Minima
Maxima

1 Near.

MONGOLS

(Abstract)

Measurement	Males ¹			Females ¹		
	Group A	Group B	Group C	Group A	Group B	Group C
Approximate age of subject...	(31)	(61)	(12)	(29)	(29)	(24)
Vault:	44.0	44.2	41.3	36.2	34.2	30.5
Length.....	(31)	(61)	(12)	(29)	(29)	(24)
Breadth.....	18.82	18.37	17.88	17.86	17.34	16.87
Height.....	(31)	(61)	(12)	(29)	(29)	(24)
Cranial Index.....	14.70	15.21	15.68	14.07	14.39	14.75
Mean height index.....	(31)	(61)	(12)	(29)	(29)	(24)
Cranial module.....	13.20	13.18	13.17	12.58	12.67	12.54
Capacity.....	(31)	(61)	(12)	(29)	(29)	(24)
Face:	78.12	82.81	87.74	78.76	82.93	87.45
Total height.....	(31)	(61)	(12)	(29)	(29)	(24)
Upper height.....	78.76	78.48	78.47	78.81	79.81	79.89
Maximum breadth.....	(31)	(61)	(12)	(29)	(29)	(24)
Facial index, total.....	15.57	15.58	15.58	14.84	14.80	14.72
Facial index, upper.....	(31)	(59)	(12)	(28)	(29)	(24)
Base, etc.:	1,574.5	1,587.9	1,638.3	1,404.9	1,413.3	1,408.5
Basion-Alveolar point.....	(9)	(16)	(4)	(14)	(10)	(5)
Basion-Subnasal point.....	12.98	12.99	12.73	11.67	11.64	11.70
Basion-Nasion.....	(26)	(47)	(9)	(25)	(26)	(22)
Facial angle.....	7.95	7.89	7.90	7.16	7.06	7.04
Alveolar angle.....	(30)	(57)	(11)	(29)	(29)	(22)
Orbits, height:	14.29	14.32	14.58	13.18	13.22	13.26
Right.....	(9)	(15)	(4)	(14)	(10)	(5)
Left.....	90.40	91.40	88.52	89.63	88.53	89.72
Breadth:	(26)	(46)	(9)	(25)	(26)	(22)
Right.....	55.67	55.16	54.15	54.33	53.45	53.08
Left.....	(26)	(46)	(8)	(23)	(25)	(23)
Upper Alveolar Arch:	10.05	9.96	9.75	9.52	9.46	9.23
Length.....	(31)	(60)	(12)	(28)	(29)	(23)
Breadth.....	8.93	8.83	8.45	8.49	8.40	8.24
Index:	(31)	(60)	(12)	(29)	(29)	(23)
Right.....	10.45	10.37	9.75	9.64	9.50	9.35
Left.....	(26)	(44)	(8)	(23)	(25)	(22)
Nose:	69.75	68.55	66.25	68.91	68.44	68.61
Height.....	(26)	(44)	(8)	(23)	(25)	(22)
Breadth.....	55.33	54.20	50.44	53.37	52.84	52.82
Upper Alveolar Arch:	(31)	(60)	(11)	(29)	(27)	(23)
Length.....	3.61	3.59	3.58	3.49	3.42	3.47
Breadth.....	(29)	(59)	(10)	(29)	(28)	(24)
Index:	3.61	3.61	3.63	3.50	3.45	3.48
Right.....	(31)	(60)	(11)	(29)	(27)	(23)
Left.....	3.90	3.92	4.0	3.79	3.79	3.72
Right.....	(29)	(59)	(10)	(29)	(28)	(24)
Left.....	3.88	3.87	4.0	3.74	3.72	3.69
Right.....	(31)	(60)	(11)	(29)	(27)	(23)
Left.....	92.63	91.58	88.93	92.17	90.37	93.39
Right.....	(29)	(59)	(10)	(29)	(28)	(24)
Left.....	93.07	93.40	90.74	93.60	92.94	94.13
Right.....	(31)	(61)	(11)	(28)	(29)	(24)
Left.....	5.70	5.61	5.60	5.15	5.16	5.18
Right.....	(31)	(61)	(11)	(28)	(29)	(24)
Left.....	2.72	2.75	2.70	2.60	2.59	2.53
Right.....	(31)	(61)	(11)	(28)	(29)	(24)
Left.....	47.78	49.09	48.18	50.59	50.18	48.79
Right.....	(23)	(41)	(7)	(22)	(23)	(21)
Left.....	5.47	5.42	5.34	5.10	5.0	4.89
Right.....	(23)	(41)	(7)	(22)	(23)	(21)
Left.....	6.70	6.75	6.67	6.34	6.27	6.27
Right.....	(23)	(41)	(7)	(22)	(23)	(21)
Left.....	81.62	80.30	80.09	80.56	79.80	77.98
Right.....	(10)	(19)	(4)	(15)	(10)	(4)
Left.....	3.61	3.68	3.64	3.25	3.27	3.26

¹ Grouped by cranial index.

SIBERIAN CRANIA

(Abstract)

MALES

Measurement	Sam-oyed	Ostiak	Vogtl	Tungus M. series	Tungus I. series	Buriat	Ucheli		Gillak		Yakut	Yukagir	Orochi	Koriak	Kamchadal	Chukchi	Mongol (Outer)
							Type D	Type B	Sakhalin Island	Ochotsk Sea L. Amur							
Approximate age	{ (10) 45.5	(16) 47.8	(11) 38.6	(6) Adult	(27) 39	Adult	(9) Adult	(2) Adult	(7) Adult	(7) Adult	(7) Adult	(1) Adult	(1) Adult	(1) Adult	(1) Adult	(104) 44.1	
Vault:	{ (1) 17.86	(15) 18.31	(11) 19.09	(6) 17.82	(29) 18.06	(4) 18.05	(9) 17.98	(2) 18.80	(7) 18.63	(7) 18.50	(7) 17.8	(1) 18.1	(1) 18.49	(1) 18.44	(1) 18.44	(104) 18.44	
Length	{ (10) 14.67	(15) 14.45	(11) 14.33	(6) 14.33	(29) 15.05	(4) 13.83	(9) 15.03	(2) 15.00	(7) 15.0	(7) 14.63	(7) 15.0	(1) 14.2	(1) 14.30	(1) 15.11	(1) 15.11	(104) 15.11	
Breadth	{ (10) 12.76	(15) 12.71	(11) 13.17	(6) 12.68	(29) 13.14	(4) 13.43	(9) 13.49	(2) 13.65	(7) 13.51	(7) 13.09	(7) 13.1	(1) 13.8	(1) 13.64	(1) 13.18	(1) 13.18	(104) 13.18	
Height	{ (10) 82.1	(15) 75.7	(11) 75.7	(6) 83.8	(29) 83.4	(4) 74.1	(9) 83.6	(2) 72.5	(7) 80.5	(7) 79.1	(7) 81.3	(1) 78.5	(1) 77.5	(1) 77.5	(1) 81.9	(104) 81.9	
Cranial index	{ (10) 78.0	(15) 77.4	(11) 78.5	(6) 77.5	(29) 79.3	(4) 82.7	(9) 81.7	(2) 84.3	(7) 80.4	(7) 79.0	(7) 79.9	(1) 85.5	(1) 83.2	(1) 78.6	(1) 83.2	(104) 78.6	
Mean height index	{ (10) 78.5	(15) 77.4	(11) 78.5	(6) 77.5	(29) 79.3	(4) 82.7	(9) 81.7	(2) 84.3	(7) 80.4	(7) 79.0	(7) 79.9	(1) 85.5	(1) 83.2	(1) 78.6	(1) 83.2	(104) 78.6	
Module (mean diam.)	{ (10) 16.0	(15) 15.18	(11) 15.57	(6) 15.15	(29) 15.42	(4) 15.30	(9) 15.50	(2) 15.35	(7) 15.71	(7) 15.40	(7) 15.30	(1) 15.37	(1) 15.48	(1) 15.35	(1) 15.48	(104) 15.35	
Capacity	{ (10) 53.9	(15) 53.8	(11) 53.8	(6) 54.0	(29) 55.2	(4) 55.9	(9) 55.1	(2) 55.2	(7) 55.2	(7) 55.2	(7) 55.0	(1) 55.1	(1) 55.5	(1) 55.2	(1) 55.5	(104) 55.2	
Face:	{ (3) 12.37	(8) 12.17	(3) 12.33	(5) 12.50	(8) 12.73	(2) 12.35	(2) 12.85	(2) 13.30	(3) 12.87	(3) 12.90	(3) 12.90	(1) 13.15	(1) 13.15	(1) 12.95	(1) 13.15	(29) 12.95	
Total height	{ (8) 7.53	(9) 7.57	(11) 7.25	(6) 7.72	(24) 7.70	(4) 7.70	(2) 8.22	(2) 7.90	(7) 8.08	(7) 8.08	(7) 8.08	(1) 7.4	(1) 7.96	(1) 7.91	(1) 7.96	(32) 7.91	
Upper height	{ (10) 13.97	(14) 13.71	(11) 13.71	(6) 14.30	(27) 14.0	(4) 13.78	(2) 13.62	(8) 13.88	(2) 14.53	(9) 14.37	(9) 14.37	(1) 12.8	(1) 11.11	(1) 14.34	(1) 14.34	(98) 14.34	
Max. breadth	{ (3) 89.4	(8) 88.0	(3) 87.1	(5) 87.2	(5) 90.7	(2) 89.2	(2) 89.6	(2) 89.6	(3) 88.5	(3) 88.0	(3) 88.0	(1) 94.1	(1) 94.1	(1) 90.7	(1) 94.1	(23) 90.7	
Facial index: Total	{ (8) 53.9	(9) 53.8	(11) 53.8	(6) 54.0	(24) 55.1	(4) 55.9	(2) 55.1	(2) 55.2	(7) 55.2	(7) 55.2	(7) 55.0	(1) 55.1	(1) 55.5	(1) 55.2	(1) 55.5	(31) 55.2	
Facial index, upper	{ (7) 9.83	(8) 10.41	(11) 10.06	(6) 10.22	(24) 9.90	(4) 10.30	(3) 10.70	(7) 10.77	(6) 10.33	(5) 9.92	(5) 9.92	(1) 9.6	(1) 10.52	(1) 9.97	(1) 10.52	(80) 9.97	
Basion-Alveolar point	{ (10) 8.70	(9) 8.30	(11) 8.15	(6) 8.33	(28) 8.80	(4) 9.15	(5) 9.30	(7) 9.54	(7) 9.0	(6) 8.83	(6) 8.83	(1) 8.6	(1) 9.30	(1) 8.81	(1) 9.30	(103) 8.81	
Basion-Subnasal point	{ (10) 10.21	(9) 10.21	(11) 10.18	(6) 10.13	(28) 10.90	(4) 10.48	(5) 10.42	(8) 10.44	(7) 10.37	(7) 10.20	(7) 10.20	(1) 9.8	(1) 10.41	(1) 10.32	(1) 10.41	(103) 10.32	
Basion-Nasion	{ (7) 67.2	(8) 66.8	(11) 68.0	(6) 67.1	(24) 67.3	(4) 66.2	(5) 66.2	(7) 66.1	(6) 67.0	(5) 67.0	(5) 67.0	(1) 69.0	(1) 69.0	(1) 68.7	(1) 69.0	(78) 68.7	
Facial angle	{ (7) 53.7	(8) 53.7	(11) 53.7	(6) 53.2	(24) 53.2	(4) 53.8	(5) 53.2	(7) 53.9	(6) 53.8	(5) 53.8	(5) 53.8	(1) 53.5	(1) 53.5	(1) 53.7	(1) 53.5	(73) 53.7	
Alveolar angle	{ (7) 54.9	(8) 53.7	(11) 56.8	(6) 52.6	(24) 53.2	(4) 50.8	(5) 52.3	(7) 53.9	(6) 53.8	(5) 53.8	(5) 53.8	(1) 53.5	(1) 53.5	(1) 54.2	(1) 53.5	(73) 54.2	

Cranial index.....	(8) 82.5	(115) 80.2	(7) 75.8	(10) 78.	(9) 82.7	(24) 81.9	(13) 78.9	(2) 85.8	(14) 83.8	(1) 73.4	(13) 78.9	(2) 82.1	(1) 76.4	(70) 77.5	(82) 82.7 (71,7-9,1,5)
Mean height index.....	(8) 76.2	(115) 78.7	(26) 77.5	(10) 75.5	(9) 77.8	(24) 78.6	(13) 72.8	(2) 81.	(13) 80.4	(1) 84.0	(10) 78.	(2) 77.1	(1) 88.6	(68) 83.8	(82) 79.3
Module (mean diameter).....	(8) 14.53	(115) 14.57	(26) 14.48	(10) 14.52	(9) 14.70	(24) 14.84	(13) 14.72	(2) 14.40	(14) 14.62	(1) 15.10	(10) 14.81	(2) 14.80	(1) 14.77	(68) 14.84	(82) 14.99
Capacity.....	(3) 11.30	(15) 11.21	(22) 11.07	(3) 11.37	(7) 11.07	(4) 12.20	(3) 12.0	(2) 12.15	(2) 12.15	(1) 12.15	(2) 11.90	(1) 11.70	(1) 11.67	(12) 11.70	(29) 14.00
Face:	(8) 6.98	(110) 6.90	(22) 6.72	(10) 6.98	(9) 6.92	(17) 7.25	(10) 7.33	(2) 7.05	(13) 7.22	(1) 6.9	(12) 7.26	(1) 6.6	(1) 7.0	(66) 7.37	(73) 7.00
Upper height.....	(8) 13.08	(114) 13.11	(25) 12.90	(10) 13.08	(9) 13.18	(22) 13.01	(13) 13.18	(2) 13.05	(10) 13.40	(1) 13.1	(12) 13.33	(1) 13.1	(1) 13.5	(66) 13.16	(80) 13.22
Maximum breadth.....	(3) 86.9	(13) 86.3	(7) 83.8	(3) 82.2	(3) 83.8	(4) 89.6	(4) 89.6	(2) 89.3	(3) 89.3	(1) 89.3	(2) 88.2	(1) 87.7	(1) 87.7	(12) 87.7	(29) 89.3
Facial index: Total.....	(8) 53.4	(109) 53.4	(21) 51.9	(10) 55.1	(9) 52.5	(17) 53.3	(10) 55.5	(2) 51.7	(9) 53.4	(1) 52.7	(12) 51.5	(1) 51.9	(1) 51.9	(69) 53.6	(73) 53.6
Facial index: Upper.....	(7) 9.67	(109) 9.85	(21) 9.47	(10) 9.76	(9) 9.82	(15) 9.60	(10) 9.93	(2) 10.10	(10) 10.31	(1) 10.5	(10) 9.36	(1) 10.4	(1) 9.6	(61) 10.07	(71) 10.4
Basal, etc.:	(8) 8.65	(114) 8.78	(26) 8.52	(10) 8.54	(9) 8.71	(24) 8.46	(13) 8.79	(2) 8.90	(10) 9.11	(1) 9.2	(10) 8.38	(1) 8.3	(1) 8.7	(64) 8.91	(80) 8.38
Basion-Alveolar point.....	(8) 9.71	(109) 9.65	(26) 9.60	(10) 9.39	(9) 9.59	(24) 9.08	(13) 9.88	(2) 9.60	(12) 9.87	(1) 10.0	(11) 9.74	(1) 10.15	(1) 9.8	(67) 9.91	(81) 9.51
Basion-Subnasal point.....	(7) 68.7	(109) 67.3	(18) 70.	(10) 65.	(9) 67.1	(15) 68.2	(10) 67.3	(2) 65.3	(10) 62.2	(1) 61.0	(10) 69.8	(1) 69.0	(1) 70.5	(59) 67.4	(70) 68.7
Alveolar angle.....	(7) 31.4	(109) 32.3	(18) 34.8	(10) 48.5	(9) 50.5	(22) 52.1	(13) 51.1	(2) 51.	(10) 51.9	(1) 49.5	(10) 55.5	(1) 55.5	(1) 59.0	(59) 54.3	(70) 53.0
Orbits:	(8) 3.38	(113) 3.43	(24) 3.30	(10) 3.30	(9) 3.26	(22) 3.48	(13) 3.53	(2) 3.39	(11) 3.41	(1) 3.3	(11) 3.37	(1) 3.5	(1) 3.5	(66) 3.55	(81) 3.47
Mean height.....	(8) 3.75	(113) 3.79	(24) 3.53	(10) 3.75	(9) 3.61	(22) 3.79	(13) 3.90	(2) 3.98	(11) 3.80	(1) 3.9	(11) 3.71	(1) 3.7	(1) 3.8	(66) 3.88	(81) 3.75
Mean breadth.....	(8) 90.1	(113) 89.8	(24) 89.3	(10) 93.3	(9) 90.2	(22) 91.8	(13) 90.	(2) 85.3	(11) 89.7	(1) 84.7	(11) 90.3	(1) 94.6	(1) 94.6	(66) 91.5	(81) 92.7
Nose:	(8) 5.17	(114) 5.06	(25) 4.96	(10) 5.25	(9) 4.95	(21) 5.29	(13) 5.27	(2) 4.92	(11) 5.09	(1) 4.75	(12) 5.28	(1) 4.9	(1) 4.8	(67) 5.12	(81) 5.16
Height.....	(8) 2.41	(114) 2.49	(25) 2.49	(10) 2.59	(9) 2.51	(21) 2.69	(13) 2.64	(2) 2.58	(11) 2.47	(1) 2.9	(12) 2.59	(1) 2.5	(1) 2.4	(67) 2.40	(81) 2.58
Breadth.....	(6) 46.7	(114) 49.3	(25) 50.2	(10) 49.3	(9) 50.6	(21) 50.1	(13) 50.1	(2) 48.6	(11) 48.6	(1) 46.0	(12) 49.1	(1) 51.	(1) 54.2	(52) 46.8	(81) 49.9
Nasal index.....	(6) 5.09	(101) 5.28	(18) 5.06	(10) 5.23	(9) 5.11	(16) 5.09	(13) 5.24	(1) 5.5	(9) 5.30	(1) 5.6	(12) 5.13	(1) 5.2	(1) 5.38	(52) 5.0	(69) 5.0
Upper Alveolar Arch:	(7) 6.14	(101) 6.25	(18) 6.09	(10) 6.21	(9) 6.40	(16) 6.34	(10) 6.50	(1) 6.5	(9) 6.49	(1) 6.3	(12) 6.51	(1) 6.4	(1) 6.41	(52) 6.29	(66) 6.29
Breadth.....	(7) 82.8	(84.6	(18) 83.0	(10) 84.2	(9) 79.9	(16) 80.2	(10) 80.5	(1) 84.6	(9) 81.7	(1) 83.9	(12) 78.9	(1) 81.3	(1) 83.5	(52) 83.5	(69) 79.5
Lower jaw:	(7) 82.8	(84.6	(18) 83.0	(10) 84.2	(9) 79.9	(16) 80.2	(10) 80.5	(1) 84.6	(9) 81.7	(1) 83.9	(12) 78.9	(1) 81.3	(1) 83.5	(52) 83.5	(69) 79.5
Height at symphysis.....	(7) 3.14	(8) 3.14	(18) 3.14	(10) 3.14	(9) 3.14	(16) 3.14	(10) 3.14	(1) 3.14	(9) 3.14	(1) 3.14	(12) 3.14	(1) 3.14	(1) 3.14	(52) 3.14	(69) 3.25

1 Preenile adult.
2 Cranial capacity.

NOTES ON THE NON-ESKIMO CRANIA

Less than a score of years ago Alaska from the point of view of anthropology was regarded as one of the simplest regions, with only the Indians and the Eskimo to be considered. How far this concept was from reality will be appreciated from a study of the data herein presented.

The Alaska Indians in general offer much in common, though there are some regional differences among them. The only marked exception is the group on the Shageluk Slough of the Yukon, which approaches the dolichoid Shoshonean-Algonkin strains. The Eskimo, too, are fairly homogeneous, with local differences. But there were four groups at least in southwestern Alaska that, although belonging to the same basic complex, were distinctly different from the rest. Two of these, the Koniag and the Aleut, used to be erroneously counted with the Eskimo; but there were also two others, older and until recently not even suspected, that for a long time occupied the regions of the Koniags and the Aleuts but were more or less completely replaced by the latter.

Of these four groups, the Koniags, the latest inhabitants of Kodiak Island, were related to the Aleuts, as well as to the southern Alaska Indians, yet had some individuality of their own. The Aleuts, shown to be completely different from the Eskimo, have marked Asiatic (Tungus) affinities. Both the Pre-Koniags and the Pre-Aleuts were entirely distinct from the Koniags and the Aleuts, as well as from each other, and were related to different types of the mainland Indian.

Thus Alaska was a mosaic of differing types of people, and the main groups have doubtless now been discovered. These peoples were not very ancient, none in all probability reaching much beyond the Christian Era. If there is any type still more ancient, evidence of it lies in the frozen grounds that cannot yet be explored. It would seem, however, that at best there could have been only sparse and few stations of earlier man—there is no indication of anything on a larger scale.

Notwithstanding the differences in the various Alaska strains, there was found nowhere any sharp line of demarcation. The masses differed, sometimes very markedly, but many of the individuals merged with others of separate groups. This was partly due, no doubt, to intermixture, but in the main the cause is the same as between the various mainland tribes; it is the same basic racial derivation. Even the Eskimo in Alaska and the Indian merge to such a degree that in the case of many individual crania even an expert cannot be sure what he has before him.

This matter naturally raises the question as to the meaning of existing differences between these and other American native groups. In general there is not one of the many American tribes, nor any two

or more separate parts of even the same tribe, that do not present some physical differences. Yet all these tribes are basically closely related, and all belong plainly to one and the same stem of humanity. The differences are manifested, though never collectively, in most of the physical characters of both the living and the skeleton. The most marked ones are in stature, shape of the head, and robustness of the parts.

These differences parallel those within the other two main stems of mankind, the White and the Black, and their explanation is not yet possible, but it may be approached. It is clear that all these differences could not have existed from the beginnings of the species, for none of the human varieties of present times are of such antiquity; many in fact must be rather recent. Therefore they must have arisen in the course of man's biological history and can have been due only to internal or external contemporaneous agencies. In an extended sense therefore they were not inherent but were acquired. Just what the reasons were that underlay these organic acquisitions it is not possible to fathom clearly, but we may be sure that the causes, multiple and elusive as they may be, are all natural, and as such all subject to eventual definitive determination. They may legitimately be called the causes of "raciogeny," and their study will constitute perhaps the most attractive and important task of future anthropology. For the present it may suffice to view all these human subtypes, types, or varieties, American or other, as so many more or less fixed results of the reactions between a plastic class of organisms and various sufficiently potent internal and external agencies.

INDEX TO TABLES

	Page		Page
Northwest Coast:		Kodiak and Aleutian Islands	
Males.....	4	(abtract).....	86
Females.....	6	Siberia:	
Southeast Alaska:		Neolithic crania (abstract)...	87
Males (Tlingit).....	8	Samoyed males.....	88
Females (Tlingit).....	10	Samoyed females.....	90
Males (Haida and Tlingit)...	11	Ostiak males.....	92
Females (Haida and Tlingit)...	13	Ostiak females.....	98
South and Southwest Alaska:		Vogul males.....	104
Males.....	15	Vogul females.....	106
Females.....	17	Tungus: Moscow series....	108
Yukon:		Tungus: Leningrad series...	112
Males.....	18	Buriat: U.S.N.M. series	
Females.....	20	(males).....	114
Shageluk (Yukon):		Buriat: Irkutsk series	
Males.....	22	(males).....	116
Females.....	24	Buriat: U.S.N.M. series	
Northwest Canada (Dené).....	29	(females).....	118
Northwestern and Alaskan crania		Buriat: Irkutsk series (fe-	
(general abstract).....	28	males).....	120
Alaska Peninsula:		Buriat: Summary.....	122
Males.....	30	Ulchi-D.....	124
Females.....	32	Ulchi-B.....	126
Kodiak Island:		Giliak-LB (Sakhalin).....	128
Koniag males.....	34	Giliak-D (Amur).....	132
Koniag females.....	38	Yakut.....	134
Koniag children and ado-		Yukagir.....	136
lescents.....	41	Orochi.....	138
Pre-Koniag children.....	43, 44	Koriak, Lamut, and Kam-	
Pre-Koniag males.....	46, 50	chadal.....	140
Pre-Koniag females.....	52, 58, 59	Chukchi (Chukchi Penin-	
Aleutian Islands:		sula).....	142
Aleut males.....	61	Chukehi (Anadyr region)...	148
Aleut males (Kagamil		Chukehi (miscellaneous)...	152
Caves).....	66	Chukehi (abstract).....	154
Aleut females.....	70	Mongol males.....	156
Aleut females (Kagamil		Mongol females.....	162
Caves).....	74	Mongols (abstract).....	166
Pre-Aleut males.....	78	Siberian crania (abstract)...	167
Pre-Aleut females.....	82		

