


**DATA RESOURCES
FOR
TROPICAL ASIAN DRY FOREST
AMPHIBIANS AND REPTILES**



GEORGE R. ZUG

Department of Vertebrate Zoology
National Museum of Natural History
Smithsonian Institution

**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 141**

2012

SMITHSONIAN HERPETOLOGICAL INFORMATION SERVICE

The first number of the SMITHSONIAN HERPETOLOGICAL INFORMATION SERVICE series appeared in 1968. SHIS number 1 was a list of herpetological publications arising from within or through the Smithsonian Institution and its collections entity, the United States National Museum (USNM). The latter exists now as little more than an occasional title for the registration activities of the National Museum of Natural History. No. 1 was prepared and printed by J. A. Peters, then Curator-in-Charge of the Division of Amphibians & Reptiles. The availability of a NASA translation service and assorted indices encouraged him to continue the series and distribute these items on an irregular schedule.

The series continues under that tradition. Specifically, the SHIS series distributes translations, bibliographies, checklists, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, and unlikely to be published in the normal technical journals. We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such an item, please contact George Zug [zugg @ si.edu] for consideration of its distribution through the SHIS series.

Our increasingly digital world is changing the manner of our access to research literature and that is now true for SHIS publications. They are distributed now as pdf documents through two Smithsonian outlets:

Biodiversity Heritage Library. www.biodiversitylibrary.org/bibliography/15728

All numbers from 1 to 131 [1968-2001] available in BHL.

Division's website. vertebrates.si.edu/herps/herps_NMNH_herppubs/herps_herps.html
Numbers 84 to 141 available as pdfs in the herpetological publications section of the website.

INTRODUCTION

In 2008, I compiled a set of measurements and ecological data for species of amphibians and reptiles occurring in six Asian dry forests. These data served as the metrics to compare the taxonomic and ecological structures of these six communities. The results were published (Zug, 2011) in a series of tables and figures, but the data were too large to be included with the analyses and discussion. Those data are presented here for researchers who may wish to test my conclusions and/or extend my analyses.

Reference.

Zug, G. R. 2011. Tropical Asian dry forest amphibians and reptiles: a regional comparison of ecological communities. Pp. 275-303. In W.J. McShea, S.J. Davies, N. Bhumpakphan, editors, THE ECOLOGY AND CONSERVATION OF SEASONALLY DRY FOREST IN ASIA. Washington, DC: Smithsonian Institution Scholarly Press.

REFERENCES FOR TABLE 1.

- Ahmed, M.F., A. Das. 2006. First record of *Rhabdophis nuchalis* (Boulenger, 1891) (Serpentes: Colubridae) from India, with notes on its distribution and natural history. *Hamadryad* 30(1&2): 121-127.
- Anders, C. C. 2002. Class Amphibia (Amphibians). Pp. 133-340. In H.H. Schleich, W. Kästle, eds. AMPHIBIANS AND REPTILES OF NEPAL. Koenigstein: A.R.G. Gantner Verlag.
- Ao, J.M., S. Bordoloi, A. Ohler. 2003. Amphibian fauna of Nagaland with nineteen new records from the state including five new records for India. *Zoo's Print Journal* 18(6): 1117-1125.
- Auffenberg, W. 1994. THE BENGAL MONITOR. Gainesville, Fla.: University Press of Florida.
- Berry, P.Y. 1975. THE AMPHIBIAN FAUNA OF PENINSULAR MALAYSIA. Kuala Lumpur: Tropical Press.
- Borthakur, R., J. Kalita, B. Hussain, S. Sengupta. 2007. Study on the *Fejervarya* (Anura: Dicoglossidae) species of Assam. *Zoo's Print Journal* 22(4): 2639-2643.
- Boulenger, G.A. 1920. A monograph of South Asian, Papuan, Melanesian and Australian frogs of the genus *Rana*. *Records of the Indian Museum* 20: 1-226.
- Buhpathy, S., V.S. Vijayan. 1993. Aspects of feeding ecology of *Lissemys punctata* (Testudines: Trionychidae) in Keoladeo National Park, Bharatpur, India. *Hamadryad* 18: 13-16.
- Chanda, S.K. 1994. Anurans (Amphibia) fauna of Northeast India. *Memoirs of the Zoological Survey of India* 18(2): 1-143, 21 maps.
- Chanda, S.K. 2002. HAND BOOK INDIAN AMPHIBIANS. Kolkata: Zoological Survey of India.
- Cox, M.J., P.P van Dijk, J. Nabhitabahata, K. Thirakhupt. 1998. A PHOTOGRAPHIC GUIDE TO SNAKES AND OTHER REPTILES OF PENINSULAR MALAYSIA, SINGAPORE AND THAILAND. Sanibel Island, FL: Ralph Curtis Publishing, Inc.
- Daniel, J.C. . 2002. THE BOOK OF INDIAN REPTILES AND AMPHIBIANS. Mumbai: Bombay Natural History Society & Oxford University Press.
- Das, I. 1991. Morphometrics of *Eryx conica* (Schneider) at a locality in South India. *Hamadryad* 16: 21-24.
- Dubois, A. 1975. Un nouveau complexe d'espèces jumelles distinguées par le chant: les grenouilles du Népal voisines de *Rana limnocharis* Boie (amphibiens, anoures). *Comptes Rendus Academie Sciences, Paris* 281: 1717-1720.
- Dutta, S.K. 1998. First record of *Tomopterna dobsonii* (Boulenger, 1882) (Anura: Ranidae) from Orissa, India. *Hamadryad* 22(2): 117-118.

- Dutta, S.K., K. Manamendra-Arachchi. 1996. THE AMPHIBIAN FAUNA OF SRI LANKA. Colombo: Wildlife Heritage Trust of Sri Lanka.
- Ermchenko, V. 2002. Family Scincidae (skinks). Pp. 723-768. In H.H. Schleich, W. Kästle, eds. AMPHIBIANS AND REPTILES OF NEPAL. Koenigstein: A.R.G. Gantner Verlag.
- Ernst, C.H., R.W. Barbour. 1989. TURTLES OF THE WORLD. Washington, DC: Smithsonian Institution Press.
- Fritz, U., D. Guicking, M. Auer, R.S. Sommer, M. Wink, A.K. Hundsdörfer. 2008. Diversity of the Southeast Asian leaf turtle genus *Cyclemys*: how many leaves on its tree of life? *Zoologica Scripta* 37(4): 367-390.
- Grüber, U. 2004. Family Colubridae (colubrid snakes). Pp. 803-950. In H.H. Schleich, W. Kästle, eds. AMPHIBIANS AND REPTILES OF NEPAL. Koenigstein: A.R.G. Gantner Verlag.
- Hallermann, J. 2005. A taxonomic review of the genus *Bronchocela* (Squamata: Agamidae), with description of a new species from Vietnam. *Russian Journal of Herpetology* 12(3): 167-182.
- Inger, R.F., N. Orlov, I. Darevsky. 1999. Frogs of Vietnam: a report on new collections. *Fieldiana, Zoology* 92: i-iv, 1-46.
- Iskandar, D. T. 1998. THE AMPHIBIANS OF JAVA AND BALI. Indonesia: Research and Development Centre for Biology-LIPI.
- Kästle, W. 2002. Suborder Sauria (Saurians). Pp. 574-722, 768-783. In H.H. Schleich, W. Kästle, eds. AMPHIBIANS AND REPTILES OF NEPAL. Koenigstein: A.R.G. Gantner Verlag.
- McMahan, C., G.R. Zug. 2007. Burmese *Hemidactylus* (Reptilia, Squamata, Gekkonidae): geographic variation in the morphology of *Hemidactylus bowringii* in Myanmar and Yunnan, China. *Proceedings of the California Academy of Sciences* 58(24): 485-509.
- Minton, S.A., Jr. 1966. A contribution to the herpetology of West Pakistan. *Bulletin of the American Museum of Natural History*, 134(2): 27-184, plates 9-36.
- Mitchell, J.C., G.R. Zug. 1988. Ecological observations on the gecko *Hemidactylus brookii* in Nepal. *Amphibia-Reptilia* 9: 405-413.
- Murphy, J.C. 2007. HOMALOPSID SNAKES: EVOLUTION IN THE MUD. Malabar, Fla: Kreiger Publishing Co.

- Parker, H.W. 1934. A MONOGRAPH OF THE FROGS OF THE FAMILY MICROHYLIDAE. London: Printed by the Order of the Trustees of the British Museum.
- Peters, G. 1971. Die intragenerischen Gruppen und die Phylogeneese der Schmetterlingsagamen (Agamidae *Leiolepis*). *Zoologischen Jahrbüchern, Abteilung für Systematik, Geographie und Biologie der Tiere* 96: 11-130.
- Rösler, H., T.Q. Nguyen, K.V. Doan, C.T. Ho, T.T. Nguyen, T. Ziegler. 2010. A new species of the genus *Gekko* Laurenti (Squamata: Sauria: Gekkonidae) from Vietnam with remarks on *G. japonicus* (Schlegel). *Zootaxa* 2329: 56-68.
- Saint Girons, H. 1972. Les Serpents du Cambodge. *Mémoires du Muséum National d'Histoire Naturelle, nouv. ser. A, Zoologie* 74: 1-170, 42 plates.
- Schleich, H.H., and W. Kästle. 2002. Order Chelonia/Testudines (Turtles: terrapins & tortoises). Pp. 501-573. In H.H. Schleich, W. Kästle, eds. AMPHIBIANS AND REPTILES OF NEPAL. Koenigstein: A.R.G. Gantner Verlag.
- Schmaltz, T.D., G.R. Zug. 2002. Observations on geographic variation in the Asian frog *Hoplobatrachus rugulosus* (Anura: Ranidae). *Hamadryad* 27(1): 90-98.
- Slowinski, J.B., W. Wüster. 2000. A new cobra (Elapidae: *Naja*) from Myanmar (Burma). *Herpetologica* 56(2): 257-270.
- Smith, M.A. 1943. THE FAUNA OF BRITISH INDIA, CEYLON AND BURMA, INCLUDING THE WHOLE OF THE INDO-CHINESE SUBREGION. REPTILIA AND AMPHIBIA. VOL. III. – SERPENTES. London: Taylor and Francis Ltd.
- Srinivasulu, C., I. Das. 2008. The herpetofauna of Nallamala Hills, Eastern Ghats, India: an annotated checklist, with remarks on nomenclature, taxonomy, habitat use, adaptive types and biogeography. *Asiatic Herpetological Research* 11: 101-131.
- Taylor, E.H. 1963. The lizards of Thailand. *University of Kansas Science Bulletin* 44(14): 687-1077.
- Teynié, A., P. David, A. Ohler, K. Luanglath. 2004. Notes on a collection of amphibians and reptiles from southern Laos, with a discussion of the occurrence of Indo-Malayan species. *Hamadryad* 29(1): 33-62.
- Tharapoom, K. 1996. Radio-telemetry study of home range size and activities of elongated tortoise *Indotestudo elongata* (Blyth, 1853) at Huai Kha Hkang Wildlife Sanctuary. Masters Thesis, Chulalongkorn University, Bangkok.
- Tikader, B.K., R.C. Sharma. 1992. HANDBOOK INDIAN LIZARDS. Calcutta: Zoological Survey of India.
- Vyas, R. 1998. Captive breeding of the Saw-scaled Viper (*Echis carinatus*). *Hamadryad* 22(2): 115-117.
- Vyas, R. 2000. Notes on the distribution and breeding ecology of *Geckoella collegensis* (Beddome, 1870). *Hamadryad* 25(1): 45-46.

- Whitaker, R., A. Captain. 2004. SNAKES OF INDIA. THE FIELD GUIDE. Chennai: Draco Books.
- Win Maung, Win Ko Ko. 2002. TURTLES & TORTOISES OF MYANMAR. Yangon: Wildlife Conservation Society (Myanmar Program).
- Wüster, W. 1998. The genus *Daboia* Serpentes: Viperidae): Russell's Viper. *Hamadryad* 23(1): 33-40.
- Wüster, W. 1998. The genus *Naja* in India. *Hamadryad* 23(1): 15-32.
- Ziegler, T. 2002. DIE AMPHIBIEN UND REPTILIEN EINES TIEFLANDFEUCHTWALD-SCHUTZGEBETES IN VIETNAM. Münster: Natur und Tier – Verlag GmbH.
- Zug, G.R. 1991. The Lizards of Fiji: Natural History and Systematics. *Bishop Museum, Bulletin of Zoology* 2: 1-136.
- Zug, G.R., Htun Win, Thin Thin, Than Zaw Min, Win Zaw Lhon, Kyaw Kyaw. 1998. Herpetofauna of the Chatthin Wildlife Sanctuary, north-central Myanmar with preliminary observations of their natural history. *Hamadryad* 23(2): 111-120
- Zug, G.R., H.H.K. Brown, J.A. Schulte II, J.V. Vindum. 2006. Systematics of the Garden Lizards, *Calotes versicolor* group (Reptilia, Squamata, Agamidae), in Myanmar: Central Dry Zone populations. *Proceedings of the California Academy of Sciences* 57(2): 35-68.
- Zug, G.R., J.V. Vindum, M.S. Koo. 2007. Burmese *Hemidactylus* (Reptilia, Squamata, Gekkonidae): taxonomic notes on tropical Asian *Hemidactylus*. *Proceedings of the California Academy of Sciences* 58(19): 387-405.

EXPLANATION OF ABBREVIATIONS IN TABLES

Table 1

SVLmatF	Snout-vent length of mature females
SVLmatM	Snout-vent length of mature males
maxSVL	Maximum reported snout-vent length for species

Table 2 to 5

Habitat preferences

Ab	arboreal
Aq	aquatic
F	fossorial
S	sempiaquatic
Q	aquatic [used only in Table 2]
T	terrestrial

Activity time

D	diurnal
N	nocturnal

Diet

H	herbivore
I	insectivore [invertebrates]
O	omnivore
V	vertebrate prey

Final six columns are the sites of comparison and identify the presence [1] or absence [0] of a species

G	Giri Forest National Park, India
N	Namalla Hills, India
CH	Chatthin Wildlife Sanctuary, Myanmar
SH	Shewsettaw Wildlife Sanctuary
SA	Sakaerat Environmental Research Station, Thailand
CA	hill sites in eastern Cambodia

genus	species	location size data	SVLmatF	SVLmatM	[female] medianSV L	maxSVL	Source[s]
<i>Ichthyophis</i>	<i>bombayensis</i>	India	210-270	not sexed	.	.	Daniel2002BookIndianR&A <totL> as <i>beddomi</i>
<i>Ichthyophis</i>	<i>kohtaoensis</i>	Malaysia	169-400	not sexed	.	400 [.]	Berry1975AmphibP.Malaysia <totL>
? <i>Bufo</i> ?	<i>scaber</i>	India	
? <i>Bufo</i> ?	<i>stomaticus</i>	SriLanka Nepal	42-68	not sexed	.	63 [.] 68 [.]	Dutta&Manamendra-Aracheli1996AmphibSriL Anders2002inSchleich&KästleA&RNepal
<i>Duttaphrynus</i>	<i>melanostictus</i>	Nagaland SriLanka Chatthin Vietnam	95-112 70-95 99-113 80-89	72-81 50-90 74-101 50-72	.	112 [.] 95 [f] 113 [.] 89	Ao&al2003Nagaland Dutta&Manam.-A1996AmphibSriL Zug&al1998HerpetofChatthin Ziegler2002A&RTiefland
<i>Euphlyctis</i>	<i>cyanophlyctis</i>	Nagaland SriLanka Nepal	45-92 50-65 42-58	38-66 35-45 31-38	.	92 [f] 65 [f] 58 [f]	Ao&al2003Nagaland <mix of juv & adults> Dutta&Manamendra-Aracheli1996AmphibSriL Anders2002inSchleich&KästleA&RNepal
<i>Euphlyctis</i>	<i>hexadactyla</i>	SriLanka	59-120	58-87	.	120 [f]	Dutta&Manamendra-Aracheli1996AmphibSriL
<i>Fejervarya</i>	? <i>limnocharis</i> ?/ std	Chatthin	47-67	39-52	.	.	Zug&al1998HerpetofChatthin
<i>Fejervarya</i>	? <i>limnocharis</i> ?/ small	Chatthin	30-39	24-29	.	.	Zug&al1998HerpetofChatthin
<i>Fejervarya</i>	? <i>limnocharis</i> ?/ India	SriLanka Pakistan Nepal NEIndia	23-50 32-35 49-56 48-60	19-37 24-29 43-51 not sexed	53.3	50 [f] 35 [f] 56 [f] 60 [.]	Dutta&Manamendra-Aracheli1996AmphibSriL Minton1966ContribWPakistan Dubois1975nouvComplexe.limnocharis Chanda1994AnuransNEIndia
<i>Fejervarya</i>	? <i>limnocharis</i> ?/ Thai	Malaysia Vietnam	48-60 46-57	32-50 34-47	51.9	60 [f] 57 [f]	Berry1975AmphibP.Malaysia Ziegler2002A&RTiefland
<i>Fejervarya</i>	<i>syhadrensis</i>	Assam Nepal	19-49 30-40	27-32	33.7	49 40 [f]	Borthakuri2007FejervaryAssam Dubois1975nouvComplexe.limnocharis
<i>Hoplobatrachus</i>	<i>crassus</i>	Assam Nagaland	70-130 82-112	60-90 76-90	.	130 [f] 112 [f]	Dutta&Manamendra-Aracheli1996AmphibSriL Ao&al2003Nagaland
<i>Hoplobatrachus</i>	<i>rugulosus</i>	Myanmar Chatthin Thailand Vietnam	65-103 70-107 76-92 116	63-85 49-54 67-85 77-97	88 .	103 [f] 107 [f] 92 [f] 116 [f]	Schmalz&Zug2002ObservGeogVariat Zug&al1998HerpetofChatthin Schmalz&Zug2002ObservGeogVariat Ziegler2002A&RTiefland

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Hoplobatrachus</i>	<i>tigerinus</i>	Chatthin Nepal SriLanka NEIndia	93-135 86-162 71-99	83 90-125 77-108 not sexed	112	135 [f] 162 [f] 99 [f]	Zug&al1998HerpetofChatthin Anders2002inSchleich&KästleA&RNepal Dutta&Manamendra-Aracheli1996AmphibSriL Chanda1994AnuransNEIndia
<i>Occidozyga</i>	<i>lima</i>	Malaysia Chatthin	33-39 24-40	not sexed 22-30	.	39 [.] 40 [.]	Berry1975Berry1975AmphibP.Malaysia Zug&al1998HerpetofChatthin
<i>Occidozyga</i>	<i>martenseii</i>	x Vietnam	24-29	19-22	27.0	29 [f]	Ziegler2002A&RTiefland
<i>Sphaerotheca</i>	<i>breviceps</i>	SriLanka Chatthin Pakistan	43-57 53-61 47&49	41-55 50-54 43-48	.	57 [f] 61 [f] .	Dutta&Manamendra-Aracheli1996AmphibSriL Zug&al1998HerpetofChatthin Minton1966ContribWPakistan
<i>Sphaerotheca</i>	<i>dobsoni</i>	Orissa	57	50	.	.	Dutta1998Hamad22.2
<i>Calluella</i>	<i>guttulata</i>	Vietnam	43-53	40-45.	48.6	53 [f]	Inger&al1999FrogVietnam
<i>Glyphoglossus</i>	<i>molossus</i>	Chatthin	86.0	63-77	.	86 [f]	Zug&al1998HerpetofChatthin
<i>Kalophrynus</i>	<i>interlineatus</i>	Chatthin	39-44	.	.	44 [f]	Zug&al1998HerpetofChatthin
<i>Kaloula</i>	<i>mediolineata</i>	SWThailand	.	.	63	.	Parker1934MonogMicrohylidae
<i>Kaloula</i>	<i>pulchra</i>	Chatthin	67.0	61-70	.	.	Zug&al1998HerpetofChatthin
<i>Kaloula</i>	<i>tabrobanica</i>	SriLanka	.	.	.	56 [.]	Dutta&Manamendra-Aracheli1996AmphibSriL
<i>Microhyla</i>	<i>berdmorei</i>	Malaysia Vietnam	to 45 37-42	to 25 31-38	.	.	Berry1975Berry1975AmphibP.Malaysia Inger&al1999FrogVietnam
<i>Microhyla</i>	<i>butleri</i>	Malaysia Vietnam	22-26 23	not sexed 21	.	.	Berry1975Berry1975AmphibP.Malaysia Ziegler2002A&RTiefland
<i>Microhyla</i>	<i>heymonsi</i>	Malaysia Vietnam	20-22 25-28	not sexed 19-22.	26.2	28 [f]	Ziegler2002A&RTiefland
<i>Microhyla</i>	<i>ornata</i>	Nagaland SriLanka Chatthin Vietnam	23-28 22-25 20-27 20-24	23-27 17-22 20-25 17-21	21.5	28 [f] 25 [f] 27 [f] 24 [f]	Ao&al2003Nagaland Dutta&Manamendra-Aracheli1996AmphibSriL Zug&al1998HerpetofChatthin Ziegler2002A&RTiefland
<i>Microhyla</i>	<i>pulchra</i>	Vietnam	27-32	23-29	29.6	32 [f]	Ziegler2002A&RTiefland
<i>Microhyla</i>	<i>rubra</i>	SriLanka NEIndia	21-30 28-30	20-27 not sexed	.	30 [f] 30 [f]	Dutta&Manamendra-Aracheli1996AmphibSriL

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Microhyla</i>	<i>sp-mini</i>	Chatthin	16-18	14-17	.	18 [f]	Zug&al1998HerpetofChatthin
<i>Micryletta</i>	<i>inornata</i>	Vietnam	28	20-23	.	28 [f]	Ziegler2002A&RTiefland
<i>Ramanella</i>	<i>montana</i>	India India	.	.	35 ~35	.	Parker1934MonogMicrohylidae Daniel2002BookIndianR&A
<i>Ramanella</i>	<i>variegata</i>	India	.	.	36	.	Parker1934MonogMicrohylidae
<i>Uperodon</i>	<i>globulosus</i>	AndhraPrad NEIndia India	52-54 84	55-62 not sexed. 65	.	62 [m]	Srinivasulu&al2008Hamad30 Chanda1994AnuransNEIndia Daniel2002BookIndianR&A
<i>Uperodon</i>	<i>systema</i>	SriLanka India	50-66	45-53	~55	66 [f]	Dutta&Manamendra-Aracheli1996AmphibSriL Daniel2002BookIndianR&A
<i>Hylarana</i>	<i>erythraea</i>	Malaysia Bali&Java	48-75 50-75	31-45 30-45	.	75 [f] 75 [f]	Berry1975Berry1975AmphibP.Malaysia Iskandar1998AmphibJav&Bali
<i>Hylarana</i>	<i>macrodactyla</i>	Moyingyi Bali&Java	34-41	.	38.1	41 [f]+G81 42 [.]	Zug-unpublData Iskandar1998AmphibJav&Bali
<i>Hylarana</i>	<i>taiphensis</i>	Nepal	33-37	23-32	.	37 [f]	Anders2002inSchleich&KästleA&RNepal
<i>Hylarana</i>	<i>sp</i>
<i>Pelophylax</i>	<i>lateralis</i>	Chatthin	.	55-64	.	64 [m]	Zug&al1998HerpetofChatthin
<i>Rana</i>	<i>johnsi</i>	Vietnam	49-56	44-49	.	56 [f]	Inger&al1999FrogVietnam
<i>Indirana</i>	<i>leithii</i>	Himilayas	78-97	57-123	85.0	123 [m]	Boulenger1920MonogRana
<i>Chiromantis</i>	<i>nongkhorensis</i>	Chatthin	31-34	23-31	.	34 [f]	Zug&al1998HerpetofChatthin
<i>Chiromantis</i>	<i>vittatus</i>	Nagaland Vietnam	24-27 23-24	23-26 19-21	.	27 [f] 24 [f]	Ao&al2003Nagaland Inger&al1999FrogVietnam
<i>Polypedates</i>	<i>leucomystax</i>	Chatthin Vietnam Vietnam	72-79 65-77	48-60 50-62 45-53	75.2	79 [f] 77 [f]	Zug&al1998HerpetofChatthin Inger&al1999FrogVietnam <striped sp> Ziegler2002A&RTiefland
<i>Polypedates</i>	<i>maculatus</i>	India	79	50	.	.	Daniel2002BookIndianR&A
<i>Polypedates</i>	<i>megacephalus</i>	Nagaland Vietnam	57-65 72-86	41-48 49-62	78.9	65 [f] 86 [f]	Ao&al2003Nagaland Inger&al1999FrogVietnam <nonstriped sp>

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Cyclemys</i>	<i>fusca</i>	Burma	179-242	.	.	242 [f]	Fritz & al. 2008.Divers <i>Cyclemys</i> : Tabl5
<i>Cyclemys</i>	<i>oldhamii</i>	SEAsia	.	.	.	254 [.]	Fritz & al. 2008.Divers <i>Cyclemys</i> : Tabl3
<i>Melanochelys</i>	<i>trijuga</i>	India range	220-383	maxCL subsp	.	220	Daniel2002BookIndianR&A Ernst&Barbour1989TurtlesWorld
<i>Pangshura</i>	<i>tentoria</i>	xxx Nepal	181-271	77-88	221	271 [f]	S&K2002inSchleich&KästleA&RNepal
<i>Geoche lone</i>	<i>elegans</i>	Gujarat	230-290	230-260	.	290 [f]	Ao&al2003Nagaland
<i>Geoche lone</i>	<i>platynota</i>	MinGonT	150-275	not sexed	197.3	275 [.]	HtunWin2003.unpublData
<i>Indotestudo</i>	<i>elongata</i>	Thailand range	255-267	206-286	260.5	.	Tharapoon1996MovemIndotestudo Ernst&Barbour1989TurtlesWorld
<i>Amyda</i>	<i>cartilaginea</i>	range	.	.	.	700	Ernst&Barbour1989TurtlesWorld
<i>Lissemys</i>	<i>punctata</i>	Rajasthan Pakistan	150-319 170-250	not sexed 145&162	.	319 [?]	Bhupathy&Vijayan1993Hamad18 Minton1966ContribHerpetolWPakist
<i>Lissemys</i>	<i>scutata</i>	Myanmar	160-230	.	.	.	Maung&Ko2002T&TMyanmar
<i>Bronchocoela</i>	<i>smaragdina</i>	Cambodia	94-113	not sexed	.	113 [.]	Hallerman2005TaxRevBronchocela
<i>Calotes</i>	<i>htunwini</i>	Myanmar	61-84	68-91	70 [f]	91 [f]	Zug&al2006SystGardenL:Tabl2
<i>Calotes</i>	<i>irawadi</i>	Myanmar	64-90	66-107	77 [f]	107 [f]	Zug&al2006SystGardenL:Tabl2
<i>Calotes</i>	<i>mystaceus</i>	Chatthin	104-112	134-158	.	158 [m]	Zug&al1998HerpetofChatthin
<i>Calotes</i>	<i>rouxi</i>	India India	29-77	not sexed	.	250 [.]	Daniel2002BookIndianR&A <totL> Tikader&Sharma1992HandbkIndianLizards
<i>Calotes</i>	"versicolor"	Pakistan	86-101	96-129	.	129 [m]	Minton1966ContribHerpetolWPakist
<i>Leiolepis</i>	<i>belliana</i>	ShweSettaw range	113-132 107-145	103-156	.	132 156 [m]	zug-fieldnotes sex unknown Peters1971intragrGrpLeiolepisTbl13
<i>Leiolepis</i>	<i>reevesii</i>	range	106-128	103-151	.	151 [m]	Peters1971intragrGrpLeiolepisTbl13

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Physignathus</i>	<i>cocincinus</i>	Vietnam	116-180	213-228	142.9	228 [m]	Ziegler2002A&RTiefland
<i>Psammophilus</i>	<i>blanfordianus</i>	India	.	.	100	.	Tikader&Sharma1992HandbkIndianLizards
<i>Psammophilus</i>	<i>dorsalis</i>	India India	.	.	136 svl 135	.	Daniel2002BookIndianR&A Tikader&Sharma1992HandbkIndianLizards
<i>Sitana</i>	<i>ponticeriana</i>	India India	40-80	not sexed	70-80 svl	.	Daniel2002BookIndianR&A Tikader&Sharma1992HandbkIndianLizards
<i>Chamaeleo</i>	<i>zeylanicus</i>	India Pakistan	98-111	110-153	.	375 [.] 153 [m]	Daniel2002BookIndianR&A <totL> Minton1966ContribHerpetolWPakist
<i>Cnemaspis</i>	<i>sp</i>	India India	64-117	not sexed	35-45	.	Daniel2002BookIndianR&A <totL> Tikader&Sharma1992HandbkIndianLizards
<i>Dixonius</i>	<i>siamensis</i>	SEAsia Thailand	36.2	.	.	50 [.]	Cox&al1998PhotGuidSnak.other Taylor1963LizardsThailand
<i>Geckoella</i>	<i>collegalensis</i>	Gujarat	45&52	35	.	52 [f]	Vyas2000Hamad25
<i>Gehyra</i>	<i>lacerata</i>	Thailand	.	55	.	.	Taylor1963LizardsThailand
<i>Gehyra</i>	<i>mutilata</i>	Oceania	40-50	39-50	.	50.0	miscAuthors.H107inZug1991LizardsFiji
<i>Gekko</i>	<i>gecko</i>	Chatthin Vietnam Vietnam	124&145	161-162 166	.	173 [.]	Zug&al1998HerpetofChatthin Ziegler2002A&RTiefland Rösler&al2005newLizard
<i>Hemidactylus</i>	<i>aquilonius</i>	Burma	40-53	not sex dimor	48	53 [m]	McMahan&Zugl2007BurmHemidactyl
<i>Hemidactylus</i>	<i>brookii</i>	Burma Nepal	45-62 43-54	50-65 42-53	54	65 [m] 54 [m]	Zug&al2007BurmHemidactyl Mitchell&Zug1988EcoObserv
<i>Hemidactylus</i>	<i>flaviviridis</i>	Pakistan	57-73	53-72	66.8	.	Kästle2002inSchleich&KästleA&RNepal
<i>Hemidactylus</i>	<i>frenatus</i>	Pakistan Burma	40-46 43-49	39-52 48-59	41.9 46	52 [m] 59 [m]	Kästle2002inSchleich&KästleA&RNepal Zug&al2007BurmHemidactyl
<i>Hemidactylus</i>	<i>giganteus</i>	India	110-115	not sexed	.	.	Tikader&Sharma1992HandbkIndianLizards
<i>Hemidactylus</i>	<i>karenorum</i>	Burma	46-56	38-56	50.2	56 [f&m]	Zug&al2007BurmHemidactyl
<i>Hemidactylus</i>	<i>leschenaultii</i>	India India	32-83	not sexed	.	166	Daniel2002BookIndianR&A <totL> Tikader&Sharma1992HandbkIndianLizards
<i>Hemidactylus</i>	<i>platyurus</i>	Burma Java	48-51 37-65	49-58 35-69	53 54.8	58 [m] 69 [m]	Zug&al2007BurmHemidactyl Kästle2002inSchleich&KästleA&RNepal

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Hemidactylus</i>	<i>reticulates</i>	India .	21-60 .	not sexed .	.	.	Tikader&Sharma1992HandbkIndianLizards .
<i>Hemidactylus</i>	<i>thayene</i>	Burma .	33-44 .	not sex dimor .	38 .	44 [f] .	McMahan&Zugl2007BurmHemidactyl .
<i>Hemidactylus</i>	<i>triedrus</i>	India India	65-80 .	not sexed .	.	170 .	Daniel2002BookIndianR&A <totL> Tikader&Sharma1992HandbkIndianLizards
<i>Ophisops</i>	<i>jerdoni</i>	India Pakistan	32-41 .	31-39 .	45 .	41 [f] .	Tikader&Sharma1992HandbkIndianLizards Minton1966ContribHerpetolWPakist
<i>Ophisops</i>	<i>leschenaultii</i>	India .	• .	• .	50 .	.	Tikader&Sharma1992HandbkIndianLizards .
<i>Ophisops</i>	<i>minor</i>	SriLanka .	• .	35-41 .	38.5 [m] .	41 [m] .	Deraniyagala1971newLizard .
<i>Takydromus</i>	<i>sexlineatus</i>	Vietnam .	47-57 .	53-65 .	51 .	65 [m] .	Ziegler&al1999Hamad24 .
<i>Eutropis</i>	<i>carinata</i>	Nepal India India	• • •	• • •	• • 125	125 [.] 135 [.] .	Eremchenko2002inSchleich&KästleA&RNepal Daniel2002BookIndianR&A Tikader&Sharma1992HandbkIndianLizards
<i>Eutropis</i>	<i>dissimilis</i>	Pakistan .	78-92 .	77-90 .	• .	92 [.] .	Minton1966ContribHerpetolWPakist .
<i>Eutropis</i>	<i>longicaudata</i>	Vietnam .	100-123 .	99-116 .	109.0 .	123 [f] .	Ziegler2002A&RTiefland .
<i>Eutropis</i>	<i>macularia</i>	Vietnam Pakistan	• 52-63	103 52-65	• .	• 65 [m]	Ziegler2002A&RTiefland Minton1966ContribHerpetolWPakist
<i>Eutropis</i>	<i>multifasciata</i>	Vietnam Thailand Myanmar	101-105 93-106 92-119	103&112 89-108 92-127	• 98.4 112.6	• 108 [m] 127 [m]	Ziegler2002A&RTiefland Zug-unpublData Zug-unpublData
<i>Eutropis</i>	<i>novemcarinata</i>	Chatthin .	• •	78 .	• .	• .	Zug&al1998HerpetofChatthin .
<i>Eutropis</i>	<i>quadricarinata</i>	India .	• •	• •	50 •	• •	Tikader&Sharma1992HandbkIndianLizards .
<i>Lygosoma</i>	<i>bouwingii</i>	India .	• •	• •	53 •	• .	Tikader&Sharma1992HandbkIndianLizards .
<i>Lygosoma</i>	<i>guentheri</i>	India .	• •	• •	110 •	• •	Tikader&Sharma1992HandbkIndianLizards .
<i>Lygosoma</i>	<i>lineolatum</i>	Chatthin .	46-52 •	46-51 •	49.8 •	52 [f] •	Zug&al1998HerpetofChatthin <recal mean/median> .
<i>Lygosoma</i>	<i>punctata</i>	India India	• •	• •	• 86	85 •	Daniel2002BookIndianR&A Tikader&Sharma1992HandbkIndianLizards

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Lygosoma</i>	<i>quadripes</i>	Thailand	.	.	.	92	Smith1943Fauna.vol2
<i>Scincella</i>	<i>reevesi</i>	Nepal Vietnam	45-49	.	47.7	58 [.]	Eremchenko2002inSchleich&KästleA&RNepal Ziegler2002A&RTiefland
<i>Sphenomorphus</i>	<i>indicus</i>	Nepal Vietnam	53-76+D158	50-70	88 66.4	76 [f]	Eremchenko2002inSchleich&KästleA&RNepal Ziegler2002A&RTiefland
<i>Sphenomorphus</i>	<i>maculatus</i>	Chatthin India	56	50-51	.	62	Zug&al1998HerpetofChatthin Tikader&Sharma1992HandbkIndianLizards
<i>Varanus</i>	<i>bengalensis</i>	Pakistan	230-730	not sexed	.	750 [.] 730 [.]	< males 32% larger than females - Auffeng1994 > Auffenberg1994BengalMonitors
<i>Eryx</i>	<i>conica</i>	TamilNadu Pakistan India	332-620 637-846	221-671 588	461 .	671 [m] 846 [f] 1000	DasI.1991Hamad <totL> Minton1966ContribHerpetolWPakist <totL> Whitaker&Captain2004 <totL>
<i>Eryx</i>	<i>johnii</i>	India Pakistan	831-945	654-953	750	1000 953 [m]	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist <totL>
<i>Ahaetulla</i>	<i>nasuta</i>	Chatthin Nepal India	1940	295 1325 1325,max	.	1000 1325 [m] 1944	Zug&al1998HerpetofChatthin Gruber2002inSchleich&KästleA&RNepal <totL> Daniel2002BookIndianR&A <totL>
<i>Ahaetulla</i>	<i>prasina</i>	India Vietnam	639-767	not sexed	.	1970	Whitaker&Captain2004 <totL> Ziegler2002A&RTiefland
<i>Ahaetulla</i>	<i>pulverulenta</i>	India	.	.	.	1730	Whitaker&Captain2004 <totL>
<i>Argyrogena</i>	<i>fasciolata</i>	India Pakistan	1005-1340	886&1245	750	1347 1340 [f]	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist <totL>
<i>Boiga</i>	<i>cyanaea</i>	India Nepal	1500-1600	estim median	.	1870 1860 [f]	Whitaker&Captain2004 <totL> Gruber2002inSchleich&KästleA&RNepal <totL>
<i>Boiga</i>	<i>forsteni</i>	India Nepal	1700-1800	estim median	.	2313 2100 [f]	Whitaker&Captain2004 <totL> Gruber2002inSchleich&KästleA&RNepal <totL>
<i>Boiga</i>	<i>multomaculata</i>	Chatthin India	.	678	1000	1870	Zug&al1998HerpetofChatthin Whitaker&Captain2004 <totL>
<i>Boiga</i>	<i>ochracea</i>	Chatthin Nepal	800-1000	.	.	1100	Zug&al1998HerpetofChatthin Whitaker&Captain2004 <totL>
<i>Boiga</i>	<i>ocellata</i>	India	.	estim median	1300	1700	Whitaker&Captain2004 <totL>
<i>Boiga</i>	<i>trigonata</i>	India Pakistan Nepal	810-988	664-825	650 .	1250 998 [f] 990	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist Gruber2002inSchleich&KästleA&RNepal <totL>

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Chrysopela</i>	<i>ornata</i>	Chatthin India Nepal	.	883	1100 1000	1750	Zug&al1998HerpetofChatthin Whitaker&Captain2004 <totL> Gruber2002inSchleich&KästleA&RNepal <totL>
<i>Coelognathus</i>	<i>flavolineatus</i>	India	.	.	.	1800 2300	Whitaker&Captain2004 <totL> Helfenberger2002inSchleich&KästleA&RNepal <totL>
<i>Coelognathus</i>	<i>helenus</i>	India India Nepal	1640,max	1100,max	700	1680 1300 [f]	Daniel2002BookIndianR&A <totL> Whitaker&Captain2004 <totL> Helfenberger2002inSchleich&KästleA&RNepal <totL>
<i>Coelognathus</i>	<i>radiatus</i>	Vietnam Chatthin India	930-1190 1336 1500-1800	not sexed 1630	.	1190 []. 2300	Ziegler2002A&RTiefland Zug&al1998HerpetofChatthin Whitaker&Captain2004 <totL>
<i>Dendrelaphis</i>	<i>pictus</i>	India Nepal SEAsia	900-1200 1180-1220	870-1100	.	1430 1220 [f]	Whitaker&Captain2004 <totL> Gruber2002inSchleich&KästleA&RNepal <totL> Vogel2008unpublData
<i>Dendrelaphis</i>	<i>subocularis</i>	Chatthin	.	411-426	.	.	Zug&al1998HerpetofChatthin
<i>Dendrelaphis</i>	<i>tristis</i>	India Nepal	1300-1690	1030-1370	1000	1690 1690	Whitaker&Captain2004 <totL> Gruber2002inSchleich&KästleA&RNepal <totL>
<i>Dryocalamus</i>	<i>davisoni</i>	SEAsia	.	.	.	920	Cox&al1998PhotGuidSnak.other
<i>Gonyosoma</i>	<i>oxycephalum</i>	India	.	.	1750	2400	Whitaker&Captain2004 <totL>
<i>Liopeltis</i>	<i>calamaria</i>	India	390	335	.	.	Smith1943Fauna.vol3 <totL>
<i>Liopeltis</i>	<i>stoliczkae</i>	Sikkim-Karin	545	600	.	.	Smith1943Fauna.vol3 <totL>
<i>Lycodon</i>	<i>aulicus</i>	Chatthin Pakistan India	479 437-488	305-324 363-426	.	488 [f] 800	Zug&al1998HerpetofChatthin Minton1966ContribHerpetolWPakist Whitaker&Captain2004 <totL>.
<i>Lycodon</i>	<i>laoensis</i>	India	.	.	.	475	Whitaker&Captain2004 <totL>
<i>Lycodon</i>	<i>striatus</i>	India	.	.	.	488	Whitaker&Captain2004 <totL>
<i>Lycodon</i>	<i>travancoricus</i>	India Pakistan	.	330 svl	.	724	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist
<i>Oligodon</i>	<i>arnensis</i>	India Pakistan	.	459-618	350	700	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist <totL>

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Oligodon</i>	<i>cinereus</i>	Assam .	760 .	650-720 .	.	.	Smith1943Fauna.vol3 <totL> .
<i>Oligodon</i>	<i>planiceps</i>	lowerBurma .	230	Smith1943Fauna.vol3 <totL> .
<i>Oligodon</i>	<i>quadrilineatus</i>	Chatthin .	.	537 .	.	.	Zug&al1998HerpetofChatthin .
<i>Oligodon</i>	<i>splendidus</i>	Chatthin .	460 .	519 .	.	.	Zug&al1998HerpetofChatthin .
<i>Oligodon</i>	<i>taeniatus</i>	SEAsia	440 .	Cox&al1998PhotGuidSnak.other <totL> .
<i>Oligodon</i>	<i>taeniolatus</i>	India Pakistan	.	428 411-544	300 .	590 544 [m]	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist <totL>
<i>Oligodon</i>	<i>theobaldi</i>	Chatthin Assam	.	390	305 .	.	Zug&al1998HerpetofChatthin Smith1943Fauna.vol3 <totL>
<i>Oligodon</i>	<i>travancoricus</i>	India .	.	450 .	.	.	Smith1943Fauna.vol3 <totL> .
<i>Ptyas</i>	<i>korros</i>	India Vietnam	700-1180	.	947	2680 1180 [f]	Whitaker&Captain2004 <totL> Ziegler2002A&RTiefland
<i>Ptyas</i>	<i>mucosus</i>	Chatthin Pakistan Vietnam India	1700&1794 1340&1365	1900-2010 not sexed	.	1651 .	Zug&al1998HerpetofChatthin Minton1966ContribHerpetolWPakist <totL> Ziegler2002A&RTiefland Whitaker&Captain2004 <totL>
<i>Sibynophis</i>	<i>collaris</i>	India	850 .	Whitaker&Captain2004 <totL> .
<i>Sibynophis</i>	<i>subpunctatus</i>	India .	.	.	250 .	460 .	Whitaker&Captain2004 <totL> .
<i>Amphiesma</i>	<i>stolatum</i>	Chatthin Nepal India	340-556 500-800	not sexed .	.	400 800	Zug&al1998HerpetofChatthin Gruber2002inSchleich&KästleA&RNepal <totL> Whitaker&Captain2004 <totL>
<i>Atretium</i>	<i>schistosum</i>	India Nepal	.	550-870	.	450 .	1000 870
<i>Macropisthodon</i>	<i>plumbicolor</i>	India .	.	750,max	550	940 940	Whitaker&Captain2004 <totL> Daniel2002BookIndianR&A <totL>
<i>Rhabdophis</i>	<i>chrysargos</i>	Vietnam SEAsia	501	Ziegler2002A&RTiefland Cox&al1998PhotGuidSnak.other <totL>
<i>Rhabdophis</i>	<i>nigrocinctus</i>	SEAsia .	375-483	not sexed	.	950 .	Cox&al1998PhotGuidSnak.other <totL> Zug-unpublData <?subadults>

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Rhabdophis</i>	<i>subminiatus</i>	Vietnam India India	429&620 . . 565	430-450 . . 570	. .	750 . .	Ziegler2002A&RTiefland Whitaker&Captain2004 <totL> Ahmed&ADas2006Hamad
<i>Xenochrophis</i>	<i>flavipunctatus</i>	Moyingyi Vietnam	440-694 240-650	430 . .	536 465.7	694 [f] 650 [f]	Zug&al2006Checkered Ziegler2002A&RTiefland
<i>Xenochrophis</i>	<i>piscator</i>	Myanmar India Pakistan	540-800 . . 830-1198	320-555 . . 816	660 600 1198 [F]	800 [f] 1750 1198 [F]	Zug&al2006Checkered Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist <totL>
<i>Cylindrophis</i>	<i>ruffus</i>	Cambodia ditto	406svl 606-802	smallest gravid 575&670	600-800 697	800 [.]>G185 802 [f]	SaintGiron1972SerpentCambodge <totL> ditto
<i>Bungarus</i>	<i>caeruleus</i>	India	1000	1750	Whitaker&Captain2004 <totL>
<i>Bungarus</i>	<i>fasciatus</i>	Chatthin Vietnam India	1290 780&1010 . .	780&820	1010 [f] 2250	Zug&al1998HerpetofChatthin Whitaker&Captain2004 <totL>
<i>Calliophis</i>	<i>maculiceps</i>	SEAsia	470	Cox&al1998PhotGuidSnak.other <totL>
<i>Calliophis</i>	<i>melanurus</i>	India	350	Whitaker&Captain2004 <totL>
<i>Naja</i>	<i>naja</i>	Pakistan India	1294-1650 1000-1500	1211-1575	1650 [f] 2200	Minton1966ContribHerpetolWPakist Wüster1998Hamad23 <totL> mixed sex sample
<i>Naja</i>	<i>kaouthia</i>	India	1100-1500	2300	Wüster1998Hamad23 <totL> mixed sex sample
<i>Naja</i>	<i>mandalayensis</i>	Chatthin Myanmar	945 . .	676-1018	. .	1018 [m]	Zug&al1998HerpetofChatthin Slowinski&Wüster2000NewCobra
<i>Psammophis</i>	<i>condanarus</i>	India	1075	Whitaker&Captain2004 <totL>
<i>Enhydris</i>	<i>enhydris</i>	SThailand Cambodia Vietnam	375-509 422-644. 306-380	. . 299-321	426 538 334.3	509 [f] 644 [f] 380 [f]	Murphy2007Homalopsid Murphy2007Homalopsid Ziegler2002A&RTiefland
<i>Enhydris</i>	<i>plumbea</i>	India Thailand	-713	-473	. .	560 713 [f]	Whitaker&Captain2004 <totL> Murphy2007Homalopsid
<i>Homalopsis</i>	<i>nigroventralis</i>	Thailand	-991	-1032	. .	1032 [f]	Murphy2007Homalopsid
<i>Pareas</i>	<i>carinatus</i>	SEAsia	600	Cox&al1998PhotGuidSnak.other <totL>
<i>Pareas</i>	<i>margaritophorus</i>	SEAsia Vietnam	336	not sexed	. .	470	Cox&al1998PhotGuidSnak.other <totL> Ziegler2002A&RTiefland

Table 1

genus	species	location	SVLmatF	SVLmatM	medianSVL	maxSVL	Source[s]
<i>Python</i>	<i>molurus</i>	India Gujarat Pakistan	1830-2190 2400-3000	1570-2460 usual range	.	5850 2460 [m]	Daniel2002BookIndianR&A <totL> Vyas1998Hamad23 <totL> Minton1966ContribHerpetolWPakist
<i>Python</i>	<i>reticulatus</i>	India	3000-6000	.	.	10,000 8400	Whitaker&Captain2004 <totL> Daniel2002BookIndianR&A <totL> see for disc Max size
<i>Gryptophlops</i>	<i>acutus</i>	India	.	.	.	600	Whitaker&Captain2004 <totL>
<i>Ramphotyphlops</i>	<i>braminus</i>	Chatthin Pakistan India Cambodia	120 134-157	not sexed	125	.	Zug&al1998HerpetofChatthin Minton1966ContribHerpetolWPakist Whitaker&Captain2004 <totL> SaintGiron1972SerpentCambodge <totL>
<i>Calloselasma</i>	<i>rhodostoma</i>	SEAsia Asia	385-1045	340-720	.	1000	Cox&al1998PhotGuidSnak.other <totL> Gloyd&Conant1989SnakAkgistrodon <totL>
<i>Crypteltropis</i>	<i>albolabris</i>	India Vietnam	540-690	not sexed	.	>1000	Whitaker&Captain2004 <totL> Ziegler2002A&RTiefland
<i>Crypteltropis</i>	<i>erythurus</i>	India	.	.	.	1050	Whitaker&Captain2004 <totL>
<i>Daboia</i>	<i>russelii</i>	India Pakistan	1000-1200 1004&1098	1245&1332	.	1850 1332 [m]	Wüster1998Hamad23 <totL> mixed sex sample Minton1966ContribHerpetolWPakist
<i>Daboia</i>	<i>siamensis</i>	Chatthin	.	819-830	.	.	Zug&al1998HerpetofChatthin
<i>Echis</i>	<i>carinatus</i>	India Pakistan Gujarat	300-500 345-768 400-420	not sexed 392-808 320-380	.	800 808 [m] 420 [f]	Whitaker&Captain2004 <totL> Minton1966ContribHerpetolWPakist Vyas1998Hamad22
<i>Trimeresurus</i>	<i>gramineus</i>	India	.	.	400 600-760	1135 1117	Whitaker&Captain2004 <totL> Daniel2002BookIndianR&A <totL>
<i>Viridovipera</i>	<i>vogeli</i>	Lao-Xepian	633-670	400-508	.	.	Teynié&al2004A&R-SLaos
<i>Xenopeltis</i>	<i>unicolor</i>	India Cambodia	856-990	not sexed	.	1250 1328	Whitaker&Captain2004 <totL> SaintGiron1972SerpentCambodge <totL>

Table 1

genus	species	midpoint size	habitat preference	activity time	diet	G	N	CH	SH	SA	CA
?Bufo?	<i>scaber</i>	38.0	T	N	I	0	1	0	0	0	0
?Bufo?	<i>stomaticus</i>	55.0	T	N	I	1	1	0	0	0	0
Duttaphrynus	<i>melanostictus</i>	105.0	T	N	I	1	1	1	1	1	1
Euphlyctis	<i>cyanophlyctis</i>	63.0	S	N	I	1	1	0	0	0	0
Euphlyctis	<i>hexadactyla</i>	90.0	S	N	I	1	1	0	0	0	0
Fejervarya	? <i>limnocharis</i> ?/ std	57.0	Q	N	I	0	0	1	1	0	0
Fejervarya	? <i>limnocharis</i> ?/ <i>smali</i>	35.0	Q	N	I	0	0	1	1	0	0
Fejervarya	? <i>limnocharis</i> ?/ <i>India</i>	44.0	Q	N	I	1	1	0	0	0	0
Fejervarya	? <i>limnocharis</i> ?/ <i>Thai</i>	51.0	Q	N	I	0	0	0	0	1	1
Fejervarya	<i>syhadrensis</i>	34.0	S	N	I	0	0	0	0	0	0
Hoplobatrachus	<i>crassus</i>	98.0	S	N	I	0	1	0	0	0	0
Hoplobatrachus	<i>rugulosus</i>	88.0	S	N	I	0	0	1	1	1	1
Hoplobatrachus	<i>tigerinus</i>	110.0	S	N	I	0	1	1	0	0	0
Occidozyga	<i>lima</i>	34.0	S	N	I	0	0	1	1	1	1
Occidozyga	<i>martenseii</i>	27.0	S	N	I	0	0	0	0	1	1
Sphaerotheca	<i>breviceps</i>	54.0	T	N	I	1	1	1	1	0	0
Sphaerotheca	<i>dobsoni</i>	56.0	T	N	I	0	1	0	0	0	0
Calluella	<i>guttulata</i>	49.0	T	N	I	0	0	0	0	1	0
Glyphoglossus	<i>molossus</i>	82.0	F	N	I	0	0	1	0	1	0
Kalophryalus	<i>interlineatus</i>	32.0	T	N	I	0	0	1	0	0	0
Kaloula	<i>mediolineata</i>	60.0	T	N	I	0	0	0	0	1	0
Kaloula	<i>pulchra</i>	66.0	T	N	I	0	0	1	1	1	0
Kaloula	<i>tabrobanica</i>	50.0	T	N	I	0	0	1	1	1	0
Microhyla	<i>berdmorei</i>	39.0	T	N	I	0	0	0	0	1	0
Microhyla	<i>butleri</i>	24.0	T	N	I	0	0	1	1	1	0
Microhyla	<i>heymonsi</i>	26.0	T	N	I	0	0	0	0	1	1
Microhyla	<i>ornata</i>	24.0	T	N	I	1	1	1	1	1	1
Microhyla	<i>pulchra</i>	30.0	T	N	I	0	0	0	1	1	1
Microhyla	<i>rubra</i>	28.0	T	N	I	0	0	0	1	0	0
Microhyla	<i>sp-mini</i>	17.0	T	N	I	0	0	1	0	0	0
Micryletta	<i>inornata</i>	26.0	T	N	I	0	0	0	0	1	0
Ramanella	<i>variegata</i>	36.0	Q	N	I	0	1	0	0	0	0
Uperodon	<i>globulosus</i>	54.0	F	N	I	0	1	0	0	0	0
Uperodon	<i>systoma</i>	56.0	F	N	I	0	1	0	0	0	0
Hylarana	<i>erythraea</i>	62.0	Q	N	I	0	0	0	0	1	0
Hylarana	<i>macrodactyla</i>	38.0	Q	N	I	0	0	1	0	0	0
Hylarana	<i>taiphensis</i>	35.0	Q	N	I	0	0	0	0	0	1
Hylarana	<i>sp</i>	.	Q	N	I	0	1	0	0	0	0
Pelophylax	<i>lateralis</i>	64.0	T	N	I	0	0	1	0	1	0
Rana	<i>johnsi</i>	53.0	Q	N	I	0	0	0	0	0	1
Indirana	<i>leithii</i>	85.0	Q	N	I	0	1	0	0	0	0
Chiromantis	<i>nongkhorensis</i>	33.0	Ab	N	I	0	0	1	0	1	1
Chiromantis	<i>vittatus</i>	24.0	Ab	N	I	0	0	0	0	1	0
Polypedates	<i>leucomystax</i>	72.0	Ab	N	I	0	0	1	0	1	1
Polypedates	<i>maculatus</i>	72.0	Ab	N	I	0	1	0	0	0	0

Table 2

genus	species	midpoint size	habitat preference	activity time	diet	G	N	CH	SH	SA	CA
<i>Cyclemys</i>	<i>fusca</i>	210.0	S	D	O	0	0	0	1	0	0
<i>Cyclemys</i>	<i>oldhamii</i>	210.0	S	D	O	0	0	0	0	1	0
<i>Melanochelys</i>	<i>trijuga</i>	300.0	S	D	H	0	1	0	1	0	0
<i>Pangshura</i>	<i>tentoria</i>	220.0	Aq	D	H	0	1	0	0	0	0
<i>Geochealone</i>	<i>elegans</i>	260.0	T	D	H	1	1	0	0	0	0
<i>Geochealone</i>	<i>platynota</i>	198.0	T	D	H	0	0	0	1	0	0
<i>Indotestudo</i>	<i>elongata</i>	260.0	T	D	H	0	0	1	1	1	0
<i>Amyda</i>	<i>cartilaginea</i>	500.0	Aq	D	O	0	0	1	0	0	0
<i>Lissemys</i>	<i>punctata</i>	220.0	Aq	D	O	1	1	0	0	0	0
<i>Lissemys</i>	<i>scutata</i>	205.0	Aq	D	O	0	0	1	1	0	0

Table 3

genus	species	midpoint size	habitat preference	activity time	diet	G	N	CH	SH	SA	CA
<i>Bronchocoela</i>	<i>smaragdina</i>	104.0	Ab	D	I	0	0	0	0	0	1
<i>Calotes</i>	<i>htunwini</i>	70.0	Ab	D	I	0	0	1	1	0	0
<i>Calotes</i>	<i>irawadi</i>	77.0	Ab	D	I	0	0	1	1	0	0
<i>Calotes</i>	<i>mystaceus</i>	108.0	Ab	D	I	0	0	1	1	1	1
<i>Calotes</i>	<i>rouxii</i>	54.0	Ab	D	I	0	1	0	0	0	0
<i>Calotes</i>	" <i>versicolor</i> "	93.0	Ab	D	I	1	1	0	0	1	1
<i>Leiolepis</i>	<i>belliana</i>	124.0	T	D	H	0	0	1	1	0	0
<i>Leiolepis</i>	<i>reevesii</i>	117.0	T	D	H	0	0	0	0	1	0
<i>Physignathus</i>	<i>cocincinus</i>	143.0	Ab	D	I	0	0	0	0	1	0
<i>Psammophilus</i>	<i>blanfordanus</i>	100.0	T	D	I	0	1	0	0	0	0
<i>Psammophilus</i>	<i>dorsalis</i>	136.0	T	D	I	0	1	0	0	0	0
<i>Sitana</i>	<i>ponticerana</i>	70.0	Ab	D	I	1	1	0	0	0	0
<i>Chamaeleo</i>	<i>zeylanicus</i>	100.0	Ab	D	I	1	1	0	0	0	0
<i>Cnemaspis</i>	<i>sp</i>	40.0	T	N	I	0	1	0	0	0	0
<i>Cyrtodactylus</i>	<i>sp</i>	60.0	T	N	I	0	0	0	1	0	0
<i>Dixonius</i>	<i>siamensis</i>	36.0	Ab	N	I	0	0	0	0	1	0
<i>Geckoella</i>	<i>collegalensis</i>	46.0	Ab	N	I	1	0	0	0	0	0
<i>Gehyra</i>	<i>lacerata</i>	55.0	Ab	N	I	0	0	0	0	1	0
<i>Gehyra</i>	<i>mutilata</i>	45.0	Ab	N	I	0	0	0	0	1	1
<i>Gekko</i>	<i>gecko</i>	135.0	Ab	N	I & V	0	0	1	1	1	1
<i>Hemidactylus</i>	<i>aquilonius</i>	48.0	T	N	I	0	0	1	0	0	0
<i>Hemidactylus</i>	<i>brookii</i>	54.0	Ab	N	I	1	1	0	0	0	0
<i>Hemidactylus</i>	<i>flaviviridis</i>	67.0	Ab	N	I	1	1	0	0	0	0
<i>Hemidactylus</i>	<i>frenatus</i>	46.0	Ab	N	I	0	1	1	1	0	0
<i>Hemidactylus</i>	<i>giganteus</i>	112.0	Ab	N	I	0	1	0	0	0	0
<i>Hemidactylus</i>	<i>karenorum</i>	50.0	Ab	N	I	0	0	0	1	0	0
<i>Hemidactylus</i>	<i>leschenaultii</i>	58.0	Ab	N	I	0	1	0	0	0	0
<i>Hemidactylus</i>	<i>platyurus</i>	54.0	Ab	N	I	0	0	0	0	1	1
<i>Hemidactylus</i>	<i>reticulatus</i>	40.0	Ab	N	I	0	1	0	0	0	0
<i>Hemidactylus</i>	<i>thayene</i>	38.0	T	N	I	0	0	0	1	0	0
<i>Hemidactylus</i>	<i>triedrus</i>	72.0	Ab	N	I	1	1	0	0	0	0
<i>Ophisops</i>	<i>jerdoni</i>	38.0	T	D	I	1	1	0	0	0	0
<i>Ophisops</i>	<i>leschenaultii</i>	50.0	T	D	I	0	1	0	0	0	0
<i>Ophisops</i>	<i>minor</i>	38.0	T	D	I	0	1	0	0	0	0
<i>Takydromus</i>	<i>sexlineatus</i>	51.0	Ab	D	I	0	0	0	0	1	0
<i>Eutropis</i>	<i>carinata</i>	125.0	T	D	I	1	1	0	0	0	0
<i>Eutropis</i>	<i>dissimilis</i>	85.0	T	D	I	0	0	1	0	0	0
<i>Eutropis</i>	<i>longicaudata</i>	115.0	T	D	I	0	0	0	0	1	0
<i>Eutropis</i>	<i>macularia</i>	58.0	T	D	I	1	1	0	0	1	1
<i>Eutropis</i>	<i>multifasciata</i>	103.0	T	D	I	0	0	0	1	1	1
<i>Eutropis</i>	<i>novemcarinata</i>	78.0	T	D	I	0	0	1	1	0	0
<i>Eutropis</i>	<i>quadricarinata</i>	50.0	T	D	I	0	0	1	0	0	0
<i>Lygosoma</i>	<i>albopunctata</i>	52.0	T	D	I	1	0	0	0	0	0
<i>Lygosoma</i>	<i>bouringii</i>	53.0	T	D	I	0	0	0	0	1	0
<i>Lygosoma</i>	<i>guentheri</i>	110.0	T	D	I	1	1	0	0	0	0
<i>Lygosoma</i>	<i>lineolatum</i>	50.0	T	D	I	0	0	1	1	0	0
<i>Lygosoma</i>	<i>punctata</i>	86.0	T	D	I	1	1	0	0	0	0

Table 4

genus	species	midpoint size	habitat preference	activity time	diet	G	N	CH	SH	SA	CA
<i>Lygosoma</i>	<i>quadripes</i>	80.0	T	D	I	0	0	0	0	1	1
<i>Scincella</i>	<i>reevesi</i>	48.0	T	D	I	0	0	0	1	0	0
<i>Sphenomorphus</i>	<i>indicus</i>	66.0	T	D	I	0	0	1	0	0	0
<i>Sphenomorphus</i>	<i>maculatus</i>	56.0	T	D	I	0	0	1	1	1	0
<i>Varanus</i>	<i>bengalensis</i>	480.0	T	D	I & V	1	1	1	1	1	0

Table 4

genus	species	midpoint size	habitat preference	activity time	diet	G	N	CH	SH	SA	CA
<i>Eryx</i>	<i>conica</i>	460.0	F	N	V	0	1	0	0	0	0
<i>Eryx</i>	<i>johnii</i>	880.0	F	N	V	0	1	0	0	0	0
<i>Ahaetulla</i>	<i>nasuta</i>	1290.0	Ab	D	V	1	1	1	1	1	0
<i>Ahaetulla</i>	<i>prasina</i>	528.0	Ab	D	V	0	0	0	0	1	0
<i>Ahaetulla</i>	<i>pulverulenta</i>	1200.0	Ab	D	V	1	0	0	0	0	0
<i>Argyrogena</i>	<i>fasciolata</i>	940.0	T	D	M	1	1	0	0	0	0
<i>Boiga</i>	<i>cyanea</i>	1240.0	Ab	N	V	0	0	0	0	1	0
<i>Boiga</i>	<i>forsteni</i>	1400.0	Ab	N	V	0	1	0	0	0	0
<i>Boiga</i>	<i>multomaculata</i>	800.0	Ab	N	R	0	0	1	1	1	0
<i>Boiga</i>	<i>ochracea</i>	720.0	Ab	N	V	0	0	1	0	0	0
<i>Boiga</i>	<i>ocellata</i>	1040.0	Ab	N	B	0	0	1	0	0	0
<i>Boiga</i>	<i>trigonata</i>	900.0	Ab	N	V	1	1	0	0	0	0
<i>Chrysopela</i>	<i>ornata</i>	880.0	Ab	D	V	1	0	1	1	1	0
<i>Coelognathus</i>	<i>flavolineatus</i>	1440.0	T	N	En	0	0	0	0	1	0
<i>Coelognathus</i>	<i>helenus</i>	1300.0	T	D	En	0	1	0	0	0	0
<i>Coelognathus</i>	<i>radiatus</i>	1300.0	T	D	En	0	0	1	1	1	0
<i>Dendrelaphis</i>	<i>pictus</i>	800.0	Ab	D	A&R	0	0	0	0	1	0
<i>Dendrelaphis</i>	<i>subocularis</i>	500.0	Ab	D	A&R	0	0	1	0	1	0
<i>Dendrelaphis</i>	<i>tristis</i>	990.0	Ab	D	A&R	0	1	0	0	0	0
<i>Dryocalamus</i>	<i>davisoni</i>	730.0	Ab	N	R	0	0	0	0	1	0
<i>Gonyosoma</i>	<i>oxycephalum</i>	1400.0	Ab	N	En	0	0	0	0	1	0
<i>Liopeltis</i>	<i>calamaria</i>	330.0	T	D	R	0	1	0	0	0	0
<i>Liopeltis</i>	<i>stoliczkae</i>	460.0	T	D	R	0	0	0	0	0	1
<i>Lycodon</i>	<i>aulicus</i>	460.0	T	N	R	0	1	1	1	1	0
<i>Lycodon</i>	<i>laoensis</i>	420.0	T	N	R	0	0	0	0	1	0
<i>Lycodon</i>	<i>striatus</i>	420.0	T	N	R	1	1	0	0	0	0
<i>Lycodon</i>	<i>travancoricus</i>	580.0	T	N	R	0	1	0	0	0	0
<i>Oligodon</i>	<i>arnensis</i>	430.0	T	N	R	1	1	0	0	0	0
<i>Oligodon</i>	<i>cinereus</i>	620.0	T	N	R	0	0	0	0	1	1
<i>Oligodon</i>	<i>planiceps</i>	200.0	T	N	R	0	0	0	1	0	0
<i>Oligodon</i>	<i>quadrilineatus</i>	550.0	T	N	R	0	0	0	0	1	0
<i>Oligodon</i>	<i>splendidus</i>	480.0	T	N	R	0	0	1	1	0	0
<i>Oligodon</i>	<i>taeniatus</i>	390.0	T	N	R	0	0	0	0	1	0
<i>Oligodon</i>	<i>taeniolatus</i>	430.0	T	N	R	1	1	0	0	0	0
<i>Oligodon</i>	<i>theobaldi</i>	350.0	T	N	R	0	0	1	1	0	0
<i>Oligodon</i>	<i>travancoricus</i>	400.0	T	N	R	0	1	0	0	0	0
<i>Ptyas</i>	<i>korros</i>	950.0	T	D	V	0	0	0	0	1	1
<i>Ptyas</i>	<i>mucosus</i>	1445.0	T	D	V	1	1	1	1	1	0
<i>Sibynophis</i>	<i>collaris</i>	700.0	T	D	R	0	0	1	0	1	0
<i>Sibynophis</i>	<i>subpunctatus</i>	250.0	T	D	R	1	1	0	0	0	0
<i>Amphiesma</i>	<i>stolatum</i>	400.0	T	D	A	0	1	1	1	1	0
<i>Atretium</i>	<i>schistosum</i>	405.0	Aq	D	F&A	0	1	0	0	0	0
<i>Macropisthodon</i>	<i>plumbicolor</i>	470.0	T	N	A	0	1	0	0	0	0
<i>Rhabdophis</i>	<i>chrysargos</i>	500.0	T	N	V	0	0	0	0	1	0
<i>Rhabdophis</i>	<i>nigrocinctus</i>	480.0	T	N	A	0	0	0	0	1	0
<i>Rhabdophis</i>	<i>subminiatus</i>	470.0	T	N	A	0	0	1	0	1	1
<i>Xenochrophis</i>	<i>flavipunctatus</i>	530.0	Aq	N	F&A	0	0	0	0	1	0
<i>Xenochrophis</i>	<i>piscator</i>	660.0	Aq	N	F&A	1	1	0	1	0	0

Table 5

genus	species	midpoint size	habitat preference	activity time	diet	G	N	CH	SH	SA	CA
<i>Cylindrophis</i>	<i>ruffus</i>	700.0	F	N	I&R	0	0	1	0	0	0
<i>Bungarus</i>	<i>caeruleus</i>	900.0	T	N	Ec	0	1	0	0	0	0
<i>Bungarus</i>	<i>fasciatus</i>	1200.0	T	N	Ec	0	0	1	0	1	1
<i>Calliophis</i>	<i>maculiceps</i>	440.0	F	N	R	0	0	0	0	1	0
<i>Calliophis</i>	<i>melanurus</i>	320.0	F	N	R	1	0	0	0	0	0
<i>Naja</i>	<i>naja</i>	1250.0	T	D	V	1	1	0	0	0	0
<i>Naja</i>	<i>kaouthia</i>	1100.0	T	D	V	0	0	0	0	1	0
<i>Naja</i>	<i>mandalayensis</i>	950.0	T	D	V	0	0	1	0	0	0
<i>Psammophis</i>	<i>condanarus</i>	900.0	T	D	R	0	0	0	1	0	0
<i>Psammophis</i>	<i>leithii</i>	760.0	T	D	R	1	0	0	1	0	0
<i>Enhydris</i>	<i>enhydris</i>	425.0	Aq	N	F&A	0	1	0	0	0	0
<i>Enhydris</i>	<i>plumbea</i>	650.0	Aq	N	F&A	0	0	0	0	1	1
<i>Homalopsis</i>	<i>nigroventralis</i>	900.0	Aq	N	F&A	0	0	0	0	0	1
<i>Pareas</i>	<i>carinatus</i>	510.0	Ab	N	I	0	0	0	0	0	1
<i>Pareas</i>	<i>margaritophorus</i>	400.0	T	N	I	0	0	0	0	1	0
<i>Python</i>	<i>molurus</i>	2000.0	T	N	En	1	1	1	0	0	0
<i>Python</i>	<i>reticulatus</i>	3000.0	T	N	En	0	0	0	0	1	0
<i>Gryptophlops</i>	<i>acutus</i>	500.0	F	N	I	0	1	0	0	0	0
<i>Ramphotyphlops</i>	<i>braminus</i>	125.0	F	N	I	1	1	1	0	1	0
<i>Calloselasma</i>	<i>rhodostoma</i>	610.0	T	N	M	0	0	0	0	1	1
<i>Crypteltropis</i>	<i>albolabris</i>	615.0	Ab	N	V	0	0	1	0	1	0
<i>Daboia</i>	<i>russelii</i>	950.0	T	N	M	0	1	0	0	0	0
<i>Daboia</i>	<i>siamensis</i>	825.0	T	N	M	0	0	1	1	0	0
<i>Echis</i>	<i>carinatus</i>	560.0	T	N	V	1	1	0	0	0	0
<i>Trimeresurus</i>	<i>gramineus</i>	425.0	Ab	N	V	0	1	0	0	0	0
<i>Viridovipera</i>	<i>vogeli</i>	650.0	Ab	N	V	0	0	0	0	1	0
<i>Xenopeltis</i>	<i>unicolor</i>	780.0	F	N	V	0	0	1	0	1	0

Table 5