

384
E2058
1963
Fishes

SMITHSONIAN INSTITUTION
UNITED STATES NATIONAL MUSEUM

Bulletin 100

VOLUME 14

CONTRIBUTIONS TO THE BIOLOGY OF THE
PHILIPPINE ARCHIPELAGO AND
ADJACENT REGIONS

PAPERS ON ECHINOIDEA, FISHES,
AND COPEPODA



Publications of the United States National Museum

The scientific publications of the United States National Museum include two series, *Proceedings of the United States National Museum* and *United States National Museum Bulletin*.

In these series are published original articles and monographs dealing with the collections and work of the Museum and setting forth newly acquired facts in the fields of anthropology, biology, geology, history, and technology. Copies of each publication are distributed to libraries and scientific organizations and to specialists and others interested in the various subjects.

The *Proceedings*, begun in 1878, are intended for the publication, in separate form, of shorter papers. These are gathered in volumes, octavo in size, with the publication date of each paper recorded in the table of contents of the volume.

In the *Bulletin* series, the first of which was issued in 1875, appear longer, separate publications consisting of monographs (occasionally in several parts) and volumes in which are collected works on related subjects. *Bulletins* are either octavo or quarto in size, depending on the needs of the presentation. Since 1902 papers relating to the botanical collections of the Museum have been published in the *Bulletin* series under the heading *Contributions from the United States National Herbarium*.

The present work forms No. 100, Volume 14, of the *Bulletin* series.

FRANK A. TAYLOR,
Director, United States National Museum.

With this volume of contributions to the biology of the Philippine Archipelago and adjacent regions, United States National Museum Bulletin 100 is closed. Further contributions will appear as volumes in the *Bulletin* series or as papers in the *Proceedings of United States National Museum*.

CONTENTS

	Page
PART 1. Report on the Echinoidea collected by the United States Fisheries Steamer "Albatross" during the Philippine Expedition, 1907-1910. Part 2: The Echinothuridae, Saleniidae, Arbaciidae, Aspidodiadematidae, Micropygidae, Diadematidae, Pedinidae, Temnopleuridae, Toxopneustidae, and Echinometridae. By Theodor Mortensen. Published July 25, 1940.....	1-52
Introduction.....	1
Descriptions.....	4
PART 2. Descriptions and figures of new fishes obtained in Philippine seas and adjacent waters by the United States Bureau of Fisheries Steamer "Albatross." By Henry W. Fowler. Published July 19, 1943.....	53-91
PART 3. Report on the Echinoidea collected by the United States Fisheries Steamer "Albatross" during the Philippine Expedition, 1907-1910. Part 3: The Echinoneidae, Echinolampadidae, Clypeastriidae, Arachnoididae, Laganidae, Fibulariidae, Urechinidae, Echinocorythidae, Palaeostomatidae, Micrasteridae, Palaeopneustidae, Hemiasteridae, and Spatangidae. By Theodor Mortensen. Published October 29, 1948.....	93-140
PART 4. Copepods gathered by the United States Fisheries Steamer "Albatross" from 1887 to 1909, chiefly in the Pacific Ocean. By Charles Branch Wilson. Published October 17, 1950.....	141-441
Foreword.....	vii-ix
Introduction.....	141
The species collected.....	151
Lists of copepods collected, arranged by stations.....	352
Literature cited.....	433

ILLUSTRATIONS

PLATES

REPORT ON THE ECHINOIDEA COLLECTED BY THE UNITED STATES FISHERIES STEAMER "ALBATROSS" DURING THE PHILIPPINE EXPEDITION, 1907-1910. PART 2: THE ECHINOTHURIDAE, SALENIIDAE, ARBACIIDAE, ASPIDODIADEMATIDAE, MICROPYGIDAE, DIADEMATIDAE, PEDINIDAE, TEMNOPLURIDAE, TOXOPNEUSTIDAE, AND ECHINOMETRIDAE

By Theodor Mortensen

	Page
1. Species of <i>Araeosoma</i>	20
COPEPODS GATHERED BY THE UNITED STATES FISHERIES STEAMER "ALBATROSS" FROM 1887 TO 1909, CHIEFLY IN THE PACIFIC OCEAN	

By Charles Branch Wilson

2. Species of <i>Acartia</i> , <i>Acrocalanus</i> , and <i>Amallothrix</i>	441
3. New species of <i>Amallothrix</i>	441
4. Species of <i>Amallothrix</i> and <i>Arietellus</i>	441
5. Species of <i>Calanopia</i> , <i>Canthocalanus</i> , and <i>Conaea</i>	441
6. Species of <i>Disseta</i> , <i>Dysgamus</i> , and <i>Euaugaptilus</i>	441
7. Species of <i>Euaugaptilus</i> , <i>Eucalanus</i> , and <i>Euaetidius</i>	441
8. Species of <i>Euchaeta</i> and <i>Euchirella</i>	441
9. Species of <i>Euchirella</i>	441
10. Species of <i>Euchirella</i> , <i>Arietellus</i> , and <i>Gaetanus</i>	441
11. Species of <i>Gaetanus</i> , <i>Gaussia</i> , <i>Heterorhabdus</i> , and <i>Labidocera</i>	441
12. Species of <i>Labidocera</i> and <i>Lophothrix</i>	441
13. Species of <i>Macandrewella</i>	441
14. Species of <i>Macandrewella</i> and <i>Pareuchaeta</i>	441
15. Species of <i>Pareuchaeta</i> , <i>Phyllopus</i> , and <i>Pontella</i>	441
16. Species of <i>Labidocera</i> and <i>Pontella</i>	441
17. Species of <i>Pontella</i> and <i>Scaphocalanus</i>	441
18. Species of <i>Scaphocalanus</i> , <i>Scolecithricella</i> , <i>Tortanus</i> , and <i>Euchaeta</i> ..	441
19. Species of <i>Pontella</i> , <i>Gaetanus</i> , <i>Euchirella</i> , <i>Pareuchaeta</i> , <i>Scolecithricella</i> , and <i>Undinula</i>	441
20. Species of <i>Acartia</i> , <i>Amalophora</i> , <i>Amallothrix</i> , <i>Arietellus</i> , and <i>Calanopia</i>	441
21. Species of <i>Anomalocera</i> , <i>Disseta</i> , <i>Euaugaptilus</i> , <i>Farrania</i> , and <i>Arietellus</i>	441
22. Species of <i>Arietellus</i> , <i>Bathypontia</i> , <i>Calanopia</i> , <i>Candacia</i> , <i>Centropages</i> , <i>Chiridius</i> , <i>Caligus</i> , and <i>Euchaeta</i>	441
23. Species of <i>Euchaeta</i> , <i>Euchirella</i> , <i>Gaetanus</i> , and <i>Labidocera</i>	441
24. Species of <i>Labidocera</i>	441
25. Species of <i>Labidocera</i> , <i>Lophothrix</i> , and <i>Metridia</i>	441
26. Species of <i>Monacilla</i> , <i>Onchocalanus</i> , <i>Paraugaptilus</i> , and <i>Pareuchaeta</i> ..	441
27. Species of <i>Phyllopus</i> , <i>Pleuromamma</i> , and <i>Pontella</i>	441
28-29. Species of <i>Pontella</i>	441
30-31. Species of <i>Pontellopsis</i>	441
32. Species of <i>Pseudanthessius</i> and <i>Sapphirina</i>	441
33. Species of <i>Pontellopsis</i> , <i>Scaphocalanus</i> , and <i>Sapphirina</i>	441

	Page
34. Species of <i>Scaphocalanus</i> , <i>Scolecithricella</i> , and <i>Temora</i>	441
35. Species of <i>Scolecithricella</i> , <i>Pontella</i> , <i>Scottocalanus</i> , <i>Temorites</i> , <i>Undeuchaeta</i> , and <i>Bradyidius</i>	441
36. Species of <i>Scottocalanus</i> , <i>Stephos</i> , <i>Temora</i> , <i>Tigriopus</i> , <i>Tortanus</i> , and <i>Xanthocalanus</i>	441

TEXT FIGURES

REPORT ON THE ECHINOIDEA COLLECTED BY THE UNITED STATES FISHERIES STEAMER "ALBATROSS" DURING THE PHILIPPINE EXPEDITION, 1907-1910. PART 2: THE ECHINOTHURIDAE, SALENIIDAE, ARBACIIDAE, ASPIDODIADEMATIDAE, MICROPYGDIAE, DIADEMATIDAE, PEDINIDAE, TEMNOPLEURIDAE, TOXOPNEUSTIDAE, AND ECHINOMETRIDAE

By Theodor Mortensen

	Page
1. <i>Hemiphormosoma paucispinum</i>	9
2. <i>Sperosoma crassispinum</i>	11
3. <i>Sperosoma</i> sp.....	13

DESCRIPTIONS AND FIGURES OF NEW FISHES OBTAINED IN PHILIPPINE SEAS AND ADJACENT WATERS BY THE UNITED STATES BUREAU OF FISHERIES STEAMER "ALBATROSS"

By Henry W. Fowler

4. <i>Xenodermichthys funebris</i>	54
5. <i>Leptoderma retropinna</i>	55
6. <i>Ipnoceps pristibrachium</i>	57
7. <i>Parabelonichthys kellersi</i>	58
8. <i>Rhomboserranus gracilispinis</i>	60
9. <i>Schistoperca macrobrachium</i>	62
10. <i>Pentapodus lineoscapularis</i>	64
11. <i>Cyprinocirrhites stigma</i>	65
12. <i>Scorpaena taeniophrys</i>	67
13. <i>Paraminous quincarinatus</i>	69
14. <i>Ocosia gracile</i>	71
15. <i>Acanthoplichthys pectoralis</i>	73
16. <i>Peristedion longiceps</i>	74
17. <i>Acanthostedion rugosum</i>	76
18. <i>Lepicephalochromis cupreus</i>	79
19. <i>Calliurichthys linea-thorax</i>	79
20. <i>Synchiropus delandi</i>	82
21. <i>Champsodon curtipes</i>	83
22. <i>Gobitrichinotus radiocularis</i>	86
23. <i>Roxasella fusiforme</i>	88
24. <i>Lycenchelys spilotus</i>	89
25. <i>Stephanolepis retrospinis</i>	90

SMITHSONIAN INSTITUTION
UNITED STATES NATIONAL MUSEUM

Bulletin 100

VOLUME 14, PART 1

CONTRIBUTIONS TO THE BIOLOGY OF THE
PHILIPPINE ARCHIPELAGO AND
ADJACENT REGIONS

REPORT ON THE ECHINOIDEA COLLECTED BY THE
UNITED STATES FISHERIES STEAMER "ALBATROSS" DUR-
ING THE PHILIPPINE EXPEDITION, 1907-1910. PART 2:
THE ECHINOTHURIDAE, SALENIIDAE, ARBACIIDAE,
ASPIDODIADEMATIDAE, MICROPYRIDAE, DIADEMA-
TIDAE, PEDINIDAE, TEMNOPLEURIDAE, TOXOPNEUS-
TIDAE, AND ECHINOMETRIDAE

By
THEODOR MORTENSEN



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1940

CONTENTS

	Page
Introduction.....	1
Order Lepidocentroida.....	4
Family Echinothuridae.....	4
Subfamily Phormosominae.....	4
Genus <i>Phormosoma</i>	4
Genus <i>Hemiphormosoma</i>	8
Genus <i>Paraphormosoma</i>	9
Subfamily Asthenosominae.....	10
Genus <i>Tromikosoma</i>	10
Genus <i>Sperosoma</i>	11
Genus <i>Hygrosoma</i>	14
Genus <i>Araeosoma</i>	18
Genus <i>Hapalosoma</i>	21
Genus <i>Asthenosoma</i>	21
Order Stirodonta.....	24
Family Saleniidae.....	24
Genus <i>Salenocidaris</i>	24
Family Arbaciidae.....	25
Genus <i>Pygmaeocidaris</i>	25
Genus <i>Coelopleurus</i>	26
Order Aulodonta.....	28
Family Aspidodiadematidae.....	28
Genus <i>Plesiadiadema</i>	28
Genus <i>Aspidodiadema</i>	29
Family Micropygidae.....	29
Genus <i>Micropyga</i>	29
Family Diadematidae.....	33
Genus <i>Astropyga</i>	33
Genus <i>Eremopyga</i>	34
Genus <i>Chaetodiadema</i>	35
Genus <i>Diadema</i>	36
Genus <i>Echinothrix</i>	37
Family Pedinidae.....	38
Genus <i>Caenopedina</i>	38
Order Camarodonta.....	39
Family Temnopleuridae.....	39
Genus <i>Prionechinus</i>	39
Genus <i>Orechinus</i>	40
Genus <i>Temnopleurus</i>	41
Genus <i>Desmechinus</i>	42
Genus <i>Salmacis</i>	43
Genus <i>Temnotrema</i>	45
Genus <i>Microcyphus</i>	46
Genus <i>Mespilia</i>	47

Order Camarodonta—Continued.

	Page
Family Toxopneustidae.....	48
Genus <i>Toxopneustes</i>	48
Genus <i>Tripneustes</i>	48
Family Echinometridae.....	49
Genus <i>Parasalenia</i>	49
Genus <i>Selenechinus</i>	50
Genus <i>Echinostrephus</i>	50
Genus <i>Echinometra</i>	51
Genus <i>Heterocentrotus</i>	52

INDEX

Italic name indicates new species, *italic* number indicates principal entry.

- abbreviatus*, *Oachyptilus*, 274
 Pontoptilus, 274
abdominalis, *Diaptomus*, 289
 Pleuromamma, 289
abyssalis, *Heterochaeta*, 239
 Heterorhabdus, 239
 Scolecithricella, 331
 Scolecithrix, 331
 Spinocalanus, 341
Acanthoplichthys, 72
 pectoralis, 72, 73 (fig.)
Acanthostedion, 75
 rugosum, 75, 76 (fig.)
Acartia, 151
 clausii, 151
 danae, 151
 discaudata, 152
 hamata, 152, 351
 laxa, 143, 153
 longiremis, 155
 negligens, 155
 tumida, viii, 143, 155
Aceste, 94
Acrocalanus, 148, 157
 gibber, 157
 gracilis, 148, 157
 longicornis, 157
 monachus, 158
aculeata, *Lubbockia*, 254
aculeatus, *Arietellus*, 165
 Paracalanus, 275
 Rhincalanus, 165
acuminata, *Lovenia döderleini*, 138
acuminata, *Salenocidera hastigera*, 24
acuta, *Euchaeta*, 211
 Fibularia, 109
 Labidocera, 241
 Pontella, 241
 Pontellina, 241
acutifrons, *Haloptilus*, 235
 Hemicalanus, 235
 Labidocera, 242
 Pontella, 242
 Pontellina, 242
acutilobus, *Heteroptilus*, 238
 Pontoptilus, 238
acutus, *Scolecithrix*, 252
adenicum, *Phormosoma*, 7, 8
Aegisthus, 158
 dubius, 158
 mucronatus, 158
 spinulosus, 158
aequalis, *Phyllopus*, 143, 286, 288
Aeropsis, 94
aethiopica, *Candace*, 180
 Candacia, 180
Actideus, 159, 203
 armatus, 159, 172
 bradyi, 202, 203
 giesbrechti, 203
affinis, *Hypselaster*, 121
affinis, *Amalophora*, 324
 Gaidius, 233
 Leptoderma, 55
 Onchocalanus, 273
 Scaphocalanus, 324, 325, 329
agassizi, *Macandrewella*, 257, 351
Agetus, 196
 typicus, 196
agilis, *Corycaeus*, 192
 Labidocera, 242
 Pontella, 242
 Pontellina, 242
akabanus, *Pericosmus*, 94
albatrossi, *Pontellopsis*, 303, 351
albatrossi, *Labidocera*, 243, 351
Alepocephalidae, 53
alexandri, *Echinolampas*, 95
alta, *Maretia*, 135
 Pseudomaretia, 135
alternans, *Paraphormosoma*, 2, 9
 Phormosoma, 9
Amalophora, 159, 162
 affinis, 324
 dubia, 238
 magna, 328
 media, 328
 obtusifrons, 162
 robusta, 330
 subbrevicornis, 331
 typica, 159, 352
Amalothrix, 159
 arcuata, viii (pt. 4), 159
 curticauda, 160
 emarginata, 160
 falcifer, 160
 gracilis, 161
 invenusta, 161, 351
 lobata, 162
 obtusifrons, 162, 335
 propinqua, 162
Amenophia, 163
 peltata, 163
americana, *Calanopia*, 174
amoena, *Euchirella*, 218
amona, *Euchirella*, 218
amphigymnum, *Dermatodiadema*, 28
 Plesiadiadem, 28
anceps, *Augaprilus*, 170
angulifrons, *Scaphocalanus*, viii, 143,
 325
angusta, *Sapphirina*, 319

- angusticeps, *Haloptilus*, 235
 angustus, *Euaugaptilus*, 204
 Mesorhabdus, 263
 annandalei, *Clypeaster*, 98
annulata, *Caenopedina*, 1, 38, 39
Anomalocera, 163
 ornata, 163
 patersonii, 149, 164, 165
 antarcticus, *Gaetanus*, 229
Antaria gracilis, 191
Arabacia, 3
Arachnoides, 100
 placenta, 100
 zelandiae, 100
Arachnoididae, 100
Araeosoma, 18, 21
 coriaceum, 18, 20, 21
 owstoni, 20, 21
 owstoni, nudum, 20
 parviungulatum, 20
 pellucidum, 21
 tessellatum, 18, 19
 tessellatum carinatum, 19
arafurensis, *Champsodon*, 84
Arbaciidae, 1, 25
Arbacina forbesiana, 39
arcuata, *Amalothrix*, viii, 159
 Scolecithricella, 159
arcticornis, *Calanus*, 190
 Clausocalanus, 190
Argopatagus, 113, 116
 vitreus, 113, 116
Arietellus, 165, 166
 aculeatus, 165
 armatus, 165
 giesbrechti, 167
 pavoninus, 167
 plumifer, 168
 setosus, 165, 168
 simplex, 168
 tripartitus, 169, 351
ariomnus, *Dysgamus*, 201
armata, *Candace*, 180
 Candacia, 180
 Euchaeta, 189
 Pontellopsis, 304
armatus, *Aetideus*, 159, 172
 Arietellus, 165
 Bradyanus, 173
 Bradyidius, viii, 172, 173
 Chiridius, 189
 Monops, 304
 Pseudocalanus, 159, 172, 173
 Selenechinus, 50
 Undinopsis, 173
armiger, *Gaetanus*, 229, 230
Aspidodiadema, 29
 tonsum, 29
Aspidodiadematidae, 1, 28
asterias, *Kamptosoma*, 8
Asthenosoma, 21
 coriaceum, 18
 dilatatum, 23
 grubei, 21, 23
 heteractis, 22, 23
 ijimai, 23
Asthenosoma—Continued
 pellucidum, 21
 tessellatum, 18
 urens, 22, 23
 varium, 21
Asthenosominae, 2, 10
Astropyga, 33
 denudata, 34
 radiata, 33
atlantica, *Lucicutia*, 254
 Pontella, 290
 Pontia, 290
atra, *Metridia*, 263
attenuatus, *Calanus*, 207
 Eucalanus, 207
 Heteroptilus, 239
 Pontoptilus, 239
Auchenalepoceps, 53
Augaptilus, 170, 185, 205
 anceps, 170
 bullifer, 204
 cucullatus, 185
 clongatus, 204
 facilis, 204
 gibbus, 205
 glacialis, viii, 170
 hecticus, 205
 horridus, 185
 laticeps, 205
 longicaudatus, 170
 longimanus, 205
 magnus, 206
 megalurus, 171
 nodifrons, 206
 oblongus, 206
 palumbii, 207
 ratrayi, 185
 rigidus, 207
 squamatus, 207
Aulodonta, 28
aurivillii, *Calanopia*, 174
auronitens, *Sapphirina*, 319
auropecten, *Scolecithricella*, 143, 332
 334
 Scolecithrix, 332
australis, *Coelopleurus*, 27
barbata, *Corynura*, 345
 Euchaeta, 276
 Pareuchaeta, 276
barbatus, *Tortanus*, 345
Bathycalanus, 171
 richardi, 171
Bathypontia, 171
 elongata, 171
 minor, 171
bella, *Euchirella*, 218
Belonichthys, 57
bengalensis, *Brissopsis*, 128, 129
bicolor, *Salmacis*, 43, 44
bicuspidata, *Sapphirina*, 320
bidentatus, *Phyllopus*, 287
bipinnata, *Candace*, 180
 Candacia, 180
bisinuata, *Euchaeta*, 276
 Pareuchaeta, 276

- bispinosa, Candace, 181
 Candacia, 181, 184
bitumida, Pontellopsis, viii, 305, 312, 351
bitumida, Euchirella, 143, 219, 222
boeckii, Metridia, 263
 bonani, Laganum, 103
 boreale, Pleuromma, 289
 borealis, Pleuromamma, 289
 bothroides, Pleurechinus, 46
brachiata, Calanopia, 185
 Pontella, 185
brachiatus, Centropages, 185
brachypetalus, Hypselaster, 123
Bradyanus, 172
 armatus, 173
 Aetideus, 202, 203
 Centropages, viii, 186, 188
 Euaetideus, 143, 202
 Euchaete, 277
 Pareuchaeta, 277
 Scolecithricella, 333
bradyi, Scolecithrix, 333
Undinopsis, 172, 173
Bradyidius, 172
 armatus, viii, 172, 173
 similis, 173
brevicauda, Metridia, 264
 Pseudeuchaeta, 316
brevicaudatus, Chiridius, 234
 Gaidius, 234
brevicornis, Calanoides, 174
 Scaphocalanus, 326
 Scolecithrix, 326
brevifurcatus, Cryptopontius, 197
brevis, Euchirella, 221, 223
 Lubbockia, viii, 254
 Monops, 306
 Pontellopsis, 306
 Temorites, 343
brevispinus, Chiridius, 234
 Gaidius, 234
Breyuia, 138
 elegans, 138
brissoides, Spatangus, 132
Brissopsis, 94, 123, 126, 129
 bengalensis, 128, 129
 duplex, 128
 luzonica, 94, 123, 124, 125, 128
 micropetala, 124
 obliqua, 125
 oldhami, 126, 128, 129
 parallela, 125
 similis, 123, 129
Brissus, 139
 carinatus, 139
 latecarinatus, 139
brunescens, Labidocera, 246
buchani, Paraugaptilus, 275
bulliceps, Haloptilus, viii, 235
bullifer, Augaptilus, 204
 Euaugaptilus, 204
bungii, Eucalanus, 208
 Eucalanus elongatus, 208
bursarium, Phormosoma, 2, 4, 8
Caenopedina, 38, 39
 annulata, 1, 38, 39
 indica, 33
 mirabilis, 38
calamaris, Echinothrix, 37
calanina, Cyclopsina, 186
calaninus, Hemicalanus, 186
Calanoides, 174
 brevicornis, 174
Calanopia, 174
 americana, 174
 aurivillii, 174
 brachiata, 185
 elliptica, 175
 minor, 175
 sarsi, 175, 351
 thompsoni, 176
 subg., 186
Calanus, 177, 180
 arcuicornis, 190
 attenuatus, 207
 caroli, 348
 cristatus, 177
 elongatus, 208
 finmarchicus, 149, 172, 177, 178
 gracilis, 269
 helgolandicus, 178
 hyperboreus, 178
 longus, 264
 parvus, 275
 pauper, 184
 pavo, 179
 princeps, 262
 robustior, 269
 stylifer, 343
 tenuicornis, 269
 tonsus, 178
 turbinatus, 343
calanus, Pseudocalanus, 317
californica, Euchaeta, 277
 Pareuchaeta, 143, 277
Caligus, 178
 coryphaenae, 178
 coryphaenate, 178
 rapax, 179
 thymii, 179
calininus, Centropages, 186
Callionymidae, 53, 80
Callionymus gardineri, 81
Calliurichthys, 80
 gardineri, 81
 japonicus, 81
 linea-thorax, 79 (fig.), 80
Calocalanus, 179
 pavo, 179
 styliremis, 180
Camarodonta, 39
Candace aethiopica, 180
 armata, 180
 bipinnata, 180
 bispinosa, 181
 curta, 181
 elongata, 181
 longimana, 181
 norvegica, 181
 pachydaetyla, 182

- Candace—Continued
 simplex, 182
 tenuimana, 182
 varicans, 184
- Candacia, 148, 180
 aethiopica, 180
 armata, 180
 bipinnata, 180
 bispinosa, 181, 184
 curta, 181
 elongata, 181
 longimana, 181
 norvegica, 181
 pachydactyla, 182
 simplex, 182
 tenuimana, 182
 turgida, 183, 351
 varicans, 184
- Canthocalanus, 184
 pauper, 184
- Canthocamptus roseus, 266
- carinata, Farranula, 227
- carinatum, Araeosoma tessellatum, 19
- carinatus, Brissus, 139
 Corycaeus, 227
- Carnegiella, viii (pt. 4)
- Carnegiella, ix (pt. 4)
 gracilis, ix (pt. 4)
- caroli, Calanus, 348
 Undinula, 348
- Cassiduloida, 95
- Cataphraeti, 53
- Catopia, 187
 furcata, 186
- catus, Corycaeus, 192
- caudani, Gaetanus, 233
- Centraugaptilus, 185
 cucullatus, 185
 horridus, 185
 ratrayi, 185
- Centropages, 185
 brachiatus, 185
 bradyi, viii, 186, 188
 calininus, 186
 furcatus, 186
 gracilis, 187
 hamatus, 187
 krøyeri, 187
 orsinii, 187
 typicus, 188
 violaceus, 188
- Cephalophanes, 188
 refulgens, 188
- cerami, Pontella, viii, 291
- Cetochilus helgolandicus, 178
 minor, 268
- Chaetodiadema, 34, 35
 granulatum, 35
- Champsodon, 83
 arafurensis, 84
 curtipes, 83 (fig.)
 vorax, 84
- Champsodontidae, 83
- chelifer, Cornucalanus, 192
- Cyclops, 237
- Harpacticus, 237
- chelifer—Continued
 Scolecithrix, 192
- chelipes, Macandrewella, 143, 259
 Scolecithrix, 259
- chierchiae, Haloptilus, 236
 Hemicalanus, 236
 Pontella, 291
- chinensis, Faorina, 120
- Chiridiella, 188
 macrodactyla, 188
- Chiridius, 189
 armatus, 189
 brevicaudatus, 234
 brevispinus, 234
 gracilis, 189
 obtusifrons, 189
 tenuispinus, 234
- Chirundina, 189
 streetsi, 189
- Chromides, 53
- Chrominae, 77, 78
- Chromis, 78
 eupreus, 78
- Cidaridae, 1
- cinctus, Plexechinus, 111
- Cirrhitichthys polyactis, 66
- Cirrhitidae, 65
- clausi, Corycaeus, 193
 Mecynocera, 262
- clausii, Acartia, 151
 Heterochaeta, 239
 Heterorhabdus, 239
 Leuckartia, 255
 Lucicutia, 255
- Clausocalanus, 190
 aruicornis, 190
 furcatus, 190
- clavata, Monstrilla, 267
- Clypeaster, 96, 97, 99
 annandalei, 98
 fervens, 98
 humilis, 96
 pateriformis, 99
 reticulatus, 97
 rosaceus, 97
 scutiformis, 97
 telurus, 99
 virescens, 97
- Clypeastridae, 96
- Clypeastroidea, 96
- Clytemnestra, 190
 rostrata, 190
 scutellata, 190
- Coelopleurus, 3, 26, 27, 47
 australis, 27
 elegans, 26
 longicollis, 27
 maculatus, 26, 27
 maillardi, 26, 27
- Conaea, 191
 gracilis, 191
 rapax, 191
- concava, Peronella orbicularis, 102
- concinna, Corycaeus, 228
 Euchaeta, 212
 Farranula, 228

- conicum, Laganum, 106
 conifera, Oncaea, 271
 Conolampas, 94, 95, 96
 diomedae, 95
 murrayana, 96
 sigsbei, 96
 sp., 94
 Copepods gathered by the United States Fisheries Steamer "Albatross" from 1887 to 1909, chiefly in the Pacific Ocean, 141-441
 Copilia, 191
 denticulata, 191
 mirabilis, 191
 quadrata, 191
 vitrea, 192
cordata, Mareaia, 132
 coriaceum, Araeosoma, 18, 20, 21
 Astenosoma, 18
 Corina granulosa, 351
 Cornucalanus, 192
 chelifer, 192
 cornutus, Rhincalanus, 318
 Coronanthus, subg., 99
 Corycaeus, 148, 192, 197, 227
 agilis, 192
 carinatus, 227
 catus, 192
 clausi, 193
 concinna, 228
 crassiusculus, 193
 dubius, 193
 flaccus, 193
 furcifer, 193
 gibbulus, 228
 giesbrechti, 194
 gracilis, 228
 latus, 194
 lautus, 194
 limbatus, 194
 longistylis, 195
 lubbockii, 195
 ovalis, 195
 pacificus, 195
 pumilus, 195
 robustus, 196
 rostratus, 228
 speciosus, 196
 subtilis, 196
 typicus, 196
 vitreus, 197
 Corycella, 227, 228
 curta, 228
 Corynura barbata, 345
 discaudata, 345
 forcipata, 345
 gracilis, 346
 recticauda, 347
 coryphaenae, Caligus, 178
 coryphaenate, Caligus, 178
 Cottaldia forbesiana, 39
 craniolaris, Fibularia, 108
 crassispinum, Sperosoma, 11 (fig.)
 crassiusculus, Corycaeus, 193
 crassus, Eucalanus, 208
 cribellum, Fibularia, 109
 667983-63—3
 crispus, Echinocyamus, 107
 cristatus, Calanus, 177
 Onchocalanus, 273
 Palaeopneustes, 115
 Xanthocalanus, 273
 cryptodon, Paramonacanthus, 91
 Stephanolepis, 91
 Cryptopontius, 197
 brevifurcatus, 197
 cucullatus, Augaptilus, 185
 Centraugaptilus, 185
 cupreus, Chromis, 78
 Lepicephalochromis, 78, 79 (fig.)
 curta, Candace, 181
 Candacia, 181
 Corycella, 228
 Farranula, 228
 Lucicutia, 255
 curticauda, Amalothrix, 160
 Euchirella, 221, 222
 Metridia, 264
 Scolecithricella, 160
 curticornis, Ectinosoma, 202
curtipis, Champsodon, 83 (fig.)
curvispinus, Gactanus, 229, 232, 351
 Cyclops chelifer, 237
 longicornis, 342
 Cyclopsina calanina, 186
 gracilis, 187
 cyclostomus, Echinoneus, 94
 cylindricum, Hessella, 285
 Cymbasoma, 197
 longispinosum, 197
 rigidum, 197
 Cyprinocirrhites, 65, 66
 stigma, 65 (fig.)
 ui, 66
 Dactylopusia, 198
 vulgaris, 198
 danae, Acartia, 151
 Pontella, 292
 Scolecithrix, 335
 Undina, 335
 darwinii, Undina, 349
 Undinula, 349
 Dascyllinae, 78
 Dascyllus, 78
 pomacentroides, 77, 78
debilis, Eremopyga, 1, 34
 decagonale, Laganum, 103
 decagonalis, Peronella, 100
 decipiens, Genocidaris, 41
 Temnopleurus, 41
delandi, Synchiropus, 81, 82 (fig.)
 dentata, Scolecithricella, 143, 333
 Scolecithrix, 333
 denticulata, Copilia, 191
 denudata, Astropyga, 34
 Eremopyga, 34
 depressa, Echinolampas, 95
 depressum, Laganum, 101, 105
 denticauda, Pontella, 292
 Dermatodiadema amphigymnum, 28
 indicum, 28

- Desmechinus, 42, 43
 rufus, 42
 versicolor, 42, 43
- detruncata, Labidocera, 244, 246
 Pontella, 244
 Pontellina, 244
- Diadema, 36
 savignyi, 37
 saxatile, 36
 setosum, 36
- Diadematidae, 1, 33
diagonalis, Pontella, 292, 351
- Diaptomus abdominalis, 289
- Dias discaudatus, 152
 longiremis, 155
- Dichelina phormosomae, 8
digitata, Pontellopsis, 306, 351
- dilatatum, Asthenosoma, 23
diomedae, Conolampas, 95
 Plesiozonus, 118
- diploporum, Laganum, 106
- discaudata, Acartia, 152
 Corynura, 345
 Temora, 342
- discaudatus, Dias, 152
 Tortanus, 345
- Disseta, 198, 199
 maxima, viii, 198
 palumbii, 198
 palumboi, 198, 199
 scopularis, 143, 198
- divaricata, Gaidius, 317
 Pseudochirella, viii, 317
- doderleini, Lovenia, 138
- Drepanopsis, 227
 frigidus, 226, 227
- Drepanopus, 200
 forcipatus, viii, 200
 furcatus, 190
- dubia, Amalophora, 238
 Heteramalla, 238
 Monacilla, 266, 267
- dubius, Aegisthus, 158
 Corycaeus, 193
- duplex, Brissopsis, 128
- durum, Serosoma, 12, 13
- dussumieri, Salmacis, 45
- Dysgamus, 201
 ariomus, 201
pacificus, 201, 351
- echinata, Scolecithrix, 326
- echinatus, Scaphocalanus, 143, 326
- Echinocardium flavescens, 132
- Echinocorythidae, 111
- Echinocyamus, 107, 109, 110
 crispus, 107
 provectus, 107
 pusillus, 108
 scaber, 107
- Echinoidea collected by the United States Fisheries Steamer "Albatross" during the Philippine Expedition, 1907-1910. Part 3: The Echinoneidae, Echinolampadidae, Clypeastridae, Arachnoididae, Laganidae, Fibulari-
- idae, Urechinidae, Echinocorythidae, Palaeostomatidae, Micrasteridae, Palaeopneustidae, Hemimasteridae and Spatangidae, Report on, 93-140
- Echinoidea collected by the United States Fisheries Steamer "Albatross" during the Philippine Expedition, 1907-1910. Part 2: The Echinothuridae, Saleniidae, Arbaciidae, Aspidodiadematidae, Micropygidae, Diadematidae, Pediniidae, Temnopleuridae, Toxopneustidae, and Echinometridae, Report on, 1-52
- Echinolampadidae, 95
- Echinolampas, 95, 96
 alexandri, 95
 depressa, 95
- Echinometra, 51
 mathaei, 51
 oblonga, 52
 picta, 51
- Echinometridae, 1, 49
- Echinoneidae, 94
- Echinoneus, 94
 cyclostomus, 94
- Echinosoma, 11
 hoplacantha, 14
 luculentum, 17
 tenue, 10
- Echinostrephus, 50
formosus, 1, 50
 molaris, 50
- Echinothrix, 37
 calamaris, 37
- Echinothuridae, 1, 4, 9
- Ectinosoma, 202
 curticornis, 202
 tenuis, 319
- efferata, Miracia, 266
- elegans, Breyntia, 138
 Coelopleurus, 26
- elliptica, Calanopia, 175
 Pontella, 175
- elongata, Bathypontia, 171
 Candace, 181
 Candacia, 181
 Lovenia, 136
- elongatus, Aigaptilus, 204
 Calanus, 208
 Euaigaptilus, 204
 Eucalanus, 208
- emarginata, Amalothrix, 160
 Scolecithrix, 160
- Enterohalacarus minutipalpus, 28
- erebi, Pareuchaeta, 143, 279
- Eremopyga, 34
 debilis, 1, 34
 denudata, 34
- Euaetideus, 202, 204, 205
 bradyi, 143, 202
 giesbrechti, 203
- Euaigaptilus, 204
 angustus, 204
 bullifer, 204

Euaugaptilus—Continued

- elongatus, 204
- facilis, 204
- filigerus, 205
- gibbus, 205
- hecticus, 205
- laticeps, 205
- longimanus, 205
- magnus, 206
- nodifrons, 206
- oblongus, 206
- rigidus, viii, 207
- squamatus, 207

Eucalanus, 148, 207

- attenuatus, 207
- bungii, 208
- crassus, 208
- elongatus, 208
- elongatus bungii, 208
- monachus, 209
- mucronatus, 209
- muticus, 209, 351
- pileatus, 211
- subcrassus, 211
- subtenuis, 211

Euchaeta, 148, 211

- acuta, 211
- armata, 189
- barbata, 276
- bisinuata, 276
- californica, 277
- concinna, 212
- exigua, 280
- gracilis, 281
- grandiremis, 281
- hebes, 212
- hessei, 226
- incisa, 283
- longicornis, 143, 212
- marina, 143, 149, 214
- media, 143, 214
- norvegica, 283
- pubera, 143, 215
- sarsi, 284
- scotti, 284
- spinosa, 217
- tonsa, 284
- tumidula, 285
- wolfendeni, 217

euchaeta, Labidocera, 244

- Euchaete bradyi, 277
- hansenii, 282

Euchirella, 148, 218, 223

- amoena, 218
- amona, 218
- bella, 218
- bitumida, 143, 219, 222
- brevis, 221, 223
- curticauda, 221, 222
- galeata, 143, 221
- grandicornis, 223, 351
- intermedia, 225, 226
- maxima, 225
- messinensis, 221, 223, 225
- pulchra, 225
- rostrata, 226

Euchirella—Continued

- venusta, 226

Eupatagus, 129

- lymani, 130
- rubellus, 129

eurygnathus, Pachyptilus, 274

Eurypatagus, 133, 134

- ovalis, 134

excentrica, Meijerea, 113

excentricus, Microcyphus, 1, 46

exigua, Euchaeta, 280

- Pareuchaeta, viii, 280

expergitus, Hemiaster, 120, 121

facilis, Augaptilus, 204

- Euaugaptilus, 204

falcifer, Amallothrix, 160

- Scolecithrix, 160

Faorina, 120

- chinensis, 120

farrani, Scottoecalanus, 337

Farrania, 226

- frigidus, 226

- oblonga, viii, 226, 227

Farranula, 148, 227

- carinata, 227

- concinna, 228

- curta, 228

- gibbula, 228

- gracilis, 228

- rostrata, 228

fera, Pontella, 293, 301

fervens, Clypeaster, 98

Fibularia, 108, 109, 110

- acuta, 109

- craniolaris, 108

- cribellum, 109

- ovulum, 108

- ovulum trigona, 109

- trigona, 109

- sp., 110

Fibulariidae, 107

filigerus, Euaugaptilus, 205

- Hemicalanus, 205

finmarehius, Calanus, 149, 172, 177,

- 178

Monoculus, 177

Fishes, Descriptions and figures of new, obtained in Philippine seas and adjacent waters by the United States Bureau of Fisheries Steamer "Albatross," 53-91

flaccus, Corycaeus, 193

flava, Ratania, viii, 313

flavescens, Echinocardium, 132

flavicornis, Leuekartia, 255

- Lucicutia, 255

fons, Haloptilus, 236

forbesiana, Arbacina, 39

- Cottaldia, 39

forbesianus, Prionechinus, 39

forcipata, Corynura, 345

forcipatus, Drepanopus, viii, 200

- Tortanus, 345

forficula, Pontella, 303

formosus, Echinostrephus, 1, 50

- Fowler, Henry W.; Descriptions and figures of new fishes obtained in Philippine seas and adjacent waters by the United States Bureau of Fisheries Steamer "Albatross," 53-91
- fragilis*, Homolampas, 117
 Hypselaster, 122, 123
 Linopneustes, 114
 Palacopneustes, 114
- frigidus*, Drepanopsis, 226, 227
 Farrania, 226
- frontalis*, Lophothrix, 250, 251, 252
- fudsiyama*, Laganum, 106
- funebri*, Xenodermichthys, 53, 54 (fig.)
- furcata*, Catopia, 186
- furcatus*, Centropages, 186
 Clausocalanus, 190
 Drepanopus, 190
- furcifer*, Corycaeus, 193
- fusiforme*, *Roxasella*, 87, 88 (fig.)
- Gaetanus, 229, 233
 antarcticus, 229
 armiger, 229, 230
 caudani, 233
curvispinus, 229, 232, 351
 inermis, viii, 231
 kruppii, 231
 latifrons, 231
microcanthus, 231, 351
 miles, 150, 232
 minor, 233
 pileatus, 233
 reticornis, 233
 robustus, 230
- Gaidius, 233
 affinis, 233
 brevicaudatus, 234
 brevispinus, 234
 divaricata, 317
 minutus, 234
 pungens, 234
 tenuispinus, 234
- galeata*, Euchirella, 143, 221
- galeatus*, Scolecocalanus, 336
- gardineri*, Callionymus, 81
 Calliurichthys, 81
- Gaussia, 235
 princeps, 235, 263
- gemina*, Lucicutia, 255
- gemma*, Sapphirina, 320, 324
- Genocidaris, 42
 decipiens, 41
 monolini, 40
- gerlachei*, Metridia, viii, 264
- gibber*, Acrocalanus, 157
- gibbus*, Augaptilus, 205
- gibbosus*, Hemiaster, 120, 121
 Hemiaster expergitus, 120
- gibbula*, Farranula, 228
- gibbulus*, Corycaeus, 228
- gibbus*, Euaugaptilus, 205
- giesbrechti*, Aetideus, 203
 Arietellus, 167
 Corycaeus, 194
- giesbrechti*—Continued
 Euaetideus, 203
 Phyllopus, 143, 287
- glacialis*, Augaptilus, viii, 170
- globosa*, Pontellopsis, 307, 351
- globulus*, Mespilia, 47
- Gobitrichinotus*, 85
radiocularis, 85, 86 (fig.)
- Gonimaretia, 136
 tylota, 136
- Goniopsyllus rostratus, 190
gracile, Ocosia, 70, 71 (fig.)
- gracile*, Pleuromma, 289
- gracilis*, Pontella, 294, 351
- gracilis*, Acrocalanus, 148, 157
 Amallthrix, 161
 Antaria, 191
 Calanus, 269
 Carnegietta, ix (pt. 4)
 Centropages, 187
 Chiridius, 189
 Conaea, 191
 Corycaeus, 228
 Corynura, 346
 Cyclopsina, 187
 Euchaeta, 281
 Farranula, 228
 Macrosetella, 262
 Miracia, 269, 270
 Neocalanus, 269
 Oculosetella, 269
 Oncaea, 191
 Pareuchaeta, 281
 Pleuromamma, 289
 Scolecithricella, 161
 Setella, 262, 270
 Tortanus, 346
- gracilispinus*, *Rhomboserranus*, 59, 60 (fig.)
- grandicornis*, Euchirella, 223, 351
- grandiremis*, Euchaeta, 281
 Pareuchaeta, 143, 281
- grandis*, Leuckartia, 255
 Lucicutia, 255
- granulatum*, Chaetodiadema, 35
- granulosa*, Corina, 351
 Vettoria, 351
- gratilla*, Tripneustes, 48
- gratiosa*, Parasalenia, 49
- greeni*, Xanthocalanus, 351
- gregalis*, Lovenia, 137
- grimaldii*, Hemirhabdus, 238
 Heterochaeta, 238
- grubei*, Asthenosoma, 21, 23
- Gymnochinus, 42
 versicolor, 42
- Gymnopatagus, 134
 magnus, 134
 pulchellus, 130
 sewelli, 134
- Haloptilus, 235
 acutifrons, 235
 angusticeps, 235
 bulliceps, viii (pt. 4), 235
 chierchiac, 236

Haloptilus—Continued

- fons, 236
 longicornis, 236
 mucronatus, 236
 ornatus, 236
 oxycephalus, 237
 spiniceps, 237
 tenuis, 237
 validus, 237
hamata, Acartia, 152, 351
hamata, Ichthyophorba, 187
hamatus, Centropages, 187
hanseni, Euchaeta, 282
 Pareuchaeta, 282
Hapalosoma, 21
 pellucidum, 21
Harpacticus, 237, 345
 chelifer, 237
hastigera, Salenia, 24
 Salenocidaris, 24, 25
haswelli, Rhinophlethys, 73
hebes, Euchaeta, 212
hecticus, Augaptilus, 205
 Euaugaptilus, 205
helenae, Scottocalanus, 143, 338
 Undina, 338
helgae, Phyllopus, 288
helgolandicus, Calanus, 178
 Cetochilus, 178
Heliases, 78
Hemiasiter, 120
 expergitus, 120, 121
 expergitus gibbosus, 120
 gibbosus, 120, 121
Hemiasiteridae, 119
Hemicalanus, 187
 acutifrons, 235
 calaninus, 186
 chierchiaae, 236
 filigerus, 205
 longicaudatus, 170
 longicornis, 236
 mucronatus, 236
 ornatus, 236
 oxycephalus, 237
 spiniceps, 237
hemilepidota, Scorpaena, 68
Hemipedina indica, 38
Hemiphormosoma, 8
 paucispinum, 2, 8, 9 (fig.)
Hemirhabdus, 238
 grimaldii, 238
 latus, 238
hessei, Euchaeta, 226
Hessella cylindricum, 285
heteractis, Asthenosoma, 22, 23
Heteramella, 238
 dubia, 238
Heterocentrotus, 52
 mammillatus, 52
Heterochaeta, 239
 abyssalis, 239
 clausii, 239
 grimaldii, 238
 longicornis, 241
 major, 241

Heterochaeta—Continued

- norvegicus*, 240
 papilligera, 240
 spinifrons, 240
Heteroptilus, 238
 acutilobus, 238
 attenuatus, 239
Heterorhabdus, 239
 abyssalis, 239
 clausii, 239
 latus, 238
 norvegicus, 240
 papilliger, 240
 robustus, 240
 spinifrons, 240
Heterostylites, 241
 longicornis, 241
 major, 241
hirsutus, Plesiozonus, 118, 119
 Plexechinus, 111
hirtipes, Onchocalanus, 273
Hloectypoida, 94
Hmolampas, 117, 118
 fragilis, 117
 lovenioides, 117
hoplacantha, Echinostoma, 14
 Hygrosoma, 14, 17
 Phormosoma, 14
horridum, Plesiodiadema, 29
horridus, Augaptilus, 185
 Centraugaptilus, 185
humilifrons, Lophothrix, 143, 250
humilis, Clypeaster, 96
 Meijera, 113
 Phrissocystis, 113
Hyalophyllum vitreum, 192
Hygrosoma, 11, 14, 16
 hoplacantha, 14, 17
 luculentum, 2, 16, 17
hyperboreus, Calanus, 178
Hypselaster, 121
 affinis, 121
 brachypetalus, 123
 fragilis, 122, 123
Ichthyophorba hamata, 187
 violacea, 188
ijimai, Asthenosoma, 23
impar, Phyllopus, 288
incertus, Tigriopus, viii, 344
incisa, Euchaeta, 283
 Pareuchaeta, 283
indica, Caenopedina, 38
 Hemipedina, 38
indicum, Dermatodiadema, 28
 Phormosoma, 4, 7
 Plesiodiadema, 28
inermis, Gaetanus, viii, 251
 Spatangus, 131
Iniomi, 53
insignis, Ophiophaera, 32
 Valdiviella, 350
insolita, Labidocera, 245, 351
insolitus, Scaphocalanus, 327
intermedia, Euchirella, 225, 226
intestinata, Sapphirina, 320

invenusta, Amalothrix, 161, 351

Ipnoceps, 56

pristibrachium, 56, 57 (fig.)

Ipnopidae, 56

Ipnops, 56

murrayi, 56

iris, Sapphirina, 320

Isaster, 113

Isochaeta, 241

ovalis, 241

Isopatagus, 114

Obovatus, 93, 113

Isospondyli, 53

Ivellopsis, subg., 301

japonicus, Calliurichthys, 81

javanus, Microcyphus, 47

joanae, Macandrewella, 260

Jugulares, 53

Kamptosoma asterias, 8

Kamptosominae, 2

kellersi, *Parabelonichthys*, 57, 58 (fig.)

Keraiphorus maillardi, 27

Kleinia luzonica, 128

koehleri, Tromikosoma, 11

Kraemeria, 86

Kraemerinae, 85

krøyeri, Centropages, 187

Labidocera, 246

Pontella, 246

kruppii, Gaetanus, 231

Labidocera, 148, 241

acuta, 241

acutifrons, 242

agilis, 242

albatrossi, 243, 351

brunescens, 246

detruncata, 244, 246

euchaeta, 244

insolita, 245, 351

krøyeri, 246

laevidentata, 246

lubbockii, 246, 247

minuta, 247

minutum, 247

nerii, 248

orsinii, 248

pavo, 248

tenuicauda, 249, 351

wollastoni, 250

lactens, Sapphirina, 321

laevidentata, Labidocera, 246

Pontella, 246

Laganidae, 100

Laganum, 101, 103, 105

bonani, 103

conicum, 106

decagonale, 103

depressum, 101, 105

diploporum, 106

fudsiyama, 106

laganum, 103

lesueuri, 100

minutum, 102

Laganum—Continued

orbiculare, 102

rostratum, 100, 101

solidum, 106

subg., 101

laganum, Laganum, 103

laminata, Pontellopsis, 308, 351

latecarinatus, Brissus, 139

laticeps, Augaptilus, 205

Euaugateiceps, 205

latifrons, Gaetanus, 231

latipes, Lophothrix, 143, 251, 254

Scolecithrix, 251

latus, Corycaeus, 194

Hemirhabdus, 238

Heterorhabdus, 238

lautus, Corycaeus, 194

laxa, Acartia, 143, 153

Lepeophtheirus, 250

parviventria, 250

Lepicephalochromis, 78

cupreus, 78, 79 (fig.)

Lepidocentroida, 4

Leptoclypus, subg., 98

Leptoderma, 55

affinis, 55

macrops, 55

retropinna, 55 (fig.)

Leskia mirabilis, 112

lesueuri, Laganum, 100

Peronella, 100

Leuckartia, 199

clausii, 255

flavicornis, 255

grandis, 255

longicornis, 256

longiserrata, 256

scopularis, 198

leucopsis, Monstrilla, 267

limbatus, Corycaeus, 194

linearis, Oithona, 270

linea-thorax, Calliurichthys, 79 (fig.), 80

lineoscapularis, Pentapodus, 63, 64 (fig.)

Linopneustes, 114, 115, 116

fragilis, 114

murrayi, 114

spectabilis, 114, 115

lobata, Amalothrix, 162

Scolecithricella, 161

lobatus, Scolecocalanus, 336

lobiancoi, Pontella, 294, 302

Pontellina, 294

longa, Metridia, 264

longicaudatus, Augaptilus, 170

Hemicalanus, 170

longiceps, Peristedion, 74 (fig.)

longicollis, Coelopleurus, 27

longicornis, Acrocalanus, 157

Cyclops, 342

Euchaeta, 143, 212

Haloptilus, 236

Hemicalanus, 236

Heterochaeta, 241

Heterostylites, 241

Leuckartia, 256

Lucicutia, 256

- longicornis*—Continued
 Macrocalanus, 262
 Megacalanus, 262
 Temora, 342
longifurca, Sapphirina, 143, 321
longimana, Candace, 181
 Candacia, 181
longimanus, Augaptilus, 205
 Euaugaptilus, 205
longiremis, *Acartia*, 155
 Dias, 155
longiserrata, *Leuckartia*, 256
 Lucicutia, 256
longispinosa, *Monstrilla*, 197
longispinosum, *Cymbasoma*, 197
longispinus, *Scottocalanus*, 339
longistylis, *Corycaeus*, 195
longus, *Calanus*, 264
Lophobranchii, 53
Lophothrix, 250
 frontalis, 250, 251, 252
 humilifrons, 143, 250
 latipes, 143, 251, 254
 sarsi, 253, 351
loveni, *Palaeotrema*, 118
 Palaeotropus, 118
Lovenia, 118, 136
 doderleini, 138
 doderleini acuminata, 138
 elongata, 136
 gregalis, 137
 subcarinata, 136
 triforis, 137
lovenioides, *Homolampas*, 117
Lubbockia, 254
 aculeata, 254
 brevis, viii, 254
 squillamana, 254
lubbockii, *Corycaeus*, 195
 Labidocera, 246, 247
 Monops, 310
 Pontellopsis, 310
lucens, *Metridia*, 265
Lucicutia, 148, 254
 atlantica, 254
 clausii, 255
 curta, 255
 flavicornis, 255
 gemina, 255
 grandis, 255
 longicornis, 256
 longiserrata, 256
 lucida, 256
 macrocera, 256
 ovalis, 256
 simulans, 257
 tenuicauda, 257
lucida, *Lucicutia*, 256
luculentum, *Echinosoma*, 17
 Hygrosoma, 2, 16, 17
 Phorinosoma, 17
luzonica, *Brissopsis*, 94, 123, 124, 125,
 128
 Kleinia, 128
Lycenchelys, 89
 poccilimon, 90
- Lycenchelys*—Continued
 spilotus, 89 (fig.)
lymani, *Eupatagus*, 130
Lytechinus rufus, 42
- Macandrewella*, 257
 agassizi, 257, 351
 chelipes, 143, 259
 joanae, 260
 sewelli, 143, 260
macrobrachium, *Schistoperca*, 61, 62 (fig.)
Macrocalanus longicornis, 262
 macrocera, *Lucicutia*, 256
 macroductyla, *Chiridiella*, 188
 macronesius, *Pericosmus*, 94
 macroproctes, *Peronella*, 102
 macrops, *Leptoderma*, 55
Macrosetella, 262
 gracilis, 262
 oculata, 270
macrura, *Metridia*, viii, 265
maculatum, *Temnotrema*, 46
maculatus, *Coelopleurus*, 26, 27
maculosa, *Metalia*, 139
magna, *Amalophora*, 328
magnus, *Augaptilus*, 206
 Euaugaptilus, 206
 Gymnopatagus, 134
 Scaphocalanus, 328
 Spinocalanus, 341
maillardi, *Coelopleurus*, 26, 27
 Keraiochorus, 27
major, *Heterochaeta*, 241
 Heterostylites, 241
 Undeuchaeta, 347
mammillatus, *Heterocentrus*, 52
Marettia, 131
 alta, 135
 cordata, 132
 ovata, 131, 132
 planulata, 131, 133
marina, *Euchaeta*, 148, 149, 214
mathaei, *Echinometra*, 51
maxima, *Disseta*, viii, 198
 Euchirella, 225
maximus, *Pseudanthessius*, 316
meadii, *Pontella*, 295
Mecynocera, 262
 clausi, 262
 media, *Amalophora*, 328
 Euchaeta, 143, 214
 medius, *Scaphocalanus*, 143, 328
Megacalanus, 262
 longicornis, 262
 princeps, 262
megalurus, *Augaptilus*, 171
Meijerea exentrica, 113
 humilis, 113
melanostomus, *Pericosmus*, 94, 119
Mesorhabdus, 263
 angustus, 263
Mespilia, 47
 globulus, 47
messinensis, *Euchirella*, 221, 223, 225
Metalia, 139
 maculosa, 139

- Metalia—Continued
 spatagus, 139
 sternalis, 139
 metallina, Sapphirina, 322
 Metridia, 148, 263
 atra, 263
 boeckii, 263
 brevicauda, 264
 curticauda, 264
 gerlachei, viii, 264
 longa, 264
 lucens, 265
 macrura, viii, 265
 princeps, 265
 venusta, 265
 Micraster, 113
 Micrasteridae, 93, 113
microcanthus, Gaetanus, 231, 351
Microcyphus, 46, 47
 eccentricus, 1, 46
 javanus, 47
 sp., 47
micropetala, Brissopsis, 124
Micropyga, 29
 tuberculata, 29, 33, 35
 violacea, 32
 Micropygidae, 1, 29
Microsetella, 266
 norvegica, 266
 rosea, 266
miles, Gaetanus, 150, 232
 Minoinae, 68
minor, Bathypontia, 171
 Calanopia, 175
 Cetochilus, 268
 Gaetanus, 233
 Mormonilla, 268
 Nannocalanus, 268
 Scolecithricella, viii (pt. 4), 334
 Scolecithrix, 334
Minous monodactylus, 70
minuta, Labidocera, 247
 Oncaca, 272
 Peronella, 102
minutipalpus, Enterohalacarus, 28
minutum, Labidocera, 247
 Laganum, 102
minutus, Gaidius, 234
 Pseudocalanus, 316
mirabile, Palaeostoma, 112
mirabilis, Caenopedina, 38
 Copilia, 191
 Leskia, 112
 Palaeostoma, 112
Miracia, 266
 efferata, 266
 gracilis, 269, 270
 molaris, Echinostrephus, 50
 momachus, Acrocalanus, 158
 Monacanthidae, 90
monachus, Eucalanus, 209
Monacilla, 266, 267
 dubia, 266, 267
 semispina, 266
 tenera, 267
 typica, 267
Monoculus finmarchicus, 177
monodactylus, Minous, 70
monolini, Genocidaris, 40
 Orechinus, 40
 Trigonocidaris, 40
Monops armatus, 304
 brevis, 306
 lubbockii, 310
Monstrilla, 197, 267
Monstrilla, clavata, 267
 leucopsis, 267
 longispinosa, 197
 serricornis, 268
Monstrilloida, 197
Mormonilla, 268
 minor, 268
 phasma, 268
 Mortensen, Theodor; Report on the Echinoidea collected by the United States Fisheries Steamer "Albatross" during the Philippine Expedition, 1907-1910. Part 2: The Echinothuridae, Saleniidae, Arbaciidae, Aspidodiademataidae, Micropygidae, Diademataidae, Pedinidae, Temnopleuridae, Toxopneustidae, and Echinometridae, 1-52
 Mortensen, Theodor; Report on the Echinoidea collected by the United States Fisheries Steamer "Albatross" during the Philippine Expedition, 1907-1910. Part 3: The Echinoneidae, Echinolampadidae, Clypeastridae, Arachnoididae, Laganidae, Fibulariidae, Urechinidae, Echinocorythidae, Palaeostomatidae, Micrasteridae, Palaeopneustidae, Hemiasteridae, and Spatangidae, 93-140
Mucronalia sp., 36
 Aegisthus, 158
 Eucalanus, 209
 Haloptilus, 236
 Hemicalanus, 236
murrayana, Conolampas, 96
murrayi, Ipnops, 56
 Linopneustes, 114
 Nogagus, 201
 Paleopneustes, 114
 Tortanus, 346
muticus, Eucalanus, 209, 351
muticus, Phyllopus, 289
 Pontoptilus, 314
nana, Oithona, 271
 Oithonina, 271
Nannocalanus, 268
 minor, 268
nanus, Paracalanus, 275
nasutus, Rhincalanus, 318
 negligens, Acartia, 155
Neocalanus, 269
 gracilis, 269
 robustior, 269
 tenuicornis, 269

- nerii, Labidocera, 248
 Pontia, 248
 niger, Tetrapygus, 3
 nigromaculata, Sapphirina, 322, 323
 nodifrons, Augaptilus, 206
 Euaugaptilus, 206
 Nogagus, 201
 murrayi, 201
 nordenskjoldi, Plectechinus, 111
 norvegica, Candace, 181
 Candacia, 181
 Euchaeta, 283
 Microsetella, 266
 Pareuchaeta, 283
 Setella, 266
 norvegicus, Heterochaeta, 240
 Heterorhabdus, 240
 notopa, Oncaea, 272
 nudum, Araeosoma owstoni, 20
 obliqua, Brissopsis, 125
 oblonga, Echinometra, 52
 Farrania, viii (pt. 4), 226, 227
 oblongus, Augaptilus, 206
 Euaugaptilus, 206
 obovatus, Isopatagus, 93, 113
 obtusa, Pseudochirella, 317
 Undeuchaeta, 317
 obtusifrons, Amalophora, 162
 Amalothrix, 162, 35
 Chiridius, 189
 oculosa, Salenocidaris profundi, 24
 Ocosia, 70
 gracile, 70, 71 (fig.)
 vespa, 71
 oculata, Macrosetella, 270
 Setella, 270
 Oculosetella, 269, 270
 gracilis, 269
 Oithona, 270
 linearis, 270
 nana, 271
 plumifera, 270
 robusta, 270
 similis, 271
 spinirostris, 271
 Oithonina, 271
 nana, 271
 oldhami, Brissopsis, 126, 128, 129
 Oncaea, 148, 271
 conifera, 271
 gracilis, 191
 minuta, 272
 notopa, 272
 ornata, 272
 similis, 272
 venusta, 273
 Onchocalanus, 273
 affinis, 273
 cristatus, 273
 hirtipes, 273
 steuceri, 274
 trigoniceps, 274
 opalina, Sapphirina, 323
 Ophiosphaera insignis, 32
 sp., 32, 49
 Oplichthyidae, 72
 Orcehinus, 40
 monolini, 40
 orbiculare, Laganum, 102
 orbicularis, Peronella, 102
 ornata, Anomalocera, 163
 Oncaea, 272
 ornatus, Haloptilus, 236
 Hemicalanus, 236
 orsinii, Centropages, 187
 Labidocera, 248
 Osorioia, subg., 68
 ovalis, Eurypatagus, 134
 ovalis, Corycaeus, 195
 Isochaeta, 241
 Lucicutia, 256
 ovata, Marettia, 131, 132
 Scolecithricella, 334
 Scolecithrix, 334
 ovato-lanceolata, Sapphirina, 323
 ovatus, Spatangus, 132
 ovulum, Fibularia, 108
 owstoni, Araeosoma, 20, 21
 Oxyecalanus, 267
 semispinus, 266, 267
 oxycephalus, Haloptilus, 237
 Hemicalanus, 237
 Pachos, 274
 punctatum, 274
 pachydactyla, Candace, 182
 Candacia, 182
 Pachyptilus, 274
 abbreviatus, 274
 eurygnathus, 274
 pacificus, Dysgamus, 201, 351
 Pseudanthessius, 315, 351
 pacificus, Corycaeus, 195
 Palacopneustes, 115
 cristatus, 115
 fragilis, 114
 spectabilis, 115
 Palacopneustidae, 113
 Palaeostoma, 112
 mirabile, 112
 mirabilis, 112
 Palaeostomatidae, 112
 Palaeotrema, 118
 loveni, 118
 Palaeotropus loveni, 118
 Paleopneustes murrayi, 114
 palescens, Temnotrema, 46
 pallidus, Spatangus, 131
 Synchiropus, 82
 palumbii, Augaptilus, 207
 Disseta, 198
 palumboi, Disseta, 198, 199
 papilliger, Heterorhabdus, 240
 papilligera, Heterochaeta, 240
 Parabelonichthys, 57
 kellersi, 57, 58 (fig.)
 Paracalanus, 275
 aculeatus, 275
 nanus, 275
 parvus, 275
 parallela, Brissopsis, 125

- Paraminous*, 68
quincarinatus, 68, 69 (fig.)
Paramonacanthus cryptodon, 91
Paraphormosoma, 9
alternans, 2, 9
Parasalenia, 49
gratiosa, 49
poehli, 49
pohlii, 49
Paraugaptilus, 275
buchani, 275
Pareuchaeta, 276
barbata, 276
bisinuata, 276
bradyi, 277
californica, 143, 277
erebi, 143, 279
exigua, viii (pt. 4), 280
gracilis, 281
grandiremis, 143, 281
hansenii, 282
incisa, 283
norvegica, 283
rasa, 143, 283
sarsi, 284
scotti, 284
tonsa, 284
tumidula, 285
Paroithona, 285
parvula, 285
parvungulatum, *Araeosoma*, 20
parviventris, *Lepeophtheirus*, 250
parvula, *Paroithona*, 285
parvus, *Calanus*, 275
Paracalanus, 275
pateriformis, *Clypeaster*, 99
pateronii, *Anomalocera*, 149, 164, 165
paucispinum, *Hemiphormosoma*, 2, 8,
 9 (fig.)
paucituberculatus, *Spatangus*, 131
pauper, *Calanus*, 184
Canthocalanus, 184
pavo, *Calanus*, 179
Calocalanus, 179
Labidocera, 248
pavoninus, *Arietellus*, 167
pectoralis, *Acanthoplichthys*, 72, 73 (fig.)
Pedinidae, 1, 38
pellucida, *Peronella*, 101
pellucidum, *Araeosoma*, 21
Asthenosoma, 21
Hapalosoma, 21
peltata, *Amenophia*, 163
Pennella, 146, 285
sp., 285
Pentapodus, 63
lineoscapularis, 63, 64 (fig.)
Percomorphi, 53
Pericosmus, 94, 119
akabanus, 94
macronesius, 94
melanostomus, 94, 119
Peristediidae, 74
Peristediinae, 74
Peristedion, 74
longiceps, 74 (fig.)
Peronella, 100, 105
decagonalis, 100
lesueuri, 100
macroproctes, 102
minuta, 102
orbicularis, 102
orbicularis concava, 102
pellucida, 101
rostrata, 100
subg., 103
perplexus, *Stephos*, 341, 351
persecans, *Scolecithrix*, 340
Scottocalanus, 339, 340
perspicax, *Pontella*, 310
Pontellina, 310
Pontellopsis, 310
Phaenna, 285
spinifera, 285
phasma, *Mormonilla*, 268
Phormosoma, 2, 4, 8, 10
adenicum, 7, 8
alternans, 9
bursarium, 2, 4, 8
hoplacantha, 14
indicum, 4, 7
luculentum, 17
tenue, 10
verticillatum, 7
phormosomae, *Dichelina*, 8
Phormosominae, 2, 4
Phrissoecystis, *humilis*, 113
Phyllopus, 286
aequalis, 143, 286, 288
bidentatus, 287
giesbrechti, 143, 287
helgae, 288
impar, 288
muticus, 289
pecta, *Echinometra*, 51
pileatus, *Eucalanus*, 211
Gaetanus, 233
pileolus, *Toxopneustes*, 48
pinguis, *Xanthocalanus*, 351
piseki, *Pleuromamma*, 289
placenta, *Arachnoides*, 100
planulata, *Marettia*, 131, 133
platophrys, *Rhinhoplichthys*, 73
Platybrissus, 134
Plectognathi, 53
Plesiodiadema, 28
amphigymnum, 28
horridum, 29
indicum, 28
Plesiozonus, 94, 118, 119
diomedaeae, 118
hirsutus, 118, 119
Pleurechinus bothryoides, 46
reticulatus, 46
scillae, 46
siamensis, 45
siamensis pulchellus, 45
Pleuromamma, 289
abdominalis, 289
borealis, 289
gracilis, 289
piseki, 289

- Pleuromamma**—Continued
quadrungulata, 290
robusta, 290
xiphias, 290
Pleuromma borealis, 289
gracile, 289
princeps, 235
quadrungulata, 290
robustum, 290
xiphias, 290
Plexechinus, 110, 111
cinctus, 111
hirsutus, 111
nordenskjoldi, 111
spectabilis, 110
plumata, Pontella, 303
 Pontellina, 303
plumifer, Arietellus, 168
plumifera, Oithona, 270
plumosa, Undeuchaeta, 348
Undina, 348
Podocidaris prionigera, 25
poecilimon, Lycenchelys, 90
poehli, Parasalenia, 49
pohlii, Parasalenia, 49
polyactis, Cirrhitichthys, 66
Pomacentridae, 77
pomacentroides, Dascyllus, 77, 78
Pomacentrus, 78
Serrichromis, 78
Pomacentrus pomacentroides, 78
Pontella, 176, 177, 185, 290, 301, 309, 312, 314
acuta, 241
acutifrons, 242
agilis, 242
atlantica, 290
brachiata, 185
cerami, viii (pt. 4), 291
chierchiai, 291
danae, 292
denticauda, 292
detruncata, 244
diagonalis, 292, 351
elliptica, 175
fera, 293, 301
forficula, 303
gracilis, 294, 351
krøyeri, 246
laevidentata, 246
lobiancoi, 294, 302
meadii, 295
perspicax, 310
plumata, 303
princeps, 295
pulvinata, 295, 351
regalis, 310
securifer, 297
strenua, 312
surrecta, 299, 351
tenuiremis, 300
valida, 301
wollastoni, 250
Pontellidae, 301
Pontellina, 303, 312
acuta, 241
Pontellina—Continued
acutifrons, 242
agilis, 242
detruncata, 244
lobiancoi, 294
perspicax, 310
plumata, 303
regalis, 310
strenua, 312
Pontellopsis, 148, 303, 309, 312, 314
albatrossi, 303, 351
armata, 304
bitumida, viii (pt. 4), 305, 312, 351
brevis, 306
digitata, 306, 351
globosa, 307, 351
laminata, 308, 351
lubbockii, 310
perspicax, 310
regalis, 310, 314
sinuata, 311
strenua, 312, 314
villosa, 314
Pontia atlantica, 290
nerii, 248
Pontoptilus, 314
abbreviatus, 274
acutibobus, 238
attenuatus, 239
muticus, 314
Pourtalesia, 94
princeps, Calanus, 262
Gaussia, 235, 263
Megacalanus, 262
Metridia, 261
Pleuroma, 235
Pontella, 295
Prionechinus, 39, 40
forbesianus, 39
sagittiger, 40
prionigera, Podocidaris, 25
Pygmacocidaris, 25
pristibrachium, Ipruceps, 56, 57 (fig.)
profundi, Salemocidaris, 24, 25
propinqua, Amalothrix, 162
Scolecithricella, 162
provetus, Echinocyamus, 107
Psammecinus rufus, 42
Pseudanthessius, 315
maximus, 316
pacificus, 315, 351
Pseudeuchaeta, 316
brevicauda, 316
Pseudocalanus, 316
armatus, 159, 172, 173
elongatus, 317
minutus, 316
Pseudochirella, 317
divaricata, viii, 317
obtusa, 317
scopularis, 317
Pseudomarettia, 135, 136
alta, 135
tylota, 135
subg., 135

- Pseudophaenna*, 318
 typica, 318
Pteropsaridae, 87
pubera, *Euchaeta*, 143, 215
pulchellum, *Temnotrema*, 45
pulchellus, *Gymnopatagus*, 130
 Pleurechinus siamensis, 45
pulchra, *Euchirella*, 225
 Undina, 225
pulvinata, *Pontella*, 295, 351
pumilus, *Corycaeus*, 195
punctatum, *Pachos*, 274
pungens, *Gaidius*, 234
pusillus, *Echinozamus*, 103
Pygmaeocidaris, 25
 prionigera, 25
pyrosomatis, *Sapphirina*, 323

quadrata, *Copilia*, 191
quadrungulata, *Pleuromma*, 290
 Pleuromamma, 290
quincarinatus, *Paraminous*, 68, 69 (fig.)

radiata, *Astropyga*, 33
radiocularis, *Gobitrichinotus*, 85, 86 (fig.)
rapax, *Caligus*, 179
 Conaea, 191
rarispinga, *Salmacis bicolor*, 43
rasa, *Pareuchaeta*, 143, 283
Ratania, 318
 flava, viii (pt. 4), 318
rattrayi, *Augaptilus*, 185
 Centraugaptilus, 185
recticauda, *Corynura*, 347
 Tortanus, viii (pt. 4), 347
recticornis, *Gaetanus*, 233
reevesii, *Temnopleurus*, 41, 42
refulgens, *Cephalophanes*, 188
regalis, *Pontella*, 310
 Pontellina, 310
 Pontellopsis, 310, 314
relictus, *Stereopneustes*, 93, 111
reticulatum, *Temnotrema*, 46
reticulatus, *Clypeaster*, 97
 Pleurechinus, 46
retropinna, *Leptoderma*, 55 (fig.)
retrospinis, *Stephanolepis*, 90 (fig.)
Rhaphidoclypus, subg., 97, 98
Rhincalanus, 165, 318
 aculeatus, 165
 cornutus, 318
 nasutus, 318
Rhinoplichthys haswelli, 73
 platophrys, 73
Rhomboserranus, 59
 gracilispinis, 59, 60 (fig.)
richardi, *Bathycalanus*, 171
rigidum, *Cymbasoma*, 197
rigidus, *Augaptilus*, 207
 Euaugaptilus, viii (pt. 4), 207
Robertsonia, 319
 tenuis, 319
robusta, *Amalophora*, 330
 Oithona, 270
 Pleuromamma, 290

robustior, *Calanus*, 269
 Neocalanus, 269
robustum, *Pleuromma*, 290
robustus, *Corycaeus*, 196
 Gaetanus, 230
 Heterorhabdus, 240
 Scaphocalanus, viii (pt. 4), 330
rosaceus, *Clypeaster*, 97
rosea, *Microsetella*, 266
roseus, *Canthocamptus*, 266
rostrata, *Clytemnestra*, 190
 Euchirella, 226
 Farranula, 228
 Peronella, 100
 Undina, 226
rostratum, *Laganum*, 100, 101
rostratus, *Corycaeus*, 228
 Goniopsyllus, 190
Roxasella, 87
 fusiforme, 87, 88 (fig.)
rubellus, *Eupatagus*, 129
rufa, *Salmacis*, 42
rufus, *Desmechinus*, 42
 Lytechinus, 42
 Psammechinus, 42
rugosum, *Acanthostedion*, 75, 76 (fig.)

sagittiger, *Prionechinus*, 40
Salenia hastigera, 24
Saleniidae, 1, 24
Salenocidaris, 24
 hastigera, 24, 25
 hastigera acuminata, 24
 profundi, 24, 25
 profundi ocellusa, 24
sali, *Sapphirina*, 323
Salmacis, 43
 bicolor, 43, 44
 bicolor rarispinga, 43
 dussumieri, 45
 rufa, 42
 sphaeroides, 44
 virgulata, 44
 virgulata typica, 44
Salpa sp., 321
salpae, *Sapphirina*, 324
Sapphirina, 148, 319
 angusta, 319
 auronitens, 319
 bicuspidata, 320
 gemma, 320, 324
 intestinata, 320
 iris, 320
 lactens, 321
 longifurca, 143, 321
 metallina, 322
 nigromaculata, 322, 323
 opalina, 323
 ovato-lanceolata, 323
 pyrosomatis, 323
 sali, 323
 salpae, 324
 scarlata, 324
 sinuicauda, viii
 stellata, 324

- sarsi*, Calanopia, 175, 351
 Lophothrix, 253, 351
sarsi, Euchaeta, 284
 Pareuchaeta, 284
savignyi, Diadema, 37
saxatile, Diadema, 36
scaber, Echinocyamus, 107
Scalpellum sp., 16
Scaphocalanus, 324
 affinis, 324, 325, 329
 angulifrons, viii (pt. 4), 143, 325
 brevicornis, 326
 echinatus, 143, 326
 insolitus, 327
 magnus, 328
 medius, 143, 328
 robustus, viii (pt. 4), 330
 subbrevicornis, 331
scarlata, Sapphirina, 324
Schistoperca, 61
 macrobrachium, 61, 62 (fig.)
Schistopercinae, 61
scillae, Pleurechinus, 46
Scolecithricella, 159, 331, 334
 abyssalis, 331
 arcuata, 159
 auropecten, 143, 332, 334
 bradyi, 333
 curticauda, 160
 dentata, 143, 333
 gracilis, 161
 lobata, 161
 minor, viii (pt. 4), 334
 ovata, 334
 propinqua, 162
 tydemani, 335
 vittata, 335
Scolecithrix, 192, 252, 334, 335
 abyssalis, 331
 acutus, 252
 auropecten, 332
 bradyi, 333
 brevicornis, 326
 chelifer, 192
 chelipes, 259
 danae, 335
 dentata, 333
 echinata, 326
 emarginata, 160
 falcifer, 160
 latipes, 251
 minor, 335
 ovata, 334
 persicans, 340
 securifrons, 340
 vittata, 335
Scolecocalanus, 336
 galeatus, 336
 lobatus, 336
 spinifer, 336, 351
scopularis, Disseta, 143, 198
 Leuckartia, 198
 Pseudochirella, 317
 Undeuchaeta, 317
Scorpaena, 66
 hemilepidota, 68
Scorpaena—Continued
 taeniophrys, 66, 67 (fig.)
Scorpaenidae, 66
Scorpaeninae, 66
scotti, Euchaeta, 284
 Pareuchaeta, 284
Scottocalanus, 259, 337
 farrani, 337
 helenae, 143, 338
 longispinus, 339
 persecans, 339, 340
 securifrons, 340
 setosus, 340
 thomasi, 340
 thorii, 339
scutellata, Clytemnestra, 190
scutiformis, Clypeaster, 97
securifer, Pontella, 297
securifrons, Scolecithrix, 340
 Scottocalanus, 340
Selenechinus, 50
 armatus, 50
semispina, Monacilla, 266
semispinus, Oxycalanus, 266, 267
Serranidae, 59
Serrichromis, 77
 pomacentroides, 78
serricornis, Monstrilla, 268
Setella, 270
 gracilis, 262, 270
 norvegica, 266
 oculata, 270
Setellidae, 270
 setosum, Diadema, 36
 setosus, Arietellus, 165, 168
 Scottocalanus, 340
sewelli, Gymnopatagus, 134
 Macandrewella, 143, 260
siamense, Temnotrema, 45, 46
siamensis, Pleurechinus, 45
 Temnotrema, 45
sigsbei, Conolampus, 96
similis, Brissopsis, 123, 129
similis, Bradyidius, 173
 Oithona, 271
 Oncaea, 272
 Undinopsis, 173
simplex, Arietellus, 168
 Candace, 182
 Candacia, 182
simulans, Lucicutia, 257
sinuata, Pontellopsis, 311
sinuicauda, Sapphirina, viii (pt. 4)
solidum, Laganum, 106
Sparidae, 63
spatagus, Metalia, 139
Spatangidae, 123
Spatangoida, 110
Spatangus, 130, 131
 brissoides, 132
 inermis, 131
 ovatus, 132
 pallidus, 131
 paucituberculatus, 131
 sp., 130
speciosus, Corycaeus, 196

- spectabilis*, *Plexechinus*, 110
spectabilis, *Linopneustes*, 114, 115
 Palaeopneustes, 115
Sperosoma, 11, 12
 crassispinum, 11 (fig.)
 durum, 12, 13
 tristichum, 12
 sp., 1, 12, 13 (fig.)
sphaeroides, *Salmacis*, 44
spilotus, *Lycenchelys*, 89 (fig.)
spiniceps, *Haloptilus*, 237
 Hemicalanus, 237
spinifer, *Scolecalanus*, 336, 351
spinifera, *Phaenna*, 285
spinifrons, *Heterochaeta*, 240
 Heterorhabdus, 240
spirostris, *Oithona*, 271
Spinocalanus, 341
 abyssalis, 341
 magnus, 341
spinosa, *Euchaeta*, 217
spinulosus, *Aegisthus*, 158
squamatus, *Augaptilus*, 207
 Euaugaptilus, 207
squamilaterus, *Xenodermichthys*, 55
squillamana, *Lubbockia*, 254
stellata, *Sapphirina*, 324
Stephanolepis, 90
 cryptodon, 91
 retrospinis, 90 (fig.)
Stephos, 341, 342
 perplexus, 341, 351
Stereopneustes, 111
 relictus, 93, 111
sternalis, *Metalia*, 139
steueri, *Onchocalanus*, 274
stigma, *Cyprinocirrhites*, 65 (fig.)
Stirodonta, 24
Stolonoclyptus, subg., 96, 97
streetsi, *Chirundina*, 189
strenua, *Pontella*, 312
 Pontellina, 312
 Pontellopsis, 312, 314
stylifer, *Calanus*, 343
stylifera, *Temora*, 343
styliremis, *Calocalamus*, 180
subbrevicornis, *Amalophora*, 331
 Scaphocalanus, 331
subcarinata, *Lovenia*, 136
subcrassus, *Eucalanus*, 211
subtenuis, *Eucalanus*, 211
subtilis, *Corycaeus*, 196
surrecta, *Pontella*, 299, 351
Synchiropus, 81
 delandi, 81, 82 (fig.)
 pallidus, 82
Syngnathidae, 57

taeniophrys, *Scorpaena*, 69, 67 (fig.)
telurus, *Clypeaster*, 99
Temnopleuridae, 1, 39
Temnopleurus, 41
 decipiens, 41
 reevesii, 41, 42
Temnotrema, 45
 maculatum, 46

Temnotrema—Continued
 palescens, 46
 pulchellum, 45
 reticulatum, 46
 siamense, 45, 46
 siamensis, 45
Temora, 342
 discaudata, 342
 longicornis, 342
 stylifera, 343
 turbinata, 343
Temorites, 343
 brevis, 343
tenera, *Monacilla*, 267
tenuis, *Echinosa*, 10
 Phormosoma, 10
 Tromikosoma, 10
tenuicauda, *Labidocera*, 249, 351
tenuicauda, *Lucicutia*, 257
tenuicornis, *Calanus*, 269
 Neocalanus, 269
tenuimana, *Candace*, 182
 Candacia, 182
tenuiremis, *Pontella*, 300
tenuis, *Ectinosoma*, 319
 Haloptilus, 237
 Robertsonia, 319
tenuispinus, *Chiridius*, 234
 Gaidius, 234
tessellatum, *Araeosoma*, 18, 19
 Asthenosoma, 18
Tetrapygus, 3
 niger, 3
thomasi, *Scottocalanus*, 340
thompsoni, *Calanopia*, 176
thorii, *Scottocalanus*, 339
thymni, *Caligus*, 179
Tiarechinus, 26
Tigriopus, 344, 345
 incertus, viii (pt. 4), 344
tonsa, *Euchaeta*, 284
 Pareuchaeta, 284
tonsum, *Aspidodiadema*, 29
tonsus, *Calanus*, 178
Tortanus, 345
 barbatus, 345
 discaudatus, 345
 forcipatus, 345
 gracilis, 346
 murrayi, 346
 recticauda, viii (pt. 4), 347
Toxopneustes, 48
 pileolus, 48
Toxopneustidae, 1, 48
Trichinotidae, 85
triforis, *Lovenia*, 137
trigona, *Fibularia*, 109
 Fibularia ovulum, 109
trigoniceps, *Onchocalanus*, 274
Trigonocidaris monolini, 40
tripartitus, *Arietellus*, 169, 351
Tripaneustes, 48
 gratilla, 48
tristichum, *Sperosoma*, 12

- Tromikosoma, 10, 17
 koehleri, 11
 tenue, 10
 tuberculata, Micropyga, 29, 33, 35
 tumida, Acartia, viii (pt. 4), 143, 155
 tumidula, Euchaeta, 285
 Pareuchaeta, 285
 turbinata, Temora, 343
 turbinatus, Calanus, 343
 turgida, Candacia, 183, 351
 tydemani, Scolecithricella, 335
 tylota, Gonimaretia, 136
 Pseudomaretia, 135
 typica, Amalophora, 159, 352
 Monacilla, 267
 Pseudophaenna, 318
 Salmacis virgulata, 44
 typicus, Agetus, 196
 Centropages, 188
 Corycaeus, 196

 ui, Cyprinocirrhites, 66
 Undeuchaeta, 347
 major, 347
 obtusa, 172
 plumosa, 348
 scopularis, 317
 Undina, 338
 danae, 335
 darwinii, 349
 helenae, 338
 plumosa, 348
 pulchra, 225
 rostrata, 226
 vulgaris, 350
 Undinopsis, 172
 armatus, 173
 bradyi, 172, 173
 similis, 173
 Undinula, 148, 348
 caroli, 348
 darwinii, 349
 vulgaris, 148, 149, 350
 Urechinidae, 110
 urens, Asthenosoma, 22, 23

 Valdiviella, 350
 insignis, 350
 valida, Pontella, 301
 validus, Haloptilus, 237

 varicans, Candace, 184
 Candacia, 184
 varium, Asthenosoma, 21
 venusta, Euchirella, 226
 Metridia, 265
 Oncaea, 273
 versicolor, Desmechinus, 42, 43
 Gymnechinus, 42
 verticillatum, Phormosoma, 7
 vespa, Ocosia, 71
 Vettoria, 351
 granulosa, 351
 villosa, Pontellopsis, 314
 violacea, Ichthyophorba, 188
 Micropyga, 32
 violaceus, Centropages, 188
 virescens, Clypeaster, 97
 virgulata, Salmacis, 44
 vitrea, Copilia, 192
 vitreum, Hyalophyllum, 192
 vitreus, Argopatagus, 113, 116
 Corycaeus, 197
 vittata, Scolecithricella, 335
 Scolecithrix, 335
 vorax, Champsodon, 84
 vulgaris, Dactylopusia, 198
 Undina, 350
 Undinula, 148, 149, 350

 Wilson, Charles Branch; Copepods
 gathered by the United States
 Fisheries Steamer "Albatross"
 from 1887 to 1909, chiefly in the
 Pacific Ocean, 141-441
 wolfendeni, Euchaeta, 217
 wollastoni, Labidocera, 250
 Pontella, 250

 Xanthocalanus, 351
 cristatus, 273
 greeni, 351
 pinguis, 351
 Xenodermichthys, 53
 funebriis, 53, 54 (fig.)
 squamilaterus, 55
 subg., 53
 xiphias, Pleuromamma, 290
 Pleuromma, 290

 zelandiae, Arachnoides, 100
 Zoarcidae, 89