

SMITHSONIAN MISCELLANEOUS COLLECTIONS.

659

THE CONSTANTS OF NATURE.

PART I.


A TABLE OF SPECIFIC GRAVITY FOR SOLIDS
AND LIQUIDS.

[NEW EDITION. REVISED AND ENLARGED.]

BY

FRANK WIGGLESWORTH CLARKE,

Chief Chemist U. S. Geological Survey.



WASHINGTON:
PUBLISHED BY THE SMITHSONIAN INSTITUTION.
1888.

PRINTED AND STEREOTYPED BY

JUDD & DETWEILER,

AT WASHINGTON, D. C.

TABLE OF CONTENTS.

	Page.
INTRODUCTION	vii
EXPLANATORY NOTES	ix
I. Elements	1
II. Inorganic fluorides	16
III. Inorganic chlorides	19
1st. Simple chlorides	19
2d. Double chlorides	27
3d. Oxy- and sulpho-chlorides	29
IV. Inorganic bromides	31
1st. Simple bromides	31
2d. Double, oxy-, and sulpho-bromides	33
V. Inorganic iodides	34
1st. Simple iodides	34
2d. Double and oxy-iodides	36
VI. Chlorobromides, chloriodides, and bromiodides	37
VII. Ammonio-chlorides, ammonio-bromides, and ammonio-iodides	38
VIII. Inorganic oxides	39
1st. Simple oxides	39
2d. Double and triple oxides	55
IX. Inorganic sulphides	56
1st. Simple sulphides	56
2d. Sulpho-salts of arsenic, antimony, and bismuth	61
3d. Miscellaneous double and oxy-sulphides	64
X. Selenides	65
XI. Tellurides	66
XII. Phosphides	66
XIII. Arsenides	67
XIV. Antimonides	68
XV. Sulphides with arsenides or antimonides	69
XVI. Hydrides, borides, carbides, silicides, and nitrides	69
XVII. Hydroxides	70
XVIII. Chlorates and perchlorates	72
XIX. Bromates	73
XX. Iodates and periodates	74
XXI. Thiosulphates (hyposulphites), sulphites, and dithionates	74
XXII. Sulphates	75
1st. Simple sulphates	75
2d. Double and triple sulphates	88
3d. Basic and ammonio-sulphates	96
XXIII. Selenites and selenates	98
XXIV. Tellurates	102

	Page.
XXV. Chromates	102
XXVI. Manganites, manganates, and permanganates	105
XXVII. Molybdates	105
XXVIII. Tungstates	106
XXIX. Borates	107
XXX. Nitrates	108
1st. Simple nitrates	108
2d. Basic and ammonio-nitrates	112
XXXI. Hypophosphites and phosphites	113
XXXII. Hypophosphates	113
XXXIII. Phosphates	114
1st. Normal orthophosphates	114
2d. Basic orthophosphates	117
3d. Meta- and pyro-phosphates	118
XXXIV. Vanadates	120
XXXV. Arsenites and arsenates	121
1st. Normal orthoarsenates	121
2d. Basic orthoarsenates	122
3d. Pyroarsenates and arsenites	123
XXXVI. Phosphates, vanadates, and arsenates, combined with haloids	124
XXXVII. Antimonites and antimonates	125
XXXVIII. Columbates and tantalates	125
XXXIX. Carbonates	126
1st. Simple carbonates	126
2d. Double carbonates	129
3d. Basic carbonates	130
XL. Silicates	131
1st. Silicates containing but one metal	131
2d. Silicates containing more than one metal	134
3d. Boro-, fluo-, and other mixed silicates	140
XLI. Titanates and stannates	141
XLII. Cyanogen compounds	142
1st. General division	142
2d. Cyanides, cyanates, and sulphocyanates	143
XLIII. Miscellaneous inorganic compounds	144
XLIV. Alloys	145
XLV. Hydrocarbons	157
1st. Paraffins	157
2d. Olefines	164
3d. Acetylene series	167
4th. Benzene series	169
5th. Miscellaneous aromatic hydrocarbons	176
6th. Terpenes	179
7th. Unclassified	186
XLVI. Compounds containing C, H, and O	187
1st. Alcohols of the paraffin series	187
2d. Oxides of the paraffin series	196
3d. The fatty acids	199
4th. Anhydrides of the fatty acids	204

	Page.
5th. Ethers of the series $C_n H_{2n} O_2$	205
6th. Aldehydes of the acetic series	216
7th. Ketones of the paraffin series	219
8th. Oxides, alcohols, and ethers of the olefines	222
9th. Ethers of carbonic acid	225
10th. Acids and ethers of the oxalic series	226
11th. Acids and ethers of the glycollic series	230
12th. Acids and ethers of the pyruvic series	232
13th. Acids and ethers of the acrylic series	234
14th. Derivatives of the acrylic series	235
15th. Acids and ethers, malic-tartaric group	236
16th. Acids and ethers, citric acid group	237
17th. Glycerin and its derivatives	239
18th. The allyl group	240
19th. Erythrite, mannite, and the carbohydrates	243
20th. Miscellaneous non-aromatic compounds	245
21st. Phenols	249
22d. Aromatic alcohols	251
23d. Aromatic oxides	252
24th. Aromatic acids and their paraffin ethers	256
25th. Ethers of aromatic radicles	260
26th. Aromatic aldehydes	261
27th. Aromatic ketones	262
28th. Camphors, essential oils, etc.	262
29th. Miscellaneous compounds	265
XLVII. Compounds containing C, H, and N	268
1st. Cyanides and carbamines of the paraffin series	268
2d. Amines of the paraffin series	269
3d. The aniline series	271
4th. The pyridine series	274
5th. Miscellaneous compounds	278
XLVIII. Compounds containing C, H, N, and O	281
1st. Nitrites and nitrates of the paraffin series	281
2d. Nitro-derivatives of the paraffin series	282
3d. Aromatic nitro-compounds	283
4th. Miscellaneous nitrates, nitrites, and nitro-compounds	286
5th. Miscellaneous amido-compounds	287
6th. Miscellaneous cyanogen compounds	289
7th. Miscellaneous compounds	290
XLIX. Chlorides, bromides, and iodides of carbon	291
L. Compounds containing C, Cl, and O	292
LI. Compounds containing C, H, and Cl	293
1st. Chlorides of the paraffin series	293
2d. Chlorides of the series $C_n H_{2n} Cl_2$	296
3d. Miscellaneous non-aromatic chlorides	298
4th. Aromatic compounds	301
LII. Compounds containing C, H, O, and Cl	305
LIII. Compounds containing C, Cl, N, or C, H, Cl, N	314
LIV. Compounds containing C, Cl, N, O, or C, H, Cl, N, O	315

	Page.
LV. Compounds containing C, H, and Br.....	316
1st. Bromides of the paraffin series	316
2d. Bromides of the series $C_n H_{2n} Br_2$	318
3d. Miscellaneous non-aromatic bromides.....	321
4th. Aromatic compounds.....	324
LVI. Compounds containing C, H, O, and Br.....	325
LVII. Bromine compounds containing nitrogen.....	328
LVIII. Compounds containing C, H, and I	329
1st. Iodides of the paraffin series	329
2d. Miscellaneous compounds.....	334
LIX. Compounds containing C, H, I, O, or C, H, I, N	335
LX. Compounds containing two or more halogens	336
LXI. Organic compounds of fluorine.....	339
LXII. Organic compounds of sulphur	339
1st. Compounds containing C, H, and S	339
2d. Compounds containing C, H, S, and O	342
3d. Sulphur compounds containing nitrogen.....	344
4th. Sulphur compounds containing halogens.....	346
LXIII. Organic compounds of boron	347
XLIV. Organic compounds of phosphorus	348
LXV. Organic compounds of vanadium, arsenic, antimony, and bismuth.....	350
LXVI. Organic compounds of silicon.....	351
LXVII. Organic compounds of tin	353
LXVIII. Organic compounds of aluminium	354
LXIX. Organic compounds of zinc, mercury, thallium, and lead	355
LXX. Metallic salts of organic acids.....	356
LXXI. Salts of organic bases with inorganic acids.....	365
LXXII. Miscellaneous organic compounds.....	366
APPENDIX. Note on the specific gravity of woods	367
INDEX	369

INTRODUCTION.

Early in 1872 I submitted to the Secretary of the Smithsonian Institution, the late Joseph Henry, a manuscript entitled "A Table of Specific Gravities, Boiling Points, and Melting Points for Solids and Liquids." It was accepted for publication, and in February, 1874, the printed copies were ready for distribution. For years previously Professor Henry had had in mind the publication of a series of similar tables somewhat upon the plan long before suggested by Babbage, and accordingly my modest work was given the somewhat ambitious title of "The Constants of Nature" and made the first part of the proposed undertaking. Subsequently Parts II, III, and V were furnished by myself and Part IV by Professor G. F. Becker, and in 1876 I also published a supplement to Part I.

The following tables form, in effect, a new edition of Part I, completely revised, rearranged, and brought down as nearly as possible to the date of printing. They are, however, modified by the omission of boiling and melting points, except when such data seemed essential to the proper identification of a compound, on the ground that the magnificent tables of Professor Carnelley already supply that want. I have limited myself to specific gravity alone, following in the main the plan of arrangement adopted in my earlier work, with such changes as were made necessary by the later developements of chemical thought. Constitutional formulæ have been used, not according to any fixed rule, but according to convenience, and their adoption has been governed, to some extent, by the limitations of the octavo page. All other details have been subject to the same limitations, and it is hoped that their absence will be compensated for by the almost uniformly full references to literature. Some data could not be traced back to their original sources, at least not without unwarrantable labor, and most of these formed part of an early table prepared nearly twenty years ago for my own private use. A few determinations are accredited to standard works of reference, such as Watts' Dictionary, Dana's Mineralogy, and the like, and many have been drawn from the *Jahresbericht*. Absolute completeness cannot, of course, be claimed, and in some directions it has not

even been attempted. Among minerals, only those having approximately definite formulæ are given, and indefinite substances have been excluded altogether. The tables aim at reasonable completeness only as regards *artificial substances of definite constitution*, and all else is gratuitous. A good many determinations of specific gravity have been unearthed from doctoral dissertations, school programmes, and similar foes of the bibliographer, and doubtless other data so printed have escaped my notice altogether. There is a weakness of human nature which, masquerading as patriotism, sometimes leads men of science to bury valuable researches in obscure local publications, and a compiler may never flatter himself that no such paper has eluded his vigilance. I shall be glad to receive notice of all omissions, and will try to rectify such or other errors in future supplements or appendices.

A word in conclusion as to the extent of the table. They contain the specific gravities of 5,227 distinct substances and 14,465 separate determinations. The original edition gave only 2,263 substances, to which nearly 700 were added in the supplement. The increase is a noteworthy indication of existing chemical activity.

F. W. CLARKE.

WASHINGTON, *June 20, 1888.*

EXPLANATORY NOTES.

In references to literature the following abbreviations have been used. In each case, as far as practicable, series, volume, and page are indicated, the page reference signifying, according to circumstances, either the first page of the paper cited, or else the actual page upon which the determination is given. The former rule applies to pages containing many data; the latter to cases in which the specific gravity datum is merely incidental.

A. C. J.—American Chemical Journal.

A. C. P.—Annalen der Chemie und Pharmacie.

A. J. S.—American Journal of Science.

Am. Chem.—American Chemist.

Am. J. P.—American Journal of Pharmacy.

Am. Phil. Soc.—American Philosophical Society.

Ann.—Annales de Chimie et de Physique.

Ann. Phil.—Annals of Philosophy.

Arch. Pharm.—Archiv für Pharmacie.

B. D. Z.—Die Beziehungen zwischen Dichte und Zusammensetzung bei festen und liquiden Stoffen. Leipzig, 1860.

Bei.—Beiblätter zu den Annalen der Physik und Chemie.

Ber.—Berichte der Deutschen Chemischen Gesellschaft.

B. H. Ztg.—Berg-und hüttenmännische Zeitung.

B. J.—Berzelius' Jahresbericht.

Böttger.—Tabellarische Uebersicht der specifischen Gewichte der Körper. Frankfurt, 1837.

B. S. C.—Bulletin de la Société Chimique.

B. S. M.—Bulletin de la Société Française de Mineralogie.

Bull. Acad. Belg.—Bulletins, Academie Royale de Belgique.

Bull. Geol.—Bulletin de la Société Géologique.

Bull. Heb.—Bulletin Hebdomadaire de l'Association Scientifique de France.

Bull. U. S. G. S.—Bulletin of the U. S. Geological Survey.

C. C.—Chemisches Centralblatt.

C. G.—Chemical Gazette.

C. N.—Chemical News.

C. R.—Comptes Rendus.

D. J.—Dingler's Polytechnisches Journal.

Dm.—Schröder's "Dichtigkeitsmessungen." Heidelberg, 1873.

Erd. J.—Erdmann's Journal.

F. W. C.—This abbreviation indicates the work of students under the direction of F. W. Clarke.

G. C. I.—Gazzetta Chimica Italiana.

Geol. Mag.—Geological Magazine.

G. F. F.—Geologiska Föreningar Förhandlingar.

Gilb. Ann.—Gilbert's Annalen.

Gm. H.—Gmelin's Handbook of Chemistry. Cavendish Society edition.

In. Diss. or Inaug. Diss.—Inaugural or Doctoral Dissertation. Always prefixed by the name of the university from which the dissertation was published.

J.—Jahresbericht über die Fortschritte der Chemie.

J. A. C.—Journal of Analytical Chemistry.

J. C. S.—Journal of the Chemical Society.

J. P. C.—Journal für Praktische Chemie.

J. Ph. Ch.—Journal de Pharmacie et de Chimie.

J. R. C.—Jahresbericht über die Fortschritte * * * der reinen Chemie.

M. C.—Monatshefte für Chemie.

M. C. S.—Memoirs of the Chemical Society.

Mem. Acad. Belg.—Mémoires, Académie Royale de Belgique.

Min. Mag.—Mineralogical Magazine.

M. P. M.—Mineralogische Petrographische Mittheilungen.

M. St. P. Sav. Et.—Mémoires de Savants Etrangers, St. Petersburg Academy.

N. J.—Neues Jahrbuch für Mineralogie, etc.

Nich. J.—Nicholson's Journal.

Öf. Ak. St.—Öfversigt af K. Vet. Akad. Förhandlingar, Stockholm.

P. A.—Poggendorf's Annalen. For convenience, the second series under Wiedemann is covered by the same abbreviation.

P. des C.—Pesanteur Spécifique des Corps. Brisson, Paris, 1787. A German edition by Blumhof appeared at Leipzig in 1795.

P. M.—Philosophical Magazine. London, Edinburgh, and Dublin.

Proc. Amer. Acad.—Proceedings of the American Academy, Boston.

Proc. Amer. Ass.—Proceedings of the American Association for the Advancement of Science.

P. R. S.—Proceedings of the Royal Society. London.

P. R. S. E.—Proceedings of the Royal Society. Edinburgh.

P. R. S. G.—Proceedings of the Royal Society. Glasgow.

P. T.—Philosophical Transactions.

Q. J. S.—Quarterly Journal of Science.

R. T. C.—Recueil des Travaux Chimiques.

Schw. J.—Schweigger's Journal.

- S. W. A.—Sitzungsberichte der K. K. Akademie der Wissenschaften. Wien.
- Thurston's Report.—Report of the Board on Testing Iron, Steel, and other Metals.
Washington, 1881.
- U. N. A.—Upsala, Nova Acta.
- V. H. V.—Verhandlungen des naturhistorisches Vereines. Bonn.
- Watts' Dict.—Watts' Dictionary of Chemistry.
- Z. A. C.—Zeitschrift für analytische Chemie.
- Z. C.—Zeitschrift für Chemie.
- Z. G. S.—Zeitschrift der Deutschen Geologischen Gesellschaft.
- Z. K. M.—Zeitschrift für Krystallographie und Mineralogie.

A TABLE OF SPECIFIC GRAVITIES

FOR

SOLIDS AND LIQUIDS.

I. THE ELEMENTS.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Hydrogen. Liquefied	.025 } 0° -----	Cailletet and Hautefeuille. C. R. 92, 1086.
" " "	.026 } -----	
" " "	.032 } -----	
" " "	.033 } -----	
" (Occluded by palladium.)	.620 to .623 -----	Dewar. P. M. (4), 47, 334.
Lithium	.578 } -----	Bunsen. J. 8, 324.
"	.589 } -----	
Sodium	.9348 -----	Davy. P. T. 1808, 21.
"	.97223, 15° -----	Gay Lussac and Thénard. See Böttger.
"	.985 -----	Schröder. J. 12, 12.
"	.97 -----	Troost and Hautefeuille. C. R. 78, 970.
"	.9743, 10° } -----	Baumhauer. Ber. 6, 655.
"	.9735, 13°.5 } -----	
"	.972 -----	Quineke. P. A. 135, 642.
"	.7414, at boiling point. -----	Ramsay. Ber. 13, 2145.
"	.9725, 0° -----	Hagen. P. A. (2), 19, 436.
"	.9686, 16°.9, m. of 3 } -----	
"	.9287, 97°.6, fused } -----	
Potassium	.865, 15° -----	Gay Lussac and Thénard. Ann. 66, 205.
"	.874 -----	Sementini. See Böttger.
"	.8427, fused -----	Playfair and Joule. M. C. S. 3, 76.
"	.8750, 13° } -----	Baumhauer. Ber. 6, 655.
"	.8766, 18° } -----	
"	.8642, 0° -----	Hagen. P. A. (2), 19, 436.
"	.8298, 62°.1, fused } -----	
Rubidium	1.52 -----	Bunsen. J. 16, 185.
Cæsium	1.872 -----	Setterberg. A. C. P. 211, 215.
"	1.884 } 15° -----	
"	1.886 } -----	
Glucinum	2.1 -----	Debray. J. 7, 536. [384.
"	1.64 (Cor. for impurities). -----	Nilson and Petterson. Ber. 11,
"	1.85, 20° -----	Humpidge. P. R. S. 39, 1.
Magnesium	2.24, m. of 2 -----	Playfair and Joule. M. C. S. 3, 73.
"	1.7430, 5° -----	Bunsen. J. 5, 363.
"	1.69 } 17° -----	Kopp.
"	1.71 } -----	
"	1.75 -----	Deville and Caron. J. 10, 148.
"	1.77, 0° -----	H. Wurtz. Am. Chem., Mar. 1876.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Zinc	6.861	Brissou. P. des C.
"	6.862	Berzelius. See Bottger.
"	6.9154	Karsten. Schw. J. 65, 394.
"	6.939, m. of 3	Playfair and Joule. M. C. S. 3, 67.
"	7.03 to 7.20	Bolley. J. 8, 387.
"	6.966 } 12°	Schiff. A. C. P. 107, 59.
"	6.975 }	
"	7.21	Daniell.
"	7.146	Wertheim.
"	6.895	Mallet. D. J. 85, 378. [817.
"	7.2	Roberts and Wrightson. Bei. 5.
" Ordinary	7.1812 } 0°	Kalischer. Ber. 14, 2750.
" Crystalline	7.1841 }	
" Fused	6.512, m. of 3	Playfair and Joule. M. C. S. 3, 76.
" " "	6.48 } Two methods.	Roberts and Wrightson. Ann. (5), 30, 181.
" " "	6.55 }	
" " "	6.900 }	Quincke. P. A. 135, 642
" Solid	7.119, 0° }	
" Not pressed	7.142, 16° }	Spring. Ber. 16, 2724.
" Once "	7.153, 16° }	
" Twice "	7.150, 16° }	
Cadmium. Cast	8.6040 }	Stromeyer. Schw. J. 22, 365.
" Hammered	8.6944 }	
"	8.670	Children. See Bottger.
"	8.650	Herauth. P. M. 64 (1824), 321.
"	8.6355	Karsten. Schw. J. 65, 394.
" Wire	8.6689	Baudrimont. J. P. C. 7, 278.
" Pure	8.540	Schroder. P. A. 107, 113.
" " "	8.566 }	
" " "	8.667 }	
" Commercial	8.648 }	
"	8.655, 11°	Matthiessen. J. 13, 112.
"	8.627, 0° }	Quincke. P. A. 135, 642
" Fused	8.394 }	
" Not pressed	8.642, 17° }	Spring. Ber. 16, 2724.
" Once "	8.667, 16° }	
" Twice "	8.667, 16° }	
"	8.6681, 0°	Vicentini and Omodei. Bei. 11, 769.
"	8.3665, 318°, solid } 7.989, 318°, molten }	
Mercury. Solid	14.391	Schulze.
" " "	14.333, -40° }	Hallstrom. Gilb. Ann. 20, 403.
" " "	15.745 }	
" " "	14.485, -60°	Biddle. P. M. 30, 153.
" " "	14.0, about	Kupffer and Cavallo.
" " "	15.19	Joule. J. 16, 283.
" " "	14.1932	Mallet. J. C. S. 34, 275.
" Liquid	13.5681	Brissou. P. des C.
" " "	13.575	Fahrenheit. See Böttger.
" " "	13.550	Muschenbroek. " "
" " "	13.568, 15° 5'	Crichton. P. M. 16, 48.
" " "	13.613, 10°	Biddle. P. M. 30, 152.
" " "	13.6078, 0° }	Hallstrom. Gilb. Ann. 20, 397.
" " "	12.810, boiling }	
" " "	13.586	Scholz. See Bottger.
" " "	13.567	Kummer. " "
" " "	13.5886, 4° }	Kupffer. Ann. (21), 40, 285.
" " "	13.535, 26° }	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Mercury. Liquid	13.588597	Biot and Arago. Biot's "Traité de Physique."
" "	13.5592	Karsten. Schw. J. 65, 394.
" "	13.582, 5°—10°	Regnault. P. A. 62, 50.
" "	13.570, 10°—15°	
" "	13.558, 15°—20°	
" "	13.59599	
" "	13.59602 } 0°	Regnault. Ann. (3), 14, 236.
" "	13.59578 } 0°	
" "	13.595, 0°	Kopp. J. 1, 445.
" "	13.573, 15°	Holzmann. J. 13, 112.
" "	13.603, 12°	Schiff.
" "	13.584, 16°.6	Stewart. P. T. 1863, 430.
" "	13.5953, 0°	Volkmann. Ber. 14, 1708.
Calcium	1.566 } 0°	Matthiessen. J. 8, 324.
"	1.584 } 0°	
"	1.584 } 0°	
"	1.55 } 0°	
"	1.6 to 1.8	Liés-Bodart and Jobin. J. 11, [126.
Strontium	2.504 } 0°	Caron. J. 13, 119.
"	2.580 } 0°	
"	2.4	Matthiessen. J. 8, 324.
Barium	4.00, about	Franz. J. P. C. 107, 253.
"	3.75	Clarke. Gilb. Ann. 55, 28.
Boron.* Cryst.	2.68	Kern. C. N. 31, 243. [52, 63.
" Al B ₁₀	2.5345, 17°.2, m. of 2 }	Wöhler and Deville. Ann. (3),
" C ₂ Al ₃ B ₁₃	2.618, 13°	
" "	2.611, 20°	
Aluminum. Cast	2.50 } 0°	Hampe. A. C. P. 183, 85 and 96.
" Hammered	2.67 } 0°	
" "	2.583, 4°	
" "	2.688	
" Com'l wire	2.8067	
" " foil	2.8075	Wöhler. J. 7, 327.
Gallium	5.935, 23°	Mallet. P. T. 1880, 1025.
"	5.956, 24°.45 }	Barlow. J. C. S. April, 1883.
Indium. In grains	7.110 } 20°.4	A. P. Corbit. } Communicated
" "	7.147 } 20°.4	
" Laminae	7.277	W. Bishop. } by R. B. Warder.
"	7.362, 15°	
"	7.421, 16°.8	
Lanthanum	6.049 }	Boisbaudran. C. R. 83, 611.
"	6.163 }	
Cerium	6.628 }	Reich and Richter. J. 17, 241.
" After fusion	6.728 }	
Didymium	6.544	Winkler. J. 18, 233.
Thallium	11.862	" J. 20, 262.
" Wire	11.808 }	Hillebrand and Norton. P. A. 156, 473.
" Cast	11.853 }	Hillebrand and Norton. P. A. 156, 471.
"	11.777 }	Hillebrand and Norton. P. A. 156, 474.
"	11.900 }	Lamy. J. 15, 180.
" Cast	11.81 }	De la Rive. J. 16, 248.
" Pressed	11.88 }	Werther. J. 17, 247.
" Wire	11.91 }	Crookes. J. C. S. 1864, 112.

* According to Hampe, the so-called "crystallized boron" is never pure. Its composition is shown in the formulæ given above.

NAME.		SPECIFIC GRAVITY.	AUTHORITY.
Carbon.	Diamond	3.550	Brisson. P. des C.
"	"	3.492	Grailich. Bull. Geol. (2), 13, 542.
"	"	3.520	Mohs. Min. 2, 306.
"	"	3.334	Shepard.
"	"	3.5	Berzelius. A. C. P. 49, 247.
"	"	3.55	Pelouze. Watts' Diet.
"	"	3.5295	Thomson. Min. 1, 46.
"	"	3.53	Schafarik. P. A. 139, 188.
"	"	3.51432, 18° 1	Schrotter. J. 24, 257.
"	"	3.5143	Schrauf. J. 24, 257.
"	"	3.529, 15°	Dufrenoy. J. 24, 258.
"	"	3.51835, m. of 5	Baunhauer. J. C. S. 32, 849.
"	Graphite	2.144	Breithaupt. See Bottger.
"	"	2.229	Keungott. S. W. A. 13, 469.
"	"	2.273	Regnault. Gm. H.
"	"	2.14	Fuchs. J. P. C. 7, 353.
"	"	2.5	Berzelius. A. C. P. 49, 247.
"	"	2.3285	Karsten. Schw. J. 65, 394.
"	"	2.3162	Poggendorf. P. A. Erganz. Bd. 1848, 363.
"	"	2.25 } Purified	Brodie. J. 12, 68.
"	"	2.26 }	
"	"	2.105 }	Mené.* J. 20, 972.
"	"	2.585 }	
"	"	1.802 } 20 ² , purified	Löwe. J. 8, 297.
"	"	1.844 }	
"	Gas carbon	2.35	Graham.
"	"	2.08	Baudrimont.
"	"	1.885	Mené. J. 20, 972.
"	"	1.723, 1.821, 1.982 } (From different parts of the retort.
"	"	2.056, 2.556, 18° })	Meyn. J. P. C. 26, 482.
"	Sugar charcoal	1.81 }	Monier. Bull. Heb 14, 13.
"	"	1.85 }	
"	Charcoal	1.76	Colquhoun.
"	"	2.10 from alcohol	Scholz. See Bottger.
"	"	1.84	Griffith. " " [4, 241.
"	"	1.80	Playfair. Proc. Roy. Soc. Edin.
"	Lamp-black	1.78	Baudrimont.
"	"	1.723 from kerosene	
"	"	1.780 from coal-tar naphtha	Hallock. Bull. 42, U. S. G. S.
"	"	1.752 from natural gas	
"	"	1.773 from dead oil	
Silicon.	Graphitoidal	2.49, 10	Wohler. J. 9, 347.
"	"	2.493	Harmening. P. A. 97, 487.
"	"	2.004 }	
"	"	2.194 }	Winkler. J. 17, 208, 209.
"	"	2.197 }	
"	"	2.337	Miller. Proc. Roy. Soc. Edin. 4, 241.
"	Adamantine	2.48, m. of 6	Playfair. Proc. Roy. Soc. Edin. 4, 241.
Germanium		5.469, 20° 4	Winkler. J. P. C. (2), 34, 201.
Zirconium		4.15	Troost. J. 18, 183.
Tin		7.291	Brisson. P. des C.
"		7.295	Muschenbroek. See Böttger.

*The extremes of 20 determinations made on specimens from different localities.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Tin	7.2914	Guyton. Nich. J. (1), 1, 110.
"	7.278, 15°.	Crichton. P. M. 16, 48.
"	7.2911, 17°	Kupffer. Ann. (2), 40, 285.
"	7.285	Herapath. P. M. 64, 321.
"	7.600	
"	7.5565	
"	7.2905	Karsten. Schw. J. 65, 394.
" Wire	7.3395	Baudrimont. J. P. C. 7, 278.
"	7.306, m. of 4	Playfair and Joule. M. C. S. 3, 68.
" Crystallized	7.178	W. H. Miller. P. M. (3), 22, 263.
" Cast	7.293	
"	7.3043	Kopp. A. C. P. 93, 129.
" Cooled slowly	7.373	St. Claire Deville. P. M. (4), 11, 144.
" " quickly	7.239	
"	7.294, 13°	Matthiessen. J. 13, 112.
"	7.291	Mallet. D. J. 85, 378.
" Reduced by H. from Sn Cl ₂	{ 7.143	Rammelsberg. Ber. 3, 725.
" Precipitated	{ 7.166	
" Remelted	{ 7.195	
"	7.310	
"	7.5	Roberts and Wrightson. Bei. 5, [817.
"	7.267, 0°	Quincke. P. A. 135, 642.
"	7.25	E. Wiedemann. P. A. (2), 20, 232.
" Allotropic	{ 5.809, 5.781, 19°	Two lots. Schertel. J. P. C. (2), 19, 322.
" Allotropic converted by heating.	{ 5.802, 19.5	
"	{ 7.280, 15°	
"	{ 7.304, 19°	
" Allotropic	{ 6.020, 6.002, 19°	
" Allotropic after re-conversion.	{ 5.930, 12°.	
" Rhombic cryst.	7.24—7.27	
"	6.52	Trechmann. Z. K. M. 5, 625.
"	6.56	
" Ordinary	7.387	Richards. Tr. Amer. Inst. Min. Eng. 11, 235.
" Allotropic	6.175	
" Not pressed	7.286, 10°	Spring. Ber. 16, 2724.
" Once "	7.292, 10°.25	
" Twice "	7.296, 11°	
"	7.3006, 0°	Vicentini and Omodei. Bei. 11, 769.
"	7.1835, 226°, solid	
"	6.988, 226°, molten	
" Fused	6.934, m. of 3.	Playfair and Joule. M. C. S. 3, 75.
"	7.025	Roberts and Wrightson. Ann. (5), 30, 181.
"	6.974	
"	7.144	Quincke. P. A. 135, 642.
Lead	11.445	Muschenbroek. See Böttger.
"	11.352	Brisson. P. des C.
"	11.207	Böckmann. See Böttger.
"	11.1603	Guyton. Ann. 21, 3.
"	11.3303	Kupffer. Ann. (2), 40, 292.
"	11.346, 15°.5	Crichton. P. M. 16, 48.
" Wire	11.3775	Baudrimont. J. P. C. 7, 278.
"	11.352	Herapath. P. M. 64, 321.
"	11.3888	Karsten. Schw. J. 65, 394.
"	11.231, m. of 4	Playfair and Joule. M. C. S. 3, 68.
"	11.370, 0°	Reich. J. P. C. 78, 328.
"	11.3525, 18°	
"	11.395, 4°	Streng. J. 13, 187.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Lead	11.361, 70°	Mullet. A. J. S. (3), 8, 212.
" Cooled slowly from fusion.	11.254	St. Chire Deville. P. M. (4), 11, 114.
" Cooled quickly from fusion.	11.363	
" Electrolytic	11.542	
" Electrolytic, fused and cooled quickly.	11.225	
"	11.376, 14°	Holzmann. J. 13, 112.
"	11.344, 4°	Extremes Schweitzer. Am. Chem. 7, 174.
"	11.377, 4°	
"	11.335, 0°	
"	11.4	Quincke. P. A. 97, 396. [817. Roberts and Wrightson. Bei. 5,
" Not pressed	11.350, 14°	Spring. Ber. 16, 2724.
" Once "	11.501, 14°	
" Twice "	11.492, 16°	
"	11.359, 0°	Vicentini and Omodei. Bei. 11, 769.
"	11.005, 325°, solid	
"	10.645, 325°, molten	
" Molten	10.509, m. of 3	Playfair and Joule. M. C. S. 3, 74.
"	11.07	Mullet. A. J. S. (3), 8, 212.
"	10.37	Roberts and Wrightson. Ann. (5), 30, 181.
"	10.65	
"	10.952	Quincke. P. A. 135, 642.
Thorium*	7.657	Chydenius. J. 16, 194.
"	7.795	
" Crystallized	11.230	Nilson. Ber. 16, 160. Compare earlier paper. Ber. 15, 2544.
" Non-crystallized	10.968	
Nitrogen. Liquefied	.41 to .44, -23°	Cailletet and Hautefeuille. C. R. 92, 1086.
"	.37 to .38, 0°	
"	.4552, -146°.6	
"	.5842, -153°.7	
"	.83, -193°	
"	.866, -202°	
"	.859	
"	.886	Olszewski. P. A. (2), 31, 73.
"	.891	
"	.905	
"	-194°.4, boiling point.	
Phosphorus. Common	1.77	Berzelius. See Bottger.
"	2.09	Bottger. Watts' Dict.
"	1.800	Playfair and Joule. M. C. S. 3, 69.
"	1.826	Schrotter. J. 1, 336.
"	1.840	
"	1.8262	Kopp. A. C. P. 93, 129.
"	1.8265	
"	1.823, 35°	Gladstone and Dale. J. 12, 73.
"	1.83676, 0°	Pisani and De Franchis. Ber. 8, 70
"	1.82321, 20°	
"	1.80681, 44°	
" Red	1.964, 10°	Schrotter. J. 1, 336.
"	2.089	Schrotter. J. 3, 262.
"	2.106	
"	2.14	Two preparations. Bradie. J. 5, [350.
"	2.23	
"	2.34, 15°.5	Hittorf. J. 18, 130.

* Nilson's determinations are the only ones having any present value. Chydenius' work has merely historical interest.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Phosphorus. Red. Cryst.	2.34, 0°	Troost and Hautefeuille. Ber. 7, 482.
" " "-----	2.148, 0°, prep. at 265°	
" " "-----	2.19, 0° " 360°	
" " "-----	2.293, 0° " 500°	
" Molten	1.744	
" " "-----	1.88, 45°	Playfair and Joule. M. C. S. 3, 76.
" " "-----	1.763	Schrötter. J. 1, 336.
" " "-----	1.74924, 40°	Gladstone and Dale. J. 12, 73.
" " "-----	1.6949, 100°	Boils at 278°.3. Pisati and De Franchis. Ber. 8, 70.
" " "-----	1.6027, 200°	
" " "-----	1.52867, 280°	
" " "-----	1.4850, at boiling point.	
" " "-----	1.833	Ramsay and Masson. Ber 13, 2147.
Vanadium	5.5, 15°	Quincke. P. A. 135, 642.
" " "-----	5.866 } 15°	Roscoe. P. T. 1869, 679.
" " "-----	5.875 }	Setterberg. Of. Ak. St. 1882, 10, 13.
Arsenic	5.7633	Brisson. P. des C.
" " "-----	5.766	Mohs. See Böttger.
" " "-----	5.7633	Stromeyer. " "
" " "-----	5.884	Turner.
" " "-----	5.700 }	Guibourt. B. J. 7, 128.
" " "-----	5.959 }	
" " "-----	5.672	Herapath. P. M. 64, 321.
" " "-----	5.6281	Karsten. Schw. J. 65, 394.
" Native	5.736	Breithaupt. J. P. C. 16, 475.
" " "-----	5.722 }	Breithaupt. J. P. C. 11, 151.
" " "-----	5.734 }	
" " "-----	5.220	Playfair and Joule. M. C. S. 3, 72.
" " "-----	5.395, 12°.5	Ludwig. J. 12, 183.
" " "-----	5.726 }	Bettendorff. J. 20, 253.
" " "-----	5.728 }	
" After fusion	5.709, 19°	Mallet. B. S. C. 18, 438.
" Allotropic	4.710 }	Bettendorff. J. 20, 253.
" " "-----	4.716 }	
" " "-----	4.6 to 4.7	Engel. C. R. 96, 498.
" Compressed	4.91	Spring. Ber. 16, 326.
" Allotropic	3.7002 to 3.7100, 15°	Rückoldt. A. C. P. 240, 215.
Antimony	6.702	Brisson. P. des C.
" " "-----	6.712	Hatchett. See Böttger.
" " "-----	6.733	Böckmann. " "
" " "-----	6.852	Muschenbroek. " "
" " "-----	6.860	Bergmann. " "
" " "-----	6.646	Mohs. " "
" " "-----	6.6101	Breithaupt. " "
" " "-----	6.7006	Karsten. Schw. J. 65, 394.
" " "-----	6.715	Marchand and Scheerer. J. P. C. [27, 193.
" " "-----	6.705, 3°.75, m. of 3	Dexter. P. A. 100, 567.
" " "-----	6.6987 } Extremes	
" " "-----	6.7102 }	
" " "-----	6.713, 14°	Matthiessen. J. 13, 112.
" " "-----	6.697	Schröder. P. A. 107, 113.
" " "-----	6.7022, m. of 6	Cooke. Proc. Amer. Acad. 1877
" " "-----	6.6957 }	
" " "-----	6.7070 }	
" " "-----	6.620, 0°	Quincke. P. A. 135, 642.
" Not pressed	6.675, 15°.5	Spring. Ber. 16, 2724.
" Once " "-----	6.733, 15°	
" Twice " "-----	6.740, 16°	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Antimony. Amorphous	5.74 } 5.83 } -----	Gore. J. 13, 172.
“ “ Molten	6.646 } 6.629 } -----	Playfair and Joule. M. C. S. 3, 77.
“ “	6.528 } -----	Quineke. P. A. 135, 642.
Bismuth	9.07 -----	Muschenbroeck. See Bottger.
“	9.822 -----	Brisson. P. des C.
“	9.800 -----	Leonhard. See Bottger.
“	9.8827 -----	Thénard. “ “
“	9.8827 -----	Berzelius.
“	9.831 -----	Herauth. P. M. 64, 321.
“	9.6542 -----	Karsten. Schw. J. 65, 394.
“ Pure	9.799, 19° } -----	Marchand and Scheerer. J. P. C. 27, 193.
“ Commercial	9.783 } -----	
“ Compressed	9.556 } -----	
“ Crystallized	9.935 } -----	C. St. Claire Deville. J. S. 15.
“ Quickly cooled from fusion.	9.677 } -----	
“	9.823, 12° -----	Holzmann. J. 13, 112.
“	9.713, m. of 3 -----	Schroder. P. A. 107, 113.
“	9.82 -----	Roberts and Wrightson. Bel. 5, 817.
“	9.819, 0° -----	Quineke. P. A. 135, 642.
“ Not pressed	9.804, 13°.5 } -----	Spring. Ber. 16, 2724
“ Once “	9.856, 15° } -----	
“ Twice “	9.863, 15° } -----	
“	9.787, 0° -----	Vicentini and Omodei. B. 11, 769.
“	9.673, 270°.9 s. } -----	
“	10.004, 270°.9 l. } -----	
“ Molten	9.798 -----	Playfair and Joule. M. C. S. 3, 75.
“ “	10.039 } -----	Roberts and Wrightson. By two methods. Nature, 22, 448.
“ “	10.055 } -----	
“ “	9.709 } -----	
Columbium. (Niobium)	6.0 to 7.37* -----	Maignac. J. 21, 214.
“	7.06, 15°.5 -----	Roscoe. C. N. 37, 26.
Tantalum	10.08 to 10.78 -----	Rose. J. 9, 366.
Oxygen. Liquefied	.9787 -----	By two methods. Pictet. Ann. (5), 13, 193.
“ “	.9883, m. of 4 } -----	
“ “	.8402 } -----	Pictet, recalculated by Offret. Ann. (5), 19, 271.
“ “	.8655 } -----	
“ “	.58, .65, .70, 0° } -----	Cailletet and Hautefeuille. C. R. 92, 1086.
“ “	.84, .88, .89, —23° } -----	
“ “	.895 -----	Wroblevsky. C. R. 97, 106.
“ “	.899—130°, m. of 12 -----	Wroblevsky. P. A. (21), 20, 867.
“ “	.7555—129°.57 } -----	Olzowski. Ber. 17, ref. 198
“ “	.806—134°.43 } -----	
“ “	.877—139°.3 } -----	
“ “	{ 1.110 } -----	Olzowski. P. A. (2), 51, 73
“ “	{ to —181°.4, boil- } 1.137 } ing point. } -----	
“ “	{ .6, —118° } -----	Wroblevsky. C. R. 102, 1010.
“ “	{ 1.21—200° } -----	
Sulphur. Roll	1.9907 -----	Brisson. P. des C.

* Probably the hydride, Cb H.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Sulphur. Roll	1.868	Böckmann.
" Flowers	2.086	Gehler.
" Cryst.	1.898	Fontenelle.
" From solution	1.927	Bischof.
" Cryst.	1.989	Breithaupt.
" Roll	1.9777	Thomson.
" "	2.0000	
" Prismatic	2.072	Mohs.
" Native	2.086	Dumas and Roget.
" Soft	2.027	Osann.
" Native	2.05001	Karsten. Schw. J. 65, 394.
" From fusion	1.9889	
" Prismatic	1.982	Marchand and Scheerer. J. P. C. 24, 129.
" Native	2.066	
" From solution	2.0518	
" Soft	1.957	Kopp. A. C. P. 93, 129.
" Native	2.069	
" Soft	1.919	C. St. Claire Deville. J. 1, 365.
" "	1.928	
" Prismatic	1.958	
" Native	2.070	Playfair and Joule. M. C. S. 3, 79.
" From solution	2.063	
" Crystallized	2.010	
" Flowers	1.913	Brame. C. R. 35, 748.
" Waxy	1.921	
" Native, cryst.	2.0757	
" Soft	1.87 to 1.9319	Müller. J. 19, 118.
" Amorphous.	1.87	
" Yellow.	1.91 — 1.93	
" Amorphous.	1.91 — 1.93	Pisati. Ber. 7, 361.
" Brown.	1.91 — 1.93	
" Crystallized	2.0748, 0°	
" Insoluble	1.9556, 0°	Spring. Bei. 5, 853.
" "	1.9496, 20°	
" "	1.9041, 40°	
" "	1.9438, 60°	
" "	1.9559, 80°	
" "	1.9643, 100°	
" Cryst. from CS ₂	2.0477, 0°	
" " "	2.0370, 20°	
" " "	2.0283, 40°	Spring. Bei. 5, 854. From Bulletin de l'Acad. Roy. de Belg. (3), 2, 83-110, 1881.
" " "	2.0182, 60°	
" " "	2.0014, 80°	
" " "	1.9756, 100°	
" From Sicily	2.0788, 0°	
" " "	2.0688, 20°	
" " "	2.0583, 40°	
" " "	2.0479, 60°	
" " "	2.0373, 80°	
" " "	2.0220, 100°	
" Lamellæ	2.041 — 2.049	Maquenne. Ber. 17, ref. 199.
" Sicilian	2.06665, 16°.75	Schrauf. Z. K. M. 12, 325.
" Molten	1.801	Playfair and Joule. M. C. S. 3, 76.
" "	1.815	
" "	1.4794. m. of 5	
" "	1.4578	
" "	1.5130	
Selenium	4.3 to 4.32	At the boiling point, 446°. Ramsay. J. C. S. 35, 471.
		Berzelius. See Böttger.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Selenium	4.310	Boullay. See Bottger.
"	4.808, 15°	Hittorf. J. 4, 319.
" Cryst. fr. fusion	4.805	Schaffgotsch. J. 6, 329.
" " "	4.796	
" Amorphous	4.276	
" " "	4.286	
" Precip. Red	4.245	Schaffgotsch. J. 6, 329.
" " "	4.275	
" Precip. after heat'g to 50°	4.250 4.297	
" Crystallized	4.160	
" " "	4.509	Mitscherlich. J. 8, 314.
" " from solution.	4.700	
" " "	4.760	
" " "	4.788	
" Crystallized	4.406, 21°	Neumann. P. A. 126, 138.
" Black	4.801	Rathke. J. P. C. 108, 235.
" " "	4.811	
" Precip. Red	4.261	
" " "	4.281	
" Gray	4.455	Rammelsberg. P. A. 152, 154.
" " Granular	4.514	
" Laminated, from alkaline selenides.	4.77 4.79 4.86	
" Cryst. from U.S.	4.418	
" " " "	4.54	
" " " "	4.59	
" Amorphous	4.27 4.34	
" Melted	4.29	
" " "	4.36	
" Compressed	4.7994, 0°	
" " "	4.7869, 20°	
" " "	4.7699, 40°	
" " "	4.7526, 60°	
" " "	4.7351, 80°	
" " "	4.7167, 100°	
" Uncompressed	4.7312, 0°	Spring. <i>Bel.</i> 5, 854. From Bull. de l'Acad. Roy. de Belg. (3), 2, 88-110, 1881.
" " "	4.7159, 20°	
" " "	4.7010, 40°	
" " "	4.6826, 60°	
" " "	4.6623, 80°	
" " "	4.6506, 100°	
" Fused	4.2	Quinke. P. A. 135, 342.
Tellurium	6.115	Klaproth. Ann. 25, 273.
"	6.1379	Magnus. See Bottger.
"	6.2445, m. of 5	Berzelius. P. A. 28, 392
"	6.180	Lowe. J. P. C. 60, 163.
"	6.343	Reichenstein. See Bottger.
" Compressed	6.2549, 0°	Spring. <i>Bel.</i> 5, 854. From Bull. de l'Acad. Roy. de Belg. (3), 2, 88-110, 1881.
" " "	6.2449, 20°	
" " "	6.2294, 40°	
" " "	6.2170, 60°	
" " "	6.2030, 80°	
" " "	6.1891, 100°	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Tellurium. Uncompressed.	6.2322, 0°	} ----- Spring. Bei. 5, 854. From Bull. de l'Acad. Roy. de Belg. (3), 2, 88-110, 1881.
" " "	6.2194, 20°	
" " "	6.2052, 40°	
" " "	6.1500, 60°	
" " "	6.1366, 80°	
" " "	6.1640, 100°	
" -----	6.204 } -----	Klein and Morel. Ann. (6), 5, 61.
" -----	6.215 }	
Chromium	7.3 -----	Bunsen. Watts' Dict.
" Crystallized	6.81, 25° -----	Wöhler. J. 12, 169.
" Red. by K Cy	6.20 -----	Loughlin. J. 21, 220.
Molybdenum	8.490 -----	} ----- Bucholz. Nieh. J. 20, 121.
" -----	8.615 -----	
" -----	8.636 -----	
" -----	8.60 -----	
" Red. by K Cy	8.56 -----	
Tungsten	17.60 -----	Debray. J. 11, 157.
" -----	17.22 -----	Loughlin. J. 21, 220.
" -----	17.4 -----	D'Elhuyart. See Böttger.
" -----	16.54 -----	Allan and Aiken. " "
" -----	17.50 -----	Bucholz. Schw. J. 3, 1.
" -----	18.26 -----	} ----- Uslar. J. 8, 372.
" Reduced by H	17.1 to 17.3 } -----	
" " C	17.9 to 18.12 } -----	Bernoulli. J. 13, 152.
" -----	16.6 -----	} ----- Prepared by three methods. Zett- now. J. 20, 218.
" -----	17.2 -----	
" -----	18.447, 17° } -----	
" -----	19.261, 12° } -----	
" -----	18.25 } -----	
" -----	18.77 } -----	Roseoe. C. N. 25, 61.
Uranium	18.40 -----	Waddell. A. C. J. 8, 287.
" -----	18.33 -----	Peligo. J. 9, 380.
" -----	18.685, 4°, m. of 3	Peligo. A. C. P. 149, 128.
Chlorine. Liquefied	1.33, 15°.5 -----	Zimmermann. Ber. 15, 851.
Bromine	2.966 -----	Faraday. P. T. 1823, 164.
" -----	2.98 } 15° -----	Balard. Ann. (2), 32, 337.
" -----	2.99 } -----	Löwig. See Böttger.
" -----	3.18718, 0° -----	
" -----	3.18828, 0° -----	Pierre. Ann. (3), 20, 5.
" -----	2.98218, 59°.27 } -----	Thorpe. J. C. S. 37, 172.
" -----	2.9483, m. of 4 } -----	
" -----	2.9471 } -----	} ----- Taken at the boiling point. Ram- say. Ber. 13, 2146.
" -----	2.9533 } -----	
" -----	3.1875, 0° } -----	
Iodine	4.948 -----	Van der Plaats. J. C. S. 50, 849.
" Solid	4.9173, 40°.3 } -----	Gay Lussac. Ann. 91, 5.
" " "	4.886, 60° } -----	
" " "	4.857, 79°.6 } -----	} ----- Billet. J. 8, 46.
" " "	4.841, 89°.8 } -----	
" " "	4.825, 107° } -----	
" Molten	4.004, 107° } -----	
" " "	3.988, 111°.7 } -----	
" " "	3.944, 124°.3 } -----	
" " "	3.918, 133°.5 } -----	
" " "	3.866, 151° } -----	
" " "	3.796, 170° } -----	
" Solid	5.030 -----	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Manganese	6.861	Bergmann.
"	7.10	
"	8.03	
"	8.013	
"	7.128	
"	7.206	Brunner. J. 10, 202.
Iron	7.788	Brisson. P. des C.
" Wrought	7.790	Karsten. Schw. J. 65, 394.
" Wire in several different conditions.	7.6305 7.6000 7.7169 7.7312	Baudrimont. J. P. C. 7, 298.
" Hammered	7.7433	
" Bar	7.4839	
"	7.8707	Bröling. See Percy's Metallurgy.
"	7.865	Berzelius. " " "
" Reduced by zinc vapor.	7.50 7.84	Poumaréde. J. 2, 281.
" Reduced by C.	7.130	Playfair and Joule. M. C. S. 3, 72.
" Electrolytic	8.1393, 15°.	Smith. See Percy's Metallurgy.
" Fused in H., not forged.	7.880, 16°	Caron. C. R. 70, 1263.
" Fused in H., forged	7.868, 16°	
" Fused in H., wire	7.847, 16°	
" Fused in crucible	7.823, 16°	
" Good commercial	7.852, 16°	
" Reduced by H.	7.998	Schiff.
"	8.007	
"	6.03	Stahlschmidt. J. 18, 255.
" Molten	6.88	Roberts and Wrightson. Bei. 5, 817. [6, 145.
" Molten steel	8.05	Petruschewsky and Alexejeff. Bei.
Nickel	7.807	Brisson. P. des C.
"	8.279, cast	Richter. Ann. 53, 164.
"	8.666, forged	
" Cast	8.380	Tupputi. Ann. 78, 133.
" Forged	8.820	
"	8.932, 12°.	Tourte. Ann. 71, 103.
"	8.477	Baumgartner. See Böttger.
"	8.713	
"	8.637	Brunner. " "
"	9.000	Bergmann. " "
" Reduced by H.	7.861	Playfair and Joule. M. C. S. 3, 71
"	7.803	
" Wire	8.88, 4°	Arndtsen.
" Reduced by H.	8.975	Rammelsberg. J. 2, 282.
"	9.261	
"	8.900	Schroder. P. A. 107, 113.
Cobalt	8.710	Lampadius. Erd. J. (1), 5, 350.
"	8.485	Brunner. See Böttger.
"	9.152	Gehler. " "
"	8.500	Mitscherlich. " "
"	8.5131	Berzelius. " "
"	8.5384	Hauy and Tassaert. See Böttger.
"	8.558	T. H. Henry. M. C. S. 3, 59.
" Reduced by H.	7.718	Playfair and Joule. M. C. S. 3, 71.
"	8.260	
"	8.957, m. of 5.	Rammelsberg. J. 2, 282

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Copper	8.595	Hatchett. P. T. 1803, 88.
" Rolled	8.878	Brisson. P. des C.
" Cast	8.788	
" "	8.83	Berzelius. See Böttger.
" Drawn	8.9463	
" Hammered	8.9587	
"	8.78	Kupffer. Ann. (2), 25, 356.
"	8.900	Herapath. P. M. 64, 321.
"	8.721	Karsten. Schw. J. 65. 394.
" Wire in several different conditions.	8.6225 8.3912 8.7059 8.8787	Baudrimont. J. P. C. 7, 287.
" Hammered	8.8893	
" Cast, slowly cooled	8.4525	Marchand and Scheerer. [27, 193. J. P. C.
" Crystallized	8.940	
" Cast	8.921	Mallet. D. J. 85, 378.
" Various sorts of wire.	8.939 8.949 8.930 8.951	
" Sheet	8.952	Playfair and Joule. M. C. S. 3, 57.
" Pressed	8.931	
" Electrolytic	8.914	
"	8.667	Playfair and Joule. J. C. S. 1, 121.
" Finely divided	8.428	
" "	8.483	O'Neill. Memoirs Manchester Philosophical Society, (3), 1, 243.
" "	8.360	
" Electrolytic	8.884	
" "	8.941	Schiff.
" "	8.934	
" Finely divided	8.367	Whitney. J. 12, 769.
" "	8.41613 } 4°	
" Hammered	8.855	Schröder. P. A. 107, 113.
" "	8.878	
" Rolled	8.879	Diek. P. M. (4), 11, 409.
" "	8.898	
" Annealed	8.884	Quincke. P. A. 97, 396.
" "	8.896	
"	8.902, 12°	Hampe. C. C. 6, 379. [817.
" Native	8.838	
"	8.952	Roberts and Wrightson. Bei. 5, Schützenberger. J. Ph. Ch. (4), 28, 366.
"	8.958	
" Electrolytic, cast	8.916	Playfair and Joule. M. C. S. 3, 77.
" "	8.958	
" " wire	8.853	Roberts and Wrightson. Bei. 5, 817.
" " "	8.733	
" Plate	8.902, 0°	Brisson. P. des C.
"	8.945, 0° (in vacuo)	
"	8.9565, 17°	Biddle. P. M. 30, 152.
"	8.8	
" Allotropic	8.0 to 8.2	
" Molten	7.272	
"	8.217	
Silver	10.472	
"	10.362, 10°	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Silver	10.43 }	Lengsdorf.
"	10.47 }	
"	10.4282	Karsten. Schw. J. 65, 324.
"	Cast, slowly cooled	10.1033 }
"	Same mass, rolled	10.5513 }
"	Hammered	10.4476 }
"	Brittle	9.8463 }
"	Granulated	9.6323 }
"	Cryst. in laminae	9.5538 }
"	Wire	10.4913 }
"		10.431
"		10.482
"		10.522 }
"		10.537 }
"	Cast	10.505
"	Pressed	10.5665
"	Precep. powdery	10.5532
"	"	10.6191
"		10.5287, m. of 13
"		10.5237, m. of 4
"		10.5283, m. of 8
"		10.468, 13°
"		10.575
"	After heating in vacuo.	10.512
"		10.412, 4°
"		10.57
"		10.621, 0°
"	Molten	9.131 }
"	"	9.281 }
"	"	9.4612
"	"	9.51
"	"	9.40
"	"	10.002
Gold		19.258
"	Hammered	19.207
"		19.3 to 19.4
"	Pressed	19.3326, 17° 5
"	Ppt. by oxalic acid	19.2981, 17° 5
"	Cast and pressed,	19.2881, 17° 5, m. of 37
"	16 sample differ-	19.2689, 17° 5
"	ently prepared.	19.3296, 17° 5
"	Ppt. by oxalic acid	19.4341
"		19.265, 13°
"	Before rolling	19.2945
"	Once rolled	19.2982
"	Molten	17.099
Ruthenium		11.0
"		11.4
"		12.261, 0°
Rhodium		11.0
"		11.2
"		11.0
"		12.1
Palladium		11.3
"		11.8
"		12.148
"		11.852

Baudrimont. J. P. C. 7, 287.

Breithaupt. J. P. C. 11, 151.
Karmarsch. J. P. C. 43, 193.

Playfair and Joule. M. C. S. 3, 66.

G. Rose. P. A. 73, 1.

Holzmann. J. 13, 112.

Christomanos. J. 21, 272.

Dumas. C. N. 37, 82.

Zimmermann. Ber. 15, 850.

Roberts. C. N. 31, 143.

Quineke. P. A. 135, 612.

Playfair and Joule. M. C. S. 3, 78.

Roberts. C. N. 31, 143.

Roberts and Wrightson. Ann. (5), 30, 181.

Quineke. P. A. 135, 612.

Brisson. P. des C.

Elliot. Quoted by Rose.

Lewis. " " "

G. Rose. P. A. 73, 1.

G. Rose. P. A. 75, 403.

Holzmann. J. 13, 112.

Roberts and Rigg. J. C. S. (2), 12, 203.

Quineke. P. A. 135, 612.

Deville and Debray. J. 12, 234.

Deville and Debray. C. R. 83, 928.

Wollaston. P. T. 1804, 426.

Clou. Schw. J. 43, 316.

Hare. A. J. S. (2), 2, 365.

Deville and Debray. J. 12, 240.

Wollaston. See Bottger.

Lowry. " "

Lampadius. Watts' Dict.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Palladium	11.8	Vauquelin. Ann. 88, 167.
"	11.041, 18°	Cloud. Schw. J. 1, 362.
"	10.923	Breithaupt. See Böttger.
"	11.628	Benneke and Reinecker. See Böttger.
"	11.80	Cock. M. C. S. 1, 161.
" Hammered	11.80	
"	11.752	
"	11.4, 22° .5	Breithaupt. J. P. C. 11, 151.
"	12.0	Deville and Debray. J. 12, 237.
"		Troost and Hautefeuille. C. R. 78, 970.
"	12.104	Lisenko. Ber. 5, 29.
" Molten	10.8	Quinke. P. A. 135, 642.
Osmium	21.40	Deville and Debray. J. 12, 232.
"	22.477	Deville and Debray. C. R. 82, 1076.
Iridium. Porous globule.	18.680	Children. See Böttger.
"	21.78	Eckfeldt and Boyé, for Hare. A. J. S. (2), 365.
"	21.83	
" Black	18.6088	G. Rose. P. A. 75, 403.
"	21.15	Deville and Debray. J. 12, 242.
"	22.421, 17° .5	Deville and Debray. P. M. (4), 50, 561.
"	22.38	Matthey. C. N. 40, 240.
Platinum	20.85	Borda. Quoted by Marchand. J. P. C. 33, 385.
"	20.98	
"	21.06	
" Cast	19.5	Brisson. P. des C.
" Hammered	20.3	
" Wire	21.0	
"	21.7	Klaproth. Quoted by Marchand.
"	21.061	Sickingen. " " "
"	21.45	Berzelius. " " "
"	21.47	Berthier. " " "
"	21.53	
" Cast	17.7	Prechtl. " " "
"	21.3	Faraday. " " "
" Hammered	20.9	E. D. Clarke. " " "
" Spongy	21.47	Thomson. " " "
"	21.343	Scholz. See Böttger.
"	21.359	Meissner. " " "
" Wire	21.16	Wollaston. P. A. 16, 158.
"	21.40	
"	21.53	
" Hammered	21.25	Liebig. P. A. 17, 101.
" Spongy	17.572	
"	15.780	
"	16.319	Scholz. See Böttger.
" Black	17.894	
"	21.2668	Marchand. J. P. C. 33, 385.
"	21.3092	
" Hammered	21.31	Hare. A. J. S. (2), 2, 365.
"	21.16	
"	21.23	
" Spongy	16.634	Rose. P. A. 75, 403.
" Precip. black	20.9815	
"	20.7732	
"	22.8926	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Platinum. Precip. black	22.0345	} --- Rose. P. A. 75, 403.
“ Black	26.1418, 15° 7 ?	
“ “	17.766	} --- Playfair and Joule. M. C. S. 3, 57.
“ Spongy	21.169	
“ “	21.243	
“	21.15	Deville and Caron. J. 10, 259.
“	21.15	Deville and Debray. J. 12, 240.
“ Very pure	21.504, 17° 6	Deville and Debray. P. M. (4), 50, 560.
“ Molten	18.915	Quincke. P. A. 135, 642.

II. INORGANIC FLUORIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen fluoride or hydrofluoric acid, liquid.	H F	1.0609	Davy. P. T. 1813, 263.
“ “	“	.9922, 11°	} --- Gore. P. T. 1869, 173.
“ “	“	.9879, 12° 7	
“ “	“	.9885, 13° 6	
“ “	“	1.036, 15° 5	
Lithium fluoride	Li F	2.582	} --- Schröder. Dm. 1873.
“ “	“	2.608	
“ “	“	2.612	
“ “	“	2.295, 21° 5	Clarke. A. J. S. (3), 13, 292.
Sodium fluoride	Na F	2.713, m. of 7	} --- Schroder. Dm. 1873.
“ “	“	2.601 Ex.	
“ “	“	2.772 tremes	
“ “	“	2.558, 14° 5	
Potassium fluoride	K F	2.454, 12°	Bodeker. B. D. Z.
“ “	“	2.459	} --- Schröder. Dm. 1873.
“ “	“	2.476	
“ “	“	2.507	
“ “	“	2.096, 21° 5	
“ “	“	2.350, m. of 3	Clarke. A. J. S. (3), 13, 292.
“ “	“	2.350, m. of 3	Schröder. Ber. 11, 2018.
Rubidium fluoride	Rb F	3.202, 16° 5	Clarke. A. J. S. (3), 13, 293.
Ammonium hydrogen fluoride.	Am H F ₂	1.211, 12°	Bodeker. B. D. Z.
Silver fluoride	Ag F	5.852, 15° 5	Gore. C. N. 21, 28.
Magnesium fluoride	Mg F ₂	2.472	Schröder. Dm. 1873.
“ “	“	2.856, 12°	Cossu. Ber. 10, 295.
“ “ Selwaite	“	2.972	Sträver. Dana's Min., 2d App.
Zinc fluoride	Zn F ₂	4.612, 12°	} --- Clarke. A. J. S. (3), 13, 291.
“ “	“	4.556, 17°	
“ “	Zn F ₂ · 4 H ₂ O	2.567, 10°	
“ “	“ “	2.535, 12°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cadmium fluoride	Cd F ₂	5.994, 22°, m. of 7.	Kehler. A. C. J. 5, 241.
Calcium fluoride	Ca F ₂	3.183, m. of 60	Kenngott. J. 6, 853.
" "	"	3.150	Smith. J. 8, 976.
" "	"	3.138	Schiff. A. C. P. 108, 21.
" "	"	3.162	Luca. J. 13, 98.
" " Precip.	"	3.086	Schröder. Dm. 1873.
" " Ignited	"	3.150	
Strontium fluoride	Sr F ₂	4.202	" "
" "	"	4.236	
" "	"	4.210	
Barium fluoride	Ba F ₂	4.58, 13°	Erganz. Bd. 622.
" "	"	4.824	Bödeker. B. D. Z.
" "	"	4.833	Schröder. Dm. 1873.
Lead fluoride	Pb F ₂	8.241	" "
Nickel fluoride	Ni F ₂	2.855, 14°	Clarke. A. J. S. (3), 13, 291.
" "	Ni F ₂ , 3 H ₂ O	2.014, 19°	
Aluminum fluoride	Al F ₃	3.065	Bödeker. B. D. Z.
" "	"	3.13	
" "	"	12°	
Arsenic trifluoride, 1	As F ₃	2.73	Unverdorben. P. A. 7, 216.
" "	"	2.66	MacIvor. C. N. 30, 169.
" "	"	2.6659, 0°	Thorpe. J. C. S. 37, 372. [874.
" "	"	2.4497, 60°.4	
" "	"	2.734	
" "	"	5.32, 20°	
Bismuth fluoride	Bi F ₃	5.32, 20°	Moissan. C. R. 99, Gott and Muir. J. C. S. 53, 137.
" oxyfluoride	Bi O F	7.5, 20°	
Cryolite. Greenland	Na ₃ Al F ₆	2.9—3.077	Dana's Mineralogy.
" Siberia	"	2.95	Durnew. J. 4, 820.
" Colorado	"	2.972, 24°	Hillebrand and Cross. A. J. S. (3), 26, 271.
Chiolite	Na ₅ Al ₃ F ₁₄	2.72	Hermann. J. P. C. 37, 188.
"	"	2.90	Kokscharow. J. 4, 820.
"	"	2.842—2.898	Rammelsberg. P. A. 74, 314.
Chodneffite	Na ₂ Al F ₅	3.003	Rammelsberg. P. A. 74, 314.
"	"	3.077	
"	"	2.62—2.77	
Pachnolite.* Colorado	Na Ca Al F ₆ , H ₂ O	2.965, 17°, m. of 4.	Hillebrand and Cross. A. J. S. (3), 26, 271.
" "	"	2.962, 22°	Scheerer. Dana's Mineralogy.
Prosopite. Altenberg	Ca Al ₂ (F, O H) ₈	2.890	
" "	"	2.898	
" Colorado	"	2.880, 23°	Hillebrand and Cross. A. J. S. (3), 26, 271.
Ralstonite	NaMgAl ₄ F ₁₅ . 3 H ₂ O.	2.4	Brush. A. J. S. (3), 2, 30.

*According to Brandl, pachnolite and thomsenolite are distinct species, but Hillebrand and Cross show them to be identical.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Ralstonite	$\text{Na Mg Al}_4 \text{F}_{10} \cdot 8 \text{H}_2\text{O}$	2.02	Nordenskiöld. Dana's Min., 3d App.	
"	$(\text{MgN}_2) \text{Al}_3 (\text{F, OH})_{11} \cdot 2 \text{H}_2\text{O}$	2.500	Penfield and Harper. A. J. S. (3), 32, 381.	
Fluocerite	Ce F_3 , ?	4.7	Berzelius. Dana's Mineralogy.	
Tysonite	$4 \text{Ce F}_3 \cdot 3 \text{La F}_3$	6.13, in mean	Allen and Coomstock. A. J. S. (3), 19, 391.	
Yttrocerite	?	3.417	Berzelius. Dana's Mineralogy.	
Potassium borofluoride	K B F_4	2.5 } 2.6 } 2.6 } 2.6 }	Stolba. B. S. C. 18, 309.	
"	"			
Lithium silicofluoride	$\text{Li}_2 \text{Si F}_6 \cdot 2 \text{H}_2\text{O}$	2.33		Stolba. J. 17, 213.
"	"	2.244		Topsoe. C. C. 4, 75.
Sodium silicofluoride	$\text{Na}_2 \text{Si F}_6$	2.547, 17°.5	Stolba. J. P. C. 97, 503.	
"	"	2.680, m. of 4)	Schroder. Dm. 1873.	
"	"	2.671) Ex.		
"	"	2.691) trem.		
"	"	2.691)		
Potassium silicofluoride	$\text{K}_2 \text{Si F}_6$	2.6655 } 2.6619 } 2.655 } 2.638 } 2.704 }	Stolba. J. P. C. 97, 503.	
"	"	17°.5		
"	"			
"	"			
"	"			
Rubidium silicofluoride	$\text{Rb}_2 \text{Si F}_6$	3.3383, 20°	Stolba. J. 20, 186.	
Cæsium silicofluoride	$\text{Cs}_2 \text{Si F}_6$	3.3756, 17°	Preis. J. 21, 195.	
Ammonium silicofluoride	$\text{Am}_2 \text{Si F}_6$	1.970	Topsoe. C. C. 4, 75.	
"	"	2.056, m. of 5)	Schroder. Dm. 1873.	
"	"	2.035) Ex.		
"	"	2.071) trem.		
"	"	2.071)		
Calcium silicofluoride	Ca Si F_6 , ?	2.649 } 2.675 }	Stolba. J. 33, 259.	
"	"	17°.5		
"	$\text{Ca Si F}_6 \cdot 2 \text{H}_2\text{O}$	2.254	Topsoe. C. C. 4, 76.	
Strontium silicofluoride	$\text{Sr Si F}_6 \cdot 2 \text{H}_2\text{O}$	2.988 } 2.999 }	Stolba. J. 34, 285.	
"	"			
Barium silicofluoride	Ba Si F_6	4.2794, 21°	Stolba. J. 18, 170.	
"	"	4.2380, 22°	Schweitzer. Univ. of Missouri, special pub. 1876.	
Magnesium silicofluoride	$\text{Mg Si F}_6 \cdot 6 \text{H}_2\text{O}$	1.761 }	Topsoe. C. C. 4, 76.	
Zinc silicofluoride	$\text{Zn Si F}_6 \cdot 6 \text{H}_2\text{O}$	2.104 }		
"	"	2.121 }		
"	"	2.1448 } 1.858 }	Stolba. J. R. C. 5, 72.	
Manganese silicofluoride	$\text{Mn Si F}_6 \cdot 6 \text{H}_2\text{O}$	17°.5		
Iron silicofluoride*	$\text{Fe Si F}_6 \cdot 6 \text{H}_2\text{O}$	1.96115, 17°.5	Topsoe. C. C. 4, 76.	
Nickel silicofluoride	$\text{Ni Si F}_6 \cdot 6 \text{H}_2\text{O}$	2.109)	Stolba. B. S. C. 26, 155.	
Cobalt silicofluoride *	$\text{Co Si F}_6 \cdot 6 \text{H}_2\text{O}$	2.067)		
"	"	2.1211)	Topsoe. C. C. 4, 76.	
"	"	19°		
"	"	2.1135)		
Copper silicofluoride*	$\text{Cu Si F}_6 \cdot 4 \text{H}_2\text{O}$	2.535	Stolba. J. 20, 299.	
"	$\text{Cu Si F}_6 \cdot 6 \text{H}_2\text{O}$	2.1576, 19°	Topsoe. C. C. 4, 76.	
"	"	2.207	Topsoe. C. C. 4, 76.	
"	"	2.182	Topsoe and Christensen.	

*According to Stolba, these salts contain 6½ molecules of water.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium titanofluoride	$K_2 Ti F_6$	2.0797, 12°	Bödeker. B. D. Z.
" "	$K_2 Ti F_6 \cdot H_2 O$	2.992	Topsoë. C. C. 4, 76.
Copper titanofluoride	$Cu Ti F_6 \cdot 4 H_2 O$	2.529	" "
Potassium zirconofluoride	$K_2 Zr F_6$	3.582	" "
Zinc zirconofluoride	$Zn Zr F_6 \cdot 6 H_2 O$	2.255	" "
Nickel zirconofluoride	$Ni Zr F_6 \cdot 6 H_2 O$	2.227	" "
Potassium stannifluoride	$K_2 Sn F_6 \cdot H_2 O$	3.053	" "
Ammonium stannifluoride	$Am_2 Sn F_6$	2.887	" "
Manganese stannifluoride.	$Mn Sn F_6 \cdot 6 H_2 O$	2.307	" "
Cobalt stannifluoride	$Co Sn F_6 \cdot 6 H_2 O$	2.604	" "
Potassium columboxyfluoride.	$K_2 Cb O F_5 \cdot H_2 O$	2.813	" "
Copper columboxyfluoride	$Cu Cb O F_5 \cdot 4 H_2 O$	2.750	" "
Potassium tantalofluoride.	$K_2 Ta F_7$	4.056	" "
Potassium uranoxylfluoride	$3 K F \cdot U O_2 F_2$	4.263, 20°	Baker. J. C. S. 35, 760.
" "	$5 K F \cdot 2 U O_2 F_2$	4.379, 20°	" "
" "	$3 K F \cdot 2 U O_2 F_2 \cdot 2 H_2 O$	4.108, 20°	" "
Ammonium uranoxylfluoride.	$3 Am F \cdot U O_2 F_2$	3.186, 20°	" "

III. INORGANIC CHLORIDES.

1st. Simple Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen chloride or hydrochloric acid, liquef'd	H Cl	.908, 0°	Ansdell. C. N. 41, 76. Critical temperature, 51°.25.
" "	"	.873, 7°.5	
" "	"	.854, 11°.7	
" "	"	.835, 15°.8	
" "	"	.808, 22°.7	
" "	"	.748, 33°	
" "	"	.678, 41°.6	
" "	"	.619, 47°.8	
Lithium chloride	Li Cl	1.998	Kremers. J. 10, 67.
" "	"	2.074	Schröder. P. A. 107, 113.
" " Fused	"	1.515	Quinke. P. A. 138, 141.
Sodium chloride	Na Cl	2.2001	Hassenfratz. Ann. 28, 3.
" "	"	2.15	Leslie. See Böttger.
" "	"	2.26	Mohs.
" "	"	2.078	Karsten. Schw. J. 65, 394.
" "	"	2.030	Unger. See Böttger.
" "	"	2.150	Kopp. A. C. P. 36, 1.
" "	"	2.011, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.24	Filhol. Ann. (3), 21, 415.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium chloride	Na Cl	2.155, 15°.5	Holker. P. M. (3), 27, 213.
" " Cryst.	"	2.195 } -----	Deville. J. 8, 15.
" " After fusion.	"	2.204 } -----	
" " -----	"	2.142 } -----	Grassi. J. 1, 39.
" " -----	"	2.207 } -----	
" " Halite	"	2.135 -----	Hunt. J. 8, 976.
" " -----	"	2.148 -----	Schiff. A. C. P. 108, 21.
" " -----	"	2.153 -----	Schroder. P. A. 106, 226.
" " -----	"	2.161 -----	
" " -----	"	2.145 -----	Buignet. J. 15, 14.
" " -----	"	2.1629, 15°	Stolba. J. P. C. 97, 503.
" " -----	"	2.1543 -----	Haugen. P. A. 131, 117.
" " -----	"	2.06—2.08 -----	Page and Keightley. J. C. S. (2), 10, 566.
" " -----	"	2.145 -----	Stas.
" " Natural	"	2.137 -----	Rudorff. Ber. 12, 251.
" " -----	"	2.1641, 15°	Bedson and Williams. Ber. 14, 2552.
" " Cryst. at 20°.	"	2.16171 } -----	Nicol. P. M. (5), 15, 94.
" " Cryst. at 108°.	"	2.15494 } -----	
" " -----	"	1.612, at the melting point.	Braun. J. C. S. (2), 13, 31.
" " -----	"	2.23 -----	Brugelmann. Ber. [17, 2359.
" " -----	"	2.1653, 10°	Andrae. J. P. C. (2), 30, 315.
" " -----	"	2.1615, 20°	
" " -----	"	2.1594, 30°	
" " -----	"	2.15665, 40°	
" " -----	"	2.15435, 50°	
" " -----	"	2.1881 -----	Zehnder. P. A. (2), 29, 259.
" " -----	"	2.1887 -----	
" " -----	"	2.092, 0°	Quincke. P. A. 135, 642.
" " Fused	"	2.04 -----	
Potassium chloride	K Cl	1.9367 -----	Hassenfratz. Ann. 28, 3.
" " -----	"	1.836 -----	Kirwan. See Böttger.
" " -----	"	1.9153 -----	Karsten. Schw. J. 65, 394.
" " -----	"	1.945 -----	Kopp. A. C. P. 36, 1.
" " -----	"	1.900 -----	Playfair and Joule. M. C. S. 2, 401.
" " -----	"	1.97756, 4°	Playfair and Joule. J. C. S. 1, 137.
" " -----	"	1.994 -----	Filhol. Ann. (3), 21, 415.
" " -----	"	1.995 -----	Schiff. A. C. P. 108, 21.
" " -----	"	1.918, 15°.5	Holker. P. M. (3), 27, 213.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium chloride	K Cl	1.995	Schröder. P. A. 106, 226.
"	"	1.986	Buignet. J. 14, 15.
"	"	1.94526, 15°	Stolba. J. P. C. 97, 503.
"	"	1.90—1.91	Page and Keightley. J. C. S. (2), 10, 566.
"	"	1.612, at the melting p't.	Braun. J. C. S. (2), 13, 31.
"	"	1.980, 22°	} Spring. Ber. 16, 2724.
"	Not pressed.	2.071, 20°	
"	Once pressed.	2.068, 21°	
"	Twice pressed.	"	
"	"	1.93	Brügelmann. Ber. 17, 2359.
"	"	1.932, 0°	} Quincke. P. A. 135, 642.
"	Fused	1.870	
Rubidium chloride	Rb Cl	2.807	Setterberg. Of. Ak. St. 1882, 6, 23.
Cæsium chloride	Cs Cl	3.992	"
Ammonium chloride	Am Cl	1.450	Watson. See Böttger.
"	"	1.54425	Hassenfratz. Ann. 28, 3.
"	"	1.528	Mohs. See Böttger.
"	"	1.578, m. of 3	Playfair and Joule. M. C. S. 2, 401.
"	"	1.5333, 4°	Playfair and Joule. J. C. S. 1, 137.
"	"	1.52, 15°.5	Holker. P. M. (3), 27, 214.
"	"	1.500	Kopp. A. C. P. 36, 1.
"	"	1.522	Schiff. A. C. P. 108, 21.
"	"	1.550	Buignet. J. 14, 15.
"	"	1.5033	} Stolba. J. P. C. 97, 503.
"	"	1.5191	
"	"	1.5209	
"	"	1.456	W. C. Smith. Am. J. P. 53, 145.
Silver chloride	Ag Cl	5.4548	Proust.
"	"	5.501	} Karsten. Schw. J. 65, 394.
"	Unfused	5.5671	
"	Black'd After fusion.	5.4582	
"	"	5.129	Herapath. P. M. 64, 321.
"	"	5.548	Boullay. Ann. (2), 48, 266.
"	"	5.55	Gmelin.
"	Native	5.31	} Domeyko. Dana's Min.
"	"	5.43	
"	"	5.517	Schiff. A. C. P. 108, 21.
"	"	5.5943	[226. Schröder. P. A. 106,

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver chloride	Ag Cl	5.505, 0°	} Rodwell. P. T. 1882, 1125. Quincke. P. A. 135, 642. Quincke. P. A. 158, 141.
" " Molten	"	4.919, 451°	
" " "	"	5.5	
Thallium chloride	Tl Cl	7.00	Willm.
" " "	"	7.92	Lamy. J. 15, 184.
Thallium trichloride	Tl ₃ Cl ₃	5.9	" "
Magnesium chloride	Mg Cl ₂	2.177, m. of 2	Playfair and Joule.
" " "	Mg Cl ₂ , 6 H ₂ O	1.562, m. of 4	M. C. S. 2, 401.
" " "	"	1.558	Filhol. Ann. (3), 21, 415.
" " Bischofite.	"	1.65	Ochsenius. B. S. M. 1, 128.
Zinc chloride	Zn Cl ₂	2.753, 13°	Bodker. B. D. Z.
Cadmium chloride	Cd Cl ₂	3.6254, 12°	" "
" " "	"	3.655, 16°.	P. Knight. F. W. C.
" " "	Cd Cl ₂ , 2 H ₂ O	3.321, m. of 3	W. Knight. F. W. C.
Mercurous chloride	Hg Cl	7.1758	Hassenfratz. Ann. 28, 3.
" " "	"	7.14	Boullay. Ann. (2), 43, 266.
" " "	"	6.9925	Karsten. Schw. J. 65, 394.
" " "	"	6.7107	Herapath. P. M. 64, 321.
" " Native.	"	6.482	Haidinger. Dana's Min.
" " "	"	7.178	Playfair and Joule. M. C. S. 2, 401.
" " "	"	6.56	Schiff. A. C. P. 108, 21.
Mercuric chloride	Hg Cl ₂	5.1398	Hassenfratz. Ann. 28, 3.
" " "	"	5.14	Gmelin.
" " "	"	5.42	Boullay. Ann. (2), 43, 266.
" " "	"	5.4032	Karsten. Schw. J. 65, 394.
" " "	"	6.223	Playfair and Joule. M. C. S. 2, 401.
" " "	"	5.418, m. of 3	Schroder. P. A. 107, 113.
Calcium chloride	Ca Cl ₂	2.214	} Boullay. Ann. (2), 43, 266. Karsten. Schw. J. 65, 394.
" " "	"	2.269	
" " "	"	2.0101	
" " "	"	2.480	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.240	Filhol. Ann. (3), 21, 415.
" " "	"	2.205	Schiff. A. C. P. 108, [21.
" " "	"	2.150, 27°	Favre and Valson. C. R. 77, 579.
" " "	"	2.219, 0°	} Quincke. P. A. 135, 642.
" " Fused	"	2.15	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium chloride. Fused	Ca Cl ₂ -----	2.120 -----	Quincke. P. A. 138, 141.
“ “ -----	Ca Cl ₂ , 6 H ₂ O -----	1.680, m. of 2 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ -----	“ -----	1.635 -----	Filhol. Ann. (3), 21, 415.
“ “ -----	“ -----	1.612, 10° -----	Kopp. J. 8, 44.
“ “ -----	“ -----	1.701, 17°.1 -----	Favre and Valson. C. R. 77, 579.
“ “ -----	“ -----	1.654, m. of 4 -----	} Schröder. Dm. 1873.
“ “ -----	“ -----	1.642 } Ex-	
“ “ -----	“ -----	1.671 } tremes }	
Strontium chloride	Sr Cl ₂ -----	2.8033 -----	Karsten. Schw. J. 65, 394.
“ “ -----	“ -----	2.960 -----	Filhol. Ann. (3), 21, 415.
“ “ -----	“ -----	3.035, 17°.2 -----	Favre and Valson. C. R. 77, 579.
“ “ -----	“ -----	3.054 -----	Schröder. A. C. P. 174, 249.
“ “ -----	“ -----	2.770, at the melting point.	Braun. J. C. S. (2), 13, 31.
“ “ Fused	“ -----	2.770 -----	Quincke. P. A. 138, 141.
“ “ -----	Sr Cl ₂ , 6 H ₂ O -----	2.015, m. of 2 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ -----	“ -----	1.603 -----	Filhol. Ann. (3), 21, 415.
“ “ -----	“ -----	1.921 -----	Buignet. J. 14, 15.
“ “ -----	“ -----	1.932, 17°.2 -----	Favre and Valson. C. R. 77, 579.
“ “ -----	“ -----	1.954 -----	Schröder. Dm. 1873.
“ “ -----	“ -----	1.964, 16°.7 -----	Mühlberg. F. W. C.
Barium chloride	Ba Cl ₂ -----	3.860 -----	} Boullay. Ann. (2), 43, 266.
“ “ -----	“ -----	4.156 -----	
“ “ -----	“ -----	3.8 -----	Richter. Watts' Dict.
“ “ -----	“ -----	3.7037 -----	Karsten. Schw. J. 65, 394.
“ “ -----	“ -----	3.750 -----	Filhol. Ann. (3), 21, 415.
“ “ -----	“ -----	3.820 -----	Schiff. A. C. P. 108, 21.
“ “ -----	“ -----	3.872 -----	} Schröder. P. A. 107, 113.
“ “ -----	“ -----	3.886 -----	
“ “ -----	“ -----	3.7, 17°.5 -----	Kremers. P. A. 85, 42.
“ “ -----	“ -----	3.844, 16°.8 -----	Favre and Valson. C. R. 77, 579.
“ “ -----	“ -----	3.92 -----	Brügelmann. Ber. 17, 2359.
“ “ Molten	“ -----	3.700 -----	Quincke. P. A. 138, 141.
“ “ -----	Ba Cl ₂ , 2 H ₂ O -----	3.144, m. of 2 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ -----	“ -----	2.664 -----	Filhol. Ann. (3), 21, 415.
“ “ -----	“ -----	3,05435, 4° -----	Playfair and Joule. J. C. S. 1, 137.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium chloride	Ba Cl ₂ · 2 H ₂ O	3.052	Schiff. A. C. P. 108, 21.
" "	"	3.081	Bugnet. J. 14, 15.
" "	"	3.054, 15°·5	Favre and Valson. C. R. 77, 579.
" "	"	3.015	Schröder. Dm. 1873.
Lead chloride	Pb Cl ₂	5.29	Mouro.
" " Native	"	5.238	Dana's Min.
" " Unfused	"	5.8022	Karsten. Schw. J. 65, 394.
" " After fusion	"	5.9824	
" " Cryst.	"	5.802	Schabus. J. 3, 322.
" "	"	5.78	Schiff. J. 11, 11.
" "	"	5.80534, 15°	Stolla. J. P. C. 97, 503.
" "	"	5.88	Bruehmann. Ber. 17, 2359.
Chromous chloride	Cr Cl ₂	2.751, 14°	Grabfield. F. W. C.
Chromic chloride	Cr ₂ Cl ₆	3.03, 17°	Schafarik. J. P. C. 90, 12.
" "	"	2.757, 15°, m. of 13.	Grabfield. F. W. C.
Manganous chloride	Mn Cl ₂	2.178	Schroder. A. C. P. 174, 249.
" "	Mn Cl ₂ · 4 H ₂ O	1.898	Schroder. Dm. 1873.
" "	"	1.913	
" "	"	1.928	
" "	"	2.01, 10°	
Ferrous chloride	Fe Cl ₂	2.528	Bodeker. B. D. Z. Philol. Ann. (3), 21, 415.
" "	"	2.988, 17°·9	Grabfield. F. W. C.
" "	Fe Cl ₂ · 4 H ₂ O	1.926	Philol. Ann. (3), 21, 415.
" "	"	1.937	Schabus. J. 3, 327.
Ferric chloride	Fe ₂ Cl ₆	2.801, 10°·8	Grabfield. F. W. C.
Nickel chloride	Ni Cl ₂	2.56	Schiff. A. C. P. 108, 21.
Cobalt chloride	Co Cl ₂	2.937, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" "	Co Cl ₂ · 6 H ₂ O	1.84, 13°	Bodeker and Ehlers. B. D. Z.
Cuprous chloride	Cu Cl	3.6777	Karsten. Schw. J. 65, 394.
" "	"	3.376	Playfair and Joule. M. C. S. 2, 401.
" " Nantiquite	"	3.330	Breithaupt. J. 25, 1115.
Cupric chloride	Cu Cl ₂	3.054	Playfair and Joule. M. C. S. 2, 401.
" "	Cu Cl ₂ · 2 H ₂ O	2.535, m. of 2	" "
" "	"	2.47, 18°	Bodeker. B. D. Z.
Boron trichloride, l.	B Cl ₃	1.35	Wöhler and Deville. J. 10, 931.
Gallium chloride Molten	Ga Cl ₃	2.36, 80°	Bousbandran. C. N. 44, 196.
Cerium chloride	Ce Cl ₃	3.88, 15°·5	Robinson. C. N. 50, 251.
Didymium chloride	Di Cl ₃ · 6 H ₂ O	2.286	Clave U. N. A. 1885.
" "	"	2.287	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Samarium chloride	$\text{Sm Cl}_2 \cdot 6 \text{H}_2 \text{O}$	2.375	Cleve. U. N. A. 1885.
"	"	2.392	
Carbon chloride.*			15°
Silicon tetrachloride	Si Cl_4	1.52371, 0°	
"	"	1.5083, 5°-10°	Pierre. Ann. (3), 20, 26.
"	"	1.4983, 10°-15°	
"	"	1.4884, 15°-20°	Regnault. P. A. 62, 50.
"	"	1.4878, 20°	
"	"	1.49276	Haagen. P. A. 131, 117.
"	"	1.522, 0°	Mendelejeff. C. R. 51, 97.
"	"	1.52408, 0°	Friedel and Crafts. A. J. S. (2), 43, 162.
"	"	1.40294, 57°.57	
Silicon hexchloride	$\text{Si}_2 \text{Cl}_6$	1.58, 0°	Thorpe. J. C. S. 37, 372.
Titanium tetrachloride	Ti Cl_4	1.76088, 0°	Troost and Haute- feuille. Z. C. 14, 331.
"	"	1.7487, 5°-10°	Pierre. Ann. (3), 20, 21.
"	"	1.7403, 10°-15°	Regnault. P. A. 62, 50.
"	"	1.7322, 15°-20°	
"	"	1.76041, 0°	Thorpe. J. C. S. 37, 371.
"	"	1.52223, 136°.41	
Germanium tetrachloride	Ge Cl_4	1.887, 18°	Winkler. Ber. 19, ref. 655.
Tin dichloride	$\text{Sn Cl}_2 \cdot 2 \text{H}_2 \text{O}$	2.759	Playfair and Joule. M. C. S. 2, 401.
"	"	2.71, 15°.5, s.	Penny. J. C. S. 4, 239.
"	"	2.5876, 37°.7, 1	
"	"	2.634, 24°	Bishop. F. W. C.
Tin tetrachloride	Sn Cl_4	2.26712, 0°	Pierre. Ann. (3), 20, 19.
"	"	2.2618, 5°-10°	Regnault. P. A. 62, 50.
"	"	2.2492, 10°-15°	
"	"	2.2368, 15°-20°	Gerlach. J. 18, 237.
"	"	2.234, 15°	
"	"	2.2328, 20°	Haagen. P. A. 131, 117.
"	"	2.27875, 0°	Thorpe. J. C. S. 37, 372.
"	"	1.97813, 113°.89	
Nitrogen trichloride	N Cl_3 ?	1.653	Watts' Dictionary.
Phosphorus trichloride	P Cl_3	1.45	Davy. Watts' Dict.
"	"	1.61616, 0°	Pierre. Ann. (3), 20, 9.
"	"	1.6091, 5°-10°	Regnault. P. A. 62, 50.
"	"	1.6001, 10°-15°	
"	"	1.5911, 15°-20°	Buff. A. C. P. 4 Supp. Bd. 129.
"	"	1.6119, 0°, m. of 2.	
"	"	1.59708, 10°	Boiling point, 76°.
"	"	1.47124, 76°	

* The chlorides, bromides, and iodides of carbon are assigned to a special division among organic compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phosphorus trichloride	P Cl ₃	1.5774, 20°	Haugen. P. A. 131, 117.
" "	"	1.61275, 0°	} Thorpe. J. C. S. 37, 372.
" "	"	1.46845, 75°.95	
Vanadium dichloride	V Cl ₂	3.23, 18°, s	Roscoe. P. T. 1869, 679.
Vanadium trichloride	V Cl ₃	3.00, 18°, s	" "
Vanadium tetrachloride	V Cl ₄	1.8584, 0°	} " "
" "	"	1.8363, 8°	
" "	"	1.8159, 32°	
Arsenic trichloride	As Cl ₃	2.20495, 0°	Pierre. Ann. (3), 20,
" "	"	2.1766	Penny and Wallace. J. 5, 382.
" "	"	2.1668, 20°	Haugen. P. A. 131, 117.
" "	"	2.20500, 0°	} Thorpe. J. C. S. 37, 372.
" "	"	1.91813, 130°.21	
Antimony trichloride	Sb Cl ₃	3.064, 26°, s	Cooke. Proc. Amer. Acad. 1877.
" "	"	2.6766	} liquid } Kopp. A. C. P. 95, 348.
" "	"	2.6758	
" "	"	2.6750 } 73°.2	
Antimony pentachloride	Sb Cl ₅	2.3461, 20°	Haugen. P. A. 131, 117.
Bismuth trichloride	Bi Cl ₃	4.56, 11°	Bodeker. B. D. Z.
Sulphur chloride	S ₂ Cl ₂	1.687	Dumas. Ann. (2), 49, 204.
" "	"	1.686	Marchand. J. P. C. 22, 507.
" "	"	1.6970, 5°-10°	} Regnault. P. A. 62, 50.
" "	"	1.6882, 10°-15°	
" "	"	1.6793, 15°-20°	} Kopp. A. C. P. 45, 355.
" "	"	1.7055, 0°	
" "	"	1.6802, 16°.7	} Haugen. P. A. 131, 117.
" "	"	1.6828, 20°	
" "	"	1.4848, 138°	Ramsay. J. C. S. 35, 463.
" "	"	1.70941, 0°	} Thorpe. J. C. S. 37, 356.
" "	"	1.49201, 138°.12	
Selenium chloride	Se ₂ Cl ₂	2.906, 17°.5	Divers and Shimose. Ber. 17, 866.
Iodine monochloride	I Cl	3.263, 0°	} Hannay. J. C. S. (2), 11, 818. Melts at 24°.7. Boils at 100°.5 to 101°.5.
" "	"	3.222, 16°.5	
" "	"	3.206, 18°.2	
" "	"	3.180, 30°	
" "	"	3.176, 32°	
" "	"	3.152, 45°	
" "	"	3.127, 48°	
" "	"	3.084, 60°	
" "	"	3.032, 72°	
" "	"	3.036, 75°	
" "	"	2.988, 86°	
" "	"	2.984, 90°	
" "	"	2.964, 95°	
" "	"	2.958, 98°	
" "	"	3.18223, 0°	
" "	"	2.88196, 101°.3	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Iodine trichloride-----	I Cl ₃ -----	3.1107 -----	Christomanos. Ber. 10, 789.
Platinum dichloride ----	Pt Cl ₂ -----	5.8696, 11° ---	Bödeker. B. D. Z.
Platinum tetrachloride---	Pt Cl ₄ . 8 H ₂ O-----	2.431, 15° ----	“ “

2d. Double Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium magnesium chloride.	Am ₂ Mg Cl ₄ . 6 H ₂ O-	1.456, 10° ---	Bödeker. B. D. Z.
Potassium zinc chloride--	K ₂ Zn Cl ₄ -----	2.297 -----	Schiff. A. C. P. 112, 88.
Ammonium zinc chloride--	Am ₂ Zn Cl ₄ -----	1.879 -----	“ “
“ “ “ --	“ -----	1.72 } 10° --- {	Bödeker and Ehlers.
“ “ “ --	“ -----	1.77 } ----- {	B. D. Z.
“ “ “ --	“ -----	1.77 -----	Romanis. C. N. 49, 273.
Barium zinc chloride ----	Ba ₂ Zn Cl ₆ . 4 H ₂ O-	2.845 -----	Warner. C. N. 27, 271.
Potassium cadmium chloride.	K ₂ Cd Cl ₄ -----	2.500 -----	Schröder. Dm. 1873.
Strontium cadmium chloride.	Sr Cd ₂ Cl ₆ . 7 H ₂ O --	2.708, 24° m. of 3.	W. Knight. F.W.C.
Barium cadmium chloride	Ba Cd Cl ₄ . 4 H ₂ O --	2.968 -----	Topsøe. C. C. 4, 76.
“ “ “ --	“ -----	2.952, 24° 5 } ----- {	W. Knight. F.W.C.
“ “ “ --	“ -----	2.966, 25° 2 } ----- {	
Sodium mercury chloride.	Na Hg Cl ₃ . 2 H ₂ O--	3.011 -----	Playfair and Joule. M. C. S. 2, 401.
Potassium mercury chloride.	K Hg Cl ₃ . H ₂ O ---	3.735, m. of 3.	“ “
Ammonium mercury chloride.	Am ₂ Hg ₂ Cl ₆ . H ₂ O-	3.822 -----	“ “
“ “ “ --	Am ₂ Hg Cl ₄ . H ₂ O --	2.938 -----	“ “
Potassium iron chloride--	K ₂ Fe Cl ₄ . 2 H ₂ O--	2.162 -----	Schabus. J. 3, 327.
Potassium copper chloride	K ₂ Cu Cl ₄ . 2 H ₂ O--	2.426 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ “ --	“ -----	2.400 -----	Schiff. A. C. P. 112, 88.
“ “ “ --	“ -----	2.359 -----	Kopp. J. 11, 10.
“ “ “ --	“ -----	2.410 -----	Tschernak. S. W. A. 45, 603.
“ “ “ --	“ -----	2.358 -----	Schröder. Dm. 1873.
“ “ “ --	“ -----	2.392 -----	
“ “ “ --	“ -----	2.425 -----	
“ “ “ --	“ -----	2.425 -----	
Rubidium copper chloride	Rb ₂ Cu Cl ₄ . 2 H ₂ O--	2.895 -----	Wyrouboff. B. S. M. 10, 127.
Ammonium copper chloride.	Am ₂ Cu Cl ₄ . 2 H ₂ O-	2.018 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ “ --	“ -----	1.963 -----	Schiff. A. C. P. 112, 88.
“ “ “ --	“ -----	1.977 -----	Kopp. J. 11, 10.
“ “ “ --	“ -----	2.066 -----	Tschernak. S. W. A. 45, 603.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium copper chloride.	$\text{Am}_2 \text{Cu Cl}_4 \cdot 2 \text{H}_2 \text{O}$	1.981, 24°	Evans. F. W. C.
Potassium palladiochloride.	$\text{K}_2 \text{Pd Cl}_6$	2.806	Topsoë. C. C. 4, 76.
Ammonium palladiochloride.	$\text{Am}_2 \text{Pd Cl}_6$	2.418	" "
Magnesium palladiochloride.	$\text{Mg Pd Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.124	" "
Zinc palladiochloride	$\text{Zn Pd Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.359	" "
Nickel palladiochloride	$\text{Ni Pd Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.353	" "
Potassium iridichloride	$\text{K}_2 \text{Ir Cl}_6$	3.546, 15°	Bödeker. B. D. Z.
Ammonium iridichloride	$\text{Am}_2 \text{Ir Cl}_6$	2.856, 15°	" "
Potassium platsochloride	$\text{K}_2 \text{Pt Cl}_4$	3.2056, 20°.3 } 3.2909, 21° }	Clarke. A. J. S. (3), 16, 206.
Ammonium platsochloride.	$\text{Am}_2 \text{Pt Cl}_4$	2.84	Romanis. C. N. 49, 273.
Sodium platinchloride	$\text{Na}_2 \text{Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.500	Topsoë. C. C. 4, 76.
Potassium platinchloride.	$\text{K}_2 \text{Pt Cl}_2$	3.586, 15°	Bödeker. B. D. Z.
" "	"	3.694	Tschermak. S. W. A. 45, 603.
" "	"	3.3, 17°	Petterson. U. N. A. 1874.
" "	"	3.32, 17°.2	
" "	"	3.344	
Rubidium platinchloride	$\text{Rb}_2 \text{Pt Cl}_6$	3.96, 17°.4	Petterson. U. N. A. 1874.
" "	"	3.94, 17°.5	
Ammonium platinchloride.	$\text{Am}_2 \text{Pt Cl}_6$	2.955 } 3.009 } 2.960 }	15° Bödeker. B. D. Z.
" "	"	2.960	Tschermak. S. W. A. 45, 603.
" "	"	3.0, 17°.2	Petterson. U. N. A. 1874.
" "	"	2.936	Schröder. Dm. 1873.
" "	"	3.065	Topsoë. C. C. 4, 76.
Thallium platinchloride	$\text{Tl}_2 \text{Pt Cl}_6$	5.76, 17°	Petterson. U. N. A. 1874.
Magnesium platinchloride.	$\text{Mg Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.437	Topsoë. C. C. 4, 76.
" "	$\text{Mg Pt Cl}_6 \cdot 12 \text{H}_2 \text{O}$	2.060	" "
Cadmium platinchloride	$\text{Cd Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.882	" "
Barium platinchloride	$\text{Ba Pt Cl}_6 \cdot 4 \text{H}_2 \text{O}$	2.868	" "
Lead platinchloride	$\text{Pb Pt Cl}_6 \cdot 3 \text{H}_2 \text{O}$	3.681	" "
Manganese platinchloride	$\text{Mn Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.692	" "
" "	$\text{Mn Pt Cl}_6 \cdot 12 \text{H}_2 \text{O}$	2.112	" "
Iron platinchloride	$\text{Fe Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.714	" "
Copper platinchloride	$\text{Cu Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.734	" "
Didymium platinchloride	$\text{Di Pt Cl}_7 \cdot 10\frac{1}{2} \text{H}_2 \text{O}$	2.683 } 2.696 }	21° 2
" "	"	2.709 } 2.714 }	21° 8
Samarium platinchloride	$\text{Sm Pt Cl}_7 \cdot 10\frac{1}{2} \text{H}_2 \text{O}$	2.692 } 2.664 }	18°
Didymium aurichloride	$\text{Di Au Cl}_6 \cdot 10 \text{H}_2 \text{O}$	2.739 } 2.741 }	16° 5
Samarium aurichloride	$\text{Sm Au Cl}_6 \cdot 10 \text{H}_2 \text{O}$	2.739 } 2.741 }	" "
Potassium stannochloride	$\text{K}_2 \text{Sn Cl}_4 \cdot 3 \text{H}_2 \text{O}$	2.514	Playfair and Joule. M. C. S. 2, 101.
Ammonium stannochloride.	$\text{Am}_2 \text{Sn Cl}_4 \cdot 3 \text{H}_2 \text{O}$	2.104	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium stannichloride.	$K_2 Sn Cl_6$	2.686	Schröder. Dm. 1873.
" "	"	2.688	
" "	"	2.700	
" "	"	2.948	
Cæsium stannichloride	$Cs_2 Sn Cl_6$	3.3308, 20°.5	Stolba. D. J. 198, 225.
Ammonium stannichloride.	$Am_2 Sn Cl_6$	2.387, m. of 4	Schröder. Dm. 1873.
" "	"	2.381	
" "	"	2.396	
" "	"	2.511	
Magnesium stannichloride.	$Mg Sn Cl_6 \cdot 6 H_2 O$	2.080	Topsoë and Christiansen.
Potassium antimony chloride.	$K_3 Sb Cl_6 \cdot 2 H_2 O$	2.42	Romanis. C. N. 49, 273.

3d. Oxy- and Sulpho-Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Matlockite	$Pb_3 O Cl_2$	7.21	Greg. J. 4, 821.
Mendipite	$Pb_3 O_2 Cl_2$	7.0—7.1	Dana's Mineralogy.
Atacamite	$Cu_2 Cl (O H)_3$	3.898	Zepharovich. J. 24, 1186.
"	"	3.757	Tschermak. J. 26, 1201.
"	"	3.7688	Zepharovich. J. 26, 1201.
Botallackite	$Cu_4 Cl_2 (O H)_6 \cdot 3 H_2 O$	3.6	Church. J. C. S. 18, 213.
Tallingite	$Cu_5 Cl_2 (O H)_8$	3.5	Church. J. C. S. 18, 78.
Mercuric oxychloride	$Hg_3 O_2 Cl_2$	8.63	Blaas. Z. K. M. 5, 283.
Didymium oxychloride	$Di O Cl$	5.725	Cleve. U. N. A. 1885.
" "	"	5.735	
" "	"	5.793, 21°.5	
Samarium oxychloride	$Sm O Cl$	6.987	" "
" "	"	7.047	
Nitroxyl chloride	$N O_2 Cl$	1.3677, 8°	Baudrimont. J. P. C. 31, 478.
" "	"	1.32, 14°	Müller. A. C. P. 122, 1.
Phosphorus oxychloride	$P O Cl_3$	1.673, 14°	Cahours. J. P. C. 45, 129.
" "	"	1.70, 12°	Wurtz. J. 1, 365.
" "	"	1.662, 19°.5	Mendeleeff. J. 13, 7.
" "	"	1.69371, 10°	} Buff. A. C. P. 4 Supp. Bd., 129.
" "	"	1.69106, 14°	
" "	"	1.68626, 15°	
" "	"	1.64945, 51°	
" "	"	1.509116, 110°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phosphorus oxychloride	$P O Cl_3$	1.66	Wichelhaus. J. 20, 149.
" "	"	1.71163, 0°	Thorpe. J. C. S. } 37, 337.
" "	"	1.50967, 107°.25	
" "	"	1.5142, 106°.7	
Pyrophosphoric chloride	$P_2 O_3 Cl_4$	1.58, 7°	Schall. Ber. 17, 2204. Geuther and Michaelis. B. S. C. 16, 231.
Vanadyl dichloride	$V O Cl_2$	2.88, 13°, s	Roscoe. P.T. 1868, 1.
Vanadyl trichloride	$V O Cl_3$	1.764, 20	Schafarik. J. P. C. 76, 142.
" "	"	1.841, 14°.5	Roscoe. P.T. 1868, 1. } Thorpe. J. C. S. } 37, 348.
" "	"	1.896, 17°.5	
" "	"	1.828, 24°	
" "	"	1.86534, 0°	
" "	"	1.63073, 127°.19	
" "	"	1.854, 18°	L'Hôte. C. R. 101, 1151.
Antimony oxychloride	$Sb_4 O_3 Cl_2$	5.014, s	Cooke. Proc. Am. Acad. 1877.
Bismuth oxychloride	$Bi O Cl$	7.2, 20°, s	Murr, Hoffmeister, and Robbs. J. C. S. 39, 37. [922.
Daubreite	$Bi_5 O_6 Cl_3$	6.4—6.5	Domoyko. C. R. 82, 922.
Sulphur oxychloride	$S_2 O Cl_4$	1.656, 0°	Ogier. Ber. 15, 922.
Thionyl chloride	$S O Cl_2$	1.675, 0°	Wurtz. J. P. C. 99, 255.
" "	"	1.67673, 0°	Thorpe. J. C. S. } 37, 354.
" "	"	1.52143, 78°.8	
" "	"	1.6554, 10°.4	
Sulphuryl chloride	$S O_2 Cl_2$	1.661, 21°	Nasini. Bei. 9, 324. Behrends. J. 30, 210.
" "	"	1.70814, 0°	Thorpe. J. C. S. } 37, 359.
" "	"	1.56025, 69°.95	
Disulphuryl chloride	$S_2 O_3 Cl_2$	1.818, 16°	H. Rose. P. A. 44, 291. [121.
" "	"	1.762	Rosenstiehl. J. 14, 1827, 159.
" "	"	1.819, 18°	Michaelis.
" "	"	1.85846, 0°	Thorpe. J. C. S. } 37, 360.
" "	"	1.60610, 139°.59	
Chloro-sulphonic acid	$S O_2 O H. Cl$	1.78474, 0	Thorpe. J. C. S. } 37, 358.
" "	"	1.54874, 155°.3	
" "	"	1.7633, 14°	
Selenyl chloride	$Se O Cl_2$	2.44	Nasini. Bei. 9, 324. Weber. J. 12, 91.
" "	"	2.443, 13°	Michaelis. Z. C. 13, 460.
Chromyl dichloride	$Cr O_2 Cl_2$	1.9134, 10°	Thomson. P. T. 1827, 159.
" "	"	1.71, 21°	Walter. Ann. (2), 66, 387.
" "	"	1.92, 25°	Thorpe. J. 21, 226.
" "	"	1.7538, 117°	Ramsay. J. C. S. 35, 463.
" "	"	1.96101, 0°	Thorpe. J. C. S. } 37, 372. [115.
" "	"	1.75780, 115°.9	
Phosphorus sulphochloride	$P S Cl_3$	1.631, 22	Baudrimont. J. 14, 463.
" "	"	1.66820, 0°	Thorpe. J. C. S. } 37, 341.
" "	"	1.45599, 125°.12	

IV. INORGANIC BROMIDES.

1st. Simple Bromides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium bromide	Li Br	3.102, 17°	Clarke. A. J. S. (3), 13, 293.
Sodium bromide	Na Br	2.952	Schiff. A. C. P. 108, 21.
" "	"	3.079, 17°.5	Kremers. J. 10, 67.
" "	"	3.011	Tschermak. S. W. A. 45, 603.
" "	"	3.198, 17°.3	Favre and Valson. C. R. 77, 579.
" " Fused	"	2.448	Quineke. P. A. 138, 141.
" "	Na Br. 4 H ₂ O	2.34	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.165, 16°.8	Favre and Valson. C. R. 77, 579.
Potassium bromide	K Br	2.415	Karsten. Schw. J. 65, 394.
" "	"	2.672	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.690, m. of 6	Schröder. P. A. 106, 226.
" "	"	2.712, 12°.7	Beamer. F. W. C.
" " Fused	"	2.199	Quineke. P. A. 138, 141.
" " Not pressed	"	2.505	} 18° Spring. Ber. 16, 2724.
" " Once "	"	2.704	
" " Twice "	"	2.700	
Rubidium bromide	Rb Br	3.358	Setterberg. Of. Ak. St. 1882, 6, 23.
Cæsium bromide	Cs Br	4.463	" "
Ammonium bromide	Am Br	2.379	Schröder. P. A. 106, 226.
" "	"	2.266, 10°	Bödeker. B. D. Z.
" " Cryst.	"	2.327	} Eder. Ber. 14, 511.
" " Sublimed	"	2.3394	
" "	"	2.456	Stas. Mem. Acad. Belg. 43, 1.
Silver bromide	Ag Br	6.3534	Karsten. Schw. J. 65, 394.
" "	"	6.425, m. of 7	Schröder. P. A. 106, 226.
" "	"	6.215, 17°	Clarke. A. J. S. (3), 13, 294.
" "	"	6.245, 0°	} Rodwell. P. T. 1882, 1125.
" " Molten	"	5.595, 427°	
" " "	"	6.2	Quineke. P. A. 138, 141.
Thallium bromide. Precip.	Tl Br	7.540, 21°.7	} Keek. F. W. C.
" " After fusion.	"	7.557, 17°.3	
Zinc bromide	Zn Br ₂	3.643, 10°	Bödeker. B. D. Z.
Cadmium bromide	Cd Br ₂	4.712	} 14° Bödeker and Gies- secke. B. D. Z.
" "	"	4.910	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cadmium bromide	Cd Br ₂	4.794, 15°.9	Knight. F. W. C.
Mercurous bromide	Hg Br	7.307	Karsten. Schw. J. 65, 394.
Mercuric bromide	Hg Br ₂	5.9202	" "
" "	"	5.7298, 16° -)	Beamer. F. W. C.
" "	"	5.7461, 18° -)	
" "	"	5.7461, 18° -)	
Calcium bromide	Ca Br ₂	3.32, 11°	Bodeker. B. D. Z.
Strontium bromide	Sr Br ₂	3.962, 12°	" "
" "	"	3.985, 20°.5	Favre and Valson. C. R. 77, 579.
" "	Sr Br ₂ . 6 H ₂ O	2.358, 18°	" "
Barium bromide	Ba Br ₂	4.23	Schiff. A. C. P. 108, 21.
" "	Ba Br ₂ . 2 H ₂ O	3.690	" "
" " Cryst.	"	3.710	Schröder. Dan. 1873.
" " Pulv.	"	3.588	
" "	"	3.679, 24°.3	
Lead bromide	Pb Br ₂	6.6302	Harper. F. W. C. Karsten. Schw. J. 65, 394.
" "	"	6.611, 17°.5	Kremers. J. 5, 397.
" " Ppt.	"	6.572, 19°.2	Keck. F. W. C.
Cuprous bromide	Cu Br	4.72, 12°	Bodeker. B. D. Z.
Boron tribromide	B Br ₃	2.69, 1	Wohler and Deville. J. 10, 94.
Aluminum bromide	Al Br ₃	2.54	Dewille and Troost. J. 12, 26
Didymium bromide	Di Br ₃ . 6 H ₂ O	2.803	Cleve. U. N. A. 1885.
" "	"	2.817	
Samarium bromide	Sm Br ₃ . 6 H ₂ O	2.969	" "
" "	"	2.973	
Silicon tetrabromide	Si Br ₄	2.8128, 0°	Pierre. Ann. (3), 20, 28.
Titanium tetrabromide	Ti Br ₄	2.6	Duppa. J. 9, 365.
Tin dibromide	Sn Br ₂	5.117, 17°	Raymann and Preis. A. C. P. 223, 323.
Tin tetrabromide	Sn Br ₄	3.322, 39°, 1	Bodeker. B. D. Z.
" "	"	3.349, 35°	Raymann and Preis. A. C. P. 223, 323.
Phosphorus tribromide	P Br ₃	2.92489, 0°	Pierre. Ann. (3), 20, 11.
" "	"	2.92311, 0	Thorpe. J. C. S. 37, 335.
" "	"	2.49541, 172°.9	
Arsenic tribromide	As Br ₃	3.66, 15°	Bodeker. B. D. Z.
Antimony tribromide	Sb Br ₃	3.641, 90°, 1	Kopp. A. C. P. 95, 352.
" "	"	3.473, 96°, 1	Mac Ivor. C. N. 29, 179.
" "	"	4.148, 23°, 3	Cooke. Proc. Am. Acad. 1877.
Bismuth tribromide	Bi Br ₃	5.6041	Bodeker. B. D. Z.
" "	"	5.4, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 37.
Sulphur bromide	S ₂ Br ₂	2.628, 4°	Hannay. J. C. S. 33, 288.
Selenium bromide	Se ₂ Br ₂	3.604, 15°	Schneider. P. A. 128, 327.

2d. Double, Oxy-, and Sulpho-Bromides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium zinc bromide.	Am, Zn Br ₄ -----	2.625, 13° ----	Bödeker. B. D. Z.
Barium cadmium bromide	Ba Cd Br ₄ . 4 H ₂ O --	3.687 -----	Topsoë. C. C. 4, 76.
“ “ “	“ “ “ “ “ “ “	3.665, 24° ----	Harper. F. W. C.
Hydrogen mercury bro- mide.	H Hg Br ₃ . 4 H ₂ O ---	3.17, fused ---	Thomsen. J. P. C. (2), 11, 283.
Potassium mercury bro- mide.	K Hg Br ₃ -----	4.410, m. of 3.	Beamer. F. W. C.
“ “ “	K Hg Br ₃ . H ₂ O ----	3.865, 22° ----	“ “
Potassium stannibromide.	K ₂ Sn Br ₆ -----	3.783 -----	Topsoë. C. C. 4, 76.
Ammonium stannibro- mide.	Am ₂ Sn Br ₆ -----	3.505 -----	“ “
Sodium platinbromide ---	Na ₂ Pt Br ₆ . 6 H ₂ O ---	3.323 -----	“ “
Potassium platinbromide.	K ₂ Pt Br ₆ -----	4.68, 14° ----	Bödeker. B. D. Z.
“ “ “	“ “ “ “ “ “ “	4.541 -----	Topsoë. C. C. 4, 76.
Ammonium platinbromide	Am ₂ Pt Br ₆ -----	4.200 -----	“ “
Magnesium platinbromide	Mg Pt Br ₆ . 12 H ₂ O ---	2.802 -----	“ “
Zinc platinbromide	Zn Pt Br ₆ . 12 H ₂ O ---	2.877 -----	“ “
Strontium platinbromide.	Sr Pt Br ₆ . 9 H ₂ O ---	2.923 -----	“ “
Barium platinbromide ---	Ba Pt Br ₆ . 10 H ₂ O ---	3.713 -----	“ “
Lead platinbromide.	Pb Pt Br ₆ -----	6.025 -----	“ “
Manganese platinbromide	Mn Pt Br ₆ . 12 H ₂ O ---	2.759 -----	“ “
Nickel platinbromide ---	Ni Pt Br ₆ . 6 H ₂ O ---	3.715 -----	“ “
Cobalt platinbromide ---	Co Pt Br ₆ . 12 H ₂ O ---	2.762 -----	Two samples. Top- soë. C. C. 4, 76
“ “ “	“ “ “ “ “ “ “	2.634 -----	
Didymium auribromide ---	Di Au Br ₆ . 10 H ₂ O ---	3.297 } 21° .2	Cleve. U.N.A. 1885.
“ “ “	“ “ “ “ “ “ “	3.311 } 21° .2	
Samarium auribromide ---	Sm Au Br ₆ . 10 H ₂ O ---	3.383 } 21° .2	“ “
“ “ “	“ “ “ “ “ “ “	3.398 } 21° .2	
Nitrosyl tribromide.---	N O Br ₃ -----	2.628, 22°.6 ---	Landolt. J. 13, 104.
Phosphoryl tribromide---	P O Br ₃ -----	2.822 -----	Ritter. J. 8, 301.
Vanadyl tribromide.---	V O Br ₃ -----	2.9673, 0° ---	Roscoe. A. C. P. 8 Supp. Bd. 95.
“ “ “	“ “ “ “ “ “ “	2.9325, 14°.5 } 21° .2	
Bismuth oxybromide.---	Bi O Br -----	6.70, 20° ----	Muir, Hoffmeister, and Robbs. J. C. S. 39, 37.
Phosphorus sulphobro- mide.	P S Br ₃ -----	2.85, 17° ----	Michaelis. A. C. P. 164, 9.
“ “ “	“ “ “ “ “ “ “	2.87 -----	Mac Ivor. C. N. 29, 116.
“ “ “	P S Br ₃ . H ₂ O ---	2.7937, 18° ----	Michaelis. A. C. P. 164, 9.
“ “ “	P ₂ S ₃ Br ₄ -----	2.2621, 17° ----	“ “
Arsenic sulphobromide---	As S ₂ Br ₃ -----	2.789 -----	Hannay. J. C. S. 33, 291.

V. INORGANIC IODIDES.

1st. Simple Iodides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium iodide	Li I	3.485, 23°	Clarke. A. J. S. (3), 13, 293.
Sodium iodide	Na I	3.450	Filhol. Ann. (3), 21, 415.
" "	"	3.654, 18°·2	Favre and Vaisson. C. R. 77, 579.
" "	Na I. 4 H ₂ O	2.448, 20°·8	" "
Potassium iodide	K I	3.078	Boullay. Ann. (2), 43, 266.
" "	"	3.104	"
" "	"	2.9084	Karsten. Schw. J. 65, 394.
" "	"	3.059	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.056	Filhol. Ann. (3), 21, 415.
" "	"	2.850	Schiff. A. C. P. 108, 21.
" "	"	2.970	Buignet. J. 14, 15.
" "	"	3.081	Schroder. P. A. 106, 226.
" "	"	3.077	"
" "	"	2.497 at the melting p't.	Braun. J. C. S. (2), 13, 31.
" " Fused	"	2.497	Quincke. P. A. 128, 141.
" " Not press'd	"	3.012, 20°	"
" " Once "	"	3.110, 22°	Spring. Ber. 16, 2724.
" " Twice "	"	3.112, 20°	"
Potassium triiodide	K I ₃	3.498	Johnson. C. N. 34, 256.
Rubidium iodide	Rb I	3.567	Setterberg. Of. Ak. St. 1882, 6, 23.
Cæsium iodide	Cs I	4.537	" "
Ammonium iodide	Am I	2.498, 11°	Bodeker. B. D. Z. Schroder. Dm. 1873.
" "	"	2.445	"
Ammonium triiodide	Am I ₃	3.749	Johnson. C. N. 37, 246.
Iodammonium iodide	N H ₃ I ₂	2.46, 15°	Seimon. C. N. 44, 189.
Silver iodide	Ag I	5.614	Boullay. Ann. (2), 43, 266.
" "	"	5.0262	Karsten. Schw. J. 65, 394.
" "	"	5.500	Filhol. Ann. (3), 21, 415.
" "	"	5.35	Schiff. A. C. P. 108, 21.
" "	"	5.650	Schroder. P. A. 106, 226.
" "	"	5.718	"
" " Cryst.	"	5.669, 14°	Damour. Quoted, C. R. 64, 314.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver iodide. Cryst. -----	Ag I -----	5.470	H. St. Claire Deville. P. A. 132, 307. C. R. 64, 325. Fizeau. Rodwell. P. T. 1882, 1125. Breithaupt. Dana's Min. Domeyko. Dana's Min. Damour. J. 7, 870. J. L. Smith. J. 7, 870. Damour. Quoted, C. R. 64, 314.
“ “ “ -----	“ -----	5.544	
“ “ After fusion -----	“ -----	5.687	
“ “ Precipitated -----	“ -----	5.807, 0°	
“ “ Ppt compressed. -----	“ -----	5.569	
“ “ After rep. fusion. -----	“ -----	5.675, 0°	
“ “ After one fusion. -----	“ -----	5.660, 0°	
“ “ From Ag in H I. -----	“ -----	5.812, 0°	
“ “ Ppt. after fusion. -----	“ -----	5.681, 0°	
“ “ At max. density. -----	“ -----	5.771, 163°	
“ “ At min. density. -----	“ -----	5.673	
“ “ Molten -----	“ -----	5.522, 527°	
“ “ Iodyrite -----	“ -----	5.64—5.67	
“ “ “ -----	“ -----	5.504	
“ “ “ -----	“ -----	5.707	
“ “ “ -----	“ -----	5.366	
“ “ “ -----	“ -----	5.677, 14°	
Thallium iodide. Precip. -----	Tl I -----	7.072, 15° 5	Twitchell. F. W. C.
“ “ Cast -----	“ -----	7.0975, 14° 7	
Zinc iodide -----	Zn I ₂ -----	4.696, 10°	Bödeker and Giesecke. B. D. Z.
“ “ -----	“ -----	4.666, 14° 2	Kebler. F. W. C.
Cadmium iodide. <i>a</i> variety. -----	Cd I ₂ -----	5.543, m. of 8	Kebler. A. C. J. 5, 235. Six samples, prepared by different methods. Temperatures of weighing, 10° 5 to 20° 4. Twitchell. A. C. J. 5, 235. Bödeker. B. D. Z. { Kebler. A. C. J. 5, 235. Two lots, 14° to 15° 4. Twitchell. A. C. J. 5, 235.
“ “ “ -----	“ -----	5.622, m. of 8	
“ “ “ -----	“ -----	5.660, m. of 7	
“ “ “ -----	“ -----	5.729, m. of 6	
“ “ “ -----	“ -----	5.610, m. of 3	
“ “ “ -----	“ -----	5.675, m. of 4	
“ “ “ -----	“ -----	5.701, m. of 4	
“ “ <i>β</i> variety. -----	“ -----	4.576, 10°	
“ “ “ -----	“ -----	4.612, m. of 7	
“ “ “ -----	“ -----	4.596, m. of 7	
“ “ “ -----	“ -----	4.688, m. of 5	
Mercurous iodide -----	Hg I -----	7.75	Boullay. Ann. (2), 43, 266.
“ “ -----	“ -----	7.6445	Karsten. Schw. J. 65, 394.
Mercuric iodide -----	Hg I ₂ -----	6.32	Boullay. Ann. (2), 43, 266.
“ “ -----	“ -----	6.2009	Karsten. Schw. J. 65, 394.
“ “ -----	“ -----	6.250	Filhol. Ann. (3), 21, 415.
“ “ -----	“ -----	5.91	Schiff. A. C. P. 108, 21.
“ “ -----	“ -----	6.27	Tschermak. S. W. A. 45, 603.
“ “ Red -----	“ -----	6.231, m. of 7	Owens. F. W. C.
“ “ “ -----	“ -----	6.2941	Rodwell and Elder. P. T. 1882, 1143.
“ “ “ -----	“ -----	6.3004	
“ “ “ -----	“ -----	6.276, 126°	
“ “ Yellow -----	“ -----	6.225, 126°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Mercuric iodide. Solid	Hg I ₂	6.179, 200°	Rodwell and Elder. P. T. 1882, 1143.
“ “ Molten	“	5.286, 200°	
Strontium iodide	Sr I ₂	4.415, 10°	Bodeker. B. D. Z.
Barium iodide	Ba I ₂	4.917	Filhol. Ann. (3), 21, 415.
“ “	Ba I ₂ . 7 H ₂ O	2.673, 20°.	Leonard. F. W. C.
Lead iodide	Pb I ₂	6.11	Boulhay. Ann. (2), 43, 266.
“ “	“	6.0212	Karsten. Schw. J. 65, 394.
“ “	“	6.384	Filhol. Ann. (3), 21, 415.
“ “	“	6.07	Schiff. A. C. P. 108, 21.
“ “	“	6.207	Schroder. P. A. 107, 113.
“ “	“	6.12	Rodwell. P. T. 1882, 1144.
“ “ Molten	“	5.6247, 383°	
Iron iodide	Fe I ₂ . 4 H ₂ O	2.873, 12°	Bodeker. B. D. Z.
Cuprous iodide	Cu I	4.410	Schiff. A. C. P. 108, 21.
“ “	“	5.6936	Rodwell. P. T. 1882, 1153.
Aluminum iodide	Al I ₃	2.63	Deville and Troost. J. 12, 26.
Tin tetriodide	Sn I ₄	4.696, 11°	Bodeker. B. D. Z.
Arsenic triiodide	As I ₃	4.39, 13°	“ “
“ “	“	4.374	Schroder. Dm. 1873.
Arsenic pentiodide	As I ₅	3.93, approx.	Sloan. C. N. 46, 194.
Antimony triiodide	Sb I ₃	5.01, 10°	Bodeker. B. D. Z.
“ “	“	4.676	Schroder. Dm. 1873.
“ “ Hexagonal	“	4.848, 24°, m. of 5.	
“ “ Monoclinic	“	4.768, 22°, m. of 2.	
Bismuth triiodide	Bi I ₃	5.652, 10°	Bodeker. B. D. Z.
“ “	“	5.544, 18°.4	Kebler. A. C. J. 5, 235.
“ “	“	5.64	Gott and Muir. J. C. S. 53, 137.
“ “	“	5.65	

2d. Double and Oxy-Iodides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium cadmium iodide	K ₂ Cd I ₆ . 2 H ₂ O	3.359, m. of 4.	Leonard. F. W. C.
Potassium mercury iodide	K ₂ Hg ₂ I ₆ . 3 H ₂ O	4.254, 22°	Owens. F. W. C.
“ “ “	“	4.289, 23°.5	
Silver mercury iodide	2 Ag I. Hg I ₂	5.9984, 0°	Bellati and Roman- ese. Bei. 5, 179.
“ “ “	3 Ag I. Hg I ₂	5.9302, 0°	“ “
Copper mercury iodide	2 Cu I. Hg I ₂	6.0956, 0°	“ “
“ “ “	2 Cu I. 2 Hg I ₂	6.1507, 14°	Heighway. F. W. C.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver copper iodide-----	2 Cu I. Ag I-----	5.7302-----	Rodwell. P. T. 1882, 1160.
“ “ “-----	2 Cu I. 2 Ag I-----	5.7225-----	“ “
“ “ “-----	2 Cu I. 3 Ag I-----	5.7160-----	“ “
“ “ “-----	2 Cu I. 4 Ag I-----	5.7064-----	“ “
“ “ “-----	2 Cu I. 12 Ag I-----	5.6950-----	“ “
Silver lead iodide-----	Pb I ₂ . Ag I-----	5.923, 0°-----	“ “
Sodium platiniodide-----	Na ₂ Pt I ₆ . 6 H ₂ O-----	3.707-----	Topsoë. C. C. 4, 76.
Potassium platiniodide-----	K ₂ Pt I ₆ -----	5.154 }-----	Bödeker. B. D. Z.
“ “-----	“-----	5.198 }-----	
“ “-----	“-----	5.031 }-----	
Ammonium platiniodide-----	Am ₂ Pt I ₆ -----	4.610-----	Topsoë. C. C. 4, 76.
Magnesium platiniodide-----	Mg Pt I ₆ . 9 H ₂ O-----	3.458-----	“ “
Zinc platiniodide-----	Zn Pt I ₆ . 9 H ₂ O-----	3.689-----	“ “
Manganese platiniodide-----	Mn Pt I ₆ . 9 H ₂ O-----	3.604-----	“ “
Iron platiniodide-----	Fe Pt I ₆ . 9 H ₂ O-----	3.455-----	“ “
Nickel platiniodide-----	Ni Pt I ₆ . 6 H ₂ O-----	3.976-----	“ “
“ “-----	Ni Pt I ₆ . 9 H ₂ O-----	3.549-----	“ “
Cobalt platiniodide-----	Co Pt I ₆ . 9 H ₂ O-----	3.618-----	“ “
“ “-----	Co Pt I ₆ . 12 H ₂ O-----	3.048-----	“ “
Schwartzembergite-----	Pb ₃ I ₂ O ₂ -----	6.3-----	Liebe. J. 20, 1008.
“-----	“-----	5.7-----	Schwartzemberg. Dana's Min.
Lead oxyiodide-----	Pb ₁₁ I ₄ O ₁₀ -----	7.81-----	Cross and Sugiura. J. C. S. 33, 406.

VI. CHLOROBROMIDES, CHLORIODIDES, AND BROMIODIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Embolite-----	Ag (Cl Br)-----	5.31—5.43----	Domeyko. Dana's Min.
“-----	“-----	5.806-----	Breithaupt. J. 2, 781.
“ (Cl ₃ Br ₂)-----	“-----	5.53-----	Yorke. J. C. S. 4, 150.
Lead chlorobromide-----	Pb Cl Br-----	5.741-----	Hes. A. C. J. 3, 52.
Silicon chlorobromide-----	Si Cl Br ₃ -----	2.432-----	Reynolds. C. N. 55, 223.
Tin chlorobromide-----	Sn Cl Br ₃ -----	3.349, 35°-----	Reis and Raymann. J. C. S. 44, 424.
Phosphorus oxychlorobromide.	P O Cl ₂ Br-----	2.059, 0°-----	Menschutkin. J. P. C. 98, 485.
“ “-----	“-----	2.12065, 0°-----	} Thorpe. J. C. S. 37, 372.
“ “-----	“-----	1.83844, 137°.6-----	
Silver chlorobromiodide*.	Ag I. 2 Ag Br. 2 Ag Cl-----	6.152, 0°-----	} Rodwell. P. T. 1882, 1140.
“ “-----	“-----	5.5118, 383°-----	
“ “ (Iodobromite)-----	“-----	5.713, 18°-----	
“ “-----	Ag I. Ag Br. Ag Cl-----	6.1197, 0°-----	} Rodwell. P. T. 1882, 1140.
“ “-----	“-----	5.5673, 331°-----	

* Rodwell's chlorobromiodides may be regarded as alloys. For each of these the higher temperature is the melting point.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver chlorobromiodide.	2 Ag I. Ag Br. Ag Cl	6.508, 0° ---	Rodwell. P. T. 1882, 1140.
" " -----	" " " "	5.6971, 326 - }	
" " -----	3 Ag I. Ag Br. Ag Cl	5.9717, 0° -- }	" "
" " -----	" " " "	5.6430, 354° }	
" " -----	4 Ag I. Ag Br. Ag Cl	5.967, 0° - }	" "
" " -----	" " " "	5.680, 380° - }	

VII. AMMONIO-CHLORIDES, AMMONIO-BROMIDES,
AMMONIO-IODIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cadm ammonium chloride	$N_2 H_6 Cd. Cl_2$ -----	2.692 -----	Topsoë. C. C. 4, 76.
Cadm ammonium bromide	$N_2 H_6 Cd. Br_2$ -----	3.366 -----	" "
Dimercuro ammonium chloride.	$N H_2 Hg'_2. Cl$ -----	6.858, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
Dimercuro ammonium chloride.	$N_2 H_4 Hg''_2. Cl_2$ -----	5.700 -----	" "
Tetramercuro ammonium chloride.	$N_2 Hg''_4 Cl_2. 2 H_2 O$	7.176, m. of 2	" "
Cuprammonium chloride	$N_2 H_6 Cu. Cl_2$ -----	2.194 -----	" "
Copper ammonio-chloride	$Cu Cl_2. 4 N H_3. H_2 O$	1.672 -----	" "
Nickel ammonio-bromide	$Ni Br_2. 6 N H_3$ -----	1.837 -----	Topsoë. C. C. 4, 76.
Nickel ammonio-iodide	$Ni I_2. 6 N H_3$ -----	2.101 -----	" "
Purpureo-cobalt hexchloride.	$Co_2 (N H_3)_{10}. Cl_6$ -----	1.802, 23° -----	Gibbs and Genth. A. J. S. (2), 23, 234.
" " " "	" " " "	1.802 } 15° {	
" " " "	" " " "	1.808 } 15° {	
Purpureo-cobalt hexbromide.	$Co_2 (N H_3)_{10}. Br_6$ -----	2.483, 17°.8 -----	" "
Purpureo-cobalt chlorobromide.	$Co_2 (N H_3)_{10}. Cl_4 Br_2$	2.095, 16°.8 -----	" "
Purpureo-cobalt bromochloride. " " "	$Co_2 (N H_3)_{10}. Cl_2 Br_4$	2.161 } 17° -----	" "
" " " "	" " " "	2.165 } 17° -----	
Luteo-cobalt hexchloride.	$Co_2 (N H_3)_{12}. Cl_6$ -----	1.7016, 20° -----	Gibbs and Genth. A. J. S. (2), 23, 319.
Purpureo-chromium hexchloride.	$Cr_2 (N H_3)_{10}. Cl_6$ -----	1.687, 15°.5 -----	Jørgensen. J. P. C. (2), 20, 105.
Purpureo-chromium chlorobromide.	$Cr_2 (N H_3)_{10}. Cl_2 Br_4$	2.075, 13°.8 -----	" "
Purpureo-rhodium hexchloride. " " "	$Rh_2 (N H_3)_{10}. Cl_6$	2.072, 18°.4 } -----	Jørgensen. J. P. C. (2), 27, 442.
" " " "	" " " "	2.079, 18° } -----	
Purpureo-rhodium hexbromide. " " "	$Rh_2 (N H_3)_{10}. Br_6$ -----	2.643 } 17°.5 -----	Jørgensen. J. P. C. (2), 27, 464.
" " " "	" " " "	2.650 } 17°.5 -----	
Purpureo-rhodium hexiodide. " " "	$Rh_2 (N H_3)_{10}. I_6$ -----	3.110, 11°.8 } -----	Jørgensen. J. P. C. (2), 27, 471.
" " " "	" " " "	3.120, 16°.2 } -----	

VIII. INORGANIC OXIDES.

1st. Simple Oxides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Water*	H ₂ O	1.0000, 4°.07	Standard of comparison.
"	"	.999889, 0°	} H ₂ O at 3°.78=1.0. Muncke. Mém. Acad. St. Peters- burg, 1831.
"	"	.988433, 50°	
"	"	.958737, 100°	
"	"	.999887, 0°	} Stampfer. H ₂ O at 3°.75=1.0°. P. A. 21, 75.
"	"	.992247, 40°	
"	"	.999862, 0°	Despretz. Ann. (2), 70, 5.
"	"	.99988, 0°	} Mendelejeff. A. C. P. 119, 1.
"	"	.95903, 95°.8	
"	"	.93078, 130°.8	
"	"	.93123, 131°	
"	"	.93035, 131°.1	
"	"	.90783	} 156°.7
"	"	.90811	
"	"	.90715, 157°	} Buff. H ₂ O at 0°=1.0. A. C. P. 4th Supp. 129.
"	"	.95892, 100°	
"	"	.999866, 0°	} Rossetti. Ann. (4), 10, 471. Sp. Gr. given for every degree from 0° to 50°.
"	"	1.000000, 4°.07	
"	"	.99975, 10°	
"	"	.99826, 20°	
"	"	.99575, 30°	
"	"	.99238, 40°	
"	"	.98835, 50°	} Bedson and Wil- liams. Ber. 14, 2550.
"	"	.99831, 20°	
"	"	.9543, 100°.1	Schiff. Ber. 14, 2763.
"	"	.9585	} 100°.3 Schiff. Ber. 14, 2766.
"	"	.9587	
Ice	"	.91812, — 1°	} Brunner. H ₂ O at 0°=1.0. P. A. 64, 113.
"	"	.91912, — 10°	
"	"	.92025, — 20°	
"	"	.9184, m. of 2	Playfair and Joule. † M. C. S. 2, 401.
"	"	.9175	Dufour. P. M. (4), 5, 20.
"	"	.918	} Duvernoy. P. A. 117, 454.
"	"	.922	
"	"	.91674	Bunsen. Ann. (4), 23, 65.

* For water and ice the table makes no pretense at completeness. Only a few important values are given out of a vast number.

† See Playfair and Joule for older values.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ice	H ₂ O	.91686, 0°	Pettersson. " Properties of water and ice."
Hydrogen dioxide	H ₂ O ₂	1.452	Thénard. Watts' Dict.
Lithium oxide	Li ₂ O	2.102, 15°	Brauner and Watts. P. M. (5), 11, 60.
Sodium oxide	Na ₂ O	2.805	Karsten. Schw. J. 65, 394.
Potassium oxide	K ₂ O	2.656	" "
Silver monoxide	Ag ₂ O	7.143, 16°.	Heraupath. P. M. 64, 321.
" "	"	7.250	Boullay. Ann. (2), 43, 266.
" "	"	8.2558	Karsten. Schw. J. 65, 394.
" "	"	7.147	Playfair and Joule. M. C. S. 3, 84.
" "	"	7.521, m. of 2.	Schroder. Ber. 9, 1888.
Silver dioxide	Ag ₂ O ₂	5.474 (impure)	Mahla. J. 5, 424.
Glucinum oxide	GlO	2.967	Ekeberg. P. M. (1), 14, 346.
" "	"	3.02	} Ebelmen. J. 4, 15.
" "	"	3.06	
" "	"	3.083, powder	} H. Rose. P. A. 74, 433.
" "	"	3.09	
" "	"	3.096, 12°, ppt.	
" "	"	3.027, 10°, ignited.	
" "	"	3.021, 9°, cryst.	
" "	"	3.016	Nilson and Pettersson. C. R. 91, 232.
" "	"	3.18, 14°, cryst.	Grandeau. Ann. (6), 8, 193.
Magnesium oxide	MgO	3.674, perichase	Damour. J. 2, 732.
" "	"	3.750	Senechi. J. P. C. 28, 486.
" "	"	3.642, 12°	Cossa. Ber. 10, 1747.
" "	"	3.200	Karsten. Schw. J. 65, 394.
" "	"	3.644	} H. Rose. P. A. 74, 437.
" "	"	3.650	
" "	"	3.636, cryst.	Ebelmen. J. 4, 15.
" "	"	3.42, amorphous.	Brugelmann. Ber. 13, 1741.
" "	"	3.1932, 0°, calcined at 350°	} Ditte. J. C. S. (2), 9, 870.
" "	"	3.2014, 0°, calcined at 440°	
" "	"	3.2482, 0°, calcined at low redness.	
" "	"	3.5699, 0°, cal. at bright redness.	
" "	"	2.74	
" "	"	3.056	} From three different sources. Beckurts. Ber. 14, 2063.
" "	"	3.69	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Zinc oxide	Zn O	5.432	Mohs. See Böttger.
" "	"	5.600	Boullay. Ann. (2), 43, 266.
" "	"	5.7344	Karsten. Schw. J. 65, 394.
" "	"	5.6067	} Brooks. P. A. 74, 439.
" "	"	5.6570	
" "	"	5.5298, cryst.	
" "	"	5.612	W. and T. J. Hera- path. J. C. S. 1, 42.
" "	"	5.612	Filhol. Ann. (3), 21, 415.
" "	"	5.782, 15°, cryst	Brügelmann. P. A. (2), 4, 286.
" "	"	5.47, amor- phous.	Brügelmann. Ber. 13, 1741.
" " Zincite	"	5.684	Blake. J. 13, 752.
" " Artif. cryst.	"	5.5—5.6	Gorgeu. B. S. C. 47, 146.
Cadmium oxide	Cd O	8.183, 16°.5	Hera-path. P. M. 64, 321.
" "	"	6.9502	Karsten. Schw. J. 65, 394.
" " Cryst.	"	8.1108	Werther. J. 5, 390.
Mercurous oxide	Hg ₂ O	10.69, 16°.5	Hera-path. P. M. 64, 321.
" "	"	8.9503	Karsten. Schw. J. 65, 394.
Mercuric oxide	Hg O	11.074, 17°.5	} Hera-path. P. M. 64, 321.
" "	"	11.085, 18°.3	
" "	"	11.0	Boullay. Ann. (2), 43, 266.
" "	"	11.1909	Karsten. Schw. J. 65, 394.
" "	"	11.29	Leroyer and Dumas. See Böttger.
" "	"	11.344	Playfair and Joule. M. C. S. 3, 84.
" "	"	11.136	Playfair and Joule. J. C. S. 1, 137.
Calcium oxide. Lime	Ca O	3.179	Boullay. Ann. (2), 43, 266.
" " "	"	3.16105	Karsten. Schw. J. 65, 394.
" " "	"	3.180	Filhol. Ann. (3), 21, 415.
" " "	"	3.251, cryst.	Brügelmann. P. A. (2), 4, 282.
" " "	"	3.32	Levallois and Meun- nier. C. R. 90, 1566.
Strontium oxide	Sr O	3.9321	Karsten. Schw. J. 65, 394.
" "	"	4.611	Filhol. Ann. (3), 21, 415.
" "	"	4.750, cryst.	Brügelmann. P. A. (2), 4, 282.
" "	"	4.51, amor- phous.	Brügelmann. Ber. 13, 1741.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium oxide	Ba O	4.0	Fourcroy. See Böttger.
" "	"	4.2583	Tunnersmann. See Böttger.
" "	"	4.7322	Karsten. Schw. J. 65, 394.
" "	"	4.829	Playfair and Joule. M. C. S. 3, 84.
" "	"	4.986	
" "	"	5.456	Filhol. Ann. (3), 21, 415.
" "	"	5.722, cryst.	Brügelmann. P. A. (2), 4, 282.
" "	"	5.92	Brügelmann. Ber. 13, 1741.
Barium dioxide	Ba O ₂	4.958	Playfair and Joule. M. C. S. 3, 84.
Boron trioxide	B ₂ O ₃	1.803	Davy. See Böttger.
" "	"	1.83	Berzelius. "
" "	"	1.75	Breithaupt. "
" "	"	1.825, 21°.6	Favre and Valson. C. R. 77, 579.
" "	"	1.8766, 0°	Ditte. C. N. 36, 287.
" "	"	1.8476, 12°	
" "	"	1.6988, 80°	
" "	"	1.848, 14°.4	{ Bedson and Williams. Ber. 14, 2554.
" "	"	1.853, 15°.8	
" "	Fused	4.75	Quincke. P. A. 135, 642.
Aluminum trioxide	Al ₂ O ₃	4.152, 4°	Royer and Dumas. Quoted by Rose. P. A. 47, 429.
" "	"	3.944	{ Mobs and Breithaupt. Quoted by Rose.
" "	"	4.004	
" "	"	4.154	Filhol. Ann. (3), 21, 415.
" "	"	3.928, cryst.	Ebelmen. J. 414.
" "	"	3.870	Artificial.
" "	"	3.899	
" "	"	3.750	{ Heated in wind furn'ce
" "	"	3.725	
" "	"	3.999, ignited in porcelain furnace.	H. Rose. P. A. 74, 429.
" "	"	4.0067, 14°, powdered.	
" "	"	3.989	{ 13°.5, after ignit'n
" "	"	4.008	
" "	"	3.990	Nilson and Pettersson. C. R. 91, 232.
" "	Artificial cryst.	3.98, 14°	Grandeau. Ann. (4), 8, 193.
" "	Ruby	Al ₂ O ₃	Brissou. P. des C.
" "	"	3.5311	Schaffgotsch. P. A. 74, 429.
" "	"	3.994, m. of 9	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Aluminum trioxide. Ruby	Al_2O_3	3.95, natural	Williams. C. N. 28, 101.
“ “ “ Sapphire	“	3.7, artificial	
“ “ “	“	3.562	Muschenbroek. See Böttger.
“ “ “	“	3.9998	Schaffgotsch. P. A. 74, 429.
“ “ “	“	4.0001	
“ “ “	“	3.98	Williams. C. N. 28, 101.
“ “ “	“	3.990	Nilson and Pettersson. C. R. 91, 232.
“ “ Corundum	“	3.899, 15° 5'	Schaffgotsch. P. A. 74, 429.
“ “ “	“	3.929	
“ “ “	“	3.974	
“ “ “	“	4.022	Deville. J. 8, 15.
“ “ “	“	3.992, after ignition.	
“ “ “	“	3.979	Church. Geol. Mag. (2), 2, 320.
“ “ “	“	4.03 } 15° 5'	
Scandium trioxide	Sc_2O_3	3.8	Cleve. C. R. 89, 420.
“ “	“	3.864	Nilson. C. R. 91, 118.
Yttrium trioxide	Yt_2O_3	4.842	Ekeberg. P. M. 14, 346.
“ “	“	5.028, 22°	Cleve and Hoeglund. 1873.
“ “	“	5.046	Nilson and Pettersson. C. R. 91, 232.
Indium trioxide	In_2O_3	7.179	“ “
Lanthanum trioxide	La_2O_3	5.94	Hermann. J. 14, 192.
“ “	“	5.296, 16°	Nordenskiöld. J. 14, 197.
“ “	“	6.53, 17°	Cleve. B. S. C. 21, 196.
“ “	“	6.480	Nilson and Pettersson. C. R. 91, 232.
Didymium trioxide	Di_2O_3	6.64	Hermann. J. 14, 195.
“ “	“	5.825, 14°	Nordenskiöld. J. 14, 197.
“ “	“	6.852	Cleve. J. C. S. (2), 13, 340.
“ “	“	6.950	Nilson and Pettersson. C. R. 91, 232.
“ “	“	7.177 } 13° 5'	Cleve. U. N. A. 1885.
“ “	“	7.182	
Didymium pentoxide	Di_2O_5	5.368, 15°	Brauner. Ber. 15, 113.
Samarium trioxide	Sm_2O_3	8.311, 13°	Cleve. U. N. A. 1885.
“ “	“	8.383, 15°	
Erbium trioxide	Er_2O_3	8.8	Cleve and Hoeglund. B. S. C. 18, 195.
“ “	“	8.9	
“ “	“	8.640	Nilson and Pettersson. C. R. 91, 232.
Ytterbium trioxide	Yb_2O_3	9.175	“ “
Carbon dioxide. L.	$C O_2$.9, -20°	Thilorier. Ann. (2), 60, 427.
“ “ “	“	.83, 0°	
“ “ “	“	.6, +30°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbon dioxide. L.	$C O_2$.93, 0°	Mitchell. B. J. 22, 77.
" " "	"	.8825, 6° 4'	
" " "	"	.853, 10° 6'	
" " "	"	.7385, 20° 3'	
" " "	"	.9952, -10°	
" " "	"	.9710, -5°	
" " "	"	.9471, 0°	
" " "	"	.9222, +5°	
" " "	"	.8948, 10°	
" " "	"	.8635, 15°	
" " "	"	.8267, 20°	
" " "	"	.7831, 25°	
" " "	"	1.057, -34°	
" " "	"	1.016, -25°	
" " "	"	.966, -11° 5'	
" " "	"	.910, -1° 6'	
" " "	"	.907, +1° 3'	Cailletet and Ma- thias. C. R. 102, 1202.
" " "	"	.868, 6° 8'	
" " "	"	.840, 11°	
" " "	"	.788, 15° 9'	
" " "	"	.726, 22° 2'	
" " Solid	"	1.188	Landolt. Ber 17, 311.
" " "	"	1.199	
" " "	"	1.58-1.6	
Silicon monoxide	$Si O$	2.893, 4°	Dewar. Rendat Am. Assoc. in 1884.
Silicon dioxide. Artif.	$Si O_2$	2.20, 12° 5', m. of 9.	Mabery. A. C. J. 9, 15.
" " "	"	2.322	Schaffgotsch. P. A. 68, 147.
" " "	"	2.324	
" " Quartz	"	2.653, cryst.	Ullik. Ber. 11, 2125. From ge- lutinous silica, ignited. Scheerer.
" " "	"	2.659, amethyst	
" " "	"	2.744 " "	
" " "	"	2.651, smoky	
" " "	"	2.658 " "	
" " "	"	2.651, rose	
" " "	"	2.653 " "	
" " "	"	2.658 " "	
" " "	"	2.618, milky	
" " "	"	2.6354	
" " "	"	2.6541	Breithaupt. Schw. J. 68, 411.
" " "	"	2.61	Bendant. P. A. 14, 474. Extremes of eleven experi- ments.
" " "	"	2.61	
" " "	"	2.653, 13°, m. of 5.	Neumann. P. A. 23, 1.
" " "	"	2.656, cryst.	Schaffgotsch.* P. A. 68, 147.
" " "	"	2.29, after fu- sion.	
" " "	"	2.65259, 18°	Deville. J. 8, 14.
" " "	"		Miller. P. M. (4), 3, 194.

* See the same paper for many determinations of the specific gravity of opaline minerals.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicon dioxide. Quartz	Si O ₂	2.6507, 0°	Dibbits. (Rock crystal.) Bei. 5, 81. Calculated from sp. g. determinations by Steinheil, data for expansion of water by Regnault and Kopp, and the expansion of quartz as determined by Pfaff and Fizeau.
" " " "	"	2.6502, 5°	
" " " "	"	2.6498, 10°	
" " " "	"	2.6493, 15°	
" " " "	"	2.6488, 20°	
" " " "	"	2.6484, 25°	
" " " "	"	2.6479, 30°	
" " " "	"	2.6460, 50°	
" " " "	"	2.6409, 100°	
" " Tridymite	Si O ₂	2.295 } 15°-16°	Vom Rath. J. 21, 1001.
" " " "	"	2.326 } "	
" " " "	"	2.282, 18°.5	G. Rose. Ber. 2, 388.
" " " "	"	2.311 } Artif.	
" " " "	"	2.317 } "	
" " " "	"	2.373 } "	
" " " "	"	2.30, 16°, "	Hautefeuille. P. M. (5), 6, 78.
" " Asmannite	"	2.247	v. Rath. A. J. S. (3), 7, 149.
Titanium dioxide	Ti O ₂	4.18	Klaproth.
" " " "	"	3.9311, artif.	Karsten. Schw. J. 65, 394.
" " " "	"	4.253, powder	} Rose.
" " " "	"	4.255, ignited	
" " Rutile	"	4.249	Mohs. See Böttger.
" " " "	"	4.244—4.245	Scheerer. P. A. 65, 296.
" " " "	"	4.250 } Breithaupt.	
" " " "	"	4.291 } "	
" " " "	"	4.420, 0°	Kopp.
" " " "	"	4.56	Müller. J. 5, 847.
" " " "	"	4.26, artificial.	} Ebelmen. J. 4, 15, and J. 12, 14.
" " " "	"	4.283 " "	
" " " "	"	4.3 " "	Hautefeuille. J. 16, 212.
" " " "	"	4.173—4.278	Lasaulx. J. 36, 1840.
" " Brookite	"	4.128	} H. Rose.
" " " "	"	4.131 } "	
" " " "	"	4.165 } "	
" " " "	"	4.166 } "	
" " " "	"	3.952, arkansite.	Breithaupt. J. 2, 730.
" " " "	"	3.892	} Rammelsberg. J. 2, 730.
" " " "	"	3.949	
" " " "	"	4.03, arkansite	} Damour. J. 2, 731.
" " " "	"	4.083 " "	
" " " "	"	4.085 " "	Whitney. J. 2, 731.
" " " "	"	4.22	Frödmann. J. 3, 704.
" " " "	"	4.20	Beck. J. 3, 704.
" " " "	"	4.1, artificial.	Hautefeuille. J. 17, 214.
" " Anatase	"	3.857	Vauquelin.
" " " "	"	3.826	Mohs. See Böttger.
" " " "	"	3.75	Breithaupt.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Titanium dioxide. Anatase	Ti O ₂	3.82	Kobell.
" " "	"	3.890	H. Rose.
" " "	"	3.912	
" " "	"	4.06	Damour. J. 10, 661.
" " "	"	3.7, artificial	Hautefeuille. J. 17, 215.
" " "	"	3.9 "	
Germanium dioxide	Ge O ₂	4.703, 18°	Winkler. Ber. 19, ref. 651.
Zirconium dioxide	Zr O ₂	4.30	Klaproth. See Bottger.
" " "	"	5.5	Sjogren. J. 6, 349.
" " "	"	4.9	Berlin. J. 6, 350.
" " "	"	5.49	Hermann. J. 19, 191.
" " "	"	5.742	Nordenskiöld. P. A. 114, 626.
" " "	"	5.710	
" " "	"	5.624	
" " "	"	5.42, cryst.	
" " "	"	5.52, moria	Knop. A. C. P. 159, 52.
" " "	"	5.850	Knop. A. C. P. 159, 53.
" " "	"	5.850	Nilson and Petersen. C. R. 91, 232.
Tin monoxide	Sn O	6.666, 16° 5'	Herauth. P. M. 64, 321.
" " "	"	5.9797, 0°, olive	Ditte. Ann. (5), 27, 169. All crystal- line. Prepared by different meth- ods.
" " "	"	6.1083, 0°, dark green.	
" " "	"	6.500, 0°, black	
" " "	"	6.3254, 0°, dark violet.	
" " "	"	6.4465, 0°, ditto heated to 300°.	
Tin dioxide	Sn O ₂	6.96	Mohs. See Böttger.
" " "	"	6.639, 16° 5'	Herauth. P. M. 64, 321.
" " "	"	6.90	Boullay. Ann. (2), 43, 266.
" " "	"	6.892	Breithaupt.
" " "	"	7.180	
" " "	"	6.952	Neumann. P. A. 23, 1.
" " "	"	6.831, 0°	Kopp.
" " Artif. cryst.	"	6.72	Daubrée. J. 12, 11.
" " "	"	6.849	H. Rose.
" " "	"	6.978	
" " "	"	6.7122, 4°	Playfair and Joule. J. C. S. 1, 137.
" " "	"	6.753	Mallet. J. 3, 795.
" " "	"	6.862	Bergemann. J. 10, 661.
" " "	"	6.8432	} 15° 5', color-
" " "	"	6.8439	
" " "	"	6.704, 15° 5', yellow.	} Cassiterite from Bolivia. Forbes. P. M. (4), 30, 139.
" " "	"	6.7021, 15° 5', black.	
" " Artif. cryst.	"	6.019	Leeds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tin dioxide. Artif. cryst.	Sn O_2	6.70	Levy and Bourgeois. <i>Bei.</i> 6, 531.
Lead hemioxide	$\text{Pb}_2 \text{O}$	9.772	Playfair and Joule. <i>M. C. S.</i> 3, 83.
Lead monoxide	Pb O	9.277, 17° 5'	Herapath. <i>P. M.</i> 64, 321.
" "	"	9.500	Boullay. See Böttger.
" "	"	9.2092	Karsten. <i>Schw. J.</i> 65, 394.
" "	"	9.250	Playfair and Joule. <i>M. C. S.</i> 3, 84.
" "	"	9.361	<i>Filhol. Ann.</i> (3), 21, 415.
" "	"	9.3634, 4°	Playfair and Joule. <i>J. C. S.</i> 1, 137.
" "	"	8.02, cryst.	Gräulich. <i>J.</i> 11, 186.
" "	"	9.1699, greenish yellow.	Ditte. <i>C. R.</i> 94, 1310. Samples differently prepared by boiling Pb (OH)_2 with K O H .
" "	"	9.2089, yellow	
" "	"	9.8835, brownish yellow.	
" "	"	9.5605, greenish gray.	
" "	"	9.4223, dark green.	
" "	"	9.3757	
" "	"	9.29, 15°, yellow cryst.	
" "	"	9.126, 15°, red cryst.	
" "	"	9.125, 14°, red cryst.	
" "	"	9.09, 15°, red pulv.	
" "	"	8.74, 14°, red, very pure.	Geuther. <i>A. C. P.</i> 219, 60-61.
Lead dioxide	Pb O_2	8.902, 16° 5'	Herapath. <i>P. M.</i> 64, 321.
" "	"	8.933	Karsten. <i>Schw. J.</i> 65, 394.
" "	"	8.756	Playfair and Joule. <i>M. C. S.</i> 3, 84.
" "	"	8.897	
" "	"	9.045	
Minium	$\text{Pb}_3 \text{O}_4$	8.94	Muschenbroek. <i>Watts' Dict.</i>
"	"	9.096, 15°	Herapath. <i>P. M.</i> 64, 321.
"	"	9.190	Boullay. <i>Ann.</i> (2), 43, 266.
"	"	8.62	Karsten. <i>Schw. J.</i> 65, 394.
Cerium dioxide	Ce O_2	5.6059	" "
" "	"	6.00	Hermann. <i>J. P. C.</i> 92, 113.
" "	"	6.93	Nordenskiöld. <i>J.</i> 14, 184.
" "	"	6.94	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cerium dioxide-----	Ce O ₂ -----	7.09, 14° 5, } cryst. }	Nordenskiöld. J. 14, 184.
“ “-----	“-----	6.739-----	Nilson and Peters- son. C. R. 91, 232.
Thorium dioxide*-----	Th O ₂ -----	9.402-----	Berzelius. P. A. 16, 385.
“ “-----	“-----	9.21-----	Nordenskiöld and Chydenius. J. 13, 134.
“ “-----	“-----	9.077-----	Chydenius. J. 16, 194.
“ “-----	“-----	9.200-----	
“ “-----	“-----	9.861-----	Nilson and Petters- son. C. R. 91, 232.
“ “-----	“-----	10.2199 } 10.2206 } 17°	Nilson. Ber. 15, 2536.
“ “-----	“-----	9.876, 15°-----	
“ “-----	“-----	9.876, 15°-----	Troost and Ouvrard. C. R. 102, 1422.
Nitrogen monoxide. L.	N ₂ O-----	.9756, -5°-----	D'Andréff. Ann. (3), 56, 317.
“ “-----	“-----	.9370, 0°-----	
“ “-----	“-----	.9177, +5°-----	
“ “-----	“-----	.8964, 10°-----	
“ “-----	“-----	.8704, 15°-----	
“ “-----	“-----	.8365, 20°-----	
“ “-----	“-----	.9004, 0°-----	
“ “-----	“-----	.9434-----	
“ “-----	“-----	1.002, -20° 6 } .952, -11° 6 } .930, -5° 5 } .912, -2° 2 } .849, -6° 6 } .810, 11° 7 } .758, 19° 8 } .698, 23° 7 }	Caillaetet and Ma- thias. C. R. 102, 1202.
“ “-----	“-----	1.002, -20° 6	
“ “-----	“-----	.952, -11° 6	
“ “-----	“-----	.930, -5° 5	
“ “-----	“-----	.912, -2° 2	
“ “-----	“-----	.849, -6° 6	
“ “-----	“-----	.810, 11° 7	
“ “-----	“-----	.758, 19° 8	
“ “-----	“-----	.698, 23° 7	
Nitrogen tetroxide. L.	N ₂ O ₄ -----	1.451-----	Dulong. Schw. J. 18, 177.
“ “-----	“-----	1.42-----	Mitscherlich. Schw. J. 63, 109.
“ “-----	“-----	1.4903, 0°-----	Thorpe. J. C. S. 37, 224.
“ “-----	“-----	1.43958, 21° 64	
Phosphorus pentoxide	P ₂ O ₅ -----	2.387-----	Brisson. P. des C.
Vanadium dioxide	V ₂ O ₃ -----	3.64, 20°-----	Schafarik. J. P. C. 76, 142.
Vanadium trioxide	V ₂ O ₃ -----	4.72, 16°, m. of 3.	Schafarik. J. P. C. 90, 12.
Vanadium pentoxide	V ₂ O ₅ -----	3.472 } 3.510 } 20°	Schafarik. J. P. C. 76, 142.
“ “-----	“-----	3.35-----	
“ “-----	“-----	3.35-----	J. J. Watts. Roscoe and Schorlem- mer's Treatise.
Arsenic trioxide	As ₂ O ₃ -----	3.698-----	Le Roy and Dumas. Gm. H. 1, 69.
“ “-----	“-----	3.650 } 3.710 }	Leonhard.
“ “-----	“-----	3.710-----	

* For this substance Nilson's determination is the only one of value.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Arsenic trioxide	As_2O_3	3.695, octahedral.	} Guibourt. B. J. 7, 128.
" "	"	3.7385, amorphous.	
" "	"	3.729, $17^\circ.2$	Herapath. P. M. 64, 321.
" "	"	3.7026	} Karsten. Schw. J. 65, 394.
" "	"	3.7202	
" "	"	3.798	Taylor. Gm. II.
" "	"	3.884	Filhol. Ann. (3), 21, 415.
" "	"	3.85, native	Claudet. J. 21, 230.
Arsenic pentoxide	As_2O_5	3.7342	Karsten. Schw. J. 65, 394.
" "	"	3.985	} Playfair and Joule. M. C. S. 3, 83.
" "	"	4.023	
" "	"	4.250	Filhol. Ann. (3), 21, 415.
Antimony trioxide	Sb_2O_3	5.566	Mohs. See Böttger.
" "	"	5.778	Boullay. Ann. (2), 43, 266.
" "	"	6.6952	Karsten. Schw. J. 65, 394.
" "	"	5.251	Playfair and Joule. M. C. S. 3, 83.
" "	"	5.11, octahedral.	} Terrel. J. P. C. 98, 154.
" "	"	3.72, prismatic.	
Valentinite	"	5.566	Dana's Mineralogy.
Senarmonite	"	5.22-5.30	" "
Antimony tetroxide	Sb_2O_4	4.074	Playfair and Joule. M. C. S. 3, 83.
Cervantite	"	4.084	Dana's Mineralogy.
Antimony pentoxide	Sb_2O_5	6.525	Boullay. Ann. (2), 43, 266.
" "	"	3.779	Playfair and Joule. M. C. S. 3, 83.
Bismuth trioxide	Bi_2O_3	8.211, $18^\circ.3$	Herapath. P. M. 64, 321.
" "	"	8.449	Le Royer and Dumas. See Böttger.
" "	"	8.1735	Karsten. Schw. J. 65, 394.
" "	"	8.079	Playfair and Joule. M. C. S. 3, 82.
" "	"	8.855	} Schröder. Dm. 1873.
" "	"	8.868	
Bismuth tetroxide	Bi_2O_4	5.6, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 32.
Bismuth pentoxide	Bi_2O_5	5.917	} 15° { Brauner and Watts. P. M. (5), 11, 60.
" "	"	5.919	
" "	"	5.1, 20°	
Columbium pentoxide	Cb_2O_5	4.56	} Extremes of several determinations. { H. Rose. J. 1, 405.
" "	"	5.26	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tantalum pentoxide	Ta ₂ O ₅	7.60	From K salt. { Marignac. J. P. C. 99, 33.
"	"	7.64	
"	"	7.234	
"	"	7.253	Oesten. P. A. 100, 342.
Sulphur dioxide. L.	S O ₂	1.42	Faraday. P. T. 1823, 189.
"	"	1.45	Bussy. P. A. 1, 237.
"	"	1.4911, -20°.5	D'Andreëff. Ann. (3), 56, 317.
"	"	1.4609, -9°.9	
"	"	1.4384, -2°.08	
"	"	1.4318, -0°.25	
"	"	1.4252, +2°.8	
"	"	1.4205, 4°.51	
"	"	1.4102, 8°.27	
"	"	1.4017, 11°.5	
"	"	1.3887, 16°.43	
"	"	1.3769, 20°.63	
"	"	1.3673, 23°.91	
"	"	1.3587, 26°.9	
"	"	1.3513, 29°.57	
"	"	1.3415, 32°.96	
"	"	1.3350, 35°.29	
"	"	1.3258, 38°.65	
"	"	1.4338, 0°	
"	"	1.3757, 21°.7	
"	"	1.3374, 35°.2	
"	"	1.2872, 52°	
"	"	1.2523, 62°	
"	"	1.1845, 82°.4	
"	"	1.1041, 102°.4	
"	"	1.0166, 120°.45	Cailletet and Mathias. C. R. 104, 1563. 156° is the critical tempera- ture.
"	"	.9560, 130°.3	
"	"	.8690, 140°.8	
"	"	.8065, 146°.6	
"	"	.7317, 151°.75	
"	"	.6706, 154°.3	
"	"	.6370, 155°.05	
"	"	.52, 156°	
Sulphur trioxide. S.	S O ₃	1.9546, 13°	Morveau. Watts' Dict.
"	"	1.975	Baumgartner.
"	L.	1.97, 20°	Bussy. Ann. (2), 26, 411.
"	S.	1.92118	Buff. A. C. P. 4th Supp., 129.
"	"	1.90915	
"	"	1.90814	
"	L.	1.81958	
"	"	1.8105	
"	"	1.8101	Weber. P. A. 159, 318.
"	S.	1.940, 16°	
"	"	1.9365, 20°	Nasini. Ber. 15, 2885.
Selenium dioxide	Se O ₂	3.9538	Clausnizer. A. C. P. 196, 265.
Tellurium dioxide	Te O ₂	5.93, 20°	Schafarik. J. P. C. 90, 12.
"	"	5.7559, 12°.5	F. W. Clarke. A. J.
"	"	5.7841, 14°	S. (3), 14, 285.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tellurium dioxide. Octahedral.	Te O ₂	5.65	Klein and Morel. C. R. 100, 1140.
“ “ “	“	5.67 } 0°	
“ “ “	“	5.68 } 0°	
“ “ Orthorhombic.	“	5.88 } 0°	
“ “ “	“	5.90 } 0°	
“ “ Calcined	“	5.91 } 0°	F. W. Clarke. A. J. S. (2), 14, 286.
Tellurium trioxide	Te O ₃	5.6704, 14°.	
“ “ “	“	5.9794, 11°	
“ “ “	“	5.1118, 11°	
“ “ “	“	5.68, 0°	
Chromic oxide	Cr ₂ O ₃	5.21, cryst.	Wöhler. See Böttger.
“ “ “	“	4.909	Playfair and Joule. M. C. S. 3, 82.
“ “ “	“	6.2, cryst.	Schiff. J. 11, 161.
“ “ “	“	5.010	Schroder. P. A. 106, 226.
Chromic chromate	Cr ₅ O ₉	4.0, 10°	Guthier. J. 14, 242.
Chromium trioxide	Cr O ₃	2.676, m. of 2.	Playfair and Joule. M. C. S. 2, 448.
“ “ “	“	2.737, 14°, cryst.	Ehlers. B. D. Z.
“ “ “	“	2.629, 14°, after fusion.	
“ “ “	“	2.819, 20°	Schafarik. J. P. C. 90, 12.
“ “ “	“	2.775 } Ex.	Zettnow. P. A. 143, 474.
“ “ “	“	2.804 } tremes	
Molybdenum dioxide	Mo O ₂	5.67	Bucholz. N. J. 20, 121.
“ “ “	“	6.44, 16°	Mauro and Panebianco. Ber. 15, 527.
Molybdenum trioxide	Mo O ₃	3.460	Thomson. See Böttger.
“ “ “	“	3.49	Berzelius. “ “
“ “ “	“	4.49	{ Weisbach. Dana's Min.
“ “ “	“	4.50 } native.	
“ “ “	“	4.39, 21°, cryst.	Schafarik. J. P. C. 90, 12.
Tungsten dioxide	W O ₂	12.1109	Karsten. Schw. J. 65, 394.
Tungsten trioxide	W O ₃	6.12	D'Elhuyart. Gm. H. Herapath. P. M. 64, 321.
“ “ “	“	5.274, 16°.5	Karsten. Schw. J. 65, 394.
“ “ “	“	7.1396	
“ “ “	“	6.302	{ Nordenskiöld. J. 14, 214.
“ “ “	“	6.384 } cryst.	
“ “ “	“	7.16, amor-	Zettnow. J. 20, 216.
“ “ “	“	7.232, 17°, } cryst.	
Uranous oxide	U O ₂	10.15	Ebelmen. J. P. C. 27, 385.
Uranoso-uranic oxide	U ₃ O ₈	7.1932	Karsten. Schw. J. 65, 394.
“ “ “	“	7.31	Ebelmen. J. P. C. 27, 385.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Uranic oxide	UO_3	5.02	two lots. { Brauner and Watts. P. M. (5), 11, 60.
" "	"	5.26	
Chlorine trioxide. L.	Cl_2O_3	1.3298	} 0° { Brandau. Z. C. 13, 47.
" " "	"	1.387	
Iodine pentoxide	I_2O_5	4.250	Filhol. Ann. (3), 21, 415.
" " "	"	4.7987, 9°	Kammerer. P. A. 138, 401.
" " "	"	4.487, 0°	Ditte. Z. C. 13, 303.
" " "	"	5.037, 0°	} Ditte. Ann. (4), 21, 10.
" " "	"	5.020, 51°	
Manganous oxide	MnO	4.7264, 17°	Herapath. P. M. 64, 321.
" " "	"	5.38	Playfair and Joule. M. C. S. 3, 80.
" " "	"	5.091	Rammelsberg. J. 18, 878.
" " Manganosite.	"	5.18	Blomstrand. J. 28, 1209.
" " "	"	5.010, 4°	Vcley. J. C. S. 1882, 65.
Manganoso-manganic oxide.	Mn_3O_4	4.746	} Playfair and Joule. M. C. S. 3, 80.
" " "	"	4.653	
" " "	"	4.325	Playfair and Joule. J. C. S. 1, 137.
" " "	"	4.718, artif.	} Rammelsberg. J. 18, 878.
" " "	"	4.856, native	
" " "	"	4.80, artificial	Gorgeu. C. R. 96, 1145.
Manganic oxide	Mn_2O_3	4.82, braunite	Haidinger. Gm. H.
" " "	"	4.568	} Playfair and Joule. { M. C. S. 3, 80.
" " "	"	4.619	
" " "	"	4.325, artif.	} Rammelsberg. J. { 18, 878.
" " "	"	4.752, braunite.	
Manganese dioxide	MnO_2	4.819, pyrolusite	Turner. See Böttger.
" " "	"	5.026	Rammelsberg. J. 18, 878.
" " "	"	4.838	} Breithaupt. Dana's } Min.
" " "	"	4.880	
" " "	"	4.826	Pisani. Dana's Min.
" " "	"	4.965	} Dana and Penfield. { A. J. S. (3), 35, } 246.
" " "	"	5.040	
Ferroso-ferrie oxide	Fe_3O_4	5.094	Mohs. See Böttger.
" " "	"	4.960	Gerolt. " "
" " "	"	4.900	} Leonhard. See Böttger. } ger.
" " "	"	5.200	
" " "	"	5.300, 16°.5	Herapath. P. M. 64, 321.
" " "	"	5.400	} Boullay. Ann. (2), } 43, 266.
" " "	"	5.480	
" " "	"	5.168	} Kenngott. Dana's } Min.
" " "	"	5.180	
" " "	"	5.453	Playfair and Joule. M. C. S. 3, 81.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ferroso-ferric oxide	$Fe_3 O_4$	5.12, 0°, mag- netite.	Kopp.
" " "	"	5.106 } 5.148 } 5.185 }	"
" " "	"	4.86 two al-	Rammelsberg.
" " "	"	5.00 } isotropic	
" " "	"	5.09 } varieties	
" " "	"	5.21 } artif. }	
" " "	"	5.25 } cryst. }	
Ferric oxide	$Fe_2 O_3$	5.251	Mohs. See Böttger.
" " "	"	5.261	Breithaupt
" " "	"	5.959, 16°.5, ppt.	Herapath. P. M. 64, 321.
" " "	"	5.225	Boullay. Ann. (2), 43, 266.
" " "	"	5.079, native	Neumann. P. A. 23, 1.
" " "	"	5.121, 12°.5	Kopp.
" " "	"	4.679	Playfair and Joule.
" " "	"	5.135, ignit'd }	
" " "	"	5.241 } native	Rammelsberg.
" " "	"	5.283 }	
" " "	"	5.191	G. Rose.
" " "	"	5.214	
" " "	"	5.230	
" " "	"	5.169, ppt.	H. Rose. P. A. 74, 440.
" " "	"	5.037, ignited.	
" " "	"	3.95, yellow	Tommasi. Les Mon- des, 1879.
Nickelous oxide	$Ni O$	5.597	Playfair and Joule. M. C. S. 3, 81.
" " "	"	5.745, furnace product.	Genth. J. 1, 444.
" " "	"	6.605, cryst.	
" " "	"	6.398	Bergemann. J. 11, 683.
" " "	"	6.661	Rammelsberg. J. 2, 282.
" " "	"	6.8, cryst.	Ebelmen. J. 4, 16.
Nickelic oxide	$Ni_2 O_3$	4.846, 16°.5	Herapath. P. M. 61, 321.
" " "	"	4.814	Playfair and Joule. M. C. S. 3, 81.
Cobaltous oxide	$Co O$	5.597	" "
" " "	"	5.750, ignited.	" "
Cobaltoso-cobaltic oxide	$Co_3 O_4$	5.823	Rammelsberg. J. 2, 282.
" " "	"	6.296	
Cobaltic oxide	$Co_2 O_3$	5.322, 16°.5	Herapath. P. M. 64, 321.
" " "	"	5.600	Boullay. Gm. H. 1, 69.
" " "	"	4.814	Playfair and Joule. M. C. S. 3, 81.
Cuprous oxide	$Cu_2 O$	6.052	Herapath. P. M. 64, 321.
" " "	"	6.093 } 16°.5	
" " "	"	5.751	
			Karsten. Schw. J. 65, 394.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cuprous oxide	Cu_2O	5.75	Leroyer and Dumas. See Böttger.
" "	"	5.746	Playfair and Joule. M. C. S. 3, 82.
" "	"	5.300	} Persoz. J. P. C. 47, 84.
" "	"	5.342	
" "	"	5.375	
Cupric oxide	CuO	6.401, 16°.5	Herapath. P. M. 64, 321.
" "	"	6.130	Boullay. Ann. (2), 43, 266.
" "	"	6.4304	Karsten. Schw. J. 65, 394.
" "	"	5.90	} Playfair and Joule. M. C. S. 3, 82.
" "	"	6.414, ignit'd	
" "	"	6.322	Filhol. Ann. (3), 21, 415.
" "	"	6.130	} Persoz. J. P. C. 47, 84.
" "	"	6.225	
" "	"	6.400	
" "	"	6.451, furnace product.	
" "	"	6.400	Jenzsch. J. 12, 214.
" "	"	6.25, melaco- nite.	Hampe. Z. C. 13, 363.
" "	"	5.952	Whitney. J. 2, 728.
" "	"	"	Rammelsberg. P. A. 80, 287.
Ruthenium dioxide	RuO_2	7.2	Deville and Debray. J. 12, 236.

2d. Double and Triple Oxides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium uranium oxide	$\text{Na}_2\text{U}_3\text{O}_{10}$	6.912	Drenkmann. J. 14, 257.
Delafossite	$\text{Cu}'_2\text{Fe}''_2\text{O}_3$	5.07, 25°	Friedel. C. R. 77, 211.
Spinel	MgAl_2O_4	3.452, artif.	} Ebelmen. J. 4, 12. Breithaupt.
"	"	3.48, natural	
"	"	3.52 " "	
"	"	3.523 " "	Haidinger. Dana's Min.
"	"	3.631 } 15°.5,	{ Church. Geol. Mag. (2), 2, 320.
"	"	3.715 } nat.	
"	"	3.77	Jeremejew. J. 37, 1918.
Gahnite	ZnAl_2O_4	4.580, artif.	Ebelmen. J. 4, 13.
"	"	4.317	} G. Rose.
"	"	4.589	
"	"	4.89	} Brush. A. J. S. (3), 1, 28.
"	"	4.91	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Gahnite	Zn Al ₂ O ₄	4.576	Genth and Keller. J. 36, 1843.
" Furnace product.	"	4.49—4.52	Schulze and Stelzner. Z. K. M. 7, 603.
Hercynite	Fe ^{///} Al ₂ O ₄	3.91	Zippe. Dana's Min.
"	"	3.95	
Chrysoberyl	Gl Al ₂ O ₄	3.759, artif.	Ebelmen. J. 4, 13.
"	"	3.597	Rose. Dana's Min.
"	"	3.689	From three localities.
"	"	3.734	Koksharov. J. 14, 976, and J. 15, 715.
"	"	3.835	
" Alexandrite	"	3.644	Nilson and Pettersson. C. R. 91, 232.
"	"	3.721	
"	"	3.700	(Church. Geol. Mag. (2), 2, 320
"	"	3.860	
Calcium iron oxide	Ca Fe ^{///} ₂ O ₄	4.693	Percy. P. M. (4), 45, 455.
Magnesioferrite	Mg Fe ^{///} ₂ O ₄	4.568	Rammelsberg. J. 12, 776.
"	"	4.611	
"	"	4.638	
Hetaerolite	Zn Mn ₂ O ₄	4.933	Moore. J. C. S. 36, 17.
Zinc iron oxide	Zn Fe ^{///} ₂ O ₄	5.182 cryst.	Ebelmen. J. 4, 13.
" " "	"	5.33	Gorgen. B. S. C. 47, 372.
Zinc chromium oxide	Zn Cr ₂ O ₄	5.309	Ebelmen. J. 4, 13.
Manganese chromium oxide.	Mn Cr ₂ O ₄	4.87	" "
Chromite	Fe ^{///} Cr ₂ O ₄	4.321	Thomson. Dana's Min.
"	"	4.498	Dana's Mineralogy.
"	"	4.568	
Jacobsite	Mg Fe ^{///} ₂ O ₄ . 2 Mn	4.75, 16°	Damour. C. R. 69, 168.
Chrompicotite	2 Fe ^{///} Al ₂ O ₄ . 3 Mg Cr ₂ O ₄ .	4.115, 20°	Petersen. J. P. C. 106, 137.

IX. INORGANIC SULPHIDES.

1st. Simple Sulphides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen monosulphide	H ₂ S	n .9, 1	Faraday. Gm. H. 2, 197.
" "	"	.91, 18° .5	Blockade. P. R. S. 37, 355.
Hydrogen persulphide	H ₂ S ₂ or H ₂ S ₃ ?	1.7342	Ramsay. J. C. S. 27, 860.
Sodium sulphide	Na ₂ S	2.471	Filhol. Ann. (3), 21, 415.
Potassium sulphide	K ₂ S	2.130	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver sulphide	Ag ₂ S	6.8501, artif.	Karsten. Schw. J. 65, 394.
“ “ Argentite	“	7.269 } 7.317 } -----	Dauber. J. 13, 748.
“ “ “	“	7.31 } 7.36 } -----	
“ “ Acanthite	“	7.164 } 7.326 } -----	Kenngott. J. 8, 908. Dauber. J. 13, 748.
“ “ “	“	7.02 -----	
“ “ Daleminzite	“	7.02 -----	Breithaupt. J. 15, 709.
Thallium sulphide	Tl ₂ S	8.00 -----	Lamy. J. 15, 185.
Oldhamite	Ca S. (Impure)	2.58 -----	Maskelyne. P. T. 1870, 196.
Zinc sulphide	Zn S	3.9235 -----	Karsten. Schw. J. 65, 394.
“ “ Blende	“	4.060 -----	Neumann. P. A. 23, 1.
“ “ “	“	4.063 -----	Henry. J. 4, 756.
“ “ “	“	4.07 -----	Kuhlmann. J. 9, 832.
“ “ “	“	4.05 -----	Tschermak. S. W. A. 45, 603.
“ “ “	“	4.033 -----	Genth. Am. Phil. Soc. 1882.
Cadmium sulphide	Cd S	4.5, artificial	Schüler. J. 6, 367.
“ “ “	“	4.5 “	Söchting. Dana's Min.
“ “ Greenockite	“	4.605 -----	Karsten. Schw. J. 65, 394.
“ “ “	“	4.903 -----	Breithaupt. Watts' Diet.
“ “ “	“	4.80 -----	Brooke. P. A. 51, 274.
Mercuric sulphide	Hg S	8.124 -----	Boullay. Ann. (2), 43, 266.
“ “ “	“	8.0602 -----	Karsten. Schw. J. 65, 394.
“ “ “	“	8.090, einnarbar.	} Moore. J. P. C. (2), 2, 319.
“ “ “	“	7.701 } natural,	
“ “ “	“	7.748 } amorphous.	
“ “ “	“	7.552, artif.	
“ “ “	“	7.81, metacinnabar.	Penfield. A. J. S. (3), 29, 453.
Carbon monosulphide	C S	1.66, s.	Sidot. C. R. 81, 33.
Carbon disulphide	C S ₂	1.272 -----	Berzelius and Marceet. Schw. J. 9, 284.
“ “ “	“	1.263 -----	Cluzel. Gm. H.
“ “ “	“	1.2693, 15°.	Gay Lussac.
“ “ “	“	1.265 -----	Couërbe. Ann. (2), 61, 232.
“ “ “	“	1.2823, 5°-10°	} Regnault. P. A. 62, 50.
“ “ “	“	1.2750, 10°-15°	
“ “ “	“	1.2676, 15°-20°	
“ “ “	“	1.29312, 0°	
			Pierre. C. R. 27, 213.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Carbon disulphide	$C S_2$	1.29858, 0°	} H. L. Buff. A. C. P. 4th Supp., 129.	
" "	"	1.27904, 10°		
" "	"	1.26652, 17°		
" "	"	1.22731, 46°		
" "	"	1.2661, 20°		Haugen. P. A. 131, 117
" "	"	1.2665, 16°.06		Winkelmann. P. A. 150, 592.
" "	"	1.2176, 43°		Ramsay. J. C. S. 35, 463.
" "	"	1.29215, 0°		} Thorpe. J. C. S. 37, 363.
" "	"	1.22242, 46°.04		
" "	"	1.2233		} 47°
" "	"	1.2234		
" "	"	1.2634, 20°	Nasini. Ber. 15, 2883.	
" "	"	1.266, 15°.2	Friedburg. C. N. 47, 52.	
" "	"	1.26569, 17°.86	} Also values for other t°. Dreck- er. P. A. (2), 20, 870.	
" "	"	1.26446, 18°.58		
" "	"	1.25031, 28°.21		
" "	"	1.23863, 35°.96		
" "	"	1.2233, 46°.5	Schiff. Ber. 19, 560.	
Tin monosulphide	$Sn S$	4.8523	Kursten. Schw. J. 65, 394.	
" "	"	5.267	Boullay. Ann. (2), 43, 266.	
" "	"	4.973	Schneider. J. S. 396.	
" "	"	5.0802, 0°	Ditte. C. R. 96, 1791.	
Tin disulphide	$Sn S_2$	4.415	Boullay. Ann. (2), 43, 266.	
" "	"	4.600	Kursten. Schw. J. 65, 394.	
Lead sulphide	$Pb S$	7.5052, artif.	" "	
" " Galena	"	7.539	Breithaupt. J. P. C. 11, 151.	
" "	"	6.9238, 4°.puly	Phyfair and Joule. J. C. S. 1, 137.	
" " Galena	"	7.568	Neumann. P. A. 23, 1.	
" "	"	7.51	Tschermk. S. W. A. 45, 603.	
" "	"	6.77, artificial	Schneider. J. P. C. (2), 2, 91.	
Lead sesquisulphide	$Pb_2 S_3$	6.335	Phyfair and Joule. M. C. S. 3, 89.	
Cerium sulphide	$Ce_2 S_3$	5.1	Didier. C. R. 100, 1461.	
Thorium sulphide	$Th S_2$	8.29	Chydenius. J. 16, 195.	
Nitrogen sulphide	$N S$	2.22, 15°	Berthelot and Vi- cille. Ber. 14, 1558.	
" "	"	2.1166, 15°	Michaelis. Z. C. 13, 460.	
Phosphorus monosulphide	$P S$	1.8	Dupré. J. P. C. 21, 253.	
Phosphorus-hexsulphide	$P S_6$	2.02	" "	
Tetraphosphorus trisulphide.	$P_4 S_3$	2.00, 11°	Isambert. C. R. 96, 1501.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Vanadium disulphide	$V_2 S_2$	4.2, scaly	Kay. J. C. S. 37, 728.
“ “	“	4.4, powder	
Vanadium trisulphide	$V_2 S_3$	3.7, scaly	“ “
“ “	“	4.0, powder	
Vanadium tetrasulphide	$V_2 S_4$	4.70, 21°	Schafarik. J. P. C. 90, 12.
Vanadium pentasulphide	$V_2 S_5$	3.0	Kay. J. C. S. 37, 728.
Arsenic disulphide	$As_2 S_2$	3.544	Karsten. Schw. J. 65, 394.
“ “	“	3.240, realgar	Neumann. P. A. 23, 1.
“ “	“	3.556	Mohs. See Böttger.
Arsenic trisulphide	$As_2 S_3$	3.459	Karsten. Schw. J. 65, 394.
“ “	“	3.48	Haidinger. Dana's Min.
“ “	“	3.44—3.45	Guibourt. See Bött- ger.
“ “ Dimorphite	“	3.58	Scacchi. J. 5, 842.
Antimony trisulphide	$Sb_2 S_3$	4.7520	Karsten. Schw. J. 65, 394.
“ “	“	4.15, amor- phous.	Fuchs. Watts' Diet.
“ “	“	4.614, black	} H. Rose. J. 6, 361.
“ “	“	4.641, 16° “	
“ “	“	4.280, red	
“ “	“	4.421, ppt.	
“ “	“	4.226, 26° 7, red	
“ “	“	4.223, 23°, ppt.	} Cooke. Proc. Am. Acad. 1877.
“ “	“	4.228, 28°, gray	
“ “	“	4.289, 27° “	
“ “	“	4.892	} Ditte. C. R. 102, 212.
“ “	“	5.012	
“ “ Stibnite.	“	4.603	Neumann. P. A. 23, 1.
“ “ “	“	4.516	Haüy. Dana's Min.
“ “ “	“	4.62	Mohs. “ “
Bismuth disulphide	$Bi_2 S_2$	7.29, m. of 5	Werther. J. P. C. 27, 65.
Bismuth trisulphide	$Bi_2 S_3$	7.591, 14° 5	Herapath. P. A. 64, 321.
“ “	“	7.0001	Karsten. Schw. J. 65, 394.
“ “	“	7.16, native	Forbes. P. M. (4), 29, 4.
Selenium sulphide	$Se S$	3.056, 0°	} Ditte. Z. C. 14, 386.
“ “	“	3.035, 52°	
Molybdenite	$Mo S_2$	4.591	Mohs. See Böttger.
“ “	“	4.444	Seibert. “ “
Tungsten disulphide	$W_2 S_2$	6.26, 20°	Schafarik. J. P. C. 90, 12.
Chromic sulphide	$Cr_2 S_3$	4.092	Playfair and Joule. M. C. S. 3, 89.
“ “	“	2.79, 10°	} Schafarik. J. P. C. 90, 12.
“ “	“	3.77, 19°	
Manganese monosulphide.	$Mn S$	3.95—4.01	Leonhard. See Bött- ger.
Alabandite.			

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Manganese monosulphide. Alabandite.	Mn S	4.036	Bergemann. N. J. 1857, 394.
Hauerite	Mn S ₂	3.463	Von Hauer. J. 1. 1157.
Iron hemisulphide	Fe ₂ S	5.80	Playfair and Joule. M. C. S. 3, 88.
Iron monosulphide. Artif.	Fe S	5.035, m. of 2	"
" " "	"	4.79	Rammelsberg. J. 15, 263.
" " Troilite	"	4.787	Rammelsberg. J. 1, 1306.
" " "	"	4.817	Rammelsberg. J. 17, 904.
" " "	"	4.75	Smith. J. 8, 1025.
Iron disulphide. Pyrite	Fe S ₂	5.000 }	Kennigott. J. 6, 780.
" " "	"	5.028 }	
" " "	"	5.185 }	
" " "	"	5.042	Zepharovich. S. W. A. 12, 289.
" " Marcasite	"	4.882	Neumann. P. A. 23, 1.
" " "	"	4.678 }	Dana's Mineralogy.
" " "	"	4.847 }	
" " "	"	4.640 }	
Ferric sulphide	Fe ₂ S ₃	4.216	Playfair and Joule. M. C. S. 3, 88.
" " "	"	4.41	Rammelsberg. J. 15, 262.
Complex sulphide of iron	Fe ₈ S ₉	4.494	Rammelsberg. J. 15, 195.
Pyrrhotite	Fe ₇ S ₈	4.584	Kennigott. S. W. A. 9, 575.
"	"	4.564 }	Rammelsberg. Da- na's Mineralogy.
"	"	4.580 }	
"	"	4.640 }	
Nickel hemisulphide	Ni ₂ S	6.05	Playfair and Joule. M. C. S. 3, 88.
Millerite	Ni S	4.601	Kennigott. S. W. A. 9, 575.
"	"	5.65	Rammelsberg. Da- na's Mineralogy.
Polydymite	Ni ₄ S ₅	4.808 }	Laspeyres. J. P. C. (2), 14, 297.
"	"	4.816 }	
Beyrichite	Ni ₅ S ₇	4.7	Liebe. N. J. 1871, 840.
Cobalt disulphide	Co S ₂	4.269	Playfair and Joule. M. C. S. 3, 88.
Cobaltic sulphide	Co ₂ S ₃	4.8	Hoffmann's Tables
Copper hemisulphide	Cu ₂ S	5.792, 17.7	Herapath. P. M. 64, 321.
" " "	"	5.9775	Karsten. Schw. J. 65, 394.
" " "	"	5.71	Kopp. J. 16, 5.
" " "	"	5.7022	Thomson. Dana's Min.
" " "	"	5.521—5.795	Scheerer. P. A. 65, 292.
" " Artif. cryst.	"	5.79	Doelter. Z. K. M. 11, 29.
" " two method	"	5.809	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Copper monosulphide	Cu S	4.1634	Karsten. Schw. J. 65, 394.
“ “ Covellite	“	4.636	Zepharovich. J. 7, 810.
Palladium hemisulphide	$\text{Pd}_2 \text{S}$	7.303, 15°	Schneider. P. A. 141, 532.
Platinum monosulphide	Pt S	8.847, 16°.25	Böttger. J. P. C. 3, 267.
Platinum disulphide	Pt S_2	7.224, 18°.75	“ “
“ “	“	5.27	Schneider. P. A. 138, 604.
Platinum sesquisulphide	$\text{Pt}_2 \text{S}_3$	5.52	“ “

2d. Sulpho-Salts of Arsenic, Antimony, and Bismuth.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Proustite	$\text{Ag}_3 \text{As S}_3$	5.524	Mohs.
“	“	5.53—5.59	Breithaupt. See Böttger.
“	“	5.552, 13°	G. Rose. P. A. 15, 472.
Xanthoconite	$\text{Ag}_9 \text{As}_3 \text{S}_{10}$	4.112—4.159	Breithaupt. J. P. C. 20, 67.
Guitermannite	$\text{Pb}_3 \text{As}_2 \text{S}_6$	5.94	Hillebrand. Bull. No. 20., U. S. G. S., 106.
Sartorite	$\text{Pb As}_2 \text{S}_4$	5.405	} Waltershausen. J. 8, 914.
“	“	5.393	
“	“	5.409	
Dufrenoy'site	$\text{Pb}_2 \text{As}_2 \text{S}_5$	5.5616	Landolt. P. A. 122, 373.
“	“	5.549	Damour. Ann. (3), 14, 379.
“	“	5.561	v. Rath. J. 17, 827.
Enargite	$\text{Cu}'_3 \text{As S}_4$	4.362	Kenngott. Dana's Min.
“	“	4.430	} Breithaupt. J. 3, 702.
“	“	4.445	
“	“	4.37	Kobell. J. 18, 872.
“	“	4.34	Root. J. 21, 998.
“	“	4.43	Burton. J. 21, 998.
“ Guayacanite	“	4.39	Field. J. 12, 771.
“ Clarite	“	4.46	Sandberger. N. J. 1875, 382.
“ Luzonite	“	4.42	Weisbach. M. P. M. 1874, 257.
Julianite	$\text{Cu}_4 \text{As S}_4$	5.12	Websky. Z. G. S. 1871, 486.
Binnite	$\text{Cu}_6 \text{As}_4 \text{S}_9$	4.477	Dana's Mineralogy.
Tennantite	$\text{Cu}'_8 \text{As}_2 \text{S}_7$	4.375	Phillips. See Böttger.
“	“	4.530	Scheerer. P. A. 65, 298.
“	“	4.622	Harrington. J. 37, 1911.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium sulphantimonate.	$\text{Na}_3 \text{Sb S}_4 \cdot 9 \text{H}_2 \text{O}$	1.804 } 1.807 }	Schröder. <i>Dm.</i> 1873.
"	"	"	"
Pyrrargyrite	$\text{Ag}_3 \text{Sb S}_3$	5.831	Mohs.
"	"	5.75—5.84	Breithaupt. See Böttger.
Miargyrite	Ag Sb S_2	5.214 } 5.242 }	Weisbach. <i>J.</i> 18, 869.
"	"	5.0725 } 5.0823 }	20° { Rumpf. <i>Z. K. M.</i> 7, 513.
" Artificial	"	5.28	Doelter. <i>Z. K. M.</i> 11, 29.
Stephanite	$\text{Ag}_3 \text{Sb S}_4$	6.269	Mohs. <i>P. A.</i> 15, 474.
"	"	6.275, 21°	H. Rose.
"	"	6.28, 18°	Frenzel. <i>J.</i> 27, 1239.
Polybasite	$\text{Ag}_9 \text{Sb S}_6$	6.214	Dana's <i>Mineralogy.</i>
"	"	6.009	<i>Genth. Am. Phil.</i> <i>Soc.</i> , 1885.
Polyargyrite	$\text{Ag}_2 \text{Sb}_2 \text{S}_{13}$	6.933 } 7.011 }	18° 2' { Petersen. <i>J.</i> 22, 1197.
Livingstonite	$\text{Hg Sb}_2 \text{S}_4$	4.81	Barcena. <i>A. J. S.</i> (3), 8, 146.
" Artificial	"	4.928, 32°	Baker. <i>C. N.</i> 42, 196.
Jamesonite	$\text{Pb}_2 \text{Sb}_2 \text{S}_5$	5.616, 19°	Schallgotsch. <i>P. A.</i> 38, 403.
"	"	5.601	Lowe. <i>Dana's Min.</i>
" Massive	"	5.6788	<i>Rammelsberg. P. A.</i> 77, 240.
" Artificial	"	5.5	Doelter. <i>Z. K. M.</i> 11, 29.
Zinkenite	$\text{Pb Sb}_2 \text{S}_4$	5.903 } 5.910 }	12° 5' { G. Rose. <i>P. A.</i> 7, 91.
"	"	5.21, 18°	Hillebrand. <i>Bull.</i> 20, <i>U. S. G. S.</i>
Boulangerite	$\text{Pb}_3 \text{Sb}_2 \text{S}_6$	5.688—5.941	Hausmann. <i>P. A.</i> 46, 282.
" Massive	"	5.809—5.877 }	Zepharovich. <i>S. W.</i> A. 56, (1), 30.
" Fibrous	"	5.69—6.086 }	"
Meneghinite	$\text{Pb}_4 \text{Sb}_2 \text{S}_7$	6.339 } 6.445 }	v. Rath. <i>J.</i> 20, 974.
"	"	6.33	Harrington. <i>J.</i> 37, 1911.
Geocronite	$\text{Pb}_5 \text{Sb}_2 \text{S}_8$	6.407	Apjohn. <i>Dana's Min.</i>
"	"	6.43, 15°	Sauvage. <i>Ann. des</i> <i>Mines</i> , (3), 17, 525.
"	"	6.45—6.47, 15°	Kerndt. <i>P. A.</i> 65, 302.
Plagionite	$\text{Pb}_4 \text{Sb}_6 \text{S}_{13}$	5.40	<i>Rammelsberg. P. A.</i> 47, 495.
Epiboulangerite	$\text{Pb}_6 \text{Sb}_4 \text{S}_{15}$	6.309	Websky. <i>J.</i> 22, 1198.
Semseyite	$\text{Pb}_7 \text{Sb}_6 \text{S}_{16}$	5.9518	Sipocz. <i>Ber.</i> 19, 95.
Freieslebenite	$\text{Pb}_2 \text{Ag}_3 \text{Sb}_3 \text{S}_5$	6.194	Hausmann. <i>Dana's</i> <i>Min.</i>
"	"	6.230	v. Payr. <i>J.</i> 13, 746.
"	"	6.35	Vrba. <i>S. W. A.</i> 63, 143.
" Diaphorite	"	5.902	Zepharovich. <i>S. W.</i> A. 63, 143.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brongniardite	Pb Ag ₂ Sb ₂ S ₅	5.950, 18°	Damour. Ann. d. Mines, (4), 16, 227.
Chalcostibite	Cu Sb S ₂	4.748	H. Rose. Dana's Min.
"	"	5.015	Breithaupt. Dana's Min.
Famatinitite	Cu ₃ Sb S ₄	4.57	Stelzner. M. P. M. 1873, 242.
Guejarite	Cu ₂ Sb ₄ S ₇	5.03	Cumenge. B. S. M. 2, 201.
Tetrahedrite	Cu ₈ Sb ₂ S ₇	4.730	Wittstein. J. 8, 912.
"	"	4.58	Sandmann. A. C. P. 89, 368.
"	"	4.90	Kuhlemann. J. 9, 834.
"	"	4.885	Genth. Am. Phil. Soc. 1885.
Bournonite	Cu' Pb Sb S ₃	5.703—5.796	Zincken. J. 2, 724.
"	"	5.726—5.855	Bromeis. J. 2, 724.
"	"	5.726—5.863	Rammelsberg. J. 2, 724.
"	"	5.80	Field. J. 14, 374.
"	"	5.826	Wait. J. 26, 1147.
"	"	5.737—5.86	Hidegh. J. 37, 1911.
"	"	5.7659	Sipöcz. Ber. 19, 95.
" Artificial	"	5.719	Doelter. Z. K. M. 11, 29.
Berthierite	Fe Sb ₂ S ₄	4.043	Pettko. J. 1, 1159.
Silver bismuth glance*	Ag Bi S ₂	6.92	Rammelsberg. Z. K. M. 3, 101.
Galenobismutite	Pb Bi ₂ S ₄	6.88	Sjögren. G. F. F. 4, 109.
Cosalite	Pb ₂ Bi ₂ S ₅	6.22—6.33	Frenzel. J. 27, 1238.
Beegerite	Pb ₆ Bi ₂ S ₉	7.273	König. J. 34, 1355.
Rezbanyite	Pb ₄ Bi ₁₀ S ₁₉	6.09	Frenzel. J. 36, 1835.
"	"	6.38	
Chiviatite	Pb ₂ Bi ₆ S ₁₁	6.920	Rammelsberg. P. A. 88, 320.
Emplectite	Cu Bi S ₂	5.18, 5°	Weisbach. J. 19, 916.
Wittichenite	Cu ₃ Bi S ₃	4.3	Hilger. J. 18, 870.
Klaprotholite	Cu ₆ Bi ₄ S ₉	4.6	Petersen. N. J. 1868, 415.
Aikinite	Cu' Pb Bi S ₃	6.757	Frick. P. A. 31, 530.
"	"	6.1	Chapman. J. 1, 1158.
Kobellite	Pb ₃ Bi Sb S ₆	6.29	Satterberg. P. A. 55, 635.
"	"	6.32	
"	"	6.145	Rammelsberg. J. P. C. 86, 340.

* Alaskaitite, a lead silver salt similar to this, has a sp. gr. 6.873. Koenig, Z. K. M. 6, 42.

3d. Miscellaneous Double and Oxy-Sulphides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Thallium potassium sulphide.	$K Tl S_2$	4.263	Schneider. P. A. 139, 661.
Iron potassium sulphide.	$K Fe''' S_2$	2.563	Preis. J. P. C. 107, 10.
Sodium platinum sulphide.	$Na Pt_2 S_3$	6.27, 15°	Schneider. P. A. 138, 604.
Potassium platinum sulphide.	$K Pt_2 S_3$	6.44, 15°	" "
Stromeyerite	$Ag Cu' S$	6.26	Kopp. J. 16, 5.
"	"	6.255	Stromeyer. Schw. J. 19, 325.
Jalpaite	$Ag_3 Cu' S_4$	6.877	Breithaupt. J. 11, 682.
"	"	6.890	
Sternbergite	$Ag Fe_2 S_3$	4.215	Dana's Mineralogy.
Silver gold sulphide	$Ag_{10} Au_4 S_{11}$	8.159	Muir. B. S. C. 18, 222.
Argyrodite	$Ag_6 Ge S_5$	6.085, 15°	Richter. Quoted by Winkler.
"	"	6.093	Winkler. J. P. C. (21, 34, 187.
"	"	6.111	
Christophite	$Zn_2 Fe S_3$	3.911—3.931	Breithaupt. B. H. Ztg. 22, 27.
Guadalucazarite	$Zn Hg_6 S_7$	7.15	Petersen. J. 25, 1093
Bornite	$Fe Cu_3 S_4$	5.030	Rammelsberg. Z. G. S. 18, 19.
"	"	4.432	Forbes. J. 4, 758.
"	"	4.91	Katzer. M. P. M. 9, 404.
Iron coppersulphide. Artif.	$Fe_4 Cu_9 S_{10}$	4.85	Doelter. Z. K. M. 11, 29.
Barnhardtite	$Fe_2 Cu_4 S_5$	4.521	Genth. J. 8, 910.
Chalcopyrite	$Fe Cu S_2$	4.185	Forbes. J. 4, 759.
"	"	4.1—4.3	Dana's Mineralogy.
" Artificial	"	4.196	Doelter. Z. K. M. 11, 29.
Iron coppersulphide. Artif.	$Fe_4 Cu_4 S_7$	4.999	" "
Furnace product. Cryst.	$Fe_3 Cu_4 S_9$	3.97	Brogger. Z. K. M. 3, 495.
Cubanite	$Fe_2 Cu S_4$	4.026	Breithaupt. P. A. 59, 325.
"	"	4.042	
"	"	4.18	Smith. J. 7, 810.
Chalcopyrrhotite	$Fe_4 Cu S_6$	4.28	Blomstrand. Dana's Min., 2d Append.
Carrollite	$Co Cu S_2$	4.58	Faber. J. 5, 840.
"	"	4.85	Smith and Brush. J. 6, 782
Pentlandite	$Fe Ni_2 S_3$	4.6	Scheerer. P. A. 58, 316.
Horbachite	$Fe_8 Ni_2 S_{13}$	4.43	Knop. N. J. 1873, 523.
Daubreelite	$Fe Cr_2 S_4$	5.01	Smith. J. C. S. 36, 33.
Bismuth nickel sulphide	$Bi_2 Ni_3 S_7$	9.15	Werther. J. 5, 389.
Voltzite	$4 Zn S, Zn O$	3.5—3.8	Veil. J. 6, 786.
Kermesite	$2 Sb_2 S_3, Sb_2 O_3$	4.5—4.6	Dana's Mineralogy.

Castillite, Grunauite, and Stannite are omitted as having too indefinite composition

X. SELENIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Naumannite -----	Ag ₂ Se -----	8.0 -----	G. Rose. P. A. 14, 471.
Zinc selenide -----	Zn Se -----	5.40, 15° -----	Margottet. J. C. S. 32, 570.
Cadmium selenide -----	Cd Se -----	8.789 -----	Little. J. 12, 94.
“ “ -----	“ -----	5.80 -----	Margottet. J. C. S. 32, 570.
Mercurous selenide -----	Hg ₂ Se -----	8.877 -----	Little. J. 12, 95.
Tiemannite -----	Hg Se -----	7.274 -----	Dana's Mineralogy.
“ -----	“ -----	7.1—7.37 -----	Kerl. J. 5, 837.
“ -----	“ -----	8.187 -----	Penfield. A. J. S.
“ -----	“ -----	8.188 -----	(3), 29, 449.
Lead selenide. Artificial -----	Pb Se -----	8.154 -----	Little. J. 12, 95.
“ “ Clausthalite -----	“ -----	6.8 -----	Zinken. P. A. 3, 274.
Ferrie selenide -----	Fe ₂ Se ₃ -----	6.38 -----	Little. J. 12, 94.
Nickel selenide -----	Ni Se -----	8.462 -----	“ “
Cobalt selenide -----	Co Se -----	7.647 -----	“ “
Berzelianite -----	Cu ₂ Se -----	6.71 -----	Nordenskiöld. J. 20, 977.
Copper selenide -----	Cu Se -----	6.655 -----	Little. J. 12, 95.
Arsenic triselenide -----	As ₂ Se ₃ -----	4.752 -----	“ “
Bismuth triselenide -----	Bi ₂ Se ₃ -----	6.82 -----	Schneider. J. 8, 386.
“ “ -----	“ -----	7.406 -----	Little. J. 12, 95.
“ “ Frenzelite -----	“ -----	6.25, 21° -----	Frenzel. N. J. 1874, 679.
“ “ Guanajuatite. -----	“ -----	6.62 -----	Fernandez. Dana's Min., 3d App.
Tin monoselenide -----	Sn Se -----	5.24, 15° -----	Schneider. J. P. C. 98, 236.
“ “ -----	“ -----	6.179, 0° -----	Ditte. C. R. 96, 1792.
Tin diselenide -----	Sn Se ₂ -----	5.133 -----	Little. J. 12, 95.
“ “ -----	“ -----	4.85 -----	Schneider. J. P. C. 98, 236.
Eucairite -----	Cu' Ag Se -----	7.48—7.51 -----	Nordenskiöld. J. 20, 977.
Crookesite -----	(Cu Ag Tl) ₂ Se -----	6.90 -----	“ “
Lehrbachite -----	(Pb Hg) Se -----	7.804—7.876 -----	Dana's Mineralogy.
Zorgite -----	(Pb Cu) Se -----	6.38 -----	Pisani. J. 32, 1183.
“ -----	(Pb Cu) ₃ Se ₂ -----	6.26 -----	“ “

XI. TELLURIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hessite	Ag ₂ Te	8.412	G. Rose. P. A. 18, 64. Genth. J. 27, 1233. Becke. Z. K. M. 6, 205.
"	"	8.565	
"	"	8.178	
"	"	8.318	
Zinc telluride	Zn Te	6.34, 15°	Margottet. J. C. S. 32, 570.
Cadmium telluride	Cd Te	6.20, 15°	"
Coloradoite	Hg Te	8.627	Genth. Z. K. M. 2, 4.
Tin telluride	Sn Te	6.478, 0°	Ditte. C. R. 96, 1793.
Altaite	Pb Te	8.159	G. Rose. P. A. 18, 64.
"	"	8.060	Genth. J. 27, 1233.
Antimony telluride	Sb ₂ Te ₃	6.47	Bodeker and Giesecke. B. D. Z.
"	"	6.51	
Joseite	Bi ₃ Te	7.924—7.936	Dana's Mineralogy.
Wehrlite	Bi ₃ Te ₂	8.44	Wehrle. Dana's Min.
Tetradymite	Bi ₂ Te ₃	7.297	Genth. J. 5, 833.
"	"	7.868	Jackson. J. 12, 770.
"	"	7.941	Genth. J. 13, 744.
"	"	7.642, 18°	Balch. J. 16, 794.
Calaverite	Au Te ₄	9.043	Genth. Z. K. M. 2, 6.
Sylvanite	Au Ag Te ₃	7.943	Genth. J. 27, 1233.
Petzite	Au Ag ₃ Te ₂	9.010	"
"	"	9.020	"
Tapalpite	Ag ₂ Bi ₂ S Te ₂	7.803	Rammelsberg. Z. G. S. 21, 81.

XII. PHOSPHIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver phosphide	Ag ₂ P ₃	4.63	Schrotter. S. W. A. 1849, 301.
Zinc phosphide	Zn ₃ P ₂	4.76	"
"	"	4.72	Hayer. J. C. S. 32, 113.
Tin monophosphide	Sn P	6.56	Schrotter. S. W. A. 1849, 301.
"	"	6.793	Natanson and Vertmann. Ber. 10, 1450.
Tin diphosphide	Sn P ₂	4.91, 12°	Emmerling. Ber. 12, 155.
Chromium phosphide	Cr P	4.68	Martius. J. 11, 150.
Manganese phosphide	Mn ₃ P ₂	5.951	Wöhler. J. 6, 359.
"	Mn ₃ P	4.94	Schrotter. S. W. A. 1849, 301.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Iron phosphide	Fe_3P	6.28	Hvoslef. J. 9, 285.
“ “	Fe_3P_4	5.04	Freese. J. 20, 284.
Nickel phosphide	Ni_5P	7.283	Jannetaz. J. C. S. 44, 651.
“ “	Ni_3P_2	5.99	Schrötter. S.W.A. 1849, 301.
Cobalt phosphide	Co_3P_2	5.62	“ “
Tricopper phosphide	Cu_3P	6.75	“ “
“ “	“	6.59	Hvoslef. J. 9, 285.
“ “	“	6.350	Sidot. J. R. C. 5, 75.
Copper monophosphide	Cu P	5.14	Emmerling. Ber. 12, 153.
Molybdenum monophosphide.	Mo P	6.167	Rautenberg. J. 12, 163.
Tungsten hemiphosphide	W_2P	5.207	Wöhler. J. 4, 347.
Palladium diphosphide	Pd P_2	8.25	Schrötter. S. W. A. 1849, 301.
Platinum diphosphide	Pt P_2	8.77	“ “
Iridium hemiphosphide *	Ir_2P	13.768	Clarke. A. C. J. 5, 231.
Gold phosphide	Au_2P_3	6.67	Schrötter. S. W. A. 1849, 301.

XIII. ARSENIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver arsenide	Ag As	8.51	Descamps. J. Ph. C. (4), 27, 424.
Trisilver diarsenide	Ag_3As_2	9.01	“ “
Trisilver arsenide	Ag_3As	9.51	“ “
“ “ Huntelite	“	7.47	Wurtz. Dana's Min., 3d App.
Tricopper diarsenide	Cu_3As_2	6.94	Descamps. J. Ph. C. (4), 27, 424.
Dicopper arsenide	Cu_2As	7.76	“ “
Tricopper arsenide	Cu_3As	7.81	“ “
“ “ Domeykite	“	7.75	Genth. J. 15, 708.
Algodonite	Cu_6As	7.603	Genth. A. J. S. (2), 33, 192.
“	“	6.902	Field. J. 10, 655.
Whitneyite	Cu_9As	8.408	Genth. J. 12, 771.
“	“	8.246	Genth. J. 15, 708.
“	“	8.471	
Tricadmium arsenide	Cd_3As	6.26	Descamps. J. Ph. C. (4), 27, 424.
Tin hemiarsenide	Sn_2As	7.001, 18°	Bödeker. B. D. Z.
Tin diarsenide	Sn As_2	6.56	Descamps. J. Ph. C. (4), 27, 424.
Lead arsenide	Pb As	9.55	“ “
Trilead tetraarsenide	Pb_3As_4	9.65	“ “

* Commercial "cast iridium." Contains several per cent. of the phosphides of rhodium and ruthenium, with possibly a little phosphide of osmium.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trilead diarsenide	$Pb_3 As_2$	9.76	Descamps. J. Ph. C. (4), 27, 424.
Kancite	$Mn As$	5.55	Kane. Dana's Min.
Leucopyrite	$Fe_2 As_3$	6.659	Breithaupt. P. A. 9, 115.
"	"	6.848	"
Lölingite	$Fe As_2$	6.246, in mass	Behneke. J. 9, 831.
"	"	6.321, pulv.	
"	"	7.409	Hillebrand. A. J. S. (3), 27, 353.
Trinickel arsenide	$Ni_3 As$	7.71	Descamps. J. Ph. C. (4), 27, 424.
Nicolite	$Ni As$	7.663	Scheerer. P. A. 65, 292.
"	"	7.29, 16°	Ebelmen. Ann. d. Mines (4), 11, 55.
"	"	7.314	Genth. J. 36, 1829.
Rammelsbergite	$Ni As_2$ *	7.099—7.188	Breithaupt. Dana's Min.
"	"	6.9	McCoy. J. 37, 1905.
Smaltite	$Co As_2$	6.84	Rose. J. 5, 836.
Skutterudite	$Co As_3$	6.78	Scheerer. P. A. 42, 553.
Antimony hemiarsenide	$Sb_2 As$	6.46	Descamps. J. Ph. C. (4), 27, 424.
Allemontite	$Sb As_3$	6.13	Thomson. Dana's Min.
"	"	6.203	Rammelsberg.
Bismuth arsenide	$Bi_3 As_4$	8.45	Descamps. J. Ph. C. (4), 27, 424.
Gold arsenide	$Au_4 As_3$	16.20	" " "
O'Rileyite	$Cu_2 Fe_3 As_5$	7.343—7.428	Waldie. J. 24, 1133.

XIV. ANTIMONIDES.*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dyscrasite. Stibiotriargenite.	$Ag_3 Sb_2$	9.611	Petersen. P. A. 137, 377.
" " " " " "	"	9.77	
Dyscrasite. Stibiohexargentite.	$Ag_6 Sb_2$	10.027	" "
Zinc antimonide	$Zn Sb$	6.383	Cooke. P. M. (4), 19, 413.
" " " " " "	"	6.384	
Trizinc diantimonide	$Zn_3 Sb_2$	6.327	" "
Breithauptite	$Ni Sb$	7.541	Breithaupt. Dana's Min.
Tin antimonide*	$Sn_2 Sb$	7.07, 19°	Bodeker. B. D. Z.

* Compare also the table of alloys.

XV. SULPHIDES WITH ARSENIDES OR ANTIMONIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Arsenopyrite	Fe S As	6.269	Kenngott. S. W. A. 9, 584.
"	"	6.21	Vogel. J. 8, 907.
"	"	6.095, in mass.	} Potyka. J. 12, 772.
"	"	6.004, pulv.	
"	"	6.255	Forbes. J. 18, 871.
"	"	6.16	Zepharovich. S. W. A. 56 (1), 42.
"	"	6.05—6.07	McCay. J. 37, 1905.
Pacite	Fe ₅ S ₂ As ₈	6.297	} Breithaupt and Weisbach. B. H. Ztz. 25, 167.
"	"	6.303	
Glaucopyrite	Fe ₁₃ S ₂ As ₂₄	7.181	Sandberger. J. P. C. (2), 1, 230.
Glaucodot	(Co Fe) S As	5.975—6.003	Breithaupt. P. A. 67, 127.
"	"	5.905—6.011	Schrauf and Dana. S. W. A. 69, 153.
Cobaltite	Co S As	6.0—6.3	Dana's Mineralogy.
Gersdorffite	Ni S As	5.49	} Forbes. J. 21, 997.
"	"	5.65	
"	"	6.1977	Sipöcz. Ber. 19, 95.
Ullmannite	Ni S Sb	6.506, 20°	Rammelsberg. P. A. 64, 189.
"	"	6.803	} Jannasch. J. 36, 1832.
"	"	6.882	
Corynite	Ni S (As Sb)	5.994	Zepharovich. J. 18, 872.
Wolfachite	"	6.372	Sandberger. J. 22, 1193.
Alloclasite	Co ₃ S ₄ Bi ₄ As ₆	6.6	Tschermak. J. 49, 919.
"	"	6.23—6.5	Frenzel. J. 36, 1831.

XVI. HYDRIDES, BORIDES, CARBIDES, SILICIDES, NITRIDES, ETC.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium hydride	Na ₂ H	0.959	Troost and Hautefeuille. C. R. 78, 970.
Palladium hydride	Pd ₃ H ₂	10.8033	Dewar. P. M. (4), 47, 334.
"	Pd ₂ H	11.06	Troost and Hautefeuille. C. R. 78, 970.
Columbium hydride	Cb H	6.0 to 6.6	} Marignac. J. 21, 214. Supposed to be metal.
"	"	6.15 to 7.37	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Platinum boride	Pt B	17.92	Martius. J. 11, 210.
Iron silico-carbide	Fe ₆ Si ₂ C	6.6	Colson. J. C. S. 42, 993.
Titanium carbide	Ti C, impure	5.10	Shiner. J. A. C. 1, 4.
Iron silicide	Fe ₂ Si	6.611	Hahn. J. 17, 264.
Platinum silicide	Pt ₃ Si ₂	14.1	Colson. Ber. 15, 724.
“ “	Pt ₉ Si	18.97	Memminger. A. C. J. 7, 172.
Aluminum titanide	Al ₄ Ti	3.11, 16°	Levy. C. R. 106, 66.
Aluminum zirconide (?)	Al ₃ Zr, or Al ₆ Zr ₂ Si	3.629	Melliss. Gottingen Doct. Diss., 1870.
Ammonia. Liquefied	N H ₃	.731, 15° .5	Faraday. P. T. 1845, 155.
“ “	“	.6234, 0°	Jolly. J. 14, 165.
“ “	“	.6492, —10°	D'Andréoff. Ann. (3), 56, 317
“ “	“	.6429, —5°	
“ “	“	.6364, 0°	
“ “	“	.6298, 5°	
“ “	“	.6230, 10°	
“ “	“	.6160, 15°	
“ “	“	.6089, 20°	
Titanium nitride	Ti ₂ N ₂	5.28, 18°	Friedel and Guérin. C. R. 82, 974.
Iron nitride. Impure	Fe ₅ N ₂	3.147	Silvestri. Ber. 8, 1356.

XVII. HYDROXIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium hydroxide	Na O H	2.130	Filhol. Ann. (3), 21, 415.
“ “	“	1.723	W. C. Smith. Am. J. P. 53, 145.
“ “	2 Na O H. 7 H ₂ O	1.405	Hermes. J. 16, 178.
Potassium hydroxide	K O H	2.100	Dalton.
“ “	“	2.044	Filhol. Ann. (3), 21, 415.
“ “	“	1.958	W. C. Smith. Am. J. P. 53, 145.
Brucite	Mg (O H) ₂	2.36	Hermann. J. 14, 979.
“	“	2.376	Beck. J. 15, 718.
“ Artif. cryst.	“	2.36, 15°	Schulten. C. R. 101, 72.
Zinc hydroxide	Zn (O H) ₂	2.677	Nickles. J. 1, 435.
“ “	“	3.053	Filhol. Ann. (3), 21, 415.
Cadmium hydroxide. Cryst.	Cd (O H) ₂	4.79, 15°	Schulten. C. R. 101, 72.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium hydroxide	Ca (O H)_2	2.078	Filhol. Ann. (3), 21, 415.
Strontium hydroxide	Sr (O H)_2	3.625	" "
" "	$\text{Sr (O H)}_2 \cdot 8 \text{ H}_2 \text{ O}$	1.996	" "
" "	"	1.911, 16°	Filhol. J. P. C. 36, 37.
Barium hydroxide	Ba (O H)_2	4.495	Filhol. Ann. (3), 21, 415.
" "	$\text{Ba (O H)}_2 \cdot 8 \text{ H}_2 \text{ O}$	1.656	" "
" "	"	2.188, 16°	Filhol. J. P. C. 36, 37.
Lead hydroxide	$\text{Pb (O H)}_2 \cdot 2 \text{ Pb O}$	7.592, 0°	Ditte. J. C. S. 42, 928.
Lead oxyhydroxide	$\text{Pb (O H)}_2 \text{ O}$	6.267	Wernicke. J. P. C. (2), 2, 419.
Manganese hydroxide. Cryst.	Mn (O H)_2	3.258, 15°	Schulten. C. R. 105, 1266.
Manganese oxyhydroxide	$\text{Mn (O H)}_2 \text{ O}$	2.564	} Wernicke. J. P. C. (2), 2, 419.
" "	"	2.596	
Manganite	$\text{Mn}_2 (\text{O H})_2 \text{ O}_2$	4.335	Rammelsberg. J. 18, 878.
Manganese hydroxide	$\text{Mn}_{12} \text{ H}_2 \text{ O}_{24}$	4.750	} Veley. J. C. S. 41, 65.
" "	"	4.800	
" "	$\text{Mn}_{24} \text{ H}_{16} \text{ O}_{33}$	4.671	
" "	"	4.681	
Turgite	$\text{Fe}_4 (\text{O H})_2 \text{ O}_3$	3.56—3.74	Hermann. Dana's Min.
"	"	4.681	Bergemann. J. 12, 771.
"	"	4.14	Brush. A. J. S. (2), 44, 219.
Ferric oxyhydroxide	$\text{Fe}_2 (\text{O H})_2 \text{ O}_2$	2.91	} Brunck and Graebe. Ber. 13, 725.
" "	"	2.92	
" " Göthite	"	4.11	} Yorke. P. M. (3), 27, 265-267.
" " "	"	4.19	
" " "	"	4.24	
Limonite	$\text{Fe}_4 (\text{O H})_6 \text{ O}_3$	3.6—4.0	Dana's Mineralogy.
"	"	3.908	Bergemann. Dana's Min.
Ferric hydroxide	$\text{Fe}_2 (\text{O H})_6$	3.77, precip.	Yorke. P. M. (3), 27, 269.
" " Limnite	"	2.69	Church. J. 18, 879.
Nickelic oxyhydroxide	$\text{Ni}_2 (\text{O H})_4 \text{ O}$	2.741	Wernicke. J. P. C. (2), 2, 419.
Cobaltic oxyhydroxide	$\text{Co}_2 (\text{O H})_4 \text{ O}$	2.483	" "
Heterogenite	$\text{Co}_3 \text{ O}_7 \cdot 6 \text{ H}_2 \text{ O}$	3.44	Frenzel. J. P. C. (2), 5, 404.
Copper hydroxide	Cu (O H)_2	3.368	Schröder. Dm. 1873.
Diaspore	$\text{Al (O H)} \text{ O}$	3.39	Jackson. A. J. S. (2), 42, 108.
"	"	3.343	Shepard. A. J. S. (2), 50, 96.
Gibbsite	Al (O H)_3	2.387	Hermann. J. 1, 1164.
"	"	2.389	Silliman, Jr. J. 2, 389.
Stibiconite	$\text{Sb}_2 (\text{O H})_2 \text{ O}_3$	5.28	Blum and Delfs. J. P. C. 40, 318.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Antimonic hydroxide	$Sb(OH)_3$	6.6	Boullay. Dana's Min.
Bismuth oxyhydroxide	$Bi(OH)_2O$	5.571	Wernicke. J. P. C. (2), 2, 419.
" "	"	5.8, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 32.
Metabismuthic hydroxide	$Bi(OH)_2O_2$	5.75, 20°	" "
Uranyl hydroxide	$U(OH)_2O_2$	5.926, 15°	Mulguti. J. P. C. 29, 233.
Eliasite	$U(OH)_4O$	4.087—4.237	Zepharovich. Dana's Min.
Gummite	$U(OH)_6$	3.9—4.20	Breithaupt. Dana's Min.
Chalcophanite	$ZnMn_2O_5 \cdot 2H_2O$	3.907	Moore. J. C. S. 36, 17.
Namaqualite	$Cu_2Al(OH)_4 \cdot 2H_2O$	2.49	Church. J. C. S. 23, 1.
Hydrotaelite	$AlMg_3(OH)_9 \cdot 3H_2O$	2.01	Hermann. J. 1, 1168.

XVIII. CHLORATES AND PERCHLORATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen chlorate, or chloric acid.	$HClO_3 \cdot 7H_2O$	1.282, 14°, 2	Kammerer. P. A. 138, 390.
Sodium chlorate	$NaClO_3$	2.467	Berthelot.
" "	"	2.289	Bodeker. B. D. Z.
Potassium chlorate	$KClO_3$	2.32643, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.350, 17°, 5	Kremers. J. 10, 67.
" "	"	2.325	Buignet. J. 14, 15.
" "	"	2.323	Holker. P. M. 31, 27, 213.
" "	"	2.325, m. of 5)	
" "	"	2.246) Ex.	Schroder. Den. 1873.
" "	"	2.364) tremes)	
" "	"	2.167	W. C. Smith. Am. J. P. 52, 145.
Silver chlorate	$AgClO_3$	4.430	Schroder. J. 12, 12.
" "	"	4.439	Topson. B. S. C. 19, 246.
Thallium chlorate	$TlClO_3$	5.5047, 9°	Muir. C. N. 33, 156
Strontium chlorate	$SrCl_2O_6$	3.150	
" "	"	3.154	Schroder. Den. 1873
Barium chlorate	$BaCl_2O_6 \cdot H_2O$	2.988, 15°	Bodeker. B. D. Z.
" "	"	3.214	
" "	"	3.188	Schroder. Den. 1873.
Lead chlorate	$PbCl_2O_6 \cdot H_2O$	4.018	
" "	"	4.030	
" "	"	4.053	

*Kammerer also gives figures for other hydrates of chloric acid

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lead chlorate -----	$\text{Pb Cl}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$ ----	3.989 -----	Topsoë. B. S. C. 19, 246.
Mercurous chlorate -----	Hg Cl O_3 -----	6.409 -----	Schröder. Dm. 1873.
Mercuric chlorate -----	$\text{Hg Cl}_2 \text{O}_6$ -----	4.998 -----	" "
Basic mercuric chlorate --	$\text{Hg}_2 \text{Cl}_2 \text{O}_7 \cdot \text{H}_2 \text{O}$ ----	5.151 -----	Topsoë. B. S. C. 19, 246.
Hydrogen perchlorate, or perchloric acid.	H Cl O_4 -----	1.782, 15°.5--	Roscoe. J. 14, 146.
" " -----	$\text{H Cl O}_4 \cdot \text{H}_2 \text{O}$ -----	1.811, 50° -----	" "
Lithium perchlorate -----	Li Cl O_4 -----	1.841 -----	Wyrouboff. B. S. M. 6, 53.
Potassium perchlorate -----	K Cl O_4 -----	2.528 } -----	Kopp. J. 16, 4. Schröder. Dm. 1873.
" " -----	" -----	2.550 } -----	
" " -----	" -----	2.520, m. of 6 } -----	
" " -----	" -----	2.510 } Ex- -----	
" " -----	" -----	2.537 } tremes } -----	
Ammonium perchlorate -----	Am Cl O_4 -----	1.885, 25° -----	Stephan. F. W. C.
Thallium perchlorate -----	Tl Cl O_4 -----	4.844, 15°.5--	Roscoe. C. N. 14, 217.

XIX. BROMATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium bromate -----	Na Br O_3 -----	3.339, 17°.5--	Kremers. J. 10, 67.
Potassium bromate -----	K Br O_3 -----	3.271, 17°.5--	" "
" " -----	" -----	3.218 -----	Topsoë. B. S. C. 19, 246.
" " -----	" -----	3.323, 19° -----	Storer. F. W. C.
Silver bromate -----	Ag Br O_3 -----	5.1983, 16° -----	" "
" " -----	" -----	5.2153, 18° -----	
Magnesium bromate -----	$\text{Mg Br}_2 \text{O}_6 \cdot 6 \text{H}_2 \text{O}$ -----	2.289 -----	Topsoë. B. S. C. 19, 246.
Zinc bromate -----	$\text{Zn Br}_2 \text{O}_6 \cdot 6 \text{H}_2 \text{O}$ -----	2.566 -----	Topsoë. C. C. 4, 76.
Cadmium bromate -----	$\text{Cd Br}_2 \text{O}_6 \cdot 2 \text{H}_2 \text{O}$ -----	3.758 -----	Topsoë. B. S. C. 19, 246.
Basic mercuric bromate --	$\text{Hg}_2 \text{Br}_2 \text{O}_7 \cdot \text{H}_2 \text{O}$ -----	5.815 -----	Topsoë. C. C. 4, 76.
Calcium bromate -----	$\text{Ca Br}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$ -----	3.329 -----	" "
Strontium bromate -----	$\text{Sr Br}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$ -----	3.773 -----	" "
Barium bromate -----	$\text{Ba Br}_2 \text{O}_6$ -----	4.0395, 17° -----	Storer. F. W. C.
" " -----	" -----	3.9918, 18° -----	
" " -----	$\text{Ba Br}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$ -----	3.820 -----	
Lead bromate -----	$\text{Pb Br}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$ -----	4.950 -----	Topsoë. C. C. 4, 76.
Nickel bromate -----	$\text{Ni Br}_2 \text{O}_6 \cdot 6 \text{H}_2 \text{O}$ -----	2.575 -----	" "
Copper bromate -----	$\text{Cu Br}_2 \text{O}_6 \cdot 6 \text{H}_2 \text{O}$ -----	2.583 -----	" "

XX. IODATES AND PERIODATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen iodate,* or iodic acid.	HI O_3	4.869, 0°	Ditte. Ann. (4), 21, 22.
" " "	"	4.816, 50°.8	"
Sodium iodate	Na I O_3	4.277, 17°.5	Kremers. J. 10, 67.
Potassium iodate	K I O_3	3.979, 17°.5	" "
" " "	"	2.601	Ditte. Ann. (4), 21, 48.
" " "	"	3.802, 18°	Clarke.
Ammonium iodate	Am I O_3	3.3372, 12°.5	Fullerton. F. W. C.
" " "	"	3.3085, 21°	"
Silver iodate. Precip.	Ag I O_3	5.4023, 16°.5	" "
" " Cryst. from ammonia.	"	5.6475, 14°.5	" "
Magnesium iodate	$\text{Mg I}_2 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	3.283, 13°.5	Bishop. F. W. C.
Barium iodate	$\text{Ba I}_2 \text{O}_6$	5.2299, 18°	Fullerton. F. W. C.
Lead iodate	$\text{Pb I}_2 \text{O}_6$	6.209	Schröder. Dm. 1873.
" " "	"	6.248	
" " "	"	6.257	
" " "	"	6.155, 20°	Fullerton. F. W. C.
Nickel iodate	$\text{Ni I}_2 \text{O}_6 \cdot 6 \text{H}_2 \text{O}$	3.6954, 22°.0	" "
Cobalt iodate	$\text{Co I}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$	5.008, 18°	" "
" " "	$\text{Co I}_2 \text{O}_6 \cdot 6 \text{H}_2 \text{O}$	3.6659, 18°.5	" "
Didymium periodate	$\text{Di I O}_5 \cdot 4 \text{H}_2 \text{O}$	3.755	Cleve. U. N. A. 1885.
" " "	"	3.761	
Samarium periodate	$\text{Sm I O}_5 \cdot 4 \text{H}_2 \text{O}$	3.793, 21°.2	" "

XXI. THIOSULPHATES,† SULPHITES, DITHIONATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium thiosulphate	$\text{Na}_2 \text{S}_2 \text{O}_3 \cdot 5 \text{H}_2 \text{O}$	1.672	Buignet. J. 14, 15.
" " "	"	1.736, 10°	Kopp. J. 8, 45.
" " "	"	1.734	Schiff. J. 12, 41.
" " "	"	1.723	W. C. Smith. Am. J. P. 53, 148.
Potassium thiosulphate	$\text{K}_2 \text{S}_2 \text{O}_3$	2.590	Buignet. J. 14, 15.
Magnesium thio-sulphate	$\text{Mg S}_2 \text{O}_3 \cdot 6 \text{H}_2 \text{O}$	1.818, 24°	Oliver. F. W. C.
Calcium thio-sulphate	$\text{Ca S}_2 \text{O}_3 \cdot 6 \text{H}_2 \text{O}$	1.8715, 13°.5	Richardson. F. W. C.
" " "	"	1.8728, 16°	
Strontium thio-sulphate	$\text{Sr S}_2 \text{O}_3 \cdot 6 \text{H}_2 \text{O}$	2.1778, 17°	" "
Barium thio-sulphate	$\text{Ba S}_2 \text{O}_3 \cdot \text{H}_2 \text{O}$	3.4461, 16°	" "
" " "	"	3.4486, 18°	" "
Cobalt thio-sulphate	$\text{Co S}_2 \text{O}_3 \cdot 6 \text{H}_2 \text{O}$	1.935, 25°	Oliver. F. W. C.
Hydrogen sulphite or sulphurous acid.	$\text{H}_2 \text{S O}_3 \cdot 6 \text{H}_2 \text{O}$	1.147, 15°, cryst.	Geuther. A. C. P. 224, 218.

* For various hydrates of iodic acid see Kaemmerer, P. A. 138, 390.

† Commonly called hyposulphites.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium sulphite-----	$\text{Na}_2 \text{S O}_3, 10 \text{H}_2 \text{O}$ -----	1.561-----	Buignet. J. 14, 15.
Cuprous sulphite. Red---	$\text{Cu}_2 \text{S O}_3, \text{H}_2 \text{O}$ -----	4.46-----	Etard. Ber. 15, 2333.
“ “ White-----	“-----	3.83, 15°-----	“ “
Hydrogen dithionate, or dithionic acid.	$\text{H}_2 \text{S}_2 \text{O}_6 + \text{aq.}$ -----	1.347-----	Gay Lussac. Gm. H. 2, 175.
Lithium dithionate-----	$\text{Li}_2 \text{S}_2 \text{O}_6, 2 \text{H}_2 \text{O}$ -----	2.158-----	Topsoë. C. C. 4, 76.
Sodium dithionate-----	$\text{Na}_2 \text{S}_2 \text{O}_6, 2 \text{H}_2 \text{O}$ -----	2.189-----	Topsoë. B. S. C. 19, 246.
“ “-----	“-----	2.175, 11°-----	Baker. C. N. 36, 203.
Potassium dithionate---	$\text{K}_2 \text{S}_2 \text{O}_6$ -----	2.277-----	Topsoë. B. S. C. 19, 246.
Ammonium dithionate---	$\text{Am}_2 \text{S}_2 \text{O}_6$ -----	1.704-----	Topsoë. C. C. 4, 76.
Silver dithionate-----	$\text{Ag}_2 \text{S}_2 \text{O}_6, 2 \text{H}_2 \text{O}$ -----	3.605-----	“ “
Magnesium dithionate---	$\text{Mg}^2 \text{S}_2 \text{O}_6, 6 \text{H}_2 \text{O}$ -----	1.666-----	Topsoë. B. S. C. 19, 246.
Zinc dithionate-----	$\text{Zn S}_2 \text{O}_6, 6 \text{H}_2 \text{O}$ -----	1.915-----	Topsoë. C. C. 4, 76.
Cadmium dithionate-----	$\text{Cd S}_2 \text{O}_6, 6 \text{H}_2 \text{O}$ -----	2.272-----	“ “
Calcium dithionate-----	$\text{Ca S}_2 \text{O}_6, 4 \text{H}_2 \text{O}$ -----	2.180-----	Topsoë. B. S. C. 19, 246.
“ “-----	“-----	2.176, 11°-----	Baker. C. N. 36, 203.
Strontium dithionate---	$\text{Sr S}_2 \text{O}_6, 4 \text{H}_2 \text{O}$ -----	2.373-----	Topsoë. C. C. 4, 76.
Barium dithionate-----	$\text{Ba S}_2 \text{O}_6, 2 \text{H}_2 \text{O}$ -----	4.536, 13°.5-----	Baker. C. N. 36, 203.
“ “-----	$\text{Ba S}_2 \text{O}_6, 4 \text{H}_2 \text{O}$ -----	3.142-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	3.055, 24°.5-----	Stephan. F. W. C.
Lead dithionate-----	$\text{Pb S}_2 \text{O}_6, 4 \text{H}_2 \text{O}$ -----	3.245-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	3.259, 11°-----	Baker. C. N. 36, 203.
Manganese dithionate---	$\text{Mn S}_2 \text{O}_6, 6 \text{H}_2 \text{O}$ -----	1.757-----	Topsoë. C. C. 4, 76.
Iron dithionate-----	$\text{Fe S}_2 \text{O}_6, 7 \text{H}_2 \text{O}$ -----	1.875-----	“ “
Nickel dithionate-----	$\text{Ni S}_2 \text{O}_6, 6 \text{H}_2 \text{O}$ -----	1.908-----	“ “
Cobalt dithionate-----	$\text{Co S}_2 \text{O}_6, 8 \text{H}_2 \text{O}$ -----	1.815-----	“ “

XXII. SULPHATES.

1st. Simple Sulphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen sulphate, or sulphuric acid.	$\text{H}_2 \text{S O}_4$ -----	1.857-----	Bineau. Ann. (3), 24, 337.
“ “-----	“-----	1.8485-----	Ure. Schw. J. 35, 444.
“ “-----	“-----	1.854, 0°-----	} Marignac. J. 6, 325.
“ “-----	“-----	1.842, 12°-----	
“ “-----	“-----	1.834, 24°-----	
“ “-----	“-----	1.857, 0°-----	Kolb. Z. A. C. 12, 333.
“ “-----	“-----	1.85289, 0°-----	Marignac. Ann. (4), 22, 420.
“ “-----	“-----	1.8354, 18°-----	Kohlrausch. P. A. 159, 243.
“ “-----	“-----	1.82730, 23°-----	Nasini. Ber. 15, 2885.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen sulphate, or sulphuric acid.	$H_2S O_4$	1.854, 0°	Schertel. Ber. 15, 2734.
" "	"	1.8384, 15°	Lunge and Naef. Ber. 16, 953.
" "	"	1.83295, 19°.02	Mendelejeff. Ber. 17, ref. 304.
" "	"	1.8528, 0°	Mendelejeff. Ber. 19, 380.
" "	"	1.83904, 15°	Perkin. J. C. S. 49, 777.
" "	"	1.83562, 20°	
" "	"	1.83265, 25°	
" "	$H_2S O_4 \cdot H_2 O$	1.784, 8°	Wackenroder. J. 2, 249.
" "	"	1.7948, 0°	Mendelejeff. Ber. 19, 380.
" "	"	1.77806, 15°	Perkin. J. C. S. 49, 777.
" "	"	1.77423, 20°	
" "	"	1.77071, 25°	
" "	$H_2S O_4 \cdot 2 H_2 O$	1.62	Watts' Dictionary.
" "	"	1.6655, 0°	Mendelejeff. Ber. 19, 380.
" "	"	1.65084, 15°	Perkin. J. C. S. 49, 777.
" "	"	1.64754, 20°	
" "	"	1.64467, 25°	
" "	$H_2S O_4 \cdot 3 H_2 O$	1.55064, 15°	" "
" "	"	1.54754, 20°	
" "	"	1.54493, 25°	
Hydrogen pyrosulphate	$H_2S_2 O_7$	1.9	Watts' Dictionary.
Hydrogen tetra-sulphate	$H_2S_4 O_{10} + 3 S O_3$	1.983	Weber. P. A. 159, 325.
Lithium sulphate	$Li_2S O_4$	2.210	Kremers. J. 10, 67.
" "	"	2.21, 15°	Brauner. P. M. (5), 11, 67.
" "	$Li_2S O_4 \cdot H_2 O$	2.02	Troost. J. 10, 141.
" "	"	2.052, 21°	Pettersson. U. N. A. 1874.
" "	"	2.056, 20°	
" "	"	2.066, 20°	
Sodium sulphate	$Na_2S O_4$	2.462	Mohs. Quoted by Schröder.
" "	"	2.67	Breithaupt. Quoted by Schroder.
" "	"	2.73	Cordier. Quoted by Schroder.
" "	"	2.640	Thomson. Ann. Phil. (2), 10, 435.
" "	"	2.6313	Kursten. Schw. J. 65, 394.
" "	"	2.597	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.629	Filhol. Ann. (3), 21, 415.
" "	"	2.654	Kremers. J. 5, 15. Crystallized at different temperatures.
" "	"	2.658	
" "	"	2.674	
" "	"	2.684	
" "	"	2.693, m. of 3.	Schroder. P. A. 106, 226.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium sulphate	$\text{Na}_2\text{S O}_4$	2.681, 20°.7	Favre and Valson. C. R. 77, 579.
" "	"	2.677 } 17° {	Pettersson. U. N.
" "	"	2.687 } 17° {	A. 1874.
" "	"	2.66180, cryst.	} Nicol. P. M. (5), 15, 94.
" "	"	at 40°.	
" "	"	2.66372, cryst.	} Braun. J. C. S. (2), 13, 31.
" "	"	at 110°	
" "	$\text{Na}_2\text{S O}_4 \cdot 10\text{H}_2\text{O}$	2.104, at the melting p't.	Hassenfratz. Ann. 28, 3.
" "	"	1.4457	Thomson. Ann. Phil. (2), 10, 435.
" "	"	1.350	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.469, m. of 2	Filhol. Ann. (3), 21, 415.
" "	"	1.520	Schiff.
" "	"	1.465	Buignet. J. 14, 15.
" "	"	1.471	} Stolba. J. P. C. 97, 503.
" "	"	1.4608	
" "	"	1.4595	Favre and Valson. C. R. 77, 579.
" "	"	1.455, 26°.5	Pettersson. U. N. A. 1874.
" "	"	1.485, 19°	} Wattson.
" "	"	1.492, 20°	
Potassium sulphate	$\text{K}_2\text{S O}_4$	2.636	Hassenfratz. Ann. 28, 3.
" "	"	2.4073	Thomson. Ann. Phil. (2), 10, 435.
" "	"	2.880	Karsten. Schw. J. 65, 394.
" "	"	2.6232	Jacquelain. A. C. P. 32, 234.
" "	"	2.400	Kopp. A. C. P. 36, 1.
" "	"	2.640	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.65606, 4°	Playfair and Joule. J. C. S. 1, 132.
" "	"	2.625	Filhol. Ann. (3), 21, 415.
" "	Cryst.	2.614 } 17° {	} Penny. J. 8, 333.
" "	After fusion.	2.657 }	
" "	"	2.676	Holker. P. M. (3), 27, 213.
" "	"	2.653	Schiff. A. C. P. 107, 64.
" "	"	2.658	Schröder. P. A. 106, 226.
" "	"	2.572	Buignet. J. 14, 15.
" "	"	2.645	Stolba. J. P. C. 97, 503.
" "	"	2.648	Topsoë and Christ- iansen.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium sulphate	$K_2 S O_4$	2.660, 17° 1	Pettersson. U. N. A. 1874. Richardson. F. W. C. Wise. F. W. C. W. C. Smith. Am. J. P. 45, 148. Quincke. P. A. 158, 141. Spring. Ber. 15, 1940. Details in Bull. Acad. Bel- gique IV., No. 8, 1882.
" "	"	2.667, 18° 2	
" "	"	2.669, 18° 2	
" "	"	2.635, 18° 5	
" "	"	2.653, 14	
" "	"	2.715	
" "	"	2.1, fused	
" "	"	2.6651, 0°	
" "	"	2.6627, 10°	
" "	"	2.6603, 20°	
" "	"	2.6577, 30°	
" "	"	2.6551, 40°	
" "	"	2.6522, 50°	
" "	"	2.6492, 60°	
" "	"	2.6456, 70°	
" "	"	2.6420, 80°	
" "	"	2.6366, 90°	
" "	"	2.6311, 100°	
" Not pressed	"	2.653, 21°	Spring. Ber. 16, 2724.
" Once "	"	2.651, 22°	
" Twice "	"	2.656, 22°	
Potassium pyrosulphate	$K_2 S_2 O_7$	2.277	Jacquelin. A. C. P. 32, 294.
Rubidium sulphate	$Rb_2 S O_4$	3.639, 16° 8	Pettersson. U. N. A. 1874. Spring. Ber. 15, 1940. Details in Bull. Acad. Bel- gique IV., No. 8, 1882.
" "	"	3.641, 16° 8	
" "	"	3.6438, 0°	
" "	"	3.6402, 10°	
" "	"	3.6367, 20°	
" "	"	3.6333, 30°	
" "	"	3.6299, 40°	
" "	"	3.6259, 50°	
" "	"	3.6220, 60°	
" "	"	3.6181, 70°	
" "	"	3.6142, 80°	
" "	"	3.6089, 90°	
" "	"	3.6036, 100°	
Cæsium sulphate	$Cs_2 S O_4$	4.105, 19° 2	Pettersson. U. N. A. 1874.
Ammonium sulphate	$Am_2 S O_4$	1.7676	Hassenfratz. Ann. 28, 3.
" "	"	1.76	Kopp. J. 11, 19.
" "	"	1.78	
" "	"	1.750	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.76147, 4°	Playfair and Joule. J. C. S. 1, 138.
" "	"	1.628	Schiff. A. C. P. 107, 64.
" "	"	1.771, m. of 2	Schroder. P. A. 106, 226.
" "	"	1.750	Baignet. J. 14, 15.
" "	"	1.770, m. of 4	Pettersson. U. N. A. 1874.
" "	"	1.766 } extremes	
" "	"	1.775 } 17° 18'	
" "	"	1.7	
" "	"	1.7	W. C. Smith. Am. J. P. 53, 145.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium sulphate	$\text{Am}_2 \text{S O}_4$	1.765, 20°.5	Wilson. F. W. C
" "	"	1.773	Schröder. Ber. 11, 2211.
" "	"	1.7763, 0°	} Spring. Ber. 15, 1940. Details in Bull. Acad. Belgique. IV., No. 8, 1882.
" "	"	1.7748, 10°	
" "	"	1.7734, 20°	
" "	"	1.7719, 30°	
" "	"	1.7703, 40°	
" "	"	1.7685, 50°	
" "	"	1.7667, 60°	
" "	"	1.7641, 70°	
" "	"	1.7617, 80°	
" "	"	1.7593, 90°	
" "	"	1.7567, 100°	} Spring. Ber. 16, 2724.
" Not pressed	"	1.773, 20°	
" Once "	"	1.750, 22°	
" Twice "	"	1.760, 22°	
Mascagnite	$\text{Am}_2 \text{S O}_4 \cdot \text{H}_2 \text{O}$	1.72—1.73	Dana's Mineralogy.
Silver sulphate	$\text{Ag}_2 \text{S O}_4$	5.341	Karsten. Schw. J. 65, 394.
" "	"	5.322	Playfair and Joule. M. C. S. 2, 401.
" "	"	5.410	Filhol. Ann. (3), 21, 415.
" "	"	5.425	Schröder. P. A. 106, 226.
" "	"	5.49	} Pettersson. U. N. A. 1874.
" "	"	5.54	
Thallium sulphate	$\text{Tl}_2 \text{S O}_4$	6.77	Lamy. J. 15, 186.
" "	"	6.603	Lamy and Des Cloizeaux. Nature 1, 116.
" "	"	6.79, 17°.8	} Pettersson. U. N. A. 1874.
" "	"	6.81, 17°.2	
" "	"	6.83, 17°	
Glucinum sulphate	Gl S O_4	2.443	Nilson and Pettersson. C. R. 91, 232.
" "	$\text{Gl S O}_4 \cdot 4 \text{H}_2 \text{O}$	1.725	Topsoë. C. C. 4, 76.
" "	"	1.6743, 22°	H. Stallo. F. W. C.
" "	"	1.713	Nilson and Pettersson. C. R. 91, 232.
Magnesium sulphate	Mg S O_4	2.6066	Karsten. Schw. J. 65, 394.
" "	"	2.706, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.628	Filhol. Ann. (3), 21, 415.
" "	"	2.675, 16°	Pape. P. A. 120, 367.
" "	"	2.770, 13°.8	} Pettersson. U. N. A. 1876.
" "	"	2.795, 14°	
" "	"	2.488	} Schröder. J. P. C. (2), 19, 266. Two modifications.
" "	"	2.471	
" "	"	2.829	
" "	"	2.709, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Mg S O}_4 \cdot \text{H}_2 \text{O}$	2.517, native	Bischof. Dana's Min.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium sulphate	$Mg\ S\ O_4\ \cdot\ H_2\ O$	2.281, 16°	Pape. P. A. 120, 369.
"	"	2.339, 14°	Pettersson. U. N. A. 1876.
"	"	2.340, 16°.5	Schroder. J. P. C. (2), 19, 266.
"	"	2.385	
"	"	2.478, m. of 2.	Playfair. J. C. S. 37, 102.
"	"	2.445, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$Mg\ S\ O_4\ \cdot\ 2\ H_2\ O$	2.279	Playfair. J. C. S. 37, 102.
"	"	2.373, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$Mg\ S\ O_4\ \cdot\ 5\ H_2\ O$	1.869, m. of 2.	Playfair. J. C. S. 37, 102.
"	$Mg\ S\ O_4\ \cdot\ 6\ H_2\ O$	1.751	"
"	"	1.734, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	Two modifications.	1.6151	Schulze. P. A. (2), 31, 229.
"	"	1.8981	
"	$Mg\ S\ O_4\ \cdot\ 7\ H_2\ O$	1.6603	Hasenfratz. Ann. 28, 3.
"	"	1.751	Mohs. See Bottger.
"	"	1.674	Kopp. A. C. P. 36, 1.
"	"	1.660	Playfair and Joule. M. C. S. 2, 401.
"	"	1.6829, 4°	Playfair and Joule. J. C. S. 1, 138.
"	"	1.751	Filhol. Ann. (3), 21, 415.
"	"	1.685	Schiff. A. C. P. 107, 64.
"	"	1.675	Buignet. J. 14, 15.
"	"	1.636, 15°.5	Forbes. P. M. 32, 135.
"	"	1.665, 15°.5	Holker. P. M. (3), 27, 213.
"	"	1.701, 16°	Pape. P. A. 120, 373.
"	"	1.684, 15°.4	Pettersson. U. N. A. 1876.
"	"	1.691, 15°.5	
"	"	1.680	Schroder. Dm. 1873.
"	"	1.675	Schroder. J. P. C. (2), 19, 266.
"	"	1.632	W. C. Smith. Am. J. P. 53, 148.
"	"	1.678, 15°	Thorpe and Watts. J. C. S. 37, 102.
Zinc sulphate	$Zn\ S\ O_4$	3.681, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	3.400	Karsten. Schw. J. 65, 394.
"	"	3.400	Filhol. Ann. (3), 21, 415.
"	"	3.435, 16°	Pape. P. A. 120, 367.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Zinc sulphate	$Zn S O_4$	3.520	Schröder. J. P. C. (2), 19, 266. Thorpe and Watts. J. C. S. 37, 102.
" "	"	3.562	
" "	"	3.580	
" "	"	3.6235, 15°	
" "	$Zn S O_4 \cdot H_2 O$	3.215, 16°	Pape. P. A. 120, 369.
" "	"	3.076	Schröder. J. P. C. (2), 19, 266.
" "	"	3.259	Playfair. J. C. S. 37, 102.
" "	"	3.2845, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$Zn S O_4 \cdot 2 H_2 O$	2.958, 15°	" "
" "	$Zn S O_4 \cdot 5 H_2 O$	2.206, 15°	" "
" "	$Zn S O_4 \cdot 6 H_2 O$	2.056	Playfair. J. C. S. 37, 102.
" "	"	2.072, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$Zn S O_4 \cdot 7 H_2 O$	1.912	Hassenfratz. Ann. 28, 3.
" "	"	2.036	Mohs. See Böttger.
" "	"	1.931, m. of 4	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.036	Filhol. Ann. (3), 21, 415.
" "	"	1.953	Schiff. A. C. P. 107, 64.
" "	"	1.957	Buignet. J. 14, 15.
" "	"	1.9534	Stolba. J. P. C. 97, 503.
" "	"	1.976, 15°.5	Holker. P. M. (3), 27, 213.
" "	"	1.901, 16°	Pape. P. A. 120, 374.
" "	"	2.015	Schröder. Dm. 1873.
" "	"	1.953	Schröder. J. P. C. (2), 19, 266. W. C. Smith. Am. J. P. 53, 148.
" "	"	1.955	
" "	"	1.961	
" "	"	1.974, 15°	
Cadmium sulphate	$Cd S O_4$	4.447	Schröder. J. P. C. (2), 19, 266.
" "	$Cd S O_4 \cdot H_2 O$	2.939	Buignet. J. 14, 15.
" "	$3 Cd S O_4 \cdot 8 H_2 O$	3.05, 12°	Giesecke. B. D. Z.
Mercurous sulphate	$Hg_2 S O_4$	7.560	Playfair and Joule. M. C. S. 2, 401.
Mercuric sulphate	$Hg S O_4$	6.466	" "
Calcium sulphate	$Ca S O_4$	2.9271	Karsten. Schw. J. 65, 394.
" "	"	2.955	Neumann. P. A. 23, 1.
" "	"	3.102	Filhol. Ann. (3), 21, 415.
" " Artificial cryst.	"	2.969	Manross. J. 5, 9.
" " Anhydrite	"	2.983	Schrauf. J. 15, 756.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium sulphate. Barite	Ba S O ₄	4.4794	} G. Rose. P. A. 75, 409.
" " powder.	"	4.4804	
" " Precip.	"	4.5271	
" " "	"	4.5253	
" " Artif. cryst.	"	4.179	Manross. J. 5, 9.
" " -----	"	4.022	} Precipitates in dif- ferent conditions. Schröder. P. A. 106, 226.
" " -----	"	4.065	
" " -----	"	4.512	
" " Ppt. ignited.	"	4.2942	} 18° { Schweitzer. Univer- sity of Missouri. Special pub., 1876.
" " Ppt. dried at 95°.	"	4.2688	
" " Ppt. -----	"	4.4591	
" " " -----	"	4.4881	
" " " -----	"	4.3958	} 14° 9 { E. Wiedemann. P. M. (5), 15, 371.
" " " -----	"	4.3969	
" " " -----	"	4.3962	
" " " -----	"	4.3967	
" " Artif. cryst.	"	4.44—4.50	Gorgeu. Ann. (6), 4, 515.
Lead sulphate	Pb S O ₄	6.298	Mohs.
" " -----	"	6.1691	Karsten. Schw. J. 65, 394.
" " -----	"	6.30	Filhol. Ann. (3), 21, 415.
" " -----	"	6.35	Smith. J. 8, 969.
" " -----	"	6.20	Field. J. 14, 1022.
" " Native	"	6.329	} Schröder. P. A. Er- ganz. Bd. 6, 622.
" " Precip.	"	6.212	
" " -----	"	5.96, 17° 1	} Pettersson. U. N. A. 1874.
" " -----	"	5.97, 16° 8	
" " Artif. cryst.	"	6.16	Gorgeu. Ann. (6), 4, 515.
Manganese sulphate	Mn S O ₄	3.1, 14°	Bödeker. B. D. Z.
" " -----	"	3.192, 16°	Pape. P. A. 120, 368.
" " -----	"	2.954	Schröder. Dm. 1873.
" " -----	"	2.975	Schröder. J. P. C. (2), 19, 266.
" " -----	"	3.235, 14° 6	} Pettersson. U. N. A. 1876.
" " -----	"	3.260, 14°	
" " -----	"	3.386	Playfair. J. C. S. 37, 102.
" " -----	"	3.282, 15°	Thorpe and Watts. J. C. S. 37, 102.
" " -----	Mn S O ₄ . H ₂ O	2.870, 14° 2	} Pettersson. U. N. A. 1876.
" " -----	"	2.903, 15° 4	
" " -----	"	2.905, 14° 9	
" " -----	"	3.210	
" " -----	"	2.845, 15°	Thorpe and Watts. J. C. S. 37, 102.
" " Szmikite	"	3.15	Schröckinger. J. 30, 1296.
" " -----	Mn S O ₄ . 2 H ₂ O	2.526, 15°	Thorpe and Watts. J. C. S. 37, 102.
" " -----	Mn S O ₄ . 3 H ₂ O	2.356, 15°	" "
" " -----	Mn S O ₄ . 4 H ₂ O	2.261	Topsoë. C. C. 4, 76

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Manganese sulphate	$MnSO_4 \cdot 5H_2O$	1.834	Gmelin.
"	"	2.087	Kopp. A. C. P. 36, 1.
"	"	2.095	
"	"	2.059, 16°	Pape. P. A. 120, 372.
"	"	2.099, 16°.2	Petersson. U. N. A. 1876.
"	"	2.103, 17°.6	
"	"	2.107, 15°.2	
"	"	2.103, 15°	
Ferrous sulphate	$FeSO_4$	2.841	Thorpe and Watts. J. C. S. 37, 102.
"	"	3.138	Fillhol. Ann. (3), 21, 415.
"	"	3.48	Playfair and Joule. M. C. S. 2, 401.
"	"	3.346, 15°	Playfair. J. C. S. 37, 102.
"	"	3.047	Thorpe and Watts. J. C. S. 37, 102.
"	$FeSO_4 \cdot H_2O$	2.994, 15°	Playfair. J. C. S. 37, 102.
"	"	2.773, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$FeSO_4 \cdot 3H_2O$	2.268, 16°	Thorpe and Watts. J. C. S. 37, 102.
"	$FeSO_4 \cdot 4H_2O$	2.227, 15°	Hassenfratz. Ann. 28, 3.
"	$FeSO_4 \cdot 7H_2O$	1.8399	Playfair and Joule. M. C. S. 2, 401.
"	"	1.857, m. of 3.	Playfair and Joule. J. C. S. 1, 138.
"	"	1.8889, 4°	Fillhol. Ann. (3), 21, 415.
"	"	1.904	Schiff. A. C. P. 107, 64.
"	"	1.884	Buignet. J. 14, 15.
"	"	1.902	Holker. P. M. (3), 27, 214.
"	"	1.851, 15°.5	Pape. P. A. 120, 372.
"	"	1.9854, 16°	Schroder. Dm. 1873
"	"	1.881	Schroder. J. P. C. (2), 19, 266.
"	"	1.897	W. C. Smith. Am. J. P. 53, 145.
"	"	1.896	
Ferrie sulphate	$Fe_2(SO_4)_3$	3.097, 18°	Petersson. U. N. A. 1874.
"	"	3.098, 18°.5	
"	"	3.103, 18°.2	
Coquimbite	$Fe_2(SO_4)_3 \cdot 9H_2O$	2.0—2.1	Dana's Mineralogy.
"	"	2.092	Brothaupt. See Z. K. M. 3, 520.
Ihleite	$Fe_2(SO_4)_3 \cdot 12H_2O$	1.812	Schrauf. N. J. 1877, 252.
Nickel sulphate	$NiSO_4$	3.643, 16°	Pape. P. A. 120, 369.
"	"	3.652	Schroder. J. P. C. (2), 19, 266.
"	"	3.696	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nickel sulphate	Ni S O_4	3.526	Playfair. J. C. S. 37, 102.
" "	"	3.418, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Ni S O}_4 \cdot 6 \text{ H}_2 \text{ O}$	2.042	} Topsö. C. C. 4, 76.
" "	"	2.074	
" "	"	2.031, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Ni S O}_4 \cdot 7 \text{ H}_2 \text{ O}$	2.037	Kopp. A. C. P. 36.1.
" "	"	1.931	Schiff. A. C. P. 107, 64.
" "	Morenosite	2.004	Fulda. J. 17, 859.
" "	"	1.877, 16°	Pape. P. A. 120, 373.
" "	"	1.955, 14°	Petterson. U. N. A. 1876.
" "	"	1.949, 15°	Thorpe and Watts. J. C. S. 37, 102.
Cobalt sulphate	Co S O_4	3.531	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.614, 15°.	} Petterson. U. N. A. 1876.
" "	"	3.615, 16°	
" "	"	3.444	Playfair. J. C. S. 37, 102.
" "	"	3.472, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Co S O}_4 \cdot \text{H}_2 \text{ O}$	3.125, 15°	" "
" "	$\text{Co S O}_4 \cdot 2 \text{ H}_2 \text{ O}$	2.712	Playfair. J. C. S. 37, 102.
" "	"	2.668, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Co S O}_4 \cdot 4 \text{ H}_2 \text{ O}$	2.327, 15°	" "
" "	$\text{Co S O}_4 \cdot 5 \text{ H}_2 \text{ O}$	2.134, 15°	" "
" "	$\text{Co S O}_4 \cdot 6 \text{ H}_2 \text{ O}$	2.019, 15°	" "
" "	$\text{Co S O}_4 \cdot 7 \text{ H}_2 \text{ O}$	1.924	Schiff. A. C. P. 107, 64.
" "	"	1.958, 15°.6	} Petterson. U. N. A. 1876.
" "	"	1.964, 15°.5	
" "	"	1.958	Schröder. J. P. C. (2), 19, 266.
" "	"	1.918, 15°	Thorpe and Watts. J. C. S. 37, 102.
Copper sulphate	Cu S O_4	3.631	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.572	Karsten. Schw. J. 65, 394.
" "	"	3.530	Filhol. Ann. (3), 21, 415.
" "	"	3.527, 16°	Pape. P. A. 120, 368.
" "	"	3.707, 19°	Favre and Valson. C. R. 77, 579.
" "	"	3.82, 17°.1	} Petterson. U. N. A. 1874.
" "	"	3.83, 18°	
" "	"	3.651, 11°	Hampe. Z. C. 13, 367.
" "	"	3.83	Schröder. J. P. C. (2), 19, 266.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Copper sulphate	Cu S O_4	3.606, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Cu S O}_4 \cdot \text{H}_2 \text{O}$	3.125, 16°	Pape. P. A. 120, 370.
" "	"	3.235, 17°·2	} Petterson. U. N. A. 1874.
" "	"	3.239, 18°·1	
" "	"	3.246, 18°	
" "	"	3.038	Schroder. J. P. C. (2), 19, 266.
" "	"	3.266	Playfair. J. C. S. 37, 102.
" "	"	3.289, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Cu S O}_4 \cdot 2 \text{H}_2 \text{O}$	2.808, 16°	Pape. P. A. 120, 371.
" "	"	2.878	} Playfair. J. C. S. 37, 102.
" "	"	2.891	
" "	"	2.953, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Cu S O}_4 \cdot 3 \text{H}_2 \text{O}$	2.663, 15°	" "
" "	$2 \text{Cu S O}_4 \cdot 7 \text{H}_2 \text{O}$	2.648, 15°	" "
" "	$\text{Cu S O}_4 \cdot 5 \text{H}_2 \text{O}$	2.1943	Hassenfratz. Ann. 28, 3.
" "	"	2.2	Gmelin.
" "	Native	2.297	Breithaupt. J. P. C. 11, 151.
" "	"	2.274	Kopp. A. C. P. 36, 1.
" "	"	2.254	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.286	Filhol. Ann. (3), 21, 415.
" "	"	2.2422	} Playfair and Joule. J. C. S. 1, 138.
" "	"	2.2781	
" "	"	2.2601	
" "	"	2.302	Buignet. J. 14, 15.
" "	"	2.2778	Stolba. J. P. C. 97, 503.
" "	"	2.268, 16°	Pape. P. A. 120, 371.
" "	"	2.248, 18°·9	Favre and Valson. C. R. 77, 579.
" "	"	2.286, 19°·4	} Petterson. U. N. A. 1874.
" "	"	2.292, 20°	
" "	"	2.277	Schroder. Dm. 1873.
" "	"	2.263	} Schroder. J. P. C. (2), 19, 266.
" "	"	2.296	
" "	"	2.330	Rudolf. Ber. 12, 251.
" "	"	2.242	W. C. Smith. Am. J. P. 53, 145.
" "	"	2.284, 15°	Thorpe and Watts. J. C. S. 37, 102.
Chromic sulphate	$\text{Cr}_2 (\text{S O}_4)_3$	2.743, 17°·2	Favre and Valson. C. R. 77, 579.
" "	"	3.012	Nilson and Petterson. C. R. 91, 232.
" "	$\text{Cr}_2 (\text{S O}_4)_3 \cdot 15 \text{H}_2 \text{O}$	1.696, 22°	Schrotter. P. A. 53, 513.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chromic sulphate	$\text{Cr}_2 (\text{S O}_4)_3 \cdot 15 \text{H}_2 \text{O}$	1.867, 17° 2	Favre and Valson. C. R. 77, 579.
Aluminum sulphate	$\text{Al}_2 (\text{S O}_4)_3$	2.7400	Karsten. Schw. J. 65, 394.
"	"	2.171	Playfair and Joule. M. C. S. 2, 401.
"	"	2.672, 22° 5	Favre and Valson. C. R. 77, 579.
"	"	2.710	Pettersson. U. N. A. 1874.
"	"	2.716	
"	$\text{Al}_2 (\text{S O}_4)_3 \cdot 18 \text{H}_2 \text{O}$	1.671, m. of 2	Playfair and Joule. M. C. S. 2, 401.
"	"	1.569	Filhol. Ann. (3), 21, 415.
"	"	1.767, 22° 1	Favre and Valson. C. R. 77, 579.
Indium sulphate	$\text{In}_2 (\text{S O}_4)_3$	3.438	Nilson and Pettersson. C. R. 91, 232.
Scandium sulphate	$\text{Sc}_2 (\text{S O}_4)_3$	2.579	"
Yttrium sulphate	$\text{Y}_2 (\text{S O}_4)_3$	2.606, 19° 4	Pettersson. U. N. A. 1876.
"	"	2.615, 15°	
"	"	2.626, 19° 3	
"	"	2.612	
"	$\text{Y}_2 (\text{S O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	2.52	Nilson and Pettersson. C. R. 91, 232.
"	"	2.53	Cleve and Hoeglund. B. S. C. 18, 200.
"	"	2.531, 19° 6	Topsoë. Quoted by Pettersson.
"	"	2.537, 19° 4	
"	"	2.552, 15°	
"	"	2.540	
Erbium sulphate	$\text{Er}_2 (\text{S O}_4)_3$	3.518, 14° 5	Pettersson. U. N. A. 1876.
"	"	3.524, 14° 2	
"	"	3.678	
"	$\text{Er}_2 (\text{S O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	3.17	Nilson and Pettersson. C. R. 91, 232.
"	"	3.230, 16° 4	Cleve and Hoeglund. B. S. C. 18, 200.
"	"	3.242, 16° 6	
"	"	3.248, 17° 1	
"	"	3.180	
Ytterbium sulphate	$\text{Yb}_2 (\text{S O}_4)_3$	3.793	Pettersson. U. N. A. 1876.
"	$\text{Yb}_2 (\text{S O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	3.286	Nilson and Pettersson. C. R. 91, 232.
Lanthanum sulphate	$\text{La}_2 (\text{S O}_4)_3$	3.53, 13° 6	Pettersson. U. N. A. 1876.
"	"	3.67, 15° 4	
"	"	3.600	
"	"	3.544	Nilson and Pettersson. C. R. 91, 232.
"	"	3.545	
"	$\text{La}_2 (\text{S O}_4)_3 \cdot 9 \text{H}_2 \text{O}$	2.827	
"	"	2.848, 17° 2	
"	"	2.864, 17° 4	Brauner. S. W. A. June, 1882.
"	"	2.853	Topsoë. Quoted by Pettersson.
"	"		Pettersson. U. N. A. 1876.
"	"		Nilson and Pettersson. C. R. 91, 232.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cerium sulphate	$Ce_2(SO_4)_3$	3.916, 12°·5	Pettersson. U. N. A. 1876.
" "	"	3.912	Nilson and Pettersson. C. R. 91, 232.
" "	$Ce_2(SO_4)_3 \cdot 5 H_2O$	3.214, 14°·2	Pettersson. U. N. A. 1876.
" "	"	3.232, 14°	
" "	"	3.220	Nilson and Pettersson. C. R. 91, 232.
Didymium sulphate	$Di_2(SO_4)_3$	3.722, 14°·6	Pettersson. U. N. A. 1876.
" "	"	3.756, 15°·6	
" "	"	3.755	Nilson and Pettersson. C. R. 91, 232.
" "	"	3.662	18°·3 { Cleve. U. N. A. 1885.
" "	"	3.672	
" "	$Di_2(SO_4)_3 \cdot 8 H_2O$	2.82	Cleveland Hoeglund. B. S. C. 18, 200.
" "	"	2.877, 16°·4	Pettersson. U. N. A. 1876.
" "	"	2.886, 14°·8	
" "	"	2.878	Nilson and Pettersson. C. R. 91, 262.
" "	"	2.827, 14°·8	Cleve. U. N. A. 1885.
" "	"	2.828, 16°·2	
" "	"	2.831, 16°	
Samarium sulphate	$Sm_2(SO_4)_3$	3.898, 18°·3	" "
" "	$Sm_2(SO_4)_3 \cdot 8 H_2O$	2.928	" "
" "	"	2.932	
Thorium sulphate	$Th(SO_4)_2$	4.053, 22°·8	Clarke. A. C. J. 2, 175.
" "	"	4.2252, 17°	Kruss and Nilson. Ber. 20, 1675.
" "	$2 Th(SO_4)_2 \cdot 9 H_2O$	3.398, 24°	Clarke. A. C. J. 2, 175.
" "	$Th(SO_4)_2 \cdot 9 H_2O$	2.767	Topsoe. B. S. C. 21, 120.
Uranyl sulphate	$UO_2 \cdot SO_4 \cdot 3 H_2O$	3.280, 16°·5	H. Schmidt. F. W. C.

2d. Double and Triple Sulphates.*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium hydrogen sulphate	$NaHSO_4$	2.742	Playfair and Joule. M. C. S. 2, 401.
Potassium hydrogen sulphate.	$KHSO_4$	2.112	Thomson. Ann. Phil. (2), 10, 435.
" " "	"	2.163	Jacquelin. A. C. P. 32, 234.
" " "	"	2.475, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.47767, 4°	Playfair and Joule. J. C. S. 1, 138.

* Exclusive of basic or partly basic double sulphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium hydrogen sulphate.	$KHSO_4$	2.305, cryst.	} Schröder. Dm. 1873.
“ “ “	“	2.354 } cryst.	
“ “ “	“	2.355 } mass.	
“ “ “	“	2.091, after fusion.	
“ “ “	“	2.245, cryst.	Wyrouboff. B. S. M. 7, 7.
Ammonium hydrogen sulphate.	$AmHSO_4$	1.761, m. of 2	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.787	Schiff. A. C. P. 107, 64.
Sodium potassium sulphate.	$Na_2SO_4, 3K_2SO_4$	2.668	} Two lots. Penny. J. 8, 333.
“ “ “	“	2.671	
Lithium ammonium sulphate.	$AmLiSO_4$	1.164 } two mod	} Wyrouboff. B. S. M. 5, 42.
“ “ “	“	1.204 } ifications	
Sodium ammonium sulphate.	$AmNaSO_4, 2H_2O$	1.63	Schiff. A. C. P. 114, 68.
Potassium ammonium sulphate.	$AmKSO_4$	2.280	Schiff. A. C. P. 107, 64.
Guanovulite	$Am_2K_7H_3(SO_4)_6$	2.33 }	} Wibel. Ber. 7, 393.
“	$4H_2O$	2.65 }	
Glauberite	$Na_2Ca(SO_4)_2$	2.767	Breithaupt. Schw. J. 68, 291.
“	“	2.64	Ulex. J. 2, 776.
Syngenite	$K_2Ca(SO_4)_2, H_2O$	2.603, 17.5	Zepharovich. J. 25, 1143.
“	“	2.252	Rumpf. Dana's Min., 2d Supp.
Dreelite	$CaSO_4, 3BaSO_4$	3.2—3.4	Dana's Mineralogy.
Polyhalite	$K_2Ca_2Mg(SO_4)_4, 2H_2O$	2.7689	“ “
Krugite	$K_2Ca_4Mg(SO_4)_6, 2H_2O$	2.801	Precht. Ber. 14, 2138.
Simonyite	$Na_2Mg(SO_4)_2, 4H_2O$	2.244	Tschermak. J. 22, 1241.
Loewite	$Na_4Mg_2(SO_4)_4, 5H_2O$	2.376	Haidinger. J. 1, 1220.
Krönnkite	$Na_2Cu(SO_4)_2, 2H_2O$	2.5	Domeyko. Dana's Min., 3d Supp.
Potassium magnesium sulphate.	$K_2Mg(SO_4)_2$	2.676	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.735	} Schröder. Ber. 7, 1117.
“ “ “	“	2.750	
“ “ “	$K_2Mg(SO_4)_2, 6H_2O$	2.076, m. of 2	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.05319, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	1.995	Schiff. A. C. P. 107, 64.
“ “ “	“	2.024	Topsoë and Christiansen.
“ “ “	“	2.034	Schröder. Dm. 1873.
“ “ “	“	2.036	} Schröder. J. P. C. (2), 19, 266.
“ “ “	“	2.048	
Ammonium magnesium sulphate.	$Am_2Mg(SO_4)_2$	2.080	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium magnesium sulphate.	$\text{Am}_2 \text{Mg} (\text{S O}_4)_2$	2.095	Schroder. J. P. C. (2), 19, 266.
“ “	“	2.141	
“ “	$\text{Am}_2 \text{Mg} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	1.696	Gmelin.
“ “	“	1.721	Playfair and Joule. M. C. S. 2, 401.
“ “	“	1.71686, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “	“	1.680	Schiff. A. C. P. 107, 64.
“ “	“	1.762	Buignet. J. 14. 15.
“ “	“	1.720	Topsoe and Christiansen.
“ “	“	1.723	Schroder. J. P. C. (2), 19, 266.
“ “	“	1.727	
Potassium zinc sulphate.	$\text{K}_2 \text{Zn} (\text{S O}_4)_2$	2.816	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.946	Various lots, differently treated. Schroder. J. P. C. (2), 19, 266.
“ “ “	“	2.891	
“ “ “	“	3.027	
“ “ “	“	2.703	
“ “ “	“	2.733	
“ “ “	$\text{K}_2 \text{Zn} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	2.153	Kopp. A. C. P. 36, 1.
“ “ “	“	2.245	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.24034, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	2.153	Schiff. A. C. P. 107, 64.
“ “ “	“	2.249	Schroder. Dm. 1873.
“ “ “	“	2.235	Schroder. J. P. C. (2), 19, 266.
“ “ “	“	2.240	
Ammonium zinc sulphate	$\text{Am}_2 \text{Zn} (\text{S O}_4)_2$	2.222	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.258	Schroder. J. P. C. (2), 19, 266.
“ “ “	“	2.288	Playfair and Joule. M. C. S. 2, 401.
“ “ “	$\text{Am}_2 \text{Zn} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	1.897, m. of 2	
“ “ “	“	1.910	Schiff. A. C. P. 107, 64.
“ “ “	“	1.919	Schroder. J. P. C. (2), 19, 266.
“ “ “	“	1.921	
“ “ “	“	1.925	
Potassium cadmium sulphate.	$\text{K}_2 \text{Cd} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	2.438	Schiff. A. C. P. 107, 64.
Ammonium cadmium sulphate.	$\text{Am}_2 \text{Cd} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	2.073	“ “
Potassium manganese sulphate.	$\text{K}_2 \text{Mn} (\text{S O}_4)_2$	3.008, m. of 2	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	3.031	Schroder. Ber. 7, 1118.
“ “ “	“	2.954	Schroder. J. P. C. (2), 19, 266.
“ “ “	$\text{K}_2 \text{Mn} (\text{S O}_4)_2 \cdot 4 \text{H}_2 \text{O}$	2.313	“ “
Ammonium manganese sulphate.	$\text{Am}_2 \text{Mn} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	1.930	Thomson. Gm. H. 1, 71.
“ “ “	“	1.823	Schroder. J. P. C. (2), 19, 266.
“ “ “	“	1.827	
Potassium iron sulphate.	$\text{K}_2 \text{Fe} (\text{S O}_4)_2$	3.042	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium iron sulphate.	$K_2 Fe (SO_4)_2 \cdot 6 H_2 O$	2.202 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.189 -----	Schiff. A. C. P. 107, 64.
Ammonium iron sulphate	$Am_2 Fe (SO_4)_2 \cdot 6 H_2 O$	1.848, m. of 2	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.813 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.886 -----	Schröder. J. P. C. (2), 19, 266.
Potassium nickel sulphate	$K_2 Ni (SO_4)_2$	2.897, m. of 2	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	3.086 -----	Schröder. Ber. 7, 1117.
“ “ “	$K_2 Ni (SO_4)_2 \cdot 6 H_2 O$	2.111 -----	Kopp. A. C. P. 36, 1.
“ “ “	“	2.136 -----	
“ “ “	“	1.921 -----	
“ “ “	“	1.922 -----	
Ammonium nickel sulphate.	$Am_2 Ni (SO_4)_2 \cdot 6 H_2 O$	1.783 -----	Schröder. J. P. C. (2), 19, 266.
“ “ “	“	1.915 -----	
“ “ “	“	1.921 -----	
Potassium cobalt sulphate	$K_2 Co (SO_4)_2$	3.105 -----	Kopp. A. C. P. 36, 1.
“ “ “	“	1.915 -----	
“ “ “	$K_2 Co (SO_4)_2 \cdot 6 H_2 O$	2.154 -----	Schröder. Ber. 7, 1118.
“ “ “	“	2.205, 16°.8	Schiff. A. C. P. 107, 64.
“ “ “	“	2.214, 16°.6	
Ammonium cobalt sulphate.	$Am_2 Co (SO_4)_2 \cdot 6 H_2 O$	1.873 -----	Petterson. U. N. A. 1876.
“ “ “	“	1.902, 18°	Schiff. A. C. P. 107, 64.
“ “ “	“	1.907, 16°.6	
“ “ “	“	1.893 -----	Petterson. U. N. A. 1876.
Thallium cobalt sulphate.	$Tl_2 Co (SO_4)_2 \cdot 6 H_2 O$	3.729, 16°.2	Schröder. J. P. C. (2), 19, 266.
“ “ “	“	3.769, 16°	
“ “ “	“	3.803, 16°.4	
Potassium coppersulphate.	$K_2 Cu (SO_4)_2$	2.797, m. of 2	Petterson. U. N. A. 1876.
“ “ “	“	2.784, 20°.5	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.754	Favre and Valson. C. R. 77, 579.
“ “ “	“	2.779	Schröder. Dm. 1873.
“ “ “	“	2.789	
“ “ “	$K_2 Cu (SO_4)_2 \cdot 6 H_2 O$	2.244, m. of 2	
“ “ “	“	2.16376, 4°	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.137 -----	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	2.186, 18°.8	Schiff. A. C. P. 107, 64.
“ “ “	“	2.224 -----	Favre and Valson. C. R. 77, 579.
“ “ “	“	2.221, 16°	Schröder. Dm. 1870.
Ammonium copper sulphate.	$Am_2 Cu (SO_4)_2$	2.197, m. of 2	Petterson. U. N. A. 1876.
“ “ “	“	2.348 -----	Playfair and Joule. M. C. S. 2, 401.
			Schröder. J. P. C. (2), 19, 266.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium copper sulphate.	$\text{Am}_2\text{Cu}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$	1.756 -----	Kopp. A. C. P. 36, 1. Playfair and Joule. M. C. S. 2, 401. Playfair and Joule. J. C. S. 1, 138. Schiff. A. C. P. 107, 64. Pettersson. U. N. A. 1876. Evans. F. W. C. Schiff. A. C. P. 107, 64.
“ “ “	“	1.757 -----	
“ “ “	“	1.891, m. of 2.	
“ “ “	“	1.8978, 4°	
“ “ “	“	1.931 -----	
“ “ “	“	1.925, 15° 2 } 1.931, 15° 8 } 1.870, 22° }	
Magnesium zinc sulphate.	$\text{MgZn}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.817 -----	
Magnesium cadmium sulphate.	$\text{MgCd}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.983 -----	“ “
Magnesium iron sulphate.	$\text{MgFe}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.733 -----	“ “
Magnesium copper sulphate.	$\text{MgCu}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.813 -----	“ “
Fäusserite -----	$\text{MgMn}_2(\text{SO}_4)_3 \cdot 15\text{H}_2\text{O}$	1.88 -----	Breithaupt. J. 18, 901.
Zinc iron manganese sulphate. Native.	$\text{Zn Fe Mn}_3 (\text{SO}_4)_7 \cdot 28\text{H}_2\text{O}$	2.1627 -----	Hes. A. C. J. 3, 420.
Mendozite -----	$\text{NaAl}(\text{SO}_4)_2 \cdot 11\text{H}_2\text{O}$	1.88 -----	Thomson. Dana's Min.
Sodium aluminum alum.	$\text{NaAl}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.641 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.597 -----	Buignet. J. 14, 15.
“ “ “	“	1.686, 18°	Pettersson. U. N. A. 1874. Soret. J. C. S. 50, 596. Playfair and Joule. M. C. S. 2, 401. Pettersson. U. N. A. 1876. Hassensfratz. Ann. 28, 3.
“ “ “	“	1.693, 18°	
“ “ “	“	1.694, 18° 2 }	
“ “ “	“	1.73 -----	
Potassium aluminum alum.*	$\text{KAl}(\text{SO}_4)_2$	2.228, m. of 2	
“ “ “	“	2.6846 } 15° {	Pettersson. U. N. A. 1876.
“ “ “	“	2.6905 }	
“ “ “	$\text{KAl}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.7109 -----	Hassensfratz. Ann. 28, 3.
“ “ “	“	1.753 -----	Dufrenoy.
“ “ “	“	1.724 -----	Kopp. A. C. P. 36, 1.
“ “ “	“	1.726, m. of 4	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.75125, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	1.711 -----	Schröder. Dm. 1873.
“ “ “	“	1.749, 21°	Pettersson. U. N. A. 1874. W. C. Smith. Am. J. P. 53, 145.
“ “ “	“	1.753, 21°	
“ “ “	“	1.755, 20° 5 }	
“ “ “	“	1.753 -----	
“ “ “	“	1.722 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.757 -----	Buignet. J. 14, 15.
“ “ “	“	1.7505 -----	Stolba. J. P. C. 97, 503.

* The dehydrated alums are included here for convenience.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium aluminum alum	$K Al(SO_4)_2 \cdot 12 H_2O$	1.7546, 0°	Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.
"	"	1.7542, 10°	
"	"	1.7538, 20°	
"	"	1.7532, 30°	
"	"	1.7526, 40°	
"	"	1.7521, 50°	
"	"	1.7501, 60°	
"	"	1.7474, 70°	
"	"	1.7252, 80°	
"	"	1.7067, 90°	
"	"	1.758, 21°, not pressed.	Spring. Ber. 16, 2724.
"	"	1.756, 16°.5, once pressed.	
"	"	1.750, 16°.5, twice pressed	
"	"	1.735	Soret. C. R. 99, 867.
Rubidium aluminum alum	$Rb Al(SO_4)_2$	2.7832, 14°.8	Petterson. U. N. A. 1876.
"	"	2.7910, 15°	Redtenbacher. S. W. A. 51, 248. Petterson. U. N. A. 1874.
"	$Rb Al(SO_4)_2 \cdot 12 H_2O$	1.874	
"	"	1.890	
"	"	1.891	
"	"	1.8667, 0°	
"	"	1.8648, 10°	
"	"	1.8639, 20°	
"	"	1.8635, 30°	
"	"	1.8631, 40°	
"	"	1.8624, 50°	
"	"	1.8619, 60°	
"	"	1.8611, 70°	
"	"	1.8596, 80°	
"	"	1.8578, 90°	
"	"	1.8554, 100°	
"	"	1.883	Setterberg. Ber. 15, 1740.
"	"	1.886	
"	"	1.852	Soret. C. R. 99, 867.
Cæsium aluminum alum	$Cs Al(SO_4)_2 \cdot 12 H_2O$	2.003	Redtenbacher. S. W. A. 51, 248.
"	"	1.994, 18°.1	Petterson. U. N. A. 1874.
"	"	2.000, 20°	
"	"	2.0215, 0°	
"	"	2.0210, 10°	
"	"	2.0205, 20°	
"	"	2.0200, 30°	
"	"	3.0194, 40°	
"	"	2.0189, 50°	
"	"	2.0186, 60°	
"	"	2.0173, 70°	
"	"	2.0153, 80°	Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.
"	"	2.0107, 90°	
"	"	2.0061, 100°	
"	"	1.988, 18°, not pressed.	
"	"	2.000, 20°, once pressed.	Spring. Ber. 16, 2724.
"	"	2.005, 20°, twice pressed	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Cæsium aluminium alum.	$\text{Cs Al}(\text{SO}_4)_2 \cdot 12 \text{H}_2\text{O}$	1.911	Soret. C. R. 99, 867.	
Ammonium aluminium alum.	$\text{Am Al}(\text{SO}_4)_2$	2.039	Playfair and Joule. M. C. S. 2, 401.	
"	$\text{Am Al}(\text{SO}_4)_2 \cdot 12 \text{H}_2\text{O}$	1.602	Breithaupt. J. P. C. 11, 151.	
"	"	1.625	Kopp. A. C. P. 36, 1.	
"	"	1.626		
"	"	1.625	Playfair and Joule. M. C. S. 2, 401.	
"	"	1.621	Schiff. A. C. P. 107, 64.	
"	"	1.653	Buignet. J. 14, 15	
"	"	1.642, m. of d.	} Pettersson. U. N. A. 1874.	
"	"	1.638) extremes		
"	"	1.647) 18°-219°.5		
"	"	1.661		
"	"	1.6357, 0°	} Spring. Ber. 15, 1254, and Bei. 6, 618. Also a series in Ber. 17, 408.	
"	"	1.6351, 10°		
"	"	1.6346, 20°		
"	"	1.6345, 30°		
"	"	1.6340, 40°		
"	"	1.6336, 50°		
"	"	1.6332, 60°		
"	"	1.6328, 70°		
"	"	1.6323, 80°		
"	"	1.6299, 90°		
"	"	1.6275, 100°		
"	"	1.641, 18°, not pressed.		} Spring. Ber. 16, 2724.
"	"	1.629, 16°.5, once pressed.		
"	"	1.634, 18°, twice pressed		
"	"	1.631	Soret. C. R. 99, 867.	
Methylamine aluminium alum.	$(\text{NH}_2\text{CH}_3)\text{Al}(\text{SO}_4)_2 \cdot 12 \text{H}_2\text{O}$	1.598	"	
Thallium aluminium alum	$\text{Tl Al}(\text{SO}_4)_2 \cdot 2 \text{H}_2\text{O}$	3.645, 17°	Pettersson. U. N. A. 1874.	
"	"	2.348, 15°.8	} " "	
"	"	2.366, 21°		
"	"	2.368, 20°.6		
"	"	2.381, 17°		
"	"	2.320, 22°, not pressed.	} Spring. Ber. 16, 2724.	
"	"	2.311, 16°.5, once pressed.		
"	"	2.314, 18°, twice pressed		
"	"	2.326, 0°	} Spring. Ber. 17, 408.	
"	"	2.3213, 10°		
"	"	2.3200, 20°		
"	"	2.3189, 30°		
"	"	2.3184, 40°		
"	"	2.3181, 50°		
"	"	2.257	Soret. C. R. 99, 867.	
Potassium chrome alum	$\text{K Cr}(\text{SO}_4)_2$	2.1583, 142.1	} Pettersson. U. N. A. 1876.	
"	"	2.1618, 142.4		

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium chrome alum	$K Cr (SO_4)_2 \cdot 12 H_2 O$	1.848	Kopp. A. C. P. 36, 1.
" " "	"	1.826	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.85609, 4°	Playfair and Joule. J. C. S. 1, 138.
" " "	"	1.845, 12°	Schiff. A. C. P. 107, 64.
" " "	"	1.839, 21°	} Pettersson. U. N. A. 1874.
" " "	"	1.840, 21°	
" " "	"	1.841, 20°.2	
" " "	"	1.849, 21°	
" " "	"	1.807	
" " "	"	1.808	} Schröder. Dm. 1873.
" " "	"	1.8278, 0°	
" " "	"	1.8273, 10°	} Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.
" " "	"	1.8269, 20°	
" " "	"	1.8265, 30°	
" " "	"	1.8260, 40°	
" " "	"	1.8255, 50°	
" " "	"	1.8223, 60°	
" " "	"	1.8044, 70°	
" " "	"	1.7456, 80°	} Spring. Ber. 16, 2724.
" " "	"	1.828, 20°, not pressed.	
" " "	"	1.823, 16°.5, once pressed.	} Soret. C. R. 99, 867.
" " "	"	1.817	
Rubidium chrome alum	$Rb Cr (SO_4)_2 \cdot 12 H_2 O$	1.967	} Pettersson. U. N. A. 1874.
" " "	"	1.969	
" " "	"	1.946	
Cæsium chromium alum	$Cs Cr (SO_4)_2 \cdot 12 H_2 O$	2.043	Soret. C. R. 99, 867.
Ammonium chrome alum	$Am Cr (SO_4)_2$	1.9943, 14°.7	" " "
" " "	$Am Cr (SO_4)_2 \cdot 12 H_2 O$	1.738, 21°	Pettersson. U. N. A. 1876.
" " "	"	1.728, 20°	Schröder. P. A. 53, 513.
" " "	"	1.719	Pettersson. U. N. A. 1874.
Thallium chrome alum	$Tl Cr (SO_4)_2 \cdot 12 H_2 O$	2.392, 15°	} Soret. C. R. 99, 867.
" " "	"	2.402, 18°	
" " "	"	2.236	Pettersson. U. N. A. 1874.
Potassium iron alum	$K Fe (SO_4)_2 \cdot 12 H_2 O$	1.831	Soret. C. R. 99, 867.
" " "	"	1.819, 16°.8	} Topsoë. C. C. 4, 76.
" " "	"	1.822, 17°.5	
" " "	"	1.831, 17°	
" " "	"	1.806	
Rubidium iron alum	$Rb Fe (SO_4)_2 \cdot 12 H_2 O$	1.916	Pettersson. U. N. A. 1874.
Cæsium iron alum	$Cs Fe (SO_4)_2 \cdot 12 H_2 O$	2.061	" " "
Ammonium iron alum	$Am Fe (SO_4)_2$	2.54, 16°.8	Soret. C. R. 99, 867.
" " "	$Am Fe (SO_4)_2 \cdot 12 H_2 O$	1.712	" " "
" " "	"	1.718	Pettersson. U. N. A. 1874.
" " "	"	1.719	Kopp. A. C. P. 36, 1.
" " "	"	1.719	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.700	Topsoë. C. C. 4, 76.
" " "	"	1.700	Schröder. Dm. 1873.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium iron alum	$\text{AmFe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.720, 18°.2	Pettersson. U. N. A. 1874.
" " "	"	1.723, 18°	
" " "	"	1.725, 17°	
" " "	"	1.713	
Thullium iron alum	$\text{TlFe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.351, 15	Pettersson. U. N. A. 1874.
" " "	"	2.385	Soret. C. R. 99, 867.
Potassium gallium alum	$\text{K Ga}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.895	Soret. C. R. 101, 156.
Rubidium gallium alum	$\text{Rb Ga}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.962	" "
Ammonium gallium alum	$\text{Am Ga}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.745	Soret. C. R. 99, 867.
" " "	"	1.775	Soret. C. R. 101, 156.
Rubidium indium alum	$\text{Rb In}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.065	" "
Cesium indium alum	$\text{Cs In}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.241	" "
Ammonium indium alum	$\text{Am In}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.011	Soret. C. R. 99, 867.
Sonomaite	$\text{Mg}_3\text{Al}_2(\text{SO}_4)_6 \cdot 33\text{H}_2\text{O}$	1.604	Goldsmith. J. 30, 1297.
Roemerite. (Ferroso-fer- ric sulphate.)	$\text{Fe}_3(\text{SO}_4)_4 \cdot 12\text{H}_2\text{O}$	2.15—2.18	Grailich. J. 11, 730.
Uranyl potassium sulphate	$\text{UO}_2\text{K}_2(\text{SO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.363, 19°.1	Schmidt. F. W. C.
Uranyl ammonium sul- phate.	$\text{UO}_2\text{Am}_2(\text{SO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.0131, 21°.5	" "
Didymium ammonium sulphate.	$\text{Am Di}(\text{SO}_4)_2$	3.075 } 15°	Cleve. U. N. A. 1885.
" " "	"	3.086 }	
" " "	$\text{Am Di}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$	2.575, 15°	
" " "	$\text{Am Sm}(\text{SO}_4)_2$	3.191, 18°	
Samarium ammonium sul- phate.	$\text{Am Sm}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$	2.674 } 18°.4	" "
" " "	"	2.677 }	

3d. Basic and Ammonio-Sulphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrabasic zinc sulphate	$\text{Zn}_4\text{S O}_7 \cdot 4\text{H}_2\text{O}$	3.122	Playfair and Joule. M. C. S. 2, 401.
Mercuric orthosulphate, or turpeth mineral.	$\text{Hg}_3\text{S O}_6$	8.319	" "
Tetrabasic copper sulphate	$\text{Cu}_4\text{S O}_7 \cdot 4\text{H}_2\text{O}$	3.082, m. of 2	" "
" " "	"	3.48	
" " Langite.	"	3.50	
Herrengrundite	$\text{Cu}_5\text{S}_2\text{O}_{11} \cdot 7\text{H}_2\text{O}$	3.132	Winkler. Dana's Min., 3d App.
Brochantite*	$\text{Cu}_7\text{S}_2\text{O}_{13} \cdot 5\text{H}_2\text{O}$	3.78—3.87	Magnus. P. A. 14, 141.
"	"	3.9069	G. Rose. Dana's Min.
" Warringtonite	"	3.39—3.47	Muskelyne. J. 18, 902.

* Composition uncertain, because of variations in the analyses.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lanarkite -----	$Pb_2 S O_5$ -----	6.3—6.4 -----	Thomson.
Linarite -----	$Pb Cu S O_5 \cdot H_2 O$ -----	5.43 -----	Brooke. Ann. Phil. (2), 4, 117.
Alumian -----	$Al_2 S_2 O_7$ -----	2.702 -----	Breithaupt. J. 11, 730.
" -----	" -----	2.781 -----	
Werthemanite -----	$As_2 S O_6 \cdot 3 H_2 O$ -----	2.80 -----	Raimondi. Dana's Min., 3d App.
Aluminite -----	$Al_2 S O_6 \cdot 9 H_2 O$ -----	1.66 -----	Dana's Mineralogy.
Felsobanyite -----	$Al_4 S O_9 \cdot 10 H_2 O$ -----	2.33 -----	Haidinger. J. 7, 863.
Alunite -----	$K_2 Al_6 S_4 O_{22} \cdot 6 H_2 O$ -----	2.481 -----	Gautier-Lacroze. J. 16, 833.
Löwigite -----	$K_2 Al_6 S_4 O_{22} \cdot 9 H_2 O$ -----	2.58 -----	Römer. J. 9, 877.
Zincaluminite -----	$Zn_6 Al_6 S_2 O_{21} \cdot 18 H_2 O$ -----	2.26 -----	Bertrand and Da- mour. Z. K. M. 6, 298.
Etringite -----	$Ca_6 Al_2 S_3 O_{18} \cdot 32 H_2 O$ -----	1.7504 -----	Lehmann. N. J. 1874, 273.
Amarantite -----	$Fe_2 S_2 O_9 \cdot 7 H_2 O$ -----	2.11 -----	Frenzel. M. P. M. 9, 398.
Raimondite -----	$Fe_4 S_3 O_{15} \cdot 7 H_2 O$ -----	3.190 -----	Breithaupt. J. 19, 952.
" -----	" -----	3.222 -----	
Hohmannite -----	$Fe_4 S_3 O_{15} \cdot 13 H_2 O$ -----	2.24 -----	Frenzel. M. P. M. 9, 397.
Copiapite -----	$Fe_4 S_5 O_{21} \cdot 12 H_2 O$ -----	2.14 -----	Borcher. Dana's Min.
Fibroferrite -----	$Fe_4 S_5 O_{21} \cdot 27 H_2 O$ -----	1.84 -----	Smith. A. J. S. (2), 18, 375.
Carphosiderite -----	$Fe_6 S_4 O_{21} \cdot 10 H_2 O$ -----	2.728 -----	Pisani. Dana's Min. Breithaupt. Schw. J. 50, 314.
" -----	" -----	2.496—2.501 -----	
" -----	" -----	3.09 -----	
Jarosite -----	$K_2 Fe_8 S_5 O_{28} \cdot 9 H_2 O$ -----	3.256 -----	Lacroix. C. R. 103, 1037.
Urusite -----	$Na_4 Fe_2 S_4 O_{17} \cdot 8 H_2 O$ -----	2.22 -----	Breithaupt. J. 6, 845.
Sideronatrite -----	$Na_2 Fe_2 S_3 O_{13} \cdot 6 H_2 O$ -----	2.153 -----	Frenzel J. 32, 1195.
Silver ammonio-sulphate -----	$Ag_2 S O_4 \cdot 4 N H_3$ -----	2.918, m. of 2 -----	Dana's Min., 3d App. Playfair and Joule. M. C. S. 2, 401.
Zincammonium sulphate -----	$Zn N_2 H_6 \cdot S O_4$ -----	2.479 -----	" "
Tetramereurammonium sulphate.	$Hg_4 N_2 S O_4 \cdot 2 H_2 O$ -----	7.319 -----	" "
Cuprammonium sulphate -----	$Cu N_2 H_6 \cdot S O_4$ -----	2.476 -----	" "
" " -----	$Cu N_2 H_6 \cdot S O_4 \cdot 3 H_2 O$ -----	1.950 -----	" "
Copper ammonio-sulphate -----	$Cu S O_4 \cdot 4 N H_3 \cdot H_2 O$ -----	1.790 -----	" "
" " -----	" -----	1.809 -----	
" " -----	" -----	2.133, 24° 3' -----	
Roseocobalt iodosalphate -----	$Co_2 (N H_3)_{10} (S O_4)_2 I_2$ -----	2.139 -----	Evans. F. W. C.
" " -----	" -----	2.149 -----	

NOTE.—Botryogen, clinophæite, johannite, lamprophanite, pissophanite, plagioclitrite, and watevillite, being of uncertain composition, are omitted. See Dana's Mineralogy and appendixes.

XXIII. SELENITES AND SELENATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen selenite, or selenious acid.	$H_2 Se O_3$	3.123	Topsoë. C. C. 4, 76.
“ “ “	“	3.0065	Clausnizer. A. C. P. 196, 265.
Chalcomenite	$Cu Se O_3, 2 H_2 O$	3.76	Des Cloizeaux and Damour. B. S. M. 4, 51.
Mercurous selenite	$3 Hg_2 O, 4 Se O_2$	7.35, 13°.5	Kohler. P. A. 89, 149.
Hydrogen selenate, or selenic acid.	$H_2 Se O_4$	2.524	Mitscherlich. P. A. 9, 629.
“ “ “	“	2.625	
“ “ “	“	2.627	Fabian. J. 14, 130.
Lithium selenate	$Li_2 Se O_4, H_2 O$	2.439	Topsoë. C. C. 4, 76.
“ “ “	“	2.564, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	2.565, 19°.5	
Sodium selenate	$Na_2 Se O_4$	3.098	Topsoë. B. S. C. 19, 246.
“ “ “	“	3.209, 17°.2	Pettersson. U. N. A. 1874.
“ “ “	“	3.217, 17°.6	
“ “ “	$Na_2 Se O_4, 10 H_2 O$	1.584	Topsoë. C. C. 4, 76.
“ “ “	“	1.612, m. of 5.	Pettersson. U. N. A. 1874.
“ “ “	“	1.603 } extremes	
“ “ “	“	1.621 } 17.9-19°	
Potassium selenate	$K_2 Se O_4$	3.050	Topsoë. C. C. 4, 76.
“ “ “	“	3.074, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	3.077, 19°	
“ “ “	“	3.077, 21°	
Sodium potassium selenate	$Na_2 Se O_4, 3 K_2 Se O_4$	3.035	Topsoë. C. C. 4, 76.
Rubidium selenate	$Rb_2 Se O_4$	3.923, m. of 5	Pettersson. U. N. A. 1874.
“ “ “	“	3.896 } extremes	
“ “ “	“	3.943 } 18-19.8	
Cæsium selenate	$Cs_2 Se O_4$	4.31, 15°.2	Pettersson. U. N. A. 1876.
“ “ “	“	4.34, 15°.5	
Ammonium selenate	$Am_2 Se O_4$	2.162	Topsoë. B. S. C. 19, 246.
“ “ “	“	2.197, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	2.198, 18°.8	
Ammonium hydrogen selenate.	$Am H Se O_4$	2.409	Topsoë. C. C. 4, 76.
Silver selenate	$Ag_2 Se O_4$	5.92, 17°.2	Pettersson. U. N. A. 1874.
“ “ “	“	5.93, 17°	
Silver ammonio-selenate.	$Ag_2 Se O_4, 4 N H_3$	2.854	Topsoë. C. C. 4, 76.
Thallium selenate	$Tl_2 Se O_4$	7.019, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	7.067, 18°.2	
Glucinum selenate.	$Gl Se O_4, 4 H_2 O$	2.029	Topsoë. C. C. 4, 76.
Magnesium selenate	$Mg Se O_4, 6 H_2 O$	1.928	“ “
“ “ “	“	1.955, 15°.2	Pettersson. U. N. A. 1876.
“ “ “	“	1.960, 15°.8	
Zinc selenate	$Zn Se O_4, 5 H_2 O$	2.591	Topsoë. C. C. 4, 76.
“ “ “	$Zn Se O_4, 6 H_2 O$	2.325	“ “
Cadmium selenate	$Cd Se O_4, 2 H_2 O$	3.632	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium selenate. Cryst.	Ca Se O_4	2.93	Michel. C. R. 106, 878.
“ “	$\text{Ca Se O}_4 \cdot 2 \text{H}_2 \text{O}$	2.676	Topsoë. C. C. 4, 76.
Strontium selenate. Cryst.	Sr Se O_4	4.23	Michel. C. R. 106, 878.
Barium selenate	Ba Se O_4	4.67, 22°	Schafarik. J. P. C. 90, 12.
“ “ Cryst.	“	4.75	Michel. C. R. 106, 878.
Lead selenate	Pb Se O_4	6.37, 22°	Schafarik. J. P. C. 90, 12.
“ “	“	6.22, 18°	Petterson. U. N. A. 1874.
“ “	“	6.23, 18°.2	
Manganese selenate	$\text{Mn Se O}_4 \cdot 2 \text{H}_2 \text{O}$	2.949	Topsoë. B. S. C. 19, 246.
“ “	“	3.001, 15°.8	Petterson. U. N. A. 1876.
“ “	“	3.012, 16°.6	
“ “	$\text{Mn Se O}_4 \cdot 5 \text{H}_2 \text{O}$	2.334	Topsoë. B. S. C. 19, 246.
“ “	“	2.386	Petterson. U. N. A. 1876.
“ “	“	2.389	
Iron selenate	$\text{Fe Se O}_4 \cdot 7 \text{H}_2 \text{O}$	2.073	Topsoë. B. S. C. 19, 246.
Nickel selenate	$\text{Ni Se O}_4 \cdot 6 \text{H}_2 \text{O}$	2.314	“ “
“ “	“	2.332, 14°.1	Petterson. U. N. A. 1876.
“ “	“	2.335, 13°.8	
“ “	“	2.339, 13°.8	
Cobalt selenate	Co Se O_4	4.037, 14°.2	“ “
“ “	$\text{Co Se O}_4 \cdot 5 \text{H}_2 \text{O}$	2.512	Topsoë. C. C. 4, 76.
“ “	$\text{Co Se O}_4 \cdot 6 \text{H}_2 \text{O}$	2.179	“ “
“ “	“	2.247, 14°.6	Petterson. U. N. A. 1876.
“ “	“	2.248, 17°	
“ “	“	2.258, 15°.8	
“ “	$\text{Co Se O}_4 \cdot 7 \text{H}_2 \text{O}$	2.135	Topsoë. C. C. 4, 76.
Copper selenate	$\text{Cu Se O}_4 \cdot 5 \text{H}_2 \text{O}$	2.559	“ “
“ “	“	2.561, 19°.2	Petterson. U. N. A. 1874.
“ “	“	2.562, 17°.8	
Yttrium selenate	$\text{Y}_2 (\text{Se O}_4)_3 \cdot 9 \text{H}_2 \text{O}$	2.6770, 18°	Cleveland Hoeglund. B. S. C. 18, 289.
“ “	“	2.780	Topsoë. Quoted by Petterson.
“ “	“	2.661, 12°.8	Petterson. U. N. A. 1876.
Erbium selenate	$\text{Er}_2 (\text{Se O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	3.516	Topsoë. Quoted by Petterson.
“ “	“	3.501, 13°.8	Petterson. U. N. A. 1876.
“ “	“	3.510, 14°	
“ “	“	3.529, 13°.4	
“ “	$\text{Er}_2 (\text{Se O}_4)_3 \cdot 9 \text{H}_2 \text{O}$	3.171	Topsoë. Quoted by Petterson.
Lanthanum selenate	$\text{La}_2 (\text{Se O}_4)_3 \cdot 6 \text{H}_2 \text{O}$	3.48, 14°.4	Petterson. U. N. A. 1876.
Didymium selenate	$\text{Di}_2 (\text{Se O}_4)_3$	4.416	Cleve. U. N. A. 1885.
“ “	“	4.430	
“ “	“	4.460	
“ “	“	4.461	
“ “	$\text{Di}_2 (\text{Se O}_4)_3 \cdot 5 \text{H}_2 \text{O}$	3.710, 13°.8	Petterson. U. N. A. 1876.
“ “	“	3.722, 13°.3	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Didymium selenate	$\text{Di}_2(\text{SeO}_4)_3 \cdot 5\text{H}_2\text{O}$	3.677, 15°	Cleve. U. N. A. 1885.
" "	" "	3.685, 18° 3	
Samarium selenate	$\text{Sm}_2(\text{SeO}_4)_3$	4.077, 10°	
" "	$\text{Sm}_2(\text{SeO}_4)_3 \cdot 8\text{H}_2\text{O}$	3.326 } 13°	
" "	" "	3.329	" "
" "	$\text{Sm}_2(\text{SeO}_4)_3 \cdot 12\text{H}_2\text{O}$	3.009 } 10°	" "
" "	" "	3.010	" "
Thorium selenate	$\text{Th}(\text{SeO}_4)_2 \cdot 9\text{H}_2\text{O}$	3.026	Topsoë. B. S. C. 21, 121.
Magnesium potassium selenate.	$\text{MgK}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.336	Topsoë. C. C. 4, 76.
Magnesium ammonium selenate.	$\text{MgAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.035	Topsoë. B. S. C. 19, 246.
Zinc potassium selenate	$\text{ZnK}_2(\text{SeO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.210	Topsoë. C. C. 4, 76.
" "	$\text{ZnK}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.538	" "
Zinc ammonium selenate.	$\text{ZnAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.200	" "
Cadmium potassium selenate.	$\text{CdK}_2(\text{SeO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.376	" "
Cadmium ammonium selenate.	$\text{CdAm}_2(\text{SeO}_4)_2 \cdot 2\text{H}_2\text{O}$	2.897	" "
" "	$\text{CdAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.307	" "
Manganese potassium selenate.	$\text{MnK}_2(\text{SeO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.070	Topsoë. B. S. C. 19, 246.
Manganese ammonium selenate.	$\text{MnAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.093	Topsoë. C. C. 4, 76.
Iron ammonium selenate.	$\text{FeAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.160	" "
Nickel potassium selenate	$\text{NiK}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.539	" "
" "	" "	2.580, m. of 5.	} Pettersson. U. N. A. 1876.
" "	" "	2.573 } extremes	
" "	" "	2.587 } 16° 4-17° 3	
Nickel ammonium selenate.	$\text{NiAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.228	Topsoë. C. C. 4, 76.
" "	" "	2.274, 15° 8	} Pettersson. U. N. A. 1876.
" "	" "	2.279, 16°	
Nickel thallium selenate	$\text{NiTl}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	4.066, 13° 3	" "
Cobalt potassium selenate	$\text{CoK}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.514	Topsoë. C. C. 4, 76.
" "	" "	2.531, 18° 8	} Pettersson. U. N. A. 1876.
" "	" "	2.543, 17° 4	
Cobalt rubidium selenate.	$\text{CoRb}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.837, 18° 3	} " "
" "	" "	2.838, 15° 6	
" "	" "	2.844, 18° 6	
Cobalt cesium selenate.	$\text{CoCs}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	3.050, 18° 5	} " "
" "	" "	3.061, 16° 7	
" "	" "	3.073, 18° 8	
Cobalt ammonium selenate	$\text{CoAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.212	Topsoë. C. C. 4, 76.
" "	" "	2.225, 18° 8	} Pettersson. U. N. A. 1876.
" "	" "	2.229, 17°	
" "	" "	2.218, 15° 8	
Cobalt thallium selenate.	$\text{CoTl}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	4.047, 13° 5	} " "
" "	" "	4.059, 16° 5	
Copper potassium selenate	$\text{CuK}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.527	Topsoë. C. C. 4, 76.
" "	" "	2.556, 17°	} Pettersson. U. N. A. 1876.
" "	" "	2.557, 16° 4	
Copper ammonium selenate	$\text{CuAm}_2(\text{SeO}_4)_2 \cdot 6\text{H}_2\text{O}$	2.221	Topsoë. C. C. 4, 76.
" "	" "	2.234, 17° 2	Pettersson. U. N. A. 1876.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium aluminum alum.	NaAl(SeO ₄) ₂ . 12H ₂ O	2.061, 21°	} Pettersson. U. N. A. 1874.
" " "	" "	2.069, 20°.8	
" " "	" "	2.071, 20°.8	
Potassium aluminum alum	K Al(SeO ₄) ₂ . 12H ₂ O	1.971	} Weber. J. 12, 91. Pettersson. U. N. A. 1874.
" " "	" "	1.998, 21°	
" " "	" "	2.004, 20°.1	
Ammonium aluminum alum.	Am Al(SeO ₄) ₂	2.3676, 20°.4	} Pettersson. U. N. A. 1876.
" " "	AmAl(SeO ₄) ₂ . 12H ₂ O	1.892, m. of 4	
" " "	" "	1.889 } extremes	
" " "	" "	1.895 } 17°-20°.5	} Pettersson. U. N. A. 1874.
Rubidium aluminum alum	RbAl(SeO ₄) ₂ . 12H ₂ O	2.132, 17°.2	
" " "	" "	2.134, 21°	
" " "	" "	2.135, 17°.2	} " "
Cæsium aluminum alum.	CsAl(SeO ₄) ₂ . 12H ₂ O	2.223, 18°.8	
" " "	" "	2.225, 20°	
Thallium aluminum alum	TlAl(SeO ₄) ₂ . 12H ₂ O	2.492, 17°.5	} " "
" " "	" "	2.514, 17°	
" " "	" "	2.519, 20°.3	
Potassium chromium alum	K Cr(SeO ₄) ₂	2.5190, 20°.3	} Pettersson. U. N. A. 1876.
" " "	K Cr(SeO ₄) ₂ . 12H ₂ O	2.076, 17°.6	
" " "	" "	2.077, 17°	
" " "	" "	2.081, 17°.2	} Pettersson. U. N. A. 1874.
Ammonium chromium alum.	Am Cr(SeO ₄) ₂	2.3585, 15°.5	
" " "	AmCr(SeO ₄) ₂ . 12H ₂ O	1.980 } 20°	
" " "	" "	1.984 } { Pettersson. U. N. A. 1874.	
Rubidium chromium alum	RbCr(SeO ₄) ₂ . 12H ₂ O	2.214, 18°.8	} " "
" " "	" "	2.223, 17°	
" " "	" "	2.630, 20	
Thallium chromium alum	TlCr(SeO ₄) ₂ . 12H ₂ O	2.630, 20	" "
Didymium potassium selenate.	Di K(SeO ₄) ₂	3.839, 13°	} Cleve. U. N. A. 1885.
" " "	Di K(SeO ₄) ₂ . 5H ₂ O	3.174 } 13°	
" " "	" "	3.178 } " "	
Didymium ammonium selenate.	DiAm(SeO ₄) ₂ . 5H ₂ O	2.957 } 15°	} " "
" " "	" "	2.961 } " "	
Samarium potassium selenate.	Sm K(SeO ₄) ₂	4.098 } 10°	
" " "	" "	4.129 } " "	
" " "	Sm K(SeO ₄) ₂ . 3H ₂ O	3.566, 10°	} " "
" " "	" "	3.540, 18°	
" " "	" "	3.805, 14°	
Samarium ammonium selenate.	Sm Am(SeO ₄) ₂	3.805, 14°	} " "
" " "	SmAm(SeO ₄) ₂ . 3H ₂ O	3.277, 14°	
" " "	" "	3.263, 15°	
" " "	" "	3.260, 18°.6	
Potassium selenate with nickel sulphate.	K ₂ SeO ₄ . NiSO ₄ . 6H ₂ O	2.34	Gerichten. B. S. C 20, 80.

NOTE.—For the sp. gr. of some mixtures of sulphates and selenates see Pettersson, Ber. 9, 1676.

XXIV. TELLURATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen tellurate, or telluric acid.	$\text{H}_2 \text{Te O}_4$	3.425, 18° 8	Clarke. A. J. S. (3), 16, 206.
" " "	"	3.440, 19° 2	
" " "	"	3.458, 19° 1	
" " "	$\text{H}_2 \text{Te O}_4 \cdot 2 \text{H}_2 \text{O}$	2.340	Oppenheim. J. 10, 213.
" " "	"	2.9649, 26° 5	Clarke. A. J. S. (3), 16, 206.
" " "	"	2.9999, 25° 5	
Ammonium tellurate	$\text{Am}_2 \text{Te O}_4$	2.986, 24° 5	" "
" " "	"	3.012, 25°	
" " "	"	3.024, 24° 5	" "
Thallium tellurate	$\text{Tl}_2 \text{Te O}_4$	6.742, 16°	
" " "	"	6.760, 17° 5	" "
" " "	$2 \text{Tl}_2 \text{Te O}_4 \cdot \text{H}_2 \text{O}$	5.687, 22°	
" " "	"	5.712, 20°	Clarke. A. J. S. (3), 14, 286.
Barium tellurate	Ba Te O_4	4.5305, 10°	
" " "	"	4.5486, 10° 5	

XXV. CHROMATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium chromate	$\text{Na}_2 \text{Cr O}_4$	2.7104, 16° 5	Abbot. F. W. C.
" " "	"	2.7358, 12°	
" " "	$\text{Na}_2 \text{Cr O}_4 \cdot 10 \text{H}_2 \text{O}$	1.4828, 20°	" "
Sodium dichromate	$\text{Na}_2 \text{Cr}_2 \text{O}_7 \cdot 2 \text{H}_2 \text{O}$	2.5246, 13°	Stanley. C. N. 54, 195.
Potassium chromate	$\text{K}_2 \text{Cr O}_4$	2.612	Thomson.
" " "	"	2.6402	Kursten. Schw. J. 65, 394.
" " "	"	2.705	Kopp. A. C. P. 36, 1.
" " "	"	2.682, m. of 10	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.711	Playfair and Joule. J. C. S. 1, 137.
" " "	"	2.72309, 4°	Helker. P. M. (3), 27, 213.
" " "	"	2.678, 15° 5	
" " "	"	2.691	Schiff. A. C. P. 107, 64.
" " "	"	2.7343	Stollba. J. P. C. 37, 503.
" " "	"	2.719	Schröder. Dm. 1873.
" " "	"	2.722	
" " "	"	2.7403, 0°	
" " "	"	2.7374, 10°	
" " "	"	2.7345, 20°	
" " "	"	2.7317, 30°	
" " "	"	2.7288, 40°	
" " "	"		Spring. Ber. 15, 1940.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium chromate	$K_2 Cr O_4$	2.7258, 50°	} Spring. Ber. 15, 1940.
" "	"	2.7227, 60°	
" "	"	2.7169, 70°	
" "	"	2.7110, 80°	
" "	"	2.7102, 90°	
" "	"	2.7095, 100°	
Potassium dichromate	$K_2 Cr_2 O_7$	2.6027	Karsten. Schw. J. 65, 394.
" "	"	2.624	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.692, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.689	Schabus. J. 3, 312.
" "	"	2.721	Schiff. A. C. P. 107, 64.
" "	"	2.6616	} Stolba. J. P. C. 97, 503.
" "	"	2.6806	
" " Pulv.	"	2.702	
" " After }	"	2.677	
" " fusion. }	"	2.751	
" "	"	2.694	
Potassium trichromate	$K_2 Cr_3 O_{10}$	2.655, m. of 3.	W. C. Smith. Am. J. P. 53, 145.
" "	"	3.613	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.676	Bothe. J. 2, 272.
" "	"	2.702	Schröder. A. C. P. 174, 249.
Potassium chromium chromate.	$K_2 Cr_5 O_{13} \cdot H_2 O$	2.28, 14°	Tommasi. B. S. C. (2), 17, 396.
Ammonium chromate	$Am_2 Cr O_4$	1.9138	} 12°-- Abbot. F. W. C.
" "	"	1.9203	
" "	"	1.860	
" "	"	1.871	
Ammonium dichromate	$Am_2 Cr_2 O_7$	2.367	Schröder. Dm. 1873.
" "	"	2.152	} Schiff. A. C. P. 107, 64.
" "	"	2.153	
" "	"	2.1223, 16°	
" "	"	2.1805, 17°	
Silver chromate	$Ag_2 Cr O_4$	5.770	Schröder. Dm. 1873.
" "	"	5.536	Abbot. F. W. C.
" "	"	5.463	} Playfair and Joule. M. C. S. 2, 401.
" "	"	5.583	
Silver dichromate	$Ag_2 Cr_2 O_7$	4.662	Rettig. A. C. P. 173, 72.
" "	"	4.676	" "
Silver ammonio-chromate	$Ag_2 Cr O_4 \cdot 4 N H_3$	3.063, m. of 3.	Schröder. Dm. 1873.
" "	"	2.717	" "
" "	"	2.2301	Playfair and Joule. M. C. S. 2, 401.
Magnesium chromate	$Mg Cr O_4 \cdot H_2 O$	2.2886	Topsöe. C. C. 4, 76.
" "	"	1.66, 15°	Abbot. F. W. C.
" "	$Mg Cr O_4 \cdot 7 H_2 O$	1.75, 12°	Kopp. A. C. P. 42, 97.
" "	"	1.7613, 16°	Bödeker. B. D. Z. Abbot. F. W. C.
Trimercuric chromate	$Hg_3 Cr O_6$	7.171, 18°.6	H. Stallo. F. W. C.
Strontium chromate	$Sr Cr O_4$	3.353	Schröder. Dm. 1873.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium chromate	Ba Cr O ₄	3.90, 11°	Bodeker and Giesecke. B. D. Z.
“ “	“	4.49, 23°	Schafarik. J. P. C. 90, 12.
“ “	“	4.5044	Schweitzer. University of Missouri. Special pub., 1875.
“ “	“	4.296 } -----	Schroder. Dm. 1873.
“ “	“	4.304 }	
“ “ Cryst.	“	4.60	Bourgeois. C. N. 39, 123.
Lead chromate	Pb Cr O ₄	6.004	Mohs. See Bottger.
“ “	“	5.951	Breithaupt “
“ “	“	5.953	Playfair and Joule. M. C. S. 2, 401.
“ “ Artif. cryst.	“	6.118	Manross. J. 5, 12.
“ “ “ “	“	6.29	Bourgeois. B. S. C. 47, 884.
“ “ Native	“	5.965, in. of 3.	Schröder. Ber. 11, 2019.
Diplumbic chromate	Pb ₂ Cr O ₅	6.266	Playfair and Joule. M. C. S. 2, 401.
Phenicochroite	Pb ₃ Cr ₂ O ₉	5.75	Dana's Mineralogy.
Potassium ammonium chromate.	K Am Cr O ₄	2.278 } -----	Schröder. Dm. 1873.
“ “	“	2.290 }	
Potassium calcium chromate.	K ₂ Ca(CrO ₄) ₂ . 2H ₂ O	2.499 } -----	“ “
“ “	“	2.505 }	
“ “	K ₂ Ca ₄ (CrO ₄) ₅ . 2H ₂ O	2.772 } -----	“ “
“ “	“	2.802 }	
Magnesium potassium chromate.	K ₂ Mg(CrO ₄) ₂ . 11 ₂ O	2.592 } -----	“ “
“ “	“	2.608 }	
“ “	“	2.5804 } 19°.5	Abbot. F. W. C.
“ “	“	2.5966 }	
Magnesium ammonium chromate.	Am ₂ Mg(CrO ₄) ₂ . 6H ₂ O	1.8278, 16° } -----	“ “
“ “	“	1.8293, 17° }	
“ “	“	1.8595, 16° }	
Vauquelinite	Pb ₂ Cu Cr ₂ O ₉	5.5—5.78	Dana's Mineralogy.
Potassium chlorochromate	K Cr O ₃ Cl	2.466	Playfair and Joule. M. C. S. 2, 401.
“ “	“	2.49702, 4°	Playfair and Joule. J. C. S. 1, 137.
Sodium chromiodate	Na Cr I O ₆ . H ₂ O	3.21	Berg. C. R. 104, 1514.
Potassium chromiodate	K Cr I O ₆	3.66	“ “
Ammonium chromiodate.	Am Cr I O ₆	3.50	“ “

XXVI. MANGANITES, MANGANATES, AND PERMANGANATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium manganite -----	Ba Mn O ₃ -----	5.85 -----	Rousseau and Saglier. C. R. 98, 141.
Barium manganate -----	Ba Mn O ₄ -----	4.85, 23° -----	Schafarik. J. P. C. 90, 12.
Potassium permanganate.	K Mn O ₄ -----	2.709 } -----	Kopp. J. 16, 4.
“ “ -----	“ -----	2.710 }	

XXVII. MOLYBDATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium molybdate---	Am ₂ Mo O ₄ -----	2.238 -----	Various samples. Schröder. Ber. 11, 2212. Baerwald. J. C. S. 50, 17.
“ “ -----	“ -----	2.261 -----	
“ “ -----	“ • -----	2.270 -----	
“ “ -----	“ -----	2.286 -----	
“ “ -----	“ -----	2.295 -----	
“ “ -----	18 Mo O ₃ , 14 N H ₃ , (O H) ₆ , 18 H ₂ O.	2.975 -----	Baerwald. J. C. S. 50, 17.
Strontium molybdate -----	Sr Mo O ₄ -----	4.1348, 21° -----	F. O. Marsh. F. W. C.
“ “ -----	“ -----	4.1554, 20°.5 } -----	
Barium molybdate -----	Ba Mo O ₄ -----	4.6483, 19°.5 } -----	“ “
“ “ -----	“ -----	4.6589, 17°.5 } -----	
Lead molybdate -----	Pb Mo O ₄ -----	8.11, artificial -----	Manross. J. 5, 11.
“ “ -----	“ -----	6.62 “ -----	Cossa. G. C. I. 16, 324.
“ “ Wulfenite.	“ -----	6.76 -----	Haidinger.
“ “ “	“ -----	6.95 -----	Smith. J. 8, 963.
Cerium molybdate -----	Ce ₂ (Mo O ₄) ₃ -----	4.56, cryst. -----	Cossa. G. C. I. 16, 324.
“ “ -----	“ -----	4.82, ppt. -----	
Didymium molybdate -----	Di ₂ (Mo O ₄) ₃ -----	4.75, cryst. -----	“ “
Samarium molybdate -----	Sm ₂ (Mo O ₄) ₃ -----	5.95 -----	Cleve. B. S. C. 43, 162.
Samarium sodium molybdate.	Sm Nu (Mo O ₄) ₂ -----	5.265 -----	Cleve. U. N. A. 1885.

XXVIII. TUNGSTATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium tungstate	$\text{Na}_2 \text{W O}_4$	4.1743, 20°.5	J. L. Davis. F. W. C.
" "	"	4.1833, 18°.5	" "
" "	$\text{Na}_2 \text{W O}_4 \cdot 2 \text{H}_2 \text{O}$	3.2314, 19°	" "
" "	"	3.2588, 17°.5	" "
Sodium metatungstate	$\text{Na}_2 \text{W}_4 \text{O}_{13} \cdot 10 \text{H}_2 \text{O}$	3.8467, 13°	Scheibler. J. 14, 219.
Sodium polytungstate	$\text{Na}_6 \text{W}_7 \text{O}_{24}$	5.4983	Scheibler. J. 14, 216.
" "	"	5.987, 14°	" "
Sodium tungsto-o-tungstate.	$\text{Na}_6 \text{W}_7 \text{O}_{24} \cdot 16 \text{H}_2 \text{O}$	6.017	Wright. J. 4, 348.
" " "	$\text{Na}_2 \text{W}_4 \text{O}_{11}$	7.283	Scheibler. J. 14, 223.
Potassium tungstoso-tungstate.	$\text{K}_2 \text{W}_4 \text{O}_{12}$	7.085	Two preparations. Knorre. J. P. C. (2), 27, 62.
" " "	"	7.095	
" " "	"	7.135	
" " "	$\text{K}_2 \text{W}_5 \text{O}_{12}$	7.6	Zettnow. J. 20, 224.
" " "	$\text{K}_2 \text{W}_8 \text{O}_{25}$	6.53	Knorre. J. P. C. (2), 27, 62.
Sodium potassium tungstoso-tungstate.	$5 \text{K}_2 \text{W}_4 \text{O}_{12} \cdot 2 \text{Na}_2 \text{W}_5 \text{O}_{15}$	7.112	Knorre. J. P. C. (2), 27, 62.
" " "	"	7.121	
Calcium tungstate	Ca W O_4	6.076, artif.	Manross. J. 5, 11.
" " Scheelite	"	6.04	Karsten. Schw. J. 65, 394.
" " "	"	6.03	Rammelsberg. J. 3, 752.
" " "	"	6.02	Bernoulli. J. 13, 783.
Barium tungstate	Ba W O_4	5.0035, 13°.5	J. L. Davis. F. W. C.
" "	"	5.0422, 15°	
Barium metatungstate	$\text{Ba W}_4 \text{O}_{13} \cdot 9 \text{H}_2 \text{O}$	4.298, 14°	Scheibler. J. 14, 220.
Lead tungstate	Pb W O_4	8.232, artif.	Manross. J. 5, 11.
" "	"	8.238	
" "	"	8.1032	Kerndt. J. P. C. 42, 113.
" "	"	8.1275	
Manganese tungstate	Mn W O_4	6.7, artif.	Genther and Forsberg. J. 14, 224.
" " Hubnerite.	"	7.14	Breithaupt. Dana's Min.
" " "	"	7.177, 24°	Hillbrand. A. J. S. (3), 27, 357.
Iron tungstate	Fe W O_4	7.1, artif.	Genther and Forsberg. J. 14, 224.
" " Ferberite	"	7.169	Rammelsberg. J. 17, 855.
" " "	"	6.801	Breithaupt. Dana's Min.
" " Reinite	"	6.640	Ludecke. J. 32, 1196.
Iron manganese tungstate.	$2 \text{Mn W O}_4 \cdot 3 \text{Fe W O}_4$	7.0, artif.	Genther and Forsberg. J. 14, 224.

* Philipp (Ber. 15, 596) finds the specific gravity of all the "tungsten bronzes" to vary between 7.2 and 7.3, at 16°-18°.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Wolfram*	(Mn Fe) W O ₄	7.155	Mohs. See Böttger.
"	"	7.097	Gehlen. " "
" Fe ₂ : Mn	"	7.4581	Sipöcz. Ber. 19, 95.
Nickel tungstate	Ni W O ₄	6.8522, 22°	J. L. Davis. F.
"	"	6.8896, 20°.5	W. C.
Cerium tungstate	Ce ₂ (W O ₄) ₃	6.514, 12°	Cossa and Zechini. Ber. 13, 1861.
Didymium tungstate	Di ₂ (W O ₄) ₃	6.69, 14°	Cossa. Ber. 14, 107.
Samarium tungstate	Sm ₂ O ₃ . 12 W O ₃ .	3.992	{ Cleve. U. N. A. 1885.
"	35 H ₂ O.	3.996	

XXIX. BORATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen borate, or boric acid.	H ₃ B O ₃	1.479	Kirwan.
"	"	1.4347, 15°	Stolba. J. 16, 667.
"	"	1.493, 20°.5	Favre and Valson. C. R. 77, 579.
"	"	1.5463, 0°	} Ditte. Bei. 2, 67.
"	"	1.5172, 12°	
"	"	1.4165, 60°	
"	"	1.3828, 80°	
"	"	2.367	
Sodium diborate	Na ₂ B ₄ O ₇	2.367	Filhol. Ann. (3), 21, 415.
"	"	2.371, 20°	Favre and Valson. C. R. 77, 579.
"	"	2.368, 16°	} Bedson and Wil- liams. Ber. 14, 2553.
"	"	2.370, 14°.2	
"	"	2.373, 18°.5	
"	"	2.5, fused	Quinke. P. A. 135, 642.
"	Na ₂ B ₄ O ₇ . 5 H ₂ O	1.815	Payen. Q. J. S. 1828 (1), 483.
"	Na ₂ B ₄ O ₇ . 10 H ₂ O	1.757	Watson.
"	"	1.723	Hassenfratz. Ann. 28, 3.
"	"	1.716	Mohs. See Böttger.
"	"	1.74	Payen. Q. J. S. 1828 (1), 483.
"	"	1.730, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	1.692	Filhol. Ann. (3), 21, 415.
"	"	1.692	Buignet. J. 14, 15.
"	"	1.7156	Stolba. J. P. C. 97, 503.
"	"	1.711, 20°	Favre and Valson. C. R. 77, 579.
"	"	1.736	W. C. Smith. Am. J. P. 53, 148.

* See Dana's Mineralogy for many other determinations.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Potassium borate	$K_2 B_4 O_7$	1.740	Buignet. J. 14, 15.	
Pinnolite	$Mg_2 B_2 O_4 \cdot 3 H_2 O$	2.27	Staute. Ber. 17, 1584.	
Magnesium borate	$Mg_3 B_2 O_6$	2.987	Ebelmen. J. 4, 13.	
Szabélyite	$Mg_5 B_4 O_{11} \cdot 3 H_2 O$	3.0	Peters. J. 16, 836.	
Colemanite	$Ca_2 B_6 O_{11} \cdot 5 H_2 O$	2.428	Evans. J. 37, 1927.	
Priceite	$Ca_3 B_8 O_{15} \cdot 6 H_2 O$	2.262	Silliman. A. J. S.	
"	"	2.298	(3), 6, 128.	
" Pandermite	"	2.48	v. Rath. Dana's Min., 3d App.	
Lead borate	$Pb B_2 O_4$	5.598	Herauth. J. 2, 227.	
Lead hydrogen borate	$Pb H B_3 O_6$	5.235	" "	
Jeremewite	$Al B O_3$	3.28	Damour. J. C. S. 44, 719.	
Didymium orthoborate	$Di B O_3$	5.680	} 15°	Cleve. U. N. A. 1885.
" "	"	5.721		
Didymium borate	$Di_4 B_2 O_9$	5.825	14°	Nordenskiöld. J. 14, 197.
Samarium orthoborate	$Sm B O_3$	6.045	} 16°.4	{ Cleve. U. N. A. 1885.
" "	"	6.052		
Ulexite	$Na Ca B_3 O_9 \cdot 6 H_2 O$	1.65	How. A. J. S. (2), 24, 234.	
Franklandite	$Na_4 Ca_2 B_{12} O_{21} \cdot 15 H_2 O$	1.65	Reynolds. J. 30, 1288.	
Hydroboracite	$Mg_3 Ca_3 B_{16} O_{30} \cdot 18 H_2 O$	1.9	Hess. P. A. 31, 49.	
Sussexite	$Mg Mn B_2 O_5 \cdot H_2 O$	3.42	Brush. A. J. S. (2), 46, 240.	
Magnesium chromium borate.	$Mg_6 Cr_6 B_4 O_{21}$	3.82	Ebelmen. J. 4, 13.	
Magnesium iron borate	$Mg_6 Fe_6 B_4 O_{21}$	3.85	" "	
Ludwigite	$Mg_6 Fe^{III}_4 Fe^{II}_2 H_3 B_3 O_{20}$	3.907	} Tschermak. J. 27, 1278.	
"	"	4.016		
Rhodizite	$Al_2 K B_3 O_8$	3.38	Damour. J. 37, 1927.	
Boracite	$Mg_7 B_{16} O_{30} Cl_2$	2.9134	Karsten. J. 1, 1227.	
"	"	2.974	Mohs. See Böttger.	

XXX. NITRATES.

1st. Simple Nitrates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen nitrate, or nitric acid.	$H N O_3$	1.5543, 15°.5	Kirwan. Gilb. Ann. 9, 266.
" " "	"	1.522, 12°.5	Mitscherlich. P. A. 18, 152.
" " "	"	1.503	A. Smith. J. 1, 386.
" " "	"	1.552, 15°	Millon. J. P. C. 29, 337.
" " "	$H N O_3 \cdot H_2 O$	1.486	A. Smith. J. 1, 386.
" " "	$H N O_3 \cdot 3 H_2 O$	1.424	" "
Nitric subhydrate	$2 H N O_3 \cdot N_2 O_5$	1.642, 18°	Weber. J. P. C. (2), 6, 357.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium nitrate	Li N O ₃	2.334	Kremers. J. 10, 67.
" "	"	2.442	Troost. J. 10, 141.
Sodium nitrate	Na N O ₃	2.0964	Hassenfratz. Ann. 28, 3.
" "	"	2.096	Klaproth.
" "	"	2.1880	Marx. See Böttger.
" "	"	2.2256	Karsten. Schw. J. 65, 394.
" "	"	2.200	Kopp. A. C. P. 36, 1.
" "	"	2.182, m. of 4	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.2606, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.26	Filhol. Ann. (3), 21, 415.
" "	"	2.256	Schröder. P. A. 106, 226.
" "	"	2.265	Buignet. J. 14, 15.
" "	"	2.236	Kopp. J. 16, 4.
" "	"	2.246, 15°.5	Holker. P. M. (3), 27, 213.
" "	"	2.24	Page and Keightley. J. C. S. (2), 10, 566.
" "	"	2.25	
" "	"	2.148	W. C. Smith. Am. J. P. 53, 148.
" " Native	"	2.18, 15°.5	Forbes. P. M. (4), 32, 135.
" " "	"	2.290	Hayes.
" " "	"	1.878, at the melting p't.	Melts 314°. Braun. P. A. 154, 190.
" " "	"	2.24	Brügelmann. Ber. 17, 2359.
" " "	Na N O ₃ . 7 H ₂ O	1.357, 0°, 1.	Ditte. B. S. C. 24, 366.
Potassium nitrate	K N O ₃	1.9369	Hassenfratz. Ann. 28, 3.
" "	"	1.933	Wattson.
" "	"	2.1006	Karsten. Schw. J. 65, 394.
" "	"	2.058	Kopp. A. C. P. 36, 1.
" "	"	2.070, m. of 3	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.1078	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.10657	
" "	"	2.09584	
" " Large crystals.	"	2.109	Grassi. J. 1, 39.
" " Small crystals.	"	2.143	
" " After fusion.	"	2.132	
" "	"	2.100	Schiff. A. C. P. 112, 88.
" "	"	2.086	Schröder. P. A. 106, 226.
" "	"	2.126	Buignet. J. 14, 15.
" "	"	2.105	Kopp. J. 16, 4.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium nitrate	KNO_3	2.074, 15°.5	Holker. P. M. (3), 27, 213.
" "	"	2.0845	Stollm. J. P. C. 97, 503.
" "	"	2.0904	
" "	"	2.059, 0°	
" "	"	2.06	Quinke. P. A. 135, 642.
" "	"	2.06	Page and Keightley. J. C. S. (2), 10, 563.
" "	"	2.10355, cryst. at 20°.	} Nicol. P. M. (5), 15, 94.
" "	"	2.09916, cryst. at 110°.	
" "	"	1.702, at the melting pt.	Braun. (Melts at 342°.) P. A. 154, 190.
Ammonium nitrate	$AmNO_3$	1.579	Hassenfratz. Ann. 28, 3.
" "	"	1.707	Kopp. A. C. P. 36, 1.
" "	"	1.635, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.737, m. of 2.	Schröder. P. A. 105, 226.
" "	"	1.709	Schiff. A. C. P. 112, 88.
" "	"	1.723	Buignet. J. 14, 15.
" "	"	1.6915	Stollm. J. P. C. 97, 503.
Silver nitrate	$AgNO_3$	4.3554	Kursten. Schw. J. 65, 394.
" "	"	4.336	Playfair and Joule. M. C. S. 2, 401.
" "	"	4.298	} Schröder. P. A. 107, 113.
" "	"	4.253	
" "	"	4.271	
" "	"	4.328	
Thallium nitrate	$TlNO_3$	5.8	Lamy. J. 15, 186.
" "	"	5.55	Lamy and Des Cloizeaux. Nature 1, 116.
Magnesium nitrate	$Mg(NO_3)_2 \cdot 6H_2O$	1.464	Playfair and Joule. M. C. S. 2, 401.
Zinc nitrate	$Zn(NO_3)_2 \cdot 6H_2O$	2.063, 13°	} Laws. F. W. C.
" "	"	2.067, 15°	
Cadmium nitrate	$Cd(NO_3)_2 \cdot 4H_2O$	2.450, 14°	} " "
" "	"	2.160, 20°	
Mercurous nitrate	$HgNO_3 \cdot H_2O$	4.785, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
Calcium nitrate	$Ca(NO_3)_2$	2.240	Filhol. Ann. (2), 21, 415.
" "	"	2.472	Kremers. J. 10, 67.
" "	"	2.504, 17.9	Favre and Valson. C. R. 77, 579.
" "	$Ca(NO_3)_2 \cdot 4H_2O$	1.78	Filhol. Ann. (3), 21, 415.
" "	"	1.90, 15°.5, 8.	} Ordway. J. 12, 115.
" "	"	1.79, 15°.5, 1.	
" "	"	1.878, 18°	
" "	"	1.878, 18°	Favre and Valson. C. R. 77, 579.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium nitrate	$\text{Sr}(\text{N O}_3)_2$	3.0061	Hassenfratz. Ann. 28, 3.
" "	"	2.8901	Karsten. Schw. J. 65, 394.
" "	"	2.704	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.857	Filhol. Ann. (3), 21, 415.
" "	"	2.962, m. of 4	Schröder. P. A. 106, 226.
" "	"	2.805	Buignet. J. 14, 15.
" "	"	2.980, 16°.8	Favre and Valson. C. R. 77, 579.
" "	$\text{Sr}(\text{N O}_3)_2 \cdot 4 \text{H}_2 \text{O}$	2.113	Filhol. Ann. (3), 21, 415.
" "	"	2.240, 15°.5	Favre and Valson. C. R. 77, 579.
Barium nitrate	$\text{Ba}(\text{N O}_3)_2$	2.9149	Hassenfratz. Ann. 28, 3.
" "	"	3.1848	Karsten. Schw. J. 65, 394.
" "	"	3.284, m. of 5	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.16052, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	3.200	Filhol. Ann. (3), 21, 415.
" "	"	3.222	} Crystallized at different temperatures. Kremers. J. 5, 15.
" "	"	3.228	
" "	"	3.240	
" "	"	3.242	
" "	"	5.208	Schröder. P. A. 106, 226.
" "	"	3.241	} Buignet. J. 14, 15.
" "	"	3.404	
" "	"	3.22	Brügelmann. Ber. 17, 2359.
Lead nitrate	$\text{Pb}(\text{N O}_3)_2$	4.068	Hassenfratz. Ann. 28, 3.
" "	"	4.769	Breithaupt. Schw. J. 68, 291.
" "	"	4.3993	Karsten. Schw. J. 65, 394.
" "	"	4.340	Kopp.
" "	"	4.316, m. of 3	Playfair and Joule. M. C. S. 2, 401.
" "	"	4.472, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	4.581	Filhol. Ann. (3), 21, 415.
" "	"	4.41, 15°.5	Holker. P. M. (3), 27, 214.
" "	"	4.423	} Schröder. P. A. 106, 226.
" "	"	4.429	
" "	"	4.509	
" "	"	4.235	Buignet. J. 14, 15.
" "	"	4.3, 0°	Ditte. Ber. 15, 1438.
Manganese nitrate	$\text{Mn}(\text{N O}_3)_2 \cdot 6 \text{H}_2 \text{O}$	1.8199, 21°, s.	} Ordway. J. 12, 113.
" "	"	1.8104, 21°, l.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nickel nitrate	$Ni(N O_3)_2 \cdot 6 H_2 O$	2.037, 22°	Laws. F. W. C.
" "		2.065, 14°	
Cobalt nitrate	$Co(N O_3)_2 \cdot 6 H_2 O$	1.83, 14°	Bodeker. B. D. Z.
Copper nitrate	$Cu(N O_3)_2 \cdot 3 H_2 O$	2.174	Hassenfratz. Ann. 28, 3.
" "	"	2.047, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
Didymium nitrate	$Di(N O_3)_3 \cdot 6 H_2 O$	2.245	Cleve. U. N. A. 1885.
" "		2.253	
Samarium nitrate	$Sm(N O_3)_3 \cdot 6 H_2 O$	2.370	" "
" "		2.380	
Ferric nitrate	$Fe_2(N O_3)_6 \cdot 18 H_2 O$	1.6835, 21°, s.	{ Ordway. J. 12, 114.
" "		1.6712, 1.	
Bismuth nitrate	$Bi(N O_3)_3 \cdot 5 H_2 O$	2.796, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.823, 13°	Laws. F. W. C.
Uranyl nitrate	$U O_2(N O_3)_2 \cdot 6 H_2 O$	2.807, 13°	Bodeker. B. D. Z.
Gold hydrogen nitrate	$Au H(N O_3)_4 \cdot 3 H_2 O$	2.82	{ Gumpach. See Schottlander, Wurzburg In. Diss. 1884.
" " "	" " "	2.87	

2d. Basic and Ammonio-Nitrates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimercuric nitrate	$Hg_2 N_2 O_7 \cdot 2 H_2 O$	4.242	Playfair and Joule. M. C. S. 2, 401.
Mercurous subnitrate	$Hg_6(N O_3)_4 O \cdot 3 H_2 O$	5.967	" "
Lead hydroxynitrate	$Pb N O_3 O H$	5.93, 0°	Ditte. Ber. 15, 1438.
Dijlumbic nitrate	$Pb_2 N_2 O_7$	5.645	Playfair and Joule. M. C. S. 2, 401.
Tricupric nitrate	$Cu_3 N_2 O_8 \cdot H_2 O$	2.765, m. of 3	Wells and Penfield. A. J. S. (3), 20, 50.
Tetra cupric nitrate	$Cu_4 N_2 O_9 \cdot 3 H_2 O$	3.378	
" "	"	3.371	
Gerhardtite	"	3.426	Playfair and Joule. M. C. S. 2, 401.
Bismuth subnitrate	$Bi_2 N_2 O_5 \cdot H_2 O$	4.551	" " "
Bismuth hydroxynitrate	$Bi(O H)_2 N O_3$	5.260, m. of 2	" " "
Mercury ammonionitrate	$Hg_3 N_2 O_8 \cdot 2 N H_3$	5.970	" " "
Copper ammonionitrate	$Cu(N O_3)_2 \cdot 4 N H_3$	1.874, m. of 3	Evans. F. W. C.
" "	"	1.905, 21°.5	
Purpureocobalt chloronitrate.	$Co_2(NH_3)_{10} Cl_2(NO_3)_4$	1.667, 16°	Jorgensen. J. P. C. (2), 20, 105.
Purpureocobalt bromonitrate.	$Co_2(NH_3)_{10} Br_2(NO_3)_4$	1.956, 17°.1	Jorgensen. J. P. C. (2), 19, 49.
Purpureochromium chloronitrate.	$Cr_2(NH_3)_{10} Cl_2(NO_3)_4$	1.569, 17°.2	Jorgensen. J. P. C. (2), 20, 105.

XXXI. HYPOPHOSPHITES AND PHOSPHITES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen hypophosphite, or hypophosphorous acid	$H_3 P O_2$ -----	1.493, 18°.8--	Thomsen. J. P. C. (2), 2, 160.
Barium hypophosphite---	$Ba H_4 P_2 O_4 \cdot H_2 O$ --	2.8718, 10°	Mohr. F. W. C.
" "-----	" "-----	2.8971, 17°	
" "-----	" "-----	2.839 -----	Schröder. Ber. 11, 2130.
" "-----	" "-----	2.911 -----	
" "-----	" "-----	2.775, 23°.3	Nye. F. W. C.
" "-----	" "-----	2.780, 21°.6	
Magnesium hypophosphite	$Mg H_4 P_2 O_4 \cdot 6 H_2 O$ --	1.5681, 14°.5	Mohr. F. W. C.
" "-----	" "-----	1.5886, 12°.5	
Zinc hypophosphite-----	$Zn H_4 P_2 O_4 \cdot 6 H_2 O$ --	2.014, 19°.5	Nye. F. W. C.
" "-----	" "-----	2.016, 19°.2	
" "-----	" "-----	2.020, 20°	
Nickel hypophosphite-----	$Ni H_4 P_2 O_4 \cdot 6 H_2 O$ --	1.824, 19°.8	" "-----
" "-----	" "-----	1.844, 19°	
" "-----	" "-----	1.856, 18°	
Cobalt hypophosphite-----	$Co H_4 P_2 O_4 \cdot 6 H_2 O$ --	1.808	" "-----
" "-----	" "-----	1.809 } 18°.5	
" "-----	" "-----	1.811 }	
Hydrogen phosphite, or phosphorous acid.	$H_3 P O_3$ -----	1.651, 21°.2--	Thomsen. J. P. C. (2), 2, 160.

XXXII. HYPOPHOSPHATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrasodium hypophos- phate.	$Na_4 P_2 O_6 \cdot 10 H_2 O$ --	1.832 -----	Dufet. C. R. 102, 1328.
" "-----	" "-----	1.8233 -----	Dufet. B. S. M. 10, 77.
Trisodium hypophosphate	$Na_3 H P_2 O_6 \cdot 9 H_2 O$ --	1.7427 -----	" "-----
Disodium hypophosphate.	$Na_2 H_2 P_2 O_6 \cdot 6 H_2 O$ --	1.8491 -----	" "-----
" "-----	" "-----	1.840 -----	Dufet. C. R. 102, 1328.

XXXIII. PHOSPHATES.

1st. Normal Orthophosphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen phosphate, or phosphoric acid.	$H_3 P O_4$ -----	1.88-----	Schiff. J. 12, 41.
“ “	“-----	1.884, 18°.2	Thomsen. J. P. C. (2), 2, 160.
Trisodium phosphate	$Na_3 P O_4$ -----	2.5111, 12°	C. A. Mohr. F. W. C.
“ “	“-----	2.5362, 17°.5	“
“ “	$Na_3 P O_4 \cdot 12 H_2 O$ -----	1.622-----	Playfair and Joule. M. C. S. 2, 401.
“ “	“-----	1.618-----	Schiff. A. C. P. 112, 88.
“ “	“-----	1.6645-----	Dufet. B. S. M. 10, 77.
Disodium hydrogen phosphate.	$Na_2 H P O_4 \cdot 3 H_2 O$ -----	1.848-----	Dufet. C. R. 102, 1328.
“ “	$Na_2 H P O_4 \cdot 7 H_2 O$ -----	1.6789-----	Dufet. B. S. M. 10, 77.
“ “	$Na_2 H P O_4 \cdot 12 H_2 O$ -----	1.5139-----	Tünnermann. See Böttger.
“ “	“-----	1.525, m. of 3	Playfair and Joule. M. C. S. 2, 401.
“ “	“-----	1.586, 8°-----	Kopp. J. 8, 45.
“ “	“-----	1.525-----	Schiff. A. C. P. 112, 88.
“ “	“-----	1.550-----	Buignet. J. 14, 15.
“ “	“-----	1.5235, 15°-----	Stolba. J. P. C. 97, 503.
“ “	“-----	1.535-----	W. C. Smith. Am. J. P. 53, 148.
“ “	“-----	1.5313-----	Dufet. B. S. M. 10, 77.
Sodium dihydrogen phosphate.	$Na H_2 P O_4 \cdot H_2 O$ -----	2.040-----	Schiff. A. C. P. 112, 88.
“ “	“-----	2.0547-----	Dufet. B. S. M. 10, 77.
“ “	$Na H_2 P O_4 \cdot 2 H_2 O$ -----	1.915-----	Joly and Dufet. C. R. 102, 1393.
“ “	“-----	1.9096-----	Dufet. B. S. M. 10, 77.
Potassium dihydrogen phosphate.	$K H_2 P O_4$ -----	2.298-----	Schiff. A. C. P. 112, 88.
“ “	“-----	2.403-----	Buignet. J. 14, 15.
“ “	“-----	3.321-----	“
“ “	“-----	2.723-----	“
“ “	“-----	2.343-----	“
“ “	“-----	2.380-----	Schroder. Dm. 1873.
Diammonium hydrogen phosphate.	$Am_2 H P O_4$ -----	1.619-----	Schiff. A. C. P. 112, 88.
“ “	“-----	1.678-----	Buignet. J. 14, 15.
Ammonium dihydrogen phosphate.	$Am H_2 P O_4$ -----	1.758-----	Schiff. A. C. P. 112, 88.
“ “	“-----	1.700-----	Schroder. Dm. 1873.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium dihydrogen phosphate.	$\text{Am H}_2 \text{P O}_4$ -----	1.779 -----	Schröder. Ber. 7, 677.
Sodium potassium hydrog- en phosphate.	$\text{Na K H P O}_4 \cdot 7 \text{H}_2 \text{O}$	1.671 -----	Schiff. A. C. P. 112, 88.
Sodium ammonium hy- drogen phosphate.	$\text{Na Am H P O}_4 \cdot 4 \text{H}_2 \text{O}$	1.554 -----	" "
Trisilver phosphate-----	$\text{Ag}_3 \text{P O}_4$ -----	7.321 -----	Stromeyer. See Böttger.
Thallium dihydrogen phosphate.	$\text{Tl H}_2 \text{P O}_4$ -----	4.723 -----	Lamy and Des Cloizeaux. Nature 1, 116.
Trithallium phosphate---	$\text{Tl}_3 \text{P O}_4$ -----	6.89, 10° -----	Lamy. J. 18, 247.
Bobierite-----	$\text{Mg}_3 (\text{P O}_4)_2 \cdot 8 \text{H}_2 \text{O}$	2.41 -----	Lacroix. C. R. 106, 632.
Magnesium hydrogen phosphate.	$\text{Mg H P O}_4 \cdot \text{H}_2 \text{O}$ ---	2.326, 15° ----	Schulten. C. R. 100, 877.
Struvite-----	$\text{Am Mg P O}_4 \cdot 6 \text{H}_2 \text{O}$	1.65 -----	Teschmacher. P. M. (3), 28, 548.
Hannayite-----	$\text{Am}_3 \text{Mg}_3 \text{H}_3 (\text{P O}_4)_4 \cdot 8 \text{H}_2 \text{O}$	1.893 -----	v. Rath. B. S. M. 2, 80.
Hopeite-----	$\text{Zn}_3 (\text{P O}_4)_2 \cdot 4 \text{H}_2 \text{O}$	2.76—2.85----	Dana's Mineralogy.
Brushite-----	$\text{Ca H P O}_4 \cdot 2 \text{H}_2 \text{O}$	2.208 -----	Moore. A. J. S. (2), 39, 43.
Metabrushite-----	$2 \text{Ca H P O}_4 \cdot 3 \text{H}_2 \text{O}$	2.288 -----	} 15°.5 { Julien. A. J. S. (2), 40, 371.
"-----	"-----	2.356 -----	
"-----	"-----	2.362 -----	
Martinite-----	$\text{Ca}_{10} \text{H}_4 (\text{P O}_4)_8 \cdot \text{H}_2 \text{O}$	2.892—2.896---	Kloos. J. C. S. 54, 233.
Reddingite-----	$\text{Mn}_3 (\text{P O}_4)_2 \cdot 3 \text{H}_2 \text{O}$	3.102 -----	Brush and Dana. A. J. S. (3), 16, 120.
Vivianite-----	$\text{Fe}_3 (\text{P O}_4)_2 \cdot 8 \text{H}_2 \text{O}$	2.58, 15° ----	Rammelsberg. P. A. 64, 411.
"-----	"-----	2.680 -----	Rammelsberg. J. P. C. 86, 344.
Lithiophilite-----	Mn Li P O_4 -----	3.482 -----	Brush and Dana. A. J. S. (3), 18, 45.
Triphylite-----	Fe Li P O_4 -----	3.6 -----	Fuchs. B. J. 15, 211.
"-----	"-----	3.534—3.589---	Penfield. A. J. S. (3), 17, 226.
Hureaulite-----	$\text{Mn}_{10} \text{Fe}_2 \text{H}_3 (\text{P O}_4)_5 \cdot 5 \text{H}_2 \text{O}$	3.185—3.198---	Des Cloizeaux. Ann. (3), 53, 300.
Fairfieldite-----	$\text{MnCa}_2 (\text{P O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	3.15 -----	Brush and Dana. A. J. S. (3), 17, 359.
Dickinsonite-----	$\text{NaCaFeMn}_2 (\text{P O}_4)_3 \cdot \text{H}_2 \text{O}$	3.338 -----	} Brush and Dana. A. J. S. (3), 16, 114.
"-----	"-----	3.343 -----	
Fillowite-----	$\text{Na}_2 \text{CaFeMn}_6 (\text{P O}_4)_6 \cdot \text{H}_2 \text{O}$	3.43 -----	Brush and Dana. A. J. S. (3), 17, 363.
Strengite-----	$\text{Fe}''' \text{P O}_4 \cdot 2 \text{H}_2 \text{O}$	2.87 -----	Nies. Z. K. M. 1, 94.
" Artificial-----	"-----	2.74 -----	Schulten. Z. K. M. 12, 640.
Koninckite-----	$\text{Fe}''' \text{P O}_4 \cdot 3 \text{H}_2 \text{O}$	2.3 -----	Cesaro. A. J. S. (3), 29, 342.
Aluminum phosphate. Cryst.	Al P O_4 -----	2.59 -----	Schulten. C. R. 98, 1584.
Berlinite-----	$4 \text{Al P O}_4 \cdot \text{H}_2 \text{O}$	2.64 -----	Blomstrand. Dana's Min.
Callainite. (Variscite?)--	$2 \text{Al P O}_4 \cdot 5 \text{H}_2 \text{O}$ ---	2.50 -----	} Damour. C. R. 59, 936.
"-----	"-----	2.52 -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Variseite	$Al P O_4 \cdot 2 H_2 O$	2.408, 18°	Petersen. N. J. 1871, 357.
Zepharovichite	$Al P O_4 \cdot 3 H_2 O$	2.384	Boricky. J. 22, 1235.
Xenotime	$Y P O_4$	4.54	Smith. J. 7, 857.
"	"	4.45	Zschau. J. 8, 966.
"	"	4.51	
"	"	4.29	
Cerium phosphate	$Ce P O_4$	5.22, 14°	Damour. J. 10, 686. Grandeu. Ann. (6), 8, 193.
Cryptolite	"	4.6	Wohler. P. A. 67, 424.
"	"	4.78	Watts. J. 2, 773.
Rhabdophane (Scovillite)	$2 (La Di Y Er) P O_4 \cdot H_2 O$	3.9—4.01	Brush and Penfield. A. J. S. (3), 25, 459.
Monazite	$(Ce La Di) P O_4$	5.203	Genth. Dana's Min.
"	"	5.174	Rammelsberg. J. 30, 1298.
"	"	5.106—5.110	Kokscharow. J. 15, 762.
"	"	5.174	Rammelsberg. Z. G. S. 29, 79.
Didymium phosphate	$Di P O_4$	5.34, 15°	Grandeu. Ann. (6), 8, 193.
Samarium phosphate	$Sm P O_4$	5.826	Cleve. U. S. A. 1885.
"	"	5.830	
Autunite	$Ca (U O_2)_2 (P O_4)_2 \cdot 8 H_2 O$	3.05—3.19	Dana's Mineralogy.
Torbernite	$Cu (U O_2)_2 (P O_4)_2 \cdot 8 H_2 O$	3.4—3.6	" "
Uranocircite	$Ba (U O_2)_2 (P O_4)_2 \cdot 8 H_2 O$	3.53	Weisbach. J. 30, 1303.
Sodium zirconium phosphate.	$Na_6 Zr (P O_4)_4$	2.43, 14°	Troost and Ouvrard. C. R. 105, 30.
" " "	$Na_{12} Zr_3 (P O_4)_8$	2.88, 14°	" "
" " "	$Na Zr_2 (P O_4)_3$	3.10, 12°	" "
Potassium zirconium phosphate.	$K_2 Zr (P O_4)_2$	3.076, 7°	Troost and Ouvrard. C. R. 102, 1422.
" " "	$K Zr_2 (P O_4)_3$	3.18, 12°	" "
Sodium thorium phosphate.	$Na_5 Th (P O_4)_3$	3.843, 7°	Troost and Ouvrard. C. R. 105, 30.
" " "	$Na Th_2 (P O_4)_3$	5.62, 16°	" "
Potassium thorium phosphate.	$K_{12} Th_3 (P O_4)_8$	3.95, 12°	Troost and Ouvrard. C. R. 102, 1422.
" " "	$K_2 Th (P O_4)_2$	4.688, 7°	" "
" " "	$K Th_2 (P O_4)_3$	5.75, 12°	" "

2d. Basic Orthophosphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoclasite -----	$\text{Ca}_2(\text{OH})\text{PO}_4 \cdot 2\text{H}_2\text{O}$	2.92 -----	Sandberger. J. P. C. (2), 2, 125 ⁵
Libethenite -----	$\text{Cu}_2(\text{OH})\text{PO}_4$	3.6—3.8 -----	Hermann. J. P. C. 37, 175.
Tagilite -----	$\text{Cu}_2(\text{OH})\text{PO}_4 \cdot \text{H}_2\text{O}$	3.50 -----	Hermann. J. P. C. 37, 184.
“ -----	“	4.076 -----	Breithaupt. B. H. Ztg. 24, 309.
Veszelyite -----	$\text{Cu}_2(\text{OH})\text{PO}_4 \cdot 2\text{H}_2\text{O}$	3.531 -----	Schrauf. Z. K. M. 4, 31.
Pseudomalachite -----	$\text{Cu}_3(\text{OH})_3\text{PO}_4$	4.175 -----	Schrauf. Z. K. M. 4, 14.
Ehlite -----	$\text{Cu}_5(\text{OH})_4(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$	4.102 -----	Schrauf. Z. K. M. 4, 13.
Dihydrate -----	$\text{Cu}_5(\text{OH})_4(\text{PO}_4)_2$	4.309 -----	Schrauf. Z. K. M. 4, 12.
Triploidite -----	$(\text{MnFe})_2(\text{OH})\text{PO}_4$	3.697 -----	Brush and Dana. A. J. S. (3), 16, 42.
Ludlamite -----	$\text{Fe}_7(\text{OH})_2(\text{PO}_4)_4 \cdot 8\text{H}_2\text{O}$	3.12 -----	Maskelyne and Field. J. 30, 1300.
Picite -----	$\text{Fe}_{14}(\text{OH})_{18}(\text{PO}_4)_3 \cdot 27\text{H}_2\text{O}$	2.83 -----	Streng. J. 34, 1377.
Dufrenoyite -----	$\text{Fe}''_2(\text{OH})_3\text{PO}_4$	3.227 -----	Dufrenoy. Dana's Min.
“ -----	“	3.382 -----	Campbell. A. J. S. (3), 22, 65.
“ -----	“	3.454 -----	Massie. J. 33, 1433.
“ -----	“	3.293 -----	Boricky. S. W. A. 56 (1), 7.
Caoxenite -----	$\text{Fe}''_4(\text{OH})_6(\text{PO}_4)_2 \cdot 9\text{H}_2\text{O}$	3.38 -----	Dana's Mineralogy.
Calcioferrite -----	$\text{Fe}''_3\text{Ca}_3(\text{OH})_3(\text{PO}_4)_4 \cdot 8\text{H}_2\text{O}$	2.523 } -----	Reissig. Dana's Min.
“ -----	“	2.529 }	
Borickite -----	$\text{Fe}''_5\text{Ca}(\text{OH})_{11}(\text{PO}_4)_2 \cdot 3\text{H}_2\text{O}$	2.696—2.707 -----	Boricky. J. 20, 1002.
Chalcosiderite -----	$\text{Fe}''_6\text{Cu}(\text{OH})_8(\text{PO}_4)_4 \cdot 4\text{H}_2\text{O}$	3.108 -----	Maskelyne. J. C. S. 28, 586.
Andrewsite -----	$\text{Fe}''_5\text{CuFe}''_4(\text{PO}_4)_3(\text{OH})_6$	3.475 -----	“ “
Evansite -----	$\text{Al}_3(\text{OH})_6\text{PO}_4 \cdot 6\text{H}_2\text{O}$	1.939 -----	Forbes. P. M. (4), 28, 341.
Trolleite -----	$\text{Al}_4(\text{OH})_3(\text{PO}_4)_3$	3.10 -----	Blomstrand. Dana's Min.
Augelite -----	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2$	2.77 -----	“ “
Turquoise -----	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$	2.621 -----	Hermann. J. P. C. 33, 282.
“ -----	“	2.426—2.651 -----	Blake. J. 11, 722.
Peganite -----	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2 \cdot 3\text{H}_2\text{O}$	2.492—2.496 -----	Breithaupt. Schw. J. 60, 308.
Fischerite -----	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2 \cdot 5\text{H}_2\text{O}$	2.46 -----	Hermann. J. P. C. 33, 286.
Cæruleolactite -----	$\text{Al}_6(\text{OH})_6(\text{PO}_4)_4 \cdot 7\text{H}_2\text{O}$	2.552, 19° -- } 2.593, 18° -- }	Petersen. N. J. 1871, 353.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Wavellite	$Al_6(OH)_6(PO_4)_4 \cdot 9H_2O$	2.337	Haidinger. Dana's Min.
"	"	2.316	Richardson. Dana's Min.
Planerite	$Al_6(OH)_6(PO_4)_4 \cdot 12H_2O$	2.65	Hermann. J. 15, 764.
Spherite	$Al_{10}(OH)_{18}(PO_4)_4 \cdot 7H_2O$	2.536	Zepharovich. S. W. A. 56, 24.
Lazulite	$Al_2Mg(OH)_2(PO_4)_2$	3.122	Smith and Brush. J. 6, 840.
"	"	3.106—3.123	Rammelsberg. P. A. 64, 261.
"	"	3.108	Chapman. J. 14, 1033.
Cirrolite	$Al_2Ca_3(OH)_3(PO_4)_3$	3.08	Blomstrand. Dana's Min.
Plumbogummite	$Al_4Pb(OH)_2(PO_4)_2 \cdot 5H_2O$	4.88, 15°.6	Dufrenoy. Ann. (2), 59, 440.
" Hitchcockite.	"	4.014, 20°	Geith. A. J. S. (2), 23, 424.
Eosphorite	$AlMn(OH)_2PO_4 \cdot H_2O$	3.124	Brush and Dana. A. J. S. (3), 16, 35.
"	"	3.134	
"	"	3.145	
Childrenite	$AlFe(OH)_2PO_4 \cdot H_2O$	3.22	Church. J. C. S. 26, 104.
Barrandite	$AlFe'''(PO_4)_2 \cdot 4H_2O$	2.576	Zepharovich. J. 20, 1000.

3d. Meta- and Pyrophosphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium metaphosphate	$Na_2P_2O_5$	2.4756, 19°.5	Mohr. F.W.C. Bedson and Williams. Ber. 14, 2555.
"	"	2.4769, 18°	
"	"	2.503, 20°	
Potassium metaphosphate	$K_2P_2O_5$	2.2513	14°.5 Mohr. F.W.C.
"	"	2.2639	
Didymium metaphosphate	DiP_5O_{14}	3.333	18°.4 Cleve. U. S. A. 1885.
"	"	3.358	
Samarium metaphosphate	SmP_5O_{14}	3.485	28°.8 " "
"	"	3.489	
Thorium metaphosphate	ThP_4O_{12}	4.08, 16°.4	Troost. C. R. 101, 210.
Sodium pyrophosphate	$Na_4P_2O_7$	2.534	Schroder. Dm. 1873.
"	"	2.3613	17°. Mohr. F.W.C.
"	"	2.3851	
"	$Na_4P_2O_7 \cdot 10H_2O$	1.836	Playfair and Joule. M. C. S. 2, 401.
"	"	1.7726, 21°	Mohr. F.W.C.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium pyrophosphate---	$\text{Na}_4 \text{P}_2 \text{O}_7 \cdot 10 \text{H}_2 \text{O}$ ---	1.824 -----	Dufet. C. R. 102, 1328.
“ “ ---	“ ---	1.8151 -----	Dufet. B. S. M. 10, 77.
Sodium hydrogen pyrophosphate.	$\text{Na}_2 \text{H}_2 \text{P}_2 \text{O}_7 \cdot 6 \text{H}_2 \text{O}$	1.8616 -----	“ “
Potassium pyrophosphate---	$\text{K}_4 \text{P}_2 \text{O}_7$ -----	2.33 -----	Brügelmann. Ber. 17, 2359.
Silver pyrophosphate ---	$\text{Ag}_4 \text{P}_2 \text{O}_7$ -----	5.306 -----	Stromeyer. See Böttger.
“ “ ---	“ -----	5.2596 -----	Tünnermann. See Böttger.
Thallium pyrophosphate ---	$\text{Tl}_4 \text{P}_2 \text{O}_7$ -----	6.786 -----	Lamy and Des Cloizeaux. Nature 1, 116.
Magnesium pyrophosphate	$\text{Mg}_2 \text{P}_2 \text{O}_7$ -----	2.220 -----	Schröder. Dm. 1873.
“ “ ---	“ -----	2.559, 18° } 2.598, 22° }	Lewis. F. W. C.
“ “ ---	“ -----	3.7538 } 3.7574 } 23°	“ “
Zinc pyrophosphate---	$\text{Zn}_2 \text{P}_2 \text{O}_7$ -----	3.7538 } 3.7574 }	“ “
Manganese pyrophosphate	$\text{Mn}_2 \text{P}_2 \text{O}_7$ -----	3.5742, 26° } 3.5847, 20° }	“ “
“ “ ---	“ -----	3.9064, 27° } 3.9303, 25° }	“ “
Nickel pyrophosphate---	$\text{Ni}_2 \text{P}_2 \text{O}_7$ -----	3.9064, 27° } 3.9303, 25° }	“ “
“ “ ---	“ -----	3.710, 25° } 3.746, 23° }	“ “
Cobalt pyrophosphate---	$\text{Co}_2 \text{P}_2 \text{O}_7$ -----	3.710, 25° } 3.746, 23° }	“ “
“ “ ---	“ -----	3.574 } 3.582 }	Schröder. Dm. 1873.
Barium pyrophosphate---	$\text{Ba}_2 \text{P}_2 \text{O}_7 \cdot \text{H}_2 \text{O}$ -----	3.574 } 3.582 }	“ “
“ “ ---	“ -----	3.590 } 3.1, 14° }	Schröder. Dm. 1873.
Silicon pyrophosphate---	$\text{Si}_2 \text{P}_2 \text{O}_7$ -----	3.1, 14° -----	Hautefeuille and Margottet. C. R. 96, 1053.
Zirconium pyrophosphate	$\text{Zr}_2 \text{P}_2 \text{O}_7$ -----	3.12 -----	} Knop. A. C. P. 159, 48.
“ “ ---	“ -----	3.14 -----	
Tin pyrophosphate ---	$\text{Sn}_2 \text{P}_2 \text{O}_7$ -----	3.61 -----	Knop. A. C. P. 159, 39.
Basic tin pyrophosphate---	$\text{Sn}_2 (\text{P}_2 \text{O}_7) \text{O}_2$ -----	3.87 } 3.98 }	“ “
“ “ ---	“ -----	3.98 } 2.9 -----	“ “
Basic titanium pyrophosphate.	$\text{Ti}_3 (\text{P}_2 \text{O}_7) \text{O}_4$ -----	2.9 -----	Knop. A. C. P. 157, 365.

XXXIV. VANADATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium octovanadate	$\text{Na}_{12} \text{V}_8 \text{O}_{26} \cdot 4 \text{H}_2 \text{O}$	2.85, 18°	Carnelley. J. C. S. (2), 11, 223.
Silver octovanadate	$\text{Ag}_{12} \text{V}_8 \text{O}_{26}$	5.67, 18°	" "
Thallium metavanadate	$\text{Tl}_2 \text{V}_2 \text{O}_7$	6.019, 11°	" "
Thallium pyrovanadate	$\text{Tl}_4 \text{V}_2 \text{O}_7$	8.21, 18°.5,	" "
" "	"	8.812, 18° .5, } ppt. fused.	
Thallium orthovanadate	$\text{Tl}_3 \text{V}_2 \text{O}_7$	8.6, 17°	" "
Thallium octovanadate	$\text{Tl}_{12} \text{V}_8 \text{O}_{26}$	8.59, 17° .5	" "
Thallium decavanadate	$\text{Tl}_{12} \text{V}_{10} \text{O}_{31}$	7.86, 17°	" "
Magnesium vanadate.	$\text{Mg}_3 \text{V}_{10} \text{O}_{25} \cdot 28 \text{H}_2 \text{O}$	2.194	Sugiura and Baker. J. C. S. 35, 716.
" " Brown.	"	18°	
" " Red	"	2.167	
Pucherite	$\text{Bi}_2 \text{V}_2 \text{O}_7$	5.91	Frenzel. J. P. C. (2), 4, 227.
Dechenite	$\text{Pb}_3 \text{V}_2 \text{O}_7 \cdot \text{Zn}_3 \text{V}_2 \text{O}_7$	5.81	Bergemann. J. 3, 753.
"	"	5.83	Tschermak. J. 14, 1021.
" Eusynchite	"	5.596	Rammelsberg.
Descloizite	Pb Zn (OH) V O_4	5.839	Damour. J. 7, 855.
"	"	5.915	} From two samples. Rammelsberg. J. 33, 1428.
"	"	6.080	
"	"	6.200	} Penfield. A. J. S. (3), 26, 361.
"	"	6.205	
" Light	"	6.105—6.108	} Genth. Am. Phil. Soc. 1885.
" Dark	"	5.814—5.882	
Mottramite†	Pb Cu (OH) V O_4	5.894	Roscoe. J. 29, 1259.
Volborthite‡	$\text{R}_3(\text{OH})_3 \text{VO}_4 \cdot 6 \text{H}_2 \text{O}$	3.55	Croddner. Dana's Min.
Didymium vanadate	Di V O_4	4.959	} 219.2
" "	"	4.963	
Didymium metavanadate.	$\text{Di V}_5 \text{O}_{14} \cdot 14 \text{H}_2 \text{O}$	2.492	} 18° .5
" "	"	2.497	
Samarium metavanadate	$\text{Sm V}_5 \text{O}_{14} \cdot 12 \text{H}_2 \text{O}$	2.628, 17° .5	} " "
" "	"	2.620, 17° .8	
" "	$\text{Sm V}_5 \text{O}_{14} \cdot 14 \text{H}_2 \text{O}$	2.52° , 17° .5	} " "
" "	"	2.526, 17° .8	
Sodium vanadium vanadate.	$2\text{Na}_2 \text{O} \cdot 2\text{V}_2 \text{O}_4 \cdot \text{V}_2 \text{O}_5 \cdot \frac{6}{5} \text{H}_2 \text{O}$	1.389, 15°	Brierly. J. C. S. 49, 30.
" " "	$2\text{Na}_2 \text{O} \cdot 2\text{V}_2 \text{O}_4 \cdot \text{V}_2 \text{O}_5 \cdot 13 \text{H}_2 \text{O}$	1.327, 15°	" "
Potassium vanadium vanadate.	$5\text{K}_2 \text{O} \cdot 2\text{V}_2 \text{O}_4 \cdot 4\text{V}_2 \text{O}_5 \cdot 11 \text{H}_2 \text{O}$	1.214, 15°	" "
Ammonium vanadium vanadate.	$3\text{Am}_2 \text{O}_3 \cdot 2\text{V}_2 \text{O}_4 \cdot 4\text{V}_2 \text{O}_5 \cdot 6 \text{H}_2 \text{O}$	1.335, 15°	" "

* Penfield's mineral contained some copper and arsenic. Frenzel's tritochroite (G. 625) is similar.

† Formula somewhat doubtful.

‡ R in this formula = $\frac{1}{3} \text{Cu}$ and $\frac{1}{3} \text{Ca} + \text{Ba}$.

XXXV. ARSENITES AND ARSENATES.

1st. Normal Orthoarsenates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium dihydrogen arsenate.	$\text{Na H}_2 \text{As O}_4 \cdot \text{H}_2 \text{O}$	2.535 -----	Schiff. A. C. P. 112, 88.
“ “ “	“	2.6700 -----	Dufet. B. S. M. 10, 77.
“ “ “	$\text{Na H}_2 \text{As O}_4 \cdot 2 \text{H}_2 \text{O}$	2.320 -----	Joly and Dufet. C. R. 102, 1393.
“ “ “	“	2.3093 -----	Dufet. B. S. M. 10, 77.
Disodium hydrogen arsenate.	$\text{Na}_2 \text{H As O}_4 \cdot 7 \text{H}_2 \text{O}$	1.871 -----	Schiff. A. C. P. 112, 88.
“ “ “	“	1.8825 -----	Dufet. B. S. M. 10, 77.
“ “ “	$\text{Na}_2 \text{H As O}_4 \cdot 12 \text{H}_2 \text{O}$	1.759 -----	Thomson. See Böttger.
“ “ “	“	1.736 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.670 -----	Schiff. A. C. P. 112, 88.
“ “ “	“	1.6675 -----	Dufet. B. S. M. 10, 77.
Trisodium arsenate	$\text{Na}_3 \text{As O}_4$	2.8128 -----	} 21° Stallo. F. W. C.
“ “ “	“	2.8577 -----	
“ “ “	$\text{Na}_3 \text{As O}_4 \cdot 12 \text{H}_2 \text{O}$	1.804 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.762 -----	Schiff. A. C. P. 112, 88.
“ “ “	“	1.7593 -----	Dufet. B. S. M. 10, 77.
Potassium dihydrogen arsenate.	$\text{K H}_2 \text{As O}_4$	2.638 -----	Thomson. See Böttger.
“ “ “	“	2.832 -----	Schiff. A. C. P. 112, 88.
“ “ “	“	2.844 -----	} Schröder. Dm. 1873.
“ “ “	“	2.853 -----	
“ “ “	“	2.855 -----	
“ “ “	“	2.862 -----	
Ammonium dihydrogen arsenate.	$\text{Am H}_2 \text{As O}_4$	2.249 -----	Topsoë. B. S. C. 19, 246.
“ “ “	“	2.299 -----	} Schiff. A. C. P. 112, 88.
“ “ “	“	2.309 -----	
“ “ “	“	2.312 -----	
“ “ “	“	2.308 -----	
Diammonium hydrogen arsenate.	$\text{Am}_2 \text{H As O}_4$	1.989 -----	Topsoë. C. C. 4, 76.
Potassium sodium hydrogen arsenate.	$\text{K Na H As O}_4 \cdot 7 \text{H}_2 \text{O}$	1.884 -----	Schiff. A. C. P. 112, 88.
Ammonium sodium hydrogen arsenate.	$\text{Am Na H As O}_4 \cdot 4 \text{H}_2 \text{O}$	1.838 -----	“ “
Hoernesite	$\text{Mg}_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2 \text{O}$	2.474 -----	Haidinger. J. 13, 784.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium hydrogen arsenate.	$(\text{H Mg As O}_4)_2 \cdot \text{H}_2\text{O}$	3.155, 15°	Schulten. C. R. 100, 877.
Kottigite	$\text{Zn}_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	3.1	Kottig. J. 2, 771.
Native nickel arsenate	$\text{Ni}_3 (\text{As O}_4)_2$	4.982	Bergemann. J. 11, 728.
Erythrite	$\text{Co}_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	2.948	Dana's Mineralogy.
Cabrerite	$(\text{Ni Co Mg})_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	2.96	Ferber. B. H. Ztg. 22, 306.
Roselite	$(\text{Ca Co Mg})_3 (\text{As O}_4)_2 \cdot 2 \text{H}_2\text{O}$	3.5—3.6	Schrauf. N. J. 1874, 870.
"	"	3.46, 3°	Weisbach. N. J. 1874, 871.
Caryinite	$(\text{Pb Mn Ca})_3 (\text{As O}_4)_2$	4.25	Lundström. Dana's Min., 3d App.
Berzeliiite	$\text{Mg}_3 \text{Ca}_3 (\text{As O}_4)_4$	2.52	Dana's Mineralogy.
Haidingerite	$\text{H Ca As O}_4 \cdot \text{H}_2\text{O}$	2.848	Turner. Dana's Min.
Pharmacolite	$2 \text{H Ca As O}_4 \cdot 5 \text{H}_2\text{O}$	2.64—2.73	Dana's Mineralogy.
Wapplerite	$\text{H (Cu Mg) As O}_4 \cdot 7 \text{H}_2\text{O}$	2.48	Frenzel. Dana's Min., 2d App.
Forbesite	$2 \text{H (Co Ni) As O}_4 \cdot 7 \text{H}_2\text{O}$	3.086	Forbes. P. M. (4), 25, 103.
Scorodite	$\text{Fe}^{III} \text{As O}_4 \cdot 2 \text{H}_2\text{O}$	3.11	Damour. Ann. (3), 10, 406.
"	"	3.18	"
" Artificial	"	3.28	Verneuil and Bourgeois. C. R. 90, 224.
Carminite	$\text{Pb}_3 \text{Fe}^{III}_{10} (\text{As O}_4)_{12}$	4.105	Dana's Mineralogy.
Trogerite	$(\text{U O}_2)_3 (\text{As O}_4)_2 \cdot 12 \text{H}_2\text{O}$	3.23	Weisbach. N. J. 1873, 316.
Uranospinite	$(\text{U O}_2)_2 \text{Ca} (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	3.45	" "
Zeunerite	$(\text{U O}_2)_2 \text{Cu} (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	3.53	" "

2d. Basic Orthoarsenates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Adamite	$\text{Zn}_2 (\text{O H) As O}_4$	4.338, 18°	Friedl. C. R. 62, 692.
Native nickel arsenate	$\text{Ni}_3 \text{O}_2 (\text{As O}_4)_2$	4.838	Bergemann. J. 11, 728.
Olivenite	$\text{Cu}_2 (\text{O H) As O}_4$	4.378	Damour. Ann. (3), 13, 404.
"	"	4.135	Hermann. J. P. C. 33, 291.
Clinoclasite	$\text{Cu}_3 (\text{O H})_3 \text{As O}_4$	4.19—4.36	Dana's Mineralogy.
"	"	4.312	Damour. Ann. (3), 13, 404.
"	"	4.28, 19°	Hillebrand. Private communication.
Euchroite	$\text{Cu}_4 (\text{OH})_4 \text{As O}_4 \cdot 6 \text{H}_2\text{O}$	3.389	Dana's Mineralogy.
Erinite	$\text{Cu}_5 (\text{O H})_4 (\text{As O}_4)_4$	4.043	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cornwallite -----	$Cu_6(OH)_4(AsO_4)_2$	4.160 -----	Dana's Mineralogy.
Tyrolite -----	$Cu_5(OH)_4(AsO_4)_2$ H_2O	3.02—3.098 --	" "
" -----	"	3.162 -----	Church. J. C. S. 26, 108.
" -----	"	3.27, 20°.5 --	Hillebrand. Private communication.
Chalcopyllite -----	$Cu_8(OH)_{10}(AsO_4)_2$ $7H_2O$	2.659 -----	Damour. Ann. (3), 13, 404.
" -----	"	2.435 -----	Hermann. J. P. C. 33, 294.
Conichalcite -----	$CuCa(OH)AsO_4$	4.123 -----	Fritzsche. J. 2, 772.
Bayldonite -----	$Cu_3Pb(OH)_2(AsO_4)_2$	5.35 -----	Church. J. C. S. 18, 265.
Liroconite -----	$Cu_2Al(OH)_4AsO_4$ $4H_2O$	2.926 -----	Haidinger. Dana's Min.
" -----	"	2.964 -----	Damour. Ann. (3), 13, 404.
" -----	"	2.985 -----	Hermann. J. P. C. 33, 296.
Chenevixite -----	$Cu_3Fe''_2(OH)_6$ $(AsO_4)_2$	3.93 -----	Pisani. C. R. 62, 690.
Pharmacosiderite -----	$Fe''_4(OH)_3(AsO_4)_3$	2.9—3.0 -----	Dana's Mineralogy.
Arsenosiderite -----	$Fe''_4Ca_3(OH)_9$ $(AsO_4)_3$	3.520 -----	Dufrenoy.
" -----	"	3.88 -----	Rammelsberg.
" -----	"	3.36 -----	Church. J. C. S. 26, 102.
Allaktite -----	$Mn_7(OH)_8(AsO_4)_2$	3.83—3.85 -----	Sjögren. A. J. S. (3), 27, 494.
Rhagite -----	$Bi_5(OH)_9(AsO_4)_2$	6.82, 22° -----	Weisbach. N. J. 1874, 302.
Mixite -----	$BiCu_{10}(OH)_8(AsO_4)_5$ $7H_2O$	2.66 -----	Schrauf. Z. K. M. 4, 277.
" -----	"	3.79, 23°.5 --	Hillebrand. Private communication.
Walpurgite -----	$(UO_2)_3Bi_{10}(AsO_4)_4$ $(OH)_{24}$	5.64 -----	Weisbach. N. J. 1873, 316.

3d. Pyroarsenates and Arsenites.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium pyroarsenate -----	$Mg_2As_2O_7$	3.7305, 15° -----	Stallo. F. W. C.
" " -----	"	3.7649, 18° -----	
Zinc pyroarsenate -----	$Zn_2As_2O_7$	4.6989 -----	" "
" " -----	"	4.7034 } 21° -----	
Manganese pyroarsenate -----	$Mn_2As_2O_7$	3.6625, 25° -----	" "
" " -----	"	3.6832 } 23° -----	
" " -----	"	3.6927 } -----	
Lead arsenite -----	$PbAs_2O_4$	5.85, 23° -----	Schafarik. J. P. C. 90, 12.

XXXVI. PHOSPHATES, VANADATES, AND ARSENATES,
COMBINED WITH HALOIDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium fluo-phosphate*	$\text{Na}_4(\text{PO}_4)\text{F} \cdot 12\text{H}_2\text{O}$	2.2165	Briegleb. J. 8, 338.
Sodium fluo-arsenate*	$\text{Na}_4(\text{AsO}_4)\text{F} \cdot 12\text{H}_2\text{O}$	2.849	Briegleb. J. 8, 339.
Wagnerite	$\text{Mg}_2(\text{PO}_4)\text{F}$	2.985	153 { Rammelsberg. P. A. 64, 251.
"	"	3.068	
"	"	3.12	
Artificial vanadium wagnerite.	$\text{Ca}_2(\text{VO}_4)\text{Cl}$	4.01	Hautefeuille. J. C. S. (2), 12, 131.
Herderite	$\text{Ca Cl}(\text{PO}_4)\text{F}$	3.00	Hidden and Mackintosh. A. J. S. (3), 27, 135.
"	"	3.006	Penfield and Harper. A. J. S. (3), 32, 107.
"	"	3.012	
Triplite	$(\text{Fe Mn})_2(\text{PO}_4)\text{F}$	3.617	
"	"	3.83—3.90	Siewert. J. 26, 1185.
Amblygonite	$\text{Al Li}(\text{PO}_4)\text{F}$	3.118	Breithaupt. J. P. C. 16, 476.
"	"	3.088	Penfield. A. J. S. (3), 18, 295.
"	"	3.046	Brush. A. J. S. (2), 34, 243.
Durangite	$\text{Al Na}(\text{AsO}_4)\text{F}$	3.937	Brush. A. J. S. (3), 11, 464.
Fluorapatite	$\text{Ca}_5(\text{PO}_4)_3\text{F}$	3.166—3.235	G. Rose. P. A. 9, 185.
"	"	3.091—3.216	Pusirewski. J. 15, 763.
"	"	3.25	Church. J. C. S. 26, 101.
Chlorapatite	$\text{Ca}_5(\text{PO}_4)_3\text{Cl}$	3.054, artif.	Manross. J. 5, 10.
"	"	2.98	Daubreé. "Études synthétiques."
Pyromorphite	$\text{Pb}_3(\text{PO}_4)_3\text{Cl}$	7.008, artif.	Manross. J. 5, 10.
"	"	7.054—7.208	G. Rose. P. A. 9, 209.
"	"	7.36	Fuchs. J. 20, 1001.
Vanadinite	$\text{Pb}_3(\text{VO}_4)_3\text{Cl}$	6.707, 12, artif.	Roseoe. Z. C. 13, 357.
"	"	6.886	Rammelsberg. J. 9, 872.
"	"	6.863	Struve. J. 12, 805.
Mimetite	$\text{Pb}_3(\text{AsO}_4)_3\text{Cl}$	7.218	Rammelsberg. J. 7, 856.
"	"	7.32	Smith. J. 8, 965.
" Artificial	"	7.12	Michel. B. S. M. 10, 135.
Ekdemite	$\text{Pb}_3(\text{AsO}_4)_2\text{Cl}_4$	7.14	Nordenskiöld. Z. K. M. 2, 306.
Endlichite	$\text{Pb}_3(\text{AsO}_4)_2\text{Cl}_4 + \text{Pb}_3(\text{VO}_4)_3\text{Cl}$	6.864	Genth. Am. Phil. Soc., 1885.

* Baker (J. C. S., May, 1885) assigns more complex formulae to these salts.

XXXVII. ANTIMONITES AND ANTIMONATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium antimonite -----	Na Sb O ₂ . 3 H ₂ O -----	2.864 -----	Terreil. Ann. (4), 7, 350.
Sodium hydrogen anti- monite.	Na H ₂ (Sb O ₂) ₃ -----	5.05 -----	" "
Romeite -----	Ca (Sb O ₂) (Sb O ₃) ?	4.675 } -----	Damour. J. 6, 837.
" -----	" "	4.714 }	
Atopite -----	Ca ₂ Sb ₂ O ₇ -----	5.03 -----	Nordenskiöld. Dana's Min., 3d App.
Barcenite -----	Ca Hg (Sb O ₃) ₄ -----	5.353, 20° -----	Mallet. A. J. S. (3), 16, 306.
Monimolite -----	Pb ₄ (Sb O ₄) ₂ O -----	5.94 -----	Igelström. Dana's Min.
Bindheimite -----	Pb ₃ (Sb O ₄) ₂ . 4H ₂ O -----	4.60—4.76 -----	Hermann. J. P. C. 34, 179.
" -----	" -----	5.01, 19° -----	Hillebrand. Bull. 20, U. S. G. S.
Nadorite -----	Pb (Sb O ₂) Cl -----	7.02 -----	Flajolot. J. 23, 1280.
Stibioferrite -----	4 Fe''' Sb O ₄ . 3 H ₂ O -----	3.598 -----	Goldsmith. Dana's Min., 2d App.
Thrombolite -----	Cu ₁₀ Sb ₆ O ₁₉ . 19 H ₂ O -----	3.668 -----	Schrauf. Z. K. M. 4, 28.

XXXVIII. COLUMBATES AND TANTALATES.*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium columbate -----	Mg ₄ Cb ₂ O ₉ -----	4.3 -----	Joly. C. R. 81, 268.
Manganese columbate -----	?	4.94 -----	Joly. B. S. C. 25, 67.
Columbite -----	Fe Cb ₂ O ₆ -----	5.469—5.495 -----	Schlieper. Dana's Min.
" -----	" -----	5.447 -----	Oesten. Dana's Min.
" -----	" -----	5.432—5.452 -----	Breithaupt. J. 11, 720.
" -----	" -----	5.40—5.43 -----	Müller. J. 11, 721.
Manganese columbite -----	Mn (Cb O ₃) (Ta O ₃) -----	6.59 -----	Comstock. A. J. S. (3), 19, 131.
Tantalite -----	Fe Ta ₂ O ₆ -----	7.264 -----	Nordenskiöld. P. A. 26, 488.
" -----	" -----	7.936 -----	Berzelius. Dana's Min.
" -----	" -----	7.703 -----	Jenzsch. Dana's Min.
" -----	" -----	7.277—7.414 -----	Rose. J. 11, 720.
" -----	" -----	7.2 -----	Smith. A. J. S. (3), 14, 323.
Mangantantalite -----	Mn Ta ₂ O ₆ -----	7.37 -----	Arzruni. J. C. S. 54, 234.
Sipylite -----	Er Cb O ₄ -----	4.883, 16° -----	Mallet. Z. K. M. 6, 518.

* For samarskite, microlite, fergusonite, and other natural columbotantalates see Dana's Mineralogy. The formulæ here assigned to columbite, tantalite, and sipylite are only approximative, representing the typical compounds.

XXXIX. CARBONATES.

1st. Simple Carbonates.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Lithium carbonate	$\text{Li}_2\text{C O}_3$	2.111	Kremers. J. 10, 67.
" "	"	1.787, fused	Quincke. P. A. 138, 141.
Sodium carbonate	$\text{Na}_2\text{C O}_3$	2.4659	Karsten. Schw. J. 65, 394.
" "	"	2.450	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.509	Filhol. Ann. (3), 21, 415.
" "	"	2.407, 20°.5	Favre and Valson. C. R. 77, 579.
" "	"	2.490	Schröder. Dm. 1873.
" "	"	2.510	
" "	"	2.041, 960°	Braun. J. C. S. (2), 13, 31.
" "	"	2.45, fused	Quincke. P. A. 135, 642.
" "	$\text{Na}_2\text{C O}_3 \cdot 8\text{H}_2\text{O}$	1.51	Thomson. Ann. Phil. (2), 10, 442.
" "	$\text{Na}_2\text{C O}_3 \cdot 10\text{H}_2\text{O}$	1.423	Haidinger. See Bottger.
" "	"	1.454, m. of 4	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.475	Schiff.
" "	"	1.463	Buignet. J. 14, 15.
" "	"	1.455, 15°.5	Holker. P. M. (3), 27, 214.
" "	"	1.4402	Stolba. J. P. C. 97, 503.
" "	"	1.456, 19°	Favre and Valson. C. R. 77, 579.
Thermonatrite	$\text{Na}_2\text{C O}_3 \cdot \text{H}_2\text{O}$	1.5—1.6	Dana's Mineralogy.
Potassium carbonate	$\text{K}_2\text{C O}_3$	2.2643	Karsten. Schw. J. 65, 394.
" "	"	2.103	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.267	Filhol. Ann. (3), 21, 415.
" "	"	2.105	W. C. Smith. Am. J. P. 53, 145.
" "	"	2.00, 1150°	Braun. J. C. S. (2), 13, 31.
Silver carbonate	$\text{Ag}_2\text{C O}_3$	6.0766	Karsten. Schw. J. 65, 394.
" "	"	6.0, 17°.5	Kremers. P. A. 85, 43.
Thallium carbonate	$\text{Tl}_2\text{C O}_3$	7.06	Lamy. J. 15, 186.
" "	"	7.164	Lamy and Des Cloizeaux. Nature 1, 116.
Magnesium carbonate	Mg C O_3	3.037	Neumann. P. A. 23, 1.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium carbonate	Mg C O ₃	3.056	Mohs.
" "	"	3.065	Scheerer.
" "	"	3.017	Breithaupt.
" "	"	3.033	Hauer.
" "	"	3.017	Marehand and Scheerer. J. 3, 760.
" "	"	3.007	} Jenzsch. J. 6, 848.
" "	"	3.076	
" "	"	3.033	
" "	"	3.015	Zepharovich. J. 8, 975.
" "	"	3.015	Zepharovich. J. 18, 906.
" "	Mg C O ₃ . 3 H ₂ O	1.875	Beckurts. J. C. S. 42, 14.
Zinc carbonate	Zn C O ₃	4.339	Smithson.
" "	"	4.442	Mohs. See Böttger.
" "	"	4.3765	Karsten. Schw. J. 65, 394.
" "	"	4.45	Naumann.
" "	"	4.42	Haidinger.
Cadmium carbonate	Cd C O ₃	4.42, 17°	Herapath. P. M. 64, 321.
" "	"	4.4938	Karsten. Schw. J. 65, 394.
" "	"	4.258	Schröder. Dm. 1873.
Calcium carbonate	Ca C O ₃	2.7000	} Karsten. Schw. J. 65, 394.
" " Chalk	"	2.6946	
" " Aragonite	"	2.931	Haidinger.
" " "	"	2.927	Biot.
" " "	"	2.945	} Beudant.
" " "	"	2.947	
" " "	"	2.931	Mohs.
" " "	"	2.938	} Breithaupt.
" " "	"	2.995	
" " "	"	2.926	Neumann. P. A. 23, 1.
" " "	"	2.933, 0°	Kopp.
" " "	"	2.93	Nendtwich.
" " "	"	2.92	Riegel. J. 4, 819.
" " "	"	2.93	Stieren. J. 9, 882.
" " "	"	2.932	Luca. J. 11, 732.
" " Calcite	"	2.7064	} Karsten. Schw. J. 65, 394.
" " "	"	2.6987	
" " "	"	2.7213	} Beudant.
" " "	"	2.7234	
" " "	"	2.750	Neumann. P. A. 23, 1.
" " "	"	2.702	Hochstetter. J. 1, 1222.
" " "	"	2.72	Kopp. J. 16, 5.
" " "	" Artificial	2.71	Bourgeois. Ann. (5), 29, 493.
" " "	Ca C O ₃ . 5 H ₂ O	1.783	Pelouze.
" " "	"	1.75	Salm-Horstmar. P. A. 35, 515.
Strontium carbonate	Sr C O ₃	3.605	Mohs. See Böttger.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium carbonate	Sr C O_3	3.6245	Karsten. Schw. J. 65, 394.
" "	"	3.613	v. der Marek. J. 3, 759.
" " Precip.	"	3.548	Schroder. P. A. 106, 226.
" " "	"	3.620	
Barium carbonate	Ba C O_3	4.24	Breithaupt.
" "	"	4.301	Mohs.
" "	"	4.35	Kirwan.
" "	"	4.3019	Karsten. Schw. J. 65, 394.
" "	"	4.565	Filhol. Ann. (3), 21, 415.
" " Precip.	"	4.216	Schroder. P. A. 106, 226.
" " "	"	4.235	
" " "	"	4.372	Schweitzer. Contrib. Lab. Univ. of Missouri, 1876.
" " Ppt. hot	"	4.1721	
" " "	"	4.1975	
" " Ppt. cold	"	4.1609	
" " "	"	4.2811	
Lead carbonate	Pb C O_3	6.465	Mohs. See Bottger.
" "	"	6.5	John.
" "	"	6.47	Breithaupt.
" "	"	6.4277	Karsten. See Bottger.
" "	"	6.60	Smith. J. 8, 972.
" "	"	6.510	Schroder. P. A. Ergänzt. Bd. 6, 622.
" "	"	6.517	
Manganese carbonate	Mn C O_3	3.592	Mohs. See Bottger.
" "	"	3.553	Kersten. J. P. C. 37, 163.
" "	"	3.6608	Kranz.
" "	"	3.57	Grüner. J. 3, 767.
" " Ppt.	"	3.122	Schroder. P. A. 106, 226.
" " "	"	3.129	
Iron carbonate	Fe C O_3	3.829	Mohs. See Bottger.
" "	"	3.815	Dufrenoy.
" "	"	3.872	Neumann. P. A. 23, 1.
" "	"	3.698	Breithaupt. J. P. C. 14, 445.
" "	"	3.796, 0°	Kopp.
Lanthanite	$\text{La}_2 (\text{C O}_3)_3 \cdot 8 \text{H}_2 \text{O}$	2.605, 20°	Genth. A. J. S. (2), 28, 425.
"	"	2.666	Blake. J. 6, 850.
Didymium carbonate	$\text{Di}_2 (\text{C O}_3)_3 \cdot 8 \text{H}_2 \text{O}$	2.850, } 15° {	Cleve. U. N. A. 1885.
" " "	"	2.872, }	

2d. Double Carbonates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen sodium carbonate.	Na H C O_3 -----	2.192, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“-----	2.163-----	Buignet. J. 14, 15.
“ “ “	“-----	2.2208, 15°-----	Stolba. J. P. C. 97, 503.
“ “ “	“-----	2.207-----	Schröder. Dm. 1873.
“ “ “	“-----	2.205-----	
“ “ “	“-----	2.159-----	
Urao-----	$\text{Na}_3\text{H}(\text{C O}_3)_2 \cdot 2\text{H}_2\text{O}$	2.1473, 21°-----	W. C. Smith. Am. J. P. 53, 148. Chatard. Private communication.
Hydrogen potassium carbonate.	K H C O_3 -----	2.012-----	Gmelin.
“ “ “	“-----	2.092-----	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“-----	2.180-----	Buignet. J. 14, 15.
“ “ “	“-----	2.140-----	Schröder. Dm. 1873.
“ “ “	“-----	2.167-----	
“ “ “	“-----	2.078-----	W. C. Smith. Am. J. P. 53, 145.
Hydrogen ammonium carbonate.	Am H C O_3 -----	1.586-----	Playfair and Joule. M. C. S. 2, 401.
Sodium potassium carbonate.	K Na C O_3 -----	2.5289-----	Stolba. J. 18, 166.
“ “ “	“-----	2.5633-----	
“ “ “	$\text{K Na C O}_3 \cdot 12\text{H}_2\text{O}$ -----	1.6088-----	
“ “ “	“-----	1.6334-----	“ “
Silver potassium carbonate.	Ag K C O_3 -----	3.769-----	Schulten. C. R. 105, 813.
Gaylussite-----	$\text{Na}_2\text{Ca}(\text{C O}_3)_2 \cdot 5\text{H}_2\text{O}$	1.928-----	Boussingsault. Ann. (2), 31, 270.
“-----	“-----	1.950-----	
Dolomite-----	$\text{Ca Mg}(\text{C O}_3)_2$ -----	2.914-----	Neumann. P. A. 23, 1.
“-----	“-----	2.918-----	
“-----	“-----	2.89-----	Ott. J. 1, 1223.
“-----	“-----	2.924-----	Tschermak. J. 10, 695.
“-----	“-----	2.85-----	Senft. J. 14, 1027.
Hydrodolomite-----	$\text{Ca Mg}_2(\text{C O}_3)_3 \cdot \text{H}_2\text{O}$ -----	2.495-----	Rammelsberg. Dana's Min.
“-----	“-----	2.86-----	Hermann. J. P. C. 47, 13.
Bromlite-----	$\text{Ca Ba}(\text{C O}_3)_2$ -----	3.718-----	Thomson.
“-----	“-----	3.76, 15°.5-----	Johnston. P. M. (3), 6, 1.
Barytoceleite-----	“-----	3.66-----	Children. Ann. Phil. (2), 8, 114.
Manganocalcite-----	$\text{Ca Mn}_2(\text{C O}_3)_3$ -----	3.037-----	Breithaupt. P. A. 69, 429.
Pistomesite-----	$\text{Mg Fe}(\text{C O}_3)_2$ -----	3.412-----	Breithaupt. P. A. 70, 146.
“-----	“-----	3.417-----	
Mesitite-----	$\text{Mg}_2\text{Fe}(\text{C O}_3)_3$ -----	3.349-----	Breithaupt. P. A. 11, 170.
“-----	“-----	3.263-----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ankerite -----	$\text{Ca (Mg Fe) (C O}_3)_2$.	3.01 -----	Luboldt. Dana's Min.
“ -----	“ -----	3.008 -----	Ettling. Dana's Min.
“ -----	“ -----	3.072 -----	Boricky. J. 22, 1245.
Dawsonite -----	$\text{Al Na (C O}_3) (\text{O H})_2$.	2.40 -----	Harrington. Dana's Min., 2d App.

3d. Basic Carbonates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydromagnesite -----	$\text{Mg}_4 (\text{C O}_3)_3 (\text{O H})_2$.	2.145 -----	} Smith and Brush. J. 6, 851.
“ -----	“ -----	2.180 -----	
Hydrogiobertite -----	$\text{Mg}_2 \text{C O}_4 \cdot 3 \text{H}_2 \text{O}$ -----	2.149—2.174 -----	Seneci. See Z. K. M. 12, 202.
Hydrozincite -----	$\text{Zn}_3 (\text{C O}_3) (\text{O H})_4$ -----	3.252 -----	Petersen and Voit. A. C. P. 108, 48.
Zaratite -----	$\text{Ni}_3 (\text{C O}_3) (\text{O H})_4 \cdot 4 \text{H}_2 \text{O}$ -----	2.57 -----	} B. Silliman, Jr. J. 1, 1225.
“ -----	“ -----	2.693 -----	
Malachite -----	$\text{Cu}_2 (\text{C O}_3) (\text{O H})_2$ -----	3.715 -----	Breithaupt. Schw. J. 68, 291.
“ -----	“ -----	3.898 -----	Breithaupt. J. P. C. 16, 475.
“ -----	“ -----	4.06 -----	Smith. J. S, 975.
Azurite -----	$\text{Cu}_3 (\text{C O}_3)_2 (\text{O H})_2$ -----	3.88 -----	“ -----
“ -----	“ -----	3.5—3.831 -----	Dana's Mineralogy.
Bismutosphaerite -----	$\text{Bi}_2 \text{C O}_5$ -----	7.28—7.32 -----	Weisbach. J. C. S. 34, 117.
“ -----	“ -----	7.42 -----	Wells. A. J. S. (3), 34, 271.
Bismutite -----	$\text{Bi}_2 \text{H}_2 \text{C O}_6$ -----	6.86 -----	Louis. J. C. S. 54, 33.

XL. SILICATES.*

1st. Silicates Containing But One Metal.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium metasilicate	$\text{Na}_2 \text{Si O}_3 \cdot 8 \text{H}_2 \text{O}$	1.666, 18°	F. W. Clarke.
Phenakite	$\text{Gl}_2 \text{Si O}_4$	2.966	Kokscharow. J. 10, 664.
"	"	2.996	
"	"	2.967, 23°	
"	"	2.95	Hillebrand. Bull. 20, U. S. G. S.
Bertrandite	$\text{Gl}_4 \text{H}_2 \text{Si}_2 \text{O}_9$	2.593	Hatch. N. J. 1888, 171.
"	"	2.586	Bertrand. B. S. M. 3, 96.
"	"	2.55	Damour. B. S. M. 6, 252.
Enstatite	Mg Si O_3	3.19	Scharizer. Z. K. M. 14, 41.
"	"	3.10—3.13	Damour. Dana's Min.
"	"	3.153	Keungott. J. 8, 928.
" Artificial	"	3.11	Bröggerand v. Rath. Z. K. M. 1, 22.
Forsterite	$\text{Mg}_2 \text{Si O}_4$	3.243	Hautefeuille. J. 17, 212.
" Boltonite	"	3.008	Rammelsberg. J. 13, 757.
" "	"	3.208	Silliman, Jr. J. 2, 742.
" "	"	3.328	Smith. J. 7, 821.
Talc	$\text{Mg}_3 \text{H}_2 \text{Si}_4 \text{O}_{12}$	2.48—2.80	Scheerer. J. 4, 793.
"	"	2.682	
Serpentine	$\text{Mg}_3 \text{H}_4 \text{Si}_2 \text{O}_9$	2.557	Senft. Z. G. S. 14, 167.
"	"	2.644	Rammelsberg. J. 1, 1195.
"	"	2.57	Delesse. J. 1, 1195.
"	"	2.564—2.593	Hermann. J. 2, 764.
"	"	2.597—2.622	Gilm. J. 10, 678.
			Hunt. J. 11, 715.

* For sp. gr. of silicates before and after fusion see v. Kobell, Bei. 6, 314.

NOTE.—As regards the natural silicates this table is far from complete. Only those compounds are included which admit of fairly definite chemical formulation, and only a few typical determinations of specific gravity are given in each case. Furthermore, the arrangement is absolutely chemical, and is in no sense dependent upon mineralogical considerations. Thus, for example, all the magnesium silicates are brought together; and so also are the numerous double silicates of aluminum and calcium, quite regardless of their classification as mineral species. Many micas, chlorites, scapolites, etc., are omitted altogether; but the omissions are not serious, for all the important data have been many times collected in the larger treatises on mineralogy, and are, therefore, easily accessible.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Willemite	$Zn_2 Si O_4$	4.18	Levy. B. J. 25, 351.
"	"	4.02	Heringmann. J. 2, 743.
"	"	4.11	Mixer. J. 21, 1005.
"	"	4.16	
" Artificial	"	4.25	Gorgeu. B. S. C. 47, 146.
Calamine	$Zn_2 Si O_4 \cdot H_2 O$	3.435	Hermann. J. P. C. 33, 98.
"	"	3.43—3.49	Monheim. J. 1, 1187.
"	"	3.42	Schnabel. J. 11, 710.
"	"	3.36	Wieser. J. 24, 1153.
"	"	3.328, 21°	McIrby. J. 26, 1175.
Wollastonite	$Ca Si O_3$	2.884	Seibert. See Bottger.
"	"	2.853	v. Rath. J. 24, 1145.
"	"	2.799	Piquet. J. 25, 1104.
" Artificial	"	2.7	Bourgeois. Ann. (5), 29, 441.
"	"	2.88	Gorgeu. Ann. (6), 4, 515.
Xonaltite	$4 Ca Si O_3 \cdot H_2 O$	2.710—2.718	Rammelsberg. J. 19, 932.
Okenite	$Ca Si_2 O_5 \cdot 2 H_2 O$	2.324	Schmidt. J. 18, 889.
"	"	2.28	Kobell. Dana's Min.
"	"	2.362	Connell. Dana's Min.
Rhodonite	$Mn Si O_3$	3.63	Hermann. J. 2, 738.
"	"	3.63	Igelstrom. J. 4, 768.
"	"	3.65	Fino. J. 36, 1891.
" Artificial	"	3.68	Gorgeu. Ann. (6), 4, 515.
Hydrhodonite	$Mn Si O_3 \cdot H_2 O$	2.70	Engström.
Penwithite	$Mn Si O_3 \cdot 2 H_2 O$	2.49	Collins. Z. K. M. 5, 623.
Tephroite	$Mn_2 Si O_4$	4.1	Brush. J. 17, 837.
"	"	4.0	Mixer. S. 21, 1005.
" Artificial	"	4.34	Gorgeu. C. R. 98, 920.
"	"	4.08	Gorgeu. Ann. (6), 4, 515.
Friedelite	$Mn_4 H_4 Si_3 O_{12}$	3.07	Bertrand. C. R. 82, 1167.
Grunerite	$Fe Si O_3$	3.713	Gruner. C. R. 24, 794.
Fayalite	$Fe_2 Si O_4$	4.128	Gmelin. B. J. 21, 200.
"	"	4.005	Delesse. J. 7, 821.
" Artificial	"	4.4	Gorgeu. Ann. (6), 4, 515.
Chrysocolla	$Cu Si O_3 \cdot 2 H_2 O$	2.0—2.238	Dana's Mineralogy.
Diopside	$Ca H_2 Si O_4$	3.314	Kenngott. J. 3, 732.
"	"	3.348	
Kyanite	$Al_2 O_2 Si O_3$	3.48	Igelstrom. J. 7, 819.
"	"	3.661	Erdmann. B. J. 24, 311.
"	"	3.678	Jacobson. P. A. 68, 416.
Andalusite	$Al_2 (Si O_4)_3 (Al O_3)$	3.070	Rowney. J. 14, 982.
"	"	3.154	Erdmann. B. J. 24, 311.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Andalusite	$Al_3 (Si O_4)_3 (Al O)_3$	3.152	Kersten. J. P. C. 37, 163.
"	"	3.160	Damour. Ann. d. Mines (5), 4, 53.
"	"	3.07—3.12	Schmid. P. A. 97, 113.
Fibrolite	"	3.18—3.21	Damour. J. 18, 881.
"	"	3.239	Erdmann. B. J. 24, 311.
"	"	3.238	Dana. Dana's Min.
"	"	3.232	Brush. " "
Dumortierite	$Al_2 (Si O_4)_3 (Al O)_6$	3.36	Damour. Z. K. M. 6, 289.
Xenolite	$Al_4 (Si O_4)_3$	3.58	Nordenskiöld. P. A. 56, 643.
Kaolinite	$Al_2 O H (Si O_4)_2 H_3$	2.6	Clark. J. 4, 786.
"	"	2.4—2.63	Dana's Mineralogy.
"	"	2.611	Hillebrand. Bull. 20, U. S. G. S.
Pyrophyllite	$Al H (Si O_3)_2$	2.78—2.79	Sjögren. J. 2, 757.
"	"	2.81	Brush. J. 11, 707.
"	"	2.804	Genth. Z. K. M. 4, 384.
"	"	2.82	Tyson and Allen. J. 15, 745.
"	"	2.812	Genth. J. 36, 1903.
Allophane	$Al_2 Si O_5 \cdot 6 H_2 O$	2.02	Schnabel. J. 2, 756.
"	"	1.85—1.89	Dana's Mineralogy.
Szaboite	$Fe''_2 (Si O_3)_3$	3.505	Koch. Z. K. M. 3, 308.
Nontzonite. Chloropal	$Fe''_2 (Si O_3)_3 \cdot 5 H_2 O$	1.727—1.870	Dana's Mineralogy.
"	"	2.105	Thomson. Dana's Min.
Zircon	$Zr Si O_4$	4.047	Damour. J. 1, 1171.
"	"	4.595	Wetherill. J. 6, 796.
"	"	4.602	Hunt. J. 4, 768.
"	"	4.625	
"	"	4.395	
"	"	4.515	
"	"	4.438	
"	"	4.863	
"	"	4.709, 21°	
Cerium orthosilicate	$Ce_4 (Si O_4)_3$	4.9	Cross and Hillebrand. J. 36, 1839.
Thorium metasilicate	$Th (Si O_3)_2$	5.56, 25°	Diditr. C. R. 19, 882.
Thorium orthosilicate	$Th Si O_4$	6.82, 16°	Troost and Ouvrard. C. R. 105, 255.
Thorite. (Orangite)	$2 Th Si O_4 \cdot 3 H_2 O ?$	5.397	" "
"	"	5.34	Bergemann. P. A. 82, 562.
"	"	5.19	Krantz. P. A. 82, 586.
"	"	4.888—5.205	Damour. Ann. d. Mines (5), 1, 587.
"	"	4.344—4.397	Chydenius. P. A. 119, 43.
Eulytite	$Bi_4 (Si O_4)_3$	5.912—6.006	" "
"	"	6.106, 17°	Dana's Mineralogy. v. Rath. J. 22, 1209.

2d. Silicates Containing More Than One Metal.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pectolite	H Na Ca ₂ (Si O ₃) ₃	2.784	Scott. J. 5, 866.
"	"	2.778—2.881	Hedde and Greg. J. 8, 952.
"	"	2.875	Clarke. Bull. 9, U. S. G. S.
Milaccolite	Ca Mg (Si O ₃) ₂	3.37	Bonsdorff. Dana's Min.
"	"	3.285	Haushofer. J. 20, 984.
"	"	3.192	Doelter. Z. K. M. 4, 89.
"	"	3.273—3.275	Hunt. Dana's Min.
Tremolite	Ca Mg ₃ (Si O ₃) ₄	2.930—3.004	Rammelsberg. J. 11, 694.
"	"	2.99	Michaelson. Dana's Min.
"	"	2.996, 25°	König. Z. K. M. 1, 50.
Hedenbergite	Ca Fe (Si O ₃) ₂	3.467, 25°	Wolff. J. P. C. 34, 236.
"	"	3.492	Doelter. Z. K. M. 4, 90.
Monticellite	Ca Mg Si O ₄	3.119	Rammelsberg. J. 13, 758.
"	"	3.05	Freda. J. 36, 1876.
Knebelite	Fe Mn Si O ₄	3.714, 18° 5'	Doehereiner. Schw. J. 21, 49.
"	"	4.122	Erdmann. Dana's Min.
Kentrolite	Mn ² / ₂ Pb ₂ Si ₂ O ₉	6.19	v. Rath. Z. K. M. 5, 35.
Melanotekite	Fe ² / ₂ Pb ₂ Si ₂ O ₉	5.73	Lindström. Z. K. M. 6, 515.
Hyalotekite	Ca Ba Pb Si ₆ O ₁₅ ?	3.81	Nordenskiöld.
Vetalite	Al Li (Si ₂ O ₅) ₂	2.447—2.455	Rammelsberg. J. 5, 858.
"	"	2.412—2.553	Damour. Dana's Min.
" (Castorite)	"	2.382—2.401	Breithaupt. P. A. 69, 438.
Spodumene	Al Li (Si O ₃) ₂	3.170	Mohs. See Bottger.
"	"	3.1327—3.137	Rammelsberg. J. 5, 857.
"	"	3.16	Pisani. Z. K. M. 2, 109.
" Hiddenite	"	3.177	Genth. Z. K. M. 6, 522.
Eucryptite	Al ₃ Li ₃ (Si O ₃) ₃	2.647	Brush and Dana. A. J. S. (3), 20, 266.
"	"	2.667	"
Aluminum lithium silicate	Al ₂ Li ₂ Si ₅ O ₁₁	2.40, 12°	Hautefeuille. C. R. 90, 541.
" " "	Al Li Si ₂ O ₅	2.41, 11°	" " "
Albite	Al Na Si ₃ O ₈	2.612	Eggertz. Dana's Min.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Albite	$\text{Al Na Si}_3 \text{O}_8$	2.609, 12°	Streng. J. 24, 1151.
"	"	2.59	Leeds. J. 26, 1166.
"	"	2.604	Genth. J. 36, 1896.
"	"	2.618	Baerwald. J. 36, 1897.
"	"	2.601	Lacroix. Z. K. M. 14, 112.
" Artificial	"	2.61	Hautefeuille. Z. K. M. 2, 107.
Jadeite	$\text{Al Na (Si O}_3)_2$	3.26—3.36	Damour. B. S. M. 4, 157.
"	"	3.33	Damour. Z. K. M. 6, 290.
"	"	3.326—3.355	Halloek. { Unpub- lished
"	"	3.26—3.34	Hawes. } data from
"	"	3.35	Taylor. } U. S. National Museum.
Nephelinite	$\text{Al}_8 \text{Na}_8 \text{Si}_9 \text{O}_{34}$	2.56—2.617	Scheerer. P. A. 49, 359.
"	"	2.629	Kimball. J. 13, 762.
"	"	2.600—2.6087	Rammelsberg. Z. G. S. 29, 78.
"	"	2.60—2.63	Lorenzen. J. 36, 1884.
Analcite	$\text{Al Na H}_2 \text{Si}_2 \text{O}_7$	2.262—2.288	Waltershausen. J. 11, 711.
"	"	2.236	Waltershausen. J. 6, 820.
"	"	2.278	Thomson. Dana's Min.
"	"	2.222	Bamberger. Z. K. M. 6, 33.
Eudnophite	"	2.27	Weiby. J. 3, 735.
Paragonite	$\text{Al}_3 \text{Na H}_2 (\text{Si O}_4)_3$	2.779	Schafhäutl. Dana's Min.
" Pregrattite	"	2.895	Oellacher. Dana's Min.
" Cossaite	"	2.890—2.896	Gastaldi. Dana's Min., 2d App.
Hydronephelite	$\text{Al}_3 \text{Na}_2 \text{H} (\text{Si O}_4)_3 \cdot 3 \text{H}_2 \text{O}$	2.263	Diller. A. J. S. (3), 31, 267.
Natrolite	$\text{Al}_2 \text{Na}_2 \text{H}_4 (\text{Si O}_4)_3$	2.207, 11°	Gmelin. J. 3, 733.
"	"	2.254—2.258	Kenngott. J. 6, 820.
"	"	2.249	Brush. A. J. S. (2), 31, 365.
Orthoclase	$\text{Al K Si}_3 \text{O}_8$	2.5702	Breithaupt. See Böttger.
"	"	2.573	Rammelsberg. J. 20, 988.
"	"	2.576—2.586	v. Rath. J. 24, 1150.
"	"	2.572—2.595	Genth. J. 36, 1896.
" Artificial	"	2.55, 16°	Hautefeuille. Z. K. M. 2, 514.
Leucite	$\text{Al K (Si O}_3)_2$	2.519	Bischof. Dana's Min.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Leucite	$Al K (Si O_3)_2$	2.48	Rammelsberg, J. 9, 852.
"	"	2.479, 23°	v. Rath, J. 27, 1255.
" Artificial	"	2.47, 13°	Hautefeuille, Z. K. M. 5, 411.
Muscovite	$Al_3 K H_2 (Si O_4)_3$	2.817	Kussin, Dana's Min.
"	"	2.714—2.795	Grailich, Dana's Min.
"	"	2.830—2.831	Tschermak, Z. K. M. 3, 127.
"	"	2.855	Scharizer, Z. K. M. 12, 15.
Pollucite	$Al_2 Cs_2 H_2 (Si O_3)_5$	2.868—2.892	Breithaupt, P. A. 69, 439.
"	"	2.901	Pisani, J. 17, 850.
"	"	2.893	Rammelsberg, Z. K. M. 6, 286.
Grossularite	$Al_2 Ca_3 (Si O_4)_3$	3.522—3.536	Hunt, Dana's Min.
"	"	3.609	Websky, J. 22, 1214.
"	"	3.572	Jannasch, J. 36, 1880.
Anorthite	$Al_2 Ca (Si O_4)_2$	2.763	Rose. See Bottger.
"	"	2.73	Deville, J. 7, 832.
"	"	2.7325	Potyka, J. 12, 785.
"	"	2.668	Silliman, Dana's Min.
"	"	2.686	v. Rath, J. 27, 1255.
Idocrase	$Al_4 Ca_8 (Si O_4)_7 ?$	3.3123—3.3905	Karsten. See Bottger.
"	"	3.284	Rammelsberg, J. 2, 745.
"	"	3.41	Damour, J. 24, 1153.
"	"	3.2333	Korn, J. 36, 1874.
"	"	3.403—3.472	Jannasch, J. 36, 1875.
Melilite	$Al_2 Ca_6 Si_5 O_{19}$	2.9—3.104	Dana's Mineralogy.
"	"	2.95	Damour, Ann. 13, 10, 59.
Meionite*	$Al_6 Ca_4 Si_6 O_{25}$	2.734—2.737	v. Rath, P. A. 90, 87.
"	"	2.716, 16°	Neminar, J. 28, 1227.
Gehlenite	$Al_2 Ca_3 Si_2 O_{10}$	2.9—3.067	Dana's Mineralogy.
"	"	2.997	Janovsky, J. 26, 1170.
Prehnite	$Al_2 Ca_2 H_2 (Si O_4)_3$	2.926	Mohs. See Bottger.
"	"	2.845—2.897, 4°	Streng, N. J. 1870, 314.
"	"	3.042	Genth, J. 36, 1185.
Heulandite	$Al_2 Ca H_{10} Si_6 O_{21}$	2.195	Thomson, Dana's Min.
"	"	2.1963	Jeremejew, Z. K. M. 2, 503.
Stilbite	$Al_3 Ca H_{12} Si_6 O_{27}$	2.203	Munster, P. A. 65, 297.

* For other data relative to the zeapolite group see Dana's Mineralogy and also Tschermak's memoir in M. C. 4, 884.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stilbite	$\text{Al}_2 \text{Ca H}_{12} \text{Si}_6 \text{O}_{22}$	2.134	Waltershausen. Dana's Min.
"	"	2.16	Schmid. J. 24, 1158.
Laumontite	$\text{Al}_2 \text{Ca H}_8 \text{Si}_4 \text{O}_{16}$	2.268	Breithaupt. See Böttger.
"	"	2.252	Mallet. Dana's Min.
"	"	2.280—2.310	Gericke. J. 9, 861.
Scolezite	$\text{Al}_2 \text{Ca}_2 \text{H}_6 \text{Si}_3 \text{O}_{13}$	2.393	Waltershausen. J. 6, 819.
"	"	2.28	Collier. Dana's Min.
"	"	2.27	Lüdecke. Z. K. M. 6, 312.
Chabazite	$\text{Al}_2 \text{Ca H}_{12} \text{Si}_4 \text{O}_{18}$	2.004	Breithaupt. See Böttger.
"	"	2.08—2.19	Dana's Mineralogy.
"	"	2.133	Streng. Z. K. M. 1, 519.
"	"	2.115	Rammelsberg. J. 9, 849.
Zoisite	$\text{Al}_3 \text{Ca}_2 \text{H Si}_3 \text{O}_{13}$	3.251—3.361	
"	"	3.226—3.381	Breithaupt. Dana's Min.
Margarite	$\text{Al}_4 \text{Ca H}_2 \text{Si}_2 \text{O}_{12}$	2.99	Hermann. J. P. C. 53, 16.
Oligoclase	$\text{Al}_3 \text{Ca Na}_3 \text{Si}_{11} \text{O}_{32}$	2.66—2.68	Kerndt. J. 1, 1182.
"	"	2.725	v. Rath. J. 11, 706.
"	"	2.643—2.689	Petersen. J. 25, 1112.
Andesite	$\text{Al}_3 \text{Ca Na Si}_5 \text{O}_{16}$	2.651—2.736	Delesse. J. 1, 1183.
"	"	2.667—2.674	Hunt. J. 14, 995.
Labradorite	$\text{Al}_7 \text{Ca}_3 \text{Na Si}_9 \text{O}_{32}$	2.719—2.883	Delesse. J. 1, 1183.
"	"	2.709	Damour. J. 3, 723.
"	"	2.697	Hunt. J. 4, 782.
"	"	2.72—2.77, 15°.	Streng. J. 15, 736.
Faujasite	$\text{Al}_4 \text{CaNa}_2 \text{H}_4 (\text{SiO}_3)_{10} \cdot 18 \text{H}_2 \text{O}$	1.923	Damour. Ann. d. Mines (4), 1, 395.
Thomsonite	$2 \text{Al}_2 (\text{Ca Na})_2 \text{Si}_2 \text{O}_8 \cdot 5 \text{H}_2 \text{O}$	2.35—2.38	Zippe. Dana's Min.
"	"	2.357	Rammelsberg. J. P. C. 59, 348.
" Lintonite	"	2.32—2.37	Peckham and Hall. A. J. S. (3), 19, 122.
Gmelinite	$\text{Al}_2 (\text{CaNa}_2) \text{H}_{12} \text{Si}_4 \text{O}_{18}$	2.07	Damour. J. 12, 796.
"	"	2.099—2.169	Dana's Mineralogy.
"	"	2.100	Liversidge. J. 36, 1895.
Milarite	$\text{Al}_2 \text{Ca}_2 \text{K H} (\text{Si}_2 \text{O}_5)_6$	2.5529	Ludwig. Z. K. M. 2, 631.
Phillipsite	$\text{Al}_2 (\text{CaK}_2) \text{H}_8 \text{Si}_4 \text{O}_{16}$	2.201	Waltershausen. Dana's Min.
"	"	2.213	Marignac. B. J. 26, 351.
"	"	2.150, 21°	W. Fresenius. Z. K. M. 3, 42.
"	"	2.160, 20°	
Strontium oligoclase	$\text{Al}_5 \text{Sr Na}_3 \text{Si}_{11} \text{O}_{32}$	2.619	Fouqué and Lévy. C. R. 90, 622.
Strontium labradorite	$\text{Al}_7 \text{Sr}_3 \text{Na Si}_9 \text{O}_{32}$	2.862	" "
Strontium anorthite	$\text{Al}_2 \text{Sr} (\text{SiO}_4)_2$	3.043	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium oligoclase	$Al_5 Ba Na_3 Si_{11} O_{32}$	2.906	Fouqué and Lévy. C. R. 90, 622.
Barium labradorite	$Al_7 Ba_3 Na Si_9 O_{32}$	3.333	" "
Barium anorthite	$Al_2 Ba (Si O_4)_2$	3.573	" "
Harmotome	$Al_2 Ba H_{10} Si_5 O_{19}$	2.392	Mohs. See Bottger.
"	"	2.44—2.45	Dana's Mineralogy.
"	"	2.447	Danour. Dana's Min.
"	"	2.402, 21°	W. Fresenius. Z. K. M. 3, 42.
Lead oligoclase	$Al_5 Pb Na_3 Si_{11} O_{32}$	3.196	Fouqué and Lévy. C. R. 90, 622.
Lead labradorite	$Al_7 Pb_3 Na Si_9 O_{32}$	3.609	" "
Lead anorthite	$Al_2 Pb (Si O_4)_2$	4.093	" "
Eucrase	$Al Gl H Si O_5$	3.036	Mallet. J. 6, 800.
"	"	3.097	Des Cloizeaux. Dana's Min.
"	"	3.096—3.103	Kokscharow. Dana's Min.
"	"	3.087	Guyot. Z. K. M. 5, 250.
Beryl	$Al_2 Gl_3 (Si O_3)_6$ or	2.813	Mallet. J. 7, 828.
"	$Al_4 Gl_5 H_2 Si_{11} O_{34}$	2.686	Haughton. J. 15, 720.
"	"	2.650	Petersen. J. 19, 925.
"	"	2.706	Penfield and Harper. A. J. S. (3), 32, 111.
"	"	2.681—2.725	Kokscharow. Dana's Min.
" Emerald	"	2.614	Boussingault. J. 22, 1216.
" "	"	2.710—2.759	Kammerer. Dana's Min.
Tollite	$Al_4 Mg_2 Si_5 O_{18}$	2.605	Kokscharow. J. 13, 767.
"	"	2.6699, 16°	Schachtel. Z. K. M. 7, 594.
"	"	2.6708, 18°	Jost. Z. K. M. 7, 594.
Ripidolite	$Al_4 Mg_5 Si_5 O_{14} \cdot 4H_2O$	2.774	Rose. Dana's Min.
"	"	2.603	Hermann. Dana's Min.
"	"	2.673	Mérignac. Dana's Min.
"	"	2.714	Blake. Dana's Min.
Arctolite	$Al_2 Mg Ca H_2 (Si O_4)_2$	3.03	Blomstrand.
Manganese garnet. Artificial.	$Al_2 Mn_3 (Si O_4)_3$	4.05, 11°	Gorgeu. C. R. 97, 1503.
Kerpholite	$Al_2 Mn H_4 Si_2 O_{10}$	2.935	Breithaupt. Dana's Min.
"	"	2.876	Koninek. Z. K. M. 4, 222.
Almandite	$Al_2 Fe''_3 (Si O_4)_3$	3.90—4.236	Wachtmister. Dana's Min.
"	"	4.196	Mallet. Dana's Min.
"	"	4.197	Wobsky. J. 21, 1013.
"	"	4.127	Heldle. J. 36, 1881.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Partschinite	$Al_2 Fe'' Mn_2 (Si O_4)_3$	4.006	Haidinger. J. 7, 826.
Venasquite	$Al_2 Fe'' H_2 Si_3 O_{11}$	3.26	Damour. Z. K. M. 4, 413.
Chloritoid	$Al_2 Fe'' H_2 Si O_7$	3.52	Smith. J. 3, 741.
"	"	3.513	Hunt. J. 14, 1011.
"	"	3.538	Tschermak and Sipöcz. Z. K. M. 3, 508.
Ouvarovite	$Cr_2 Ca_3 (Si O_4)_3$	3.5145	Erdmann. B. J. 23, 291.
"	"	3.41—3.52	Dana's Mineralogy.
Acmite	$Fe''' Na (Si O_3)_2$	3.536—3.543	Breithaupt. See Böttger.
"	"	3.530	Rammelsberg. J. 11, 695.
"	"	3.520	Doelter. Z. K. M. 4, 92.
Andradite	$Fe'''_2 Ca_3 (Si O_4)_3$	3.85	Damour. J. 9, 848.
"	"	3.796—3.798	Kokscharow. J. 12, 782.
"	"	3.797	Fellenberg. J. 20, 984.
"	"	3.740	Dana. Z. K. M. 2, 311.
" Demantoid	"	3.828	Rammelsberg. Z. K. M. 3, 103.
"	"	3.81, 15°	Cossa. Z. K. M. 5, 602.
Crocidolite	$Fe'''_2 Fe''_3 Na_2 H_4 (Si O_3)_9$	3.200	Stromeyer and Hausmann. P. A. 23, 153.
"	"	3.2	Chester. A. J. S. (3), 34, 108.
Lievrite	$Fe''' Fe''_2 Ca H Si_2 O_9$	3.711	Tobler. J. 9, 851.
"	"	4.023	Städeler. J. 19, 934.
"	"	4.05	Lorenzen. J. 36, 1879.
Thuringite. (Owenite)	$Fe'''_4 Fe''_4 Si_3 O_{16} 5 H_2 O$	3.197, 20°	Genth. A. J. S. (2), 16, 167.
"	"	3.191	Smith. A. J. S. (2), 18, 376.
"	"	3.177	Zepharovich. Z. K. M. 1, 371.
Sphene	$Ca Ti Si O_5$	3.49—3.51	Hunt. J. 6, 837.
"	"	3.44	Fuchs. Dana's Min.
"	"	3.535	Rose. " "
" Greenovite	"	3.547	Hintze. Z. K. M. 2, 310.
" Artificial	"	3.45	Hautefeuille. J. 17, 216.
Guarinite	"	3.487	Guiscardi. J. 11, 718.
Zirconium potassium silicate.	$Zr K_2 Si_2 O_7$	2.79	Mellis. Göttingen Doct. Diss., 1870.
Zirconium sodium silicate	$Zr_2 Na_2 Si O_{19} 11 H_2 O$	3.53	" "
Calcium tin silicate	$Ca Sn Si O_5$	4.34	Bourgeois. C. R. 104, 233.

3d. Boro-, Fluor-, and Other Mixed Silicates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Danburite	$\text{Ca B}_2 \text{Si}_2 \text{O}_8$	2.986	Brush and Dana. Z. K. M. 5, 185. Bodewig. Z. K. M. 7, 297.
"	"	3.021	
"	"	2.986	
"	"	2.988	
Datolite	Ca H B Si O_5	2.989	Mohs. See Böttger. Breithaupt. See Böttger. Whitney. J. 12, 801. Tschermak. J. 13, 778. Smith. J. 27, 1270.
"	"	2.9911	
"	"	2.983	
"	"	2.987—3.014	
"	"	2.988	
Homilite	$\text{Ca}_2 \text{Fe B}_2 \text{Si}_2 \text{O}_{10}$	3.28	Paikull. Z. K. M. 1, 385.
Howlite	$\text{Ca}_2 \text{H}_3 \text{B}_3 \text{Si O}_{11}$	2.59	Penfield and Sperry. A. J. S. (3), 34, 221.
Axinite	$\text{Al}_2 (\text{Ca Fe Mn})_4 \text{H}_2 \text{B Si}_5 \text{O}_{21}$	3.271	Mohs. See Böttger.
Tourmaline. Colorless	$\text{Al B O}_2 (\text{Si O}_4)_2 \text{R}'_6$	3.07—3.085	Riggs. A. J. S. (3), 35, 35.
" Red	"	2.998—3.082	Rammelsberg. J. 3, 744.
" "	"	2.997—3.028	Riggs. A. J. S. (3), 35, 35.
" Green	"	3.069—3.112	Rammelsberg. J. 3, 744.
" Brown	"	3.035—3.068	" "
" Black	"	3.205—3.243	" "
" "	"	3.08—3.20	Riggs. A. J. S. (3), 35, 35.
Apophyllite	$\text{Ca}_4 \text{K H}_8 (\text{Si O}_3)_4 \text{F}_4 \text{H}_2 \text{O}$	2.335	Mohs. See Böttger.
"	"	2.365	Jackson. J. 3, 733.
"	"	2.37	Smith. J. 7, 838.
Leucophane	$\text{Gl}_1 \text{Ca}_4 \text{Na}_3 \text{Si}_7 \text{O}_{27} \text{F}_3$	2.964	Rammelsberg. J. 9, 867.
"	"	2.974	Erdmann. B. J. 21, 168.
Melinophane	$\text{Gl}_1 \text{Ca}_3 \text{Na}_{12} \text{Si}_4 \text{O}_{14} \text{F}_{12}$	3.00	Scheerer. J. 5, 883.
"	"	3.018	Rammelsberg. J. 9, 867.
Topaz	$\text{Al}_2 \text{Si O}_4 \text{F}_2$	3.439—3.517	Breithaupt. See Böttger.
"	"	3.52—3.56	Kokcharow. J. 9, 867.
"	"	3.514—3.593	Rammelsberg. J. P. C. 96, 7.
"	"	3.533—3.597	Church. Geol. Mag. (2), 2, 320.
"	"	3.578, 229	Hillebrand Bull. 20, U. S. G. S.
Lepidolite	$\text{Al}_2 \text{K Li Si}_3 \text{O}_9 \text{F}_2$	2.834—2.8516	Berwerth. Z. K. M. 2, 523.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lepidolite -----	$Al_2 K Li Si_3 O_9 F_2$ -----	2.838 -----	Scharizer. Z. K. M. 12, 15.
Phlogopite -----	$Al_2 Mg_5 H K Si_5 O_{18} F_2$ -----	2.78—2.85 -----	Dana's Mineralogy.
“ -----	“ -----	2.81 -----	Kenngott. J. 15, 742.
“ -----	“ -----	2.959, 16° -----	Berwerth. Z. K. M. 2, 521.
“ -----	“ -----	2.742—2.867 -----	Tschermak. Z. K. M. 3, 127.
Calcium chlorosilicate -----	$Ca_3 Si O_4 Cl_2$ -----	2.77 -----	Le Chatelier. C. R. 97, 1510.
Sodalite -----	$Al_4 Na_5 (Si O_4)_4 Cl$ -----	2.401 -----	v. Rath. Dana's Min.
“ -----	“ -----	2.31 -----	Lorenzen. J. 36, 1884.
“ -----	“ -----	2.3405, 21° -----	Bamberger. Z. K. M. 5, 584.
“ -----	“ -----	2.294—2.314 -----	Kimball. J. 13, 775.
Marialite -----	$Al_3 Na_4 Si_9 O_{24} Cl$ -----	2.626, 19° -----	v. Rath. Z. G. S. 18, 635.
Pyrosmalite -----	$Mn_3 Fe''_5 H_{14} (Si O_4)_8 Cl_2$ -----	3.168—3.174 -----	Lang. J. P. C. 83, 424.
“ -----	“ -----	3.081 -----	Hisinger. Dana's Min.
Helvite -----	$Gl_3 Mn_4 (Si O_4)_3 S$ -----	4.306 -----	Lewis. Z. K. M. 7, 425.
“ -----	“ -----	3.23—3.37 -----	Kokscharow. J. 22, 1228.
Danalite -----	$Gl_3 Fe_3 Zn (Si O_4)_3 S$ -----	3.427 -----	Cooke. A. J. S. (2), 42, 73.
Nosean -----	$Al_4 Na_6 (Si O_4)_4 S O_4$ -----	2.25—2.4 -----	Dana's Mineralogy.
“ -----	“ -----	2.279—2.399 -----	v. Rath. Z. G. S. 16, 86.
Complex silicate and sulphide.	$Ca_{18} Al_2 S_2 O_{35} \cdot 2Ca S$ -----	3.054 -----	Rammelsberg. J. P. C. (2), 35, 98.
Thaumasite -----	$Ca_3 Si O_3 S O_4 C O_3 \cdot 14 H_2 O$ -----	1.877, 19° -----	Lindström. J. 33, 1484.
Calcium silicophosphate -----	$Ca_5 Si O_4 (P O_4)_2$ -----	3.042 -----	Carnot and Richard. B. S. M. 6, 241.

XLI. TITANATES AND STANNATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium titanate. Artificial.	$Ca Ti O_3$ -----	4.10 -----	Ebelmen.
“ “ “	“ -----	4.00 -----	Hautefeuille. J. 17, 217.
“ “ Perofskite.	“ -----	4.017 -----	Rose. B. J. 20, 210.
“ “ “	“ -----	4.038 -----	Damour. J. 8, 960.
“ “ “	“ -----	2.974, 20° -----	Brun. Z. K. M. 7, 389.
Strontium titanate -----	$Str_2 Ti_3 O_8$ -----	5.1 -----	Bourgeois. C. R. 103, 141.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium titanate	$Ba_2 Ti_3 O_8$	5.91	Bourgeois. C. R. 103, 141.
Magnesium titanate	$Mg Ti O_3$	3.91	Hautefeuille. J. 17, 217.
Magnesium orthotitanate	$Mg_2 Ti O_4$	3.52	" "
Ilmenite	$Fe Ti O_3$	4.727	Marignac. B. J. 26, 372.
Iron orthotitanate	$Fe_2 Ti O_4$	4.37	Hautefeuille. J. 17, 217.
Zinc titanate	$Zn Ti_3 O_7$	4.92, 15°	Levy. C. R. 105, 380.
Potassium stannate	$K_2 Sn O_3 \cdot 3 H_2 O$	3.197	Ordway. J. 18, 240.

XLII. CYANOGEN COMPOUNDS.*

1st. General Division.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cyanogen. Liquefied	$C_2 N_2$.866, 17° 2	Faraday. P.T. 1845, 155.
Hydrocyanic acid	$H C N$.7058, 7°	Gay Lussac. Ann. 95, 136. Trautwein. Cooper. P. A. 47, 527.
" "	"	.6969, 18°	
" "	"	.710, 6°	
" "	"	.706, 2° 8	
Cyanic acid	$H C N O$	1.1558, -20°	Troost and Hautefeuille. J. 21, 314.
" "	"	1.110, 0°	
Cyanuric acid	$H_3 C_3 N_3 O_3$	1.768, 0°	Troost and Hautefeuille. J. 22, 99. Schroder. Ber. 13, 1070.
" "	"	2.500, 19°	
" "	"	2.228, 24°	
" "	"	1.725, 48°	
" "	"	1.722 1.735	
Cyanamide	$(H C N O)_n$	1.974, 0°	Troost and Hautefeuille. J. 22, 99.
" "	"	1.771, 24°	
Hydrosulphocyanic acid	$H C N S$	1.0013, 10°	Clasen.
" "	"	1.022	Porrett. P.T. 1814, 548.
" "	"	1.0082	Meitzendorff. P. A. 56, 63.
Tricyanogen trichloride	$C_3 N_3 Cl_3$	1.32	Serullas. Ann. (2), 38, 370.
Cyanogen iodide	$C N I$	1.85	Weltzien's "Zusammenstellung."

* Exclusive of organic cyanides, or compounds containing organic radicals.

2d. Cyanides, Cyanates, and Sulphocyanides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium cyanide	K C N	1.52, 12°	Bödeker. B. D. Z.
Silver cyanide	Ag C N	3.943, 11°	Giasecke. "
Mercury cyanide	Hg (C N) ₂	3.77, 13°	Bödeker. "
" "	"	4.0036, 14° 2	Clarke. A. J. S. (3), 16, 201.
" "	"	4.0262, 12°	Creighton. F. W. C.
" "	"	4.0026, 22° 2	Wittmann. "
" "	"	3.990	Schröder. Ber. 13,
" "	"	4.011	1070.
Mercury oxycyanide	Hg O. Hg (C N) ₂	4.419 } 23° 2	Clarke. A. J. S.
" "	"	4.428	(3), 16, 201.
" "	"	4.437, 19° 2	Creighton. F. W. C.
Mercury chlorocyanide	Hg Cl (C N)	4.514, 26°	Wittmann. "
" "	"	4.531, 21° 7	
Mercury potassium cyanide.	K ₂ Hg (C N) ₄	2.4470, 21° 2	Creighton. "
" "	"	2.4551, 24°	
" "	"	2.4620, 21° 5	
Potassium chromocyanide	K ₄ Cr (C N) ₆	1.71	Moissan. Ann. (6), 4, 138.
Potassium manganicyanide.	K ₃ Mn (C N) ₆	1.821	Topsoë. B. S. C. 19, 246.
Sodium ferrocyanide	N ₄ Fe (C N) ₆ . 12 H ₂ O	1.458	Bunsen.
Potassium ferrocyanide	K ₄ Fe (C N) ₆ . 3 H ₂ O	1.83	Watts' Dictionary.
" "	"	1.86	Schiff. J. 12, 41.
" "	"	2.052	Buignet. J. 14, 15.
Thallium ferrocyanide	Tl ₄ Fe (C N) ₆ . 2 H ₂ O	4.641	Lamy and Des Cloi- zeaux. Nature 1, 142.
Ammonium ferrocyanide with ammonium chlor- ide.	Am ₄ Fe (C N) ₆ . 2 Am Cl. 3 H ₂ O.	1.490	Topsoë. C. C. 4, 76.
Potassium ferricyanide	K ₃ Fe Cy ₆	1.8004	Schabus. J. 3, 359.
" "	"	1.845	Wallace. J. 7, 378.
" "	"	1.849	Schiff. J. 12, 41.
" "	"	1.817	Buignet. J. 14, 15.
" "	"	1.849, 15° 3	
" "	"	1.854, 15° 3	
" "	"	1.855, 15°	Schröder. Dm. 1873.
" "	"	1.861, 15°	
Silver ammonio-ferricy- anide.	4 Ag Fe (C N) ₆ } 6 N H ₃ . H ₂ O. }	2.42 } 2.47 } 14° 2	Gintl. J. 22, 321.
Sodium nitroprusside	N ₄ Fe ₂ (C N) ₁₀ } (NO) ₂ . 4 H ₂ O. }	1.710 } 1.716 }	Schröder. Dm. 1873.
" "	"	1.6869, 25°	Dudley. F. W. C.
" "	"	1.713	Schröder. Ber. 13,
" "	"	1.731	1070.
Potassium nickel cyanide	K ₂ Ni (C N) ₄ . H ₂ O.	1.871, 14° 5 } 1.875, 11 }	Dudley. F. W. C.
Potassium cobaltcyanide.	K ₃ Co (C N) ₆	1.906, 11°	Bödeker. B. D. Z.
" "	"	1.913	Topsoë. C. C. 4, 76.
Potassium platinoocyanide.	K ₂ Pt (C N) ₄ . 3 H ₂ O	2.4548, 16° } 2.5241, 13° }	Dudley. F. W. C.
Barium platinoocyanide	BaPt (C N) ₄	3.054	Schabus. J. 3, 360.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Samarium platinoeyanide	$\text{Sm}_2\text{Pt}_3(\text{CN})_{12} \cdot 18\text{H}_2\text{O}$	2.743 } 20°.8	Cleve. U. S. A. 1885.
“ “	“ “	2.745 } “	“ “
Thorium platinoeyanide.	$\text{ThPt}_2(\text{CN})_8 \cdot 16\text{H}_2\text{O}$	2.460 -----	Topsoë. B. S. C. 21, 118.
Potassium cyanate-----	K C N O -----	2.0475, 16°-----	Mendius. B. D. Z.
“ “-----	“-----	2.056, 4°-----	Schröder. Ber. 12, 561.
Silver cyanate-----	Ag C N O -----	4.004, 16°-----	Mendius. B. D. Z.
“ “-----	“-----	3.998-----	Schröder. Ber. 13, 1070.
Potassium sulphocyanide.	K C N S -----	1.866 } 14°-----	Bodeker. B. D. Z.
“ “-----	“-----	1.906 } “	Schröder. Ber. 11, 2215.
“ “-----	“-----	1.891-----	“ “
Ammonium sulphocya- nide. “-----	Am C N S -----	1.269 } 13°-----	Dudley. F. W. C.
“ “-----	“-----	1.316 } “	Schröder. Ber. 11, 2215.
“ “-----	“-----	1.316-----	“ “
Lead sulphocyanide-----	Pb (C N S)_2 -----	3.82-----	Schabus. J. 3, 362.
Phosphorus sulphocyanide	P (C N S)_3 -----	1.625, 18°-----	Miquel. J. C. S. 32, 872.
Potassium chromium sul- phocyanide. “ “-----	$\text{K}_6\text{Cr(CNS)}_{12} \cdot 8\text{H}_2\text{O}$	1.7051, 17°.5 } “	Dudley. F. W. C.
“ “-----	“-----	1.7107, 16°-----	“ “
Potassium platinsulpho- cyanide. “-----	$\text{K}_2 \text{Pt (C N S)}_6$ -----	2.342, 18°-----	“ “
“ “-----	“-----	2.370, 19°-----	“ “
Potassium platinselenio- cyanide. “-----	$\text{K}_2 \text{Pt (C N Se)}_6$ -----	3.377, 10°.2 } “	“ “
“ “-----	“-----	3.378, 12°.5 } “	“ “
Titanium nitroeyanide---	$\text{Ti (C N)}_2 \cdot 3 \text{Ti}_3 \text{N}_2$ ---	5.30-----	Wollaston. P. T. 1823, 17.
“ “-----	“-----	5.28001-----	Karsten. Schw. J. 65, 394.
Samarium sulphocyanide with mercuric cyanide.	$\text{Sm (C N S)}_2 \cdot 3 \text{Hg} \cdot$ $(\text{CN})_2 \cdot 12 \text{H}_2 \text{O} \cdot$	2.742, 18° } 2.749, 18°.4 }	Cleve. U. S. A. 1885.

XLIII. MISCELLANEOUS INORGANIC COMPOUNDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitrogen chlorophosphide	$\text{P}_3 \text{N}_3 \text{Cl}_3$ -----	1.98-----	Glücksstone and Holmes. J. 17, 148.
Mercury sulphide with copper chloride.	Hg S. Cu Cl_2 -----	6.29-----	Raschig. A. C. P. 228, 27.
Mercury chloride with am- monium dichromate.	$\text{Hg Cl}_2 \cdot \text{Am}_2 \text{Cr}_2 \text{O}_7$	3.1850, 18°-----	Highway. F. W. C.
“ “-----	“-----	3.2326, 21°-----	“ “
“ “-----	“-----	3.0824, 14°-----	Langenbeck. P. W. C.
Mercury cyanide with po- tassium chromate.	$2 \text{Hg Cy}_2 \cdot \text{K}_2 \text{Cr O}_4$	3.564, 21°.8-----	H. Schmidt. F. W. C.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium nitrate-sulphate.	$K_2 S O_4 \cdot H N O_3$	2.38	Jacquelin. A. C. P. 32, 234.
Potassium phosphato-sulphate.	$K_2 S O_4 \cdot H_3 P O_4$	2.296	" "
Hanksite	$4 Na_2 S O_4 \cdot Na_2 C O_3$	2.562	Hidden. A. J. S. (3), 30, 135.
Phosgenite	$Pb_2 C O_3 Cl_2$	6.305	Rammelsberg. P. A. 85, 141.
Leadhillite	$Pb_4 S O_4 (C O_3)_3$	6.550	Gadolin. J. 6, 846.
"	"	6.526	Kokscharow. J. 6, 846.
Bastnäsite (Hamartite)	$(Ce La Di) (C O_3) F$	4.93	Nordenskiöld. J. 22, 1246.
"	"	5.18—5.20	Allen and Comstock. A. J. S. (3), 19, 390.
Parisite	$(Ce La Di)_2 (C O_3)_4 \cdot Ca F_2$	4.35	Bunsen. Dana's Min.
"	"	4.317	Dufrenoy. Dana's Min.

XLIV. ALLOYS.*

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
SODIUM AND POTASSIUM.		
Na K	.8993	} 0°, solid } Hagen. P. A. (2), 19, 436.
"	.8994	
"	.8905, 49°.5, fluid	
ZINC AND CALCIUM.†		
Zn ₁₂ Ca	6.369	} v. Rath. Z. C. 12, 665.
"	6.3726	
ALLOYS OF MERCURY. AMALGAMS.		
Hg Zn	11.304	Calvert and Johnson. J. 12, 120.
Hg ₃ Cd ₂	12.615	Croockewitt. J. 1, 393.
Hg Pb	11.93	" "
"	12.284, 15°.7	Matthiessen. P. T. 1860, 177.
Hg Pb ₂	11.979, 15°.9	" "
Hg ₃ Pb ₂	12.49, 17°	Bauer. J. 24, 317.
Hg ₂ Pb	12.815, 15°.5	Matthiessen. P. T. 1860, 177.
Hg ₂ Sn	11.3816	Kupffer. Ann. (2), 40, 285.
"	11.456, 11°.3	Holzmann. P. T. 1860, 177.

* This table contains only a moderate number of the many determinations which have been made relative to the specific gravity of alloys. Only those alloys have been admitted which allow of relatively simple chemical formulae. Some of them are doubtless true chemical compounds, but in most cases the formulae merely represent proportionate composition.

† See also Norton and Twitchell, A. C. J. 10, 70.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
ALLOYS OF MERCURY. AMALGAMS—continued.		
Hg Sn	10.3447	Kupffer. Ann. (2), 40, 285.
"	10.369, 14° 2'	Holzmann. P. T. 1860, 177.
"	10.255	Calvert and Johnson. J. 12, 120.
Hg Sn ₂	9.3185	Kupffer. Ann. (2), 40, 285.
"	9.362, 9° 9'	Holzmann. P. T. 1860, 177.
"	9.314	Calvert and Johnson. J. 12, 120.
Hg Sn ₃	8.8218	Kupffer. Ann. (2), 40, 285.
"	8.805	Calvert and Johnson. J. 12, 120.
Hg Sn ₄	8.510	" "
Hg Sn ₅	8.312	" "
Hg Sn ₆	8.151	" "
Hg Bi	11.208	" "
Hg Bi ₂	10.693	" "
"	10.45	Croockewitt. J. 1, 393.
Hg Bi ₃	10.474	Calvert and Johnson. J. 12, 120.
Hg Bi ₄	10.350	" "
Hg Bi ₅	10.240	" "
Hg ₅ Ag ₁₂ Native	12.703, 17°	Weiss. J. 36, 18-19.
Hg ₂ Au	15.412	Croockewitt. J. 1, 393.
ALLOYS OF ALUMINUM.		
Al Zn	4.532	Hirzel. J. 11, 133.
Al ₆ Sn	3.583	" "
Al ₅ Sn	3.791	" "
Al ₄ Sn	4.025	" "
Al ₃ Sn	4.276	" "
Al ₂ Sn	4.744	" "
Al Sn	5.454	" "
Al Sn ₂	6.264	" "
Al Sn ₃	6.536	" "
Al ₃ Sb	4.45—4.52	Marignac. J. 21, 215.
Al ₃ Ta	7.02	Marignac. J. 21, 212.
Al Cr	4.6	Wohler. J. 11, 160.
Al ₄ W	5.58	Michel. J. 13, 130.
Al ₃ Mn	3.402	Michel. J. 13, 131.
Al ₆ Ni	3.647	Michel. J. 13, 132.
Al ₄₄ Cu	2.764	Hirzel. J. 11, 133.
Al ₆ Cu	3.206	" "
Al ₅ Cu	3.316	" "
Al ₁₁ Cu ₃	3.579	" "
Al ₇ Cu ₂	3.724	" "
Al ₅ Cu	3.972	" "
Al ₉ Cu ₄	4.148	" "
Al ₂ Cu	4.355	" "
Al Cu	5.731	" "
Al Cu ₂	6.946	" "
Al Cu ₃	7.204	" "
Al Cu ₄	7.534	" "
Al Cu ₅	7.727	" "
Al Cu ₆	7.751	" "
Al ₂ Cu ₁₅	7.884	" "
Al ₂ Ag	6.733	Hirzel. J. 11, 137.
Al Ag	8.744	" "
Al Ag ₂	9.376	" "

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
TIN AND ZINC.		
Sn ₂ Zn	7.235	Croockewitt. J. 1, 394.
"	7.274	Calvert and Johnson. J. 12, 120.
Sn Zn	7.115	Croockewitt. J. 1, 394.
"	7.262	Calvert and Johnson. J. 12, 120.
Sn Zn ₂	7.096	Croockewitt. J. 1, 394.
"	7.188	Calvert and Johnson. J. 12, 120.
Sn Zn ₃	7.180	" "
Sn Zn ₄	7.155	" "
Sn Zn ₅	7.140	" "
Sn Zn ₁₀	7.135	" "
TIN AND CADMIUM.		
Sn ₆ Cd	7.434, 12° 7	Matthiessen. P. T. 1860, 177.
Sn ₄ Cd	7.489, 15°	" "
Sn ₂ Cd	7.690, 12° 9	" "
Sn Cd	7.904, 13° 2	" "
Sn Cd ₂	8.139, 11° 1	" "
Sn Cd ₄	8.336, 14° 5	" "
Sn Cd ₆	8.432, 15°	" "
TIN AND LEAD.		
Sn ₁₂ Pb	7.628, 19° 4	} --- Vicentini and Omodei. Bei. 12, 178. Melting point, 181°.
"	7.4849, 181° s.	
"	7.3513, 212° 1	
"	7.3209, 218° 7	
"	7.3041, 249° 4	
"	7.2726, 275° 3	
"	7.2490, 304° 2	
"	7.2294, 329°	
"	7.2088, 354° 8	
Sn ₆ Pb	7.9210	Kupffer. Ann. (2), 40, 285.
"	7.927, 15° 2	Long. P. T. 1860, 177.
Sn ₅ Pb	8.0279	Kupffer. Ann. (2), 40, 285.
"	8.093	Calvert and Johnson. J. 12, 120.
"	8.046	Riche. J. 15, 111.
Sn ₄ Pb	8.1730	Kupffer. Ann. (2), 40, 285.
"	7.850	Thomson. J. 1, 1040.
"	8.188, 16°	Long. P. T. 1860, 177.
"	8.196	Calvert and Johnson. J. 12, 120.
"	8.2347	Pillichody. J. 14, 279.
"	8.195	Riche. J. 15, 111.
"	8.177, 16° 7	} --- Vicentini and Omodei. Bei. 12, 178. Melting point, 183° 3.
"	8.0735, 183° 3, s.	
"	7.8393, 209° 1	
"	7.8090, 240° 4	
"	7.7917, 260° 4	
"	7.7586, 295° 5	
"	7.7323, 324° 7	
"	7.7032, 357° 6	
Sn ₇ Pb ₂	8.291	Riche. J. 15, 111.
Sn ₃ Pb	8.3914	Kupffer. Ann. (2), 40, 285.
"	8.549	Thomson. J. 1, 1040.
"	9.025	Croockewitt. J. 1, 394.
"	8.418	Calvert and Johnson. J. 12, 120.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
TIN AND LEAD—contin'd.		
Sn ₃ Pb	8.4087	Pillichody. J. 14, 279.
"	8.414	Riche. J. 15, 111.
"	8.400, 17°	}----- Vicentini and Omodei. Bei. 12, 178. Melting point, 182° 9.
"	8.2949, 182° 9, s.	
"	8.0821, 182° 9, l.	
"	8.0755, 189° 7	
"	8.0431, 222° 9	
"	8.0150, 250°	
"	7.9896, 275° 9	
"	7.9695, 296° 3	
"	7.9446, 323° 9	}-----
"	7.9212, 349° 5	
Sn ₅ Pb ₂	8.565	Riche. J. 15, 111.
Sn ₂ Pb	8.7454	Kupffer. Ann. (2), 40, 285.
"	8.777, 13° 3	Regnault. P. A. 53, 67.
"	8.688	Thomson. J. 1, 1040.
"	8.779, 17° 2	Long. P. T. 1860, 177.
"	8.774	Calvert and Johnson. J. 12, 120.
"	8.7257	Pillichody. J. 14, 279.
"	8.766	Riche. J. 15, 111.
"	8.745, 15° 2	}----- Vicentini and Omodei. Bei. 12, 178. Melting point, 182° 3.
"	8.6298, 182° 3, s.	
"	8.4509, 182° 3, l.	
"	8.4381, 189°	
"	8.4038, 207°	
"	8.3532, 242° 5	
"	8.3204, 272° 9	
"	8.2920, 303° 1	
"	8.2688, 325° 5	}-----
"	8.2448, 351° 5	
Sn ₃ Pb ₇	9.0377	Pillichody. J. 14, 279.
"	9.046	Riche. J. 15, 111.
Sn ₇ Pb ₃	9.2773, 15°	Pohl. J. 3, 324.
Sn Pb	9.4263	Kupffer. Ann. (2), 40, 285.
"	9.387, 13° 3	Regnault. P. A. 53, 67.
"	9.288	Thomson. J. 1, 1040.
"	9.394	Croockewitt. J. 1, 394.
"	9.460, 15° 5	Long. P. T. 1860, 177.
"	9.458	Calvert and Johnson. J. 12, 120.
"	9.4330	Pillichody. J. 14, 279.
"	9.451	Riche. J. 15, 111.
"	9.422, 20°	}----- Vicentini and Omodei. Bei. 12, 178. Melting point, 181° 8.
"	9.2809, 181° 8, s.	
"	9.180, 181° 8, l.	
"	9.1348, 201° 6	
"	9.0953, 216° 7	
"	9.0438, 232°	
"	8.9864, 248° 8	
"	8.9643, 262° 3	
"	8.9276, 293°	}-----
"	8.8989, 317°	
"	8.8771, 337°	}-----
"	8.8590, 356°	
Sn ₃ Pb ₄	9.6399, 15°	Pohl. J. 3, 323.
Sn ₁₂ Pb ₃	9.7971	Pillichody. J. 14, 279.
Sn Pb ₇	10.0782	Kupffer. Ann. (2), 40, 285.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
TIN AND LEAD—contin'd.		
Sn Pb ₂ -----	9.966 -----	Croockewitt. J. 1, 394.
" -----	10.080, 14° 8' -----	Long. P. T. 1860, 177.
" -----	10.105 -----	Calvert and Johnson. J. 12, 120.
" -----	10.0520 -----	Pillichody. J. 14, 279.
" -----	10.110 -----	Riche. J. 15, 111.
Sn Pb ₃ -----	10.3868 -----	Kupffer. Ann. (2), 40, 285.
" -----	10.421 -----	Calvert and Johnson. J. 12, 120.
" -----	10.3311 -----	Pillichody. J. 14, 279.
" -----	10.419 -----	Riche. J. 15, 111.
Sn Pb ₄ -----	10.5551 -----	Kupffer. Ann. (2), 40 285.
" -----	10.590, 14° 3' -----	Long. P. T. 1860, 177.
" -----	10.587 -----	Calvert and Johnson. J. 12, 120.
" -----	10.5957 -----	Pillichody. J. 14, 279.
Sn Pb ₅ -----	10.751 -----	Calvert and Johnson. J. 12, 120.
Sn Pb ₆ -----	10.815, 15° 6' -----	Long. P. T. 1860, 177.
LEAD AND CADMIUM.		
Cd ₆ Pb -----	9.160, 13° 7' -----	Holzmann. P. T. 1860, 177.
Cd ₄ Pb -----	9.353, 12° -----	" " "
Cd ₂ Pb -----	9.755, 14° 7' -----	" " "
Cd Pb -----	10.246, 11° 7' -----	" " "
Cd Pb ₂ -----	10.656, 13° 4' -----	" " "
Cd Pb ₄ -----	10.950, 9° 2' -----	" " "
Cd Pb ₆ -----	11.044, 14° 8' -----	" " "
ANTIMONY AND TIN.		
Sb ₁₂ Sn -----	6.739, 16° 2' -----	Long. P. T. 1860, 177.
Sb ₈ Sn -----	6.747, 13° 9' -----	" " "
Sb ₄ Sn -----	6.781, 13° 5' -----	" " "
Sb ₂ Sn -----	6.844, 13° 8' -----	" " "
Sb Sn -----	6.929, 15° 8' -----	" " "
Sb Sn ₂ -----	7.023, 15° 8' -----	" " "
Sb Sn ₃ -----	7.100, 10° 6' -----	" " "
Sb Sn ₅ -----	7.140, 19° -----	" " "
Sb Sn ₁₀ -----	7.208, 18° 5' -----	" " "
Sb Sn ₂₀ -----	7.276, 19° 4' -----	" " "
Sb Sn ₅₀ -----	7.279, 20° -----	" " "
Sb Sn ₁₀₀ -----	7.284, 24° 2' -----	" " "
ANTIMONY AND LEAD.		
Sb ₈ Pb -----	7.214 -----	Riche. J. 15, 111.
Sb ₆ Pb -----	7.361 -----	" " "
Sb ₅ Pb -----	7.432 -----	Calvert and Johnson. J. 12, 120.
Sb ₄ Pb -----	7.525 -----	" " "
" -----	7.622 -----	Riche. J. 15, 111.
Sb ₃ Pb -----	7.830 -----	Calvert and Johnson. J. 12, 120.
Sb ₂ Pb -----	8.330 -----	" " "
" -----	8.201, 13° 7' -----	Matthiessen. P. T. 1860, 177.
" -----	8.233 -----	Riche. J. 15, 111.
Sb Pb -----	8.953 -----	Calvert and Johnson. J. 12, 120
" -----	8.989, 11° 7' -----	Matthiessen. P. T. 1860, 177.
" -----	8.999 -----	Riche. J. 15, 111.
Sb ₂ Pb ₃ -----	9.502 -----	" " "

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
ANTIMONY AND LEAD— continued.		
Sb Pb ₂ -----	9.723-----	Calvert and Johnson. J. 12, 120.
"-----	9.811, 14° 3'-----	Matthiessen. P. T. 1860, 177.
"-----	9.817-----	Riche. J. 15, 111.
Sb ₂ Pb ₃ -----	10.040-----	"-----
Sb Pb ₃ -----	10.136-----	Calvert and Johnson. J. 12, 120.
"-----	10.144, 15° 4'-----	Matthiessen. P. T. 1860, 177.
"-----	10.211-----	Riche. J. 15, 111.
Sb ₂ Pb ₇ -----	10.344-----	"-----
Sb Pb ₄ -----	10.387-----	Calvert and Johnson. J. 12, 120.
"-----	10.455-----	Riche. J. 15, 111.
"-----	10.541-----	"-----
Sb ₂ Pb ₉ -----	10.556-----	Calvert and Johnson. J. 12, 120.
Sb Pb ₅ -----	10.586, 19° 3'-----	Matthiessen. P. T. 1860, 177.
"-----	10.615-----	Riche. J. 15, 111.
"-----	10.673-----	"-----
Sb ₂ Pb ₁₁ -----	10.722-----	"-----
Sb ₂ Pb ₁₃ -----	10.764-----	"-----
Sb Pb ₇ -----	10.802-----	"-----
Sb Pb ₁₀ -----	10.930, 19° 9'-----	Matthiessen. P. T. 1860, 177.
Sb Pb ₂₅ -----	11.194, 20° 5'-----	"-----
BISMUTH AND ZINC.		
Bi Zn-----	9.046-----	Calvert and Johnson. J. 12, 120.
BISMUTH AND CADMIUM.		
Bi ₁₂ Cd-----	9.766, 15° 4'-----	Matthiessen. P. T. 1860, 177.
Bi ₈ Cd-----	9.797, 14° 7'-----	"-----
Bi ₄ Cd-----	9.669, 14° 8'-----	"-----
Bi ₂ Cd-----	9.554, 13° 4'-----	"-----
Bi Cd-----	9.388, 15°-----	"-----
Bi Cd ₂ -----	9.195, 15° 5'-----	"-----
Bi Cd ₃ -----	9.079, 13° 1'-----	"-----
BISMUTH AND TIN.		
Bi ₁₀₀ Sn-----	9.815, 18° 1'-----	Carty. P. T. 1860, 177.
Bi ₁₀₀ Sn-----	9.814, 19° 5'-----	"-----
Bi ₁₀₀ Sn-----	9.811, 19°-----	"-----
Bi ₈₀ Sn-----	9.803, 22° 8'-----	"-----
Bi ₆₀ Sn-----	9.774, 23°-----	"-----
Bi ₄₀ Sn-----	9.737, 19° 8'-----	"-----
Bi ₂₀ Sn-----	9.675, 15° 12'-----	"-----
Bi ₁₂ Sn-----	9.614, 12° 7'-----	"-----
Bi ₈ Sn-----	9.435, 15°-----	"-----
Bi ₄ Sn-----	9.434-----	Riche. J. 15, 112.
Bi ₂ Sn-----	9.178, 15° 9'-----	Carty. P. T. 1860, 177.
"-----	9.145-----	Riche. J. 15, 111.
Bi Sn-----	8.759-----	Regnault. P. A. 53, 67.
"-----	8.772, 12° 6'-----	Carty. P. T. 1860, 177.
"-----	8.754-----	Riche. J. 15, 112.
Bi ₂ Sn ₃ -----	8.503-----	"-----
Bi Sn ₂ -----	8.085-----	Regnault. P. A. 53, 67.
"-----	8.339, 13° 9'-----	Carty. P. T. 1860, 177.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
BISMUTH AND TIN— continued.		
Bi Sn ₂ -----	8.327 -----	Riche. J. 15, 112.
Bi ₃ Sn ₅ -----	8.199 -----	“ “
Bi Sn ₃ -----	8.112, 14° 2 -----	Carty. P. T. 1860, 177.
“-----	8.097 -----	Riche. J. 15, 112.
Bi ₂ Sn ₇ -----	8.017 -----	“ “
Bi Sn ₄ -----	7.943, 20° -----	Carty. P. T. 1860, 177.
Bi Sn ₂₂ -----	7.438, 19° 9 -----	“ “
BISMUTH AND LEAD.		
Bi ₆₀ Pb-----	9.844, 21° 7 -----	Carty. P. T. 1860, 177.
Bi ₄₈ Pb-----	9.845, 21° 6 -----	“ “
Bi ₄₀ Pb-----	9.850, 21° 3 -----	“ “
Bi ₂₄ Pb-----	9.887, 20° 6 -----	“ “
Bi ₂₀ Pb-----	9.893, 19° 5 -----	“ “
Bi ₁₆ Pb-----	9.934, 21° 1 -----	“ “
Bi ₁₂ Pb-----	9.973, 15° -----	“ “
Bi ₈ Pb-----	10.048, 10° 7 -----	“ “
“-----	8.6 -----	E. Wiedemann. P. A. (2), 20, 240.
Bi ₄ Pb-----	10.235, 12° 5 -----	Carty. P. T. 1860, 177.
“-----	10.232 -----	Riche. J. 15, 111.
“-----	9.73 -----	E. Wiedemann. P. A. (2), 20, 239.
Bi ₂ Pb-----	10.538, 14° -----	Carty. P. T. 1860, 177.
“-----	10.519 -----	Riche. J. 15, 111.
“-----	10.96 -----	E. Wiedemann. P. A. (2), 20, 239.
Bi Pb-----	10.956, 14° 9 -----	Carty. P. T. 1860, 177.
“-----	10.931 -----	Riche. J. 15, 111.
“-----	11.03 -----	E. Wiedemann. P. A. (2), 20, 237.
Bi ₄ Pb ₅ -----	11.038 -----	Riche. J. 15, 111.
Bi ₂ Pb ₃ -----	11.108 -----	“ “
Bi ₄ Pb ₇ -----	11.166 -----	“ “
Bi Pb ₂ -----	11.141, 12° 7 -----	Carty. P. T. 1860, 177.
“-----	11.194 -----	Riche. J. 15, 111.
“-----	11.4 -----	E. Wiedemann. P. A. (2), 20, 236.
Bi ₂ Pb ₅ -----	11.209 -----	Riche. J. 15, 111.
Bi Pb ₃ -----	11.161, 14° 8 -----	Carty. P. T. 1860, 177.
“-----	11.225 -----	Riche. J. 15, 111.
Bi ₂ Pb ₇ -----	11.235 -----	“ “
Bi Pb ₄ -----	11.188, 20° 8 -----	Carty. P. T. 1860, 177.
Bi Pb ₅ -----	11.196, 20° 2 -----	“ “
Bi Pb ₁₂ -----	11.280, 22° 5 -----	“ “
Bi Pb ₅₀ -----	11.331, 23° -----	“ “
BISMUTH AND ANTIMONY.		
Bi ₆ Sb-----	9.435, 9° 4 -----	Holzmann. P. T. 1860, 177.
Bi ₅ Sb-----	9.369 -----	Calvert and Johnson. J. 12, 120.
Bi ₄ Sb-----	9.276 -----	“ “
“-----	9.277, 12° 1 -----	Holzmann. P. T. 1860, 177.
Bi ₃ Sb-----	9.095 -----	Calvert and Johnson. J. 12, 120.
Bi ₂ Sb-----	8.859 -----	“ “
“-----	8.886, 14° -----	Holzmann. P. T. 1860, 177.
Bi Sb-----	8.364 -----	Calvert and Johnson. J. 12, 120.
“-----	8.392, 11° -----	Holzmann. P. T. 1860, 177.
Bi Sb ₂ -----	7.829 -----	Calvert and Johnson. J. 12, 120.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
BISMUTH AND ANTIMONY —continued.		
Bi Sb ₂ -----	7.864, 9° 4 -----	Holzmann. P. T. 1860. 177.
Bi Sb ₃ -----	7.561 -----	Calvert and Johnson. J. 12, 120.
Bi Sb ₄ -----	7.370 -----	“ “
Bi Sb ₅ -----	7.271 -----	“ “
IRON AND TIN.		
Fe Sn ₇ . Cryst. furnace product.	7.534 -----	Rammelsberg.
Fe Sn ₂ -----	7.446 -----	Noellner. J. 13, 188.
Fe ₃ Sn -----	8.733 -----	Lassaigne.
IRON AND NICKEL.		
Awaruite. Ni ₂ Fe -----	8.1 -----	Ulrich. N. J. 1888. 209.
COPPER AND ZINC.*		
Cu ₁₀ Zn -----	8.605 -----	Mallet. D. J. 85, 378.
Cu ₇ Zn -----	8.607 -----	“ “
Cu ₆ Zn -----	8.633 -----	“ “
Cu ₇ Zn -----	8.587 -----	“ “
Cu ₆ Zn -----	8.591 -----	“ “
Cu ₅ Zn -----	8.415 -----	“ “
“ -----	8.673 -----	Calvert and Johnson. J. 12, 120.
Cu ₄ Zn -----	8.448 -----	Mallet. D. J. 85, 378.
“ -----	8.650 -----	Calvert and Johnson. J. 12, 120.
Cu ₃ Zn -----	8.397 -----	Mallet. D. J. 85, 378.
“ -----	8.576 -----	Calvert and Johnson. J. 12, 120.
Cu ₂ Zn -----	8.299 -----	Mallet. D. J. 85, 378.
“ -----	8.392 -----	Croockewitt. J. 1, 394.
“ -----	8.488 -----	Calvert and Johnson. J. 12, 120.
Cu ₃ Zn ₂ -----	8.224 -----	Croockewitt. J. 1, 394.
Cu Zn -----	8.230 -----	Mallet. D. J. 85, 378.
“ -----	7.808 -----	Calvert and Johnson. J. 12, 120.
Cu ₃ Zn ₅ -----	7.939 -----	Croockewitt. J. 1, 394.
Cu Zn ₂ -----	8.283 -----	Mallet. D. J. 85, 378.
“ -----	7.859 -----	Calvert and Johnson. J. 12, 120.
Cu ₈ Zn ₁₇ -----	7.721 -----	Mallet. D. J. 85, 378.
Cu ₈ Zn ₁₈ -----	7.836 -----	“ “
Cu ₈ Zn ₁₉ -----	8.019 -----	“ “
Cu ₈ Zn ₂₀ -----	7.603 -----	“ “
Cu ₈ Zn ₂₁ -----	8.058 -----	“ “
Cu ₈ Zn ₂₂ -----	7.882 -----	“ “
Cu ₈ Zn ₂₃ -----	7.443 -----	“ “
Cu Zn ₃ -----	7.449 -----	“ “
“ -----	7.736 -----	Calvert and Johnson. J. 12, 120.
Cu Zn ₄ -----	7.371 -----	Mallet. D. J. 85, 378.
“ -----	7.445 -----	Calvert and Johnson. J. 12, 120.
Cu Zn ₅ -----	6.605 -----	Mallet. D. J. 85, 378.
“ -----	7.442 -----	Calvert and Johnson. J. 12, 120.

* See also the Report of the (U. S.) Board on Testing Iron, Steel, and other Metals. Washington, Government Printing Office, 1881.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
COPPER AND TIN.		
Cu ₉₆ Sn	8.564	Thurston's Report, 295.
Cu ₄₈ Sn	8.649	" " "
Cu ₂₅ Sn	8.820	Calvert and Johnson. J. 12, 120.
Cu ₂₄ Sn	8.694	Thurston's Report, 295.
Cu ₂₀ Sn	8.793	Calvert and Johnson. J. 12, 120.
Cu ₁₅ Sn	8.825	" " "
"	8.84	Riche. J. 21, 270.
"	8.80	Riche. J. 23, 1100.
Cu ₁₂ Sn	8.681	Thurston's Report, 295.
Cu ₁₀ Sn	8.561	Mallet. D. J. 85, 378.
"	8.832	Calvert and Johnson. J. 12, 120.
"	8.87	Riche. J. 21, 270.
"	8.83	Riche. J. 23, 1100.
Cu ₉ Sn	8.462	Mallet. D. J. 85, 378.
Cu ₈ Sn	8.459	" " "
"	8.84	Riche. J. 21, 270.
"	8.86	Riche. J. 23, 1100.
Cu ₇ Sn	8.728	Mallet. D. J. 85, 378.
"	8.72	Riche. J. 21, 270.
"	8.90	Riche. J. 23, 1100.
Cu ₆ Sn	8.750	Mallet. D. J. 85, 378.
"	8.65	Riche. J. 21, 270.
"	8.91	Riche. J. 23, 1100.
"	8.565	Thurston's Report, 295.
Cu ₅ Sn	8.575	Mallet. D. J. 85, 378.
"	8.965	Calvert and Johnson. J. 12, 120.
"	8.62	Riche. J. 21, 270.
"	8.87	Riche. J. 23, 1100.
Cu ₄ Sn	8.400	Mallet. D. J. 85, 378.
"	8.948	Calvert and Johnson. J. 12, 120.
"	8.77	Riche. J. 21, 270.
"	8.80	Riche. J. 23, 1100.
"	8.938	Thurston's Report, 295.
Cu ₃ Sn	8.539	Mallet. D. J. 85, 378.
"	8.954	Calvert and Johnson. J. 12, 120.
"	8.91	Riche. J. 21, 270.
"	8.96	Riche. J. 23, 1100.
"	8.970	Thurston's Report, 295.
Cu ₁₂ Sn ₅	8.682	" " "
Cu ₂ Sn	8.416	Mallet. D. J. 85, 378.
"	8.512	Croockewitt. J. 1, 394.
"	8.533	Calvert and Johnson. J. 12, 120.
"	8.15	Riche. J. 21, 270.
"	8.57	Riche. J. 23, 1100.
"	8.590	Thurston's Report, 295.
Cu ₁₂ Sn ₇	8.442	" " "
Cu ₈ Sn ₂	8.06	Riche. J. 21, 270.
"	8.30	Riche. J. 23, 1100.
"	8.312	Thurston's Report, 295.
Cu ₄ Sn ₃	8.302	" " "
Cu ₆ Sn ₅	8.182	" " "
Cu Sn	8.656	Mallet. D. J. 85, 378.
"	8.072	Croockewitt. J. 1, 394.
"	7.992	Calvert and Johnson. J. 12, 120.
"	7.90	Riche. J. 21, 270.
"	8.12	Riche. J. 23, 1100.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
COPPER AND TIN—continued.		
Cu Sn	8.013	Thurston's Report, 295.
Cu ₃ Sn ₄	7.948	" " "
Cu ₃ Sn ₅	7.835	" " "
Cu Sn ₂	7.387	Mallet. D. J. 85, 378.
" Cryst.	7.53	Miller. P. A. 120, 55.
"	7.738	Calvert and Johnson. J. 12, 120.
"	7.83	Riche. J. 21, 270.
"	7.74	Riche. J. 23, 1100.
"	7.770	Thurston's Report, 295.
Cu ₃ Sn ₇ , Furnace product.	6.994	Rammelsberg. P. A. 120, 54.
Cu ₂ Sn ₅	7.652	Croockewitt. J. 1, 394.
Cu Sn ₃	7.447	Mallet. D. J. 85, 378.
"	7.606	Calvert and Johnson. J. 12, 120.
"	7.44	Riche. J. 21, 270.
"	7.53	Riche. J. 23, 1100.
"	7.657	Thurston's Report, 295.
Cu Sn ₄	7.472	Mallet. D. J. 85, 378.
"	7.558	Calvert and Johnson. J. 12, 120.
"	7.31	Riche. J. 21, 270.
"	7.50	Riche. J. 23, 1100.
"	7.552	Thurston's Report, 295.
Cu Sn ₅	7.442	Mallet. D. J. 85, 378.
"	7.517	Calvert and Johnson. J. 12, 120.
"	7.28	Riche. J. 21, 270.
"	7.52	Riche. J. 23, 1100.
"	7.487	Thurston's Report, 295.
Cu Sn ₁₂	7.360	" " "
Cu Sn ₁₈	7.305	" " "
Cu Sn ₃₆	7.290	" " "
COPPER AND LEAD.		
Cu Pb	10.375	Croockewitt. J. 1, 394.
Cu ₂ Pb ₃	10.753	" "
COPPER AND ANTIMONY		
Cu ₁₁ Sb ₂	8.829	Laist and Norton. A. C. J. 10, 60.
" Horsfordite	8.812	
Cu ₄ Sb	8.871	Kamenski.* P. M. (5), 17, 274.
Cu ₂ Sb	8.339	" "
Cu Sb	7.990	Calvert and Johnson. J. 12, 120.
COPPER AND BISMUTH.		
Cu Bi	9.654	Calvert and Johnson. J. 12, 120.
SILVER AND TIN.		
Ag ₄ Sn	9.953, 14 ^o .8	Holzmann. P. T. 1890, 177.
Ag ₂ Sn	9.507, 12 ^o .9	" "
Ag Sn	8.828, 13 ^o .8	" "
Ag Sn ₂	8.223, 16 ^o .3	" "

* Kamenski gives data for seventeen other Cu Sb alloys.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
SILVER AND TIN—continued.		
Ag Sn ₃ -----	7.936, 19° 3' -----	Holzmann. P. T. 1860, 177.
Ag Sn ₅ -----	7.551, 18° 8' -----	“ “
Ag Sn ₆ -----	7.669, 18° 4' -----	“ “
Ag Sn ₁₈ -----	7.421, 18° 6' -----	“ “
SILVER AND LEAD.		
Ag ₄ Pb -----	10.800, 13° 5' -----	Matthiessen. P. T. 1860, 177.
Ag ₂ Pb -----	10.925, 13° 8' -----	“ “
Ag Pb -----	10.054, 12° 5' -----	“ “
Ag Pb ₂ -----	11.144, 18° 2' -----	“ “
Ag Pb ₄ -----	11.196, 21° -----	“ “
Ag Pb ₁₀ -----	11.285, 22° 2' -----	“ “
Ag Pb ₂₅ -----	11.334, 20° 6' -----	“ “
SILVER AND COPPER.*		
Ag ₃ Cu ₂ -----	9.9045 -----	Levol. J. 5, 768.
“ Solid -----	9.9045 } -----	Roberts. C. N. 31, 143.
“ Molten -----	9.0554 }	
GOLD AND TIN.		
Au ₄ Sn -----	16.367, 15° 4' -----	Holzmann. P. T. 1860, 177.
Au ₂ Sn -----	14.244, 14° 2' -----	“ “
Au Sn -----	11.833, 14° 6' -----	“ “
Au ₂ Sn ₃ -----	10.794, 23° 6' -----	“ “
Au Sn ₂ -----	10.168, 23° 7' -----	“ “
Au ₂ Sn ₅ -----	9.715, 22° 4' -----	“ “
Au Sn ₃ -----	9.405, 23° 7' -----	“ “
Au Sn ₄ -----	8.931, 25° 6' -----	“ “
Au Sn ₆ -----	8.470, 23° 1' -----	“ “
Au Sn ₉ -----	8.118, 22° 4' -----	“ “
Au Sn ₁₅ -----	7.801, 22° 8' -----	“ “
Au Sn ₅₀ -----	7.441, 22° 9' -----	“ “
GOLD AND LEAD.		
Au ₄ Pb -----	17.013, 14° 3' -----	Matthiessen. P. T. 1860, 177.
Au ₂ Pb -----	15.603, 14° 5' -----	“ “
Au Pb -----	14.466, 14° 3' -----	“ “
Au Pb ₂ -----	13.306, 22° 1' -----	“ “
Au Pb ₃ -----	12.737, 21° 3' -----	“ “
Au Pb ₄ -----	12.445, 21° 6' -----	“ “
Au Pb ₅ -----	12.274, 19° 4' -----	“ “
Au Pb ₁₀ -----	11.841, 23° 3' -----	“ “
GOLD AND BISMUTH.		
Au ₂ Bi -----	14.844, 16° -----	Holzmann. P. T. 1860, 177.
Au Bi -----	13.403, 16° 5' -----	“ “
Au Bi ₂ -----	12.067, 16° -----	“ “
Au Bi ₄ -----	11.025, 23° -----	“ “

* See Karmarsch, Beiblätter 2, 194, for sixteen Ag Cu alloys.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
GOLD AND BISMUTH— continued.		
Au Bi ₂ -----	10.452, 21° 4'	Holzmann. P. T. 1830, 177.
Au Bi ₂₀ -----	10.076, 18° 7'	" " "
Au Bi ₄₀ -----	9.942, 21° 2'	" " "
Au Bi ₆₀ -----	9.872, 21°	" " "
GOLD AND COPPER.		
Au ₆ Cu-----	17.9340	Roberts. Bel. 2, 327.
Au ₃ Cu-----	17.1653	" " "
Au ₂ Cu-----	16.4832	" " "
GOLD AND SILVER.		
Au ₆ Ag-----	18.041, 13° 1'	Matthiessen. P. T. 1860, 177.
Au ₄ Ag-----	17.540, 12° 3'	" " "
Au ₂ Ag-----	16.354, 13°	" " "
Au Ag-----	14.870, 13°	" " "
Au Ag ₂ -----	13.432, 14° 3'	" " "
Au Ag ₄ -----	12.257, 14° 7'	" " "
Au Ag ₆ -----	11.760, 13° 1'	" " "
PALLADIUM AND LEAD.		
Pd ₃ Pb-----	11.225	Bauer. J. 24, 317.
PLATINUM AND LEAD.		
Pt Pb-----	15.77	Bauer. Z. C. 14, 48.
IRIDIUM AND OSMIUM.		
Ir Os. Newjanskite	19.386—19.471	Berzelius. Dana's Min.
Ir Os ₄ . Sisserskite	21.118	" " "
TRIPLE ALLOYS.*		
Cd Pb ₃ Bi ₁ -----	10.563	v. Hauer. J. 18, 236.
Cd ₂ Pb ₂ Bi ₄ -----	10.732	" " "
Pb Sn ₂ Bi-----	9.194, 11°	Regnault. P. A. 53, 67.
Pb Sn ₂ Bi ₂ -----	9.253, 20°	" " "
Pb ₄ Sn ₆ Bi ₂ . Rose's alloy	9.5125, 4°	Spring. Ann. (5), 7, 196.
Pb ₈ Sn ₁₀ Bi ₁₃ . Darce's "	9.6401, 4°	" " "
Sn ₂ Sb Bi-----	7.883, 20°	Regnault. P. A. 53, 67.
Cu ₃ Ni Sb ₃ . Furnace product.	8.004	Sandberger. J. 11, 202.
QUADRUPLE ALLOYS.		
Cd Sn Pb Bi-----	9.765	v. Hauer. J. 18, 236.
Cd Sn ₂ Pb ₂ Bi ₄ -----	9.784	" " "
Cd ₂ Sn ₂ Pb Bi ₄ . Wood's alloy.	9.1105, 4°	Spring. Ann. (5), 7, 196.
Cd ₄ Sn ₄ Pb ₄ Bi ₈ -----	9.725	v. Hauer. J. 18, 236.
Cd ₄ Sn ₅ Pb ₅ Bi ₁₀ -----	9.685	" " "
Cd ₄ Sn ₅ Pb ₆ Bi ₁₁ . Lipowitz alloy.	9.7244, 4°	Spring. Ann. (5), 7, 196.

* For the triple alloys of Cu Sn Zn see Thurston's Report. For many amalgams see Joule, J. C. S., vol. 16, 1863. For alloys of platinum and gold see Prinsip, P. T. 1828.

XLV. HYDROCARBONS.

1st. Paraffins. $C_n H_{2n+2}$.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methane. Liquefied	CH_4	.37	Wroblevsky. C. R. 99, 136.
"	"	.414	{ Olszewski. P. A. (2), 31, 73.
"	"	.415	
"	"	.416	
Propane	C_3H_8	.613, -25°	Lefebvre. J. 21, 329.
Butane	C_4H_{10}	.600, 0°	Pelouze and Cahours. J. 16, 524.
"	"	.600, 0°	Ronalds. J. 18, 507.
"	"	.624, -1°	Lefebvre. J. 21, 329.
Normal pentane. (B. 39°)	C_5H_{12}	.636, 17°	Schorlemmer. J. 15, 386.
"	"	.6263, 17°	Schorlemmer. J. 19, 527.
"	"	.626, 14°	Cahours and Demarcay. C. R. 80, 1569.
"	"	.6267, 14°	Lachowicz. A. C. P. 220, 191.
"	"	.624, $11^\circ.5$	Gladstone. Bei. 9, 249.
"	"	.6323, 17°	Norton and Andrews. A. C. J. 8, 7.
Isopentane. (B. 30°)	"	.6415, $11^\circ.2$	Frankland. J. 3, 481.
"	"	.6385, $14^\circ.2$	
"	"	.628, 18°	
"	"	.6375, 13°	Pelouze and Cahours. J. 16, 527.
"	"	.6282, $13^\circ.7$	Just. A. C. P. 220, 153.
"	"	.6132, $30^\circ.5$	
"	"	.6402, 0°	
"	"	.6111, 30°	Schiff. G. C. I, 13, 177.
"	"	.6111, 30°	Bartolli and Stracciati. Bei. 9, 697.
"	"	.6745, 18°	
Normal hexane. (B. 69°)	C_6H_{14}	.669, 16°	Williams. J. 10, 418.
"	"	.669, 16°	Pelouze and Cahours. J. 15, 410.
"	"	.678, $15^\circ.5$	Schorlemmer. J. 15, 386.
"	"	.6617, $17^\circ.5$	Dale. J. 17, 381.
"	"	.6645, $16^\circ.5$	Wanklyn and Erlennmeyer. J. 16, 521.
"	"	.6630, 17°	Schorlemmer. A. C. P. 161, 263.
"	"	.689, 0°	Warren. J. 21, 330.
"	"	.6641, 18°	Thorpe and Young. A. C. P. 165, 1.
"	"	.6620, $19^\circ.5$	
"	"	.667, 13°	Cahours and Demarcay. C. R. 80, 1570.
"	"	.6199, $60^\circ.8$	Ramsay. J. C. S. 35, 463.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Normal hexane	C_6H_{14}	.6753, 0°	Zander. A. C. P. 214, 181.
" "	"	.6129, 69°	
" "	"	.6985, 14°	Lachowicz. A. C. P. 220, 192.
" "	"	.6681, 10°·8	Schiff. G. C. I. 13, 177.
" "	"	.6112	
" "	"	.6143 } 68°·6	
" "	"	.6603, 20°	Bruhl. A. C. P. 200, 183.
" "	"	.6950, 0°	Bartoli and Straceniati. Bei. 9, 697.
" "	"	.6343, 68°	
" "	"	.6745, 18°	Norton and Andrews. A. C. J. 8, 7.
Isohexane. (B. 62°)	"	.7011, 0°	Wurtz. J. 8, 576.
" "	"	.676, 0°	Warren. J. 21, 330.
Hexane. B. 48°—62°	"	.6317, 25°·5	Gladstone. Bei. 9, 249.
" B. 53°—60°	"	.6413, 25°	" "
Methyl-diethyl-methane. (B. 64°)	"	.6765, 20°·5	Wislicenus. A. C. P. 219, 315.
Tetramethyl-ethane, or diisopropyl. (B. 58°)	"	.6769, 10°	Schorlemmer. J. 20, 596.
" "	"	.6791, 17°·5	
" "	"	.6599, 29°	
" "	"	.668, 0°	Riche. Ann. (3), 59, 426.
" "	"	.6829, 0°	Zander. A. C. P. 214, 181.
" "	"	.6286, 58°	
Hexane from suberic acid. B. 78°.	"	.671, 26°	Riche. Ann. (3), 59, 426.
Normal heptane. (B. 98°·4)	C_7H_{16}	.709, 17°·5	Schorlemmer. J. 15, 386.
From coal oil.	"	.7122, 16°	Schorlemmer. J. 16, 532.
" " " azelaic acid	"	.6851, 17°·5	Dale. J. 17, 381.
" " " " "	"	.6840, 20°·5	Schorlemmer and Dale. A. C. P. 136, 266.
" "	"	.7085, 0°	Warren and Storer. J. 21, 331.
" "	"	.693, 12°	Cahours and Demarçay. C. R. 80, 1570.
" " From petroleum.	"	.6967, 19°	Beilstein and Kurbatow. Ber. 13, 2028.
" "	"	.6915, 18°	Thorpe and Young. A. C. P. 165, 1.
" "	"	.6910, 19°	
" " (Abietene)	"	.691	Wenzell. C. N. 39, 182.
" "	"	.70048, 0°	Thorpe. J. C. S. 37, 371.
" "	"	.61986, 98°·43	
" "	"	.7176, 20°	Lachowicz. A. C. P. 220, 193.
" "	"	.7291, 20°	Lachowicz. A. C. P. 220, 203.
" "	"	.7023, 14°	Lachowicz. A. C. P. 220, 204.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoheptane*, ethyl-amyl, or dimethyl-butyl-me- thane. B. 90°.3.	C ₇ H ₁₆ -----	.7069, 0° ----	Wurtz. J. 8, 576.
“ “ -----	“ -----	.6819, 17°.5 } .6795, 20° } .6789, 19° ----	Schorlemmer. A. C. P. 136, 259. Schorlemmer. A. C. P. 136, 264.
“ “ -----	“ -----	.7259, 0° ----	Schorlemmer. A. C. P. 136, 269. From petroleum.
“ “ -----	“ -----	.7148, 15° ----	
“ “ -----	“ -----	.6999, 32° ----	
“ “ -----	“ -----	.6867, 48° ----	
“ “ -----	“ -----	.6833, 18°.4 ----	Grimshaw. A. C. P. 166, 163.
“ “ -----	“ -----	.69692, 0° ----	} Thorpe. J. C. S. 37, 371.
“ “ -----	“ -----	.61606, 90°.3 ----	
“ “ -----	“ -----	.6060, 91° ----	Ramsay. J. C. S. 35, 463.
Methyl-ethyl-propyl-me- thane. (B. 91°.)	“ -----	.6895, 20° ----	Just. A. C. P. 220, 155.
Triethyl-methane. (B. 96°)	“ -----	.689, 27° ----	Ladenburg. B. S. C. 18, 548.
Dimethyl-diethyl-me- thane. (B. 86°—87°.)	“ -----	.7111, 0° ----	} Friedel and Laden- burg. J. P. C. 101, 315.
“ From petroleum	“ -----	.6958, 20°.5 } .709, 16° ----	
Heptane from petroleum	“ -----	.7328, 0° ----	} Bartoli and Strac- ciati. Bei. 9, 697.
“ (B. 92°—94°)	“ -----	.6473, 92°—94°	
“ “ -----	“ -----	.7303, 0° ----	
“ “ -----	“ -----	.6462, 92°—94°	
Normaloctane. (B. 125°.5)	C ₈ H ₁₈ -----	.6945, 18° ----	Williams. J. 10, 418.
“ “ -----	“ -----	.7083, 12°.5 ----	Schorlemmer.
“ “ -----	“ -----	.7032, 17° ----	Schorlemmer. A. C. P. 161, 263.
“ “ -----	“ -----	.723, 0° } .721, 10° } .719, 17°.5 ----	Riche. J. 13, 248. Schorlemmer. J. 15, 386.
“ “ -----	“ -----	.726, 15° ----	Pelouze and Ca- hours. J. 16, 524.
“ “ -----	“ -----	.728, 0° ----	Wurtz. J. 16, 509.
“ “ -----	“ -----	.7207, 15°.5 } .7165, 15°.6 } .723, 13° ----	{ Thorpe and Young. Two lots. A. C. P. 165, 1.
“ “ -----	“ -----	.712, 11° ----	Cahours and Demar- çay. C. R. 80, 1571.
“ “ -----	“ -----	.71883, 0° ----	} Thorpe. J. C. S. 37, 371.
“ “ -----	“ -----	.61077, 125°.46	
“ “ From co- nicin.	“ -----	.712, 11° ----	Hofmann. Ber. 18, 13.
Tetramethyl-butane, or diisobutyl. (B. 108°.53.)	“ -----	.6940, 18° ----	Kolbe. J. 1, 559.
“ “ -----	“ -----	.7057, 0° ----	Wurtz. J. 8, 576.
“ “ -----	“ -----	.7135, 0° ----	} Kopp. A. C. P. 93, 307.
“ “ -----	“ -----	.7001, 16°.4 } .7001, 16°.4 }	

* For a mixture of heptane and isoheptane from petroleum, B. 92°—94°, Pelouze and Cahours give a sp. g. of .699, 16°.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetramethyl-butane, or diisobutyl. (B. 108°-53.)	C ₈ H ₁₈	.7091, 0°	Williams. J. C. S. 35, 125.
"	"	.7085, 0°	
"	"	.7015, 10°	
"	"	.6931, 20°	
"	"	.686, 30°	
"	"	.677, 40°	
"	"	.669, 50°	
"	"	.626, 100°	
"	"	.698, 16°-5	
"	"	.6712, 49°	
"	"	.7111, 0°	Schorlemmer. J. 20, 567.
"	"	.7111, 0°	
"	"	.61549, 108°-53	Thorpe. J. C. S. 37, 371.
"	"	.7001, 12°-1	
"	"	.6166 } 107°-8	Schiff. G. C. I. 13, 177.
"	"	.6167 }	
Octane from petroleum. (B. 121°)	"	.732, 12°	Lemoine. B. S. C. 41, 161.
" " " (B. 116°- 118°)	"	.7463, 0°	
Normal nonane. (B. 149°)	C ₉ H ₂₀	.6536, 116°-118°	Bartoli and Strac- cinti. Bei. 9, 697.
" " " " " "	"	.741	
" " " " " "	"	.744, 13°	Pelouze and Ca- hours.* J. 16, 524. Cahours and Demar- çay.* C. R. 80, 1571.
" " " " " "	"	.7279, 13°-5	
" " " " " "	"	.7330, 0°	Thorpe and Young. A. C. P. 165, 1.
" " " " " "	"	.7228, 13°-5	
" " " " " "	"	.7217, 15°	
" " " " " "	"	.7177, 20°	
" " " " " "	"	.6541, 99°-1	
" " " " " "	"	.7124, 21°	
" " " (B. 136°)	"	.742, 12°	Lachowicz. A. C. P. 220, 194.
" " " (B. 130°)	"	.743, 0°	
" " " " " "	"	.734, 12°-7	" "
" " " " " "	"	.731, 16°	
" " " " " "	"	.725, 24°	
" " " (B. 126° -138°)	"	.7623, 0°	
Tetramethyl pentane, or butyl-amyl. (B. 132.)	"	.6492, 136-138°	Bartoli and Strac- cinti.* Bei. 9, 697.
Normal decane. (B. 167°)	C ₁₀ H ₂₂	.7247, 0°	
" " " (B. 170°)	"	.7394, 13°-5	Thorpe and Young. A. C. P. 165, 1.
" " " " " "	"	.7562, 15°	
" " " (B. 173°)	"	.7516, 22°	Jacobson. A. C. P. 184, 202.
" " " " " "	"	.7456, 0°	
" " " " " "	"	.7452, 0°	Krafft. Ber. 15, 1687.
" " " " " "	"	.7342, 15°	
" " " " " "	"	.7304, 20°	
" " " " " "	"	.6690, 99°-3	
" " " " " "	"	.73097, 18°	Lachowicz. A. C. P. 220, 180.
Diisoumyl. (B. 155°)	"	.7704, 11°	

* Preparations from petroleum, boiling at 130° to 140°, and doubtless containing admixed isomers

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tridecane. (B. 219°) -----	C ₁₃ H ₂₈ -----	.796, 17° -----	Pelouze and Cahours.* J. 16, 524.
“ (B. 217°.5) -----	“ -----	.793 -----	Cloez. † C. R. 85, 1003.
“ (B. 218°-220°) -----	“ -----	.8016, 0° -----	} Bartoli and Strac- ciati.* Bei. 9, 697.
“ “ -----	“ -----	.6469, 218-220° -----	
Normal tridecane. (B. 234°) -----	“ -----	.7715, 0° -----	} Kraft. Ber. 15, 1687.
“ “ -----	“ -----	.7713, 0° -----	
“ “ -----	“ -----	.7698, 15° -----	
“ “ -----	“ -----	.7571, 20° -----	
“ “ -----	“ -----	.7608, 36° -----	
Tetradecane. (B. 238°) -----	C ₁₄ H ₃₀ -----	.809, 20° -----	Pelouze and Cahours.* J. 16, 524.
“ (B. 236°) -----	“ -----	.812 -----	Cloez. † C. R. 85, 1003.
“ (B. 236°-240°) -----	“ -----	.8129, 0° -----	} Bartoli and Strac- ciati.* Bei. 9, 697.
“ “ -----	“ -----	.6412, 236-240° -----	
Normal tetradecane. -----	“ -----	.7753, 4°.5 -----	} Kraft. Ber. 15, 1687. Melts at 4°.5.
“ “ (B. 252°.5) -----	“ -----	.7750, 5° -----	
“ “ -----	“ -----	.7715, 10° -----	
“ “ -----	“ -----	.7681, 15° -----	
“ “ -----	“ -----	.7645, 20° -----	
“ “ -----	“ -----	.7687, 99°.2 -----	
“ “ -----	“ -----	.7738, 5°.4 -----	Kraft. Ber. 19, 2218.
Pentadecane. (B. 260°) -----	C ₁₅ H ₃₂ -----	.825, 19° -----	Pelouze and Cahours.* J. 16, 524.
“ (B. 258°) -----	“ -----	.830 -----	Cloez. † C. R. 85, 1003.
“ (B. 258°-262°) -----	“ -----	.8224, 0° -----	} Bartoli and Strac- ciati.* Bei. 9, 697.
“ “ -----	“ -----	.6385, 258-262° -----	
Normal pentadecane. -----	“ -----	.7757, 10° -----	} Kraft. Ber. 15, 1687. Melts at 10°.
“ “ (B. 270°.5) -----	“ -----	.7759, 10° -----	
“ “ -----	“ -----	.7724, 15° -----	
“ “ -----	“ -----	.7683, 20° -----	
“ “ -----	“ -----	.7136, 99°.3 -----	
Hexadecane, dioctyl, or di- isoctyl. (B. 278.) -----	C ₁₆ H ₃₄ -----	.850 -----	Cloez. † C. R. 85, 1003.
“ “ -----	“ -----	.7438, 15° -----	Eichler. Ber. 12, 1882.
“ (B. 268°.5) -----	“ -----	.8022, 0° -----	Alchin. Ber. 16, 1225.
“ (B. 264°) -----	“ -----	.80011, 18° -----	Luchowicz. A. C. P. 220, 187.
“ (B. 278°-282°) -----	“ -----	.8287, 0° -----	} Bartoli and Strac- ciati.* Bei. 9, 697.
“ “ -----	“ -----	.6396, 278-282° -----	
Normal hexadecane. -----	“ -----	.7754, 18° -----	} Kraft. Ber. 15, 1687. Melts at 18°.
“ “ (B. 287°.5) -----	“ -----	.7742, 20° -----	
“ “ -----	“ -----	.7707, 25° -----	
“ “ -----	“ -----	.7197, 99° -----	
“ “ -----	“ -----	.7754, 14°.2 -----	
Heptadecane. (B. 303) -----	C ₁₇ H ₃₆ -----	.7754, 22°.5 -----	} Kraft. † Ber. 15, 1687. Melts at 22°.5.
“ “ -----	“ -----	.7767, 22°.5 -----	
“ “ -----	“ -----	.7719, 25° -----	
“ “ -----	“ -----	.7714, 30° -----	
“ “ -----	“ -----	.7245, 99° -----	

* From petroleum. Probably a mixture of isomers.

† From hydrogen evolved from cast iron. Constitution undetermined.

‡ All of Kraft's paraffins are said to belong to the normal series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Octadecane. (B. 317°)	C ₁₈ H ₃₈	.7768, 28°	Kraft. Ber. 15, 1687. Melts at 28°.
"	"	.7754, 30°	
"	"	.7719, 35°	
"	"	.7685, 40°	
"	"	.7288, 99°	
"	"	.7766, 28°	Kraft. Ber. 19, 2218.
Nondecane. (B. 330°)	C ₁₉ H ₄₀	.7774, 32°	Kraft. Ber. 15, 1687. Melts at 32°.
"	"	.7754, 35°	
"	"	.7720, 40°	
"	"	.7323, 99°·3	
Eicosane. (M. 36°·7)	C ₂₀ H ₄₂	.7779, 36°·7	Kraft. Ber. 15, 1711.
"	"	.7487, 80°·2	
"	"	.7363, 99°·2	
"	"	.7776, 36°·7	Kraft. Ber. 19, 2218.
Heneicosane. (M. 40°·4)	C ₂₁ H ₄₄	.7783, 40°·4	Kraft. Ber. 15, 1711.
"	"	.7557, 74°·7	
"	"	.7400, 98°·9	
Docosane. (M. 44°·4)	C ₂₂ H ₄₆	.7782, 44°·4	" "
"	"	.7549, 79°·6	
"	"	.7422, 99°·2	
Tricosane. (M. 47°·7)	C ₂₃ H ₄₈	.7785, 47°·7	" "
"	"	.7570, 80°·8	
"	"	.7456, 98°·8	
Tetracosane. (M. 51°·1)	C ₂₄ H ₅₀	.7786, 51°·1	" "
"	"	.7628, 76°	
"	"	.7481, 98°·9	
Heptacosane. (M. 59°·5)	C ₂₇ H ₅₆	.7796, 59°·5	" "
"	"	.7659, 80°·8	
"	"	.7545, 99°	
Hentriacontane. (M. 68°·1)	C ₃₁ H ₆₄	.7808, 68°·1	" "
"	"	.7730, 80°·8	
"	"	.7619, 98°·8	
Dotriacontane. (M. 70°)	C ₃₂ H ₆₆	.7810, 70°	Kraft. Ber. 19, 2218.
Pentatriacontane.	C ₃₅ H ₇₂	.7816, 74°·7	Kraft. Ber. 15, 1711.
" (M. 74°·7)	"	.7775, 80°·8	
"	"	.7664, 99°·2	
Paraffin.* M. 56°	C _n H _{2n+2}	.913	From ozokerite. Sauerlandt. J. 1879, 1147.
" M. 61°	"	.921	
" M. 67°	"	.927	
" M. 72°	"	.934	
" M. 76°	"	.940	
" M. 82°	"	.943	
" M. 38°	"	.872, 17°	
" " "	"	.879, 55°	
" M. 43°	"	.883, 17°	
" " "	"	.788, 55°	
" " "	"	.889, 17°	
" " "	"	.785, 55°	
" M. 46°	"	.887, 17°	
" " "	"	.781, 60°-65°	
" M. 47°	"	.900, 17°	
" " "	"	.775, 60°-65°	
" M. 51°	"	.908, 17°	
" " "	"	.775, 60°-65°	
" M. 56°	"	.912, 17°	
" " "	"	.777, 60°-65°	

* No attempt has been made to secure completeness concerning the specific gravity of common paraffin. The data given are included only to facilitate comparison.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Paraffin. M. 38°	$C_n H_{2n+2}$.874, 21°	From shale oil, Beilby. J. C. S., Sept., 1883, 288. Data given for sp. g. of paraffin in solution.
"	"	.783, 38°	
"	"	.779, 43°.4	
"	"	.775, 49°	
"	"	.771, 54°.5	
"	"	.767, 60°	
"	"	.763, 65°.5	

2d. Olefines. $C_n H_{2n}$.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Ethylene. Liquefied	$C_2 H_4$.414, -21°	Cailletet and Mathias. C. R. 102, 1202.
"	"	.342, -7°.3	
"	"	.353, -3°.7	
"	"	.332, +4°.3	
Butylene	$C_4 H_8$.306, +6°.2	Chapman. J. 20, 581.
"	"	.635, -13°.5	
"	"	.639, -14°.2	Puchot. Ann. (5), 28, 207
"	"	.6517, 16°.5	
Amylene	$C_5 H_{10}$.6633, 0°	Mendelejeff. J. 13, 7. Bauer. J. 14, 660.
"	"	.66277, 0°	
"	"	.65490, 10°	Buff. A. C. P., 4 Supp. Bd., 129.
"	"	.64450, 17°	
"	"	.62384, 23°	
"	"	.625812, 33°.5	
"	"	.62634, 35°.5	
"	"	.679, 0°	
"	"	.6319, 35°	Buff. J. 21, 334. Ramsay. J. C. S. 35, 463.
"	"	.6617, 9°.9	Schiff. G. C. I. 13, 187.
"	"	.6340, 35°.6	
"	"	.6355, 36°.3	
"	"	.6503, 21°	Gladstone. Bei. 9, 249.
Trimethyl ethylene	"	.6783, 0°	Le Bel. B. S. C. 25, 547.
β . Ethyl methyl ethylene	"	.670, 0°	Le Bel. B. S. C. 25, 546.
Isopropyl ethylene	"	.648, 0°	Flawitzky. Ber. 11, 952.
Hexylene	$C_6 H_{12}$.709, 12°	Pelouze and Cahours. J. 16, 525.
"	"	.6937	Wurtz. J. 17, 512.
"	"	.6986	
"	"	.702, 0°	Geibel and Buff. J. 21, 336.
"	"	.6996	Hecht. A. C. P. 165, 146.
"	"	.6997	
Tetramethyl ethylene	"	.712	Pawlow. A. C. P. 196, 122.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
<i>a.</i> Ethyl dimethyl ethylene.	$C_6 H_{12}$.712, 0°	Jawein. Ber. 11, 1258.
“ “ “ “	“	.698, 19°	
<i>β.</i> Ethyl dimethyl ethylene.	“	.702, 0°	“ “
“ “ “ “	“	.687, 19°	
Heptylene	$C_7 H_{14}$.718, 18°	Williams. J. 11, 438.
“	“	.7060, 12° 5	Schorlemmer. A. C. P. 136, 257.
“	“	.7026, 19° 5	“ “
“	“	.7060, 16°	Grimshaw. A. C. P. 166, 163.
“	“	.742, 20°	Renard. Ber. 15, 2368.
“	“	.71812, 20°	Sokolow. Ber. 21, ref. 56.
Dimethyl isopropyl ethylene.	“	.6985, 14°	Markownikow. Z. C. 14, 268.
“ “ “ “	“	.7144, 0°	Pawlow. A. C. P. 173, 194.
Octylene	$C_8 H_{16}$.708, 16°	Cahours. C. R. 31, 143.
“	“	.723, 17°	Bouis. J. 7, 582.
“	“	.737, 20°	Fittig. J. 13, 320.
“	“	.7396, 0°	Warren and Storer. J. 21, 331.
“	“	.7217, 17°	Möslinger. Ber. 9, 1000.
“	“	.7294, 9° 9	Schiff. G. C. I. 13, 177.
“	“	.6306, 123° 4	
“	“	.7222, 22°	Lachowicz. A. C. P. 220, 185.
“	“	.7197, 20°	Brühl. A. C. P. 235, 1.
“	“	.73645, 20°	Sokolow. Ber. 21, ref. 56.
Diisopropyl ethylene	“	.7526, 16°	Williams. Ber. 10, 908.
Methyl ethyl propyl ethylene.	“	.73138, 20°	Sokolow. Ber. 21, ref. 56.
Diisobutylene	“	.734, 0°	Butlerow. J. C. S. 34, 122.
“	“	.737, 0°	Lermontoff. A. C. P. 196, 116.
Nonylene. B. 145°	$C_9 H_{18}$.757, 20° 5	Fittig. J. 13, 321.
“ B. 153°	“	.7618, 0°	Warren and Storer. J. 21, 331.
“ B. 134°	“	.853, 18° 4	Lemoine. B. S. C. 41, 161.
“	“	.74333, 20°	Sokolow. Ber. 21, ref. 56.
Diamylene. B. 165°	$C_{10} H_{20}$.7777, 0°	Bauer. J. 14, 660.
“ B. 151°	“	.8416, 0°	Schneider. A. C. P. 157, 208.
“	“	.8248, 20°	
“ B. 174° 6	“	.7912, 0°	Warren and Storer. J. 21, 332.
“ B. 175° 8	“	.823, 0°	Warren and Storer. J. 21, 331.
“	“	.7789, 10°	Schiff. G. C. I. 13, 177.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diamylene. B. 156°	C ₁₀ H ₂₀	.6611	Schiff. G. C. I. 13, 177.
"	"	.6615	
"	"	.77753, 15° 2	
" B. 165°	"	.855, 14°	Lemoine. B. S. C. 41, 161.
" B. 164°	"	.7387, 20°	Lachowicz. A. C. P. 220, 177.
Endecylene	C ₁₁ H ₂₂	.782, 0°	Warren. J. 21, 330.
"	"	.8398, 0°	Warren and Storer. J. 21, 332.
"	"	.791, 0°	
Dodecylene. B. 216°	C ₁₂ H ₂₄	.791, 0°	Warren. J. 21, 330.
" B. 212° 6	"	.8361	Warren and Storer. J. 21, 332.
" B. 208°-219°	"	.8543	
"	"	.8654	
"	"	.7954, -31°	Kraft. Ber. 16, 3018.
"	"	.7729	
"	"	.7732	
"	"	.7620, 15°	From two sources. Jawein. Ber. 11, 1258.
"	"	.7511, 30°	
"	"	.796, 0°	
Dihexylene. B. 196°-199°	"	.786, 19°	From two sources. Jawein. Ber. 11, 1258.
"	"	.809, 0°	
"	"	.798, 19°	
Triisobutylene. B. 178°	"	.774, 0°	Butlerow. Mem. Acad. St. Petersb., 1879.
"	"	.746, 50°	
"	"	.773	Lermontoff. A. C. P. 196, 116.
"	"	.774	
" B. 180°	"	.782, 0°	Five different lots. Puchot. Ann. (5), 28, 525.
"	"	.7435, 51° 6	
"	"	.707, 99° 5	
"	"	.785, 0°	
"	"	.751, 44° 9	
"	"	.783, 0°	
"	"	.738, 60° 5	
"	"	.707, 100° 2	
"	"	.780, 0°	Warren and Storer. J. 21, 332.
"	"	.779, 0°	
"	"	.768, 14°	Kraft. Ber. 16, 3018.
Tridecylene	C ₁₃ H ₂₆	.8445, 0°	
Tetradecylene	C ₁₄ H ₂₈	.7936, -12°	
"	"	.7852, 0°	
"	"	.7745, 15°	Kraft. Ber. 16, 3018.
"	"	.7638, 30°	
Triamylene	C ₁₅ H ₃₀	.8139	Bauer. J. 14, 660.
Cetenë. B. 275°	C ₁₆ H ₃₂	.7893, 15° 2	Mendelejeff. J. 13, 7.
"	"	.7915, 4°	Two samples. Kraft. Ber. 16, 3018.
"	"	.7839, 15°	
"	"	.7686, 37° 1	
"	"	.7917, 4°	
"	"	.7842, 15°	
"	"	.7689, 37° 1	Bonis. Watts' Dict. Dumas and Boullay. See Serullas.
Diocylene. B. 250°	"	.814, 15°	
Etherol. B. 280°	"	.9174	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Etherol -----	$C_{16}H_{32}$ -----	.921 -----	Serullas. Ann. (2), 39, 178.
Octodecylene -----	$C_{18}H_{36}$ -----	.7910, 18° -----	Kraft. Ber. 16, 3018.
" -----	" -----	.7881, 22° 1' -----	
" -----	" -----	.7790, 35° 6' -----	
Tetramylene -----	$C_{20}H_{40}$ -----	.8710, 0° -----	Bauer. J. 14, 660.
Cerotene -----	$C_{27}H_{54}$ -----	.861, 15° -----	Weltzien's "Zusammenstellung."
Melene -----	$C_{30}H_{60}$ -----	.89 -----	Watts' Dictionary.

3d. Acetylene Series and Derivatives.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetylene. Liquefied -----	C_2H_2 -----	.460, -7° -----	Ansdell. C. N. 40, 136. Critical t°., 37° 05.
" -----	" -----	.456, -3° -----	
" -----	" -----	.451, 0° -----	
" -----	" -----	.441, 4° 4' -----	
" -----	" -----	.432, 9° -----	
" -----	" -----	.420, 16° 4' -----	
" -----	" -----	.413, 20° 6' -----	
" -----	" -----	.404, 26° 25' -----	
" -----	" -----	.397, 30° -----	
" -----	" -----	.381, 34° -----	
" -----	" -----	.364, 35° 8' -----	
Valerylene. B. 41°—42° -----	C_5H_8 -----	.69999, 0° -----	
" -----	" -----	.687386, 17° -----	
" -----	" -----	.65719, 41° -----	
Isopropyl acetylene -----	" -----	.65082, 42° -----	Brylhants. Ber. 8, 407.
" " B. 28°—29° -----	" -----	.652, 11° -----	
Isoprene. B. 37°—38° -----	" -----	.6854, 0° -----	Flawitzky and Kri- loff. Ber. 11, 1939.
" -----	" -----	.6823, 20° -----	
" Pentene -----	" -----	.6709, 18° -----	Williams. J. 13, 495. Gladstone. J. C. S. 49, 623.
" -----	" -----	.6766, 18° -----	
Hexoylene. B. 80°—83° -----	C_6H_{10} -----	.710, 13° -----	Rebouland Truchot. J. 20, 587.
" -----	" -----	.7494, 0° -----	
" -----	" -----	.7377, 13° -----	Hecht. Ber. 11, 1051.
Diallyl. B. 59° 5' -----	" -----	.684, 14° -----	
" -----	" -----	.68724, 17° -----	Berthelot and Luca. J. 1, 590.
" -----	" -----	.64682, 59° 5' -----	
" -----	" -----	.64564, 58° -----	
" -----	" -----	.7074, 0° -----	
" -----	" -----	.6508, 59° 5' -----	
" -----	" -----	.6983, 11° 9' -----	
" -----	" -----	.6503, 59° 3' -----	Buff. A. C. P., 4th Supp. Bd., 129.
" -----	" -----	.6880, 20° -----	
Diallylene -----	C_6H_8 -----	.8579, 18° 2' -----	Zander. A. C. P. 214, 181.
			Schiff. G. C. I. 13, 177.
			Brühl. Bei. 4, 780. L. Henry. C. N. 38, 101.

4th. Benzene Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzene	C_6H_6	.85, 15°.5	Faraday. P. T. 1825, 440.
"	"	.956, -18°.s	
"	"	.85	Mitscherlich. A. C. P. 9, 43.
"	"	.85	Mansfield. J. 1, 711.
"	"	.89911, 0°	Kopp. P. A. 72, 243.
"	"	.88372, 15°.2	
"	"	.88354, 15°.3	
"	"	.8931, 5°-10°	Regnault. P. A. 62, 50.
"	"	.8827, 10°-15°	
"	"	.8838, 15°-20°	
"	"	.8841, 15°	Mendeleeff. J. 13, 7.
"	"	.8667	Church. J. 17, 531.
"	"	.8957, 0°	Warren. J. 18, 515.
"	"	.8820, 15°.5	
"	"	.895, 3°	Jungfleisch. C. R. 64, 911.
"	"	.812, 80°.5	
"	"	.8995, 0°	Louguinine. Ann. (4), 11, 453. Other values given for intermediate t°s.
"	"	.8890, 10°	
"	"	.8784, 20°	
"	"	.8568, 40°	
"	"	.8349, 60°	
"	"	.8126, 80°	
"	"	.90023, 0°	
"	"	.89502, 5°	
"	"	.88982, 10°	
"	"	.88462, 15°	
"	"	.87940, 20°	
"	"	.87417, 25°	
"	"	.86891, 30°	
"	"	.86362, 35°	
"	"	.85829, 40°	
"	"	.85291, 45°	Adrieenz. Ber. 6, 442.
"	"	.84748, 50°	
"	"	.84198, 55°	
"	"	.83642, 60°	
"	"	.83078, 65°	
"	"	.82505, 70°	
"	"	.81923, 75°	
"	"	.81331, 80°	
"	"	.899487, 0°	
"	"	.883573, 15°	
"	"	.872627, 25°	Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.846170, 50°	
"	"	.818721, 75°	
"	"	.88029	Landolt. Ber. 9, 907.
"	"	.8773, 20°	Naumann. Ber. 10, 1422.
"	"	.8142, 80°	Ramsay. J. C. S. 35, 463.
"	"	.8858, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	"	.8111, 80°	Schiff. Ber. 14, 2769.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzene	$C_6 H_6$.9000, 0°	Dieff. J. P. C. (2), 27, 368.
"	"	.8818, 20°	Schiff. G. C. I. 13, 177.
"	"	.8839, 14° 2	
"	"	.8111, 80° 1	Brühl. Bei. 4, 780.
"	"	.8799, 20°	
"	"	.87901, 20°	Flink. Bei. 8, 262.
"	"	.8719, 25° 7	Schall. Ber. 17, 2555.
"	"	.8845, 13° 8	
"	"	.8881, 7° 5	Gladstone. Bei. 9, 249.
"	"	.8901, 10°	
"	"	.8903, 10°	
"	"	.8801, 20°	Knops. V. H. V. 1887, 17.
"	"	.85716, 40° 1	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 654.
"	"	.85493, 41° 3	
"	"	.84324, 53° 2	
"	"	.84006, 54° 7	
"	"	.83101, 64° 1	
"	"	.83081, 64° 2	
"	"	.82099, 72° 9	
"	"	.82079, 73° 4	
"	"	.81387, 79° 2	
"	"	.81392, 79° 2	
"	"	.81297, 79° 9	
"	"	.87907, 20°	
Toluene	$C_7 H_8$.86	Pelletier and Walter. Gm. II.
"	"	.821	Courbe. Gm. II.
"	"	.864, 23°	Glénard and Boudault. Gm. II.
"	"	.87, 18°	Deville. Gm. II.
"	"	.8650	Church. J. 17, 531.
"	"	.8824, 0°	Warren. J. 18, 515.
"	"	.8720, 15°	
"	"	.881, 5°	Tollens and Fittig. A. C. P. 131, 303.
"	"	.8841, 0°	Louguinine. Ann. (4), 11, 453. Other values given for intermediate t°s.
"	"	.8657, 20°	
"	"	.8375, 50°	
"	"	.8086, 80°	
"	"	.7889, 100°	Post and Möhrten. Ber. 8, 1551.
"	"	.866, 20°	
"	"	.8657, 20°	Naumann. Ber. 10, 1425.
"	"	.7650, 111°	Ramsay. J. C. S. 35, 463.
"	"	.8829, 0°	Naccari and Pugliani. Bei. 6, 88. Several other intermediate values are given.
"	"	.8797, 2° 77	
"	"	.8722, 10° 89	
"	"	.8692, 14° 13	
"	"	.8653, 18° 43	
"	"	.8556, 28° 74	
"	"	.8430, 42° 24	
"	"	.8258, 60° 04	
"	"	.8136, 72° 46	
"	"	.7874, 99° 01	
"	"	.7811, 105° 17	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Toluene	C_7H_8	.8708, 13° 1	} Schiff. G. C. I 13, 177. Brühl. Bei. 4, 780. Schall. Ber. 17, 2204. Schall. Ber. 17 2555. Gladstone. Bei. 9, 249. Gladstone and Tribe. J. C. S. 47, 448. Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 656.
"	"	.7780	
"	"	.77807	
"	"	.7781	
"	"	.8656, 20°	
"	"	.7801, 109°	
"	"	.8617, 26°	
"	"	.85098, 34° 5	
"	"	.8704, 7° 5	
"	"	.8643	
"	"	.8691	
"	"	.82664, 61° 2	
"	"	.82441, 62° 3	
"	"	.82435, 63° 5	
"	"	.80656, 81° 2	
"	"	.80637, 81° 5	
"	"	.79470	
"	"	.79494	
"	"	.78576, 102° 6	
"	"	.78515, 103°	
"	"	.77816	
"	"	.77788	
"	"	.77741, 110° 7	
"	"	.77694, 110° 8	
Xylene*	$C_6H_4(C_2H_5)_2$.8309, 15°	Mendelejeff. J. 13, 7.
"	"	.8668, 21°	Beilstein. A. C. P. 133, 37.
"	"	.8770, 0°	} Louguine. Ann. (4), 11, 453. Values given for other intermediate t°s.
"	"	.8600, 20°	
"	"	.8340, 50°	
"	"	.8073, 80°	
"	"	.7892, 100°	
"	"	.8616, 20°	Naumann. Ber. 10, 1426.
"	"	.7335, 132-134°	Ramsay. J. C. S. 35, 463.
"	"	.8619, 20°	Brühl. A. C. P. 235, 1.
Orthoxylene	"	1.2 .7559, 141° 1	Schiff. Ber. 15, 2974.
"	"	.8632, 18°	Gladstone. Bei. 9, 249.
"	"	.876, 24° 5	Colson. Ann. (6), 6, 86.
"	"	.81449, 90° 4	} Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 656.
"	"	.81422, 90° 6	
"	"	.79497, 112° 7	
"	"	.79435, 112° 9	
"	"	.78204	
"	"	.78188	
"	"	.77398	
"	"	.77413	
"	"	.76684	
"	"	.76661	
"	"	.76569, 142° 5	} Pinette. A. C. P. 243, 50.
"	"	.8932, 0°	
"	"	.7684, 141° 9	

* Exact character not specified. For sp. gr. of several mixed xylenes see Lewinstein, Ber. 17, 446.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metaxylene	$C_6H_4(CH_3)_2$	1.3	
"	"	.878, 0°	Warren. J. 18, 515.
"	"	.896, 15°	
"	"	.8715, 12°	Schiff. G. C. I. 13, 177.
"	"	.7567, 139°	
"	"	.7571, 129°	Gladstone. Bei. 9, 249.
"	"	.7572, 129°	
"	"	.8726, 15°	Colson. Ann. (6), 6, 86.
"	"	.861, 24°	
"	"	.8655, 20°	Bruhl. A. C. P. 235, 1.
"	"	.80588, 88°	
"	"	.80522, 89°	Taken at different pressures, each ° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 656.
"	"	.78722, 108°	
"	"	.78667, 108°	
"	"	.77483, 120°	
"	"	.77427, 121°	
"	"	.76639, 129°	
"	"	.76647, 129°	
"	"	.75799, 138°	
"	"	.75795, 138°	
"	"	.75658, 139°	
"	"	.75685, 139°	Pinette. A. C. P. 243, 50.
"	"	.8812, 0°	
"	"	.7567, 138°	
Paraxylene		1.4	Glinzer and Fittig. A. C. P. 136, 303.
"	"	.7543, 136°	Schiff. Ber. 14, 2763.
"	"	.7545, 136°	
"	"	.8488, 16°	Gladstone. Bei. 9, 249.
"	"	.851, 21°	
"	"	.851, 21°	Colson. Ann. (6), 6, 86.
"	"	.80215, 86°	
"	"	.80189, 86°	Taken at different pressures, each ° being the boiling point at the pressure ob- served. Neu- beck. Z. P. C. 1, 656
"	"	.78341, 106°	
"	"	.78310, 107°	
"	"	.77292, 119°	
"	"	.75968, 129°	
"	"	.75983, 129°	
"	"	.75129, 137°	
"	"	.75121, 137°	
"	"	.75306, 138°	
"	"	.75303, 138°	
"	"	.8801, 0°	Pinette. A. C. P. 243, 50.
"	"	.7558, 138°	
Ethylbenzene	$C_6H_5.C_2H_5$		Fittig and König. A. C. P. 144, 277.
"	"	.8760, 9°	Schiff. G. C. I. 13, 177.
"	"	.7641, 135°	
"	"	.7642, 135°	Weger. A. C. P. 221, 61.
"	"	.88316, 0°	
"	"	.7612, 136°	Bruhl. A. C. P. 235, 1.
"	"	.8673, 20°	
Trimethylbenzene	$C_6H_3(CH_3)_3$	1.35	Schwanert.
Me- stylyene			

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylbenzene. Me-	$C_6H_3(C_2H_5)_3$.8643, 0°	} -- Warren. J. 18, 515.
“ sitylene.	“	.8530, 15°	
“	“	.8694, 9°.8	
“	“	.7372, 164°.5	
“	“	.8558, 20°	
“	“	.8632, 19°	Gladstone. Bei. 9, 249.
“ Pseudocumene	“ 1.3.4.	.8901, 0°	Konowalow. Ber. 20, ref. 570.
Orthomethylethylbenzene	$C_6H_4.CH_3.C_2H_5$ 1.2.	.8731, 16°	Claus and Mann. Ber. 18, 1122.
Metamethylethylbenzene	“ 1.3.	.869, 20°	Wroblevsky. A. C. P. 192, 198.
Paramethylethylbenzene	“ 1.4.	.8694, 11°.3	} Schiff. G. C. I. 13, 177.
“	“	.7393	
“	“	.7394	
“	“	.864, 20°	
Propylbenzene	$C_6H_5.C_3H_7$.881, 0°	Paterno and Spica. Ber. 10, 294.
“	“	.88009, 0°	Spica. J. C. S. 36, 631.
“	“	.8692, 17°	Wispek and Zuber. A. C. P. 218, 380.
“	“	.8702, 9°.8	} Schiff. G. C. I. 13, 177.
“	“	.7399, 158°.5	
Isopropylbenzene. Cu-	“	.87	Pelletier and Walter. Ann. (2), 67, 269.
“	“	.8792, 0°	} -- Warren. J. 18, 515.
“	“	.8675, 15°	
“	“	.87976, 0°	} Pisati and Paterno. J. C. S. (2), 12, 686.
“	“	.85870, 25°	
“	“	.83756, 50°	
“	“	.81585, 75°	
“	“	.79324, 100°	
“	“	.86576, 17°.5	
“	“	.8776, 0°	} Two preparations. Silva. B. S. C. 43, 317.
“	“	.8577, 25°	
“	“	.87798, 0°	
“	“	.85766, 25°	
“	“	.8432, 12°	Gladstone. Bei. 9, 249.
Tetramethylbenzene	$C_6H_2(C_2H_5)_4$.8816, 9°	Knublauch. Tübingen Inaug. Diss., 1872.
Dimethylethylbenzene	$C_6H_3(C_2H_5)_2$ 1.2.4.	.8783, 20°	Ernst and Fittig. A. C. P. 139, 192.
“	“ 1.3.5.	.8644, 20°	Jacobsen. B. S. C. 24, 73.
“	“	.861, 20°	Wroblevsky. A. C. P. 192, 217.
“	“ 1.3.4.	.8686, 20°	Anschütz. A. C. P. 235, 324.
Diethylbenzene	$C_6H_4(C_2H_5)_2$ 1.4.	.8707, 15°.5	Fittig and König. A. C. P. 144, 285.
Metamethylpropylbenzene.	$C_6H_4.CH_3.C_3H_7$ 1.3.	.863, 16°	Claus and Stuesser. Ber. 13, 899.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metamethylpropylbenzene.	C_6H_4, CH_3, C_3H_7 , 1.3	.8728, 0°	Spica. Ber. 16. 792.
"	"	.864, 9° 8' ---	Schiff. G. C. I. 13, 177.
"	"	.7248, 175° 4'	
Paramethylpropylbenzene. Cymene.	" 1.4	.860, 14°	Gerhardt and Cahours. A. C. P. 38, 345.
"	"	.857, 16°	Neud. A. C. P. 63, 281.
"	"	.8778, 0° ---	Kopp. A. C. P. 94, 257.
"	"	.8678, 12° 6'	
"	"	.8660, 15°	Mendelejeff. J. 13. 7.
"	"	.8664, 20°	Williams. J. C. S. 15, 120.
"	"	.8697, 0° ---	From cummin oil. Warren. Mem. Amer. Acad. 9, 154.
"	"	.8724, 0°	
"	"	.8592, 14° ---	
"	"	.8705, 0° ---	From cummin oil. Louguine. Ann. (1), 11, 453. Other values given for intermediate t's.
"	"	.8544, 20°	
"	"	.8302, 50°	
"	"	.7893, 100°	
"	"	.8732, 0°	From camphor. Louguine. Ann. (1), 11, 453. Other values given for intermediate t's.
"	"	.8574, 20°	
"	"	.8333, 50°	
"	"	.7919, 100°	
"	"	.8708, 0°	From two sources. Beilstein and Kupffer. J. C. S. (2), 12, 152.
"	"	.8572, 20° 2'	
"	"	.8732, 0° ---	
"	"	.8707, 0°	Beilstein and Kupffer. A. C. P. 170, 295.
"	"	.86	Gladstone. J. C. S. (2), 11, 699.
"	"	.8424	Ext. of S. from different sources. Gladstone. J. C. S. (2), 11, 970.
"	"	.8438	
"	"	.858, 16°	Orlowsky. B. S. C. 21, 321.
"	"	.87446, 0° ---	From cummin oil. Pisati and Paterno. J. C. S. (2), 12, 685.
"	"	.85157, 25°	
"	"	.82352, 50°	
"	"	.8140, 75°	From cymylalcohol. Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.79307, 100°	
"	"	.87227, 0° ---	
"	"	.85258, 25°	
"	"	.82352, 50°	
"	"	.81209, 75°	
"	"	.79129, 100°	
"	"	.87224, 0° ---	From camphor. Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.85237, 25°	
"	"	.83251, 50°	
"	"	.81230, 75°	
"	"	.79122, 100°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Paramethylpropylbenzene. Cymene.	$C_6H_4 \cdot CH_3 \cdot C_3H_7$. 1.4	.86542, 0° -- } .78429, 100° }	{ From thyme oil. Pisati and Paterno. J. C. S. (2), 12, 686.
“	“	.8598, 15° -- }	From two sources. Kraut. A. C. P. 192, 224.
“	“	.8732, 0° } .8595, 15° }	
“	“	.8718, 0° ---- }	Jacobsen. Ber. 11, 1060.
“	“	.86035, 10° }	
“	“	.873, 0° ---- }	Febve. Ber. 14, 1720. Kanonnikoff. Bei. 7, 542.
“	“	.8720, 20° ---- }	
“	“	.7248, 176°.2	Schiff. Ber. 15, 2974.
“	“	.8569	Brühl. A. C. P. 235, 1.
“	“	.8551, 21° ---- }	Gladstone. J. C. S. 49, 623.
Methylisopropylbenzene	“	.86948, 0° -- }	Silva. B. S. C. 43, 317.
“	“	.86211, 25° }	
“	“	.8702, 0° ---- }	Jacobsen. Ber. 12, 431.
Butylbenzene	$C_6H_5 \cdot C_4H_9$ -----	.8622, 16° ----	Radziszewski. Ber. 9, 260.
“	“	.875, 0° ---- }	Balbiano. Ber. 10, 296.
“	“	.864, 15° ---- }	
“	“	.794, 99°.3 ---- }	
Isobutylbenzene	“	.8577, 16° ---- }	Reiss. Z. C. 14, 3.
“ <i>a</i>	“	.89, 15° ---- }	Radziszewski. Ber. 9, 260.
“ <i>β</i>	“	.8726, 16° ---- }	
Methyldiethylbenzene	$C_6H_3 \cdot C_2H_5 \cdot C_2H_5$ _{1.3.5.}	.8790, 20° ----	Jacobsen. B. S. C. 24, 74.
Dimethylpropylbenzene Laurene.	$C_6H_3 \cdot C_3H_7 \cdot C_3H_7$ -----	.887, 10° ----	Fittig, Köbrich, and Jilke. J. 20, 701.
Metaethylpropylbenzene	$C_6H_4 \cdot C_2H_5 \cdot C_3H_7$. 1.3	.8588, 19° ----	Renard. Ann. (6), 1, 223.
Amylbenzene	$C_6H_5 \cdot C_5H_{11}$ -----	.8751, 0° ----	Lippmann and Louguinine. J. 20, 667.
“	“	.8731, 21° ----	Dafert. M. C. 4, 617.
“	$C_6H_5 \cdot C(CH_3)_2 \cdot C_2H_5$ -----	.8728, 0° ----	Essner. Ber. 14, 2582.
“	$C_6H_5 \cdot (C_2H_5)_4 \cdot (CH_3)_3$ -----	.8602, 22° ----	Schramm. A. C. P. 218, 389.
Isoamylbenzene	$C_6H_5 \cdot CH_2 \cdot CH_2 \cdot CH(C_2H_5)_2$ -----	.859, 12° ----	Tollens and Fittig. A. C. P. 131, 303.
Orthoisoamylmethylbenzene.	$C_6H_4 \cdot CH_3 \cdot C_5H_{11}$. 1.2	.8945	Pabst. B. S. C. 25, 337.
Paraisoamylmethylbenzene.	“ 1.4	.8643, 9° ----	Bigot and Fittig. J. 20, 667.
Parapropylisopropylbenzene.	$C_6H_4 \cdot (C_3H_7)_2$. 1.4	.8713, 0° ----	Paterno and Spica. Ber. 10, 1746.
Isohexylbenzene	$C_6H_5 \cdot C_6H_{13}$ -----	.8568, 16° ----	Schramm. A. C. P. 218, 391.
Amyldimethylbenzene	$C_6H_3 \cdot C_2H_5 \cdot C_5H_{11}$ -----	.8951, 9° ----	Bigot and Fittig. J. 20, 667.
Normal octylbenzene	$C_6H_5 \cdot C_8H_{17}$ -----	.849, 15° ----	Schweinitz. Ber. 19, 642.
“	“	.852, 14° ----	Ahrens. Ber. 19, 2718.
Diisoamylbenzene	$C_6H_4 \cdot (C_5H_{11})_2$ -----	.8868, 0° ----	A. Austin. B. S. C. 32, 13.

5th. Miscellaneous Aromatic Hydrocarbons.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allylbenzene	$C_6H_5 \cdot C_3H_5$.9180, 15°	Perkin. C. N. 36, 211.
Isopropylvinylbenzene	$C_6H_4 \cdot C_3H_7 \cdot C_2H_5$.8902, 15°	" "
Isopropylallylbenzene	$C_6H_4 \cdot C_3H_7 \cdot C_3H_5$.890, 15°	" "
Isopropylbutenylbenzene	$C_6H_4 \cdot C_3H_7 \cdot C_4H_7$.8875, 15°	" "
Phenylacetylene	$C_2H \cdot C_6H_5$.8658, 0°	Weger. A. C. P. 221, 61.
"	"	.80832, 141°.6	"
"	"	.9295, 20°	Brühl. A. C. P. 235, 1.
Ethylphenylacetylene	$C_2 \cdot C_2H_5 \cdot C_6H_5$.925, 21°	Morgan. J. C. S. (3), 1, 163.
Cinnamene. (Styrolene)	$C_2H_3 \cdot C_6H_5$.928, 15°	E. Kopp. J. P. C. 37, 283.
"	"	.924	Blyth and Hofmann. A. C. P. 53, 294.
"	"	.876	Scharling. A. C. P. 97, 186.
"	"	.896	
"	"	.912, 15°	Perkin. J. C. S. 32, 660.
"	"	.911	From different sources, Krakau. Ber. 11, 1260.
"	"	.912	
"	"	.915	
"	"	.925	
"	"	.926	
"	"	.7926, 143°	Schiff. G. C. I. 13, 177.
"	"	.9251, 0°	Weger. A. C. P. 221, 61.
"	"	.7914, 146°.2	Nasini and Bernheimer. G. C. I. 15, 50.
"	"	.90595, 17°	
"	"	.9084	Gladstone. J. C. S. 45, 241.
"	"	.9409, 11°	Brühl. A. C. P. 235, 1.
"	"	.9074, 20°	
Metacinnamene	$(C_8H_8)_n$	1.054, 13°	Scharling. A. C. P. 97, 186.
Di-cinnamene	$C_{16}H_{16}$	1.027, 0°	Erdmann. A. C. P. 210, 189.
"	"	1.016, 15°	
Phenylbutylene	$C_4H_7 \cdot C_6H_5$.9015, 15°.5	Aronheim. B. S. C. 19, 258.
"	"	.8864, 12°.1	Nasini. Bei. 9, 331.
Phenylpentylene	$C_5H_9 \cdot C_6H_5$.8458, 23°	Dufert. M. C. 4, 625.
Phenylisopentylene	"	.878, 16°	Schramm. A. C. P. 218, 394.
Tetraphenylethane	$C_2H_2 (C_6H_5)_4$	1.179	Schroder. Ber. 14, 2516.
"	"	1.184	
Phenyltolylethane	$C_2H_4 \cdot C_6H_5 \cdot C_7H_7$.98	Bandrowski. B. S. C. 23, 79.
Ditolylethane	$C_2H_4 (C_7H_7)_2$.974, 20°	Anschutz. A. C. P. 235, 315.
Dixylethane	$C_2H_4 (C_8H_9)_2$.966, 20°	Anschutz. A. C. P. 235, 326.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diphenylpropane	$C_3 H_6 (C_6 H_5)_2$.9956, 0° .9205, 100°	Silva. Ber. 12, 2270.
Tetrahydrotoluene	$C_7 H_{12}$.797, 18°	Renard. Ann. (6), 1, 223.
Tetrahydroxylene	$C_8 H_{14}$.814, 0°	Wreden. A. C. P. 163, 337.
"	"	.8158	Renard. Ann. (6), 1, 223.
Hexhydrobenzene	$C_6 H_{12}$.76, 0°	Wreden. J. R. C. 5, 350.
Hexhydrotoluene	$C_7 H_{14}$.772, 0°	Wreden. Ber. 10,
"	"	.758, 20°	713.
"	"	.742, 20°	Renard. Ann. (6), 1, 223.
"	"	.7741, 0°	Lossen and Zander. A. C. P. 225, 109.
"	"	.7587, 19°	
"	"	.6896, 96°.5	
Hexhydroxylene. (B. 137°.6.) (B. 121°.5)	$C_8 H_{16}$.7956, 4°	Schiff. Ber. 13, 1407.
"	"	.764, 19°	Renard. Ann. (6), 1, 223.
Hexhydroisoxylyene.	"	.781, 0°	Wreden. Ber. 10,
" (B. 118°)	"	.765, 20°	712.
"	"	.777, 0°	Wreden. J. C. S. (2), 12, 258.
"	"	.7814, 0°	Lossen and Zander. A. C. P. 225, 109.
"	"	.7665, 19°.3	
"	"	.6781, 118°	
Hexhydrocumene	$C_9 H_{18}$.787, 20°	Renard. Ann. (6), 1, 223.
Hexhydropseudocumene	"	.7812, 0°	Konowaloff. Ber.
"	"	.7667, 20°	20, ref. 571.
Hexhydrocymene	$C_{10} H_{20}$.8116, 17°	Renard. Ann. (6), 1, 223.
β . Benzylene	$C_7 H_6$	1.106, 35°	Gladstone and Tribe. J. C. S. 47, 448.
Diphenyl	$C_{12} H_{10}$	1.160	Schröder. Ber. 14, 2516.
"	"	1.169	
"	"	.9961, 70°.5	
Triphenylbenzene	$C_6 H_3 (C_6 H_5)_3$	1.205	Schröder. Ber. 14, 2516.
"	"	1.206	
Phenyltoluene	$C_6 H_4 \cdot CH_3 \cdot C_6 H_5 \cdot 1.4$	1.015, 27°	Carnelley. J. C. S. (2), 14, 18.
Benzylethylbenzene	$C_6 H_4 \cdot C_2 H_5 \cdot C_7 H_7 \cdot 1.4$.985, 18°.9	Walker. Ber. 5, 686.
Metabenzyltoluene	$C_6 H_4 \cdot CH_3 \cdot C_7 H_7 \cdot 1.3$.997, 17°.5	Sentf. A. C. P. 220, 223.
Parabenzyltoluene	" 1.4	.995, 17°.5	Zinke. A. C. P. 161, 93.
Dibenzyltoluene	$C_6 H_3 \cdot C H_3 (C_7 H_7)_2$	1.049	Weber and Zinke. J. C. S. (2), 13, 155.
Phenylxylene	$C_6 H_3 (C H_3)_2 C_6 H_5$	1.01, 0°	Barbier. J. C. S. (2), 13, 62.
Benzylcymene	$C_{10} H_{13} \cdot C_7 H_7$.987, 0°	Mazzara. Ber. 12, 384.
Dipentenylbenzene	$C_{22} H_{28}$.9601, 23°	Dafert. M. C. 4, 625.
Benzylidencetolylene?	$C_{14} H_{12}$	1.0032, 18°	Lippmann. Ber. 19, ref. 744.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ditolyl	$C_{14} H_{14}$.9172, 121°	Schiff. A. C. P. 223, 247.
Dibenzyl	"	1.002, 14°	Limpricht. J. 19, 593.
"	"	.9945, 10° 5'	Fittig. A. C. P. 139, 178.
"	"	1.0423, 52° 3'	Schiff. A. C. P. 223, 247.
Dixylylene	$C_{16} H_{16}$.9984, 22°	Lippmann. Ber. 19, re? 744.
Naphthalene. l.	$C_{10} H_8$.9774, 79° 2'	Kopp. A. C. P. 95, 307.
"	"	.9628, 99° 2'	Alluard. J. 12, 472.
"	"	1.15173, 19°	Vohl.
"	"	1.153, 18°	Watts' Dictionary.
"	"	1.048	Ure. Gm. H.
"	"	1.321	Schröder. Ber. 12, 1611.
"	"	1.311	{
"	"	.8779, 218°	Ramsay. J. C. S. 39, 65.
"	"	.9777, 79° 2'	Schiff. A. C. P. 223, 247.
"	"	.982, 79°	Lossen and Zander.
"	"	.8674, 217° 1'	A. C. P. 225, 109.
"	"	.96208, 98° 4'	Nasini and Bernheimer. G. C. I. 15, 50.
Methylnaphthalene	$C_{10} H_7 \cdot C H_3$	1.0287, 11° 5'	Fittig and Rensen. A. C. P. 155, 114.
"	"	1.0042, 22°	Reingruber. A. C. P. 206, 376.
Dimethylnaphthalene	$C_{10} H_6 (C H_3)_2$	1.0176, 20°	Giovanozzi. J. C. S. 42, 853.
"	"	1.0283, 0°	{ Cannizzaro and
"	"	1.10199, 12°	{ Carnelutti. J. C. S. 44, 80.
"	"	1.01803, 16° 4'	{ Nasini and Bern-
"	"	1.01058, 27° 7'	{ heimer. G. C. I. 15, 50.
"	"	.97411, 77° 7'	{
Ethylnaphthalene	$C_{10} H_7 \cdot C_2 H_5$	1.0184, 10°	Fittig and Rensen. A. C. P. 155, 118.
"	"	1.0204, 0°	Carnelutti. Ber. 13, 1672.
"	"	1.0123, 11° 9'	{
Isopropylnaphthalene	$C_{10} H_7 \cdot C_3 H_7$.990, 0°	Roux. Ann. (6), 12, 319.
Amylnaphthalene	$C_{10} H_7 \cdot C_5 H_{11}$.973, 0°	Roux. Ann. (6), 12, 321.
Naphthalene tetrahydride	$C_{10} H_8 \cdot H_4$.981, 12°	Graebe. B. S. C. 18, 205.
"	"	.995, 0°	Wreden and Znato-
"	"	"	wicz. Ber. 9, 1607.
Naphthalene hexhydride	$C_{10} H_8 \cdot H_6$.952, 0°	"
"	"	.9419, 0°	{
"	"	.7809, 200°	Lossen and Zander. A. C. P. 225, 109.
"	"	.94887, 16° 4'	{ Nasini and Bern-
"	"	.95807, 18° 4'	{ heimer. Two samples. G. C. I. 15, 50.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Naphthalene octohydride.	$C_{10} H_8 \cdot H_8$.910, 0°	Wreden and Znato- wicz. Ber. 9, 1607.
Naphthalene decahydride	$C_{10} H_8 \cdot H_{10}$.857, 0°	" "
Naphthalene dodecahy- dride.	$C_{10} H_8 \cdot H_{12}$.802, 0°	" "
Dimethylnaphthalene hexhydride.	$C_{12} H_{12} \cdot H_6$.92194, 19°.8	Nasini and Bern- heimer. G. C. I. 15, 50.
α . Benzyl-naphthalene	$C_{10} H_7 \cdot C_7 H_7$	1.166	Miquel. Ber. 9, 1034.
"	"	1.165, 0°	Vincent and Roux. B. S. C. 40, 163.
β . Benzyl-naphthalene	"	1.176, 0°	" "
Acenaphtene	$C_{10} H_6 \cdot C_2 H_4$	1.0300, 103°	Schiff. A. C. P. 223, 247.
Anthracene	$C_{14} H_{10}$	1.147	Reichenbach. Watts' Dict.
Phenanthrene	"	1.0630, 100°.5	Schiff. A. C. P. 223, 247.
Phenanthrene tetrahy- dride.	$C_{14} H_{10} \cdot H_4$	1.067, 10°.2	Graebe. J. C. S. (2), 14, 76.
Stilbene	$C_{14} H_{12}$.9707, 119°.2	Schiff. A. C. P. 223, 247.
Retene. Solid	$C_{18} H_{18}$	1.104	Ekstrand. A. C. P. 185, 78.
" "	"	1.110	
" "	"	1.132	
" "	"	1.152	
" "	"	1.162	
" Fused	"	1.063	
" "	"	1.067	
" "	"	1.074	
" "	"	1.077	
" "	"	1.087	
" "	"	1.093	

6th. Terpenes.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Oil of turpentine	$C_{10} H_{16}$.8902, 0°	Frankenheim. J. 1, 68.
" "	"	.8555	Four different sam- ples. Gladstone. J. C. S. 17, 1.
" "	"	.8600	
" "	"	.8614	
" "	"	.8644	
" " B. 168°.2	"	.7283, 168°.2	Schiff. Bei. 9, 559.
From <i>Abies Reginae</i> -Ama- lie.	"	.868	Buchner and Theil. J. 17, 536.
From <i>Pinus abies</i>	"	.856, 20°	Wöhler. Gm. H.
" " "	"	.880, 15°	Blanchet and Sell. Gm. H.
From <i>Pinus maritima</i>	"	.864, 16°	Berthelot. J. 6, 519.
" " " B. 179°.3	"	.8639, 0°	Flawitzky. Ber. 12, 2357.
" " "	"	.8486, 20°	
From <i>Pinus picea</i>	"	.859, 6°	Flückiger. J. 8, 643.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoterebenthenes	$C_{10}H_{16}$.7793, 100°	Riban. C. R. 79, 314.
Terpylene. Laevorotatory	"	.8672, 0°	Bouchardat and Lafont. C. R. 102, 50.
Terpinylene. B. 177°	"	.8526, 15°	Tilden. C. N. 37, 166.
Terpinene. B. 178	"	.93, 0°	Walitzky. Ber. 15, 1086.
"	"	.855	Wallach. A. C. P. 230, 260.
Sylvestrene. B. 175°	"	.8612, 16°	Atterberg. Ber. 10, 1206.
"	"	.8598, 17°.5	Atterberg. Ber. 14, 2531.
"	"	.8658, 14°	Gladstone. Bei. 9, 249.
Anstrapyrolene. B. 177°	"	.847	Watts' Dictionary.
From oil of neroli. B. 173°	"	.8466, 20°	Gladstone. J. C. S. 17, 1.
From oil of orange	"	.835	Soubeiran and Capitaine.
" " " B. 174°	"	.8460	Gladstone. J. C. S. 17, 1.
" " " "	"	.8468 } 20°	"
From oil of petit grain	"	.8470, 20°	"
From Citrus lumia	"	.853, 18°	Luca. J. 13, 479.
From Citrus bigaradia	"	.8520, 10°	Luca. C. R. 45, 904.
" " "	"	.8517, 12°	
From Citrus medica	"	.8514, 15°	Berthelot. J. 6, 521.
" " "	"	.8466, 20°	Gladstone. J. C. S. 17, 1.
Oil of citron	"	.8597, 5°—10°	Regnault. P. A. 62, 50.
" " "	"	.8558, 10°—15°	
" " "	"	.8518, 15°—20°	
Citron terpene	"	.8593	Schiff. Ber. 19, 560.
" " "	"	.8595 } 9°.9	
" " "	"	.7279 } 168°	
" " "	"	.7285 } 168°	
" " "	"	.7286 } 168°	
From oil of lemon	"	.84	Zeller. Watts' Dict. 316.
" " "	"	.86	
" " "	"	.8380 } 0°	
" " "	"	.8661 } 0°	
" " " B. 173°	"	.8468, 20°	
Citrene. B. 165°	"	.8569	Blanchet and Sell. Gm. H.
From oil of bergamot	"	.856	Ohme. A. C. P. 31, 316.
" " "	"	.8464	Gladstone. J. C. S. 17, 1.
" " "	"	.8466 } 20°	
Hesperidene	"	.8483	Gladstone. Bei. 9, 249.
From oil of angelica	"	.8487	Müller. Ber. 14, 2483.
" " " B. 175°	"	.833, 0°	Naudin. Ber. 15, 254.
" " " B. 158°	"	.8609	Beilstein and Wiegand. Ber. 15, 1741.
" " " B. 173°	"	.8504 } 16°.5	
" " " B. 176°	"	.8481 } 16°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
β Terebangeline. B. 166	$C_{10}H_{16}$.870, 0°	Naudin. C. R. 96, 1153.
From oil of anise	"	.8580, 20°	Gladstone. J. C. S. 17, 1.
From oil of bay	"	.908, 15°	Blas. J. 18, 569.
" " "	"	.8508, 20°	Gladstone. J. C. S. 17, 1.
From oil of birch tar	"	.870, 20°	Sobrero. Watts' Diet.
From oil of ealamus	"	.8793, 0°	Kurbatow. A. C. P. 173, 1.
From oil of camphor	"	.8733, 20°	Yoshida. J. C. S. 47, 779.
From oil of caraway	"	.8466, 20°	Gladstone. J. C. S. 17, 1.
Carvone	"	.861, 15°	Volekel. J. 6, 512.
"	"	.8530	Gladstone. J. C. S. 17, 1.
"	"	.8545	
"	"	.8530, 9°.8	} Schiff. G. C. I. 13, 177.
"	"	.7127	
"	"	.7132	
"	"	.7133	
"	"	.8529, 20°	Kanonnikoff. Bei. 7, 592.
"	"	.849, 15°	Fluckiger. Ber. 17, ref. 358.
From oil of cascarilla	"	.8467, 20°	Gladstone. J. C. S. 17, 1.
From oil of copal	"	.951, 10°	Schilder. J. 12, 516.
From oil of cummin	"	.8772, 0°	} Warren. J. 18, 515.
" " "	"	.8657, 15°	
From oil of dill	"	.8467, 20°	Gladstone. J. C. S. 17, 1.
From oil of elder	"	.8468, 20°	" "
From elemi	"	.849, 11°	Deville. J. 2, 448.
" " "	"	.852, 24°	Stenhouse. A. C. P. 35, 304.
From oil of erechthidis	"	.8380, 18°.5	Beilstein and Wiegand. Ber. 15, 2854.
From oil of Erigeron condens.	"	.8464, 18°	" "
From Eucalyptus amygdalina.	"	.8642, 20°	Gladstone. J. C. S. 17, 1.
From oil galbanum	"	.8842, 9°	Mössner. J. 14, 687.
From Illicium religiosum.	"	.855	Eykmann. Ber. 14, 1721.
From kauri gum	"	.863, 18°	Rennie. Ber. 14, 1719.
From laurel turpentine	"	.8618, 20°	Gladstone. J. C. S. 20, 1.
From oil of marjoram	"	.8463, 18°.5	Beilstein and Wiegand. Ber. 15, 2854.
From oil of mint	"	.8600, 20°	Gladstone. J. C. S. 17, 1.
" " "	"	.8646, 17°.3	Gladstone. J. C. S. 49, 623.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
From oil of peppermint	$C_{10}H_{16}$.8602, 20°	Gladstone. J. C. S. 17, 1.
From menthol. B. 168.°C.	"	.8254, 0°	Atkinson and Yoshida. J. C. S. 41, 49.
" " "	"	.8178, 10°	
" " "	"	.8111, 20°	
" " "	"	.8001, 40°	
" " "	"	.7924, 60°	
From oil of myrtle	"	.8690, 20°	Gladstone. J. C. S. 17, 1.
From oil of nutmeg	"	.8518	" "
" " " B. 167°	"	.8527	
" " " B. 164°	"	.8454, 25°	Gladstone. Bei. 9, 249.
" " " B. 178°	"	.8480, 27°	
From oil of parsley	"	.8732, 20°	Gladstone. J. C. S. 17, 1.
From oil of parsnip	"	.865, 12°	Gerichten. Ber. 9, 259.
From Ptychotis ajowan	"	.854, 12°	Stenhouse. J. 9, 624.
From oil of rosemary	"	.8805, 20°	Gladstone. J. C. S. 17, 1.
From oil of sage. B. 155°	"	.8635*	Three isomers. Sigüra and Muir. J. C. S. 33, 292.
" " " B. 167°	"	.8866	
" " " B. 165°	"	.8653	
" " " B. 170°	"	.8653	
" " " "	"	.8667	
" " " "	"	.8632, 24°.5	Muir. J. C. S. 37, 682.
From Satureja hortensis	"	.855, 15°	Gladstone. J. C. S. 49, 623.
From oil of thyme	"	.8635, 20°	Jahns. Ber. 15, 819.
Thymene	"	.868, 20°	Gladstone. J. C. S. 17, 1.
"	"	.868, 20°	Lallemand. J. 9, 616.
"	"	.8635, 20°	Kanonnikoff. Bei. 7, 592.
From oil of wormwood	"	.8565, 20°	Gladstone. J. C. S. 17, 1.
Cajeputene. B. 165°	"	.850, 15°	Schmidl. J. 13, 481.
Isocajeputene. B. 177°	"	.857, 16°	Schmidl. J. 13, 482.
Camphene	"	.8481, 47°.7	Riban. B. S. C. 24, 9.
"	"	.8387, 58°.9	
"	"	.8211, 79°.7	
"	"	.8062, 97°.7	
"	"	.8345, 99°.84	
Camphilene	"	.87	Spitzer. Ber. 11, 1815.
Caoutchin	"	.855, 0°	Watts' Dictionary. Bouchardat. B. S. C. 24, 109.
"	"	.842, 20°	
"	"	.842, 20°	
Cicutene	"	.87038, 18°	Williams. J. 13, 495.
Cinaëbene	"	.878	Van Ankum. J. 21, 794.
Cynene. B. 174°.5	"	.825, 16°	Hirzel. J. 7, 592.
"	"	.8500, 15°	Völckel. A. C. P. 89, 358.
"	"	.8238, 50°	
"	"	.7851, 100°	
			Hell and Stürcke. Ber. 17, 1972.

* Misprinted 0.8435. Corrected in later paper.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY
Cynene. B. 182°	$C_{10}H_{16}$.85384, 16°	Wallach and Brass. A. C. P. 225, 291.
From cyneol. B. 179°	"	.85652	" "
" " "	"	.85959	" "
Fellandrene	"	.8558, 10°	Pesci. G. C. I. 16, 225.
Gaultherilene	"	.8510, 20°	Gladstone. J. C. S. 17, 1.
Geraniene	"	.842	Jacobsen. Z. C. 14.
" " "	"	.843	171.
Licarene	"	.835, 18°	Morin. J. C. S. 42, 737.
Macene	"	.8529, 17°.5	Schacht. J. 15, 461.
Olilbene	"	.863, 12°	Kurbatow. Z. C. 14, 291.
Safrene	"	.8345, 0°	Grimaux and Ru- otte. J. 22, 783.
Tolene	"	.858, 10°	E. Kopp. J. 1, 737.
Polymer of isoprene	"	.866, 0°	Bouchardat. Ber. S. 904.
" " "	"	.854, 21°	" "
Polymer of valerylene	"	.826, 15°	" "
From oil of calamus	$C_{15}H_{24}$.9189	Gladstone. J. C. S.
" " "	"	.9275	17, 1.
" " "	"	.942, 0°	Kurbatow. A. C. P. 173, 1.
From oil of cascarilla	"	.9212, 20°	Gladstone. J. C. S. 17, 1.
From oil of cedar	"	.9231, 18°	Gladstone. Ber. 9, 249.
From oil of cloves	"	.918, 18°	Ettling. Watts' Diet.
" " "	"	.9016, 14°	Williams. J. 11, 442.
" " "	"	.9041, 20°	Gladstone. J. C. S. 17, 1.
" " "	"	.905, 15°	Church. J. C. S. (2), 13, 115.
From oil of copaiva	"	.91	Posselt. J. 2, 455.
" " "	"	.881	Soubeiran and Cap- itaine. Gm. II.
" " "	"	.885	" "
" " "	"	.8978, 24°	Levy. Ber. 18, 3206.
From oil of cubeb	"	.915	Schmidt.
" " "	"	.930	" "
" " "	"	.938	" "
" " "	"	.9062, 20°	Gladstone. J. C. S. 17, 1.
" " "	"	.9289, 0°	Ogialore. Ber. S. 1357.
Cedrene	"	.984, 14°.5	Walter. Ann. (3), 1, 501.
" " "	"	.915, 15°	Muir. J. C. S. 37, 13
" " "	"	.9231, 18°	Gladstone. J. C. S. (2), 10, 1.
From Dryobalanops cam- phora. " "	"	.900	Lallemand. J. 12, 503.
" " "	"	.921	" "
From gurgun balsam	"	.9044, 15°	Werner. J. 15, 461.
From oil of hemp	"	.9292, 0°	Valente. J. C. S. 40, 284.
From Laurus nobilis	"	.925, 15°	Blas. J. 18, 569.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
From <i>Ledum palustre</i> -----	$C_{15}H_{24}$ -----	.9349, 0° -----	Rizza. Ber. 20, ref. 562.
“ “ “ -----	“ -----	.9237, 19° -----	
From maracaibo balsam -----	“ -----	.921, 10° -----	Strauss. J. 21, 795.
Metatemplene -----	“ -----	1.037, 4° -----	Flückiger. J. 8, 646.
From <i>Myrtus pimenta</i> -----	“ -----	.98, 8° -----	Oeser. J. 17, 534.
From oil of patchouli -----	“ -----	.9211 -----	Gladstone. J. C. S. 17, 1.
“ “ “ -----	“ -----	.9255 -----	
“ “ “ -----	“ -----	.9278 -----	
“ “ “ -----	“ -----	.946, 0° -----	Montgolfier. Ber. 10, 234.
“ “ “ -----	“ -----	.937, 13°.5 -----	
From oil of rosewood -----	“ -----	.9042, 20° -----	Gladstone. J. C. S. 17, 1.
From oil of sage -----	“ -----	.9198, 0° -----	Sigiura and Muir. J. C. S. 33, 297.
“ “ -----	“ -----	.9137, 12° -----	
“ “ -----	“ -----	.9072, 24° -----	
“ “ -----	“ -----	.8970, 41° -----	
From oil of sandal wood -----	“ -----	.9190 -----	Gladstone. J. C. S. (2), 10, 1.
Sesquiterpene -----	“ -----	.921, 16° -----	Wallach. A. C. P. 238, 85.
From oil of vitivert -----	“ -----	.9332 -----	Gladstone. J. C. S. (2), 10, 1.
From copaiva oil -----	$C_{20}H_{32}$ -----	.892, 17° -----	Brix. Ber. 14, 2267.
From minjak-lagam oil -----	“ -----	.923, 15° -----	Haussner. Ber. 16, 1387.
From oil of poplar -----	“ -----	.9002 -----	Piccard. C. C. (3), 6, 4.
From tar-cumene -----	“ ? -----	.8850, 22° -----	Jacobsen. A. C. P. 184, 203.
Diterebene -----	“ -----	.94 -----	Watts' Dictionary.
Metaterebenthene -----	“ -----	.913, 20° -----	Berthelot. J. 6, 524.
Colophene -----	“ -----	.9391, 20° -----	Gladstone. J. C. S. 17, 1.
“ -----	“ -----	.94, 9° -----	Deville. P. A. 51, 439.
Difellandrene -----	“ -----	.9523, 10° -----	Pesci. G. C. I. 16, 225.
Heveéne -----	“ -----	.921, 21° -----	Bouchardat. A. C. P. 37, 30.
Tetraterebenthene -----	$C_{40}H_{64}$? -----	.977, 0° -----	Riban. C. R. 79, 391.

7th. Unclassified Hydrocarbons.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Heptanaphthene*	$C_7 H_{14}$.7778, 0°	Milkowsky. Ber. 18, ref. 186.
"	"	.7624, 17° 5	
Octonaphthene	$C_8 H_{16}$.7649, 0°	Markownikoff. Ber. 18, ref. 186.
"	"	.7503, 18°	
Isocetonaphthene	"	.7765	Putochin. Ber. 18, ref. 186.
"	"	.7768	
"	"	.7637, 17° 5	
Nononaphthene	$C_9 H_{18}$.7808, 0°	Markownikoff and Ogloblin. Ber. 16, 1877.
"	"	.7808, 0°	Konowaloff. Ber. 18, ref. 186.
"	"	.7652, 26°	
Dekanaphthene	$C_{10} H_{20}$.795, 0°	Markownikoff and Ogloblin. Ber. 16, 1877.
Endekannaphthene	$C_{11} H_{22}$.8119, 0°	" "
Dodekannaphthene	$C_{12} H_{24}$.8053, 14°	" "
Tetradekannaphthene	$C_{14} H_{28}$.8390, 0°	" "
Pentadekannaphthene	$C_{15} H_{30}$.8294, 17°	" "
Nononaphthylene	$C_9 H_{16}$.8068, 0°	Konowaloff. Ber. 18, ref. 186.
Menthene	$C_{10} H_{18}$.851, 21°	Walter. A. C. P. 32, 288.
"	"	.814, 15°	Moriya. J. C. S., March, 1881.
"	"	.8226, 0°	Atkinson and Yoshida. J. C. S. 41, 49.
"	"	.8145, 16°	
"	"	.8073, 20°	
"	"	.7909, 40°	
"	"	.7761, 60°	
From oil of calamus	"	.8793, 0°	Kurbatow. J. C. S. (2), 12, 259.
From turpentine chlorhydrate	"	.852, 19°	Montgolfier. Ber. 12, 376.
Cymbydrene	$C_{10} H_{20}$.8046, 12°	Gladstone. J. C. S. 49, 616.
Terpene hydride	"	.8179, 0°	Montgolfier. C. R. 89, 103.
"	"	.8060, 17° 5	
Ethyl camphene	$C_{10} H_{18} \cdot C_2 H_5$.8709, 20°	Spitzer. Ber. 11, 1817.
Isobutyl camphene	$C_{10} H_{18} \cdot C_4 H_9$.8614, 20°	Spitzer. Ber. 11, 1818.
Camphin	$C_{13} H_{22}$.827, 25°	Chus. J. P. C. 25, 269.
Ditertbenthyl	$C_{20} H_{30}$.9688, 18°	Renard. C. R. 105, 865.
Ditertbenthylene	$C_{20} H_{28}$.9821, 12°	Renard. C. R. 106, 856.
Dicamphene hydride	$C_{20} H_{34}$.9574, 19°	Montgolfier. C. R. 87, 840.

* According to Konowaloff, the "naphthenes" are identical with the hexhydrides of the benzene series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Didecene -----	$C_{20} H_{36}$ -----	.9362, 12° ----	Renard. C. R. 106, 1086.
Caoutchene -----	$C_4 H_8$ -----	.65, —2° ----	Bouchardat. A. C. P. 37, 30.
Tropilidene -----	$C_7 H_8$ -----	.9129, 0° ----	Ladenburg. A. C. P. 217, 133.
From copper camphorate.	$C_8 H_{14}$ -----	.793 -----	Moitessier. J. 19, 410.
From decomposition of phenol.	$C_{10} H_{12}$ -----	1.012, 17°.5, s.	Roscoe. J. C. S. 47, 669.
Eucalyptene -----	$C_{12} H_{18}$ -----	.836, 12° ----	Cloëz. J. 23, 588.
Anthemene -----	$C_{18} H_{36}$ -----	.942, 15° ----	Naudin. B. S. C. 41, 483.
Paranicene -----	$C_{10} H_{12}$ -----	1.24 -----	St. Evre. J. 1, 532.
Lekene -----	?	.93917 -----	Beilstein and Wiegand. Ber. 16, 1548.
Könlite -----	$(C_6 H_6)_n$ -----	.88 -----	Trommsdorf. A. C. P. 21, 126.
Hartite -----	$(C_3 H_5)_n$ -----	1.046 -----	Haidinger. P. A. 54, 261.
From petroleum -----	$(C_7 H_4)_n$ -----	1.096, 15° ----	Prunier. Ann. (5), 17, 5.
Carbopetrocene -----	$(C_{10} H_2)_n$ or $(C_{12} H_2)_n$ -----	1.235, 10° ----	" "

XLVI. COMPOUNDS CONTAINING C, H, AND O.

1st. Alcohols of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl alcohol -----	$C H_4 O$ -----	.798, 20° ----	Dumas and Peligot. Ann. (2), 58, 5.
" " -----	" -----	.807, 9° -----	Deville.
" " -----	" -----	.813 -----	Regnault.
" " -----	" -----	.82704, 0° ----	Pierre. Ann. (3), 15, 325.
" " -----	" -----	.7938, 25° ----	Kopp. A. C. P. 55, 166.
" " -----	" -----	.81796, 0° --	Kopp. P. A. 72, 53.
" " -----	" -----	.80307, 16°.9	
" " -----	" -----	.8065, 15° ----	Mendelejeff. J. 13, 7.
" " -----	" -----	.8052, 9°.5 ----	Delffs. J. 7, 26.
" " -----	" -----	.8142, 0° ----	Kopp. A. C. P. 94, 257.
" " -----	" -----	.7997, 16°.4	
" " -----	" -----	.7973, 15° ----	Graham.
" " -----	" -----	.7995, 15° ----	Duclaux. Ann. (5), 13, 86.
" " -----	" -----	.8574, 21° ----	Linnemann. J. 21, 681.
" " -----	" -----	.81571, 10° ----	Dupré. P. A. 148, 236.
" " -----	" -----	.7964, 20° ----	Landolt.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl alcohol	C_2H_6O	.7997, 15°	Grodzki and Krämer. Z. A. C. 14, 103.
" "	"	.7984, 15°	Kramer and Grodzki. Ber. 9, 1929.
" "	"	.8008, 0°	Vincent and Delachanal. J. 1880, 396.
" "	"	.8014, 14°	De Heen. Bei. 5, 105.
" "	"	.7475 } 61° 8.	{ Schiff. G. C. I. 13,
" "	"	.7477 }	{ 177.
" "	"	.7959, 20°	Brühl. Bei. 4, 781.
" "	"	.8111, 0°	Zander. A. C. P.
" "	"	.7483, 66° 2	{ 224, 88.
" "	"	.810, 15°	Regnault and Villejean. C. R. 99, 82.
" "	"	.7961, 18°	Gladstone. Bei. 9, 249.
" "	"	.7923, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.7931, 20°	Traube. Ber. 19, 879.
" "	"	.8612, 0°	Pagliani and Battelli. Bei. 10, 222.
" "	"	.78909, 22° 94	} Values given for every 10° from 80° to 238°. Ramsay and Young. P. T. 178, 313.
" "	"	.7185, 100°	
" "	"	.6494, 150°	
" "	"	.5525, 200°	
" "	"	.3642, 238° 5	
Ethyl alcohol*	C_2H_6O	.7924, 17° 9	Gay Lussac.
" "	"	.7915, 18°	Dumas and Boullay. P. A. 12, 93.
" "	"	.8095, 0°	Darling.
" "	"	.7996, 15°	Kopp. A. C. P. 55, 166.
" "	"	.8150, 5°—10°	} Regnault. P. A. 62, 50.
" "	"	.8113, 10°—15°	
" "	"	.8072, 15°—20°	
" "	"	.81087 } 0°	} Kopp. P. A. 72, 62.
" "	"	.8095 }	
" "	"	.79821, 14°	
" "	"	.7990, 14° 8	
" "	"	.8151, 0°	
" "	"	.7938, 15° 5	Pierre. Ann. (3), 15, 325.
" "	"	.7897 }	} Fownes. P. T. 1847, 249.
" "	"	.7905 }	
" "	"	.79381, 15° 6	Wuckenroder. J. 1, 682.
" "	"	.809, 5°	Drinkwater. J. 1, 682.
" "	"	.8194, 19°	Dellé. J. 7, 26.
" "	"	.7947, 15°	Wetherill. J. P. C. 60, 202.
" "	"	.7958, 15°	Pouillet. J. 12, 439.
" "	"	.8083, 0°	Mendelejeff. J. 13, 7.
" "	"	.7157, 99° 9	Mendelejeff. J. 14, 20.

* For this compound there are so many determinations of specific gravity that absolute completeness with regard to them has not been attempted by the compiler.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl alcohol	C_2H_6O	.6796, 130°.9	Mendeleeff. J. 14, 20.
"	"	.7946 } 15°	Baumhauer. J. 13, 393.
"	"	.7947 }	
"	"	.80625, 0°	Mendeleeff. J. 18, 469.
"	"	.80207, 5°	
"	"	.79788, 10°	
"	"	.79367, 15°	
"	"	.78945, 20°	
"	"	.78522, 25°	
"	"	.78096, 30°	Linnemann. J. 21, 413.
"	"	.8086, 19°	
"	"	.8090, 17°	Linnemann. A.C.P. 160, 195.
"	"	.822, 20°	Pierre and Puchot. Ann. (4), 22, 260.
"	"	.79481, 11°	Erlenmeyer. A.C.P. 162, 374.
"	"	.815, 0° 5°	Pierre. C. N. 27, 93.
"	"	.80214, 1.---	
"	"	.7946, 16°.03	Winkelmann. P. A. 150, 592.
"	"	.7339, 78°	Ramsay. J. C. S. 35, 463.
"	"	.8120, 0°	Vincent and Delachanal. J. 1880, 396.
"	"	.7995, 14°	De Heen. Bei. 5, 105.
"	"	.8019, 20°	{ Bedson and Williams. Ber. 14, 2550.
"	"	.7976, 25°	
"	"	.7381 } 78°.2	{ Schiff. G. C. I. 13, 177.
"	"	.7382 }	
"	"	.7402 }	
"	"	.7405 } 78°.3	Nasini. G. C. I. 13, 135.
"	"	.7968, 20°	
"	"	.8000, 20°	Brühl. Bei. 4, 781.
"	"	.79603, 17°.86	{ Also intermediate values. Drecker. P. A. (2), 20, 870.
"	"	.77616, 40°.90	
"	"	.7882, 25°.3	Schall. Ber. 17, 2555.
"	"	.7899, 23°.4	
"	"	.79326, 15°	Squibb. C. N. 51, 33.
"	"	.7906, 20°	Winkelmann. P. A. (2), 26, 105.
"	"	.79175, 0°	Pagliani and Battelli. Bei. 10, 222.
"	"	.70606, 110°	{ Intermediate values given. Ramsay and Young. P. T. 1886, 129.
"	"	.5570, 200°	
"	"	.3109, 242°.9	
Propyl alcohol	C_3H_8O	.8198, 0°	Pierre and Puchot. Ann. (4), 22, 276.
"	"	.8125, 9°.6	
"	"	.7797, 50°.1	
"	"	.7494, 84°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl alcohol	C_3H_8O	.813, 13°	Chancel. A. C. P. 151, 302.
" "	"	.812, 16°	Chapman and Smith. J. C. S. 22, 194.
" "	"	.823, 0°	Savtzeff. Z. C. 13, 107.
" "	"	.8205, 0°	Rossi. A. C. P. 159, 79.
" "	"	.8066, 15°	Linnemann. A. C. P. 161, 26.
" "	"	.8198, 0°	Pierre. C. N. 27, 93.
" "	"	.80825, 15°	
" "	"	.8044, 20°	Bruhl. Ber. 13, 1529.
" "	"	.8091, 14°	DeHeen. Bei. 5, 105.
" "	"	.8203, 0°	Naccari and Pagliani. Bei. 6, 88. Values given at several intermediate t°s.
" "	"	.8127, 9°.71	
" "	"	.8001, 25°.46	
" "	"	.7898, 38°.18	
" "	"	.7773, 53°.10	
" "	"	.7648, 67°.46	
" "	"	.7550, 77°.69	
" "	"	.7385, 94°.40	
" "	"	.8177, 0°	
" "	"	.7369, 97°.4	
" "	"	.8190, 20°	Zander. A. C. P. 214, 181.
" "	"	.7365	Pagliani. Bei. 7, 450.
" "	"	.7366	
" "	"	.7367	
" "	"	.8049, 20°	Schiff. G. C. I. 13, 177.
" "	"	.8051, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.8051, 20°	Traube. Ber. 19, 881.
Isopropyl alcohol	"	.791, 15°	Linnemann. J. 18, 188.
" "	"	.7915, 16°.5	Siersch. A. C. P. 144, 141.
" "	"	.7876, 16°	Linnemann. A. C. P. 161, 18.
" "	"	.7887, 20°	Bruhl. A. C. P. 203, 1.
" "	"	.797, 15°	Duchux. Ann. (5), 13, 89.
" "	"	.7993, 0°	Zander. A. C. P. 214, 181.
" "	"	.7231, 82°.8	
" "	"	.7413 81°.3	Schiff. G. C. I. 13, 177.
" "	"	.7414	
" "	"	.8076, 20°	Traube. Ber. 19, 882.
Hydrate of isopropyl alcohol.	$(C_3H_8O)_3 \cdot H_2O$.800, 15°	Linnemann. A. C. P. 136, 40.
" " "	$(C_3H_8O)_2 \cdot 2H_2O$.832, 15°	" " "
Butyl alcohol. B. 117°.5	$C_4H_{10}O$.826, 0°	Savtzeff. Z. C. 13, 108.
" "	"	.8239, 0°	Lieben and Rossi. A. C. P. 158, 137.
" "	"	.8105, 20°	
" "	"	.7994, 40°	
" "	"	.7738, 98°.7	
" "	"	.7735, 98°.9	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY
Butyl alcohol	$C_4H_{10}O$.8112, 15°	{ Two samples. Linnemann. Ann. (4), 27, 268.
" "	"	.8135, 22°	
" "	"	.8152, 14°	De Heen. Bei. 5, 105.
" "	"	.806, 15°	Pierre. C. N. 27, 93.
" "	"	.8099, 20°	Two lots. Brühl. A. C. P. 203, 1.
" "	"	.8096, 20°	
" "	"	.8233, 0°	Zander. A. C. P. 224, 88.
" "	"	.7247, 117°.5	
" "	"	.7269	{ Schiff. G. C. I. 13, 177.
" "	"	.7270 } 116°.7	
Isobutyl alcohol. B. 108°	"	.8032, 18°.5	Wurtz. A. C. P. 93, 107.
" "	"	.817, 0°	Pierre and Puchot. J. 21, 434.
" "	"	.809, 11°	
" "	"	.774, 55°	
" "	"	.732, 100°	
" "	"	.8055, 16°.8	Chapman and Smith. J. C. S. 22, 161.
" "	"	.8003, 18°	Linnemann. A. C. P. 160, 195.
" "	"	.8025, 19°	Linnemann. Ann. (4), 27, 268.
" "	"	.8167	Menschutkin. A. C. P. 195, 351.
" "	"	.8168	
" "	"	.8020	Brühl. Ber. 13, 1520.
" "	"	.8062 } 20°	
" "	"	.8062, 0°	Naccari and Pagliani. Bei. 6, 89. Values given for several intermediate t°s.
" "	"	.8052, 14°.50	
" "	"	.7927, 30°.71	
" "	"	.7800, 46°.56	
" "	"	.7608, 68°.97	
" "	"	.7497, 80°.86	
" "	"	.7295, 101°.97	
" "	"	.8064, 15°	
" "	"	.7265, 106°.6	
" "	"	.8062, 20°	
" "	"	.79888, 26°.15	Landolt. Bei. 7, 846. Schall. Ber. 17, 2555.
" "	"	.77844, 52°.2	
" "	"	.8024, 20°.5	Gladstone. Bei. 9, 249.
" "	"	.8031, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.8029, 20°	Traube. Ber. 19, 883.
Methylethylcarbinol. B. 99°.	"	.85, 0°	De Luynes. Ann. (4), 2, 424.
" "	"	.827, 0°	Lieben. A. C. P. 150, 114.
" "	"	.810, 22°	
Trimethylcarbinol. B. 82°.5	"	.8075, 0°	Butlerow. Z. C. 14, 273.
" "	"	.7788, 30°	
" "	"	.7792, 37°	Linnemann. Ann. (4), 27, 268.
" "	"	.7864, 20°	Brühl. A. C. P. 203, 1.
" "	"	.7823, 24°	
" "	"	.7813, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylcarbinol.	$C_4H_{10}O$.7802, 26°	Bruhl. A. C. P. 293, 1.
B. 82°·5			
Hydrate of trimethylcarbinol	$C_4H_{10}O \cdot \frac{1}{2}H_2O$.8276, 0°	Butlerow. Z. C. 14, 273.
Normal amyl alcohol.	$C_5H_{12}O$.8296, 0°	
" " " B. 137	"	.8168, 20°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	.8065, 40°	
" " "	"	.7835, 99°·15	
" " "	"	.8282, 0°	
" " "	"	.7117, 137°·85	
" " "	"	.8299, 0°	Zander. A. C. P. 224, 88.
Amyl alcohol.* B. 131°·5.	"	.8184, 15°	Gartenmeister. A. C. P. 233, 249.
" " "	"	.8137, 15°	Cahours. A. C. P. 30, 288.
" " "	"	.8271, 0°	Kopp. A. C. P. 55, 166.
" " "	"	.8185, 15°	Pierre. J. 1, 62.
" " "	"	.8253, 0°	Rieckher. J. 1, 698.
" " "	"	.8144, 15°·9	Kopp. P. A. 72, 227.
" " "	"	.8127, 16°·4	
" " "	"	.8115, 14°	Delffs. J. 7, 26.
" " "	"	.818, 14°	
" " "	"	.8248, 0°	Kopp. A. C. P. 94, 257.
" " "	"	.8113, 18°·7	
" " "	"	.819, 18°	Schiff.
" " "	"	.8142, 15°	Mendelejeff. J. 13, 7.
" " "	"	.8148, 14°	(From two sources. Schorlemmer. J. 19, 527.
" " "	"	.8139, 14°	
" " "	"	.826, 0°	Pierre and Puchot. Ann. (4), 22, 336.
" " "	"	.8204, 15°	Graham.
" " "	"	.8148, 15°	Duchaux. Ann. (5), 13, 91.
" " "	"	.8135, 20°	Landolt.
" " "	"	.8244, 0°	Two products. Erlennmeyer and Hell. A. C. P. 160, 257.
" " "	"	.8144, 15°	
" " "	"	.8102, 21°·5	
" " "	"	.8263, 0°	
" " "	"	.8123, 19°·7	
" " "	"	.8253, 0°	Pierre. C. N. 27, 93.
" " "	"	.8146, 15°	
" " "	"	.8255, 0°	Pierre and Puchot. B. S. C. 20, 370.
" " Ordinary	"	.817	Ley. Ber. 6, 1362.
" " Less active	"	.816, 15°	
" " Mere "	"	.808, 15°	Bruhl. Boi. 4, 781.
" " "	"	.8123, 20°	
" " "	"	.8075, 14°	De Heen. Bel. 5, 105.
" " "	"	.8238, 0°	Balbano. Ber. 9, 1437.
" " "	"	.8104, 20°	Two lots. Bruhl. A. C. P. 203, 1.
" " "	"	.8103, 20°	
" " "	"	.8256, 0°	Flawitzky. Ber. 15, 11.
" " "	"	.8085, 23°	

* Ordinary, inactive, and res-ified.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl alcohol	$C_5 H_{12} O$.7221	} 123°.2 Schiff. Ber. 14, 2768.
" "	"	.7223	
" "	"	.7154, 130°.5	Schiff. G. C. I. 13, 177.
" "	"	.8063, 26°.1	} Schall. Ber. 17, 2555.
" "	"	.7729, 66°	
" "	"	.8114, 20°	Winkelmann P. A. (2), 26, 105.
" "	"	.8121, 20°	Traube. Ber. 19, 883.
" "	"	.8252, 0°	Pagliani and Battelli. Bei. 10, 222.
Methylpropylcarbinol.	"	.8249	} 0° { Wurtz. Z. C. 11, 490.
" " B. 119°	"	.8260	
" "	"	.833, 0°	Le Bel. Z. C. 14, 471.
" "	"	.8239, 0°	} Bielohoubek. Ber. 9, 925.
" "	"	.8102, 20°	
" "	"	.827, 0°	} { Wagner and Saytzeff. A. C. P. 179, 320.
" "	"	.815, 18°	
Methylisopropylcarbinol.	"	.8308, 0°	Winogradow. A. C. P. 191, 125.
" " B. 112°	"	.8219, 19°	} Wischnegradsky. A. C. P. 190, 340.
" "	"	.833, 0°	
" "	"	.819, 19°	} { Wagner and Saytzeff. A. C. P. 175, 368.
Diethylcarbinol. B. 116°.5	"	.832, 0°	
" "	"	.819, 16°	} { Wagner and Saytzeff. A. C. P. 179, 320.
" "	"	.831, 0°	
" "	"	.816, 18°	} Wurtz. A. C. P. 125, 114.
Dimethylethylcarbinol.	"	.829, 0°	
" " B. 102°.5.	"	.828, 0°	Ermolaien. Z. C. 14, 275.
" "	"	.8258, 0°	} Flawitzky. A. C. P. 179, 349.
" "	"	.810, 19°	
" "	"	.827, 0°	} Wischnegradsky. A. C. P. 190, 334.
" "	"	.812, 19°	
" "	"	.827, 17°	Münde. Ber. 7, 1370.
" "	"	.7241, 101°.6	Schiff. G. C. I. 13, 177.
Normal hexyl alcohol.	$C_6 H_{14} O$.820, 17°	} Pelouze and Cahours. J. 16, 527.
" " B. 157°.	"	.813, 0°	
" " " "	"	.819	Buff. J. 21, 336.
" " " "	"	.8333, 0°	} Franchimont and Zincke. C. N. 24, 263.
" " " "	"	.8204, 20°	
" " " "	"	.8107, 40°	} Lieben and Janecek. J. R. C. 5, 156.
" " " "	"	.813, 17°	
" " " "	"	.8312	} Frentzel. Ber. 16, 745.
" " " "	"	.8327	
" " " "	"	.6958	} 0° { Zander. A. C. P. 224, 88.
" " " "	"	.6982	
" " " "	"	.6982	} 157°
" " " "	"	.6982	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Normal hexyl alcohol	$C_6 H_{14} O$.8349, 0°	Gartenmeister. A. C. P. 233, 249.
Methyldiethylcarbinol	"	.8237, 20°	Reformatsky. J. P. C. (2), 35, 340.
"	"	.8194, 25°	
"	"	.8143, 30°	
"	"	.8104, 35°	
Methylpropylcarbylcarbinol. B. 147°.	"	.8396, 0°	Two lots. Lieben and Zeisel. M. C. 4, 32.
"	"	.8244, 23° 7	
"	"	.8375, 0°	
"	"	.8257, 17° 6	
Methylbutylcarbinol, or secondary hexyl alcohol. B. 136°.	"	.8327, 0°	Wanklyn and Erlenneyer. J. 16, 521.
"	"	.8209, 16°	
"	"	.7482, 99°	
"	"	.8266 } 0°	
"	"	.8306 } 0°	
"	"	.8307, 18°	Wislicenus. A. C. P. 219, 310.
Methylisobutylcarbinol	"	.8271, 0°	Kaweschinow. Ber. 20, ref. 629.
"	"	.8183, 17°	Volker. Ber. 8, 1019.
Ethylpropylcarbinol.	"	.8335, 0°	
" B. 134°	"	.8188, 20°	
"	"	.83433, 0°	
"	"	.81825, 20°	Oechsner de Coninck. C. R. 82, 93.
Isohexyl or caproyl alcohol. B. 150°.	"	.833, 0°	Faget. J. 6, 504.
" " "	"	.754, 100°	
" " "	"	.8295, 15°	Köbig. A. C. P. 195, 102.
Dimethylisopropylcarbinol. B. 117°.	"	.8364, 0°	Prianichnikow. Z. C. 14, 275.
"	"	.8387, 0°	Pawlow. A. C. P. 196, 122.
"	"	.8292, 19°	
Methylethylpropyl alcohol.	"	.829, 15°	Romburgh. J. C. S. 52, 228.
Trimethylcarbylmethylcarbinol, or pinacolyl alcohol. B. 120° 5.	"	.8347, 0°	Friedel and Silva. J. C. S. (2), 11, 488.
Normal heptyl alcohol. B. 175° 5.	$C_7 H_{16} O$.792, 16° 5	Wills. J. 6, 508.
" " "	"	.819, 23°	Städeler. J. 10, 361.
" " "	"	.838, 0°	
" " "	"	.830, 16°	
" " "	"	.824, 27°	
" " "	"	.8342, 0°	
" " "	"	.6876, 175° 8	
" " "	"	.8356, 0°	
" " "	"	.8356, 0°	Gartenmeister. A. C. P. 233, 249.
Isoheptyl alcohol. ?	"	.8291, 13° 5	Four products from different sources. Schorlemmer. A. C. P. 136, 257.
" " B. 163°-168°	"	.795, 15°	
" " "	"	.8479, 16°	
" " "	"	.8286, 19° 5	
Dipropylcarbinol. B. 150°	"	.814, 25°	Kurtz. A. C. P. 161, 205.
"	"	.81882, 20°	Ustinoff and Saytzedl. J. P. C. (2), 34, 470.
"	"	.81064, 30°	
"	"	.80677, 35°	
Diisopropylcarbinol. B. 131°-132°.	"	.8323, 17°	Münde. Ber. 7, 1370.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylisobutylcarbinol. B. 147°.5.	$C_7 H_{16} O$ -----	.827, 0° -----	E. Wagner. B. S. C. 42, 330.
Methylamylcarbinol. B. 149°.	" -----	.8185, 17°.5 -----	Rohn. A. C. P. 190, 310.
Triethylcarbinol. B. 141°	" -----	.8593, 0° -----	Nahapetian. Z. C. 14, 274.
" -----	" -----	.83892, 20° -----	{ Barataeff and Saytzeff. J. P. C. (2), 34, 465.
" -----	" -----	.82992, 30° -----	
Methylethylpropylcarbinol.	" -----	.8233, 20° -----	Sokolow. Ber. 21, ref. 56.
Normal octyl alcohol. B. 196°.5.	$C_8 H_{18} O$ -----	.830, 16° -----	Zincke. Z. C. 12, 55.
" " " -----	" -----	.8375, 0° -----	Zander. A. C. P. 224, 88.
" " " -----	" -----	.6807, 195°.5 -----	
" " " -----	" -----	.8369, 0° -----	Gartenmeister. A. C. P. 233, 249.
Methylhexylcarbinol, or capryl alcohol.	" -----	.823, 17° -----	Bouis. J. 7, 581.
" -----	" -----	.826, 16° -----	Pelouze and Cahours. J. 16, 529.
" -----	" -----	.823, 16° -----	Neison. J. C. S. (2), 13, 207.
" -----	" -----	.6589, 181° -----	Ramsay. J. C. S. 35, 463.
" -----	" -----	.8193, 20° -----	Brühl. A. C. P. 203, 1.
" -----	" -----	.6781 -----	{ Schiff. G. C. I. 13, 177.
" -----	" -----	.6782 -----	
" -----	" -----	.817 -----	Duclaux. Ann. (5), 13, 92.
"Octylene hydrate"	" -----	.811, 0° -----	Clermont. A. C. P. 149, 38.
" " -----	" -----	.793, 23° -----	
Primary isoöctyl alcohol.	" -----	.841, 0° -----	Williams. J. C. S. 35, 125.
" " " B. 179°.5.	" -----	.833, 12° -----	
" " " -----	" -----	.828, 20° -----	
" " " -----	" -----	.821, 30° -----	
" " " -----	" -----	.814, 40° -----	
" " " -----	" -----	.807, 50° -----	
" " " -----	" -----	.867, 100° -----	
Secondary isoöctylalcohol.	" -----	.820, 15° -----	" "
" " " B. 161°.5.	" -----	.811, 30° -----	
" " " -----	" -----	.801, 40° -----	
" " " -----	" -----	.793, 100° -----	Gortloff and Saytzeff. J. P. C. (2), 33, 202.
Methyldipropylcarbinol	" -----	.82357, 20° -----	
" -----	" -----	.81506, 30° -----	
" -----	" -----	.81080, 35° -----	
Diethylpropylcarbinol	" -----	.83794, 20° -----	Sokolow. Ber. 21, ref. 56.
Isodibutol. B. 147°	" -----	.8417, 0° -----	Butlerow. J. C. S. 34, 122.
Nonyl alcohol. B. 187°	$C_9 H_{20} O$ -----	.835, 18°.5 -----	Lemoine. B. S. C. 41, 161.
Normal nonyl alcohol	" -----	.8415, 0° -----	Krafft. Ber. 19, 2221.
" " " -----	" -----	.8346, 10° -----	
" " " -----	" -----	.8279, 20° -----	
Ethyldipropylcarbinol	" -----	.83368, 20° -----	Tschebotareff and Saytzeff. J. P. C. (2), 33, 193.
" -----	" -----	.82583, 30° -----	
" -----	" -----	.82190, 35° -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylhexylcarbinol.	$C_9 H_{20} O$.839, 0°	Wagner. Ber. 17, ref. 316.
“ “ “ B. 195°	“	.825, 20°	
Normal decyl alcohol	$C_{10} H_{22} O$.8389, 7°	Krafft. Ber. 16, 1714.
“ “ “	“	.8297, 20°	
“ “ “	“	.7734, 98°·7	
Decyl alcohol. B. 200°	“	.858, 18°·5	Lemoine. B. S. C. 41, 161.
Isodecyl alcohol. B. 203°	“	.8569, 0°	Borodin. J. 17, 338.
Propylhexylcarbinol. B. 210°	“	.839, 0°	E. Wagner. B. S. C. 42, 330.
Methylnonylcarbinol. B. 228°	$C_{11} H_{24} O$.8268, 15°	Giesecke. Z. C. 13, 431.
Normal dodecyl alcohol	$C_{12} H_{26} O$.8309, 24°	Krafft. Ber. 16, 1714.
“ “ “	“	.8201, 40°	
“ “ “	“	.7781, 99°	
Normal tetradecyl alcohol.	$C_{14} H_{30} O$.8239, 38°	“ “
“ “ “	“	.8153, 50°	
“ “ “	“	.7813, 98°·9	
Isomer of myristic alcohol. B. 270°—275°	“	.8368, 15°	Perkin, Jr. J. C. S. 43, 77.
“ “ “	“	.8301, 30°	
“ “ “	“	.8279, 35°	
Normal hexadecyl alcohol.	$C_{16} H_{34} O$.8176, 49°·5	Krafft. Ber. 16, 1714.
“ “ “	“	.8105, 60°	
“ “ “	“	.7837, 98°·7	
“ “ “ Cetyl alcohol.	“	.8185, 49°·5	
Normal octadecyl alcohol.	$C_{18} H_{38} O$.8124, 59°	“ “
“ “ “	“	.8048, 70°	
“ “ “	“	.7849, 99°·1	

2d. Oxides of the Paraffin Series.*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl ethyl oxide	$C_2 H_5, C_2 H_5, O$.7252, 0°	Dobriner. A. C. P. 243. 1.
“ “ “	“	.7127, 10°·8	
Ethyl oxide, or ether	$(C_2 H_5)_2 O$.7119, 24°·8	Gay Lussac.
“ “ “	“	.713, 20°	Dumas and Boullay. Ann. (2), 36, 294.
“ “ “	“	.733, 12°·5	Muncke. M. St. P. Sav. Et. 1, 1831, 249.
“ “ “	“	.73568, 0°	Kopp. P. A. 72, 231.
“ “ “	“	.72895, 6°·9	
“ “ “	“	.7297, 5°—10°	Regnault. P. A. 62, 50.
“ “ “	“	.7241, 10°—15°	
“ “ “	“	.7185, 15°—20°	
“ “ “	“	.73574, 0°	Pierre. C. R. 27, 213.
“ “ “	“	.728, 7°	Delfs. J. 7, 26.

* All of Dobriner's ethers represent normal paraffins.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Ethyl oxide, or ether	$(C_2 H_5)_2 O$.73644, 0°	} Intermediate values given. Mendelejeff. A. C. P. 119, 1.	
" " "	"	.63987, 78° 3'		
" " "	"	.60896, 99° 9'		
" " "	"	.55958, 131° 6'		
" " "	"	.51735, 157°		
" " "	"	.7271, 10° 2'		} Matthiessen and Hockin.
" " "	"	.7204, 15° 8'		
" " "	"	.6956, 34° 5'		Ramsay. J. C. S. 35, 463.
" " "	"	.7157, 20°		Brühl. Ber. 13, 1530.
" " "	"	.7197, 15°		Buchan. C. N. 51, 94.
" " "	"	.73128, 4°	} Squibb. C. N. 51, 67 and 76.	
" " "	"	.71888, 15°		
" " "	"	.73590, 0°		
" " "	"	.7304, 5°		
" " "	"	.7248, 10°		
" " "	"	.7192, 15°	} Oudemans. Ber. 19, ref. 2.	
" " "	"	.7135, 20°		
" " "	"	.7077, 25°		
" " "	"	.7019, 30°		
" " "	"	.6960, 35°		
" " "	"	.6704, 50°		
" " "	"	.6105, 100°		
" " "	"	.5179, 150°	} Also values for every 5° from 0° to 193°.	
" " "	"	.3030, 193°		Ramsay and Young. P. T. 178, 85.
" " "	"	.2463, at critical t°.		Ramsay and Young. P. M. 1887, 458.
Methyl propyl oxide	$C H_3 \cdot C_3 H_7 \cdot O$.7471, 0°	Dobriner. A. C. P. 243, 1.	
" " "	"	.70415, 38° 9'		
Ethyl propyl oxide	$C_2 H_5 \cdot C_3 H_7 \cdot O$.7386, 20°	Brühl. Bei. 4, 779.	
" " "	"	.7545, 0°	Dobriner. A. C. P. 243, 1.	
" " "	"	.6871, 63° 6'		
Ethyl isopropyl oxide	"	.7447, 0°	Markownikoff. A. C. P. 138, 374.	
Methyl butyl oxide	$CH_3 \cdot C_4 H_9 \cdot O$.7635, 0°	} Dobriner. A. C. P. 243, 1.	
" " "	"	.6901, 70° 3'		
Propyl oxide	$(C_3 H_7)_2 O$.7633, 0°	} Zander. A. C. P. 214, 181.	
" " "	"	.6743, 90° 7'		
" " "	"	.7435, 0°		
Isopropyl oxide	"	.6715, 69°	" "	
Ethyl butyl oxide	$C_2 H_5 \cdot C_4 H_9 \cdot O$.7694, 0°	} Lieben and Rossi. A. C. P. 158, 137.	
" " "	"	.7522, 20°		
" " "	"	.7367, 40°		
" " "	"	.761, 0°		
" " "	"	.7680, 0°		
" " "	"	.6785, 91° 4'	Dobriner. A. C. P. 243, 1.	
Ethyl isobutyl oxide	"	.7507, 0°	Wurtz. J. 7, 574.	
Methyl amyl oxide	$C H_3 \cdot C_5 H_{11} \cdot O$.6871, 91°	Schiff. Bei. 9, 559.	
Ethyl isoamyl oxide	$C_2 H_5 \cdot C_5 H_{11} \cdot O$.8036, 14° 7'	Mendelejeff. J. 13, 7.	
" " "	"	.764, 18°	Reboul and Truchot. J. 20, 582.	
Tertiary ethyl amyl oxide	"	.759, 21°	" "	
" " "	"	.7785, 0°	} Kondakoff. Ber. 20, ref. 549.	
" " "	"	.751, 18°		
Propyl butyl oxide	$C_3 H_7 \cdot C_4 H_9 \cdot O$.7773, 0°	} Dobriner. A. C. P. 243, 1.	
" " "	"	.6638, 117° 1'		

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Butyl oxide	$(C_4 H_9)_2 O$.784, 0°	Lieben and Rossi. A. C. P. 165, 109. Dobriner. A. C. P. 243, 1.
" " "	"	.7685, 20°	
" " "	"	.7559, 40°	
" " "	"	.7865, 0°	
" " "	"	.6575, 140°·9	
Isobutyl oxide	"	.7697, 0°	
" " "	"	.7294, 46°·4	
" " "	"	.7040, 74°·3	
" " "	"	.766, 0°	
" " "	"	.724, 48°·75	
" " "	"	.770, 0°	
" " "	"	.734, 42°	Kessler. A. C. P. 175, 55.
" " "	"	.7678, 0°	
Secondary butyl oxide	"	.756, 21°	Schorlemmer. J. C. S. 19, 357. Reboulant Truchot. J. 20, 582.
Ethyl hexyl oxide	$C_2 H_5, C_6 H_{13}, O$.7752, 16°·5	
" " "	"	.7698, 30°	
" " "	"	.7344, 63°	
" " "	"	.776, 13°	Lieben. A. C. P. 178, 14. Dobriner. A. C. P. 243, 1.
Diethyl-ethyl oxide	"	.7865, 0°	
" " "	"	.7702, 20°	
" " "	"	.7574, 40°	Dobriner. A. C. P. 243, 1.
Methyl heptyl oxide	$C H_3, C_7 H_{15}, O$.7953, 0°	
" " "	"	.6667, 149°·8	" "
Ethyl heptyl oxide	$C_2 H_5, C_7 H_{15}, O$.7949, 0°	
" " "	"	.65065, 169°·6	
" " "	"	.790 16°	
" " "	"	.791 16°	Cross. J. C. S. 31, 123.
Methyl octyl oxide	$C H_3, C_8 H_{17}, O$.8014, 0°	Dobriner. A. C. P. 243, 1.
" " "	"	.65386, 173°	
Methyl capryl oxide	"	.830, 16°·5	Wills. J. 6, 510. Rieckher. J. 1, 698. Wurtz. J. 9, 654.
Amyl oxide	$(C_5 H_{11})_2 O$.779	
" " "	"	.7994, 0°	Dobriner. A. C. P. 243, 1.
Propyl heptyl oxide	$C_3 H_7, C_7 H_{15}, O$.7987, 0°	
" " "	"	.6420, 187°·6	Moslinger. Ber. 9, 1003. Dobriner. A. C. P. 243, 1.
Ethyl octyl oxide	$C_2 H_5, C_8 H_{17}, O$.794, 17°	
" " "	"	.8008, 0°	
" " "	"	.6390, 180°·2	Wills. J. 6, 510.
" " "	"	.791, 16°	
Ethyl capryl oxide	"	.791, 16°	Dobriner. A. C. P. 243, 1.
Butyl heptyl oxide	$C_4 H_9, C_7 H_{15}, O$.8023, 0°	
" " "	"	.6327, 205°·7	" "
Propyl octyl oxide	$C_3 H_7, C_8 H_{17}, O$.8039, 0°	
" " "	"	.6300, 207°	" "
Butyl octyl oxide	$C_4 H_9, C_8 H_{17}, O$.8069, 0°	
" " "	"	.6277, 225°·7	Wills. J. 6, 510. Dobriner. A. C. P. 243, 1.
Amyl capryl oxide	$C_5 H_{11}, C_8 H_{17}, O$.608, 20°	
Norinal heptyl oxide	$(C_7 H_{15})_2 O$.8152, 0°	" "
" " "	"	.6055, 261°·9	
Heptyl octyl oxide	$C_7 H_{15}, C_8 H_{17}, O$.8182, 0°	Moslinger. Ber. 9, 1001. Dobriner. A. C. P. 243, 1.
" " "	"	.6038, 278°·8	
Norinal octyl oxide	$(C_8 H_{17})_2 O$.8035	" "
" " "	"	.8050, 17°	
" " "	"	.82035, 0°	
" " "	"	.5983, 291°·7	

3d. The Fatty Acids.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Formic acid	$C H_2 O_2$	1.2353	Liebig. Gm. H.
" "	"	1.2227, 0°	Kopp. P. A. 72, 248.
" "	"	1.2067, 13°.7	
" "	"	1.2211, 20°	
" "	"	1.2211	Landolt. P. A. 117, 353.
" "	"	1.2165	
" "	"	1.2448, 0°	20° { Semenoff. Ann. (4), 6, 115.
" "	"	1.2188, 20°	Petterson. U. N. A. 1879.
" "	"	1.2415, 0°	Brühl. Bei. 4, 781.
" "	"	1.1175, 100°.8	} Zander. A. C. P. 224, 88.
" "	"	1.2191, 20°	
" "	"	1.2182, 22°	Winkelmann. P. A. (2), 26, 105.
" "	"	1.1170, 100°.3	Lüdeking. P. A. (2), 27, 72.
" "	"	1.2190, 20°	Schiff. Ber. 19, 560.
" "	"	1.22734, 15°	Traube. Ber. 19, 884.
Acetic acid	$C_2 H_4 O_2$	1.0630, 16°	Perkin. J. C. S. 49, 777.
" "	"	1.0622	Mollerat. Ann. (1), 68, 88.
" "	"	1.0635, 15°	Sebille-Auger. Watts' Dict.
" "	"	1.100, 8°.5, s.	Mohr. A. C. P. 31, 277.
" "	"	1.0650, 13°.1.	} Persoz. Watts' Dict.
" "	"	1.0647, 5°-10°	
" "	"	1.0591, 10°-15°	} Regnault. P. A. 62, 50.
" "	"	1.0535, 15°-20°	
" "	"	1.08005, 0°	Kopp. P. A. 72, 253.
" "	"	1.06195, 17°	
" "	"	1.0635, 10°	Delfs. A. C. P. 92, 277.
" "	"	1.0607, 15°	Mendelejeff. J. 13, 7.
" "	"	1.0563	} Roscoe. J. C. S. 15, 270.
" "	"	1.0565	
" "	"	1.0514, 20°	
" "	"	1.05533, 15°	Landolt. P. A. 117, 353.
" "	"	1.0626, 20°	Oudemans. Z. C. 1866, 750.
" "	"	1.0502	Linnemann. A. C. P. 160, 216.
" "	"	1.0490, 18°	Landolt. Ber. 9, 907.
" "	"	.9825, 113°	Kohlrausch. P. A. 159, 240.
" "	"	1.0635, 15°	Ramsay. J. C. S. 35, 463.
" "	"	1.1149, 0°, s.	Duclaux. Ann. (5), 13, 95.
" "	"	1.0576, 12°.79	} Petterson. U. N. A. 1879.
" "	"	1.0543, 15°.97	
" "	"	1.0503, 19°.03	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic acid	$C_2H_4O_2$	1.0559, 20°	Bedson and Williams. Ber. 14, 2550.
" "	"	1.0495, 20°	Brühl. Bei. 4, 781.
" "	"	1.0701, 0°	Zander. A. C. P. 224, 88.
" "	"	.9372, 118°.1	
" "	"	1.0532, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	1.0465, 22°	Lüdeking. P. A. (2), 27, 72.
" "	"	1.05704, 15°	Perkin. J. C. S. 49, 777.
Propionic acid	$C_3H_6O_2$	1.0161, 0°	Kopp. A. C. P. 95, 307.
" "	"	.9911, 25°.2	
" "	"	.9963, 20°	Landolt. P. A. 117, 353.
" "	"	.992, 18°	Linnemann. J. 21, 433.
" "	"	.9961, 19°	Linnemann. A. C. P. 160, 195.
" "	"	1.0143, 0°	Pierre and Puchot. B. S. C. 18, 453.
" "	"	.9607, 49°.6	
" "	"	.9662, 99°.8	Brühl. Ber. 19, 1530.
" "	"	.9946, 20°	
" "	"	1.0199, 0°	Zander. A. C. P. 214, 181.
" "	"	.8657, 140°.7	
" "	"	1.0133, 0°	Zander. A. C. P. 224, 88.
" "	"	.8589 } 140°.5	
" "	"	.8599 }	
" "	"	.9939, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.9902, 25°	Lüdeking. P. A. (2), 27, 72.
" "	"	.9956, 20°	Traube. Ber. 19, 885.
" "	"	1.0089, 0°	Renard. C. R. 103, 158.
" "	"	.9904, 18°	
" "	"	.99833, 15°	Perkin. J. C. S. 49, 777.
Butyric acid. B. 163°	$C_4H_8O_2$.9675, 25°	Chevreul.
" "	"	.963, 15°	Pelouze and Gélis. P. A. 59, 625.
" "	"	.98165, 0°	Pierre. C. R. 27, 213.
" "	"	.9673, 15°	Mendelejeff. J. 13, 7.
" "	"	.9610, 20°	Landolt. P. A. 117, 353.
" "	"	.9850, 13°.5	Bulk. A. C. P. 139, 62.
" "	"	.9580, 14°	Linnemann. A. C. P. 160, 195.
" "	"	.9601, 14°	Linnemann. Ann. (4), 27, 268.
" "	"	.974, 15°	Graham. A. C. P. 123, 99.
" "	"	.9587, 20°	Brühl. A. C. P. 203, 1.
" "	"	.9594, 20°	Landolt. Bei. 7, 845.
" "	"	.8141, 161°.5	Schiff. G. C. 1, 13, 177.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Butyric acid	$C_4H_8O_2$.9746	} Zander. A. C. P. 224, 88.
" "	"	.9781	
" "	"	.8099	
" "	"	.8120	
" "	"	.9603, 20°	
" "	"	.9549, 25°	Winkelmann. P. A. (2), 26, 105.
" "	"	.9809, 0°	Lüdeking. P. A. (2), 27, 72.
" "	"	.9624, 20°	Gartenmeister. A. C. P. 233, 249.
Isobutyric acid. B. 154°	"	.98862, 0°	Traube. Ber. 19, 885.
" "	"	.9739, 15°	} Kopp. P. A. 72, 258.
" "	"	.973, 7°	
" "	"	.9598, 0°	} Delfs. A. C. P. 92, 277.
" "	"	.9208, 50°	
" "	"	.8965, 100°	
" "	"	.9503, 20°	
" "	"	.9697, 0°	} Markownikoff. A. C. P. 138, 368.
" "	"	.9160, 52° 6	
" "	"	.8665, 99° 8	
" "	"	.8220, 139° 8	
" "	"	.9490, 20°	
" "	"	.9515, 20°	Linnemann. Ann. (4), 27, 268.
" "	"	.8087, 153°	Pierre and Puchot. B. S. C. 19, 72.
" "	"	.9651, 0°	} Brühl. Ber. 13, 1529.
" "	"	.8034, 154°	
" "	"	.9519, 20°	Brühl. A. C. P. 200, 180.
Normal valeric acid.	$C_5H_{10}O_2$.9577, 0°	Schiff. G. C. I. 13, 177.
" " " B. 185°	"	.9415, 20°	} Zander. A. C. P. 224, 88.
" " " "	"	.9284, 40°	
" " " "	"	.9034, 99° 3	
" " " "	"	.945, 17° 5	Traube. Ber. 19, 886.
" " " "	"	.7569, 195°	Lieben and Rossi. A. C. P. 159, 58.
" " " "	"	.9608, 0°	} Cahours and Demar- çay. C. R. 89, 331.
" " " "	"	.9448, 20°	
" " " "	"	.9562, 0°	Ramsay. J. C. S. 35, 463.
" " " "	"	.7828, 185° 4	} Kehler and Tollens. A. C. P. 206, 239.
" " " "	"	.9568, 0°	
Isovaleric acid.* B. 175°	"	.941, 14°	Zander. A. C. P. 224, 88.
" "	"	.932, 28°	} Gartenmeister. A. C. P. 233, 249.
" "	"	.944, 10°	
" "	"	.930, 12° 5	Chevreul.
" "	"	.937, 16° 5	Trommsdorf. A. C. P. 6, 176.
" "	"	.9403, 15°	Trautwein. Gm. H. Dumas and Stas. J. P. C. 21, 267.
" "	"	.9555, 0°	} Personne. J. 7, 653.
" "	"	.9378, 19° 6	

* Including ordinary and unspecified valerianic acid.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isovaleric acid	$C_5H_{10}O_2$.955, 15°	Delffs. A. C. P. 92, 277.
" "	"	.9558, 15°	Mendelejeff. J. 13, 7.
" "	"	.9313, 20°	Landolt. P. A. 117, 353.
" "	"	.95357, 0°	Frankland and Duppa. J. 20, 396.
" "	"	.9470, 0°	Pierre and Puchot. B. S. C. 19, 72.
" "	"	.8972, 54°.65	
" "	"	.8542, 99°.9	
" "	"	.8095, 147°.5	
" "	"	.9465, 0°	
" "	"	.9285, 20°.2	
" "	"	.9468, 0°	
" "	"	.9295, 19°.7	
" "	"	.9462, 0°	
" "	"	.9299, 18°.8	
" "	"	.917, 15°	Ley. Ber. 6, 1362.
" "	"	.93087, 17°.4	Schmidt and Sachtleben.
" "	"	.9345, 15°	Poetsch. A. C. P. 218, 56.
" "	"	.9297, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.941, 16°	Renard. Ann. (6), 1, 223.
" "	"	.9318, 20°	Traube. Ber. 19, 886.
Ethylmethylacetic acid, or active valeric acid. B. 172°.5.	}	"	{ Erlenneyer and Hell. A. C. P. 160, 257.
		"	
" " "	"	.938, 24°	Saur. A. C. P. 188, 275.
" " "	"	.917, 15°	Ley. Ber. 6, 1362.
" " "	"	.941, 21°	Pugenstecher. A. C. P. 195, 118.
" " "	"	.948, 14°.5	Lescœur. J. C. S. 31, 589.
" " "	"	.9405, 17°	Schmidt. Ber. 12, 257.
Trimethyl acetic acid	"	.944, 0°	Butlerow. Ber. 7, 728.
" "	"	.905, 50°	
Normal caproic acid.	$C_6H_{12}O_2$.922, 20°	Chevreul.
" " B. 205°	"	.931, 15°	Fehling. A. C. P. 53, 406.
" " "	"	.9449, 0°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	.9294, 20°	
" " "	"	.9172, 40°	
" " "	"	.8947, 99°.1	
" " "	"	.9438, 0°	Lieben. A. C. P. 170, 89.
" " "	"	.928, 20°	
" " "	"	.9164, 40°	
" " "	"	.933, 23°	Cuhours and Demarcay. C. R. 89, 331.
" " "	"	.9446, 0°	Zander. A. C. P. 224, 88.
" " "	"	.9449	Gartenmeister. A. C. P. 233, 249.
" " "	"	.9453	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isocaproic acid. B. 199°	$C_6H_{12}O_2$.9252, 20°	Landolt. P. A. 117, 353.
“ “	“	.9237, 20°	Brühl. Bei. 4, 781.
Diethylacetic acid. B. 190°	“	.925, 27°	Sticht. J. 21, 522.
“ “	“	.945	Schnapp. Ber. 10, 1954.
“ “	“	.9355, 0°	Saytzeff. Ber. 11, 512.
“ “	“	.9196, 18	
Methylpropylacetic acid. B. 193°	“	.9414, 0°	“ “
“ “	“	.9279, 18°	
“ “	“	.9231, 25°	Liebermann and Scheibler. Ber. 16, 1823.
“ “	“	.9286, 15°	Liebermann and Kleemann. Ber. 17, 918.
Methylisopropylacetic acid	“	.928, 15°	Romburgh. J. C. S. 52, 232.
Methylethylpropionic acid	“	.930, 15°	Romburgh. J. C. S. 52, 228.
Denanthic acid. B. 223°	$C_7H_{14}O_2$.9167, 24°	Städeler. J. 10, 360.
“ “	“	.9179, 18°	Landolt. P. A. 117, 353.
“ “	“	.9175, 20°	
“ “	“	.9212, 24°	Franchimont. A. C. P. 165, 237.
“ “	“	.9345, 0°	Grimshaw and Schorlemmer. A. C. P. 170, 137.
“ “	“	.9278, 8°.5	
“ “	“	.9208, 16°	
“ “	“	.9110, 28°	
“ “	“	.9359, 0°	
“ “	“	.9348, 9°	“ “
“ “	“	.9235, 28°	
“ “	“	.916, 21°	Mehlis. A. C. P. 185, 362.
“ “	“	.935, 0°	Lieben and Janecek. J. R. C. 5, 156.
“ “	“	.9198, 20°	
“ “	“	.9084, 40°	
“ “	“	.924, 21°	Cahours and Demarcay. C. R. 89, 331.
“ “	“	.9160, 20°	Brühl. Bei. 4, 781.
“ “	“	.9313, 0°	Zander. A. C. P. 224, 88.
“ “	“	.7429, 223°.2	
“ “	“	.9333, 0°	Gartenmeister. A. C. P. 233, 249.
Isoheptylic acid. B. 211°.5	“	.9305, 0°	Hecht. A. C. P. 209, 315.
“ “	“	.9138, 21°	
“ “	“	.8496, 100°	
Isoamylacetic acid. B. 217°	“	.9260, 15°	Poetsch. A. C. P. 218, 56.
Caprylic acid. B. 236°.5	$C_8H_{16}O_2$.911, 20°	Fehling. A. C. P. 53, 401.
“ “	“	.905, 21°	Perrot. J. 10, 353.
“ “	“	.901, 18°	Fischer. A. C. P. 118, 307.
“ “	“	.923, 17°	Cahours and Demarcay. C. R. 89, 331.
“ “	“	.9270, 0°	Zander. A. C. P. 224, 88.
“ “	“	.7264, 236°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Caprylic acid	$C_8H_{16}O_2$.9288, 0°	Gartenmeister. A. C. P. 233, 249.
Isoöctylic acid. B. 219°	"	.926, 0°	Williams. J. C. S. 35, 125.
" "	"	.911, 20°	
" "	"	.903, 30°	
" "	"	.893, 40°	
" "	"	.885, 50°	
Dipropylacetic acid. B. 219°.	"	.846, 100°	Burton. A. C. J. 3, 389.
Pelargonic acid. B. 253°.	$C_9H_{18}O_2$.9215, 0°	
" "	"	.903, 21°	Perrot. J. 10, 353.
" "	"	.9065, 17°	Franchimont and Zinke. C. N. 25, 57.
" "	"	.90656	From six different sources. Bergmann. Arch. Pharm. 22, 331.
" "	"	.90638	
" "	"	.90630	
" "	"	.90639	
" "	"	.90621	
" "	"	.90609	
" "	"	.9109, 12°.	Krafft. Ber. 15, 1657.
" "	"	.9063, 17°.	
" "	"	.9433, 90°.	
" "	"	.9082, 0°	Gartenmeister. A. C. P. 233, 249.
Isononylic acid. B. 245°	"	.90325, 18°	Kullhem. A. C. P. 173, 319.
Rutylie acid	$C_{10}H_{20}O_2$.930, 37°, l.	Fischer. A. C. P. 118, 307.
Lauric acid	$C_{12}H_{24}O_2$.883, 20°, s.	Görgey. A. C. P. 66, 306.
Stearic acid	$C_{18}H_{36}O_2$	1.01, 0°, s.	Saussure. Watts' Diet.
" "	"	.854, l.	
" "	"	1.00, 9°	Kopp. J. 8, 43.
" "	"	.8521, 69°.5	Schiff. A. C. P. 223, 247.

4th. Anhydrides of the Fatty Acids.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic anhydride	$C_4H_6O_3$	1.073, 20°.5	Gerhardt. J. 5, 451.
" "	"	1.0669, 0°	Kopp. A. C. P. 94, 257.
" "	"	1.0799, 15°.2	
" "	"	1.075, 15°	Schlagdenhauffen.
" "	"	1.0793, 15°	Mendelejeff. J. 13, 7.
" "	"	1.0787, 20°	Nasini. Ber. 14, 1513.
" "	"	1.0816, 20°	Bruhl. Bei. 4, 782.
Propionic anhydride	$C_6H_{10}O_3$	1.01, 18°	Linnemann. J. 21, 433.
" "	"	1.0169, 15°	Perkin. J. C. S. (2), 13, 11.
Butyric anhydride	$C_8H_{14}O_3$.978, 12°.5	Gerhardt. J. 5, 452.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isobutyric anhydride	$C_8 H_{14} O_3$.9574, 16°.5	Toennies and Staub. Ber. 17, 851.
Valeric anhydride	$C_{10} H_{18} O_3$.934, 15°	Watts' Dictionary.
Oeanthic anhydride	$C_{14} H_{26} O_3$.91, 14°	Malerba. J. 7, 444.
"	"	.932, 21°	Mehlis. A. C. P. 185, 371.

5th. Ethers of the Series $C_n H_{2n} O_2$.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl formate	$C H_3, C H O_2$.9984, 0°	Kopp. P. A. 72, 261.
"	"	.9776, 15°.3	
"	"	.9766, 16°	
"	"	.9928, 0°	
"	"	.9797, 15°	Volhard. A. C. P. 176, 135.
"	"	.9797, 15°	Kraemer and Grodzki. Ber. 9, 1928.
"	"	.9482, 33°	Ramsay. J. C. S. 35, 463.
"	"	.9767, 14°	De Heen. Bei. 5, 105.
"	"	.9566, 32°.3	Schiff. G. C. I. 13, 177.
"	"	.99839, 0°	Elsässer. A. C. P. 218, 302.
"	"	.95196, 32°.3	
Ethyl formate	$C_2 H_5, C H O_2$.9157, 18°	Gehler. See Böttger.
"	"	.912	Liebig. Quoted by Kopp.
"	"	.94474, 0°	Kopp. P. A. 72, 266.
"	"	.92546, 15°.7	
"	"	.9394, 0°	" "
"	"	.9188, 17°	
"	"	.93565, 0°	Pierre. C. R. 27, 213.
"	"	.917	Löwig. J. 14, 599.
"	"	.8649, 55°	Ramsay. J. C. S. 35, 463.
"	"	.9064, 20°	Brühl. Ber. 13, 1530.
"	"	.9214, 14°	De Heen. Bei. 5, 105.
"	"	.9367, 0°	Several intermediate values given. Nac- cari and Pagliani. Bei. 6, 89.
"	"	.9238, 10°.84	
"	"	.9122, 20°.03	
"	"	.8959, 32°.79	
"	"	.8865, 40°.02	
"	"	.8740, 49°.76	
"	"	.8707, 51°.94	
"	"	.8730	
"	"	.8731	
"	"	.93757, 0°	
"	"	.86667, 54°.4	{ Schiff. G. C. I. 13, 177.
"	"	.9194	Elsässer. A. C. P. 218, 302.
"	"	.9152	
"	"	.9445, 0°	Winkelmann. P. A. (2), 26, 105.
"	"		Gartenmeister. A. C. P. 233, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl formate	$C_3 H_7, C H O_2$.9197, 0°	Pierre and Puchot. Z. C. 12, 660.
" "	"	.877, 38° 5'	
" "	"	.836, 72° 5'	Pierre and Puchot. Ann. (4), 22, 288.
" "	"	.9188, 0°	
" "	"	.8761, 28° 5'	De Heen. Bei. 5, 105.
" "	"	.835, 72° 5'	
" "	"	.9026, 14°	Elsässer. A. C. P. 218, 302.
" "	"	.91838, 0°	
" "	"	.82146, 81°	Winkelmann. P. A. (2), 26, 105.
" "	"	.9023 } 20°	
" "	"	.9125	Gartenmeister. A. C. P. 233, 249.
" "	"	.9250, 0°	
" "	"	.8270, 81°	" "
Butyl formate	$C_4 H_9, C H O_2$.9108, 0°	
" "	"	.7972, 106° 9'	Pierre and Puchot. Ann. (4), 22, 319.
Isobutyl formate	"	.8845, 0°	
" "	"	.850, 34°	De Heen. Bei. 5, 105.
" "	"	.8224, 59° 8'	
" "	"	.7962, 83° 4'	Schiff. G. C. I. 13, 177.
" "	"	.8650, 14°	
" "	"	.7784, 98°	Elsässer. A. C. P. 218, 302.
" "	"	.88543, 0°	
" "	"	.78287, 97° 9'	Gartenmeister. A. C. P. 233, 249.
Normal amyl formate	$C_5 H_{11}, C H O_2$.9018, 0°	
" " "	"	.7692, 130° 4'	Dell's. J. 7, 26.
Isoamyl formate	"	.884, 15°	
" "	"	.8945, 0°	Kopp. A. C. P. 96.
" "	"	.8743, 21°	
" "	"	.8809, 15°	Mendeleeff. J. 13, 7.
" "	"	.8816, 14°	
" "	"	.7554, 123° 5'	De Heen. Bei. 5, 105.
" "	"	.77027, 123° 3'	
" "	"	.8802, 20°	Schiff. G. C. I. 13, 177.
" "	"	.894378, 0°	
" "	"	.77027, 123° 3'	Brühl. Bei. 4, 782. Elsässer. A. C. P. 218, 302.
Normal hexyl formate	$C_6 H_{13}, C H O_2$.8495, 17°	
" " "	"	.8977, 0°	Frentzel. Ber. 16, 745.
" " "	"	.7484, 153° 6'	
Normal heptyl formate	$C_7 H_{15}, C H O_2$.8937, 0°	Gartenmeister. A. C. P. 233, 249.
" " "	"	.7308, 176° 7'	
Normal octyl formate	$C_8 H_{17}, C H O_2$.8929, 0°	" "
" " "	"	.7156, 198° 1'	
Methyl acetate	$C H_3, C_2 H_3 O_2$.919, 22°	Dumas and Peligot. P. A. 36, 117.
" "	"	.9328, 0°	
" "	"	.9085, 21°	Kopp. A. C. P. 96.
" "	"	.9562, 0°	
" "	"	.93755, 15° 6'	Kopp. P. A. 72, 271.
" "	"	.86684, 0°	
" "	"	.940	Pierre. C. R. 27, 213. Grodzki and Kraemer. Z. A. C. 14, 103.
" "	"	.9039, 20°	
" "	"	.9319, 14°	Brühl. Ber. 13, 1530. De Heen. Bei. 5, 105.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl acetate	$C_2H_3O_2$.8825	Schiff. G. C. I. 13,
"	"	.8826	177.
"	"	.95774, 0°	Elsässer. A. C. P.
"	"	.88086, 57° 5	218, 302.
"	"	.9424, 0°	Winkelmann. P. A.
"	"	.9238, 19° 2	(2), 26, 105.
"	"	.9643, 0°	Henry. C. R. 101,
"	"	.8873, 57° 3	250.
"	"	.866, 7°	Gartenmeister. Bei.
"	"	.89, 15°	9, 766.
Ethyl acetate	$C_2H_5O_2$.9051, 0°	Thénard. Gm. H.
"	"	.91046, 0°	Liebig.
"	"	.89277, 15° 7	Frankenheim. P. A.
"	"	.8926, 15° 9	72, 427.
"	"	.90691, 0°	Kopp. P. A. 72, 276.
"	"	.906, 17° 5	Pierre. C. R. 27,
"	"	.903, 17°	213.
"	"	.932, 20°	Marsson. J. 4, 514.
"	"	.9055, 17° 5	Becker. J. 5, 563.
"	"	.8922, 15°	Goessmann. J. 5,
"	"	.8981, 15°	563.
"	"	.903, 0°	Marsson. J. 6, 501.
"	"	.868, 24°	Delfs. J. 7, 26.
"	"	.9068, 15°	Mendelejeff. J. 13, 7.
"	"	.9007, 20°	Pierre and Puchot.
"	"	.9026, 14°	Ann. (4), 22, 261.
"	"	.8220, 74° 3	Léblanc. Ann. (3),
"	"	.9227, 0°	10, 198.
"	"	.9076, 12° 80	Linnemann. A. C.
"	"	.8914, 26° 24	P. 160, 195.
"	"	.8730, 41° 13	Brühl. Ber. 13, 1530.
"	"	.8594, 51° 75	De Heen. Bei. 5, 105.
"	"	.8466, 61° 87	Schiff. Ber. 14, 2766.
"	"	.8309, 73° 74	
"	"	.9004	
"	"	.9012	
"	"	.8306	
"	"	.8294	
"	"	.92388, 0°	
"	"	.82673, 77° 1	
"	"	.9007	
"	"	.9047	
"	"	.9253, 0°	
Propyl acetate	$C_3H_7O_2$.910, 0°	Several intermedi-
"	"	.8635, 42° 5	ate values given.
"	"	.8137, 84° 6	Naccari and Pag-
"	"	.910, 0°	liani. Bei. 6, 89.
"	"	.8627, 42° 5	
"	"	.8128, 84° 6	
			W. I. Clark. Ber.
			16, 1227.
			Schiff. G. C. I. 13,
			177.
			Elsässer. A. C. P.
			218, 302.
			Winkelmann. P. A.
			(2), 26, 105.
			Gartenmeister. Bei.
			9, 766.
			Pierre and Puchot.
			Z. C. 12, 660.
			Pierre and Puchot.
			Ann. (4), 22, 289.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl acetate	$C_3 H_7 \cdot C_2 H_3 O_2$.913, 0°	Rossi. A. C. P. 159, 79.
" "	"	.8992, 15°	Linnemann. A. C. P. 161, 30.
" "	"	.8856, 20°	Brühl. Ber. 13, 1530.
" "	"	.8871, 14°	De Heen. Bei. 5, 105.
" "	"	.7916 } 101°.8	{ Schiff. G. C. I. 13,
" "	"	.7918 }	{ 177.
" "	"	.909092, 0°	{ Elsässer. A. C. P.
" "	"	.794388, 100°.8	{ 218, 302.
" "	"	.9093, 0°	Gartenmeister. A. C. P. 233, 249.
Butyl acetate	$C_4 H_9 \cdot C_2 H_3 O_2$.9000, 0°	} Lieben and Rossi. A. C. P. 158, 137.
" "	"	.8817, 20°	
" "	"	.8659, 40°	
" "	"	.8768, 23°	
" "	"	.9016, 0°	} Gartenmeister. A. C. P. 233, 249.
" "	"	.7683, 124°.5	
Isobutyl acetate	"	.8845, 16°	Wurtz. J. 7, 575.
" "	"	.892, 0°	Lieben. J. 21, 443.
" "	"	.89096, 0°	} Chapman and Smith. J. C. S. 22, 160.
" "	"	.8747, 16°	
" "	"	.83143, 50°	
" "	"	.9052, 0°	
" "	"	.8668, 37°.1	} Pierre and Puchot. Ann. (4), 22, 322.
" "	"	.8328, 68°.9	
" "	"	.8096, 89°.4	
" "	"	.7972, 99°.75	
" "	"	.7589, 112°.7	Schiff. G. C. I. 13, 177.
" "	"	.892100, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.77080, 116°.2	
Normal amyl acetate	$C_5 H_{11} \cdot C_2 H_3 O_2$.8963, 0°	} Lieben and Rossi. A. C. P. 159, 70.
" " " "	"	.8792, 20°	
" " " "	"	.8645, 40°	
" " " "	"	.8948, 0°	
" " " "	"	.7461, 147°.6	Gartenmeister. A. C. P. 233, 249.
Methylpropylcarbyl acetate.	"	.9222, 0°	Wurtz. Z. C. 11, 490.
Diethylcarbyl acetate	"	.909, 0°	} Wagner and Saytzeff. A. C. P. 175, 366.
" "	"	.893, 16°	
Amyl acetate	"	.8572, 21°	} Kopp. A. C. P. 94, 297.
" "	"	.8765, 0°	
" "	"	.8837, 0°	} Kopp. A. C. P. 94, 257.
" "	"	.8692, 15°.1	
" "	"	.863, 10°	Delfs. J. 7, 26.
" "	"	.8762, 15°	Mendelejeff. J. 13, 7.
" "	"	.8733 }	} Schorlemmer. J. 19, 527.
" "	"	.8752 }	
" " Inactive	"	.8838, 0°	Balbiano. Ber. 9, 1437.
" "	"	.8561, 14°	De Heen. Bei. 5, 105.
" "	"	.8561, 20°	Brühl. Bei. 4, 782.
" "	"	.7429 }	} Schiff. G. C. I. 13, 177.
" "	"	.7430 }	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tertiary amyl acetate	$C_5 H_{11} \cdot C_2 H_3 O_2$.8909, 0°	Flawitzky. A. C. P. 179, 349.
“ “ “	“	.8738, 19°	
Normal hexyl acetate	$C_6 H_{13} \cdot C_2 H_3 O_2$.8890, 17°	Franchimont and Zincke. C. N. 24, 263.
“ “ “	“	.8902, 0°	
“ “ “	“	.7267, 169°·2	Gartenmeister. A. C. P. 233, 249.
Secondary hexyl acetate	“	.8778, 0°	
“ “ “	“	.8310, 50°	{ Wanklyn and Erlennmeyer. J. 16, 522.
Methyldiethylcarbyl acetate. “ “	“	.8824, 20°	
“ “ “	“	.8772, 25°	Reformatsky. J. P. C. (2), 36, 340.
“ “ “	“	.8735, 30°	
“ “ “	“	.8679, 35°	
Ethylpropylcarbyl acetate.	“	.8525, 0°	
Methylisobutylcarbylacetate.	“	.8805, 0°	Kuwschinow. Ber. 20, ref. 629.
Methylpropylethol acetate.	“	.8717, 25°	Lieben and Zeisel. M. C. 4, 33.
Normal heptyl acetate	$C_7 H_{15} \cdot C_2 H_3 O_2$.874, 16°	Cross. J. C. S. 32, 123.
“ “ “	“	.8891, 0°	Gartenmeister. A. C. P. 233, 249.
“ “ “	“	.7134, 191.°3	
Isoheptyl acetate	“	.8605, 16°	Three products. Schorlemmer. A. C. P. 136, 271.
“ “ “	“	.8707, 16°·5	
“ “ “	“	.8868, 19°	
Dipropylcarbyl acetate	“	.8742, 0°	{ Ustinoff and Saytzeff. J. P. C. (2), 34, 470.
“ “ “	“	.8587, 20°	
Methylisoamylcarbylacetate.	“	.8595, 23°	Rohn. A. C. P. 190, 312.
Normal octyl acetate	$C_8 H_{17} \cdot C_2 H_3 O_2$.8717, 16°	Zincke. J. 22, 370.
“ “ “	“	.8847, 0°	Gartenmeister. A. C. P. 233, 249.
“ “ “	“	.6981, 210°	
Methyldipropylcarbylacetate. “ “	“	.8738, 0°	{ Gortloff and Saytzeff. J. P. C. (2), 33, 702.
“ “ “	“	.8554, 20°	
“Octylene acetate”	“	.822, 0°	Clermont. J. 17, 517.
“ “ “	“	.803, 26°	
Ethyldipropylcarbyl acetate. “ “	$C_9 H_{19} \cdot C_2 H_3 O_2$.8795, 0°	{ Tschebotareff and Saytzeff. J. P. C. (2), 33, 193.
“ “ “	“	.8675, 20°	
Isomer of myristic acetate	$C_{16} H_{32} O_2$.8559, 15°	Perkin, Jr. J. C. S. 43, 77.
“ “ “	“	.8476, 30°	
“ “ “	“	.8448, 35°	
Cetyl acetate	$C_{16} H_{33} \cdot C_2 H_3 O_2$.858, 20°	Dollfus. J. 17, 518.
Methyl propionate	$C H_3 \cdot C_3 H_5 O_2$.9578, 4°	Kahlbaum. Ber. 12, 344.
“ “ “	“	.8954, 14°	De Heen. Bei. 5, 105.
“ “ “	“	.8422	{ Schiff. G. C. I. 13, 177.
“ “ “	“	.8423 } 78°·5	
“ “ “	“	.93725, 0°	Elsässer. A. C. P. 218, 302.
“ “ “	“	.836798, 79°·9	
“ “ “	“	.922, 15°	Israel. A. C. P. 231, 197.
“ “ “	“	.9403, 0°	Gartenmeister. Bei. 9, 773.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl propionate	$C_2 H_5 \cdot C_3 H_5 O_2$.9231, 0°	Kopp. A. C. P. 95, 307.
" "	"	.8949, 26° 3	
" "	"	.9139, 0°	Pierre and Puchot. Ann. (4), 22, 351.
" "	"	.8625, 45° 1	
" "	"	.816, 83°	Linnemann. A. C. P. 160, 195.
" "	"	.8964, 16°	
" "	"	.8945, 17°	De Heen. Bei. 5, 105.
" "	"	.9175, 14°	
" "	"	.7961	} 98° 8
" "	"	.7963	
" "	"	.9109, 0°	Several intermediate values given. Naccari and Pagliani. Bei. 6, 89.
" "	"	.8968, 12° 60	
" "	"	.8832, 24° 57	}
" "	"	.8637, 41° 54	
" "	"	.8514, 52° 05	}
" "	"	.8365, 64° 46	
" "	"	.8247, 74° 46	}
" "	"	.8020, 92° 96	
" "	"	.91238, 0°	Elsässer. A. C. P. 218, 302.
" "	"	.79868, 98° 3	
" "	"	.91224, 0°	Weger. Ber. 16, 2912.
" "	"	.886	
" "	"	.8910	} 15°
" "	"	.8900, 19°	
Propyl propionate	$C_3 H_7 \cdot C_3 H_5 O_2$.9022, 0°	}
" "	"	.8498, 51° 27	
" "	"	.7944, 100° 6	} Pierre and Puchot. Ann. (4), 22, 293.
" "	"	.7839, 108° 34	
" "	"	.8885, 13°	Linnemann. A. C. P. 161, 32.
" "	"	.8821, 14°	
" "	"	.7680	} 121°
" "	"	.7683	
" "	"	.90192, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.772008, 122° 2	
" "	"	.9023, 0°	Gartenmeister. A. C. P. 233, 240.
Butyl propionate	$C_4 H_9 \cdot C_3 H_5 O_2$.8828, 15°	Linnemann. Ann. (4), 27, 268.
" "	"	.8953, 0°	} Gartenmeister. A. C. P. 233, 249.
" "	"	.7489, 145° 4	
Isobutyl propionate	"	.8926, 0°	}
" "	"	.8437, 49° 2	
" "	"	.7896, 100° 15	} Pierre and Puchot. Ann. (4), 22, 324.
" "	"	.7698, 116° 5	
" "	"	.887595, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.74424, 136° 8	
Amyl propionate	$C_5 H_{11} \cdot C_3 H_5 O_2$.8700, 14°	De Heen. Bei. 5, 105.
" "	"	.7295, 160°	Schiff. G. C. I. 13, 177.
" "	"	.887672, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.73646, 160° 2	
Normal heptyl propionate	$C_7 H_{15} \cdot C_3 H_5 O_2$.8846, 0°	} Gartenmeister. A. C. P. 233, 249.
" "	"	.6946, 208°	
Normal octyl propionate	$C_8 H_{17} \cdot C_3 H_5 O_2$.8833, 0°	}
" "	"	.6860, 226° 4	
Methyl butyrate	$C H_3 \cdot C_4 H_7 O_2$.92098, 0°	Kopp. P. A. 72, 280.
" "	"	.9045, 15° 5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl butyrate	$C_4H_8O_2$	1.02928, 0°	Pierre. C. R. 27, 213.
"	"	.9091, 0°	Kopp. A. C. P. 95, 307.
"	"	.8793, 30°·3	
"	"	.9475, 4°	
"	"	.8962, 20°	Brühl. Ber. 13. 1530]
"	"	.91939, 0°	Elsässer. A. C. P. 218, 302.
"	"	.80261, 102°·3	
"	"	.9194, 0°	Gartenmeister. A. C. P. 233, 249.
Methyl isobutyrate	"	.9056, 0°	Pierre and Puchot. B. S. C. 19, 72.
"	"	.8625, 38°·65	
"	"	.815, 78°·6	
"	"	.911181, 0°	
"	"	.80397, 92°·3	Elsässer. A. C. P. 218, 302.
Ethyl butyrate	$C_6H_{12}O_2$.9003, 18°	Linnemann. A. C. P. 160, 195.
"	"	.8990, 17°	Brühl. Ber. 14, 2800.
"	"	.8892, 20°	
"	"	.7703	Schiff. G. C. I. 13, 177.
"	"	.7705 } 119°·8	
"	"	.90193, 0°	Pierre. C. R. 27, 213.
"	"	.8894, 15°	Mendelejeff. J. 13, 7.
"	"	.8942, 0°	Frankland and Dupa. J. 18, 306.
"	"	.89957, 0°	Elsässer. A. C. P. 218, 302.
"	"	.76940, 119°·9	
"	"	.9004, 0°	Gartenmeister. A. C. P. 233, 249.
Ethyl isobutyrate	"	.90412, 0°	Kopp. P. A. 72, 287.
"	"	.89065, 13°	
"	"	.890, 0°	Pierre and Puchot. B. S. C. 19, 72.
"	"	.871, 18°·8	
"	"	.831, 55°·6	
"	"	.7794, 100°·1	
"	"	.7681, 110°·1	Schiff. G. C. I. 13, 177.
"	"	.890367, 0°	Elsässer. A. C. P. 218, 302.
"	"	.77725, 110°·1	
Propyl butyrate	$C_7H_{14}O_2$.8789, 15°	Linnemann. A. C. P. 161, 33.
"	"	.89299, 0°	Elsässer. A. C. P. 218, 302.
"	"	.745694, 142°·7	
Propyl isobutyrate	"	.8872, 0°	Pierre and Puchot. Ann. (4), 22, 295.
"	"	.8402, 47°·24	
"	"	.7842, 100°·25	
"	"	.7525, 128°·75	
"	"	.884317, 0°	Elsässer. A. C. P. 218, 302.
"	"	.74647, 133°·9	
Isopropyl butyrate	"	.8787, 0°	Silva. Z. C. 12, 508.
"	"	.8652, 13°	
Butyl butyrate	$C_8H_{16}O_2$.8885, 0°	Lieben and Rossi. A. C. P. 158, 137.
"	"	.8717, 20°	
"	"	.8579, 40°	
"	"	.8760, 12°	
"	"	.8878, 0°	Linnemann. Ann. (4), 27, 268.
"	"	.7264, 165°·7	
"	"		Gartenmeister. A. C. P. 233, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isobutyl butyrate	$C_4 H_9 \cdot C_4 H_7 O_2$.881778, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.71630, 156°.9	
" "	"	.8798, 0°	} Grunzweig. B. S. C. 18, 125.
" "	"	.86635, 16°	
" "	"	.81838, 98°.4	
Isobutyl isobutyrate	"	.8719, 0°	
" "	"	.8238, 50°.8	} Pierre and Puchot. Ann. (4), 22, 326.
" "	"	.7753, 99°.8	
" "	"	.7439, 128°.3	} Elsässer. A. C. P. 218, 302.
" "	"	.874957, 0°	
" "	"	.73281, 146°.6	
" "	"	.87519, 0°	
" "	"	.86064, 15°	} Grunzweig. B. S. C. 18, 125.
" "	"	.81192, 98°.4	
Normal amyl butyrate	$C_5 H_{11} \cdot C_4 H_7 O_2$.8832, 0°	} Gartenmeister. A. C. P. 233, 249.
" " "	"	.7092, 184°.8	
Amyl butyrate	"	.8683, 15°	} Mendelejeff. J. 13, 7. Dell's. J. 7, 26.
" "	"	.852, 15°	
" "	"	.882306, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.71148, 178°.6	
" "	"	.873, 10°	} DeHeen. Bei. 10, 313.
Amyl isobutyrate	"	.8769, 0°	
" "	"	.8264, 55°.4	} Pierre and Puchot. Ann. (4), 22, 343.
" "	"	.7839, 100°.2	
" "	"	.7446, 139°.5	
" "	"	.875965, 0°	
" "	"	.70662, 168°.8	} Elsässer. A. C. P. 218, 302.
Normal hexyl butyrate	$C_6 H_{13} \cdot C_4 H_7 O_2$.8825, 0°	
" " "	"	.6963, 205°.1	} Gartenmeister. A. C. P. 233, 249.
Normal heptyl butyrate	$C_7 H_{15} \cdot C_4 H_7 O_2$.8827, 0°	
" " "	"	.6869, 225°.2	" "
Normal octyl butyrate	$C_8 H_{17} \cdot C_4 H_7 O_2$.8794, 0°	" "
" " "	"	.6751, 242°.2	
Cetyl butyrate	$C_{16} H_{33} \cdot C_4 H_7 O_2$.856, 20°	} Dollfus. J. 17, 518. Cahours and Demar- guy. C. R. 89, 331.
Methyl valerate	$C_2 H_5 \cdot C_5 H_9 O_2$.895, 17°	
" "	"	.9097, 0°	} Gartenmeister. Bei. 9, 766.
" "	"	.7767, 127°.3	
Methyl isovalerate	"	.8960, 0°	} Kopp. A. C. P. 96.
" "	"	.8806, 16°	
" "	"	.901525, 0°	} Kopp. P. A. 72, 291.
" "	"	.88687, 15°	
" "	"	.88662, 15°.3	
" "	"	.9005, 0°	
" "	"	.8581, 41°.5	} Pierre and Puchot. Ann. (4), 22, 249.
" "	"	.8343, 64°.3	
" "	"	.7915, 100°.1	} Renard. Ann. (6), 1, 223.
" "	"	.8908, 16°	
" "	"	.885465, 17°	} Schmidt and Sacht- leben. J. C. S. 26, 139.
" "	"	.8795, 20°	
" "	"	.90035, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.77518, 116°.7	
Ethyl valerate	$C_2 H_5 \cdot C_5 H_9 O_2$.894, 0°	} Lieben and Rossi. A. C. P. 165, 109.
" "	"	.8765, 20°	
" "	"	.8616, 40°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl valerate-----	$C_2H_5, C_3H_7O_2$ -----	.878, 18°.5----	Cahours and Demar- çay. C. R. 89, 331.
“ “-----	“-----	.8939, 0°-----	Gartenmeister. Bei.
“ “-----	“-----	.7443, 144°.7-----	9, 766.
Ethyl isovalerate-----	“-----	.894, 13°-----	Otto. A. C. P. 25, 62.
“ “-----	“-----	.869, 14°-----	Berthelot. J. 7, 441.
“ “-----	“-----	.8829, 0°-----	} Kopp. A. C. P. 96.
“ “-----	“-----	.8659, 18°-----	
“ “-----	“-----	.886, 0°-----	} Pierre and Puchot. Ann. (4), 22, 353.
“ “-----	“-----	.832, 55°.7-----	
“ “-----	“-----	.7843, 99°.63-----	
“ “-----	“-----	.7582, 122°.5-----	
“ “-----	“-----	.8661, 20°-----	Brühl. Bei. 4, 782.
“ “-----	“-----	.88514, 0°-----	} Elsässer. A. C. P. 218, 302.
“ “-----	“-----	.74764, 134°.3-----	
“ “-----	“-----	.8743, 16°-----	Renard. Ann. (6), 1, 223.
“ “-----	“-----	.8882, 0°-----	} Frankland and Dup- pa. J. 20, 396.
“ “-----	“-----	.87166, 18°-----	
Ethyl trimethylacetate-----	“-----	.8773, 0°-----	Friedland and Silva. J.
“ “-----	“-----	.8535, 25°-----	C. S. (2), 11, 1127.
“ “-----	“-----	.875, 0°-----	Butlerow. B. S. C. 23, 27.
Ethyl methylethylacetate-----	“-----	.877, 15°-----	Israel. A. C. P. 231, 197.
Propyl valerate-----	$C_3H_7, C_5H_9O_2$ -----	.8888, 0°-----	} Gartenmeister. Bei. 9, 766.
“ “-----	“-----	.7264, 167°.5-----	
Propyl isovalerate-----	“-----	.8862, 0°-----	} Pierre and Puchot. Ann. (4), 22, 297.
“ “-----	“-----	.8387, 50°.8-----	
“ “-----	“-----	.7906, 100°.15-----	
“ “-----	“-----	.7755, 113°.7-----	
“ “-----	“-----	.880915, 0°-----	} Elsässer. A. C. P. 218, 302.
“ “-----	“-----	.727405, 155°.9-----	
Isopropyl isovalerate-----	“-----	.8702, 0°-----	} Silva. Z. C. 12, 508.
“ “-----	“-----	.8538, 17°-----	
Butyl valerate-----	$C_4H_9, C_5H_9O_2$ -----	.8847, 0°-----	} Gartenmeister. Bei. 9, 766.
“ “-----	“-----	.7095, 185°.8-----	
Isobutyl isovalerate-----	“-----	.8884, 0°-----	} Pierre and Puchot. Ann. (4), 22, 330.
“ “-----	“-----	.8438, 49°.7-----	
“ “-----	“-----	.7966, 100°-----	
“ “-----	“-----	.7428, 155°.8-----	
“ “-----	“-----	.873599, 0°-----	} Elsässer. A. C. P. 218, 302.
“ “-----	“-----	.70549, 168°.7-----	
Normal amyl valerate-----	$C_5H_{11}, C_5H_9O_2$ -----	.8812, 0°-----	} Gartenmeister. Bei. 9, 766.
“ “-----	“-----	.6982, 203°.7-----	
Amyl isovalerate-----	“-----	.8793, 0°-----	} Kopp. A. C. P. 94, 257.
“ “-----	“-----	.8645, 17°.7-----	
“ “-----	“-----	.8596, 15°-----	Mendelejeff. J. 13, 7.
“ “-----	“-----	.874, 0°-----	} Pierre and Puchot. Ann. (4), 22, 346.
“ “-----	“-----	.832, 50°.67-----	
“ “-----	“-----	.787, 100°-----	
“ “-----	“-----	.740, 149°.5-----	
“ “----- Inactive-----	“-----	.8700, 0°-----	Balbiano. Ber. 9, 1437.
“ “-----	“-----	.8633, 16°-----	Renard. Ann. (6), 1, 223.
“ “-----	“-----	.869, 15°-----	Ley. Ber. 6, 1362.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl isovalerate -----	$C_5 H_{11}, C_5 H_9 O_2$ -----	.8658, 20° -----	Brühl. Bei. 4, 782.
“ “ -----	“ “ -----	.863, 10° -----	De Heen. Bei. 11, 313.
Normal hexyl valerate ---	$C_6 H_{13}, C_5 H_9 O_2$ -----	.8797, 0° -----	Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.6823, 223°.8 -----	
Normal heptyl valerate ---	$C_7 H_{15}, C_5 H_9 O_2$ -----	.8786, 0° -----	“ “
“ “ -----	“ “ -----	.6708, 243°.6 -----	
Normal octyl valerate ---	$C_8 H_{17}, C_5 H_9 O_2$ -----	.8784, 0° -----	“ “
“ “ -----	“ “ -----	.6618, 260°.2 -----	
Octyl isovalerate -----	“ “ -----	.8624, 16° -----	Zincke. J. 22, 371.
Cetyl isovalerate -----	$C_{16} H_{33}, C_5 H_9 O_2$ -----	.852, 20° -----	Dollfus. J. 17, 518.
Methyl caproate -----	$C H_3, C_6 H_{11} O_2$ -----	.8977, 18° -----	Fehling. A. C. P. 53, 399.
“ “ -----	“ “ -----	.889, 19° -----	Cahours and Demarcay. C. R. 89, 331.
“ “ -----	“ “ -----	.9039, 0° -----	Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.7536, 149°.6 -----	
Ethyl caproate -----	$C_2 H_5, C_6 H_{11} O_2$ -----	.882, 18° -----	Lerch. A. C. P. 49, 212.
“ “ -----	“ “ -----	.8765, 17°.5 -----	Franchimont and Zincke. A. C. P. 163, 193.
“ “ -----	“ “ -----	.8898, 0° -----	Lieben and Rossi. A. C. P. 165, 118.
“ “ -----	“ “ -----	.8732, 20° -----	
“ “ -----	“ “ -----	.8594, 40° -----	
“ “ -----	“ “ -----	.8898, 0° -----	Lieben. A. C. P. 170, 89.
“ “ -----	“ “ -----	.8728, 20° -----	
“ “ -----	“ “ -----	.8596, 40° -----	
“ “ -----	“ “ -----	.878, 19° -----	Cahours and Demarcay. C. R. 89, 331.
“ “ -----	“ “ -----	.8888, 0° -----	Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.7269, 160°.6 -----	
Ethyl isocaproate -----	“ “ -----	.887, 0° -----	Lieben and Rossi. A. C. P. 165, 118.
“ “ -----	“ “ -----	.8705, 20° -----	
“ “ -----	“ “ -----	.8566, 40° -----	Frankland and Duppa. J. 18, 308.
Ethyl diethylacetate -----	“ “ -----	.8822, 0° -----	
“ “ -----	“ “ -----	.8826, 0° -----	Saytzeff. Ber. 11, 512.
“ “ -----	“ “ -----	.8686, 18° -----	
Ethylmethylpropylacetate	“ “ -----	.8816, 0° -----	“ “
“ “ -----	“ “ -----	.8670, 18° -----	
“ “ -----	“ “ -----	.8841, 0° -----	Lieben and Zeisel. M. C. 4, 26.
Propyl caproate -----	$C_3 H_7, C_6 H_{11} O_2$ -----	.8844, 0° -----	Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.7097, 185°.5 -----	
Butyl caproate -----	$C_4 H_9, C_6 H_{11} O_2$ -----	.8824, 0° -----	“ “
“ “ -----	“ “ -----	.6978, 204°.3 -----	
Hexyl caproate -----	$C_6 H_{13}, C_6 H_{11} O_2$ -----	.865 -----	Franchimont and Zincke. C. N. 24, 263.
Methylethylpropyl methylethylpropionate.	“ “ -----	.867, 15° -----	Romburgh. J. C. S. 52, 228.
Normal heptyl caproate ---	$C_7 H_{15}, C_6 H_{11} O_2$ -----	.8769, 0° -----	Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.6594, 259°.4 -----	
Normal octyl caproate ---	$C_8 H_{17}, C_6 H_{11} O_2$ -----	.8748, 0° -----	“ “
“ “ -----	“ “ -----	.6509, 275°.2 -----	
Methyl oenantheate -----	$C H_3, C_7 H_{13} O_2$ -----	.889, 19° -----	Cahours and Demarcay. C. R. 89, 331.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl oenanthate	$C_7 H_{13} O_2$.8981, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.7325, 172°.1	Poetsch. A. C. P. 218, 56.
Methyl isoënanthate	"	.8840, 15°	
" "	"	.8790, 15°	Hecht. A. C. P. 209, 324.
Ethyl oenanthate	$C_8 H_{15} O_2$.874, 24°	Franchimont. A. C. P. 165, 237.
" "	"	.8735, 16°	Grimshaw and Schorlemmer. A. C. P. 170, 137.
" "	"	.871, 21°	Mehlis. A. C. P. 185, 366.
" "	"	.877, 16°.5	Cahours and Demarçay. C. R. 89, 331.
" "	"	.8879, 0°	Lieben and Janecek. J. R. C. 5, 156.
" "	"	.8716, 20°	
" "	"	.8589, 40°	
" "	"	.87163	Perkin. J. P. C. (2), 32, 523.
" "	"	.87199 } 15°	
" "	"	.86477 } 25°	
" "	"	.86487 } 25°	
" "	"	.8861, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.7105; 187°.1	Poetsch. A. C. P. 218, 56.
Ethyl isoënanthate	"	.8720, 15°	
" "	"	.8685, 15°	Hecht. A. C. P. 209, 324.
" "	"	.8570, 27°	
Propyl oenanthate	$C_9 H_{17} O_2$.8824, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.6965, 206°.4	Hecht. A. C. P. 209, 324.
Propyl isoënanthate	"	.8635, 19°	
Isopropyl isoënanthate	"	.859, 19°	Hecht. A. C. P. 209, 325.
Butyl oenanthate	$C_{10} H_{19} O_2$.8807, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.6839, 225°.1	Cross. J. C. S. 32, 123.
Normal heptyl oenanthate	$C_7 H_{15} O_2$.870, 16°	
" "	"	.86522, 15°	Perkin. J. P. C. (2), 32, 523.
" "	"	.85933, 25°	
" "	"	.8807, 0°	
" "	"	.6839, 225°.1	Gartenmeister. Bei. 9, 766.
Normal octyl oenanthate	$C_8 H_{17} O_2$.8757, 0°	" "
" "	"	.6419, 290°.4	
Methyl caprylate	$C_8 H_{15} O_2$.882	Fehling. A. C. P. 53, 399.
" "	"	.887, 18°	Cahours and Demarçay. C. R. 89, 331.
" "	"	.8942, 0°	Gartenmeister. Bei. 9, 776.
" "	"	.7163, 192°.9	
Ethyl caprylate	$C_9 H_{17} O_2$.8738, 15°	Fehling. A. C. P. 53, 399.
" "	"	.8728, 16°	Zincke. J. 22, 373.
" "	"	.878, 17°	Cahours and Demarçay. C. R. 89, 331.
" "	"	.8842, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.6980, 205°.8	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl caprylate -----	$C_3 H_7 \cdot C_8 H_{15} O_2$ -----	.8805, 0° -----	Gartenmeister. Bei.
Butyl caprylate -----	$C_4 H_9 \cdot C_8 H_{15} O_2$ -----	.6867, 224°.7 -----	9, 766.
Normal heptyl caprylate -----	$C_7 H_{15} \cdot C_8 H_{15} O_2$ -----	.8797, 0° -----	" "
" " " -----	" " " -----	.6745, 240°.5 -----	" "
Normal octyl caprylate -----	$C_8 H_{17} \cdot C_8 H_{15} O_2$ -----	.8754, 0° -----	" "
" " " -----	" " " -----	.6105, 285°.8 -----	" "
Methyl pelargonate -----	$C H_3 \cdot C_9 H_{17} O_2$ -----	.8625, 16° -----	Zincke. J. 22, 371.
" " " -----	" " " -----	.8755, 0° -----	Gartenmeister. Bei.
" " " -----	" " " -----	.6318, 305°.9 -----	9, 766.
Ethyl pelargonate -----	$C_2 H_5 \cdot C_9 H_{17} O_2$ -----	.8765, 17°.5 -----	Zincke and Franchi-
" " " -----	" " " -----	.86 -----	mont. A.C.P. 164,
" " " -----	" " " -----	.8725, 15°.5 -----	333.
" " " -----	" " " -----	.8655, 17°.5 -----	Calours. J. 3, 401.
" " " -----	" " " -----	.83307 -----	Dell's. J. 7, 26.
" " " -----	" " " -----	.86231 -----	Zincke and Franchi-
" " " -----	" " " -----	.86503 -----	mont. A.C.P. 164,
" " " -----	" " " -----	.86102 -----	333.
" " " -----	" " " -----	.86376 -----	With acid from six
" " " -----	" " " -----	.86209 -----	sources. Berg-
" " " -----	" " " -----	.87033, 15° -----	mann. Arch.
" " " -----	" " " -----	.86407, 25° -----	Pharm. 22, 331.
Ethyl isononylate -----	" " " -----	.86406, 17° -----	Perkin. J. P. C.
Ethyl rutylate -----	$C_2 H_5 \cdot C_{10} H_{19} O_2$ -----	.862 -----	(2), 32, 523.
Ethyl laurate -----	$C_2 H_5 \cdot C_{12} H_{23} O_2$ -----	.86, 20° -----	Kullhem. A. C. P.
" " " -----	" " " -----	.8671, 19° -----	179, 319.
Ethyl myristate -----	$C_2 H_5 \cdot C_{14} H_{27} O_2$ -----	.864 -----	Rowney. J. 4, 443.
			Gorgey. J. 1, 561.
			Dell's. J. 7, 26.
			Playfair. A.C.P. 37,
			153.

6th. Aldehydes of the Acetic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic aldehyde, B. 20°.8	$C_2 H_4 O$ -----	.7900, 18° -----	Liebig. A. C. P. 14,
" " -----	" -----	.79442, 5°.1 -----	132.
" " -----	" -----	.79388, 5°.6 -----	Kopp. P. A. 72,
" " -----	" -----	.80092, 0° -----	235.
" " -----	" -----	.80551, 0° -----	Pierre. C. R. 27,
" " -----	" -----	.796, 15° -----	213.
" " -----	" -----	.796, 15° -----	Guckelberger. J. I.
" " -----	" -----	.8217, 5°—10° -----	848.
" " -----	" -----	.8173, 10°—15° -----	Regnault P. A.
" " -----	" -----	.8130, 15°—20° -----	62, 50.
" " -----	" -----	.7771, 21° -----	Ramsay. J. C. S.
" " -----	" -----	.807, 0° -----	35, 463.
" " -----	" -----	.7932, 10° -----	Wurtz.
" " -----	" -----	.7799, 20° -----	Landolt
" " -----	" -----	.7799, 20° -----	Bruhl. Bei. 4, 782.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic aldehyde	$C_2 H_4 O$.79509, 10°	Perkin. J. P. C. (2), 32, 523.
" "	"	.79138, 13°	
" "	"	.78761, 16°	
" "	"	.81312, —5°	
" "	"	.80561, 0°	
" "	"	.80058, 4°	
" "	"	.79520, 8°	Perkin. J. C. S. 51, 808.
" "	"	.78826, 13°	
Paraldehyde. B. 124°	$(C_2 H_4 O)_3$.998, 15°	Kekulé and Zincke. Z. C. 13, 560.
"	"	.9943	20° {
"	"	.9971	
"	"	.8737	124° .3 {
"	"	.8739	
"	"	.9909, 19°	Gladstone. Bei. 9, 249.
"	"	.9982	Louguinine. Ber. 19, ref. 2.
"	"	.99925, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	.99003, 25°	
Isomerofaldehyde. B. 110°	$(C_2 H_4 O)_n$	1.033, 0°	Bauer. J. 13, 436.
Propionic aldehyde. B. 49° .5.	$C_3 H_6 O$.790, 15°	Guckelberger. J. 1, 848.
" "	"	.8284, 0°	Michaelson. J. 17, 336.
" "	"	.804, 17°	Rossi. A. C. P. 159, 79.
" "	"	.832, 0°	Pierre and Puchot. Ann. (4), 22, 298.
" "	"	.8192, 9° .7	
" "	"	.7898, 32° .6	
" "	"	.8074, 21°	
" "	"	.8066, 20°	Linnemann. A. C. P. 161, 23.
" "	"	.80648, 15°	Brühl. Ber. 13, 1527.
" "	"	.79664, 25°	Perkin. J. P. C. (2), 32, 523.
Butyric aldehyde. B. 75°	$C_4 H_8 O$.821, 22°	Chancel. C. R. 19, 1440.
" "	"	.8341, 0°	Michaelson. J. 17, 336.
" "	"	.8170, 20°	Brühl. A. C. P. 203, 1.
" "	"	.80, 15°	Guckelberger. J. 1, 849.
Isobutyric aldehyde. B. 63°	"	.8226, 0°	Pierre and Puchot. Z. C. 13, 255.
" "	"	.7919, 27° .75	
" "	"	.7638, 50° .4	Urech. Ber. 12, 1744.
" "	"	.7950, 20°	
" "	"	.803, 20°	Linnemann. Ann. (4), 27, 268.
" "	"	.7938, 20°	Brühl. A. C. P. 203, 1.
" "	"	.8057, 0°	Fossek. M. C. 4, 662.
" "	"	.7898, 20°	
" "	"	.79722, 15°	Perkin. J. P. C. (2), 32, 523.
" "	"	.78787, 26°	
Polymer of isobutyric aldehyde.	$(C_4 H_8 O)_n$.969, 24°	Urech. Ber. 12, 1744.
Isovaleric aldehyde. B. 92° .5.	$C_5 H_{10} O$.818	Trautwein.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isovaleric aldehyde	$C_5 H_{10} O$.820, 22°	Chancecl. J. P. C. 36, 447.
"	"	.8009, 20°	Personne. J. 7, 654.
"	"	.8224, 0°	Kopp. A. C. P. 94, 257.
"	"	.8057, 17°.4	
"	"	.8209, 0°	Pierre and Puchot. Ann. (4), 22, 340.
"	"	.778, 43°.4	
"	"	.7485, 71°.9	A. Schröder. Z. C. 14, 510.
"	"	.768, 12°.5	
"	"	.7984, 20°	Bruhl. Bei. 4, 782.
"	"	.8061, 25°	Gladstone. Bei. 9, 249.
"	"	.7998, 20°	Landolt. P. A. 122, 556.
"	"	.80405, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	.79607, 25°	
Polymer of valeral. B. 215°	$(C_5 H_{10} O)_n$.90	Wanklyn. J. 22, 530.
Isomer of capraldehyde. B. 180°—185°.	$C_6 H_{12} O$.842, 15°	Fittig. J. 13, 319.
Oenanthaldehyde, or oenanthol. B. 154°.	$C_7 H_{14} O$.8271, 7°	Bussy. J. P. C. 37, 92.
"	"	.827, 17°	Williamson. J. 1, 565.
"	"	.823, 16°	Cross. J. C. S. 32, 123.
"	"	.8495, 20°	Bruhl. A. C. P. 203, 1.
"	"	.8231, 15°	Perkin, Jr. Ber. 15, 2802.
"	"	.8128, 30°	
"	"	.8099, 35°	Perkin. J. P. C. (2), 32, 523.
"	"	.82264, 15°	
"	"	.81578, 25°	Fittig. J. 13, 319.
"	"	.835, 14°	
Isomer of oenanthol. B. 161°—164°.	"	.835, 14°	
Caprylic aldehyde. B. 178°	$C_8 H_{16} O$.818, 19°	Bouis. J. 8, 524.
"	"	.820	Limpricht. A. C. P. 93, 242.
Euodyl aldehyde. B. 213.	$C_{11} H_{22} O$.8497, 15°	Williams. J. 11, 443.
Isomer of myristic aldehyde.	$C_{14} H_{28} O$.8274, 30°	Perkin, Jr. J. C. S. 43, 71.
"	"	.8258, 35°	
Derivative of the foregoing compound.	$C_{21} H_{40} O$.8744, 15°	Perkin, Jr. J. C. S. 43, 72.
"	"	.8665, 30°	
"	"	.8637, 35°	

7th. Ketones of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethyl ketone, or acetone. B. 56°.5.	$C_2H_5 \cdot CO \cdot C_2H_5$.7921, 18°	Liebig. Gm. H.
" " " "	"	.8144, 0°	Kopp. P. A. 72, 239.
" " " "	"	.79045, 13°.9	
" " " "	"	.790, 15°	Linnemann. A. C. P. 143, 349.
" " " "	"	.8008, 15°	Mendelejeff. J. 13, 7.
" " " "	"	.7938, 18°	Linnemann. A. C. P. 161, 18.
" " " "	"	.7975, 15°	
" " " "	"	.7998, 15°	Grodzki and Krämer. Z. A. C. 14, 103.
" " " "	"	.81858, 0°	Thorpe. J. C. S. } 37, 371.
" " " "	"	.75369, 56°.53	
" " " "	"	.7920, 20°	Brühl. Ber. 13, 1527.
" " " "	"	.8125, 0°	Zander. A. C. P. 214, 181.
" " " "	"	.7489, 56°.3	
" " " "	"	.7506, 56°	Schiff. G. C. I. 13, 177.
" " " "	"	.79652, 15°	Perkin. J. P. C. (2), 32, 523.
" " " "	"	.78669, 25°	
Methyl ethyl ketone, or methyl acetone. B. 78°.	$C_2H_5 \cdot CO \cdot C_2H_5$.838, 19°	Fittig. J. 12, 341.
" " " "	"	.8125, 13°	Frankland and Duppa. J. 18, 309.
" " " "	"	.824, 0°	Popoff. J. 20, 399.
" " " "	"	.8063, 15°.3	Grimm. Z. C. 14, 174.
" " " "	"	.8045, 19°.8	Schramm. Ber. 16, 1581.
Diethyl ketone, or propione. B. 104°.	$C_2H_5 \cdot CO \cdot C_2H_5$.811, 11°.5	Genther. J. 20, 455.
" " " "	"	.8145, 0°	Chapman and Smith. J. 20, 453.
" " " "	"	.8015, 15°	
" " " "	"	.813, 20°	Smith. B. S. C. 18, 321.
" " " "	"	.829, 0°	{ Wagner and Saytzeff. A. C. P. 179, 323.
" " " "	"	.811, 19°	
" " " "	"	.8335, 0°	Chancel. C. R. 99, 1055.
Methyl propyl ketone. B. 103°.	$C_2H_5 \cdot CO \cdot C_3H_7$.8078, 18°.5	Grimm. Z. C. 14, 174.
" " " "	"	.827, 0°	Friedel. J. 11, 295.
" " " "	"	.842, 19°	Fittig. J. 12, 341.
" " " "	"	.8132, 13°	Frankland and Duppa. J. 18, 307.
" " " "	"	.8040, 22°	
" " " "	"	.815, 17°.5	Popoff. A. C. P. 161, 285.
" " " "	"	.828, 0°	{ Wagner and Saytzeff. A. C. P. 179, 323.
" " " "	"	.810, 19°	
" " " "	"	.8264, 0°	Chancel. C. R. 99, 1055.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl propyl ketone	$C_2H_5 \cdot C \cdot O \cdot C_3H_7$.81238	Perkin. J. P. C. (2), 32, 523.
" " "	"	.81233	
" " "	"	.80447	
" " "	"	.80423	
Methyl isopropyl ketone. B. 95°.	"	.8099, 13°	Frankland and Duppa. J. 18, 309.
" " "	"	.815, 15°	Munch. A. C. P. 180, 337.
" " "	"	.822, 0°	Wischnegradsky. A. C. P. 190, 341.
" " "	"	.804, 19°	
" " "	"	.8123, 0°	Wingradow. A. C. P. 191, 125.
" " "	"	.8051, 19°	
Ketone from amylene bromide. B. 76°—81°.	$C_5H_{10}O$.832, 0°	Bouchardat. Ber. 14, 2261.
Ethyl propyl ketone. B. 123°.	$C_2H_5 \cdot C \cdot O \cdot C_3H_7$.818, 17°.5	Popoff. A. C. P. 161, 285.
" " "	"	.833, 21°.8	Oechsner de Coninck. C. R. 82, 93.
Methyl butyl ketone. " " " B. 128°.	$C_2H_5 \cdot C \cdot O \cdot C_4H_9$.8298, 0°	Wanklyn and Erlennmeyer. J. 16, 522.
" " "	"	.7846, 50°	
" " "	"	.823, 0°	Friedl. J. 11, 295.
Methyl isobutyl ketone. B. 114°.	"	.81802, 0°	Frankland and Duppa. J. 20, 395.
Methyl secondary butyl ketone. B. 118°.	"	.811, 0°	G. Wagner. Ber. 18, ref. 180.
" " "	"	.8181, 14°.5	Wislicenus. A. C. P. 219, 308.
Methyl tertiary butyl ketone, or pinacol. B. 106°.	$C_2H_5 \cdot C \cdot O \cdot C(C_2H_5)_2$.7999, 16°	Fittig. J. 12, 347.
" " " "	"	.830, 0°	Two preparations. Butlerow. A. C. P. 174, 127.
" " " "	"	.791, 50°	
" " " "	"	.823, 0°	
" " " "	"	.787, 50°	
" " " "	"	.7217, 105°	
Ketone from hexylene. B. 125°.	$C_6H_{12}O$.8343, 11°	Schiff. Bei. 9, 559. L. Henry. C. R. 97, 260.
Dipropyl ketone, or butyryone. B. 144°.	$C_3H_7 \cdot C \cdot O \cdot C_3H_7$.830	Chancel. Ann. (3), 12, 146.
" " "	"	.819, 20°	E. Schmidt. Ber. 5, 597.
" " "	"	.82, 20°	Kurtz. A. C. P. 161, 207.
" " "	"	.83048, 4°	Perkin. J. C. S. 49, 323.
" " "	"	.82165, 15°	
" " "	"	.81452, 25°	
Diisopropyl ketone. B. 125°.	"	.8254, 17°	Munch. A. C. P. 180, 331.
Methyl amyl ketone. B. 155°—156°.	$C_2H_5 \cdot C \cdot O \cdot C_5H_{11}$.813, 20°	E. Schmidt. Ber. 5, 597.
" " " B. 182°.5	"	?.898, 12°	Geuther. J. P. C. (2), 6, 160.
Methyl isonmyl ketone. " " " B. 144°.	"	.828	Popoff. J. 18, 314.
" " " " "	"	.829	
" " " " "	"	.8747, 17°	Grinshaw. A. C. P. 166, 163.
" " " " "	"	.8175, 17°.2	Rohn. A. C. P. 190,

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Methylisopropyl acetone	C_4H_8O	.815, 20°	Romburgh. J. C. S. 52, 232.	
Methyldiethylcarbyl ketone, or diethyl acetone. B. 138°.	"	.8171, 22°	Frankland and Duppa. J. 18, 306.	
Methyl amyl pinacolin.	"	.842, 0°	Wischnegradsky. A. C. P. 178, 103.	
" " " B. 132°	"	.825, 21°		
Ethyl butyl pinacolin.	$C_8H_{16}O$.831, 0°	" "	
" " " B. 126°	"	.810, 21°		
Methyl hexyl ketone.	$C_8H_{16}O$.817, 23°	Städeler. J. 10, 361.	
" " " B. 171°	"	.8185, 20°	Brühl. A. C. P. 203, 1.	
" " " -----	"	.6843	{ Schiff. G. C. 1. 13, 177.	
" " " -----	"	.6844		
" " " B. 209°	"	.8430, 15°		Poetsch. A. C. P. 218, 56.
" " " -----	"	.8351, 0°	Béhal. B. S. C. 47, 34.	
Methyl butyrone. B. 180°	$C_8H_{16}O$.827, 16°	Linpricht. J. 11, 296.	
Isopropyl isobutyl ketone. B. 160°.	$C_8H_{16}O$.865, 14°	Williams. C. N. 39, 41.	
Ethyl amyl pinacolin.	$C_8H_{16}O$.845, 0°	Wischnegradsky. A. C. P. 178, 103.	
" " " B. 151°	"	.829, 21°		
Diisobutyl ketone, or valerone. B. 181°.	$C_8H_{16}O$.833, 20°	E. Schmidt. Ber. 5, 597.	
Methyl octyl ketone.	$C_{10}H_{20}O$.8294, 17°.7	Jourdan. Ber. 13, 434.	
" " " -----	"	.8379, 3°.5	Krafft. Ber. 15, 1687.	
" " " -----	"	.8247, 20°		
Diamyl ketone, or caprone. B. 220°.	$C_{10}H_{20}O$.822, 20°	E. Schmidt. Ber. 5, 597.	
" " " -----	"	.828, 20°	Linpricht. J. 11, 296.	
Methyl nonyl ketone, or methyl caprinol. B. 224°.	{ $C_{11}H_{22}O$.8295, 17°.5	{ Gorup-Besanez and Grimm. Z. C. 13, 290.	
" " " -----		"		.8281, 18°.7
" " " -----		"		.8268, 20°.5
Dihexyl ketone, or oenanthone. B. 264°.	$C_{12}H_{24}O$.825, 30°	v. Usklar and Seekamp. J. 11, 299.	
" " " ?	"	.8870, 15°	Poetsch. A. C. P. 218, 56.	
Methyl diheptylcarbyl ketone. B. 302°.	$C_{14}H_{28}O$.826, 17°	Jourdan. Ber. 13, 434.	
Laurone. M. 69°	$C_{12}H_{24}O$.8036, 69°	Krafft. Ber. 15, 1711.	
" " -----	"	.8024, 70°.7		
" " -----	"	.7888, 90°.9	" "	
Myristone. M. 76°.3	$C_{14}H_{28}O$.8013, 76°.3		
" " -----	"	.7986, 80°.8		
" " -----	"	.7922, 90°.9		
Palmitone. M. 82°.8	$C_{16}H_{32}O$.7997, 82°.8	" "	
" " -----	"	.7947, 90°.9		
Stearone. M. 88°.4	$C_{18}H_{36}O$.7979, 88°.4	" "	
" " -----	"	.7932, 95°		

8th. Oxides, Alcohols, and Ethers of the Olefines.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylene oxide.-----	$C_2H_4 \cdot O$ -----	.8945, 0° ----	Wurtz. J. 16, 486.
Propylene oxide.-----	$C_3H_6 \cdot O$ -----	.859, 0° -----	Oser. J. 13, 448.
Butylene oxide.-----	$C_4H_8 \cdot O$ -----	.8344, 0° -----	Eltckow. J. C. S.
B. 56°.5.			44, 566.
Isobutylene oxide.-----	" -----	.8311, 0° ----	Eltckow. Ber. 16,
B. 51°.5.			397.
Amylene oxide. B. 95°--	$C_5H_{10} \cdot O$ -----	.824, 0° -----	Bauer. J. 13, 451.
Trimethylethylene oxide.-----	" -----	.8293, 0° -----	Eltckow. Ber. 16,
B. 75°.5.			397.
Methylpropylethyleneox- ide. B. 110°.	$C_6H_{12} \cdot O$ -----	.8236, 13°.8--	L. Henry. Ann. (5),
d. Hexylene oxide.-----	" -----	.8739, 0° -----	29, 553.
B. 103°--104°.			Lipp. Ber. 18, 3284.
Octylene oxide. B. 145°--	$C_8H_{16} \cdot O$ -----	.831, 15° ----	De Clermont. Z. C.
			13, 411.
Diamylene oxide.-----	$C_{10}H_{20} \cdot O$ -----	.9402, 0° -----	Schneider. A. C. P.
B. 185°.			157, 221.
Diethylene dioxide.-----	$C_4H_8O_2$ -----	1.0482, 0° ----	Wurtz. J. 15, 423.
B. 102°.			
Ethylene ethylidene di- oxide. B. 82°.5.	" -----	1.0002, 0° ----	Wurtz. J. 14, 656.
Ethylene glycol. B. 197°.	$C_2H_4 \cdot (OH)_2$ -----	1.125, 0° ----	Wurtz. Ann. (3),
" " -----	" -----	.9444, 195° --	55, 410.
" " -----	" -----	1.11678, 15° }--	Ramsay. J. C. S.
" " -----	" -----	1.11208, 25° }--	35, 463.
" " -----	" -----	1.1072, 20° }--	Perkin. J. P. C.
Trimethylene glycol.-----	$C_3H_6 \cdot (OH)_2$ -----	1.053, 19° ----	(2), 32, 523.
B. 216°.			Brühl. Bei. 4, 782.
" " -----	" -----	1.0536, 18° ----	Reboul. C. R. 79,
" " -----	" -----	1.0625, 0° -- }	169.
" " -----	" -----	.9028, 214° }--	Fround. J. C. S. 42,
" " -----	" -----	1.051, 0° }--	156.
Propylene glycol. B. 188°	" -----	1.038, 2.3° }--	Zander. A. C. P.
" " -----	" -----	1.054, 0° -----	214, 181.
" " -----	" -----	1.047, 19° ----	Wurtz. J. 10, 464.
" " -----	" -----	1.0527, 0° -- }	Belohoubek. Ber.
" " -----	" -----	.8899, 188°.5 }--	12, 1873.
Butylene glycol. B. 183°.5	$C_4H_8 \cdot (OH)_2$ -----	1.048, 0° -----	Loebisch and Looss.
Dimethylethylenglycol.-----	" -----	1.0259, 0° ----	J. C. S. 42, 377.
B. 207°.5.			Zander. A. C. P.
Ethylethylene glycol.-----	" -----	1.0189, 0° -- }	214, 181.
" " -----	" -----	1.0059, 17°.5 }--	Wurtz. J. 12, 499.
" " -----	" -----	1.0129, 0° -- }	Wurtz. C. R. 97,
Isobutylene glycol. B. 177°	" -----	1.0003, 20° }--	473.
" " -----	" -----		{ Grabowsky and
			Saytzeff. A. C.
			P. 179, 333.
			Nevolé. C. R. 83,
			67.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Amylene glycol. B. 177°	$C_5 H_{10} (O H)_2$.987, 0°	Wurtz. J. 11, 424.
Ethylmethylene glycol. B. 187°·5.	"	.9945, 0°	{ Wagner and Sayt- zeff. A. C. P. 179, 309.
	"	.9800, 19°	
Isopropylethylene glycol. B. 206°.	"	.9987, 0°	Flavitsky. A. C. P. 179, 353.
	"	.9843, 21°·5	
Methylpropylethylene glycol. B. 207°.	$C_6 H_{12} (O H)_2$.9669, 0°	Wurtz. J. 17, 516.
Dimethylbutyleneglycol.	"	.9759, 0°	Sorokin. B. S. C. 31, 72.
" " B. 220°	"	.9604, 24°	
Pseudohexylene glycol.	"	.9638, 0°	Wurtz. J. 17, 513.
" " "	"	.9202, 65°	
δ. Hexylene glycol.	"	.9809, 0°	Lipp. Ber. 18, 3283.
Pinakone. B. 177°	"	.96, 15°	Linnemann. J. 18, 315.
"	"	.96718, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	.96087, 25°	
Octylene glycol.	$C_8 H_{16} (O H)_2$.932, 0°	DeClermont. J. 17, 517.
" " B. 235°-240°	"	.920, 29°	
Butyrene pinakone	$C_{14} H_{28} (O H)_2$.87, 20°	Kurtz. A. C. P. 161, 205.
Diethylene alcohol.	$C_4 H_{10} O_3$	1.132, 0°	Wurtz. J. 16, 489.
Triethylene alcohol	$C_6 H_{14} O_4$	1.138	" "
Methylenedimethyl ether, or methylal.	$C H_2 (O C H_3)_2$.8551	Malaguti. Ann. (2), 70, 394.
" " "	"	.8604, 20°	Brühl. A. C. P. 203, 1.
" " "	"	.854, 20°	Arnhold. A. C. P. 240, 192.
Methylene diethyl ether.	$C H_2 (O C_2 H_5)_2$.851, 0°	Greene. J. Am. C. S. 1, 523.
" " "	"	.8275, 16°·5	L. Henry. C. R. 101, 599.
" " "	"	.834, 20°	Arnhold. A. C. P. 240, 192.
Methylene dipropyl ether.	$C H_2 (O C_3 H_7)_2$.8345, 20°	" "
Methylene diisopropyl ether.	"	.831, 20°	" "
Methylene diisobutyl ether.	$C H_2 (O C_4 H_9)_2$.825, 20°	" "
Methylenediisoamylether	$C H_2 (O C_5 H_{11})_2$.835, 20°	" "
Methylene dicetyl ether.	$C H_2 (O C_8 H_{17})_2$.846, 20°	" "
Ethylene monethyl ether.	$C_2 H_4 \cdot O H \cdot O C_2 H_5$.926, 13°	Demole. Ber. 9, 746.
Ethylene diethyl ether	$C_2 H_4 \cdot (O C_2 H_5)_2$.7993, 0°	Wurtz. J. 11, 423.
Ethidene dimethyl ether, or dimethyl acetal.	$C_2 H_4 \cdot (O C H_3)_2$.8555, 0°	Wurtz. J. 9, 597.
" " "	"	.8674, 1°	Alsberg. J. 17, 485.
" " "	"	.8787, 0°	
" " "	"	.8590, 14°	Dancer. J. 17, 484.
" " "	"	.8503, 22°	
" " "	"	.8497, 23°	
" " "	"	.8476, 25°	
" " "	"	.8554, 15°	Kraemer and Grodzki. Ber. 9, 1930.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethidene dimethyl ether, or dimethyl acetal.	$C_2 H_4. (O C H_3)_2$.8655, 22°	Bachmann. A. C. P. 218, 49.
" " " "	"	.8013, 62°.	Schiff. G. C. I. 13, 177.
" " " "	"	.85729, 15°	Perkin. J. P. C. (2), 32, 523.
" " " "	"	.84764, 25°	
Ethidene methyl ethyl ether, or methyl ethyl acetal	$C_2 H_4. (O C H_3)(O C_2 H_5)$.8535, 0°	Wurtz. J. 9, 597.
" " " "	"	.8433, 22°	Bachmann. A. C. P. 218, 49.
" " " "	"	.8655, 22°	Bachmann. A. C. P. 218, 53.
Ethidene diethyl ether, or acetal.	$C_2 H_4. (O C_2 H_5)_2$.842, 21°	Doberiner.
" " " "	"	.823, 20°	Liebig. A. C. P. 5, 25.
" " " "	"	.821, 22°.4	Stas. J. 1, 697.
" " " "	"	.8314, 20°	Brühl. A. C. P. 203, 1.
" " " "	"	.829, 13°	Engel and Girard. C. R. 90, 692.
" " " "	"	.7363	(Schiff. G. C. I. 13, 177.)
" " " "	"	.7365	
" " " "	"	.826, 14°	Lautesch. A. C. P. 218, 26.
" " " "	"	.8210, 22°	Bachmann. A. C. P. 218, 49.
" " " "	"	.83187, 15°	Perkin. J. P. C. (2), 32, 523.
" " " "	"	.82334, 25°	
Ethidene dipropyl ether, or propyl acetal. B. 147°	$C_2 H_4. (O C_3 H_7)_2$.825, 22°.5	Girard. Ber. 13, 2232.
Ethidene diisobutyl ether, or isobutyl acetal. B. 169°	$C_2 H_4. (O C_4 H_9)_2$.816, 22°	" "
Ethidene diamyl ether, or diamyl acetal.	$C_2 H_4. (O C_5 H_{11})_2$.8347, 15°	Alsberg. J. 17, 485.
	"	.8012, 22°	Bachmann. A. C. P. 218, 49.
Propidene dipropyl ether	$C_3 H_6. (O C_3 H_7)_2$.8495, 0°	Schudel. J. C. S. 46, 1283.
Butidene diethyl ether, or isobutyl acetal.	$C_4 H_8. (O C_2 H_5)_2$.9957, 12°.4	Oeconomidis. Ber. 14, 1201.
Dimethyl valeral	$C_5 H_{10}. (O C H_3)_2$.852, 10°	Alsberg. J. 17, 486.
Diethyl valeral	$C_5 H_{10}. (O C_2 H_5)_2$.835, 12°	" "
Diamyl valeral	$C_5 H_{10}. (O C_5 H_{11})_2$.849, 7°	Alsberg. J. 17, 485.
Ethidene oxymethylate	$C_4 H_8 O. (O C H_3)_2$.853, 12°.5	Lautesch. A. C. P. 218, 13.
Ethidene oxyethylate	$C_4 H_8 O. (O C_2 H_5)_2$.891, 14°	" "
Ethidene oxypropylate	$C_4 H_8 O. (O C_3 H_7)_2$.895, 14°	" "
Ethidene oxyisobutylate	$C_4 H_8 O. (O C_4 H_9)_2$.879, 11°	" "
Ethidene oxyisoamylate	$C_4 H_8 O. (O C_5 H_{11})_2$.874, 11°	" "
Ethylene diacetate	$C_2 H_4. (C_2 H_3 O_2)_2$	1.128, 0°	Wurtz. J. 12, 485.
" " "	"	1.1561, 20°	Brühl. Bei. 4, 782.
" " "	"	1.11076, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	1.10183, 25°	
Ethylene dipropionate	$C_2 H_4. (C_3 H_5 O_2)_2$	1.05440, 15°	" "
" " "	"	1.04566, 25°	" "
Ethylene dibutyrate	$C_2 H_4. (C_4 H_7 O_2)_2$	1.024, 0°	Wurtz. J. 12, 486.
Propylene diacetate	$C_3 H_6. (C_2 H_3 O_2)_2$	1.109, 0°	Wurtz. J. 10, 464.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propylene diacetate	$C_3 H_6. (C_2 H_3 O_2)_2$	1.070, 19°	Reboul. C. R. 79, 169.
Propylene divalerate	$C_3 H_6. (C_5 H_9 O_2)_2$.98, 12°	Reboul. J. C. S. 36, 127.
β . Butylene monoacetate	$C_4 H_8. O H. (C_2 H_3 O_2)$	1.055, 0°	Wurtz. C. R. 97, 473.
Hexylene diacetate	$C_6 H_{12}. (C_2 H_3 O_2)_2$	1.014, 0°	Wurtz. J. 17, 516.
Pseudohexylene diacetate	" "	1.009, 0°	Wurtz. J. 17, 513.
Ethidene diacetate	$C_2 H_4. (C_2 H_3 O_2)_2$	1.060, 12°	Schiff. Ber. 9, 306.
" "	" "	1.073, 15°	Franchimont. J. C. S. 44, 452.
" "	" "	1.073, 15°	Rübencamp. A. C. P. 225, 267.
" "	" "	1.07, 10°	Geuther. J. 17, 329.
Ethidene acetate propionate.	$C_2 H_4. (C_2 H_3 O_2) \left. \begin{array}{l} \\ (C_3 H_5 O_2) \end{array} \right\}$	1.046 } 15°	{ Two preparations. Rübencamp. A. C. P. 225, 267.
" " " "	" " " "	1.042 }	
Ethidene dipropionate	$C_2 H_4. (C_3 H_5 O_2)_2$	1.020, 15°	Rübencamp. A. C. P. 225, 267.
Ethidene acetate butyrate.	$C_2 H_4. (C_2 H_3 O_2) \left. \begin{array}{l} \\ (C_4 H_7 O_2) \end{array} \right\}$	1.016, 15° -- }	{ Two preparations. Rübencamp. A. C. P. 225, 267.
" " " "	" " " "	1.013, 15° -- }	
Ethidene dibutyrate	$C_2 H_4. (C_4 H_7 O_2)_2$.9855, 15°	Rübencamp. A. C. P. 225, 267.
Ethidene acetate valerate.	$C_2 H_4. (C_2 H_3 O_2) \left. \begin{array}{l} \\ (C_5 H_9 O_2) \end{array} \right\}$.991, 15°	" "
Ethidene divalerate	$C_2 H_4. (C_5 H_9 O_2)_2$.947, 15°	" "
Ethidene oxyformate	$C_6 H_{10} O_5$	1.134, 21°	Geuther. A. C. P. 226, 223.
Ethidene oxyacetate	$C_8 H_{14} O_5$	1.071, 16°	" "
Ethidene oxypropionate	$C_{10} H_{18} O_5$	1.027, 26°	" "
Ethidene oxybutyrate	$C_{12} H_{22} O_5$.994, 20°	" "

9th. Ethers of Carbonic Acid.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl carbonate	$(C H_3)_2. C O_3$	1.069, 22°	Coucler. Ber. 13, 1698.
" "	"	1.065, 17°	B. Röse. Ber. 13, 2418.
" "	"	1.060	Schreiner. Ber. 13, 2080.
Methyl ethyl carbonate.	$C H_3. C_2 H_5. C O_3$	1.0372	" "
" " " B. 104°.	"	1.0016	" "
" " " B. 115°.	"	1.0016	" "
Ethyl carbonate	$(C_2 H_5)_2. C O_3$.975, 19°	Ettling. A. C. P. 19, 17.
" "	"	.9998, 0°	Kopp. A. C. P. 95, 307.
" "	"	.9780, 20°	
" "	"	.9762, 20°	Brühl. A. C. P. 203, 1.
" "	"	.9735	Schreiner. Ber. 13, 2080.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl propyl carbonate	$C_2 H_5 \cdot C_3 H_7 \cdot C O_3$.9516, 20°	Pawlewski. Ber. 17, 1507.
Propyl carbonate	$(C_3 H_7)_2 \cdot C O_3$.968, 22°	Cahours. C. R. 77, 746.
“ “	“	.949, 17°	Rose. Ber. 13, 2418.
Butyl carbonate	$(C_4 H_9)_2 \cdot C O_3$.9407, 0°	Lieben und Rossi. A. C. P. 165, 109.
“ “	“	.9244, 20°	
“ “	“	.9111, 40°	
Isobutyl carbonate	“	.919, 15°	Rose. Ber. 13, 2418.
Isoamyl carbonate	$(C_5 H_{11})_2 \cdot C O_3$.9144	Medlock. J. 2, 430.
“ “	“	.9065, 15°·5	Bruce. J. 5, 605.
“ “	“	.912, 15°	Rose. Ber. 13, 2418.
Ethyl orthocarbonate	$(C_2 H_5)_4 \cdot C O_4$.925	Bassett. J. 17, 477.
Propyl orthocarbonate	$(C_3 H_7)_4 \cdot C O_4$.911, 8°	Rose. Ber. 13, 2419.
Isobutyl orthocarbonate	$(C_4 H_9)_4 \cdot C O_4$.900, 8°	“ “

10th. Acids and Ethers of the Oxalic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Oxalic acid	$C_2 H_2 O_4$	2.00, 9°	Husemann. B. D. Z.
“ “	$C_2 H_2 O_4 \cdot 2 H_2 O$	1.507	Richter.
“ “	“	1.622	Playfair and Joule. M. C. S. 2, 401.
“ “	“	1.629	Buignet. J. 14, 15.
“ “	“	1.63, 9°	Husemann. B. D. Z.
“ “	“	1.680	Schroder. Ber. 10, 851.
“ “	“	1.531	Rudorff. Ber. 12, 251.
“ “	“	1.57	W. C. Smith. Am. J. P. 53, 145.
“ “	“	1.653, 18°·5	Wilson. F. W. C.
Succinic acid	$C_4 H_6 O_4$	1.55	Richter.
“ “	“	1.529, 9°, sublimed.	Husemann. B. D. Z.
“ “	“	1.552, 9°, cryst.	
“ “	“	1.567	Schroder. Ber. 10, 851.
Ethyl oxalic acid	“	1.2175, 20°	Anschutz. Ber. 16, 2412.
Pyrotartaric acid	$C_5 H_4 O_4$	1.408	Schroder. Ber. 13, 1070.
“ “	“	1.413	
Methylisopropylmalonic acid.	$C_7 H_{12} O_4$.990, 15°	Romburgh. J. C. S. 52, 232.
Sebacic acid	$C_{10} H_{18} O_4$	1.1317, fused	Carlet. J. 6, 429.
Methyl oxalate	$C_4 H_6 O_4$	1.1566, 50°	Kopp. A. C. P. 95, 307.
“ “	“	1.1479, 54°	Weger. A. C. P. 221, 61.
“ “	“	1.0039, 163°·3	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl ethyl oxalate	$C_5 H_8 O_4$	1.27, 12°	Chancel. J. 3, 470.
" " "	"	1.15565, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.94693, 173°.7	
Ethyl oxalate	$C_6 H_{10} O_4$	1.0929, 7°.5	Dumas and Boullay. P. A. 12, 430.
" " "	"	1.086, 12°	Delfs. J. 7, 26.
" " "	"	1.1010, 5°-10°	{ Regnault. P. A. 62, 50.
" " "	"	1.0953, 10°-15°	
" " "	"	1.0898, 15°-20°	
" " "	"	1.1016, 0°	{ Kopp. A. C. P. 94, 257.
" " "	"	1.0815, 18°.2	
" " "	"	1.0824, 15°	{ Mendelejeff. J. 13, 7. Brühl. A. C. P. 203, 1.
" " "	"	1.0793, 20°	
" " "	"	1.1023	{ Weger. A. C. P. 221, 61.
" " "	"	1.1029	
" " "	"	1.1030	
" " "	"	1.08563, 15°	{ Perkin. J. P. C. (2), 32, 523.
" " "	"	1.07609, 25°	
Propyl oxalate	$C_8 H_{14} O_4$	1.018, 22°	Cahours. Les Mon- des, 32, 280.
" " "	"	1.0384, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.80601, 213°.5	
Butyl oxalate	$C_{10} H_{18} O_4$	1.002, 14°	Cahours. C. C. 5, 20.
" " "	"	1.0099, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.780, 243°.4	
Ethyl heptyl oxalate	$C_{11} H_{20} O_4$.99542, 0°	{ " "
" " "	"	.75493, 263°.71	
Amyl oxalate	$C_{12} H_{22} O_4$.968, 11°	Delfs. J. 7, 26.
Propyl heptyl oxalate	"	.981435, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.72669, 284°.4	
Propyl octyl oxalate	$C_{13} H_{24} O_4$.97245, 0°	{ " "
" " "	"	.71512, 291°.1	
Methyl malonate	$C_5 H_8 O_4$	1.135, 22°	Osterland. J. C. S. (2), 13, 142.
" " "	"	1.16028, 15°	{ Perkin. J. P. C. (2), 32, 523.
" " "	"	1.15110, 25°	
" " "	"	1.1753, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.95686, 180°.7	
Ethyl malonate	$C_7 H_{12} O_4$	1.068, 18°	Conrad and Bischoff. A. C. P. 204, 127.
" " "	"	1.06104, 15°	{ Perkin. J. P. C. (2), 32, 523.
" " "	"	1.05248, 25°	
" " "	"	1.07607, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.86227, 198°.4	
Ethyl propyl malonate	$C_8 H_{14} O_4$	1.04977, 0°	{ " "
" " "	"	.83542, 211°	
Propyl malonate	$C_9 H_{16} O_4$	1.02705, 0°	{ " "
" " "	"	.79966, 228°.3	
Butyl malonate	$C_{11} H_{20} O_4$	1.0049, 0°	{ " "
" " "	"	.800073, 251°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl succinate	$C_6 H_{10} O_4$	1.1179, 20°	Fehling. A. C. P. 49, 195.
" "	"	1.1162, 18°	} Weger. A. C. P. 221, 61.
" "	"	.91209, 195°.2	
" "	"	1.12611, 15°	
" "	"	1.11718, 25°	Perkin. J. P. C. (2), 32, 523.
Methyl ethyl succinate	$C_7 H_{12} O_4$	1.0925, 0°	} Weger. A. C. P. 221, 61.
" "	"	.86482, 208°.2	
Ethyl succinate	$C_8 H_{14} O_4$	1.036	D'Arcet. Ann. (2), 58, 291.
" "	"	1.0718, 0°	} Kopp. A. C. P. 95, 307.
" "	"	1.0475, 25°.5	
" "	"	1.0592	
" "	"	1.0600	} Weger. A. C. P. 221, 61.
" "	"	.82726, 215°.4	
" "	"	1.04645, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	1.03832, 25°	
Ethyl propyl succinate	$C_9 H_{16} O_4$	1.03866, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" "	"	.81476, 231°.1	
Propyl succinate	$C_{10} H_{18} O_4$	1.0189, 0°	} " "
" "	"	.78183, 247°.1	
Isopropyl succinate	"	1.009, 0°	} Silva. C. R. 69, 416.
" "	"	.997, 18°.5	
Ethyl butyl succinate	"	1.02178, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" "	"	.78572, 247°	
Propyl butyl succinate	$C_{11} H_{20} O_4$	1.0106, 0°	} " "
" "	"	.77587, 258°.7	
Isobutyl succinate	$C_{12} H_{22} O_4$.97374, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	.96670, 25°	
Ethyl heptyl succinate	$C_{13} H_{24} O_4$.98503, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" "	"	.73134, 291°.4	
Isoamyl succinate	$C_{14} H_{26} O_4$.9612, 13°	Guarreschi and Del Zanna. Ber. 12, 1699.
Heptyl succinate	$C_{18} H_{34} O_4$.951846, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" "	"	.68174, 350°.1	
Ethyl methylmalonate	$C_8 H_{14} O_4$	1.021, 22°	Conrad and Bischoff. A. C. P. 204, 202.
" "	"	1.02132, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	1.01295, 25°	
Methyl dimethylsuccinate	"	1.0568, 16°	Barrstein. A. C. P. 242, 126.
Methyl ethylsuccinate	"	1.051, 34°	Polko. A. C. P. 242, 113.
Ethyl pyrotartrate	$C_9 H_{16} O_4$	1.025, 21°	Reboul. Ber. 9, 1129.
" "	"	1.01885, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	1.01126, 25°	
Ethyl ethylmalonate	"	1.008, 18°	Conrad and Bischoff. A. C. P. 204, 135.
" "	"	1.01295, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	1.00441, 25°	
Ethyl dimethylmalonate	"	.9965, 15°	Thorne. Ber. 14, 1644.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl dimethylmalonate	$C_9 H_{16} O_4$	1.00153, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.99356, 25°	
Ethyl adipate	$C_{10} H_{18} O_4$	1.001, 20°.5	Malaguti. A. C. P. 56, 306.
Ethyl methylethylmalonate.	“	.994, 15°	Conrad and Bischoff. Ber. 13, 595.
Ethyl propylmalonate	“	.99309, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.98541, 25°	
Ethyl isopropylmalonate	“	.997, 20°	Conrad and Bischoff. Ber. 13, 595.
“ “	“	.99271, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.98521, 25°	
Ethyl dimethylsuccinate	“	.9976, 17°	Levy and Engländer. A. C. P. 242, 201.
“ “	“	1.0134, 17°	Barnstein. A. C. P. 242, 126.
Ethyl ethylsuccinate	“	1.030, 21°	Polko. A. C. P. 242, 113.
Ethyl diethylmalonate	$C_{11} H_{20} O_4$.990, 16°	Conrad and Bischoff. A. C. P. 204, 139.
“ “	“	1.0041, 0°	Shukowski. Ber. 21, ref. 57.
“ “	“	.9901, 15°	
“ “	“	.99167, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.98441, 25°	
Ethyl isobutylmalonate	“	.983, 15°	Conrad and Bischoff. Ber. 13, 595.
Ethyl secondary-butylmalonate.	“	.988, 15°	Romburgh. Ber. 20, ref. 376
Ethyl methylisopropylmalonate.	“	.990, 15°	Romburgh. Ber. 20, ref. 469.
Methyl suberate	$C_{10} H_{18} O_4$	1.014, 18°	Laurent. Ann. (2), 66, 162.
Ethyl suberate	$C_{12} H_{22} O_4$	1.003, 18°	Laurent. Ann. (2), 166, 160.
“ “	“	.991, 15°	Hell. B. S. C. 19, 365.
“ “	“	.98519, 15°	
“ “	“	.97826, 25°	Perkin. J. P. C. (2), 32, 523.
“ “	“	1.012, 0°	
Ethyl tetramethylsuccinate.	“	1.0015, 13°.5	Hell and Wittekind. Ber. 7, 319.
“ “	“	1.0015, 13°.5	
Methyl sebate	“	.985, 60°, 1.	Neison. J. C. S. (3), 1, 316.
Ethyl sebate	$C_{14} H_{26} O_4$.965, 16°	Neison. J. C. S. (3), 1, 318.
“ “	“	.96824, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.96049, 25°	
Butyl sebate	$C_{18} H_{34} O_4$.9417, 0°	Gehring. C. R. 104, 1289.
“ “	“	.9329, 15°	
Amyl sebate	$C_{20} H_{38} O_4$.951, 18°	Neison. C. N. 32, 298.
Ethyl dioctylmalonate	$C_{23} H_{44} O_4$.896, 18°	Conrad and Bischoff. Ber. 13, 595.
Ethyl acetomalonate	$C_9 H_{14} O_5$	1.080, 23°	Ehrlich. B. S. C. 23, 73.
Ethyl acetosuccinate	$C_{10} H_{16} O_5$	1.079, 21°	Conrad. B. S. C. 23, 73.
“ “	“	1.08809, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	1.08049, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl acetoglutarate	$C_{11} H_{18} O_5$	1.0505, 14°	Wislicenus and Limpach. A. C. P. 192, 130.
Ethyl β methylacetosuccinate.	"	1.061, 27°	Hardtmuth. A. C. P. 192, 142.
Ethyl α methylacetoglutarate.	$C_{12} H_{20} O_5$	1.043, 20°	Wislicenus and Limpach. A. C. P. 192, 133.
Ethyl dimethylacetosuccinate.	"	1.057, 27°	Hardtmuth. A. C. P. 192, 142.
Ethyl β ethylacetosuccinate.	"	1.064, 16°	Thorne. J. C. S. 39, 337.
Ethyl lactosuccinate	$C_{11} H_{18} O_6$	1.119, 0°	Wurtz and Friedel. J. 14, 378.
Ethyl succinosuccinate	$C_{12} H_{16} O_6$	1.4057, 18°	Hermann. J. C. S. 42, 712.
Ethyl ethidenemalonate	$C_9 H_{11} O_4$	1.0435, 15°	Kommenos. A. C. P. 218, 158.

11th. Acids and Ethers of the Glycollic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Glycollic acid	$C_2 H_4 O_3$	1.197, 13°	Gloez. J. 5, 497.
Lactic acid	$C_3 H_6 O_3$	1.215, 10°	Gay Lussac and Pelouze. P. A. 29, 111.
" "	"	1.2485, 15°	Mendelejeff. J. 13, 7.
" "	"	1.2403, 20°	Bruhl. Bei. 4, 782.
Methyl glycollic acid	"	1.180	Heintz. J. 12, 359.
Ethyl oxyisobutyric acid	$C_6 H_{12} O_3$	1.0211, 0°	Holland Waldbauer. Ber. 10, 450.
" " "	"	1.0101, 16°	
Amyl glycollic acid	$C_7 H_{14} O_3$	1.003	Siemens. J. 14, 451.
Methyl glycollate	$C_3 H_6 O_3$	1.1862	Schreiner. Bei. 3, 350.
Ethyl glycollate	$C_4 H_8 O_3$	1.1074	" " "
" " "	"	1.0333	Fahlberg. J. P. C. (2), 7, 340.
Propyl glycollate	$C_5 H_{10} O_3$	1.0837	Schreiner. Bei. 3, 350.
Methyl methylglycollate	$C_4 H_8 O_3$	1.0845	" "
Ethyl methylglycollate	$C_5 H_{10} O_3$	1.0746	" "
Propyl methylglycollate	$C_6 H_{12} O_3$	1.0532	" "
Methyl ethylglycollate	$C_5 H_{10} O_3$	1.0105	" "
Ethyl ethylglycollate	$C_6 H_{12} O_3$.978	Schreiber. Z. C. 13, 168.
" " "	"	.9960	Schreiner. Bei. 3, 350.
Propyl ethylglycollate	$C_7 H_{14} O_3$.9896	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl propylglycollate	$C_6 H_{12} O_3$.9845	Schreiner. Bei. 3, 350.
Ethyl propylglycollate	$C_7 H_{14} O_3$.9758	" "
Propyl propylglycollate	$C_8 H_{16} O_3$.9678	" "
Methyl lactate	$C_4 H_8 O_3$	1.1176	" "
Ethyl lactate	$C_5 H_{10} O_3$	1.0542, 0°	Wurtz and Friedel. J. 14, 373.
" "	"	1.042, 13°	
" "	"	1.0540	
Ethyl methylacetate	$C_6 H_{12} O_3$	1.0030	" "
Ethyl ethylacetate	$C_7 H_{14} O_3$.9203, 0°	Wurtz. J. 12, 294.
" "	"	.9540	Schreiner. Bei. 3, 350.
Ethyl oxysisobutyrate	$C_6 H_{12} O_3$.9931, 13°	Frankland and Duppa. P.T. 1866, 309.
" "	"	1.0750	Schreiner. Bei. 3, 350.
Ethyl methoxybutyrate	$C_7 H_{14} O_3$.9768, 13°	Frankland and Duppa. J. 18, 381.
" "	"	1.0100	Schreiner. Bei. 3, 350.
Ethyl ethoxybutyrate	$C_8 H_{16} O_3$.930, 19°	Duvillier. Ann. (5), 17, 533.
" "	"	.9540	Schreiner. Bei. 3, 350.
Methyl diethoxyacetate	$C_7 H_{14} O_3$.9896, 16°.5	Frankland and Duppa. P.T. 1866, 309.
Ethyl diethoxyacetate	$C_8 H_{16} O_3$.9613, 18°.7	" "
" "	"	.98	L. Henry. B. S. C. 19, 212.
Amyl diethoxyacetate	$C_{11} H_{22} O_3$.93227, 13°	Frankland and Duppa. P.T. 1866, 309.
Ethyl amylohydroxalate	$C_9 H_{18} O_3$.9449, 13°	Frankland and Duppa. J. 18, 382.
Ethyl ethylamylohydroxalate	$C_{11} H_{22} O_3$.9399, 13°	Frankland and Duppa. P.T. 1866, 309.
Ethyl diamylohydroxalate	$C_{14} H_{28} O_3$.9137, 13°	Frankland and Duppa. J. 18, 383.
Ethyl acetoglycollate	$C_6 H_{10} O_4$	1.0093, 17°	Heintz. J. 15, 292.
Ethyl acetolactate	$C_7 H_{12} O_4$	1.0458, 17°	Wislicenus. J. 15, 300.
Ethyl propionoglycollate	"	1.0052, 22°	Senf. Ber. 14, 2416.
Ethyl butyroglycollate	$C_8 H_{14} O_4$	1.0288, 22°	" "
Ethyl isobutyroglycollate	"	1.0240, 22°.5	" "
Ethyl butyrolactate	$C_9 H_{16} O_4$	1.024, 0°	Wurtz. J. 12, 295.
" "	"	1.028, 0°	Wurtz. J. 13, 273.
Lactyl ethyl lactate	$C_8 H_{14} O_5$	1.134, 0°	Wurtz and Friedel. J. 14, 377.
Ethyl diethylglyoxylate	$C_8 H_{16} O_4$.994, 18°	Schreiber. Z. C. 13, 168.
Oxybutyric lactone	$C_4 H_6 O_2$	1.1441, 0°	Saytzeff. Ber. 14, 2688.
" "	"	1.1286, 16°	
" "	"	1.1302, 20°	
" "	"	1.1295, 10°	Frühling. Ber. 15, 2622.
" "	"		Henry. C. R. 101, 1158.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylbutyric lactone.....	$C_6 H_{10} O_2$	1.0348, 16°	Chanlaroff. A. C. P. 226, 339.
Heptolactone	$C_7 H_{12} O_2$9818, 4°	Author. Ber. 14, 1718.
"	"992, 16°	Young. A. C. P. 216, 41.

12th. Acids and Ethers of the Pyruvic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pyruvic, pyroracemic, or acetyl-formic acid.	$C_3 H_4 O_3$	1.288, 18°	Völkcl. J. 6, 426.
" "	"	1.2792	Berzelius.
" "	"	1.2403	Claisen and Shadwell. Ber. 11, 1507.
" "	"	1.2600	
" "	"	1.2415	
" "	"	1.2415	
Propionyl-formic acid	$C_4 H_6 O_3$	1.2000, 17°.5	Claisen and Moritz. Ber. 13, 2122.
β . Acetyl-propionic, or laevulinic acid.	$C_5 H_8 O_3$	1.135, 15°	Conrad. Ber. 11, 2178.
Methyl pyruvate	$C_4 H_6 O_3$	1.154, 0°	Oppenheim. B. S. C. 19, 254.
Methyl acetacetate	$C_5 H_8 O_3$	1.037, 9°	Brandes. J. 19, 306.
Ethyl acetacetate	$C_6 H_{10} O_3$	1.03, 5°	Geuther. J. 18, 303.
" "	"	1.0256, 20°	Bruhl. A. C. P. 203, 1.
" "	"	1.030, 15°	Elion. Ber. 17, ref. 568.
" "	"	1.0465, 0°	Schiff. Ber. 19, 560.
" "	"9880, 55°.8	
" "	"9644, 79°.2	
" "	"9029, 135°.5	
" "	"8458, 180°	
" "	"	1.03174, 15°	
" "	"	1.02353, 25°	
" "	"	1.02353, 25°	
Isobutyl acetacetate	$C_8 H_{14} O_3$979, 0°	Emmerling and Oppenheim. Ber. 9, 1097.
" "	"932, 23°	
Amyl acetacetate	$C_9 H_{16} O_3$954, 10°	Conrad. A. C. P. 186, 231.
Methyl methylacetacetate	$C_6 H_{10} O_3$	1.020, 9°	Brandes. J. 19, 306.
Ethyl methylacetacetate	$C_7 H_{10} O_3$925, 14°	" "
Methyl laevulinate	$C_6 H_{10} O_3$	1.0684, 0°	Grote, Kehler, and Tollens. A. C. P. 206, 221.
" "	"	1.0519, 20°	
Ethyl laevulinate	$C_7 H_{12} O_3$	1.0325, 0°	" "
" "	"	1.0156, 20°	" "
Propyl laevulinate	$C_8 H_{14} O_3$	1.0103, 0°	" "
" "	"9937, 20°	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl ethylacetacetate	$C_7 H_{12} O_3$	1.009, 6°	Geuther. J. 18, 303.
Ethyl ethylacetacetate	$C_8 H_{14} O_3$.998, 12°	" "
" "	"	.981, 16°	James. A. C. P. 226, 202.
" "	"	.9834, 16°	Frankland and Duppa.
Propyl ethylacetacetate	$C_9 H_{16} O_3$.981, 0°	Burton. A. C. J. 3, 385.
Amyl ethylacetacetate	$C_{11} H_{20} O_3$.937, 26°	Conrad. A. C. P. 186, 232.
Ethyl dimethylacetacetate	$C_8 H_{14} O_3$.9913, 16°	Frankland and Duppa. J. 18, 309.
Ethyl propionylpropionate	"	.9948, 0°	} Hellon and Oppenheim. Ber. 10, 701 and 861.
" "	"	.9827, 15°	
" "	"	.9870, 15°	
Ethyl methylethylacetacetate.	$C_9 H_{16} O_3$.974, 22°	Saur. A. C. P. 188, 275.
Ethyl isopropylacetacetate	"	.98046, 0°	Frankland and Duppa. J. 20, 395.
Ethyl methylpropylacetacetate.	$C_{10} H_{18} O_3$.9575, 17°	Jones. A. C. P. 226, 288.
Ethyl isobutylacetacetate.	"	.951, 17°.5	Rohn. A. C. P. 190, 307.
Ethyl ethylpropionylpropionate.	"	.966, 15°	Israel. A. C. P. 231, 197.
Ethyl dipropylacetacetate	$C_{12} H_{22} O_3$.9585, 0°	Burton. A. C. J. 3, 386.
Ethyl heptylacetacetate	$C_{13} H_{24} O_3$.9324	Jourdan. Ber. 13, 434.
Ethyl octylacetacetate.	$C_{14} H_{26} O_3$.9354, 18°.5	Guthzeit. A. C. P. 204, 3.
Ethyl diisobutylacetacetate.	"	.947, 10°	Mixter. Ber. 7, 501.
Ethyl diheptylacetacetate	$C_{20} H_{38} O_3$.8907, 17°.5	Jourdan. J. C. S. 38, 314.
Ethyl acetopyruvate	$C_7 H_{10} O_4$	1.124, 21°	Claisen and Stylos. Ber. 20, 2189.
Ethyl diacetylacetate	$C_8 H_{12} O_4$	1.044, 15°	Elion. Ber. 16, 1369.
" "	"	1.1, 15°	Elion. Ber. 16, 2762.
" "	"	1.064, 15°	James. A. C. P. 226, 202.
Ethyl carbacetacetate	$C_8 H_{10} O_3$	1.136, 27°	Duisberg. Ber. 15, 1387.
Ethyl ethylideneacetacetate.	$C_8 H_{12} O_3$	1.0225, 15°	Claisen and Matthews. A. C. P. 218, 173.
Ethyl amylideneacetacetate.	$C_{11} H_{18} O_3$.9612, 15°	Matthews. Ber. 16, 1372.
Ethyl ethoxymethylacetacetate.	$C_9 H_{16} O_4$.976, 22°	Isbert. A. C. P. 234, 195.
Ethyl ethoxyethylacetacetate.	$C_{10} H_{18} O_4$.957, 22°	Isbert. A. C. P. 234, 194.

13th. Acids and Ethers of the Acrylic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methacrylic acid	$C_4 H_6 O_2$	1.0153, 20°	Brühl. Ber. 14, 2800.
β . Crotonic, or quartenylic acid.	"	1.018, 25°	Gouther. J. P. C. (2), 3, 442.
Pyroterebic acid	$C_6 H_{10} O_2$	1.01	Rabourdin. A. C. P. 52, 395.
" "	"	1.006, 26°	Mielek. A. C. P. 180, 52.
Methylethylacrylic acid	"	.9812, 25°	Lieben and Zeisel. M. C. 4, 71.
Hydrosorbic acid	"	.969, 19°	Barringer and Fittig. Z. C. 13, 425.
Amyldecaic acid	$C_{10} H_{18} O_2$.9096, 0°	Borodin. ?
Moringic acid	$C_{15} H_{28} O_2$.908, 12°.5	Walter. C. R. 22, 1143.
Oleic acid	$C_{18} H_{34} O_2$.808, 19°	Chevreul.
Methyl acrylate. B. 80°.3	$C_4 H_6 O_2$.977, 0°	Kahlbaum. Ber. 13, 2349.
" "	"	.961, 19°.2	
" "	"	.97388, 0°	
" "	"	.87194, 80°.3	Weger. A. C. P. 221, 61.
Liquid polymer of methyl acrylate, " "	$(C_4 H_6 O_2)_n$	1.140, 0°	Kahlbaum. Ber. 13, 2349.
" "	"	1.125, 18°	
Solid polymer of methyl acrylate, " "	"	1.2223, 15°.6	" "
" "	"	1.2222, 18°.2	
Ethyl acrylate. B. 98°.5	$C_5 H_8 O_2$.9252, 0°	Caspary and Tollens. B. S. C. 20, 368.
" "	"	.9136, 15°	
" "	"	.93928, 0°	
" "	"	.81970, 98°.5	Weger. A. C. P. 221, 61.
Propyl acrylate. B. 122°.9	$C_6 H_{10} O_2$.91996, 0°	" "
" "	"	.7847, 122°.9	
Methyl crotonate	$C_5 H_8 O_2$.9806, 4°	Kahlbaum. Ber. 12, 344.
Ethyl crotonate	$C_6 H_{10} O_2$.9188	} 20°
" "	"	.9199	
" "	"	.9237	
" "	"	.92680, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	.91846, 25°	
Ethyl β crotonate	"	.927, 19°	Geuther. J. P. C. (2), 3, 444.
Ethyl angelate	$C_7 H_{12} O_2$.9347, 0°	Beilstein and Wiegand. Ber. 17, 2261.
Ethyl tiglate	"	.926, 21°	Geuther and Fröhlich. Z. C. 13, 549.
" "	"	.9425, 0°	Beilstein and Wiegand. Ber. 17, 2261.
Ethyl ethylcrotonate	$C_8 H_{14} O_2$.9202, 13°	Frankland and Duppa. J. 18, 384.
Methyl oleate	$C_{19} H_{36} O_2$.879, 18°	Laurent. Ann. (2), 65, 294.
Ethyl oleate	$C_{20} H_{38} O_2$.871, 18°	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl oleate-----	$C_{20}H_{38}O_2$ -----	.87589	Perkin. J. P. C. (2), 32, 523.
" "-----	"-----	.87525	
" "-----	"-----	.87041	
" "-----	"-----	.86991	
Methyl elaidate-----	$C_{19}H_{36}O_2$ -----	.872, 18°	Laurent. Ann. (2), 65, 294.
Ethyl elaidate-----	$C_{20}H_{38}O_2$ -----	.869, 18°	" "

14th. Derivatives of the Acrylic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acrolein, or acrylaldehyde	C_3H_4O -----	.8410, 20°	Brühl. Bei. 4, 780.
Metaacrolein-----	$(C_3H_4O)_n$ -----	1.03, 8°	Geuther. J. 17, 334.
Aeropinacone-----	$C_6H_{10}O_2$ -----	.99, 17°	Linnemann. J. 18, 317.
Acrolein ethylate-----	$C_5H_{10}O_2$ -----	.936, 4°	Taubert. J. C. S. 31, 296.
Acrolein diacetate-----	$C_7H_{10}O_4$ -----	1.076, 22°	Hübner and Geu- ther. J. 13, 307.
Crotonaldehyde-----	C_4H_6O -----	1.033, 0°	Roscoe and Schor- lemmer's Treatise.
Diacetate from crotonalde- hyde.	$C_8H_{12}O_4$ -----	1.05, 14°	Lagermark and El- tehoff. Ber. 12, 694.
Tiglic aldehyde, or guajol	C_5H_8O -----	.871, 15°	Völckel. J. 7, 611.
β. Angelicalactone-----	$C_5H_6O_2$ -----	1.1084, 0°	Wolff. A. C. P. 229, 257.
Methylethylacrolein-----	$C_6H_{10}O$ -----	.8577, 20°	Lieben and Zeisel. M. C. 4, 18.
Amyldecaldehyde-----	$C_{10}H_{18}O$ -----	.862, 0°	Borodin. Ber. 5, 480.
"-----	"-----	.848, 20°	
"-----	"-----	.861, 0°	
"-----	"-----	.851, 14°	Gäss and Hell. Ber. 8, 372.
Hexylpentylacrylic alde- hyde. " "-----	$C_{14}H_{26}O$ -----	.8494, 15°	Perkin, Jr. Ber. 15, 2804.
" "-----	"-----	.8416, 30°	
" "-----	"-----	.8392, 35°	
" "-----	"-----	.8504, 15°	Perkin, Jr. J. C. S. 44, 81.
Hexylpentylacrylic alco- hol. " "-----	$C_{14}H_{28}O$ -----	.8520, 15°	Perkin, Jr. Ber. 15, 2810.
" "-----	"-----	.8444, 30°	
" "-----	"-----	.8418, 35°	
Hexylpentylacrylic ace- tate. " "-----	$C_{16}H_{30}O_2$ -----	.8680, 15°	Perkin, Jr. Ber. 15, 2809.
" "-----	"-----	.8597, 30°	
" "-----	"-----	.8568, 35°	

15th. Acids and Ethers, Malic-Tartaric Group.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Malic acid	$C_4 H_6 O_5$	1.559, 4°	Schröder. Ber. 12, 1611.
Tartaric acid	$C_4 H_6 O_6$	1.75	Richter.
" "	"	1.764	Schiff. J. 12, 41.
" "	"	1.739	Buignet. J. 14, 15.
" "	"	1.754	Schröder. Ber. 10, 851.
" "	"	1.77	W. C. Smith. Am. J. P. 53, 145.
" "	"	1.7617	} Wiedemann and Lüdeking. P. A. (2), 25, 151.
" " Amorphous	"	1.6321	
" "	"	1.7594, 7°	
Racemic acid	$C_4 H_6 O_6$	1.7782, 7°	" "
" "	$C_4 H_6 O_6 \cdot H_2 O$	1.75	Pasteur. J. 2, 309.
" "	"	1.69	Buignet. J. 14, 15.
" "	"	1.6873, 7°	Perkin. J. C. S. 51, 366.
Laevotartaric acid	"	1.7496	Pasteur. Ann. (3), 28, 72.
Methyl maleate	$C_6 H_8 O_4$	1.1529, 14°	Anschutz. Ber. 12, 2283.
" "	"	1.16029, 11°.8	} Knops. V. H. V. 1887, 17.
" "	"	1.15532, 16°.6	
" "	"	1.15172, 20°	
" "	"	1.15060, 21°	
" "	"	1.14562, 26°	
" "	"	1.14211, 29°.4	
Ethyl maleate	$C_8 H_{12} O_4$	1.06917, 20°	" "
Propyl maleate	$C_{10} H_{16} O_4$	1.02899, 20°	" "
Ethyl fumarate	$C_8 H_{12} O_4$	1.106, 11°	Henry. A. C. P. 156, 178.
" "	"	1.0522, 17°.5	Anschutz. Ber. 12, 2282.
" "	"	1.05199, 20°	Knops. V. H. V. 1887, 17.
Propyl fumarate	$C_{10} H_{16} O_4$	1.02732, 14°.3	} " "
" "	"	1.02447, 17°.4	
" "	"	1.02203, 20°	
" "	"	1.02127, 20°.8	
" "	"	1.01691, 25°.5	
" "	"	1.01352, 29°.1	
" "	"	1.00978, 33°	
Methyl tartrate	$C_6 H_{10} O_6$	1.3403, 15°	Anschutz and Pic- tet. Ber. 13, 1177.
Ethyl tartrate	$C_8 H_{14} O_6$	1.1989	Landolt. Ber. 9, 910.
" "	"	1.2097, 14°	Anschutz and Pic- tet. Ber. 13, 1177.
" "	"	1.2097, 15°	} Perkin. J. C. S. 51, 363.
" "	"	1.2019, 25°	

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Ethyl racemate-----	$C_8 H_{14} O_6$ -----	1.2098, 15°	Perkin. J. C. S. 51, 363.
“ “-----	“-----	1.2019, 25°	
Propyl tartrate-----	$C_{10} H_{18} O_6$ -----	1.1392, 17°	Anschütz and Pic- tet. Ber. 13, 1177.
Isopropyl tartrate-----	$C_{10} H_{18} O_6$ -----	1.1300, 20°	Pictet. Ber. 15, 2242.

16th. Acids and Ethers, Citric Acid Group.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Citric acid-----	$C_6 H_8 O_7$ -----	1.617-----	Richter.
“ “-----	“-----	1.542-----	Schiff. J. 12, 41.
“ “-----	“-----	1.553-----	Buignet. J. 14, 15.
“ “-----	“-----	1.557-----	W. C. Smith. Am. J. P. 53, 145.
Itaconic acid-----	$C_5 H_6 O_4$ -----	1.573-----	Schröder. Ber. 13, 1070.
“ “-----	“-----	1.632-----	
Citraconic acid-----	“-----	1.616-----	“ “
“ “-----	“-----	1.618-----	
Citraconic anhydride-----	$C_5 H_4 O_3$ -----	1.247-----	Watts' Dictionary.
“ “-----	“-----	1.25360, 12°.4	
“ “-----	“-----	1.24894, 16°.6	} Knops. V. H. V. 1887, 17.
“ “-----	“-----	1.24518, 20°	
“ “-----	“-----	1.24405, 21°	
“ “-----	“-----	1.23920, 25°.4	
“ “-----	“-----	1.23501, 29°.2	
“ “-----	“-----	1.23073, 33°	
Triethyl citrate-----	$C_{12} H_{20} O_7$ -----	1.142, 21°	Malaguti. A. C. P. 21, 267.
“ “-----	“-----	1.1369, 20°	Conen. Ber. 12, 1653.
Tetraethyl citrate-----	$C_{14} H_{24} O_7$ -----	1.1022, 20°	“ “
Ethyl aconitate-----	$C_{12} H_{18} O_6$ -----	1.074, 14°	Watts' Dictionary.
“ “-----	“-----	1.1064-----	Conen. Ber. 12, 1653.
Ethyl isaconitate-----	“-----	1.0505, 15°	Conrad and Guth- zeit. A. C. P. 222, 255.
Methyl itaconate-----	$C_7 H_{10} O_4$ -----	1.1299, 14°.7	Anschütz. Ber. 14, 2787.
“ “-----	“-----	1.13195, 12°	} Knops. V. H. V. 1887, 17.
“ “-----	“-----	1.12410, 18°	
“ “-----	“-----	1.12182, 20°	
“ “-----	“-----	1.11882, 22°.5	
“ “-----	“-----	1.11421, 27°.1	
“ “-----	“-----	1.10847, 32°.4	
Polymer of methyl itaco- nate.	$(C_7 H_{10} O_4)_n$ -----	1.3126, 20°	“ “
Ethyl itaconate-----	$C_9 H_{14} O_4$ -----	1.051, 15°	Anschütz. Ber. 14, 2787.
“ “-----	“-----	1.04613, 20°	Knops. V. H. V. 1887, 17.
Polymer of ethyl itaconate	$(C_9 H_{14} O_4)_n$ -----	1.2549, 20°	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl citraconate	$C_7 H_{10} O_4$	1.1168, 15°	Perkin. Ber. 14, 2541.
" "	"	1.1050, 30°	
" "	"	1.1172, 13°.8	O. Strecker. Ber. 14, 2785.
" "	"	1.1164, 15°.5	Gladstone. Bei. 9, 249.
" "	"	1.11043, 20°	Knops. V. H. V. 1887, 17.
Ethyl citraconate	$C_9 H_{14} O_4$	1.1050, 15°	Perkin. Ber. 14, 2543.
" "	"	1.038, 30°	
" "	"	1.040, 18°.5	Watts' Dictionary.
" "	"	1.047, 15°	Petri. Ber. 14, 2785.
" "	"	1.048, 16°.5	Gladstone. Bei. 9, 249.
" "	"	1.06241, 20°	Knops. V. H. V. 1887, 17.
Methyl mesaconate	$C_7 H_{10} O_4$	1.1254, 15°	Perkin. Ber. 14, 2543.
" "	"	1.1138, 30°	
" "	"	1.1293, 11°.8	O. Strecker. Ber. 14, 2785.
" "	"	1.1246, 16°	Gladstone. Bei. 9, 249.
" "	"	1.12966, 11°.9	Knops. V. H. V. 1887, 17.
" "	"	1.12462, 16°.4	
" "	"	1.12097, 20°	
" "	"	1.12011, 20°.8	
" "	"	1.11648, 24°.3	
" "	"	1.11180, 28°.6	
" "	"	1.10702, 33°	
Ethyl mesaconate	$C_9 H_{14} O_4$	1.043, 20°	Pebal. J. 404.
" "	"	1.051, 15°	Perkin. Ber. 14, 2543.
" "	"	1.039, 30°	
" "	"	1.043, 20°	Petri. Ber. 14, 2785.
" "	"	1.050, 16°	Gladstone. Bei. 9, 249.
" "	"	1.04674, 20°	Knops. V. H. V. 1887, 17.
Methyl crotonate	$C_7 H_{10} O_4$	1.14, 15°	Claus. A. C. P. 191, 78.
Ethyl acetocitrate	$C_{14} H_{22} O_8$	1.1459, 15°	Ruhemann. Ber. 20, 802.
Ethyl terebate	$C_9 H_{14} O_4$	1.111, 16°	Roser. A. C. P. 220, 255.

17th. Glycerin and its Derivatives.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Glycerin, or glycerol	$C_3 H_5 (O H)_3$	1.27, 10°	Chevreul.
“ “	“	1.28, 15°	Pelouze. Ann. (2), 63, 19.
“ “	“	1.260, 15°	Watts' Dictionary.
“ “	“	1.115, 12°.5	Sokoloff. A. C. P. 106, 95.
“ “	“	1.2636, 15°	Mendelejeff. J. 13, 7.
“ “	“	1.26949, 6°.7	} Mendelejeff. A. C. P. 114, 165.
“ “	“	1.26244, 16°.6	
“ “	“	1.2609	Godeffroy. C. C. (3), 6, 34.
“ “ Cryst.	“	1.261, 15°.5	Roos. C. N. 33, 39.
“ “	“	1.2688, 0°	Emo. Bei. 6, 663.
“ “	“	1.2590, 20°	Brühl. Bei. 4, 782.
“ “	“	1.262, 17°.5	Strohmer. Ber. 17, ref. 206.
“ “	“	1.2653, 15°	Gerlach. Ber. 17, ref. 522.
“ “	“	1.26241, 15°	} Perkin. J. P. C. (2), 32, 523.
“ “	“	1.25881, 25°	
Hexyl glycerin	$C_6 H_{11} (O H)_3$	1.0936, 0°	Orloff. A. C. P. 233, 359.
Triethyl diglycerin	$C_{12} H_{26} O_5$	1.00, 14°	Reboul and Lourenço. J. 14, 675.
Glycerin ether	$(C_3 H_5)_2 O_3$	1.0907, 18°	Gegerfeldt. J. 24, 401.
“ “	“	1.16, 16°	Zotta. A. C. P. 174, 87.
“ “	“	1.1453, 0°	Silva. J. C. S. 40, 1122.
Glycide	$C_3 H_8 O_2$	1.165, 0°	Hanriot. Ann. (5), 17, 62.
Ethyl glycide	$C_5 H_{10} O_2$	1.00	Reboul. J. 13, 465.
“ “	“	.94, 12°	Henry. B. S. C. 18, 232.
Amyl glycide	$C_8 H_{16} O_2$.90, 20°	Reboul. J. 13, 463.
Aceto-glyceral	$C_5 H_{10} O_3$	1.081, 0°	Harnitzky and Menschutkin. J. 18, 506.
Valero-glyceral	$C_8 H_{16} O_3$	1.027, 0°	“ “
Trimethylin	$C_6 H_{14} O_3$.9483, 0°	Alsberg. J. 17, 495.
Diethylin	$C_7 H_{16} O_3$.92	Berthelot. J. 7, 450.
Triethylin	$C_9 H_{20} O_3$.8955, 15°	Alsberg. J. 17, 495.
Triglycerin tetrethylin	$C_{17} H_{36} O_7$	1.022, 14°	Reboul and Lourenço. J. 14, 675.
Ethylamylin	$C_{10} H_{22} O_3$.92	Reboul. J. 13, 465.
Monamylin	$C_8 H_{18} O_3$.98, 20°	Reboul. J. 13, 464.
Diamylin	$C_{13} H_{28} O_3$.907, 9°	Reboul. J. 13, 465.
Monoallylin	$C_6 H_{12} O_3$	1.1160, 0°	} Tollens. A. C. P. 156, 149.
“	“	1.1013, 25°	
Diformin	$C_5 H_8 O_5$	1.304, 15°	Van Romburgh. Ber. 14, 2827.
Monacetin	$C_5 H_{10} O_4$	1.20	Berthelot. J. 6, 455.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diacetin	$C_7 H_{12} O_5$	1.184	Berthelot. J. 6, 455.
"	"	1.148, 23°	Lauffer. J. 1876, 243
Triacetin	$C_9 H_{14} O_6$	1.174	Berthelot. J. 7, 449.
Epiaacetin	$C_5 H_8 O_3$	1.129, 20°	Breslau. J. P. C. (2), 20, 188.
Polymer of epiaacetin	$(C_5 H_8 O_3)_n$	1.204, 20°	" "
Monobutyryl	$C_7 H_{14} O_4$	1.088	Berthelot. J. 6, 455.
Dibutyryl	$C_{11} H_{20} O_5$	1.081	" "
"	"	1.084	" "
Tributyryl	$C_{15} H_{26} O_6$	1.056	Berthelot. J. 7, 449.
Monovalerin	$C_8 H_{16} O_4$	1.100	Berthelot. J. 6, 454.
Divalerin	$C_{13} H_{24} O_5$	1.059	" "
Cocoin	$C_{12} H_{20} O_6$.92, 8° s	Brandes.
Tristearin	$C_{57} H_{110} O_6$.987, 10°	Kopp. A. C. P. 93, 194.
"	"	.9872	} Three modifications. Duffy. J. 5, 510.
"	"	.9877	
"	"	.9867	
"	"	.9600, 51° .5	
"	"	1.0101, 15°	
"	"	1.0178	
"	"	1.0179	
"	"	1.009, 51° .5	
"	"	.9931, 65° .5	
"	"	.9746, 68° .2	
" Liquid	"	.9245, 65° .5	
Monolein	$C_{21} H_{40} O_4$.947	Berthelot. J. 6, 454.
Diolein	$C_{39} H_{72} O_5$.921, 21°	" "
Ethyl glycerate	$C_5 H_{10} O_4$	1.193, 6°	Henry. Ber. 4, 701.
Benzolein	$C_{10} H_{12} O_4$	1.228	Berthelot. J. 6, 455.
Glycerin salicylate	$C_{10} H_{12} O_5$	1.3655	Göttig. Ber. 10, 1818.
Glycerin cinnamate	"	1.2704	Kuhbaum. Ber. 16, 1491.
"	"	1.2708	"

18th. The Allyl Group.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl alcohol	$C_3 H_5 O H$.8581, 0°	} Tollens and Henninger. A. C. P. 156, 134. Additional values are given. Tollens. A. C. P. 158, 104. Dittmar and Stewart. P. R. S. G. 10, 64. Thorpe. J. C. S. 37, 371. Zander. A. C. P. 214, 181. Schiff. G. C. I. 13, 177.
"	"	.8478, 27°	
"	"	.8709, 0°	
"	"	.81822, 62°	
"	"	.7846, 97°	
"	"	.8569, 15° .5	
"	"	.86990, 0°	
"	"	.77998, 96° .6	
"	"	.8724, 0°	
"	"	.7830, 96° .5	
"	"	.7809, 94° .4	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl alcohol	$C_3 H_5. O H$.8540, 20°	Brühl. A. C. P. 200, 139.
" "	"	.8563, 23°	Gladstone. Bei. 9, 249.
" "	"	.85778, 15°	Perkin. J. P. C. (2), 32, 523.
" "	"	.85067, 25°	
Ethylvinyl alcohol	$C_4 H_7. O H$.884, 0°	Nevolé. J. C. S. 32, 868.
" "	"	.818, 21°	
" "	"	.827, 0°	Lieben. J. C. S. 32, 868.
" "	"	.81, 22°	
Ethylvinylcarbinol	$C_5 H_{10} O$.856, 0°	E. Wagner. B. S. C. 42, 330.
Methyl isocrotyl alcohol	$C_6 H_{12} O$.8604	Wurtz. J. 17, 515.
" " "	"	.8625	
" " "	"	.842, 16° 2	
" " " ?	"	.891, 10°	
Allyldimethylcarbinol	"	.8438, 0°	Saytzeff. A. C. P. 185, 151.
" "	"	.8307, 18°	
Diallyl monohydrate	"	.8367, 0°	Wurtz. J. 17, 515.
Allyldiethylcarbinol	$C_8 H_{16} O$.8891, 0°	{ Schirokoff and Saytzeff. A. C. P. 196, 114.
" "	"	.8711, 20°	
Allylmethylpropylcarbinol.	"	.8486, 0°	Semljanizin. Ber. 12, 2375.
" "	"	.8345, 20°	
Isopropylallyldimethyl carbinol.	$C_9 H_{18} O$.829, 17° 8	Dieff. J. P. C. (2), 27, 369.
Allyldipropylcarbinol	$C_{10} H_{20} O$.8602, 0°	P. and A. Saytzeff. Ber. 11, 1939.
" "	"	.8427, 24°	
Allyldiisopropylcarbinol	"	.8671, 0°	Lebedinsky. J. P. C. (2), 23, 23.
Propargyl alcohol	$C_3 H_4 O$.9628, 21°	Henry. B. S. C. 18, 236.
" "	"	.9715, 20°	Brühl. Bei. 4, 780.
Diallylcarbinol	$C_7 H_{12} O$.8758, 0°	M. Saytzeff. A. C. P. 185, 129.
" "	"	.8644, 12°	
" "	"	.8478, 32°	
Diallylmethylcarbinol	$C_8 H_{14} O$.8638, 0°	Sorokin. A. C. P. 185, 169.
" "	"	.8523, 13°	
Diallylethylcarbinol	$C_9 H_{16} O$.8776, 0°	Smirensky. Ber. 14, 2688.
" "	"	.8637, 17°	
Diallylpropylcarbinol	$C_{10} H_{18} O$.8707, 0°	P. and A. Saytzeff. Ber. 11, 1259.
" "	"	.8564, 20°	
Diallylisopropylcarbinol	"	.8647, 0°	
" "	"	.8512, 20°	Rjabinin and Saytzeff. Ber. 12, 689.
Vinyl ethyl oxide	$C_2 H_3. C_2 H_5. O$.7625, 17° 5	Wislicenus. A. C. P. 192, 109.
Methyl allyl oxide	$C H_3. C_3 H_5. O$.77, 11°	Henry. B. S. C. 18, 232.
Ethyl allyl oxide	$C_2 H_5. C_3 H_5. O$.7651, 20°	Brühl. Bei. 4, 780.
Allyl oxide	$(C_3 H_5)_2. O$.8223, 0°	
" "	"	.7217, 94° 3	Zander. A. C. P. 214, 181.
Methyl propargyl oxide	$C H_3. C_3 H_3. O$.83, 12° 5	Henry. B. S. C. 18, 232.
Ethyl propargyl oxide	$C_2 H_5. C_3 H_3. O$.8326, 20°	Brühl. Bei. 4, 780.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl propargyl oxide	$C_5 H_{11} C_3 H_3 O$.84, 12°	Henry. B. S. C. 18, 292.
Diallylearbyl methyl oxide.	$C_7 H_{11} C H_3 O$.8258, 0°	Rjabinin. Ber. 12, 2374.
“ “ “	“ “ “	.8096, 20°	
Dimethylcarbyl ethyl oxide.	$C_7 H_{11} C_2 H_6 O$.8218, 0°	
“ “ “	“ “ “	.8023, 20°	“ “
Isopropylallyldimethylcarbyl methyl oxide.	$C_9 H_{17} C H_3 O$.8027, 4°	Kononowitsch. Ber. 18, ref. 105.
Allyl formate	$C_4 H_6 O_2$.9322, 17°.5	Tollens, Weber, and Kempf. J. 21, 450.
Allyl acetate	$C_5 H_8 O_2$.8220, 103°	Schiff. G. C. I. 13, 177.
“ “	“	.9276, 20°	Brühl. Bei. 4, 780.
“ “	“	.9258, 24°.5	Gladstone. Bei. 9, 249.
Ethylvinyl acetate	$C_6 H_{10} O_2$.896, 0°	Nevalé. J. C. S. 32, 868.
“ “	“	.892, 0°	Lieben. J. C. S. 32, 868.
Methylisocrotyl acetate	$C_8 H_{14} O_2$.912	Wurtz. J. 17, 514.
Allyldimethylcarbyl acetate.	“	.9007, 0°	M. and A. Saytzeff. A. C. P. 185, 151.
“ “	“	.8832, 18°.5	
Allyldipropylcarbyl acetate.	$C_{12} H_{22} O_2$.8903, 0°	Saytzeff. Ber. 11, 1939.
“ “	“	.8733, 21°	
Propargyl acetate	$C_5 H_6 O_2$	1.0031, 12°	Henry. J. C. S. (2), 11, 1123.
“ “	“	1.0052, 20°	Brühl. Bei. 4, 780.
Diallylcarbyl acetate	$C_9 H_{14} O_2$.9167, 0°	M. Saytzeff. A. C. P. 185, 129.
“ “	“	.8997, 17°.5	
Diallylmethylcarbyl acetate.	$C_{10} H_{16} O_2$.8997, 0°	Sorokin. A. C. P. 185, 169.
“ “	“	.8733, 21°	
Allylacetic acid	$C_5 H_8 O_2$.98656, 12°	Perkin. J. C. S. 49, 205.
“ “	“	.98416, 15°	
“ “	“	.97670, 25°	
Ethyl allylacetate	$C_7 H_{12} O_2$.9222, 0°	Wurtz. J. 21, 446.
Allyloctylic acid	$C_{11} H_{20} O_2$.91020, 25°	Perkin. J. C. S. 49, 205.
“ “	“	.89930, 45°	
Ethyl allyloctylate	$C_{13} H_{24} O_2$.88271, 15°	“ “
“ “	“	.87658, 25°	
Diallylacetic acid	$C_8 H_{12} O_2$.9495, 25°	Wolff. Ber. 10, 1957.
“ “	“	.9578, 13°	Reboul. J. C. S. 32, 594.
“ “	“	.95756, 12°	Perkin. J. C. S. 49, 205.
“ “	“	.95547, 15°	
“ “	“	.94913, 25°	
Ethyl methoxydiallylacetate.	$C_{11} H_{18} O_3$.96066, 20°	Barataeff. J. P. C. (2), 35, 2.
Allyl acetacetate	$C_7 H_{10} O_3$.99272, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.98542, 25°	
Ethyl allylacetacetate.	$C_9 H_{14} O_3$.9938, 13°.5	Gladstone. Bei. 9, 249.
“ “	“	.982, 20°	Zeidler. B. S. C. 23, 73.
Ethyl diallylacetacetate	$C_{12} H_{18} O_3$.948, 25°	Wolff. Ber. 10, 1956.
Ethyl diallyloxyacetate	$C_{10} H_{15} O_3$.9873, 0°	Saytzeff. Ber. 9, 77.
“ “	“	.9718, 18°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl oxalate-----	$C_8 H_{10} O_4$ -----	1.055, 15°.5	Hofmann and Cahours. J. 9, 585.
Ethyl allylmalonate-----	$C_{10} H_{16} O_4$ -----	1.018, 16°	Conrad and Bischoff. Ber. 13, 595.
“ “-----	“-----	1.01475, 14°	Gladstone. Bei. 9, 249.
“ “-----	“-----	1.01397, 15°	Perkin. J. P. C. (2), 32, 523.
“ “-----	“-----	1.00620, 25°	
Ethyl diallylmalonate-----	$C_{13} H_{20} O_4$ -----	.996, 14°	Conrad and Bischoff. Ber. 13, 595.
“ “-----	“-----	.99328, 20°	Matwejeff. Ber. 21, 181.
“ “-----	“-----	1.00620, 6°.5	Perkin. J. C. S. 49, 205.
“ “-----	“-----	.99940, 15°	
“ “-----	“-----	.99252, 25°	
Butallylmethylcarbin oxide.	$C_6 H_{12} O_2$ -----	1.0099, 21°	Kablukow. Ber. 21, ref. 54.
Butallylmethyl pinakone.	$C_{12} H_{22} O_2$ -----	.9632, 0°	Kablukow. Ber. 21, ref. 55.
“ “-----	“-----	.9452, 24°	
Derivative of tetrabromdiallylcarbin acetate.	$C_{13} H_{20} O_7$ -----	1.18013, 0°	Dieff. J. P. C. (2), 35, 20.

19th. Erythrite, Mannite, and the Carbohydrates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Erythrite or erythrol-----	$C_4 H_6 (O H)_4$ -----	1.590	Lamy. J. 5, 676.
“ “-----	“-----	1.449	Schröder. Ber. 12, 1561.
“ “-----	“-----	1.452	
Anhydride of erythrol-----	$C_4 H_6 O_2$ -----	1.1323, 0°	Przybytek. Ber. 17, 1091.
“ “-----	“-----	1.1132, 18°	
Mannite or mannitol-----	$C_6 H_8 (O H)_6$ -----	1.521	Prunier. Ann. (5), 15, 22.
“ “-----	“-----	1.485	Schröder. Ber. 12, 1561.
“ “-----	“-----	1.486	
“ “-----	“-----	1.489	
Dulcitol or duleitol-----	“-----	1.466, 15°	Eichler. J. 9, 665.
Sorbite-----	$(C_6 H_{14} O_6)_2 \cdot H_2 O$ -----	1.654, 15°	Pelouze. J. 5, 655.
Pinite-----	$C_6 H_{12} O_5$ -----	1.520	Berthelot. J. 8, 675.
Quercite-----	“-----	1.5845	Prunier. Bei. 2, 68.
Cane sugar, or saccharose.	$C_{12} H_{22} O_{11}$ -----	1.606	Brisson. P. des C.
“ “-----	“-----	1.600	Schübler and Renz.
“ “-----	“-----	1.593	Filhol.
“ “-----	“-----	1.596	Playfair and Joule. M. C. S. 2, 401.
“ “-----	“-----	1.5578	Brix. J. 7, 618.
“ “-----	“-----	1.63	Dubrunfaut.
“ “-----	“-----	1.5951, 15°	Maumené. B. S. C. 22, 33.
“ “-----	“-----	1.588, 4°	Schröder. Ber. 12, 561.
“ “-----	“-----	1.589	W. C. Smith. Am. J. P. 53, 148.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cane sugar, or saccharose.	$C_{12}H_{22}O_{11}$	1.58046, 17°.5	Gerlach.
" " " Fused, vitreous.	"	1.996, 11°.5	Morin. J. Ph. C. (4), 28, 34.
" " " Molten	"	1.6	Quincke. P. A. 138, 141.
" " " "	"	1.5984	} Wiedemann and Ludeking. P. A. (2), 25, 151.
" " " Barley sugar.	"	1.5122	
" " " "	"	1.5928	Zehnder. P. A. (2), 29, 260.
Milk sugar, or lactose	"	1.534	Filhol.
" " " "	"	1.53398, 4°	Playfair and Joule. J. C. S. 1, 138.
" " " "	"	1.525, 4°	Schröder. Ber. 12, 561.
" " " "	"	1.533	W. C. Smith. Am. J. P. 53, 148.
Melezitose	$C_{12}H_{22}O_{11} \cdot H_2O$	1.540, 17°.5	Alekchine. J. C. S. 50, 684.
Glucose	$C_6H_{12}O_6 \cdot H_2O$	1.3861	} Payen and Persoz.
"	"	1.391	
"	"	1.51	} 11° Bodeker. B. D. Z.
" Fused	"	1.57	
"	"	1.3	Quincke. P. A. 138, 141.
Inosite. Anhydrous	$C_6H_{12}O_6$	1.752	Tanret and Villiers. Ann. 159, 23, 392.
"	$C_6H_{12}O_6 \cdot 2H_2O$	1.1154, 5°	Vohl. J. 11, 489.
"	"	1.535, 8°	} Tanret and Villiers. C. R. 86, 486.
"	"	1.524, 15°	
Bergenite	$C_8H_{10}O_5 \cdot H_2O$	1.5445	Morèlli. Ber. 14, 2694.
Starch	$(C_6H_{10}O_5)_n$	1.505	Payen.
"	"	1.530	Dietrich. Z. A. C. 5, 51.
"	"	1.56	Kopp. A. C. P. 35, 38.
" Arrowroot	"	1.5045, air dried	} Flückiger. Z. C. 10, 445.
" Potato	"	1.5029, "	
" "	"	1.6330, dried at 100°.	
Dextrin	"	1.03843	O'Sullivan. J. 27, 880.
Inulin	"	1.470	Dragendorff. J. 22, 748.
"	"	1.462	Dubrunfaut.
"	"	1.3491	Kiliani. A. C. P. 205, 151.
Cellulose	"	1.525	Weltzien's "Zusammenstellung."
Gum	"	1.487, air dried	} Flückiger. Z. C. 10, 445.
"	"	1.525, dried at 100°.	
" Gum-arabic	"	1.355	} Guérin-Varry. P. A. 29, 50.
" " tragacanth	"	1.384	
" Senegal	"	1.436	
" Bassora	"	1.359	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Graminin -----	$6 C_6 H_{10} O_5 \cdot H_2 O$ ---	1.522, 12° ---	Ekstrand and Johanson. Ber. 21, 594.
Phlein -----	" " ---	1.480 " ---	
Octaceto-diglucose -----	$C_{12} H_{14} (C_2 H_3 O_2)_8 O_{11}$ ---	1.27, 16° ---	
Octaceto-saccharose -----	" " ---	1.27, 16° ---	Demole. Ber. 12, 1936. " "

20th. Miscellaneous Non-Aromatic Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetopropyl alcohol -----	$C_5 H_{10} O_2$ -----	1.00514, 15°	Perkin, Jr. J. C. S. 51, 830.
" " -----	" " -----	1.00197, 20°	
" " -----	" " -----	.99896, 25°	
Acetobutyl alcohol -----	$C_6 H_{12} O_2$ -----	1.0143, 0°	Lipp. Ber. 18, 3281.
" " -----	" " -----	.99771, 4°	Perkin, Jr. J. C. S. 51, 719.
" " -----	" " -----	.98947, 15°	
" " -----	" " -----	.98270, 25°	
Methyl orthoformate -----	$C_4 H_{10} O_3$ -----	.974, 23°	Deutsch. Ber. 12, 115.
Ethyl orthoformate -----	$C_7 H_{16} O_3$ -----	.8964	Williamson.
Propyl orthoformate -----	$C_{10} H_{22} O_3$ -----	.879, 23°	Deutsch. Ber. 12, 115.
Isobutyl orthoformate -----	$C_{13} H_{28} O_3$ -----	.861	" "
Isoamyl orthoformate -----	$C_{16} H_{34} O_3$ -----	.864	" "
Diethoxyl ether -----	$C_8 H_{18} O_3$ -----	.8924, 21°	Lieben. J. 20, 546.
Derivative of isobutylaldehyde.	$C_8 H_{14} O$ -----	.9575, 0°	Oeconomides. Ber. 14, 2581.
" " -----	$C_{10} H_{20} O_2$ -----	.9415, 0°	" "
Derivative of valeral -----	$C_{10} H_{18} O$ -----	.9027, 17°	Borodin. J. 17, 339.
" " -----	$C_{20} H_{38} O_3$ -----	.895	Borodin. Ber. 5, 480.
" " -----	" " -----	.900	
Derivative of oenanthol -----	$C_{28} H_{50} O$ -----	.8831, 15°	Perkin. Ber. 15, 2805.
" " -----	" " -----	.8751, 30°	
" " -----	" " -----	.8723, 35°	
"Acetyl valeryl" -----	$C_7 H_{12} O_2$ -----	.8804, 15°.5	Olewinsky. J. 14, 463.
Diacetone alcohol -----	$C_6 H_{12} O_2$ -----	.9306, 25°	Heintz. A. C. P. 178, 349.
Methoxylmethyl ethyl acetone.	$C_7 H_{14} O_2$ -----	.855, 20°	James. J. C. S. 49, 50.
Dimethoxyl diethyl acetone.	$C_9 H_{18} O_3$ -----	.886, 15°	" "
From diethylacetone -----	$C_{20} H_{34} O_2$ -----	.934, 12°	Geuther. J.P.C. (2), 6, 160.
Ethyl diacetone carbonate	$C_{10} H_{18} O_3$ -----	.9738, 20°	Frankland and Duppa. J. 18, 306.
Mesityl oxide -----	$C_6 H_{10} O$ -----	.848, 23°	Fittig. J. 12, 344.
" " -----	" " -----	.8528, 19°	Gladstone. Bei. 9, 249.
" " -----	" " -----	.8578, 20°	Brühl. A. C. P. 235, 1.
Homologue of mesityl oxide.	$C_8 H_{14} O$ -----	.8547, 15°.4	Schramm. Ber. 16, 1581.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phorone	$C_9 H_{14} O$.982	Fittig. J. 12, 344.
"	"	.939 } 12°	
"	"	.9614, 20°	
"	"	.9645, 15°	
"	"	.885, 20°	
"	"	.8793, 27°	
"	"	.8785, 28°	Brühl. A. C. P. 235, 1.
"	"	.8776, 29°	
Aldol	$C_4 H_8 O_2$	1.1208, 0°	Wurtz. B. S. C. 18, 436.
"	"	1.1094, 16°	
"	"	1.0819, 49° C	
Derivative of aldol	$C_8 H_{16} O_4$	1.0941	Wurtz. C. R. 97, 1526.
"	"	1.0951 } 0°	
"	"	1.0953	
Diacetate from the above compound.	$C_{12} H_{20} O_6$	1.095, 0°	" "
Derivative of laevulinic ether.	$C_{14} H_{22} O_7$	1.097, 15°	Conrad and Guthzeit. Ber. 17, 2286.
Diethyl glycollic ether	$C_{20} H_{36} O_{10}$	1.01, 19°	Geuther. J. 20, 455.
Propiolic acetic acid	$C_5 H_8 O_2$.9922, 15°	Komninos. A. C. P. 218, 167.
Acetyl trimethylene	$C_5 H_8 O$.90471, 15°	Perkin, Jr. J. C. S. 51, 832.
"	"	.90083, 20°	
"	"	.89706, 25°	
Ethyl acetyltrimethylene-carboxylate.	$C_8 H_{12} O_3$	1.03436, 4°	Perkin, Jr. J. C. S. 47, 801.
"	"	1.03256, 6°.5	
"	"	1.02549, 15°	
"	"	1.01834, 25°	
"	"	1.0425, 25°.2	
"	"	1.05174 } 15°	
"	"	1.05152 } 15°	Two preparations. Perkin, Jr. J. C. S. 51, 826.
"	"	1.04810, 20°	
"	"	1.04390, 25°	
"	"	1.04703 } 15°	
"	"	1.04753 } 15°	
"	"	1.03930, 25°	
Ethyl trimethylenedicarboxylate.	$C_9 H_{14} O_4$	1.0708, 7°	Gladstone. J. C. S. 51, 852.
"	"	1.06455, 15°	Perkin. J. C. S. 51, 852.
"	"	1.05657, 25°	
"	"	1.06463, 15°	Perkin, Jr. J. C. S. 47, 801.
"	"	1.05664, 25°	
Ethyl trimethylenetricarboxylate.	$C_{12} H_{18} O_6$	1.127, 15°	Conrad and Guthzeit. Ber. 17, 1486.
Tetramethylenemonocarboxylic acid.	$C_5 H_8 O_2$	1.05480, 15°	Perkin. J. C. S. 51, 1.
"	"	1.05116, 20°	
"	"	1.04761, 25°	
Ethyl tetramethylenedicarboxylate.	$C_{10} H_{16} O_4$	1.0484, 14°	Gladstone. Bei. 9, 249.
"	"	1.05328, 9°	Perkin. J. C. S. 51, 1.
"	"	1.04817, 15°	
"	"	1.04051, 25°	
Ethyl acetyl tetramethylenedicarboxylate.	$C_9 H_{14} O_3$	1.0668, 13°	Gladstone. Bei. 9, 249.
Methylpentamethylenemonocarboxylic acid.	$C_7 H_{12} O_2$	1.02054, 15°	Two lots. Perkin. J. C. S. 53, 195 and 199.
"	"	1.01739, 20°	
"	"	1.01438, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylpentamethylene- monocarboxylic acid. }	$C_7 H_{12} O_2$ -----	1.0256, 4°	Two lots. Perkin. J. C. S. 53, 195 and 199.
“ “ -----	“ -----	1.0208, 10°	
“ “ -----	“ -----	1.0172, 15°	
“ “ -----	“ -----	1.0139, 20°	
“ “ -----	“ -----	1.0109, 25°	
Methylpentamethylene methyl ketone. }	$C_8 H_{14} O$ -----	.9222, 4°	Perkin. J. C. S. 53, 200.
“ “ -----	“ -----	.9174, 10°	
“ “ -----	“ -----	.9136, 15°	
“ “ -----	“ -----	.9100, 20°	
“ “ -----	“ -----	.9070, 25°	
Methylhexamethylene- monocarboxylic acid. }	$C_8 H_{14} O_2$ -----	1.0079, 4°	Perkin. J. C. S. 53, 209.
“ “ -----	“ -----	1.0033, 10°	
“ “ -----	“ -----	.9982, 15°	
“ “ -----	“ -----	.9966, 20°	
“ “ -----	“ -----	.9940, 25°	
Methyldehydroxone -----	$C_6 H_{10} O$ -----	.92272, 4°	Perkin. J. C. S. 51, 719.
“ “ -----	“ -----	.91278, 15°	
“ “ -----	“ -----	.90502, 25°	
Ethyl methyldehydro- hexonecarboxylate. }	$C_9 H_{14} O_3$ -----	1.06457, 15°	Three lots. Perkin. J. C. S. 51, 711 and 713.
“ “ -----	“ -----	1.05840, 25°	
“ “ -----	“ -----	1.06840, 15°	
“ “ -----	“ -----	1.06470, 20°	
“ “ -----	“ -----	1.06137, 25°	
“ “ -----	“ -----	1.0744, 9°	
“ “ -----	“ -----	1.0696, 15°	
“ “ -----	“ -----	1.0660, 20°	
“ “ -----	“ -----	1.0626, 25°	
Ethyl methenyltricarboxy- late. }	$C_{10} H_{16} O_6$ -----	1.10, 19°	Conrad. Ber. 12, 1236.
Ethyl ethenyltricarboxy- late. }	$C_{11} H_{18} O_6$ -----	1.089, 17°	Bischoff. A. C. P. 214, 39.
Methyl diethyl- β -methyl- ethenyltricarboxylate. }	“ -----	1.079, 15°	Bischoff. A. C. P. 214, 56.
Ethyl β -methylene- tricarboxylate. }	$C_{12} H_{20} O_6$ -----	1.092, 16°	Bischoff. Ber. 13, 2165.
Ethyl α β -dimethylethe- nyltricarboxylate. }	$C_{13} H_{22} O_6$ -----	1.0745, 15°	Bischoff and Rach. A. C. P. 234, 54.
Ethyl butenyltricarboxy- late. }	“ -----	1.065, 17°	Polko. A. C. P. 242, 113.
Ethyl isobutenyltricar- boxylate. }	“ -----	1.064, 17°	Barnstein. A. C. P. 242, 126.
“ “ -----	“ -----	1.0805, 18°	Levy and Engländer. A. C. P. 242, 210.
Ethyl propylethenyltri- carboxylate. }	$C_{14} H_{24} O_6$ -----	1.052, 13°	Waltz. A. C. P. 214, 58.
Ethyl dicarboxylgluta- conate. }	$C_{15} H_{22} O_8$ -----	1.131, 15°	Conrad and Guth- zeit. Ber. 15, 2842.
Ethyl isoallylenetetra- carboxylate. }	$C_{15} H_{24} O_8$ -----	1.102, 15°	Bischoff. Ber. 13, 2164.
Ethyl dimethylacetylen- tetra-carboxylate. }	$C_{16} H_{26} O_8$ -----	1.114, 15°	Bischoff and Rach. A. C. P. 234, 54.
Methylisopropenylcarbi- nol. “ -----	$C_5 H_{10} O$ -----	.8571, 0°	Kondakoff. Ber. 18, ref. 660.
“ “ -----	“ -----	.8419, 20°.5	
Pyruvic acetate -----	$C_5 H_8 O_3$ -----	1.053, 11°	Henry. B. S. C. 19, 219.
Ethyl pyruvyl ether -----	$C_5 H_{10} O_2$ -----	.92, 18°	Henry. Ber. 14, 2272.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pur-sorbic acid	$C_6 H_4 O_2$	1.068, 15°	Hofmann. J. C. S. 12, 222.
Derivative of mannite	$C_6 H_8 O$.9396, 0°	Fauconnier. J. C. S. 48, 743.
Methyl succate	$C_8 H_{11} O_4$	1.48 } 20°	Malaguti. Ann. (2), 63, 86.
" "		1.50 }	
Ethyl succate	$C_{10} H_{15} O_4$	1.17 } 20°	" "
" "		1.22 }	
Valerylene diacetate	$C_9 H_{16} O_4$.963	Guthrie and Kolbe. J. 12, 365.
Conylene diacetate	$C_{12} H_{20} O_4$.988, 18°.2	Wertheim. J. 16, 438.
Amenyl valerone	$C_{14} H_{26} O$.836, 7°	Geuther, Fröhlich, and Loos. Ber. 13, 1356.
Linoleic acid	$C_{18} H_{32} O_2$.9206, 14°	Schuler. J. 10, 359.
Ricinoleic acid	$C_{18} H_{34} O_3$.940, 15°	Saunmüller. J. 1, 562.
" "	"	.9502, 15°	Norton and Richardson. A. C. J. 10, 57.
Distillate from linoleic acid.	$C_{20} H_{36} O_2$.9108, 15°	" "
Distillate from ricinoleic acid.	"	.912	" "
Furfurane	$C_4 H_4 O$.9644, 0°	Henninger. Ann. (6), 7, 209.
"	"	.9144, 15°	
Dihydrofurfurane	$C_4 H_6 O$.9663 } 0°	" "
"	"	.9684 }	
"	"	.9503, 15°	" "
Erythrol. (Crotonylene glycol).	$C_4 H_8 O_2$	1.06165, 0°	
"	"	1.04653, 20°	" "
Furfurol	$C_5 H_4 O_2$	1.1648, 15°.6	Stenhouse. J. 1, 732.
"	"	1.1636, 13°.5	Stenhouse. J. 3, 513.
"	"	1.168, 15°.5	Fownes. P. T. 1845, 253.
"	"	1.134 } 15°	Volckel. J. 5, 652.
"	"	1.150 }	
"	"	1.1006, 27°	Stenhouse. P. M. (3), 18, 124.
"	"	.9310, 162°	Ramsay. J. C. S. 35, 463.
"	"	1.0025 } 160°.5	Schiff. G. C. I. 13, 177.
"	"	1.0026 } bp.	
"	"	1.1344, 19°	Gladstone. Bei. 9, 249.
"	"	1.1594, 20°	Brihl. A. C. P. 235, 1.
Ethylfurfurearbinol	$C_7 H_{10} O_2$	1.066, 0°	Pawlinoff and Wagner. Ber. 17, 1967.
"	"	1.053, 15°.5	
Furfurbutylene	$C_8 H_{10} O$.9509, 14°.5	Toennies and Staub. Ber. 17, 852.
Fucusol	$C_5 H_4 O_2$	1.150, 13°.5	Stenhouse. J. 3, 513.
Ethyl pyromucate	$C_7 H_8 O_2$	1.297, 20°	Malaguti. J. P. C. 41, 224.
Triethylpropylphycite	$C_9 H_{20} O_4$.976, 0°	Wolff. A. C. P. 150, 56.
"	"	.96051, 16°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acid from petroleum	$C_{11}H_{20}O_2$.982, 0°	Hell and Medinger. Ber. 7, 1218.
" " " "	" " " "	.969, 23°	
Ethyl ether of the above	$C_{13}H_{24}O_2$.939, 0°	" "
" " " acid.	" " " "	.919, 27°	
From epichlorhydrin and chlorocarbonic ether.	$C_6H_{10}O_3$.9931, 21°.5	Kelly. Ber. 11, 2226.

21st. Phenols.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenol	$C_6H_5.OH$	1.062, 20°	Runge. P. A. 32, 308.
"	"	1.065, 18°	Laurent. Ann. (3), 3, 195.
"	"	1.0627	Scrugham. J. C. S. 7, 237.
"	"	1.0808, 0°, 1. }	Kopp. A. C. P. 95, 307.
"	"	1.0597, 32°.9 }	
"	"	1.0554	Duclos. A. C. P. 109, 135.
"	"	1.068	Church. J. C. S. 16, 76.
"	"	1.0667, 38°	Graebe.
"	"	1.0709, 38°	Zotta. A. C. P. 174, 87.
"	"	1.066, cryst.	Hamberg. Ber. 4, 751.
"	"	1.05433, 40°	} Adricenz. Ber. 6, 443.
"	"	1.04663, 50°	
"	"	1.03804, 60°	
"	"	1.02890, 70°	
"	"	1.01950, 80°	
"	"	1.01015, 90°	
"	"	1.00116, 100°	} From four differ- ent sources. La- denburg. Ber. 7, 1687.
"	"	1.0558, 46°	
"	"	1.0463, 56°	
"	"	1.0567, 46°	
"	"	1.0470, 56°	
"	"	1.0560, 46°	
"	"	1.0467, 56°	} Ramsay. J. C. S. 35, 463.
"	"	1.0559, 46°	
"	"	1.0476, 56°	} Bedson and Wil- liams. Ber. 14, 2551.
"	"	.8789, 186°	
"	"	1.0591, 40°	} Landolt. P. A. 122, 558.
"	"	1.0545, 45°	
"	"	1.0722, 20°	Brühl. Bei. 4, 782.
"	"	1.0702, 20°	Flink. Bei. 8, 262.
"	"	1.05810, 4°	Gladstone. Bei. 9, 249.
"	"	1.0598, 21°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenol	$C_6 H_5. O H$	1.0906, 0° 1.	Pinette. A. C. P. 243, 32.
"	"	1.0387, 15° 5	
"	"	.9217, 182° 9	
Diphenol. Pyrocatechin	$C_6 H_4. (O H)_2. 1.2$	1.340 } 4°	Schröder. Ber. 12, 561.
"	"	1.348 } 4°	
" Resorcin	" 1.3	1.2728, 0°	Calderon. J. R. C. 5 313.
"	"	1.2717, 15°	
"	"	1.276 } 4°	Schröder. Ber. 12, 561.
"	"	1.289 } 4°	
"	"	1.1795, 100° 2	Schiff. A. C. P. 223, 247.
" Hydroquinone	" 1.4	1.324 } 4°	Schröder. Ber. 12, 561.
"	"	1.328 } 4°	
Triphenol. Pyrogallol	$C_6 H_3. (O H)_3$	1.443 } 4°	" "
"	"	1.463 } 4°	
Orthokresol	$C_6 H_4. C H_3. O H$	1.039, 23°	Gladstone. Bei. 9, 249.
"	"	1.0578, 0° 1.	Pinette. A. C. P. 243, 32.
"	"	1.0053, 65° 6	
"	"	.8867, 190° 8	
Metakresol	"	1.0330, 19°	Gladstone. Bei. 9, 249.
"	"	1.0498, 0°	Pinette. A. C. P. 243, 32.
"	"	.8744, 202° 8	
Parakresol. ?	"	1.033, 23°	v. Rad. J. 22, 448.
"	"	1.0522, 0° 1.	Pinette. A. C. P. 243, 32.
"	"	.9962, 65° 6	
"	"	.8728, 201° 8	
Ethylphenol	$C_6 H_4. C_2 H_5. O H$	1.049, 14°	Auer. Ber. 17, 669.
Orthopropylphenol	$C_6 H_4. C_3 H_7. O H$	1.015, 0°	Spica. Ber. 12, 295.
"	"	.9370, 100°	
Parapropylphenol	"	1.0091, 0°	" "
"	"	.9324, 100°	
Orthoisopropylphenol	"	1.01243, 0°	Fileti. G. C. I. 16, 113.
"	"	.92765, 100°	
Xylenol. 1.3.4	$C_6 H_3. C H_3. C H_3. O H$	1.036, 0°	Wurtz. J. 21, 460.
"	"	.9700, 81°	
"	"	1.0362, 0°	Jacobsen. Ber. 11, 24.
" ?	"	1.0233, 23°	Wroblevsky. J. 21, 459.
" ?	"	.9709, 81°	Wurtz. J. 21, 460.
" 1.3. ?	"	1.0366, 0°	Lako. J. 1876, 454.
"	"	1.0242, 15° 5	
"	"	1.0129, 30°	
"	"	1.0020, 45°	
"	"	.9903, 59°	
"	"	.9673, 100°	
Phlorétol	$C_8 H_{10} O$	1.0374, 12°	Hlasiwetz. J. 10, 329.
Isopropylkresol	$C_6 H_5. C_3 H_7. C H_3. O H$	1.00122, 0°	Spica. J. C. S. 44, 460.
"	"	.91971, 100°	
Propylkresol. Carvacrol	"	.98558, 15°	Jacobsen. Ber. 11, 1060.
"	"	.981, 15°	Jahns. Ber. 15, 817.
" Thymol	"	1.0285, s.	Stenhouse. J. 9, 624.
"	"	1.01068, 0°	Two preparations. Pisati and Paterno. Ber. 8, 71.
"	"	1.009136, 0°	
"	"	.92424, 100°	

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Propylkresol. Thymol	$C_6H_5 \cdot C_3H_7 \cdot CH_3 \cdot OH$	1.069	Rüdorf. Ber. 12, 252.
"	"	1.0101, 4°	Schiff. Ber. 13, 1408.
"	"	.939, 25° 5'	Haines. J. 9, 623.
"	"	.988, 0°	Febve. Ber. 14, 1720.
"	"	1.029	Schröder. Ber. 14,
"	"	1.034	2516.
"	"	.96895, 24° 4'	Nasini and Bernhei-
"	"	.92838, 77° 3'	mer. G. C. I. 15, 50.
"	"	.9499, 49° 3'	Schiff. A. C. P. 223,
"	"	"	247.
"	"	.9941, 0°, 1.	Pinette. A. C. P.
"	"	.9401, 16° 5'	
"	"	.7923, 231° 8'	
Orthobutenylphenol	$C_6H_4 \cdot C_4H_7 \cdot OH$	1.0171	Perkin. C. N. 39, 39.
Guaiacol. 1.2	$C_6H_4 \cdot O \cdot C \cdot H_3 \cdot OH$	1.1171, 13°	Hlasiwetz. A. C. P.
"	"	1.119, 22°	106, 366.
"	"	1.125, 16°	Sobrero.
"	"	1.119, 17° 5'	Völkcl. J. 7, 610.
Kreosol. 1.3.4	$C_6H_5 \cdot OCH_3 \cdot CH_3 \cdot OH$	1.0894, 13°	Gorup-Besanez.
Orcin	$C_6H_3 \cdot CH_3 \cdot (OH)_2 \cdot H_2O$	1.283	Hlasiwetz. A. C. P.
"	"	1.296	106, 354.
			Schröder. Ber. 12,
			1611.

22d. Aromatic Alcohols.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzyl alcohol	$C_6H_5 \cdot C \cdot H_2 \cdot O \cdot H$	1.059	Cannizzaro. J. 7,
"	"	1.0628, 0°	585.
"	"	1.0507, 15° 4'	Kopp. A. C. P. 94,
"	"	1.0465, 19°	257.
"	"	1.0429, 20°	Kraut. A. C. P.
"	"	1.0412, 22°	152, 134.
Benzylcarbinol	$C_6H_5 \cdot CH_2 \cdot CH_2 \cdot OH$	1.0337, 21°	Brühl. Bei. 4, 781.
Phenylpropyl alcohol	$C_6H_5 \cdot C \cdot H_2 \cdot C \cdot H_2 \cdot C \cdot H_2 \cdot O \cdot H$	1.008, 18°	Gladstone. Bei. 9,
"	"	1.0079, 20°	249.
Orthoxylyl alcohol	$C_6H_4 \cdot CH_3 \cdot CH_2 \cdot OH$	1.08, s.	Radziszewski. Ber.
"	"	1.023, 40°, 1.	9, 373.
Metaxylyl alcohol	"	.9157, 17°	Rügheimer. A. C.
"	"	1.036, 0°	P. 172, 126.
Ethylphenylcarbinol	$C_6H_4 \cdot CHOH \cdot CH_3$	1.016, 0°	Brühl. Bei. 4, 781.
"	$C \cdot H_3$.994, 23°	Colson. Ann. (6),
Cymyl alcohol. 1.4	$C_6H_4 \cdot C_3H_7 \cdot CH_2 \cdot OH$.9775, 15°	6, 86.
			Radziszewski and
			Wispek. Ber. 15,
			1747.
			Colson. Ann. (6),
			6, 86.
			Wagner. Ber. 17,
			ref. 317.
			Kraut. A. C. P.
			192, 224.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Saligenin -----	$C_6H_4.OH.CH_2OH$	1.1613, 25°	Beilstein and Seelheim. J. 14, 765.
Methylsaligenin. 1.2 -----	$C_6H_4.OCH_3.CH_2OH$	1.1206, 23°	} Cannizzaro and Koerner. B. S. C. 18, 132.
“ “ -----	“	1.0532, 100°	
Anisic alcohol. 1.4 -----	“	1.1093, 26°	} “ “
“ “ -----	“	1.0507, 100°	
Acetophenone alcohol -----	$C_8H_8O_2$	1.013	Emmerling and Engler. Ber. 6, 1006.
Cinnamic alcohol -----	$C_9H_{10}O$	1.0402, 24°.8	Nasini. Bei. 9, 331.
“ “ -----	“	1.04017, 24°.8	} Nasini and Bernheimer. G. C. I. 15, 50.
“ “ -----	“	1.03024, 36°.1	
“ “ -----	“	1.0027, 77°.3	} Gladstone. Bei. 9, 249.
“ “ -----	“	1.0318, 13°	
“ “ -----	“	1.0440, 20°	} Brühl. A. C. P. 235, 1.
“ “ -----	“	1.0354, 31°	
“ “ -----	“	1.0346, 32°	
“ “ -----	“	1.0338, 33°	
Ethylphenylacetylene alcohol -----	$C_{10}H_{12}O$.985, 19°	Morgan. J. C. S. (3), 1, 163.
Orthoxylene glycol -----	$C_6H_4(C_2H_4O)_2$	1.138, 75°	Colson. Ann. (6), 6, 86.
Metaxylene glycol -----	“	1.161, 18°, sur- fused.	} “ “
“ “ -----	“	1.135, 53°	
Paraxylene glycol -----	“	1.094, 135°	“ “
Mesitylene glycol -----	$C_6H_3.CH_3.(CH_2OH)_2$	1.23, 15°	Robinet and Colson. C. R. 96, 1863.

23d. Aromatic Oxides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenyl ether -----	$C_6H_5.O.C_6H_5$	1.0904	Gladstone and Tribe. J. C. S. 41, 6.
“ “ -----	“	1.0744, 24°	} Gladstone. Bei. 9, 249.
“ “ -----	“	1.0712, 25°	
Phenylmethyloxyde. Anisol. -----	$C_6H_5.O.CH_3$.991, 15°	Cahours. J. 2, 403.
“ “ “ “ -----	“	.8607	} Schiff. G. C. I. 13, 177.
“ “ “ “ -----	“	.8608	
“ “ “ “ -----	“	.98784, 21°.8	Nasini and Bernheimer. G. C. I. 15, 50.
“ “ “ “ -----	“	1.0110, 0°	} Pinette. A. C. P. 243, 32.
“ “ “ “ -----	“	.8604, 154°.3	
Phenylethyloxyde. Phenetol. -----	$C_6H_5.O.C_2H_5$.8196	} Schiff. G. C. I. 13, 177.
“ “ “ “ -----	“	.8198	
“ “ “ “ -----	“	.973, 15°	Remsen and Orndorff. A. C. J. 9, 393.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenylethyl oxide. Phene- tol. " " " "	$C_6 H_5, O. C_2 H_5$ -----	.9822, 0° --- } .8169, 170°.3 }	Pinette. A. C. P. 243, 32.
Phenyl propyl oxide-----	$C_6 H_5, O. C_3 H_7$ -----	.968, 20° -----	Cahours. Les Mon- des, 32, 280.
" " " "-----	" -----	.9639, 0° ----- } .7889, 190°.5 }	Pinette. A. C. P. 243, 32.
Phenyl isopropyl oxide ---	" -----	.958, 0° ----- } .947, 12°.5 }	Silva. Z. C. 13, 250.
" " " "-----	" -----	.9500, 0° ----- }	Pinette. A. C. P. 243, 32.
Phenyl butyl oxide-----	$C_6 H_5, O. C_4 H_9$ -----	.7664, 210°.3 }	Riess. J. C. S. 24, 221.
" " " "-----	" -----	.9388, 16° ----- }	Pinette. A. C. P. 243, 32.
Phenyl n. heptyl oxide---	$C_6 H_5, O. C_7 H_{15}$ -----	.9319, 0° --- } .7075, 266°.8 }	Pinette. A. C. P. 243, 32.
" " " "-----	" -----	.9221, 0° ----- }	" "
Phenyl n. octyl oxide ---	$C_6 H_5, O. C_8 H_{17}$ -----	.6941, 282°.8 }	" "
" " " "-----	" -----	1.0359, 16° ----- }	Lowe. J. C. S. 51, 701.
Benzyl ether-----	$C_7 H_7, O. C_7 H_7$ -----	1.0352, 16° ----- }	Gladstone. Bei. 9, 249.
Kresyl ether-----	" -----	.9957, 0° --- } .8331, 171°.3 }	Pinette. A. C. P. 243, 32.
Orthokresyl methyl oxide.	$C_7 H_7, O. C H_3$ -----	.9891, 0° ----- }	" "
" " " "-----	" -----	.8255, 177°.2 }	Schiff. Bei. 9, 559.
Metakresyl methyl oxide.	" -----	.8236, 175°.5 }	Pinette. A. C. P. 243, 32.
" " " "-----	" -----	.9868, 0° ----- }	" "
Parakresyl methyl oxide.	" -----	.8241, 175° ----- }	" "
" " " "-----	" -----	.9679, 0° --- } .7941, 184°.8 }	Staedel. Ber. 14, 898.
Orthokresyl ethyl oxide ---	$C_7 H_7, O. C_2 H_5$ -----	.97123, 5° ----- }	Pinette. A. C. P. 243, 32.
" " " "-----	" -----	.9650, 0° ----- }	Fuchs. J. 22, 457.
Metakresyl ethyl oxide ---	" -----	.7888, 192° ----- }	Pinette. A. C. P. 243, 32.
" " " "-----	" -----	.8744, 0° ----- }	" "
Parakresyl ethyl oxide ---	" -----	.9662, 0° ----- }	" "
" " " "-----	" -----	.7884, 189°.9 }	" "
Orthokresyl propyl oxide ---	$C_7 H_7, O. C_3 H_7$ -----	.9517, 0° ----- }	" "
" " " "-----	" -----	.7675, 204°.1 }	" "
Metakresyl propyl oxide---	" -----	.9484, 0° ----- }	" "
" " " "-----	" -----	.7628, 210°.6 }	" "
Parakresyl propyl oxide---	" -----	.9497, 0° ----- }	" "
" " " "-----	" -----	.7635, 210°.4 }	" "
Orthokresyl butyl oxide---	$C_7 H_7, O. C_4 H_9$ -----	.9437, 0° ----- }	" "
" " " "-----	" -----	.7493, 223° ----- }	" "
Metakresyl butyl oxide---	" -----	.9407, 0° ----- }	" "
" " " "-----	" -----	.7422, 229°.2 }	" "
Parakresyl butyl oxide---	" -----	.9419, 0° ----- }	" "
" " " "-----	" -----	.7410, 229°.5 }	" "
Orthokresyl n. heptyl oxide	$C_7 H_7, O. C_7 H_{15}$ -----	.9243, 0° ----- }	" "
" " " "-----	" -----	.7016, 277°.5 }	" "
Metakresyl n. heptyl oxide	" -----	.9202, 0° ----- }	" "
" " " "-----	" -----	.6927, 283°.2 }	" "
Parakresyl n. heptyl oxide	" -----	.9228, 0° ----- }	" "
" " " "-----	" -----	.6905, 283°.3 }	" "
Orthokresyl n. octyl oxide	$C_7 H_7, O. C_8 H_{17}$ -----	.9231, 0° ----- }	" "
" " " "-----	" -----	.6905, 292°.9 }	" "
Metakresyl n. octyl oxide	" -----	.9194, 0° ----- }	" "
" " " "-----	" -----	.6818, 298°.9 }	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Parakresyl n. octyl oxide	$C_7 H_7 \cdot O \cdot C_8 H_{17}$.9199, 0°	Pinette. A. C. P. 243, 32.
“ “ “	“	.9808, 298°	
Ethyl phenetol	$C_6 H_4 \cdot C_2 H_5 \cdot O \cdot C_2 H_5$.986, 14°	Auer. Ber. 17, 669.
Phloryl ethyl oxide	$C_8 H_9 \cdot O \cdot C_2 H_5$.9323, 18°	Sigel. A. C. P. 170, 345.
Styrolyl ethyl oxide	“	.931, 21°.	Thorpe. J. 22, 412.
Orthopropylphenyl methyl oxide.	$C_6 H_4 \cdot C_3 H_7 \cdot O \cdot CH_3$.9694, 0°	Spica. Ber. 12, 295.
“ “	“	.9168, 100°	
Paropropylphenyl methyl oxide.	“	.9636, 0°	“ “
“ “	“	.9125, 100°	
Isopropylphenyl methyl oxide.	“	.962, 0°	Paterno and Spica. Ber. 10, 84.
Isopropylphenyl ethyl oxide.	$C_6 H_4 \cdot C_3 H_7 \cdot O \cdot C_2 H_5$.94377, 0°	Spica. J. C. S. 38, 167.
“ “	“	.86269, 100°	
Orthoisopropylphenyl ethyl oxide.	“	.94438, 0°	Fileti. G. C. I. 16, 113.
“ “	“	.85913, 100°	
Butyl anisol	$C_6 H_4 \cdot C_4 H_9 \cdot O \cdot CH_3$.9368, 27°	Studer. Ber. 14, 2187.
Methyl thymol	$C_{10} H_{13} \cdot O \cdot C H_3$.941, 18°	Engelhardt and Latschinoff. J. 22, 466.
“ “	“	.953898, 0°	} Two samples. Pinetti and Paterno. Ber. 8, 71.
“ “	“	.869281, 100°	
“ “	“	.954314, 0°	
“ “	“	.870459, 100°	
“ “	“	.9531, 0°	Pinette. A. C. P. 243, 32.
“ “	“	.7635, 216°.	Spica. J. C. S. 44, 460.
Ethyl thymol	$C_{10} H_{13} \cdot O \cdot C_2 H_5$.93866, 0°	
“ “	“	.85758, 100°	Pinette. A. C. P. 243, 32.
“ “	“	.9334, 0°	
“ “	“	.7400, 226°.	“ “
Propyl thymol	$C_{10} H_{13} \cdot O \cdot C_3 H_7$.9276, 0°	
“ “	“	.7215, 243°	“ “
Butyl thymol	$C_{10} H_{13} \cdot O \cdot C_4 H_9$.9230, 0°	
“ “	“	.7108, 258°.	“ “
Normal heptyl thymol	$C_{10} H_{13} \cdot O \cdot C_7 H_{15}$.9097, 0°	
“ “	“	.6712, 306°.	“ “
Normal octyl thymol	$C_{10} H_{13} \cdot O \cdot C_8 H_{17}$.9026, 0°	
“ “	“	.6608, 319°.	“ “
Metaxylyl ethyl oxide	$C_6 H_4 \cdot C H_3 \cdot C H_2 \cdot O \cdot C_2 H_5$.9302, 17°	
Paraxylyl ethyl oxide	“	.9304, 17°	Radziszewski n n d Wispek. Ber. 15, 1745.
Diphenylcarbyl ethyl oxide.	$(C_6 H_5)_2 C H \cdot O \cdot C_2 H_5$	1.029, 20°	Linemann.
Benzyl anisol	$C_6 H_4 \cdot C_7 H_7 \cdot O \cdot C H_3$	1.073, 0°	Paterno. B. S. C. 18, 77.
“ “	“	.993, 100°	
Phenylvinyl ethyl oxide	$C_{10} H_{11} O$.9812, 0°	Erlenmeyer. Ber. 14, 1868.
Orthovinylnisöl	$C_6 H_4 \cdot C_2 H_3 \cdot O \cdot C H_3$	1.0095, 15°	Perkin. J. C. S. 33, 211.
“ “	“	1.000, 30°	
Paravinylnisöl	“	1.002, 15°	“ “
“ “	“	.9956, 30°	
Orthoallylnisöl	$C_6 H_4 \cdot C_3 H_5 \cdot O \cdot C H_3$.9972, 15°	“ “
“ “	“	.9884, 30°	
“ “	“	.9793, 45°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Anethol. 1.4	$C_6H_4 \cdot C_3H_5 \cdot O \cdot CH_3$.984, 20°	Landolph. C. R. 82, 227.
“ Natural	“	.9858, 30°	Perkin.
“ Artificial	“	.9852, 30°	
“ “	“	.9761, 45°	
“	“	.9887, 21° 3	
“	“	.99132, 14° 9	Schiff. A. C. P. 223, 247.
“	“	.98556, 21° 6	
“	“	.97595, 34° 4	
“	“	.94041, 77° 3	
“	“	.9869, 21°	
“ Artificial	“	.9870, 21°	Gladstone. J. C. S. 49, 623.
Orthobutenylanisöl	$C_6H_4 \cdot C_4H_7 \cdot O \cdot CH_3$.9817, 15°	Perkin. J. C. S. 33, 211.
“	“	.9740, 30°	“ “
Parabutenylanisöl	“	.9733, 30°	“ “
Phenyl allyl oxide	$C_6H_5 \cdot O \cdot C_3H_5$.9825, 17° 6	Nasini. Bei. 9, 331.
Kresyl allyl oxide. 1.4	$C_7H_7 \cdot O \cdot C_3H_5$.9869, 10°	“ “
Phenyl propargyl oxide	$C_6H_5 \cdot O \cdot C_3H_3$	1.246, 0°	Henry. Ber. 16, 1378.
Veratrol. 1.2	$C_6H_4 (O C H_3)_2$	1.086, 15°	Merck. J. 11, 256.
Dimethylresorcin. 1.3	“	1.075, 0°	Coninck. Ber. 13, 1992.
“	“	1.0803, 0°	Schiff. Ber. 19, 560.
“	“	1.0317, 55° 8	
“	“	1.0104, 79° 2	
“	“	.9566, 135° 5	
“	“	.8752, 215°	
Methylene diphenate	$C H_2 (O C_6 H_5)_2$	1.1136, 18°	Henry. Ann. (5), 30, 269.
“ “	“	1.092, 20°	Arnhold. A. C. P. 240, 192.
Methylene diorthokresylate.	$C H_2 (O C_7 H_7)_2$	1.019, 50°, 1.	“ “
Methylene dimetakresylate.	“	1.052, 50°, 1.	“ “
Methylene diparakresylate	“	1.034, 50°, 1.	“ “
Methylene dibenzylate	“	1.053, 20°	“ “
Methylene dithymylate	$C H_2 (O C_{10} H_{13})_2$.979, 50°, 1.	“ “
Ethylene diphenate	$C_2 H_4 (O C_6 H_5)_2$	1.018, 11°	Henry. Ber. 16, 1378.

24th. Aromatic Acids and their Paraffin Ethers.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzoic acid	$C_6 H_5 \cdot C O O H$	1.29, cryst.	Kopp.
"	"	1.201, 21° s.	} Mendelejeff. J. 11, 274.
"	"	1.206, 25° s. l.	
"	"	1.227, 27° l.	} Kopp. J. 8, 35.
"	"	1.0838, 121° .4	
"	"	1.337, sublimed	Rudorff. Ber. 12, 251.
"	"	1.288	} Schröder. Ber. 12, 561.
"	"	1.291	
"	"	1.297	
"	"	1.0800, 121° .4	Schiff. A. C. P. 223, 247.
Methyl benzoate	$C_8 H_8 O_2$	1.10, 17°	Dumas and Peligot. Ann. (2), 58, 50.
"	"	1.1026, 0°	} Kopp. A. C. P. 94, 257.
"	"	1.0876, 16° .3	
"	"	1.0921, 12° .3	Mendelejeff. J. 13, 7.
"	"	1.0862, 20°	Brühl. Bei. 4, 782.
"	"	1.100, 10°	De Heen. Bei. 10, 313.
"	"	1.103, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
Ethyl benzoate	$C_9 H_{10} O_2$	1.0539, 10° .5	Dumas and Boullay. P. A. 12, 430.
"	"	1.06, 18°	Déville. Ann. (3), 3, 188.
"	"	1.049, 14°	Delfs. J. 7, 26.
"	"	1.0657, 0°	} Kopp. A. C. P. 94, 257.
"	"	1.0556, 10° .5	
"	"	1.0517, 14° .1	Mendelejeff. J. 13, 7.
"	"	1.048, 20°	Naumann. Ber. 10, 2016.
"	"	1.0473, 20°	Brühl. Bei. 4, 782.
"	"	1.0502, 16°	Linnemann. A. C. P. 160, 195.
"	"	1.160, 10°	De Heen. Bei. 10, 313.
"	"	1.050, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
Propyl benzoate	$C_{10} H_{12} O_2$	1.0316, 16°	Linnemann. A. C. P. 161, 29.
"	"	1.0248, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
Isopropyl benzoate	"	1.051, 0°	} Silva. Z. C. 12, 637.
"	"	1.013, 25°	
Butyl benzoate	$C_{11} H_{14} O_2$	1.000, 20°	Linnemann. Ann. (4), 27, 268.
"	"	1.002, 10°	De Heen. Bei. 10, 313.
Isobutyl benzoate	"	1.0018, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl benzoate-----	$C_{12} H_{16} O_2$ -----	1.0039, 0° --	Kopp. A. C. P. 94, 257.
“ “-----	“-----	.9925, 14°.4 }	
“ “-----	“-----	1.002, 10°-----	
“ “-----	“-----	.9916, 15°-----	De Heen. Bei. 10, 313.
Hexyl benzoate-----	$C_{13} H_{18} O_2$ -----	.99846, 17°-----	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1. Frentzel. Ber. 16, 745.
Salicylic acid-----	$C_6 H_4. OH. COOH.$ 1.2	1.443-----	Rüdorff. Ber. 12, 251.
“ “-----	“-----	1.482-----	Schröder. Ber. 12, 1611.
“ “-----	“-----	1.485-----	
Metaoxybenzoic acid-----	“ 1.3	1.473, 4°-----	
Paraoxybenzoic acid-----	“ 1.4	1.460-----	“ “
“ “-----	“-----	1.476-----	
Methyl salicylate, oil of Betula lenta.	$C_8 H_8 O_3$ -----	1.180, 15°-----	Pettigrew. Am. J. P. 55, 385.
Propyl salicylate-----	$C_{10} H_{12} O_3$ -----	1.021, 21°-----	Cahours. Les Mon- des, 32, 280.
Methylsalicylic acid. 1.2--	$C_6 H_4. OCH_3. COOH$	1.18, 10°-----	Cahours. Ann. (3), 10, 327.
“ “-----	“-----	1.1845, 15°-----	Mendelejeff. J. 13, 7.
“ “-----	“-----	1.1969, 0°-----	Kopp. A. C. P. 94, 257.
“ “-----	“-----	1.1819, 16°-----	
“ “-----	“-----	1.1801, 20°-----	
Anisic acid. 1.4-----	“-----	1.364-----	Landolt. Bei. 7, 847 Schröder. Ber. 12, 1611.
“ “-----	“-----	1.376-----	
“ “-----	“-----	1.385-----	
Ethylsalicylic acid. 1.2--	$C_6 H_4. OC_2 H_5. COOH$	1.097-----	Baly. J. C. S. 2, 28.
“ “-----	“-----	1.1843, 10°-----	Delifs. J. 7, 26.
Ethyl ethylsalicylate-----	$C_{11} H_{14} O_3$ -----	1.1005-----	Göttig. Ber. 9, 1473.
Ethyl ethylmetaoxyben- zoate, “-----	“-----	1.0875, 0°-----	Heintz. A. C. P. 153, 332.
“ “-----	“-----	1.0725, 20°-----	
Methyl isopropylsalicylate	“-----	1.062, 20°-----	Kraut. J. 22, 566. Schröder. Ber. 12, 1611.
Protocatechuic acid-----	$C_6 H_3 (O H)_2. CO OH$	1.541-----	
“ “-----	“-----	1.542-----	
Gallic acid-----	$C_6 H_2 (O H)_3. CO OH$	1.685-----	“ “
“ “-----	“-----	1.703-----	
Phenylacetic, or alpha- toluic acid. “-----	$C_6 H_5. CH_2. CO OH$	1.3, solid-----	Möller and Strecker. J. 12, 299. Schröder. Ber. 12, 1611. Schiff. A. C. P. 223, 247.
“ “-----	“-----	1.0778, 83°-----	
“ “-----	“-----	1.0334, 135°-----	
“ “-----	“-----	1.220-----	
“ “-----	“-----	1.236-----	
Methyl phenylacetate-----	$C_9 H_{10} O_2$ -----	1.044, 16°-----	Radziszewski. Z. C. 12, 358.
Ethyl phenylacetate-----	$C_{10} H_{12} O_2$ -----	1.031-----	“ “
Propyl phenylacetate-----	$C_{11} H_{14} O_2$ -----	1.0142, 18°-----	Hodgkinson. J. C. S. 37, 483.
Phenylpropionic, or hy- drocinamic acid.	$C_6 H_5. C_2 H_4. CO OH$	1.07115, 48°.7	Weger. A. C. P. 221, 61.
“ “-----	“-----	.8780, 279°.8-----	
Methyl phenylpropionate	$C_{10} H_{12} O_2$ -----	1.0455, 0°-----	Erlenmeyer. J. 19, 366. Weger. A. C. P. 221, 61.
“ “-----	“-----	1.018, 49°-----	
“ “-----	“-----	1.0473, 0°-----	
“ “-----	“-----	.83824, 236°.6-----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl phenylpropionate.	$C_{11}H_{14}O_2$	1.0343, 0°	Erlenmeyer. J. 19,
" "	"	.9925, 49°	367.
" "	"	1.0147, 20	Bruhl. Bei. 4, 781.
" "	"	1.0348, 0°	Weger. A. C. P.
" "	"	.80182, 248°.	} 221, 61.
Propyl phenylpropionate.	$C_{12}H_{16}O_2$	1.0152, 0°	" "
" "	"	.77886, 262°.	" "
Amyl phenylpropionate.	$C_{14}H_{20}O_2$.9807, 0°	Erlenmeyer. J. 19,
" "	"	.9520, 49°	367.
Methyl oxyphenylacetate.	$C_9H_{10}O_3$	1.15, 17°.5	Fritzsche. Ber. 12,
Ethyl oxyphenylacetate.	$C_{10}H_{12}O_3$	1.104, 17°.5	" "
Ethyl oxyphenylpropionate.	$C_{11}H_{14}O_3$	1.360, 17°.5	Saabach. J. P. C.
Phthalic acid.	$C_6H_4(COOH)_2$	1.585	(2), 21, 156.
" "	"	1.593	Schröder. Ber. 13,
Methyl phthalate.	$C_{10}H_{10}O_4$	1.2001	1070.
" "	"	1.2022	13°.5
" "	"	1.2101	"
" "	"	1.1958	"
" "	"	1.1974	16°
" "	"	1.2058	"
" "	"	1.1453	"
" "	"	1.1938	18°
" "	"	1.2031	"
Ethyl phthalate	$C_{12}H_{14}O_4$	1.1316	12°.5
" "	"	1.1321	"
" "	"	1.1294	15°.5
" "	"	1.1295	"
Orthophenylene glyoxylic acid.	$C_6H_4COH.COOH$	1.404	Two preparations. Schmalzgaug. Inaug. Diss. Erlangen, 1883. See also Graebe, Ber. 16, 861.
Cinnamic, or phenylacrylic acid.	$C_6H_5.CH.CH.COOH$	1.245	Colson and Gautier. C. R. 102, 689.
" "	"	1.195	E. Kopp. J. P. C. 37, 289.
" "	"	1.246	Schabus. J. 3, 392.
" "	"	1.249	4° Schröder. Ber. 12, 1611.
" "	"	1.0565, 133°	Weger. A. C. P. 221, 61.
" "	"	.90974, 300°	"
Methyl cinnamate	$C_{10}H_{10}O_2$	1.106	E. Kopp. C. R. 21, 1376.
" "	"	1.0415, 36°	Weger. A. C. P. 221, 61.
" "	"	.85888, 259°.6	"
Ethyl cinnamate	$C_{11}H_{12}O_2$	1.126, 0°	E. Kopp. C. R. 21, 1376.
" "	"	1.13	Marchand. A. C. P. 32, 269.
" "	"	1.0456, 0°	"
" "	"	1.0498, 20°.2	H. Kopp. A. C. P. 95, 307.
" "	"	1.0553	"
" "	"	1.0558	0°
" "	"	1.0662	Weger. A.C.P. 221, 61.
" "	"	.82143, 271°	"
" "	"	1.0490, 20°	Bruhl. A.C.P. 235.1.
Propyl cinnamate	$C_{12}H_{14}O_2$	1.0465	Kahlbaum. Ber. 16, 1491.
" "	"	1.0435, 0°	Weger. A.C.P. 221, 61.
" "	"	.7917, 285°.1	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl α methylorthoxy- phenylacrylate. } " " } " " }	$C_{11} H_{11} O_3$ ----- "----- "-----	1.1404, 15° } 1.1277, 30° } 1.1465, 8°.5--	Perkin. J. C. S. 39, 409. Gladstone. Bei. 9, 249.
Methyl β methylorthoxy- phenylacrylate. } " " } " " }	"----- "----- "-----	1.1486, 15° } 1.1362, 30° } 1.1556, 9°.5--	Perkin. J. C. S. 39, 409. Gladstone. Bei. 9, 249.
Ethyl α ethylorthoxy- phenylacrylate. } Ethyl β ethylorthoxy- phenylacrylate. }	$C_{13} H_{16} O_3$ ----- "----- "-----	1.084, 15° -- } 1.074, 30° -- } 1.090, 15° ---- 1.090, 10° ----	Perkin. J. C. S. 39, 409. " " Gladstone. Bei. 9, 249.
Methyl α methylorthoxy- phenylcrotonate. } Methyl β methylorthoxy- phenylcrotonate. }	$C_{12} H_{14} O_3$ ----- "----- "-----	1.1112, 15° } 1.1061, 30° } 1.1279, 15° } 1.1136, 30° }	Perkin. J. C. S. 39, 409. " " " "
Methyl α methylorthoxy- phenylangelate. } Methyl β methylorthoxy- phenylangelate. }	$C_{13} H_{16} O_3$ ----- "----- "-----	1.1044, 15° } 1.0882, 30° } 1.1100, 15° } 1.1008, 30° }	" " " " " " " "
Mandelic acid----- " "----- " "-----	$C_6 H_5 \cdot CHOH \cdot COOH$ "----- "-----	1.355 } 1.367 } 1.156 } 1.169 }	Schröder. Ber. 12, 1611. " "
Cuminic acid----- " "----- " "-----	$C_6 H_4 \cdot C_3 H_7 \cdot COOH$ "----- "-----	1.637, 8°.5---- 1.141, 18° ----	Watts' Dictionary. Will. A. C. P. 37, 198.
Quinic acid----- Ethyl veratrate-----	$C_7 H_{12} O_6$ ----- $C_{11} H_{14} O_4$ -----	1.121, 17°.5---- 1.0861, 16° ----	Claisen. Ber. 12, 629. Hodgkinson. J. C. S. 37, 481.
Ethyl benzylacetate----- Ethyl methylbenzylacet- acetate.----- Ethyl benzylmalonate----	$C_{13} H_{16} O_3$ ----- $C_{14} H_{18} O_3$ ----- $C_{14} H_{18} O_4$ -----	1.036, 15°.5---- 1.046, 23° ---- 1.077, 15° ----	Conrad. Ber. 11, 1056. " " Conrad and Bischoff. A. C. P. 204, 203.
Ethyl benzylmethylmalon- ate.----- Ethyl benzylidenemalon- ate.----- Ethyl benzylacetosucci- nate.----- Monomethyl propylpy- rogallate. Picamar. }	$C_{15} H_{20} O_4$ ----- $C_{14} H_{16} O_4$ ----- $C_{17} H_{22} O_5$ ----- $C_{10} H_{14} O_3$ ----- "-----	1.064, 19° ---- 1.1105, 15° ---- 1.088, 15° ---- 1.10----- 1.10288, 15° ----	Conrad and Bischoff. Ber. 13, 595. Claisen and Crismer. A. C. P. 218, 132. Conrad. Ber. 11, 1058. Reichenbach. Pastrovich. M. C. 4, 183.

25th. Ethers of Aromatic Radicles.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenyl acetate	$C_8 H_8 O_2$	1.071	Boughton. J. 18, 550.
Kresyl acetate	$C_9 H_{10} O_2$	1.0499, 23°	Gladstone. Bei. 9, 249.
Benzyl acetate	"	1.057, 16°.5	Conrad and Hodgkinson. A. C. P. 193, 312.
" "	"	1.0400, 21°	Gladstone. Bei. 9, 249.
" "	"	1.03814, 22°.5	"
Paraxylyl acetate	$C_{10} H_{12} O_2$	1.0264, 15°	Jacobsen. Ber. 11, 28.
Ethylphenyl acetate	"	1.0286	Radziszewski. Ber. 9, 873.
" "	"	1.0507, 22°.5	Gladstone. Bei. 9, 249.
Methylphenylcarbonyl acetate.	"	1.05, 17°	Radziszewski. C. C. 5, 261.
Parapropylphenyl acetate	$C_{11} H_{14} O_2$	1.029, 0°	Spica. Ber. 12, 295.
" "	"	.9425, 100°	"
Orthoisopropylphenyl acetate.	"	1.02714, 0°	Fileti. G. C. I. 16, 113.
" "	"	.93818, 100°	"
Paraisopropylphenyl acetate.	"	1.029, 0°	Paterno and Spica. Ber. 10, 84.
Mesityl acetate	"	1.0903, 16°.5	Wispek. Ber. 16, 1577.
Thymyl acetate	$C_{12} H_{16} O_2$	1.009, 0°	Two preparations. Paterno. J. C. S. (2), 13, 638.
" "	"	.924, 100°	
" "	"	1.010, 0°	
Butylphenyl acetate	"	.999, 24°	Studer. Ber. 14, 2187.
Diphenylcarbonyl acetate	$C_{15} H_{14} O_2$	1.49, 22° ?	Linnemann. A. C. P. 133, 20.
Benzyl propionate	$C_{10} H_{12} O_2$	1.036, 16°.5	Conrad and Hodgkinson. A. C. P. 193, 312.
Benzyl butyrate	$C_{11} H_{14} O_2$	1.016, 16°	" "
Benzyl isobutyrate	"	1.016, 18°	Hodgkinson. A. C. P. 193, 320.
" "	"	1.0058, 23°	Gladstone. Bei. 9, 249.
Isomer of benzyl isobutyrate ⁽¹⁾ .	"	1.0228, 22°	" "
Benzyl phenylacetate	$C_{14} H_{14} O_2$	1.101	Slawik. J. C. S. (2), 13, 59.
Benzyl benzylacetate	$C_{16} H_{16} O_2$	1.074, 21°	Conrad and Hodgkinson. A. C. P. 193, 312.
Benzyl benzylpropionate	$C_{17} H_{18} O_2$	1.046, 16°.5	" "
Benzyl benzylbutyrate	$C_{17} H_{20} O_2$	1.027, 17°.5	" "
Benzyl benzylisobutyrate	"	1.028, 18°	" "
Benzyl dimethylbenzylacetate	"	1.0285, 18°	Hodgkinson. J. C. S. 33, 495.
Benzyl benzoate	$C_{14} H_{12} O_2$	1.114, 18°.5	Kroth. A. C. P. 152, 159.
" "	"	1.1224, 19°, 1.	Chaisen. Ber. 20, 646.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzyl cinnamate -----	$C_{16} H_{14} O_2$ -----	1.098, 14° -----	Scharling. J. 9, 630.
“ “ -----	“ “ -----	1.1145, 16° -----	Busse. Ber. 9, 831.
Cinnamic acetate -----	$C_{11} H_{12} O_2$ -----	.9416, 22° -----	Gladstone. Bei. 9, 249.
Mesitylene diacetate -----	$C_{13} H_{16} O_4$ -----	1.12, 20° -----	Robinet and Colson. C. R. 96, 1863.
Ethyl phenyl carbonate -----	$C_9 H_{10} O_3$ -----	1.117, 0° -----	Fatianoff. J. 17, 477.
“ “ “ -----	“ “ -----	1.1134, 0° -----	Pawlewski. Ber. 17, 1205.

26th. Aromatic Aldehydes.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzaldehyde. Almond oil.	$C_6 H_5. C O H$ -----	1.075 -----	Chardin-Hardan-court.
“ -----	“ -----	1.088, 15° -----	Guckelberger. J. 1. 850.
“ -----	“ -----	1.043 -----	Wöhler and Liebig.
“ -----	“ -----	1.0636, 0° -- } -----	Kopp. A. C. P.
“ -----	“ -----	1.0499, 14° .6 } -----	94, 257.
“ -----	“ -----	1.0504 -----	Mendelejeff. J. 13, 7.
“ -----	“ -----	1.067 -----	Lippmann and Hawliczek. Ber. 9, 1461.
“ -----	“ -----	1.0471 } -----	Landolt.
“ -----	“ -----	1.0474 } -----	
“ -----	“ -----	1.0455, 20° -----	
Toluic aldehyde -----	$C_6 H_4 C H_3. C O H$ -----	1.037, 0° ----- } -----	Brühl. Bei. 4, 782.
“ “ -----	“ “ -----	1.024, 22° ----- } -----	Gundelach. B. S. C. 26, 45.
Phenylacetic aldehyde -----	“ “ -----	1.085 -----	Radziszewski. Ber. 9, 372.
Cuminic aldehyde. Cuminol.	$C_6 H_4. C_3 H_7. C O H$ -----	.9832, 0° --- } -----	Kopp. A. C. P. 94, 257.
“ “ -----	“ “ -----	.9727, 13°.4 } -----	
“ “ -----	“ “ -----	.9751, 15° -----	Mendelejeff. J. 13, 7.
“ “ -----	“ “ -----	.9775, 20° -----	Gladstone. Bei. 9, 249.
Paratolylpropyl aldehyde	$C_6 H_4. CH_3. CH_2. CH_2. C O H$ -----	.9941, 13° -----	v. Richter and Schüchner. Ber. 17, 1931.
Salicylic aldehyde, or salicylol.	$C_6 H_4. O H. C O H$ -----	1.1731, 13°.3-----	Piria. A. C. P. 29, 300.
“ “ -----	“ “ -----	1.1671, 20° -----	Landolt. Bei. 7, 847.
Anisic aldehyde -----	$C_6 H_4. O C H_3. C O H$ -----	1.09, 20° -----	Cahours. Ann. (3), 14, 484.
“ “ -----	“ “ -----	1.1228, 18° -----	Rosset. Z. C. 12, 561.
Cinnamic aldehyde -----	$C_9 H_8 O$ -----	1.0497, 20° -----	Brühl. A. C. P. 235, 1.

27th. Aromatic Ketones.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl phenyl ketone	$C_6H_5, C O, C H_3$	1.032, 15°	Friedel. J. 10, 270.
Methyl benzyl ketone	$C_7H_7, C O, C H_3$	1.010, 13°	Radziszewski. Ber. 3, 199.
Methyl tolyl ketone	"	.9891, 22°	Essner and Gossin. Ber. 17, ref. 429.
Propyl phenyl ketone	$C_6H_5, C O, C_3H_7$.990, 15°	Schmidt and Fieberberg. J. C. S. (2), 12, 75.
" " "	"	.992, 15°	Popoff. Ber. 6, 560.
" " "	"	.9949, 15°	Einhorn. In. Diss. Tübingen, 1880.
Isopropyl phenyl ketone	"	.994, 12°	" "
" " "	"	.972, 30°	
" " "	"	.934, 60°	
Methyl xylyl ketone	$C_8H_9, C O, C H_3$.9962, 15°	Claus and Wollner. Ber. 18, 1856.
Isobutyl phenyl ketone	$C_6H_5, C O, C_4H_9$.993, 17°.5	Popoff. A. C. P. 162, 151.
Tolyl phenyl ketone	$C_6H_5, C O, C_7H_7$	1.088, 17°.5	Senff. A. C. P. 220, 252.
Acetocinnamone	$C_8H_7, C O, C H_3$	1.008	Engler and Leist. B. S. C. 20, 204.
Propionylacetophenone	$C_{11}H_{12}O_2$	1.081, 15°	Stylos. Ber. 20, 2181.
Butyrylacetophenone	$C_{12}H_{14}O_2$	1.061, 15°	" "

28th. Camphors, Essential Oils, Etc.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Laurel camphor	$C_{10}H_{16}O$.986	Watts' Dictionary.
" "	"	.996	
Myristicol	"	.9466, 20°	Gladstone. J. C. S. (2), 10, 1.
Absinthol	"	.973, 24°	Leblanc. A. C. P. 56, 357.
"	"	.9267, 20°	Gladstone. J. C. S. (2), 10, 1.
"	"	.9128, 22°	Gladstone. Bei. 9, 249.
Citronellol	"	.8742	{ Two samples Gladstone. J. C. S. (2), 10, 1.
"	"	.875	
Fennel oil of coriander	"	.8970	Grosser. Ber. 14, 2505.
Eriemol	"	.874, 20°	Frohde. J. P. C. 82, 186.
Oil of Mentha pulegium	"	.9271	Watts' Dictionary.
" " "	"	.9390	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Oil of Pulegium micranthum.	$C_{10}H_{16}O$.932, 17°	Butlerow. J. 7, 595.
From oil of tansy	"	.918, 4°	Bruylants. Ber. 11, 451.
Thujol	"	.924, 15°	Jahns. Ber. 16, 2930.
Cajeputol	$C_{10}H_{18}O$.9160, 20°	Gladstone. J. C. S. (2), 10, 1.
"	"	.8900, 21°·5	"
Cajeputene hydrate	"	.903, 17°	Schmidl. J. 13, 480.
"	"	.9160, 20°	Kanonnikoff. Bei. 7, 592.
Oil of coriander	"	.871, 14°	Kawalier. J. 5, 624.
"	"	.8719, 15°	Grosser. Ber. 14, 2486.
Cyneaol	"	.92067, 16°	Wallach and Brass. A. C. P. 225, 291.
"	"	.9267, 20°	Wallach. A. C. P. 245, 195.
Oil of eucalyptus oleosa	"	.9075, 20°	Gladstone. J. C. S. (2), 10, 1.
Geraniol	"	.8851, 15°	Jacobsen. Z. C. 14, 171.
"	"	.8813, 21°	"
Oil of Licari kanali	"	.868, 15°	Morin. J. C. S. 40, 738.
Oil of Melaleuca ericifolia	"	.8960, 20°	Gladstone. J. C. S. (2), 10, 1.
Oil of Melaleuca linarifolia	"	.8985, 20°	"
From menthol	"	.9032	Moriya. C. N. 42, 268.
Menthone	"	.9126, 0°	Atkinson and Yoshida. J. C. S. 41, 295.
"	"	.9048, 10°	
"	"	.8972, 20°	
"	"	.8819, 40°	
"	"	.8665, 60°	
"	"	.8511, 80°	
"	"	.8355, 100°	
Ngai camphor	"	1.02	Plowman. J. C. S. (2), 12, 582.
From Osmitopsis asteriscoides.	"	.921	Gorup-Besanez. J. 7, 596.
Salviol	"	.934, 15°	Sigiura and Muir. J. C. S. 33, 295.
"	"	.938, 15°	Muir. J. C. S. 37, 13.
Terpane	"	.935, 0°	Bouchardat and Voiry. C. R. 106, 664.
Terpilenol	"	.961, 0°	Bouchardat and Lafont. B. S. C. 45, 295.
"	"	.950, 15°	
"	"	.9533, 0°	
Terpinol*	"	.952, 0°	Lafont. B. S. C. 49, 323.
"	"	.9296, 10°	Bouchardat and Voiry. B. S. C. 47, 870.
"	"		Gladstone. J. C. S. 49, 623.

* List's terpinol (J. 1, 726) is now known to be a mixture.

NAME.	FORMULA.	SP GRAVITY.	AUTHORITY.
Terpinol	$C_{10}H_{18}O$.9357, 20°	Wallach. A. C. P. 245, 196.
Turpentine hydrate	"	.9274, 16°	Tilden. C. N. 37, 166.
" "	"	.9339, 0°	Flawitzky. Ber. 12, 2355.
" "	"	.9201, 18°	"
" "	"	.9511, 10°	Renard. Ber. 13, 932.
" "	"	.9188	Kanonnikoff. Bei. 7, 592.
" "	"	.9335, 0°	Flawitzky. Ber. 20, 1959.
" "	"	.9189, 19°·5	"
From wormseed oil	"	.9275, 16°	"
" " "	"	.8981, 59°	Hell and Stürcke. Ber. 17, 1970.
" " "	"	.8553, 100°	"
Menthol	$C_{10}H_{20}O$.9394, 20°	{ Twosamples, Gladstone. J. C. S. (2), 10, 1.
"	"	.9515	{
"	"	.89, 15°	Moriya. C. N. 42, 268.
"	"	.8786, 20°	Kanonnikoff. Bei. 7, 592.
Ethyl camphor	$C_{12}H_{20}O$.916, 22°	Baubigny. J. 19, 624.
Eucalyptol	"	.905, 8°	Choez. Z. C. 12, 411.
"	"	.9173, 15°	Poehl. J. R. C. 5, 538.
From wormseed oil	"	.919, 20°	Valekel. J. 6, 513.
Amyl camphor	$C_{15}H_{26}O$.919, 15°	Baubigny.
Acetyl camphor	$C_{12}H_{18}O_2$.986, 20°	Baubigny. J. 19, 624.
Methyl borneol	$C_{11}H_{20}O$.933, 15°	Baubigny.
Ethyl borneol	$C_{12}H_{22}O$.916, 23°	"
From Achillea ngeratum	"	.819, 20°	De Luca. J. C. S. 31, 326.
From Angostura bark	$C_{13}H_{24}O$.934	Herzog. J. 11, 144.
Petchouti camphor	$C_{15}H_{26}O$	1.051, 47·5	Gal. Z. C. 12, 220.
Oil of ginger	$C_{30}H_{48}O_2$ (?)	.893	Papoušek. J. 5, 624.
Camphorogenol	$C_{10}H_{18}O_2$.9794, 20°	Yoshida. J. C. S. 47, 779.
Terpene formate	$C_{11}H_{18}O_2$.9986, 0°	{ Two samples, Lafont. B. S. C. 49, 323.
" "	"	.9989	{
Terpene acetate	$C_{12}H_{20}O_2$.9827, 0°	Bouchardat and Lafont. C. R. 192, 318.
Terebenthene acetate	"	.9820, 0°	"
Terebene acetate	"	.977, 0°	Bouchardat and Lafont. C. R. 192, 171.
Camphene acetate	"	1.002, 0°	Lafont. C. R. 194, 1718.
Camphoric acid	$C_{10}H_{16}O_4$	1.191	Schroder. Ber. 13, 1070.
"	"	1.195	"
Ethylcamphoric acid	$C_{12}H_{20}O_4$	1.065, 20°·5	Malaguti. Ann. 2, 64, 164.
Ethyl camphorate	$C_{14}H_{24}O_4$	1.029, 16°	Malaguti. A. C. P. 22, 48.
" "	"	1.072, 22°	{ Delmeil. J. R. C. 4, 321.
" "	"	1.070, 25°	{
Propyl camphorate	$C_{16}H_{28}O_4$	1.058, 24°	"
Ethyl paracamphorate	$C_{14}H_{24}O_4$	1.03, 15°	Chautard. J. 16, 595.
Camphoric anhydride	$C_{10}H_{14}O_3$	1.194, 20°·5	Malaguti. Ann. (2), 64, 160.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl camphocarbonate	$C_{13}H_{20}O_3$	1.052, 15°	Roser. Ber. 18, 3112.
Camphrene	$C_8H_{12}O_2$.974, 6°	Chautard. J. 10, 483.
Diethylcamphresic acid	$C_9H_{22}O_7$	1.128, 13°	Schwanert. J. 16, 397.
Ethyl camphresate	$C_{16}H_{26}O_7$	1.0775, 13°	" "

29th. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Quinone	$C_6H_4O_2$	1.307	Schröder. Ber. 13, 1070.
"	"	1.318	
Phlorol	$C_8H_{10}O$	1.015, 12°	Sigel. A. C. P. 170, 345.
Carvol	$C_{10}H_{14}O$.953, 15°	Völekel.
"	"	.9530, 20°	Gladstone. J. C. S. (2), 10, 1.
"	"	.9562, 20°	" "
"	"	.959	Beyer. Ber. 16, 1387.
"	"	.9593	
"	"	.9598	
"	"	.960, 18°.5	
"	"	.7866, 228°	Flückiger.
"	"	.9667, 11°	Schiff. Ber. 19, 560.
Eugenol	$C_{10}H_{12}O_2$	1.076	Gladstone. J. C. S. 49, 623.
"	"	1.0684, 14°	Stenhouse. A. C. P. 95, 106.
"	"	1.066, 15°	Williams. A. C. P. 107, 240.
"	"	1.0778, 0°	Church. J. C. S. (2), 13, 113.
"	"	1.063, 18°.5	
"	"	1.0703, 14°	
"	"	1.066, 17°.5	Wassermann. J. C. S. (2), 1, 706.
Isoeugenol	"	1.080, 16°	Tiemann and Kraaz. Ber. 15, 2066.
Methyl eugenol ?	$C_{11}H_{14}O_2$	1.046, 15°	Gladstone. Bei. 9, 249.
"	"	1.055, 15°	Tiemann and Kraaz. Ber. 15, 2066.
Ethyl eugenol	$C_{12}H_{16}O_2$	1.026, 0°	Church. J. C. S. (2), 13, 115.
"	"	1.0117, 18°.5	
Propyl eugenol	$C_{13}H_{18}O_2$	1.0024, 16°	Petersen. Ber. 21, 1060.
Isobutyl eugenol	$C_{11}H_{20}O_2$.985, 15°	Wassermann. A. C. P. 179, 376.
Amyl eugenol	$C_{15}H_{22}O_2$.976, 16°	Wassermann. Ber. 10, 237.
Allyl eugenol	$C_{13}H_{16}O_2$	1.018, 15°	" "
Coumarin	$C_9H_6O_2$.9207	Wassermann. Ber. 10, 238.
			" "
			Gladstone. Bei. 9, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Safrol	$C_{10} H_{10} O_2$	1.1141, 0°	Grümann and Ruotte. Z. C. 12, 411.
"	"	1.0956, 18°	J. Schiff. Ber. 17, 1935.
Coculignol	$C_{10} H_{14} O_2$	1.05645, 15°	Pastrovich. M. C. 4, 189.
Phthalic anhydride	$C_8 H_4 O_3$	1.527	} 4° { Schröder. Ber. 12, 1611.
"	"	1.530	
Benzoic anhydride	$C_{14} H_{10} O_3$	1.231	} 4° { " "
"	"	1.234	
"	"	1.247	
Benzo-oemanthic anhydride.	$C_{14} H_{18} O_3$	1.043	Malerba. J. 7, 444.
Benzo-cinnamic anhydride.	$C_{16} H_{12} O_3$	1.184, 23°	Gerhardt. J. 5, 449.
Benzo-cuminic anhydride	$C_{17} H_{16} O_3$	1.115, 23°	Gerhardt. J. 5, 448.
Pyruvyl benzoate	$C_{10} H_{10} O_3$	1.143, 25°, s.	Romburgh. J. C. S. 44, 63.
Tannic acid	$C_{14} H_{10} O_9$	1.097	W. C. Smith. Am. J. P. 53, 145.
Benzoyl glycollic ether	$C_{11} H_{12} O_4$	1.1509, 20°, 4	Andrieff. J. 18, 344.
Propylene ethylphenylketate.	$C_{12} H_{16} O_2$.988, 22°	Morley and Green. Ber. 17, 3016.
Isomer of benzil	$C_{11} H_{10} O_2$	1.104, 10°	Alexeyeff. J. 17, 335.
Sahretin	$C_{14} H_{14} O_3$	1.1161, 25°	Beilstein and Seelheim. J. 14, 765.
Isobenzpinacone	$C_{26} H_{22} O_2$	1.10, 19°	Linnemann. J. 18, 556.
Derivative of propyl phenylacetate.	$C_{24} H_{20} O_3$	1.039, 17°	Hodgkinson. J. C. S. 37, 482.
Derivative of ethyl phenylacetate.	$C_{18} H_{10} O_2$	1.0628, 20°	" "
α Naphtol	$C_{10} H_8 O$	1.224, 4°	Schröder. Ber. 12, 1611.
"	"	1.09599, 98°.7	Nasini and Bernheimer. G. C. I. 15, 50.
β Naphtol	"	1.217, 4°	Schröder. Ber. 12, 1611.
"	"	1.23	Brügelmann. Ber. 17, 2359.
Naphtol	"	.9048, at boiling point.	Ramsay. J. C. S. 33, 65.
Methyl α naphtol	$C_{11} H_{10} O$	1.09636, 13°.9	} Nasini and Bernheimer. G. C. I. 15, 50.
"	"	1.07931, 34°.5	
"	"	1.04661, 77°.7	
Propyl α naphtol	$C_{14} H_{14} O$	1.04471, 18°.4	" "
Methyl α naphthyl oxide	$C_{10} H_7 O. C' H_3$	1.0974, 15°	Staedel. Ber. 14, 898.
Methyl naphthyl ketone	$C_{13} H_7 C O C' H_3$	1.124, 0°	Roux. Ann. (6), 12, 336.
Anthraquinone	$C_{14} H_8 O_2$	1.438	} Schröder. Ber. 13, 1070.
"	"	1.426	
"	"	1.425	
"	"	1.419	
Phenanthrenequinone	"	1.404	} " "
"	"	1.405	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Asarone -----	$C_{12} H_{16} O_3$ -----	1.165, 18° -----	Butlerow and Rizza. B. S. C. 43, 114.
“ -----	“ -----	1.0743, 60° -----	
“ -----	“ -----	1.0655, 95° -----	
Salicin. Natural -----	$C_{13} H_{18} O_7$ -----	1.4338, 26° -----	Piria. Ann. (3), 44, 368.
“ Artificial -----	“ -----	1.4257 -----	
Santonin -----	$C_{15} H_{18} O_3$ -----	1.247, 20°.5 -----	Trommsdorf. A. C. P. 11, 190.
“ -----	“ -----	1.1866 -----	Carnelutti and Na- sini. Ber. 13, 2210.
Metasantonin. M. 136° -----	“ -----	1.1649 -----	“ “
“ “ 160°.5 -----	“ -----	1.1975 -----	
Santonid -----	“ -----	1.1967 -----	“ “
Metasantonid -----	“ -----	1.046 -----	“ “
Parasantonid -----	“ -----	1.1957 -----	“ “
“ -----	“ -----	1.2015, 20° -----	Nasini. Ber. 14.1513.
Santonie acid -----	$C_{15} H_{20} O_4$ -----	1.251 -----	Carnelutti and Na- sini. Ber. 13, 2210.
Parasantonic acid -----	“ -----	1.2684 -----	“ “
Methyl santonate -----	$C_{16} H_{22} O_4$ -----	1.1667 -----	“ “
Methyl parasantonate -----	“ -----	1.1777 -----	“ “
Ethyl santonate -----	$C_{17} H_{24} O_4$ -----	1.1481 -----	“ “
Ethyl parasantonate -----	“ -----	1.153 -----	“ “
Propyl santonate -----	$C_{18} H_{26} O_4$ -----	1.1185 -----	“ “
“ “ -----	“ -----	1.125, 20° -----	Nasini. G. C. I. 13, 165.
Propyl parasantonate -----	“ -----	1.153 -----	Carnelutti and Na- sini. Ber. 13, 2210.
Isobutyl santonate -----	$C_{19} H_{28} O_4$ -----	1.1181 -----	“ “
Allyl santonate -----	$C_{18} H_{24} O_4$ -----	1.1434 -----	“ “
Styracin -----	$C_{18} H_{16} O_2$ -----	1.154 -----	Schröder. Ber. 13, 1070.
“ -----	“ -----	1.159 -----	
Pimaric acid -----	$C_{20} H_{30} O_2$ -----	1.047, 18° -----	Siewert. J. 12, 510.
Sylvic acid -----	“ -----	1.1611. 18° -----	“ “
Tropilene -----	$C_7 H_{10} O$ -----	1.01, 6° -----	Ladenburg. Ber. 14, 2130.
“ -----	“ -----	1.0091, 0° -----	Ladenburg. A. C. P. 217, 139.
Cinaerol -----	$C_{10} H_{18} O_2$ -----	1.05 -----	Hirzel. Watts' Dic- tionary.
“ -----	“ -----	1.15 -----	
Colophonone -----	$C_{11} H_{18} O$ -----	.84 -----	Schiel. J. 13, 489.
Apiol -----	$C_{12} H_{14} O_4$ -----	1.015 -----	Lindenborn. Ber. 9, 1478.
Calophyllum resin -----	$C_{14} H_{18} O_4$ -----	1.12, cryst. -----	Levy. C. R. 18, 244.
Antiar resin -----	$C_{16} H_{24} O$ -----	1.032 -----	Mulder. A. C. P. 28, 307.
Tannin from Persea lingue -----	$C_{17} H_{17} O_9$ -----	1.352, 10° -----	Arata. Ber. 14, 2251.
From Sequoia gigantea -----	$C_{18} H_{20} O_3$ -----	1.045 -----	Lunge and Stein- kauler. Ber. 14, 2205.
Turmerol -----	$C_{19} H_{28} O$ -----	.9016, 17° -----	Jackson and Menke. A. C. J. 4, 371.
Guyaquillite -----	$C_{20} H_{26} O_3$ -----	1.092 -----	Dana's Mineralogy.
Hartin -----	$C_{20} H_{34} O_2$ -----	1.115, 19° -----	Schrötter. P. A. 59, 45.
Resin from rosewood -----	$C_{21} H_{21} O_6$ -----	1.2662, 15° -----	Terreil and Wolff. J. C. S. 38, 559.
Cardol -----	$C_{21} H_{31} O_2$ -----	.978, 23° -----	Städeler. J. 1, 577.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ivaol	$C_{26}H_{40}O$.9346, 15°	Planta-Reichenau. Z. C. 13, 618.
Cholesterin	$C_{26}H_{44}O$	1.03, melted	Hlasiwetz. A. C. P. 106, 354.
"	"	1.046	Mehu. J. C. S. (2), 13, 247.
"	"	1.047	
Waldvine	$C_{26}H_{48}O_{20} \cdot 5H_2O$	1.46	Tanret. J. Ph. C. (5), 3, 61.
Cochlearin	$C_6H_7O_2?$	1.248	Maurach. Watts' Dictionary.
Alisol	$C_6H_8O_3?$.877, 15°	Robiquet. Watts' Dictionary.
Xanthil	$C_4H_{10}O_3?$.894	Couerbe.
Pierolichenin	?	1.176	Alms. A. C. P. 1, 61.
Phycic acid	?	.896	Lamy. J. 5, 675.

XLVII. COMPOUNDS CONTAINING C, H, AND N.

1st. Cyanides and Carbamines of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl cyanide, or acetonitril.	$C_2H_3 \cdot C N$.8347, 0°	Kopp. A. C. P. 98, 397.
" " "	"	.8191, 16°	
" " "	"	.8052, 0°	Vincent and Delachannl. C. R. 90, 747.
" " "	"	.7155, 81° 2'	Schiff. Bei. 9, 559.
Methyl carbamine	"	.7557, 14°	Gautier, Roscoend and Schorlemmer's Treatise.
Ethyl cyanide, or propionitril.	$C_2H_5 \cdot C N$.7017, 97°	Ramsay. J. C. S. 35, 463.
" " "	"	.80101, 0°	Thorpe. J. C. S. 37, 371.
" " "	"	.70098, 97° 08'	
" " "	"	.7862, 19°	Gladstone. Bei. 9, 249.
" " "	"	.7015, 97°	Schiff. Bei. 9, 559.
Ethyl carbamine	"	.787, 15°	Pelouze. Watts' Dictionary.
" " "	"	.7889, 12° 6'	Frankland and Kolbe. J. 1, 552.
Propyl cyanide, or butyronitril.	$C_3H_7 \cdot C N$.795, 12° 5'	Dumas. J. 1, 594.
Isopropyl carbamine	"	.7596, 0°	Gautier. B. S. C. 11, 224.
Butyl cyanide, or valerionitril.	$C_4H_9 \cdot C N$.8164, 0°	Lieben and Rossi. A. C. P. 158, 137.
Isobutyl cyanide, or isovaleronitril.	"	.810	Schlieper. A. C. P. 59, 15.
" " "	"	.813, 15°	Guckelberger. J. 1, 852.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isobutyl cyanide, or isovaleronitril.	$C_4 H_9 \cdot C N$.8226, 0°	Erlenmeyer and Hell. A. C. P. 160, 257.
“ “ “	“	.8146, 10°	
“ “ “	“	.8060, 20°	
“ “ “	“	.6921, 129°·3	
“ “ “	“	.8010, 18°	Schiff. Bei. 9, 559. Gladstone. Bei. 9, 249.
Isobutyl carbamine	“	.7873, 4°	Gautier. Z. C. 12, 415.
Isomyl cyanide, oreapronitril.	$C_5 H_{11} \cdot C N$.8061, 20°	Frankland and Kolbe. J. 1, 559.
“ “ “	“	.8040, 18°	
“ “ “	“	.6861, 154°	Schiff. Bei. 9, 559. Gladstone. Bei. 9, 249.
Oenanthonitril	$C_6 H_{13} \cdot C N$.895, 22°	
Heptyl cyanide	$C_7 H_{15} \cdot C N$.8201, 13°·3	Felletár. J. 21, 634.
Oetyl cyanide	$C_8 H_{17} \cdot C N$.786, 16°	Eichler. Ber. 12, 1888.
Isöoctyl cyanide	“	.8187, 14°	Felletár. J. 21, 634.
Lauronitril	$C_{11} H_{23} \cdot C N$.8350, 0°	Krafft and Stauffer. Ber. 15, 1728.
“ “ “	“	.8273, 15°	
“ “ “	“	.7675, 98°·9	
Myristonitril	$C_{13} H_{27} \cdot C N$.8281, 19°	
“ “ “	“	.8241, 25°	“ “
“ “ “	“	.7724, 99°	
Palmitonitril	$C_{15} H_{31} \cdot C N$.8224, 31°	“ “
“ “ “	“	.8186, 40°	
“ “ “	“	.7761, 98°·9	
Stearonitril	$C_{17} H_{35} \cdot C N$.8178, 41°	
“ “ “	“	.8149, 45°	“ “
“ “ “	“	.7790, 99°·2	

2d. Amines of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylamine	$N \cdot (C H_3)_3$.673, 0°	Blennard. Roscoe and Schorlemmer's Treatise.
Ethylamine	$N H_2 \cdot C_2 H_5$.6964, 8°	Wurtz. J. 3, 446.
Diethylamine	$N H \cdot (C_2 H_5)_2$.7262, 0°	
“ “ “	“	.7159, 10°	Oudemans. Bei. 6, 353. Values given for every 5°.
“ “ “	“	.7055, 20°	
“ “ “	“	.6949, 30°	
“ “ “	“	.6844, 40°	
“ “ “	“	.6735, 50°	
“ “ “	“	.6680, 55°	
“ “ “	“	.7092, 19°	Gladstone. Bei. 9, 249.
“ “ “	“	.6684	Schiff. Ber. 19, 560.
“ “ “	“	.6686	
Triethylamine	$N \cdot (C_2 H_5)_3$.7277, 20°	Brühl. Bei. 4, 779. Gladstone. Bei. 9, 249.
“ “ “	“	.7317, 19°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Triethylamine	$N(C_2H_5)_3$.6621, 89°	Schiff. Ber. 19, 560.
Propylamine	NH_2, C_3H_7	.7283, 0°	Silva. Z. C. 12, 638.
"	"	.7134, 21°	
"	"	.7186, 20°	
"	"	.6883, 49°.	Linnemann. A. C. P. 161, 18.
Isopropylamine	"	.690, 18°	Schiff. Ber. 19, 560.
Dipropylamine	"	.756, 0°	Siersch. J. 21, 682.
Diisopropylamine	$NH(C_3H_7)_2$.722, 22°	Vincent. Ber. 19, ref. 680.
Tripropylamine	$N(C_3H_7)_3$.7699, 0°	Siersch. J. 21, 682.
"	"	.6426, 156°.5	Zander. A. C. P. 214, 181.
"	"	.771, 0°	Vincent. Ber. 19, ref. 680.
Butylamine	NH_2, C_4H_9	.7553, 0°	Lieben and Rossi. A. C. P. 93, 124.
"	"	.7333, 26°	
"	"	.7401, 20°	
Isobutylamine	"	.7357, 15°	Linnemann and Zotta. Ann. (4), 27, 275.
"	"	.6865, 67°.7	Linnemann. Ann. (4), 27, 268.
Trimethylcarbinolamine	"	.6987, 15°	Schiff. Ber. 19, 560.
"	"	.7137, 0°	Linnemann. Ann. (4), 27, 268.
"	"	.7054, 8°	
"	"	.6931, 15°	
"	"	.7155, 0°	
"	"	.7078, 7°.8	
"	"	.7004, 15°	
Tributylamine	$N(C_4H_9)_3$.791, 0°	Brauer. A. C. P. 192, 72.
"	"	.7782, 20°	
"	"	.7677, 40°	
Triisobutylamine	"	.785, 21°	Lieben and Rossi. A. C. P. 165, 109.
Amylamine	NH_2, C_5H_{11}	.7503, 18°	Sachtleben. Ber. 11, 734.
"	"	.815, 0°	Wurtz. J. 19, 425.
"	"	.7517, 22°.5	Plimpton. J. C. S. 39, 33.
" Active	"	.7725	Plimpton. J. C. S. 39, 331.
" Inactive	"	.7678	
"	"	.6848, 94°.8	Schiff. Ber. 9, 559.
Dimethylethylcarbinolamine.	"	.755, 0°	Wurtz. J. 19, 425.
"	"	.7611, 0°	Rudneff. J. C. S. 38, 545.
"	"	.7475, 15°	
Diamylamine	$NH(C_5H_{11})_2$.7825, 0°	Silva. Z. C. 10, 157.
" Active	"	.7878, 0°	Plimpton. J. C. S. 39, 331.
" Inactive	"	.7776, 14°	
Triamylamine. Active	$N(C_5H_{11})_3$.7964, 13°	" "
" Inactive	"	.7882, 13°	
Hexylamine	NH_2, C_6H_{13}	.768, 17°	Felouze and Cahours. J. 16, 527.
Secondary hexylamine	"	.7638	Uppenkamp. Ber. 8, 57.
Octylamine	NH_2, C_8H_{17}	.786	Squire. J. 7, 485.

3d. The Aniline Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amidobenzene, or aniline.	$C_6 H_5 \cdot H_2 N$	1.020, 16°	Hofmann. A. C. P. 47, 50.
"	"	1.028	Fritzsche. J. P. C. 20, 453.
"	"	1.0361, 0°	Kopp. A. C. P. 98, 367.
"	"	1.0251, 13°·7	
"	"	1.018, 15°·5	Städeler and Arndt. J. 17, 425.
"	"	1.024, 17°·5	Lucius.
"	"	1.026, 15°	Kern. Ber. 10, 199.
"	"	.8527, 183°	Ramsay. J. C. S. 35, 463.
"	"	1.0379, 0°	} Thorpe. J. C. S. 37, 371.
"	"	.87274, 183°·7	
"	"	1.02478, 16°·3	Johst. P. A. (2), 20, 56.
"	"	1.0216, 20°	Brühl.
"	"	1.0131, 25°·7	} Schall. Ber. 17, 2555.
"	"	.9484, 100°·9	
"	"	1.016, 13°	
"	"	1.0322, 7°·5	Gladstone. Bei. 9, 249.
"	"	.8751, 183°·1	Schiff. Bei. 9, 559.
"	"	.92256, 130°·9	} Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	.91858, 135°·1	
"	"	.90708, 147°·2	
"	"	.90632, 148°	
"	"	.89272, 162°	
"	"	.89233, 162°·6	
"	"	.88077	
"	"	.88097	
"	"	.87443, 181°·6	
"	"	.87424, 181°·8	
"	"	.87384	
"	"	.87356	
"	"	1.0216, 20°	Knops. V. H. V. 1887, 17.
"	"	1.02204, 20°	Weegmann. Z. P. C. 2, 218.
Methylaniline	$C_6 H_5 \cdot C H_3 \cdot H N$.976, 15°	Hofmann. Ber. 7, 526.
Benzylamine	$C_6 H_5 \cdot C H_2 H_2 N$.990, 14°	Limpricht. J. 20, 510.
Orthotoluidine	$C_6 H_4 \cdot C H_3 \cdot H_2 N$	1.0002, 16°·3	Rosenstiehl. J. 21, 745.
"	"	1.003, 20°·2	} Three preparations. Beilstein and Kuhlberg. Z. C. 12, 523.
"	"	1.002, 22°	
"	"	.998, 25°·5	
"	"	1.046	Rüdorff. Ber. 12, 251.
"	"	.8302, 197°	Ramsay. J. C. S. 35, 463.
"	"	.9986, 20°	Brühl. Bei. 4, 780.
"	"	1.0033, 15°	Hirsch. Ber. 18, 1511.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Orthotoluidine	$C_6H_4 \cdot C H_3 \cdot H_2 N$.89367, 142° 7'	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubek. Z. P. C. 1, 657.
"	"	.89292, 143° 2'	
"	"	.87527, 163° 2'	
"	"	.87456, 163° 9'	
"	"	.86064 178° 4'	
"	"	.86078	
"	"	.85214 186° 9'	
"	"	.85185	
"	"	.84453, 198°	
"	"	.84348 199°	
Metatoluidine	"	.898, 25°	Lorenz. C. N. 30, 166.
"	"	.88528 149°	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubek. Z. P. C. 1, 658.
"	"	.88561	
"	"	.86525, 169°	
"	"	.86283, 171°	
"	"	.85231, 184°	
"	"	.85121, 185°	
"	"	.84369, 191°	
"	"	.84233, 192°	
"	"	.83523 201°	
"	"	.83537	
"	"	.83385 203°	
"	"	.83351	
Paratoluidine	"	.88313, 143°	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubek. Z. P. C. 1, 658.
"	"	.88269, 143° 2'	
"	"	.86131 168°	
"	"	.86130	
"	"	.85025, 178° 4'	
"	"	.84858, 181°	
"	"	.83814 192° 6'	
"	"	.83850	
"	"	.83171 200°	
"	"	.83178	
"	"	.82995, 201° 5'	
Dimethylaniline	$C_6H_5 \cdot (C H_3)_2 \cdot N$.9553	Hofmann. C. N. 27, 1.
"	"	.9645, 15°	Kern. Ber. 10, 194.
"	"	.7941, 190°	Ramsay. J. C. S. 35, 463.
"	"	.9575, 20°	Bruhl. A. C. P. 235, 1.
Ethylaniline	$C_6H_5 \cdot C_2H_5 \cdot H N$.974, 18°	Hofmann. J. 2, 398.
Ethylamidobenzene. 1.2	$C_6H_4 \cdot C_2H_5 \cdot H_2 N$.983, 22°	Beilstein and Kuhlberg. A. C. P. 156, 206.
" 1.4	"	.975, 22°	" "
Methyltoluidine. 1.2	$C_6H_4 \cdot C H_3 \cdot C H_3 \cdot H N$.973, 15°	Monnet, Reverdié, and Nolting. Ber. 11, 2278.
Xylidine. 1.2.4	$C_6H_3 \cdot (C H_3)_2 \cdot H_2 N$.9942, 20°	Wroblowsky. Ber. 12, 1227.
"	"	1.0775, 17° 5'	Jacobsen. Ber. 17, 160.
"	"	.991, 15°	Nöling and Forcl. Ber. 18, 2671.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Xylidine. 1.3.4	$C_6 H_3 (C H_3)_2 H_2 N$.985, 18°.5	Tawildarow. Z. C. 13, 418.
" "	"	.9184, 25°	Hofmann. Ber. 9, 1295.
" "	"	.86651	} Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeek. Z. P. C. 1, 662.
" "	"	.86687	
" "	"	.84874, 182°	
" "	"	.83473, 197°	
" "	"	.82374, 205°	
" "	"	.81633	
" "	"	.81597	
" "	"	.81454	} 215°.5
" "	"	.81436	
" 1.3.5	"	.9935, 0°	Wroblevsky. Ber. 10, 1249.
" "	"	.972, 15°	Nöling and Forel. Ber. 18, 2678.
" 1.4.2	"	.980, 15°	Nöling and Forel. Ber. 18, 2680.
"	"	.9867, 19°	Gladstone. Ber. 9, 249.
Dimethyltoluidine. 1.2	$C_6 H_4. CH_3. (CH_3)_2 N$.9324	Hofmann. C. N. 27, 1.
" 1.3	"	.9368	" "
" 1.4	"	.988	" "
Propylaniline	$C_6 H_5. C_3 H_7 H N$.949, 18°	Pietetand Crépieux. Ber. 21, 1106.
Ethyltoluidine. 1.3	$C_6 H_4. CH_3. C_2 H_5 H N$.869, 20°	Wroblevsky. J. C. S. (2), 13, 455.
" " 1.4	"	.9391, 15°.5	Morley and Abel. J. 4, 497.
Cumidine	$C_6 H_4. C_3 H_7. H_2 N$.8526	Nicholson. J. 1, 664.
Pseudocumidine. 1.3.5.6	$C_6 H_2 (C H_3)_3 H_2 N$.9633	Hofmann. C. N. 27, 1.
Diethylaniline	$C_6 H_5 (C_2 H_5)_2 N$.939, 18°	Hofmann. J. 2, 399.
Isobutylaniline	$C_6 H_5. C_4 H_9. H N$.9262, 15°	Giannetti. Ber. 14, 1759.
"	"	.940, 18°	Pietetand Crépieux. Ber. 21, 1106.
Dimethylxylidine	$C_6 H_3 (CH_3)_2 (C H_3)_2 N$.9293	Hofmann. C. N. 27, 1.
Tetramethylaniline	$C_6 H (C H_3)_4 H_2 N$.978, 24°	Hofmann. Ber. 17, 1912.
Isoamylaniline	$C_6 H_5. C_5 H_{11} H N$.928, 15°	Pietetand Crépieux. Ber. 21, 1106.
Diethyltoluidine. 1.4	$C_6 H_4. C H_3 (C_2 H_5)_2 N$.9242, 15°.5	Morley and Abel. J. 7, 498.
Dimethylmesidine. 1.3.5.6	$C_6 H_2 (C H_3)_3 (C H_3)_2 N$.9076	Hofmann. C. N. 27, 1.
Methylamylaniline	$C_6 H_5. C_5 H_{11} C H_3 N$.906, 20°	Claus and Rautenberg. Ber. 14, 622.
Dipropylaniline	$C_6 H_5 (C_3 H_7)_2 N$.9240, 0°	} Zauder. A. C. P. 214, 181.
"	"	.7267, 245°.4	
Diisopropylaniline	"	.9338, 0°	
"	"	.7504, 221°	" "
Trimethyl-diethylaniline	$C_6 (CH_3)_3 (C_2 H_5)_2 H_2 N$.971	Ruttan. Ber. 19, 2384.
Allylaniline	$C_6 H_5. C_3 H_5 H N$.982, 25°	Schiff. J. 17, 415.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diallylaniline	$C_6 H_5 (C_2 H_5)_2 N$.9680, 0°	Zander. A. C. P. 214, 181.
"	"	.7667, 244°	Schroder. Ber. 12, 561.
Diphenylamine	$N H, (C_6 H_5)_2$	1.156 } 4°	
"	"	1.161 }	
"	"	.8293, 310°	Ramsay. J. C. S. 35, 463.
Methyldiphenylamine	$N, (C_6 H_5)_2 C H_3$	1.0476, 20°	Brühl. A. C. P. 235, 1.
Dibenzylamine	$N H, (C_7 H_7)_2$	1.033, 14°	Limpricht. J. 20, 510.
Amidobenzylamine	$C_7 H_{10} N_2$	1.08, 20°	Amsel and Hofmann. Ber. 19, 1288.
Metamidodimethylaniline	$C_8 H_{12} N_2$.995, 25°	Groll. Ber. 19, 200.

4th. The Pyridine Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pyridine	$C_5 H_5 N$.9858, 0°	Anderson. J. 10, 397.
"	"	.921, 22°	Thenius. J. 14, 502.
"	"	.8617, 117°	Ramsay. J. C. S. 35, 463.
"	"	.9802, 0°	Richard. Ber. 13, 198.
"	"	.8823 } 115°	Schiff. Ber. 19, 560.
"	"	.8826 }	
"	"	1.0033, 0°	Ladenburg. Ber. 21, 289.
α Picoline	$C_6 H_7 N$.955, 10°	Anderson. A. C. P. 60, 93.
"	"	.9613, 0°	Anderson. J. 10, 397.
"	"	.933, 22°	Thenius. J. 14, 502.
"	"	.8197, 134°	Ramsay. J. C. S. 35, 463.
"	"	.9560, 0°	Richard. Ber. 13, 198.
"	"	.96161, 0°	Thorpe. J. C. S. 37, 371.
"	"	.83258, 123°.5	
"	"	.94093, 23°.5	Gladstone. Bei. 9, 249.
"	"	.96559, 0°	Langé. Ber. 18, 2436.
"	"	.96477, 4°	Dürkopp and Schlaugk. Ber. 20, 1660.
"	"	.9656, 0°	Ladenburg. C. R. 103, 692.
β Picoline	"	.97712, 0°	Hesekiel. Ber. 18, 3091.
"	"	.94965, 30°	
"	"	.9771, 0°	Ladenburg. C. R. 103, 692.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
γ Picoline	$C_6 H_7 N$.9708, 0°	Lange. Ber. 18, 3436.
"	"	.9708, 0°	Ladenburg. C. R. 103, 692.
"	"	.9742, 0°	Ladenburg. Ber. 21, 287.
α Lutidine	$C_7 H_9 N$.928	Williams. J. 7, 494.
"	"	.9467, 0°	Anderson. J. 10, 397.
"	"	.945, 22°	Thenius. J. 14, 502.
"	"	.9467, 0°	Williams. J. 17, 437.
"	"	.7916, 154°	Ramsay. J. C. S. 35, 463.
"	"	.9377, 0°	Richard. Ber. 13, 198.
"	"	.9545, 0°	Ladenburg and Roth. Ber. 18, 52.
" $\alpha-\gamma$	"	.9503, 0°	Ladenburg and Roth. Ber. 18, 913.
" $\alpha-\alpha$	"	.9424, 0°	Ladenburg. C. R. 103, 692.
β Lutidine	"	.9555, 0°	Williams. J. 17, 437.
"	"	.9593, 0°	Coninek. C. R. 91, 296.
α Ethylpyridine	"	.9495 } 0°	Ladenburg. Ber. 20, 1653.
"	"	.9498 }	
γ Ethylpyridine	"	.9522, 0°	Ladenburg. Ber. 18, 2963.
"	"	.9358, 20°	
α Collidine	$C_8 H_{11} N$.921	Anderson. J. 7, 490.
"	"	.9439, 0°	Anderson. J. 10, 397.
"	"	.953, 22°	Thenius. J. 14, 502.
"	"	.943	Wurtz. Ber. 12, 1710.
"	"	.7839, 173°	Ramsay. J. C. S. 35, 463.
"	"	.9291, 0°	Richard. Ber. 13, 198.
"	"	.917, 15°	Hantzsch. Ber. 15, 2914.
"	"	.9286, 16°.8	Weidel and Piek. S. W. A. 90, 972.
"	"	.9224, 15°	Mohler. Ber. 21, 1014.
β Collidine	"	.9656, 0°	Coninek. C. R. 91, 296.
Aldehyde collidine	"	.9389, 4°	Dürkopf. Ber. 18, 920.
α Isopropylpyridine	"	.9342, 0°	Ladenburg. C. R. 103, 692.
γ Isopropylpyridine	"	.9408, 0°	Ladenburg and Schrader. Ber. 17, 1121.
"	"	.9439, 0°	Ladenburg. C. R. 103, 692.
γ Propylpyridine	"	.9393, 0°	Two lots. Ladenburg. Ber. 17, 772.
α Propylpyridine	"	.9411, 0°	
"	"	.9306, 10°	
Parvoline	$C_9 H_{13} N$.966, 22°	Thenius. J. 14, 502.
"	"	.916, 14°	Engelmann. J. C. S. 50, 259.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Parvoline	$C_9 H_{13} N$.94185, 0°	} { Dürkopf and Schlaugk. Ber. 21, 832.
"	"	.92894, 16°	
Coridine	$C_{10} H_{15} N$.974, 22°	Thenius. J. 14, 502.
Rubidine	$C_{11} H_{17} N$	1.017, 22°	" "
Viridine	$C_{12} H_{19} N$	1.024, 22°	" "
Allyl pyridine	$C_8 H_9 N$.9595, 0°	Ladenburg. Ber. 19, 2578.
Piperidine. From piperine	$C_5 H_{11} N$.8810, 0°	} Ladenburg and Roth. Ber. 17, 513.
" Synthetic	"	.8814, 4°	
"	"	.7791	} 105° Schiff. Ber. 19, 560.
"	"	.7801	
"	"	.7810	
α Methylpiperidine	$C_6 H_{13} N$.8601, 0°	Ladenburg and Roth. Ber. 18, 47.
"	"	.860, 0°	Ladenburg. C. R. 103, 747.
β Methylpiperidine	"	.8686, 4°	Mesekiel. Ber. 18, 910.
"	"	.8684, 0°	Ladenburg, C. R. 103, 747.
α - α Dimethylpiperidine	$C_7 H_{15} N$.8492, 4°	Ladenburg and Roth. Ber. 18, 54.
α - γ Dimethylpiperidine	"	.8615, 0°	Ladenburg. C. R. 103, 747.
α Ethylpiperidine	"	.8674, 0°	Ladenburg. Ber. 18, 2963.
γ Ethylpiperidine	"	.8759, 0°	Ladenburg. Ber. 18, 2964.
Methyl- α -ethylpiperidine	$C_7 H_{17} N$.8495, 0°	Ladenburg. C. R. 103, 747.
α Propylpiperidine. Coniin	"	.89	Geiger.
"	"	.878	Blyth. J. 2, 388.
"	"	.846, 12° .5	Petit. B. S. C. 27, 337.
"	"	.886	Schorm. Ber. 14, 1767.
"	"	.913, 0°	} Two preparations. Schiff. A. C. P. 166, 88.
"	"	.899, 15°	
"	"	.842, 90°	
"	"	.886, 0°	
"	"	.873, 15°	
"	"	.911, 90°	
"	"	.863	Ladenburg. Ber. 17, 774.
"	"	.875, 0°	Ladenburg. Ber. 17, 772.
"	"	.8626, 0°	Ladenburg. Ber. 19, 2580.
γ Propylpiperidine	"	.870, 0°	Ladenburg. Ber. 17, 772.
α Isopropylpiperidine	"	.8660, 0°	Ladenburg. Ber. 17, 1676.
"	"	.8676, 0°	Ladenburg. C. R. 103, 747.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl- α γ -isopropylpiperidine.	$C_9 H_{19} N$.8593, 0°	Ladenburg. C. R. 103, 747.
Copellidine	$C_8 H_{17} N$.8653, 0°	Dürkopf. Ber. 18, 920.
"	"	.8546, 15°	
Methylcopellidine	$C_9 H_{19} N$.8519, 0°	" "
"	"	.8440, 13°	
Dimethylcopellidine	$C_{10} H_{21} N$.7816, 25°	" "
α Pipecoline	$C_6 H_{11} N$.8801, 0°	Ladenburg. Ber. 20, 1646.
γ Pipecoline	$C_6 H_{13} N$.8674, 0°	Ladenburg. Ber. 21, 288.
α Isopropylpiperidine	$C_8 H_{15} N$.8956, 0°	Ladenburg. Ber. 20, 1647.
Hydrolutidine. α - γ	$C_7 H_{13} N$.8615, 0°	Ladenburg and Roth. Ber. 18, 919.
Hydrotropidine	$C_8 H_{15} N$.9366, 0°	Ladenburg. Ber. 16, 1409.
"	"	.9259, 15°	
α Coniceine	"	.893, 15°	Hofmann. Ber. 18, 10.
Paradiconiine	$C_{16} H_{27} N$.915, 15°	Schiff. A. C. P. 166, 88.
Quinoline or chinoline	$C_9 H_7 N$	1.081, 10°	Hofmann. A. C. P. 47, 79.
"	"	1.1081, 0°	Skraup. Ber. 14, 1002.
"	"	1.0947, 20°	
"	"	1.0699, 50°	
"	"	1.1055, 0°	
"	"	1.0965, 11° 5'	
"	"	1.096	
"	"	1.1021	
"	"	.9211, 234°	Gladstone. Bei. 9, 249.
Lepidine	$C_{10} H_9 N$	1.072, 15°	Schiff. Ber. 19, 560.
Orthomethylquinoline	"	1.0852, 0°	Williams. J. 9, 536.
"	"	1.0734, 20°	
"	"	1.0586, 50°	
Metamethylquinoline	"	1.0839, 0°	Skraup. Ber. 14, 1002.
"	"	1.0722, 20°	
"	"	1.0576, 50°	
Paramethylquinoline	"	1.0815, 0°	Skraup. Ber. 15, 2255.
"	"	1.0671, 20°	
"	"	1.0560, 50°	
Dimethylquinoline	$C_{11} H_{11} N$	1.0752, 4°	Skraup. Ber. 14, 1002.
" α - γ	"	1.0611, 15°	Berend. Ber. 18, 3165.
Metadipyridyl	$C_{10} H_8 N_2$	1.1757, 0°	Beyer. J. P. C. (2), 33, 402.
"	"	1.1635, 20°	
"	"	1.1493, 50°	
Isodipyridine	$C_{10} H_{10} N_2$	1.08	Skraup and Vortmann. M. C. 4, 593.
"	"	1.1245, 13°	Ramsay. P. M. (5), 6, 29.
Dipicoline	$C_{12} H_{14} N_2$	1.12	Cahours and Etard. Ber. 13, 777.
"	"	1.077	Ramsay. P. M. (5), 6, 31.
"	"		Anderson.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nicotine	$C_{10}H_{14}N_2$	1.033, 4°	Barral. J. 1, 614.
"	"	1.027, 15°	
"	"	1.018, 30°	
"	"	1.0006, 50°	
"	"	.9424, 101°.5	
"	"	1.01837, 10°.2	
"	"	1.01101, 20°	
"	"	1.00373, 30°	Landolt. A. C. P. 189, 241.
"	"	1.0111, 15°	Skalweit. Ber. 14, 1809.
Hydronicotine	$C_{10}H_{16}N_2$.993, 17°	Eard. C. R. 97, 1218.
Dipiperidyl	$C_{10}H_{20}N_2$.9561, 4°	Liebrecht. Ber. 19, 2501.
α Stilbazoline	$C_{13}H_{19}N$.9874, 0°	Baurath. Ber. 21, 818.
Dihydro- α -stilbazol	$C_{13}H_{13}N$	1.0465, 0°	" "

5th. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethyl hydrazin	$C_2H_8N_2$.801, 11°	Renouf. Ber. 13, 2171.
Ethylene diamine	$C_2H_4(NH_2)_2$.902	Rhousopoulos and Meyer. J. C. S. 42, 940.
Propylene diamine	$C_3H_6(NH_2)_2$.878, 15°	Hofmann. Ber. 6, 310.
Pentamethylene diamine	$C_5H_{10}(NH_2)_2$.9174, 0°	Ladenburg. Ber. 18, 2957.
β Methyltetramethylene diamine.	"	.8836, 20°	Oldsch. Ber. 20, 1655.
Ethylene cyanide	$C_2H_4(CN)_2$	1.023, 45°	Simpson. J. 14, 654.
Pyrotartro-nitril	$C_3H_6(CN)_2$.9961, 11°	Henry. Ber. 18, ref. 330.
Crotonitril	C_4H_5N	.8389, 12°	Will and Korner.
"	"	.8491, 0°	Rinne and Tollens. A. C. P. 159, 105.
"	"	.8351, 15°	
Allyl carbamine	C_3H_5CN	.812, 0°	Lücke. A. C. P. 112, 319.
"	"	.794, 17°	
Allylamine	$C_3H_5NH_2$.864, 15°	Oeser. J. 18, 506.
"	"	.7754, 10°.5	Foursamples. Glad- stone. Bei. 9, 249.
"	"	.7775, 11°	
"	"	.7693, 17°.5	
"	"	.7684, 19°	
"	"	.7261, 56°	
Triallylamine	$(C_3H_5)_3N$.8206, 0°	Schiff. Bei. 9, 559.
"	"	.6826, 155°.5	Zander. A. C. P. 214, 181.
Propylallylamine	$C_3H_7C_3H_5HN$.7708, 18°	Liebermann and Paul. Ber. 16, 523.
Isocamylallylamine	$C_5H_{11}C_3H_5HN$.7777, 18°	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pyrrrol-----	$C_4 H_5 N$ -----	1.077 -----	Anderson. J. 10, 399.
“-----	“-----	.7276, 133°-----	Ramsay. J. C. S. 35, 463.
“-----	“-----	.9752, 12° 5'-----	Weidel and Ciamician. Ber. 13, 71.
“-----	“-----	.9606 -----	Gladstone. Bei. 9, 249.
Methylpyrrol-----	$C_5 H_7 N$ -----	.9203, 10°-----	Bell. Ber. 10, 1866.
Ethylpyrrol-----	$C_6 H_9 N$ -----	.8881, 16°-----	Bell. Ber. 9, 936.
“-----	“-----	.9042, 10°-----	Bell. Ber. 10, 1862.
Amylpyrrol-----	$C_9 H_{15} N$ -----	.8786, 10°-----	Bell. Ber. 10, 866.
Pyrrrolidin-----	$C_4 H_9 N$ -----	.879, 0°-----	Petersen. Ber. 21, 290.
“-----	“-----	.871, 10°-----	
Methylpyrrrolidin-----	$C_5 H_{11} N$ -----	.8654, 0°-----	Oldach. Ber. 20, 1155.
Methylphenylpyrazol-----	$C_{10} H_{10} N_2$ -----	1.085 -----	Claisen and Stylos. Ber. 21, 1143 and 1147.
“-----	“-----	1.081 -----	
Ethylphenylpyrazol-----	$C_{11} H_{12} N_2$ -----	1.064, 15°-----	Claisen and Stylos. Ber. 21, 1148.
Propylphenylpyrazol-----	$C_{12} H_{14} N_2$ -----	1.0435, 15°-----	“-----
<i>a</i> Glucosine-----	$C_6 H_8 N_2$ -----	1.038, 0°-----	Tanret. B. S. C. 44, 104.
<i>β</i> Glucosine-----	$C_7 H_{10} N_2$ -----	1.012, 0°-----	“-----
“-----	“-----	.9826, 12°-----	Morin. Ber. 21, ref. 188.
Methylglyoxalin-----	$C_4 H_6 N_2$ -----	1.0363 -----	Wallach and Schulze. Ber. 14, 424.
“-----	“-----	1.0359, 23°-----	Goldschmidt. Ber. 14, 1846.
Ethylglyoxalin-----	$C_5 H_8 N_2$ -----	.999 -----	Wallach. Ber. 16, 535.
Oxalmethylethylin-----	“-----	1.0051, 11°-----	Radziszewski. Ber. 16, 487.
Propylglyoxalin-----	$C_6 H_{10} N_2$ -----	.967, 16°-----	Wallach. Ber. 15, 650.
Oxalethylethylin-----	“-----	.9820 -----	Wallach and Stricker. Ber. 13, 512.
“-----	“-----	.980 -----	Radziszewski. Ber. 16, 487.
Oxalethylpropylin-----	$C_7 H_{12} N_2$ -----	.9813 -----	“-----
Oxalpropylethylin-----	“-----	.9641 -----	“-----
Oxalpropylpropylin-----	$C_8 H_{14} N_2$ -----	.9520 -----	Wallach and Schulze. Ber. 14, 424.
“-----	“-----	.951 -----	Radziszewski. Ber. 16, 487.
Amylglyoxalin-----	“-----	.940, 18°-----	Wallach. Ber. 15, 651.
Oxalethylisoamylin-----	$C_9 H_{16} N_2$ -----	.9291, 19° 6'-----	Radziszewski and Szul. Ber. 17, 1291.
Oxalpropylisoamylin-----	$C_{10} H_{18} N_2$ -----	.9149, 18°-----	“-----
Oxalisobutylisoamylin-----	$C_{11} H_{20} N_2$ -----	.9048, 16° 1'-----	“-----
Oxalisobutylisoamylin-----	$C_{12} H_{22} N_2$ -----	.9029, 19°-----	“-----

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Oxalmethyloanthrylin	$C_{10} H_{15} N_2$.9282, 16°.5	Karcz. Ber. 20, ref. 474
Oxalethyloanthrylin	$C_{11} H_{20} N_2$.9210, 16°.5	" "
Oxalpropyloanthrylin	$C_{12} H_{22} N_2$.9192, 17°	" "
Benzonitril	$C_6 H_5. C N$	1.0073, 15°	Fehling. A. C. P. 49, 91.
"	"	1.0230, 0°	Kopp. A. C. P. 98, 367.
"	"	1.0084, 16°.8	
"	"	.8330, 192°	Ramsay. J. C. S. 35, 463.
"	"	1.0052, 18°	Gladstone. Bei. 5, 249.
Benzyl cyanide, or <i>α</i> toluic nitril.	$C_7 H_7. C N$	1.0155, 8°	Radziszewski. Ber. 3, 198.
" " "	"	1.0146, 18°	Hofmann. Ber. 7, 519.
Phenylpropionitril	$C_8 H_9. C N$	1.0014, 18°	Hofmann. Ber. 7, 520.
Orthoxylyl cyanide	"	1.0156, 22°	Radziszewski and Wispek. Ber. 18, 1279.
Metaxylyl cyanide	"	1.0022, 22°	" "
Paraxylyl cyanide	"	.9922, 22°	" "
Cummonitril	$C_9 H_{11}. C N$.765, 14°	Hofmann. J. 1, 595.
Azobenzene	$C_{12} H_{10} N_2$	1.180	Schroder. Ber. 12, 561.
"	"	1.196	
"	"	1.202	
"	"	1.223	
"	"	.8256, 293°	Ramsay. J. C. S. 35, 463.
Phenyl hydrazin	$C_6 H_5 N_2$	1.091, 21°	Fischer. A. C. P. 190, 82.
" " "	"	1.097, 22°.7	Fischer. A. C. P. 226, 198.
Chinaldin	$C_{10} H_9 N$	1.0646, 20°	Kusel. Ber. 19, 2249.
Piperyl hydrazin	$C_5 H_{12} N_2$.9283, 14°.6	Knorr. A. C. P. 221, 301.
Diethylaniline <i>α</i> zylin	$C_{20} H_{25} N_4$	1.107, 15°.8	Lippmann and Fleissner. Ber. 16, 1417.
Methyl indol	$C_9 H_9 N$	1.0707, 0°	Lipp. Ber. 17, 2511.
Cyanoconicine	$C_9 H_{11} N_2$.93	E. v. Meyer. B. S. C. 39, 124.
Ptonaine	$C_8 H_{11} N$.9865, 0°	Cominek. C. R. 105, 859.
"Acetylamme. ?"	$C_2 H_5 N. ?$.975, 15°	Natanson. J. 9, 527.

XLVIII. COMPOUNDS CONTAINING C, H, N, AND O.

1st. Nitrites and Nitrates of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl nitrite	$C H_3 \cdot N O_2$.991	Strecker. J. 7, 521.
Ethyl nitrite	$C_2 H_5 \cdot N O_2$.886, 4°	Dumas and Boullay. Ann. (2), 37, 19.
“ “	“	.947, 15°	Liebig. A. C. P. 30, 143.
“ “	“	.898	Mohr. J. 7, 561.
“ “	“	.900, 15°·5	Brown. J. 9, 575.
Propyl nitrite	$C_3 H_7 \cdot N O_2$.935, 21°	Cahours. Les Mon- des, 32, 280.
Isopropyl nitrite	“	.856, 0°	} Silva. Z. C. 12, 637.
“ “	“	.844, 24°	
Isobutyl nitrite	$C_4 H_9 \cdot N O_2$.89445, 0°	} Chapman and Smith. J. C. S. 22, 153.
“ “	“	.8771, 16°	
“ “	“	.82568, 50°	
Trimethylcarbyl nitrite	“	.8915, 0°	Bertoni. Ber. 19, ref. 98.
Amyl nitrite	$C_5 H_{11} \cdot N O_2$.8773	Rieckher. J. 1, 699.
“ “	“	.9020	} Hilger. Am. Ch. 5, 231.
“ “	“	.9026	
“ “	“	.8734, 21°	Gladstone. Bei. 9, 249.
Dimethylethylcarbyl ni- trite.	“	.9033, 0°	Bertoni. G. C. I. 16, 512.
Octyl nitrite	$C_8 H_{17} \cdot N O_2$.862, 17°	Eichler. Ber. 12, 1887.
Methylhexylcarbyl nitrite	“	.881, 0°	Bertoni. G. C. I. 16, 512.
Methyl nitrate	$C H_3 \cdot N O_3$	1.182, 20°	Dumas and Peligot. Ann. (2), 58, 39.
Ethyl nitrate	$C_2 H_5 \cdot N O_3$	1.112, 17°	Millon. Ann. (3), 8, 236.
“ “	“	1.1322, 0°	} Kopp. A. C. P. 98, 367.
“ “	“	1.1123, 15°·5	
“ “	“	1.0948, 17°	Wittstein. J. 18, 470.
“ “	“	.9991, 87°	Ramsay. J. C. S. 35, 463.
“ “	“	1.1067, 25°	Gladstone. Bei. 9, 249.
Isopropyl nitrate	$C_3 H_7 \cdot N O_3$	1.054, 0°	} Silva. Z. C. 12, 637.
“ “	“	1.036, 19°	
Isobutyl nitrate	$C_4 H_9 \cdot N O_3$	1.0384, 0°	} Chapman and Smith. J. C. S. 22, 153.
“ “	“	1.020, 16°	
Amyl nitrate	$C_5 H_{11} \cdot N O_3$.902, 22°	Rieckher. J. 1, 699.
“ “	“	.994, 10°	Hofmann. J. 1, 699.
“ “	“	1.000, 7°—8°	Chapman and Smith. J. 20, 550.
“ “	“	.8698, 147°	Schiff. Bei. 9, 559.
Cetyl nitrate	$C_{16} H_{33} \cdot N O_3$.91	Champion. C. R. 73, 571.

2d. Nitro-Derivatives of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitromethane	$C_1 H_3 N O_2$	1.0236, 101°.5	Schiff. <i>Bei.</i> 9, 559.
Nitroethane	$C_2 H_5 N O_2$	1.0582, 13°	Meyer and Stuber. <i>Ann.</i> (4), 28, 138.
"	"	.9329, 114°.5	Schiff. <i>Bei.</i> 9, 559.
"	"	1.0550, 18°	Gladstone. <i>Bei.</i> 9, 249.
Nitroheptane	$C_7 H_{15} N O_2$.9269, 19°	Beilstein and Kur- batow. <i>Ber.</i> 13, 2029.
Dinitroethane	$C_2 H_4 (N O_2)_2$	1.3503, 23°.5	Meer. <i>Ber.</i> 8, 1080.
Dinitropropane	$C_3 H_6 (N O_2)_2$	1.258, 22°.5	Meer. <i>Ber.</i> 8, 1087.
Dinitrobutane	$C_4 H_8 (N O_2)_2$	1.205, 15°	Chancel. <i>Ber.</i> 16, 1495.
Dinitrohexane	$C_6 H_{12} (N O_2)_2$	1.1381, 0°	Chancel. C. R. 100, 601.
"	"	1.1333, 5°	
"	"	1.1284, 10°	
"	"	1.1235, 15°	
"	"	1.1185, 20°	
"	"	1.1135, 25°	
"	"	1.1085, 30°	
"	"	1.1034, 35°	
"	"	1.0983, 40°	
Ethyl nitroacetate	$C_4 H_7 N O_4$	1.133, 0°	Forcrand. C. R. 88, 975.
Nitrocaprylic acid	$C_8 H_{15} N O_4$	1.092, 18°	Wirz. A. C. P. 104, 289.
Ethyl nitrocaprylate	$C_{10} H_{19} N O_4$	1.031, 18°	Wirz. A. C. P. 104, 290.
Nitrosodiethylamine	$C_4 H_{10} N_2 O$.951, 17°.5	Geuther. <i>J.</i> 16, 409.
Nitrosodipropylamine	$C_6 H_{14} N_2 O$.924, 14°	Siersch. <i>J.</i> 20, 537.
"	"	.931, 0°	Vincent. <i>Ber.</i> 19, ref. 680.
Derivative of nitroethane	$C_5 H_7 N O$	1.0102, 15°	Gotting. A. C. P. 243, 104.
"	$C_6 H_9 N O$.9750, 15°	" "
"	"	1.0	Sokolow. <i>Ber.</i> 19, ref. 540.

3d. Aromatic Nitro-Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitrobenzene	$C_6H_5.NO_2$	1.209, 15°	Mitscherlich. P. A. 31, 625.
"	"	1.2002, 0°	Kopp. A. C. P. 98, 367.
"	"	1.1866, 14°.4	
"	"	1.2159, 5°-10°	} Regnault. P. A. 62, 50.
"	"	1.2107, 10°-15°	
"	"	1.2504, 15°-20°	} Naumann. Ber. 10, 2015.
"	"	1.206, 20°	
"	"	1.0210, 220°	Ramsay. J. C. S. 35, 463.
"	"	1.2039, 20°	Brühl. Bei. 4, 780.
"	"	1.1740, 25°.5	} Schall. Ber. 17, 2555.
"	"	1.0851, 116°.2	
"	"	1.2121, 7°.5	Gladstone. Bei. 9, 249.
"	"	1.07134, 150°.7	} Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	1.07033, 153°.3	
"	"	1.06276, 158°.4	
"	"	1.04807, 173°.2	
"	"	1.04477, 186°.6	
"	"	1.03246, 189°.4	
"	"	1.03059, 189°.4	
"	"	1.01794, 200°.1	
"	"	1.00846, 207°.3	
"	"	1.00722, 208°.2	
Dinitrobenzene	$C_6H_4(NO_2)_2$	1.3690, 98°.1	Schiff. A. C. P. 223, 247.
Nitrotoluene	$C_6H_4.CH_3.NO_2$	1.18, 16°.5	Deville. Ann. (3), 3, 175.
"	"	1.1231, 54°	Schiff. A. C. P. 223, 247.
"	"	1.1649, 15°.5	Gladstone. Bei. 9, 249.
Orthonitrotoluene	"	1.162, 23°	} Beilstein and Kuhlberg. A. C. P. 155, 17.
"	"	1.163, 23°.5	
"	"	1.159	Leeds. Ber. 14, 483.
"	"	1.02509	} Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	1.02483 } 160°	
"	"	.99814, 186°.1	
"	"	.99679, 187°.1	
"	"	.98403 } 197°.7	
"	"	.98388 } 197°.7	
"	"	.97149, 208°.7	
"	"	.97087, 209°.2	
"	"	.96192 } 218°	
"	"	.96177 } 218°	
"	"	.96063 } 219°.8	
"	"	.96032 } 219°.8	
Metanitrotoluene	"	1.168, 22°	Beilstein and Kuhlberg. J. 22, 403.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metanitrotoluene	$C_6H_4 \cdot CH_3 \cdot NO_2$	1.01158 } 171°	Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	1.01128 } 194°.1	
"	"	.98775 } 207°.8	
"	"	.98737 } 218°.8	
"	"	.97227 } 227°	
"	"	.97189 } 227°.5	
"	"	.96027 } 228°.5	
"	"	.96008 } 228°.5	
"	"	.95099 } 228°.5	
"	"	.95084 } 228°.5	
Paranitrotoluene	"	.94984, 227°.5	Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	.94933 } 239°.5	
"	"	.94914 } 239°.5	
"	"	1.00668, 177°.5	
"	"	1.00467, 178°.5	
"	"	.98378 } 201°	
"	"	.98364 } 219°	
"	"	.96812, 219°	
"	"	.95455, 225°	
"	"	.94531 } 237°.5	
"	"	.94513 } 237°.5	
"	"	.94342, 239°	
Dinitrotoluene	$C_6H_3 \cdot C H_3 (NO_2)_2$	1.3208, 70°.5	Schiff. A. C. P. 223, 247.
Nitroöthoxylyene	$C_6H_3 (CH_3)_2 NO_2$	1.139, 20°	Jacobsen. Ber. 17, 160.
"	"	1.147, 15°	Noelting and Forel. Ber. 18, 2671.
Nitrometaxylyene. 1.3.2	"	1.126, 17°.5	Tawildarow. Z. C. 13, 418.
"	"	1.126, 24°.5	Beilstein and Kuhlberg.
"	"	1.112, 15°	Grevingk. Ber. 17, 2430.
"	1.3.4	1.124, 25°	Beilstein and Kuhlberg.
"	"	1.135, 15°	Grevingk. Ber. 17, 2429.
"	"	.98667, 176°	Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	.98254, 179°.5	
"	"	.98057, 182°	
"	"	.97535, 186°	
"	"	.95631 } 206°	
"	"	.95642 } 206°	
"	"	.94078, 218°	
"	"	.92964 } 233°	
"	"	.92945 } 233°	
"	"	.91791 } 243°	
"	"	.91823 } 243°	
"	"	.91634, 244°	
Nitroparaxylyene	"	1.132, 15°	Noelting and Forel. Ber. 18, 2680.
Nitrocymene	$C_{10}H_{15} \cdot NO_2$	1.0385, 18°	Landolph. C. C. 4, 596.
Dinitrocymene	$C_{10}H_{12} \cdot (NO_2)_2$	1.206, 18°.5	" "
"	"	1.204, 21°	
Nitronaphthylene	$C_{10}H_7 \cdot NO_2$	1.321 } 4°	Schröder. Ber. 12, 1611.
"	"	1.311 } 4°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitronaphtholene -----	$C_{10}H_7.NO_2$ -----	1.2226, 61°.5--	Schiff. A. C. P. 223, 247.
Orthonitrophenol -----	$C_6H_4.OH.NO_2$ ---	1.443 } 4° -- {	Schröder. Ber. 12, 561.
“ -----	“ -----	1.451 } 4° -- {	“ “
“ -----	“ -----	1.2945, 45°.2--	Schiff. A. C. P. 223, 247.
Paranitrophenol -----	“ -----	1.467 } 4° -- {	Schröder. Ber. 12, 561.
“ -----	“ -----	1.469 } 4° -- {	“ “
“ -----	“ -----	1.2809, 114° --	Schiff. A. C. P. 223, 247.
Trinitrophenol, or picric acid. -----	$C_6H_2.OH.(NO_2)_3$ ---	1.813 -----	Rüdorff. Ber. 12, 251.
“ “ -----	“ -----	1.750 } 4° -- {	Schröder. Ber. 12, 561.
“ “ -----	“ -----	1.777 } 4° -- {	“ “
Methyl orthonitrophenate	$C_6H_4.OCH_3.NO_2$ ---	1.268, 20° -----	Post and Mehrrens. Ber. 8, 1552.
Methyl paranitrophenate	“ -----	1.233, 20° -----	“ “
Methyl α dinitrophenate	$C_6H_3.OCH_3.(NO_2)_2$ ---	1.341, 20° -----	“ “
Methyl β dinitrophenate	“ -----	1.319, 20° -----	“ “
Methyl trinitrophenate	$C_6H_2.OCH_3.(NO_2)_3$ ---	1.408, 20° -----	“ “
Orthonitrobenzoic acid	$C_6H_4.COOH.NO_2$ ---	1.5588 -----	Post and Frerichs. Ber. 8, 1549.
“ “ -----	“ -----	1.574 } 4° -- {	Schröder. Ber. 12, 1611.
“ “ -----	“ -----	1.576 } 4° -- {	“ “
Metanitrobenzoic acid	“ -----	1.4721 -----	Post and Frerichs. Ber. 8, 1549.
“ “ -----	“ -----	1.492 } 4° -- {	Schröder. Ber. 12, 1611.
“ “ -----	“ -----	1.496 } 4° -- {	“ “
Paranitrobenzoic acid	“ -----	1.5804 -----	Post and Frerichs. Ber. 8, 1549.
Nitroanisol -----	$C_6H_4.OCH_3.NO_2$ ---	1.249, 26° -----	Brunck. J. 20, 619.
Orthonitroisobutylanisol	$C_6H_4.OC_4H_9.NO_2$ ---	1.1046, 20° -----	Riess. Z. C. 14, 39.
Paranitroisobutylanisol	“ -----	1.1361, 20° -----	“ “
Metanitriline -----	$C_6H_4.H_2N.NO_2$ ---	1.480, 4° -----	Schröder. Ber. 12, 561.
Paranitriline -----	“ -----	1.415 } 4° -- {	“ “
“ -----	“ -----	1.433 } 4° -- {	“ “

4th. Miscellaneous Nitrates, Nitrites, and Nitro-Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl nitrite	$C_3 H_5 N O_2$	0.9546, 0°	Bertoni. G. C. I. 15, 368.
Allyl nitrate	$C_3 H_5 N O_3$	1.09, 10°	Henry. B. S. C. 18, 232.
Ethylene nitrosnitrate	$C_2 H_4 N O_2 N O_3$	1.472	Kekulé. Ber. 2, 329.
Ethylene mononitrate	$C_2 H_4 O N O_2 N O_3$	1.31, 11°	Henry. Ann. (4), 27, 243.
Ethylene dinitrate	$C_2 H_4 (N O_2)_2$	1.4837, 8°	" "
"	"	1.48	Champion. Z. C. 14, 470.
<i>α</i> Propylene dinitrite	$C_3 H_6 (N O_2)_2$	1.144, 0°	Bertoni. G. C. I. 16, 512.
Propylene dinitrate	$C_3 H_6 (N O_3)_2$	1.335, 5°	Henry. Ann. (4), 27, 243.
Ethylene acetone nitrate	$C_2 H_4 C_2 H_3 O_2 N O_3$	1.29, 18°	" "
Glyceryl trinitrite	$C_3 H_7 (N O_2)_3$	1.291, 15° 5'	Masson. Ber. 16, 1699.
Nitrolactic acid	$C_3 H_5 N O_3$	1.35, 12° 8'	Henry. Ann. (4), 28, 415.
Ethyl nitroglycollate	$C_4 H_7 N O_5$	1.2112, 15° 2'	" "
Ethyl nitrolactate	$C_5 H_9 N O_5$	1.1534, 13°	" "
Ethyl nitromalonate	$C_7 H_{11} N O_5$	1.149, 15°	Conrad and Bischoff. Ber. 13, 599.
Ethyl nitrotartrate	$C_7 H_{11} N O_7$	1.2778, 16°	Henry. Ann. (4), 28, 415.
Ethyl nitromalate	$C_8 H_{13} N O_7$	1.2094, 16°	" "
Nitroglycerine	$C_3 H_5 N_3 O_9$	1.595 (15°	De Vrij. J. 8, 626.
"	"	1.600	"
"	"	1.5958	Liehe. J. 13, 453.
"	"	1.60	Sobrero. J. 13, 453.
"	"	1.60	Champion. Z. C. 14, 350.
"	"	1.6, 15°	Kern. C. N. 31, 153.
"	"	1.755, 8°	Beckerhins. J. R. C. 3, 148.
"	"	1.599, 1	"
"	"	1.601, 14° 5'	Huy and Masson. J. C. S. 48, 742.
Nitromannite	$C_6 H_4 N_6 O_{13}$	1.904, 0°, cryst	} Sokoloff. Ber. 12, 698.
"	"	1.446	
"	"	1.503 fused	
"	"	1.537	
Trinitrolactose	$C_{12} H_{19} N_3 O_{17}$	1.479, 0°	Gé. Ber. 15, 2239.
Pentanitrolactose	$C_{12} H_{17} N_5 O_{21}$	1.684, 0°	" "
Acetonitrose	$C_{11} H_{19} N O_{12}$	1.3487, 18°	Colley. B. S. C. 19, 405.
Acetoethyl nitrate	$C_6 H_{11} N_2 O_7$	1.0451, 19°	Nadler. J. 13, 403.
Derivative of menthol	$C_{10} H_{19} N O_2$	1.061, 15°	Muriya. J. C. S. 37, 77.

5th. Miscellaneous Amido-Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylhydroxylamine	$N H_2 O H. C_2 H_5$.8827, 7°.5	Gürke. Ber. 14, 258.
Ethylenediamine hydrate	$(N H_2)_2 C_2 H_4. H_2 O$.970, 15°	Rhousopolos and Meyer. J. C. S. 42, 940.
Oxypropylpropylamine	$N H. C_3 H_7. C_3 H_6 O H$.9018, 18°	Liebermann and Paal. Ber. 16, 523.
Oxyisoamylamine	$N H_2 C_5 H_{11} O$.9265, 14°	Radziszewski and Schramm. Ber. 17, 838.
Dioxyisoamylamine	$N H. (C_5 H_{11} O)_2$.9500, 14°	" "
Trioxamylamine	$N (C_5 H_{11} O)_3$.879, 22°	J. Erdmann. J. 17, 419.
Formamide	$N H_2. C O H$	1.1462, 19°	Gladstone. Bci. 9, 249.
Methylformamide	$N H. C H_3. C O H$	1.011, 19°	Linnemann. J. 22, 601.
Ethylformamide	$N H. C_2 H_5. C O H$.967, 2°	Wurtz. J. 7, 567.
"	"	.952, 21°	Linnemann. J. 22, 602.
Diethylformamide	$N (C_2 H_5)_2. C O H$.908, 19°	" "
Acetamide	$N H_2. C_2 H_3 O$	1.11 } 14°	Mendius. B. D. Z.
"	"	1.13	
"	"	1.159, 4°	Schröder. Ber. 12, 561.
Ethylacetamide	$N H. C_2 H_5. C_2 H_3 O$.942, 4°.5	Wurtz. J. 7, 566.
Ethylidiacetamide	$N. C_2 H_3. (C_2 H_3 O)_2$	1.0092, 20°	Wurtz. Ann. (2), 42, 55.
Dimethylacetamide	$N (C H_3)_2. C_2 H_3 O$.9405, 20°	Franchimont. R. T. C. 2, 329.
Diethylacetamide	$N. (C_2 H_5)_2. C_2 H_3 O$.9248, 8°.5	Wallach and Kamensky. A. C. P. 214, 235.
Propionamide	$N H_2. C_3 H_5 O$	1.030 } 4°	Schröder. Ber. 12, 561.
"	"	1.037	
Amidoacetic acid, or glycocoll.	$C_2 H_5 N O_2$	1.1607	Curtius. B. S. C. 39, 169.
Ethyl diethylglycocollate	$C_8 H_{17} N O_2$.919, 15°	Kraut. J. R. C. 4, 198.
Amidocaproic acid, or leucine.	$C_6 H_{13} N O_2$	1.293, 18°	Engel and Vilmain. B. S. C. 24, 279.
" " "	"	1.282	Lippmann. Ber. 17, 2837.
Oxamide	$C_2 H_4 N_2 O_4$	1.627 } 4°	Schröder. Ber. 12, 561.
"	"	1.657	
"	"	1.667	
Dimethyloxamide	$C_4 H_8 N_2 O_2$	1.281 } 4°	Schröder. Ber. 12, 1611.
"	"	1.307	
Diethyloxamide	$C_6 H_{12} N_2 O_2$	1.164 } 4°	" "
"	"	1.173	
Asparagine	$C_4 H_8 N_2 O_3. H_2 O$	1.519, 14°	Watts' Dictionary.
"	"	1.552	Rüdorff. Ber. 12, 252.
Amidosuccinic, or aspartic acid.	$C_4 H_7 N O_4$	1.6613, active	} Pasteur. J. 4, 389.
"	"	1.6632, inactive	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allysuccinimide	$C_7 H_9 N O_2$	1.1543, 0°	Moine. J. C. S. 52, 489.
"	"	1.1432, 12°	
"	"	1.1112, 50°	
"	"	1.0677, 100°	
Ethyl amidocetate	$C_6 H_{11} N O_2$	1.014, 30°	Duisberg. Ber. 15, 1386.
Ethylamidopropiopropionate.	$C_8 H_{15} N O_2$.9774, 15°	Israel. A. C. P. 231, 197.
Mucamide	$C_6 H_{12} N_2 O_6$	1.589, 13°.5	Mahguti. C. R. 22, 854.
Benzamide	$N H_2 \cdot C_7 H_5 O$	1.338	Schroder. Ber. 12, 1611.
"	"	1.344	
Amidobenzoic acid	$N H_2 \cdot C_7 H_5 O_2$	1.506	" "
"	"	1.515	
Amidomethylphenol	$C_7 H_9 N O$	1.108, 26°	Brunck. J. 20, 620.
Dimethylanisidine	$C_9 H_{13} N O$	1.016, 23°	Mühlhäuser. A. C. P. 207, 249.
Ethyl orthoamidophenetol	$C_{10} H_{15} N O$	1.021, 18°.3	Forster. J. P. C. (2), 21, 347.
Methylformanilide	$C_8 H_9 N O$	1.097, 18°	Pictet and Crépieux. Ber. 21, 1106.
Ethylformanilide	$C_9 H_{11} N O$	1.063, 16°	" "
Propylformanilide	$C_{10} H_{13} N O$	1.044, 16°	" "
Isoamylformanilide	$C_{12} H_{17} N O$	1.004, 16°	" "
Acetanilide	$C_8 H_9 N O$	1.099, 10°.5	Williams. J. 17, 424.
"	"	1.205	Schroder. Ber. 12, 1611.
"	"	1.216	
Benzanilide	$C_{13} H_{11} N O$	1.306	" "
"	"	1.321	
Oxetheniline	$C_8 H_{11} N O$	1.11, 0°	Demole. J. C. S. (2), 12, 77.
α Ethylbenzhydroxamic acid.	$C_9 H_{11} N O_2$	1.209	Gurke. Ber. 14, 258.
β Ethylbenzhydroxamic acid.	"	1.185	Gurke. Ber. 14, 259.
Ethyl ethylbenzhydroxamate.	$C_{11} H_{13} N O_2$	1.0258, 17°	Gurke. Ber. 14, 257.
Ethyl α dibenzhydroxamate.	$C_{16} H_{15} N O_3$	1.2433, 18°.4	Gurke. Ber. 14, 258.
Ethyl β dibenzhydroxamate.	"	1.2395, 18°.4	" "
Tyrosine	$C_9 H_{11} N O_3$	1.456	Siber. Ber. 17, 2837.
Carbamide, or urea	$C H_4 N_2 O$	1.35	Proust.
"	"	1.30, 12°	Bodeker. B. D. Z.
"	"	1.35	Schubus.
"	"	1.323	Schroder. Ber. 12, 561.
"	"	1.333	
Ethyl carbamide	$C_3 H_8 N_2 O$	1.209	{ Two samples. Lenckart. J. P. C. (2), 21, 11.
"	"	1.213, 18°	
Diethyl carbamide	$C_5 H_{12} N_2 O$	1.040	Schroder. Ber. 13, 1070.
"	"	1.043	
Benzyl phenyl carbamide	$C_{14} H_{16} N_2 O$.9168, 18°	Gladstone. Bei. 9, 249.
Ethyl carbamate, or urethane	$C_3 H_7 N O_2$.9862, 21°	Wurtz. J. 7, 565.

6th. Miscellaneous Cyanogen Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl cyanate	$C_2 H_5 \cdot C N O$	1.1271, 15°	Cloëz. J. 10, 386.
Tertiary butyl cyanate	$C_4 H_9 \cdot C N O$.8676, 0°	Brauner. Ber. 12, 1875.
Cyanaldehyde	$C_2 H_3 O C N$.881, 15°	Chautard. C. R. 106, 1168.
Ethyl cyanformate	$C_4 H_5 N O_2$	1.0130, 13°.5	Henry. C. R. 102, 768.
Ethyl cyanacetate	$C_5 H_7 N O_2$	1.0664, 13°.5	" "
Diisobutyryl dicyanide	$C_{10} H_{14} N_2 O_2$.96	Moritz. J. C. S. 40, 13.
Ethylene cyanhydrin	$C_2 H_4 \cdot O H \cdot C N$	1.0588, 0°	Erlenmeyer. A. C. P. 191, 276.
Ethyl acetylcyanacetate	$C_7 H_9 N O_3$	1.102, 19°	Haller and Held. Ber. 15, 2363.
Ethyl methylacetylcyanacetate.	$C_8 H_{11} N O_3$.996, 20°	Held. B. S. C. 41, 330.
Ethyl ethylacetylcyanacetate.	$C_9 H_{13} N O_3$.976, 20°	" "
Ethoxyacetoneitril	$C_4 H_7 N O$.918, 6°	Henry. B. S. C. 20, 186.
"	"	.9093, 20°	Norton and Tscherniak.
Phenoxyacetoneitril	$C_8 H_7 N O$	1.09, 17°.5	Fritzsche. Ber. 12, 2178.
Mandelic nitril	"	1.124	Völckel. P. A. 62, 444.
Hydroxisovaleronitril	$C_5 H_9 N O$.95612, 0°	Lipp. A. C. P. 205, 26.
Hydroxycaprylonitril	$C_8 H_{15} N O$.9048, 17°	Erlenmeyer and Sigel. A. C. P. 177, 107.
Triethoxyacetoneitril	$C_8 H_{15} N O_3$	1.0030, 15°.5	Bauer. A. C. P. 229, 163.
Valeracetoneitril	$C_{13} H_{24} N_2 O_3$.79	Schlieper. A. C. P. 49, 19.
Acetoxyacetoneitril	$C_4 H_5 N O_2$	1.1003, 13°.5	Henry. C. R. 102, 768.
Acetoxypropionitril	$C_5 H_7 N O_2$	1.077, 13°.5	" "
Cyanöl	$C_6 H_{11} N O$	1.009	Rossignon. A. C. P. 44, 301.

7th. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl carbimide	$C_3 H_5 N O$.8981	Wurtz. J. 7, 564.
Phenyl carbimide	$C_7 H_5 N O$	1.092, 50°	Hofmann. P. R. S. 19, 108.
Ethylmethyl acetoxim	$C_4 H_9 N O$.9195, 24°	Janny. Ber. 15, 2770.
Trimethylene diethylalkin	$C_7 H_{17} N O$.9199, 4°	Berend. Ber. 17, 510.
Tetraethylallylalkin	$C_{11} H_{26} N_2 O$.9002, 4°	" "
Methylphenylethylalkin	$C_9 H_{13} N O$	1.08065, 0°	Laun. Ber. 17, 676.
Piperpropylalkin	$C_3 H_{17} N O$.9456, 0°	Laun. Ber. 17, 680.
Hydroxypicoline	$C_6 H_9 N O$	1.008, 13°	Etard. J. C. S. 40, 1046.
Collidine monocarbonic ether.	$C_{11} H_{15} N O_2$	1.0315, 15°	R. Michael. A. C. P. 225, 121.
Collidine dicarbonic ether	$C_{14} H_{19} N O_4$	1.087, 15°	Hantzsch. Ber. 15, 2913.
Nitroxylpiperidine	$C_5 H_{10} N_2 O$	1.0659, 15°.	Wertheim. J. 16, 440.
Acetpiperidid	$C_7 H_{13} N O$	1.01106, 9°	Wallach and Kamensky. A. C. P. 214, 238.
Acetylpellidine	$C_{10} H_{19} N O$.9787, 0°	Durkopf. Ber. 18, 924.
"	"	.9660, 21°	
Parachinanisol	$C_{10} H_9 N O$	1.1665, 0°	Skraup. Ber. 18, ref. 631.
"	"	1.1542, 20°	
"	"	1.1402, 50°	
Base from ethylaminecamphorate.	$C_{11} H_{21} N_2 O$	1.0177, 15°	Wallach and Kamensky. A. C. P. 214, 245.
Uric acid	$C_5 H_4 N_4 O_3$	1.855	Schroder. Ber. 13, 1070.
"	"	1.893	
Hippuric acid	$C_9 H_7 N O_3$	1.308, s.	Schabus. J. 3, 410.
Ethyl hippurate	$C_{11} H_{19} N O_3$	1.043, 23°, s.	Stenhouse. A. C. P. 31, 148.
Ethyl glycocholate	$C_{28} H_{47} N O_6$.901	Springer. A. C. J. 1, 181.
Indigotine	$C_{16} H_{15} N_2 O_2$	1.35	Weltzien's "Zusammenstellung."
Cratine hydrate	$C_4 H_9 N_3 O_2 \cdot H_2 O$	1.34	Watts' Dictionary.
"	"	1.35	
Caffeine	$C_8 H_{10} N_4 O_2 \cdot H_2 O$	1.23, 19°	Pfaff. Watts' Dict.
Piperine	$C_{17} H_{19} N O_3$	1.1931, 18°	Wackenroder. Watts' Dict.
Strychnine	$C_{21} H_{33} N_2 O_2$	1.359, 18°	F. W. Clarke.
"	"	1.13	Blunt. J. C. S. 59, 1047.
Morphine	$C_{17} H_{19} N O_3 \cdot H_2 O$	1.317	Schroder. Ber. 13, 1070.
"	"	1.326	
Morphine butyrate	$C_{21} H_{27} N O_5$	1.215, 13°	Dechorme. J. 16, 445.
Morphine oxalate	$C_{26} H_{28} N_2 O_7 \cdot 2 H_2 O$	1.286, 15°	" "
Morphine lactate	$C_{20} H_{25} N O_6$	1.3574	" "
Codaine	$C_{19} H_{21} N O_3 \cdot N_2 O$	1.300	Hunt. J. 8, 566.
"	"	1.311	Schroder. Ber. 13, 1070.
"	"	1.323	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Thebaine	$C_{19}H_{21}NO_3$	1.282	Schröder. Ber. 13, 1070.
"	"	1.305	
Laudanine	$C_{20}H_{25}NO_4$	1.255	" "
"	"	1.256	
Papaverine	$C_{21}H_{21}NO_4$	1.308	" "
"	"	1.317	
"	"	1.337	
Cryptopine	$C_{21}H_{23}NO_5$	1.351	" "
Narcotine	$C_{22}H_{23}NO_7$	1.374	" "
"	"	1.391	
"	"	1.395	
Pelletierine	$C_8H_{15}NO$.988, 0°	Tanret. Ber. 13, 1031.
Paraffinic acid	$C_{13}H_{26}NO_5$	1.14, 15°	Champion and Pel- let. B.S.C. 18, 247.

XLIX. CHLORIDES, BROMIDES, AND IODIDES OF CARBON.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbon tetrachloride	$C Cl_4$	1.599	Regnault. Ann. (2), 71, 383.
"	"	1.56	Kolbe. A. C. P. 54, 146.
"	"	1.62983, 0°	Pierre. Ann. (3), 33, 210.
"	"	1.567, 12°	Riche.
"	"	1.5947, 20°	Haagen. P. A. 131, 117.
"	"	1.4658, at the boiling p't.	Ramsay. J. C. S. 35, 463.
"	"	1.63195, 0°	} Thorpe. J. C. S. 37, 199.
"	"	1.47999, 76°.74	
"	"	1.6084, 9°.5	} Schiff. G. C. I. 13, 177.
"	"	1.4802, 75°.6	
"	"	1.60500, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	1.58873, 25°	
Tetrachlorethylene	$C_2 Cl_4$	1.619, 20°	Regnault. Ann. (2), 71, 353.
"	"	1.6490, 0°	Pierre. Ann. (3), 33, 230.
"	"	1.612, 10°	Geuther. A. C. P. 107, 212.
"	"	1.6595, 0°	Bourgoin. Ber. 8, 548.
"	"	1.6190, 20°	} Brühl. Bei. 4, 780.
"	"	1.6312, 9°.4	
"	"	1.4434	
"	"	1.4489 } 120°	
Hexchloroethane	$C_2 Cl_6$	1.619	Regnault. Ann. (2), 71, 374.
"	"	2.011	Schröder. Ber. 13, 1070.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Octachloropropane	$C_3 Cl_8$	1.860	Cahours. J. 3, 456.	
Hexchlorobenzene	$C_6 Cl_6$	1.585, 228°	Jungfleisch. J. 20,	
"	"	1.437, 317°	36.	
"	"	1.569, 236°	M. 226°, B. 326°.	
"	"	1.5191, 266°	Jungfleisch. J. 21,	
"	"	1.1624, 306°	354.	
Thiocarbonyl chloride	$C S Cl_2$	1.46	Kolbe. A. C. P. 45,	
"	"	1.5498, 0°	41.	
"	"	1.5339, 11°	Claesson. Lund	
"	"	1.5241, 17°	Arsskrift 1884-5.	
"	"	1.05085, 15°	Billetter and Strohl.	
			Ber. 21, 102.	
Carbon tetrabromide	$C Br_4$	3.42, 14°	Bolas and Groves.	
			J. C. S. 24, 780.	
Carbon sulphobromide	$C S_2 Br_4$	2.88, 15°	Hell and Urech.	
			Ber. 16, 1148.	
Bromo-trichloromethane	$C Cl_3 Br$	2.058, 0°	Paterno. J. P. C. (2),	
"	"	2.017, 19°.5		5, 99.
"	"	1.842, 100°		Thorpe. J. C. S. 37,
"	"	2.05496, 0°		371.
"	"	1.82446, 104°.07		
Dibrom-tetrachlorethane	$C_2 Cl_4 Br_2$	2.3, 21°	Milaguti. Ann. (3),	
			16, 24.	
Dibrom-hexchloropropane	$C_3 Cl_6 Br_2$	1.974	Cahours.	
Carbon tetriodide	$C I_4$	4.32, 20°.2	Gustavson. C R. 78,	
			1126.	

L. COMPOUNDS CONTAINING C, CL, AND O.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbonyl chloride	$C O Cl_2$	1.432, 0°	(Emmerling and
"	"	1.392, 182.6	
			(13, 189.)
Trichloroacetyl chloride	$C_2 Cl_4 O$	1.603, 18°	Milaguti. Ann. (3),
"	"		16, 9.
"	"	1.6594, 0°	(Thorpe. J. C. S.
"	"	1.44517, 118°	37, 371.)
Trichloroacetic anhydride	$C_4 Cl_6 O_2$	1.6908, 20°	Anthoine. J. Ph.
			Ch. (5), 8, 417.
Tetrachloromethyl formate	$C_2 Cl_4 O_2$	1.724, 12°	Cahours. J. 1, 676.
"	"	1.6525, 14°	Hentschel. J. P. C.
			(2), 36, 99.
Hexchloroethyl formate	$C_4 Cl_6 O_2$	1.705, 18°	Clœz. Ann. (3), 17,
			299.
Hexchloromethyl acetate	"	1.691, 18°	Clœz. Ann. (3), 17,
			312.
Perchloroethyl acetate	$C_4 Cl_8 O_2$	1.79, 25°	Leblanc. Ann. (3),
			10, 202.
"	"	1.78, 22°	Léblanc. Ann. (3),
			10, 208.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hexchloromethyl oxide	$C_2 Cl_6 O$	1.594	Regnault. Ann. (2), 71, 403.
Perchloroethyl oxide	$C_4 Cl_{10} O$	1.9, 14°.5	Malaguti. Ann. (3), 16, 14.
Hexchloroacetone	$C_3 Cl_6 O$	1.75, 10°	Plantamour.
"	"	1.744, 12°	Cloëz. Ann. (6), 9, 145.
Chloroethose	$C_4 Cl_6 O$	1.654, 21°	Malaguti. Ann. (3), 16, 20.
Derivative of sodium citrate.	$C_5 Cl_{10} O_2$	1.66	Watts' Dictionary.
By action of $P Cl_5$ on succinyl chloride.	$C_4 Cl_6 O$	1.634	Kauder. J. P. C. (2), 28, 191.

LI. COMPOUNDS CONTAINING C, H, AND CL.

1st. Chlorides of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl chloride	$C H_3 Cl$.99145, 25°.7	} Vincent and Delachanal. Bei. 3, 332.
"	"	.95231, 0°	
"	"	.92880, 13°.4	
"	"	.91969, 17°.9	
"	"	.90875, 23°.8	
"	"	.89638, 30°.2	
"	"	.97886, 39°	
Ethyl chloride	$C_2 H_5 Cl$.874, 5°	Thénard.
"	"	.92138, 0°	Pierre. C. R. 27, 213.
"	"	.9253, 0°	Darling. J. 21, 328.
"	"	.9176, 8°	Linnemann. A.C.P. 160, 195.
"	"	.8510, 12°	Ramsay. J. C. S. 35, 463.
"	"	.92295, 15°	} Perkin. J. P. C. (2), 31, 481.
"	"	.91708, 25°	
Propyl chloride	$C_3 H_7 Cl$.9156, 0°	} Pierre and Puchot. Ann. (4), 22, 281.
"	"	.8918, 19°.75	
"	"	.8671, 39°	
"	"	.9160, 18°	
"	"	.8959, 19°	
"	"	.8877, 14°	
"	"	.9123, 0°	
"	"	.8536, 46°.5	
"	"	.8561, 46°	
"	"	.8898, 20°	
"	"	.89296, 15°	} Brühl. Bei. 4, 778.
"	"	.88125, 25°	
"	"	.88125, 25°	} Perkin. J. P. C. (2), 31, 481.
"	"	.874, 10°	
Isopropyl chloride	"	.874, 10°	Linnemann.
"	"	.8722, 14°	Linnemann. A. C. P. 161, 18.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isopropyl chloride	C_3H_7Cl	.8825, 0°	Zander. A. C. P. 214, 181.
" "	"	.8326, 36° 5	
" "	"	.86884, 15°	
" "	"	.85750, 25°	Perkin. J. P. C. (2), 31, 481.
Butyl chloride	C_4H_9Cl	.880	Gerhard. J. 15, 409.
" "	"	.9074, 0°	Lieben and Rossi.
" "	"	.8874, 20°	A. C. P. 158, 137.
" "	"	.8972, 14°	Linnemann. Ann. (4), 27, 268.
" "	"	.8094, bp	Ramsay. J. C. S. 35, 463.
" "	"	.8794, 14°	De Heen. Bei. 5, 105.
Isobutyl chloride	"	.8953, 0°	Pierre and Puchot. Ann. (4), 22, 310.
" "	"	.8651, 27° 8	
" "	"	.8281, 59°	
" "	"	.8798, 15°	Linnemann. A. C. P. 162, 1.
" "	"	.8626, 19°	Gladstone. Bei. 9, 249.
" "	"	.8073, 68°	Schiff. Bei. 9, 559.
" "	"	.88356, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	.87393, 25°	
" "	"	.8658, 0°	
Trimethylcarbyl chloride	"	.8658, 0°	Puchot. Ann. (5), 28, 549.
" "	"	.84712, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	.83683, 25°	
" "	"	.9013, 0°	
Normal pentyl chloride	$C_5H_{11}Cl$.8834, 20°	Lieben and Rossi.
" "	"	.8680, 40°	A. C. P. 159, 70.
" "	"	.8732, 20°	Lachowicz. A. C. P. 220, 191.
Amyl chloride	"	.8859, 0°	Kopp. A. C. P. 95, 307.
" "	"	.8625, 25° 1	
" "	"	.89584, 0°	Pierre. C. R. 27, 213.
" "	"	.8750	Two products. Schorlemmer. J. 19, 527.
" "	"	.8777	
" "	"	.7801, bp	Ramsay. J. S. C. 35, 463.
" "	"	.8716, 14°	De Heen. Bei. 5, 105.
" "	"	.8703, 20°	Lachowicz. A. C. P. 220, 190.
" "	"	.7903, 99° 5	Schiff. Ber. 19, 560.
" "	"	.88006, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	.87164, 25°	
" "	Active	.886	
" "	Inactive	.8928, 0°	Le Bel. B. S. C. 25, 546.
" "	"	.8928, 0°	Balbiano. Ber. 9, 1437.
Methylpropylcarbyl chloride.	"	.912, 0°	Wagner and Saytzeff. A. C. P. 179, 321.
" "	"	.891, 21°	
Diethylcarbyl chloride	"	.916, 0°	" "
" "	"	.895, 21°	
Dimethylethylcarbyl chloride.	"	.883, 0°	Wurtz. J. 16, 516.
" "	"	.889, 0°	
" "	"	.870, 19°	
			Wischnegradsky. A. C. P. 190, 334-336.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethylethylcarbyl chloride. " " " " " "	$C_5 H_{11} Cl$.87086, 15°	Perkin. J. P. C. (2), 31, 481.
Hexyl chloride	$C_6 H_{13} Cl$.86219, 25°	
" " " " " "	"	.892, 16°	Pelouze and Cahours. J. 16, 525. Geibel and Buff. J. 21, 336.
" " " " " "	"	.892, 23°	
" " " " " "	"	.895, 13°	Cahours and Demarçay. C. R. 80, 1570. Domac. Ber. 14, 1712.
Secondary hexyl chloride	"	.871, 24°	
Chloride from tetramethylethane. " " " " " "	"	.8943, 14°	Schorlemmer. J. 20, 567.
" " " " " "	"	.8874, 22°	
" " " " " "	"	.8759, 34°	
Dimethylisopropylcarbyl chloride. " " " " " "	"	.8966, 0°	Pawlow. A. C. P. 196, 122.
Pinacolyl chloride	"	.8784, 19°	
" " " " " "	"	.8991, 0°	Friedel and Silva. J. C. S. (2), 11, 488.
Heptyl chloride	$C_7 H_{15} Cl$.9983, 15°	
" " " " " "	"	.890, 20°	Petersen. J. 14, 613. Pelouze and Cahours. J. 15, 386.
" " " " " "	"	.8737, 18°.5	
" " " " " "	"	.8725, 20°	} Two preparations. Schorlemmer. A. C. P. 136, 257.
" " " " " "	"	.8965, 19°	
" " " " " "	"	.891, 19°	Schorlemmer. Cross. J. C. S. 32, 123.
" " " " " "	"	.881, 16°	
Isoheptyl chloride	"	.8814, 16°.5	Schorlemmer. A. G. P. 136, 257.
" " " " " "	"	.8780, 18°.5	
" " " " " "	"	.8757, 22°	
Octyl chloride	$C_8 H_{17} Cl$.892, 18°	Schorlemmer. J. 15, 386.
" " " " " "	"	.895, 16°	
" " " " " "	"	.8802, 16°	Pelouze and Cahours. J. 16, 528. Zincke. A. C. P. 152, 5.
" " " " " "	"	.850	
" " " " " "	"	.87857, 15°	Cahours and Demarçay. C. R. 80, 1571.
" " " " " "	"	.87192, 25°	
Isooctyl chloride	"	.8834, 10°.5	Perkin. J. P. C. (2), 31, 481.
" " " " " "	"	.8617, 36°	
Methylhexylcarbyl chloride. " " " " " "	"	.87075, 15°	Schorlemmer. J. 20, 567.
" " " " " "	"	.86388, 25°	
Nonyl chloride. B. 196°	$C_9 H_{19} Cl$.899, 16°	Perkin. J. P. C. (2), 31, 481.
" " " " " "	"	.899, 16°	
" " " " " "	"	.8962, 14°	Pelouze and Cahours. J. 16, 529. Thorpe and Young. A. C. P. 165, 1.
" " " " " "	"	.911, 23°	
" " " " " "	"	.908, 25°.8	Lemoine. B. S. C. 41, 161.
" " " " " "	"	.908, 19°	
Decetyl chloride	$C_{10} H_{21} Cl$.933, 22°	" " "
Dodecetyl chloride	$C_{12} H_{25} Cl$.908, 19°	
Cetyl chloride	$C_{16} H_{33} Cl$.8412, 12°	Pelouze and Cahours. J. 16, 530. Tüttseff. J. 13, 406.

2d. Chlorides of the Series $C_n H_{2n} Cl_2$.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylene chloride	$C H_2 Cl_2$	1.344, 18°	Regnault. Ann. (2), 71, 378.
"	"	1.360, 0°	Butlerow. J. 22, 343.
"	"	1.377765, 0°	Thorpe. J. C. S. 37, 371.
"	"	1.30093, 41°·6	Perkin. J. P. C. (2), 32, 523.
"	"	1.33771, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.32197, 25°	Perkin. J. P. C. (2), 32, 523.
Ethylene chloride	$C_2 H_4 Cl_2$	1.256, 12°	Regnault. Ann. (2), 58, 307.
"	"	1.247, 18°	Liebig. A. C. P. 213.
"	"	1.28034, 0°	Pierre. C. R. 27, 213.
"	"	1.2562, 20°	Haugen. P. A. 131, 117.
"	"	1.25, 14°	Maumené. J. 22, 346.
"	"	1.272, 14°	Gladstone and Tribe. C. N. 29, 212.
"	"	1.1356, 81°	Ramsay. J. C. S. 35, 463.
"	"	1.28082, 0°	Thorpe. J. C. S. 37, 371.
"	"	1.15635, 83°·5	Brühl. A. C. P. 203, 1.
"	"	1.2521, 20°	Brühl. A. C. P. 203, 1.
"	"	1.1576, 83°·2	Schiff. Ber. 15, 2973.
"	"	1.2656, 92·8	Schiff. G. C. I. 13, 177.
"	"	1.1576, 83°·3	Schiff. G. C. I. 13, 177.
"	"	1.272, 14°	Gladstone. Ber. 9, 249.
"	"	1.25091, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.24800, 25°	Perkin. J. P. C. (2), 32, 523.
"	"	1.25014, 20°	Weegmann. Z. P. C. 2, 218.
Ethylidene chloride	"	1.174, 17°	Regnault. Ann. (2), 71, 357.
"	"	1.24074, 0°	Pierre. C. R. 27, 213.
"	"	1.189, 1·3	Gauthier. J. 11, 289.
"	"	1.198, 6·5	Darling. J. 21, 329.
"	"	1.201, 13°	Gladstone and Tribe. C. N. 29, 212.
"	"	1.1743, 20°	Brühl. A. C. P. 203, 1.
"	"	1.1070, 56°	Ramsay. J. C. S. 35, 463.
"	"	1.20394, 0°	Two samples.
"	"	1.10923, 59°·9	Thorpe. J. C. S. 37, 183 and 371.
"	"	1.2049, 0°	Thorpe. J. C. S. 37, 183 and 371.
"	"	1.1895, 9°·8	Schiff. G. C. I. 13, 177.
"	"	1.11425, 56°·7	Schiff. G. C. I. 13, 177.
"	"	1.11555, 56°·5	Schiff. G. C. I. 13, 177.
"	"	1.18450, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.17120, 25°	Perkin. J. P. C. (2), 32, 523.
"	"	1.17503, 20°	Weegmann. Z. P. C. 2, 218.
Propylene chloride	$C_3 H_6 Cl_2$	1.151	Cahours. J. 3, 496.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propylene chloride	$C_3H_6Cl_2$	1.1656, 14°	Linnemann. A. C. P. 161, 18.
"	"	1.184, 0°	} Friedel and Silva. Z. C. 14, 489.
"	"	1.153, 25°	
"	"	1.182, 0°	
"	"	1.153, 25°	
"	"	1.0470, 97°·5	
Trimethylene chloride	"	1.201, 15°	Schiff. Bei. 9, 559. Reboul. J. C. S. 36, 127.
"	"	1.1896, 17°·6	Freund. Ber. 14, 2270.
Dimethylmethylene chloride. Methylchloracetol.	"	1.117, 0°	Friedel.
"	"	1.06, 16°	Linnemann. A. C. P. 138, 125.
"	"	1.0827, 16°	Linnemann. A. C. P. 161, 18.
"	"	1.1058, 0°	} Friedel and Silva. Z. C. 14, 489.
"	"	1.0744, 25°	
"	"	1.1125, 0°	
"	"	1.0818, 25°	
"	"	1.09620	
"	"	1.09657	} Perkin. J. P. C. (2), 32, 523.
"	"	1.08430	
"	"	1.08476	
Propylidene chloride	"	1.143, 10°	Reboul. C. R. 82, 378.
Isobutylene chloride	$C_4H_8Cl_2$	1.112, 18°	Kolbe. J. 2, 338.
"	"	1.0953, 0°	} Kopp. A. C. P. 95, 307.
"	"	1.0751, 20°·7	
Isobutylidene chloride	"	1.0111, 12°	Oeconomides. Ber. 14, 1201.
Amylene chloride	$C_5H_{10}Cl_2$	1.058, 9°	Guthrie. J. 14, 665.
"	"	1.2219, 0°	Bauer. J. 19, 531.
Isoamylidene chloride	"	1.05, 24°	Ebersbach. J. 11, 297.
Chloramyl chloride	"	1.194, 0°	Buff. J. 21, 333.
Hexylene chloride. B. 180°	$C_6H_{12}Cl_2$	1.087, 20°	Pelouze and Cahours. J. 16, 525.
"	"	1.0527, 11°	Henry. C. R. 97, 260.
Heptylene chloride	$C_7H_{14}Cl_2$	1.0295, 10°	Husemann. B. D. Z.

3d. Miscellaneous Non-Aromatic Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloroform	C H Cl_3	1.48, 18°	Liebig. A. C. P. 1, 199.
"	"	1.491, 17°	Regnault. Ann. (2), 71, 381.
"	"	1.493	Swan. J. 1, 681.
"	"	1.497	
"	"	1.413	Soubeiran and Mialhe. J. 2, 408.
"	"	1.496, 12°	
"	"	1.500, 15°.5	Gregory. J. 3, 454.
"	"	1.52523, 0°	Pierre. C. R. 27, 213.
"	"	1.512, 12°	Schiff. A. C. P. 107, 63.
"	"	1.49	Flückiger.
"	"	1.472, 16°.5	Geuther.
"	"	1.507, 17°	Flückiger. Z. A. C. 5, 302.
"	"	1.502	Rump. C. C. (3), 6, 34.
"	"	1.500, 15°	Remys. J. C. S. (2), 13, 439.
"	"	1.3954, 63°	Ramsay. J. C. S. 35, 463.
"	"	1.52657, 0°	Thorpe. J. C. S. 37, 371.
"	"	1.40877, 61°.2	
"	"	1.4018	Schiff. Ber. 14, 2763-2766.
"	"	1.40814	
"	"	1.4081, 60°.6	Schiff. Ber. 15, 2972.
"	"	1.49089, 29°	Nasini. G. C. I. 13, 135.
"	"	1.5039, 11°.8	Schiff. G. C. I. 13, 177.
"	"	1.4081, 60°.9	
"	"	1.48978, 18°.58	With intermediate values. Drucker. P. A. (2), 20, 870.
"	"	1.45695, 35°.86	
"	"	1.50027	Perkin. J. P. C. (2), 32, 523.
"	"	1.50085	
"	"	1.48432	
"	"	1.48492	
Trichlorethane	$\text{C H}_2 \text{ C Cl}_3$	1.372, 16°	Regnault. Ann. (2), 71, 364.
"	"	1.34651, 0°	Pierre. C. R. 27, 213.
"	"	1.32466, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.31144, 25°	
Chlorethylene dichloride	$\text{C H}_2 \text{ Cl. C H Cl}_2$	1.422, 17°	Regnault. Ann. (2), 69, 153.
"	"	1.42234, 0°	Pierre. C. R. 27, 213.
"	"	1.4577, 9°.4	Schiff. G. C. I. 13, 177.
"	"	1.2943	
"	"	1.2946	
"	"	1.2947	
"	"	1.391	Delacre. Bull. Acad. Belg. (3), 13, 250.
"	"	1.45527, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.44303, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlorethane. B. 102°	$C_2H_2Cl_2 \cdot CCl_3$	1.530, 17°	Regnault. Ann. (2), 71, 366.
“ B. 135°	“	1.576, 19°	Regnault. Ann. (2), 68, 162.
“	“	1.61158, 0°	Pierre. C. R. 27, 213.
Acetylene tetrachloride	$C_2HCl_2 \cdot C_2HCl_2$	1.614, 0°	Paterno and Pisati. Z. C. 14, 385.
“	“	1.578, 24°·3	
“	“	1.522, 100°·1	
Pentachlorethane	$C_2HCl_2 \cdot CCl_3$	1.644	Regnault. Ann. (2), 71, 368.
“	“	1.66237, 0°	Pierre. C. R. 27, 213.
“	“	1.71, 0°	Paterno. Z. C. 12, 245.
“	“	1.69, 13°	
“	“	1.70893, 0°	Thorpe. J. C. S. 37, 371.
“	“	1.46052, 159°·1	
Dichlorethylene	$C_2H_2Cl_2$	1.250, 15°	Regnault. Ann. (2), 69, 155.
Trichlorpropane	$C_3H_2Cl_3$	1.347	Cahours. J. 3, 496.
Trichlorhydrin	$CH_2Cl \cdot CHCl \cdot CH_2Cl$	1.41, 0°	Three separate products. Linnemann. A. C. P. 136, 51. Oppenheim. J. 19, 521.
“	“	1.40, 8°	
“	“	1.417, 15°	
“	“	1.41, 0°	
“	“	1.39805	Perkin. J. P. C. (2), 32, 523.
“	“	1.39836 } 15°	
“	“	1.38753 } 25°	
“	“	1.38783 } 25°	
Isotrichlorhydrin	$CH_2Cl \cdot CH_2 \cdot CHCl_2$	1.362, 15°	Romburgh. Ber. 14, 1400.
Allylene tetrachloride	$C_3H_4Cl_4$	1.47, 13°	Borsche and Fittig. J. 18, 313.
“	“	1.482	Ganswindt. Jena Inaug. Diss. 1873.
“	“	1.485	
Tetrachlorglycide	“	1.496, 17°	Pfeffer and Fittig. J. 18, 504.
Allylidene tetrachloride	“	1.503, 17°·5	Hartenstein. J. P. C. (2), 7, 295.
“	“	1.522, 15°	Romburgh. Ber. 14, 1400.
Tetrachlorpropane	“	1.548	Cahours. J. 3, 496.
“	“	1.55, s.	Berthelot.
Hexachlorpropane	$C_3H_2Cl_6$	1.626	Cahours. J. 3, 496.
Heptachlorpropane	C_3HCl_7	1.731	“
Chloropropylene	C_3H_3Cl	.918, 9°	Linnemann. J. 19, 308.
“	“	.9307, 0°	Oppenheim. J. 19, 521.
“	“	.931, 0°	Oppenheim. J. 21, 339.
Allyl chloride	“	.934, 0°	Oppenheim. J. 19, 521.
“	“	.9547, 0°	Tollens. A. C. P. 156, 155.
“	“	.9610, 0°	Zander. A. C. P. 214, 181.
“	“	.9002, 46°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl chloride	$C_3 H_5 Cl$.9055	Schiff. G. C. I. 13, 177. Brühl. Bei. 4, 780. Perkin. J. P. C. (2), 32, 523.
" "	"	.9058	
" "	"	.9379, 20°	
" "	"	.91366, 15° .93228, 25°	
Allylidene dichloride	$C_3 H_4 Cl_2$	1.170, 24°.5	Hubner and Geu- ther. J. 13, 305.
α Dichlorpropylene. Epi- dichlorhydrin.	"	1.21	Claus. A. C. P. 170, 125.
" " " "	"	1.22, 8°	Henry. Ber. 5, 965.
β Dichlorpropylene. Epi- dichlorhydrin.	"	1.21, 20°	Reboul. J. 13, 460.
" " " "	"	1.233, 17°.5	Hartenstein. J. P. C. (2), 7, 295.
" " " "	"	1.226, 15°	Romburgh. Ber. 15, 245.
" " " "	"	1.25, 15°	Friedel and Silva. Quoted by Rom- burgh.
" " " "	"	1.218, 25°	
α Trichlorpropylene	$C_3 H_3 Cl_3$	1.387, 14°	Borsche and Fittig. J. 18, 313.
β Trichlorpropylene	"	1.414, 20°	Pfeffer and Fittig. J. 18, 504.
Propargyl chloride	$C_3 H_3 Cl$	1.0154, 5°	Henry. Ber. 8, 398.
Crotonylene dichloride	$C_4 H_6 Cl_2$	1.131	Kekulé. J. 22, 507.
Chlorisobutylene	$C_4 H_7 Cl$.9785, 12°	Oeconomides. Ber. 14, 1201.
Trichlorpentane	$C_5 H_9 Cl_3$	1.33, 13°	Buff. J. 21, 334.
Tetrachlorpentane	$C_5 H_8 Cl_4$	2.4292	Bauer. J. 19, 531.
Chloramylene	$C_5 H_9 Cl$.9992, 0°	" "
"	"	.872, 5°.1	Bruylants. Ber. 8, 411.
Isoprene hydrochlorate	"	.868, 16°	Bouchardat. J. C. S. 38, 323.
Isoprene dichloride	$C_5 H_8 Cl_2$	1.065, 16°	" "
Trichlorhexane	$C_6 H_{11} Cl_3$	1.193, 21°	Pelouze and Ca- hours. J. 16, 525.
Hexachlorhexane	$C_6 H_2 Cl_6$	1.598, 20°	" "
Chlorhexylene	$C_6 H_{11} Cl$.9636, 11°	Henry. C. R. 97, 260.
Chlordiethyl	$C_6 H_9 Cl$.9197, 18°.2	Henry. J. C. S. 36, 34.
Chlordiamylene chloride	$C_{10} H_{19} Cl_3$	1.1638, 0°	Bauer. J. 20, 583.
Eikosylene chloride	$C_{20} H_{38} Cl_2$	1.013, 24°	Lippmann and Hawliczek. Ber. 12, 73.
Isovinyl chloride	$(C_2 H_3 Cl)_2$	1.406	Baumann. A. C. P. 163, 308.
Chloronicene	$C_5 H_5 Cl$	1.141, 10°	St. Evre. J. 1, 530.

4th. Aromatic Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Monochlorbenzene	C_6H_5Cl	1.1499, 0°	From benzene. Sokoloff. J. 18, 517.
"	"	1.1347, 10°	
"	"	1.1258, 20°	
"	"	1.1188, 30°	
"	"	1.1199, 0°	From phenol. Sokoloff. J. 18, 517.
"	"	1.1085, 10°	
"	"	1.099, 20°	
"	"	1.092, 30°	
"	"	1.118	Jungfleisch. J. 19, 551.
"	"	1.77, -40°	Jungfleisch. J. 20, 36.
"	"	.980, 133°	Jungfleisch. J. 21, 343.
"	"	1.12855, 0°	From benzene. Adrieenz. Ber. 6, 443.
"	"	1.11807, 9°.79	
"	"	1.10467, 22°.43	
"	"	1.04428, 77°.27	
"	"	1.12818, 0°	From phenol. Adrieenz. Ber. 6, 443.
"	"	1.11421, 9°.79	
"	"	1.10577, 22°.43	
"	"	1.04299, 77°.27	
"	"	.9817	Schiff. G. C. I. 13, 177.
"	"	.9818	
"	"	1.1066, 20°	Brühl. Bei. 4, 780.
"	"	1.1046, 25°.2	Schall. Ber. 17, 2564.
"	"	1.0703, 52°.3	Wallach and Heusler. A. C. P. 243, 226.
"	"	1.106, 15°	
Orthodichlorbenzene	$C_6H_4Cl_2$	1.3278, 0°	Beilstein and Kurbatow. A. C. P. 176, 41.
"	"	1.3254, 0°	Friedel and Crafts. Ann. (6), 10, 416.
Metadichlorbenzene	"	1.3148	Beilstein and Kurbatow. B. S. C. 23, 179.
"	"	1.307, 0°	Beilstein and Kurbatow. J. C. S. (2), 13, 450.
Paradichlorbenzene	"	1.459, s.	Jungfleisch. J. 19, 551.
"	"	1.250, 53°	Jungfleisch. J. 20, 56.
"	"	1.123, 171°	
"	"	1.4581, 20°.5	Jungfleisch. J. 21, 347.
"	"	1.241, 63°	
"	"	1.2062, 93°	
"	"	1.1366, 166°	Schröder. Ber. 12, 561.
"	"	1.467, 4°	Schiff. A. C. P. 223, 247.
"	"	1.2499, 55°.1	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trichlorbenzene	$C_6H_3Cl_3$	1.457, 7°	Mitscherlich. P. A. 35, 372.
" 1.3.4	"	1.575	Jungfleisch. J. 19, 551.
" "	"	1.457, 17°, 8.	Jungfleisch. J. 20, 36.
" "	"	1.227, 206°	
" "	"	1.571, 10°, 8.	
" "	"	1.4658, 10°, 1.	
" "	"	1.4460, 26°	Jungfleisch. J. 21, 350.
" "	"	1.4111, 56°	
" "	"	1.2427, 196°	
" "	"	1.4554, 12°, 1.	Beilstein and Kurbatow. A. C. P. 192, 230.
Tetrachlorbenzene. 1.2.4.5	$C_6H_2Cl_4$	1.748	Jungfleisch. J. 19, 551.
" "	"	1.148, 139°	Jungfleisch. J. 20, 36.
" "	"	1.315, 210°	
" "	"	1.7344, 10°, 8.	
" "	"	1.4339, 149°	
" "	"	1.3958, 179°	Jungfleisch. J. 21, 352.
" "	"	1.3281, 230°	
Pentachlorbenzene	C_6HCl_5	1.625, 74°	Jungfleisch. J. 20, 36.
" "	"	1.370, 270°	
" "	"	1.8422, 10°	
" "	"	1.8342, 16°, 5	
" "	"	1.6091, 84°	Jungfleisch. J. 21, 353.
" "	"	1.5732, 114°	
" "	"	1.3821, 261°	
Monochlortoluene	$C_6H_4.CH_3.Cl$	1.080, 14°	Limpriht. J. 19, 591.
" 1.4	"	1.0735, 27°, 2	Aronheim and Dietrich. Ber. 8, 1402.
" "	"	.9351, 159°, 8.	Schiff. G. C. I. 13, 177.
" "	"	1.072, 24°, 44	
" "	"	1.061, 35°, 48	
" "	"	1.049, 48°, 71	
" "	"	1.029, 67°, 80	Cattaneo. Bei. 7, 584.
" "	"	1.013, 83°, 86	
" "	"	2.796, 99°, 51	
" "	"	1.0761, 19°	Gladstone. Bei. 9, 249.
Benzyl chloride	$C_6H_5.CH_2Cl$	1.1131	Cannizzaro. J. 8, 621.
" "	"	1.1179	
" "	"	1.107, 11°	Limpriht. J. 19, 592.
" "	"	.9452, 175°	Schiff. G. C. I. 13, 177.
" "	"	.9453, 175°	
" "	"	1.100, 30°, 01	
" "	"	1.082, 44°, 37	
" "	"	1.056, 59°	Cattaneo. Bei. 7, 584.
" "	"	1.047, 75°	
" "	"	1.016, 100°, 08	
" "	"	1.099, 7°	Gladstone. Bei. 9, 249.
" "	"	.9453, 178°	Schiff. G. C. I. 13, 177.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dichlortoluene. 1.2.4	$C_6H_3.CH_3.Cl_2$	1.24597, 20°	Lellmann and Klotz. A. C. P. 231, 308.
" 1.2.5	"	1.2535, 20°	" "
" 1.3.4	"	1.2518, 16°	Aronheim and Dietrich. Ber. 8, 1403.
" "	"	1.2596, 18°.4	
" "	"	1.2512, 20°	
" "	"	1.2512, 20°	
" B. 202°	"	1.256, 13°	Beilstein. J. 13, 412.
" B. 207°	"	1.2557, 14°	Limpricht. J. 19, 593.
Benzylidene dichloride	$C_6H_5.CHCl_2$	1.245, 16°	Cahours. J. 1, 711.
" "	"	1.295, 16°	Hübner and Bente. Ber. 6, 804.
" "	"	1.2699, 0°	} Schiff. Ber. 19, 563.
" "	"	1.2122, 56°.8	
" "	"	1.1877, 79°.2	
" "	"	1.1257, 135°.5	
" "	"	1.0407, 203°.5	
Trichlortoluene	$C_6H_2.CH_3.Cl_3$	1.413, 9°	Henry. J. 22, 508.
"	"	1.4093, 19°.5	Aronheim and Dietrich. Ber. 8, 1405.
Dichlorbenzyl chloride	$C_6H_3Cl_2.CH_2Cl$	1.44, 0°	Naquet. J. 15, 419.
Benzyl trichloride	$C_6H_5.CCl_3$	1.61, 13°	Limpricht. J. 18, 538.
" "	"	1.380, 14°	Limpricht. J. 19, 594.
Tetrachlortoluene	$C_6HCl_4.CH_3$	1.495, 14°	Limpricht. J. 19, 595.
Trichlorbenzyl chloride	$C_6H_2Cl_3.CH_2Cl$	1.547, 23°	Beilstein and Kuhlberg. J. 21, 361.
Orthodichlorbenzylene dichloride.	$C_6H_3Cl_2.CHCl_2$	1.518, 22°	" "
Chlorbenzo-trichloride. 1.3	$C_6H_4Cl.CCl_3$	1.74	} Limpricht. A. C. P. 134, 58.
" " "	"	1.76	
" " 1.2	"	1.51	
Dichlorbenzo-trichloride	$C_6H_3Cl_2.CCl_3$	1.587, 21°	Beilstein and Kuhlberg. Z. C. 21, 363.
" "	"	1.5829, 16°	Aronheim and Dietrich. Ber. 8, 1403.
Trichlorbenzylene dichloride.	$C_6H_2Cl_3.CHCl_2$	1.607, 22°	Beilstein and Kuhlberg. Z. C. 21, 362.
Tetrachlorbenzyl chloride	$C_6HCl_4.CH_2Cl$	1.634, 25°	" "
Tetrachlorbenzylene dichloride.	$C_6HCl_4.CHCl_2$	1.704, 25°	Beilstein and Kuhlberg. Z. C. 21, 364.
Chlororthoxylylene	$C_6H_3.CH_3.CH_3.Cl$	1.0863, 19°	Claus and Kautz. Ber. 18, 1367.
" 1.2.4	"	1.0692, 15°	Krüger. Ber. 18, 1757.
Chlormetaxylylene. 1.3.4	"	1.0598, 20°	Jacobsen. Ber. 18, 1761.
Isotolyl chloride	$C_6H_4.CH_3.CH_2Cl$	1.079, 0°	} Gundelach. B. S. C. 25, 385.
" "	"	1.064, 20°	
Chlorethylbenzene	$C_6H_4.C_2H_5.Cl$	1.075, 0°	Istrati. B. S. C. 42, 115.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chlorethylbenzene	$C_6H_4.C_2H_5.Cl$	1.098	Istrati. Ber. 18, ref. 704.
Dichlororthoxylylene	$C_6H_2.C_2H_5.C_2H_5.Cl_2$	1.333, s.	} Colson. Ann. (6), 6, 86.
"	"	1.150, 70°, l.	
"	"	1.250, 20°, l.	
"	"	1.0980	Kautz. Freiburg In. Diss. 1885.
Dichlormetaxylylene	"	1.302, 20°, s.	} Colson. Ann. (6), 6, 86.
"	"	1.202, 40°, l.	
Dichlorparaxylylene	"	1.343, s.	"
Orthoxylylene dichloride	$C_6H_4(C_2H_5Cl)_2$	1.393	Colson. C. R. 104, 429.
Metaxylylene dichloride	"	1.370	"
Paraxylylene dichloride	"	1.417	"
Orthoxylylene tetrachloride	$C_6H_4(C_2HCl_2)_2$	1.601	"
Metaxylylene tetrachloride	"	1.536	Colson and Gautier. C. R. 102, 689.
Paraxylylene tetrachloride	"	1.696	"
Chloreymene. 1.4.6	$C_6H_5.C_2H_5.C_3H_7.Cl$	1.014, 14°	Gerichten. Ber. 10, 1249.
Diethylmonochlorbenzene	$C_6H_3.Cl.(C_2H_5)_2$	1.036	Istrati. Ber. 18, ref. 704.
Triethylmonochlorbenzene.	$C_6H_2.Cl.(C_2H_5)_3$	1.028	"
Tetraethylmonochlorbenzene.	$C_6H.Cl.(C_2H_5)_4$	1.022	"
Pentethylmonochlorbenzene.	$C_6Cl.(C_2H_5)_5$	1.065	"
β Chlorstyrolene	C_8H_7Cl	2.112, 22°.3	Glaser. A. C. P. 154, 166.
β Benzene hexchloride	$C_6H_6Cl_6$	1.89, 19°	Moumier. Ann. (6), 10, 223.
By action of ethylene on monochlorbenzene.	C_9H_9Cl	1.179	Istrati. Ber. 18, ref. 704.
α Chlor-naphthalene	$C_{10}H_7Cl$	1.2052, 6°.2	Laurent. Quoted by Carius.
"	"	1.2028, 6°.4	Carius. A. C. P. 114, 146.
"	"	1.2025, 15°	Koninek and Marquart. C. N. 25, 57.
β Chlor-naphthalene	"	1.2656, 16°	Rimarenko. Ber. 9, 664.
Naphthalene dichloride	$C_{10}H_8Cl_2$	1.287, 12°.5	} Gladstone. Bei. 9, 249.
"	"	1.2648, 18°	
Trichloracenaphthene	$C_{11}H_7Cl_3$	1.43, 17°	Kelber and Norton. A. C. J. 10, 218.
Camphryl chloride	$C_9H_{11}Cl$	1.038, 14°	Schwanert. J. 15, 465.
Geraniol hydrochlorate	$C_{10}H_{17}Cl$	1.020, 20°	Jacobson. A. C. P. 157, 236.
Camphor hydrochlorate	"	1.433	Watts' Dictionary.
From terpene of Pinus pumilio.	"	.982, 17°	Buehner. J. 13, 479.
Terebenthene hydrochlorate.	"	1.016	} Two isomers. Barbier. C. R. 96, 1096.
"	"	1.017	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoterebentene hydrochlorate.	$C_{10}H_{17}Cl$.9927, 0°	Riban. C. R. 79, 225.
From terpene of Muscat nut oil.	"	.9827, 15°	Cloëz. J. 17, 536.

LII. COMPOUNDS CONTAINING C, H, O, AND CL.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dichlorethyl alcohol	$C_2H_4Cl_2O$	1.145, 15°	Delacre. Bull. Acad. Belg. (3), 13, 248.
Trichlorethyl alcohol	$C_2H_3Cl_3O$	1.55, 23°.	Garzarolli-Thurnlackh. Ber. 14, 2826.
Dichlorhexyl alcohol	$C_6H_{12}Cl_2O$	1.4, 12°	Destrem. Ann. (5), 27, 50.
Dichlormethyl oxide	$C_2H_4Cl_2O$	1.315, 20°	Regnault. Ann. (2), 71, 308.
Tetrachlormethyl oxide	$C_2H_2Cl_4O$	1.606, 20°	Regnault. Ann. (2), 71, 401.
Tetrachlormethylethyl oxide.	$C_3H_4Cl_4O$	1.84, 0°	Magnanini. G. C. I. 16, 330.
Chlorethyl oxide	C_4H_9ClO	1.0572, 0°	Henry. C. R. 100, 1007.
Dichlorethyl oxide	$C_4H_3Cl_2O$	1.174, 23°	Lieben. J. 12, 446.
Tetrachlorethyl oxide	$C_4H_6Cl_4O$	1.5008	Malaguti. Ann. (2), 70, 341.
"	"	1.4979, 0°	Paterno and Pisati. Ber. 5, 1054. Rosee and Schorlemmer's Treatise. Jacobsen. Z. C. 14, 444.
"	"	1.4182, 15°.2	
"	"	1.3055, 99°.9	
"	"	1.4211, 15°	
Pentachlorethyl oxide	$C_4H_3Cl_5O$	1.645	Henry. Ber. 7, 763.
"	"	1.577, 8°	R. Hofmann. J. 10, 348.
Chloracetic acid	$C_2H_3ClO_2$	1.366, 73°	Maumené. J. 17, 315.
Dichloracetic acid	$C_2H_2Cl_2O_2$	1.5216, 15°	Dumas. A. C. P. 32, 109.
Trichloracetic acid	$C_2HCl_3O_2$	1.617, 46°	Clermont. Z. C. 14, 349.
Chlorpropionic acid	$C_3H_5ClO_2$	1.28, 0°	Balbiano. Ber. 10, 1749.
Chlorbutyric acid	$C_4H_7ClO_2$	1.072, 0°	Henry. C. R. 101, 1158.
"	"	1.2498, 10°	Haubst. J. C. S. (2), 1, 693.
"	"	1.065, 15°	Balbiano. Ber. 11, 1693.
Chlorisobutyric acid	"	1.062, 0°	Rösc. Ber. 13, 2417.
Methyl chlorocarbonate.	$C_2H_3ClO_2$	1.236, 15°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl chlorocarbonate	$C_2 H_5 Cl O_2$	1.133, 15°	Dumas. Ann. (2), 51, 230.
Propyl chlorocarbonate	$C_3 H_7 Cl O_2$	1.094, 15°	Rose. Ber. 13, 2417.
Isopropyl chlorocarbonate	"	1.144, 4°	Spica. J. C. S. 52, 1028.
Isobutyl chlorocarbonate	$C_4 H_9 Cl O_2$	1.053, 15°	Rose. Ber. 13, 2417.
Isamyl chlorocarbonate	$C_5 H_{11} Cl O_2$	1.032, 15°	" "
Dichlorethyl formate	$C_2 H_4 Cl_2 O_2$	1.261, 16°	Malaguti. Ann. (2), 70, 370.
Pentachloramyl formate	$C_6 H_7 Cl_5 O_2$	1.52	Springer. A. C. J. 3, 293.
Methyl monochloracetate	$C_3 H_5 Cl O_2$	1.22, 15°	Henry. B. S. C. 20, 448.
" "	"	1.2352, 19° 2	Henry. C. R. 101, 250.
Methyl dichloracetate	$C_3 H_4 Cl_2 O_2$	1.3808, 19° 2	" "
Dichloromethyl acetate	"	1.25	Malaguti. Ann. (2), 70, 381.
Methyl trichloracetate	$C_3 H_3 Cl_3 O_2$	1.4969, 14°	Bauer. A. C. P. 229, 163.
" "	"	1.4902, 20° 2	
" "	"	1.4892, 19° 2	
Ethyl monochloracetate	$C_4 H_7 Cl O_2$	1.1585, 20°	Brühl. A. C. P. 203, 1.
" "	"	.9925, 144° 5	Schiff. G. C. I. 13, 177.
" "	"	1.1722, 8°	Henry. C. R. 104, 1280.
Ethyl dichloracetate	$C_4 H_6 Cl_2 O_2$	1.301, 12°	Malaguti. Ann. (2), 70, 368.
" "	"	1.29	Forscher and Geuther. J. 17, 316.
" "	"	1.2821, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.0913	{ Schiff. G. C. I. 13, 177.
" "	"	1.0915	
Dichlorethyl acetate	"	1.3217, 10° 6	Henry. C. R. 97, 1308.
" "	"	1.104, 15°	Delcure. Bull. Acad. Belg. (3), 13, 255.
Ethyl trichloracetate	$C_4 H_5 Cl_3 O_2$	1.3826, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.1650	{ Schiff. G. C. I. 13, 177.
" "	"	1.1651	
Monochlorethyl dichloracetate.	"	1.200, 15°	Delcure. Ber. 21, ref. 183.
Dichlorethyl monochloracetate.	"	1.216, 15°	" "
Trichlorethyl acetate	"	1.367	Léblanc. Ann. (3), 10, 207.
" "	"	1.35, 20°	Malaguti. Ann. (3), 16, 62.
" "	"	1.3907, 23° 3	Garzaroli-Thurnlackh. Ber. 14, 2826.
" "	"	1.187, 15°	Delcure. Ber. 21, ref. 183.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlorethyl acetate---	$C_4 H_4 Cl_4 O_2$ -----	1.485, 25° ---	Léblanc. Ann. (3), 10, 212.
Monochlorethyl trichloro- acetate.	“-----	1.251, 15° ---	Delaere. Ber. 21, ref. 183.
Dichlorethyl dichloro- acetate.	“-----	1.25, 15° ---	“ “
Trichlorethyl monochloro- acetate.	“-----	1.25 -----	“ “
Trichlorethyl dichloro- acetate.	$C_4 H_3 Cl_5 O_2$ -----	1.267 -----	“ “
Hexachlorethyl acetate---	$C_4 H_2 Cl_6 O_2$ -----	1.698, 23°.5---	Léblanc. Ann. (3), 10, 215.
Heptachlorethyl acetate--	$C_4 H Cl_7 O_2$ -----	1.692, 24°.5---	Léblanc. Ann. (3), 10, 208.
Propyl monochloracetate	$C_5 H_9 Cl O_2$ -----	1.1096, 8° ---	Henry. C. R. 100, 114.
Butyl monochloracetate--	$C_6 H_{11} Cl O_2$ -----	1.013, 0° ---	Gehring. C. R. 102, 1400.
“ “-----	“-----	1.081, 15° ---	
Trichlorbutyl acetate ----	$C_6 H_9 Cl_3 O_2$ -----	1.3440, 8°.5---	Garzarolli-Thurn- lackh. Ber. 15, 2619.
Amyl monochloracetate--	$C_7 H_{13} Cl O_2$ -----	1.063, 0° -----	Hougounenq. B. S. C. 45, 328.
Methyl α chlorpropionate	$C_4 H_7 Cl O_2$ -----	1.075, 4° -----	Kahlbaum. Ber. 12, 344.
Ethyl α chlorpropionate.	$C_5 H_9 Cl O_2$ -----	1.0869, 20° -----	Brühl. A. C. P. 203, 1.
Ethyl β chlorpropionate.	“-----	1.1160, 8° -----	Henry. C. R. 100, 114.
Ethyl dichlorpropionate--	$C_5 H_8 Cl_2 O_2$ -----	1.2461, 20° ---	Brühl. A. C. P. 203, 1.
“ “-----	“-----	1.2493, 0° -----	Klimenko. Z. C. 13, 654.
Dichlorethyl propionate--	“-----	1.282, 8° -----	Henry. C. R. 100, 114.
Methyl chlorbutyrate ----	$C_5 H_9 Cl O_2$ -----	1.1894, 10° ---	Henry. C. R. 101, 1158.
Methyl $\alpha \beta$ dichlorbuty- rate. “ “-----	$C_5 H_8 Cl_2 O_2$ -----	1.2809, 0° ---	Zeisel. Ber. 19, ref. 749.
“ “-----	“-----	1.2614, 18°.3	
“ “-----	“-----	1.2355, 41°.1	
Ethyl chlorbutyrate ----	$C_6 H_{11} Cl O_2$ -----	1.0517, 20° ---	Brühl. A. C. P. 203, 1.
“ “-----	“-----	1.1221, 10° ---	Henry. C. R. 101, 1158.
“ “-----	“-----	1.063, 17°.5---	Markownikoff. A. C. P. 153, 243.
Methyl trichlorpropylcar- bylacetate.	$C_7 H_{11} Cl_3 O_2$ -----	1.3048, 11°.5---	Garzarolli-Thurn- lackh. A. C. P. 223, 149.
Chloroanthic ether ----	$C_9 H_{17} Cl O_2$?-----	1.2912, 16°.5---	Malaguti. Ann. (2), 70, 363.
Derivative of chlorinated methyl formate.	$C_4 H_5 Cl_3 O_4$ -----	1.4786, 14° ---	Guthzeit. Quoted by Hentschel.
“ “-----	“-----	1.4741, 27° ---	Hentschel. J. P. C. (2), 36, 99.
“ “-----	$C_8 H_9 Cl_3 O_8$ -----	1.5191 -----	“ “
Derivative of chlorinated ether.	$C_5 H_{11} Cl O$ -----	.9482, 0° -----	Lieben and Bauer. J. 15, 494.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Derivative of chlorinated ether.	$C_6 H_{13} Cl O$.9735, 0°	Lieben and Bafer. J. 15, 393.
Chloroacetic anhydride.	$C_4 H_5 Cl O_3$	1.201, 21°	Anthoine. J. Ph. Ch. (5), 8, 417.
Trichloroacetic anhydride.	$C_4 H_3 Cl_3 O_3$	1.530, 20°	" "
Tetrachloroacetic anhydride.	$C_4 H_2 Cl_4 O_3$	1.574, 24°	" "
Acetyl chloride.	$C_2 H_3 O. Cl$	1.125, 11°	Gerhardt. J. 5, 444.
" "	"	1.1305, 0°	Kopp. A. C. P. 95, 307.
" "	"	1.1072, 16°	
" "	"	1.13773, 0°	
" "	"	1.05698, 50° 7.5	
" "	"	1.1051, 20°	
Chloroacetyl chloride.	$C_2 H_2 Cl O. Cl$	1.495, 0°	Wurtz. J. 10, 346.
Propionyl chloride.	$C_3 H_5 O. Cl$	1.0646, 20°	Brühl. A. C. P. 203, 1.
α Chloropropionyl chloride.	$C_3 H_4 Cl O. Cl$	1.2394, 7° 5	Henry. C. R. 100, 114.
β Chloropropionyl chloride.	"	1.3307, 13°	" "
Butyryl chloride.	$C_4 H_7 O. Cl$	1.0277, 20°	Brühl. A. C. P. 203, 1.
Isobutyryl chloride.	"	1.0174, 20°	" "
Chlorobutyryl chloride.	$C_4 H_6 Cl O. Cl$	1.257, 17°	Markownikoff. A. C. P. 153, 241.
" "	"	1.2679, 10°	Henry. C. R. 101, 1158.
Valeryl chloride.	$C_5 H_9 O. Cl$	1.005, 6°	Béchamp. J. 9, 429.
" "	"	.9887, 20°	Brühl. A. C. P. 203, 1.
Chloroacetone.	$C_3 H_5 Cl O$	1.19	Linnemann.
"	"	1.14, 14°	Riche. J. 12, 339.
"	"	1.162, 16°	Linnemann. J. 18, 312.
"	"	1.18, 16°	Linnemann. J. 19, 308.
"	"	1.17	Henry. B. S. C. 19, 219.
"	"	1.158, 13°	Cloez. Ann. (6), 9, 145.
Dichloroacetone.	$C_3 H_4 Cl_2 O$	1.331	Kane.
"	"	1.256, 21°	Fittig. J. 12, 345.
"	"	1.326, 0°	Theegarten. C. C. 4, 580.
"	"	1.234, 15°	Cloez. Ann. (6), 9, 145.
Tetrachloroacetone.	$C_3 H_2 Cl_4 O$	1.482, 17°	" "
Pentachloroacetone.	$C_3 H Cl_5 O$	1.6	Städeler. J. 6, 398.
"	"	1.7	
"	"	1.617, 8°	
"	"	1.576, 14°	
Chloroaldehyde.	$C_2 H_3 Cl O$	1.23	Riche. J. 12, 435.
Parachloroaldehyde.	$(C_2 H_2 Cl_2 O)_n$	1.69, s	Jacobsen. Ber. 8, 88.
Chloral.	$C_2 H Cl_3 O$	1.502, 18°	Liebig. A. C. P. 1, 195.
"	"	1.5183, 0°	Kopp. A. C. P. 95, 307.
"	"	1.4903, 22° 2	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloral	$C_2 H Cl_3 O$	1.5448, 0°	Thorpe. J. C. S. 37, 371.
"	"	1.3821, 97°.2	
"	"	1.5121, 20°	Brühl. A. C. P. 203, 1.
"	"	1.54179	} 4°-- } Passavant. C. N. 42, 288.
"	"	1.54170	
"	"	1.3692, 97°.73	
"	"	1.5292, 9°	
"	"	1.5197, 15°	
"	"	1.5060, 25°	Perkin. J. C. S. 51, 808.
Parachloralide	$(C_2 H Cl_3 O)_n$	1.5765, 14°	Clöez. J. 12, 434.
Chloral hydrate	$C_2 H_3 Cl_3 O_2$	1.901	Rüdorff. Ber. 12, 252.
"	"	1.818, 4°, pulv.	} Schröder. Ber. 12, 561.
"	"	1.848, 4°, cryst.	
"	"	1.6415, 49°.9	} Perkin. J. C. S. 51, 808.
"	"	1.6274, 58°.4	
"	"	1.6136, 66°.9	
"	"	1.5704	
"	"	1.5719	
"	"	1.5771	} 66°, 1. { Jungfleisch, Le- baigne, and Rou- cher. J. Ph. C. (4), 11, 208.
Chloral ethylate	$C_4 H_7 Cl_3 O_2$	1.143, 40°, 1.	Martins and Mendel- sohn-Bartholdy. Z. C. 13, 650.
"	"	1.3286	} 66°, 1. { Jungfleisch, Le- baigne, and Rou- cher. J. Ph. C. (4), 11, 208.
"	"	1.3439	
Chloral amylate	$C_7 H_{11} Cl_3 O_2$	1.234, 25°	Martins and Mendel- sohn-Bartholdy. Z. C. 13, 650.
Chloroacetyl chloral	$C_4 H_4 Cl_4 O_2$	1.4761, 17°	Meyer and Dulk. A. C. P. 171, 65.
Diacetylchloral hydrate	$C_6 H_7 Cl_3 O_4$	1.422, 11°	" "
Acetylchloral ethylate	$C_6 H_9 Cl_3 O_3$	1.327, 11°	" "
Derivative of chloral	$C_6 H_6 Cl_3 O_2$	1.73, 17°	Henry. Ber. 7, 764.
"	$C_7 H_{10} Cl_4 O_3$	1.42, 11°	" "
Butyl chloral	$C_4 H_5 Cl_3 O$	1.3956, 20°	Brühl. A. C. P. 203, 1.
"	"	1.4111, 7°	Gladstone. Bei. 9, 249.
Butyl chloral hydrate	$C_4 H_7 Cl_3 O_2$	1.693	} 4°-- { Schröder. Ber. 12, 561.
"	"	1.695	
Derivative of chloralide	$C_5 H Cl_7 O_3$	1.7426, 20°	Anschutz and Has- lam. A. C. P. 239, 300.
Chlorovaleral	$C_5 H_9 Cl O$	1.108, 14°	A. Schröder. Z. C. 14, 510.
Derivative of valeral	$C_{10} H_{10} Cl_4 O$	1.272, 14°	" "
"	$C_{10} H_{12} Cl_6 O$	1.397, 14°	" "
Dichlorovinylmethyloxi- de	$C_3 H_4 Cl_2 O$	1.2934, 0°	} Denaro. G. C. I. 14, 117.
"	"	1.1574, 100°	
Monochlorovinyl ethyl ox- ide.	$C_4 H_7 Cl O$	1.0361, 19°	Godefroy. C. R. 102, 869.
Trichlorovinyl ethyl oxide	$C_4 H_5 Cl_3 O$	1.3725, 0°	} Paterno and Pisati. J. C. S. (2), 11, 158.
"	"	1.2354, 99°.9	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trichlorvinyl ethyl oxide.	$C_4 H_5 Cl_3 O$ -----	1.3322, 19° --	Godefroy. C. R. 102, 869.
Methylene aceto-chloride.	$C_3 H_5 Cl O_2$ -----	1.1953, 14° 2	Henry. B. S. C. 20, 448.
Ethylene aceto-chloride ..	$C_4 H_7 Cl O_2$ -----	1.1783, 0° -----	Simpson. J. 12, 487.
“ “ ..	“ -----	1.114, 15° -----	Franchimont. J. C. S. 44, 452.
Ethylene butyro-chloride ..	$C_6 H_{11} Cl O_2$ -----	1.0854, 0° -----	Simpson. J. 12, 489.
Ethylidene oxychloride ..	$C_4 H_8 Cl_2 O$ -----	1.1376, 12° -----	Lieben. J. 11, 291.
“ “ ..	“ -----	1.136, 14° 5	Laatsch. A. C. P. 218, 13.
Ethylidene aceto-chloride.	$C_4 H_7 Cl O_2$ -----	1.114, 15° -----	Rubencamp. A. C. P. 225, 267.
Ethylidene propio-chloride.	$C_5 H_9 Cl O_2$ -----	1.071, 15° -----	“ “
Ethylidene butyro-chloride.	$C_6 H_{11} Cl O_2$ -----	1.038, 15° -----	“ “
Ethylidene valero-chloride.	$C_7 H_{13} Cl O_2$ -----	.997, 15° -----	“ “
Aldehydemethyl chloride.	$C_3 H_7 Cl O$ -----	.996, 17° -----	“ “
Trichlorodimethyl acetal ..	$C_4 H_7 Cl_3 O_2$ -----	1.28 -----	Magnanini. G. C. I. 16, 330.
Trichloromethylethyl acetal.	$C_5 H_9 Cl_3 O_2$ -----	1.32 -----	“ “
Chloroacetal -----	$C_6 H_{13} Cl O_2$ -----	1.0195 -----	Lieben. J. 10, 437.
“ -----	“ -----	1.0418, 0° --	Paterno and Mazzarra. J. C. S. (2), 11, 1217.
“ -----	“ -----	1.0416, 26° 3	
“ -----	“ -----	.9315, 99° 9	
“ -----	“ -----	1.026, 15° -----	
Dichloroacetal -----	$C_6 H_{12} Cl_2 O_2$ -----	1.1383, 14° -----	Lieben. J. 10, 436.
Trichloroacetal -----	$C_6 H_{11} Cl_3 O_2$ -----	1.2813, 0° -----	{ Paterno and Pisati. J. C. S. (2), 11, 258.
“ -----	“ -----	1.2655, 22° 2	
“ -----	“ -----	1.1617, 99° 96	
“ -----	“ -----	1.288 -----	
Trimethylene chlorhydrin	$C_3 H_7 Cl O$ -----	1.132, 17° -----	Reboul. C. R. 79, 169.
Propylene chlorhydrin ..	“ -----	1.1302, 0° -----	Oeser. J. 13, 448.
“ “ ..	“ -----	1.247 -----	Oppenheim. J. 21, 340.
Chlorbutylene chlorhydrin	$C_4 H_8 Cl_2 O$ -----	1.0325, 0° -----	Oeconomides. Ber. 14, 1568.
Hexylene chlorhydrin ..	$C_6 H_{13} Cl O$ -----	1.0143 } 11°	Henry. C. R. 97, 260.
“ “ ..	“ -----	1.018 -----	
Hexylene aceto-chloride ..	$C_8 H_{15} Cl O_2$ -----	1.04, 6° -----	Clermont. Z. C. 13, 411.
Heptylene chlorhydrin ..	$C_7 H_{15} Cl O$ -----	1.014, 0° -----	
“ “ ..	“ -----	1.001, 14° -----	
Octylene chlorhydrin ..	$C_8 H_{17} Cl O$ -----	1.003, 0° -----	“ “
“ “ ..	“ -----	.987, 31° -----	
Octylene aceto-chloride ..	$C_{10} H_{19} Cl O_2$ -----	1.026, 0° -----	“ “
“ “ ..	“ -----	1.011, 18° -----	
Dichlorethoxyethylene ..	$C_4 H_6 Cl_2 O$ -----	1.08, 10° -----	Geuther and Brockhoff. J. P. C. (2), 7, 114.
Pentachlorpropylene oxide.	$C_3 H Cl_5 O$ -----	α 1.5 -----	Cloez. Ann. (6), 9, 145.
Ethyl-glycollic chloride ..	$C_4 H_7 Cl O_2$ -----	1.145, 1° -----	Henry. J. 22, 531.
Chlorolactic ether -----	$C_3 H_9 Cl O_3$ -----	1.097, 0° -----	Wuriz. J. 11, 254.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl chloromalonate	$C_7 H_{11} Cl O_4$	1.185, 20°	Conrad and Bischoff. A. C. P. 209, 221.
Ethyl ethylchloromalonate.	$C_9 H_{15} Cl O_4$	1.110, 17°	Guthzeit. A. C. P. 209, 233.
Ethyl chlorisobutylmalonate.	$C_{11} H_{19} Cl O_4$	1.094, 15°	Conrad and Bischoff. Ber. 13, 600.
“ “	“	1.091, 15°	Guthzeit. A. C. P. 209, 237.
Succinyl chloride	$C_4 H_4 Cl_2 O_2$	1.39	Gerhardt and Chiozza. C. R. 36, 1052.
Chloromaleic ether	$C_8 H_{11} Cl O_4$	1.15, 11°	Henry. A. C. P. 156, 179.
“ “	“	1.178, 20°	Frank. Ber. 10, 928.
Ethyl chloracetacetate	$C_6 H_9 Cl O_3$	1.19, 14°	Allihn. Ber. 11, 569.
Ethyl dichloracetacetate	$C_6 H_8 Cl_2 O_3$	1.293, 16°	Conrad. A. C. P. 186, 234.
Ethyl chloracetopropionate.	$C_7 H_{11} Cl O_3$	1.196, 21°	Conrad and Guthzeit. Ber. 17, 2287.
Ethyl monochlormethylacetacetate.	$C_7 H_{11} Cl O_3$	1.093, 15°	Isbert. A. C. P. 234, 160.
Ethyl dichlormethylacetacetate.	$C_7 H_{10} Cl_2 O_3$	1.2250, 17°	Isbert. Jena Inaug. Diss. 1866.
Ethyl monochlorethylacetacetate.	$C_8 H_{13} Cl O_3$	1.0523, 15°	Isbert. A. C. P. 234, 160.
Ethyl dichlorethylacetacetate.	$C_8 H_{12} Cl_2 O_3$	1.183, 15°	“ “
Ethyl diethylchloracetacetate.	$C_{10} H_{17} Cl O_3$	1.063, 15°	James. J. C. S. 49, 50.
Ethyl diethyldichloracetacetate.	$C_{10} H_{16} Cl_2 O_3$	1.155, 15°	“ “
Acetotrichlorethylidene acetic ether.	$C_8 H_9 Cl_3 O_3$	1.342, 15°	Matthews. J. C. S. 43, 203.
Monochlorhydrin	$C_3 H_7 Cl O_2$	1.31	Berthelot. J. 6, 456.
“	“	1.4, 13°	Henry. J. C. S. (2), 13, 346.
“ β	“	1.328, 0°	Hanriet. Ber. 10, 727.
Dichlorhydrin	$C_3 H_6 Cl_2 O$	1.37	Berthelot. J. 7, 449.
“	“	1.3699, 9°	Henry. A. C. P. 155, 324.
“	“	1.355, 17°.5	Gegerfeldt. Z. C. 13, 672.
“	“	1.383, 0°	Markownikoff. J. C. S. (2), 12, 241.
“	“	1.367, 19°	
“	“	1.3799, 0°	Tollens. A. C. P. 156, 164.
“	“	1.3681, 11°.5	
Epichlorhydrin	$C_3 H_5 Cl O$	1.204, 0°	Darmstaedter. J. 21, 454.
“	“	1.194, 11°	Reboul. J. 13, 456.
“	“	1.20313, 0°	Thorpe. J. C. S. 37, 371.
“	“	1.05667, 116°.55	
“	“	1.0588	Schiff. Ber. 14, 2768.
“	“	1.0598 } 115°.8	
“	“	1.194, 11°	Clöez. Ann. (6), 9, 145.
Ethyl monochlorhydrin	$C_5 H_{11} Cl O_2$	1.117, 11°	Henry. J. C. S. (2), 13, 346.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diethyl monochlorhydrin	$C_7 H_{15} Cl O_2$	1.03, 10° 5'	Alsberg. J. 17, 496.
" "	"	1.095, 17°	Reboul and Lecomte- co. J. 14, 674.
Amyl monochlorhydrin	$C_8 H_{17} Cl O_2$	1.00, 20°	Reboul. J. 13, 464.
Aceto-chlorhydrin	$C_5 H_9 Cl O_2$	1.27, 9°	Henry. J. C. S. (2), 13, 346.
Aceto-dichlorhydrin	$C_5 H_8 Cl_2 O_2$	1.283, 11°	Truchot. J. 18, 50.
" "	"	1.274, 8°	Henry. Ber. 4, 701.
Diaceto-chlorhydrin	$C_7 H_{11} Cl O_4$	1.243, 4°	Truchot. J. 18, 503.
Butyro-dichlorhydrin	$C_7 H_{12} Cl_2 O_2$	1.194, 11°	" "
Valero-dichlorhydrin	$C_8 H_{14} Cl_2 O_2$	1.149, 11°	" "
Butenyl monochlorhydrin	$C_4 H_9 Cl O_2$	1.2524, 17°	Zikos. Ber. 18, 67. 433.
Butenyl dichlorhydrin	$C_4 H_8 Cl_2 O$	1.274, 16°	" "
Butenyl epichlorhydrin	$C_4 H_7 Cl O$	1.098, 15°	" "
Diallyl dichlorhydrin	$C_6 H_{12} Cl_2 O_2$	1.14, 7°	Henry. Ber. 7, 416.
α Chlorallyl alcohol	$C_3 H_5 Cl O$	1.164, 19°	Henry. Ber. 15, 3085.
β Chlorallyl alcohol	"	1.162, 15°	Romberg. Ber. 15, 245.
Methylchlorallylcarbinol	$C_5 H_9 Cl O$	1.08821, 14° 1'	Garzaroli-Thurn- lackh. A. C. P. 223, 119.
Chloroetyl alcohol	$C_4 H_7 Cl O$	1.1312, 15°	Garzaroli-Thurn- lackh. Ber. 15, 2619.
Methyl chlorcrotonate	$C_5 H_7 Cl O_2$	1.113, 15°	Fröhlich. J. 22, 547.
" "	"	1.0933, 4°	Kahlbaum. Ber. 12, 344.
Ethyl chlorcrotonate	$C_6 H_9 Cl O_2$	1.113, 15°	Fröhlich. J. 22, 547.
" "	"	1.129, 15°	Claus. A. C. P. 191, 64.
Chloroethylacetylene tetra- carbonic ether.	$C_{16} H_{25} Cl O_8$	1.076, 20°	Bischoff and Rich- Ber. 17, 278.
Citraconyl chloride	$C_5 H_4 Cl_2 O_2$	1.40, 15°	Gerhardt and Chio- za. J. C. 394.
" "	"	1.408, 16° 4'	O. Strocker. Ber. 15, 1640.
Propylphycite trichlor- hydrin.	$C_7 H_5 Cl_3 O$	1.1324, 11°	Wolff. Z. C. 12, 465.
Dichloroleic acid	$C_{18} H_{32} Cl_2 O_2$	1.082, 7° 9'	Lefort. J. 6, 451.
Derivative of isobutyl al- cohol.	$C_{21} H_{35} Cl O_4$.967, 15°	Boquillon. J. C. S. 48.
Derivative of isohexic acid	$C_4 H_4 Cl_2 O$	1.471, 19°	Denargay. Ber. 12, 380.
Chlorphenol	$C_6 H_5 Cl O$	1.305, 20° 5'	Petersen and Böh- Predari. A. C. P. 157, 125.
Chloromethylphenol	$C_7 H_7 Cl O$	1.182, 9°	Henry. Z. C. 12, 247.
Chlorparakresol	"	1.2106, 25°	Schall and Dralle. Ber. 17, 2529.
Chloromethylparakresol	$C_8 H_9 Cl O$	1.1493, 25°	" "
Chloroethylphenol	"	1.106, 9°	Henry. Z. C. 12, 247.
Methylchlorphenetol. α	$C_9 H_{11} Cl O$	1.127, 19° 5'	Wroblevsky. Z. C. 13, 164.
" β	"	1.131, 18°	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloranethol	$C_{10} H_{11} Cl O$	1.1154, 0°	Ladenburg. Z. C. 12, 575.
"	"	1.191, 20°	Landolph. C. R. 82, 227.
Metachlorosalicyl	$C_7 H_5 Cl O_2$	1.29, 8°	Henry. J. 22, 509.
Metachlorbenzoic acid	"	1.29	St. Evre. J. 1, 529.
Ethyl metachlorbenzoate	$C_9 H_{10} Cl O_2$.981, 10°	"
Ethyl orthodichlorbenzoate.	$C_9 H_8 Cl_2 O_2$	1.3278, 0°	Beilstein. Ber. 8, 435.
Chlorisopropyl benzoate	$C_{10} H_{11} Cl O_2$	1.172, 19°	Morley and Green. J. C. S. 47, 135.
"	"	1.149, 45°	
Derivative of benzoic ether	$C_{18} H_{16} Cl_6 O_3$	1.346, 10°.8	Malaguti. Ann. (2), 70, 375.
Benzyl monochloracetate.	$C_9 H_9 Cl O_2$	1.2223, 4°	Seubert. Ber. 21, 281.
Benzyl dichloracetate	$C_9 H_7 Cl_2 O_2$	1.3130, 4°	"
Benzyl trichloracetate	$C_9 H_7 Cl_3 O_2$	1.3887, 4°	"
Benzoyl chloride	$C_7 H_5 Cl O$	1.196	Wöhler and Liebig. A. C. P. 3, 262.
"	"	1.230, 15°	Cahours. J. 1, 532.
"	"	1.2324, 0°	Kopp. A. C. P. 95, 307.
"	"	1.2142, 19°	
"	"	.9857, 198°	Ramsay. J. C. S. 35, 463.
"	"	1.2122, 20°	Brühl. A. C. P. 235, 1.
Chlorodraeylic chloride	$C_7 H_4 Cl_2 O$	1.377	Emmerling. Ber. 8, 881.
Toluy chloride	$C_8 H_7 Cl O$	1.175	Cahours. J. 11, 265.
Phenylacetic chloride	"	1.16817, 20°	Anschütz and Berns. Ber. 20, 1390.
Cumyl chloride	$C_{10} H_{11} Cl O$	1.07, 15°	Cahours. J. 1, 534.
Anisyl chloride	$C_8 H_7 Cl O_2$	1.261, 15°	Cahours. J. 1, 538.
Cinnamyl chloride	$C_9 H_7 Cl O$	1.207, 16°	Cahours. J. 1, 535.
Phthalyl chloride	$C_8 H_4 Cl_2 O_2$	1.0489, 20°	Brühl. A. C. P. 235, 1.
Dichloracetophenone	$C_8 H_6 Cl_2 O$	1.338, 15°	Gautier. Ber. 20, ref. 12.
Trichloracetophenone	$C_8 H_5 Cl_3 O$	1.427, 15°	"
Chlorobenzyl ethylate	$C_9 H_{11} Cl O$	1.121, 14°	Naquet. J. 15, 420.
Ethyl benzylehormalonnate.	$C_{14} H_{17} Cl O_4$	1.150, 19°	Conrad. Ber. 13, 2159.
Benzodichlorhydrin	$C_{10} H_{10} Cl_2 O_2$	1.441, 8°	Truchot. J. 18, 503.
Trichlorphenomalic acid.	$C_7 H_4 Cl_3 O_5$	1.5	Carius. J. 1866, 561.
Tetrachlorethyl camphorate.	$C_{14} H_{20} Cl_4 O_4$	1.386, 14°	Malaguti. Ann. (2), 70, 360.
Santonyl chloride		1.1644	Carnelutti and Nasini. Ber. 13, 2210.
Derivative of bergamot oil	$6 (C_{10} H_{16}). 2 H Cl. H_2 O$.896	Ohme. A. C. P. 31, 318.

LIII. COMPOUNDS CONTAINING C, CL, N, OR C, H, CL, N.

NAME	FORMULA	SP. GRAVITY.	AUTHORITY.
Chloroacetonitrile	$C_2 H_2 Cl N$	1.204, 11° 2	Bisschopinck. B. S. C. 20, 450.
"	"	1.193, 20°	Engler. Ber. 6, 1003.
Dichloroacetonitrile	$C_2 H Cl_2 N$	1.374, 11° 4	Bisschopinck. B. S. C. 20, 450.
Trichloroacetonitrile	$C_2 Cl_3 N$	1.444	Dumas. J. 1, 593.
"	"	1.439, 12° 2	Bisschopinck. B. S. C. 20, 450.
Dichloropropionitrile	$C_3 H_3 Cl_2 N$	1.431, 15°	Otto. J. 13, 400.
γ Chlorobutyronitrile	$C_4 H_6 Cl N$	1.1620, 10°	Henry. C. R. 101, 1158.
Dichloroethylamine	$C_2 H_5 Cl_2 N$	1.2397, 5°	Tscherniak. Ber. 9, 147.
"	"	1.2300, 15°	
Chloroxalme thylin	$C_4 H_5 Cl N_2$	1.2473, 16°	Wallach and Schulze. Ber. 14, 424.
Chloroxalethylin	$C_6 H_9 Cl N_2$	1.1420, 15°	Wallach. Ber. 7, 328.
"	"	1.142	Wallach and Stricker. Ber. 13, 512.
Chloroxalpropylin	$C_8 H_{13} Cl N_2$	1.0900	Wallach and Schulze. Ber. 14, 424.
Orthochloroaniline	$C_6 H_6 Cl N$	1.2338, 0°	Beilstein and Kurbatow. Ber. 7, 487.
Metachloroaniline	"	1.2432, 0°	Beilstein and Kurbatow. A. C. P. 176, 45.
Chlorotoluidine. B. 222°	$C_7 H_8 Cl N$	1.151, 20°	Wroblevsky. Z. C. 12, 322-544.
" B. 238°	"	1.1855, 20°	Wroblevsky. Z. C. 12, 684.
" B. 237°-242°	"	1.203, 19°	" "
" B. 236°	"	1.175, 18°	Henry and Radzi-zewski. Z. C. 12, 542.
Chlorpicoline	$C_6 H_6 Cl N$	1.146, 20°	Ost. J. P. C. (2), 27, 278.
Orthochlorochinoline	$C_9 H_6 Cl N$	1.2752, 16° 2	Bodewig. Tübingen In. Diss. 1885.
"	"	1.2751, 16° 6	
Parachlorochinoline	"	1.3768, 14° 6	" "
"	"	1.3766, 15°	
Chloride from methyluracil	$C_5 H_4 N_2 Cl_3$	1.6273, 21° 8	Behrend. A. C. P. 229, 26.

LIV. COMPOUNDS CONTAINING C, CL, N, O, OR C, H, CL, N, O.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloronitromethane ----	$C H_2 Cl N O_2$ ----	1.466, 15° ----	Tscherniak. Ber. 8, 609.
Dichlordinitromethane---	$C Cl_2 N_2 O_4$ ----	1.685, 15° ----	Marignac. Watts' Dict.
Chlorpicrin ----	$C Cl_3 N O_2$ ----	1.6657 ----	Stenhouse. J. 1, 540.
" ----	" ----	1.69225, 0° ----	} Thorpe. J. C. S. 37, 371.
" ----	" ----	1.48444, 111°.9 ----	
Dichloramyl nitrite ----	$C_5 H_9 Cl_2 N O_2$ ----	1.233, 12° ----	Guthrie. J. 11, 404.
Trichloracetyl cyanide ---	$C_3 Cl_3 N O$ ----	1.559, 15° ----	Hofferichter. J. P. C. (2), 20, 195.
Trichloroacetic dimethyl- amide.	$C_4 H_6 Cl_3 N O$ ----	1.441, 15° ----	Franchimont and Klobbie. Ber. 20, ref. 690.
Ethylene chloronitrin ---	$C_2 H_4 Cl N O_3$ ----	1.378, 21° ----	Henry. Ann. (4), 27, 243.
Propylene chloronitrin ---	$C_3 H_6 Cl N O_3$ ----	1.28, 12° ----	" "
Dichlormethoxyacetonitril.	$C_3 H_3 Cl_2 N O$ ----	1.3885 ----	Bauer. A. C. P. 229, 163.
Dichlorethoxyacetonitril.	$C_4 H_5 Cl_2 N O$ ----	1.3394, 15°.5 ----	" "
Dichlorpropoxyacetonitril.	$C_5 H_7 Cl_2 N O$ ----	1.2382, 15°.5 ----	" "
Dichlorisobutoxyacetonitril.	$C_6 H_9 Cl_2 N O$ ----	1.1226, 15°.5 ----	" "
Monochlordinitrin ----	$C_3 H_5 Cl N_2 O_6$ ----	1.5112, 9° ----	Henry. A. C. P. 155, 168.
Dichlormononitrin ----	$C_3 H_5 Cl_2 N O_3$ ----	1.465, 10° ----	" "
Chlorazol ----	$C_4 H_3 Cl_3 N_2 O_4$ ----	1.555 ----	Mühlhäuser. J. 7, 671.
Dichlornitrophenol ----	$C_6 H_3 Cl_2 N O_3$ ----	1.59 ----	Fischer. A. C. P., 7th Supp., 185.
Chlornitrobenzene ----	$C_6 H_4 Cl N O_2$ ----	1.377, 0° ----	Sokoloff. J. 19, 552.
" ----	" ----	1.358, 0° ----	" "
" ----	" ----	1.368, 22° ----	Jungfleisch. J. 21, 345.
" Meta ---	" ----	1.534 ----	Schröder. Ber. 13, 1070.
" Para ---	" ----	1.380, 22° ----	Jungfleisch. J. 21, 343.
Chlordinitrobenzene ----	$C_6 H_3 Cl_2 N_2 O_4$ ----	1.697, 22° ----	Jungfleisch. J. 21, 345.
" ----	" ----	1.6867, 16°.5 ----	Jungfleisch. J. 21, 346.
" ----	" ----	1.72, 18° ----	Engelhardt and Latschinoff. Z. C. 13, 232.
Dichlornitrobenzene ----	$C_6 H_3 Cl_2 N O_2$ ----	1.669, 22° ----	Jungfleisch. J. 21, 348.
Trichlornitrobenzene ----	$C_6 H_2 Cl_3 N O_2$ ----	1.790, 22° ----	Jungfleisch. J. 21, 351.
Dichlordinitrobenzene ---	$C_6 H_2 Cl_2 N_2 O_4$ ----	1.7103, 16° ----	Jungfleisch. J. 21, 348.
Trichlordinitrobenzene---	$C_6 H Cl_3 N_2 O_4$ ----	1.850, 25° ----	Jungfleisch. J. 21, 352.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachloronitrobenzene	$C_6H_2Cl_4N O_2$	1.744, 25°	Jungfleisch. J. 21, 353.
Pentachloronitrobenzene	$C_6Cl_5N O_2$	1.718, 25°	Jungfleisch. J. 21, 354.
Chloronitrotoluene	$C_7H_6Cl N O_2$	1.307, 18°	Wroblevsky. Z. C. 12, 683.
"	"	1.3259, 18°	" "
"	"	1.300, 20°	Wroblevsky. Ber. 7, 1062.
Parachlorometanitrotoluene.	"	1.297, 22°	Gattermann and Kaiser. Ber. 18, 2600.
Dichloronitrotoluene	$C_7H_5Cl_2 N O_2$	1.455, 17°	Wroblevsky and Pirogoff. Ber. 3, 203.
Derivative of acetanilide	$C_{12}H_9Cl N O_2$	1.3893, 20°	Witt. Ber. 8, 1227.
Derivative of protein	$C_{12}H_{12}Cl_3 N O_4$	1.628	Mühlhauser. J. 7, 671.
" " "	$C_{12}H_{12}Cl_3 N O_4$	1.360	" "

LV. COMPOUNDS CONTAINING C, H, AND BR.

1st. Bromides of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl bromide	$C H_3 Br$	1.6643, 0°	Pierre. C. R. 27, 213.
"	"	1.732 (0°)	Two lots. Merrill. J. P. C. (2), 18, 293.
"	"	1.7116 (0°)	"
"	"	1.73306, 15°	Perkin. J. P. C. (2), 31, 481.
"	"	1.72345, 25°	"
"	"	1.46576, 15°	"
"	"	1.45967, 18°	"
"	"	1.45554, 20°	"
"	"	1.45349, 21°	Weegmann. Z. P. C. 2, 218.
"	"	1.44733, 24°	"
"	"	1.44122, 27°	"
Ethyl bromide	$C_2 H_5 Br$	1.10	Lowig. A. C. P. 3, 292.
"	"	1.47329, 0°	Pierre. C. R. 27, 213.
"	"	1.4600, 20°	Haugen. P. A. 131, 117.
"	"	1.4621, 9°	Dhn. A. C. P., 4th Supp., 85.
"	"	1.4685, 13°.5	Linnemann. A. C. P. 160, 195.
"	"	1.4189, 15°	Mendeleeff. J. 13, 7.
"	"	1.4775, 5°-10°	} Regnault. P. A. 62, 50
"	"	1.4679, 10°-15°	
"	"	1.4582, 15°-20°	
"	"	1.47, 15°	
"	"		Gladstone and Tribe. J. C. S. (2), 12, 410

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl bromide	C_2H_5Br	1.4069, 20°	Naumann. Ber. 10, 2016.
" "	"	1.4579, 14°	De Heen. Bei. 5, 105.
" "	"	1.4134, 38°.	Schiff. Ber. 19, 560.
" "	"	1.44988, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.43250, 25°	
Propyl bromide	C_3H_7Br	1.353, 16°	Chapman and Smith. J. 22, 360.
" "	"	1.388, 0°	Rossi. A. C. P. 159, 79.
" "	"	1.3497, 0°	Pierre and Puchot. Ann. (4), 22, 284.
" "	"	1.301, 30°.15	
" "	"	1.2589, 54°.2	Linnemann. A. C. P. 161, 40.
" "	"	1.3577, 16°	
" "	"	1.3520	Brühl. A. C. P. 203, 1.
" "	"	1.3529	
" "	"	1.3617, 14°	De Heen. Bei. 5, 115.
" "	"	1.3835, 0°	Zander. A. C. P. 214, 181.
" "	"	1.2639, 71°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.36110, 15°	
" "	"	1.34739, 25°	Linnemann. J. 18, 489.
" "	"	1.320, 13°	
Isopropyl bromide	"	1.33, 21°	Linnemann.
" "	"	1.248, 20°	Linnemann. A. C. P. 161, 18.
" "	"	1.2997	Three lots. Brühl. A. C. P. 203, 1.
" "	"	1.3097	
" "	"	1.3117	Zander. A. C. P. 214, 181.
" "	"	1.3397, 0°	
" "	"	1.2368, 60°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.31978, 15°	
" "	"	1.30522, 25°	Lieben and Rossi. A. C. P. 158, 137.
" "	"	1.305, 0°	
Butyl bromide	C_4H_9Br	1.2792, 20°	Linnemann. Ann. (4), 27, 268.
" "	"	1.2571, 40°	
" "	"	1.2990, 20°	De Heen. Bei. 5, 105.
" "	"	1.2605, 14°	Wurtz. J. 7, 572.
Isobutyl bromide	"	1.274, 16°	Chapman and Smith. J. C. S. 22, 153.
" "	"	1.2702, 16°	
" "	"	1.249, 0°	Pierre and Puchot. Ann. (4), 22, 314.
" "	"	1.191, 40°.2	
" "	"	1.1408, 73°.5	Linnemann. A. C. P. 162, 1.
" "	"	1.2038, 16°	
" "	"	1.1456, 90°.5	Schiff. Bei. 9, 559.
" "	"	1.27221, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.25984, 25°	
Trimethylcarbyl bromide	"	1.215, 20°	Roozboom. Ber. 14, 2396.
" "	"	1.20200, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.18922, 25°	
Normal pentyl bromide	$C_5H_{11}Br$	1.246, 0°	Lieben and Rossi. A. C. P. 159, 70.
" "	"	1.2234, 20°	
" "	"	1.2044, 40°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl bromide	$C_5 H_{11} Br$	1.16576, 0°	Pierre. C. R. 27, 213.
" "	"	1.217, 16°	Chapman and Smith. J. 22, 367.
" "	"	1.2045, 20°	Haugen. P. A. 131, 117.
" "	"	1.2059, 15°.	Mendelejeff. J. 13, 7.
" "	"	1.0502, 120°	Ramsay. J. C. S. 35, 463.
" "	"	1.2002, 14°	De Heen. Bei. 5, 105.
" "	"	1.0126 } 117°.	{ Schiff. Ber. 14,
" "	"	1.0127 }	2766.
" "	"	1.2058, 22°	Lachowicz. A. C. P. 220, 171.
" "	"	1.0881, 118°.	Schiff. Ber. 19, 560.
" " Active	"	1.225, 15°	Lo Bel. B. S. C. 25, 546.
" " Inactive	"	1.2358, 0°	Balbiano. Ber. 9, 1437.
" "	"	1.21927, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.20834, 25°	
Normal hexyl bromide	$C_6 H_{13} Br$	1.1935, 0°	Lieben and Janceek. J. R. C. 5, 156.
" " "	"	1.1725, 20°	
" " "	"	1.1561, 40°	
Normal heptyl bromide	$C_7 H_{15} Br$	1.133, 16°	Cross. J. C. S. 32, 123.
Secondary heptyl bromide	"	1.122, 17°.5	Venable. Ber. 13, 1650.
Normal octyl bromide	$C_8 H_{17} Br$	1.116, 16°	Zincke. J. 22, 371.
" " "	"	1.11798, 15°	Perkin. J. P. C. (2), 31, 481.
" " "	"	1.10993, 25°	
Secondary octyl bromide	"	1.0989, 22°	Lachowicz. A. C. P. 220, 185.

2d. Bromides of the Series $C_n H_{2n} Br_2$.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylene bromide	$C H_2 Br_2$	2.0844, 11°.5	Steiner. Ber. 7, 507.
" "	"	2.4930, 0°	Henry. Ann. (5), 80, 265.
" "	"	2.49850 } 15°	Perkin. J. P. C. (2), 32, 523.
" "	"	2.499922 }	
" "	"	2.47849 }	
" "	"	2.47745 }	
Ethylene bromide	$C H_2 Br. C H_2 Br$	2.164, 21°	Regnault. Ann. (2), 59, 358.
" "	"	2.128, 13°	D'Arcet. J. P. C. 5, 28.
" "	"	2.16292, 20°.1	Pierre. C. R. 27, 213.
" "	"	2.179	Butlerow. J. 14, 652.
" "	"	2.1827, 20°	Haugen. P. A. 131, 117.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylene bromide	$C H_2 Br. C H_2 Br$	2.198, 10°	Reboul. Z. C. 13, 200.
"	"	2.21324, 0°	} Thorpe. J. C. S. 37, 371.
"	"	1.93124, 131°·45	
"	"	2.1785, 20°	} Anschütz. A. C. P. 221, 133.
"	"	2.1767, 21°·5	
"	"	1.9246, 130°·3	Schiiff. Ber. 19, 560.
"	"	2.18895, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	2.17271	
"	"	2.17197	
"	"	2.17681, 20°	
Ethylidene bromide	$C H_3. C H Br_2$	2.135, 0°	Caventou. J. 14, 608.
"	"	2.129	} Reboul. Z. C. 13, 200.
"	"	2.132	
"	"	2.0822, 21°·5	
"	"	2.10006, 17°·5	} Angelbis Freiburg Inaug. Diss. 1884.
"	"	2.08905, 20°·5	
"	"	2.10297, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	2.08540, 25°	
"	"	2.05545, 20°	Weegmann. Z. P. C. 2, 218.
Trimethylene bromide	$CH_2 Br. CH_2. CH_2 Br$	2.0177, 0°	Geromont. A. C. P. 158, 370.
"	"	1.9839, 13°·5	Reboul. J. C. S. 36, 127.
"	"	1.9228	Freund. Ber. 14, 2270.
"	"	2.0060, 0°	} Zander. A. C. P. 214, 181.
"	"	1.7101, 165°	
"	"	1.98236, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	1.96836, 25°	
Propylene bromide	$CH_3. CH Br. CH_2 Br$	1.7	Reynolds. J. 3, 495.
"	"	1.974	Cahours. J. 3, 496.
"	"	1.955, 9°	Reboul. Z. C. 13, 200.
"	"	1.954, 15°	} Linnemann. A. C. P. 136, 53.
"	"	1.950, 16°	
"	"	1.943, 17°	Linnemann. A. C. P. 138, 123.
"	"	1.972, 0°	} Erlennmeyer. A. C. P. 139, 226.
"	"	1.946, 17°	
"	"	1.9586, 0°	} Two products.
"	"	1.9256, 20°	
"	"	1.9710, 0°	} Friedel and Ladenburg. B. S. C. 8, 146.
"	"	1.9383, 20°	
"	"	1.9463, 17°	} Linnemann. A. C. P. 161, 42.
"	"	1.9465, 15°	
"	"	1.9617, 0°	} Zander. A. C. P. 214, 181.
"	"	1.6944, 141°·7	
"	"	1.8893, 18°	} Gladstone. Bei. 9, 249.
"	"	1.910, 21°	
"	"	1.94426	} Perkin. J. P. C. (2), 32, 523.
"	"	1.94474	
"	"	1.93004	
"	"	1.93030	

3d. Miscellaneous Non-Aromatic Bromides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Bromoform	C H Br_3	2.13	Löwig. A. C. P. 3, 296.
"	"	2.9, 12°	Cahours. J. 1, 501.
"	"	2.775, 14° 5'	Schmidt. Ber. 10, 194.
"	"	2.81185, 8° 56'	} Thorpe. J. C. S. 37, 201 and 371.
"	"	2.48611, 151° 2'	
"	"	2.90246	} Perkin. J. P. C. (2), 32, 523.
"	"	2.90450	
"	"	2.88253	
"	"	2.88421	
Bromethylene dibromide	$\text{C H}_2 \text{ Br. C H Br}_2$	2.620, 23°	Wurtz. J. 10, 461.
"	"	2.663, 0°	Simpson. J. 10, 461.
"	"	2.659, 0°	Caventou. J. 14, 608.
"	"	2.624, 16°	Tawildarow. A. C. P. 176, 21.
"	"	2.65, 0°	Demole. Ber. 9, 49.
"	"	2.6189, 17° 5'	} Anschütz. A. C. P. 221, 61.
"	"	2.6107, 21° 5'	
"	"	2.57896, 20°	Weegmann. Z. P. C. 2, 218.
Tetrabromethane	$\text{C H}_2 \text{ Br. C Br}_3$	2.88, 22°	Reboul. Z. C. 13, 200.
"	"	2.93	Bourgoin. J. C. S. 32, 443.
"	"	2.9292, 17° 5'	} Anschütz. A. C. P. 221, 133.
"	"	2.9216, 21° 5'	
"	"	2.88249, 16° 6'	} Weegmann. Z. P. C. 2, 218.
"	"	2.87687, 19° 1'	
"	"	2.87482, 20°	
"	"	2.87214, 21° 2'	
"	"	2.86512, 24° 3'	
"	"	2.85836, 27° 3'	
"	"	2.85189, 30° 2'	
Acetylene tetrabromide	$\text{C H Br}_2. \text{C H Br}_2$	2.848, 21° 5'	Sabanejeff. A. C. P. 178, 114.
"	"	2.9469	} Anschütz. Ber. 12, 2075.
"	"	2.9517	
"	"	2.9708	} Anschütz. A. C. P. 221, 133.
"	"	2.9712	
"	"	2.9629, 21° 5'	} Eltzbacher. Bonn Inaug. Diss. 1884.
"	"	2.92011, 17° 5'	
"	"	2.96725, 20°	Weegmann. Z. P. C. 2, 218.
Bromethylene, or vinyl bromide.	$\text{C}_2 \text{ H}_3 \text{ Br}$	1.52	Watts' Dictionary.
"	"	1.5286, 11°	} Anschütz. A. C. P. 221, 133.
"	"	1.5167, 14°	
"	"	1.52504, 9° 6'	Perkin. J. P. C. (2), 32, 523.
Dibromethylene	$\text{C}_2 \text{ H}_2 \text{ Br}_2$	3.038, 10°	} Sawitsch. J. 13, 431.
"	"	3.053, 14° 5'	
"	"	2.1780, 20° 6'	Anschütz. A. C. P. 221, 133.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetylene dibromide	$C_2 H_2 Br_2$	2.120, 17°	Tawildarow. A. C. P. 176, 23.
"	"	2.2023, 22° 7'	Sabanejeff. B. S. C. 27, 371.
"	"	2.268, 0°	Plimpton. Ber. 14, 1812.
"	"	2.271, 0°	Sabanejeff. Ber. 16, 1220.
"	"	2.223, 19°	
"	"	2.2714, 17° 5'	Anschütz. A. C. P. 221, 133.
"	"	2.2983, 0°	Weger. A. C. P. 221, 61.
"	"	2.0352, 110° 5'	
"	"	2.22889, 20°	Weegmann. Z. P. C. 2, 218.
Tribromethylene	$C_2 H Br_3$	2.68762, 20°	"
Tribromopropane	$CH_3. CBr_2. CH_2 Br$	2.336	Cahours. J. 3, 496.
"	"	2.392, 23°	Wurtz. J. 10, 462.
"	"	2.39, 10°	Linnemann. J. 18, 490.
"	"	2.32, 12°	Reboul. J. C. S. 36, 127.
"	$CH_3. CHBr. CHBr_2$	2.356, 18°	Reboul. C. R. 79, 317.
Tribromhydrin	$CH_2 Br. CHBr. CH_2 Br$	2.436, 23°	Wurtz. J. 10, 463.
"	"	2.966, 0°	Perrot. J. 11, 395.
"	"	2.407, 10°	Henry. A. C. P. 154, 370.
"	"	2.41344, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	2.39856, 25°	
Tetrabromopropane	$C_3 H_4 Br_4$	2.469	Cahours. J. 3, 496.
Allylene tetrabromide	$C H_3. C Br_2. C H Br_2$	2.91, 0°	Oppenheim. J. 17, 493.
Tetrabromglycide	$CHBr_2. CHBr. CH_2 Br$	2.64	Reboul. J. 13, 462.
Pentabromopropane	$C_3 H_3 Br_5$	2.601	Cahours. J. 3, 496.
α Brompropylene	$C_3 H_5 Br$	1.364, 19° 5'	Reboul. C. R. 79, 317.
"	"	1.39, 9°	Reboul. J. C. S. 36, 127.
"	"	1.42077, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.40527, 25°	
β Brompropylene	"	1.400, 13°	Linnemann. A. C. P. 136, 55.
"	"	1.410, 14°	Linnemann. J. 19, 308.
"	"	1.408, 19°	
"	"	1.4110, 15°	Linnemann. A. C. P. 161, 18.
"	"	1.428, 19° 5'	Reboul. C. R. 79, 317.
Allyl bromide	"	1.472	Cahours. J. 3, 496.
"	"	1.451, 0°	Tollens. J. P. C. 107, 185.
"	"	1.4385, 15°	
"	"	1.3609, 62°	
"	"	1.4507, 0°	Tollens and Henninger. Z. C. 12, 88.
"	"	1.461, 0°	Tollens. A. C. P. 156, 153.
"	"	1.436, 15°	Zander. A. C. P. 214, 181.
"	"	1.4593, 0°	
"	"	1.3333, 70° 5'	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl bromide	$C_3 H_5 Br$	1.396, 20°.5	Gladstone. Bei. 9, 249.
" "	"	1.3867, 24°.5	
" "	"	1.3980, 20°	
" "	"	1.42532, 15°	Perkin. J. P. C. (2), 32, 523.
" "	"	1.41057, 25°	
Epidibromhydrin	$C_3 H_4 Br_2$	2.06, 11°	Reboul. J. 13, 461.
Allylene bromide	"	1.950	Cahours. J. 3, 496.
" "	"	2.05, 0°	Oppenheim. J. 17, 493.
" "	"	2.00, 15°	Borsche and Fittig. J. 18, 314.
" "	"	1.98, 15°	Linnemann. J. 18, 490.
Propargyl tribromide	$C_3 H_3 Br_3$	2.53, 10°	Henry. Ber. 7, 761.
Propargyl bromide	$C_3 H_3 Br$	1.52, 20°	Henry. B. S. C. 20, 452.
" "	"	1.59, 11°	Henry. Ber. 7, 761.
Propargyl pentabromide	$C_3 H_3 Br_5$	3.01, 10°	" "
Tribromisobutane	$C_4 H_7 Br_3$	2.187, 17°	Norton and Williams. A. C. J. 9, 88.
Bromauylene	$C_5 H_9 Br$	1.22, 19°	Linnemann. Z. C. 11, 58.
Isoprene bromide	"	1.175, 15°	Bouchardat. J. C. S. 38, 323.
Isoprene dibromide	$C_5 H_8 Br_2$	1.601, 15°	" "
Bromhexylene.	$C_6 H_{11} Br$	1.35, 12°	Destrem. Ann. (5), 27, 50.
" B. 99°-100°.	"	1.17, 15°	Reboul and Truchot. J. 20, 587.
" B. 138°	"	1.2205, 0°	Hecht and Strauss. A. C. P. 172, 62.
" B. 140°	"	1.2025, 15°	
Hexine dibromide	$C_6 H_{10} Br_2$	1.6977, 0°	Hecht. Ber. 11, 1054.
" "	"	1.5543, 100°	
Hexine tetrabromide	$C_6 H_{10} Br_4$	2.1625, 0°	" "
Dibromdiallyl	$C_6 H_8 Br_2$	1.656	Henry. J. C. S. (2), 11, 1215.
Dipropargyl tetrabromide	$C_6 H_6 Br_4$	2.464, 19°	Henry. Ber. 7, 761.
Conylene bromide	$C_8 H_{14} Br_2$	1.5679, 16°.25	Wertheim. J. 15, 367.
Bromdecylene	$C_{10} H_{19} Br$	1.109, 15°	Reboul and Truchot. J. 28, 588.
Isovinyl bromide	$(C_2 H_3 Br)_n$	2.075	Baumann. A. C. P. 163, 308.
Erythrene hexbromide	$C_4 H_4 Br_6$	2.9, 15°, l.	{ Colson. B. S. C. 48, 52. Two modifications.
" "	"	3.4, solid	

4th. Aromatic Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brombenzene	C_6H_5Br	1.519 } 0° {	Ladenburg. Ber. 7,
"	"	1.522 } {	1685.
"	"	1.51768, 0° {	} Adrieenz. Ber. 6,
"	"	1.50236, $11^\circ.46$ {	
"	"	1.48977, $20^\circ.96$ {	} Brühl. Bei. 4, 780.
"	"	1.41163, $77^\circ.76$ {	
"	"	1.4914, 20° {	} Weger. A. C. P.
"	"	1.5203, 0° {	
"	"	1.3080, $155^\circ.6$ {	} Gladstone. Bei. 9,
"	"	1.4958, 16° {	
"	"	1.49225, 23° {	} Schiff. Bei. 9, 559.
"	"	1.3080, 155° {	
Orthodibrombenzene	$C_6H_4Br_2$	2.003, 0° {	Körner. J. C. S. (3),
"	"	1.858, 99° {	1, 214.
Metadibrombenzene	"	1.955, $18^\circ.6$ {	" "
Paradibrombenzene	"	2.218 } 4° {	Schröder. Ber. 12,
"	"	2.222 } {	561.
"	"	1.8408, $89^\circ.3$ {	Schiff. A. C. P. 223,
Benzyl bromide	$C_6H_5.CH_2Br$	1.438, 22° {	247.
Orthobromtoluene	$C_6H_4.CH_3.Br$	1.4092, $21^\circ.5$ {	Kekulé. J. 20, 662.
"	"	1.4109, 22° {	Glinzer and Fittig.
"	"	1.401, 18° {	J. 18, 538.
"	"	1.2031, $182^\circ.5$ {	Kekulé. J. 20, 663.
Metabromtoluene	"	1.4009, 21° {	Wroblevsky. A. C.
Parabromtoluene	"	1.3999, 30° {	P. 168, 147.
Dibromtoluene. B. 236°	$C_6H_3.CH_3.Br_2$	1.8127, 19° {	Schiff. Ber. 19, 560.
" B. $235^\circ-239^\circ$	"	1.812, 19° {	Wroblevsky. Z. C.
" B. 246°	"	1.812, 22° {	13, 239.
Ethylbrombenzene. 1.4	$C_6H_4.C_2H_5.Br$	1.34, $13^\circ.5$ {	Hübner and Terry.
Bromxylene	$C_6H_3.CH_3.CH_3.Br$	1.335, 21° {	Z. C. 14, 232.
" 1.2.4	"	1.3693, 15° {	Wroblevsky. Z. C.
" 1.3.5	"	1.362, 20° {	13, 239.
Metaxylyl bromide	$C_6H_4.CH_3.CH_2Br$	1.3711, 23° {	Fittig and Koenig.
Orthoxylyl bromide	"	1.3811, 23° {	J. 20, 609.
Dibromorthoxylylene	$C_6H_2.(CH_3)_2.Br_2$	1.7842, 15° {	Beilstein. J. 17, 530.
Orthoxylylene bromide	$C_6H_4.(CH_2Br)_2$	1.934, 0° , s. } 1.680, 95° , l. }	Jacobson. Ber. 17,
"	"		2373.
"	"		Wroblevsky. A. C.
"	"		P. 192, 215.
"	"		Radziszewski and
"	"		Wispek. Ber. 15,
"	"		1745.
"	"		Radziszewski and
"	"		Wispek. Ber. 15,
"	"		1747.
"	"		Jacobson. Ber. 17,
"	"		2377.
"	"		Colson. Ann. (6), 6,
"	"		86.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Orthoxylylene bromide	$C_6 H_4 (C H_2 Br)_2$	1.988	Colson. C. R. 104, 429.
Metaxylylene bromide	"	1.734, 0°, s. }	Colson. Ann. (6), 6, 86.
"	"	1.615, 80°, l. }	
"	"	1.959	
Paraxylylene bromide	"	2.010, s. }	Colson. Ann. (6), 6, 86.
"	"	1.850, 155°, l. }	
"	"	2.012	
Brommesitylene. 1.3.5.6	$C_6 H_2 (C H_3)_3. Br$	1.3191, 10°	Fittig and J. Storer, J. 20, 704.
Isopropylbrombenzene.	$C_6 H_4. C_3 H_7. Br$	1.3223, 13°	Meusel. J. 20, 698.
"	"	1.3014, 15°	Jacobsen. Ber. 12, 430.
Dibromcymene	$C_{10} H_{12} Br_2$	1.596	Claus and Wimmel. Ber. 13, 903.
β Bromamylbenzene	$C_{11} H_{15} Br$	1.2834, 21°	Dafert. M. C. 4, 621.
Benzene hexbromide	$C_6 H_6 Br_6$	2.5 +	Meunier. Ann. (6), 10, 223.
Bromdibenzyl	$C_{14} H_{13} Br$	1.318, 9°	Stelling and Fittig.
Bromnaphthalene	$C_{10} H_7 Br$	1.555	Glaser. J. 18, 562.
"	"	1.503, 12°	Wahlforss. J. 18, 564.
"	"	1.48875, 16°.5	} Nasini and Bernheimer. G. C. I. 15, 50.
"	"	1.47496, 28°.1	
"	"	1.42572, 77°.6	
"	"	1.5678, 16°.5	
"	"	1.5403, 17°	
"	"	1.5403, 18°	Gladstone. Bei. 9, 249.
"	β	1.605, 0°	Roux. B. S. C. 45, 514.
α Tetrabromhydrocamphene.	$C_{10} H_{14} Br_4$	2.2042	Royère. Ber. 19, ref. 438.
β Tetrabromhydrocamphene.	"	1.93711	"

LVI. COMPOUNDS CONTAINING C, H, O, AND BR.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
$\alpha \beta$ Dibrompropyl alcohol	$C_3 H_6 Br_2 O$	2.1682, 0°	} Weger. A. C. P. 221, 61.
"	"	1.7535, 219°	
Monobromtrimethylcarbinol.	$C_4 H_9 Br O$	1.429, 0°	Guaracchi and Garzino. J. C. S. 54, 437.
Dibromhexyl alcohol	$C_6 H_{12} Br_2 O$	1.99, 15°	Destrem. Ann. (5), 27, 50.
Bromethyl oxide	$C_4 H_9 Br O$	1.3704, 0°	Henry. C. R. 100, 1007.
Bromacetyl bromide	$C_2 H_2 Br_2 O$	2.317, 21°.5	Naumann. J. 17, 322.
Propionyl bromide	$C_3 H_5 O. Br$	1.465, 14°	Sestini. J. 22, 528.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dibromacetic acid	$C_2 H_2 Br_2 O_2$	2.25	Perkin and Duppa. J. 11, 285.
Bromobutyric acid	$C_4 H_7 Br O_2$	1.54, 15°	Schneider. J. 14, 457.
Bromisobutyric acid	"	1.5225, 60°	Helland Waldbauer. Ber. 10, 448.
"	"	1.500, 100°	
Dibromobutyric acid	$C_4 H_6 Br_2 O_2$	1.97	Schneider. J. 14, 458.
Bromostearic acid	$C_{18} H_{35} Br O_2$	1.0653, 20°	Oudemans. J. P. C. 89, 197.
Ethyl bromacetate	$C_4 H_7 Br O_2$	1.5250, 18°	Gladstone. Bei. 9, 249.
Dibromethyl acetate	$C_4 H_6 Br_2 O_2$	1.962, 17°	Kessel. Ber. 10, 1996.
Ethyl brompropionate	$C_5 H_9 Br O_2$	1.396, 11°	Henry. A. C. P. 156, 176.
Methyl dibrompropionate. <i>a.</i>	$C_4 H_6 Br_2 O_2$	1.9043, 0°	Philippi. Göttingen Inaug. Diss. 1873.
"	"	1.8973, 12°	
"	"	1.9777, 0°	
"	"	1.6140, 205° 8'	Weger. A. C. P. 221, 61.
Ethyl dibrompropionate. <i>a</i>	$C_5 H_8 Br_2 O_2$	1.7728, 0°	Philippi. Gott. Inaug. Diss. 1873.
"	"	1.7536, 12°	
"	"	1.796, 0°	Munder and Tollens. A. C. P. 167, 222.
"	"	1.777, 15°	
"	"	1.8234	Weger. A. C. P. 221, 61.
"	"	1.8279	
"	"	1.4554, 214° 6'	
Propyl dibrompropionate.	$C_6 H_{10} Br_2 O_2$	1.6842, 0°	Philippi. Gott. Inaug. Diss. 1873.
"	"	1.6682, 12°	
"	"	1.7014, 0°	Weger. A. C. P. 221, 61.
"	"	1.3391, 233°	
Butyl dibrompropionate. <i>a</i>	$C_7 H_{12} Br_2 O_2$	1.6008, 0°	Philippi. Gott. Inaug. Diss. 1873.
"	"	1.5778, 12°	
Methyl brombutyrate. γ	$C_5 H_9 Br O_2$	1.450, 5°	Henry. C. R. 102, 368.
Ethyl brombutyrate	$C_6 H_{11} Br O_2$	1.33, 15°	Schneider. J. 14, 458.
"	"	1.345, 12°	Cahours. J. 15, 248.
"	"	1.363, 5°	Henry. C. R. 102, 368.
Ethyl bromisobutyrate	"	1.328, 0°	Helland Wittekind. Ber. 7, 319.
"	"	1.300, 19° 5'	
Ethyl bromvalerate. <i>a</i>	$C_7 H_{13} Br O_2$	1.226, 18°	Justin. Ber. 17, 2504.
Ethyl bromethylmethylacetate. <i>a.</i>	"	1.2275, 18°	Boeking. A. C. P. 204, 24.
Bromal	$C_2 H Br_3 O$	3.34	Löwig. A. C. P. 3, 305.
Parabromalide	"	3.107	Cloez. J. 12, 433.
Bromacetone	$C_3 H_5 Br O$	1.99	Sokolowsky. B. S. C. 27, 371.
Dibromacetone	$C_3 H_4 Br_2 O$	2.5	"
Hexbromethylmethyl ketone.	$C_4 H_2 Br_6 O$	2.88, 0°	Demole. Ber. 11, 1712.
Ethylene bromhydrin	$C_2 H_4 Br. O H$	1.66, 8°	Henry. Ann. (4), 27, 243.
Bromethylene bromhydrin	$C_2 H_3 Br. Br. O H$	2.35, 0°	Demole. Ber. 9, 50.
Bromethylene bromaceticin	$C_2 H_3 Br. Br. C_2 H_3 O_2$	1.98, 0°	Demole. Ber. 9, 51.
Ethylidene bromethylate	$C_2 H_4. Br. O C_2 H_3$	1.0632, 12°	Henry. C. R. 100, 1007.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylene bromhydrin	$C_3 H_6 Br O H$ -----	1.5374, 20° ---	Frühling. Ber. 15, 2622.
Ethoxybromamylene	$C_5 H_8 Br O C_2 H_5$ --	1.23, 19° -----	Reboul. J. 17, 507.
Hexylene bromhydrin	$C_6 H_{12} Br O H$ -----	1.2959, 11° -----	Henry. C. R. 97, 260.
Ethyl bromacetate	$C_6 H_9 Br O_3$ -----	1.511, 22° -----	Duisberg. Ber. 15, 1378.
Ethyl dibromacetate	$C_6 H_8 Br_2 O_3$ -----	1.884, 25° -----	" "
Ethyl tribromacetate	$C_6 H_7 Br_3 O_3$ -----	2.144, 22° -----	" "
Ethyl tetrabromacetate.	$C_6 H_6 Br_4 O_3$ -----	2.401, 17° -----	" "
Dibromide of dibromacetacetic ether.	$C_6 H_8 Br_4 O_3 ?$ -----	2.320, 21° -----	Conrad. A. C. P. 186, 233. Compare Ber. 15, 2133.
Ethyl bromethylacetate.	$C_8 H_{13} Br O_3$ -----	1.354 -----	Wedel. A. C. P. 219, 102.
Ethyl dibromethylacetate.	$C_8 H_{12} Br_2 O_3$ -----	1.635 -----	Wedel. A. C. P. 219, 103.
Ethyl tribromethylacetate.	$C_8 H_{11} Br_3 O_3$ -----	1.860 -----	" "
Ethyl β bromacetopropionate.	$C_7 H_{11} Br O_3$ -----	1.439, 15° -----	Conrad and Guthzeit. Ber. 17, 2286.
Ethyl brompropionate.	$C_8 H_{13} Br O_3$ -----	1.337, 15° -----	Israel. A. C. P. 231, 197.
Ethyl dibrompropionate.	$C_8 H_{12} Br_2 O_3$ -----	1.611, 15° -----	" "
Bromallyl alcohol	$C_3 H_5 Br O$ -----	1.6, 15° -----	Henry. B. S. C. 18, 232.
Bromallyl acetate	$C_5 H_7 Br O_2$ -----	1.57, 12° -----	" "
Allyldibrompropionate.	$C_6 H_8 Br_2 O_2$ -----	1.843, 0° -----	Münderand Tollens. A. C. P. 167, 222.
"	" -----	1.818, 20° -----	
Dibromallyl oxide	$C_6 H_8 Br_2 O$ -----	1.7, 17° -----	Henry. B. S. C. 20, 452.
Brommethylallyl oxide	$C_4 H_7 Br O$ -----	1.35, 10° -----	Henry. B. S. C. 18, 232.
Bromethylallyl oxide	$C_5 H_9 Br O$ -----	1.27, 12° -----	Henry. Ber. 5, 186.
Monobromhydrin	$C_3 H_5 Br (O H)_2$ -----	1.717, 4° -----	Veley. C. N. 47, 39.
Dibromhydrin	$C_3 H_5 Br_2 O H$ -----	2.11, 10° -----	Berthelot and De Luca. J. 8, 627.
"	" -----	2.11, 18° -----	Berthelot and De Luca. J. 9, 601.
"	" -----	2.02, 18°.5 -----	Zotta. A. C. P. 174, 87.
Epibromhydrin	$C_3 H_5 Br O$ -----	1.615, 14° -----	Berthelot and De Luca. J. 9, 600.
Bromdiethylin	$C_3 H_5 Br (O C_2 H_5)_2$ -----	1.258, 8° -----	Henry. Ber. 4, 701.
Diethyl brommaleate	$C_8 H_{11} Br O_4$ -----	1.4095, 17°.5 -----	Anschütz and Aschmann. Ber. 12, 2284.
Dibromoleic acid	$C_{18} H_{32} Br_2 O_2$ -----	1.272, 7°.5 -----	Lefort. J. 6, 451.
Bromcitropyrotartaric anhydride.	$C_5 H_3 Br O_3$ -----	1.935, 23° -----	Bourgoin. J. Ph. C. 26, 234.
Ethyl δ brompyromucate.	$C_7 H_7 Br O_3$ -----	1.528, 0° -----	Hill and Sanger. A. C. P. 232, 52.
Orthomonobromphenol	$C_6 H_5 Br O$ -----	1.6606, 30° -----	Körner. J. 19, 574.
Paramonobromphenol	" -----	1.840, 15° -----	Hand. A. C. P. 234, 133.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brommethylphenol -----	$C_7 H_7 Br O$ -----	1.494, 9° -----	Henry. Z. C. 13, 247.
Bromparakresol -----	“ -----	1.5468, 24° 5' -----	Schall and Dralle. Ber. 17, 2531.
Brommethylparakresol -----	$C_8 H_9 Br O$ -----	1.4182, 24° 5' -----	“ -----
Bromisopropylphenol ---	$C_9 H_{11} Br O$ -----	1.981, 0° -----	Silva. B. S. C., Jan., 1870.
“ -----	“ -----	1.957, 12° 5' -----	
Bromallylphenol ether ---	$C_9 H_9 Br O$ -----	1.4028, 11° -----	Henry. Ber. 16, 1378.
Brommethylengenol -----	$C_{11} H_{13} Br O_2$ -----	1.3959, 0° -----	Wassermann. C. R. 88, 1207.
Benzoyl bromide -----	$C_7 H_5 O. Br$ -----	1.5700, 15° -----	Claissen. Ber. 14, 2473.
Monobromeamphor -----	$C_{10} H_{15} Br O$ -----	1.437 -----	Schröder. Ber. 13, 1070.
“ -----	“ -----	1.449 -----	
Santonyl bromide -----	-----	1.4646 -----	Carnelutti and Nisini. Ber. 13, 2210.

LVII. BROMINE COMPOUNDS CONTAINING NITROGEN.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brompicrin -----	$C Br_3 N O_2$ -----	2.811, 12° 5' -----	Bolas and Groves. Z. C. 13, 414.
“ -----	“ -----	2.816, 13° -----	Gladstone. Bei. 9, 249.
Tetranitroethylene bromide.	$C_2 (N O_2)_4 Br_2$ -----	1.25, 14° -----	Villiers. J. C. S. 42, 815.
Bromnitric glycol -----	$C_2 H_4 Br N O_3$ -----	1.735, 8° -----	Henry. Ann. (4), 27, 243.
Bromallyl nitrate -----	$C_3 H_4 Br N O_3$ -----	1.5, 13° -----	Henry. B. S. C. 18, 232.
Nitrobromotoluene. B. 269°	$C_7 H_5 Br N O_2$ -----	1.612, 20° -----	Wroblevsky. Z. C. 13, 240.
“ B. 256°	“ -----	1.631, 18° -----	Wroblevsky. Z. C. 13, 166.
Bromtoluidine. B. 240°	$C_7 H_5 Br N$ -----	1.510, 20° -----	Wroblevsky. A. C. P. 168, 147.
“ B. 255°-260°	“ -----	1.1442, 19° -----	Wroblevsky. A. C. P. 192, 203.
Brompyridine -----	$C_5 H_4 Br N$ -----	1.645, 0° -----	Cinamician and Dennstedt. Ber. 15, 1174.
“ -----	“ -----	1.646, 0° -----	Danesi. Ber. 15, 1177.
“ -----	“ -----	1.632, 10° -----	Hofmann. Ber. 16, 589.

LVIII. COMPOUNDS CONTAINING C, H, AND I.

1st. Iodides of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl iodide	$C H_3 I$	2.227, 22°	Dumas and Peligot. Ann. (2), 58, 30.
" "	"	2.19922, 0°	Pierre. C. R. 27, 213.
" "	"	2.2636, 20°	Haagen. P. A. 131, 117.
" "	"	2.269, 25°	Linnemann. Z. C. 11, 285.
" "	"	2.2905, 16°	Sigel. A. C. P. 170. 345.
" "	"	2.1905, 42°	Ramsay. J. C. S. 35, 463.
" "	"	2.28517, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	2.25288, 25°	
" "	"	2.3346, 0°	Dobriner. A. C. P. 243, 23.
" "	"	2.2146, 42°.8	
Ethyl iodide	$C_2 H_5 I$	1.9206, 23°.3	Gay Lussac. Ann. (1), 91, 91.
" "	"	1.92, 16°	Marchand. J. P. C. 33, 188.
" "	"	1.97546, 0°	Pierre. C. R. 27, 213.
" "	"	1.9567, 5°-10°	
" "	"	1.9457, 10°-15°	Regnault. P. A. 62, 50.
" "	"	1.9348, 15°-20°	
" "	"	1.9464, 16°	Frankland. J. 2, 412.
" "	"	1.9309, 15°	Mendelejeff. J. 13, 7.
" "	"	1.98, 4°	Berthelot. A. C. P. 115, 114.
" "	"	1.927, 20°	Linnemann. A. C. P. 144, 133.
" "	"	1.9265, 19°	Linnemann. A. C. P. 148, 251.
" "	"	1.935	Haagen. P. A. 131, 117.
" "	"	1.938	
" "	"	1.979, 0°	Pierre and Puchot. Ann. (4), 22, 261.
" "	"	1.907, 30°.4	
" "	"	1.9444, 14°.5	Linnemann. A. C. P. 160, 195.
" "	"	1.944, 15°	Crismer. Ber. 17, 652.
" "	"	1.9313, 14°	Gladstone. Bei. 9, 249.
" "	"	1.8111, 72°.2	Schiff. Ber. 19, 560.
" "	"	1.96527, 4°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.94332, 15°	
" "	"	1.92431, 25°	Dobriner. A. C. P. 243, 23.
" "	"	1.9795, 0°	
" "	"	1.8156, 72°.5	
Propyl iodide	$C_3 H_7 I$	1.789, 16°	Berthelot and De Luca. J. 7, 452.
" "	"	1.7012, 21°	Linnemann. J. 21, 433.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl iodide	C_3H_7I	1.7343, 16°	Chapman and Smith. J. C. S. 22, 195.
" "	"	1.782, 0°	Rossi. A. C. P. 159, 79.
" "	"	1.7472, 16°	Linnemann. A. C. P. 160, 195.
" "	"	1.7477, 23°	Linnemann. A. C. P. 161, 25.
" "	"	1.7610, 16°	Linnemann. A. C. P. 161, 34.
" "	"	1.78635, 0°	} Brown. J. C. S. 32, 837.
" "	"	1.75035, 19°.27	
" "	"	1.74772, 20°.79	
" "	"	1.74628, 20°.91	
" "	"	1.7427, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.7483, 14°	DeHeen. Bei. 5, 105.
" "	"	1.5867, 102°.5	Zander. A. C. P. 214, 181.
" "	"	1.7838, 0°	Chancel. B. S. C. 39, 648.
" "	"	1.7508, 16°	Gladstone. Bei. 9, 249.
" "	"	1.7842, 0°	} Pierre and Puchot. Ann. (4), 22, 286.
" "	"	1.7674, 9°.1	
" "	"	1.6843, 52°.6	
" "	"	1.6373, 75°.3	
" "	"	1.76732, 10°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.75853, 15°	} Dobriner. A. C. P. 243, 23.
" "	"	1.7829, 0°	
" "	"	1.585, 102°.5	
Isopropyl iodide	"	1.70, 15°	Linnemann. J. 18, 489.
" "	"	1.714, 16°	Erlenmeyer. A. C. P. 126, 309.
" "	"	1.73, 0°	Simpson. A. C. P. 129, 128.
" "	"	1.725, 0°	Wurtz. See A. C. P. 136, 43.
" "	"	1.69, 15°	Linnemann. A. C. P., 3d Supp., 265.
" "	"	1.71, 15°	Linnemann. A. C. P., 3d Supp., 267.
" "	"	1.735, 0°	} Erlenmeyer. A. C. P. 139, 229.
" "	"	1.711, 17°	
" "	"	1.71732, 17°	} H. L. Buff. A. C. P., 4th Supp., 129.
" "	"	1.562442, 93°	
" "	"	1.70, 18°	Linnemann. A. C. P. 140, 178.
" "	"	1.715, 15°.5	Siersch. A. C. P. 140, 142.
" "	"	1.7109, 15°	Linnemann. A. C. P. 161, 18.
" "	"	1.744, 0°	} Brown. J. C. S. 32, 837.
" "	"	1.70526, 19°.8	
" "	"	1.70506, 20°.14	
" "	"	1.70457, 21°.09	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isopropyl iodide	$C_3 H_7 I$	1.7033, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.5650, 89°	Zander. A. C. P. 214, 181.
" "	"	1.7157, 14°	Gladstone. Bei. 9, 249.
" "	"	1.71630, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.70049, 25°	
Butyl iodide	$C_4 H_9 I$	1.643, 0°	Lieben and Rossi. A. C. P. 158, 137. Linnemann. Ann. (4), 27, 268.
" "	"	1.6136, 20°	
" "	"	1.5894, 40°	
" "	"	1.5804, 18°	
" "	"	1.6166, 20°	
" "	"	1.6172, 14°	De Heen. Bei. 5, 105.
" "	"	1.6476, 0°	Dobriner. A. C. P. 243, 23.
" "	"	1.4308, 129°.9	
Secondary butyl iodide	"	1.632, 0°	De Luynes. J. 17, 499.
" " "	"	1.600, 20°	
" " "	"	1.584, 30°	
" " "	"	1.6263, 0°	Lieben. J. 21, 439.
" " "	"	1.6111, 10°	
" " "	"	1.5952, 20°	
" " "	"	1.5787, 30°	
" " "	"	1.634, 0°	
Isobutyl iodide	"	1.604, 19°	Wurtz. A.C.P. 152, 23.
" "	"	1.643, 0°	Wurtz. J. 7, 573.
" "	"	1.6301, 0°	Wurtz. J. 20, 573.
" "	"	1.6032, 16°	Chapman and Smith. J. C. S. 22, 156.
" "	"	1.54816, 50°	
" "	"	1.6345, 0°	Pierre and Puchot. Ann. (4), 22, 317.
" "	"	1.6214, 8°.3	
" "	"	1.6387, 56°.4	
" "	"	1.464, 98°.8	
" "	"	1.6081, 19°.5	
" "	"	1.592, 22°	Linnemann. A. C. P. 160, 195.
" "	"	"	Linnemann. Ann. (4), 27, 268.
" "	"	1.6433, 0°	Erlenmeyer and Hell. A. C. P. 160, 257.
" "	"	1.6278, 10°	
" "	"	1.6114, 20°	Brauner. A. C. P. 192, 69.
" "	"	1.6401, 0°	
" "	"	1.6050, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.6056, 20°	
" "	"	1.5982	Gladstone. Bei. 9, 249.
" "	"	1.4335, 114°.5	Schiff. Ber. 19. 560.
" "	"	1.61385, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.60066, 25°	
Trimethylcarbyl iodide. ?	"	1.587, 0°	Two lots. Puchot. Ann. (5), 28, 546.
" " "	"	1.501, 50°.1	
" " "	"	1.571, 0°	
" " "	"	1.479, 53°	
Normal pentyl iodide	$C_5 H_{11} I$	1.5435, 0°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	1.5174, 20°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Normal pentyl iodide	$C_5H_{11}I$	1.4961, 40°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	1.5444, 0°) Dobriner. A. C. P. 243, 20.
" " "	"	1.3128, 151°·7	
Amyl iodide	"	1.51113, 11°·5	Frankland J. 3, 478.
" " "	"	1.5277, 0°	Frankland.
" " "	"	1.4936, 20°	Grimm. J. 7, 543.
" " "	"	1.4676, 0°	} Kopp. A. C. P. 95, 307.
" " "	"	1.4387, 22°·3	
" " "	"	1.5087, 15°·8	Mendelejeff. J. 13, 7.
" " "	"	1.4734, 20°	Haagen. P. A. 131, 117.
" " "	"	1.5005, 14°	De Heen. Bei. 5, 105.
" " "	"	1.5413, 0°	} Flawitzky. Ber. 15, 11.
" " "	"	1.5084, 23°	
" " "	"	1.5048, 14°	Gladstone. Bei. 9, 249.
" " "	"	1.3098, 148°	Schiff. Ber. 19, 560.
" " "	"	1.5100, 15°	} Perkin. J. P. C. (2), 31, 481.
" " "	"	1.49811, 25°	
" " Active	"	1.54, 15°	Le Bel. B. S. C. 25, 545.
" " "	"	1.5425, 16°	Just. A. C. P. 220, 150.
Methylpropylarbyl iodide	"	1.537, 0°	} Wurtz. J. 21, 446.
" " "	"	1.5219, 11°	
" " "	"	1.539, 0°	} Wagner and Saytz- eff. A. C. P. 179, 318.
" " "	"	1.510, 20°	
" " "	"	1.499, 15°	Romburgh. Ber. 16, 392.
Diethylarbyl iodide	"	1.528, 0°	} Wagner and Saytz- eff. A. C. P. 175, 365.
" " "	"	1.505, 16°	
" " "	"	1.4792	Gladstone. Bei. 9, 249.
" " "	"	1.528, 0°	} Wagner and Saytz- eff. A. C. P. 179, 318.
" " "	"	1.501, 20°	
Dimethylethylarbyl iodide.	"	1.5207, 0°	Flawitzky. A. C. P.
" " "	"	1.4954, 19°	179, 348.
" " "	"	1.524, 0°	Wischnegrad-ky. A.
" " "	"	1.497, 19°	C. P. 190, 334.
" " "	"	1.522, 0°	Winogradow. A. C.
" " "	"	1.498, 18°	P. 191, 125.
Hexyl iodide	$C_6H_{13}I$	1.431, 19°	Pelouze and Cou- hours. J. 16, 526.
" " "	"	1.4115	Franchimont and Zincke. C. N. 24, 263.
" " "	"	1.4607, 0°	} Lieben and Janacek. J. R. C. 5, 156.
" " "	"	1.4178, 40°	
" " "	"	1.4661, 0°	} Dobriner. A. C. P. 243, 23.
" " "	"	1.2165, 177°·1	
Secondary hexyl iodide	"	1.439	Wanklyn and Erlen- meyer. J. 14, 732.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Secondary hexyl iodide	$C_6 H_{13} I$	1.4447, 0°	Wanklyn and Erlenn- meyer. J. 16, 518.
" " "	"	1.3812, 50°	
" " "	"	1.4526, 0°	Hecht. A. C. P. 165, 146.
" " "	"	1.4589, 0°	} Krusemann. Ber. 9, 1468.
" " "	"	1.3938, 50°	
" " "	"	1.4477, 0°	
" " "	"	1.3808, 50°	
" " "	"	1.4487, 0°	
" " "	"	1.3839, 50°	
" " "	"	1.4193	Gladstone. Bei. 9, 249.
" " "	"	1.42694, 15°	} Perkin. J. P. C. (2), 31, 481.
" " "	"	1.41631, 25°	
Dimethylisopropylcarbyl iodide.	"	1.3939, 0°	} Pawlow. A. C. P. 196, 122.
" " "	"	1.3725, 19°	
Pinacolic iodide	"	1.4739, 0°	Friedel and Silva. J. C. S. (2), 11, 488.
Normal heptyl iodide	$C_7 H_{15} I$	1.346, 16°	Cross. J. C. S. 32, 123.
" " "	"	1.4008, 0°	} Dobriner. A. C. P. 243, 23.
" " "	"	1.1344, 203°.8	
Dipropylcarbyl iodide	"	1.20, 20°	Kurtz. A. C. P. 161, 205.
Normal octyl iodide	$C_8 H_{17} I$	1.338, 16°	Zincke. J. 22, 371.
" " "	"	1.355, 0°	} Kraft. Ber. 19, 2218.
" " "	"	1.337, 16°	
" " "	"	1.34069, 15°	} Perkin. J. P. C. (2), 31, 481.
" " "	"	1.33163, 25°	
" " "	"	1.3533, 0°	} Dobriner. A. C. P. 243, 23.
" " "	"	1.075, 225°.5	
Methylhexylcarbyl iodide	"	1.310, 16°	Bouis. J. 8, 526.
" " "	"	1.330, 0°	} De Clermont. J. 21, 449.
" " "	"	1.314, 21°	
Normal nonyl iodide	$C_9 H_{19} I$	1.3052, 0°	} Kraft. Ber. 19, 2218
" " "	"	1.2874, 16°	
Normal decyl iodide	$C_{10} H_{21} I$	1.2768, 0°	" "
" " "	"	1.2599, 16°	

2d. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylene iodide	$C_2H_2I_2$	3.342, 5°	Butlerow. J. 11, 420.
"	"	3.3188, 19°	} Gladstone. Bei. 9, 249.
"	"	3.326, 15°.5	
"	"	3.328, 15°	
"	"	3.2343, 16°	
"	"	3.289, 33°	
"	"	3.189, 74°	
"	"	3.28528, 15°	Perkin. J. P. C. (2), 31, 481.
"	"	3.26555, 25°	} Brauns. Bei. 11, 698.
Ethylene iodide	$C_2H_4I_2$	2.07	
Ethylidene iodide	"	2.84, 0°	E. Kopp. J. P. C. 33, 183.
Propylene iodide	$C_3H_6I_2$	2.490, 18°.5	Gustavson. B. S. C. 22, 13.
"	"	2.5631, 19°	Berthelot and De Luca. J. 7, 452.
Trimethylene iodide	"	2.56617, 4°	} Freund. J. C. S. 42, 156.
"	"	2.57612, 15°	
"	"	2.56144, 25°	
Allylene dihydriodate	"	2.15, 0°	Perkin. Ber. 18, 221.
"	"	2.4458, 0°	Oppenheim. J. 18, 493.
β Butylene iodide	$C_4H_8I_2$	2.291, 0°	Semenoff. J. 18, 494.
Diallyl dihydriodate	$C_6H_{12}I_2$	2.024, 0°	Wurtz. C. R. 97, 473.
Iodoform	CHI_3	2.00	Wurtz. J. 17, 511.
"	"	4.09	Weltzien's Zusammenstellung.
Acetylene iodide	$C_2H_2I_2$	3.303, 21°, s. }	} Brügelmann. Ber. 17, 2359.
"	"	2.942, 21°, l. }	
Iodethylene (vinyl iodide)	C_2H_3I	1.98	Subancjeff. A. C. P. 178, 119-121.
"	"	2.09, 0°	Regnault.
Allyl iodide	C_3H_5I	1.789, 16°	Gustavson. Ber. 7, 731.
"	"	1.746, 0°	Berthelot and De Luca.
"	"	1.848, 12°	Woicikoff. J. 16, 495.
"	"	1.839, 14°	Linnemann. A. C. P., 3d Supp., 267.
"	"	1.8696, 0°	} Linnemann. A. C. P., 3d Supp., 264.
"	"	1.6601, 109°.6	
"	"	1.846, 15°	Zander. A. C. P. 214, 181.
"	"	1.82403, 15°	Romburgh. Ber. 16, 392.
"	"	1.80776, 25°	} Perkin. J. P. C. (2), 31, 481.
Allylene hydriodate	"	1.8346, 0°	
"	"	1.8028, 16°	Semenoff. J. 18, 494.
Allylene iodide	$C_3H_4I_2$	2.62, 0°	Oppenheim. J. 18, 493.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Iodallylene -----	$C_3 H_3 I$ -----	1.7 -----	Liebermann. J. 18, 495.
Propargyl iodide -----	" -----	2.0177, 0° -----	Henry. Ber. 17, 1132.
Diallyl hydriodate -----	$C_6 H_{11} I$ -----	1.497, 0° -----	Wurtz. J. 17, 514.
Iodhexylene -----	" -----	1.92, 10° -----	Destrem. Ann. (5), 27, 50.
Iodobenzene -----	$C_6 H_5 I$ -----	1.69 -----	Schutzenberger. J. 14, 348.
" -----	" -----	1.833 -----	Kekulé. J. 19, 554.
" -----	" -----	1.64, 15° -----	Ladenburg. A. C. P. 159, 251.
" -----	" -----	1.8403, 11° -----	} Schiff. Ber. 19, 560.
" -----	" -----	1.7732, 56°.8 -----	
" -----	" -----	1.7374, 79°.2 -----	
" -----	" -----	1.6486, 135°.5 -----	
" -----	" -----	1.8578, 0° -----	
" -----	" -----	1.5612, 187°.5 -----	} Schiff. Bei. 9, 559.
Orthiodotoluene -----	$C_7 H_7 I$ -----	1.698, 20° -----	Beilstein and Kuhlberg. A.C.P. 158, 349.
Metaiodtoluene -----	" -----	1.697, 20° -----	Beilstein and Kuhlberg. Z. C. 13, 103.
Benzyl iodide -----	" -----	1.7335, 25° -----	Lieben. J. 22, 425.

LIX. COMPOUNDS CONTAINING C, H, I, O, OR C, H, I, N.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetraiodmethyl oxide -----	$C_2 H_2 I_4 O$ -----	3.345 -----	Brüning. J. 10, 432.
Moniodethyl oxide -----	$C_4 H_9 I O$ -----	1.6924, 0° -----	Henry. C. R. 100, 1007.
Acetyl iodide -----	$C_2 H_3 O. I$ -----	1.98, 17° -----	Guthrie. J. 10, 344.
Propyl iodacetate -----	$C_5 H_9 I O_2$ -----	1.6794, 7° -----	Henry. C. R. 100, 114.
Methyl β iodpropionate -----	$C_4 H_7 I O_2$ -----	1.8408, 7° -----	" "
Ethyl β iodpropionate -----	$C_5 H_9 I O_2$ -----	1.707, 8° -----	" "
" " -----	" -----	1.6789, 15° -----	Otto. Ber. 21, 98.
Methyl γ iodbutyrate -----	" -----	1.666, 5° -----	Henry. C. R. 102, 368.
Iodaldehyde -----	$C_2 H_3 I O$ -----	2.14, 20° -----	Chautard. C. R. 102, 118.
Iodacetone -----	$C_3 H_5 I O$ -----	2.17, 15° -----	Clermont and Chautard. C.R. 100, 745.
Iodhydrodiglycide -----	$C_6 H_{11} I O_3$ -----	1.783 -----	Berthelot and De Luca.
Diiodhydrin -----	$C_3 H_6 I_2 O$ -----	2.4 -----	Nahmacher. Ber. 5, 356.
Epiiodhydrin -----	$C_3 H_5 I O$ -----	2.03, 13° -----	Reboul. J. 13, 459.
Santonyl iodide -----	" -----	1.3282 -----	Carnelutti and Nasini. Ber. 13, 2210.
Iodchinolin -----	$C_9 H_8 I N$ -----	1.9323 -----	} La Coste. Ber. 18, 780.
" -----	" -----	1.9345 -----	

LX. COMPOUNDS CONTAINING TWO OR MORE HALOGENS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chlorobrommethane	$C H_2 Cl Br$	1.9907, 19°	Henry. C. R. 101, 599.
Bromochloroform	$C H Cl_2 Br$	1.9254, 15°	Jacobsen and Neumeister. Ber. 15, 599.
"	"	1.983	Arnhold. A. C. P. 240, 192.
Chlorobromoform	$C H Cl Br_2$	2.4450, 15°	Jacobsen and Neumeister. Ber. 15, 599.
"	"	2.447, 20°	Dyson. J. C. S. 43, 36.
Ethylene chlorobromide	$C H_2 Cl. C H_2 Br$	1.700, 18°	Henry. A. C. P. 156, 15.
"	"	1.705, 11°	Montgolfier and Girsud. C. R. 88, 654.
Ethylidene chlorobromide	$C H_3. C H Cl Br$	1.61, 14°	Reboul. A. C. P. 155, 215.
"	"	1.666, 16°	Denzel. Ber. 11, 1739.
Chlorodibromethane	$C H_3. C Br_2 Cl$	2.134, 16°	" "
"	$C H_2 Br. C H Br Cl$	2.268, 16°	" "
Dichlorobromethane	$C H_3. C Br Cl_2$	1.752, 16°	Denzel. Ber. 11, 1740.
"	$C H_2 Cl. C H Br Cl$	2.113, 0°	Lescœur. J. C. S. 34, 718.
"	"	1.86850, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.85420, 25°	
"	$C H Cl. C H_2 Br$	1.238, 15°. ?	
Brommethylchloroform	$C Cl_3. C H_2 Br$	1.8839, 0°	Henry. C. R. 98. 371.
Chlortribromethane	$C H_2 Br. C Br_2 Cl$	2.602, 16°	Denzel. Ber. 11, 1739.
Dichlordibromethane	$C H_2 Br. C Br Cl_2$	2.270, 16°	Denzel. Ber. 11, 1740.
"	$C H Cl_2. C H Br_2$	2.391, 19°	Sabanejeff. Ber. 16, 1221.
Trichlordibromethane	$C_2 H Cl_3 Br_2$	2.317, 0°	Paterno. J. P. C. (2), 5, 98.
"	"	2.295, 19°.5	
"	"	2.129, 100°	
Chlortetrabromethane	$C H Br_2. C Br_2 Cl$	3.366, 16°	Denzel. Ber. 11, 1740.
Chlordibromethylene	$C_2 H Br_2 Cl$	2.275, 16°	Denzel. Ber. 11, 1741.
Dichlorbromethylene	$C_2 H Cl_2 Br$	1.906, 16°	" "
Acetylene chlorobromide	$C_2 H_2 Cl Br$	1.8157, 0°	Plimpton. J. C. S. 41, 391.
"	"	1.7787, 0°	Sabanejeff. Ber. 16, 1221.
"	"	1.7467, 19°	
Propylene chlorobromide	$C_3 H_4 Cl Br$	1.62, 16°	Reboul. A. C. P. 155, 216.
"	$C H_3. C H Cl. C H_2 Br$	1.585, 0°	Friedland Silva. B. S. C. (2), 17, 532.
"	"	1.475, 18°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propylene chlorobromide.	$\text{C}_3\text{H}_3\text{CH}_2\text{CHClBr}$	1.60, 20°	Reboul. Ber. 7, 1037.
" " "	$\text{CH}_3\text{CHBr}\cdot\text{CH}_2\text{Cl}$	1.474, 21°	" "
" " "	$\text{CH}_2\text{Br}\cdot\text{CH}_2\cdot\text{CH}_2\text{Cl}$	1.63, 8°	" "
Dibromchlorpropylene	$\text{C}_3\text{H}_3\text{CClBr}\cdot\text{CH}_2\text{Br}$	2.064, 0°	Friedel. J. 12, 337.
Chlorodibromhydrin	$\text{C}_3\text{H}_5\text{ClBr}_2$	2.085, 9°	Reboul. J. 13, 461.
" " "	"	2.088	Oppenheim. J. 21, 341.
" " "	"	2.004, 15°	Darnstaedter. J. 22, 375.
Chlorobromhydroglycide	$\text{C}_3\text{H}_4\text{ClBr}$	1.69, 14°	Reboul. J. 13, 461.
Derivative of chlorobromhydroglycide.	$\text{C}_3\text{H}_4\text{ClBr}_3$	2.39, 14°	Reboul. J. 13, 462.
Derivative of epidichlorhydrin.	$\text{C}_3\text{H}_4\text{Cl}_2\text{Br}_2$	2.10, 13°	" "
Bromallyl chloride	$\text{C}_3\text{H}_4\text{BrCl}$	1.63, 11°	Henry. B. S. C. 18, 232.
Chloracetyl bromide	$\text{C}_2\text{H}_2\text{ClO}\cdot\text{Br}$	1.913, 9°	Wilde. J. 17, 320.
Bromacetyl chloride	$\text{C}_2\text{H}_2\text{BrO}\cdot\text{Cl}$	1.908, 9°	Wilde. J. 17, 319.
Trichloracetyl bromide	$\text{C}_2\text{Cl}_3\text{O}\cdot\text{Br}$	1.900, 15°	Hofferichter. J. P. C. (2), 20, 195.
Hexchlortetrabromethyl oxide.	$\text{C}_4\text{Cl}_6\text{Br}_4\text{O}$	2.5, 18°	Malaguti. Ann. (3), 16, 25.
Chlorobromethyl acetate	$\text{C}_4\text{H}_6\text{ClBrO}_2$	1.6499, 11°.4	Henry. C. R. 97, 1308.
Dichlorodibromethyl acetate.	$\text{C}_6\text{H}_6\text{Cl}_2\text{Br}_2\text{O}_3$	1.956, 19°	Conrad and Guthzeit. Ber. 16, 1551.
Tribromchloracetone	$\text{C}_3\text{H}_2\text{ClBr}_3\text{O}$	2.270	Cloëz. Ann. (6), 9, 145.
Bromochloral	$\text{C}_2\text{HCl}_2\text{BrO}$	1.9176, 15°	Jacobsen and Neumeister. Ber. 15, 599.
Chlorobromal	$\text{C}_2\text{HBr}_2\text{ClO}$	2.2793, 15°	" "
Chlorobromhydrin	$\text{C}_3\text{H}_6\text{ClBrO}$	1.740, 12°	Reboul. J. 13, 458.
" " "	"	1.7641, 9°	Henry. Z. C. 13, 604.
Phycite bromodichlorhydrin.	$\text{C}_3\text{H}_5\text{Cl}_2\text{BrO}$	2.1719, 0° } 2.1426, 17°.5 }	Wolf. A. C. P. 150, 32.
Chlorodibromnitromethane.	$\text{CClBr}_2\text{NO}_2$	2.421, 15°	Tscherniak. Ber. 8, 610.
Chlorobromnitrin	$\text{C}_3\text{H}_5\text{ClBrNO}_3$	1.7904, 9°	Henry. Ber. 4, 701.
Chloriodomethane	CH_2ClI	2.49, 20°	Sakurai. J. C. S. 41, 362.
" " "	"	2.447, 11°	Sakurai. J. C. S. 47, 198.
" " "	"	2.444, 14°.5	
Chloriodoform	CHI_2Cl	1.96	Bouchardat. A. C. P. 22, 230.
" " "	"	2.454, 0°	Borodine. J. 15, 391.
" " "	"	2.403, 21°.5	
Ethylene chloridide	$\text{C}_2\text{H}_4\text{ClI}$	2.151, 0°	Simpson. J. 16, 485.
" " "	"	2.39, 20°	Maumené. J. 22, 345.
" " "	"	2.16439, 0°	Thorpe. J. C. S. 37, 371.
" " "	"	1.87915, 140°.1	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloriodethylene	$C_2 H_2 Cl I$	2.1431, 0°	Henry. C. R. 98, 742.
Acetylene chloriodide	"	2.2298	Plimpton. J. C. S. 41, 391.
"	"	2.154, 0°	Subanejeff. Ber. 16, 1221.
"	"	2.1175, 19°	
Propylene chloriodide	$C_3 H_6 Cl I$	1.932, 0°	Simpson. J. 16, 494.
"	"	1.824	Oppenheim. J. 20, 571.
β Chlorallyl iodide	$C_3 H_4 Cl I$	1.977, 15°	Romburgh. Ber. 16, 393.
α Chlorallyl iodide	"	1.880 } 15°	
"	"	1.913 } 15°	
Dichloriodhydrin	$C_3 H_5 Cl_2 I$	2.0476, 9°	Henry. Ber. 4, 701.
Orthochloriodobenzene	$C_6 H_4 Cl I$	1.928, 24°.5	Beilstein and Kurbatow. A. C. P. 176, 43.
Chloriodotoluene	$C_7 H_6 Cl I$	1.702, 19°	Beilstein and Kuhlberg. A. C. P. 156, 82.
"	"	1.716, 17°	Wroblevsky. Z. C. 13, 164.
"	"	1.770, 19°.5	" "
Chloriodethyl acetate	$C_4 H_6 Cl I O_2$	1.9540, 18°	Henry. C. R. 97, 1308.
Iodochlorhydrin	$C_3 H_6 Cl I O_2$	2.06, 10°	Reboul. J. 19, 458.
Bromiodomethane	$C H_2 Br I$	2.9262, 16°.8	Henry. C. R. 101, 599.
Ethylene bromiodide	$C H_2 Br. C H_2 I$	2.7, 1°	Reboul. A. C. P. 155, 214.
"	"	2.516, 29°	Simpson. C. N. 29, 53.
"	"	2.514, 30°	Friedel. C. R. 79, 164.
"	"	2.705, 18°, s.	Lagermarck. Ber. 7, 907.
Ethylidene bromiodide	$C H_3. C H Br I$	2.5, 1°	Reboul. A. C. P. 155, 213.
"	"	2.452, 16°	Lagermarck. Ber. 7, 907.
Dibromiodethane	$C_2 H_3 Br_2 I$	2.86, 29°	Simpson. C. N. 29, 53.
Bromiodethylene	$C_2 H_3 Br I$	2.5651, 0°	Henry. C. R. 98, 742.
Acetylene bromiodide	"	2.750, 0°, s.	Plimpton. J. C. S. 41, 391.
"	"	2.6272, 17°.5	
Propylene bromiodide	$C_3 H_4 Br I$	2.2, 11°	Reboul. A. C. P. 155, 214.
Paraiodorthobromtoluene	$C_7 H_6 Br I$	2.044, 20°.7	Wroblevsky. Z. C. 13, 165.
Metaiodorthobromtoluene	"	2.139, 18°	Wroblevsky. Z. C. 14, 210.
Chlorobromiodethane	$C_2 H_3 Cl Br I$	2.53, 0°	Henry. C. R. 98, 680.
Chlorobromiodhydrin	$C_3 H_3 Cl Br I$	2.325, 9°	Henry. Ber. 4, 701.

LXI. ORGANIC COMPOUNDS OF FLUORINE.*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Fluobenzene -----	$C_6 H_5 F$ -----	1.024, 20° -----	Wallach. A. C. P. 235, 255.
“ -----	“ -----	1.0236, 20° -----	Wallach and Heusler. A. C. P. 243, 221.
Paradifluobenzene -----	$C_6 H_4 F_2$ -----	1.11 -----	Wallach and Heusler. A. C. P. 243, 219.
Parafluotoluene -----	$C_7 H_7 F$ -----	.992, 25° -----	Wallach. A. C. P. 235, 255.
Parafluochlorobenzene -----	$C_6 H_4 Cl F$ -----	1.226, 15° -----	Wallach and Heusler. A. C. P. 243, 219.
Parafluobrombenzene -----	$C_6 H_4 Br F$ -----	1.593, 15° -----	“ “
Parafluoanilin -----	$C_6 H_6 N F$ -----	1.153, 25° -----	Wallach. A. C. P. 235, 255.
Parafluonitrobenzene -----	$C_6 H_4 N O_2 F$ -----	1.326, l. -----	“ “

LXII. ORGANIC COMPOUNDS OF SULPHUR.

1st. Compounds Containing C, H, and S.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl sulphide -----	$(C H_3)_2 S$ -----	.845, 21° -----	Regnault. Ann. (2), 71, 391.
Ethyl sulphide -----	$(C_2 H_5)_2 S$ -----	.825, 20° -----	Regnault. Ann. (2), 71, 388.
“ “ -----	“ -----	.83672, 0° -----	Pierre. C. R. 27, 213.
“ “ -----	“ -----	.83676, 20° -----	Nasini. Ber. 15, 2882.
Propyl sulphide -----	$(C_3 H_7)_2 S$ -----	.814, 17° -----	Cahours. B. S. C. 19, 301.
Ethyl amyl sulphide -----	$(C_2 H_5) (C_5 H_{11}) S$ -----	.852, 0° -----	Saytzeff. J. 19, 529.
Butyl sulphide -----	$(C_4 H_9)_2 S$ -----	.849, 0° -----	Saytzeff. J. 19, 528.
“ “ -----	“ -----	.8386, 16° -----	Grabowsky and Saytzeff. A. C. P. 175, 351.
“ “ -----	“ -----	.8317, 23° -----	Reymann. J. C. S. (2), 13, 141.
Isobutyl sulphide -----	“ -----	.8863, 10° -----	Beckman. J. P. C. (2), 17, 446.
Isoamyl sulphide -----	$(C_5 H_{11})_2 S$ -----	.84314, 20° -----	Nasini. Ber. 15, 2883.
Oetyl sulphide -----	$(C_8 H_{17})_2 S$ -----	.8419, 17° -----	Möslinger. Ber. 9, 1004.

* See also under organic compounds of boron.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl disulphide	$C_2 H_6 S_2$	1.046, 18°	Cyhours. Ann. (3), 18, 258.
" "	"	1.06358, 0°	Pierro. C. R. 27, 213.
Ethyl disulphide	$C_4 H_{10} S_2$	About 1.00	Morin. P. A. 48, 484.
" "	"	.99267, 20°	Nasini. Ber. 15, 2882.
Amyl disulphide	$C_{10} H_{22} S_2$.918, 18°	O. Henry. J. 1, 700.
Methyl trisulphide	$C_3 H_8 S_3$	1.2162, 0°	Klason. Ber. 20, 3415.
" "	"	1.2059, 10°	
" "	"	1.199, 17°	
Ethyl mercaptan	$C_2 H_5 S H$.842, 15°	Zeise. P. A. 31, 389.
" "	"	.835, 21°	Liebig. A. C. P. 11, 15.
" "	"	.8456, 5°—10°	} Regnault. P. A. 53, 60.
" "	"	.8406, 10°—15°	
" "	"	.8356, 15°—20°	
" "	"	.83907, 20°	
Butyl mercaptan	$C_4 H_9 S H$.858, 0°	} (Grabowsky and Saytzeff. A. C. P. 175, 351.)
" "	"	.843, 16°	
Isobutyl mercaptan	"	.848, 11°.5	Humann. J. 8, 613.
" "	"	.8299, 17°	Reymann. J. C. S. (2), 13, 141.
" "	"	.83573, 20°	Nasini. Ber. 15, 2882.
Amyl mercaptan	$C_5 H_{11} S H$.835, 21°	Krutzsch. J. P. C. 31, 2.
" "	"	.8548, 0°	} Kopp. A. C. P. 95, 307.
" "	"	.8405, 16°.9	
" "	"	.83475, 20°	
Hexyl mercaptan	$C_6 H_{13} S H$.8856, 0°	Wanklyn and Erlens- meyer. J. 17, 509.
Carbon tetramercaptide	$C(S C_1 H_3)_4$	1.01	Claesson. J. 1877, 520.
Ethylene mercaptan	$C_2 H_4 (S H)_2$	1.123, 23°.5	Werner. J. 15, 424.
Methylene dithioethylate	$C H_2 (S C_2 H_5)_2$.987, 20°	Claesson. J. P. C. 123, 176.
Ethylene dithioethylate	$C_2 H_4 (S C_2 H_5)_2$.98705, 15°.5	V. Meyer. Ber. 19, 3266.
Ethylene thiovinylethy- late	$C_2 H_4 S C_2 H_5 S C_2 H_5$	1.01921, 15°.5	} " "
"	"	1.0167, 19°—20°	
Derivative of dithioglycol	$C_3 H_{10} S_2$	1.037, 22°	Mansfeld. Ber. 19, 2662.
Amylene sulphide	$C_5 H_{10} S$.907, 13°	Guthrie. J. 14, 665.
Vinyl sulphide	$(C_2 H_3)_2 S$	1.015, 13°	Semmler. A. C. P. 241, 93.
Allyl sulphide	$(C_3 H_5)_2 S$.8541, 11°	Gladstone. Bei. 9, 249.
" "	"	.88765, 4°	Nasini and Scala. Bei. 10, 696.
Allyl trisulphide	$C_6 H_{10} S_3$	1.012, 15°	Lowig. J. 13, 399.
Fusyl sulphide	$C_5 H_9 S$.880, 13°	Guthrie. J. 12, 484.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trisulphhydrin	$C_3 H_8 S_3$	1.391, 14°.4	Carius. J. 15, 455.
Methyl trisulphocarbonate	$C_3 H_6 S_3$	1.159, 18°	Cahours. Ann. (3), 19, 162.
Ethyl trisulphocarbonate	$C_5 H_{10} S_3$	1.152	Selomon. J. P. C. (2), 6, 433.
Amyl trisulphocarbonate	$C_{11} H_{22} S_3$.877	Hüsemann. J. 15, 410.
Ethylene trisulphocarbonate.	$C_3 H_4 S_3$	1.4768	Hüsemann. A. C. P. 123, 87
Propylene trisulphocarbonate.	$C_4 H_6 S_3$	1.31, 20°	Hüsemann. J. 15, 434.
Butylene trisulphocarbonate.	$C_5 H_8 S_3$	1.26, 20°	" "
Amylene trisulphocarbonate.	$C_6 H_{10} S_3$	1.073	" "
Allyl trisulphocarbonate	$C_7 H_{10} S_3$.943	Hüsemann. J. 15, 410.
Phenyl sulphide	$(C_6 H_5)_2 S$	1.119	Stenhouse. J. 18, 532.
Phenyl tetrasulphide	$(C_6 H_5)_2 S_4$	1.297, 14°.5	Otto. J. P. C. (2), 37, 209.
Phenyl ethyl sulphide	$(C_6 H_5) (C_2 H_5) S$	1.0315, 10°	Beckmann. J. C. S. 36, 37.
Ethyl paratolyl sulphide	$(C_7 H_7) (C_2 H_5) S$	1.0016, 17°.5	Gäbler. Ber. 13, 1277.
Phenyl mercaptan	$C_6 H_5, S H$	1.078, 14°	Vogt. J. 14, 630.
Benzyl mercaptan	$C_7 H_7, S H$	1.053, 20°	Märcker. J. 18, 543.
Xylyl mercaptan	$C_8 H_9, S H$	1.036, 13°	Schepper. J. 18, 558.
Mesitylene mercaptan	$C_9 H_{11}, S H$	1.0192	Holtmeyer. J. 20, 708.
Cymyl mercaptan	$C_{10} H_{13}, S H$.9975, 17°.5	Flesch. C. C. 4, 519.
" "	"	.989	Fittica. A. C. P. 172, 326.
" "	"	.995	Bechler. Leipzig Inaug. Diss. 1873.
Methylecymyl mercaptan	$C_{11} H_{15}, S H$.986	" "
Naphthyl mercaptan	$C_{10} H_7, S H$	1.146, 23°	Schertel. J. 17, 533.
Thiophene	$C_4 H_4 S$	1.062, 23°	V. Meyer. Ber. 16, 1471.
"	"	1.08844, 0°	} Schiff. Ber. 18, 1605.
"	"	1.0769, 10°	
"	"	1.0651, 20°	
"	"	1.0533, 30°	
"	"	1.0413, 40°	
"	"	1.0291, 50°	
"	"	1.0169, 60°	
"	"	1.0045, 70°	
"	"	.9920, 80°	
"	"	.98741, 84°	
"	"	1.05928, 4°	Nasini and Scala. Bei. 10, 696.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Thiophene	$C_4 H_4 S$	1.07387, 11° 8'	Knops. V. H. V. 1887, 17.
"	"	1.06835, 16° 5'	
"	"	1.06466, 19° 7'	
"	"	1.06432, 20°	
"	"	1.06045, 23° 4'	
"	"	1.05662, 26° 6'	
Thiolenene	$C_5 H_6 S$	1.05332, 29° 2'	Meyer and Kreis. Ber. 17, 788.
"	"	1.05334, 32°	
Orthothioxene	$C_6 H_8 S$	1.0194, 18°	Demuth. Ber. 19, 1858.
"	"	.9977, 21°	Grünwald. Ber. 20, 2586.
Metathioxene	"	.9938, 21°	Messinger. Ber. 18, 1637.
"	"	.9755, 17° 5'	Zelinsky. Ber. 20, 2017.
Ethylthiophene	"	.9956, 20°	Meyer and Kreis. Ber. 17, 1558.
Normal propylthiophene	$C_7 H_{10} S$.990, 24°	" "
Isopropylthiophene	"	.974, 16°	Schleicher. Ber. 19, 673.
Normal butylthiophene	$C_8 H_{12} S$.9695, 16°	Meyer and Kreis. Ber. 17, 1558.
Diethylthiophene	"	.957, 19°	Muhlert. Ber. 19, 634.
Octylthiophene	$C_{12} H_{20} S$.962, 14°	Schweinitz. Ber. 19, 644.
β Methylpenthiophene	$C_6 H_8 S$.8118, 20° 5'	Krekeler. Ber. 19, 3271.

2d. Compounds Containing C, H, S, and O.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl sulphite	$(C H_3)_2 S O_3$	1.0456, 16° 2'	Carius. J. 12, 86.
Methyl ethyl sulphite	$(C H_3) (C_2 H_5) S O_3$	1.0675, 18°	Carius. A. C. P. 111, 103.
Ethyl sulphite	$(C_2 H_5)_2 S O_3$	1.085, 16°	Ebelmen and Bouquet. Ann. (3), 17, 67.
"	"	1.10634, 0°	Pierre. C. R. 27, 213.
"	"	1.1063, 0°	Carius. J. P. C. (2), 2, 285.
"	"	1.0926, 12° 7'	
"	"	1.0982, 11°	Nasini. Bei. 9, 324.
Methyl sulphate	$(C H_3)_2 S O_4$	1.324, 22°	Dumas and Peligot. Ann. (2), 58, 33.
"	"	1.385, 13°	Bodeker. B. D. Z.
"	"	1.327, 18°	Clæsson. J. P. C. (2), 19, 244.
"	"	1.33344, 16°	Perkin. J. C. S. 49, 777.
"	"	1.32757, 20°	
"	"	1.32386, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl sulphate -----	$(C_2 H_5)_2 S O_4$ -----	1.120 -----	Wetherill. J. 1, 692.
“ “ -----	“ -----	1.1837, 19° -----	Claesson. J. P. C. (2), 19, 258.
“ “ -----	“ -----	1.167 -----	Stempnevsky. Ber. 15, 947.
Ethyl sulphurous acid ---	$C_2 H_5 \cdot H \cdot S O_3$ -----	1.3 -----	Kopp. A. C. P. 35, 343.
Ethyl sulphuric acid ----	$C_2 H_5 \cdot H \cdot S O_4$ -----	1.319 -----	Vogel. Gmelin's Handbuch.
“ “ “ -----	“ -----	1.315 } 16° {	Marchand. Gmelin's Handbuch.
“ “ “ -----	“ -----	1.317 } -----	Duflos. Gmelin's Handbuch.
“ “ “ -----	“ -----	1.215 -----	Carius. J. P. C. (2), 2, 269.
Ethyl ethylsulphonate ---	$C_4 H_{10} S O_3$ -----	1.1712, 0° -----	Nasini. Ber. 15, 2884.
“ “ -----	“ -----	1.1508, 20°.4 } -----	Beckmann. J. C. S. 36, 38.
“ “ -----	“ -----	1.14517, 22° -----	“ “
Isoamyl ethyl sulphone ---	$C_7 H_{16} S O_2$ -----	1.0315, 18° -----	Cahours. Ann. (3), 19, 160.
Diisobutyl sulphone -----	$C_8 H_{18} S O_2$ -----	1.0056, 18° -----	Salomon. J. P. C. (2), 8, 114.
Methyl methylxanthate ---	$C H_3 O \cdot C S \cdot C H_3 S$ -----	1.143, 15° -----	“ “
“ “ -----	“ -----	1.176, 18° -----	Chancel. J. 3, 470.
Ethyl methylxanthate ---	$C H_3 O \cdot C S \cdot C_2 H_5 S$ -----	1.12, 18° -----	Salomon. J. P. C. (2), 8, 114.
“ “ -----	“ -----	1.123, 11° -----	Nasini and Scala. Bei. 10, 696.
Methyl ethylxanthate ----	$C_2 H_5 O \cdot C S \cdot C H_3 S$ -----	1.129, 18° -----	Zeise. A. C. P. 55, 310.
“ “ -----	“ -----	1.11892, 4° -----	Debus. A. C. P. 75, 125.
Ethyl ethylxanthate -----	$C_2 H_5 O \cdot C S \cdot C_2 H_5 S$ -----	1.0703, 18° -----	Salomon. J. P. C. (2), 6, 433.
“ “ -----	“ -----	1.07 -----	“ “
“ “ -----	“ -----	1.085, 19° -----	Mylius. B. S. C. 19, 221.
Methyl propylxanthate ---	$C_3 H_7 O \cdot C S \cdot C H_3 S$ -----	1.08409, 4° -----	“ “
Ethyl propylxanthate ----	$C_3 H_7 O \cdot C S \cdot C_2 H_5 S$ -----	1.05054, 4° -----	“ “
Ethyl butylxanthate -----	$C_4 H_9 O \cdot C S \cdot C_2 H_5 S$ -----	1.003, 17° -----	Schmidt and Glutz. J. 21, 575.
Butyl butylxanthate ----	$C_4 H_9 O \cdot C S \cdot C_4 H_9 S$ -----	1.009, 12° -----	Salomon. J. P. C. (2), 6, 433.
Ethyl dithiocarbonate ---	$C_2 H_5 S \cdot C O \cdot C_2 H_5 S$ -----	1.084, 20° -----	“ “
“ “ -----	“ -----	1.085, 19° -----	Debus. J. 3, 465.
Ethyl thioycarbonate ---	$C_2 H_5 O \cdot C O \cdot C_2 H_5 S$ -----	1.0285, 18° -----	Salomon. J. P. C. (2), 6, 433.
Ethyl dioxythiocarbonate	$C_2 H_5 O \cdot C S \cdot C_2 H_5 O$ -----	1.032, 1° -----	“ “
“ “ -----	“ -----	1.031, 19° -----	Mylius. Ber. 6, 312.
Ethylbutylthioycarbon-	$C_2 H_5 S \cdot C O \cdot C_4 H_9 O$ -----	.9939, 10° -----	“ “
ate. “ “ -----	$C_2 H_5 O \cdot C O \cdot C_4 H_9 S$ -----	.9938, 10° -----	“ “
Ethyl dioxysulphocarbon-	$C_6 H_{10} S_4 O_2$ -----	1.26043, 4° -----	Nasini and Scala. Bei. 10, 696.
ate. ? -----	“ -----	“ -----	“ “
Propyl dioxysulphocar-	$C_8 H_{14} S_4 O_2$ -----	1.19661, 4° -----	“ “
bonate. ? -----	“ -----	“ -----	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Xanthurin	$C_4 H_8 S O_2$	1.012	Couerbe. A. C. P. 40, 297.
Thiacetic acid	$C_2 H_4 S O$	1.074, 10°	Ulrich. J. 12, 355.
Ethyl ethylthioglycollate.	$C_6 H_{12} S O_2$	1.0469, 4°	Claesson. B. S. C. 23, 445.
Ethyl amylthioglycollate.	$C_9 H_{18} S O_2$.9797, 4°	Claesson. B. S. C. 23, 446.
Ethyl phenylthioglycollate.	$C_{10} H_{12} S O_2$	1.136, 4°	} Claesson. B. S. C. 23, 443.
Di-sulphamylene oxide	$C_{10} H_{20} S_2 O$	1.1269, 15°	
Disulphamylene hydrate	$C_{10} H_{22} S_2 O_2$	1.054, 13°	Guthrie. J. 12, 483.
Aldehyde with sulphaldehyde.*	$C_2 H_4 O + C_2 H_4 S$	1.049, 8°	" "
Dihexylene sulphoxide	$(C_7 H_{14})_2 S O$.875, 23°	Weidenbusch. J. 1, 550.
Monosulphhydrin	$C_3 H_8 S O_2$	1.295, 14°.4	Schiff. J. 21, 724.
Disulphhydrin	$C_5 H_8 S_2 O$	1.342, 14°.4	Carius. J. 15, 453.
Ethyl thiooxalate	$C_6 H_{10} S O_3$	1.1446, 0°	Carius. J. 15, 454.
Oxysulphobenzid	$C_{12} H_{10} S O_4$	1.3663, 15°	Morley and Saint. J. C. S. 43, 400.
Oxyphenyl mercaptan	$C_6 H_6 S O$	1.2373, 0°	} Annenheim. Ber. 9, 1149.
" "	"	1.1889, 100°	
Thiophene aldehyde	$C_5 H_4 S O$	1.215, 21°	Haitinger. M. C. 4, 171.
Acetothienone	$C_6 H_6 S O$	1.167, 24°	Biedermann. Ber. 19, 1853.
Acetoethylthienone	$C_8 H_{10} S O$	1.0959, 20°	Peter. Ber. 17, 2644.
Acetylthioxene	"	1.0910, 17°	Schleicher. Ber. 19, 630.
			Messinger. Ber. 18, 2302.

3d. Sulphur Compounds Containing Nitrogen.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl thiocyanate	$N C. S C H_3$	1.115, 16°	Cahours. Ann. (3), 18, 261.
" "	"	1.08794, 0°	Pierre. C. R. 27, 213.
" "	"	1.06935, 4°	Nasini and Scala. Bei. 10, 696.
Ethyl thiocyanate	$N C. S C_2 H_5$	1.020, 16°	Cahours. Ann. (3), 18, 265.
" "	"	al 00	Löwig. P. A. 67, 101.
" "	"	1.023, 0°	} Buff. Ber. 1, 206.
" "	"	1.01261, 19°	
" "	"	1.00238, 22°	
" "	"	.870135	
" "	"	.869367	
" "	"	1.00715, 4°	
			Nasini and Scala. Bei. 10, 696.

*Pinner's formula $C_{12} H_{26} S_2$. Weidenbusch calls it "sulphhydrate of acetyl mercaptan," and writes the formula $C_{12} H_{26} S_2$.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isopropyl thiocyanate	$N C_3 S H_7$.989, 0°	Gerlich. Ber. 8, 651.
"	"	.974, 15°	
"	"	.963, 20°	
Amyl thiocyanate	$N C_5 S C_2 H_{11}$.905, 20°	O. Henry. J. 1, 700.
Hexyl thiocyanate	$N C_6 S C_6 H_{13}$.922, 12°	Pelouze and Cahours. J. 16, 526.
Allyl thiocyanate	$N C_3 S C_3 H_5$	1.071, 0°	Gerlich. Ber. 8, 653.
"	"	1.056, 15°	
Methyl thiocarbimide	$C S_2 N C H_3$	1.06912, 4°	Nasini and Scala. Bei. 10, 696.
Ethyl thiocarbimide	$C S_2 N C_2 H_5$	1.01925, 0°	Buff. Ber. 1, 206.
"	"	.997525, 21°.4	
"	"	.997235, 22°	
"	"	.87909	
"	"	.873513	
"	"	1.0030, 18°	
"	"	.99525, 4°	Gladstone. Bei. 9, 249.
"	"		Nasini and Scala. Bei. 10, 696.
Tertiary butyl thiocarbimide.	$C S_2 N C_4 H_9$.9187, 15°	Rudneff. Ber. 12, 1023.
"	"	.9003, 34°	
Amyl thiocarbimide	$C S_2 N C_5 H_{11}$.957538, 0°	Buff. Ber. 1, 206.
"	"	.94189, 17°	
"	"	.78749, 182°	
Hexyl thiocarbimide	$C S_2 N C_6 H_{13}$.9253	Uppenkamp. Ber. 8, 56.
Allyl thiocarbimide	$C S_2 N C_3 H_5$	1.015, 20°	Dumas and Pelouze. Ann. (2), 53, 182.
"	"	1.009	Will. A. C. P. 52, 4.
"	"	1.010	
"	"	1.0282, 0°	Kopp. A. C. P. 98, 367.
"	"	1.0173, 10°.1	
"	"	.8739	Schiff. Ber. 14, 2767.
"	"	.8741	
"	"	.8740, 151°.3	Schiff. Ber. 19, 560.
"	"	1.00572, 4°	
"	"		Nasini and Scala. Bei. 10, 696.
Phenyl thiocarbimide	$C S_2 N C_6 H_5$	1.135, 15°.5	Hofmann. J. 11, 349.
"	"	1.155, 17°.5	Billeter. C. C. (3), 6, 101.
"	"	.9398, 219°.8	Schiff. Bei. 9, 559.
"	"	1.12891, 4°	Nasini and Scala. Bei. 10, 696.
"	"	1.35	Madan. C. N. 56, 257.
Sulpho-urea	$C H_4 N_2 S$	1.406, 4°	Schröder. Ber. 12, 561.
"	"	1.450	Schröder. Ber. 13, 1070.
Thialdin	$C_6 H_{13} N S_2$	1.191, 18°	Wöhler and Liebig. A. C. P. 61, 4.
Oenanthothialdin	$C_{21} H_{43} N S_2$.896, 24°	Schiff. J. 21, 724.
Diamylene dithiocyanate	$C_{10} H_{20} (C N)_2 S_2$	1.07, 13°	Guthrie. J. 14, 665.
Diamylene tetrathiocyanate.	$C_{10} H_{20} (C N)_2 S_4$	1.16, 13°	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sulphocarbanilide -----	$C_{13} H_{12} N_2 S$ -----	1.311 } 4° -----	Schroder. Ber. 12, 1611.
“ “ -----	“ “ -----	1.320 } -----	
Thiocyanacetone -----	$C_4 H_5 S N O$ -----	1.209, 0° -----	Tebernink and Hel- lon. Ber. 16, 350.
“ “ -----	“ “ -----	1.195, 20° -----	
Acetyl thiocyanate -----	$N C. S C_2 H_3 O$ -----	1.151, 16° -----	Miquel. C. R. 81, 1209.
Benzoyl thiocyanate -----	$N C. S C_7 H_5 O$ -----	1.197, 16° -----	Miquel. C. R. 81, 1210.
Ethyl thiocyanacetate -----	$C_5 H_7 N S O_2$ -----	1.174 -----	Heintz. J. 18, 347.
“ “ -----	“ “ -----	1.174 -----	Claesson. Ber. 10, 1349.
Cystic oxide -----	$C_3 H_7 N S O_2$ -----	1.7143 -----	Venables. Watts' Dict.

4th. Sulphur Compounds Containing Halogens.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlor-methyl mercaptan.	$C S Cl_4$ -----	1.712, $12^\circ.8$ -----	Rathke. A. C. P. 167, 198.
“ “	“ -----	1.722, 0° -----	Klason. Ber. 20, 2378.
“ “	“ -----	1.7049, 11° -----	
“ “	“ -----	1.6953, $17^\circ.5$ -----	
Dichlorethyl sulphide	$(C_2 H_3 Cl_2)_2 S$ -----	1.547, 12° -----	Riche. J. 7, 556.
Tetrachlorethyl sulphide	$(C_2 H Cl)_2 S$ -----	1.673, 24° -----	Regnault. Ann. (2), 71, 406.
Ethyl chlorperthiocarbonate.	$C_2 H_5 S_2 Cl_2$ -----	1.1408, 16° -----	Klason. Ber. 20, 2385.
Ethylene thiodichloride	$C_2 H_4 S Cl_2$ -----	1.408, 13° -----	Guthrie. J. 12, 482.
Ethylene dithiodichloride	$(C_2 H_4)_2 S_2 Cl_2$ -----	1.346, 19° -----	Guthrie. J. 13, 435.
Chlorethylene dithiodichloride.	$(C_2 H_3 Cl)_2 S_2 Cl_2$ -----	1.599, 11° -----	Guthrie. J. 13, 433.
Dichlorethylene thiodichloride.	$(C_2 H_2 Cl_2)_2 S Cl_2$ -----	1.225 } $13^\circ.5$ -----	Guthrie. J. 13, 434.
“ “	“ -----	1.219 } -----	
Amylene thiodichloride	$C_5 H_{10} S Cl_2$ -----	1.138, 14° -----	Guthrie. J. 12, 481.
Amylene dithiodichloride	$(C_5 H_{10})_2 S_2 Cl_2$ -----	1.149, 12° -----	Guthrie. J. 12, 480.
Trichloramylene thiodichloride.	$(C_5 H_7 Cl_3)_2 S Cl_2$ -----	1.406, 16° -----	Guthrie. J. C. S. 13, 44.
Methylsulphonic chloride	$C H_3 Cl S O_2$ -----	1.51 -----	McGowan. J. P. C. (2), 30, 280.
Dichlormethylsulphonic chloride.	$C H Cl_2 S O_2$ -----	1.71 -----	McGowan. Leipzig In. Diss. 1884.
Ethylsulphonic chloride	$C_2 H_5 Cl S O_2$ -----	1.357, $22^\circ.5$ -----	Gerhardt and Chan- cel. J. 5, 435.
Phenylsulphonic chloride	$C_6 H_5 Cl S O_2$ -----	1.378, 23° -----	Gerhardt and Chan- cel. J. 5, 434.
Trichlormethyl amyl sulphite.	$C Cl_3. C_5 H_{11}. S O_3$ -----	1.104 -----	Carius. A. C. P. 113, 36.
Ethyl chlorosulphonate	$C_2 H_5 O. S O_2. Cl$ -----	1.379, 0° -----	Purgold. J. 21, 416.
“ “	“ -----	1.3556, 27° -----	
“ “	“ -----	1.324, 61° -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl chlorosulphonate	$C_2 H_5 O. S O_2. Cl$	1.3866, 0°	} Two preparations. Claesson. J. P. C. (2), 21, 377.
" "	"	1.3539, 27°	
" "	"	1.3874, 0°	
" "	"	1.3541, 27°	
Carbonyl thioethyl chloride.	$C_2 H_5 S. C O. Cl$	1.184, 16°	Salomon. J. P. C. (2), 7, 254.
Carbonyl thioamyl chloride.	$C_5 H_{11} S. C O. Cl$	1.078, 17°.5	Schöne. J. P. C. (2), 32, 241.
Chlorallyl thiocarbimide	$C S. N C_3 H_4 Cl$	1.27, 12°	L. Henry. Ber. 5, 186.
Ethylene chlorothiocyanate.	$C_2 H_4. Cl. S C N$	1.28, 15°	James. J. C. S. 43, 38.
Tetrachloroxysulphobenzid.	$C_{12} H_6 Cl_4 S O_4$	1.7774, 16°	Annaheim. Ber. 9, 1150.
Tetrabromoxysulphobenzid.	$C_{12} H_6 Br_4 S O_4$	2.3775, 17°	" "
Tetridoxysulphobenzid	$C_{12} H_6 I_4 S O_4$	2.7966, 19°	" "
Monobromthiophene	$C_4 H_3 Br S$	1.652, 23°	V. Meyer. Ber. 16, 1470.
Dibromthiophene	$C_4 H_2 Br_2 S$	2.147, 23°	" "
Octyl iodthiophene	$C_4 H_2 S. C_8 H_{17}. I$	1.2614, 20°	Schweinitz. Ber. 19, 644.

LXIII. ORGANIC COMPOUNDS OF BORON.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Boron triethyl	$B (C_2 H_5)_3$.6961, 23°	Frankland and Duppa. J. 13, 386.
Trimethyl borate	$(C H_3)_3 B O_3$.9551, 0°	Ebelmen and Bouquet. J. P. C. 38, 218.
" "	"	.940, 0°	} Schiff. A. C. P., 5th Supp., 184.
" "	"	.915, 20°	
Triethyl borate	$(C_2 H_5)_3 B O_3$.8849	Ebelmen and Bouquet. J. P. C. 38, 215.
" "	"	.871	Bowman. P. M. (3), 29, 548.
" "	"	.887, 0°	} Schiff. A. C. P., 5th Supp., 161.
" "	"	.861, 26°.5	
Methyl diethyl borate	$C H_3 (C_2 H_5)_2 B O_3$.904, 0°	} Schiff. A. C. P., 5th Supp., 197.
" "	"	.883, 20°	
Tripropyl borate	$(C_3 H_7)_3 B O_3$.867, 16°	Cahours. C. C. 4, 482.
Triamyl borate	$(C_5 H_{11})_3 B O_3$.870	Ebelmen and Bouquet. J. P. C., 38, 219.
" "	"	.872, 0°	} Schiff. A. C. P., 5th Supp., 189 and 195.
" "	"	.852, 24°	
" "	"	.840	
" "	"	.855 } 28°	
" "	"	.853, 29, another lot.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl diamyl borate -----	$C_2 H_5 (C_5 H_{11})_2 B O_3$ -----	.876, 0° -----	Schiff. A. C. P., 5th Supp., 193.
“ “ -----	“ “ -----	.852, 28° -----	
Diethyl amyl borate -----	$(C_2 H_5)_2 C_5 H_{11} B O_3$ -----	.858, 26° -----	Schiff. A. C. P., 5th Supp., 189.
Amyl metaborate -----	$C_5 H_{11} B O_2$ -----	.971, 0° -----	
“ “ -----	“ “ -----	.949, 20° -----	Schiff and Bechi. J. 19, 493.
Tetraphenyl borate -----	$(C_6 H_5)_4 B_2 O_5$ -----	1.13 -----	
“ “ -----	“ -----	1.124, 0° -----	Schiff. A. C. P., 5th Supp., 208.
“ “ -----	“ -----	1.106, 20° -----	
Ethylene fluoborate -----	$C_2 H_5 B F O_2$ -----	1.0478, 23° -----	Landolph. Ber. 12, 1586.

LXIV. ORGANIC COMPOUNDS OF PHOSPHORUS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Triethylphosphin -----	$P (C_2 H_5)_3$ -----	.812, 15°.5----	Hofmann and Ca- hours. J. 10, 372.
Monoethylphosphin -----	$P H_2 (C_2 H_5)$ -----	.8209, 17° -----	Möslinger. Ber. 9, 1007.
Phenylphosphin -----	$P H_2 (C_6 H_5)$ -----	1.001, 15° -----	Köhler and Michael- is. Ber. 10, 809.
Diphenylphosphin -----	$P H (C_6 H_5)_2$ -----	1.07, 16° -----	Dörken. Ber. 21, 1508.
Triphenylphosphin -----	$P (C_6 H_5)_3$ -----	1.194 -----	Michaelis and Soden. A. C. P. 229, 302.
“ -----	“ -----	1.186 -----	Soden. Tübingen In. Diss. 1885.
Dimethylphenylphosphin	$P (C H_3)_2 C_6 H_5$ -----	.9768, 11° -----	Michaelis. Ber. 8, 498.
Diphenylmethylphosphin	$P C H_3 (C_6 H_5)_2$ -----	1.0784, 15° -----	Michaelis and Link. A. C. P. 207, 209.
Diethylphenylphosphin --	$P (C_2 H_5)_2 C_6 H_5$ -----	.9571, 13° -----	Michaelis. Ber. 8, 494.
Ethyl phosphite -----	$(C_2 H_5)_3 P O_3$ -----	1.075 -----	Williamson. J. 7, 563.
Methyl hypophosphate ---	$(C H_3)_4 P_2 O_6$ -----	1.109, 15° -----	Sänger. A. C. P. 232, 1.
Ethyl hypophosphate ----	$(C_2 H_5)_4 P_2 O_6$ -----	1.1170, 15° -----	“ “
Propyl hypophosphate ---	$(C_3 H_7)_4 P_2 O_6$ -----	1.134, 15° -----	“ “
Isobutyl hypophosphate --	$(C_4 H_9)_4 P_2 O_6$ -----	1.125, 15° -----	“ “
Methyl orthophosphate --	$(C H_3)_3 P O_4$ -----	1.2378, 0° -----	Weger. A. C. P. 221, 61.
“ “ -----	“ -----	1.0019, 197°.2----	
Dimethyl ethyl orthophos- phate. “ “ -----	$(C H_3)_2 C_2 H_5 P O_4$ -----	1.1752, 0° -----	“ “
“ “ -----	“ -----	.95188, 203°.3----	
Ethyl orthophosphate ----	$(C_2 H_5)_3 P O_4$ -----	1.072, 12° -----	Limpricht. J. 18, 471.
Ethyl pyrophosphate ----	$(C_2 H_5)_4 P_2 O_7$ -----	1.172, 17° -----	Clermont. J. 7, 562.
Amyl ninylphosphite ----	$(C_5 H_{11})_2 H P O_3$ -----	.967, 19°.5----	Wurtz. A. C. P. 58, 77.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diamylphosphoric acid	$(C_5 H_{11})_2 H P O_4$	1.025, 20°	Fehling.
Triphenyl phosphite	$(C_6 H_5)_3 P O_3$	1.184, 18°	Noack. A. C. P. 218, 99.
Phosphenyl ether	$C_6 H_5 P O_2 (C_2 H_5)_2$	1.032, 16°	Köhler and Michaelis. Ber. 10, 817.
Phenylphosphinic acid	$C_6 H_5 \cdot H_2 P O_3$	1.475, 4°	Schröder. Ber. 12, 561.
Diphenylphosphinic acid	$(C_6 H_5)_2 H P O_2$	1.331 } 4°	" "
" " "	" " "	1.347 } 4°	" "
Phenoxydiphenyl phosphin.	$C_6 H_5 O (C_6 H_5)_2 P$	1.140, 24°	Michaelis and La Coste. Ber. 18, 2111.
Triphenylphosphin oxide.	$(C_6 H_5)_3 P O$	1.2124, 22°.6	Michaelis and La Coste. Ber. 18, 2120.
Naphtylphosphinic acid	$C_{10} H_7 \cdot H_2 P O_3$	1.435 } 4°	Schröder. Ber. 12, 561.
" " "	" " "	1.445 } 4°	
Naphtylphosphorous acid	$C_{10} H_7 \cdot H_2 P O_2$	1.377, 4°	" "
" " "	" " "	1.441, 4°, after fusion.	
Complex ether?	$C_{14} H_{36} P_2 O_8$.960, 14°	Geuther. A. C. P. 224, 278.
Amylnitrophosphorous acid.	$(C_5 H_{11})_2 H P N O_4$	1.02, 20° } 1.00, 70° }	Guthrie. J. 11, 404.
Ethylphosphorous chloride	$C_2 H_5 P O Cl_2$	1.316, 0°	Menschutkin. A. C. P. 139, 344.
" " "	" " "	1.305265, 0°	} Thorpe. J. C. S. 37, 372.
" " "	" " "	1.13989, 117°.5	
Butylphosphorous chloride.	$C_4 H_9 P O Cl_2$	1.191, 0°	Menschutkin. J. 19, 487.
Amylphosphorous chloride.	$C_5 H_{11} P O Cl_2$	1.109, 0°	" "
Diacetone phosphorous chloride.	$C_6 H_{10} P O_2 Cl$	1.209, 17°.5	Michaelis. Ber. 18, 900.
Phenylphosphorous chloride.	$C_6 H_5 P O Cl_2$	1.3549	Hölzer. Quoted by Noack.
" " "	" " "	1.348, 18°	Noack. A. C. P. 218, 91.
" " "	" " "	1.3543, 20°	Anschütz and Emery. A. C. P. 239, 310.
Diphenylphosphorous chloride.	$(C_6 H_5)_2 P O_2 Cl$	1.2494	Hölzer. Quoted by Noack.
" " "	" " "	1.221, 18°	Noack. A. C. P. 218, 92.
Phosphenyl chloride	$C_6 H_5 P Cl_2$	1.319, 20°	Michaelis. C. C. 4, 548.
" " "	" " "	1.3428, 0°	} Thorpe. J. C. S. 37, 372.
" " "	" " "	1.10415, 224°.6	
Phosphenyl oxychloride	$C_6 H_5 P Cl_2 O$	1.375, 20°	Michaelis. C. C. 4, 548.
Diphenyl phosphochloride	$(C_6 H_5)_2 P Cl$	1.2293, 15°	Michaelis and Link. A. C. P. 207, 209.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metachlorocarbonylphenylorthophosphoric chloride.	$C_7 H_4 P O_3 Cl_3$ -----	1.54844, 20° --	Anschütz and Moore. A. C. P. 239, 335.
Parachlorocarbonylphenylorthophosphoric chloride.	“ -----	1.54219, 20° --	Anschütz and Moore. A. C. P. 239, 344.
By action of $P Cl_3$ on salicylic acid.	$C_7 H_4 P O_2 Cl_3$ -----	1.62019, 20° --	Anschütz and Moore. A. C. P. 239, 320.
Paraxylylphosphochloride.	$C_8 H_9 P Cl_2$ -----	1.25, 18° ----	Weller. Ber. 21, 1494.
Paraxylylphosphoroxychloride.	$C_8 H_9 P O Cl_2$ -----	1.31, 18° ----	“ “
Sulphophosphorous ether.	$(C_2 H_5)_3 P S_3$ -----	1.24, 12° ----	Michaelis. C. N. 25, 57.
Ethyl pyrosulphophosphate.	$(C_2 H_5)_4 P_2 S_3 O_4$ ----	1.1892, 17° ----	Michaelis. A. C. P. 164, 9.
Amyl sulphophosphate.	$(C_5 H_{11})_3 P S O_3$ -----	.849, 12° -----	Chevrier. J. 22, 344.
Ethylsulphophosphorous chloride.	$C_2 H_5 P S Cl_2$ -----	1.30, 12° -----	Michaelis. C. N. 25, 57.
Triethoxypyrophosphorsulphobromide.	$(C_2 H_5)_3 Br P_2 S_3 O_3$	1.3567, 13° --	Michaelis. A. C. P. 164, 9.
Phosphényl sulphochloride.	$C_6 H_5 P Cl_2 S$ -----	1.376, 13° ----	Köhler and Michaelis. Ber. 9, 1053.
Triphenyltrisulphophosphamide.	$(C_6 H_5)_3 H_3 N_3 P S$ ----	1.31 -----	Chevrier. J. 21, 734.

LXV. ORGANIC COMPOUNDS OF VANADIUM, ARSENIC, ANTIMONY, AND BISMUTH.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl orthovanadate.	$(C_2 H_5)_3 V O_4$ -----	1.167, 17°.5 --	Hall. J. C. S. 51, 752.
Dimethylarsine oxide	$(As C_2 H_6)_2 O$ -----	1.462, 15° ----	Bunsen. P. A. 40, 224.
Triethylarsine	$As (C_2 H_5)_3$ -----	1.151, 16°.7 ----	Landolt. J. 6, 492.
Methyl arsenite	$(C H_3)_3 As O_3$ -----	1.428, 9°.6 ----	Crafts. Z. C. 14, 324.
Ethyl arsenite	$(C_2 H_5)_3 As O_3$ -----	1.224, 0° -----	Crafts. J. 20, 552.
Amyl arsenite	$(C_5 H_{11})_3 As O_3$ -----	1.0525, 0° -----	Crafts.
Methyl arsenate	$(C H_3)_3 As O_4$ -----	1.5591, 14°.5 --	Crafts. Z. C. 14, 324.
Ethyl arsenate	$(C_2 H_5)_3 As O_4$ -----	1.3264, 0° -----	} Crafts. J. 20, 551.
“ “	“ -----	1.3161, 8°.8 ----	
Phénylarsenic acid	$C_6 H_7 As O_3$ -----	1.760 } 4° -- {	} Schröder. Ber. 12, 561.
“ “	“ -----	1.803 } 4° -- {	
“ “	“ -----	1.805 } 4° -- {	
Diphenylarsenic acid	$C_{12} H_{11} As O_2$ -----	1.545, 4° -----	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diphenylarsine chloride	As (C ₆ H ₅) ₂ Cl	1.42231, 15°	La Coste and Michaelis. Ber. 11, 1885.
Phenylarsine bromide	As (C ₆ H ₅) Br ₂	2.0983, 15°	Michaelis. Ber. 10, 626.
Ethyl thioarsenite	As (S C ₂ H ₅) ₃	1.3141, 16°	Claesson. Lund Arskrift, 1884-'5.
Trimethylstibine	Sb (C H ₃) ₃	1.523, 15°	Landolt. J. 14, 569.
Triethylstibine	Sb (C ₂ H ₅) ₃	1.3244, 16°	Löwig and Schweitzer. J. 3, 471.
Triamylstibine	Sb (C ₅ H ₁₁) ₃	1.1333, 17°	Berlé. J. 8, 586.
Triethylstibine chloride	Sb (C ₂ H ₅) ₃ Cl ₂	1.0587 1.540, 17°	Cramer. J. 8, 590. Löwig and Schweitzer. J. 3, 476.
Triethylstibine bromide	Sb (C ₂ H ₅) ₃ Br ₂	1.953, 17°	" "
Triphenylstibine	Sb (C ₆ H ₅) ₃	1.4998, 12°	Michaelis and Reese. A. C. P. 233, 46.
Metatritolylstibine	Sb (C ₇ H ₇) ₃	1.3957, 15°.7	Michaelis and Genzken. A. C. P. 242, 185.
Paratritolylstibine	"	1.35448, 15°.6	Michaelis and Genzken. A. C. P. 242, 169.
Bismuth trimethyl	Bi (C H ₃) ₃	2.30, 18°	Marquandt. Ber. 20, 1517.
Bismuth triethyl	Bi (C ₂ H ₅) ₃	1.82	Breed. J. 5, 602.
Bismuth triphenyl	Bi (C ₆ H ₅) ₃	1.5851, 20°	Michaelis and Polis. Ber. 20, 55.

LXVI. ORGANIC COMPOUNDS OF SILICON.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicon tetrethyl	Si (C ₂ H ₅) ₄	.7657, 22°.7	Friedel and Crafts. A. J. S. (2), 49, 311.
" "	"	.8341, 0°	Ladenburg. B. S. C. 18, 240.
Silicon hexethyl	Si ₂ (C ₂ H ₅) ₆	.8510, 0°	Friedel and Ladenburg. A. C. P. 203, 251.
" "	"	.8403, 20°	
Silicon tetrapropyl	Si (C ₃ H ₇) ₄	.7979, 0°	Pape. Ber. 14, 1872.
" "	"	.7883, 15°	
Silicoheptane	Si C ₆ H ₁₆	.7510, 0°	Ladenburg. A. C. P. 164, 300.
Silicododecane	Si C ₉ H ₂₂	.7723, 0°	Pape. Ber. 14, 1872.
"	"	.7621, 15°	
Silicon triethyl phenyl	Si (C ₂ H ₅) ₃ C ₆ H ₅	.9042, 0°	Ladenburg. C. C. 5, 312.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicon tetraphenyl -----	Si (C ₆ H ₅) ₄ -----	1.078, 20° -----	Polis. Ber. 19, 1012.
Para-silicon tetratolyl -----	Si (C ₇ H ₇) ₄ -----	1.0793, 20° -----	" "
Meta-silicon tetratolyl -----	" -----	1.1188, 20° -----	" "
Silicon tetrabenzyl -----	" -----	1.0776, 20° -----	" "
Ethyl metasilicate -----	(C ₂ H ₅) ₂ Si O ₃ -----	1.079, 24° -----	Ebelmen. A. C. P. 57, 339.
Methyl orthosilicate -----	(C H ₃) ₄ Si O ₄ -----	1.0589, 0° -----	Friedel and Crafts. J. 18, 465.
Trimethyl ethyl orthosilicate.	(C H ₃) ₃ C ₂ H ₅ Si O ₄ -----	1.023 -----	Friedel and Crafts. J. 19, 491.
Dimethyl diethyl orthosilicate.	(C H ₃) ₂ (C ₂ H ₅) ₂ Si O ₄ -----	1.004, 0° -----	" "
Methyl triethyl orthosilicate.	C H ₃ (C ₂ H ₅) ₃ Si O ₄ -----	.989, 0° -----	" "
Ethyl orthosilicate -----	(C ₂ H ₅) ₄ Si O ₄ -----	.932 -----	Ebelmen. A. C. P. 52, 324.
" " -----	" -----	.933, 20° -----	Ebelmen. A. C. P. 57, 334.
" " -----	" -----	.9676, 0° -----	Friedel and Crafts. A. J. S. (2), 48, 158.
" " -----	" -----	.9330, 22°.5 -----	Mendelejeff. J. 13, 7.
Propyl orthosilicate -----	(C ₃ H ₇) ₄ Si O ₄ -----	.915, 18° -----	Cahours. C. C. 4, 482.
Butyl orthosilicate -----	(C ₄ H ₉) ₄ Si O ₄ -----	.953, 15° -----	Cahours. C. C. 5, 20.
Triethyl amyl orthosilicate	(C ₂ H ₅) ₃ C ₅ H ₁₁ Si O ₄ -----	.926, 0° -----	Friedel and Crafts. A. J. S. (2), 43, 163.
Diethyl diamyl orthosilicate.	(C ₂ H ₅) ₂ (C ₅ H ₁₁) ₂ Si O ₄ -----	.915, 0° -----	Friedel and Crafts. J. 19, 489.
Ethyl triamyl orthosilicate	C ₂ H ₅ (C ₅ H ₁₁) ₃ Si O ₄ -----	.913, 0° -----	" "
Amyl orthosilicate -----	(C ₅ H ₁₁) ₄ Si O ₄ -----	.868, 20° -----	Ebelmen. A. C. P. 57, 344.
Hexmethyl disilicate -----	(C H ₃) ₆ Si ₂ O ₇ -----	1.1441. 0° -----	Friedel and Crafts. J. 18, 465.
Hexethyl disilicate -----	(C ₂ H ₅) ₆ Si ₂ O ₇ -----	1.0196, 0° -----	Friedel and Crafts.
" " -----	" -----	1.0019, 19°.2 -----	J. 19, 489.
Octethyl tetrasilicate -----	C ₁₆ H ₄₀ Si ₄ O ₁₂ -----	1.071, 0° -----	{ Trost and Haute- feuille. B. S. C. 19, 255.
" " -----	" -----	1.054, 14°.5 -----	
Ethyl silicoacetate -----	C ₇ H ₁₈ Si O ₃ -----	.9283, 0° -----	Ladenburg. J. C. S. (2), 12, 40.
Methyl silicopropionate.	C ₅ H ₁₁ Si O ₃ -----	.9747, 0° -----	Ladenburg. A. C. P. 173, 143.
Ethyl silicopropionate -----	C ₈ H ₂₀ Si O ₃ -----	.9207, 0° -----	Friedel and Laden- burg. A. C. P. 159, 259.
Ethyl silicobenzoate -----	C ₁₂ H ₂₀ Si O ₃ -----	1.0133, 0° -----	Ladenburg. J. C. S. (2), 11, 1026.
" " -----	" -----	1.0055, 10° -----	
Silicon diethyl diethylate	C ₈ H ₂₀ Si O ₃ -----	.8752, 0° -----	Ladenburg. A. C. P. 164, 300.
Triethyl silico -----	Si C ₆ H ₁₅ O H -----	.8709, 0° -----	" "
Silicoheptyl oxide -----	Si C ₆ H ₁₅ O -----	.8831, 0° -----	Ladenburg. Ber. 4, 730
" " -----	" -----	.8590, 0° -----	Ladenburg. A. C. P. 164, 300.
Silicoheptyl acetate -----	Si C ₆ H ₁₅ C ₂ H ₃ O ₁ -----	.9030, 0° -----	" "
Silicoheptyl ethylate -----	Si C ₆ H ₁₅ C ₂ H ₅ O -----	.8403, 0° -----	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicoheptyl chloride-----	Si C ₆ H ₁₅ Cl -----	.9249, 0° -----	Ladenburg. A. C. P. 164, 300.
Methylsilicic monochlorhydrin.	Si C ₃ H ₉ Cl O ₃ -----	1.1954, 0° ----	Friedel and Crafts. J. 19, 490.
Methylsilicic dichlorhydrin.	Si C ₂ H ₆ Cl ₂ O ₂ -----	1.2595 -----	" "
Ethylsilicic monochlorhydrin.	Si C ₆ H ₁₅ Cl O ₃ -----	1.0483, 0° ----	Friedel and Crafts. A. J. S. (2), 43, 160.
Ethylsilicicdichlorhydrin	Si C ₄ H ₁₀ Cl ₂ O ₂ -----	1.144, 0° ----	Friedel and Crafts. J. 19, 488.
Ethylsilicic trichlorhydrin	Si C ₂ H ₅ Cl ₃ O -----	1.241, 0° ----	Friedel and Crafts. J. 19, 489.
Propylsilicic monochlorhydrin.	Si C ₉ H ₂₁ Cl O ₃ -----	.980 -----	Cahours. C. C. 4, 482.
Propylsilicic dichlorhydrin.	Si C ₆ H ₁₄ Cl ₂ O ₂ -----	1.028 -----	" "
Derivative of silicon triethylphenyl.	Si C ₁₂ H ₁₉ Cl -----	1.1085, 0° ----	Ladenburg. A. C. P. 173, 143.
Silicon iodoform-----	Si H I ₃ -----	3.362, 0° -----	Friedel. A. C. P. 149, 96.
" " -----	" -----	3.314, 20° -- }	

LXVII. ORGANIC COMPOUNDS OF TIN.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stannetramethyl-----	Sn (C H ₃) ₄ -----	1.3138, 0° ----	Ladenburg. Z. C. 13, 605.
Stanndiethyl-----	Sn ₂ (C ₂ H ₅) ₄ -----	1.558, 15° ----	Löwig. J. 5, 584.
"-----	"-----	1.192 -----	Buckton. J. 11, 392.
"Ethylene stannethyl"-----	"-----	1.410 -----	Löwig. J. 5, 585.
Stanntriethyl-----	Sn ₂ (C ₂ H ₅) ₆ -----	1.4115, 0° ----	Ladenburg. Z. C. 13, 604.
Stanntetrethyl-----	Sn (C ₂ H ₅) ₄ -----	1.187, 13°.6----	Frankland. J. 12, 411.
Stannethyltrimethyl-----	Sn C ₂ H ₅ (C H ₃) ₃ -----	1.243 -----	Cahours. J. 14, 551.
Stanndiethyl dimethyl-----	Sn (C ₂ H ₅) ₂ (C H ₃) ₂ -----	1.2319, 19° ----	Frankland. J. 12, 412.
"-----	"-----	1.2509, 0° -----	Two lots. Morgunoff. Z. C. 10, 370.
"-----	"-----	1.2603, 0° -----	
Stanntetrapropyl-----	Sn (C ₃ H ₇) ₄ -----	1.179, 14° ----	Cahours. B. S. C. 20, 190.
Stanntriethylphenyl-----	Sn (C ₂ H ₅) ₃ C ₆ H ₅ -----	1.2639, 0° ----	Ladenburg. A. C. P. 159, 251.
Stanntriethyl ethylate-----	Sn (C ₂ H ₅) ₃ C ₂ H ₅ O.	1.2634, 0° ----	Ladenburg. A. C. P., 8th Supp., 60.
Stann dimethyl iodide-----	Sn (C H ₃) ₂ I ₂ -----	2.872, 22° ----	Cahours. J. 12, 427.
Stanntrimethyl iodide-----	Sn (C H ₃) ₃ I-----	2.155, 18° ----	Cahours. J. 12, 429.
"-----	"-----	2.1432, 0° -----	Ladenburg. Z. C. 13, 605.
"-----	"-----	2.1096, 18° -----	
Stann diethyl iodide-----	Sn (C ₂ H ₅) ₂ I ₂ -----	1.8 -----	Cahours. J. 12, 424.
"-----	"-----	2.0329, 15° ----	Frankland. J. 12, 413.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stanntriethyl chloride	$\text{Sn} (\text{C}_2 \text{H}_5)_3 \text{Cl}$	1.428, 8°	Cahours. J. 12, 425.
" "	"	1.320	Löwig. J. 5, 588.
Stanntriethyl bromide	$\text{Sn} (\text{C}_2 \text{H}_5)_3 \text{Br}$	1.630	" "
Stanntriethyl iodide	$\text{Sn} (\text{C}_2 \text{H}_5)_3 \text{I}$	1.850	" "
" "	"	1.833, 22°	Cahours. J. 12, 424.
Stanntripropyl iodide	$\text{Sn} (\text{C}_3 \text{H}_7)_3 \text{I}$	1.692, 16°	Cahours. B.S.C. 19, 301.
Stanntributyl iodide	$\text{Sn} (\text{C}_4 \text{H}_9)_3 \text{I}$	1.540, 15°	Cahours. C. C. 5, 20.
"Ethstannethyl chloride"	$\text{Sn}_2 \text{C}_{10} \text{H}_{25} \text{Cl}$	1.30	Löwig. J. 5, 588.
"Ethstannethyl bromide"	$\text{Sn}_2 \text{C}_{10} \text{H}_{25} \text{Br}$	1.48	" "
"Ethstannethyl iodide"	$\text{Sn}_2 \text{C}_{10} \text{H}_{25} \text{I}$	1.724	" "

LXVIII. ORGANIC COMPOUNDS OF ALUMINUM.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Aluminum ethylate	$\text{Al} (\text{C}_2 \text{H}_5 \text{O})_3$	1.147, 4°	Gladstone and Tribe. C. N. 42, 3.
Aluminum propylate	$\text{Al} (\text{C}_3 \text{H}_7 \text{O})_3$	1.026, 4°	" "
Aluminum butylate	$\text{Al} (\text{C}_4 \text{H}_9 \text{O})_3$.9825, 4°	" "
Aluminum amylate	$\text{Al} (\text{C}_5 \text{H}_{11} \text{O})_3$.9804, 4°	" "
Aluminum phenylate	$\text{Al} (\text{C}_6 \text{H}_5 \text{O})_3$	1.25, 4°	" "
Aluminum cresylate	$\text{Al} (\text{C}_7 \text{H}_7 \text{O})_3$	1.166, 4°	" "
Aluminum thymolate	$\text{Al} (\text{C}_{10} \text{H}_{13} \text{O})_3$	1.04, 4°	" "
Aluminum chloride and benzene.	$\text{Al} \text{Cl}_3 \cdot 3 \text{C}_6 \text{H}_6$	1.14, 0°	Gustavson. Ber. 11, 2152.
" "	"	1.12, 20°	
Aluminum chloride and toluene.	$\text{Al} \text{Cl}_3 \cdot 3 \text{C}_7 \text{H}_8$	1.08, 0°	" "
" "	"	1.06, 22°	
Aluminum chloride and cymene.	$2 \text{Al} \text{Cl}_3 \cdot 3 \text{C}_{10} \text{H}_{14}$	1.139, 0°	Gustavson. Ber. 12, 694.
" "	"	1.127, 18°	
Aluminum bromide and benzene.	$\text{Al} \text{Br}_3 \cdot 3 \text{C}_6 \text{H}_6$	1.49, 0°	Gustavson. Ber. 11, 1845.
" "	"	1.47, 20°	
Aluminum bromide and toluene.	$\text{Al} \text{Br}_3 \cdot 3 \text{C}_7 \text{H}_8$	1.37, 0°	Gustavson. Ber. 11, 1843.
" "	"	1.35, 20°	
Aluminum bromide and cymene.	$2 \text{Al} \text{Br}_3 \cdot 3 \text{C}_{10} \text{H}_{14}$	1.493, 0°	Gustavson. Ber. 12, 694.
" "	"	1.477, 16°	

LXIX. ORGANIC COMPOUNDS OF ZINC, MERCURY, THALLIUM, AND LEAD.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Zinc methyl -----	Zn (C H ₃) ₂ -----	1.386, 10°.5-----	Frankland and Duppa. J. 16, 473.
Zinc ethyl -----	Zn (C ₂ H ₅) ₂ -----	1.182, 18°-----	Frankland. J. 8, 577.
Zinc propyl-----	Zn (C ₃ H ₇) ₂ -----	1.098, 15°-----	Gladstone and Tribe. J. S. C. (2), 11, 968.
Zinc amyl -----	Zn (C ₅ H ₁₁) ₂ -----	1.022, 0°-----	Frankland and Duppa. J. 16, 473.
Mercurmethyl -----	Hg (C H ₃) ₂ -----	3.069-----	Buckton. J. 11, 388.
Mercurethyl -----	Hg (C ₂ H ₅) ₂ -----	2.444-----	Buckton. J. 11, 390.
Mercurpropyl -----	Hg (C ₃ H ₇) ₂ -----	2.124, 16°-----	Cahours. B. S. C. 19, 301.
Mercurbutyl -----	Hg (C ₄ H ₉) ₂ -----	1.7469, 0°-----	} Chapman and Smith. J. C. S. 22, 161.
“-----	“-----	1.7192, 16°-----	
“-----	“-----	1.835, 15°-----	Cahours. C. C. 5, 20.
Mercuramyl -----	Hg (C ₅ H ₁₁) ₂ -----	1.6663, 0°-----	Frankland and Duppa.
Mercuroetyl -----	Hg (C ₈ H ₁₇) ₂ -----	1.342, 17°-----	Eichler. Ber. 12, 1880.
Mercurdiphenyl-----	Hg (C ₆ H ₅) ₂ -----	2.290-----	} 4°----- { Schröder. Ber. 12, 561.
“-----	“-----	2.324-----	
“-----	“-----	2.340-----	
Mercurdinaphtyl-----	Hg (C ₁₀ H ₇) ₂ -----	1.918-----	} 4°----- { “ “
“-----	“-----	1.926-----	
“-----	“-----	1.944-----	
Mercurmethyl chloride-----	Hg C H ₃ Cl-----	4.063, 4°-----	“ “
Mercurethyl chloride-----	Hg C ₂ H ₅ Cl-----	3.461-----	} 4°----- { “ “
“-----	“-----	3.503-----	
Mercury β hexyl mercaptide.	Hg (C ₆ H ₁₃ S) ₂ -----	1.6502, 0°-----	Wanklyn and Er-lenmeyer. J. 17, 510.
Thallium ethylate -----	Tl C ₂ H ₅ O-----	3.480-----	} Lamy. Ann. (4), 3, 373.
“-----	“-----	3.685-----	
Thallium amylate -----	Tl C ₅ H ₁₁ O-----	2.465-----	} Lamy. J. 17, 466
“-----	“-----	2.518-----	
Lead tetramethyl-----	Pb (C H ₃) ₄ -----	2.034, 0°-----	Butlerow. J. 16, 476.
Lead diethyl-----	Pb (C ₂ H ₅) ₂ -----	1.55-----	Buckton. J. 11, 391.
“-----	“-----	1.62-----	Buckton. J. 12, 409.
Lead triethyl-----	Pb ₂ (C ₂ H ₅) ₆ -----	1.471, 10°-----	Klippel. J. 13, 381.
Lead tetraphenyl-----	Pb (C ₆ H ₅) ₄ -----	1.5298, 20°-----	Polis. Ber. 20, 716.
Para lead tetratolyl-----	Pb (C ₇ H ₇) ₄ -----	1.4329, 20°-----	“ “

LXX. METALLIC SALTS OF ORGANIC ACIDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium formate	$\text{Li C H O}_2 \cdot \text{H}_2 \text{O}$	1.435	Schröder. Ber. 14, 21.
" "	"	1.479	
Sodium formate	Na C H O_2	1.907	
" "	"	1.931	" "
Potassium formate	K C H O_2	1.896	" "
" "	"	1.920	
Ammonium formate	Am C H O_2	1.264	" "
" "	"	1.271	
Zinc formate	$\text{Zn C}_2 \text{H}_2 \text{O}_4$	2.368	Schröder. Ber. 14, 23.
" "	$\text{Zn C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.339	Schröder. Ber. 8, 199.
" "	"	2.205	Schröder. Ber. 14, 23.
" "	"	2.1575, 21°.3	Breen. F. W. C.
Cadmium formate	$\text{Cd C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.429, 20°.2	" "
" "	"	2.427	Schröder. Ber. 14, 22.
" "	"	2.477	
Calcium formate	$\text{Ca C}_2 \text{H}_2 \text{O}_4$	2.021	Schröder. Ber. 8, 199.
" "	"	2.009	Schröder. Ber. 14, 22.
" "	"	2.015	
Strontium formate	$\text{Sr C}_2 \text{H}_2 \text{O}_4$	2.667	" "
" "	$\text{Sr C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.252, cryst.	Schröder. Ber. 8, 199.
" "	"	2.266, pulv.	
" "	"	2.241, m. of 3	Schröder. Ber. 14, 22.
Barium formate	$\text{Ba C}_2 \text{H}_2 \text{O}_4$	3.193, cryst.	Schröder. Ber. 8, 199.
" "	"	3.219, pulv.	
" "	"	3.203	Two lots. Schröder. Ber. 11, 2129.
" "	"	3.233	
Lead formate	$\text{Pb C}_2 \text{H}_2 \text{O}_4$	4.56, 11°	Bödeker and Gies- seeke. B. D. Z.
" "	"	4.507	Schröder. Dm. 1873.
" "	"	4.555	
" "	"	4.610, cryst.	
" "	"	4.621, pulv.	Schröder. Ber. 8, 199.
Manganese formate	$\text{Mn C}_2 \text{H}_2 \text{O}_4$	2.205	Schröder. Ber. 14, 23.
" "	$\text{Mn C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	1.947	" "
" "	"	1.954	
" "	"	1.959	
Nickel formate	$\text{Ni C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.1547, 20°.2	H. Stallo. F. W. C.
Cobalt formate	$\text{Co C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.1080, 20°.2	
" "	"	2.1286, 22°	" "
Copper formate	$\text{Cu C}_2 \text{H}_2 \text{O}_4 \cdot 4 \text{H}_2 \text{O}$	1.815, 20°	Gehlen. Ann. 83, 213.
" "	"	1.811, pulv.	Schröder. Ber. 8, 199.
" "	"	1.795, cryst.	
" "	"	1.831	Schröder. Ber. 14, 23.
Strontium copper formate	$\text{Sr}_2 \text{Cu (C H O}_2)_6$	2.612	Schröder. Ber. 14, 21.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium copper formate	$\text{Sr}_2\text{Cu}(\text{CHO}_2)_6 \cdot 8\text{H}_2\text{O}$	2.132	Schröder. Ber. 14, 24.
“ “	“ “	2.133	
Barium copper formate	$\text{Ba}_2\text{Cu}(\text{CHO}_2)_6 \cdot 4\text{H}_2\text{O}$	2.747	“ “
Didymium formate	$\text{Di}(\text{C}_2\text{H}_3\text{O}_2)_3$	3.427	
“ “	“ “	3.433	Cleve. U. N. A. 1885.
Samarium formate	$\text{Sm}(\text{C}_2\text{H}_3\text{O}_2)_3$	3.730	
“ “	“ “	3.732	“ “
“ “	“ “	3.737	
Sodium acetate	$\text{Na C}_2\text{H}_3\text{O}_2$	1.421, 14°	Bödeker. B. D. Z.
“ “	“ “	1.524	Schröder. Ber. 14, 1608.
“ “	“ “	1.529	Brügelmann. Ber. 17, 2359.
“ “	“ “	1.53	
“ “	$\text{Na C}_2\text{H}_3\text{O}_2 \cdot 3\text{H}_2\text{O}$	1.420	Buignet. J. 14, 15.
“ “	“ “	1.40, 12°	Bödeker. B. D. Z.
“ “	“ “	1.450	Schröder. Ber. 14, 1608.
“ “	“ “	1.456	Lescoeur. C. R. 78, 1046.
Sodium triacetate	$\text{Na C}_6\text{H}_{11}\text{O}_6$	1.47	
Potassium triacetate	$\text{K C}_6\text{H}_{11}\text{O}_6$	1.34	“ “
Silver acetate	$\text{Ag C}_2\text{H}_3\text{O}_2$	3.1281, 15°	Liebig and Redtenbacher. P. M. (3), 19, 227.
“ “	“ “	3.222	Schröder. Ber. 9, 1888.
“ “	“ “	3.259	
Magnesium acetate	$\text{Mg}(\text{C}_2\text{H}_3\text{O}_2)_2$	1.419	Schröder. Ber. 14, 1610.
“ “	“ “	1.422	“ “
“ “	$\text{Mg}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 4\text{H}_2\text{O}$	1.453	
“ “	“ “	1.455	Kubel. Ber. 19, ref. 283.
“ “	“ “	1.4487	
Zinc acetate	$\text{Zn}(\text{C}_2\text{H}_3\text{O}_2)_2$	1.810	Schröder. Ber. 14, 1610.
“ “	“ “	1.869	“ “
“ “	$\text{Zn}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 2\text{H}_2\text{O}$	1.735	
“ “	$\text{Zn}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 3\text{H}_2\text{O}$	1.7175, 12°	Bödeker. B. D. Z.
Cadmium acetate	$\text{Cd}(\text{C}_2\text{H}_3\text{O}_2)_2$	2.329	Schröder. Ber. 14, 1611.
“ “	“ “	2.352	“ “
“ “	$\text{Cd}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 2\text{H}_2\text{O}$	1.998	
“ “	“ “	2.021	Hagemann. F. W. C.
Mercuric acetate	$\text{Hg}(\text{C}_2\text{H}_3\text{O}_2)_2$	3.2544, 22°	
“ “	“ “	3.2861, 23°	Schröder. Ber. 14, 1608.
Strontium acetate	$\text{Sr}(\text{C}_2\text{H}_3\text{O}_2)_2$	2.099	
“ “	$2\text{Sr}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 3\text{H}_2\text{O}$	1.981	“ “
“ “	“ “	2.018	
Barium acetate	$\text{Ba}(\text{C}_2\text{H}_3\text{O}_2)_2$	2.440	Schröder. Ber. 11, 2129.
“ “	“ “	2.486	Two lots. Schröder. Ber. 12, 561.
“ “	“ “	2.316	
“ “	“ “	2.440	Schröder. Ber. 14, 1608.
“ “	“ “	2.480	
“ “	$\text{Ba}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot \text{H}_2\text{O}$	2.19, 13°	Bödeker. B. D. Z.
“ “	$\text{Ba}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 3\text{H}_2\text{O}$	2.014	Schröder. Ber. 14, 1608.
“ “	“ “	2.026	Schröder. Ber. 14, 1609.
Lead acetate	$\text{Pb}(\text{C}_2\text{H}_3\text{O}_2)_2$	3.238	
“ “	“ “	3.264	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lead acetate	$Pb(C_2H_3O_2)_2 \cdot 3H_2O$	2.496	Buignet. J. 14, 15.
" "	"	2.559, 13°	Schröder. Dm. 1873.
" "	"	2.540	Schröder. Ber. 14,
" "	"	2.560	1609.
" "	"	2.460	W. C. Smith. Am. J. P. 53, 145.
Manganese acetate	$Mn(C_2H_3O_2)_2$	1.737	Schröder. Ber. 14,
" "	"	1.753	
" "	$Mn(C_2H_3O_2)_2 \cdot 4H_2O$	1.588	" "
" "	"	1.590	" "
Nickel acetate	$Ni(C_2H_3O_2)_2$	1.797	" "
" "	"	1.799	" "
" "	$Ni(C_2H_3O_2)_2 \cdot 4H_2O$	1.7346, 17° 2	H. Stallo. F. W. C.
" "	"	1.7443, 15° 7	
" "	"	1.734	
" "	"	1.753	
Cobalt acetate	$Co(C_2H_3O_2)_2 \cdot 4H_2O$	1.7031, 15° 7	H. Stallo. F. W. C.
" "	"	1.7043, 18° 7	
Copper acetate	$Cu(C_2H_3O_2)_2$	1.920	Schröder. Ber. 14,
" "	"	1.939	
" "	$Cu(C_2H_3O_2)_2 \cdot H_2O$	1.914, 20°	Gehlen. Ann. (1), 83, 213.
" "	"	1.880, m. of 4	Schröder. Dm. 1873.
" "	"	1.875 } extreme.	
" "	"	1.885 } 11°.	
" "	"	1.875	
" "	"	1.890	
Didymium acetate	$Di(C_2H_3O_2)_3$	2.125, 13° 5	Cleve. U. N. A. 1885.
" "	"	2.190, 16° 5	
" "	$Di(C_2H_3O_2)_3 \cdot H_2O$	2.230	" "
" "	"	2.244	
" "	$Di(C_2H_3O_2)_3 \cdot 4H_2O$	1.881	" "
" "	"	1.884	
Samarium acetate	$Sm(C_2H_3O_2)_3$	2.208, 18° 3	" "
" "	$Sm(C_2H_3O_2)_3 \cdot 4H_2O$	1.942, 14° 5	" "
" "	"	1.998, 15° 5	
Calcium copper acetate	$CaCu(C_2H_3O_2)_4 \cdot 8H_2O$	1.4206	Schabus. J. 3, 393.
Lithium uranyl acetate	$LiUO_2(C_2H_3O_2)_3 \cdot 3H_2O$	2.280, 15°	Wyrouboff. B. S. M. 8, 118.
Sodium uranyl acetate	$NaUO_2(C_2H_3O_2)_3$	2.55, 12°	Bodeker and Giessecke. B. D. Z.
Sodium uranyl monochloracetate.	$NaUO_2(C_2H_2ClO_2)_3 \cdot 2H_2O$	2.748, 14°	Clarke. A. C. J. 2, 331.
Silver propionate	$AgC_3H_5O_2$	2.714	Schröder. Ber. 10, 1872.
Barium propionate	$Ba(C_3H_5O_2)_2$	2.067, 22° 3	Stern. F. W. C.
" "	"	1.970	Schröder. Ber. 11, 2129.
Didymium propionate	$Di(C_3H_5O_2)_3$	1.861, 12° 5	Cleve. U. N. A. 1885.
" "	$Di(C_3H_5O_2)_3 \cdot 3H_2O$	1.741, 12° 5	" "
" "	"	1.742, 13°	
Samarium propionate	$Sm(C_3H_5O_2)_3$	1.894, 14°	" "
" "	$Sm(C_3H_5O_2)_3 \cdot 3H_2O$	1.784	" "
" "	"	1.786	
" "	"	1.788	13° 2

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver butyrate	$\text{Ag C}_4 \text{H}_7 \text{O}_2$	2.353, 4°	Schröder. Ber. 10, 848.
Barium butyrate	$\text{Ba (C}_4 \text{H}_7 \text{O}_2)_2$	1.768, 22°	Stern. F. W. C.
Barium isobutyrate	"	1.779	Schröder. Ber. 11, 2130.
"	"	1.800	"
Silver isovalerate. Ppt.	$\text{Ag C}_5 \text{H}_9 \text{O}_2$	2.110	} 4°
" " Cryst.	"	2.118	
Silver caproate	$\text{Ag C}_6 \text{H}_{11} \text{O}_2$	2.029, ppt.	} From two caproic acids, probably not identical. Schröder. Ber. 10, 1872.
" "	"	2.052, cryst.	
" "	"	2.053, "	
" "	"	1.866, "	
" "	"	1.877, "	
Silver caprylate	$\text{Ag C}_8 \text{H}_{15} \text{O}_2$	1.740, ppt.	} Schröder. Ber. 10, 1873.
" "	"	1.771, cryst.	
Potassium methylsulphate	$\text{K C H}_3 \text{S O}_4$	2.057	Schröder. Ber. 11, 2020.
Barium methylsulphate	$\text{Ba (CH}_3 \text{SO}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.276, 20°.2	Geppert. F. W. C.
" "	"	2.258	Schröder. Ber. 11, 2130.
" "	"	2.275	"
Potassium ethylsulphate	$\text{K C}_2 \text{H}_5 \text{S O}_4$	1.792	Schröder. Ber. 11, 2020.
" "	"	1.809	"
Barium ethylsulphate	$\text{Ba (C}_2 \text{H}_5 \text{SO}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.0714, 22°.6	} Geppert. F. W. C.
" "	"	2.080, 21°.7	
" "	"	2.055	
Didymium ethylsulphate	$\text{Di (C}_2 \text{H}_5 \text{SO}_4)_3 \cdot 9 \text{H}_2 \text{O}$	1.860, 17°.8	} Cleve. U. N. A. 1885.
" "	"	1.867, 18°	
Samarium ethylsulphate	$\text{Sm (C}_2 \text{H}_5 \text{SO}_4)_3 \cdot 9 \text{H}_2 \text{O}$	1.874	} 20°.8
" "	"	1.885	
Potassium propylsulphate	$\text{K C}_3 \text{H}_7 \text{S O}_4$	1.794	} Schröder. Ber. 11, 2020.
" "	"	1.831	
Barium propylsulphate	$\text{Ba (C}_3 \text{H}_7 \text{SO}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.839	} 20°.5
" "	"	1.844	
" "	"	1.844	
Potassium isobutylsulphate	$\text{K C}_4 \text{H}_9 \text{S O}_4$	1.472	} Schröder. Ber. 11, 2020.
" "	"	1.486	
Barium isobutylsulphate	$\text{Ba (C}_4 \text{H}_9 \text{SO}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.714, 22°	} Whetstone. F.W.C. Schuermann. F.W.C.
" "	"	1.743, 24°.3	
" "	"	1.778, 21°.2	
" "	"	1.727	
" "	"	1.738	
Potassium amylsulphate	$\text{K C}_5 \text{H}_{11} \text{S O}_4$	1.401	} Schröder. Ber. 11, 2020.
" "	"	1.418	
Barium amylsulphate	$\text{Ba (C}_5 \text{H}_{11} \text{SO}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.623, 21°.2	} Whetstone. F.W.C.
" "	"	1.632, 22°	
" "	"	1.638	
" "	"	1.641	
Potassium methylxanthate	$\text{K C H}_3 \text{C O S}_2$	1.6754, 15°.2	} Bishop. F.W.C.
" "	"	1.7002	
Potassium ethylxanthate	$\text{K C}_2 \text{H}_5 \text{C O S}_2$	1.558, 21°	} Geppert. F. W. C.
" "	"	1.5564, 18°.2	
" "	"	1.5576, 21°.5	
Potassium isobutylxanthate	$\text{K C}_4 \text{H}_9 \text{C O S}_2$	1.3713, 15°	} " "
" "	"	1.3832, 14°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium oxalate	$\text{Li}_2 \text{C}_2 \text{O}_4$	2.1213, 17°.5	Stolba. J. 1880, 283.
Sodium hydrogen oxalate	$\text{Na H C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	2.315	Buignet. J. 14, 15.
Potassium oxalate	$\text{K}_2 \text{C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	2.104, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.08	Schiff. J. 12, 16.
Potassium hydrogen oxalate.	$\text{K H C}_2 \text{O}_4$	1.965, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.030	Schiff. J. 12, 16.
" " "	"	2.088	Buignet. J. 14, 15.
Potassium quadroxalate	$\text{K H}_3 (\text{C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.817	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.765	Schiff. J. 12, 16.
" " "	"	1.836	Buignet. J. 14, 15.
Rubidium quadroxalate	$\text{Rb H}_3 (\text{C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.1246, 18°	Stolba. J. 1877, 243.
Ammonium oxalate	$\text{Am}_2 \text{C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	1.461, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.475	Schiff. J. 12, 16.
" " "	"	1.470	Buignet. J. 14, 15.
" " "	"	1.501	Schröder. Dm. 1873.
" " "	"	1.502	
Ammonium hydrogen oxalate.	$\text{Am H C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	1.563, m. of 3	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.556	Schiff. J. 12, 16.
Ammonium quadroxalate	$\text{Am H}_3 (\text{C}_2 \text{O}_4)_2 \cdot \text{H}_2 \text{O}$	1.589, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.607	Schiff. J. 12, 16.
Silver oxalate	$\text{Ag}_2 \text{C}_2 \text{O}_4$	4.96, 10°	Husemann. B. D. Z.
" " "	"	5.005, 4°, ppt.	Schröder. Ber. 10, 849.
" " "	"	5.029, 4°, cryst.	
Thallium oxalate	$\text{Tl}_2 \text{C}_2 \text{O}_4$	6.31	Lamy and Des Cloi- zeaux. Nature, 1, 442.
Thallium hydrogen oxalate.	$\text{Tl H C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	3.971	" "
Zinc oxalate	$\text{Zn C}_2 \text{O}_4$	2.547, 18°.3	Wilson. F. W. C.
" " "	"	2.562, 24°.5	
" " "	"	2.582, 17°.5	
Cadmium oxalate	$\text{Cd C}_2 \text{O}_4$	3.310, 17°	Freeman. F. W. C.
" " "	"	3.320, 18°	
Calcium oxalate	$\text{Ca C}_2 \text{O}_4$	2.106	Schröder. Dm. 1873.
" " "	"	2.181	Schröder. Ber. 12, 561.
" " "	"	2.182	
" " "	"	2.200	
Barium oxalate	$\text{Ba C}_2 \text{O}_4$	2.6578	Schweitzer. Univer- sity of Missouri, special pub., 1876.
Lead oxalate	$\text{Pb C}_2 \text{O}_4$	5.018	Schröder. Dm. 1873.
" " "	"	5.035	
Manganese oxalate	$\text{Mn C}_2 \text{O}_4$	2.422, 21°.8	Freeman. F. W. C.
" " "	"	2.453, 20°.7	
" " "	"	2.457, 21°.8	
Humboldtine	$2 \text{Fe C}_2 \text{O}_4 \cdot 3 \text{H}_2 \text{O}$	2.13	Dana's Mineralogy.
" " "	"	2.489	
Nickel oxalate	$\text{Ni C}_2 \text{O}_4$	2.218, 19°	Freeman. F. W. C.
" " "	"	2.2285, 19°.5	
" " "	"	2.235, 18°.5	
" " "	"	2.296, 20°.5	
Cobalt oxalate	$\text{Co C}_2 \text{O}_4$	2.296, 20°.5	" "
" " "	"	2.325, 19°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stannous oxalate	$\text{Sn C}_2 \text{O}_4$	3.558, 18	Wilson. F. W. C.
" "	"	3.576, 22°.5	
" "	"	3.584, 23°.5	
Thorium oxalate	$\text{Th (C}_2 \text{O}_4)_2$	4.637, 16°	Clarke. A. C. J. 2, 175.
Uranyl oxalate	$\text{U O}_2 \cdot \text{C}_2 \text{O}_4 \cdot 3 \text{H}_2 \text{O}$	2.98	Ebelmen. J. P. C. 27, 391.
Potassium copper oxalate.	$\text{K}_2 \text{Cu (C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.288, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
Ammonium copper oxalate.	$\text{Am}_2 \text{Cu (C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.923	" "
Potassium chromoxalate.	$\text{K}_3 (\text{Cr C}_6 \text{O}_{12})_2 \cdot 3 \text{H}_2 \text{O}$	2.1039, 23°	Bishop. F. W. C.
" "	"	2.1464, 24°	
Strontium chromoxalate.	$\text{Sr}_3 (\text{Cr C}_6 \text{O}_{12})_2 \cdot 10 \text{H}_2 \text{O}$	2.148, 8°.8	Kebler. F. W. C.
Strontium potassium chromoxalate.	$\text{Sr K (Cr C}_6 \text{O}_{12})_2 \cdot 6 \text{H}_2 \text{O}$	2.155, 12°.8	
Barium chromoxalate.	$\text{Ba}_3 (\text{Cr C}_6 \text{O}_{12})_2$	2.570, 6°.8	" "
" "	$\text{Ba}_3 (\text{Cr C}_6 \text{O}_{12})_2 \cdot 6 \text{H}_2 \text{O}$	2.445, 13°.9	" "
" "	$\text{Ba}_3 (\text{Cr C}_6 \text{O}_{12})_2 \cdot 12 \text{H}_2 \text{O}$	2.372, 27°	" "
Sodium ferroxalate	$2 \text{Na}_3 (\text{Fe C}_6 \text{O}_{12})_2 \cdot 11 \text{H}_2 \text{O}$	1.9731, 17°.5	Eder and Valenta. Ber. 14, 1106.
Ammonium ferroxalate	$\text{Am}_3 (\text{Fe C}_6 \text{O}_{12})_2 \cdot 8 \text{H}_2 \text{O}$	1.7785, 17°.5	" "
Platsoxalic acid	$\text{Pt H}_2 (\text{C}_2 \text{O}_4)_2 \cdot \text{H}_2 \text{O}$	2.94, 14°	Söderbaum. Upsala Diss. 1888.
Sodium platsoxalate	$\text{Na}_2 \text{Pt (C}_2 \text{O}_4)_2 \cdot 4 \text{H}_2 \text{O}$	2.89, 17°.2	" "
" "	$\text{Na}_2 \text{Pt (C}_2 \text{O}_4)_2 \cdot 5 \text{H}_2 \text{O}$	2.92, 17°.2	" "
Potassium platsoxalate.	$\text{K}_2 \text{Pt (C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	3.037, 11°.6	" "
" " Light.	"	3.036, 12°	
" " Dark.	"	3.012, 12°	
Ammonium platsoxalate.	$\text{Am}_2 \text{Pt (C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.614, 11°.7	" "
" " Light.	"	"	" "
" " Dark.	"	2.58, 11°.5	" "
Platodiamine platsoxalate.	$\text{Pt (NH}_3)_4 \text{Pt (C}_2 \text{O}_4)_2$	3.51, 13°.5	" "
" " Light.	"	"	" "
" " Dark.	"	3.48, 13°.5	" "
Didymium nitratöoxalate.	$\text{Di H}_2 (\text{NO}_3)_2 (\text{C}_2 \text{O}_4)_3 \cdot 11 \text{H}_2 \text{O}$	2.424 } 13°.2	{ Cleve. U. N. A. 1885.
" " "	"	2.425 }	
Ammonium succinate.	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_4$	1.367, 10°	Zachariac. B. D. Z.
Silver succinate	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_4$	3.518, 10°	Husemann. B. D. Z.
" "	"	3.807	Schröder. Ber. 10, 849.
" "	"	3.893	
Barium succinate.	$\text{Ba C}_4 \text{H}_4 \text{O}_4$	2.696	
" "	"	2.699	Schröder. Ber. 11, 2129.
Lead succinate	$\text{Pb C}_4 \text{H}_4 \text{O}_4$	3.800, 10°	Husemann. B. D. Z.
Ammonium malate	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_5$	1.509	Wyrouboff. Bei. 8, 24.
Ammonium hydrogen malate.	$\text{Am C}_4 \text{H}_5 \text{O}_5$	1.55	Pasteur. J. 4, 392.
Silver malate	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_5$	4.0016	Liebig and Redtenbacher. A. C. P. 38, 139.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium tartrate	$\text{Na}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.794	Buignet. J. 14, 15.
Potassium tartrate	$\text{K}_2 \text{C}_4 \text{H}_4 \text{O}_6$	1.975	Schiff. J. 12, 16.
" " "	$\text{K}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	1.960	Buignet. J. 14, 15.
Potassium hydrogen tartrate.	$\text{K H C}_4 \text{H}_4 \text{O}_6$	1.943	Schabus. J. 3, 378.
" " "	"	1.973	Schiff. J. 12, 16.
" " "	"	1.956	Buignet. J. 14, 15.
Ammonium tartrate	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_6$	1.566	Schiff. J. 12, 16.
" " "	"	1.523	Buignet. J. 14, 15.
" " "	"	1.601	Wyrouboff. Bei. 8, 24.
Ammonium hydrogen tartrate.	$\text{Am H C}_4 \text{H}_4 \text{O}_6$	1.680	Schiff. J. 12, 16.
Sodium potassium tartrate	$\text{Na K C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.74	Mitscherlich.
" " " "	"	1.767	Schiff. J. 12, 16.
" " " "	"	1.790	Buignet. J. 14, 15.
" " " "	"	1.77	W. C. Smith. Am. J. P. 53, 145.
Sodium ammonium tartrate.	$\text{Na Am C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.58	Mitscherlich.
" " " "	"	1.576	Pasteur. J. 2, 309.
" " " "	"	1.587	Schiff. J. 12, 16.
Potassium ammonium tartrate.	$\text{K Am C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.700	" "
Rubidium tartrate	$\text{Rb}_2 \text{C}_4 \text{H}_4 \text{O}_6$	2.692	Wyrouboff. Bei. 8, 24.
" " "	$\text{Rb}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	2.584	Wyrouboff. B. S. M. 6, 311.
Rubidium hydrogen tartrate.	$\text{Rb H C}_4 \text{H}_4 \text{O}_6 \cdot \frac{1}{2} \text{H}_2 \text{O}$	2.399	" "
Rubidium lithium tartrate	$\text{Rb Li C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	2.281	Wyrouboff. B. S. M. 6, 53.
Rubidium sodium tartrate	$\text{Rb Na C}_4 \text{H}_4 \text{O}_6 \cdot 2\frac{1}{2} \text{H}_2 \text{O}$	2.200	Wyrouboff. Ann. (6), 9, 221.
Silver tartrate	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_6$	3.4321	Liebig and Redtenbacher. A. C. P. 38, 139.
Thallium tartrate	$\text{Tl}_2 \text{C}_4 \text{H}_4 \text{O}_6$	5.110	Wyrouboff. B. S. M. 6, 311.
" " "	$\text{Tl}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot \frac{1}{2} \text{H}_2 \text{O}$	4.658	Lamy and Des Cloizeaux. Nature, 1, 142.
" " "	"	4.740	Wyrouboff. B. S. M. 9, 102.
Thallium hydrogen tartrate.	$\text{Tl H C}_4 \text{H}_4 \text{O}_6$	3.496	Lamy and Des Cloizeaux. Nature, 1, 142.
" " " "	$\text{Tl H C}_4 \text{H}_4 \text{O}_6 \cdot \frac{1}{2} \text{H}_2 \text{O}$	3.399	Wyrouboff. B. S. M. 6, 311.
Thallium lithium tartrate	$\text{Tl Li C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	3.356	Wyrouboff. B. S. M. 6, 53.
Thallium sodium tartrate	$\text{Tl Na C}_4 \text{H}_4 \text{O}_6 \cdot 2\frac{1}{2} \text{H}_2 \text{O}$	3.120	Wyrouboff. Ann. (6), 9, 221.
Strontium tartrate	$\text{Sr C}_4 \text{H}_4 \text{O}_6$	2.575, 17°.3	Joslin. F. W. C.
" " "	"	2.579, 17°.1	
" " "	"	2.593, 17°.4	
" " "	$\text{Sr C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.961, 19°	
" " "	"	1.966, 19°.2	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium tartrate-----	$\text{Sr C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.972, 18°.1	Joslin. F. W. C.
Barium tartrate-----	$\text{Ba C}_4 \text{H}_4 \text{O}_6$	2.965, 21°.5	} " "
" "-----	"	2.974, 21°.9	
" "-----	"	2.980, 20°.8	
Lead tartrate-----	$\text{Pb C}_4 \text{H}_4 \text{O}_6$	3.998, 16°.5	} " "
" "-----	"	4.001, 17°.5	
" "-----	"	4.037, 17°.7	
Potassium tartrantimonite, or tartar- emetic-----	$2 \text{K C}_4 \text{H}_4 \text{Sb O}_7 \cdot \text{H}_2 \text{O}$	2.5569	Pasteur. Ann. (3), 28, 86.
" "-----	"	2.607	Schiff. J. 12, 16.
" "-----	"	2.588	Buignet. J. 14, 15.
" "-----	"	2.597	Topsoë and Christ- iansen.
Ammonium tartrantimonite.	$2 \text{Am C}_4 \text{H}_4 \text{Sb O}_7 \cdot \text{H}_2 \text{O}$	2.324	Topsoë. C. C. 4, 76.
Silver tartrantimonite-----	$\text{Ag C}_4 \text{H}_4 \text{Sb O}_7$	3.4805, 18°.2	Evans. F. W. C.
Thallium tartrantimonite-----	$2 \text{Tl C}_4 \text{H}_4 \text{Sb O}_7 \cdot \text{H}_2 \text{O}$	3.99	Lamy and Des Cloi- zeaux. Nature, 1, 142.
Barium tartrantimonite --	$\text{Ba (C}_4 \text{H}_4 \text{Sb O}_7)_2 \cdot 2 \text{H}_2 \text{O}$	3.112, 19°	Joslin. F. W. C.
Potassium borotartrate-----	$\text{K C}_4 \text{H}_4 \text{B O}_7$	1.832	Buignet. J. 14, 15.
Potassium racemate-----	$\text{K}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot 2 \text{H}_2 \text{O}$	1.58	Mitscherlich.
Potassium hydrogen race- mate.	$\text{K H C}_4 \text{H}_4 \text{O}_6$	1.954	Wyruboff. B. S. M. 6, 311.
Potassium lithium race- mate.	$\text{K Li C}_4 \text{H}_4 \text{O}_6$	1.610	Wyruboff. B. S. M. 6, 53.
Potassium sodium race- mate.	$\text{K Na C}_4 \text{H}_4 \text{O}_6 \cdot 3 \text{H}_2 \text{O}$	1.783	Wyruboff. B. S. C. 45, 52.
Rubidium racemate-----	$\text{Rb}_2 \text{C}_4 \text{H}_4 \text{O}_6$	2.640	Wyruboff. Bei. 8, 24.
Rubidium hydrogen race- mate.	$\text{Rb H C}_4 \text{H}_4 \text{O}_6$	2.282	Wyruboff. B. S. M. 6, 311.
Rubidium lithium race- mate.	$\text{Rb Li C}_4 \text{H}_4 \text{O}_6$	2.192	Wyruboff. Bei. 8, 24.
Ammonium racemate-----	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_6$	1.601	Wyruboff. B. S. M. 9, 102.
Ammonium hydrogen racemate.	$\text{Am H C}_4 \text{H}_4 \text{O}_6$	1.636	Wyruboff. B. S. M. 6, 311.
Ammonium sodium race- mate.	$\text{Am Na C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	1.740	Wyruboff. Ann. (6), 9, 221.
Silver racemate -----	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_6$	3.7752	Liebig and Redten- bacher. A. C. P. 38, 139.
Thallium racemate -----	$\text{Tl}_2 \text{C}_4 \text{H}_4 \text{O}_6$	4.783	} 15° --- { Two varieties. Wy- ruboff. B. S. M. 9, 102.
" "-----	"	4.803	
" "-----	$2 \text{Tl C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	4.659	
Thallium hydrogen race- mate.	$\text{Tl H C}_4 \text{H}_4 \text{O}_6$	3.494	Wyruboff. B. S. M. 6, 311.
Thallium lithium race- mate.	$\text{Tl Li C}_4 \text{H}_4 \text{O}_6 \cdot 2 \text{H}_2 \text{O}$	3.144	Wyruboff. Ann. (6), 9, 221.
Thallium sodium racemate	$\text{Tl Na C}_4 \text{H}_4 \text{O}_6 \cdot 2 \text{H}_2 \text{O}$	3.289	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium racemantimonite.	$2 K C_4 H_4 Sb O_7 \cdot H_2 O$	2.4768	Pasteur. Ann. (3), 28, 86.
Potassium citrate *	$K_3 C_6 H_5 O_7 \cdot H_2 O$	1.98	W. C. Smith, Am. J. P. 53, 145.
Trisodium citrate	$2 Na_3 C_6 H_5 O_7 \cdot 11 H_2 O$	1.857, 23°.5	Blakemore, F. W. C.
" "	" "	1.859, 24°	
Diammonium citrate	$Am_2 C_6 H_6 O_7$	1.479, 22°	" "
Uranyl oleate	$U O_2 (C_{18} H_{33} O_2)_2$	1.13	Gibbons. Ber. 16, 964.
Calcium hippurate	$2 Ca C_{18} H_{16} N_2 O_6 \cdot 3 H_2 O$	1.318	Schabus. J. 3. 411.
Potassium orthonitrophenate.	$K C_6 H_4 N O_3 \cdot H_2 O$	1.682, 20°	Post and Mehrtens. Ber. 8, 1552
Silver orthonitrophenate	$Ag C_6 H_4 N O_3$	2.661, 20°	" "
Barium orthonitrophenate	$Ba (C_6 H_4 N O_3)_2$	2.3301, 20°	" "
Lead orthonitrophenate	$Pb_2 O (C_6 H_4 N O_3)_2 \cdot H_2 O$	2.712, 20°	" "
Potassium metanitrophenate.	$K C_6 H_4 N O_3 \cdot 2 H_2 O$	1.691, 20°	" "
Barium metanitrophenate	$Ba (C_6 H_4 N O_3)_2 \cdot 2 H_2 O$	2.343, 20°	" "
Lead metanitrophenate	$Pb O (C_6 H_4 N O_3)$	2.694, 20°	" "
Potassium paranitrophenate.	$K C_6 H_4 N O_3 \cdot 2 H_2 O$	1.652, 20°	" "
Silver paranitrophenate	$Ag C_6 H_4 N O_3 \cdot 2 H_2 O$	2.652, 20°	" "
Barium paranitrophenate	$Ba (C_6 H_4 N O_3)_2 \cdot 8 H_2 O$	2.322, 20°	" "
Lead paranitrophenate	$Pb O (C_6 H_4 N O_3) \cdot 2 H_2 O$	2.682, 20°	" "
Potassium α dinitrophenate	$K C_6 H_3 N_2 O_5 \cdot H_2 O$	1.778, 20°	" "
Silver α dinitrophenate	$Ag C_6 H_3 N_2 O_5 \cdot H_2 O$	2.755, 20°	" "
Barium α dinitrophenate	$Ba (C_6 H_3 N_2 O_5)_2 \cdot 4 H_2 O$	2.439, 20°	" "
Lead α dinitrophenate	$Pb O H (C_6 H_3 N_2 O_5) \cdot 2 H_2 O$	2.817, 20°	" "
Potassium β dinitrophenate	$K C_6 H_3 N_2 O_5$	1.757, 20°	" "
Silver β dinitrophenate	$Ag C_6 H_3 N_2 O_5$	2.733, 20°	" "
Barium β dinitrophenate	$Ba (C_6 H_3 N_2 O_5)_2 \cdot H_2 O$	2.406, 20°	" "
Lead β dinitrophenate	$Pb O (C_6 H_3 N_2 O_3)_2$	2.807, 20°	" "
Lithium picrate	$Li C_6 H_2 N_3 O_7$	1.716, 19°	Beamer. F. W. C.
" "	" "	1.724, 20°	
" "	" "	1.740, 20°	
Potassium picrate	$K C_6 H_2 N_3 O_7$	1.852, 20°	Post and Mehrtens. Ber. 8, 1552.
Silver picrate	$Ag C_6 H_2 N_3 O_7$	2.816, 20°	" "
Thallium picrate	$Tl C_6 H_2 N_3 O_7$	3.039	Lamy and Des Cloi- zeaux. Nature, 1, 142.
Barium picrate	$Ba (C_6 H_2 N_3 O_7)_2 \cdot 4 H_2 O$	2.518, 20°	Post and Mehrtens. Ber. 8, 1552.
Lead picrate	$Pb (C_6 H_2 N_3 O_7)_2 \cdot H_2 O$	2.831, 20°	" "
Samarium picrate	$Sm (C_6 H_2 N_3 O_7)_3 \cdot 8 H_2 O$	1.954, 18°.5	Cleve. U. S. A. 1885.
Ammonium benzoate	$Am C_7 H_5 O_2$	1.260	Schröder. Ber. 12, 1611.
" "	" "	1.264	

* Smith gives this salt under the name "potassil citras," and assigns no formula.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver benzoate	$\text{Ag C}_7 \text{H}_5 \text{O}_2$	2.258	Schröder. Ber. 9, 1889.
Calcium benzoate	$\text{Ca}(\text{C}_7 \text{H}_5 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	1.435 } 1.457 }	4° { Schröder. Ber. 12, 1611.
Barium benzoate	$\text{Ba}(\text{C}_7 \text{H}_5 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	1.792 } 1.808 }	
Silver cinnamate	$\text{Ag C}_9 \text{H}_7 \text{O}_2$	2.073, 4°	" "
Mellite	$\text{Al}_2 \text{C}_{12} \text{O}_{12} \cdot 18 \text{H}_2 \text{O}$	1.636 } 1.642 }	Kenn Gott.

LXXI. SALTS OF ORGANIC BASES WITH INORGANIC ACIDS.*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetramethylammonium iodide.	$\text{N}(\text{C H}_3)_4 \text{I}$	1.827, 17° -- } 1.831, 19°.5 }	Owens. F. W. C.
"	"	1.838 } 1.844 }	
Tetremethylammonium iodide.	$\text{N}(\text{C}_2 \text{H}_5)_4 \text{I}$	1.556 } 1.559 } 1.561 }	4° { " "
Tetremethylammonium mercury iodide.	$\text{N}(\text{C H}_3)_4 \text{I} \cdot \text{Hg I}_2$	3.968, 24° -- } 3.971, 24° -- } 3.976, 23°.5 }	Owens. F. W. C.
"	"	4.003, 23°.2 }	
"	"	2.250 } 2.255 }	
Ethylamine platinchloride	$(\text{NC}_2 \text{H}_7 \cdot \text{H Cl})_2 \text{Pt Cl}_4$	2.250 } 2.255 }	19° { Clarke. A. C. J. 2, 175.
"	"	2.824	
Ethylamine aurochloride.	$\text{N C}_2 \text{H}_7 \cdot \text{H Cl} \cdot \text{Au Cl}_3$	2.436	Topsoë. S. W. A. 73, 97.
Diethylamine aurochloride.	$\text{NC}_4 \text{H}_{11} \cdot \text{H Cl} \cdot \text{Au Cl}_3$	2.197	" "
Triethylamine aurochloride.	$\text{NC}_6 \text{H}_{15} \cdot \text{H Cl} \cdot \text{Au Cl}_3$	1.238 } 1.251 }	Schröder. Ber. 13, 1070.
Guanidine carbonate	$(\text{C H}_5 \text{N}_3)_2 \text{H}_2 \text{C O}_3$	1.201 } 1.216 }	
Aniline chlorhydrate	$\text{C}_6 \text{H}_7 \text{N} \cdot \text{H Cl}$	1.227 }	
Aniline iodate	$\text{C}_6 \text{H}_7 \text{N} \cdot \text{H I O}_3$	1.480, 15°	Beamer. F. W. C.
Aniline nitrate	$\text{C}_6 \text{H}_7 \text{N} \cdot \text{H N O}_3$	1.356 } 1.360 }	4° { Schröder. Ber. 12, 1611.
"	"	1.377, 4°	
Aniline sulphate	$(\text{C}_6 \text{H}_7 \text{N})_2 \cdot \text{H}_2 \text{S O}_4$	1.890, 18°	" "
Aniline tartrantimonite	$\text{C}_6 \text{H}_7 \text{N} \cdot \text{C}_4 \text{H}_5 \text{Sb O}_7$	1.220	Evans. F. W. C.
Rosaniline chlorhydrate	$\text{C}_{20} \text{H}_{19} \text{N}_3 \cdot \text{H Cl}$	1.220	Rüdorff. Ber. 12, 252.
Diazobenzene nitrate	$\text{C}_6 \text{H}_4 \text{N}_2 \cdot \text{H N O}_3$	1.37	Berthelot and Vieille. Bei. 5, 573.
Berberine chlorhydrate	$\text{C}_{20} \text{H}_{17} \text{N O}_4 \cdot \text{H Cl}$	1.397, 19°.4	Clarke. A. C. J. 2, 174.
Berberine platinechloride.	$(\text{C}_{20} \text{H}_{17} \text{N O}_4 \cdot \text{H Cl})_2 \text{Pt Cl}_4$	1.758, 19°	" "

*Aniline tartrantimonite is included in this table for reasons of convenience.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strychnine platinchloride	$(C_{21}H_{22}N_2O_2 \cdot HCl)_2 \cdot PtCl_4$	1.779, 13°.5---	Clarke. A. C. J. 2, 174.
Cinchonine chlorhydrate	$C_{20}H_{24}N_2O \cdot HCl$	1.234 -----	Hesse. J. 15, 371.
Picolinic acid platinchloride.	$(C_6H_5N O_2 \cdot HCl)_2 \cdot PtCl_4 \cdot 2H_2O$	2.0672, 21°.8---	Weidel. Ber. 12, 1989.
Nicotinic acid platinchloride.	$(C_6H_5N O_2 \cdot HCl)_2 \cdot PtCl_4 \cdot 2H_2O$	2.1297, 21°.8---	" "
Triethylphosphin platinchloride.	$PtCl_2 \cdot (C_2H_5P)_2$	1.5, 10° -----	Calours and Gal. Z. C. 13, 437.

LXXII. MISCELLANEOUS ORGANIC COMPOUNDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl selenite-----	$(C_2H_5)_2SeO_3$ -----	1.49, 16°.5---	Michaelis. A. C. P. 241, 159.
Glucose with sodium chloride.	$2C_6H_{12}O_6 \cdot NaCl \cdot H_2O$	1.55 } 1.59 } 11°----	Bödeker. B. D. Z.
Cane sugar with sodium iodide.	$2C_{12}H_{22}O_{11} \cdot 3NaI \cdot 3H_2O$	1.854 -----	Gill. J. C. S. 24, 269.
Ferrous sacrocarbonate---	$3C_{12}H_{22}O_3 \cdot 2FeCO_3$	1.85 -----	Tanret. J. C. S. 40, 157.
Salt from lead acetate and potassium triiodide.	$Pb_8K_6C_{36}H_{54}O_{28}I_{17}$	3.084 -----	Johnson. C. N. 37, 110.
Chloraurotriethylphosphorous ether.	$AuClP(O C_2H_5)_3$	2.025 -----	Lindet. C. R. 103, 1014.

APPENDIX.

NOTE ON THE SPECIFIC GRAVITY OF WOOD.

Although wood is a substance which does not come within the scope of these tables, the following references to literature are given as a matter of convenience.

ASCHAUER.—Dove's Repertorium, 1, 142.

BRISSON.—Pesanteur Spécifique des Corps.

ESTRADA.—Cuban woods. Van Nostrand's Magazine, 29, 417. 1883.

HOB.—Beiblätter (Wiedemann's), 2, 534.

IHLENG.—Amer. Journ. Sci. (3), 17, 125.

KARMAIRSCH.—Dove's Repertorium, 1, 141.

KOPP.—Dove's Repertorium, 7, 171; also Ann. Chim. Phys. (3), 6, 380.

MENDENHALL.—Ohio Agricultural and Mechanical College, Report for 1878.

OSBORNE.—"Report on Class III," Melbourne Exhibition of 1861. Many data for Australian woods and essential oils.

SHARPLES.—Vol. IX, Reports of Tenth U. S. Census. Complete as to woods of the United States.

SMITH.—Journ. Chem. Soc., June, 1880, p. 417.

WILEY.—Purdue University (Indiana) Report, No. 2, 1876.

Many figures are also given in Böttger's "Tabellarische Uebersicht."

INDEX.

A.	PAGE.		PAGE.
Abies Reginae-Amaliae, oil from.....	179	Acid, Alphatoluic.....	257
Abietene.....	158	“ Amidoacetic.....	287
Absinthol.....	262	“ Amidobenzoic.....	288
Acanthite.....	57	“ Amidocaproic.....	287
Acenaphthene.....	179	“ Amidosuccinic.....	287
Acetal.....	224	“ Amyldecanoic.....	234
Acetamide.....	287	“ Amylglucolic.....	230
Acetanilide.....	288	“ Amylnitrophosphorous.....	349
“ Derivative of.....	316	“ Anisic.....	257
Acetic aldehyde.....	216	“ Arsenic.....	49
Acetic anhydride.....	204	“ Arsenious.....	48
Acetobutyl alcohol.....	245	“ Aspartic.....	287
Acetochlorhydrin.....	312	“ Benzoic.....	256
Acetocinnamone.....	262	“ Boric.....	107
Acetodichlorhydrin.....	312	“ Bromisobutyric.....	326
Aceto-ethyl nitrate.....	286	“ Bromobutyric.....	326
Acetoethylthienone.....	344	“ Bromostearic.....	326
Acetoglyceral.....	239	“ Butyric.....	200
Acetone.....	218	“ Camphoric.....	264
Acetonitril.....	268	“ Caproic.....	202
Acetonitrose.....	286	“ Caprylic.....	203
Acetophenone alcohol.....	252	“ Chloracetic.....	305
Acetopropyl alcohol.....	245	“ Chloric.....	72
Acetothienone.....	314	“ Chlorisobutyric.....	305
Acetotrichlorethylidene acetic ether.....	311	“ Chlorobutyric.....	305
Acetoxycetonitril.....	289	“ Chloropropionic.....	305
Acetoxypionitril.....	289	“ Chlorosulphonic.....	30
Acetpiperidid.....	230	“ Chromic.....	52
Acetyl, Chloride.....	308	“ Cinnamic.....	258
“ Iodide.....	335	“ Citraconic.....	237
“ Thiocyanate.....	316	“ Citric.....	237
Acetylamine.....	280	“ Columbic.....	49
Acetyl camphor.....	264	“ Crotonic.....	234
Acetylchloral ethylate.....	309	“ Cuminic.....	259
Acetylcopellidine.....	290	“ Cyanic.....	142
Acetylene.....	167	“ Cyanuric.....	142
“ Bromide.....	338	“ Diallylacetic.....	242
“ Chloride.....	338	“ Diamylphosphoric.....	349
“ Chlorobromide.....	336	“ Dibromoacetic.....	326
“ Dibromide.....	322	“ Dibromoleic.....	327
“ Iodide.....	334	“ Dichloroacetic.....	305
“ Tetrabromide.....	321	“ Dichloroleic.....	312
“ Tetrachloride.....	290	“ Diethylacetic.....	203
Acetylthioxene.....	344	“ Diethylcamphresic.....	265
Acetyltrimethylene.....	246	“ Diphenylarsenic.....	350
Acetyl valeryl.....	245	“ Diphenylphosphinic.....	349
Achillea ageratum, oil of.....	264	“ Dipropylacetic.....	204
Acid, Acetic.....	199	“ Dithionie.....	75
“ Acetylformic.....	232	“ Ethylbenzhydroxamic.....	288
“ Acetylpropionic.....	232	“ Ethylcamphoric.....	264
“ Allylacetic.....	242	“ Ethylmethylacetic.....	202
“ Allyloxylic.....	242	“ Ethyloxalic.....	226
		“ Ethyloxyisobutyric.....	230

	PAGE.		PAGE.
Acid, Ethylsalicylic	257	Acid, Perchloric	73
" Ethylsulphuric	343	" Phenylacetic	257
" Ethylsulphurous	343	" Phenylacrylic	258
" Formic	199	" Phénylarsinic	350
" Gallic	257	" Phenylphosphinic	349
" Glycollic	230	" Phenylpropionic	257
" Hippuric	260	" Phosphoric	111
" Hydrochloric	19	" Phosphorous	113
" Hydrocinnamic	257	" Phthalic	258
" Hydrocyanic	142	" Phytic	268
" Hydrofluoric	16	" Picolinic, chloroplatinate of	366
" Hydrosorbic	231	" Pieric	285
" Hydrosulphocyanic	112	" Pimaric	267
" Hypophosphorous	113	" Platinoxalic	361
" Iodic	74	" Propionic	200
" Isonitric	203	" Propionylformic	232
" Isobutyric	201	" Protocatechic	257
" Isocaproic	203	" Pyroacetic	232
" Isoheptylic	203	" Pyrosulphuric	76
" Isohexic, derivative of	312	" Pyrotartaric	226
" Isononylic	204	" Pyroterebic	234
" Isocetyllic	204	" Pyruvic	232
" Isovaleric	201	" Quartenylic	234
" Itaconic	237	" Quinic	259
" Lactic	230	" Racemic	236
" Laevotartaric	236	" Ricinoleic	248
" Laevulinic	232	" Rauyllic	294
" Lauric	204	" Salicylic	257
" Linoleic	248	" Santonic	267
" Malic	236	" Sebacic	226
" Mandelic	259	" Selenic	98
" Metachlorbenzoic	313	" Selenious	98
" Methacrylic	234	" Stearic	204
" Methylethylacrylic	234	" Succinic	226
" Methylethylpropionic	263	" Sulphydric	56
" Methylglycollic	230	" Sulphuric	75
" Methylhexamethylenemonocarboxylic	247	" Sulphurous	51, 74
" Methylisopropylacetic	203	" Sylvic	267
" Methylisopropylmalonic	236	" Tannic	266
" Methylpentamethylenemonocarboxylic	246	" Tartaric	50
" Methylpropylacetic	203	" Telluric	102
" Methylsalicylic	257	" Tetramethylenemonocarboxylic	246
" Molybdic	52	" Thiacetic	344
" Moronic	234	" Trichloroacetic	305
" Naphthylphosphinic	349	" Trichlorophenomalic	313
" Naphthylphosphorous	349	" Trimethylacetic	262
" Nicotinic, chloroplatinate of	366	" Tungstic	52
" Nitric	108	" Uric	280
" Nitrobenzoic	285	" Valeric	201
" Nitrocaprylic	282	Aemite	139
" Nitroacetic	286	" Diacetate	235
" Oenanthic	281	" Ethylate	235
" Oleic	234	Acropinacone	235
" Orthophenylmethylglyoxylic	258	Acryl aldehyde	235
" Oxalic	226	Adamite	122
" Oxalbenzoic	257	Alkinitic	63
" Paraffinic	231	Alabandite	59
" Parasantonic	267	Alaskite	63
" Parasorbic	248	Albite	134
" Pelargonic	204	Aldehyde	216

	PAGE.		PAGE.
Aldehyde with sulphaldehyde.....	344	Aluminum, Ammonium sulphate	94
Aldehyde collidine	274	“ Amylate	354
Aldehyde methyl chloride	310	“ Barium silicate.....	138
Aldol	246	“ Borate.....	108
Alexandrite	56	“ Bromide.....	32
Algodonite	67	“ “ with aromatic hydrocar-	
Allakite.....	123	“ “ bions.....	354
Allemontite.....	68	“ Butylate.....	354
Alloclasite	69	“ Cæsium selenate	161
Allophane	133	“ “ silicate	136
Allyl, Acetacetate	242	“ “ sulphate	93
“ Acetate.....	242	“ Calcium phosphate.....	118
“ Alcohol.....	240	“ “ silicates	136, 137
“ Bromide.....	322	“ “ sulphate	97
“ Carbamine	278	“ Chloride, with aromatic hydro-	
“ Chloride.....	299	“ carbons.....	354
“ Dibrompropionate.....	327	“ Copper arsenate.....	123
“ Formate.....	242	“ Cresolate	354
“ Iodide	334	“ Ethylate.....	354
“ Nitrate	286	“ Fluorides.....	17
“ Nitrite	286	“ Fluosilicate.....	140
“ Oxalate.....	243	“ Glucinum silicate.....	138
“ Oxide	241	“ Hydroxides.....	71
“ Santonate.....	267	“ Iodide	36
“ Sulphides	340	“ Iron silicates	138, 139
“ Thiocarbimide	345	“ Lead phosphate.....	118
“ Thiocyanate	345	“ “ silicate	138
“ Trisulphocarbonate	341	“ Lithium fluophosphate.....	124
Allylamine.....	278	“ “ silicates.....	134
Allylaniline.....	273	“ Magnesium phosphate.....	118
Allylanisöl.....	254	“ “ silicate.....	138
Allylbenzene	176	“ “ sulphate	96
Allyldiethylcarbinol.....	241	“ Manganese phosphate	118
“ Derivative of.....	168	“ “ silicate.	138
Allyldiisopropylcarbinol.....	241	“ Mellitate	365
Allyldimethylcarbinol.....	241	“ Methylamine sulphate	94
“ Acetate.....	242	“ Oxide.....	42
“ Derivative of.....	168	“ Phenolate	354
Allyldipropylcarbinol.....	241	“ Phosphates.....	115, 116, 117, 118
“ Acetate.....	242	“ Potassium borate	108
“ Derivative of.....	168	“ “ selenate	101
Allylene, Bromide.....	323	“ “ silicates.....	135, 136
“ Dihydriodate.....	334	“ “ sulphates	92, 97
“ Hydriodate.....	334	“ Propylate	354
“ Iodide	334	“ Rubidium selenate.....	101
“ Tetrabromide.....	322	“ “ sulphate.....	93
“ Tetrachloride.....	299	“ Silicates.....	132, 133
Allylengenol	265	“ Sodium carbonate	130
Allylidene, Chlorides	299, 300	“ “ fluoarsenate.....	124
Allylmethylpropylcarbinol.....	241	“ “ selenate.....	101
Allylpyridine.....	274	“ “ silicates	134, 135
Allylsuccinimide	288	“ “ sulphate	92
Almandite.....	138	“ Strontium silicate	137
Almond oil.....	261	“ Sulphates	87, 97
Alöisol.....	268	“ Thallium selenate.....	101
Altaite.....	66	“ “ sulphate	94
Alumian.....	97	“ Thymolate.....	354
Alumina.....	42	“ Titanide	70
Aluminite	97	“ Zinc sulphate.....	97
Aluminium	3	“ Zirconide	70
“ Alloys of.....	146	Alums.....	92, 93, 94, 95, 96, 101
“ Ammonium selenate	101	Alunite.....	97

	PAGE.		PAGE.
Barium Bromate.....	73	Benzanilide.....	283
“ Bromide.....	32	Benzene.....	169
“ Butyrate.....	359	“ Hexabromide.....	325
“ Cadmium bromide.....	33	“ Hexchloride.....	304
“ “ chloride.....	27	Benzil, isomer of.....	266
“ Calcium carbonate.....	129	Benzoicinnamic anhydride.....	266
“ “ sulphate.....	89	Benzoecinnamic anhydride.....	266
“ Carbonate.....	128	Benzodichlorhydrin.....	313
“ Chlorate.....	72	Benzobenanthic anhydride.....	266
“ Chloride.....	23	Benzoic anhydride.....	295
“ Chromate.....	101	Benzolein.....	249
“ Chromoxalate.....	361	Benzonitril.....	280
“ Copper formate.....	357	Benzoyl Bromide.....	328
“ Dinutrophenate.....	364	“ Chloride.....	513
“ Dithionate.....	75	“ Thiocyanate.....	316
“ Ethylsulphate.....	350	Benzoylglycollic ether.....	266
“ Feldspars.....	138	Benzyl Acetate.....	260
“ Fluoride.....	17	“ Alcohol.....	251
“ Formate.....	356	“ Benzoate.....	260
“ Hydroxide.....	71	“ Benzylacetate.....	260
“ Hypophosphite.....	113	“ Benzylbutyrate.....	260
“ Iodate.....	74	“ Benzylisobutyrate.....	260
“ Iodide.....	36	“ Benzylpropionate.....	260
“ Isobutylsulphate.....	359	“ Bromide.....	324
“ Isobutyrate.....	359	“ Butyrate.....	269
“ Manganate.....	105	“ Chloride.....	392, 303
“ Manganite.....	105	“ Cinnamate.....	261
“ Methylsulphate.....	359	“ Cyanide.....	280
“ Molybdate.....	105	“ Dichloracetate.....	513
“ Nitrate.....	111	“ Dimethylbenzylacetate.....	260
“ Nitrophenates.....	364	“ Iodide.....	335
“ Oxalate.....	369	“ Isobutyrate.....	260
“ Oxides.....	42	“ Mercaptan.....	341
“ Picrate.....	364	“ Monochloracetate.....	313
“ Platinbromide.....	31	“ Oxide.....	253
“ Platinchloride.....	28	“ Phenylacetate.....	260
“ Platinocyanide.....	143	“ Propionate.....	260
“ Propionate.....	358	“ Trichloracetate.....	313
“ Propylsulphate.....	359	Benzylamine.....	271
“ Pyrophosphate.....	119	Benzylanisol.....	254
“ Selenate.....	99	Benzylcarbinol.....	251
“ Silicofluoride.....	18	Benzylcymene.....	177
“ Succinate.....	361	Benzylene.....	177
“ Sulphate.....	82	Benzylethylbenzene.....	177
“ Tartrantimonite.....	363	Benzylidene dichloride.....	293
“ Tartrate.....	363	Benzylidene tolylene.....	177
“ Tellurate.....	102	Benzylinaphthalene.....	179
“ Thiosulphate.....	74	Benzyl phenyl carbamide.....	288
“ Titanate.....	142	Benzyltoluene.....	177
“ Tungstates.....	106	Berberine, Chlorhydrate.....	365
“ Uranyl phosphate.....	116	“ Platinchloride.....	365
“ Zinc chloride.....	27	Bergamot, oil of.....	181, 313
Barnhardtite.....	64	Bergelite.....	244
Barrandite.....	118	Berlinite.....	115
Barytocalcite.....	129	Berthierite.....	63
Bastnäsite.....	145	Bertrandite.....	131
Bay, oil of.....	182	Beryl.....	138
Baydonite.....	123	Beryllium, see glaucium.	
Beegerite.....	61	Berzelianite.....	65
Benzene.....	168	Berzelite.....	122
Benzaldehyde.....	261	Betula lentis, oil of.....	257
Benzamide.....	288	Heyrichite.....	60

	PAGE.		PAGE.
Birdheimite	125	Bromallyl Chloride.....	337
Binnite.....	61	" Nitrate.....	328
Birch tar, oil of.....	182	Bromallylphenol ether.....	328
Bischofite	22	Bromamylbenzene	325
Bismuth.....	8	Bromamylene	323
" Amalgams.....	146	Brombenzene	324
" Antimony alloys.....	151	Bromcamphor.....	328
" Arsenate.....	123	Bromectropyrotartaric anhydride.....	327
" Arsenide	68	Bromdecylene.....	323
" Bromide	32	Bromdibenzyl.....	325
" Cadmium alloys	150	Bromdiethylin	327
" Carbonates	130	Bromethyl oxide.....	325
" Chloride.....	26	Bromethyl allyl oxide	327
" Copper arsenate.....	123	Bromethylene.....	321
" Fluoride	17	" Bromacetin.....	326
" Gold alloys.....	155, 156	" Bromhydrin.....	326
" Hydroxides	72	" Dibromide.....	321
" Iodide	36	Bromhexylene	323
" Lead alloys.....	151	Bromine	11
" Nickel sulphide.....	64	Bromiodethylene	338
" Nitrates	112	Bromiodomethane	338
" Oxides	49	Bromisopropylphenol	328
" Oxybromide.....	33	Bromkresol	328
" Oxychloride	30	Bromlite.....	129
" Oxyfluoride	17	Brommesitylene.....	325
" Selenide	65	Brommethyl allyl oxide	327
" Silicate.....	133	Brommethylchloroform.....	336
" Sulphides	59	Brommethyleneugenol	328
" Tellurides.....	66	Brommethylkresol	328
" Tin alloys.....	150, 151	Brommethylphenol	328
" Uranyl arsenate.....	123	Bromnaphthalene.....	325
" Vanadate	120	Bromo chloral	337
" Zinc alloys.....	150	Bromo chloroform	336
Bismuth triethyl	351	Bromoform.....	321
Bismuth trimethyl	351	Bromonitric glycol.....	328
Bismuth triphenyl	351	Bromotrichlormethane	292
Bismutite.....	130	Bromphenol.....	327
Bismutospherite	130	Brompierin	328
Blende	57	Brompropylene	322
Bobierite	115	Brompyridine.....	328
Boltonite	131	Bromtoluene.....	324
Boracite.....	108	Bromtoluidine.....	328
Borickite.....	117	Bromtrimethylcarbinol	325
Bornite.....	64	Bromxylene.....	324
Boro fluorides.....	18	Brongiardite.....	63
Boron.....	3	Brookite.....	45
" Bromide	32	Brucite.....	70
" Chloride.....	24	Brushite.....	115
" Oxide.....	42	Butallylmethylcarbin oxide.....	243
Boron triethyl.....	347	Butallylmethyl pinakone.....	243
Botallackite	29	Butane	157
Boulangerite	62	Butenylanisoil	255
Bournonite.....	63	Butenyl chlorhydrins.....	312
Braunite	53	Butenylphenol	251
Breithauptite.....	68	Butidene diethyl ether.....	224
Brochantite	96	Butyl. Acetate.....	208
Bromacetone.....	326	" Alcohol.....	190
Bromacetyl Bromide.....	325	" Benzoate	256
" Chloride.....	337	" Bromide	317
Bromal.....	326	" Butylxanthate.....	343
Bromallyl. Acetate.....	327	" Butyrate.....	211
" Alcohol.....	327	" Caproate	214

	PAGE.		PAGE.
Butyl. Caprylate.....	216	Cadmium. Arsenide.....	67
“ Carbonate.....	226	“ Barium bromide.....	33
“ Chloride.....	294	“ “ chloride.....	27
“ Cyanate.....	289	“ Bismuth alloys.....	159
“ Cyanide.....	298	“ Bromate.....	73
“ Dibrompropionate.....	326	“ Bromide.....	31
“ Formate.....	296	“ Carbonate.....	127
“ Heptyl oxide.....	198	“ Chloride.....	22
“ Iodide.....	531	“ Dithionite.....	75
“ Malonate.....	127	“ Fluoride.....	17
“ Mercaptan.....	340	“ Formate.....	356
“ Monochloracetate.....	307	“ Hydroxide.....	70
“ Octyl oxide.....	198	“ Iodide.....	35
“ Oenanthane.....	215	“ Lead alloys.....	149
“ Oxalate.....	227	“ Magnesium sulphate.....	92
“ Oxide.....	198	“ Nitrate.....	110
“ Propionate.....	210	“ Oxalate.....	369
“ Sebate.....	229	“ Oxide.....	41
“ Silicate.....	352	“ Platinichloride.....	28
“ Sulphide.....	339	“ Potassium chloride.....	27
“ Thiocarbimide.....	345	“ “ iodide.....	36
“ Valerate.....	213	“ “ selenate.....	109
Butylamine.....	279	“ “ sulphate.....	99
Butyl amyl.....	160	“ Selenate.....	98
Butylalcohol.....	254	“ Selenide.....	65
Butylbenzene.....	175	“ Strontium chloride.....	27
Butylethylal.....	309	“ Sulphate.....	81
“ Hydrate.....	309	“ Sulphide.....	57
Butylene.....	164	“ Telluride.....	66
“ Bromide.....	329	“ Tin alloys.....	147
“ Glycol.....	222	Cæsium.....	1
“ Iodide.....	334	“ Aluminium selenate.....	101
“ Monacetate.....	225	“ “ silicate.....	126
“ Oxide.....	232	“ “ sulphate.....	93
“ Trisulphocarbonate.....	341	“ Bromide.....	31
Butylphenyl acetate.....	260	“ Chloride.....	21
Butylphosphorous chloride.....	349	“ Chromium sulphate.....	95
Butylthiophene.....	342	“ Cobalt selenate.....	109
Butylthymol.....	254	“ Indium sulphate.....	96
Butyric aldehyde.....	217	“ Iodide.....	34
“ anhydride.....	204	“ Iron sulphate.....	95
Butyro-dichlorhydrin.....	312	“ Selenate.....	99
Butyrene.....	220	“ Silicofluoride.....	18
Butyrene pinakone.....	223	“ Stannichloride.....	29
Butyronitril.....	268	“ Sulphate.....	78
Butyrylaceto-phenone.....	262	Caffeine.....	299
Butyryl chloride.....	308	Cajeputene.....	183
		“ Hydrate.....	263
		Cajeputol.....	263
		Calamine.....	132
		Calamus, oil of.....	182, 184, 186
		Calaverite.....	66
		Calciferite.....	117
		Calcite.....	127
		Calcium.....	3
		“ Aluminium phosphate.....	118
		“ “ silicates.....	139, 137
		“ “ sulphate.....	97
		“ Antimonate.....	125
		“ Arsenates.....	122
		“ Barium carbonate.....	129
		“ “ sulphate.....	89

C.

Cabrerite.....	122
Cæcoxenite.....	117
Cadmammmonium bromide.....	38
“ chloride.....	38
Cadmium.....	9
“ Acetate.....	357
“ Amalgam.....	145
“ Ammonobromide.....	38
“ Ammonochloride.....	38
“ Ammonium selenate.....	120
“ “ sulphate.....	98

	PAGE.		PAGE.
Calcium. Benzoate.....	365	Camphor, oil from.....	180, 182
“ Borates.....	108	Camphoric anhydride.....	264
“ Borosilicates.....	140	Camphorogenol.....	264
“ Bromate.....	73	Camphrene.....	265
“ Bromide.....	32	Camphryl chloride.....	304
“ Carbonate.....	127	Cane sugar.....	243
“ Chloride.....	23	“ “ with sodium iodide.....	366
“ Chlorophosphate.....	124	Caoutchene.....	187
“ Chlorosilicate.....	141	Caoutchin.....	183
“ Chlorovanadate.....	124	“ Hydrochlorate.....	304
“ Chromium silicate.....	139	Capraldehyde.....	218
“ Copper acetate.....	358	Caprone.....	221
“ “ arsenate.....	123	Capronitril.....	269
“ Dithionate.....	75	Caproyl alcohol.....	194
“ Fluophosphate.....	124	Capryl alcohol.....	195
“ Fluoride.....	17	Caraway, oil of.....	182
“ Formate.....	356	Carbamide.....	288
“ Glucinum fluophosphate.....	124	Carbon.....	4
“ Hippurate.....	364	“ Bromide.....	292
“ Hydroxide.....	71	“ Chloride.....	291
“ Iron arsenate.....	123	“ Dioxide.....	43
“ “ oxide.....	56	“ Iodide.....	292
“ “ phosphate.....	115	“ Oxychlorides.....	292
“ “ silicates.....	134, 139	“ Sulphides.....	57
“ Magnesium borate.....	108	“ Sulphobromide.....	292
“ “ carbonate.....	129	“ Tetramercaptide.....	340
“ “ silicates.....	134	Carbonyl. Chloride.....	292
“ Manganese carbonate.....	129	“ Thioamyl chloride.....	347
“ “ phosphate.....	115	“ Thioethyl chloride.....	347
“ “ silicate.....	134	Carbopetrocene.....	187
“ Mercury antimonate.....	125	Cardol.....	267
“ Nitrate.....	110	Carminite.....	122
“ Oxalate.....	360	Carphosiderite.....	97
“ Oxide.....	41	Carrollite.....	64
“ Phosphates.....	115, 116, 117	Carvaerol.....	250
“ Potassium chromate.....	104	Carvene.....	182
“ “ sulphate.....	89	Carvol.....	265
“ Selenate.....	99	Caryinite.....	122
“ Silicates.....	132	Cascarilla, oil of.....	182, 184
“ Silicofluoride.....	18	Cassiterite.....	46
“ Silicophosphate.....	141	Castorite.....	134
“ Sodium borate.....	108	Cedar, oil of.....	184
“ “ carbonate.....	129	Cedrene.....	184
“ “ silicate.....	134	Celestite.....	82
“ “ sulphate.....	89	Cellulose.....	244
“ Sulphate.....	81	Cerargyrite.....	21
“ Sulphide.....	57	Cerium.....	3
“ Thiosulphate.....	74	“ Chloride.....	24
“ Tin silicate.....	139	“ Dioxide.....	47
“ Titanate.....	141	“ Fluocarbonates.....	145
“ Titanio-silicate.....	139	“ Molybdate.....	105
“ Tung tate.....	106	“ Phosphate.....	116
“ Uranyl arsenate.....	122	“ Silicate.....	133
“ “ phosphate.....	116	“ Sulphate.....	88
“ Zinc alloy.....	145	“ Sulphide.....	58
Callaitite.....	115	“ Tungstate.....	107
Calophyllum resin.....	267	Cerotene.....	167
Camphene.....	183	Cervantite.....	49
“ Acetate.....	264	Cetene.....	166
Camphilene.....	183	Cetyl. Acetate.....	209
Camphin.....	186	“ Alcohol.....	196
Camphor.....	262, 263	“ Butyrate.....	212

	PAGE.		PAGE.
Cetyl Chloride.....	295	Chloriodoform.....	337
" Isovalerate.....	214	Chloriodomethane.....	337
" Nitrate.....	281	Chloriodotoluene.....	338
Chabazite.....	137	Chlorisobutylene.....	300
Chalcocinnite.....	98	Chlorisopropyl benzoate.....	313
Chalcophanite.....	72	Chloritoid.....	129
Chalcophyllite.....	123	Chlorkresol.....	312
Chalcopyrite.....	64	Chlormethylphenol.....	312
Chalcopyrrhotite.....	64	Chlornaphthalene.....	304
Chalcosiderite.....	117	Chlornitrobenzene.....	315
Chalcostibite.....	63	Chlornitromethane.....	315
Chalk.....	127	Chlornitrotoluene.....	316
Chenevixite.....	123	Chlorobenzylethylate.....	313
Childrenite.....	118	Chlorobromal.....	327
Chinallin.....	280	Chlorobromethyl acetate.....	327
Chinoline.....	277	Chlorobromhydrin.....	327
Chiolite.....	17	Chlorobromhydroglycide.....	327
Chiviavite.....	63	Chlorobromiodethane.....	328
Chloracetal.....	310	Chlorobromiodhydrin.....	328
Chloracetic anhydride.....	308	Chlorobrommethane.....	326
Chloracetone.....	308	Chlorobromnitrin.....	327
Chloracetonitril.....	314	Chlorobromoform.....	326
Chloroacetyl bromide.....	327	Chlorocarbonylphenylorthophosphoric chloro-	
" chloride.....	308	ride.....	350
Chloroacetyl chloral.....	309	Chlorodibromethane.....	326
Chloral.....	308	Chlorodibromethylene.....	326
" Derivatives of.....	309	Chlorodibromhydrin.....	327
Chloraldehyde.....	308	Chlorodibromnitromethane.....	327
Chloralide, derivative of.....	309	Chlorodiacrylic chloride.....	313
Chlorallyl Alcohol.....	312	Chloroanthic ether.....	307
" Iodide.....	328	Chloroform.....	298
" Titanbinide.....	317	Chloronitrene.....	300
Chloramyl chloride.....	297	Chloropal.....	133
Chloramylene.....	300	Chloropropionyl chloride.....	308
Chloranethol.....	313	Chlorotetrabromethane.....	326
Chloranilines.....	314	Chlorotoluidines.....	314
Chlorapatite.....	124	Chlorotribromethane.....	326
Chloraurotriethylphosphorous ether.....	366	Chlorovaleral.....	309
Chlorazol.....	315	Chloroxadethylln.....	314
Chlorbenzenes.....	301	Chloroxalmethylln.....	314
Chlorbenzotrilechloride.....	303	Chloroxalpropylln.....	314
Chlorbutylene chlorhydrin.....	310	Chloroxethose.....	293
Chlorbutyronitril.....	314	Chlorphenol.....	312
Chlorbutyryl chloride.....	308	Chlorpicoline.....	314
Chlorchinoxines.....	314	Chlorpiperin.....	315
Chlorcrotyl alcohol.....	312	Chlorpropylene.....	299
Chlorcymene.....	304	Chlorsalicylol.....	313
Chlordiallyl.....	300	Chlorstyrolene.....	304
Chlordiamylené chloride.....	300	Chlortoluene.....	302
Chlordinitrobenzene.....	315	Chlorxylene.....	303
Chlorethylacetylenetetra carbonic ether.....	312	Chodnetite.....	17
Chlorethylbenzene.....	303	Cholesterine.....	268
Chlorethylene dichloride.....	298	Christophite.....	64
" dibiodienchloride.....	346	Chrome alums.....	94, 95, 161
Chlorethyl oxide.....	305	Chromite.....	56
Chlorethylphenol.....	312	Chromium.....	11
Chlorhexylene.....	300	" Aluminum alloy.....	146
Chlorine.....	11	" Ammoniochloride.....	38
" Trioxide.....	53	" Ammoniochlorobromide.....	38
Chloriod ethyl acetate.....	328	" Ammonium selenate.....	161
Chloriodethylene.....	328	" " sulphate.....	95
Chloriodobenzene.....	328	" Cesium sulphate.....	95

	PAGE.		PAGE.
Chromium. Calcium silicate.....	139	Cobalt. Oxides.....	54
“ Chlorides	24	“ Oxyhydroxide.....	71
“ Chromate.....	52	“ Phosphide.....	67
“ Magnesium borate.....	108	“ Platinbromide.....	33
“ Manganese oxide	56	“ Platiniodide.....	37
“ Oxalates.....	361	“ Potassium selenate.....	100
“ Oxides.....	52	“ “ sulphate.....	91
“ Oxychloride.....	30	“ Pyrophosphate.....	119
“ Phosphido	66	“ Rubidium selenate.....	100
“ Potassium chromate.....	103	“ Selenate.....	99
“ “ selenate.....	101	“ Selenide.....	65
“ “ sulphate.....	94	“ Silicofluoride	18
“ “ sulphocyanide.....	144	“ Stannifluoride	19
“ Rubidium selenate.....	101	“ Sulphate.....	85
“ “ sulphate	95	“ Sulphides.....	60
“ Sulphate.....	86	“ Thallium selenate.....	100
“ Sulphide.....	59	“ “ sulphate	91
“ Thallium selenate	101	“ Thiosulphate.....	74
“ “ sulphate	95	Cobaltite	69
“ Zinc oxide	56	Cochlearin	268
Chrompicotite.....	56	Cocinin.....	240
Ehromyl dichloride	30	Codeine.....	290
Chrysoberyl	56	Coeruleolactite	117
Chrysocolla	132	Coerulignol	266
Cicutene	183	Colemanite.....	108
Cinaerol	267	Collidine	275
Cinaebene	183	“ Carbonic ethers	290
Cinchonine chlorhydrate.....	366	Colophene.....	185
Cinnabar.....	57	Colophonone	267
Cinnamene.....	176	Coloradoite.....	66
Cinnamic acetate.....	261	Columbite.....	125
“ alcohol.....	252	Columbium.....	8
“ aldehyde.....	261	“ Aluminum alloy.....	146
Cinnamyl chloride	313	“ Hydride	69
Cirrolite	118	“ Oxide	49
Citraconic anhydride	237	Columboxyfluorides.....	19
Citraconyl chloride.....	312	Coniceine	277
Citrene	181	Conchalcite.....	123
Citron, oil of.....	181	Conine.....	276
Citronellol.....	262	Conylene.....	168
Citron terpene.....	181	“ Bromide.....	323
Citrus, oils from.....	181	“ Diacetate.....	248
Clarite.....	61	Copaiva, oil of	184, 185
Clausthalite	65	Copal, oil of	182
Clinoclasite.....	122	Copellidine.....	277
Cloves, oil of.....	184	Copinapite.....	97
Cobalt	12	Copper	13
“ Acetate	358	“ Acetate.....	358
“ Ammoniochlorides	38	“ Aluminum alloys.....	146
“ Ammoniochloride.....	38	“ “ arsenate	123
“ Ammonium selenate.....	100	“ Ammoniochlorides.....	38
“ “ sulphate.....	91	“ Ammonionitrate	112
“ Arsenates.....	122	“ Ammoniosulphate	97
“ Arsenides.....	68	“ Ammonium chloride.....	27
“ Cæsium selenate.....	109	“ “ oxalate	361
“ Chloride	24	“ “ selenate.....	100
“ Dithionate.....	75	“ “ sulphate.....	91
“ Formate	356	“ Antimonate.....	125
“ Hypophosphite	113	“ Antimony alloys.....	154
“ Iodate.....	74	“ Arsenates.....	122, 123
“ Nitrate.....	112	“ Arsenides.....	67
“ Oxalate	360	“ Barium formate.....	357

	PAGE.		PAGE.
Copper. Bismuth alloys.....	154	Covellite.....	61
“ “ arsenate.....	123	Creatine hydrate.....	290
“ Bromate.....	73	Crocidolite.....	139
“ Bromide.....	32	Crocoite.....	104
“ Calcium acetate.....	358	Crookesite.....	65
“ “ arsenate.....	123	Crotonaldehyde.....	225
“ Camphorate, hydrocarbon from.....	187	Crotonitril.....	278
“ Carbonates.....	130	Crotonylene dichloride.....	300
“ Chlorides.....	24	“ glycol.....	248
“ Chloride, with mercuric sulphide.....	144	Cryolite.....	17
“ Columboxyfluoride.....	19	Cryptolite.....	116
“ Formate.....	356	Cryptopine.....	291
“ Gold alloys.....	156	Cubanite.....	64
“ Hydroxide.....	71	Cubeb, oil of.....	184
“ Iodide.....	36	Cumene.....	173
“ Iron arsenate.....	123	Cumidine.....	273
“ “ phosphate.....	117	Cuminic aldehyde.....	261
“ “ sulphides.....	64	Cuminol.....	261
“ Lead alloys.....	154	Cummin, oil of.....	182
“ “ arsenate.....	123	Cumonitril.....	280
“ “ chromate.....	104	Cumyl chloride.....	313
“ “ sulphate.....	97	Cuprammonium chloride.....	38
“ “ vanadate.....	118	“ sulphate.....	97
“ Magnesium sulphate.....	92	Cuprite.....	54
“ Mercury iodide.....	36	Cyamelide.....	142
“ Nitrates.....	112	Cyanaldehyde.....	289
“ Oxides.....	54, 55	Cyanoconicine.....	280
“ Oxychloride.....	29	Cyanogen.....	142
“ Phosphates.....	117	“ Chloride.....	142
“ Phosphides.....	67	“ Iodide.....	142
“ Platinchloride.....	28	Cyanoil.....	289
“ Potassium chloride.....	27	Cymene.....	174
“ “ oxalate.....	331	Cymhydrene.....	186
“ “ selenate.....	100	Cymyl alcohol.....	251
“ “ sulphate.....	91	“ mercaptan.....	341
“ Rubidium chloride.....	27	Cynene.....	183
“ Selenate.....	99	Cynol.....	263
“ Selenide.....	65	Cystic oxide.....	346
“ Selenite.....	98		
“ Silicates.....	132	D.	
“ Silicofluoride.....	18	Daleminzite.....	57
“ Silver alloys.....	155	Danalite.....	141
“ “ Iodide.....	37	Danburite.....	140
“ Sodium sulphate.....	89	Darceet's alloy.....	156
“ Strontium formate.....	356	Datolite.....	140
“ Sulphates.....	85, 96	Daubreelite.....	64
“ Sulphides.....	60, 61	Daubreite.....	39
“ Sulphite.....	75	Dawsonite.....	130
“ Tin alloys.....	133, 151	Deane.....	169, 161
“ Titanofluoride.....	19	Dechenite.....	120
“ Uranyl arsenate.....	122	Diacyl. Alcohols.....	196
“ “ phosphate.....	116	“ Chloride.....	295
“ Zinc alloys.....	152	“ Iodide.....	333
Coccolubite.....	84	Dekapanthrene.....	186
Coccoluber, all of.....	262, 263	Delafossite.....	55
Coccoline.....	276	Demantoid.....	120
Cornwallite.....	123	Desclouzeite.....	120
Coryndum.....	43	Dextrin.....	244
Corynite.....	69	Diacetin.....	240
Cosalite.....	63	Diacetylchlorhydrin.....	312
Cossite.....	135		
Cottunarin.....	265		

	PAGE.		PAGE.
Diacetone alcohol.....	245	Dichlorbromethylene	336
Diacetonephosphorus-chloride.....	348	Dichlorodibromethane	336
Diacetyلهloral hydrate.....	309	Dichloridibrom-ethyl acetate.....	337
Diallyl.....	167	Dichloridnitrobenzene	315
“ Dichlorhydrin.....	312	Dichloridnitromethane	315
“ Dihydriodate.....	334	Dichlorethoxyethylene	310
“ Hydriodate.....	335	Dichlorethoxyacetoneitril.....	315
“ Monohydrate.....	241	Dichlorethyl. Acetate.....	306
Diallylaniline	274	“ Alcohol	305
Diallylcarbinol	241	“ Dichloracetate.....	307
Diallylcarbyl. Acetate	242	“ Formate.....	306
“ Ethyl oxide.....	242	“ Monochloracetate.....	306
“ Methyl oxide	242	“ Oxide	305
Diallylene.....	167	“ Propionate	307
Diallylethylcarbinol.....	241	“ Sulphide	346
Diallylisopropylcarbinol	241	Dichlorethylamine.....	314
Diallylmethylcarbinol	241	Dichlorethylene.....	299
Diallylmethylcarbyl acetate	242	“ Thiodichloride.....	346
Diallylpropylcarbinol	241	Dichlorhexyl alcohol.....	305
Diamyl acetal	224	Dichlorhydrin.....	311
Diamylamine.....	270	Dichloriodhydrin.....	338
Diamylene.....	165, 166	Dichlorisobutoxyacetoneitril.....	315
“ Oxide	222	Dichlormethoxyacetoneitril.....	315
“ Thiocyanates	345	Dichlormethyl acetate.....	306
Diamylin.....	239	“ oxide.....	305
Diamyl ketone	221	Dichlormethylsulphuric chloride.....	346
Diamyl valeral	224	Dichlormononitrin.....	315
Diaphorite	62	Dichlornitrobenzene	315
Diaspore.....	71	Dichlornitrophenol.....	315
Diazobenzene nitrate.....	365	Dichlornitrotoluene.....	316
Dibenzyl	178	Dichlorpropionitril	314
Dibenzylamine.....	274	Dichlorpropoxylacetoneitril	315
Dibenzyltoluene	177	Dichlorpropylene	300
Dibromacetone.....	326	Dichlorortoluene.....	303
Dibromallyl oxide	327	Dichlor-vinyl methyl oxide	309
Dibrombenzene	324	Dichlorxylenes.....	304
Dibromchlorpropylene.....	337	Dicinname.....	176
Dibromcymene.....	325	Dickinsonite.....	115
Dibromdiallyl	323	Didecene.....	187
Dibrom-ethyl acetate.....	326	Didymium.....	3
Dibromethylene.....	321	“ Acetate	358
Dibromhexchlorpropane.....	292	“ Ammonium selenate	101
Dibromhexyl alcohol.....	325	“ “ sulphate.....	96
Dibromhydrin	327	“ Borates.....	108
Dibromiodethane	338	“ Bromide	32
Dibrompropyl alcohol.....	325	“ Carbonate	128
Dibromtetrachlorethane	292	“ Chloride	24
Dibromthiophene	347	“ Ethylsulphate.....	359
Dibromtoluene.....	324	“ Formate.....	357
Dibromxylene.....	324	“ Gold bromide.....	33
Dibutylin.....	240	“ “ chloride.....	28
Dicamphene hydride	186	“ Metaphosphate.....	118
Dichloracetal	310	“ Molybdate.....	105
Dichloracetone.....	308	“ Nitrate.....	112
Dichloracetoneitril	314	“ Nitroxalate.....	361
Dichloracetophenone	313	“ Oxides	43
Dichloramyl nitrite	315	“ Oxychloride.....	29
Dichlorbenzenes.....	301	“ Periodate	74
Dichlorbenzo-trichloride.....	303	“ Phosphates	116
Dichlorbenzyl chloride.....	303	“ Platinchloride.....	28
Dichlorbenzylene dichloride.....	303	“ Potassium selenate	101
Dichlorbromethane	336	“ Propionate	358

	PAGE.		PAGE.
Didymium, Selenate	99	Dimethyl acetal.....	223
“ Sulphate.....	88	Dimethylacetamide	287
“ Tungstate.....	107	Dimethylaniline	272
“ Vanadates	120	Dimethylanisidine.....	288
Diethoxyl ether.....	245	Dimethylarsine oxide.....	330
Diethyl acetamide	287	Dimethylbutylene glycol.....	223
Diethyl acetone.....	221	Dimethylbutylmethane	159
Diethylamine	269	Dimethyleopellidine.....	277
“ Anrochloride	365	Dimethyldiethylmethane	159
Diethyl amyl borate.....	348	Dimethyl diethyl silicate.....	352
Diethylaniline.....	273	Dimethylethylbenzene	348
Diethylaniline azylin.....	280	Dimethylethylcarbinol.....	193
Diethylbenzene	173	Dimethylethylcarbinolamine	270
Diethylbromalate	327	Dimethylethylcarhyl chloride	294
Diethyl carbamide	288	“ Iodide.....	332
Diethylcarbinol	193	“ Nitrite.....	281
Diethylcarhyl acetate.....	208	Dimethyl ethyl phosphate	348
“ chloride	294	Dimethylethylene glycol	222
“ Iodide.....	332	Dimethylhydrazin	278
Diethyl diamyl silicate.....	352	Dimethylisopropylcarbinol	194
Diethyl ethyl oxide	198	Dimethylisopropylcarhyl chloride	295
Diethylene alcohol.....	223	“ Iodide.....	333
“ dioxide.....	232	Dimethylisopropylethylene	165
Diethylformamide	287	Dimethyl ketone.....	210
Diethylglycolle ether.....	246	Dimethylmesidine	273
Diethylin.....	239	Dimethylmethylene bromide	320
Diethyl ketone.....	219	“ chloride	297
Diethylnitrochlorbenzene	304	Dimethylnaphthalene	178
Diethylnitrochlorhydrin.....	312	Dimethylloxamide.....	287
Diethyloxamide.....	287	Dimethylphenylphosphin.....	343
Diethylphenylphosphin.....	348	Dimethylpiperidine.....	276
Diethylpropylcarbinol.....	195	Dimethylpropylbenzene	175
Diethylthiophene	342	Dimethylquinoline.....	277
Diethyltoluidine	273	Dimethylresorcin	285
Diethyl valerol.....	224	Dimethyltoluidine	273
Difellandrene	185	Dimethyl valerol.....	224
Difidobenzene.....	329	Dimethylxylidine.....	273
Diformin	239	Dimorphite	59
Diheptylene sulphoxide	344	Dinitrobenzene.....	283
Dihexyl ketone.....	221	Dinitrobutane.....	282
Dihexylene.....	166	Dinitrocymene.....	284
Dihydrite.....	117	Dinitroethane	282
Dihydrofurfurane	248	Dinitrohexane.....	282
Dihydrostilbazol	278	Dinitropropane.....	282
Diodhydrin.....	335	Dinitrotoluene.....	284
Disoamyl	199	Dioetyl.....	162
Disoamylbenzene	175	Dioetylene.....	166
Disoamyl	159, 160	Diolefin	240
Dिसobutylene	165	Dioptase.....	132
Dिसobutyl ketone	221	Dioxyisoamylamine.....	287
Dिसobutyl sulphone.....	343	Dipentenylbenzene.....	177
Dिसobutyryl diacyanide	289	Diphenols	259
Dिसopropyl.....	158	Diphenyl	177
Dिसopropylamine	270	Diphenylamine.....	274
Dिसopropylaniline	273	Diphenylarsine chloride	351
Dिसopropylcarbinol	191	Diphenylcarhyl acetate	290
Dिसopropylethylene.....	165	“ ethyl oxide.....	294
Dिसopropyl ketone	220	Diphenylmethylphosphin	348
Dill, oil of	182	Diphenylphosphin	348
Dimercurammonium chloride.....	38	Diphenyl phosphochloride	349
Dimercuroammonium	38	Diphenylphosphorous chloride	349
Dimethyl-diethyl acetone.....	245	Diphenylpropane.....	177

	PAGE.		PAGE.
Dipicoline.....	277	Eosporite	118
Dipiperidyl.....	278	Epiaacetin.....	240
Dipropargyl.....	168	Epiboulangierite	62
“ Bromide.....	323	Epibromhydrin	327
Dipropylamine	270	Epichlorhydrin	311
Dipropylamine.....	273	Epidibromhydrin	323
Dipropylcarbinol.....	194	Epidichlorhydrin	300
Dipropylcarbyl acetate.....	209	“ Derivative of.....	337
“ iodide.....	333	Epiiodhydrin.....	335
Dipropyl ketone.....	220	Erbium, Columbate	125
Dipyridyl.....	277	“ Oxide.....	43
Disulphamylene hydrate.....	344	“ Selenate.....	99
“ oxide.....	344	“ Sulphate.....	87
Disulphhydrin	344	Erechthidis, oil of.....	182
Disulphuryl chloride.....	30	Ericinol.....	262
Diterebene	185	Erigeron, oil of.....	182
Diterebenthyl.....	186	Erinite.....	122
Diterebethylene	186	Erythrene hexbromide	323
Dithioglycol, derivative of.....	340	Erythrite.....	122, 243
Ditolyl.....	178	Erythrol.....	248
Ditolyethane	176	Ether.....	196
Divalerin.....	240	Etherol	166
Dixylylene	178	Ethidene ethers.....	223, 224, 225
Dixylylethane.....	176	Ethoxyacetoneitril.....	289
Docosane.....	163	Ethoxybromamylene.....	327
Dodecane	161	Ethstannethyl compounds	354
Dodecyl alcohol	196	Ethyl. Acetacetate.....	232
“ chloride.....	295	“ Acetate	207
Dodecylene.....	166	“ Acetocitrate	238
Dodecylidene.....	168	“ Acetogluturate	230
Dodekanaphtene.....	186	“ Acetoglycollate	231
Dolomite.....	129	“ Acetolactate.....	231
Domeykite	67	“ Acetomalonnate	229
Dotriacontane	163	“ Acetopyruvate	233
Dreelite.....	89	“ Acetosuccinate	229
Drybalanøps camphora, oil of.....	184	“ Acetylcyanacetate	289
Dufrenite.....	117	“ Acetyltrimethylencarboxylate	246
Dufrenoy site	61	“ Acetyltrimethylencarboxylate.....	246
Dulcite	243	“ Aconitate.....	237
Dumortierite.....	133	“ Acrylate.....	234
Durangite.....	124	“ Adipate.....	229
Dyscrasite.....	68	“ Alcohol	188
		“ Allylacacetate.....	242
		“ Allylacetate	242
		“ Allylmalonnate	243
		“ Allyloctylate	242
		“ Allyl oxide.....	241
		“ Amidoacetacetate	288
		“ Amidopropiopropionate.....	288
		“ Amylhydroxalate	231
		“ Amylideneacetacetate	233
		“ Amyl oxide	197
		“ “ sulphide.....	339
		“ Amylthioglycollate.....	344
		“ Angelate	234
		“ Arsenate	350
		“ Arsenite.....	350
		“ Benzoate.....	256
		“ “ Derivative of.....	313
		“ Benzylacetacetate.....	259
		“ Benzylacetosuccinate.....	259
		“ Benzylchlormalonnate	313

E.

Ehllite.....	117
Eicosane	163
Eikosylene.....	168
“ Chloride.....	300
Ekdemite.....	124
Elder, oil of.....	182
Elemi, oil of.....	182
Eliasite.....	72
Embolite	37
Emerald.....	138
Emplectite	63
Enargite.....	61
Endecylene	166
Endeknanaphtene.....	186
Endlichite.....	124
Enstatite	131

	PAGE.		PAGE.
Ethyl. Benzylidenemalonate.....	259	Ethyl. Diamyloxalate.....	231
“ Benzylmalonate.....	259	“ Dibenzylhydroxamate.....	288
“ Benzylmethylmalonate.....	259	“ Dibromacetate.....	327
“ Borate.....	347	“ Dibromethylacetate.....	327
“ Bromacetate.....	327	“ Dibrompropionate.....	326
“ Bromacetopropionate.....	326	“ Dibrompropionopropionate.....	327
“ Brombutyrate.....	326	“ Dicarboxylglutaconate.....	247
“ Bromethylacetate.....	327	“ Dichloracetate.....	211
“ Bromethylmethylacetate.....	326	“ Dichloracetate.....	306
“ Bromide.....	316	“ Dichlorbenzoate.....	313
“ Bromisobutyrate.....	326	“ Dichlorethylacetate.....	311
“ Brompropionate.....	326	“ Dichlormethylacetate.....	311
“ Brompropionopropionate.....	327	“ Dichlorpropionate.....	307
“ Brompyromucate.....	327	“ Diethylacetate.....	214
“ Bromvalerate.....	326	“ Diethylchloracetate.....	211
“ Butenyltricarboxylate.....	247	“ Diethyldichloracetate.....	311
“ Butylmalonate.....	229	“ Diethylglycocollate.....	287
“ Butyl oxide.....	197	“ Diethylglyoxylate.....	231
“ Butylsuccinate.....	228	“ Diethylmalonate.....	229
“ Butylthioyearbonate.....	343	“ Diethyloxyacetate.....	231
“ Butylxanthate.....	343	“ Diheptylacetate.....	233
“ Butyrate.....	211	“ Diisobutylacetate.....	233
“ Butyrylglycollate.....	231	“ Dimethylacetate.....	233
“ Butyrolactate.....	231	“ Dimethylacetosuccinate.....	230
“ Camphocarbonate.....	265	“ Dimethylacetylenetetra-carboxylate.....	247
“ Camphorate.....	264	“ Dimethylethenyltricarboxylate.....	247
“ Camphresate.....	265	“ Dimethylmalonate.....	228
“ Caproate.....	214	“ Dimethylsuccinate.....	229
“ Caprylate.....	215	“ Dioctylacetate.....	233
“ Capryl oxide.....	198	“ Dioctylmalonate.....	229
“ Carbacetate.....	233	“ Dioxysulphocarbonate.....	343
“ Carbamate.....	288	“ Dioxylthiocarbonate.....	343
“ Carbonates.....	225, 226	“ Dipropylacetate.....	233
“ Chloracetate.....	311	“ Disulphide.....	340
“ Chloracetopropionate.....	311	“ Dithioyearbonate.....	343
“ Chlorbutyrate.....	307	“ Elaldate.....	215
“ Chlorcrotonate.....	312	“ Ethenyltricarboxylate.....	247
“ Chloride.....	293	“ Ethoxyethylacetate.....	233
“ Chlorisobutylmalonate.....	311	“ Ethylacetate.....	233
“ Chlorocarbonate.....	306	“ Ethylacetosuccinate.....	230
“ Chloroanthate.....	307	“ Ethylacetylcyanacetate.....	280
“ Chlorolactate.....	310	“ Ethylamylhydroxalate.....	231
“ Chloromaleate.....	311	“ Ethylbenzhydroxamate.....	288
“ Chloromalonnate.....	311	“ Ethylchloromalonate.....	311
“ Chloropropionate.....	307	“ Ethylcrotonate.....	234
“ Chlorosulphonate.....	346	“ Ethylglycollate.....	230
“ Chlorperthiocarbonate.....	346	“ Ethylglyoxalacetate.....	233
“ Cinnamate.....	258	“ Ethylacetate.....	231
“ Citraconate.....	238	“ Ethylmalonate.....	228
“ Citrates.....	237	“ Ethylmethylacetate.....	213
“ Crotonate.....	234	“ Ethyloxybenzoate.....	257
“ Cyanacetate.....	280	“ Ethyloxybutyrate.....	231
“ Cyanate.....	280	“ Ethylpropionopropionate.....	234
“ Cyanformate.....	280	“ Ethylsallylate.....	257
“ Cyanide.....	268	“ Ethylsuccinate.....	229
“ Diacetylacetate.....	231	“ Ethylsulphonate.....	343
“ Diallylacetate.....	242	“ Ethylthioglycollate.....	344
“ Diallylmalonate.....	243	“ Ethylxanthate.....	343
“ Diallyloxyacetate.....	242	“ Fumarate.....	295
“ Diamyl borate.....	348		236

	PAGE.		PAGE.
Ethyl. Glycerate	240	Ethyl. Myristate	216
“ Glycocholate.....	290	“ Nitrate	281
“ Glycollate	230	“ Nitrite	281
“ Heptylacetacetate.....	233	“ Nitroacetate.....	282
“ Heptyl oxalate.....	227	“ Nitrocapylate.....	282
“ oxide	198	“ Nitroglycollate.....	286
“ Heptylsuccinate.....	228	“ Nitrolactate.....	286
“ Hexyl oxide	198	“ Nitromalate.....	286
“ Hippurate	290	“ Nitromalonate.....	286
“ Hypophosphate.....	348	“ Nitrotartrate.....	286
“ Iodide.....	329	“ Nitroacetylacetate.....	233
“ Iodpropionate.....	335	“ Octyl oxide	198
“ Isaconitate	237	“ Oenanthate.....	215
“ Isoallylenetetra-carboxylate.....	247	“ Oleate	234
“ Isoamyl oxide	197	“ Orthocarbonate.....	226
“ Isobutenyltricarboxylate.....	247	“ Orthoformate.....	245
“ Isobutylacetacetate.....	233	“ Oxalate	227
“ Isobutylmalonate.....	229	“ Oxide	196
“ Isobutyl oxide	197	“ Oxyisobutyrate.....	231
“ Isobutyrate	211	“ Oxyphenylacetate.....	258
“ Isobutyroglycollate.....	231	“ Oxyphenylacrylate.....	259
“ Isocaproate	214	“ Oxyphenylpropionate.....	258
“ Isononylate	216	“ Paracamphorate.....	264
“ Isoöenanthate.....	215	“ Parasantonate.....	267
“ Isopropylacetacetate.....	233	“ Pelargonate.....	216
“ Isopropylmalonate.....	229	“ Phenylacetacetate.....	259
“ Isopropyl oxide.....	197	“ “ Derivative of.....	266
“ Isovalerate.....	213	“ Phenylacetate.....	257
“ Itaconate	237	“ Phenyl carbonate.....	261
“ Lactate.....	231	“ Phenylglyoxylate.....	259
“ Lactosuccinate.....	230	“ Phenylpropionate.....	258
“ Laevulinate	232	“ Phenylthioglycollate.....	344
“ Laurate	216	“ Phosphate.....	348
“ Maleate	236	“ Phosphite	348
“ Malonate.....	227	“ Phthalate.....	258
“ Mercaptan	340	“ Propargyl oxide.....	241
“ Mesaconate	238	“ Propionate.....	210
“ Metachlorbenzoate.....	313	“ Propionylglycollate.....	231
“ Metasilicate.....	352	“ Propionylpropionate.....	233
“ Methenyltricarboxylate.....	247	“ Propyl carbonate.....	226
“ Methoxydiethylacetate.....	242	“ “ malonate.....	227
“ Methylacetacetate.....	232	“ “ oxide.....	197
“ Methylacetoglutarate.....	230	“ “ succinate.....	228
“ Methylacetosuccinate.....	230	“ Propylethenyltricarboxylate.....	247
“ Methylacetylcyanacetate.....	289	“ Propylglycollate.....	231
“ Methylbenzylacetacetate.....	259	“ Propylmalonate.....	229
“ Methyldehydrohexonecarboxylate.....	247	“ Propylxanthate.....	343
“ Methylenebenzyltricarboxylate.....	247	“ Pyromucate.....	248
“ Methyleneethylacetacetate.....	233	“ Pyrophosphate.....	348
“ Methyleneethylmalonate.....	229	“ Pyrosulphophosphate.....	350
“ Methylglycollate.....	230	“ Pyrotartrate.....	228
“ Methylisopropylmalonate.....	229	“ Racemate	237
“ Methylacetate.....	231	“ Rutylate.....	216
“ Methylmalonate.....	228	“ Santonate.....	267
“ Methyloxybutyrate.....	231	“ Sebate.....	229
“ Methylpropylacetacetate.....	233	“ Selenite.....	366
“ Methylpropylacetate.....	214	“ Silicate.....	352
“ Methylxanthate.....	343	“ Silicoacetate.....	352
“ Monochloracetate.....	306	“ Silicobenzoate.....	352
“ Monochlorethylacetacetate.....	311	“ Silicopropionate.....	352
“ Monochlormethylacetacetate.....	311	“ Suberate.....	229
“ Mucate.....	248	“ Succinate.....	228

	PAGE.		PAGE.
Ethyl. Succinosuccinate.....	230	Ethylene. Chloride.....	295
“ Sulphate.....	243	“ Chloriodide.....	337
“ Sulphide.....	339	“ Chlorobromide.....	339
“ Sulphite.....	342	“ Chloronitric.....	315
“ Sulphophosphite.....	350	“ Chlorothiocyanate.....	347
“ Tartrate.....	236	“ Cyanhydrin.....	289
“ Terebate.....	238	“ Cyanide.....	278
“ Tetrabromacetate.....	327	“ Diamine.....	278
“ Tetramethylenedicarboxylate.....	246	“ “ Hydrate.....	287
“ Tetramethylsuccinate.....	229	“ Diethyl ether.....	223
“ Thioarsenite.....	351	“ Dinitrate.....	286
“ Thiocarbimide.....	345	“ Diphenate.....	255
“ Thiocyanacetate.....	346	“ Dithiodichloride.....	346
“ Thiocyanate.....	344	“ Dithioethylate.....	340
“ Thioxalate.....	344	“ Ethylidene dioxide.....	222
“ Thioxycarbonate.....	343	“ Fluoroborate.....	348
“ Tiglate.....	234	“ Glycol.....	222
“ Triamyl silicate.....	352	“ Iodide.....	334
“ Tribromacetate.....	327	“ Mercaptan.....	340
“ Tribromethylacetate.....	327	“ Monethyl ether.....	223
“ Trichloracetate.....	306	“ Mononitrate.....	286
“ Trimethylacetate.....	213	“ Nitrosnitrate.....	286
“ Trimethylenedicarboxylate.....	246	“ Oxide.....	222
“ Trimethylenetricarboxylate.....	246	“ Propionate.....	224
“ Trisulphocarbonate.....	341	“ Thiodichloride.....	346
“ Valerate.....	212	“ Thiovinylethylate.....	340
“ Vanadate.....	350	“ Trisulphocarbonate.....	311
“ Veratrate.....	259	Ethylene stannethyl.....	353
Ethylacetamide.....	287	Ethylethylene glycol.....	222
Ethylamidobenzene.....	272	Ethyleugenol.....	265
Ethylamine.....	269	Ethylformamide.....	287
“ Anrochloride.....	365	Ethylformanilite.....	288
“ Camphorate, base from.....	290	Ethylfurfurearbinol.....	248
“ Platinchloride.....	365	Ethyl glycide.....	239
Ethyl amyl.....	159	Ethylglycolic chloride.....	310
Ethyl amylin.....	239	Ethylglyoxalin.....	279
Ethyl amyl pinacolin.....	221	Ethylhexylearbinol.....	196
Ethylaniline.....	272	Ethylhydroxylamine.....	287
Ethylbenzene.....	172	Ethylene. Acetoehloride.....	319
Ethylborneol.....	264	“ Bromide.....	319
Ethylbrombenzene.....	324	“ Bromethylate.....	326
Ethyl butyl pinacolin.....	221	“ Bromiodide.....	338
Ethylbutyric lactone.....	232	“ Butyrochloride.....	319
Ethyleamphene.....	186	“ Chloride.....	295
Ethyleamphor.....	264	“ Chlorobromide.....	336
Ethyl carhamide.....	285	“ Iodide.....	334
Ethyl carbamine.....	268	“ Oxylehloride.....	310
Ethyl carbimide.....	290	“ Propioehloride.....	310
Ethylacetamide.....	287	“ Valeroehloride.....	310
Ethylacetone carb. nate.....	245	Ethylisobutylearbinol.....	195
Ethyl dimethylethylene.....	165	Ethylmethyletoxim.....	290
Ethyl dipropylearbinol.....	195	Ethylmethylethylene.....	164
Ethyl dipropylearhyl acetate.....	209	“ Bromide.....	329
Ethylene.....	164	“ Glycol.....	223
“ Acetate.....	224	Ethyl monoehlorhydrin.....	310
“ Acetoehloride.....	319	Ethyl naphthalene.....	178
“ Acetonitrate.....	286	Ethylorthoamidophenetol.....	288
“ Bromhydrin.....	326	Ethyl paratolyl sulphide.....	341
“ Bromide.....	318	Ethylphenetol.....	251
“ Bromiodide.....	338	Ethylphenol.....	250
“ Butyrate.....	224	Ethylphenyl acetate.....	260
“ Nitroehloride.....	319	Ethylphenylacetylene.....	176

	PAGE.		PAGE.
Ethylphenylacetylene alcohol.....	252	Forbesite.....	122
Ethylphenylcarbinol.....	251	Formamide	287
Ethylphenylpyrazol.....	279	Forsterite	131
Ethylphosphorous chloride.....	349	Franklandite.....	108
Ethylpiperidine.....	276	Freieslebenite.....	62
Ethylpropylacetylene.....	168	Frenzelite.....	65
Ethylpropylbenzene.....	175	Friedelite.....	132
Ethylpropylcarbinol.....	194	Fuchsine.....	365
Ethylpropylcarbyl acetate	209	Fucosol.....	248
Ethyl propyl ketone.....	220	Furfurane.....	248
Ethylpyridine.....	275	Furfurbutylene.....	248
Ethyl pyruvyl ether.....	247	Furfural.....	248
Ethyl pyrrol.....	279	Fusyl sulphide.....	340
Ethylsilicic chlorhydrins.....	353		
Ethylsulphonic chloride.....	346	G.	
Ethylsulphophosphorous chloride.....	350	Gahnite.....	55
Ethylthiophene.....	342	Galbanum, oil of.....	182
Ethylthymol.....	254	Galena.....	58
Ethyltoluidine.....	273	Galenobismutite.....	63
Ethylvinyl acetate.....	242	Gallium.....	3
“ alcohol.....	241	“ Alums.....	96
Ethylvinylcarbinol.....	241	“ Chloride.....	24
Etringite.....	97	Gaultherilene.....	184
Eucairite.....	65	Gaylussite.....	129
Eucalyptene.....	187	Gehlenite.....	136
Eucalyptol.....	264	Geocronite.....	62
Eucalyptus amygdalina, oil of.....	182	Geraniene.....	184
“ oleosa, “.....	263	Geraniol.....	263
Euchroite.....	122	“ Hydrochlorate.....	304
Euclase.....	138	Gerhardtite.....	112
Eucryptite.....	134	Germanium.....	4
Eudnophite.....	135	“ Chloride.....	25
Eugenol.....	265	“ Oxide.....	46
Eulytite.....	133	Gersdorffite.....	69
Euodyl aldehyde.....	218	Gibbsite.....	71
Eusynchite.....	120	Ginger, oil of.....	264
Evansite.....	117	Glauberite.....	89
		Glaucodot.....	69
F.		Glaucopyrite.....	69
Fairfieldite.....	115	Glucinum.....	1
Famatinite.....	63	“ Aluminum silicates.....	138
Faujasite.....	137	“ Calcium fluophosphate.....	124
Fauserite.....	92	“ Oxide.....	40
Fayalite.....	132	“ Selenate.....	98
Fellandrene.....	184	“ Silicates.....	131
Felsobanyite.....	97	“ Sulphate.....	79
Ferberite.....	106	Glucose.....	244
Fibroferrite.....	97	“ With sodium chloride.....	366
Fibrolite.....	133	Glucosine.....	279
Fillowite.....	115	Glycerin.....	239
Fischerite.....	117	“ Cinnamate.....	240
Fluoaniline.....	339	“ Salicylate.....	240
Fluobenzene.....	339	Glycerin ether.....	239
Fluobrombenzene.....	339	Glyceryl trinitrite.....	286
Fluocerite.....	18	Glycide.....	239
Fluochlorbenzene.....	339	Glycoeol.....	287
Fluonitrobenzene.....	339	Gmelinite.....	137
Fluorapatite.....	124	Gold.....	14
Fluorite.....	17	“ Amalgam.....	146
Fluor spar.....	17	“ Arsenide.....	68
Fluotoluene.....	339	“ Bismuth alloys.....	155, 156

	PAGE.		PAGE.
Gold. Copper alloys	156	Heptolactone	232
“ Didymium bromide	33	Heptyl. Acetate	209
“ “ chloride	28	“ Alcohols	194, 195
“ Diethylamino “	365	“ Bromide	313
“ Ethylamine “	365	“ Butyrate	212
“ Hydrogen nitrate	112	“ Caproate	214
“ Lead alloys	155	“ Caprylate	216
“ Phosphide	67	“ Chloride	295
“ Samarium bromide	33	“ Cyanide	299
“ “ chloride	28	“ Formate	206
“ Silver alloys	156	“ Iodide	333
“ “ sulphide	61	“ Octyl oxide	198
“ Telluride	66	“ Oenanthat	215
“ Tin alloys	155	“ Oxide	198
“ Triethylamine chloride	365	“ Propionate	210
Göthite	71	“ Succinate	228
Grammin	245	“ Valerate	214
Grape sugar	214	Heptylene	165
Greenockite	57	“ Bromide	320
Greenovite	139	“ Chlorhydrin	310
tirossularite	136	“ Chloride	297
Grunerite	132	Heptylthymol	254
Guadalcazarite	64	Hercynite	56
Guaiacol	251	Herderite	124
Guajol	235	Herrngrundite	96
Guanajuatite	65	Hesperidene	181
Guanidine carbonate	365	Hessite	66
Guanovulite	89	Hetaerolite	56
Guarinite	139	Heterogenite	71
Guayacanite	61	Heulandite	136
Guejarito	63	Heveéne	185
Gultermannite	61	Hexadecylidene	163
Gum	214	Hexane	156, 158
Gummite	72	Hexbrom-ethyl methyl ketone	326
Gurgun balsam	184	Hexchloracetone	293
Guyaquilite	267	Hexchlorbenzene	292
Gypsum	82	Hexchloroethane	291
		Hexchlor-ethyl acetate	307
		Hexchlor-ethyl formate	292
		Hexchlorhexane	309
		Hexchlor-methyl acetate	292
		Hexchlor-methyl oxide	290
		Hexchlorpropane	299
		Hexchlortetrabrom-ethyl oxide	337
		Hexdecane	162
		Hexdeeyl alcohols	193, 194
		Hexethyl silicate	352
		Hexhydrobenzene	177
		Hexhydrocymene	177
		Hexhydrocymene	177
		Hexhydrotoluene	177
		Hexhydroxylenes	177
		Hexine bromides	323
		Hexmethyl silicate	352
		Hexylene	167
		Hexyl. Acetates	209
		“ Alcohols	193, 194
		“ Benzoate	257
		“ Bromide	318
		“ Butyrate	212
		“ Caproat	214
		“ Chloride	295

H.

Haidingerite	122
Halite	20
Hamartite	145
Hauksite	145
Hannayite	115
Harmotome	158
Hartin	267
Hartite	187
Hauerite	60
Hedenbergite	131
Helvite	141
Hematite	54
Hemp, oil of	184
Heneicosane	163
Hentriacontane	163
Heptachlor-ethyl acetate	307
Heptchlorpropane	299
Heptacosano	163
Heptadecane	162
Heptano	158, 159
Heptanaphthene	186
Heptilene	168

	PAGE.		PAGE.
Hexyl. Formate.....	206	Indium. Ammonium sulphate	96
“ Iodide.....	332	“ Cæsium “	96
“ Mercaptan.....	340	“ Oxide.....	43
“ Thiocarbimide.....	345	“ Rubidium sulphate.....	96
“ Thiocymate.....	345	“ Sulphate	87
“ Valerate.....	214	Inosite	244
Hexylamine.....	270	Inulin.....	244
Hexylene.....	164	Iodacetone.....	335
“ Acetochloride	310	Iodaldehyde.....	335
“ Bromhydrin.....	327	Iodallylene.....	334
“ Bromide.....	320	Iodammonium iodide	34
“ Chlorhydrin.....	310	Iodbenzene.....	335
“ Chloride.....	297	Iodbromtoluene	338
“ Diacetate.....	225	Iodehinoline.....	335
“ Glycol.....	223	Iodchlorhydrin.....	338
“ Oxide	222	Iodethylene.....	334
Hexyl glycerin.....	239	Iodethyl oxide.....	335
Hexylpentylacrylic compounds.....	235	Iodhexylene.....	334
Hiddenite.....	134	Iodhydrodiglycide	335
Hitecockite.....	118	Iodine.....	11
Höernesite.....	121	“ Chlorides	26, 27
Hohmannite.....	97	“ Pentoxide.....	53
Homilite.....	140	Iodobromite.....	87
Hopeite.....	115	Iodoform.....	334
Horba chite.....	64	Iodtoluene.....	335
Horsfordite.....	154	Iolite.....	138
Howlite.....	140	Iridichlorides.....	28
Hübnerite.....	106	Iridium.....	15
Hunttilite.....	67	“ Phosphide.....	67
Hureaulite.....	115	Iridosmium.....	156
Hyalotekite.....	134	Iron.....	12
Hydroboracite.....	108	“ Aluminum phosphate.....	118
Hydrodolomite	129	“ “ silicates	138, 139
Hydrogen.....	1	“ Ammonium oxalate.....	361
“ Chloride.....	19	“ “ selenate.....	100
“ Fluoride.....	16	“ “ sulphate.....	91, 95
“ Oxides.....	39, 40	“ Antimonate.....	125
“ Sulphides.....	56	“ Arsenates	122, 123
Hydrogiobertite.....	130	“ Arsenides	68
Hydrolutidine.....	277	“ Cæsium sulphate.....	95
Hydromagnesite	130	“ Calcium arsenate	123
Hydronephelite	135	“ “ borosilicate	140
Hydronicotine.....	278	“ “ oxide	56
Hydroquinone.....	250	“ “ phosphate	117
Hydrorhodonite.....	132	“ “ silicates	134, 139
Hydrotalcite.....	72	“ Carbonate	128
Hydrotropidine.....	277	“ Chlorides	24
Hydroxyacrylonitril.....	289	“ Columbate	125
Hydroxyisovaleronitril.....	289	“ Copper arsenate.....	123
Hydroxypicoline.....	290	“ “ phosphate.....	117
Hydrozincite.....	130	“ “ sulphides	64
		“ Dithionate	75
		“ Hydroxides	71
		“ Iodide.....	36
		“ Lead silicate	134
		“ Lithium phosphate	115
		“ Magnesium borates.....	108
		“ “ carbonate	129
		“ “ sulphate.....	92
		“ Manganese phosphates.....	115, 116
		“ “ silicates	134
		“ “ tungstate	106, 107

I.

Ice.....	39
Idocrase.....	136
Ihleite.....	84
Ilesite.....	92
Illicium religiosum, oil of.....	182
Ilmenite.....	142
Indigotine.....	290
Indium.....	3

	PAGE.		PAGE.
Iron. Nickel alloy.....	152	Isobutyl. Nitrate.....	281
“ Nitrate.....	112	“ Nitrite.....	281
“ Nitride.....	70	“ Orthocarbonate.....	226
“ Oxides.....	53, 54	“ Orthoformate.....	245
“ Phosphates.....	115, 116	“ Oxide.....	198
“ Phosphides.....	67	“ Propionate.....	210
“ Platinechloride.....	28	“ Santonate.....	267
“ Platiniiodide.....	37	“ Succinate.....	228
“ Potassium chloride.....	27	“ Sulphide.....	329
“ “ sulphate.....	90, 95, 97	Isobutyl acetal.....	224
“ “ sulphide.....	61	Isobutyl aldehyde, derivative of.....	245
“ Rubidium sulphate.....	95	Isobutylamine.....	270
“ Selenate.....	99	Isobutylaniline.....	273
“ Selenide.....	65	Isobutylbenzene.....	175
“ Silicates.....	132, 133, 139	Isobutylcamphene.....	186
“ Silicide.....	70	Isobutyl carbamine.....	269
“ Silico-carbide.....	70	Isobutylene. Bromide.....	320
“ Silicofluoride.....	18	“ Chloride.....	297
“ Sodium oxalate.....	361	“ Glycol.....	222
“ “ silicates.....	139	“ Oxide.....	222
“ “ sulphates.....	97	Isobutylenol.....	265
“ Sucrocarbonate.....	306	Isobutylidene chloride.....	297
“ Sulphates.....	84, 96, 97	Isobutyl phenyl ketone.....	262
“ Sulphides.....	60	Isobutyric aldehyde.....	217
“ Tantalate.....	125	“ anhydride.....	205
“ Tin alloy.....	152	Isobutyryl chloride.....	308
“ Titanates.....	142	Isoeugenol.....	183
“ Tungstate.....	106	Isoelasite.....	117
“ Zinc oxide.....	56	Isodecyl alcohol.....	196
Isoamyl. Acetate.....	208	Iso dibutyl.....	195
“ Carbonate.....	226	Iso dipyrindine.....	277
“ Chlorocarbonate.....	306	Isoeugenol.....	295
“ Cyanide.....	269	Isoheptane.....	159
“ Formate.....	206	Isoheptyl. Acetate.....	209
“ Orthoformate.....	245	“ Alcohol.....	194
“ Succinate.....	228	“ Chloride.....	295
“ Sulphide.....	339	Isohexane.....	158
Isoamylallylamine.....	278	Isohexyl alcohol.....	194
Isoamylaniline.....	273	Isohexylbenzene.....	175
Isoamylbenzene.....	175	Isooctonaphtene.....	186
Isoamylene bromide.....	320	Isooctyl. Alcohol.....	195
Isoamyl ethyl sulphone.....	343	“ Chloride.....	295
Isoamylformanilide.....	288	“ Cyanide.....	269
Isoamylidene chloride.....	297	Isoprene.....	167
Isobenzophakone.....	266	“ Bromides.....	323
Isobutyl. Acetate.....	232	“ Dichloride.....	390
“ Acetate.....	208	“ Hydrochlorate.....	300
“ Alcohol.....	191	“ Polymer of.....	184
“ “ Derivative of.....	312	Isopropyl. Alcohol.....	190
“ Benzoate.....	256	“ Benzoate.....	356
“ Bromide.....	317	“ Bromide.....	317
“ Butyrate.....	212	“ Butyrate.....	211
“ Carbonate.....	226	“ Chloride.....	293
“ Chloride.....	294	“ Chlorocarbonate.....	306
“ Chlorocarbonate.....	306	“ Iodide.....	330
“ Cyanide.....	268	“ Isobenzanthate.....	215
“ Formate.....	206	“ Isovalerate.....	214
“ Hypophosphate.....	318	“ Nitrate.....	281
“ Iodide.....	331	“ Nitrite.....	281
“ Isobutyrate.....	212	“ Oxide.....	197
“ Isovalerate.....	213	“ Succinate.....	228
“ Mercaptan.....	340	“ Tartrate.....	237

	PAGE.		PAGE.
Isopropyl. Thiocyanate.....	345	Kresol.....	250
Isopropylacetylene.....	167	Kresyl. Acetate.....	260
Isopropylallylbenzene.....	176	“ Allyl oxide.....	255
Isopropylallyldimethylcarbinol.....	241, 242	“ Butyl “.....	253
Isopropylamine.....	270	“ Ethyl “.....	253
Isopropylbenzene.....	173	“ Heptyl “.....	253
Isopropylbrombenzene.....	325	“ Methyl “.....	253
Isopropylbutenylbenzene.....	176	“ Octyl “.....	253, 254
Isopropyl carbamine.....	268	“ Oxide.....	253
Isopropylethylene.....	164	“ Propyl oxide.....	253
“ Glycol.....	223	Krönnkite.....	89
Isopropyl isobutyl ketone.....	221	Krugite.....	89
Isopropylkresol.....	250	Kyanite.....	132
Isopropylnaphthalene.....	178		
Isopropylphenol.....	250	L.	
Isopropylphenyl. Acetate.....	260	Labradorite.....	137, 138
“ Ethyl oxide.....	254	Lactose.....	244
“ Methyl “.....	254	Lactyl ethyl lactate.....	231
Isopropyl phenyl ketone.....	262	Lanarkite.....	97
Isopropylpiperidine.....	277	Langite.....	96
Isopropylpiperidine.....	276	Lanthanite.....	128
Isopropylpyridine.....	275	Lanthanum.....	3
Isopropylthiophene.....	342	“ Carbonate.....	128
Isopropylvinylbenzene.....	176	“ Oxide.....	43
Isoterebentene.....	180	“ Selenate.....	99
“ Hydrochlorate.....	305	“ Sulphate.....	87
Isoterpene.....	180	Laudanine.....	291
Isotryl chloride.....	303	Laumontite.....	137
Isotrichlorhydrin.....	299	Laurel camphor.....	262
Isovaleric aldehyde.....	217	“ turpentine.....	182
Isovaleronitril.....	268	Laurene.....	175
Isovinyl bromide.....	323	Laurone.....	221
“ chloride.....	300	Lauronitril.....	269
Ivaol.....	268	Laurus nobilis, oil of.....	184
		Lazulite.....	118
J.		Lead.....	5
Jacobsite.....	56	“ Acetate.....	357
Jadeite.....	135	“ Aluminium phosphate.....	118
Jalpaite.....	64	“ “ silicates.....	138
Jamesonite.....	62	“ Amalgam.....	145
Jarosite.....	97	“ Antimonates.....	125
Jeremejewite.....	108	“ Antimony alloys.....	149, 150
Joseite.....	66	“ Arsenides.....	67, 68
Julianite.....	61	“ Arsenite.....	123
		“ Bismuth alloys.....	151
K.		“ Borates.....	108
Kaneite.....	68	“ Bromate.....	73
Kaolinite.....	133	“ Bromide.....	32
Karpholite.....	138	“ Cadmium alloys.....	149
Kauri gum, oil from.....	182	“ Carbonate.....	128
Kentrolite.....	134	“ Chlorate.....	72
Kermesite.....	64	“ Chloride.....	24
Klaprotholite.....	63	“ Chloroarsenate.....	124
Knebelite.....	134	“ Chlorobromide.....	37
Kobellite.....	63	“ Chlorocarbonate.....	145
Koninckite.....	115	“ Chlorophosphate.....	124
Könlite.....	187	“ Chlorovanadate.....	124
Köttigite.....	122	“ Chromates.....	104
Kresol.....	251	“ Copper alloys.....	154
		“ “ arsenate.....	123
		“ “ chromate.....	104

	PAGE.		PAGE.
Lead. Copper sulphate.....	97	Limonite	71
“ “ vanadate.....	129	Linarite	97
“ Dinitrophenates.....	364	Lintonite	137
“ Dithionate.....	75	Lipowitz' alloy.....	156
“ Feldspars.....	138	Liroconite.....	123
“ Fluoride.....	17	Litharge.....	47
“ Formate.....	356	Lithiophilite.....	115
“ Gold alloys.....	155	Lithium.....	1
“ Hydroxides.....	71	“ Aluminum fluophosphate.....	124
“ Iodate.....	74	“ “ silicates.....	134
“ Iodide.....	36	“ Ammonium sulphate.....	89
“ Iron arsenate.....	122	“ Bromide.....	31
“ “ silicate.....	134	“ Carbonate.....	126
“ Manganese silicate.....	134	“ Chloride.....	19
“ Molybdate.....	105	“ Dithionate.....	75
“ Nitrates.....	111, 112	“ Fluoride.....	16
“ Nitrophenates.....	364	“ Formate.....	356
“ Oxalate.....	360	“ Iodide.....	34
“ Oxides.....	47	“ Iron phosphate.....	115
“ Oxychloride.....	29	“ Manganese phosphate.....	115
“ Oxyiodide.....	37	“ Nitrate.....	109
“ Palladium alloy.....	156	“ Oxalate.....	360
“ Picrate.....	364	“ Oxide.....	40
“ Platinbromide.....	23	“ Perchlorate.....	73
“ Platinchloride.....	28	“ Picrate.....	364
“ Platinum alloy.....	156	“ Potassium racemate.....	363
“ Selenate.....	99	“ Rubidium.....	363
“ Selenide.....	65	“ “ tartrate.....	362
“ Silver alloys.....	155	“ Selenate.....	98
“ “ Iodide.....	37	“ Silicofluoride.....	18
“ Succinate.....	361	“ Sulphate.....	76
“ Sulphates.....	83, 97	“ Thallium racemate.....	363
“ Sulphatocarbonate.....	145	“ “ tartrate.....	362
“ Sulphides.....	58	“ Uranyl acetate.....	358
“ Sulphocyanide.....	144	Livingstonite.....	62
“ Tartrate.....	363	Loewite.....	89
“ Telluride.....	66	Lölingite.....	68
“ Tin alloys.....	147, 148, 149	Lowigite.....	97
“ Tungstate.....	106	Ludlamite.....	117
“ Zinc vanadates.....	120	Ludwigite.....	108
Lead diethyl.....	355	Luteocobalt chloride.....	38
Leadhillite.....	145	Luteline.....	275
Lead tetramethyl.....	355	Luzonite.....	61
Lead tetraphenyl.....	355		
Lead tetratolyl.....	355	M.	
Lead triethyl.....	355	Mageno.....	184
Ledum palustre, oil of.....	185	Magnesiöferrite.....	56
Lehrbachite.....	65	Magnesium.....	1
Lekene.....	187	“ Acetate.....	357
Lemon, oil of.....	181	“ Aluminum phosphates.....	118
Lepidine.....	277	“ “ silicates.....	138
Lepidolite.....	140	“ “ sulphate.....	96
Leucine.....	287	“ Ammonium chloride.....	27
Leucite.....	135	“ “ chromate.....	104
Leucophane.....	140	“ “ phosphates.....	115
Leucopyrite.....	68	“ “ selenate.....	100
Libethenite.....	117	“ “ sulphate.....	89
Licocene.....	184	“ Arsenates.....	121, 122
Licari kanall, oil of.....	263	“ Borates.....	108
Liefrite.....	149	“ Bromate.....	73
Lime.....	41	“ Calcium sulphate.....	92
Limnite.....	74		

	PAGE.		PAGE.
Magnesium. Calcium arsenate.....	122	Manganese. Dithionate.....	75
“ “ borate.....	108	“ Garnet.....	138
“ “ carbonate.....	129	“ Hydroxides.....	71
“ “ silicate.....	134	“ Iron fluophosphate.....	124
“ Carbonate.....	126, 130	“ “ phosphates.....	115, 116
“ Chloride.....	22	“ “ silicate.....	134
“ Chromate.....	103	“ “ tungstates.....	106, 107
“ Chromium borate.....	108	“ Lead silicate.....	134
“ Columbate.....	125	“ Lithium phosphate.....	115
“ Copper sulphate.....	92	“ Magnesium borate.....	108
“ Dithionate.....	75	“ “ sulphate.....	92
“ Fluophosphate.....	124	“ Nitrate.....	111
“ Fluoride.....	16	“ Oxalate.....	360
“ Hydroxide.....	70	“ Oxides.....	53
“ Hypophosphite.....	113	“ Phosphide.....	66
“ Iodate.....	74	“ Platinbromide.....	33
“ Iron borate.....	108	“ Platinchloride.....	28
“ “ carbonate.....	129	“ Platiniodide.....	37
“ “ sulphate.....	92	“ Potassium selenate.....	100
“ Manganese borate.....	108	“ “ sulphate.....	90
“ “ sulphate.....	92	“ Pyroarsenate.....	123
“ Nitrate.....	110	“ Pyrophosphate.....	119
“ Oxide.....	40	“ Selenate.....	99
“ Palladichloride.....	28	“ Silicates.....	132
“ Phosphates.....	115	“ Silicofluoride.....	18
“ Platinbromide.....	33	“ Stannifluoride.....	19
“ Platinchloride.....	28	“ Sulphate.....	83
“ Platiniodide.....	37	“ Sulphides.....	59, 60
“ Potassium chromate.....	104	“ Tantalate.....	125
“ “ selenate.....	100	“ Tungstate.....	106
“ “ sulphate.....	89	Manganite.....	71
“ Pyroarsenate.....	123	Manganocalcite.....	129
“ Pyrophosphate.....	119	Mangantantalite.....	125
“ Selenate.....	98	Mannite.....	243
“ Silicates.....	131	“ Derivative of.....	248
“ Silicofluoride.....	18	Maracaibo balsam.....	185
“ Sodium sulphate.....	89	Marcasite.....	60
“ Stannichloride.....	29	Margarite.....	137
“ Sulphate.....	79	Marialite.....	141
“ Thiosulphate.....	74	Marjoram, oil of.....	182
“ Titanates.....	142	Martinite.....	115
“ Vanadates.....	120	Mascagnite.....	79
“ Zine sulphate.....	92	Matlockite.....	29
Magnetite.....	53	Meionite.....	136
Malachite.....	130	Melaconite.....	55
Malacolite.....	134	Melaleuca, oil of.....	263
Mandelic nitril.....	289	Melanotekite.....	134
Manganocolumbite.....	125	Melene.....	167
Manganese.....	12	Melezitose.....	244
“ Acetate.....	358	Melilite.....	136
“ Aluminium alloy.....	146	Melinophane.....	140
“ “ phosphate.....	118	Mellite.....	365
“ “ silicate.....	138	Mendipite.....	29
“ Ammonium selenate.....	100	Meneghinite.....	62
“ “ sulphate.....	90	Mentha pulegium, oil of.....	262
“ Arsenate.....	123	Menthene.....	186
“ Arsenide.....	68	Menthol.....	264
“ Calcium phosphate.....	115	“ Derivatives of.....	183, 263, 286
“ Carbonate.....	128	Menthone.....	263
“ Chloride.....	24	Mercaptan.....	340
“ Chromium oxide.....	56	Mercury.....	2
“ Columbates.....	125	“ Acetate.....	357

	PAGE.		PAGE.
Mercury, Ammoniochlorides.....	38	Methyl, Bromide.....	316
“ Ammonionitrate.....	112	“ Butyloxide.....	197
“ Ammoniosulphate.....	97	“ Butyrate.....	210
“ Ammonium chloride.....	27	“ Caproate.....	214
“ Bromate.....	73	“ Caprylate.....	215
“ Bromides.....	32	“ Capryl oxide.....	184
“ Calcium antimonite.....	125	“ Carbonate.....	225
“ Chlorates.....	73	“ Chlorbutyrate.....	367
“ Chlorides.....	22	“ Chlorcrotonate.....	312
“ Chloride with ammonium dichro- mate.....	144	“ Chloride.....	293
“ Chlorocyanide.....	143	“ Chlorocarbonate.....	305
“ Chromate.....	103	“ Chloropropionate.....	307
“ Cyanide.....	143, 144	“ Cinnamate.....	258
“ Hexyl mercaptide.....	355	“ Citraconate.....	258
“ Hydrogen bromide.....	33	“ Crotaconate.....	238
“ Iodides.....	35	“ Crotonate.....	234
“ Nitrates.....	110, 112	“ Cyanide.....	268
“ Organic compounds.....	355	“ Dibrompropionate.....	326
“ Oxides.....	41	“ Dichloracetate.....	305
“ Oxychloride.....	29	“ Dichlorbutyrate.....	307
“ Oxycyanide.....	143	“ Diethyl borate.....	347
“ Potassium bromide.....	33	“ Diethylmethylethenyltricarbo x y - late.....	247
“ “ chloride.....	27	“ Diethyloxyacetate.....	231
“ “ cyanide.....	143	“ Dimethylsuccinate.....	228
“ “ iodide.....	36	“ Dinitrophenate.....	285
“ Selenide.....	65	“ Elaidate.....	235
“ Selenate.....	98	“ Ethylacetacetate.....	233
“ Silver iodide.....	36	“ Ethyl carbonate.....	225
“ Sodium chloride.....	27	“ Ethylglycolate.....	230
“ Sulphates.....	81, 96	“ Ethyl oxalate.....	227
“ Sulphide.....	57	“ Ethyl oxide.....	196
“ “ with copper chloride.....	144	“ “ succinate.....	228
“ Telluride.....	66	“ Ethylsuccinate.....	228
Mesityl.....	129	“ Ethyl sulphite.....	342
Mesityl, Acetate.....	260	“ Ethylxanthate.....	343
“ Oxide.....	245	“ Formate.....	205
Mesitylene.....	172	“ Glycolate.....	230
“ Acetate.....	261	“ Heptyl oxide.....	198
“ Glycol.....	252	“ Hypophosphate.....	348
“ Mercaptan.....	341	“ Iodbutyrate.....	335
Metabrushite.....	115	“ Iodide.....	329
Metacinnamene.....	176	“ Iodpropionate.....	335
Metaerolein.....	235	“ Isobutyrate.....	211
Metasantonid.....	267	“ Isodentanate.....	215
Metasantonine.....	267	“ Isopropylsallylate.....	257
Metatemplene.....	185	“ Isovalerate.....	212
Metaterebenthenene.....	185	“ Itaconate.....	237
Mctaxylene.....	172	“ Lactate.....	231
Methane.....	157	“ Laevulinate.....	232
Methoxymethyl ethyl acetone.....	245	“ Maleate.....	236
Methyl, Acetacetate.....	202	“ Malonate.....	227
“ Acetate.....	206	“ Mesaconate.....	238
“ Acrylate.....	234	“ Methylacetacetate.....	232
“ Alcohol.....	187	“ Methylglycolate.....	230
“ Allyl oxide.....	241	“ Methyloxyphenylacrylate.....	259
“ Amyl “.....	197	“ Methyloxyphenylangelate.....	259
“ Arsenate.....	350	“ Methyloxyphenylcrotonate.....	259
“ Arsenite.....	350	“ Methylpropylpyrogallate.....	259
“ Benzoate.....	256	“ Methylxanthate.....	343
“ Borate.....	347	“ Monochloracetate.....	306
“ Brombutyrate.....	326	“ Mucate.....	248

	PAGE.		PAGE.
Methyl. Naphtyl oxide.....	266	Methyldiethylbenzene	175
“ Nitrate.....	281	Methyldiethylcarbinol	194
“ Nitrite.....	281	Methyldiethylcarbyl acetate	209
“ Nitrophenate	285	Methyldiethylcarbyl ketone.....	221
“ Oenanthate	214	Methyldiethylmethane.....	158
“ Oleate	234	Methyldiheptylcarbyl ketone.....	221
“ Orthoformate	245	Methyldipropylcarbinol.....	195
“ Oxalate	226	Methyldipropylcarbyl acetate.....	209
“ Oxyphenylacetate	258	Methyldiphenylamine.....	274
“ Parasantonate.....	267	Methylene. Acetochloride.....	310
“ Pelargonate.....	216	“ Bromide.....	318
“ Phenylacetate.....	257	“ Chloride	296
“ Phenylpropionate.....	257	“ Dithioethylate.....	340
“ Phosphate	348	“ Ethers of.....	223, 255
“ Phthalate	258	“ Iodide.....	334
“ Propargyl oxide.....	241	Methylethyl acetal.....	224
“ Propionate.....	209	Methylethylbenzene.....	173
“ Propylglycollate.....	231	Methylethylcarbinol.....	191
“ Propyl oxide.....	197	Methyl ethyl ketone.....	219
“ Propylxanthate	343	Methylethylpiperidine	276
“ Pyruvate	232	Methylethylpropyl alcohol.....	194
“ Salicylate.....	257	Methylethylpropylbenzene.....	175
“ Santonate	267	Methylethylpropylcarbinol.....	195
“ Sebate.....	229	Methylethylpropylethylene.....	165
“ Silicate.....	352	Methylethylpropylmethane.....	159
“ Silicopropionate	352	Methylethylpropyl methylethylpropionate... 214	
“ Suberate.....	229	Methylengenol.....	265
“ Succinate.....	228	Methylformamide.....	287
“ Sulphate	342	Methylformanilide.....	288
“ Sulphides	339, 340	Methylglyoxalin	279
“ Sulphite.....	342	Methylhexylcarbinol.....	195
“ Tartrate	236	Methylhexylcarbyl chloride.....	295
“ Thiocarbimide.....	345	“ Iodide.....	333
“ Thiocyanate.....	344	“ Nitrite.....	281
“ Trichloracetate.....	306	Methyl hexyl ketone.....	221
“ Trichlorpropylcarbylacetate	307	Methylindol.....	280
“ Triethyl silicate.....	352	Methylisoamylbenzene.....	175
“ Trinitrophenate.....	285	Methylisoamylcarbyl acetate.....	209
“ Trisulphocarbonate	341	Methyl isoamyl ketone.....	220
“ Valerate.....	212	Methylisobutylcarbinol	194
Methylacetone.....	219	Methylisobutylcarbyl acetate	209
Methylal	223	Methyl isobutyl ketone.....	220
Methylamine alum.....	94	Methylisocrotyl acetate	242
Methylamylaniline.....	273	“ alcohol.....	241
Methylamylcarbinol.....	195	Methylisopropenylcarbinol.....	247
Methyl amyl ketone.....	220	Methylisopropylacetone	221
Methyl amyl pinacolin	221	Methylisopropylbenzene	175
Methylaniline.....	271	Methylisopropylcarbinol.....	193
Methyl benzyl ketone.....	262	Methyl isopropyl ketone.....	220
Methylborneol.....	264	Methylisopropylpiperidine.....	277
Methylbromacetol	320	Methylnaphthalene	178
Methylbutylcarbinol	194	Methyl naphtol.....	266
Methyl butyl ketone	220	Methyl naphtyl ketone	266
Methyl butyrene	221	Methylnonylcarbinol.....	196
Methylcarbamine.....	268	Methyl nonyl ketone.....	221
Methyl caprinol.....	221	Methyl octyl ketone	221
Methylchloracetol	297	Methylpentamethylene methyl ketone..... 247	
Methylchlorallylcarbinol.....	312	Methylpenthioephene.....	342
Methylchlorphenetol	312	Methylphenylcarbyl acetate.....	260
Methylzopellidine.....	277	Methylphenylethylalkin	290
Methylcymyl mercaptan.....	341	Methyl phenyl ketone.....	262
Methyldehydrohexone.....	247	Methylphenylpyrazol.....	279

	PAGE.		PAGE.
Methylpiperidine.....	276	Morphine, Salts of.....	260
Methylpropylallylene.....	168	Mottramite.....	120
Methylpropylbenzene.....	173, 174	Maecamide.....	288
Methylpropylcarbinol.....	193	Muscate nut oil, derivative of.....	205
Methylpropylcarbyl acetate.....	208	Muscovite.....	136
" chloride.....	294	Myristic acetate, isomer of.....	199
" iodide.....	332	" alcohol, ".....	196
Methylpropylcarbylcarbinol.....	194	" aldehyde, ".....	218
Methylpropylethylene glycol.....	223	Myristleol.....	262
" oxide.....	222	Myristone.....	221
Methylpropylethol acetate.....	109	Myristonitril.....	269
Methyl propyl ketone.....	219	Myrtle, oil of.....	183
Methylpyrrol.....	279	Myrtus pimenta, oil of.....	185
Methylpyrrolidine.....	279		
Methylquinoline.....	277	N.	
Methylsaligenin.....	252	Nadorite.....	125
Methylsilicic chlorhydrins.....	353	Namaqualite.....	72
Methylsulphonic chloride.....	346	Nantoquite.....	24
Methyltetramethylene diamine.....	278	Naphthalene.....	178
Methylthymol.....	254	" Dichloride.....	304
Methyltoluidine.....	272	" Hydrides.....	178, 179
Methyl tolyl ketone.....	262	Naphtol.....	266
Methyluracil, chloride from.....	314	Naphyl mercaptan.....	341
Methyl xylyl ketone.....	262	Narcotine.....	291
Miargyrite.....	62	Natrolite.....	135
Mica.....	136	Naumannite.....	65
Milarite.....	137	Nepheleite.....	135
Milk sugar.....	244	Neroli, oil of.....	181
Millerite.....	60	Newjanskite.....	156
Nimetite.....	124	Ngai camphor.....	263
Ninnum.....	47	Niccolite.....	63
Minjak lagam oil.....	185	Nickel.....	12
Mint, oil of.....	182	" Acetate.....	358
Mixite.....	123	" Aluminum alloy.....	146
Molybdenite.....	59	" Ammonio-bromide.....	38
Molybdenum.....	11	" Ammonio-chloride.....	38
" Oxides.....	52	" Ammonium selenate.....	100
" Phosphide.....	67	" " sulphate.....	91
" Sulphide.....	59	" Arsenates.....	122
Monacotin.....	229	" Arsenides.....	68
Monallylin.....	239	" Bromate.....	73
Monamylin.....	239	" Bismuth sulphide.....	64
Monazite.....	116	" Chloride.....	24
Monimolite.....	125	" Dithionate.....	75
Monobromeamphor.....	328	" Fluoride.....	17
Monobromhydrin.....	327	" Formate.....	356
Monobromthiophene.....	347	" Hydrocarbonate.....	130
Monobutyrin.....	240	" Hypophosphite.....	113
Monochlorbenzene.....	391	" Iodate.....	74
" Derivative of.....	391	" Iron alloy.....	152
Monochlorinditrlin.....	315	" Nitrate.....	112
Monochlorethyl dichloracetate.....	306	" Oxalate.....	369
" trichloracetate.....	307	" Oxides.....	54
Monochlorhydrin.....	311	" Oxyhydroxide.....	71
Monochlorotoluene.....	302	" Palladiochloride.....	28
Monochlor-vinyl ethyl oxide.....	309	" Phosphide.....	67
Monolin.....	240	" Platinbromide.....	33
Monosulphhydrin.....	344	" Platiniodide.....	37
Monovalerin.....	240	" Potassium selenate.....	109
Monticellite.....	134	" " sulphate.....	91
Morenosite.....	85	" Pyrophosphate.....	112
Morphine.....	290		

	PAGE.		PAGE.
Nickel. Selenate	99	Octyl. Alcohols	195
“ Selenide	65	“ Bromide	318
“ Silicofluoride	18	“ Butyrate	212
“ Sulphate	84	“ Caproate	214
“ “ with potassium selenate	101	“ Caprylate	216
“ Sulphide	60	“ Chloride	295
“ Thallium selenate	100	“ Cyanide	269
“ Tungstate	107	“ Formate	206
“ Zirconfluoride	19	“ Iodide	333
Nicotine	278	“ Isovalerate	214
Niobium, see columbium	8	“ Nitrite	281
Nitranilines	285	“ Oenanthate	215
Nitroanisol	285	“ Oxide	198
Nitrobenzene	283	“ Propionate	210
Nitrobromotoluene	328	“ Sulphide	339
Nitrocymene	284	“ Valerate	214
Nitroethane	282	Octylamine	270
Nitrogen	6	Octylene	165
“ Chloride	25	“ Acetate	209
“ Chlorophosphide	144	“ Acetoehloride	310
“ Oxides	48	“ Chlorhydrin	310
“ Oxybromide	33	“ Glycerol	223
“ Oxychloride	29	“ Hydrate	195
“ Sulphide	58	“ Oxide	222
Nitroglycerin	286	Octylphosphin	348
Nitroheptane	282	Octylthiophene	342
Nitroisobutylanisol	285	Octylthymol	254
Nitromannite	286	Oenanthaldehyde	218
Nitromethane	282	“ anhydride	205
Nitronaphthalene	284	Oenanthol	218
Nitrophenols	285	“ Derivative of	245
Nitrosodiethylin	282	Oenanthone	221
Nitrosodipropylamine	282	Oenanthonitril	269
Nitrosyl bromide	33	Oenanthothialdin	345
Nitrotoluenes	283, 284	Okenite	132
Nitrous oxide	48	Oldhamite	57
Nitroxyl chloride	29	Olibene	184
Nitroxylens	284	Oligoclase	137, 138
Nitroxylpiperidine	290	Olivenite	122
Nonane	160	Orange, oil of	181
Nondecane	163	Orangite	133
Nononaphtene	186	Orcin	251
Nononaphthylene	186	O'Rileyite	68
Nontronite	133	Orpiment	59
Nonyl. Alcohol	195, 196	Orthoclase	135
“ Chloride	295	Osmiridium	156
“ Iodide	333	Osmitopsis, oil of	263
Nonylene	165	Osmium	15
Nosean	141	Ouvarovite	139
Nutmegs, oil of	183	Owenite	139
		Oxalethylethylin	279
		Oxalethylisoamylin	279
		Oxalethylöenanthylin	280
		Oxalethylpropylin	279
		Oxalisomyliisoamylin	279
		Oxalisobutylisoamylin	279
		Oxalmethylthylin	279
		Oxalmethylöenanthylin	280
		Oxalpropylethylin	279
		Oxalpropylisoamylin	279
		Oxalpropylöenanthylin	280
		Oxalpropylpropylin	279

O.

Octaceto-diglucose	245
Octaceto-saccharose	245
Octadecane	163
Octane	159, 160
Octochloropropane	292
Octodecylene	167
Octodecylidene	168
Octonaphtene	186
Octyl. Acetate	209

	PAGE.		PAGE.
Oxamide	287	Peppermint, oil of.....	183
Oxethenaniline	288	Perchlor-ethyl acetate.....	292
Oxybutyric lactone	231	Perchlor-ethyl oxide.....	293
Oxygen	8	Perielase	40
Oxyisoamylamine.....	287	Persea lingue, tannin from	27
Oxyphenyl mercaptan.....	344	Petalite	131
Oxypropylpropylamine.....	287	Petit grain, oil of.....	181
Oxysulphobenzid.....	344	Petzite	66
P.			
Pachnolite	17	Pharmacolite.....	122
Pacite	69	Pharmacosiderite	123
Palladchlorides	28	Phenakite.....	131
Palladium	11	Phenanthrene.....	179
" Lead alloy.....	156	" Hydride	179
" Phosphide	67	Phenanthrene quinone	246
" Sulphide	61	Phenetol	252
Palmitone	221	Phenol	249
Palmitonitril	269	Phenoxyacetoneitril	280
Pandermite	168	Phenoxydiphenylphosphin.....	349
Papaverine.....	291	Phenyl. Acetate.....	260
Parabromalide.....	326	" Allyl oxide.....	255
Parachinasol	290	" Borate	348
Parachloralide	309	" Butyl oxide.....	253
Paradiethylaldehyde.....	308	" Carbimide	290
Paradionline.....	277	" Ethyl oxide.....	252
Paraffin	163, 164	" " sulphide	341
Paragonite	155	" Heptyl oxide	253
Paraldehyde	247	" Isobutyl "	253
Paranicene	187	" Isopropyl "	253
Parasantonid.....	27	" Mercaptan.....	311
Parisite	145	" Methyl oxide	252
Parsley, oil of.....	183	" Octyl "	293
Paraschnite	139	" Oxide.....	252
Parvoline.....	275	" Phosphite.....	349
Patchouli camphor.....	264	" Propargyl oxide.....	255
Patchouli, oil of.....	185	" Propyl "	253
Pectolite	134	" Sulphides	341
Peganite	117	" Thioearbimide	345
Pelletierine.....	291	Phenylacetic aldehyde.....	261
Pentabromopropane.....	322	" chloride.....	313
Pentachloracetone.....	308	Phenylacetylene.....	176
Pentachlor-ethyl formate.....	306	Phenylarsine bromide.....	351
Pentachlorbenzene.....	302	Phenylbutylene.....	176
Pentachlorethane	299	Phenylmethylene	177
Pentachlor-ethyl oxide.....	305	Phenylhydrazin.....	280
Pentachlornitrobenzene.....	316	Phenylpentylenes.....	176
Pentachlorpropylene oxide	310	Phenylphosphin	348
Pentadecane	162	Phenylphosphorous chloride.....	349
Pentadecanaphthene.....	185	Phenylpropionitril	281
Pentamethylene diamine.....	275	Phenylpropyl alcohol.....	251
Pentane	157	Phenylsulphonic chloride.....	346
Pentantrolase	281	Phenyltoluene.....	177
Pentatriacontane.....	163	Phenyltolylethane.....	176
Pentethylmnochlorbenzene	304	Phenylvinyl-ethyl oxide.....	254
Pentandite	64	Phillipsite.....	157
Pentyl Bromide	317	Phleiss	245
" Chloride	304	Phlogopite	141
" Iodide.....	331	Phloridin	259
Penwithite	132	Phlorol	265
		Phlorol-ethyl oxide.....	254
		Phoenicochroite.....	184
		Phorone	246
		Phosgenite	145

	PAGE.		PAGE.
Phosphenyl chloride.....	349	Potassium.....	1
“ ether.....	349	“ Aluminum borate.....	108
“ oxychloride.....	349	“ “ selenate.....	101
“ sulphochloride.....	350	“ “ silicates.....	135, 136, 137
Phosphorus.....	6	“ “ sulphates.....	92, 97
“ Bromide.....	32	“ Ammonium chromate.....	104
“ Chlorides.....	25	“ “ sulphate.....	89
“ Oxybromide.....	33	“ “ tartrate.....	362
“ Oxychloride.....	29, 30	“ Amylsulphate.....	359
“ Oxychlorobromide.....	27	“ Antimony chloride.....	29
“ Pentoxide.....	48	“ Arsenate.....	122
“ Sulphides.....	58	“ Berate.....	108
“ Sulphobromide.....	33	“ Borofluoride.....	18
“ Sulphochloride.....	30	“ Borotartrate.....	363
“ Sulphocyanide.....	144	“ Bremate.....	73
Phthalic anhydride.....	266	“ Bromide.....	31
Phthalyl chloride.....	313	“ Cadmium chloride.....	27
Phycite bromodichlorhydrin.....	337	“ “ iodide.....	36
Picamar.....	259	“ “ selenate.....	100
Picite.....	117	“ “ sulphate.....	90
Picoline.....	274, 275	“ Calcium chromate.....	104
Picrolichenin.....	268	“ “ sulphate.....	89
Pinacolic chloride.....	295	“ Carbonates.....	126, 129
“ iodide.....	333	“ Chlorate.....	72
Pinacoline.....	220	“ Chloride.....	20
Pinacoly alcohol.....	194	“ Chlorochromate.....	104
Pinakone.....	223	“ Chromates.....	102, 103
Pinite.....	243	“ Chromate with mercuric cyanide.....	144
Pinnoite.....	108	“ Chromiodate.....	104
Pinus, oils from.....	179, 180, 304	“ Chromium selenate.....	101
Pipecoline.....	277	“ “ sulphate.....	94
Pipecoline.....	277	“ “ sulphocyanide.....	144
Piperidine.....	276	“ Chromocyanide.....	143
Piperine.....	290	“ Chromoxalate.....	361
Piperpropylalkin.....	290	“ Citrate.....	364
Piperyl hydrazin.....	280	“ Cobalt selenate.....	100
Pistomesite.....	129	“ “ sulphate.....	91
Plagionite.....	62	“ Cobaltcyanide.....	143
Planerite.....	118	“ Columboxyfluoride.....	19
Platinbromides.....	33	“ Copper chloride.....	27
Platinchlorides.....	28, 365, 366	“ “ oxalate.....	361
Platiniodides.....	37	“ “ selenate.....	100
Platinum.....	15	“ “ sulphate.....	91
“ Boride.....	70	“ Cyanate.....	144
“ Chloride.....	27	“ Cyanide.....	143
“ Hydride.....	69	“ Dinitrophenates.....	364
“ Lead alloy.....	156	“ Dithionate.....	75
“ Phosphide.....	67	“ Ethylsulphate.....	359
“ Potassium sulphide.....	64	“ Ethylxanthate.....	359
“ Silicide.....	70	“ Ferrocyanide.....	143
“ Sodium sulphide.....	64	“ Ferrocyanide.....	143
“ Sulphides.....	61	“ Fluoride.....	16
Platodiamine platsoxalates.....	361	“ Formate.....	356
Platsochlorides.....	23	“ Gallium sulphate.....	96
Plumbogummite.....	118	“ Hydrogen oxalate.....	360
Polianite.....	53	“ “ racemate.....	363
Pollucite.....	136	“ “ sulphate.....	88
Polyargyrite.....	62	“ “ tartrate.....	362
Polybasite.....	62	“ Hydroxide.....	70
Polydymite.....	60	“ Iodate.....	74
Polyhalite.....	89	“ Iodides.....	34
Poplar, oil of.....	185	“ Iridichloride.....	23

	PAGE.		PAGE.
Potassium. Iron chloride	27	Potassium. Stannifluoride	19
“ “ sulphates.....	90, 95, 97	“ Stannochloride	23
“ “ sulphide.....	64	“ Strontium chromoxalate.....	304
“ Isobutylsulphate.....	359	“ Sulphate	77
“ Isobutylxanthate.....	359	“ Sulphide.....	56
“ Lithium racemate.....	363	“ Sulphocyanide.....	141
“ Magnesium chromate	104	“ Tantalofluoride.....	19
“ “ selenate.....	100	“ Tartrautimonite	363
“ “ sulphate	89	“ Tartrate	362
“ Manganese selenate.....	100	“ Thallium sulphide.....	61
“ “ sulphate.....	99	“ Thiosulphate	74
“ Manganicyanide.....	143	“ Thorium phosphate.....	116
“ Mercury bromide.....	23	“ Titanofluoride.....	19
“ “ chloride.....	27	“ Triacetate	357
“ “ cyanide.....	143	“ Tungstates.....	106
“ “ iodide.....	36	“ Uranoxylfluoride.....	19
“ Metaphosphate	118	“ Uranyl sulphate	96
“ Methylsulphate.....	359	“ Vanadium vanadate.....	120
“ Methylxanthate.....	359	“ Zinc chloride.....	27
“ Nickel cyanide.....	143	“ “ selenate.....	100
“ “ selenate.....	100	“ “ sulphate.....	90
“ “ sulphate.....	91	“ Zirconofluoride.....	19
“ Nitrate.....	109	“ Zirconium phosphates.....	116
“ Nitrate-sulphate.....	145	“ “ silicate.....	139
“ Nitrophenates.....	364	Pregantite	135
“ Oxalate.....	360	Prelinite.....	136
“ Oxide.....	40	Prieckite.....	168
“ Faldiochloride.....	28	Propane.....	157
“ Perchlorate	73	Propargyl. Acetate.....	242
“ Permanganate.....	105	“ Alcohol.....	241
“ Phosphate.....	114	“ Bromides.....	323
“ Phospho-sulphate.....	145	“ Chloride.....	300
“ Pierate.....	364	“ Iodide.....	335
“ Platinbromide.....	33	Propidene acetic acid.....	246
“ Platinechloride.....	28	Propidene dipropyl ether.....	244
“ Platiniodide.....	37	Propionamide.....	287
“ Platinoeyanide.....	143	Propione.....	219
“ Platinum selenioeyanide.....	144	Propionic aldehyde.....	217
“ “ sulphide.....	64	“ anhydride.....	204
“ “ sulphocyanide.....	141	Propionitril.....	208
“ Platoschloride.....	28	Propionylacetophenone.....	262
“ Platoxidate.....	361	Propionyl bromide.....	325
“ Propylsulphate.....	359	“ chloride.....	308
“ Pyrophosphate.....	119	Propyl. Acetate.....	207
“ Pyro-sulphate.....	78	“ Acrylate.....	234
“ Quadroxalate.....	360	“ Alcohol.....	181
“ Racemate.....	363	“ Benzate.....	256
“ Racemantimonite.....	364	“ Borate.....	347
“ Selenate.....	98	“ Bromide.....	317
“ Silicofluoride.....	18	“ Butyl oxide.....	197
“ Silver carbonate.....	129	“ “ succinate.....	228
“ Sodium alloy.....	145	“ Butyrate.....	211
“ “ carbonate.....	129	“ Camphorate.....	204
“ “ phosphate.....	115	“ Caproate.....	214
“ “ selenate.....	98	“ Caprylate.....	216
“ “ sulphate.....	89	“ Carbonate.....	226
“ “ tartrate.....	362	“ Chloride.....	303
“ “ tungstate.....	106	“ Chlorocarbonate.....	306
“ “ vanadate.....	122	“ Cinnamate.....	258
“ Stannate.....	142	“ Cyanide.....	308
“ Stannibromide.....	33	“ Dibrompropionate.....	326
“ Stannichloride.....	29	“ Dioxysulphocarbonate.....	343

	PAGE.		PAGE.
Propyl. Ethylacetacetate.....	233	Propylglyoxalin.....	279
“ Ethylglycollate.....	230	Propylhexylecarbinol.....	196
“ Formate.....	206	Propylidene chloride.....	297
“ Fumarate.....	236	Propylisopropylbenzene.....	175
“ Glycollate.....	230	Propylkresol.....	250
“ Heptyl oxalate.....	227	Propylnaphtol.....	266
“ “ oxide.....	198	Propylphenol.....	250
“ Hypophosphate.....	348	Propylphenyl acetate.....	260
“ Iodacetate.....	335	Propyl phenyl ketone.....	262
“ Iodide.....	329	Propylphenyl methyl oxide.....	254
“ Isobutyrate.....	211	Propylphenylpyrazol.....	279
“ Isoënanthate.....	215	Propylphycite trichlorhydrin.....	312
“ Isovalerate.....	213	Propylpiperidine.....	276
“ Laevulinat.....	232	Propylpyridine.....	275
“ Maleate.....	236	Propylsilicic chlorhydrins.....	353
“ Malonate.....	227	Propylthiophene.....	312
“ Methylglycollate.....	230	Propylthymol.....	254
“ Monochloracetate.....	307	Prosopite.....	17
“ Nitrite.....	281	Proteine, derivatives of.....	316
“ Octyl oxalate.....	227	Proustite.....	61
“ “ oxide.....	198	Pseudocumene.....	173
“ Oënanthate.....	215	Pseudoxylylene acetate.....	225
“ Orthocarbonate.....	226	“ glycol.....	223
“ Orthoformate.....	245	Pseudomalachite.....	117
“ Oxalate.....	227	Ptomaine.....	280
“ Oxide.....	197	Ptychotis ajowan, oil of.....	183
“ Parasantonate.....	267	Pucherite.....	120
“ Phenylacetate.....	257	Pulegium micranthum, oil of.....	263
“ “ Derivative of.....	266	Purpureochromium. Chloride.....	38
“ Phenylpropionate.....	258	“ Chlorobromide.....	38
“ Propionate.....	210	“ Chloronitrate.....	112
“ Propylglycollate.....	231	Purpureocobalt. Bromide.....	38
“ Salicylate.....	257	“ Bromonitrate.....	112
“ Santonate.....	267	“ Chloride.....	38
“ Silicate.....	352	“ Chlorobromide.....	38
“ Succinate.....	228	“ Chloronitrate.....	112
“ Sulphide.....	339	Purpureorhodium. Bromide.....	38
“ Tartrate.....	237	“ Chlorid.....	38
“ Valerate.....	213	“ Iodide.....	38
Propylacetal.....	224	Pyrargyrite.....	62
Propylallylamine.....	278	Pyridine.....	274
Propylamine.....	270	Pyrite.....	60
Propylaniline.....	273	Pyrocatechin.....	250
Propylbenzene.....	173	Pyrogallol.....	250
Propylene. Acetate.....	224	Pyrolusite.....	53
“ Bromide.....	319	Pyromorphite.....	124
“ Bromiodide.....	338	Pyrophosphoric chloride.....	30
“ Chlorhydrin.....	310	Pyrophyllite.....	133
“ Chloride.....	296	Pyrosmalite.....	141
“ Chloriodide.....	338	Pyrrhotite.....	60
“ Chlorobromide.....	336	Pyrrrol.....	279
“ Diamine.....	278	Pyrrolidine.....	279
“ Dinitrate.....	286	Pyrotartrotrinitril.....	278
“ Dinitrite.....	286	Pyruvic acetate.....	247
“ Ethylphenylketate.....	266		
“ Glycol.....	222	Q.	
“ Iodide.....	334	Quartz.....	44
“ Oxide.....	222	Quercite.....	243
“ Trisulphocarbonate.....	341	Quinoline.....	277
“ Valerate.....	225	Quinone.....	266
Propyleugenol.....	265		

R.	PAGE.	S.	PAGE.
Rafinondite.....	97	Saccharose.....	243
Ralstonite.....	17	Safrene.....	184
Rammelsbergite.....	68	Safrol.....	266
Realgar.....	59	Sage, oil of.....	153, 185
Reddingite.....	115	Salicin.....	267
Reinite.....	106	Saligenin.....	252
Resorcin.....	250	Salicylol.....	261
Retene.....	179	Safiretin.....	266
Rezhanyite.....	63	Salt.....	19
Rhabdophane.....	116	Salviol.....	263
Rhagite.....	123	Samarium. Acetate.....	358
Rhodium.....	14	“ Ammonium selenate.....	101
“ Ammonio'bromide.....	38	“ “ sulphate.....	96
“ Ammoniochloride.....	38	“ Borate.....	108
“ Ammonioiodide.....	33	“ Bromide.....	32
Rhodizite.....	108	“ Chloride.....	25
Rhodonite.....	132	“ Ethylsulphate.....	359
Ripidolite.....	138	“ Formate.....	357
Rocmerite.....	96	“ Gold bromide.....	33
Romeite.....	125	“ “ ehloride.....	18
Rosaniline chlorhydrate.....	365	“ Metaphosphate.....	113
Roselite.....	122	“ Metavanadate.....	120
Rosemary, oil of.....	183	“ Molybdate.....	105
Roseocobalt iod sulphate.....	97	“ Nitrate.....	112
Rose's alloy.....	156	“ Oxide.....	43
Rosewood, oil of.....	185	“ Oxychloride.....	29
“ resin from.....	267	“ Periodate.....	74
Rubidine.....	276	“ Phosphate.....	116
Rubidium.....	1	“ Pierate.....	364
“ Aluminum selenate.....	100	“ Platinchloride.....	29
“ “ sulphate.....	93	“ Platinocyanide.....	144
“ Bromide.....	31	“ Potassium selenate.....	101
“ Chloride.....	21	“ Propionate.....	353
“ Chromium selenate.....	100	“ Selenate.....	100
“ “ sulphate.....	95	“ Sodium molybdate.....	105
“ Cobalt selenate.....	100	“ Sulphate.....	89
“ Copper chloride.....	27	“ Sulphocyanate with mercuric cyanide.....	144
“ Fluoride.....	16	“ Tungstate.....	107
“ Gallium sulphate.....	96	Sandal wood, oil of.....	185
“ Hydrogen racemate.....	362	Santonid.....	267
“ “ tartrate.....	362	Santonine.....	267
“ Indium sulphate.....	96	Santonyl. Bromide.....	323
“ Iodide.....	31	“ Chloride.....	312
“ Iron sulphate.....	95	“ Iodide.....	325
“ Lithium racemate.....	363	Sapphre.....	43
“ “ tartrate.....	362	Sartorite.....	61
“ Platinchloride.....	28	Satureja, oil of.....	183
“ Quadroxalate.....	360	Scandium. Oxide.....	43
“ Racemate.....	363	“ Sulphate.....	87
“ Selenate.....	98	Scheelite.....	106
“ Siliconfluoride.....	18	Schwartzembergite.....	37
“ Sodium tartrate.....	362	Selezite.....	137
“ Sulphate.....	78	Scorolite.....	122
“ Tartrate.....	362	Seovillite.....	116
Ruby.....	42	Selenium.....	9
Ruthenium.....	14	“ Bromide.....	32
“ Dioxide.....	29	“ Chloride.....	26
Rutile.....	45	“ Oxychloride.....	30
		“ Dioxide.....	51
		“ Sulphide.....	59

	PAGE.
Sellaite	16
Semseyite.....	62
Senarmonite.....	49
Sequoia, oil of.....	180, 267
Serpentine.....	131
Sesquiterpene.....	185
Sideronatriite.....	97
Silica.....	44
Silicofluorides.....	18
Silicoheptyl compounds.....	351, 352
Silicon.....	4
" Bromide	32
" Chlorides.....	25
" Chlorobromide.....	37
" Organic compounds of.....	351, 352, 353
" Oxides.....	44
" Pyrophosphate.....	119
Silver.....	13
" Acetate.....	357
" Aluminum alloys.....	146
" Amalgam.....	146
" Ammonio-chromate.....	103
" Ammonio-ferricyanide.....	143
" Ammonio-selenate.....	98
" Ammonio-sulphate.....	97
" Antimonides.....	68
" Arsenides.....	67
" Benzoate.....	365
" Bismuth glance.....	63
" Bromate.....	31
" Bromide.....	73
" Butyrate.....	359
" Caproate.....	359
" Caprylate.....	359
" Carbonate.....	126
" Chlorate.....	72
" Chloride.....	21
" Chlorobromide.....	37
" Chlorobromiodide.....	37, 38
" Chromates.....	103
" Cinnamate.....	365
" Copper alloys.....	155
" " iodide.....	37
" Cyanate.....	144
" Cyanide.....	143
" Dinitrophenate.....	364
" Dithionate.....	75
" Fluoride.....	16
" Gold alloys.....	156
" " sulphide.....	64
" Iodate.....	74
" Iodide.....	34
" Iron ammonio-cyanide.....	143
" Isovalerate.....	359
" Lead iodide.....	37
" Malate.....	361
" Mercury iodide.....	36
" Nitrate.....	110
" Nitrophenates.....	364
" Oxalate.....	360
" Oxides.....	40
" Phosphate.....	115

	PAGE.
Silver. Phosphide.....	66
" Picrate.....	364
" Potassium carbonate.....	129
" Propionate.....	358
" Pyrophosphate.....	119
" Racemate.....	363
" Selenate.....	98
" Selenide.....	65
" Succinate.....	361
" Sulphate.....	79
" Sulphide.....	57
" Tartrantimonite.....	363
" Tartrate.....	362
" Telluride.....	66
" Tin alloys.....	154, 155
" Vanadate.....	120
Simonyite.....	89
Sipylite.....	125
Sisserskite.....	156
Skutterudite.....	68
Smaltite.....	68
Sodalite.....	141
Sodium.....	1
" Acetate.....	357
" Aluminum carbonate.....	130
" " selenate.....	101
" " silicates.....	134, 135, 137
" " sulphate.....	92
" Ammonium arsenate.....	121
" " phosphate.....	115
" " racemate.....	363
" " sulphate.....	89
" " tartrate.....	362
" Antimonites.....	125
" Arsenates.....	121
" Borates.....	107
" Bromate.....	73
" Bromide.....	31
" Calcium borates.....	108
" " carbonate.....	129
" " silicate.....	134
" " sulphate.....	89
" Carbonates.....	126, 129
" Chlorate.....	72
" Chloride.....	19
" Chromates.....	102
" Chromiodate.....	104
" Citrate.....	364
" " Derivative of.....	293
" Copper sulphate.....	89
" Dithionate.....	75
" Ferrocyanide.....	143
" Ferroxalate.....	361
" Fluoroarsenate.....	124
" Fluophosphate.....	124
" Fluoride.....	16
" Formate.....	356
" Hydride.....	69
" Hydrogen oxalate.....	360
" " sulphate.....	88
" Hydroxide.....	70
" Hypophosphates.....	113

	PAGE.		PAGE.
Sodium. Iodate.....	71	Stearonitril.....	269
“ Iodide.....	31	Stephanite.....	62
“ Iron sulphates.....	97	Sternbergite.....	64
“ Magnesium sulphates.....	89	Stibiconite.....	71
“ Manganese phosphate.....	115	Stibioferrite.....	125
“ Mercury chloride.....	27	Stibiohexargentite.....	68
“ Metaphosphate.....	118	Stibiotriargentite.....	68
“ Meta-silicate.....	131	Stibnite.....	59
“ Nitrate.....	109	Stilbazoline.....	278
“ Nitroprusside.....	143	Stilbene.....	179
“ Oxide.....	49	Stilbite.....	136
“ Phosphates.....	114	Stolzite.....	105
“ Platinbromide.....	33	Strengite.....	115
“ Platinchloride.....	28	Stromeyerite.....	64
“ Platiniodide.....	37	Strontianite.....	127
“ Platinum sulphide.....	64	Strontium.....	3
“ Platocalate.....	361	“ Acetate.....	257
“ Potassium alloy.....	145	“ Aluminum silicates.....	137
“ “ arsenate.....	121	“ Bromate.....	73
“ “ carbonate.....	129	“ Bromide.....	32
“ “ phosphate.....	115	“ Cadmium chloride.....	27
“ “ racemate.....	363	“ Carbonate.....	127
“ “ selenate.....	98	“ Chlorate.....	72
“ “ sulphate.....	89	“ Chloride.....	23
“ “ tartrate.....	362	“ Chromate.....	103
“ “ tungstate.....	106	“ Chromoxalate.....	361
“ Pyrophosphates.....	118, 119	“ Copper formate.....	356
“ Rubidium tartrate.....	362	“ Dithionate.....	75
“ Samarium molybdate.....	105	“ Feldspars.....	137
“ Selenate.....	98	“ Fluoride.....	17
“ Silicofluoride.....	18	“ Formate.....	356
“ Sulphantimonate.....	62	“ Hydroxide.....	71
“ Sulphate.....	76, 77	“ Iodide.....	36
“ Sulphite.....	75	“ Molybdate.....	105
“ Sulphide.....	56	“ Nitrate.....	111
“ Tartrate.....	362	“ Oxide.....	41
“ Thallium racemate.....	363	“ Platinbromide.....	33
“ “ tartrate.....	362	“ Potassium chromoxalate.....	361
“ Thiosulphate.....	74	“ Selenate.....	99
“ Thorium phosphates.....	116	“ Silicofluoride.....	18
“ Triacetate.....	357	“ Sulphate.....	82
“ Tungstates.....	106	“ Tartrate.....	362
“ Uranium oxide.....	55	“ Thiosulphate.....	74
“ Uranyl acetate.....	358	“ Titanate.....	141
“ “ monochloracetate.....	358	Struvite.....	115
“ Vanadates.....	120	Styrene.....	290
“ Zirconium phosphates.....	116	Styrolene.....	176
“ “ silicate.....	139	Styryl ethyl oxide.....	294
Sonomalte.....	96	Succinyl chloride.....	311
Sorlite.....	243	“ “ Derivative of.....	293
Spherite.....	118	Sulphocarbamide.....	316
Sphene.....	139	Sulpho-urea.....	345
Spinel.....	55	Sulphur.....	8
Spodumene.....	134	“ Bromide.....	32
Stannibromides.....	33	“ Chloride.....	26
Stannichlorides.....	29	“ Oxides.....	51
Stannifluorides.....	19	“ Oxychloride.....	30
Stannoehlorides.....	28	Sulphuryl chloride.....	39
Stannorganic compounds.....	353, 354	Sussexite.....	108
Starch.....	244	Sylvanite.....	66
Stearin.....	240	Sylvestrene.....	181
Stearone.....	221		

	PAGE.		PAGE.
Syngenite	89	Tetrachloropropane	299
Szaboite	133	Tetrachlorotoluene	303
Szaibelyite	108	Tetraicosane	163
Szmikite	83	Tetradecane	162
T.			
Tagilite	117	Tetradecyl alcohol	196
Talc	131	Tetradecylene	166
Tallingite	29	Tetradecylidene	168
Tannin	267	Tetradymite	66
Tansy, oil of	263	Tetrahydrotoluene	177
Tantalite	125	Tetrahydroxylene	177
Tantalofluorides	19	Tetraiod-methyl oxide	335
Tantalum	8	Tetraiodoxysulphobenzid	347
“ Aluminum alloy	146	Tetramercurammonium chloride	38
“ Pentoxide	50	“ sulphate	97
Tapalpite	66	Tetramethylallylene	168
Tellurium	10	Tetramethylammonium iodide	365
“ Oxides	51, 52	“ mercury iodide	365
Tennantite	61	Tetramethylaniline	273
Tephroite	132	Tetramethylbenzene	173
Terebangeline	182	Tetramethylbutane	159, 160
Terebene	180	Tetramethylethane	158
“ Acetate	264	Tetramethylethylene	164
Terebenthen	180	Tetramethylpentane	160
“ Acetate	264	Tetramylene	167
“ Hydrochlorate	304	Tetranitroethylene bromide	328
Terpane	263	Tetraphenylethane	176
Terpene	180, 181	Tetraterbenthen	185
Terpilene	181	Tetrethylallylalkin	290
“ Acetate	264	Tetrethylammonium iodide	365
“ Formate	264	Tetrethyl citrate	237
“ Hydride	186	Tetrethylmonoehlorbenzene	304
Terpilenol	263	Thallium	3
Terpinene	181	“ Aluminum selenate	101
Terpinol	263	“ sulphate	94
Terpylylene	181	“ Amylate	355
Tetrabromethane	321	“ Bromides	31
Tetrabromglycide	322	“ Carbonate	126
Tetrabromhydrocamphene	325	“ Chlorate	72
Tetrabromoxysulphobenzid	347	“ Chlorides	22
Tetrabrompropane	322	“ Chromium selenate	101
Tetrachloracetone	308	“ sulphate	95
Tetrachloracetic anhydride	308	“ Cobalt selenate	100
Tetrachlorbenzene	302	“ sulphate	91
Tetrachlorbenzyl chloride	303	“ Ethylate	355
Tetrachlorbenzylene dichloride	303	“ Ferrocyanide	143
Tetrachlorethane	299	“ Hydrogen oxalate	360
Tetrachlor-ethyl acetate	307	“ Hydrogen racemate	363
Tetrachlor-ethyl camphorate	313	“ tartrate	362
Tetrachlorethylene	291	“ Iodide	35
Tetrachlor-ethyl oxide	305	“ Iron sulphate	96
Tetrachlor-ethyl sulphide	346	“ Lithium racemate	363
Tetrachlorglycide	299	“ tartrate	362
Tetrachlor-methyl ethyl oxide	305	“ Nickel selenate	100
Tetrachlor-methyl formate	292	“ Nitrate	110
Tetrachlor-methyl mercaptan	346	“ Oxalate	360
Tetrachlor-methyl oxide	305	“ Perchlorate	73
Tetrachlornitrobenzene	316	“ Phosphates	115
Tetrachloroxysulphobenzid	347	“ Picrate	364
Tetrachlorpentane	300	“ Platinechloride	28
		“ Potassium sulphide	64
		“ Pyrophosphate	119
		“ Racemate	363

	PAGE.		PAGE.
Thallium, Selenate.....	98	Tin, Oxalate.....	361
“ Sodium racemate.....	363	“ Oxides.....	49
“ “ tartrate.....	362	“ Phosphides.....	66
“ Sulphate.....	79	“ Potassium chlorides.....	28, 29
“ Sulphide.....	57	“ Pyrophosphate.....	119
“ Tartrantimonite.....	363	“ Selenides.....	65
“ Tartrate.....	362	“ Silver alloys.....	154
“ Tellurate.....	102	“ Sulphides.....	58
“ Vanadates.....	120	“ Telluride.....	66
Thaumasite.....	141	“ Zinc alloys.....	157
Thebaine.....	291	Titanodiuorides.....	19
Thermonatrite.....	126	Titanium, Bromide.....	32
Thialdin.....	345	“ Calcium silicate.....	139
Thioacarbonyl chloride.....	292	“ Carbide.....	70
Thiocyanacetone.....	346	“ Chloride.....	25
Thionyl chloride.....	30	“ Dioxide.....	45
Thiophene.....	341	“ Nitride.....	70
“ Aldehyde.....	344	“ Nitrocyaniide.....	144
Thiolenene.....	342	“ Pyrophosphate.....	119
Thioxene.....	342	Tolene.....	184
Thomsonite.....	137	Toluene.....	170
Thorite.....	133 $\frac{1}{2}$	Tolule aldehyde.....	261
Thorium.....	6	“ nitril.....	250
“ Metaphosphate.....	118	Toluidines.....	271, 272
“ Oxalate.....	361	Toluy! chloride.....	313
“ Oxide.....	48	Tolyl phenyl ketone.....	262
“ Platinocyanide.....	144	Tolylpropyl aldehyde.....	261
“ Potassium phosphates.....	116	Topaz.....	149
“ Selenate.....	100	Torbernite.....	116
“ Silicates.....	133	Tourmaline.....	140
“ Sodium phosphates.....	116	Tremolite.....	134
“ Sulphate.....	88	Triacetin.....	240
“ Sulphide.....	58	Triallylamine.....	278
Thrombolite.....	125	Triamylamine.....	270
Thuja terpene.....	180	Triamylene.....	166
Thujol.....	263	Triamylstibine.....	351
Thuringite.....	139	Tribromchloracetone.....	337
Thymene.....	183	Tribromethylene.....	322
Thyme, oil of.....	183	Tribromhydrin.....	322
Thymol.....	250	Tribromisobutane.....	323
Thymyl acetate.....	260	Tribromopropane.....	322
Thiemannite.....	65	Tributylamine.....	270
Tiglic aldehyde.....	235	Tributyryl.....	240
Tin.....	4	Trichloracenaphtene.....	304
“ Aluminum alloys.....	146	Trichloracetal.....	310
“ Amalgams.....	145, 146	Trichloracetic anhydride.....	292
“ Ammonium chlorides.....	28, 29	Trichlor-acetic anhydride.....	308
“ Antimonides.....	68, 149	Trichloracetic dimethylamide.....	315
“ Arsenides.....	67	Trichloracetonefril.....	314
“ Bismuth alloys.....	150	Trichloracetophenone.....	313
“ Bromide.....	32	Trichloroacetyl bromide.....	337
“ Cadmium alloys.....	147	“ chloride.....	292
“ Calcium silicate.....	139	“ cyanide.....	315
“ Chlorides.....	25	Trichloramylene thiodichloride.....	316
“ Chlorobromide.....	37	Trichlorbenzene.....	302
“ Copper alloys.....	153, 154	Trichlorbenzyl chloride.....	303
“ Fluorides.....	19	Trichlorbenzylene dichloride.....	303
“ Gold alloys.....	165	Trichlorbutyl acetate.....	307
“ Iodide.....	36	Trichlordibromethane.....	336
“ Iron alloys.....	192	Trichlordimethyl acetal.....	319
“ Lead.....	147, 148, 149	Trichlorditribenzene.....	315
“ Organic compounds of.....	33, 354	Trichlorethane.....	285

	PAGE.
Trichlor-ethyl acetate.....	306
Trichlor-ethyl alcohol.....	305
Trichlorethyl chloracetates.....	307
Trichlorhexane.....	300
Trichlorhydrin.....	299
Trichlor-methyl amyl sulphite.....	346
Trichlormethylethyl acetal.....	310
Trichloronitrobenzene.....	315
Trichloropentane.....	300
Trichloropropane.....	299
Trichloropropylene.....	300
Trichlorotoluene.....	303
Trichlorovinyl ethyl oxide.....	309
Tricosane.....	163
Tridecane.....	162
Tridecylene.....	166
Tridymite.....	45
Triethoxyacetoneitril.....	289
Triethoxypyrophosphorsulphobromide.....	350
Triethylamine.....	269
“ Aurochloride.....	365
Triethyl amyl orthosilicate.....	352
Triethylarsine.....	350
Triethylcarbinol.....	195
Triethyl citrate.....	237
Triethyl diglycerin.....	239
Triethylene alcohol.....	223
Triethylin.....	239
Triethylmethane.....	159
Triethylmono-chlorbenzene.....	304
Triethylphosphin.....	318
“ Platinochloride.....	366
Triethylpropylphycite.....	248
Triethylsilicic acid.....	352
Triethylstibine.....	351
“ Bromide.....	351
“ Chloride.....	351
Triglycerin tetrethylin.....	239
Triisobutylamine.....	270
Triisobutylene.....	166
Trimethylamine.....	269
Trimethylbenzene.....	172
Trimethylcarbinol.....	191
Trimethylcarbinolamine.....	270
Trimethylcarbyl. Bromide.....	317
“ Chloride.....	294
“ Iodide.....	331
“ Nitrite.....	281
Trimethylcarbylmethylcarbinol.....	194
Trimethyl-diethyl-aniline.....	273
Trimethylene. Bromhydrin.....	327
“ Bromide.....	319
“ Chlorhydrin.....	310
“ Chloride.....	297
“ Glycol.....	222
“ Iodide.....	334
Trimethylenediethylalkin.....	290
Trimethylethylene.....	164
“ Oxide.....	222
Trimethyl ethyl orthosilicate.....	352
Trimethylin.....	239
Trimethylstibine.....	351

	PAGE.
Trinitrolactose.....	286
Trinitrophenol.....	285
Triphenols.....	250
Triphenylbenzene.....	177
Triphenylphosphin.....	348
“ Oxide.....	349
Triphenyltrisulphophosphamide.....	350
Triphenylstibine.....	351
Triphylite.....	115
Triplite.....	124
Triploidite.....	117
Tripropylamine.....	270
Tristearin.....	240
Trisulphhydrin.....	341
Tritolylstibine.....	351
Trivalerylene.....	168
Trögerite.....	122
Troilite.....	60
Trolleite.....	117
Tropileng.....	267
Tropilidene.....	187
Tungsten.....	11
“ Aluminum alloy.....	146
“ Oxides.....	52
“ Phosphide.....	67
“ Sulphide.....	59
Turgite.....	71
Turnerol.....	267
Turpentine.....	179
“ Hydrate.....	264
Turpeth mineral.....	96
Turquoise.....	117
Tyrolite.....	123
Tyrosine.....	288
Tysonite.....	18

U.

Ulexite.....	108
Uilmannite.....	69
Undecane.....	161
Uranium.....	11
“ Arsenate.....	122
“ Barium phosphate.....	116
“ Bismuth arsenate.....	123
“ Calcium “.....	122
“ “ phosphate.....	116
“ Copper arsenate.....	122
“ “ phosphate.....	116
“ Hydroxides.....	72
“ Lithium acetate.....	358
“ Nitrate.....	112
“ Oleate.....	364
“ Oxalate.....	361
“ Oxides.....	52
“ Sodium acetate.....	358
“ “ monochloracetate.....	358
“ “ oxide.....	55
“ Sulphate.....	88
Uranocircite.....	116
Uranospinite.....	122

	PAGE.		PAGE.
Fluoroxyfluorides	19	Wormseed, oil of	263
Urea	129	Wormwood, oil of	184
Urea	288	Wulfenite	105
Urethane	288		
Urusite	97	X.	
V.		Xanthil	203
Valentinite	49	Xanthoconite	61
Valeracetone	289	Xanthurin	244
Valeral. Derivatives of	245, 309	Xenolite	133
" Polymer of	218	Xenotime	116
Valeric anhydride	205	Xenotime	116
Valeroglycerol	259	Xenotime	116
Valerone	221	Xenotime	116
Valeronitril	208	Xylene	171, 172
Valeryl chloride	308	" Inchi rite	304
Valerylene	167	" Glycols	262
" Inacetate	218	" Tetrachloride	304
" Polymer of	184	Xylenol	250
Vanadinite	124	Xylydines	272, 273
Vanadium	7	Xylyl Acetate	260
" Chlorides	26	" Alcohols	251
" Oxides	48	" Bromides	224
" Oxylromide	33	" Cyanide	280
" Oxylchloride	30	" Ethyl oxide	234
" Sulphides	59	" Mercurian	311
Vanadium-wagnerite	124	" Phosphochloride	350
Variscite	115, 116	" Phosphoroxylchloride	350
Vauquelinite	104	Xylylene bromides	324, 325
Venasquite	139		
Veratrol	265	Y.	
Veselyite	117	Ytterbium Oxide	43
Vinyl Bromides	321	" Sulphate	87
" Ethyl oxide	241	Yttrium Oxide	43
" Iodide	334	" Phosphate	116
" Sulphide	310	" Selenate	99
Vinyl-arsol	254	" Sulphate	87
Viridine	276	Ytrocrite	18
Vitriol, oil of	185		
Vivianite	115	Z.	
Volborthite	120	Zaratite	120
Voltzite	64	Zepharovichtite	116
W.		Zemcrite	122
Wagnerite	124	Zinc	2
Walivine	208	" Acetate	257
Walpurgite	123	" Aluminum alloy	145
Warringtonite	96	" Sulphate	97
Water	30	" Amalgam	115
Wavellite	118	" Ammonium sulphate	97
Wchelite	67	" Ammonium bromide	23
Wethenante	97	" Chloride	27
Whitneyite	67	" Selenate	100
Willemite	122	" Sulphate	99
Wittichenite	64	" Antimonides	68
Wolfenite	80	" Arsenates	122
Wulfenite	107	" Barium chloride	27
Wollastonite	102	" Bromate	73
Wood	307	" Bromide	31
Wood's alloy	105	" Calcium alloy	146
		" Carbonates	127, 130
		" Chloride	25
		" Chromium oxide	65

	PAGE.		PAGE.
Zinc. Copper alloys.....	152	Zinc. Silicofluoride	18
“ Dithionate.....	75	“ Sulphate.....	80, 96
“ Fluoride.....	16	“ Sulphide.....	57
“ Formate.....	356	“ Telluride.....	66
“ Hydroxide.....	70	“ Tin alloy.....	147
“ Hypophosphite.....	113	“ Titanate.....	142
“ Iodide.....	35	“ Zircon fluoride.....	19
“ Iron oxide.....	56	Zincaluminite.....	97
“ Lead vanadates.....	120	Zinc amyl.....	355
“ Magnesium sulphate.....	92	Zinc ethyl.....	355
“ Nitrate.....	110	Zincite.....	41
“ Oxalate.....	360	Zinc methyl.....	355
“ Oxide.....	41	Zinc propyl.....	355
“ Oxysulphide.....	64	Zinkenite.....	62
“ Palladiochloride.....	28	Zircon fluorides.....	19
“ Phosphate.....	115	Zircon.....	133
“ Phosphide.....	66	Zirconium.....	4
“ Platinbromide.....	33	“ Oxide.....	46
“ Platiniodide.....	37	“ Potassium phosphates.....	116
“ Potassium chloride.....	27	“ “ silicate.....	139
“ “ selenate.....	100	“ Pyrophosphate.....	119
“ “ sulphate.....	90	“ Silicate.....	133
“ Pyroarsenate.....	123	“ Sodium phosphates.....	116
“ Pyrophosphate.....	119	“ “ silicate.....	139
“ Selenate.....	98	Zoisite.....	137
“ Selenide.....	65	Zorgite.....	65
“ Silicates.....	132		