



70
66
EPT

BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO
AMPHIBIANS AND REPTILES
PUBLISHED IN THE CARIBBEAN JOURNAL OF
SCIENCE
VOLUMES 1-25, 1961-1989



ERNEST A. LINER

Houma, Louisiana



SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 99

1994

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The present alphabetical listing by author(s) covers all the papers concerning herpetology that have appeared in the first twenty-five volumes of the Caribbean Journal of Science from 1961 through 1989.

All junior authors are listed alphabetically and cross referenced to the senior author. All articles in this bibliography can be located by knowing the author(s) or the title. All articles with original names are preceded by an *.

While the journal was originally a quarterly it was issued irregularly, sometimes in different years to that given on the cover. The actual date of issue is stamped (or printed) on the cover. In those cases where this is indicated the original year is given followed by the actual year of issue. Sometimes two numbers were in one, sometimes four with continuous paging except for volume 4 which continued paging from Volume 3. Volumes 15 and 19 (1-2) (3-4) each began with page 1. Volume 23 skipped pages 153-225 between numbers 1 and 2. Presently the journal is issued twice a year with two numbers in one. In Volumes 15 and 19 in the bibliography and scientific name index the issue number is included as well as the issue number thereby causing the seeming inconsistency.

All herpetological scientific names are listed alphabetically and referenced to the article(s) where they are mentioned. No scientific names in bibliographies are included. All original spellings have been maintained except those ending in i or ii. Double ii is used when both are used. The volume number and the first page number of the article where the name appears are given. All original names are boldfaced and the page number given identifies the article and not the page number of the name.

The author wishes to thank C. Gans for suggesting this project and to G. R. Zug and W. R. Heyer for suggesting the scientific name index.

BIBLIOGRAPHY

- Acuna, Mercedes I. 1975. Hematologia normal de Iguana iguana (Linne, 1758). 1. Aspectos citomorfologicos y comparaciones intraespecificas. 15 (1-2): 71.
- Alvarez, Vicente Berovides, see Lopez, Georgina Espinosa and Caridad Gonzales Suarez, 1985.
- Anonymous. 1961. Institute of Caribbean Studies field excursion to Isla Mona. 1: 30.
- Anthony, Donald, see Arendt, Wayne J., 1986 (1987).
- Arendt, Wayne J. 1986 (1987). An observation of Iguana iguana feeding on eggs of the cattle egret (Bubulcus ibis) at Fox's Bay, Montserrat, West Indies; A case of predation or scavenging? 22: 221.
- and Donald Anthony. 1986 (1987). Bat predation by the St. Lucia boa (Boa constrictor orophias). 22: 219.
- Campbell, Howard W. 1971. Observations on the thermal activity of some tropical lizards of the genus Anolis (Iguanidae). 11: 17.
- Campos, Neris B. Reyes. 1971 (1972). Observaciones sobre la conducta del coqui, Eleutherodactylus coqui. 11: 209.
- Carey, W. Michael. 1972. The herpetology of Anegada, British Virgin Islands. 12: 79.
- Carpenter, Charles C. and James C. Gillingham. 1984. Giant centipede (Scolopendra alternans) attacks marine toad (Bufo marinus). 20: 71.
- Carter, Jeanne Y., see Wilcox, Karen and L. V. Wilcox, Jr., 1973.
- Censky, Ellen J. 1989 (1990). Eleutherodactylus johnstonei (Salientia: Leptodactylidae) from Anguilla, West Indies. 25: 229.
- Christian, Keith. 1986 (1987). Aspects of the life history of Cuban iguanas on Isla Magueyas, Puerto Rico. 22: 159.
- Clark, Donald R. 1973. Temperature responses of three Costa Rican lizards (Anolis). 13: 199.
- Cofresi-Sala, Fernando. 1964. Notes on distribution and a redescription of Mesocoelium dandorthi Hoffman, 1935, (Trematoda: Brachycoeliidae). 4: 435.
- and Elena Rodriguez de Vega. 1963. A new host record for Mesocoelium danforthi Hoffman, 1935 (Trematoda: Brachycoeliidae) 3: 213.
- Corn, Michael J. 1974. Report on the first certain collection of Ungaliophis panamensis from Costa Rica. 14: 167.
- Cova, Luis J., see Leon, Juan R., 1973.
- de Vega, Elena Rodriguez. 1970. Estudio taxonomico de endoparasitos de algunos anfibios: Abs. 10: 211.
- de Vega, Elena Rodriguez, see also Cofresi-Sala, Fernando, 1963.
- Diaz, Humberto Granados, see Rivero, Juan A., 1989 (1990).
- *Dole, Jim W. and Pedro Durant. 1972. A new species of Colostethus (Amphibia: Salientia) from the Merida Andes, Venezuela. 12: 191.

- *Donoso-Barros, B. 1964 (1965). A new dendrobatid frog, Prostherapis riveroi from Venezuela. 4: 485.
- 1965 (1966). Nota sobre la culebra falsa coral del Oriente de Venezuela (Erythrolamprus beauperthuisi) Dumeril y Bibron, 1854 (Reptilia: Colubridae). 5: 59.
- *----- 1968a. Un nuevo anuro de los Andes de Venezuela. 8: 31.
- 1968b. The lizards of Venezuela (Check list and key). 8: 105.
- Dunkley, L. C., see Metterick, D. F., 1968.
- Durant, Pedro, see Dole, Jim W., 1972.
- Estremero, Ernesto, see Rivero, Juan A., Horacio Mayoreo and Ivette Izquierdo, 1980 (1981).
- Fitch, Henry S. 1973. Observations on the population ecology of the Central American iguanid lizard Anolis cupreus. 13: 215.
- Fouquette, M. J., Jr. 1966 (1968). Some hylid frogs of the Canal Zone, with special reference to call structure. 6: 167.
- Fulton, Alice W., see Fulton, McDonald, 1962; 1965.
- Fulton, McDonald. 1965 (1966). The bacterium Aeromonas hydrophila from lizards of the genus Anolis in Puerto Rico. 5: 99.
- and Alice W. Fulton. 1962. Grupos de bacterias aerobicas aisladas de reptiles en Puerto Rico. 2: 105.
- and ----- 1965 (1966). Possible Caribbean habitat of the rare salmonella Type S abaetetuba. 5: 95.
- *Gali, Frank and Orlando Garrido. 1986 (1987). Two new subspecies of Ameiva auberi (Reptilia: Teiidae) from Cuba. 22: 165.
- Garrett, Kimball L., see McFarland, Donald A., 1989.
- Garrick, Leslie D., Robert L. Sutton and Jeffrey W. Lang. 1985. Observations on the largest Jamaican tree frog, Calyptahyla crucialis. 21: 159.
- *Garrido, Orlando H. 1972. Anolis bremeri Barbour (Lacertilia: Iguanidae) en el Occidente de Cuba e Isla de Pinos. 12: 59.
- 1983. Nueva especie de Anolis (Lacertilia: Iguanidae) de la Sierra del Turquino, Cuba. 19 (3-4): 71.
- Garrido, Orlando H., see also Gali, Frank, 1986; Schwartz, Albert, 1971.
- Gicca, Diderot. 1980 (1981). The status and distribution of Cyclura r. rileyi (Reptilia: Iguanidae) a Bahamian rock iguana. 16: 9.
- Gillingham, James C., see Carpenter, Charles C., 1984.
- Gorman, George C. 1980 (1981). Anolis occultus, a small cryptic canopy lizard: Are there pair bonds? 15 (3-4): 29.
- , Carl S. Lieb and Robert H. Harwood. 1984. The relationships of Anolis gadovi: Albumin immunological evidence. 20: 145.

- Greding, Edward J., Jr. 1971 (1972). Comparative rates of learning in frogs (Ranidae) and toads (Bufonidae). 11: 203.
- 1972. An unusually large toad (Anura: Bufonidae) from the lower southeastern slope of Volcan Turrialba, with a key to the Bufo of Costa Rica. 12: 91.
- and Victor J. Hellebuyck G. 1980 (1981). Selection among five species of ecological separation by prey Central American anuran amphibians. 16: 23.
- *Hardy, Jerry D., Jr. 1966 (1967). Geographic variation in the West Indian lizard, Anolis angusticeps, with the description of a new form, Anolis angusticeps paternus subsp. nov. from the Isle of Pines, Cuba (Reptilia: Iguanidae). 6: 23.
- Harwood, Robert H., see Gorman, George C. and Carl S. Lieb., 1984.
- Heatwole, Harold. 1961a. Institute of Caribbean Studies field excursion to Isla Mona: Herpetology. 1: 32.
- 1961b. Recent publications of the Caribbean area: Zoology. 1: 73.
- 1961c. Review of current work in vertebrate zoology (exclusive of birds and marine forms). 1: 83.
- 1961d. Recent publications on the Caribbean area: Vertebrate zoology (excluding birds and marine forms). 1: 118.
- 1961e. Recent publications on the Caribbean area: Herpetology. 1: 153.
- 1962a Recent publications on the Caribbean area: Herpetology. 2: 46.
- 1962b. Recent publications on the Caribbean area: Herpetology. 2: 86.
- 1962c. Recent publications on the Caribbean area: Herpetology. 2: 178.
- 1963a. Ecologic segregation of two species of tropical frogs of the genus Eleutherodactylus. 3: 17.
- 1963b. Recent publications on the Caribbean area: Herpetology. 3: 187.
- 1963c. Recent publications received on the Caribbean area: Herpetology. 3: 251.
- 1964. Recent publications received on the Caribbean area: Herpetology. 4: 447.
- 1964 (1965). Recent publications received on the Caribbean area: Herpetology. 4: 554.
- 1965 (1966)a. Factors affecting evaporative loss in Eleutherodactylus: Abs. 5: 176.
- 1965 (1966)b. Recent publications received on the Caribbean area: Herpetology. 5: 179.
- 1968 (1968). Defensive behaviour on some Panamanian scorpions. 7: 15.
- , Larry Kelts, Richard Levins and Frank Torres. 1963. Faunal notes on Culebra Island, Puerto Rico. 3: 29.
- , Donald S. Sade and Richard Hildreth. 1963. Herpetogeography of Puerto Rico. 1. Herpetofauna of Cayo Santiago and Cayo Batata. 3: 1.

- Heatwole, Harold, see also Levins, Richard, 1963; Ortley, Edward, 1965 (1966); Rolle, Francis J., Richard Levins and Frank Torres, 1964; Sexton, Owen J., 1965 (1966); Sexton, Owen J. and Dennis Knight, 1964; Sexton, Owen J., 1965 (1966) 2.
- Hedges, S. Blair. 1987 (1988). Vocalization and habitat preference of the Jamaican treefrog *Hyla mariana* (Anura: Hylidae). 23: 380.
- . 1989. Geographic protein variation in the Jamaican blind snake, *Typhlops jamaicensis* (Serpentes: Typhlopidae). 25: 93.
- . 1989 (1990). An island radiation: Allozyme evolution in Jamaican frogs of the genus *Eleutherodactylus* (Leptodactylidae). 25: 123.
- Hellebuyck G, Victor J., see Greding, Edward J., Jr., 1980 (1981).
- *Henderson, Robert W. 1989 (1990). A new subspecies of *Alsophis antiguae* (Serpentes: Colubridae) from Great Bird Island (Antigua), Lesser Antilles. 25: 119.
- Hildreth, Richard, see Heatwole, Harold and Donald S. Sade, 1963.
- Hirth, Harold F. and Douglas A. Samson. 1987 (1988). Nesting behavior of green turtles (*Chelonia mydas*) at Tortuguero, Costa Rica. 23: 374.
- Hoffman, Charles A., Jr., see Wing, Elizabeth S. and Clayton E. Ray, 1968.
- Irizarry, Maria de los Angeles, see Rivero, Juan A. and Lucille Oliver, 1987.
- Iverson, John B. 1986 (1987). Notes on the natural history of the Caicos Islands dwarf boa, *Tropidophis greenwayi*. 22: 191.
- Izquierdo, Ivette, see Rivero, Juan A., Horacio Mayorga and Ernesto Estremera, 1980 (1981).
- Joglar, Rafael. 1983. Estudio fenetico del genero *Eleutherodactylus* en Puerto Rico. 19 (3-4): 33.
- and Juan A. Rivero. 1986. Simonimia de *Eleutherodactylus ramosi* Rivero. 22: 123.
- Joglar, Rafael, see also Rivero, Juan A. and Idabelle Vasquez, 1982.
- Jones, Kirkland L. 1980 (1981). Frog diversity in the Lesser Antilles. 16: 19.
- Keiser, Edmund D., Jr. 1969. Evidence of a dichromatic population of the vine snake *Oxybelis fulgidus* (Daudin) on the Islas de la Bahia of Honduras. 9: 31.
- Kelts, Larry, see Heatwole, Harold, Richard Levins and Frank Torres, 1963.
- Kenny, Julian S. 1966 (1967). Nest building in *Phyllomedusa trinitatis* Mertens. 6: 15.
- . 1968. Early development and larval natural history of *Phyllomedusa trinitatis* Mertens. 8: 35.
- Knight, Dennis, see Sexton, Owen J. and Harold Heatwole, 1964.

- LaMarca, Enrique and Hobart M. Smith. 1982. The anuran named Hyla loveridgei Rivero. 18: 21.
- Lang, Jeffrey W., see Garrick, Leslie D. and Robert L. Sutton, 1985.
- Leon, J. R. 1975. Desarrollo temprano y notas sobre la historia natural de la larva de Hyla x-signata (Amphibia: Hylidae). 15 (1-2): 57.
- and Luis J. Cova. 1973. Reproduccion de Cnemidophorus lemniscatus (Sauria: Teiidae) en Cumana, Venezuela. 13: 63.
- and Lilia J. Ruiz. 1971 (1972). Reproduccion de la lagartija, Ameiva bifrontata (Sauria: Teiidae) 11: 195.
- Leon, J. R., see also Perez, J. E. and C. Ojeda, 1975.
- Levins, Richard and Harold Heatwole. 1963. On the distribution of organisms on islands. 3: 173.
- Levins, Richard, see also Heatwole, Harold, Larry Kelts and Frank Torres, 1963; Rolle, Francis J., Harold Heatwole and Frank Torres, 1964.
- Liburd, Eugene McLaren, see Martinez-Albelo, L. E., 1963.
- Lieb, Carl S., see Gorman, George C. and Robert H. Harwood, 1984.
- Lofton, Horace. 1965 (1966). On unusual distributional records from the Panama Canal Zone region. 5: 83.
- Lopez, Georgina Espinosa, Caridad Gonzalez Suarez and Vicente Berovides Alvarez. 1985. Albumina de suero y esterasas de musculo en poblaciones de Anolis porcatus Gray 1840 del Occidente de Cuba. 21: 55.
- McCarthy, Timothy J. 1982. A note on the reproduction in Laemanctus longipes in Belize (Sauria: Iguanidae). 18: 133.
- McFarlane, Donald A. and Kimball L. Garrett. 1989. The prey of common barn-owls (Tyto alba) in dry limestone scrub forest of southern Jamaica. 25: 21.
- McManus, J. J. and D. W. Nellis. 1975. The critical thermal maximum of the marine toad, Bufo marinus. 15 (1-2): 67.
- Maldonado, Angel A., see Ortiz, Evelina, 1966 (1967).
- Maldonato, Janaro, see Rivero, Juan A. and Horacio Mayorga, 1963.
- Martinez-Albelo, L. E. and Eugene McLaren Liburd. 1963. Blood sugar studies in the toad Bufo marinus. 3: 129.
- Mayorga, Horacio. 1964. Metodo rapido para transparentar anfibios y colorear sus esqueletos. 4: 323.
- 1967 (1968). Informe sobre una colección de anfibios (Salientia) procedentes de Nicaragua. 7: 69.
- 1970 (1971). Espectacular ejemplar de Bufo marinus procedente de Puerto Rico. 10: 123.
- Mayorga, Horacio, see also Rivero, Juan A. and Jenaro Maldonado, 1963; Rivero, Juan A., 1963, 1973; Rivero, Juan A., Ernesto Estremera and Ivette Izquierdo, 1980 (1981).
- Mettrick, D. F. and L. C. Dubnley. 1968. Observations on the occurrence, growth, and morphological variation of the trematode, Mesocoelium danforthi Hoffman, 1935, in

Jamaica. 8: 71.

Nellis, D. W., see McManus, J. J., 1975.

Ojeda, G., see Perez, J. E. and J. R. Leon, 1975.

Oliver, Lucille, see Rivero, Juan A. and Maria de los Angeles Irizarry, 1987.

Ortiz, Evelina and Angel A. Maldonado. 1966 (1967).

Pteridine accumulation in lizards of the genus Anolis.
6: 9.

Ortleb, Edward and Harold Heatwole. 1965 (1966). Comments on some Panamian lizards with a key to the species from Barro Colorado Island, C. Z. and vicinity. 5: 141.

Pefaur, Jaime E. 1987. First record of Colostethus (Dendrobatidae) in the llanos of Venezuela. 23: 338.

Perez, J. E., G. Ojeda and J. R. Leon. 1975. Analisis electroforetico de esterasas, hemoglobina y proteinas no enzimaticas en algunas especies de la familia Hylidae (Anura). 15 (1-2): 79.

Perez-Rivera, Raul A. 1985. Nota sobre el habitat, los habitos alimentarios y los depredadores del lagarto Anolis cuvieri (Lacertilia: Iguanidae) de Puerto Rico. 21: 101.

Ray, Clayton E., see Wing, Elizabeth S. and Charles A.

Hoffman, Jr., 1968.

Reagan, Douglas P. 1984. Ecology of the Puerto Rican boa (Epicrates inornatus) in the Lumquillo Mountains od Puerto Rico, 20: 119.

Rivero, Juan A. 1963a. The distribution of Venezuelan frogs. I. The Maracaibo Basin. 3: 7.

----- 1963b. Hyla ginesi, a new name for Hyla loveridgei Rivero. 3: 28.

----- 1963c. The distribution of Venezuelan frogs. II. The Venezuelan Andes. 3: 87.

----- 1963d. Five new species of Atelopus from Colombia, with notes on other forms from Colombia and Ecuador. 3 (2-3): 103.

----- 1963e. The distribution of Venezuelan frogs. III. The Sierra de Perija and the Falcon Region. 3: 197.

----- 1964a. Salientios (Amphibia) en la colección de la Sociedad de Ciencias Naturales La Salle de Venezuela. 4: 297.

----- 1964b. The distribution of Venezuelan frogs. IV. The Coastal Range. 4: 307.

----- 1964c. The distribution of Venezuelan frogs. V. The Venezuelan Guayana. 4: 411.

----- 1964 (1965). The distribution of Venezuelan frogs. VI. The Llanos and the Delta Region. 4: 491.

----- 1965 (1966). Notes on the Andean salientian (Amphibia) Atelopus ignescens (Cornalia). 5: 137..

----- 1966 (1968): Notes on the genus Cryptobatrachus (Amphibia, Salientia) with description of a new race and four new species of a new genus of hylid frogs. 6: 137.

- 1967 (1968)a. Anfibios coleccionados por la Expedicion Franco-Venezolana al Alto Orinoco 1951-1952. 7: 145.
- *----- 1967 (1968)b. A new race of Otophryne robusta Boulenger (Amphibia, Salientia) from the Chimanta-Tepui of Venezuela. 7: 155.
- *----- 1968. More on the Atelopus (Amphibia, Salientia) from western South America. 8: 19.
- *----- 1969 (1970). A new species of Hyla (Amphibia, Salientia) from the region of Paramo de Tama, Venezuela. 9: 145.
- *----- 1971. Tres nuevos records y una nueva especie de anfibios de Venezuela. 11: 1.
- *----- 1971 (1972). Notas sobre los anfibios de Venezuela. I. Sobre los hilidos de la Guayana Venezolana. 11: 181.
- *----- 1984a. Una nueva especie de Eleutherodactylus (Amphibia, Leptodactylidae) Cabezon de Antioquia, Colombia. 20: 101.
- 1984b. Sobre las relaciones y el origen de los Eleutherodactylus (Amphibia: Leptodactylidae). 29: 139.
- *----- 1986. Descripcion de una nueva especie de Eleutherodactylus (Amphibia: Leptodactylidae) del subgrupo myersi, con anotaciones sobre las relaciones y el origen de ese grupo de especies. 22: 107.
- *----- and Humberto Granados Diaz. 1989 (1990). Nuevos Colostethus (Amphibia, Dendrobatidae) del Departamento de Cauca, Colombia. 25: 148.
- , Rafael Joglar and Idabelle Vazquez. 1982. Cinco nuevos ejemplares del culebron de la Mona Epicrates m. monensis (Ophidia: Boidae). 17: 7.
- , Jenaro Maldonado and Horacio Mayorga. 1963. On the habits and food of Eleutherodactylus karlschmidti Grant. 3: 25.
- and Horacio Mayorga. 1963: Notes on the distribution of some Puerto Rican frogs with a discussion on the possible origin of Eleutherodactylus locustus. 3: 81.
- *----- and ----- 1973. Un nuevo Eleutherodactylus (Amphibia, Salientia) del Paramo de Guaramacal, Estado Trujillo, Venezuela. 13: 75.
- , -----, Ernesto Estremera and Ivette Izquierdo. 1980 (1981). Sobre el Bufo lemur (Cope) (Amphibia, Bufonidae). 15 (3-4): 33.
- , Lucille Oliver and Maria de los Angeles Irizarry. 1987. Los discos digitales de tres Eleutherodactylus (Anura: Leptodactylidae) de Puerto Rico, con anotaciones sobre los mecanismos de adhesion en las ranas. 23: 226.
- *----- and Marco A. Serna. 1984. Una nueva Pseudopaludicola (Amphibia: Leptodactylidae) cornuda del sureste de Colombia. 20: 169.
- *----- and ----- 1985a. Nota sobre el Atelopus nicefori Rivero, con la descripcion de una especie de Atelopus (Amphibia: Bufonidae) de Colombia. 21: 79.
- and ----- 1985b. Sobre la identificacion de los Colostethus (Amphibia: Dendrobatidae) de Colombia. 21: 143.

- *----- and ----- 1987 (1988). Tres nuevas especies de Eleutherodactylus (Amphibia: Leptodactylidae) de Antioquia, Colombia. 23: 386.
- and ----- 1988. La identificacion de los Colostethus (Amphibia, Dendrobatidae) de Colombia. 24: 137.
- *----- and ----- 1989. Una nueva especie de Atelopus (Amphibia, Bufonidae) de Colombia. 25: 36.
- Rivero, Juan A., see also Joglar, Rafael L., 1986.
- Rolle, Francis J., Harold Heatwole, Richard Levins and Frank Torres. 1964. Faunal notes on Monito Island, Puerto Rico. 4: 321.
- Ruiz, Lilia J., see Leon, Juan R., 1971 (1972).
- Sade, Donald S., see Heatwole, Harold and Richard Hildreth, 1963.
- Samson, Douglas A., see Hirth, Harold F., 1987 (1988).
- *Schwartz, Albert. 1964. A review of Sphaerodactylus vincenti on the southern Windward Islands. 4: 391.
- *----- 1964 (1965). Two new species of Eleutherodactylus from the eastern Cordillera Central of the Republica Dominicana. 4: 473.
- *----- 1965 (1966). The Ameiva (Reptilia: Teiidae) of Hispaniola. I. Ameiva lineolata Dumeril and Bibron. 5: 45.
- *----- 1969. A review of the Hispaniolan lizard Anolis coelestinus Cope. 9: 33.
- *----- 1970 (1971). The subspecies of Eleutherodactylus schmidti Noble (Anura: Leptodactylidae). 19: 109.
- and Orlando Garrido. 1971. The status of Anolis alutaceus olivicolus Barbour and Shreve. 11: 11.
- Serna, Marco A., see Rivero, Juan A., 1984, 1985a, 1985b, 1987 (1988), 1988, 1989.
- Sexton, Owen J. 1980 (1981). Comments on the reproductive cycle of Anolis limifrons (Sauria: Iguanidae) at Turrialba, Costa Rica. 16: 13.
- and Harold Heatwole. 1965 (1966). Life history notes on some Panamanian snakes. 5: 39.
- , ----- and Dennis Knight. 1964. Correlation of microdistribution of some Panananian reptiles and amphibians with structural organization of the habitat. 4: 261.
- Smith, Hobart M., see LaMarca, Enrique, 1982; Williams, Kenneth L., 1966 (1968).
- Suarez, Caridad Gonzalez, see Lopez, Georgina Espinosa and Vicente Berovides Alvarez, 1985.
- Sutton, Robert L., see Gerrick, Leslie D. and Jeffrey W. Lang, 1985.
- Tamsitt, J. R., see Valdivieso, Dario, 1963.
- Test, Frederick H. 1963. A protective behavior pattern in a Venezuelan frog of mountain streams. 3: 125.
- *Thomas, Richard. 1964. The races os Sphaerodactylus fantasticus Dumeril and Bibron in the Lesser Antilles. 4: 373.
- Torres, Frank, see Heatwold, Harold, Larry Kelts and Richard

- Levins, 1963; Rolle, Francis J., Harold Heatwole and Richard Levins, 1964.
- Valdes, Albert. 1988 (1989). Systematic comments on Peltophryne peltcephala (Anura: Bufonidae) in the Cuban Archipelago. 24: 39.
- . 1989. Notas sobre Sminthillus limbatus (Cope). 25: 96.
- Valdivieso, Dario and J. R. Tamsitt. 1963. A checklist and key to the amphibians and reptiles of Providencia and San Andres. 3: 77.
- Varona, Luis F. 1984. Los crocodrilos fosiles de Cuba (Reptilia: Crocodylidae). 20: 13.
- . 1987. The status of Crocodylus acutus in Cuba. 23 (2): 256.
- Vazques, Idabelle, see Rivero, Juan A. and Rafael Joglar, 1982.
- Villa, Jaime. 1970 (1971). The snake Hydromorphus in Nicaragua, with a description of its hemipenis. 19: 119.
- . 1972. Amphibians of the Corn Islands, Caribbean Nicaragua. 12: 195.
- Wetherbee, David Kenneth. 1988 (1989). The Artibonito-Massacre Faunal Corridor in Republica Dominicana. 24: 23.
- Wilcox, Karen,, Jeanne Y. Carter and L. V. Wilcox, Jr., 1973. Range extension of Cyclura figginsi Barbour in the Bahamas. 13: 211.
- Wilcox, L. V., Jr., see Wilcox, Karen and Jeanne Y. Carter, 1973.
- Williams, Kenneth L. and Hobart M. Smith. 1966 (1968). Noteworthy lizards of the genus Anolis from Costa Rica. 6: 163.
- Wing, Elizabeth S. 1969. Vertebrate remains excaveted from San Salvador Island, Bahamas. 9: 25.
- . 1973. Notes on the faunal remains excavated from St. Kitts, West Indies. 13: 253.
- , Charles A. Hoffman, Jr. and Clayton E. Ray. 1968. Vertebrate remains from indian sites om Antigua, West Indies. 8: 123.

SCIENTIFIC NAME INDEX

- Acris* 14: 167.
Acris gryllus 23: 226.
Agalychnis callidryas 6:
 167; 12: 195.
Agalychnis helenae 7: 69.
Agama 5: 95.
Agama hispida 8: 105.
Alsophis anegadae 12: 79.
Alsophis antiguae antiguae
 25: 119.
Alsophis antiguae sajdaki
 25: 119.
Alsophis antillensis 25:
 119.
Alsophis leucomelas 25:
 119.
Alsophis leucomelas
 antiguae 8: 123.
Alsophis portoricensis 3:
 1.
Alsophis portoricensis
 anegadae 12: 79.
Alsophis rijersmai 25: 119.
Alsophis rufiventris 13:
 253; 25: 119.
Amblyrhynchus cristatus
 22: 159.
Ameiba auberi citra 22:
 165.
Ameiba auberi galbiceps
 22: 165.
Ameiba auberi llanensis
 22: 165.
Ameiva 1: 83; 4: 321.
Ameiva alboguttata 1: 32;
 12: 79.
Ameiva ameiva 5: 141.
Ameiva ameiva ameiva 8:
 105.
Ameiva ameiva fuliginosa
 3: 77.
Ameiva ameiva
 melanocephala 8: 105.
Ameiva ameiva praesignis
 8: 105.
Ameiva ameiva vogli 8: 105.
Ameiva auberi abducta 22:
 165.
Ameiva auberi atrothorax
 22: 165.
Ameiva auberi auberi 22:
 65.
- Ameiva auberi cacuminis*
 22: 165.
Ameiva auberi denticola
 22: 165.
Ameiva auberi extorris 22:
 165.
Ameiva auberi extraria 22:
 165.
Ameiva auberi galbiceps
 22: 165.
Ameiva auberi garridoi 22:
 165.
Ameiva auberi gemmea 22:
 165.
Ameiva auberi granti 22:
 165.
Ameiva auberi hardyi 22:
 165.
Ameiva auberi llanensis
 22: 165.
Ameiva auberi marcida 22:
 165.
Ameiva auberi
 nigriventris 22: 165.
Ameiva auberi oriandoi
 22: 165.
Ameiva auberi paulsoni
 22: 165.
Ameiva auberi peradusta
 22: 165.
Ameiva auberi procer 22:
 165.
Ameiva auberi pullata 22:
 165.
Ameiva auberi sabulicolor
 22: 165.
Ameiva auberi
 sanfelipensis 22: 165.
Ameiva auberi schwartzii
 22: 165.
Ameiva auberi secta 22:
 165.
Ameiva auberi sublesta 22:
 165.
Ameiva auberi ustulata 22:
 165.
Ameiva auberi zugii 22: 165.
Ameiva barbouri 5: 45.
Ameiva beatensis 5: 45.
Ameiva bifrontata 11: 195.
Ameiva bifrontata
 bifrontata 8: 105.

- Ameiva bifrontata insulana*
 8: 105.
Ameiva chrysolaema 5: 45.
Ameiva exsul 2: 105; 3:1;
 4: 435; 5: 95; 5: 99; 8:
 71; 12: 79.
Ameiva festiva 5: 141;
 11: 195.
Ameiva griswoldi 8: 123.
Ameiva insulana 8: 105.
Ameiva leptophrys 4: 261;
 5: 141.
Ameiva lineata 24: 23.
Ameiva lineolate 24: 23.
Ameiva lineolata beatensis
 5: 45.
Ameiva lineolata lineolata
 5: 45.
Ameiva lineolata meracula
 5: 45.
Ameiva lineolata
perplicata 5: 45.
Ameiva lineolata privigna
 5: 45.
Ameiva lineolata semota
 5: 45.
Ameiva quadrilineata 11:
 195.
Ameiva taeniura 5: 45;
 24: 23.
Ameiva undulata 13: 63.
Amphignathodon 6: 137.
Amphisbaena alba 8: 105.
Amphisbaena fenestrada 12:
 79.
Amphisbaena fuliginosa 5:
 141; 12: 79.
Amphisbaena fuliginosa
amazonica 8: 105.
Amphisbaena fuliginosa
fuliginosa 8: 105.
Amphisbaena fuliginosa
varia 8: 105.
Amphisbaena gonavensis 5:
 45.
Amphisbaena manni 24: 23.
Amphisbaena rozei 8: 105.
Amphisbaena spurrelli 8:
 105.
Amphisbaena varia 8: 105.
Anadia bitaeniata 8: 105.
Anadia blakei 8: 105.
Anadia bogotensis 8: 105.
Anadia duquei 8: 105.
Anadia pamplonensis 8:105.
- Anadia steyeri* 8: 105.
Anolis 1: 83; 11: 195; 17:
 7; 20: 119; 25: 123.
Anolis acutus 6: 9.
Anolis aeneus 8: 105; 21:
 55.
Anolis albi 8: 105.
Anolis aliniger 9: 33; 24:
 23.
Anolis allisoni 13: 199.
Anolis allegogus 12: 59; 13:
 199.
Anolis alutaceus 6: 23;
 19: 71.
Anolis alutaceus
alutaceus 11: 11.
Anolis alutaceus
cliviculus 11: 11.
Anolis angusticeps 19: 71.
Anolis angusticeps
angusticeps 6: 23.
Anolis angusticeps
chickcharneyi 6: 23.
Anolis angusticeps
oligaspis 6: 23.
Anolis angusticeps
paternus 6: 23; 12: 59.
Anolis argenteolus 19: 71.
Anolis auratus 5: 141; 8:
 105.
Anolis bahorucoensis 10:
 109.
Anolis barkeri 11: 17.
Anolis bimaculatus 20:145.
Anolis biporcatus 5: 141;
 14: 167; 20: 145.
Anolis biscutiger 6: 163;
 13: 215.
Anolis bonairensis
blanquillanus 8: 105.
Anolis bremeri bremeri 12:
 59.
Anolis bremeri
insulaepinorum 12: 59.
Anolis brevirostris 21:55.
Anolis capito 4: 261; 5:
 141; 11: 17; 20: 145.
Anolis carolinensis 6: 9;
 14: 167; 19: 71; 21: 55.
Anolis carpenteri 14: 167.
Anolis chlorocyanus 9: 33;
 24: 23.
Anolis chrysolepis 8: 105.
Anolis clivicola 11: 11.
Anolis cliviculus 11: 11.

- Anolis coelestinus
 coelestinus 9: 33.
 Anolis coelestini
 demissus 9: 33.
 Anolis coelestinus
 pecuarius 9: 33.
 Anolis concolor concolor
 3: 77.
 Anolis cristatellus 2: 105;
 4: 435; 5: 99; 6: 9; 13:
 199; 20: 145; 21: 55.
 Anolis cristatellus
 cristarellus 3: 1.
 Anolis cristatellus
 wileyae 12: 79.
 Anolis cupreus 6: 163;
 13: 199; 13: 215.
 Anolis cuvieri 4: 435; 6:
 9; 21: 101.
 Anolis cybotes 24: 23.
 Anolis cybotes armouri 11:
 11.
 Anolis cybotes cybotes 11:
 11.
 Anolis de la sagrae 8:
 105.
 Anolis distichus 24: 23.
 Anolis dollfusianus 13:
 215.
 Anolis dunni 20: 145.
 Anolis eewi 8: 105.
 Anolis equestris 25: 96.
 Anolis evermanni 2: 105;
 4: 435; 5: 99; 6: 9; 13:
 199; 20: 145.
 Anolis extremus 20: 145.
 Anolis fraseri 4: 261.
 Anolis frenatus 4: 261; 5:
 141; 11: 17; 20: 145.
 Anolis fuscoaurantus
 kugleri 8: 105.
 Anolis gadovi 20: 145.
 Anolis garmani 20: 145;
 25: 21.
 Anolis gentilis 8: 105.
 Anolis gibbiceps 8: 105.
 Anolis grahami 20: 145.
 Anolis greyi 12: 59.
 Anolis guazuma 19 (3-4):
 71.
 Anolis gundlachi 2: 105;
 4: 435; 5: 99; 6: 9; 13:
 199
 Anolis hoffmanni 6: 163.
 Anolis homolechis 12: 59;
 13: 199; 19: 71.
 Anolis humilis humilis 6:
 163.
 Anolis humilis
 marsupialis 6: 163.
 Anolis intermedius 13:
 199; 13: 215.
 Anolis isolepis 19: 71.
 Anolis isthemicus 20: 145.
 Anolis jacare 8: 105.
 Anolis krugi 4: 435; 6: 9;
 13: 199.
 Anolis kugleri 8: 105.
 Anolis latirostris 9: 33.
 Anolis lemniscatus 8: 105.
 Anolis lemurinus 5: 141;
 13: 215; 14: 167; 20: 145.
 Anolis lineatopus 21: 101.
 Anolis liogaster 20: 145.
 Anolis limifrons 4: 261;
 5: 39; 5: 141; 13: 199;
 20: 145; 16: 13.
 Anolis lionotus 5: 141; 6:
 163; 11: 17; 13: 215.
 Anolis loysiana 19: 71.
 Anolis lucius 13: 199.
 Anolis luteogularis 20:
 145.
 Anolis luteogularis
 delacruzi 22: 165.
 Anolis macrinii 20: 145.
 Anolis microlepidotus 20:
 145.
 Anolis monensis 1: 32; 4:
 321; 12: 79.
 Anolis nebulosus 13: 199;
 20: 145.
 Anolis nitens 8: 105.
 Anolis occultus 15: 29;
 19: 71.
 Anolis oculatus 13: 199.
 Anolis olssoni 24: 23.
 Anolis omiltemanus 20: 145.
 Anolis ordinatus 8: 105.
 Anolis paternus 19: 71.
 Anolis pentaprion 5: 141;
 6: 163; 11: 17; 13: 215;
 14: 167.
 Anolis petersi 20: 145.
 Anolis poecilopus 11: 17.
 Anolis polylepis 13: 199.
 Anolis poncensis 4: 435;
 6: 9; 13: 199.

- Anolis porcatus* 6: 23; 19
 (3-4): 71; 21: 55; 21:
 101.
Anolis portatus 21: 55.
Anolis pulchellus 3: 1; 4:
 435; 5: 99; 6: 9; 12:
 79; 13: 199; 15(3-4): 29.
Anolis punctatus 8: 105.
Anolis quadriocellifer 12:
 59.
Anolis quercorum 20: 145.
Anolis richardi 21: 101.
Anolis ricordi 24: 23.
Anolis roosevelti 12: 79.
Anolis roquet 21: 55.
Anolis roquet aeneus 8:
 105.
Anolis rosenbergi 8: 105.
Anolis rubribarbus 12: 59.
Anolis sagrae 8: 105.
Anolis sagrai 20: 145.
Anolis sagrei 13: 199.
Anolis sagrei sagrei 12:
 59.
Anolis schiedi 8: 105.
Anolis scriptus 22: 191.
Anolis scypheus 8: 105.
Anolis semilineatus 24: 23.
Anolis sericeus 13: 215.
Anolis spectrum 25: 96.
Anolis squamulatus 8: 105.
Anolis stigmosus 8: 105.
Anolis stratulus 3: 1; 4:
 435; 6: 9; 12: 79; 13:
 199.
Anolis subocularis 20: 145.
Anolis taylori 20: 145.
Anolis trinitatis 8: 105;
 21: 55.
Anolis transversalis 8:
 105.
Anolis tropidogaster 4:
 261; 8: 105; 11: 17.
Anolis valencienni 20: 145.
Anolis vittigerus 4: 261.
Anolus pulchellus 21: 101.
Anotheca spinosa 23: 226.
Antillophis parvifrons 24:
 23.
Argalia marmorata 8: 105.
Argalia olivacea 8: 105.
Aristelliger 12: 79.
Aristelliger georgeensis
 3: 77.
- Aristelliger hechti* 22:
 191.
Arthrosaura tatei 8: 105.
Arthrosaura tyleri 8: 105.
Atelopus 1: 83.
Atelopus bibronii 3: 103;
 25: 36.
Atelopus bicolor 3: 103;
 8: 19.
Atelopus boulengeri 3:
 103; 8: 19.
Atelopus boussingaulti 8:
 19.
Atelopus bufoniformis 3:
 103; 8: 19.
Atelopus carinatus 3: 103;
 5: 137; 8: 19.
Atelopus carauta 25: 36.
Atelopus carrikeri 3: 87;
 3: 103; 25: 36.
Atelopus certus 3: 103.
Atelopus cruciger 3: 103;
 8: 19; 25: 36.
Atelopus cruciger cruciger
 3: 87; 4: 307.
Atelopus cruciger vogli 3:
 87; 4: 307.
Atelopus ebenoides 3: 103;
 25: 36.
Atelopus echeverrii 21:
 79: 25: 36.
Atelopus elegans 25: 36.
Atelopus elegans gracilis
 3: 103.
Atelopus festae 3: 103; 8:
 19.
Atelopus flavescens 8: 19.
Atelopus flaviventris 3:
 103; 5: 137.
Atelopus glyphus 25: 36.
Atelopus gracilis 3: 103.
Atelopus ignescens 8: 19;
 25; 25: 36.
Atelopus ignescens exigua
 3: 103.
Atelopus ignescens
 ignescens 5: 137.
Atelopus ignescens
 subornatus 5: 137.
Atelopus laevis exigua 3:
 103.
Atelopus longibrachius 3:
 103; 8: 19; 25: 36.

- Atelopus longirostris* 8:
 19.
Atelopus longirostris
marmoratus 3: 103.
Atelopus lynchi 25: 36.
Atelopus minutulus 25: 36.
Atelopus nicefori 3: 103; ·
 8: 19: 21: 79; 25: 36.
Atelopus oxyrhynchus 3:
 87; 4: 297; 8: 31.
Atelopus pachydermus 3:
 103; 5: 137; 8: 19; 25: 36.
Atelopus palmatus 3: 103;
 8: 19.
Atelopus pedimarmoratus 3:
 103; 25: 36.
Atelopus pictiventris 25:
 36.
Atelopus planispinus 3:
 103.
Atelopus pulcher 3: 103;
 8: 19.
Atelopus sanjosei 25: 36.
Atelopus seminiferus 8: 19.
Atelopus spumarius 3: 103.
Atelopus spumarius andinus
 8: 19.
Atelopus spurelli 3: 103;
 8: 19; 25: 36.
Atelopus subornatus 3:
 103; 5: 137; 25: 36.
Atelopus varius 25: 36.
Atelopus varius certus 3:
 103.
Atelopus varius glyphus
 25: 36.
Atelopus walkeri 3: 87; 3:
 103.
Atelopus zeteki 5: 83.

Bachia allenii trinitatis
 8: 105.
Bachia anomala 8: 105.
Bachia bicolor 8: 105.
Bachia cophias 8: 105.
Bachia heteropa 8: 105.
Bachia lineata lineata 8:
 105.
Bachia lineata marcelae 8:
 105.
Bachia marcelae 8: 105.
Bachia parkeri 8: 105.
Bachia talpa 8: 105.
Basiliscus 1: 83.
Basiliscus barbouri 8: 105.

Basiliscus basiliscus 4:
 261; 5: 39; 5: 141; 11:
 17.
Basiliscus basiliscus
basiliscus 8: 105.
Basiliscus basiliscus
barbouri 8: 105.
Basiliscus vittatus 11:
 195.
Blepharactisis speciosa 8:
 105.
Boa constrictor 14: 167.
Boa constrictor orophias
 22: 219.
Boa hortulana 5: 39.
Bothrops atrox 4: 261; 5:
 39.
Bothrops schlegeli 14:
 167.
Bothrops venezuelae 5: 39.
Bufo 1: 83; 10: 211; 23:
 380; 24: 39.
Bufo agua 10: 123.
Bufo alatus 4: 297.
Bufo americanus 15: 79.
Bufo cataulacipes 6: 23;
 12: 59.
Bufo ceratophrys 4: 411.
Bufo coccifer 7: 69; 12:
 91; 16: 23.
Bufo coerulescens 12: 91.
Bufo coniferus 7: 69; 12:
 91.
Bufo fastidiosus 12: 91.
Bufo fowleri 11: 203.
Bufo gabbi 12: 91.
Bufo granulosus 11: 1; 15:
 57.
Bufo granulosus barbouri
 7: 145.
Bufo granulosus beebei 7:
 145.
Bufo granulosus granulosus
 3: 6; 4: 307; 4: 411; 4:
 491.
Bufo granulosus humboldti
 7: 145.
Bufo granulosus merianae
 7: 145.
Bufo guttatus glaberrimus
 7: 145.
Bufo guttatus guttatus 4:
 411; 7: 145.
Bufo haematiticus 12: 91.
Bufo holdridgei 12: 91.

- Bufo ictericus* 7: 145.
Bufo lemur 15 (3-4): 33.
Bufo lemus 12: 79.
Bufo leutkenii 7: 69; 12: 91.
Bufo luetkenni 7: 69.
Bufo marinus 3: 25; 3: 129; 3: 197; 3: 213; 4: 261; 5: 39; 5: 95; 5: 137; 8: 71; 11: 203; 12: 91; 15 (1-2): 57; 15 (1-2): 67; 15 (3-4): 33; 16: 23; 20: 71: 24: 23.
Bufo marinus marinus 3: 1; 3: 7; 3: 29; 3: 87; 4: 297; 4: 307; 4: 411; 4: 491; 7: 69; 7: 145; 10: 123.
Bufo melanochorus 7: 69; 12: 91.
Bufo paracnemis 7: 145.
Bufo periglenes 12: 91.
Bufo rangeri 15(1-2) 79.
Bufo regularis 15 (1-2): 79.
Bufo sternosignatus 4: 297; 4: 307; 7: 145.
Bufo terrestris 11: 203.
Bufo turpis 15 (3-4): 33.
Bufo typhonius 4: 261; 4: 297; 5: 39; 11: 1.
Bufo typhonius alatus 3: 6; 3: 87; 4: 297: 4: 307; 7: 145.
Bufo typhonius typhonius 4: 307; 4: 411; 7: 145.
Bufo valliceps 4: 307; 11: 203; 12: 195.
Bufo valliceps valliceps 7: 69.
Bufo woodhousei fowleri 11: 203.

Cadea blanoides 12: 59.
Cadea palirostrata 12: 59.
Calliscincopus agilis 8: 105.
Calyptahyla crucialis 21: 159; 23: 380.
Caretta caretta 8: 123; 23: 374.
Celestus 14: 167.
Celestus costatus 24: 23.
Celestus pleii 4: 435.
Centrolene buckleyi 3: 87.

Centrolenella 23: 226.
Centrolenella fleischmanni 7: 69.
Centronella pulidoi 11: 181.
Centropix intermedius 8: 105.
Ceratohyla bubalus 6: 137.
Ceratophrys calcarata 3: 6: 4: 411.
Cercosaura humilis 8: 105.
Cercosaura ocellata 8: 105.
Chalcides heteropa 8: 105.
Chamaesaura cophias 8: 105.
Chelonia depressa 23: 374.
Chelonia mydas 23: 374.
Chironius 5: 99.
Chironius carinatus 5: 39.
Clelia clelia 4: 261; 5: 39.
Cnemidophorus 11: 195.
Cnemidophorus deppii 13: 63.
Cnemidophorus guttatus 13: 63.
Cnemidophorus lemniscatus 4: 261; 13: 63.
Cnemidophorus lemniscatus lemniscatus 3: 77; 5: 39; 8: 105.
Cnemidophorus lemniscatus nigricolor 8: 105.
Cnemidophorus lineatissimus 13: 63.
Cnemidophorus nigricolor 8: 105.
Cnemidophorus praesignis 8: 105.
Cochranella 4: 411.
Cochranella buckleyi 4: 307.
Cochranella fleischmanni 4: 307.
Coelonotus 6: 137.
Coleodactylus amazonicus 8: 105.
Coleodactylus meridionalis 8: 105.
Coleodactylus zenyi 8: 105.
Colostethus 20: 139.
Colostethus abditaurantius 21: 143; 24: 137.
Colostethus agilis 24: 137; 25: 148.

- Colostethus alacris* 25:
 148.
- Colostethus brachistriatus*
 24: 137.
- Colostethus breviquartus*
 24: 137; 25: 148.
- Colostethus brunneus* 21:
 143; 24: 137.
- Colostethus chocoensis* 21:
 143; 24: 137.
- Colostethus collaris* 12:
 191; 23: 338.
- Colostethus duranti* 23:
 338.
- Colostethus edwardsi* 21:
 143; 24: 137.
- Colostethus fraterdanielli*
 21: 143; 24: 137; 25: 148.
- Colostethus fuliginosus*
 21: 143; 24: 137.
- Colostethus humilis* 23:
 338.
- Colostethus imbricolus* 21:
 143; 24: 137.
- Colostethus inguinalis* 21:
 143; 24: 137.
- Colostethus kingsburyi* 21:
 143; 24: 137.
- Colostethus latinus* 21:
 143; 23: 226; 24: 137.
- Colostethus lehmanni* 21:
 143; 24: 137; 25: 148.
- Colostethus leopardalis*
 23: 338.
- Colostethus littoralis* 23:
 338.
- Colostethus marchesianus*
 21: 143; 24: 137.
- Colestethus meridensis* 12:
 191.
- Colostethus mertensi* 21:
 143; 24: 137; 25: 148.
- Colostethus nubicola* 21:
 143; 24: 137.
- Colostethus obliteratus*
 23: 338.
- Colostethus palmatus* 21:
 143; 24: 137.
- Colostethus pinguis* 25:
 148.
- Colostethus pratti* 21:
 143; 24: 137.
- Colostethus ramosi* 21:
 143; 24: 137; 25: 148.
- Colostethus ranoides* 12:
 143; 24: 137.
- Colostethus ranoides* 21:
 143.
- Colostethus ruizi* 21: 143;
 24: 137.
- Colostethus sauli* 21: 143.
- Colostethus shrevei* 23:
 338.
- Colostethus subpunctatus*
 21: 143.
- Colostethus subpunctatus*
 walosi 24: 137.
- Colostethus taeniatus* 21:
 143; 24: 137.
- Colostethus tainiatus* 21:
 143.
- Colostethus talmancae* 21:
 143; 24: 137.
- Colostethus thorntoni* 21:
 143; 24: 137.
- Colostethus trinitatis* 23:
 338.
- Colostethus vergeli* 21:
 143; 24: 137.
- Coniophanes andresensis* 3:
 77.
- Conolopus pallidus* 22: 159.
- Conolophus subcristatus*
 22: 159.
- Constrictor constrictor*
 imperator 3: 77.
- Corallus annulata* 14: 167.
- Corythomantis venezolana*
 4: 411.
- Corythophanes cristatus*
 5: 141.
- Crepidius epioticus* 12:
 91.
- Crocodilurus lacertinus* 8:
 105.
- Crocodilus pristinus* 20:
 13.
- Crocodylus acutus* 20: 13;
 22: 256.
- Crocodylus antillensis* 20:
 13.
- Crocodylus intermedius* 20:
 13.
- Crocodylus moreleti* 20: 13.
- Crocodylus porosus* 23: 256.
- Crocodylus rhombifer* 20:
 13; 23: 256.
- Cryptobatrachus* 4: 411.

- Cryptobatrachus boulengeri* 6: 137.
Cryptobatrachus evansi 6: 137.
Cryptobatrachus fuhrmanni fuhrmanni 6: 137.
Cryptobatrachus fuhrmanni orientalis 6: 137.
Cryptobatrachus ginesi 6: 137.
Cryptobatrachus goeldi 6: 137.
Cryptobatrachus goini 6: 137.
Cryptobatrachus incertus 6: 137.
Cryptobatrachus woodleyi 6: 137.
Crytodactylus ocellatus 8: 105.
Ctenosaura similis similis 3: 77.
Cyclura carinata 22: 159; 22: 191.
Cyclura carinata barttschi 13: 211.
Cyclura cornuta stejnegeri 22: 159.
Cyclura cristata 16: 9.
Cyclura figginsi 13: 211.
Cyclura macleayi 13: 211.
Cyclura mattea 12: 79.
Cyclura nubila 22: 159.
Cyclura pinguis 12: 79; 22: 159.
Cyclura portoricensis 12: 79.
Cyclura ricordi 22: 159.
Cyclura rileyi 9: 25.
Cyclura rileyi rileyi 16: 9.
Cyclura stejnegeri 1: 32; 22: 159.
Cystignathus melanopterus 7: 69.

Dendrobates 21: 143.
Dendrobates leucomelas 4: 297; 4: 411; 7: 145; 11: 1; 11: 181.
Dendrophidion percarinatus 5: 39.
Dermochelys coriacea 23: 374.
Desmognathus 15 (1-2): 79.
Diaglena 6: 137.

Diploglossus 12: 79.
Diploglossus curtissi 5: 45.
Dracaena guianensis 8: 105.
Draconura catenata 8: 105.
Draconura nitens 8: 105.
Dromicus exiguus 12: 79.
Dromicus stahli 3: 1.
Dryadophis melanomorphus 4: 261; 5: 39.
Ecpaleopus acutirostris 8: 105.
Ecpaleopus bogotensis 8: 105.
Ecpaleopus luctuosus 8: 105.
Ecpaleopus poecilochilus 8: 105.
Edalhorina perezi 23: 226.
Elachistocleis ovalis 4: 297; 4: 411; 4: 491.
Elaphe guttata emoryi 22: 219.
Eleutherodactylus 2: 105; 5: 176; 6: 137; 9: 145; 10: 211; 11: 181; 14: 167; 20: 119.
Eleutherodactylus abbotti 4: 473; 10: 109; 24: 23.
Eleutherodactylus achalellitus 23: 386.
Eleutherodactylus achatinus 23: 386.
Eleutherodactylus affinis 8: 31.
Eleutherodactylus alticola 25: 123.
Eleutherodactylus anae 22: 107.
Eleutherodactylus anatipes 23: 386.
Eleutherodactylus andrewsi 25: 123.
Eleutherodactylus anolirex 23: 386.
Eleutherodactylus anolirez 23: 386.
Eleutherodactylus anomalus 23: 386.
Eleutherodactylus anotis 4: 307.
Eleutherodactylus antillensis 1: 83; 3: 1; 3: 81; 12: 79; 16: 19; 19: 33.

- Eleutherodactylus atkinsi*
25: 96.
- Eleutherodactylus audanti*
4: 473; 10: 109; 24: 23.
- Eleutherodactylus*
auriculatooides 4: 473;
10: 109; 24: 23.
- Eleutherodactylus*
auriculatus 4: 473; 19
(3-4): 33.
- Eleutherodactylus*
bicumulus 4: 307.
- Eleutherodactylus*
bifurcatus 20: 101.
- Eleutherodactylus*
biporcatus 20: 101.
- Eleutherodactylus*
boconoensis 13: 75.
- Eleutherodactylus*
bogotensis 8: 31.
- Eleutherodactylus*
boulengeri 23: 386.
- Eleutherodactylus*
brachypodium 4: 411.
- Eleutherodactylus*
bransfordii 25: 123.
- Eleutherodactylus*
brevifrons 23: 386.
- Eleutherodactylus* *briceni*
3: 87; 8: 31; 20: 139;
23: 386.
- Eleutherodactylus* *brittoni*
19 (3-4): 33.
- Eleutherodactylus*
bromeliaceus 23: 386.
- Eleutherodactylus* *buckleyi*
13: 75; 23: 386.
- Eleutherodactylus*
bufoniformis 20: 101.
- Eleutherodactylus*
capriliifer 23: 386.
- Eleutherodactylus*
carmelitae 4: 297; 8:
31; 23: 386.
- Eleutherodactylus*
cavernicola 25: 123.
- Eleutherodactylus* *cerates*
20: 101.
- Eleutherodactylus*
chlorosoma 20: 139; 23:
386.
- Eleutherodactylus*
cochranae 3: 81; 12: 79;
16: 19; 19 (3-4): 33;
22: 123.
- Eleutherodactylus*
conspicillatus 23: 386.
- Eleutherodactylus*
conspicillatus
camazonicus 11: 181.
- Eleutherodactylus*
conspicillatus
conspicillatus 4: 297.
- Eleutherodactylus*
conspicillatus
guayanensis 7: 145.
- Eleutherodactylus*
conspicillatus
ileamazonicus 4: 297; 4:
411; 11: 181.
- Eleutherodactylus* *cooki* 3:
25; 11: 181; 19: 33; 22:
226; 23: 386; 25: 123.
- Eleutherodactylus* *coqui*
11: 209; 15: 79; 19: 33;
22: 226; 23: 386; 25: 123.
- Eleutherodactylus* *cornutus*
20: 101.
- Eleutherodactylus* *cornutus*
maussi 3: 17; 4: 297; 4:
307.
- Eleutherodactylus*
cramptoni 3: 81.
- Eleutherodactylus* *cruentus*
8: 31.
- Eleutherodactylus*
cryophilus 23: 386.
- Eleutherodactylus* *cundalli*
25: 123.
- Eleutherodactylus* *curtipes*
13: 75; 23: 386.
- Eleutherodactylus*
delicatus 8: 31.
- Eleutherodactylus* *devillei*
23: 386.
- Eleutherodactylus* *diastema*
4: 261; 5: 39.
- Eleutherodactylus*
dorsopictus 23: 386.
- Eleutherodactylus* *elegans*
8: 31.
- Eleutherodactylus* *emeritus*
23: 386.
- Eleutherodactylus* *eneidae*
3: 25; 3: 81; 19: 33.
- Eleutherodactylus*
fitzingeri 5: 39; 23:
386.
- Eleutherodactylus*
flavescens 4: 473.

- Eleutherodactylus fuscus*
25: 123.
- Eleutherodactylus ginesi*
13: 75; 20: 139; 22:107.
- Eleutherodactylus gladiator* 22: 107.
- Eleutherodactylus glaucoreius* 25: 123.
- Eleutherodactylus gollmeri*
4: 297.
- Eleutherodactylus gossei*
23: 380; 25: 123.
- Eleutherodactylus grabhami*
25: 123.
- Eleutherodactylus griffithsii*
25: 123.
- Eleutherodactylus gryllus*
3: 81; 19(3-4) 33.
- Eleutherodactylus haitianus* 4:473; 10:109.
- Eleutherodactylus hedricki*
3: 81; 19 (3-4): 33.
- Eleutherodactylus inoptatus*
4: 473; 10:
109; 23: 226; 24: 23;
25: 123.
- Eleutherodactylus insignitus* 8: 31; 23:
386.
- Eleutherodactylus jamaicensis* 25: 123.
- Eleutherodactylus jasperi*
19 (3-4): 33.
- Eleutherodactylus johannesdei* 23: 386.
- Eleutherodactylus johnstonei* 25:123; 25:
229.
- Eleutherodactylus jugans*
25: 123.
- Eleutherodactylus junorii*
23: 380; 25: 123.
- Eleutherodactylus karlschmidti* 3: 25; 3:
81;19 (3-4): 33; 23:226.
- Eleutherodactylus lacrimosus* 23: 386.
- Eleutherodactylus lancinii*
8: 31; 13: 75.
- Eleutherodactylus lanthanites* 23: 386.
- Eleutherodactylus lentsus*
19 (3-4): 33; 16: 19.
- Eleutherodactylus leoni*
22: 107.
- Eleutherodactylus locustus*
3: 81; 19: 33.
- Eleutherodactylus longirostris* 23: 386.
- Eleutherodactylus luteolus*
25: 123.
- Eleutherodactylus marmoratus* 4: 411.
- Eleutherodactylus megalops*
8: 31.
- Eleutherodactylus mendax*
23: 386.
- Eleutherodactylus minutus*
4: 473; 10: 109.
- Eleutherodactylus monensis*
1: 32; 19: 33.
- Eleutherodactylus montanus*
4: 473; 25: 123.
- Eleutherodactylus myersi*
13: 75; 20: 137; 22:107.
- Eleutherodactylus necereus*
20: 101.
- Eleutherodactylus nicefori*
20: 139; 22: 107.
- Eleutherodactylus nubicola*
25: 123.
- Eleutherodactylus ocreatus*
20: 139; 22: 107.
- Eleutherodactylus orcutti*
25: 123.
- Eleutherodactylus orestes*
20: 139; 22: 107.
- Eleutherodactylus orocostalis* 4: 307.
- Eleutherodactylus pantoni*
25: 123.
- Eleutherodactylus patriciae* 4: 473.
- Eleutherodactylus pentasyringos* 23: 380;
25: 123.
- Eleutherodactylus petersi*
23: 386.
- Eleutherodactylus phragmipleuron* 23: 386.
- Eleutherodactylus phoxocephalus* 23: 386.
- Eleutherodactylus pictissimus* 10: 109; 24:
23; 25: 123.
- Eleutherodactylus pittieri*
7: 69.
- Eleutherodactylus pituinus*
4: 473; 10: 109.

- Eleutherodactylus*
planirostris 22: 191;
 25: 96; 25: 123.
- Eleutherodactylus*
pleurostriatus 20: 139.
- Eleutherodactylus poolei*
 4: 473.
- Eleutherodactylus*
portoricensis 1: 83; 3:
 25; 3: 81; 4: 323; 11:
 209; 19 (3-4): 33.
- Eleutherodactylus*
prolixodiscus 23: 386.
- Eleutherodactylus pulidoi*
 23: 386.
- Eleutherodactylus*
pyrrhomerus 22: 107.
- Eleutherodactylus racenisi*
 4: 307.
- Eleutherodactylus ramosi*
 3: 81; 22: 123.
- Eleutherodactylus*
raniformis 23: 386.
- Eleutherodactylus repens*
 22: 197.
- Eleutherodactylus*
reticulatus 4: 307.
- Eleutherodactylus*
richmondi 1: 83; 3: 81;
 19 (3-4): 33; 25: 123.
- Eleutherodactylus ricordi*
 19 (3-4): 33.
- Eleutherodactylus rozei* 4:
 307.
- Eleutherodactylus*
rugulosus 23: 386.
- Eleutherodactylus ruthae*
 10: 109; 23: 226.
- Eleutherodactylus*
sanctamartae 8: 31.
- Eleutherodactylus savagei*
 23: 386.
- Eleutherodactylus schmidti*
 4: 473; 23: 226; 24: 23.
- Eleutherodactylus schmidti*
limbensis 10: 109.
- Eleutherodactylus schmidti*
rucillensis 10: 109.
- Eleutherodactylus schmidti*
schmidti 10: 109.
- Eleutherodactylus*
schwartzii 12: 79; 16: 19.
- Eleutherodactylus sernai*
 20: 101.
- Eleutherodactylus*
sisyphodemus 25: 123.
- Eleutherodactylus*
spilogaster 23: 386.
- Eleutherodactylus*
stenodiscus 4: 307.
- Eleutherodactylus*
supernatis 23: 386.
- Eleutherodactylus surdus*
 8: 31.
- Eleutherodactylus tayrona*
 23: 386.
- Eleutherodactylus*
terraebolivaris 3: 17;
 4: 297; 4: 307; 7: 145;
 23: 386.
- Eleutherodactylus*
thectopternus 23: 386.
- Eleutherodactylus*
thymelensis 23: 386.
- Eleutherodactylus*
trepidotus 13: 75; 20:
 139; 22: 107.
- Eleutherodactylus*
tubernasus 20: 139; 23:
 386.
- Eleutherodactylus*
turumiquirensis 4: 307;
 8: 31.
- Eleutherodactylus unicolor*
 19: 33.
- Eleutherodactylus*
unistrigatus 4: 297; 13:
 75.
- Eleutherodactylus urichi*
 4: 297; 4: 307.
- Eleutherodactylus*
vertebralis 23: 386.
- Eleutherodactylus vidua*
 20: 139; 22: 107.
- Eleutherodactylus vilarsi*
 23: 386.
- Eleutherodactylus warreni*
 19: 33.
- Eleutherodactylus*
weinlandi 10: 109; 23:
 226; 24: 23.
- Eleutherodactylus wetmorei*
 4: 473; 24: 23.
- Eleutherodactylus whimperi*
 13: 75.
- Eleutherodactylus whymperi*
 4: 297; 13: 75.

Eleutherodactylus
 wightmanae 3: 81; 19
 (3-4): 33; 23: 226.
Eleutherodactylus
 williamsi 4: 307.
Eleutherodactylus w-nigrum
 8: 31; 23: 386.
Eloisa 4: 411.
Engystomops pustulosus 4:
 261; 7: 69.
Epicrates angulifer 20:
 119; 22: 219.
Epicrates chrysogaster 22:
 191.
Epicrates inornatus 17: 7;
 20: 119; 22: 219.
Epicrates inornatus granti
 12: 79.
Epicrates monensis
 monensis 17: 7.
Epicrates striatus 24: 23.
Erminia olivacea 8: 105.
Erythrolamprus aesculapi
 5: 59.
Erythrolamprus baileyi 5:
 59.
Erythrolamprus
 beauperthuisi 5: 59.
Euhyas 25: 123.
Eumeces egregius 11: 17.
Eupemphix 7: 69; 7: 145.
Eupemphix pustulosus
 ruthveni 3: 6; 4: 297;
 4: 307; 4: 491.
Eupemphix ruthveni 4: 297.
Eupsophus columbianus 4:
 297.
Eupsophus ginesi 4: 297;
 8: 31.
Eupsophus lancinii 8: 31.
Eupsophus peruanus 4: 297;
 13: 75.
Eupsophus quixensis 4: 297.
Eupsophus wettsteini 13:
 75.
Euspondylus acutirostris
 8: 105.
Euspondylus brevifrontalis
 8: 105.
Exiliboa 22: 191.
Exiliboa placata 14: 167.

Flectonotus goeldi 6: 137.
Fritzia 6: 137.
Fritziana goeldi 6: 137.

Fritziana ohausi 6: 137.

Gastrotheca 4: 137; 4: 145.
Gastrotheca ovifera 4:
 297; 4: 307.
Gastrotheca williamsoni 4:
 307.
Gecko mabouia 8: 105.
Gekko rapicauda 8: 105.
Geochelone carbonaria 3:
 77.
Geochelone denticulata 5:
 83.
Gonatodes albogularis 8:
 105.
Gonatodes albogularis
 fuscus 5: 141.
Gonatodes antillensis 8:
 105.
Gonatodes bodinii 8: 105.
Gonatodes caudiscutatus
 falconensis 8: 105.
Gonatodes ceciliae 8: 105.
Gonatodes confidentatus 8:
 105.
Gonatodes ferrugineus 8:
 105.
Gonatodes fuscus 4: 261;
 8: 105.
Gonatodes gilli 8: 105.
Gonatodes humeralis 8: 105.
Gonatodes ligiae 8: 105.
Gonatodes ocellatus 8: 105.
Gonatodes petersi 8: 105.
Gonatodes seigliei 8: 105.
Gonatodes taniae 8: 105.
Gonatodes vittatus
 roquensis 8: 105.
Gonatodes vittatus
 vittatus 8: 105.
Goniodactylus braconnieri
 8: 105.
Goniodactylus ocellatus 8:
 105.
Goniodactylus sulcatus 8:
 105.
Gymnodactylus albogularis
 8: 105.
Gymnodactylus antillensis
 8: 105.
Gymnodactylus humeralis 8:
 105.
Gymnodactylus incertus 8:
 105.

- Gymnodactylus vittatus* 8:
105.
Gymnophthalmus speciosus
8: 105.
- Hemidactylus* 3: 1.
Hemidactylus brooki 2: 105;
3: 173; 8: 105; 24: 23.
Hemidactylus leightoni 8:
105.
Hemidactylus mabouia 3:
173; 8: 105; 12: 79.
Hemiphractus 6: 137.
Herpetodryas punctifer 25:
119.
Heterocladium bicolor 8:
105.
Heteropus bifasciatus 8:
105.
Hydromorphus concolor 10:
119.
Hyla 3: 1; 6: 15; 14: 167.
Hyla albota 4: 297.
Hyla albomarginata 3: 7;
6: 167.
Hyla albopunctata 6: 137.
Hyla albopunctata
albopunctata 4: 307.
Hyla albopunctata
multifasciata 4: 307; 7:
145; 11: 1.
Hyla albopunctulata 9: 145.
Hyla alemani 4: 297.
Hyla altae 6: 167.
Hyla aluminata 4: 297.
Hyla avivoca 15 (1-2): 57.
Hyla baileyi 11: 1.
Hyla battersbyi 4: 297; 4:
307.
Hyla baudinii 7: 69.
Hyla baumgardneri 4: 411;
7: 145.
Hyla benitezzi 4: 411; 7:
145; 11: 181.
Hyla berthalutzae 11: 1.
Hyla bipunctata branneri
11: 1.
Hyla boans 4: 307; 4: 411;
4: 491; 6: 137; 7: 145.
Hyla boesemani 11: 181.
Hyla boulengeri 3: 197; 4:
307; 4: 411; 6: 167; 7:
145.
Hyla branneri 11: 1.
Hyla brunnea 21: 159.
- Hyla chrysoscelis* 23: 226.
Hyla columbiana 4: 297.
Hyla crepitans 3: 87; 3:
197; 4: 297; 4: 307; 4:
411; 4: 491; 6: 167; 7:
145; 15: 57; 15: 79.
Hyla decipiens 11: 1.
Hyla dominicensis 10: 109.
Hyla ebraccata 6: 167.
Hyla evansi 6: 137.
Hyla eximia 6: 167.
Hyla faber 6: 167; 7: 145.
Hyla festae 4: 297.
Hyla foliamorta 6: 167.
Hyla fuhrmanni 6: 137.
Hyla genimaculata 18: 21.
Hyla geographica 4: 297;
15: 79.
Hyla ginesi 3: 28; 11: 181;
18: 21.
Hyla goeldi 6: 137.
Hyla goughi 11: 1.
Hyla granosa 4: 411; 7:
145.
Hyla granosa gracilis 4:
297; 11: 181.
Hyla heilprini 24: 23.
Hyla johni 3: 87.
Hyla labialis 9: 145.
Hyla lanciformis guerreroi
11: 1.
Hyla lanciformis
lanciformis 11: 1.
Hyla lascinia 9: 145.
Hyla lemai 11: 181.
Hyla leprieuri 6: 137; 11:
1.
Hyla limai 11: 1.
Hyla loquax 12: 195.
Hyla loveridgei 3: 28; 4:
411; 11: 181; 18: 21.
Hyla luteocellata 3: 197;
11: 1; 15: 79.
Hyla marahuaquensis 4:
411; 6: 137; 11: 181.
Hyla marianae 23: 380; 25:
123.
Hyla marmorata marmorata
4: 411.
Hyla maxima 7: 145.
Hyla meridiona 11: 1.
Hyla microcephala 4: 297;
6: 167; 7: 69; 11: 1;
15: 79.

- Hyla microcephala goughi*
11: 1.
- Hyla microcephala misera*
15 (1-2): 57; 15 (1-2):
79.
- Hyla microcephala*
underwoodi 7: 69.
- Hyla minuscula* 11: 1.
- Hyla minuta* 4: 411; 11: 1;
11: 181; 15 (1-2): 79.
- Hyla miotympnum* 12: 195.
- Hyla miranda ribeiri* 7;
145.
- Hyla misera* 3: 87; 3: 197;
4: 297; 4: 307; 11: 1;
15 (1-2): 79.
- Hyla misera meridiana* 11:
1.
- Hyla ornatissima* 11: 181.
- Hyla orophila planicola* 4:
411; 15 (1-2): 79.
- Hyla palmeri* 4: 297; 9:
145.
- Hyla paramica* 3: 87.
- Hyla parviceps* 11: 1.
- Hyla phaeota* 4: 261.
- Hyla phlebodes* 6: 167; 12:
195.
- Hyla phyllognatha* 4: 297.
- Hyla platydactyla* 3: 87;
9: 145.
- Hyla pulchrilineata* 24:23.
- Hyla punctata* 4: 297; 11:
181; 15 (1-2): 79.
- Hyla raniceps* 4: 411; 6:
137; 7: 145; 11: 1.
- Hyla robertmertensi* 16:23.
- Hyla rosenbergi* 6: 167.
- Hyla rostrada* 4: 307; 11:
1; 15 (1-2): 79.
- Hyla rubra* 4: 307; 4: 411;
6: 167; 7: 145; 11: 1;
15 (1-2): 57; 15 (1-2):
79.
- Hyla rufitele* 5:39; 6:167.
- Hyla rufopunctata* 4: 297.
- Hyla schuberti* 11: 1.
- Hyla sibieszi* 11: 181.
- Hyla staufferi* 6: 167; 7:
69; 16: 23.
- Hyla staufferi staufferi*
12: 195.
- Hyla taurina* 4: 411; 6:
137.
- Hyla variabilis* 4: 297.
- Hyla vasta* 24: 23.
- Hyla venulosa ingens* 3: 6.
- Hyla venulosa venulosa* 3:
6; 4: 297; 4: 307; 4:
411; 4: 491.
- Hyla versicolor* 23: 226.
- Hyla vilsoniana* 9: 145.
- Hyla vilsoniana krausi* 3:
87.
- Hyla vilsoniana meridensis*
3: 87; 4: 297.
- Hyla warrini* 4: 411; 7:
145.
- Hyla wernerii* 11: 1.
- Hyla wilderi* 23: 380; 25:
123.
- Hyla x-signata* 15: 57; 15:
79.
- Hylaemorphus bibronii* 25:
36.
- Hylella fleischmanni* 7:69.
- Hylodes duidensis* 11: 181.
- Hylodes maussi* 4: 297.
- Hylodes urichi* 4: 297.
- Hylosaurus muelleri* 8:105.
- Hylosaurus percarinatus* 8:
105.
- Hyloscirtus bogotensis* 6:
137.
- Hypsibates agamoides* 8:
105.
- Hypsirhynchus ferox* 24:23.
- Iguana* 13: 253.
- Iguana delicatissima* 8:
123; 22: 221.
- Iguana iguana* 4: 261; 5:
141; 12: 79; 15: 71; 22:
159; 22: 221.
- Iguana iguana iguana* 8:
105.
- Iguana iguana rhinolopha*
3: 27.
- Iguana sapidissima* 12: 79.
- Iguana tuberculata* 8: 105.
- Imantodes* 14: 167.
- Kaloula pulchra* 23: 226.
- Kentropix calcaratus* 8:
105.
- Kentropix intermedius* 8:
105.
- Kentropix striatus* 8: 105.
- Kinosternon scorpioides*
albogulare 3: 77.

- Klauberina riversiana* 11:
17.
- Lacerta ameiva* 8: 105.
Lacerta basiliscus 8: 105.
Lacerta bicarinata 8: 105.
Lacerta iguana 8: 105.
Lacerta lemniscata 8: 105.
Lacerta mabouya 8: 105.
Lacerta marmorata 8: 105.
Lacerta plica 8: 105.
Lacerta striata 8: 105.
Lacerta umbra 8: 105.
Laemancus longipes
deborrei 18: 133.
Leimadophis mepinephalus
5: 39.
Leiocephalus astictus 12:
59.
Leiocephalus cubensis 12:
59.
Leiocephalus cubensis
gigas 12: 59.
Leiocephalus personatus
24: 23.
Leiocephalus psammouromus
22: 191.
Leiocephalus stictigaster
12: 59.
Lepidoblepharis lunulatus
8: 105.
Lepidoblepharis
sanctaemariae 4: 261; 5:
141.
Lepidochelys kempi 23: 374.
Lepidochelys olivacea 23:
374.
Lepidophyma flavomaculata
5: 141.
Leposoma percarinatum 8:
105.
Leposoma southi 5: 141.
Leposoma taeniata 8: 105.
Leptodactylus 5: 39; 8:
35; 10: 211.
Leptodactylus albilabris
1: 83; 3: 1; 7: 69; 12:
79.
Leptodactylus boliviensis
3: 7; 4: 297; 4: 307; 4:
411; 4: 491; 7: 145.
Leptodactylus dypticus 3:
7.
Leptodactylus fuscus 11:
1; 15 (1-2): 57.
- Leptodactylus insularum* 3:
77; 4: 261; 7: 145; 15:
57.
Leptodactylus longirostris
11: 1; 11: 181.
Leptodactylus macrosternum
7: 145.
Leptodactylus marmoratus
hylaedactylus 3: 197; 4:
307; 4: 411; 4: 491; 7:
145.
Leptodactylus melanotus
4: 261; 7: 69; 16: 23.
Leptodactylus mystaceus 4:
411; 11: 1.
Leptodactylus ocellatus 4:
297; 4: 411; 4: 491; 7:
145.
Leptodactylus
pentadactylus 4: 261;
11: 1; 15: 57.
Leptodactylus
pentadactylus
pentadactylus 4: 297; 4:
411.
Leptodactylus podicipinus
petersii 3: 6; 3: 87; 3:
197; 4: 297; 4: 307; 4:
411; 4: 491; 11: 1; 11:
181.
Leptodactylus podicipinus
podicipinus 4: 297.
Leptodactylus
poecilochilus 3: 6; 4:
261.
Leptodactylus
poecilochilus dypticus
3: 6; 3: 87; 3: 197; 4:
307; 11: 1.
Leptodactylus rugosus 4:
297; 4: 411.
Leptodactylus sibilatrix
4: 297; 4: 307; 4: 411;
4: 491; 7: 145; 11: 1.
Leptodactylus wagneri 11:
181.
Leptodeira annulata 15: 57.
Leptodeira septentrionalis
5: 39.
Leptophis 14: 167.
Leptophis ahaetulla 5: 39.
Leptotyphlops 5: 45.
Leptotyphlops albifrons
magnamaculata 3: 77.

- Limnoedus oocularis* 23:
 226.
Liohyla pittieri 7: 69.
Liophis 25: 119.
Lithodytes lineatus 4: 411.
Litoria caerulea 23: 226.
Litoria genimaculata 18:
 21.
Litoria loveridgei 18: 21.

Mabouia semitaeniatus 1:
 32.
Mabuia aenea 8: 105.
Mabuia cepedi 8: 105.
Mabuia nigropalmata 8: 105.
Mabuya agilis 8: 105.
Mabuya brachypoda 5: 141.
Mabuya lineolata 4: 321;
 5: 45.
Mabuya mabouia 4: 261.
Mabuya mabouya 5: 141; 22:
 191.
Mabuya mabouya mabouya 8:
 105.
Mabuya mabouya pergravis
 3: 77.
Mabuya mabouya sloanii 4:
 321; 12: 79.
Mabuya nigropalmata 8: 105.
Mabuya sloani 12: 79.
Megaelosia bufonia 23: 226.
Megalocnus 20: 13.
Microhyla pulchra 23: 226.
Micrurus nigrocinctus 3:
 77; 5: 39.

Nectophrynoides 23: 226.
Neusticurus bicarinatus 8:
 105.
Neusticurus dejongi 8: 105.
Neusticurus racenisi 8:
 105.
Neusticurus rufus 8: 105.
Neusticurus surinamensis
 8: 105.
Neusticurus tatei 8: 105.
Niceforonia 13: 75.
Norops 20: 145.
Norops auratus 5: 141; 8:
 105.
Norops homolechis 24: 39.
Norops jubar 24: 39.
Norops onca 8: 105.
Notodelphys ovifera 4: 297.
Nototheca 6: 137.
- Nototheca pygmaea* 4: 397.
Nyctimystes loveridgei 3:
 28; 11: 181; 18: 21.

Oreophrynellla quelchii 23:
 226.
Oreophrynellla quelchii
 macconelli 4: 411.
Oreophrynellla quelchii
 quelchii 4: 411.
Oreosaurus luctuosus 8:
 105.
Osteocephalus leprieurii
 11: 1.
Osteopilus 23: 226.
Osteopilus brunneus 21:
 159; 23: 380.
Osteopilus dominicensis
 24: 23.
Otophryne robusta 4: 411;
 7: 145; 11: 181.
Otophryne robusta
 steyermark 7: 155.
Oxybelis aeneus 5: 39.
Oxybelis brevirostris 5:
 39.
Oxybelis fulgidus 9: 31.

Paludicola pusilla 4: 297.
Paludicola pustulosus 7:
 69.
Pantodactylus tyleri 8:
 105.
Peltophryne cataulaciceps
 24: 39.
Peltophryne empusa 25: 86.
Peltophryne empusus 24: 39.
Peltophryne fracta 24: 39.
Peltophryne gundlachi 24:
 39.
Peltophryne guntheri 24:
 39.
Peltophryne peltcephala
 fustiger 24: 39.
Peltophryne peltcephala
 peltcephala 24: 39.
Peltophryne taladai 24: 39.
Phenacosaurus nicefori 8:
 105.
Phrynidium varium
 maculatum 25: 36.
Phryniscus ignescens 3:
 103.
Phrynohuas venulosa 6: 167;
 15: 57; 15: 79; 16: 23.

- Phrynomerus bifasciatus* 23: 226.
Phrynoporus 13: 75: 22: 107; 23: 226.
Phrynosoma cornutum 15 (1-1): 71.
Phyllobates 21: 143.
Phyllobates bromelicola 4: 307.
Phyllobates brunneus 3: 7; 4: 297; 4: 307; 4: 411.
Phyllobates subpunctatus 3: 7.
Phyllodactylus mulleri 8: 105.
Phyllodactylus rutteni 8: 105.
Phyllodactylus ventralis 8: 105.
Phyllomedusa 4: 261; 6: 167.
Phyllomedusa bicolor 4: 411.
Phyllomedusa burmeister trinitatis 4: 307.
Phyllomedusa helenae 7:69.
Phyllomedusa *hypochondrialis* 6: 15; 8: 35.
Phyllomedusa *hypochondrialis* *hypochondrialis* 4: 411.
Phyllomedusa iheringi 6: 15.
Phyllomedusa sauvagei 6: 16; 8: 35.
Phyllomedusa spurrelli 6: 15.
Phyllomedusa trinitatis 6: 15; 8: 35; 15 (1-2): 57; 15 (1-2): 79.
Physalaemus pustulosus 15 (1-2): 57; 16: 23.
Physalemus biligonigerus 7: 145.
Physalemus carbonelli 7: 145.
Physalemus cuvieri 7: 145.
Physalemus enesefae 7:145.
Physalemus fuscomaculatus 7: 145.
Physalemus gracilis 7;145.
Physalemus neglecta 7:145.
Pipa 11: 181.
Pipa parva 3: 7.
- Platymantis petersii* 4: 297.
Pleurodema brachyops 3: 6; 3: 197; 4: 307; 4: 411; 4: 491; 15: 57.
Plica bogerti 8: 105.
Plica plica 8: 105.
Plica umbra 8: 105.
Polychrus gutturosus 5: 141.
Polychrus marmoratus 8: 105.
Polypedates leucomystax 23: 380.
Prionodactylus leucostictus 8: 105.
Proctoporus achlyens 8: 105.
Proctoporus luctuosus 8: 105.
Proctoporus shrevei 8:105.
Prostherapis 8: 35.
Prostherapis alboguttatus 3: 87; 4: 307; 4: 485.
Prostherapis bocagei 3: 87; 7: 145.
Prostherapis brunneus 4: 297.
Prostherapis collaris 3: 87; 4: 307; 4: 485; 12: 191.
Prostherapis dunni 4: 307.
Prostherapis neblina 4: 307; 4: 485.
Prostherapis riveroi 4: 485.
Prostherapis shrevei 4: 411; 7: 145; 11: 181.
Prostherapis trinitatis 3: 103; 3: 165; 5: 39.
Prostherapis trinitatis mandelorum 3: 87; 4: 307; 4: 485.
Prostherapis trinitatis trinitatis 3: 87; 3:197; 4: 307; 4: 485.
Pseudacris ocularis 23: 226.
Pseudacris triseriata 23: 226.
Pseudidis paradoxus 4: 307.
Pseudogonatodes lunulatus 8: 105.
Pseudopaudicola ameghinii 20: 169.

- Pseudopaludicola boliviana*
20: 169.
- Pseudopaludicola ceratophyes* 20: 169.
- Pseudopaludicola falcipes*
20: 169.
- Pseudopaludicola mystacalis* 20: 169.
- Pseudopaludicola pusilla*
3: 7; 4: 297; 4: 411;
20: 169.
- Pseudopaludicola saltica*
20: 169.
- Pseudopaludicola ternetzi*
20: 169.
- Pseustes* 14: 167.
- Pseustes poecilonotus* 5:
39.
- Pternohyla* 23: 226.
- Ptychoglossus kugleri* 8:
105.
- Rana* 3: 1; 8: 35.
- Rana austricola* 7: 69.
- Rana boylei* 11: 203.
- Rana catesbeiana* 3: 129.
- Rana clamitans* 11: 203;
23: 226.
- Rana hoffmanni* 7: 145.
- Rana macroglossa* 7: 69.
- Rana marina* 4: 297; 7: 69.
- Rana marina americana* 10:
123.
- Rana miadis* 12: 195.
- Rana ocellata* 4: 297.
- Rana ovalis* 4: 297.
- Rana palmipes* 3: 7; 3: 87;
4: 307; 4: 411; 7: 69;
7: 145; 11: 1. 23: 226.
- Rana palustris* 15 (1-2): 79.
- Rana pipiens* 7: 69; 11:
203; 12: 195; 15 (1-2):
79; 16: 23; 23: 226.
- Rana sibilatrix* 4: 297.
- Rana venulosa* 4: 297.
- Rana warschewitschii* 23:
226.
- Rhacophorus* 6: 15.
- Scolecosaurus trinitatis*
8: 105.
- Smilisca baudinii* 7: 69;
16: 23.
- Smilisca phaeota* 6: 167.
- Sminthillus limbatus* 23:
226; 25: 96.
- Sminthillus limbatus orientalis* 25: 96.
- Sphaenorhynchus aurantiacus* 15: 79.
- Sphaenorhynchus eurhostus*
15: 79.
- Sphaerodactylus* 1: 83; 14:
167.
- Sphaerodactylus amazonicus*
8: 105.
- Sphaerodactylus argus andresensis* 3: 77.
- Sphaerodactylus boettgeri*
8: 105.
- Sphaerodactylus calcosensis* 22: 191.
- Sphaerodactylus corticola*
16: 9.
- Sphaerodactylus elegantulus* 4: 391.
- Sphaerodactylus fantasticus* 4: 391.
- Sphaerodactylus fantasticus anidrotus* 4:
373.
- Sphaerodactylus fantasticus fantasticus*
4: 373.
- Sphaerodactylus fantasticus fuga* 4: 373.
- Sphaerodactylus fantasticus hippomanes*
4: 373.
- Sphaerodactylus fantasticus karukera* 4:
373.
- Sphaerodactylus fantasticus ligniservulus* 4: 373.
- Sphaerodactylus fantasticus oreescius* 4:
373.
- Sphaerodactylus fantasticus phyzacinus*
4: 373.
- Sphaerodactylus fantasticus tartaropylorus* 4: 373.
- Sphaerodactylus gaigeae* 3:
1.
- Sphaerodactylus glaucus* 5:
141.

- Phrynomerus bifasciatus*
23: 226.
- Phrynoporus* 13: 75: 22: 107;
23: 226.
- Phrynosoma cornutum* 15
(1-1): 71.
- Phyllobates* 21: 143.
- Phyllobates bromelicola* 4:
307.
- Phyllobates brunneus* 3: 7;
4: 297; 4: 307; 4: 411.
- Phyllobates subpunctatus*
3: 7.
- Phyllodactylus mulleri* 8:
105.
- Phyllodactylus rutteni* 8:
105.
- Phyllodactylus ventralis*
8: 105.
- Phyllomedusa* 4: 261; 6:
167.
- Phyllomedusa bicolor* 4:
411.
- Phyllomedusa burmeister*
trinitatis 4: 307.
- Phyllomedusa helenae* 7:69.
- Phyllomedusa*
hypochondrialis 6: 15;
8: 35.
- Phyllomedusa*
hypochondrialis
hypochondrialis 4: 411.
- Phyllomedusa iheringi* 6:
15.
- Phyllomedusa sauvagei* 6:
16; 8: 35.
- Phyllomedusa spurrelli* 6:
15.
- Phyllomedusa trinitatis* 6:
15; 8: 35; 15 (1-2): 57;
15 (1-2): 79.
- Physalaemus pustulosus* 15
(1-2): 57; 16: 23.
- Physalemus biligonigerus*
7: 145.
- Physalemus carbonelli* 7:
145.
- Physalemus cuvieri* 7: 145.
- Physalemus enesefae* 7:145.
- Physalemus fuscomaculatus*
7: 145.
- Physalemus gracilis* 7;145.
- Physalemus neglecta* 7:145.
- Pipa* 11: 181.
- Pipa parva* 3: 7.
- Platymantis petersii* 4:
297.
- Pleurodema brachyops* 3: 6;
3: 197; 4: 307; 4: 411;
4: 491; 15: 57.
- Plica bogerti* 8: 105.
- Plica plica* 8: 105.
- Plica umbra* 8: 105.
- Polychrus gutturosus* 5:
141.
- Polychrus marmoratus* 8:
105.
- Polypedates leucomystax*
23: 380.
- Prionodactylus*
leucostictus 8: 105.
- Proctoporus achlyens* 8:
105.
- Proctoporus luctuosus* 8:
105.
- Proctoporus shrevei* 8:105.
- Prostherapis* 8: 35.
- Prostherapis alboguttatus*
3: 87; 4: 307; 4: 485.
- Prostherapis bocagei* 3:
87; 7: 145.
- Prostherapis brunneus* 4:
297.
- Prostherapis collaris* 3:
87; 4: 307; 4: 485; 12:
191.
- Prostherapis dunni* 4: 307.
- Prostherapis neblina* 4:
307; 4: 485.
- Prostherapis riveroi* 4:
485.
- Prostherapis shrevei* 4:
411; 7: 145; 11: 181.
- Prostherapis trinitatis* 3:
103; 3: 165; 5: 39.
- Prostherapis trinitatis*
mandelorum 3: 87; 4:
307; 4: 485.
- Prostherapis trinitatis*
trinitatis 3: 87; 3:197;
4: 307; 4: 485.
- Pseudacris ocularis* 23:
226.
- Pseudacris triseriata* 23:
226.
- Pseudidis paradoxus* 4: 307.
- Pseudogonatodes lunulatus*
8: 105.
- Pseudopaudicola ameghinii*
20: 169.

Pseudopaludicola boliviana
 20: 169.
Pseudopaludicola ceratophyes 20: 169.
Pseudopaludicola falcipes
 20: 169.
Pseudopaludicola mystacalis 20: 169.
Pseudopaludicola pusilla
 3: 7; 4: 297; 4: 411;
 20: 169.
Pseudopaludicola saltica
 20: 169.
Pseudopaludicola ternetzi
 20: 169.
Pseustes 14: 167.
Pseustes poecilonotus 5:
 39.
Pternohyla 23: 226.
Ptychoglossus kugleri 8:
 105.

Rana 3: 1; 8: 35.
Rana austricola 7: 69.
Rana boylei 11: 203.
Rana catesbeiana 3: 129.
Rana clamitans 11: 203;
 23: 226.
Rana hoffmanni 7: 145.
Rana macroglossa 7: 69.
Rana marina 4: 297; 7: 69.
Rana marina americana 10:
 123.
Rana miadis 12: 195.
Rana ocellata 4: 297.
Rana ovalis 4: 297.
Rana palmipes 3: 7; 3: 87;
 4: 307; 4: 411; 7: 69;
 7: 145; 11: 1. 23: 226.
Rana palustris 15 (1-2): 79.
Rana pipiens 7: 69; 11:
 203; 12: 195; 15 (1-2):
 79; 16: 23; 23: 226.
Rana sibilatrix 4: 297.
Rana venulosa 4: 297.
Rana warschewitschii 23:
 226.
Rhacophorus 6: 15.

Scolecosaurus trinitatis
 8: 105.
Smilisca baudinii 7: 69;
 16: 23.
Smilisca phaeota 6: 167.

Sminthillus limbatus 23:
 226; 25: 96.
Sminthillus limbatus orientalis 25: 96.
Sphaenorhynchus aurantiacus 15: 79.
Sphaenorhynchus eurhostus
 15: 79.
Sphaerodactylus 1: 83; 14:
 167.
Sphaerodactylus amazonicus
 8: 105.
Sphaerodactylus argus andresensis 3: 77.
Sphaerodactylus boettgeri
 8: 105.
Sphaerodactylus calcosensis 22: 191.
Sphaerodactylus corticola
 16: 9.
Sphaerodactylus elegantulus 4: 391.
Sphaerodactylus fantasticus 4: 391.
Sphaerodactylus fantasticus anidrotus 4:
 373.
Sphaerodactylus fantasticus fantasticus
 4: 373.
Sphaerodactylus fantasticus fuga 4: 373.
Sphaerodactylus fantasticus hippomanes
 4: 373.
Sphaerodactylus fantasticus karukera 4:
 373.
Sphaerodactylus fantasticus ligniservulus 4: 373.
Sphaerodactylus fantasticus oreocrius 4:
 373.
Sphaerodactylus fantasticus phyzacinus
 4: 373.
Sphaerodactylus fantasticus tartaropylorus 4: 373.
Sphaerodactylus gaigeae 3:
 1.
Sphaerodactylus glaucus 5:
 141.