



640
5666
REPT

**BIBLIOGRAPHY AND INDICES TO THE
HERPETOLOGICAL PAPERS PUBLISHED IN
FRESHWATER BIOLOGY AND LIMNOLOGY JOURNALS
1950-1995**



**Dreux J. Watermolen
Wisconsin Department of Natural Resources**



**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 111**

1996

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

Amphibians and reptiles are significant and important components of the fauna in many freshwater habitats, often comprising enormous populations and reaching significant biomass levels. For example, as many as 88,000 amphibians were captured in a single year at a 1 ha temporary pond in South Carolina (Savannah River Ecology Laboratory 1980), and freshwater turtles are known to represent the majority of vertebrate biomass in many aquatic habitats (Congdon, et al. 1986; Congdon and Gibbons 1988).

Large numbers of amphibians dominate the higher trophic levels in some habitats. Recent studies (e.g., Schabetsberger and Jersabek 1995) suggest that amphibians are often the top predators in some aquatic systems. Amphibian populations also influence primary and secondary productivity, nutrient influx, and competition in these systems (Seale 1980; Osborne and McLachlan 1985). The potential significance of freshwater turtles as vectors of seeds and parasites among temporary aquatic habitats has also recently been suggested (Congdon and Gibbons 1988).

Because of this importance, one might expect to find a significant number of papers dealing with amphibians and reptiles appearing in freshwater biology and limnology journals. Articles from these journals are often not cited in the herpetological literature, and herpetologists sometimes overlook these journals as potential sources of herpetological information. I was curious to see how extensive this "untapped" literature is. This bibliography is the result of that curiosity and should aid herpetologists in locating several useful papers.

The table of contents of each issue of the following journals was scanned for papers dealing with amphibians or reptiles:

Australian Journal of Marine and Freshwater Research (Vols. 1-45, 1950-1994)

Freshwater Biology (Vols. 1-34, 1971-1995)

Hydrobiologia (Vols. 1-310, 1948-1995)

Hydrobiological Journal (Vols. 5-31, 1969-1995)

Journal of Freshwater Ecology (Vols. 1-10, 1981-1995)

New Zealand Journal of Marine and Freshwater Research (Vols. 1-29, 1967-1995)

In addition, each annual index for the *Canadian Journal of Fisheries and Aquatic Sciences* (Vols. 37-52, 1980-1995) was reviewed for the terms Amphibia, amphibian, frog, newt, Reptilia, reptile, salamander, tadpole, toad, turtle, as well as likely generic names such as *Ambystoma*, *Bufo*, *Chelydra*, *Chrysemys*, *Notophthalmus*, and *Rana*. Similar searches were made of the cumulative indices for *Hydrobiologia* (Vol. 76, covering Vols. 1-75; Vol. 126, covering Vols. 76-125; and Vol. 296, covering Vols. 126-250).

Only two herpetological papers, both dealing with sea turtles, were found in the *New Zealand Journal of Marine and Freshwater Research*. A single review of a book dealing with diseases of marine animals including reptiles (Lester 1987) was also found in this journal. The *Australian Journal of Marine and Freshwater Research* contained only two herpetological papers, one covering nematode parasites of the sea turtle *Caretta caretta* and one dealing with sea snakes. *Hydrobiological Journal* (the English translation of *Gidrobiologicheskiiy zhurnal* and other Soviet journals) contained only one article covering predators of larval *Rana arvalis*.

Volumes 1-5 (1991-1995) of *Freshwater Forum* were also reviewed, but no paper dealing specifically with amphibians or reptiles was found. Although, one paper did briefly mention *Ambystoma*.

REPORT ORGANIZATION

All titles from these journals referring to amphibians or reptiles are listed alphabetically by author in this bibliography. A total of 48 papers was identified. Junior authors are listed alphabetically and cross referenced to senior authors.

Following the bibliography is an index with scientific names of amphibians and reptiles listed alphabetically and cross-referenced to the article(s) where they are mentioned. All original names and spellings have been maintained. Scientific names found in the "literature cited" sections of papers are not included, nor are scientific names taken from references but not actually part of the study.

A subject index follows the scientific name index. Papers are categorized into eight broad categories based on content and cross-referenced by author(s) as in the scientific name index. Most papers deal with feeding and trophic relations of or chemical toxicity to various amphibians.

LITERATURE CITED

- Congdon, J.D. and J.W. Gibbons. 1988. Biomass productivity of turtles in freshwater wetlands: a geographical comparison. In Sharitz, R.R. and J.W. Gibbons (eds). *Wetlands and wildlife*. Office of Scientific and Technical Information, U.S. Dept. Energy. Oak Ridge, TN.
- Congdon, J.D., J.L. Greene and J.W. Gibbons. 1986. Biomass of freshwater turtles: a geographic comparison. *Amer. Midl. Nat.* 115:165-173.
- Lester, R.J.G. 1987. Diseases of marine animals, volume IV, part 2: Reptilia, Aves, and Mammalia. (Book Review). *New Zealand J. Marine Freshwater Res.* 21:646-647.
- Osborne, P.L. and A.J. McLachlan. 1985. The effect of tadpoles on algal growth in temporary, rain-filled rock pools. *Freshwater Biol.* 15:77-87.
- Savannah River Ecology Laboratory. 1980. Savannah River Ecology Laboratory annual report, FY-1980: a biological inventory of the proposed site of the Defense Waste Processing Facility on the Savannah River Plany in Aiken, South Carolina. NTIS Publ. SREL-7UC-66e. Aiken, SC.
- Schabetsberger, R. and C.D. Jersabek. 1995. Alpine newts (*Triturus alpestris*) as top predators in a high-altitude karst lake: daily food consumption and impact on the copepod *Arctodiaptomus alpinus*. *Freshwater Biol.* 33:47-61.
- Seale, D.B. 1980. Influence of amphibian larvae on primary production, nutrient influx, and competition in a pond ecosystem. *Ecol.* 61:1531-1550.

BIBLIOGRAPHY

- Alvo, R., see Glooschenko, V., et al. 1992.
- Anderson, N.H., see Hawkins, C.P., et al. 1983.
- Archbold, J.H.G., see Glooschenko, V., et al. 1992.
- Avery, R.A. 1971a. Helminth parasite populations in newts and their tadpoles. *Freshwater Biol.* 1:113-119.
- Avery, R.A. 1971b. The ecology of newt tadpoles: food consumption, assimilation efficiency and growth. *Freshwater Biol.* 1:129-134.
- Bachmann, M.D., see Kutka, F.J. 1990; see Leff, L.G. 1988.
- Bastakov, V.A., see Manteifel, Y.B. 1986.
- Blair, D., see Lester, et al. 1980.
- Chardez, D. 1968. Quelques protozoaires parasites et commensaux de batraciens et poissons de Belgique. *Hydrobiologia* 32:181-192. (in French)
- Clark, K.L. and B.D. LaZerte. 1985. A laboratory study of the effects of aluminum and pH on amphibian eggs and tadpoles. *Canadian J. Fish. Aquat. Sci.* 42:1544-1551.
- Clark, K.L. and B.D. LaZerte. 1987. Intraspecific variation in hydrogen ion and aluminum toxicity in *Bufo americanus* and *Ambystoma maculatum*. *Canadian J. Fish. Aquat. Sci.* 44:1622-1628.
- Costa, H.H. 1967. Avoidance of anoxic water by tadpoles of *Rana temporaria*. *Hydrobiologia* 30:374-384.
- Crowley, P.H., see Strohmeier, K.L. and D.M. Johnson. 1989.
- Cavdek, V., see Freda, J. and D.G. McDonald 1990.
- Dailey, M.D. and R. Morris. 1995. Relationship of parasites (Trematoda: Spirorchidae) and their eggs to the occurrence of fibropapillomas in the green turtle (*Chelonia mydas*). *Canadian J. Fish. Aquat. Sci.* 52(Suppl. 1):84-89.
- Degani, G. 1986. Growth and behaviour of six species of amphibian larvae in a winter pond in Israel. *Hydrobiologia* 140:5-10.
- Degani, G., S. Goldenberg and M.R. Warburg. 1980. Cannibalistic phenomena in *Salamandera salamandra* larvae in certain water bodies and under experimental conditions. *Hydrobiologia* 75:123-128.
- Degani, G., see Warburg, M.R., et al. 1979
- Deutschman, M.D. and J.J. Peterka. 1988. Secondary production of tiger salamanders (*Ambystoma tigrinum*) in three North Dakota prairie lakes. *Canadian J. Fish. Aquat. Sci.* 45:691-697.
- DuBois, R.B. and F.M. Stoll. 1995. Downstream movement of leopard frogs in a Lake Superior tributary exemplifies the concept of a lotic macrodrift. *J. Freshwater Ecol.* 10:135-139.
- Eggleston, D. 1971. Leathery turtle (Reptilia: Chelonia) in Foveaux Strait. *New Zealand J. Marine Freshwater Res.* 5:522-523.
- Freda, J., V. Cavdek, and D.G. McDonald. 1990. Role of organic complexation in the toxicity of aluminum to *Rana pipiens* embryos and *Bufo americanus* tadpoles. *Canadian J. Fish. Aquat. Sci.* 47:217-224.
- Freda, J. and D.G. McDonald. 1993. Toxicity of amphibian breeding ponds in the Sudbury region. *Canadian J. Fish. Aquat. Sci.* 50:1497-1503.

- Gilderhus, P.A. and B.G.H. Johnson. 1980. Effects of sea lamprey (*Peteromyzon marinus*) control in the Great Lakes on aquatic plants, invertebrates, and amphibians. *Canadian J. Fish. Aquat. Sci.* 37:1895-1905.
- Glooschenko, V., W.F. Weller, P.G.R. Smith, R. Alvo and J.H.G. Archbold. 1992. Amphibian distribution with respect to pond water chemistry near Sudbury, Ontario. *Canadian J. Fish. Aquat. Sci.* 49(Suppl. 1):114-121.
- Goldenberg, S., see Degani, et al. 1980.
- Hawkins, C.P., M.L. Murphy, N.H. Anderson, and M.A. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the northwestern United States. *Canadian J. Fish. Aquat. Sci.* 40:1173-1185.
- Heald, D., see Lester, et al. 1980.
- Holmes, J.C., see Hawkins, C.P., et al. 1978.
- Holmes, R.D., see Hawkins, C.P., et al. 1978.
- Holomuzki, J.R. 1989. Salamander predation and vertical distributions of zooplankton. *Freshwater Biol.* 21:461-472.
- Huang, C. and A. Sih. 1991. An experimental study on the effects of salamander larvae on isopods in stream pools. *Freshwater Biol.* 25:451-459.
- Jeffree, R.A. 1991. An experimental study of ^{226}Ra and ^{45}Ca accumulation from the aquatic medium by freshwater turtles (fam. *Chelidae*) under varying Ca and Mg water concentrations. *Hydrobiologia* 218:205-231.
- Jersabek, C.D., see Schabetsberger, R. 1995.
- Johnson, B.G.H., see Gilderhus, P.A. 1980.
- Johnson, D.M., see Strohmeier, K.L. and P.H. Crowley. 1989.
- Johnson, L.M. 1991. Growth and development of larval northern cricket frogs (*Acris crepitans*) in relation to phytoplankton abundance. *Freshwater Biol.* 25:51-59.
- Joly, P. and A. Morand. 1994. Theoretical habitat templates, species traits, and species richness: amphibians in the Upper Rhone River and its floodplain. *Freshwater Biol.* 31:455-468.
- Joly, P., see Morand, A. 1995.
- Kesler, D.H. and W.R. Munns, Jr. 1991. Diel feeding by adult red-spotted newts in the presence and absence of sunfish. *J. Freshwater Ecol.* 6:267-273.
- Kutka, F.J. and M.D. Bachmann. 1990. Acid sensitivity and water chemistry correlates of amphibian breeding ponds in northern Wisconsin, USA. *Hydrobiologia* 208:153-160.
- Landre, E., see Talentino, K.A. 1991.
- LaZerte, B.D., see Clark, K.L. 1985; see Clark, K.L. 1987
- Leff, L.G. and M.D. Bachmann. 1988. Basis of selective predation by the aquatic larvae of the salamander, *Ambystoma tigrinum*. *Freshwater Biol.* 19:87-94.
- Leh, C.M.U. 1994. Hatch rates of green turtle eggs in Sarawak. *Hydrobiologia* 285: 171-175.
- Lester, R.J.G., D. Blair and D. Heald. 1980. Nematodes from scallops and turtles from Shark Bay, Western Australia. *Australian J. Marine Freshwater Res.* 31:713-717.
- Lindeman, P.V. and F.W. Rabe. 1990. Effect of drought on the western painted turtle, *Chrysemys picta belli*, in a small wetland ecosystem. *J. Freshwater Ecol.* 5:359-364.
- Luiselli, L. and L. Rugiero. 1991. Food niche partitioning by water snakes (genus *Natrix*) at a freshwater environment in central Italy. *J. Freshwater Ecol.* 6:439-444.

- Manteifel, Y. B. and V.A. Bastakov. 1986. On the biology of Amphibia in the ecosystem of Lake Glubokoe. *Hydrobiologia* 141:135-137.
- McCann, C. 1969. First Southern Hemisphere record of the platylepadine barnacle *Stomatolepas elegans* (Costa) and notes on the host *Dermochelys coriacea* (Linne). *New Zealand J. Marine Freshwater Res.* 3:152-158.
- McDonald, D.G., see Freda, J. 1993; see Freda, J. and V. Cavdek 1990.
- McLachlan, A.J., see Osborne, P.L. 1985; see Patterson, J.W. 1989
- Morand, A. and P. Joly. 1995. Habitat variability and space utilization by the amphibian communities of the French Upper-Rhone floodplain. *Hydrobiologia* 300/301: 249-257.
- Morand, A., see Joly, P. 1994.
- Morris, R., see Dailey, M.D. 1995.
- Munns, W.R., Jr., see Kesler, D.H. 1991.
- Munroe, J.L. 1966. A limnological survey of Lake Mcllwaine, Rhodesia. *Hydrobiologia* 28:281-308.
- Murphy, M.L., see Hawkins, C.P., et al. 1983.
- Oldham, R.S., see Watt, P.J. 1995.
- Osborne, P.L. and A.J. McLachlan. 1985. The effect of tadpoles on algal growth in temporary, rain-filled rock pools. *Freshwater Biol.* 15:77-87.
- Patterson, J.W. and A.J. McLachlan. 1989. Larval habitat duration and size at metamorphosis in frogs. *Hydrobiologia* 171:121-126.
- Peterka, J.J., see Deutschman, M.R. 1988.
- Pravda, O. 1973. Uber den Einfluss der herbizide auf einige Susswassertiere. *Hydrobiologia* 42:97-142. (in German with English abstract)
- Rabe, F.W., see Lindeman, P.V. 1990.
- Redfield, J.A., J.C. Holmes and R.D. Holmes. 1978. Sea snakes of the eastern Gulf of Carpentaria. *Australian J. Marine Freshwater Res.* 29:325-334.
- Reynoldson, T.B., see Young, J.O. 1965.
- Rugiero, L., see Luiselli, L. 1991.
- Schabetsberger, R. 1994. Gastric evacuation rates of adult and larval alpine newts (*Triturus alpestris*) under laboratory and field conditions. *Freshwater Biol.* 31:143-151.
- Schabetsberger, R. and C.D. Jersabek. 1995. Alpine newts (*Triturus alpestris*) as top predators in a high-altitude karst lake: daily food consumption and impact on the copepod *Arctodiaptomus alpinus*. *Freshwater Biol.* 33:47-61.
- Sih, A., see Huang, C. 1991.
- Smith, P.G.R., see Glooschenko, V., et al. 1992.
- Stoll, F.M., see DuBois, R.B. 1995.
- Stoneburner, D.L. 1978. Salamander drift: observations on the two-lined salamander (*Eurycea bislineata*). *Freshwater Biol.* 8:291-293.
- Strohmeier, K.L., P.H. Crowley and D.M. Johnson. 1989. Effects of red-spotted newts (*Notophthalmus viridescens*) on the densities of invertebrates in a permanent, fish-free pond: a one-month enclosure experiment. *J. Freshwater Ecol.* 5:53-65.
- Surova, G.S. 1991. Effect of predators on *Rana arvalis* larvae in nature. *Hydrobiol. J.* 27:20-32.

- Talentino, K.A. and E. Landre. 1991. Comparative development of two species of sympatric *Ambystoma* salamanders. *J. Freshwater Ecol.* 6:395-401.
- Viertel, B. 1992. Functional response of suspension feeding anuran larvae to different particle sizes at low concentrations (Amphibia). *Hydrobiologia* 234:151-173.
- Warburg, I., see Warburg, M.R., et al. 1979
- Warburg, M.R., G. Degani and I. Warburg. 1979. Growth and population structure of *Salamandra salamandra* (L.) larvae in different limnological conditions. *Hydrobiologia* 64:147-155.
- Warburg, M.R., see Degani, et al. 1980.
- Watt, P.J. and R.S. Oldham. 1995. The effect of ammonium nitrate on the feeding and development of larvae of the smooth newt, *Triturus vulgaris* (L.), and on the behaviour of its food source, *Daphnia*. *Freshwater Biol.* 33:319-324.
- Weller, W.F., see Glooschenko, V., et al. 1992.
- Wilzbach, M.A., see Hawkins, C.P., et al. 1983.
- Young, J.O. and T.B. Reynoldson. 1965. A laboratory study of predation on lake-dwelling triclads. *Hydrobiologia* 26:307-313.

SCIENTIFIC NAME INDEX

- Acalyptophis peronii*: Redfield, et al. 1978
Acris crepitans: Johnson 1991
Afrixalus fornasinii: Patterson and McLachlan 1989
Aipysurus duboisii: Redfield, et al. 1978
Aipysurus eydouxii: Redfield, et al. 1978
Aipysurus foliosquama: Redfield, et al. 1978
Aipysurus laevis: Redfield, et al. 1978
Aipysurus tenuis: Redfield, et al. 1978
Ambystoma barbouri: Huang and Sih 1991
Ambystoma jeffersonianum: Talentino and Landre 1991
Ambystoma laterale: Kutka and Bachmann 1990; Talentino and Landre 1991
Ambystoma maculatum: Clark and LaZerte 1987; Freda and McDonald 1993;
 Glooschenko, et al. 1992; Kutka and Bachmann 1990; Talentino and Landre 1991
Ambystoma tigrinum: Deutschman and Peterka 1988; Holomuzki 1989; Leff and
 Bachmann 1988
Astrotia stokesii: Redfield, et al. 1978

Bombina variegata: Chardez 1968; Joly and Morand 1994; Morand and Joly 1995
Bufo americanus: Clark and LaZerte 1985; Clark and LaZerte 1987; DuBois, et al. 1995;
 Freda, J., et al. 1990; Freda and McDonald 1993; Glooschenko, et al. 1992; Kutka
 and Bachmann 1990
Bufo bufo: Chardez 1968; Joly and Morand 1994; Luiselli and Rugiero 1991; Manteifel and
 Bastakov 1986; Morand and Joly 1995; Viertel 1992
Bufo calamita: Chardez 1968; Joly and Morand 1994; Morand and Joly 1995; Viertel
 1992
Bufo viridis: Degani 1986

Caretta caretta: Lester, et al. 1980
Carettochelys insculpta: Jeffree 1991
Chelodina longicollis: Jeffree 1991
Chelodina rugosa: Jeffree 1991
Chelonia mydas: Dailey and Morris 1995; Leh 1994
Chiromantis xerampelina: Patterson and McLachlan 1989
Chrysemys picta: Lindeman and Rabe 1990
Crocodylus niloticus: Munro 1966

Dermochelys coriacea: Eggleston 1971; McCann 1969
Dicamptodon ensatus: Hawkins, et al. 1983
Disteira kingi: Redfield, et al. 1978
Disteira major: Redfield, et al. 1978

Elseya dentata: Jeffree 1991
Elseya latisternum: Jeffree 1991
Emydura signata: Jeffree 1991
Emydura victoriae: Jeffree 1991
Enhydrina schistosa: Redfield, et al. 1978
Eurycea bislineata: Stoneburner 1978

- Hydrophis caerulescens*: Redfield, et al. 1978
Hydrophis elegans: Redfield, et al. 1978
Hydrophis inornatus: Redfield, et al. 1978
Hydrophis ornatus: Redfield, et al. 1978
Hyla arborea: Chardez 1968; Degani 1986; Joly and Morand 1994; Morand and Joly 1995
Hyla crucifer: Glooschenko, et al. 1992; Kutka and Bachmann 1990
Hyla versicolor: Kutka and Bachmann 1990
Hyperolius argus: Patterson and McLachlan 1989
Hyperolius marmoratus: Patterson and McLachlan 1989
- Kassina senegalensis*: Patterson and McLachlan 1989
- Lapemis hardwickii*: Redfield, et al. 1978
- Natrix natrix*: Luiselli and Rugiero 1991
Natrix tessellata: Luiselli and Rugiero 1991
Necturus sp.: Gilderhus and Johnson 1980
Notophthalmus viridescens: Kesler and Munns 1991; Kutka and Bachmann 1990; Strohmeier, et al. 1989
- Pelamis platurus*: Redfield, et al. 1978
Pelobates syriacus: Degani 1986
Pelodytes punctatus: Joly and Morand 1994; Morand and Joly 1995
Phrynobatrachus natalensis: Patterson and McLachlan 1989
Pseudacris triescariata: Kutka and Bachmann 1990
Ptychadena anchietae: Osborne and McLachlan 1985; Patterson and McLachlan 1989
Ptychadena mascariensis: Patterson and McLachlan 1989
Ptychadena porosissima: Patterson and McLachlan 1989
Pyxicephalus adspersus: Patterson and McLachlan 1989
- Rana angolensis*: Patterson and McLachlan 1989
Rana arvalis: Surova 1991
Rana clamitans: Glooschenko, et al. 1992; Kutka and Bachmann 1990
Rana dalmatina: Joly and Morand 1994; Morand and Joly 1995
Rana esculenta: Chardez 1968; Joly and Morand 1994; Luiselli and Rugiero 1991; Manteifel and Bastakov 1986
Rana johnstoni: Patterson and McLachlan 1989
Rana pipiens: DuBois, et al. 1995; Freda, J. et al. 1990; Glooschenko, et al. 1992
Rana ridibunda: Degani 1986; Joly and Morand 1994; Manteifel and Bastakov 1986; Morand and Joly 1995
Rana sylvatica: Clark and LaZerte 1985; Freda and McDonald 1993; Glooschenko, et al. 1992; Kutka and Bachmann 1990
Rana temporaria: Chardez 1968; Costa 1967; Joly and Morand 1994; Manteifel and Bastakov 1986; Pravda 1973; Viertel 1992
Rana terrestris: Manteifel and Bastakov 1986
- Salamandra salamandra*: Degani 1986; Degani, et al. 1980; Warburg, et al. 1979
Salamandra taeniata: Chardez 1968

- Triturus alpestris*: Chardez 1968; Joly and Morand 1994; Morand and Joly 1995;
Schabetsberger 1994; Schabetsberger and Jersabek 1995
- Triturus cristatus*: Avery 1971a; Joly and Morand 1994; Morand and Joly 1995
- Triturus helveticus*: Avery 1971a; Avery 1971b; Chardez 1968; Joly and Morand 1994;
Morand and Joly 1995; Young and Reynoldson 1965
- Triturus vittatus*: Degani 1986
- Triturus vulgaris*: Avery 1971a; Avery 1971b; Watt and Oldham 1995
- Varanus niloticus*: Munro 1966
- Xenopus laevis*: Viertel 1992

SUBJECT INDEX

Aquatic Toxicity/Contaminants Clark and LaZerte 1985; Clark and LaZerte 1987; Costa 1967; Freda, et al. 1990; Freda and McDonald 1993; Gilderhus and Johnson 1980; Jeffree 1991; Kutka and Bachmann 1990; Pravda 1973

Behavior: Costa 1967; Degani 1986; Degani, et al. 1980; DuBois, et al. 1995; Kesler and Munns 1991; Stoneburner 1978

Distribution: Eggleston 1971; Glooschenko, et al. 1992; Munro 1966; Redfield, et al. 1978

Feeding/Trophic Interactions: Avery 1971b; Degani, et al. 1980; Holomuzki 1989; Huang and Sih 1991; Johnson 1991; Kessler and Munns 1991; Leff and Bachmann 1988; Luiselli and Rugiero 1991; Osborne and McLachlan 1985; Schabetsberger and Jersabek 1995; Strohmeier, et al. 1989; Surova 1991; Viertel 1992; Watt and Oldham 1995; Young and Reynoldson 1965

Growth/Development: Avery 1971b; Degani 1986; Degani, et al. 1980; Johnson 1991; Patterson and McLachlan 1989; Talentino and Landre 1991; Warburg, et al. 1979; Watt and Oldham 1995

Habitat: Glooschenko, et al. 1992; Hawkins, et al. 1983; Joly and Morand 1994; Lindeman and Rabe 1990; Morand and Joly 1995; Patterson and McLachlan 1989

Parasites: Avery 1971a; Chardez 1968; Dailey and Morris 1995; Lester, et al. 1980; McCann 1969

Reproduction: Leh 1994