



FOR THE INCREASE
AND DIFFUSION OF

KNOWLEDGE AMONG MEN.

PER ORBEM

SMITHSONIAN
INSTITUTION
WASHINGTON 1846





Theo. Gill, Dec '80

Department of the Interior:

U. S. NATIONAL MUSEUM.

29

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 23.


BIBLIOGRAPHIES OF AMERICAN NATURALISTS.—
II. THE PUBLISHED WRITINGS OF ISAAC LEA, LL.D.

BY

NEWTON PRATT SCUDDER.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1885.



Department of the Interior:

U. S. NATIONAL MUSEUM.

— Serial Number 29 —

BULLETIN

No. 23

OF THE

UNITED STATES NATIONAL MUSEUM.

PUBLISHED UNDER THE DIRECTION OF THE SMITHSONIAN INSTITUTION.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1885.

ADVERTISEMENT.

This work (Bulletin No. 23) is the twenty-ninth of a series of papers intended to illustrate the collections of natural history and ethnology belonging to the United States, and constituting the National Museum, of which the Smithsonian Institution was placed in charge by the act of Congress of August 10, 1846.

It has been prepared at the request of the Institution, and printed by authority of the honorable Secretary of the Interior.

The publications of the National Museum consist of two series—the Bulletins, of which this is No. 23, in continuous series, and the Proceedings, of which the eighth volume is now in press.

The volumes of Proceedings are printed, signature by signature, each issue having its own date, and a small edition of each signature is distributed to libraries promptly after its publication.

From time to time the publications of the Museum which have been issued separately are combined together and issued as volumes of the Miscellaneous Collections. These are struck off from the stereotype plates from which the first edition was printed, and in this form are distributed by the Smithsonian Institution to libraries and scientific societies throughout the world. Volume 13 of these collections includes Bulletins 1 to 10 inclusive; volume 19, volumes 1 and 2 of the Proceedings; volume 22, volumes 3 and 4 of the Proceedings; and volume 23, Bulletins 11 to 15 inclusive.

Full lists of the publications of the Museum may be found in the current catalogues of the publications of the Smithsonian Institution.

SPENCER F. BAIRD,

Secretary of the Smithsonian Institution.

SMITHSONIAN INSTITUTION,

Washington, September 20, 1885.

II.

THE PUBLISHED WRITINGS

OF

ISAAC LEA, LL. D.,

BY

NEWTON PRATT SCUDDER.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1885.

PREFATORY NOTE.

The second of the series of special bibliographies, which was begun in 1883 by the publication of a catalogue of the published writings of Spencer Fullerton Baird (Bulletin 20, U. S. Nat. Mus.), is now presented.

Dr. Lea has contributed largely of his collections to the National Museum, and it is therefore eminently fitting that his writings, based upon this and similar material, should be published under Government auspices.

CONTENTS OF BIOGRAPHICAL SKETCH.

CHAPTER I.

	Page.
Youth and manhood.—Early studies in natural history.....	VII

CHAPTER II.

Visit to Europe.—Meeting distinguished scientists in England, France, and Switzerland	XII
---	-----

CHAPTER III.


Scientific researches.—Retirement from business.—Second visit to Europe.....	XIX
--	-----

CHAPTER IV.

Examinations of collections of natural history.—Progress of science.—Descriptions of distinguished scientists.—Departure for America.....	XXVI
---	------

CHAPTER V.

Return to Philadelphia.—Extracts of letters on scientific subjects.—Continued research.—Present occupations.....	XLV
--	-----





Isaac Lea L.L.D.

BIOGRAPHICAL SKETCH OF ISAAC LEA, LL. D.

CHAPTER I.

YOUTH AND MANHOOD.—EARLY STUDIES IN NATURAL HISTORY.

The subject of this biography was born in Wilmington, Del., March 4, 1792. His ancestors, John and Hannah Lea, came from Gloucestershire, in England, with William Penn on his second visit, and "were a couple of noted and valuable preachers." His parents were members of the "Society of Friends," and this gave him a birthright in that society.

His father, James Lea, was a wholesale merchant. Isaac was the fifth son, and being intended by his parents for the medical profession, was sent to the academy at Wilmington to be instructed in the classics. But at the age of fifteen years a change of plans seemed desirable, and he went to Philadelphia to engage in the mercantile business in the wholesale and importing house of his eldest brother. It was at this time that he became intimate with the family of the late Professor Vanuxem, whose father was an eminent merchant and much interested in the public affairs of the city. Isaac's early love of nature was inherited from his mother, who was particularly fond of botany, and induced all her children to occupy themselves with the study of plants. Young Vanuxem also had a strong love for natural history, and the two friends in their frequent walks began collecting stones and examining the rocks in the neighborhood of the city. This soon grew into a desire to know the composition of the rocks, as they had no knowledge of any collections or scientific works. Not long after this they found that a cabinet of minerals was in possession of the late Dr. Adam Seybert, whose acquaintance they made. This was the only collection then in Philadelphia, and was subsequently sold to the Academy of Natural Sciences, which was formed in 1812.

In 1814 the two friends joined a volunteer rifle company which offered its services to the governor and held itself in readiness to march at any time. The English army were then in possession of Washington and the need seemed urgent, but in the following autumn the governor disbanded the company, so that they were never called into actual service. For this volunteering the subject of this sketch lost his birthright in the Friends' Society.

Before this time there were no public lectures on natural history, and the two young friends continued to grope their way without instruction or the help of text-books. While they had but little time to ramble through the country—both being clerks in a mercantile establishment—still their puny collections had great interest to them. One of their extended excursions was to examine the coal mines then opened above Wilkes Barre, where they found the slates contained mollusca, which Mr. Lea some forty years afterward described in the *Journal of the Academy of Natural Sciences*. On their return they walked from there over the Pocono Mountain through the Wind Gap, where Mr. Lea, found a trilobite, the first they had ever seen, and thence down the Delaware River, observing the strata all the way.

They finally learned of the Academy of Natural Sciences, which had been in existence about three years, and in 1815 they were both elected members on the same evening. From that time they became active members of the young society, learning from the older members, and rendering assistance by bringing specimens which they had collected. Mr. Lea remembers that Mr. Say founded his genus *Alasmodonta* on a single valve which he himself had picked up on the river shore at Chillicothe, Ohio, and which he carried from that place to Philadelphia in his saddle-bags.

In 1816 Mr. Vanuxem went to Paris to study at the School of Mines, and remained there nearly three years under the great masters of science of that school. On his return he was offered the professorship of chemistry in the College of South Carolina at Columbia.

Afterwards he was appointed one of the four geologists of the great geological survey of the State of New York. During all this period of over forty years the closest friendship existed between the two friends until the death of Mr. Vanuxem, in 1848.

In 1817 Mr. Lea published in the *Journal of the Academy of Natural Sciences* his first paper, entitled "An account of the minerals at present known to exist in the vicinity of Philadelphia," it being the result of several years of close examination.

Early in 1818 the late Professor Silliman issued the prospectus of the *American Journal of Science*, which, fortunately for the science of this country, has continued to this day. In this prospectus he says: "It will be a leading object of this journal to illustrate American natural history, and especially mineralogy and geology." Mr. Lea, pleased with the promises to this prospectus, procured fourteen subscribers among the prominent members of the academy, and sent the names to Professor Silliman, who, years afterwards, told him that "this was the turning point of the scheme," and that in receiving such encouragement from a person with whom he had no personal acquaintance he was sure the journal would be successful. He requested Mr. Lea to contribute articles, and sometimes consulted him about papers offered, and in a letter the following November he informed him that "the edition of No. 1 is

already gone, except a very few copies; we printed one thousand, and shall print fifteen hundred of No. 2, and shall soon reprint No. 1.*

In the early numbers of the journal Mr. Lea contributed the following papers: "Notice of a singular impression in sandstone," "On hibernation," "On earthquakes, their causes and effects," "On the pleasure and advantage of the study of natural history," "Notice of two halos with Parhelia." In 1828 he published an article "On the Northwest Passage," in the *American Quarterly Review*, in which he advanced the opinion that if the passage was ever made it must be from west to east, as the current was up through Bering Strait, as reported by Captain Cook, and down through Davis Straits, as well known to all navigators. In this paper he gave an account of all the early navigators to the northern seas. Subsequently, in 1852, this theory proved to be correct, as was shown by Captain McClure's voyage.

In 1821 Mr. Lea was united in marriage to Miss Frances A. Carey, the daughter of Mathew Carey, the well-known publisher and writer on political economy, and became a member of the firm of M. Carey & Sons, which at that time was the most extensive publishing house in the United States. He retired from the successive firms in 1851. Few men have been more blessed in their married life, which embraced a period of fifty-two years, when the death of Mrs. Lea occurred, leaving her greatly afflicted husband with two sons and one daughter.

Finding that a knowledge of geology rendered an acquaintance of the mollusca necessary, Mr. Lea imported a large collection of shells from China, with the view of studying Lamarek's genera. This led him to study them thoroughly, and eventually it became an all-absorbing pursuit, particularly the study of fresh-water and land shells.

Major Long, of the Engineer Corps of the United States, was engaged in 1825 to deepen the channel of the Ohio River below Louisville, where a sand-bar obstructed navigation. Here he found many species of the genus *Unio*, which he collected and sent to the Academy of Natural Sciences, of which he was a member. They were splendid specimens; some were new to the members, and of course rare, valuable, and of exceeding great interest.

Mr. Lea's brother Thomas was at this time closing up his mercantile business at Cincinnati, and was in Philadelphia. He promised his brother that he would "look after the shells in his vicinity," adding that he "was sure none of such beauty were ever found in the Ohio." The result of his collecting was the shipment of a small barrel of shells—many of rare beauty, and six of them new species. The description of these formed the first of that series of papers which was Mr. Lea's chief study through a long life. His brother continued collecting from season to season until his death, which took place in 1844. Mr. Lea's calling the attention of his brother to the shells of the

* Mr. Lea believes he is the only surviving subscriber to this valuable journal from its beginning.

river led him to the collection of the land shells, of which he made a thorough study, and this brought him to observe the plants, and botany became eventually his principal study, and resulted in the publication of "The Plants of Cincinnati," in which was included all the cryptogams. This study changed the course of his life, which thereafter was given up to natural history. He said he "did not know what it was to live on God's earth before."

These collections of *Unionidæ*, &c., with others from friends elsewhere in the United States, enabled Mr. Lea to open correspondence in all the large cities of Europe, putting him in communication with most of the prominent naturalists of the time, and his exchanges brought him the choicest and rarest specimens.

In 1827 he published his first conchological paper, "Description of six new species of the genus *Unio*." It was presented to the American Philosophical Society and published in their Transactions. It consisted of descriptions of the six new species, and he did not then know that he should ever describe another species, so little was the scientific world aware of the vast number of species which inhabited the numerous rivers, lakes, and small streams of the United States; indeed, proving that this country was literally the home of the *Unionidæ*.

In 1828 Mr. Lea was elected a member of the American Philosophical Society and soon became active in promoting its interests. He was made chairman of the publication and finance committees, which office he held until his visit to Europe in 1852, at which time he sent in his resignation.

At this time also (1828) he became a member of the "Wistar Association," so well known throughout the country. It consisted only of members of the American Philosophical Society and a single negative vote was sufficient to prevent the election of a proposed member. It was a rule also that no person should know that his name had been proposed. This association was formed in 1818 after Dr. Wistar's death. He was president of the American Philosophical Society, and it had been his custom to receive his learned friends at his residence on Saturday evenings. After his death the gentlemen who had enjoyed these gatherings for so many years determined to form an association and gave it his honored name. The following-named gentlemen composed its membership the first year: Judge Tilghman, Professor Patterson, P. S. Du Ponceau, John Vaughn, Reuben Haines, Robert Walsh, jr., Z. Collins, Dr. James, and Dr. Robert Hare. In 1821 the number was increased by adding the names of Judge Hopkinson, William Meredith, Dr. Chapin, Mathew Carey, Nicholas Biddle, Dr. Dewees, and Langdon Cheves. In 1824 Horace Binney and John Sergeant were added to the list. John Vaughn was appointed dean, which position he filled until his death, in 1841, when Mr. Lea was appointed to fill the vacancy, which position was held by him until the association was dissolved by the war of secession in the year 1861.

During the period from 1825 to 1832 Mr. Lea's correspondence was very large, both at home and abroad, with various scientific friends in the same department of science. Among these were Judge William Cooper, Dr. Kirtland, Dr. Hildreth, and Drs. Ward and Jay, Major Le Conte, Judge Tappan, and others in Europe, who earnestly solicited him to undertake the whole subject of classifying the synonymy of the *Unionida* of the United States, which was at that time in almost inextricable confusion. He did not attempt this, however, until the year 1836, when his first edition of "A Synopsis of the Family of Naiades" was issued, which consisted of a thin octavo of 59 pages. This volume was augmented in various editions until it reached a fourth edition, which was published in 1870 in quarto, consisting of 214 pages.

CHAPTER II.

VISIT TO EUROPE.—MEETING DISTINGUISHED SCIENTISTS IN ENGLAND, FRANCE, AND SWITZERLAND.

In the spring of 1832 Mr. Lea went to Europe with his family, where he met the prominent men of science, and opportunity was afforded him of examining the best collections of the time. He was present at the second meeting of the British Association, which in that year was held at Oxford. He had met Dr. Buckland previously, who invited him to be present at the meeting. In London he had been present at a meeting of the Geological Society, where he met most of the leading geologists of Great Britain, who were discussing an important point in geology. Previous to going to Oxford Mr. Lea went to the north of England and on returning through the middle counties he traveled with William Smith, who was then on his way to Oxford to receive the Copley medal which was voted him by the British Association. Mr. Smith was called "the Father of British Geology" on account of his having been the first geologist in England who attempted to classify the rocks of that country by their characteristic fossils, and he was said to have preceded MM. Cuvier and Brongniart in that important step which gave such an impulse to this great branch of scientific knowledge.

While at Oxford Mr. Lea made the acquaintance of many distinguished scientists, and was invited by Dr. Buckland into the "robing room," where four of Britain's most eminent men, Brown, Faraday,* Dalton,† and Brewster, were to put on scarlet robes before going into the theater, where the degree of LL. D. was to be conferred upon them. It was interesting to see the Quaker Dalton, the discoverer of the atomic theory, robed and his white head covered with a velvet cap. When the vice-chancellor mentioned each name there was much applause, but when the name of Dalton was given the applause was loud, long, and reiterated. The other distinguished men to whom Mr. Lea was introduced at this meeting were Brunel, Conybeare, Davies Gilbert, Dr. McBride and others whom he had previously met in London. At the observatory he was introduced to Sir David Brewster and Rigo, the astronomer. At the geological meeting he listened to a most interesting discussion upon the "injection of veins," between the Rev. Mr.

* Mr. Lea had a letter to Professor Faraday from Professor Silliman. The former was then delivering a course of lectures in London, to which he invited him.

† Mr. Lea had previously visited Dr. Dalton in his laboratory at Manchester, where he was introduced by Dr. Henry.

Sedgwick and Mr. Moss. Subsequently, in London, Mr. Lea met Dr. Buckland, Mr. Babbage, and Mr. Broderip, at Mr. Stokes's, at that time secretary of the Geological Society who received his friends at breakfast on Sunday morning. Dr. Buckland inquired of Mr. Lea respecting the quantity of coal in the United States, stating that *he* "believed we had very little," and that he had his information from a very reliable source. Mr. Lea, thinking he knew from whom he had received this information, took great pains to disabuse him of this false impression. A large map of the United States was brought from the library of Mr. Stokes and laid upon the floor, and the canon of Christ Church with Mr. Lea spent several hours in the closest examination of it, Dr. Buckland meanwhile filling sheet after sheet with notes. At last he took his leave to meet an engagement, assuring Mr. Lea that "*England had enough to supply the United States when its supply should fail,*" to which Mr. Lea replied that the quantity of anthracite and bituminous coal was almost unlimited in North America, and that when he returned to his home he would send him a map of the country, showing the extent of the coal fields, together with a copy of the section of anthracite of the Pottsville basin, which he had in manuscript. This he subsequently did, and Dr. Buckland was so thoroughly convinced of the truth of Mr. Lea's information that he laid the matter before the next meeting of the British Association, with the letter and maps, assuring the members that "when the coal fields of England should be exhausted there would be plenty in the United States to supply their need." He did not anticipate then that the great consumption and exportation of coal was likely to exhaust England in one hundred years, as the late report to Parliament by a committee of sixteen experts has since demonstrated. It must be borne in mind that Dr. Buckland had stated "that England's prosperity is based upon her coal mines; that upon their exhaustion she would return to her original barbarism." He was not then aware that in many other parts of the world there existed inexhaustible quantities from which she could draw her supplies.

While in London Mr. Lea frequently met the most eminent scientific men. Among them was Mr. Vigers, the ornithologist, who was a candidate for a seat in Parliament for the county in which he was born. He inquired much about the political institutions of the United States. In speaking of the meeting of the British Association at Oxford, he stated a circumstance which Mr. Lea had not heard while there. The principal of Lincoln College, when Faraday's experiment of the magnetic spark was shown, asked him if that was "his invention." "It is my *discovery,*" said Faraday. "Well, I am sorry to see it," said the principal, "for it is only giving another instrument to enable the bad part of our population to set fire to our barns and houses in the country."

During his stay in London Mr. Lea had the pleasure of dining at a friend's with the Rev. Sydney Smith, Miss Aiken, and a few other nota-

bles. He was also present, by special invitation, at the meeting of twenty-five lords who met to discuss the subject of the charter of the Birmingham and London Railroad, where he heard the celebrated barrister, Mr. Follet, plead for the charter of the railroad, which was refused as a result of their report.*

Mr. Lea was frequently at the British Museum, always receiving a warm welcome from Dr. Gray and the other officials. He presented to the museum many rare specimens.

At a meeting of the Royal Society at Somerset House, at which Mr. Lea was present, Dr. Buckland presided. A paper was read on the first discoveries of the spots in the sun. After the session most of the members retired to the tea room. Mr. Lea was there introduced to Dr. Bostock, the author of "Physiology," &c., and a number of other distinguished members.

The next day he called upon Mr. Claxton, the American mechanist who made the instruments by which Faraday showed the spark made by the magnet, which was creating great interest at that time in London. During the season the Duke of Sussex, president of the Royal Society, was giving *soirées* at Kensington Palace, to which Mr. Lea was invited and where he met many of the *élite* of science of that city. Mr. Murchison, president of the Geological Society, also gave *soirées* every other week, and at these gatherings Mr. Lea had the pleasure of meeting with Sedgwick, Buckland, Broderip, Babbage, Lyell, De la Bêche, Mrs. Somerville, and others.

At the request of Dr. Gray he went over the collection of *Unionida*, in the British Museum, arranged and named them correctly, adding some new species from the United States.

Mr. Lea was invited to dine with the club of the Royal Society, Mr. Marsden presiding. Here he met with Mr. Daniels, the chemist, Dr. Roget, Mr. Bailey, the astronomer, and Mr. Children, secretary of the society.

Subsequently he visited Paris, where he had numerous correspondents. J. Fenimore Cooper had written to him that Paris was nearly free from the cholera, and that it was safe to visit it. On his arrival there with his family shortly after, he found that two hundred and twenty-five persons were daily carried off with this frightful pestilence. Both Mr. Cooper and Mr. Wells, the American banker, advised him to remain, which he did, and in a few days it entirely disappeared. Mr. Wells and Mr. Cooper had established a cholera hospital, where during the epidemic eight hundred patients had been received. Mr. Lea and his family, consisting of himself, wife, and his two sons, escaped with a slight attack of what was called the "cholérine."

Mr. Cooper and Mr. Lea had planned with their families to go up the Rhine and be in Switzerland together, but as they could not agree upon

* The expense for this application to Parliament was £60,000. The following year they obtained the charter.

a time, Mr. Lea went on and was joined by Mr. Cooper in the autumn. In a letter from Vevay, dated May 26, 1832, stating the time he would leave there, Mr. Cooper wrote as follows:

“The comparison between Europe and America is not easily made. In many things which are the inevitable consequence of time and a dense population, this quarter of the world has the advantage, but the balance is, in my opinion, immensely in our favor. In moral civilization and in common sense, we are a century in advance of the best of them. The time will come when our notions will come in fashion, and, allowing for the omissions that are part of the plan, the book will become authority.”*
 “I have only to develop its opinions and support what I have said by a citation of facts and reasons that are at my fingers’ end, to give it vogue in six months. But I have higher views. * * * It is my intention to return home in the spring, or rather in June next. The age of my children requires this of me, for no consideration would induce me to establish one of them in Europe.”

Soon after Mr. Lea’s arrival in Paris he called to see General Bernard, with whom he had been well acquainted in the United States, during his several years’ service in the Army as chief of the Engineer Corps. At this time he was the war minister of Louis Philippe. From him Mr. Lea learned many things of the workings of the Government not generally understood. Before leaving Paris in the autumn he addressed the following note to Mr. Lea:

PARIS, October 12, 1832.

DEAR SIR: I intended to call on you and present to yourself and family my respects, but, being under pressure of business, I could not find one moment to do it.

I have received a letter, in which General La Fayette complains of your having not yet visited him at La Grange. He insists, and requests me that I should inform you, that it will be for him a great pleasure to receive you at La Grange before your departure for America.

Make my best compliments acceptable to Mrs. Lea, and be so kind as to receive the expression of my best respects and of my distinguished consideration.

Your devoted servant,

BERNARD.

Mr. Lea had been introduced to La Fayette on his visit to the United States, and had called at his residence in Paris, but he had gone to La Grange.

He also called on Baron Ferussac, the best authority in Paris on terrestrial and fluviatile mollusca. He was received with great politeness, and they talked over their favorite subject, the *Unionidæ*, for two hours. The baron was at that time engaged in preparing his great work on the *Unionidæ*, embracing those known in all countries. It was to be folio size, and equal in elegance to his work on the *Helices*. He showed Mr. Lea some of the drawings, which were very fine. The latter had published his first two memoirs, which Baron Ferussac had received, and he complimented Mr. Lea by saying that he could not go on with his work until he (Mr. Lea) had finished his memoirs. The subject was continued by Mr. Lea, who published thirteen quarto volumes. The

* The book referred to was a work which Mr. Cooper was preparing, which was published by Mr. Lea’s house.

last volume was published in 1874, and still the American *Unionidae* were not exhausted. At that time no writer in Europe had any idea of the extent of the species in the United States, as the *Unionidae* are more developed in this country than elsewhere. The baron's cabinet was rich in valuable specimens. It contained the *Unionidae* which Spix and Von Martius brought from Brazil, and others from Syria, Turkey, and Egypt. Mr. Lea spent two hours of eight consecutive mornings going over the collection, which he rearranged, cutting down the species and forming synonyms almost without end.

During Mr. Lea's visit in London the announcement of Cuvier's death was made. His loss to science was universally lamented. Mr. Lea had brought from America a letter and some books from Professor Silliman for him. He called at Cuvier's late residence, intending to leave them, but his daughter requested to see him. She was, of course, in great grief, and stated that her mother was prostrated by their great loss. She, however, wished him to see her father's library, and he spent some time looking it over. Among the many fine works it contained she pointed out Poli's great work on the Mollusca of the Mediterranean,* published at the expense of the King of Naples, certainly the most important work on the mollusca.†

While in Paris Mr. Lea accompanied Baron Ferussac to a meeting of the Institute, and was there introduced to the president, La Croix, the mathematician, Latreille, Blainville, and Frederick Cuvier. There were about one hundred members present. Biot, St. Hilaire, and others were pointed out. By appointment Mr. Lea met Blainville, Ferussac, and other scientists at the Jardin des Plantes to arrange and name all the *Unionidae* of the collection, which he did, adding fourteen species.

Leaving Paris he went to Belgium, and from thence ascended the Rhine into Switzerland. At Berne he called on Professor Studer the elder, who was then blind. A letter from Baron Ferussac was his introduction. The professor needed no letter. He was extremely kind, and, after spending two hours over his collection, which at that date was the best in Switzerland, he presented to Mr. Lea the last copy in his possession of his work on the land and fresh-water shells of that country, complimenting him on the papers which he had written. His son, who had succeeded him in the university, was present, and offered his services to Mr. Lea during his sojourn in Berne.

At Geneva Mr. Lea called on De Candolle, to whom he had a letter from Baron Ferussac. Unfortunately he was out of the city. Mr. Lea, however, had previously corresponded with De Luc, whom he saw and who took him to a meeting of the Société de Physique et d'Histoire Naturelle, where he was made acquainted with the leading members.

* A few years afterward Mr. Lea procured this work through Prince Charles Buona-parté.

† M. Blainville showed to Mr. Lea with great pride the wax models of these mollusca, which Napoleon had brought to Paris after he had subdued the kingdom of Naples.

From Geneva he went to Chamouny and visited the *Mer de glace*, penetrating some distance under the ice. Here he saw the immense blocks of granite brought from the upper part of Mount Blanc, forming the lateral moraine, and strewed over the plains below, following the course of the Arveyron, was formed a terminal moraine, which was then receding. Higher up the mountain continual avalanches were heard. Returning to Paris he found that Baron Ferussac had made a catalogue of the *Unionide* during his absence on Mr. Lea's plan. In the mean time Mr. Lea had received his boxes of shells from America and he carried some of the finest to the Baron, who expressed himself greatly delighted. He had not seen anything like them before.* Wishing to see the Duc de Rivoli's collection, which contained all those of Lamarck, he called upon the duke, who unfortunately was absent from the city, but his curator, M. Kiener, had been instructed to give Mr. Lea access to the collection of *Unionide* whenever he should call. Mr. Lea took notes of them all, and thus was able to define the whole of Lamarck's species in his subsequent memoir. He visited the Institute accompanied by M. Blainville, who carried with him a copy of Mr. Lea's Memoirs on the *Unionide*, which he presented to the Institute, paying many compliments to the author on his production, who, on this occasion, had the pleasure of meeting M. Audouin, M. Latreille; and others. M. La Croix presided, and there were about two hundred persons present, and the meeting presented a remarkable assemblage of learned men, very striking to a stranger.

Mr. Lea had letters to Brongniart, who was then director at Sèvres, and one of the great geologists of France. He invited him to a dinner, where he met about a dozen gentlemen who were among the distinguished *savants* of Paris: M. Jaumard, M. Audouin, M. Cailliaud, the traveler, and the director of the Musée Egyptienne, M. Dumas, and M. Gay, who had just returned from the expedition to Brazil and Chili, who afterwards published so many volumes on the natural history of South America. At the dinner Mr. Lea sat beside M. Gay, who was particularly polite, and invited him to call upon him the following day. Accepting the invitation, Mr. Lea was surprised to find that M. Gay had brought out all the mollusca which he had collected in his travels, and desired him to select a specimen of each, "first for the Musée, and then for yourself." This was an unexpected kindness from so distinguished a traveler, which Mr. Lea gratefully accepted, thus securing some rare and fine specimens for his own cabinet.

While in Paris he called on M. Duclos, the author of a splendid work on the genus *Oliva*, &c. His collection of *Oliva*, *Purpura*, and *Columbella* was truly magnificent, and showed what persevering effort in one direction will accomplish. It was arranged in a manner to exhibit all ages and varieties which could be obtained. M. Duclos thought that

*Baron Ferussac's death occurred about two years afterward.

generally there is a black and white variety of each species of *Oliva* with the intermediate shades, and many of his specimens most curiously proved this.

Mr. Lea, by appointment, called on the Duc de Rivoli (Massena) to see his magnificent collection, which was said to have cost him one hundred thousand francs. It consisted of Lamarek's and some others, besides fine and rare specimens which he had purchased.

General Bernard, the minister of war, called on Mr. Lea, and gave him much information respecting the private life of Louis Philippe; in fact he said that the King "regretted the private station he had left," and added "that some things had improved in France, but that only one person in twenty could read in that country."

While in Paris Mr. Lea frequently was with M. Deshayes, who was certainly better acquainted with mollusca than any other person in France. He found that Deshayes had enemies, but his publications, and his subsequently obtaining the chair of Lamarek in the Muséum, were evidences of his great merit. He was most kind and generous to Mr. Lea, giving him rare specimens and some of his manuscript notes which were of great value to him. At his house he met Admiral Duperrey (who made a scientific voyage round the world), M. Légris and Dr. Gray, of the British Museum.

CHAPTER III.

SCIENTIFIC RESEARCHES.—RETIREMENT FROM BUSINESS.—SECOND VISIT TO EUROPE.

Mr. Lea returned from Europe in November, 1832, having enjoyed an almost unequalled opportunity of meeting the distinguished scientific *savants* of the times, men whose names will be honored as long as scientific research shall endure. He had found that the few papers which he had published on American mollusca had created an interest far beyond his expectation, and that the doors of the naturalists were open to him wherever he wished to enter. He was earnestly solicited to "go on with the investigations commenced," being told that "no naturalist in America or Europe had the advantages possessed by him; that they were unrivaled." "The admirable fidelity of all your descriptions so evidently from life and so full of acute discrimination." But to his great astonishment he found that advantage had been taken of his absence, which had prevented him from securing his share of the collection of Tertiary fossils of Alabama, made by Dr. Gates, who was sent to the South by subscriptions made in Philadelphia and New York; and that the whole of the Philadelphia quota had been placed in the hands of Mr. Conrad, who was not one of the subscribers. Mr. Lea was not made acquainted with the fact until he saw the first numbers of Mr. Conrad's published descriptions.

In 1829, and for several years subsequently, Mr. Lea had received all these species from his friend, Judge Tait, ex-governor of Alabama, but at that time he was too much occupied with his elaborate work upon the *Unionida* to undertake the description of them. When, however, he discovered that his own property had been put into Mr. Conrad's hands, he went vigorously to work on those already in his possession, and on the 27th of August, 1833, presented his paper complete to the Academy of Natural Sciences of Philadelphia. It contained two hundred and twenty-one species, and the figures were so admirably executed by Mr. Drayton, the artist, that they were said to be almost equal to the originals. In regard to this work, Mr. Murchison said, in a letter to the author acknowledging its receipt:

Accept my very best thanks for your handsome "Contributions to Geology." If every good conchologist like yourself would thus vigorously set to work, we might in some few years have collected full material for our superstructure. I like the coloring of your fossil plates very much, and altogether the work has quite the stamp of being issued by one of the best workshops of Europe.

The late Sir Charles Lyell, Bart., thus wrote to him in November, 1834:

I take the opportunity of adding to the thanks of the Geological Society, which I am instructed to forward officially, my own acknowledgment of your very handsome present of your splendid work on the Genus *Unio*, as also for the manner in which you have endeavored to give publicity in your writings to some of my geological views respecting the Tertiary strata.

Mr. Lea, at this time being engaged in a large and prosperous business, had no leisure in the day-time to pursue his studies in natural history. He was blessed with excellent health, and could devote from three to five hours at night to writing his papers.

He found on his return from Europe many boxes of specimens from various parts of the country awaiting his inspection, and also a very large correspondence.

His first production after this was his "Contributions to Geology," it being a description of the Tertiary shells of Alabama. This was followed by a continuation of his "Observation on the Naiades, &c."

In 1836, he published his "Synopsis of the Family Naiades," a small octavo volume which in subsequent years was followed by a second, third, and fourth edition, the last being enlarged tenfold in extent from the first. The second, third, and fourth were in quarto. The first edition settled satisfactorily to most conchologists the synonymy of the family, and was received almost unanimously as giving the true names and synonymy of the species. He was congratulated by many zoologists, at home and abroad, upon settling the vexed question. Dr. Kirtland, Senator Tappan, Dr. Ward, Dr. Hildreth, Mr. Buchanan of the West, Judge Cooper, Dr. Jay, Mr. Haines, Dr. Budd, and many others of the East, wrote him congratulatory letters upon the occasion. Prince Charles Buonaparte, than whom there was no higher authority in Europe, said in his letter:

I have been admiring your synoptical table, and should like to see all parts of zoology treated in the same manner.

And Mrs. Corrie,* the wife of the president of the Philosophical Society of Birmingham, in one of her numerous letters, said:

"I hope the high reputation which these contributions have established, will stimulate you to further researches. You possess advantages unrivaled by those of any other naturalist in your own hemisphere or ours. I trust, my dear sir, that you will have health and time to exercise them fully for the universal benefit of science."

Dr. Kirtland, who was appointed zoologist for the State of Ohio, constantly consulted Mr. Lea in regard to the mollusca of that State, and in March, 1836, he writes that "the Western naturalists have come to the determination not to adopt the species of Rafinesque, as given by Mr. Conrad, but to adopt yours."

Mr. Lea continued his work on the *Unionida*, and published a series

*She had one of the best collections of the *Unionida* in Europe, and no one was better acquainted with this branch of conchology.

of papers on the subject, also occasionally a paper on a geological subject, as a reference to his bibliography will show. Some of these were eminently important, particularly the continuation of his papers on new *Unionidae*, their anatomy and physiology, and the one on the foot-prints of the *Sauropus primævus* found by him in the Red Shales at Pottsville, Pa., 1,700 feet below the conglomerate, being in Professor Rogers's Formation No. XI, and which constitutes the oldest case of an air-breathing animal on record.

Professor Agassiz, however, at the meeting of the American Association of Science at New Haven, asserted that he "did not believe that any air-breathing animals had existed before the New Red Sandstone."

This assertion was made notwithstanding Dr. King had published his discovery of saurian foot-prints near Greensburg, Pa., between the coal strata in Rogers's Formation No. XIII. These foot-prints are several thousand feet above those mentioned by Mr. Lea in No. XI.

Professor Rogers subsequently procured through Professor Sheaffer, the geologist, and his assistant, impressions of the same species at the same locality. Mr. Lea was well aware of the great importance of this discovery, and some years after his publication in the "Transactions of the American Philosophical Society," with reduced figures on stone, he issued a fine edition in large elephant folio, which enabled him to print the figures life-size in the exact color of the Red Shale, thus producing a fac-simile of the original. The type was necessarily so large that he had to have it cast for the purpose, and the paper was also made expressly for the work. The whole was eminently successful, and it presents a specimen worthy of American typography and book-making which is nowhere excelled.

Previous to this he published numerous papers on fluviatile and terrestrial mollusca, and his important paper on the description of the "*Clepsysaurus Pennsylvanicus*, of the New Red Sandstone Formation of Pennsylvania."

Having retired from business, he determined to revisit Europe, and took passage from Philadelphia, in the steamer *City of Manchester*, June 3, 1852, accompanied by his wife, daughter, and sister.

Arriving at Liverpool on the 17th of June, he spent four or five days with his old friend and correspondent, William Rathbone, esq., and was very glad to see again his friend Prof. Thomas Nuttall,* who was invited with several others to meet Mr. Lea at dinner.

* Professor Nuttall, the eminent botanist and ornithologist, had returned to England to reside, a fortune having been left him by an uncle on condition that he should not leave England more than three months of each year. This was hard for such a thorough lover of nature as Professor Nuttall to assent to and was accepted only for the sake of his two sisters. He nevertheless managed to have six months by taking the last of one year and the beginning of another. This was his method, as he told Mr. Lea at his house in Philadelphia, where the professor was a frequent and always a welcome guest.

From Liverpool Mr. Lea with his family went to London, where he was received by his former friends, and made many new ones among the younger naturalists, among whom the most valuable were the late lamented Edward Forbes, of the Government establishment of British Economic Geology, and S. P. Woodward, of the British Museum, and author of that excellent work, the "Manual of the Mollusca." He also met his old friend Mr. Abbott Lawrence, then American minister to England, and enjoyed the hospitality of Mr. George Peabody at a "white-bait dinner" at Blackwell's.

He visited the Houses of Parliament, where he heard Lords Brougham, Grey, and Campbell the chancellor, and D'Israeli, and Gladstone. Lord Brougham was nervously restless; Lord Grey was clear and earnest; Lord Campbell was the most natural and certainly the best speaker.

Leaving London, Mr. Lea paid a brief visit to Paris, and went from thence to Brussels, passing but a short time in each city. At Brussels he had the privilege of meeting Quetelet, the well known scientist.

He afterward visited Bonn, where he met Professors Troschel and Roemer at the university. The latter, whom he had entertained in Philadelphia, expressed great pleasure at seeing him in Europe, and offered every service in his power. He was at that time engaged upon his work on the "Tertiary Shells of Texas," and had Mr. Lea's work on the "Tertiary of Alabama" before him. Mr. Lea saw here the *Archegosaurus* and numerous other fossils. Professor Roemer told him there were about one thousand students at the university. He took him to see the extensive collection of minerals and fossils of Krantz, who had a fine head of the *Zeuglodon* and a perfect *Ichthyosaurus*. Mr. Lea, with his family, went up the Rhine, stopping at Neuwied to see Prince Maximilian, the eminent naturalist and author of "Travels in North and South America." During his visit to Philadelphia the prince had been a frequent guest of Mr. Lea, and they had corresponded after his return to Europe. He received the ladies and Mr. Lea with great courtesy and hospitality, and offered the kindest service and advice with reference to their intended journey in Switzerland and through the rest of Europe. He most kindly gave Mr. Lea a circular letter of introduction addressed to all scientists in Germany.

From Neuwied Mr. Lea went to Ems, Schwalback, Schlangenbad, Wiesbaden, and from thence to Frankfort, where he met Von Meyer, who was then engaged in describing the Saurian bones, of which he had several species. He showed Mr. Lea his drawings and manuscripts. He had been twenty-eight years engaged in the study of fossil reptiles. Mr. Lea greatly enjoyed this visit and the kindness of his reception.

At Heidelberg he saw Professors Bronn and Leonhard, both of whom were busy in making investigations. The latter was at his pseudocrystals, of which he showed Mr. Lea many of feldspar, garnet, &c.

At Geneva he had the pleasure of meeting Moricand, with whom he

had corresponded for many years. He showed Mr. Lea his very fine cabinet of shells, and gave him some rare terrestrial mollusca from Guatemala, &c., which he had collected while traveling there.

From thence he went to Chamouni, where he examined the glaciers, which were magnificent. He went on the *Mer de glace* and examined the blocks of granite lying on the ice. The exit of the Arveyron, flowing under the glacier and strewing hundreds of huge blocks of granite in its course, was particularly interesting, as was also the deep cave of blue ice.

In his visit to Zurich Mr. Lea met two of the professors of the university, Schintz and Mousson. Passing through the ancient city of Ulm, he stopped at Stuttgart, where he found Professor Yeager, of the university, had already gone to attend the meeting at Wiesbaden, but he saw Professor Krauss, who very kindly showed him the excellent collection of the public museum, which embraced tusks and molars of the mastodon of great size. One tusk was said to be 3 feet in circumference and 17 feet long.

Mr. Lea hastened on to Wiesbaden, where he found Professor Yeager expecting him. He and Professor Krauss introduced him to many of the members. There were assembled some eight hundred of the prominent scientific men of Germany, among whom Mr. Lea more particularly made the acquaintance of Haidinger and Von Hauer of Vienna, Dunker, Von Buch, Müller, Kurr, Gerhard, Klipstein, Remak, Stilling, and Desor. Professor Leonhard read a paper on "Pseudo-crystals" and Von Hauer read one on the "Tertiary Mollusca of the Vienna Basin." Professor Kurr read a paper on the diluvian of the Swabian Alps in which were found human teeth with mastodon bones. Von Meyer expressed his belief that "they were recent, and accidentally mixed with the fossils."

Mr. Lea subsequently went to Strasburg, where he saw Professor Schimper, the distinguished geologist, who received him most kindly, being introduced by letter from Prince Charles Buonaparte. He showed Mr. Lea specimens of the Kuiper, Muschel Kalk, and Bunter sandstones concerning which he had published so much, and gave him his papers on these subjects, together with specimens, and kindly offered to take him to the Vosges localities to see the different formations, but Mr. Lea could not spare the time. He gave Mr. Lea the geology from Strasburg to Paris by the road which he intended to travel, which was very interesting.

Arriving in Paris, Mr. Lea saw Boivin and Petit, both eminent conchologists. He arranged and named the *Unionida* in each of their cabinets and gave them numerous new species from the United States. He also spent some time with D'Orbigny, the well-known geologist and traveler who discovered that remarkable and rare shell which he called *Acostea* from the rivers of Colombia, but which Mr. Lea had suggested

was the *Mulleria* of Ferussac, as it afterwards on examination proved to be, he very kindly gave Mr. Lea a fine specimen of it.

During his stay in Paris, Verneuil, the geologist, called upon him. He had just returned from Spain, where he had been to examine the geology of that country. He invited Mr. Lea to dine with him, to meet some of the most distinguished geologists of Europe. There were present Elie de Beaumont, Leopold von Buch, Count d'Archiac, Barrande, Mechin, and Dumont.

At the hospitable house of M. Petit, Mr. Lea met with Largierelett of Rouen, who expressed "great pleasure in meeting with the author of so many fine memoirs." He invited Mr. Lea to visit him at Rouen and view his cabinet. Michaux, the eminent botanist, called on Mr. Lea and accompanied him to the marine department to see a bust of Fulton which he had made in marble from a bust in clay by Houdon. Michaux had induced the Government to permit him to place it there, there being only one other bust in this rich museum of naval matters, and that was of one of their celebrated admirals.

Michaux called by appointment to consult Mr. Lea about his will, intending, as he told him, to leave a considerable amount to the American Philosophical Society of Philadelphia (of which they were both members), to form an arboretum. Mr. Lea told him the necessity of using the legal form of a bequest in France. He called the next day with his will sealed, and a letter to the Philosophical Society expressive of his wishes, and put them in the charge of Mr. Lea, who forwarded them to Dr. Robert M. Patterson, who was then president of the society.

Michaux told him that he was the *only* passenger from Albany with Fulton on his return trial trip to New York, and said that "people were afraid of being blown up." This was Michaux's first acquaintance with Fulton, and created a friendship which lasted through life.

While visiting in Paris, Mr. Lea frequently saw Prince Charles Buonaparte, whom he had known in America and who had been his correspondent for many years. The prince gave him a dinner, at which the ladies of the party were present. Among the guests were his two cousins, Prince Lucien and Prince Napoleon. The latter bore a striking resemblance to his uncle, Napoleon I. In the evening there was a brilliant reception.

By appointment, Mr. Lea called upon Elie de Beaumont, and after passing an hour in conversation with him they went to the annual meeting of the Institute, M. Lebrun presiding. Four papers were read. M. Petit accompanied Mr. Lea to meet Dr. Chenu, the naturalist and author, who had the great collection of Delessert under his charge. At that time it consisted of Lamarck's and Prince Massena's collections united. The chief object of seeing this collection again on the part of Mr. Lea was the hope of finding the original specimen of *Mulleria* of Ferussac, which had never been figured, but described in 1823 by Ferussac, and as being in Lamarck's collection. He told Dr. Chenu

that he thought it must have been mixed with the *Etheria*, of which this collection had many specimens. Dr. Chenu declared this could not be so, or he would have seen it. As soon as he pulled out the drawer, Mr. Lea saw at a glance the identical specimen which Ferussac had described. He took it up and declared this to be it. Both the naturalists were surprised and delighted. The two valves of the young shell, when it made its remarkable change, were plainly visible but somewhat eroded. Thus Mr. Lea's theory of the genus *Acostea* of D'Orbigny was complete—it was a *Mulleria*.

Dr. Chenu went for Delessert, who was in another part of his hotel, and soon returned and presented him to Mr. Lea. He expressed great pleasure in meeting him, and was much pleased to find that this specimen was recovered and was of so much interest. He said, "We must bring it before the Institute."* Mr. Lea told him that it was not necessary, as he had published his theory, which was now verified, before he had left home.

At Lyons he saw M. Tervier and his beautiful collection of Mollusca. It was particularly fine in terrestrial shells, on which he had published much. Leaving Lyons, with his family he descended the Rhone, and passing through Avignon and Nimes, arrived at Marseilles. From thence they traveled by private carriage through Italy for seven months until they came to railroads again at Vienna in the following spring. At Florence, where he remained over three months, he made the acquaintance of several men of science and art, among whom were Powers, the American sculptor, and Pentland, the English geologist. He had a letter of introduction to Professor Corridi, director of the academy, who courteously offered his services in every way possible. He also had letters to the Marquis Torregiani, who had been in the United States and was much interested in introducing the public-school system of the United States into Tuscany. He made an excursion with the marquis and Mr. Pentland 7 miles from the city to examine the Nummulite formation. He asked Mr. Pentland if any other organic form had been found with nummulite. He replied, "that none had been found." They examined the quarry thoroughly and Mr. Lea found among the small pieces a specimen with a favocite, which greatly surprised Mr. Pentland.

After passing a month in Rome, they visited Naples, where they examined all the points of interest in this beautiful city. Mr. Lea having letters to Professor Schacchi, called on him and saw the collection of minerals belonging to the university. Those from Vesuvius were particularly interesting. He also met Signor Dolli Chiaji, successor of the famous Poli, who finished his great work on the Mollusca of the Mediterranean. While at Naples he visited Vesuvius, Pompeii, Baiae, Posilippo, the Temple of Jupiter Serapis, Paestum, and Herulanum, after which he embarked with his family in a steamer for Leghorn *en route* for Florence, where they remained four or five weeks.

*He was a member of the Institute.

CHAPTER IV.

EXAMINATIONS OF COLLECTIONS OF NATURAL HISTORY.—PROGRESS OF SCIENCE.—DESCRIPTIONS OF DISTINGUISHED SCIENTISTS.—DEPARTURE FOR AMERICA.

In the spring of 1853, Mr. Lea with his family crossed the Apennines to Bologna, afterwards visiting Modena, Milan, Padua, Verona, and Venice, where they remained three weeks. Returning to Verona they crossed the Tyrolean Alps to Innspruck, from thence to Lindau, where they took the steamer down the Danube to Vienna.* Here Dr. Lea met a number of his German scientific friends. Haidinger and Von Haur were the first to call upon him and offer their services. The former said that he was "a member of the Academy of Natural Sciences of Philadelphia, and therefore Dr. Lea must feel at home in Vienna."

He introduced him to Professor Hörness at the Imperial Academy, who was then engaged on the Tertiary Shells of the Vienna Basin, and to Professor Swess, who was occupied in the minute examination of the *Brachiopoda*. Von Hauer also came, and they had a long conversation on many geological and zoological subjects.

They then went to the ichthyological department, where he was introduced to Professor Heckel, who was examining some magnificent specimens of fossil fishes from Monte Bolea. Other professors came in and Dr. Lea was received with a hearty German welcome. Professor Hörness showed him some Tertiary shells from Texas, which Dr. Lea recognized as the same species which he had from Alabama, showing him the figures in his book, which Professor Hörness had in his possession.

A few days after, he called upon Professor Haidinger by appointment to meet Professor Von Hauer at the Imperial Geological Institute. The professor, however, was too unwell to leave the house, and detained Dr. Lea nearly three hours, talking over various geological matters and showing him many things of very great interest.

Subsequently Dr. Lea went to Professor Von Hauer, and they immediately commenced the examination of the rocks of Austria. The professor showed him specimens of great interest, as a formation, which he believed was between the Dias and Trias, differing from them both in its fossil characteristics, but rather more resembling the Trias. It contained many large *Ammonites*, *Nautili*, *Orthoceratites*, &c. One magnificent *Am. Meternichii* had the most beautiful chambers which Dr. Lea had ever seen in any specimen of *Ammonite*; it measured 2 feet in diam-

* While in this city he received information that Harvard University had conferred upon him the degree of LL. D.

eter. All the species in this formation are new. Von Hauner called it *Hallstätter Schichten*; it is the same as that of St. Cassian in the southern part of the Alps. He told Dr. Lea that in the Vienna Basin the Miocene and Pliocene were one formation, that they could not make a separation. He also showed him a fossil *Unio* which came from the Tertiary of Sölsnitz. It was about 4 inches wide and undulate over the posterior portion. The geological survey of the empire was being made by the members of this institute at the rate of 10,000 square miles a year, and would require thirty years to finish it. It was on an enormous scale.

Dr. Lea was gratified by receiving a call from Professor Boné, the geologist, who had been a student with his old friend, Professor Vanuxem, in Paris in 1816. He resided some distance in the country, but hearing that Dr. Lea was in Vienna, very kindly came to see him and offered his services.

Dr. Lea made other visits to the Imperial Geological Museum, and in one of these he saw Professors Hörnes and Swess. After comparing some fossil shells Professor Swess went with him to the zoological department, where he introduced him to Professor Frauenfeld, and to the distinguished zoologist, Desing, who had unfortunately become blind. They received him with the kindness so characteristic of the Germans. With these professors Dr. Lea went over the whole collection of *Unionidae* and found much that was very interesting, particularly the specimen which he recognized as figured in Wood (Index Testalogiens) as *Mya nodulosa*. It was labeled *Chama plumbea* by Muhlfeld, but the habitat was not given, which is very much to be regretted, as Wood knew not whence it came. The great interest attached to this mollusk is that it does not belong to the nodulous group of North America *Unionidae*. By inspecting this specimen, which consists of the right and left valve of two different individuals, Dr. Lea detected the very curious fact that both the teeth (cardinal and lateral) are *striate*, like the teeth of *Castalia*. Neither Wood nor these gentlemen had observed this important characteristic which places it in another genus, while exteriorly it is the same as *Unio*.* Dr. Lea had a long conversation with Professor Swess about the muscles of the *Brachiopoda*. He and Mr. Davidson of London did not agree with Professor Owen on the use of these muscles. He showed Dr. Lea many curious forms of the interior processes of the *Terebratula*, recent and fossil, and as his paper was soon after published with good figures, the result was exceedingly interesting to malacologists. Dr. Lea showed him the muscles of attachment in the shell of the *Unio*, and that of the ligament of the back, for the purpose of giving him some hints as to the probability of finding something analogous in the *Brachiopoda* in reference to the open condition of its valves when at rest, referring also to those genera which have internal ligaments, viz,

* Dr. Lea wrote from Vienna an account of this discovery to Dr. Leidy, to be read before the Academy of Natural Sciences.

Maetra, *Gnathodon*, *Amphidesma*, &c. Desing listened with interest to what was said, and seemed to have well considered some of the facts connected with the anatomy of the animals. His investigations had been chiefly in the *Annelides* and intestinal worms.

It was with great regret that Dr. Lea finally parted with these Vienna gentlemen, who had been kind to a marked degree, particularly Professor Haidinger, who remained his correspondent until his death.

Leaving Vienna with his family he made the journey to Prague by railway, a distance of 250 miles. The country is almost perfectly level, being diluvian, and is thoroughly cultivated, the people appearing prosperous and happy. In the latter part of the journey the formation is transition (graywacke).

At Prague he called upon Barrande, whom he had met at Verneuil's dinner in Paris, but he had gone to the country, and Dr. Lea did not see him again as he had hoped. Thus he lost the advantage of examining probably the best collection of fossil remains of the Silurian formation in existence. Barrande had already sent his extensive work to him.

At the beautiful city of Dresden Dr. Lea visited the Green Vaults, where he saw the splendid collection of diamonds and other precious gems for which this city is celebrated. There were many diamonds of different colors, among which the green one is the largest and rarest.

During his visit at Berlin he had interesting interviews with Humboldt, Ehrenberg, Johannes Müller, the two Roses, and others. Humboldt was still active, and was then engaged on his *Cosmos*. The great philosopher had simple but thoroughly well-bred manners. Though living at court, as one might say, for the King always had a plate for him at his own table, he had none of the formality of a courtier. As an astronomer, geologist, and geographer he had few equals, and the interest he felt in the new discoveries in geology and physical geography was unabated. He went to the point of a subject at once, and with pencil in hand demonstrated his views. In the course of an hour and a half's conversation in his study he frequently got up to bring maps from his library to illustrate his subject. He showed Dr. Lea some of his plates and drawings for his new volume of *Cosmos*. He expressed great satisfaction with the geological surveys which were then being made in the United States, and with the many valuable observations in astronomy, magnetism, &c. He regretted that some of the reports of the surveys made to Congress were not better printed and illustrated.

He mentioned the Coast Survey and Professor Bache as connected with it. He also spoke of Captain Wilkes's expedition with great favor, as well as of Professor Mitchel, the astronomer, and others who were "doing good service to science." The Nebraska "Mauvaises terres" was discussed, and with the map before them Dr. Lea mentioned the researches which had been made by Dr. Owen, and the paper of Dr. Leidy. Humboldt spoke of the good reports of the New York geologists and others. Of Mr. Lyell he said, "there was little

that was original in his works." He considered him "too theoretical and not very correct." De la Bêche he greatly preferred. Of Verneuil he could not say too much in his praise. He considered him perhaps the best of all European geologists. Of Elie de Beaumont his opinion was not so favorable. He thought him "too speculative, and not so much to be relied upon for his opinions as Verneuil." Murchison he thought "a very good geologist, but not equal to De la Bêche." He agreed with Dr. Lea that the English geologists had too much neglected organic remains, and that they still felt the disadvantage of such neglect. He expressed great desire to have correct sections of that portion of the American continent which is embraced in the United States, that is, elevations from the sea as well as geological strata. He expressed great regret at not seeing more of Dr. Lea, but the fêtes attendant upon the marriage of the King's daughter rendered it necessary for him to spend much of his time at the court for the present. Subsequently Dr. Lea called on Professor Lichteustein, to whom he had a letter of special introduction from Prince Maximilian. He showed Dr. Lea the museum in the university over which he presided. The collections here are very fine, particularly that in ornithology, there being none superior to it, unless it be that of the Academy of Natural Sciences at Philadelphia. In ichthyology, mammalogy, reptilia, &c., the arrangement was very good. The professor introduced Dr. Lea to some of his assistants, and very kindly offered his services. The day following he called, by appointment, at the university, when Professor Lichtenstein introduced him to Johannes Müller, to whom he had several letters. This eminent physiologist was engaged at the time on the embryology of the *Asteria*, and he showed Dr. Lea some of the plates which he had prepared for his forthcoming work.

In the zoological department he was shown the fluviatile mollusca brought from the interior of Africa by Mr. Peters. Dr. Lea observed among them a new *Iridina*, and two or three *Uniones*, as well as several *Paludina*.

Having letters from Professors Leonard and Haidinger to Professor George Rose, Dr. Lea called on him. He was the most eminent mineralogist of Berlin. He spoke most favorably of Professor Dana's Mineralogy, mentioning that he used it constantly. Of Professor Haidinger he said he considered him "the founder of the present success of science in Germany." Dr. Lea saw Professor Weiss, who presides over the chair of geology in the university, and after spending half an hour with him in his library he went over the fine collection of minerals belonging to the academy. The crystallographical department was very superior. A dodecahedron garnet was seven inches in diameter. Among the fossil bones, Dr. Lea observed a lower jaw of Dr. Godman's *Tetraacaulodon*, with the foramen on the right side, quite two inches in diameter. It came from the United States. There were also beautiful

specimens of the "foot-marks" of the *Cheirotherium*, and a fine collection of meteorolites, second only to that of Vienna.

Dr. Lea called upon Professor Erenburg, who received him very kindly. He showed him many *Foraminifera* and *Polythelamia*. Some of them were in flint below the coal. On a part of the specimen there was a *Spirifera* similar to those of the Silurian formation. He also showed him some forms from Barbadoes which came from marl constituting a hill 800 feet high and some miles in extent. These forms he said differ from all others except those from Nicobar. He had chalk, limestone, and mud of rivers from nearly every part of the globe, and had made out nearly one thousand species. Having spent the morning with him, Dr. Lea left deeply impressed with admiration for a scientist who so ably carries out the object of his pursuit and who had made himself the leader among scientific men who have engaged themselves in his branch of science.

Dr. Lea saw Professor Ewald, who had recently returned from the Hartz Mountains. He was studying the paleontology of the lower strata, and showed him many specimens of fossil mollusca and particularly some from the Devonian which appeared to Dr. Lea to be too new for that formation. Among them were *Natica* with three dark bands of color. He also had iron ore with fossil shells, encrinites, &c., very much like the Danville beds which are Formation V of Rogers's survey; but he thought them to be immediately next below the coal measures, whereas Formation V is considerably lower than the coal, it being Formation XIII of the Pennsylvania survey. Dr. Lea then called on Professor Beyrick, at the suggestion of Humboldt, who told him that the professor was engaged on the papers of Von Buch, and would edit a complete edition of his works. He found Professor Beyrick to be an ardent student of geology, young and active. He was then examining the Tertiary formation of Prussia. He told Dr. Lea that he had found some particular forms which would connect the Eocene and Miocene so as to show the gradual "nuance" of these two masses.

He gave the geologists of the United States full credit for their activity. The "Maunvaises terres" in Nebraska interested them all, and he mentioned that Von Buch had commenced a paper on that subject a few days before his death. He wished Dr. Lea to attend a meeting of the geological society, which was to be held that evening, Dr. Lea having been made a member, but other engagements prevented his attendance. At Cassel Dr. Lea called on Dr. Dunker and Dr. Pfeiffer, both distinguished malacologists, having previously met them at Wiesbaden. Both are large contributors to our knowledge of the land and fresh-water mollusca of the whole globe. He went over the collections of *Unionidae* of both gentlemen and named doubtful specimens. They were both very attentive, and Dr. Lea parted with these naturalists with great regret.

While at Frankfort he called upon Dr. Rüppell, having a letter from

Prince Maximilian. Dr. Rüppell had traveled much in Egypt and Abyssinia, and had brought together an immense collection of art and natural history for the museum. He showed Dr. Lea that the *Cheirotherium* tracks of the Hilberthausen Limestone are accompanied by Fucoids, and not by sun-dried sand cracks, as had been universally supposed. The specimen in the museum is so perfect that it does not admit of a doubt that these impressions are made by a plant. Dr. Rüppell had by his industry during ten years made the collection of the museum what it was. He expressed great interest in Dr. Lea's publications.

After spending a few weeks at Sewalbach, Dr. Lea and his family descended the Rhine and went to Amsterdam and Leyden. At the latter place Dr. Lea visited the botanical garden, which is one of the largest in Europe. He also visited the museum and saw Schlegel, who very kindly offered his services. The collection here in ornithology is very extensive, and was considered at that time equal to any in Europe. Dr. Schlegel showed Dr. Lea the eggs and a specimen of the extinct *Penguin*. It came from Iceland, and Dr. Schlegel said it was extinct since the last fifteen years. The collection of mollusca was very good. Those of the *Unionidae* were badly arranged and incorrectly named. Dr. Lea made the necessary corrections, and arranged the whole family.

They subsequently went to the Hague, Antwerp, and Brussels. On his return to Paris he met Dr. Daubney, of Oxford, and had a long conversation with him on geological subjects. The doctor had very pleasant recollections of his visit to the United States ten years before, and particularly of Philadelphia. He informed Dr. Lea that Dr. Buckland had become "hopelessly insane," which was sad news to him. On a visit to a large manufacturer of china, who had three thousand five hundred men in his employ, he informed Dr. Lea that the best and largest part of his ware went to the United States; that without that market the business would be worth nothing. The watchmaker to the Emperor, of whom Dr. Lea purchased a fine watch, made the same remark. He found that all his scientific friends were out of town at this season, excepting Prince Charles Buonaparte and Boivin, whom he frequently saw. The former spoke of their mutual friend, Mr. George Ord, and Dr. Isaac Hays, for whom he had great regard. He spoke of the Academy of Natural Sciences of Philadelphia, of its great collection, that in ornithology "being the best in the world." In regard to the collection in Leyden, he "knew it better than any one else, having spent eight months over it." His own collection he had given to the island of Corsica, where they had recently formed a cabinet of natural history. Dr. Lea dined with him, on which occasion several naturalists were invited to meet him.

Dr. Lea frequently visited M. Boivin, who had a fine collection of mollusca, particularly those of fresh water; he was always kind and cour-

teous, a gentleman of the old school, pressing Dr. Lea to take specimens and books, which he assured him were duplicates in his library.

Dr. Lea went over his *Uniones* and corrected and rearranged them. M. Verreaux's great collection of natural history was very fine, having objects in every department for sale, and Dr. Lea procured there some new species of fresh-water mollusca. One of the brothers was absent twenty-seven years, spending most of the time in Africa in collecting for the Government, most of which was lost on the coast of France with all his manuscripts.

On a visit to the Jardin des Plantes he found many things he had not previously seen. It is a noble institution, but Prince Charles, in speaking of it, said it was "an anarchy."

On presenting a letter of introduction from Professor Duglison to Professor Flourens, secrétaire perpetuel de l'Academie des Sciences, he was received most kindly, and told immediately, "You are too well known by your publications to need a formal introduction."

On leaving him after a long conversation on various subjects, Professor Flourens very kindly offered to introduce Dr. Lea to any one he wished to know among the scientific men in Paris. On parting, he asked Dr. Lea to meet him at the Institute the following morning to be present at a séance, saying that he would take care to give him a good place and would be glad to make him a correspondent of the Institute. Subsequently they met at the Institute, where he placed Dr. Lea near the president, in the seat for authors who had papers to read. The first read was very good, on "Morphism." Another "On the Doctrine of Chances," by M. Bonamie, was exceedingly clear and well read, but was objected to by another member in great heat, and much discussion took place. There were a number of communications by absent members, which were read by the secretary, M. Flourens. After adjournment, M. Flourens introduced Dr. Lea to Milne-Edwards, who expressed great regret that absence from town would prevent his seeing him again, as he was going in the morning to the Pyrenees. He was also introduced to Adolphe Brongniart, who made an appointment to meet him at the Jardin des Plantes. While conversing on the fructification in fossil ferns he was surprised that Dr. Lea had some from the Carboniferous formation, and observed that they were very rare. He also met Professor Chevreuil, the chemist, and M. Combres, the distinguished engineer. Professor Flourens, after the meeting, which lasted two hours, showed him the library, where he found M. Adresse, the librarian, who said they had many of Dr. Lea's works, and would be very glad to be in possession of all of them. At the Jardin des Plantes he saw Adolphe Brongniart and Keiner, who went over the fossils and recent shells with him. He subsequently spent three hours with that eminent conchologist, M. Deshayes, and went over various genera of mollusca, especially the *Uniones*.

M. Deshayes agreed with Dr. Lea that the *Unionidae* in Europe were

restricted to six or seven species, while in the United States they seemed to be almost unlimited.

Dr. Lea named those about which there had been any doubt, greatly to M. Deshayes' satisfaction. He showed him his manuscripts on the whole range of fossil and recent conchology, a stupendous work, which astonished Dr. Lea. It was the result of thirty years' labor, and arranged in a most convenient manner. It was written on cards about 3 by 4 inches. Of these there are forty thousand, and they are arranged alphabetically for the genera and then for the species. Each species has its whole synonymy complete with reference to author and page. Then with each genus there was a set of cards with the authors who have written on the genus, and these works are arranged chronologically. M. Deshayes promised Dr. Lea a copy of his manuscripts on the *Unionida*, which promise he fulfilled within a year.

On going to see M. Verreaux he showed Dr. Lea the manuscript of Prince Charles Buonaparte's new edition of his Ornithology, to which he (M. Verreaux) had added the synonymy, which is immense. Dr. Lea procured from M. Verreaux four recent *Terebratula*. September 5, 1853, he paid his last visit to the Institute. In the library he found M. Andresse, the librarian, who had made a complete list of all Dr. Lea's works from 1827.* In the secretary's room he found Professor Flourens, who kindly sent a messenger with him in order that he might "be placed within the square."

Here he found Cruvellier, Duméril, and Professor Owen. Dr. Lea was much gratified to meet Professor Owen, of whose presence in Paris he was not aware. The professor read three papers in French before the Institute: One on the invertebral column and the cranium, which he intended publishing in Paris; another of the papers was on the muscular and nervous systems of *Terebratula*, and there was also one on fossil *Chelonia*. Some good chemical and other papers were also read. Dr. Lea dined with M. Boivin, who told him of the fearful times during the revolution of 1830—"the three days." No one was permitted to go into the street. All had to remain in their hotels, the inhabitants of which clubbed their stock of provisions and did the best they could. If they had ventured into the street they would have been shot.

By appointment with M. Duméril, Dr. Lea met him at the Jardin des Plantes, where they found Professor Owen. After examining the collection of skeletons, where the gorilla was the chief interest, they went into the cabinet of fossil bones where there was a specimen of *Mastodon angustidens*, nearly complete.

Dr. Lea left Paris for London, regretting to part with many friends whom he never expected to see again. After remaining a few days in London he went to Hull, passing from the London basin of Tertiary into

* Afterwards Dr. Lea sent all which he published, until 1876, so that their copies are complete.

the chalk, greensand, oolite, lias, kuyper, and bunter. At Hull the annual meeting of the British Association was convened, Mr. Hopkins, the geologist, presiding. Here he met many friends; among them was the Rev. Mr. Scoresby, so well known for his Arctic voyages and his discoveries in magnetism, whom he had entertained when in Philadelphia, six years previously.

At the dinner table Dr. Lea found Rev. Mr. Sedgwick and Dr. Daubeny. At the section on geology Professor Phillips lectured on the geology of York in a very able manner, and much discussion took place, Mr. Sedgwick being in the chair. Dr. Lea found Mr. Sedgwick a good deal changed, but occasionally he showed his former vivacity and brilliancy. Mr. Charlesworth read his paper on fossil sponges, which was much commented upon. Professor Strickland, who had succeeded Dr. Buckland, in Oxford, as the lecturer on geology, invited Dr. Lea to dine with the Red Lion Club, a very select society, which met every year, at the time and place of the meeting of the British Association, and every third Monday in London. No one could be a member who had not written an important scientific paper. At the meeting of the section Dr. Lea saw Professor Johnston, author of Agricultural Chemistry, whom he had met in Philadelphia, Professor Harkness, and other friends. Afterwards, at the dinner at the Red Lion Club, where, being a stranger, he was received with honors, he had the pleasure of meeting Gould (the ornithologist), Latham, McAndrews, Redfern, and others, whose acquaintance he was glad to make. The dinner was well served, and Dr. Lankaster, presiding, kept the members in good humor by his wit. After the Queen's health was drunk Dr. Lea was complimented and had to make an acknowledgment. Professor Johnston related to the club that "on his arriving at Philadelphia, he had called on Professor Hare, who invited him to the meeting of the Wistar Association,* where he met about two hundred gentlemen, and was introduced to the best science of the city. Here Dr. Hare introduced him to Dr. Lea, and he had been entertained by him." Having stated so much, Dr. Lea was induced to give an account of the Wistar Association, so well known in the United States. Dr. Lea was at a breakfast given by Mr. Frost, president of the local committee. Here he found the Rev. Dr. Scoresby and wife; Mr. Jordan, the former editor of the London Literary Gazette; S. Warren, esq., so well known as a writer; Sir William Hamilton, Mr. Stokes, the astronomer of Cambridge; and many other distinguished men. At a meeting of the geological section, where the Rev. Mr. Sedgwick presided, Dr. Lea was on the platform with him and Mr. Strickland. A young man, unknown to either of them, was prepared to read a description of the gold mines in Australia. He had not proceeded long before Dr. Lea saw Professor Sedgwick showing signs of restlessness.

* The Wistar Association was formed only of the members of the American Philosophical Society.

The fact was, the young man was ignorant of the subject of geology altogether, and pretended to instruct about two hundred intelligent persons present. Professor Sedgwick could not contain himself long, and turning his eagle eye upon him, he asked if he really meant to say so and so; to which he answered that he did. "Then I tell you," said the professor, "that you know nothing of the subject of geology." "Oh, if you say so, I will stop," was the reply, and doubling up his paper he disappeared entirely.

At a lecture (in the great hall) on photography, delivered by Mr. Hunt, Mr. Hopkins, the president, was in the chair. The whole was excellent, with admirable illustrations, diagrams, &c. Dr. Lea was placed on the platform near the president and Colonel Sabine.*

Subsequently Dr. Lea went with an excursion party to Beverly, where he visited the fine minster with Sir William Hamilton, and afterwards Flamborough Head with a large party of geologists and ladies, altogether some eighty, who went to hear Sedgwick and Murchison explain the geology of this high cliff. Among the party were Sir William Hamilton, Colonel Sabine, Professors Johnston, Redfern, Charlesworth, and others. Returning to Beverly, the party dined by invitation with the corporation. The mayor placed the lady mayoress and Dr. Lea on his right, Professor Phillips on his left.

Before leaving Hull Dr. Lea made an appointment with Professor Strickland to see him in Oxford, or at Tewkesbury, where he resided; but the following day he met with that terrible accident which deprived England of one of its ablest geologists.†

Arriving in London Dr. Lea called on some of his scientific friends. Dr. Lankester he found engaged in his microscopic investigation of infusoria of fresh and salt water. He had plants and animals in an aquarium where the water was never changed, the equilibrium being thus perfectly preserved. Dr. Lea called upon Lovel Reeve, with whom he had previously corresponded. He reminded Dr. Lea of their first meeting, in 1832, when he waited on Dr. Lea in a grocery shop on Ludgate Hill. The latter saw, when passing the shop, some shells in the window, and, being attracted by them, went in. He found some new *Uniones* and other desirable specimens, of which he purchased a considerable number. Now Mr. Reeve was the owner and editor of the London Literary Gazette, and Iconography, both of which were entirely successful as a profitable investment, and he had reputation as a man of science, being connected with some of the scientific societies of London.

On a visit to Sir Charles Lyell, he informed Dr. Lea of some discoveries which had been made in the coal formation of Nova Scotia, a bone of a new animal, which Professor Wyman had called *Dendropereton aca-*

* Sir Edward Sabine, since general, and president of the Royal Society.

† He was struck by a locomotive coming out of a tunnel, where he was making a sketch. His wife was the daughter of Sir William Jardine, Bart., the ornithologist, who had previously given Dr. Lea an invitation to Jardine Hall.

dianum; also a fossil pupa, this being the first instance of a land shell being found in the coal formation. He also informed him that a jaw-bone had been found in the Red Sandstone of Prince Edward's Island, which sandstone he considered equivalent to the Red Sandstone of Connecticut and Pennsylvania. He lent him a rough drawing of the jaw by Mr. J. W. Dawson. Sir Charles also showed Dr. Lea drawings of a cetacean, which had been described by Dr. Leidy, from the Greensand of Mullica Hill, N. J.; and the drawings of the vertebra of another, said to be from the Greensand of Greenwich, N. Y. But Sir Charles was satisfied that the latter was not from Greenwich, N. Y., and was therefore not to be considered; but there remained the Mullica Hill specimen, and a tooth, which Mr. Wetherill, of Burlington, N. J., had given Prof. H. D. Rogers, but which, when Sir Charles saw the professor, was packed up, and therefore could not be seen. Sir Charles remarked that this matter of a cetacean being discovered in the chalk formation was of great interest, as there never had been one found so low in the strata. Some days after Sir Charles called on Dr. Lea, and they again talked over the subject of the bones of the Greensand formation of New Jersey, and the jaw of the Red Sandstone of Prince Edward's Island. He mentioned that he had written to Dr. Leidy before leaving America in regard to it, but he was not sure that the box containing the bone had ever reached New York. He had ordered it sent to the Clarendon Hotel, where he was stopping, but it had not arrived before he left there. He expressed great desire that the fossil bones from the Greensand of New Jersey should be collected for the Academy of Natural Sciences, and regretted that the tooth, which had been sent Professor Rogers, had been lost, as it was of great importance to the geologist of the State of New Jersey. Sir Charles told Dr. Lea that Professor Rogers now could not remember anything about it. He said that a drawing was made of it by Mr. Conrad, and that it was in the form of a *Mammifer*; that Mr. Lesneur had seen it, and that it was similar to a seal's. They also talked over the New Red Sandstone of Nova Scotia, which Sir Charles thought to be the equivalent of that of Connecticut, New Jersey, and Pennsylvania. The "foot-marks" (*Sauropus primævus*) from near Pottsville, Pa., discovered and described by Dr. Lea, was a very interesting subject to Sir Charles, who examined a specimen of the rock, which Dr. Lea had with him. It surprised him from the beauty of the rain-drop pits which covered the specimen, and he expressed great satisfaction on seeing it. He was surprised to find it was so low down in the series. Indeed, he seemed to have taken Professor Rogers's opinion, and as he said, quoted from that. Dr. Lea then read a few paragraphs from his paper to show him exactly how many feet (1,700) below the conglomerate of the Coal Measures these "foot-marks" were found, and on reading the quotation from Professor Rogers that these "'foot-marks' were but a few hundred feet below the Coal Measures, and only a single leaf in the creation," he emphatically

said, "Why, it is two whole volumes!" Sir Charles did not hesitate to express his opinion that as they were certainly in Mr. Rogers's Formation XI, and the coal measures was his Formation XIII, "Professor Rogers had lessened the importance of this discovery because he had not found it himself."

Sir Charles then took some notes of the conversation, and told Dr. Lea he would read over his memoir carefully and set the matter right in his next edition, which was going through the press.

Subsequently Dr. Lea and family went to Cambridge, where Professors Sedgwick and Babbington had invited him when at the meeting at Hull, but the former was absent; the latter he found deeply engaged over his favorite plants. He very kindly left the plants to call upon the ladies, and they all went to visit Saint John's College and other places of interest. Saint John's is the largest building, having four courts, and is altogether a noble structure. At Trinity College the collection of fossil remains chiefly made by Professor Sedgwick is very fine, and there is a magnificent specimen of *Plesiosaurus*, which is entirely complete.

When at York Dr. Lea called on Professor Phillips, who received him very kindly and made himself very agreeable. While conversing on geological subjects Professor Phillips received his mail, which informed him of his appointment to the chair of geology at Oxford, made vacant by the death of Professor Strickland, unfortunately killed on the railway. At Oxford Dr. Lea called on Dr. Daubenay, who unfortunately was absent for some days, but left directions with his gardener and servants to receive Dr. Lea and his party, and they were very attentive. The botanical garden was particularly interesting, containing among other fine flowers, the *Victoria regina* in full leaf and flower, the flower being sent to Dr. Lea's party in the evening. Their stay was made very pleasant in this grand old city, so celebrated for its libraries, containing many ancient and beautiful manuscripts, some of which were eight hundred years old, and beautifully illuminated. The Bodleian and Radcliffe libraries are well known throughout the learned world. The librarian of the latter, when Dr. Lea wrote his name in the visitors' book, told him they had his works, and politely referred to them.

On the way to Bristol Dr. Lea found in the car a gentleman with whom he entered into conversation, and soon learned he was professor of mineralogy at Oxford. He gave his card and Dr. Lea, observing the name Maskelyne, asked him if he was of the family of the astronomer. He answered, "Yes; his grandson." He added that he had often been asked that question by Americans, but never by an Englishman. He was evidently much gratified with the recognition of a great name by the Americans. He politely said Dr. Lea's name was not unknown to him, and expressed pleasure in meeting him, regretting he had not seen him at Oxford, where he had met with Professor Silliman and other men of science from America. He said the best work on mineralogy

was written by an American, Professor Dana, and that he used that work as his text-book. On parting he very kindly told Dr. Lea that he would gladly be of service to any of his friends who should visit Oxford.

Dr. Lea visited the remarkable ancient remains of Stonehenge, supposed to be of Druidical origin. The formation here is the Chalk, while the huge stones, of which there are ninety-four, are either Sandstone or Archaic, except the "Slaughter stone," which is slate, and said by Dr. Buckland to have been brought from Wales. The larger stones are said to weigh 45 tons. The geological structure from the Coal at Bristol to this locality is Lias, Oolite, and Chalk.

Returning to London Dr. Lea visited the Museum of Economic Geology,* but found both his friends De la Beche and Forbes were out of town. Mr. Bailey, assistant to the ordnance survey, very kindly offered his services, and took him to the cases he wished to see. They went over the collection of the New Red Sandstone formation, which Dr. Lea found to be equivalent to that of Pennsylvania. In the private room Mr. Bailey introduced Mr. Morris, the well-known author of the "Catalogue of British Fossils." He mentioned that Dr. Mantell had invited him the previous year to meet Dr. Lea, but he could not come, as he had an engagement. He pressed Dr. Lea to visit him at Kensington. They went over the mollusca brought by the Rattlesnake in her voyage to South Africa, &c.

Dr. Lea met here Dr. Price, professor of chemistry in the Royal College, whom he had previously seen at Hull, at the late meeting of the British Association. He invited Dr. Lea to dine with the Red Lion Club the following Thursday, which invitation was accepted. A few days after Dr. Lea went again to the Museum of Economic Geology, taking with him some specimens of *Unionidae* and some volumes of his works which he had promised. He was glad to find that Sir Henry de la Bêche had returned, and he expressed great pleasure at seeing Dr. Lea again, and thanked him for the valuable present which he had made to the institution. They talked over the New and Old Red Sandstones, and Dr. Lea explained the position in the series of the "foot-marks" (*Sauropus primævus*) found by him near Pottsville, Pa. Sir Henry said that "the thing was perfectly clear," and "it was a capital hit." As to whether the formation was Devonian or not, that was a different question; it was fixed in Professor Rogers's No. XI,† and that was the point." Sir Henry observed that there was great difficulty about these Red Sandstones. In speaking of the New Red Sandstones he said they were entirely unsettled as regarded the British locality, that the strata were much altered after deposition by subsequent denudation, and the present deposits were therefore much confused. He made Dr. Lea a diagram by which it would appear difficult to distinguish one member of the Permian from another.

* Since changed to Royal School of Mines.

† See page 70.

Dr. Lea called on Mr. Buchanan, the American minister, and had half an hour's conversation with him. Among other things he said that he was impressed with the idea that the English did not like us Americans. Dr. Lea told him that at Rome, Major Cass, American minister, had told him the same thing, but that it had not been his impression in his intercourse with English gentlemen.

Dr. Lea went again by appointment with Sir Henry De la Beeche to the Museum of Economic Geology. He took with him some rare specimens of *Unionide*. Sir Henry and Edward Forbes were delighted to see the *Unio spinosus*, of which there was a good specimen.

Again the New and Old Red Sandstones were talked over. They both told Dr. Lea that the Magnesian Limestone of Riley and Stutchbury was very doubtful as to its true position, but the matter would be worked out by the survey. Professor Forbes and Dr. Lea went over the Devonian fossils from Ireland which had been recently received at the museum. Among these was a specimen resembling an *Anodonta*, of which he wished to have Dr. Lea's opinion. After a close examination, he agreed with the professor and pronounced it a true *Anodonta*. In one specimen the dorsal line was complete, and presented the exact characters of that genus. The professor expressed himself much pleased to have his opinion "confirmed by the best authority on the subject of fresh-water mollusca." They then examined some of the *Uniones* from the Middle and Upper Eocene. There were two distinct species, having their pearly nacre remaining, but they were much broken. The beaks in some specimens showed the undulations very perfectly, and the teeth were nearly perfect. The cardinal teeth differ from those of existing species in having the posterior lobe large, while the anterior is depressed and almost obsolete. Subsequently Sir Henry De la Beeche sent Dr. Lea the six volumes of the Geological Survey of Great Britain, together with his acknowledgment of favors on Dr. Lea's part. Dr. Price called on Dr. Lea to take him to dine with the Red Lion Club, where he met Gould, Lankaster, Forbes, Lyell, Woodhouse, and Frances, editor of the Philosophical Magazine, McDonald, professor of natural history in the University of St. Andrews, Douglas Jerrold, and some dozen others. A moderate dinner and little wine was the rule of this club. Prof. Edward Forbes presided at the dinner, and the evening was pleasantly passed, enlivened by his ready wit and that of Douglas Jerrold. Adjourning at 12 o'clock, Dr. Waterhouse and Professor McDonald kindly walked home with Dr. Lea, although the distance was very great.

At the British Museum Dr. Lea spent a couple of hours with Mr. Waterhouse and Mr. Woodward, the author of "Recent and Foreign Shells," who had the departments of fossil bones and fossil mollusca under their charge. The latter showed Dr. Lea some beautiful specimens of the *Rudista*, of which he had cleaned out the interior, so as to show the teeth and, in both valves, the muscular cicatrices, the cavities, &c. Dr. Lea saw at once that they proved these genera to be close

to *Chama*. The specimens of *Discera* were exceedingly beautiful and some of them very large. Dr. Lea was shown the complete specimen of Murchison's fossil fox. The collection of fossil Mollusca is very large, and arranged with great skill by Mr. Woodward. He asked Dr. Lea about the *Acostea*, mentioning that he had read his paper with great interest.

Dr. Lea explained the growth of the shells, and mentioned that while in Paris he had found the original specimen of *Mulleria*, described by Baron Ferussac, in the cabinet of Delessert. It was described by Ferussac in 1823, and lost sight of until Dr. Lea found it in the drawer, as he suspected, mixed with the *Etheria*, which exteriorly it resembles. Mr. Woodward then mentioned that Dr. Gray, of the British Museum, had published his notice assimilating *Acostea* with *Mulleria* after he had received Dr. Lea's paper. Dr. Lea told him he never had any doubt of it, but he was very glad to know the fact from him. Dr. Lea had sent his paper to Dr. Gray in November, 1851, as well as to many others in London, and Dr. Gray must have seen it a month or two before he published his notice, in February or March. Mr. Woodward then said he knew personally that Dr. Gray had Dr. Lea's paper before he published his notice, and that "it was just like Dr. Gray, who was quite accustomed to appropriate in this manner the work of others."

On a visit to the rooms of the Geological Society Dr. Lea met T. Rupert Jones, secretary of the society and author of many valuable papers on *Foraminifera*, *Estheria*, &c. He showed Dr. Lea the manuscript of a paper by Trimmer on the Wealden up to the Diluvian, which exhibited a very curious case of denudation. The paper appeared in the Quarterly Journal of the Geological Society.

They talked over the "foot-marks" of the Red Sandstone near Pottsville, Pa., a plaster cast of which Dr. Lea had sent to the Geological Society. Mr. Jones showed him a fine collection of fossil *Unionida* made by Mr. Bécéles from the Wealden. Many of the specimens were very large and much like those Dr. Lea had examined carefully and made notes of for Dr. Mantell. They were generally casts. He subsequently went, by appointment, with Professor Owen, to the College of Surgeons.

They discussed many of the fine specimens of fossil remains of animals, and the *Glyptodon* was particularly interesting from its enormous size, and for its thick, bony covering being nearly perfect. The specimens of *Mylodon* and *Megatherium* were very fine, and the great *Dinornis* nearly perfect. The cranium of the *Troglodites gorilla* was examined and commented upon, a perfect specimen having been seen by them at the Jardin des Plantes in Paris. Professor Owen showed Dr. Lea the skeleton of a man who had the shaft of a vehicle run through the ribs on both sides, and yet the man lived for twelve years afterwards. The professor expressed a great desire to visit the United States, and said he would deliver a course of a dozen lectures

there if he could get leave of absence for three months from his duties at the College of Surgeons. He very kindly pressed Dr. Lea to visit him at Richmond Park, expressed great pleasure at meeting him, and hoped to hear from him when he returned to America. Dr. Lea spent a morning with Mr. Sharpe, the eminent geologist. Among other subjects the *Sauropus* in the Red Sandstones of Pottsville was fully discussed to Mr. Sharpe's satisfaction. The fossils of the New and Old Red Sandstones were the subject of much conversation, and he told Dr. Lea that "there was much doubt as to the locality where Dr. Mantell's *Telarpedon elginense* was found." * * * "That the rocks of Elgin were absolutely Old Red Sandstone, but the specimen was found farther north, near the coast where New Red Sandstones were now believed to exist." He agreed with Professor Harkness "that it was very doubtful if the age of the *Telarpedon elginense* was what was assigned to it," and that he was inclined to a different opinion. If this be the case, the *Sauropus* will prove to be the oldest air-breathing animal yet found. Mr. Sharpe said he "found it very difficult to assign to its proper age this anthracite coal-field;" he was "inclined to believe it different from that of the coal-fields of Northumberland and Durham." He states that it was his opinion "that many coal-fields, which had been thought to be of the same age would be found to be different." He showed Dr. Lea a collection of *Uniones* from the Wealden, one of which was remarkable for an angular umbonial slope somewhat like *Margaritana arcuata*, which Dr. Lea had described. Some of his specimens were purchased at the sale of Dr. Mantell, who, it will be remembered, had died while Dr. Lea was on the continent. Many of these specimens had Dr. Lea's labels, which he had put on the previous year when in London, he having gone over the whole of the collection very carefully. Mr. Sharpe gave him a specimen of *Pachyodon*, which is a very singular genus, much resembling the *Unio*, but it comes from salt water. He also kindly gave him some of his papers on the Red Sandstones.

Dr. Lea called on his old friend, Charles Stokes, the geologist, whom he found very weak and much exhausted. He reclined upon the sofa and conversed about Dr. Lea's former visits to him, Dr. Buckland, &c. He had in his hand a proof of the impression of a new map of Captain McClure's discoveries in the northern regions, in which Dr. Lea was much interested, having written a long paper on the Northwest Passage many years previously. He expatiated very much on the subject, and agreed with Dr. Lea that it would be useless to pursue the discovery, as further search could not be likely to benefit any one. Visiting the Museum of Economic Geology again, Dr. Lea took some fine specimens of *Unionida* for the Institution. He found Sir Henry De la Beebe, with whom he had a long conversation on this family, in which he gave him an account of his divisions of it. Sir Henry expressed himself greatly obliged, and told Dr. Lea he had "listened to an excellent lecture." He entirely agreed with him in the manner of placing the specimens in a grooved slot, and

giving the major axis the horizontal line, and he fully appreciated the value of the ellipses, for, as he observed, "these were constants." Calling on Dr. Carpenter with a letter from Dr. Duglison, he was told, very kindly, that Dr. Lea required no letter to him. Many branches of natural history were talked over, *Foraminifera*, &c. He showed Dr. Lea some fine *Orbitella*, with many varieties which had been described by D'Orbigny and others as distinct species. Of these he had made large drawings, and showed conclusively that the number of species must be greatly diminished. He also showed Dr. Lea his prepared specimens, beautifully arranged on glass, with their names written with a diamond point. The structure of the *Pinna* was finely illustrated by cross and longitudinal sections showing the cells with the basement membrane. The *Terebratula* were particularly beautiful, the foramina being perfectly displayed. In the *Unio* the structure is very different from that of the *Pinna*, the layers of the latter being imbricate. The epidermal matter, or more properly the periosteum, is deposited without any structure, while in the *Terebratula* it is plainly seen to have beautiful openings, which really seem to have opercula. The structure of *Echinus* is very different. Sections of spines of different species differ very much. The cross-section has somewhat the appearance of the cross-section of a tree, but the tubular form differs, so that in the *Echinus* it looks like lace-work. Afterwards they went over the *Uniones* which Dr. Lea had taken him, noticing more particularly the undulations of the beaks and the different ages. He was much interested in these differences, which he had never before observed. He invited Dr. Lea to dine with the Philosophical Club, composed of forty-seven working members of the Royal Society, the number of members being restricted. But Dr. Lea, having been previously invited to the dinner by Professor Forbes, said he would meet him there.

Dr. Lea returned a visit from William J. Hamilton, secretary of the Geological Society, whom he had met at the congress of German scientists at Wiesbaden the previous year. He found him engaged in examining a collection of mollusca and fossils sent by the well-known Rajah Brookes from Borneo, which were particularly interesting. He gave to Dr. Lea a *Unio*, a *Cyrena*, and a curious *Cyclostoma* which had spines. A few days afterward he dined with the Philosophical Club, where Sir Roderick Murchison presided. He requested Dr. Lea to take the seat on his right. The distinguished members present were Lyell, Carpenter, Forbes, Graham, Wheatstone, Sharpey, Sabine, Hoffman, Miller, Crosse, Hooker, Hopkins, &c. The president asked the secretary if he had anything to bring before the club. On rising the secretary said, "There is a gentleman present who, though a foreigner, can hardly be considered a stranger," and he hoped that Dr. Lea had something new which he could communicate to them. Dr. Lea then made some remarks on the two Saurians, descriptions of which he had published, relating to their position in the strata, one in the New Red Sand-

stone and the other below the Coal Measures in Pennsylvania Survey Formation No. XI. The remarks were attentively listened to. Sir Charles Lyell then stated his impression in regard to both. He gave Dr. Lea full credit for being the first and only one who had yet observed an air-breathing animal in so ancient a rock as that in which the *Sauropus primævus* occurred. He further stated that the *Clepsysaurus pennsylvanicus* was the first discovery of bones in the New Red Sandstone, although since Dr. Lea's discovery a jaw of a similar animal had been found, and he said he was entirely disposed to accord to the latter the credit of these two discoveries. Sir Roderick asked if any other gentleman had anything to communicate, to which Colonel Sabine answered that he had a curiously-shaped bottle picked up on the north shore of Siberia, and sent to him from St. Petersburg. He said that he thought that it had come through Bering Straits from Japan. Dr. Lea, having paid some attention to the voyages and currents of the Arctic Ocean, observed that that was certainly the best solution of the subject; that all the voyagers from the early Danish settlements to the present time demonstrated the course of the currents. After the discussion of other subjects of minor interest, the members divided into groups, and Dr. Lea had an interesting conversation with Sir Roderick, Dr. Carpenter, and Professor Forbes upon various matters of science. Sir Roderick expressed his regret in parting that he had not seen more of Dr. Lea, but that he had been absent during most of the time. Dr. Carpenter spoke of their mutual friends, Drs. Duglison, Jackson, Wood, and Meigs. He said on parting that he was very desirous of visiting the United States, if anything offered by which he could increase his income; that a professorship in the College of Philadelphia would be very acceptable. Professor Sharpey, of Edinburgh, spoke of the excellence of Wood & Bache's works.

Calling at the Museum of Economic Geology, Dr. Lea found Sir Henry De la Beeche busily engaged. He expressed much pleasure at seeing him again. While conversing with him a very old gentleman came in whom he introduced as Mr. Weaver. He was entirely deaf, and Dr. Lea had to write his part of the dialogue. He was ninety-one years old, was perfectly erect, and had a remarkably fine face. Dr. Lea was very much pleased to see him, for he was of the old school of science, and was a fellow-student with Humboldt. He was kind enough to say that he had heard in the hall that Dr. Lea was in the private room with Sir Henry, and he could not refrain from coming "to shake hands with one who had done so much for American science." He was in the early part of this century among the leading men of science in England, and was deeply engaged in the great battle of "Neptunist and Plutonist," which was waging at that time. He had understood that Dr. Lea had given some rare *Uniones* to the museum, and expressed a desire to see them. Dr. Lea went to the cases, and explained to him some of the different species which had excited much

interest in London, particularly the *Unio spinosus*. In taking leave of Sir Henry a second time he again expressed his desire to serve Dr. Lea at any time, to procure for him any specimens or books which could be had. He requested Dr. Lea to send any of his friends to him, and taking his hand, said, "You must come again, and God bless you." It was with extreme regret that Dr. Lea parted with him. In the course of conversation about the leading men of science in England, among others Sir Roderick Murchison, he said that he was "a most valuable man in society, and a great promoter of science; that his connection with men high in position was very useful to science." Sir Henry said, "he never flinches from pushing science forward in places which otherwise it might not reach," adding that he was "full of science and very industrious." Dr. Lea went to the rooms of Professor Forbes, whom he found engaged in preparing some specimens of fresh-water and land mollusca from the Tertiary and Oolitic formations for him. In taking leave of Dr. Lea he expressed his regret at parting, and offered his services in every way that Dr. Lea would command. Mr. Bailey united with him in offering services. Sir William Hooker had been exceedingly kind to Dr. Lea's family, inviting them to Kew, where they spent a day with him, and saw many things to which the public were not admitted. William J. Hamilton, president of the Geographical Society, and Mr. Morris, the geologist, left several papers and offered services to Dr. Lea, expressing regret at his leaving London so soon. Before sailing from Liverpool Dr. Lea called to see Mr. McAndrews, who had made a large collection of mollusca, chiefly by voyages in his own yacht among other seas, and especially in the Mediterranean for seven months. He gave Dr. Lea many fine specimens, and some *Uniones* which were new to him, one of them from New Zealand. At Liverpool he met his old and kind friend William Rathbone, esq., who pressed him and his family to make their home with him at Green Bank, in the neighborhood of Liverpool. While there he invited several gentlemen to dine, among whom were Dr. Lea's old friends, Mr. Nuttall, the naturalist, and Mr. McAndrews, the conchologist. He was very glad to see the former, who still possessed that cheerful temperament and great fund of information which rendered him always a desirable companion. He told Dr. Lea at parting that he might see him in Philadelphia next year.

While at Liverpool Dr. Lea met at the hotel his friends, Colonel Powel, of Philadelphia, and Major Porter, of Georgia, who, he was glad to find, were to sail with him on the steamer Baltic. On November 2 Dr. Lea and his family went on board the fine New York steamer Baltic, in a gale in which no other vessel ventured out. Being unable to go down the Channel, the steamer laid her course round the north coast of Ireland. At the end of twelve days, through most terrific gales, the good ship landed her passengers safely at New York. Dr. Lea left behind him, with great regret, many kind friends, both in the social and scientific world, on the continent and in England.

CHAPTER V.

RETURN TO PHILADELPHIA.—EXTRACTS OF LETTERS ON SCIENTIFIC SUBJECTS.—CONTINUED RESEARCH.—PRESENT OCCUPATIONS.

Dr. Lea arrived in Philadelphia November 14, 1853, where he found the accumulation of correspondence and specimens during his absence to have been enormous. On these he set to work with vigor, but the inflow continued in such a regular stream that he was unable to diminish the material on hand, and some twenty-five years afterward, when he was suddenly taken ill in California, his cabinet was overcrowded with material awaiting his investigations. Many new correspondents, particularly from the Southern and Southwestern States, sent him collections of new mollusca, requesting him to name those that were new, and give them the names of all the species. Among these was the Right Rev. Stephen Elliott, bishop of Georgia, who, above all others, most abundantly supplied him with the mollusca of that State. The Bishop at that time was personally a stranger to Dr. Lea, but the beauty of the *Unionidæ* of his State had attracted his attention, and he applied to him requesting the favor of his correspondence. As Dr. Lea had been desiring a correspondent in Georgia for many years, this was gladly accepted, and it resulted in a warm friendship which lasted until the death of the Bishop. Shortly after this correspondence commenced he visited Philadelphia to attend the convention of the Protestant Episcopal Church, when Dr. Lea first made his personal acquaintance. He was enthusiastic in his pursuit of this branch of natural science, and told Dr. Lea in parting that he would have "every nook and corner of Georgia searched for him," and that he "would keep him busy for the next eighteen months in describing new species." This promise was more than fulfilled, and Dr. Lea was nearly three years occupied almost exclusively in describing and publishing Georgian species, one of the most beautiful of which he named *Unio Elliottii*, in honor of the Bishop. He induced many of his friends from distant parts of the State to collect specimens and send them direct to Dr. Lea. Mr. Couper of Darien, Mr. Hallenback and Dr. Boykin of Columbus, Mr. Postell of Saint Simon's Island, Dr. Stewardson and Mr. Plant of Macon, supplied a number of new species, and had their names given to new *Uniones*. The Bishop, when visiting distant parts of his diocese, where the mollusca in the small streams of the hill country differed from those of the broad rivers of the lowlands, collected specimens which generally proved new. From time to time for many years he sent Dr. Lea the included soft parts of

the animals, as may be seen in his acknowledgments, where the species are described in the "Contributions" through many years of publication.

On Dr. Lea's return home he found that Mr. Conrad had published a "Synopsis of the family of Naiades of North America" in the early part of the year, which was full of errors both of date and facts. These were all stated in Dr. Lea's "Rectification,"* published immediately on his return, in order to correct any false impressions they might have given. He likewise found that Mr. Say had also published a short list of the species, in which he differed much from Mr. Conrad, but he did not give Dr. Lea a single species. Subsequently Judge Tappan, United States Senator, who took so much interest in the Western *Unionidae*, told Dr. Lea that Mr. Say had expressed great regret at the course he had taken against Dr. Lea. Dr. Kirtland, State geologist and zoologist of Ohio, wrote him a letter in the year 1853, in which he says:

Your "Observations on the genus" show that you are still actively engaged in that interesting subject, but your new edition of the Synopsis is to me still more interesting. It forms a perfect hand-book for the naturalist who would investigate this inviting department.

Twenty-five years since I was laboring with the Mahoning River shells, aided by Barnes's article in the sixth volume of Silliman's Journal; two numbers of Say's American Conchology, and his article in Nicholson's Encyclopedia. What an insight into their arrangement would your synopsis have rendered! Now, my good sir, allow me to urge you to go on, and accomplish what no one else can do, publish a revised edition of all your shells and their descriptions. This would place the subject before the scientific public and arrest the attempt of foreigners to seize upon the credit which belongs to you. Such a work would also be forever invaluable as a standard of reference.

In a previous letter Dr. Kirtland writes that he is particularly pleased with Dr. Lea's arrangement in the synopsis and will follow it in his report to the State. "It is altogether preferable to anything of the kind that has come before the scientific public."

In fact Dr. Lea had intended to publish a complete work on the *Unionidae* of the United States, and had informed Professor Owen previous to his leaving London of his intention, and that he was willing to devote three years' time and \$5,000 to its accomplishment. Having a good lithographer at command, he had two quarto plates made of the old and young of *Unio multiplicatus*, together with the embryonic form. But new species came in so fast from various parts of the world, and particularly from numerous friends of the Western and Southern States, that it precluded his doing more than describing them. Only a few proof copies of these fine plates had been struck off when a fire took place in the lithographer's establishment, and they were entirely destroyed. Dr. Lea was constantly occupied with his scientific researches, and continued his publications in the Proceedings and Journal of the

* This was read before the Academy of Natural Sciences of Philadelphia, and published in its Proceedings.

Academy of Natural Sciences, to which he was a constant contributor for more than twenty years, until 1877, when a sudden illness, which overtook him in Southern California, prevented his usual activity. He was still able, however, to continue adding to his vast collection, through the kindness of friends and by purchase, of fine specimens of minerals, particularly *quartz crystals*, every specimen of which he has examined with the microscope, and described on the label. The inclusions, and markings on the planes of each, when important, are drawn and stated.*

It will be seen by looking over his bibliography that after his return from abroad he was engaged in other branches of natural history. Biology and paleontology claimed his attention. The embryology of the *Unionida* was treated in an important memoir in 1858,† in which he gave descriptions and figures of thirty-eight species, accurately delineated by himself and formed into groups. Some of these species present the most singular and interesting microscopic forms, showing characters which Poli, Carus, and Pfeiffer, in the few which they had given, had overlooked.

Among other works he published in 1854 his elephant folio edition of "Foot-Marks," near Pottsville, which as a specimen of the typographic and lithographic arts has no superior, and the importance of the discovery of the "foot-marks" will be understood by a few extracts from the many letters he received on its publication. The following are from Professor John Phillips, of Oxford (of the chair of the celebrated Dr. Buckland), from Rev. Adam Sedgwick, and other friends :

OXFORD, *November 6, 1855.*

* * * I am greatly delighted with the admirable drawing and description of the foot-prints which you have kindly presented to me.

It is unique in the beauty of the execution and characteristic of the generous spirit which is so common among your countrymen, so far as I know them by their welcome visits here.

Pray send over as many of your friends as you can to maintain amity between Old and New England. * * *

JOHN PHILLIPS.

CAMBRIDGE, *April 13, 1856.*

MY DEAR SIR: I have this moment received your very kind letter, for which I return you my best thanks, and I am very grateful to you for the work to which you allude, "The Fossil Foot-Marks."

My health is at present anything but good. I am the victim of suppressed gout, which destroys my power of work, and makes even an ordinary task irksome to me. I will write immediately to my London publisher and request him to send you the second fasciculus of the Cambridge work through the agent of the Smithsonian Institution, my friend Rev. H. Stevens. My head is in too much confusion for any enlarged discussion, but I agree with you about the difficulties of the Old and New Red Sandstone.

* Prof. H. Rosenbusch says in his *Mikroskopische Physiographie der Wichtigsten Mineralien*: "Dr. Lea was the first in America to enter into 'microscopic mineralogy.'"

† *Journal of the Academy of Natural Sciences, Philadelphia, 1858.*

My belief is that we shall in the end have to put the Old Red Sandstone of England in the same chapter as the upper or true English Silurian group. The Permian, Permian, Permian, or Magnesian limestone series (the Zeekstein of the German) is physically better related to the Triassic groups than to the Carboniferous, though the fossils seemed to point the other way.

I am now seventy-one years of age, and bad health makes me unfit for hard field-work.

I am ashamed to send you such a shabby letter; but I wish not to miss the early post of this day in order that I may correct the mistake or laziness of my publisher.

I assure you that I am with great respect, my dear sir, very truly and gratefully yours,

A. SEDGWICK.

BOSTON, *May 14, 1855.*

* * * Your magnificent work on "Fossil Foot-Marks," I have this day received, and have already distributed a number of the copies. The honor you have done me in dedicating to me so noble a work is one of the most gratifying circumstances of my life, though I cannot feel worthy of it. Coming as it does from one who has so long and so ably distinguished himself by his scientific labors, however, it is, whether well founded or not, a high gratification. * * *

Very respectfully, your friend,

J. C. WARREN.

CAMBRIDGE, MASS., *May 17, 1855.*

* * * I have read with great interest your memoir in the Transactions of the American Philosophical Society, and have been not a little surprised at the position assumed by Agassiz in describing your specimens as well as in the lectures which he has recently given here. I cannot conceive that he has been led to his conclusions by anything else than a foregone decision. The anatomical evidence seems to me unmistakable. I am still more inclined to think that he has prejudged the matter since, a few days ago, he pronounced (not knowing their geological position) the specimens now before me as foot-prints of reptiles (as those of toads), and seemed rather taken aback when I told him they were from coal strata.

I feel that some apology is due for the liberty I have taken in addressing you without personal acquaintance, but I trust you will be ready to pardon in the great interest which attaches to the subject of early reptilian life, the evidence in relation to which is so fast accumulating that I believe it will command the assent of the most sceptical to a position as low as the coal and even to the Old Red Sandstone. * * *

With great respect, truly yours,

JEFFRIES WYMAN.

PHILADELPHIA, *May 21, 1855.*

MY DEAR SIR: I am in receipt of your letter of the 17th, and beg to assure you that it will give me great pleasure to afford you any information in my power.

I know of nothing new from the Red Sandstone of Pottsville since Professor Rogers's communication to the American Association at Albany, except that Dr. Leidy last summer found a small bivalve in the Tumbling Run dam, which, however, he mislaid and did not come across again until about two weeks since, when he handed it to me.

I was preparing a paper on it when your letter was handed to me. It will appear in the Proceedings of the Academy of Natural Sciences.

I am very glad to find that Professor Rogers's specimens are in such good hands, for I feel assured that you will do justice to all. I hope you will do me the favor to read carefully what I have said in the memoir in connection with the geological position of those "foot-marks." You will understand that although Professor Rogers said that these "foot-prints" are of "an age essentially later than that attributed to them,"

that there is really no difference of opinion between us as to their being in his "Red Shale" (Formation No. XI), as I expressly stated in my description, the spot being laid down to the foot, taking his own measurements as to the thickness of the strata there. The difference is not as to a geological error on my part, but whether his "Red Shale formation" (Formation No. XI) be part of the Old Red Sandstone or not. In this I followed the opinion of Mr. Taylor, Mr. Hall, Mr. Vanuxem, M. de Verneuil, &c.

The expression on the part of Mr. Rogers in regard to the position of these "foot-marks" I always thought was disingenuous in reference to me, and certainly unjust; because it was intended to detract from any merit that the discovery might give me, when there could really be no doubt as to the position of the "foot-marks" being two formations below the Coal formation, No. XIII, and in his Formation No. XI, "Red Shale formation."

I therefore have not modified my views, because we have had no additional geological evidence calculated to change the opinions of the distinguished geologists above mentioned. They may all prove wrong, but we must have the facts to show it.

I am not at all surprised at what you say of Agassiz's opinion regarding the "foot-marks." His second attempt at this organism is almost as bad as the first. There is a wide difference between a *fish* and a *toad*. He has oscillated to an extreme point now, and will doubtless have to come down to the Saurian point; nothing else will do, I am sure, for my "foot-marks."* I should like much to know what he has said in his lectures regarding them. Pray, have they been printed or reported?

If you intend to refer to reptilian life in the Devonian of England, *Telerpeton elginense* Mautell, you will find a note in my new folio edition of the Memoirs, p. 13, by which you will see there is some doubt as to that formation. I will send you a copy of this edition with great pleasure as soon as I get some from the binder. In the mean time you may see it in the Cambridge Library or at Dr. Warren's. Had I had the pleasure of your acquaintance before I certainly should have sent you a copy in the box with those for other friends. I suppose you have seen my memoir on the fossil saurian of the "New Red," published in the second volume of the Journal of the A. N. S. I will do myself the pleasure to send you a copy.

I shall probably go to Pottsville in a week or two, having business there with tenants working coal-lands. I have been anxious to examine the localities east and west of that where I first found my specimen. I need not say that it would give me great pleasure to show you this specimen or anything else I have, and it will at all times gratify me to be able to promote the views of one who has done so much for science as yourself.

I am, very truly and sincerely, yours,

ISAAC LEA.

Prof. JEFFRIES WYMAN.

CAMBRIDGE, MASS., June 7, 1855.

* * * Your kind letter of May 21 was duly received, and I thank you for the information which it contained. It so happened that on the day following the date of my letter I had an opportunity of seeing your admirable monograph at the rooms of the Boston Society of Natural History.

The specimens which are now in my possession contain the tracks of a much smaller animal than those figured in your memoir. In fact I have two species, the natural sizes of which may be seen in the figures below, which are somewhat exaggerated in point of distinctness as regards the larger species. I think Agassiz will not again

*Is it not singular that he should, over the same specimens, give such different opinions, so far removed from each other? He saw Professor Rogers's specimens at Albany and pronounced them fish; he now sees the same with you and pronounces them toads.

avow his belief, certainly will not quite so roundly object, that all those who have described the remains of reptiles from the Coal Measures have been mistaken. I felt somewhat personally interested in the position which he assumed, as I had in connection with Professor Owen described some reptile remains taken by Sir Charles Lyell from the interior of the hollow coal-tree, but which Agassiz claimed as fishes. As regards the *Sauropus* and those foot-prints now before me, they give him no chance for a retreat, but only an unconditional surrender. In his lectures and scientific communications to the American Academy he has made allusions to the coal reptiles, but I am not aware that he has made any special reference to your labors; but he has included all of us in one category of mistaken naturalists. I am not aware that anything has been published by him bearing upon the subject. Since I have examined your admirable plate I am more surprised than ever at the opinion he expressed with regard to the nature of the prints.

I am very much obliged to you for your kind offer to send me a copy of your memoir. I should certainly prize it very highly. * * *

With great respect, truly yours,

JEFFRIES WYMAN.

CAMBRIDGE, MASS., July 6, 1855.

* * * Please accept my sincere thanks for the scientific memoirs which you had the kindness to send me, and which have this day come to hand through our mutual friend, Dr. Warren.

I believe the plate of the tracks of *Sauropus* is wholly unsurpassed in the annals of paleontology, and the scientific world is certainly very much indebted to you for the results of your labors. * * *

Believe me, truly yours,

JEFFRIES WYMAN.

CAMBRIDGE, MASS., November 26, 1855.

* * * Our friend Professor Agassiz has just been lecturing on the animals of the Coal formation, and now admits that reptiles *did* exist then, but were of a *very low* kind of reptiles. This eases the matter off a little, but my belief is that he will be obliged to go deeper and admit more than he is willing to do now. * * *

With great respect, truly yours,

JEFFRIES WYMAN.

CAMBRIDGE, MASS., March 9, 1858.

Your favor of the 27th ultimo came duly to hand, as well as the copy of your new contribution to the natural history of the genus *Unio*, for which I beg you would accept my sincere thanks. I am afraid I shall not be able to visit Philadelphia at present, as my duties in college seem to require that they should not be interrupted until another vacation.

We have just entered our new building, which was in the process of erection when we had the pleasure of a visit from you last summer. The first exercise took place in it yesterday. My anatomical collection is finely accommodated, and with our mastodon for a center-piece the hall looks quite imposing.

I send herewith a copy of the description of the *Batrachian* fossils from the Coal of Ohio. I think that the accumulated evidence of reptilian life which existed at the Coal period is such that no question will be raised hereafter, unless it be with regard to the *kind* of reptiles. Agassiz admits that *Batrachians* existed; he is disposed to put them in a *class* by themselves, and thus occupying a place next to fishes, instead of forming an *order*, as in the Cuvierian system.

I hope I shall be able to visit Philadelphia at no very distant period, there is so much there that I should be glad to look over, and so many good friends to visit. Please make my kind regards to Dr. Leidy and to Dr. and Mrs. McClellan when you see them.

Sincerely yours,

J. WYMAN.

[Extract from Monsieur Boivin's letter.]

PARIS, 1856.

I have received with great admiration your magnificent work of the imprints of the feet of your *Sauropus primævus*. It is interesting from two different points of view, viz, the subject as well as the execution. The lithographic plate is truly a *chef-d'œuvre*, and the paper is of an admirable fabrication. Young America can compete with advantage with old Europe.

Your devoted, &c.,

A. BOIVIN.

VIENNA, December 4, 1857.

* * * We just received a new expedition of the Smithsonian, and along with it I was particularly favored by the kind gift I owe to yourself, that standard classical work on the genus *Unio* and other fresh-water molluses, for which science is indebted to your unremitting zeal and studies for so many years in that department of natural history.

I return you, therefore, my most sincere thanks for myself as well, who was distinguished even by a colored copy, as also for our Geological Institute.

Also your past letter came to hand as well as other valuable works of lesser compass, and I hope by this time you have received my letters of thanks and acknowledgment through the last expedition of ours to the Smithsonian Institution, with the letters date of 19th of August, 1857. It is true, for letters this conveyance is somewhat slower, but for all, it is invaluable for that steady mutual intercourse for scientific purposes in which the Smithsonian, and in fact the United States, stand unrivaled; and the most friendly intercourse is certainly above all preferred by scientific investigators. We admire with great good heart all that is achieved on the other side of the Atlantic, and that has pushed forward our knowledge most materially. We often talk over your visit in Vienna. Unfortunately I had to keep my house for being unwell. Poor Heckel has since left us forever, a very great loss for his friends as well as for science. Our friends, Von Haur, Hörness, Swess, beg to be remembered. Poor Partsch having died last year, he was succeeded in the direction of the Imperial Mineralogical Museum by our so highly deserved friend, Dr. Hörness.

Mr. Swess (who is married, by the bye, to a sister of Dr. Hörness and niece of Mr. Partsch) is now delivering a course of lectures on paleontology in our university.

As to our Geological Institute, we are getting on, it is true, but rather too slowly, if I compare what is really done with what I might wish to see. We are working with too many "difficulties" as I might call them, not a few of them owing to a want of that most characteristic saying of yours, "going ahead;" for myself, I begin feeling rather tired, particularly as I was far from well all last summer and autumn.

We just received also for the Geological Institute those wonderful "Kane's Arctic Explorations," in the second Grinnell Expedition. It will be a standard work forever for raising men's minds to the most arduous tasks of duty, and to confidence in that Almighty Power which saved this heroic endurer and his men.

What loss for humanity in his premature death!

Yours, truly and devotedly,

WILLIAM HADINGER.

OXFORD, July 16, 1849.

MY DEAR SIR: I am much gratified by your very interesting letter inclosing a brief summary of your discovery of foot-marks in Old Red Sandstone, and shall have great pleasure in laying this notice before the next meeting of geologists in England, which, as the London sessions are now closed until November, will be at the Birmingham meeting of the British Association in the middle of September, when Professor Rogers will be present. This will give the most rapid and most general announcement of your discovery which is now possible. There is time for you to inform me if you approve of this proposal, and if you do it would add much to the interest of your

memoir if you would send me a slight fraction or outline sketch of the line of foot-marks, which will make the case more intelligible than ten pages of verbal description.

Hoping to hear from you before the 12th of September, I am, very truly, yours,
WM. BUCKLAND.

From this period Dr. Lea continued his investigations. His papers in full may be found in the Proceedings and Journal of the Academy of Natural Sciences, and attention is called to some of the most important: "On *Centemodon sulcatus*"; "*Cypricardia Leidy*," the only mollusk found in the Red Sandstones near Pottsville; "Remarks on *Triquetra contorta*"; "On Vision in the *Unionida*"; "Observations on the Geology of the New Red Sandstone near Gwynned, Pennsylvania"; "Remarks on Trilobites found at Braintree, Massachusetts"; "Remarks on the Existence of a *Byssus* in the *Unio*"; "On the Permian of Gwynned" (to which formation he was the first to assign it); "On the Greensand Formation of New Jersey"; "On both lobes of the branchia on both sides charged with embryonic shells, and red ova in several species"; "On the reversed teeth of *Unio*"; "On the form of the Palpi of South American *Unio*"; "On the visual and auditory organs of the *Unionida*"; "Notes on some members of the Feldspar Family"; "On new minerals from Chester County, Pennsylvania"; "On Microscopic Crystals included in some minerals"; "Further notes on Microscopic Crystals in some of the Gems"; "Further notes on 'Inclusions' in Gems," &c.

In addition to these there are innumerable papers during a long succession of years (1827-1874), on new species of the *Unionida*, *Streptomatida*, *Colimacca*, &c., which were published in the Bulletin and Transactions of the American Philosophical Society, and the Proceedings and Journal of the Academy of Natural Sciences of Philadelphia.

The number of new species, mostly from the United States, were:

Species.	No.	Species.	No.
<i>Unio</i>	731	<i>Valvata</i>	1
<i>Anodonta</i>	114	<i>Anculosa</i>	21
<i>Margaritana</i>	27	<i>Amnicola</i>	3
<i>Symphynota</i>	11	<i>Schizostoma</i>	20
<i>Spatha</i>	4	<i>Basistoma</i>	1
<i>Plagiodon</i>	1	<i>Goniobasis</i>	175
<i>Monocondylæa</i>	9	<i>Lithasia</i>	13
<i>Triquetra</i>	1	<i>Strephobasis</i>	7
<i>Iridina</i>	1	<i>Tripanostoma</i>	71
<i>Succinea</i>	17	<i>Neritina</i>	1
<i>Auricula</i>	1	<i>Mycetopus</i>	2
<i>Cyclostoma</i>	4	<i>Eurycaelon</i>	1
<i>Physa</i>	32	<i>Maseschiza</i>	1
<i>Lymnæa</i>	28	<i>Megasystropha</i>	1
<i>Melania</i>	184	<i>Pompholyx</i>	1
<i>Io</i>	10	<i>Ancylus</i>	2
<i>Melanopsis</i>	2	<i>Rivulina</i>	1
<i>Cyrena</i>	4	<i>Bythinia</i>	2
<i>Aproditæ</i>	1	<i>Assimineæ</i>	1
<i>Helix</i>	30	<i>Pachychilus</i>	1
<i>Carocolla</i>	5		
<i>Helicina</i>	3	Total.....	1,604
<i>Delatina</i>	3	Fossil mollusca described in "Contributions to Geology".....	228
<i>Paludina</i>	27	Fossil <i>Unionidæ</i> described from Greensand formation.....	10
<i>Ampullaria</i>	6		
<i>Polygyra</i>	2	Total.....	1,842
<i>Bulinus</i>	12		
<i>Megaspira</i>	1		
<i>Planorbis</i>	7		

Of embryonic forms of *Unionidæ* there are thirty-eight species described and figured. Of soft parts of the *Unionidæ* there are two hundred and fifty-four different species, and these are preserved in thirty-four large glass jars in alcohol. In the thirteen volumes quarto there are two hundred and eighty plates.

A few letters and extracts of the many received from his correspondents may prove interesting in connection with his work referred to in them:

NEW HAVEN, *December 21, 1860.*

MY DEAR SIR: Your very kind recollection of an old friend is gratefully acknowledged.

In addition to numerous favors of an earlier date, I have now to thank you for your beautiful continuation of the description and figures of the *Unionidæ* of the United States and Northern Mexico, Vol. 8, Part I, with 16 plates. The figures are very beautiful, and no doubt exact as beautiful.

Your intelligent perseverance with consummate skill and taste have reared a brilliant monument in this part of conchology, not to mention your always valuable memoirs on other topics.

With every good wish, and a grateful sense of your unremitting kindness to me, I remain, my dear sir, with much esteem and kind regard,

Your obliged friend and servant,

B. SILLIMAN.

To ISAAC LEA, Esq.

[Extract from Silliman's Journal.]

“Mr. Say still continues to devote his attention to the *Uniones*, as appears from the numbers of the American Conchology published at New Harmony. Dr. Hildreth, of Marietta, has also contributed his share toward the elucidation of the *Naiades*. But the papers of Mr. Isaac Lea, in the Transactions of the American Philosophical Society, stand pre-eminent among all the labors of this kind, both for extent and nicety of discrimination. This gentleman has explored, in person, their localities, and has had the good fortune to receive, from time to time, the most abundant supplies of them from his friends resident at the West, so that his cabinet, as all can testify who have examined it, illustrates the different species in a high degree of completeness, containing individuals of all ages, and from distant localities, and those which exhibit also the various accidents under which they are liable to occur. Nor have his examinations been confined to the mere shells and dead animals; he has preserved the same individuals alive under his eye for months, and the observations he records concerning their habits and anatomy are extremely interesting and original.”

BRITISH MUSEUM, *London, March 7, 1861.*

DEAR DR. LEA: I have been favored by a copy of the first part of your eighth volume of the work embodying your life-long labors on the *Unionidæ*, and return you many thanks for that and its predecessors. You have set a noble example of persevering devotion to the elucidation, and making known to your fellow-men, of the portion of God's creation selected by your judgment, taste, and opportunities for your studies. You will leave a grand and enduring monument of what one man may accomplish under such conditions, and I trust you may enjoy many years cheered by the retrospect of past labors, and by the grateful estimation in which they are held by the naturalists and lovers of science in both hemispheres.

Believe me to be, with much esteem and regard, yours, most truly,

RICHARD OWEN.

BRITISH MUSEUM, February 21, 1871.

DEAR DR. LEA: I have been favored by, I believe, every evidence of your most valuable and untiring labors on the *Unionidae*, and none more do I value than the volume I have just received, your admirable and instructive "Synopsis," quarto, 1870. I thank you most sincerely for these indispensable bodies of instruction in my library of reference, and for the kindly, friendly, spirit in which they have been transmitted. They represent a kind or class of labors, the most genuine and important, and lasting, in the hard endeavor to gain a knowledge of nature. They worthily represent that "positive work" which Cuvier held in such high esteem.

More catching popular essays occupy the thoughts of the passing generations, but these will vanish along with them, while your fruits of close and long-continued observation will endure, and carry down your honored name as an exemplar to the young and genuine students of nature. As I have often thus thought of you and your works so am I happy in now expressing them, while we may be spared to interchange thought and friendly regard on this fleeting scene of life.

Believe me, truly and sincerely yours,

RICHARD OWEN.

VIENNA, June 23, 1871.

MY DEAR SIR: On the 10th of January I received through the Smithsonian Institution and our own Imperial Geological Institute your concluding index to the twelfth volume of that grand work, "Observations on the Genus *Unio*." Pray, do kindly accept of my most heartfelt thanks for that work, really of the most uncommon value, the complete twelve volumes, which you kindly sent both to our Geological Institute and to myself.

Well may you exclaim now with old Horace, "Exegi monumentum," &c., and that will last so long as natural science shall be cultivated by mankind. The more it is compared and studied the more appears your power of observation, your efforts in pursuing your object, your steadiness and perseverance. During the long series of years you did not tire sending me so many valuable contributions, by yourself, by Mr. Henry Lea, by Mr. Carey Lea, for many of which I have been guilty of having tendered too seldom, or even no acknowledgments at all. Pray, do now kindly accept of a sum of them, along with the thanks for your last index. Well may you consider this as a jubilee, fifty-three years having now gone by since you published your "Account of the Minerals at present known to exist in the vicinity of Philadelphia," in the Philadelphia Journal Academy Natural Sciences, I, 1817, pages 462-482, as I find commemorated in the "Catalogue of Scientific Papers, 1800 to 1863," this memoir opening the series of one hundred titles, pages 898-902, in the third volume of that work edited by the London Royal Society.

From mineralogy, geology, natural philosophy, you first entered into the steady study of your *Unionidae* and other allied species, not to leave them more till your beautiful monument was completed.

I am not permitted to speak of advancing years to you, who rather are my better, but, indeed, since my serious illness in the winter of 1865 to 1866, and my retirement from the office of director-general of the Geological Institute, my state of health is rather lower than I should wish.

When again comparing the twelve volumes I also turned over again, with delight, your old kind letters, beginning with your stay in our good city of Vienna in 1853, along with your most honored family, Mrs. Lea and Miss Lea. I hope you all continue well. Of our old friends of 1853, in Vienna, Franz von Haner, Fraunfeld, Swess, are successfully at work, and well; poor Partsch died in 1856, and a very great loss was that of my particular, most excellent friend Hörnes, on the 4th of November, 1868.

Please to remember me to all your family and friends.

Ever most truly yours,

W. HAIDINGER.

PARIS, *February* 11, 1860.

MY DEAR SIR: A thousand thanks for the parcel which you have had the goodness to send me, consisting of the second part of volume 6 of your observations on the genus *Unio*, and the pamphlet which accompanied it.

Your work upon the *Unio* is certainly the most beautiful and complete which we have upon this magnificent genus, and I might say the only one, for I do not count as anything the article which M. Chenu has given in his "Conchological Illustrations," where he has copied your figures, and has also depended on you for the text. You render a great service to science in devoting your time to the classification and description of the *Unio*. I trust that Heaven will give you a long life, both for your sake and our own.

With the warmest expression of my attachment, I am, yours, most sincerely,
A. BOIVIN.

Dr. Lea's cabinet of *Unionida* consists of horizontal cases in two large rooms, in which cases there are displayed to view about ten thousand individuals, of different ages, so arranged that each may be separately examined. In fact, this collection is unique in having many species arranged with a sequence from the youngest to the oldest, so that the student may see at a glance the aspect of their growth.

Thus a suite of different ages may consist of a dozen or more, no two being exactly the same.

Where the female differs in outline from the male there is also a suite of ages which generally marks the age of puberty. A suite of aberrant forms is also given, so that there may be fifty specimens of a single species, there being no two exactly the same. The whole of this collection is arranged on grooved wooden slats, with the left valve underneath, the anterior part to the right, and the beaks uppermost, thus giving a comparative view of the outline of one species with another. He began this collection in 1825, and has continued adding to it unremittingly to the present time. It is so complete that if all the collections known were selected from, one similar to it could not be made. The collection of fresh-water univalves is also large, consisting of several thousand. The collection of fossils is classified and placed in stratifications from the Archaic to the Tertiary formations. His collection of land shells is also very extensive, consisting of many rare species from almost every part of the globe, and that of marine mollusca is large and complete, containing, as it does, many rare genera and species.

Dr. Lea's first memoir of that remarkable series on the *Unionida*, &c., was published in the Transactions of the American Philosophical Society in 1827, vol. 3, new series, and were continued in vols. 4, 5, 6, and 7. Subsequently he published them in the Journal of the Academy of Natural Sciences until 1876, when they were discontinued (owing to illness). He had printed for his own use two hundred and fifty copies, forming thirteen volumes, with three indices. These were gratuitously distributed to scientists and to learned societies.

Dr. Lea has preserved all his scientific correspondence since 1818, and these numerous letters show the development of fresh water and

land mollusca of the United States, he being universally the acknowledged authority on these families of mollusca.

The most distinguished authors who have written on the subject of the divisions of the *Unionida* have acknowledged the difficulty of the subject. The true definition of a species has much engaged his attention, and he has in his synopsis endeavored to express his idea of what constitutes a species in the following words:

A species must be considered a primary established law, stamped with a persistent form, a type, pertaining solely to itself, with the power of successfully reproducing the same form and none other.

Dr. Lea has always held that the chief work of scientific societies is in connection with their publications, because these reach all similar bodies, and through them scientists, wherever science is cultivated. The gathering of materials for a collection is necessary, although that is of secondary importance. In regard to the date of papers, he always considered that the day of reading and presenting the communication to a society, and depositing it, was the only reliable date, as from that time the paper was in the possession of the society and could not be changed.

This has been the usage with most of the learned societies of Europe, although in this country some societies adopt the rule of issuing printed descriptions as necessary to precedence.

All Dr. Lea's papers, from first to last, were printed exactly as they were read and presented to the Academy of Natural Sciences and the American Philosophical Society during a period of fifty-nine years, except two specific names which had been used before. These he requested permission of the society to change.

The great use to men of science of the Smithsonian Institution is universally acknowledged. It has been the medium of communication between learned societies throughout the world, both in facilitating correspondence and interchanging publications. To Dr. Lea it has been of great assistance from its establishment to the present time. Its constant and safe conveyance of all his numerous memoirs, and the return of those of various authors by thousands, have been accomplished without a single loss. Thus the Zoological Society, of London, has sent him all its Proceedings from 1831; the Asiatic Society of Bengal since 1835; and the Imperial Royal Geological Society, Vienna, from 1853. Professor Haidinger says in one of his letters:

It is invaluable for that steady mutual intercourse for scientific purposes, in which the Smithsonian, and in fact the United States, stands unrivalled. And the most friendly intercourse is certainly above all preferred by scientific investigators.

Dr. Lea was accustomed to pass his summer, for many years, in Chester County, so rich in its various minerals. In that and Delaware County, with his friends, Dr. Hartman, Mr. Jefferis, and Mr. Joseph Willcox, many localities were searched, and some new ones discovered. Dr. Lea found several new minerals which he called *Cassinite*, *Patersonite*, *Les-*

leyite, *Lenuilite*, and *Delucarite*, an account of which Dr. Genth, State geologist, has given in his reports.* The two last-named he considers are varieties of the same mineral. Dr. Lea was the first to discover that interesting and rare mineral, *Diaspore*, in Pennsylvania. He found it on the farm of Mr. Lesley, and has the largest crystal on record, measuring 4 inches in length.

His intimacy with Admiral Wilkes made him acquainted with all the proceedings of that remarkable expedition, and he frequently advised with Dr. Lea in regard to the vast collection of natural history which was made by the naturalists in charge. This friendship continued until the death of the admiral. Dr. Lea has scores of long and confidential letters from him.

When the late Dr. Bigsby, the eminent geologist, visited this country about 1830, he passed the winter in Philadelphia and was a frequent guest of Dr. Lea. Subsequently he was engaged in the practice of medicine for twenty years at a distance from London. Resigning his practice he engaged with enthusiasm in his favorite science, and produced those elaborate works on geology which established his reputation, and his correspondence with Dr. Lea was again renewed. The late J. Gwyn Jeffreys was also a visitor at Dr. Lea's when in this country and spent several days with him. He was the best conchologist of his time in England, and distinguished for his writings on English mollusca.

Dr. Lea was president of the Academy of Natural Sciences of Philadelphia from 1853 to 1858, and filled other official positions more than half a century. He was vice-president of the American Philosophical Society for several years, and was chairman of its two principal committees (publication and finance) until his second visit to Europe, when he resigned the offices.

In 1860 he presided at the meeting of the American Association for the Advancement of Science, and five years afterwards, at Buffalo (there being no meeting during the war of the rebellion), he retired in favor of Dr. Gould, the astronomer, who was appointed to succeed him.

Dr. Lea is one of the largest contributors to science in this country; he began publishing his papers in 1817, and the last contribution of importance was issued in 1876, embracing a period of fifty-nine years of active research.

Although in his ninety-fourth year, he is blessed with good health, and his mental and physical faculties continue unimpaired. His deep interest in scientific matters was recently manifested by inviting the members of the American Association for the Advancement of Science, and their guests of the British Association at the meeting in Philadelphia in September, 1884, to visit him at his summer residence at Long Branch, where he had the pleasure of receiving and entertaining about two hundred members.

*Second Geological Survey of Pennsylvania, B, pp. 93 and 224.

He no longer writes with the intention of publishing, but his microscopical lithology, particularly of inclusions in crystals, of which he has a most extensive collection, is his almost daily employment, making the most minute drawings on the labels, which are written by his own hand.*

His cabinet of quartz crystals consists of nearly one thousand specimens, and corundum crystals nearly five hundred. His collection of the mica group is the most extensive in the country, consisting of thirty-five drawers. In addition to the collection of the large mica group, Dr. Lea has several hundred sections of lamina prepared for the microscope, with notes regarding their inclusions; these consist chiefly of muscovite, phlogopite, clinocllore, biotite, jefferisite, hallite, &c., and were intended for publication, but he had not the opportunity of writing the descriptions.

He was the first geologist who found fossil remains in the limestone (Formation II of Rogers) of Chester County, and subsequently in the same limestone of Bucks County, from the same formation, whence he obtained trilobites, &c.

Dr. Lea's love of nature was intensely strong. It began in early life, increased with his years, and at the present time engages the most of his attention.

The wondrous productions of the Great Creator are evidence to him of the wisdom and design which always prevail throughout His works.

In all his scientific researches his brilliant and accomplished wife always evinced the deepest interest. She was indeed his constant companion until the year 1873, when, after an illness of fourteen years, she was called to her heavenly rest.

Mrs. Lea had studied thoroughly the trees of this country and of Europe. Mr. Nuttall said she was better acquainted with American trees than any American botanist, and Mr. Michaux, who was a frequent visitor during their stay in Paris, in 1852 and 1853, was surprised to find a lady who was so thoroughly acquainted with his own and his father's works on the trees of North America.

Dr. Lea's numerous contributions to science have been universally recognized by the best scientists at home and abroad, as of great importance on the various subjects which he has published. The issues of the Academy of Natural Sciences and the American Philosophical Society for sixty years justify this, and these publications have been acknowledged by numerous learned societies, they having conferred their honors upon him, as the following list will show: ex-president Academy Natural Sciences; vice-president American Philosophical Society; doctor of laws from Harvard University in 1852; honorary member Asiatic Society, Bengal; member Royal Physical Society,

*A few of these may be seen in his three papers, "Notes on microscopic crystals," the plates of which were drawn by himself exhibiting surface markings and inclusions.

Edinburgh ; member Linnean Society, Bordeaux ; member Imperial Society, Moscow ; honorary member Boston Society Natural History ; member Royal Academy Sciences, Turin ; honorary member Royal Zoological Society of Ireland ; member Zoological Society, London ; honorary member Manchester Natural History Society ; member Royal Northern Antiquarian Society, Copenhagen ; honorary member Physical and Natural History Society, Geneva ; member Geological Society, Berlin ; member Natural History Society, Athens, Greece ; member Société Polytechnique, Paris ; member Société Impériale des Sciences Naturelles de Cherbourg ; member Imperial Royal Zoological and Botanical Society, Vienna ; member Imperial Royal Geological Society, Vienna ; member Natural History Society, Wurtemberg ; member Société Paleontologique de Belgique ; member Natural History Society, Montreal ; ex-president and fellow American Association for the Advancement of Science ; member British Association 1832 and 1853 ; honorary member Historical Society, Buffalo, N. Y. ; honorary member California Society of Natural History ; member New York Academy of Science, &c.



BIBLIOGRAPHY

OF

THE PUBLICATIONS OF ISAAC LEA, LL. D.

1.

1818. LEA, ISAAC. An account of the Minerals at present known to exist in the vicinity of Philadelphia. < *Journ. Acad. Nat. Sci. Phila.*, i, 1st series, pp. 462-482.

Printed under date of December, 1818.

2.

1822. LEA, ISAAC. Notice of a singular impression in sand-stone. < *Amer. Journ. Sci. and Arts*, v, 1822, p. 155.

Letter to Prof. Silliman, dated February 24, 1822, about some "reliquia" found about a quarter of a mile above Pittsburgh, and on the same side of the Monongahela. Nature of impression unknown.

3.

1825. LEA, ISAAC. Sketch of the History of Mineralogy. < *Amer. Med. Journ.*, Nov., 1823, pp. 270—.

Sabin, in his *Bibliotheca Americana*, mentions a separate of this. See No. 39494.

4.

1825. LEA, ISAAC. On Hybernation. < *Amer. Journ. Sci. and Arts*, ix, 1825 (June), pp. 75-83. Also in *Froriep, Notizen*, xxxix, 1834, col. 161-163.

5.

1825. LEA, ISAAC. On Earthquakes—their causes and effects. < *Amer. Journ. Sci. and Arts*, ix, 1825, pp. 209-215.

6.

1826. LEA, ISAAC. On the North-West Passage. < *Amer. Journ. Sci. and Arts*, x, 1826 (February), pp. 138-145.

7.

1826. LEA, ISAAC. Notice of two halos with parhelia. < *Amer. Journ. Sci. and Arts*, x, 1826, pp. 368, 369. One plate.

8.

1826. LEA, ISAAC. On the pleasure and advantage of studying Natural History. < *Amer. Journ. Sci. and Arts*, xi, 1826, pp. 218-224.

9.

1827. LEA, ISAAC. Description of Six New Species of the Genus *Unio*, embracing the Anatomy of the Oviduct of one of them, together with some Anatomical Observations on the Genus. < *Trans. Amer. Philos. Soc.*, iii, New series, pp. 259-273, pls. iii-vi.

Read before the American Philosophical Society November 2, 1827. Acknowledged April 25, 1828, by correspondent in Cincinnati who had received impressions of the plates Decem-

1827. LEA, ISAAC—Continued.

ber, 1827. (See *Rectification of T. A. Conrad's Synopsis, etc., Proc. Amer. Philos. Soc.*, vii, p. 242, foot-note.)

Mr. Sabin gives a separate for 1827, 8°. (See No. 10.)

With No. 12 forms No. 13.

Preliminary remarks 259-265

Unio calceolus, Lea, n. s., pl. iii, fig. 1 265
Hab.: Ohio, T. G. Lea.

Unio lanceolatus, Lea, n. s., pl. iii, fig. 2 266
Hab.: Tar River at Tarborough.

Unio donaciformis, Lea, n. s., pl. iv, fig. 3 267
Hab.: Ohio, T. G. Lea.

Unio ellipsis, Lea, n. s., pl. iv, fig. 4 268
Hab.: Ohio, T. G. Lea.

Unio irroratus, Lea, n. s., pl. v, fig. 5 169
Hab.: Ohio, T. Bakewell.

Unio lacrymosus, Lea, n. s., pl. vi, fig. 8 272
Hab.: Ohio, T. G. Lea.

10.

1827. LEA, ISAAC. Description of Six New Species of the Genus *Unio*, read before the American Philosophical Society, November 2nd, 1827; with Anatomical Observations on the Genus. Philadelphia, 1827. 8°.

Title taken from Sabin's "Bibliotheca Americana." Separate of No. 9.

11.

1828. LEA, ISAAC. North-West Passage. < *Amer. Quar. Rev.*, iii, 1828. June, pp. 505-542.

Review of "Narrative of an attempt to reach the North Pole, in boats fitted for the purpose, and attached to His Majesty's ship *Hecla*, in the year 1827, under the command of Captain William Edward Parry, R. N., F. R. S., and honorary member of the Imperial Academy of Sciences at St. Petersburg. Illustrated by Plates and Charts. Published by authority of His Royal Highness, the Lord High Admiral. London: 1 vol., 4to, pp. 329, 1828."

12.

1829. LEA, ISAAC. Description of a New Genus of the Family of *Naïades*, including Eight Species, Four of which are New; also the Description of Eleven New Species of the Genus *Unio* from the Rivers of the United States; with Observations on some of the Characters of the *Naïades*. < *Trans. Amer. Philos. Soc.*, iii, New series, pp. 403-457, with pls. vii-xiv, colored.

Read before the American Philosophical Society March 6, 1829. Distributed in May or June, 1829. (See *Proc. Acad. Nat. Sci., Phila.*, vii, p. 243.)

With No. 9 forms No. 13.

Remarks upon objections sometimes made to the study of conchology 402-406

On the species of the *Uniones*, described by naturalists who have written on our shells 406-407

On specific characteristics, etc. Teeth, Colour, Elevations, Beaks, Muscular Impressions, Ligament, etc. 407-415

Table of nomenclature of the species 415-421

On Lamarck's species 421-425

Unio ater, Lea, n. s., pl. vii, fig. 9 426
Hab.: Mississippi below Natchez, T. W. Robeson.

Unio rubiginosus, Lea, n. s., pl. viii, fig. 10 427
Hab.: Ohio.

Unio heterodon, Lea, n. s., pl. viii, fig. 11 428
Hab.: Schuylkill and Derby Creek, Pa.

Unio sulcatus, Lea, pl. viii, fig. 12 430
Hab.: Ohio, T. G. Lea. This is variety *a* of *Unio ellipsis*. (See *Trans. Amer. Philos. Soc.*, iii, p. 269.)

Unio planulatus, Lea, n. s., pl. ix, fig. 13 431
Hab.: Ohio, T. G. Lea.

Unio circulus, Lea, n. s., pl. ix, fig. 14 433
Hab.: Ohio at Cincinnati, T. G. Lea; Monongahela at Pittsburgh, T. Bakewell; Tennessee at Nashville, Prof. Vanuxem.

1829. LEA, ISAAC—Continued.

<i>Unio multi-radiatus</i> , Lea, n. s., pl. ix, fig. 15.....	434
Hab.: Ohio, T. G. Lea.	
<i>Unio occidens</i> , Lea, n. s., pl. x, fig. 16.....	435
Hab.: Ohio, T. G. Lea.	
<i>Unio securis</i> , Lea, n. s., pl. xi, fig. 17.....	437
Hab.: Ohio, T. G. Lea.	
<i>Unio iris</i> , Lea, n. s., pl. xi, fig. 18.....	439
Hab.: Ohio, T. G. Lea.	
<i>Unio zig-zag</i> , Lea, n. s., pl. xii, fig. 19.....	440
Hab.: Ohio, T. G. Lea.	
<i>Unio patulus</i> , Lea, n. s., pl. xii, fig. 20.....	441
Hab.: Ohio, T. G. Lea.	
SYMPHYNOTA, Lea, n. g.....	442
<i>Symphynota lævissima</i> , Lea, n. s., pl. xiii, fig. 23.....	444
Hab.: Ohio, T. G. Lea.	
<i>Symphynota bi-alata</i> , Lea, n. s., pl. xiv, fig. 24.....	445
Hab.: fresh waters of the south of Asia. (?) Brought from Canton by Captain Barr.	
<i>Symphynota alata</i> (Say), Lea.....	448
Hab.: Our western waters.	
<i>Symphynota complanata</i> (Barnes), Lea.....	449
Hab.: Fox River, Mr. Schoolcraft; Wisconsin, Captain Douglass; Ohio, W. Cooper.	
<i>Symphynota compressa</i> , Lea, n. s., pl. xii, fig. 22.....	450
Hab.: Ohio, T. G. Lea; Norman's Kill, near Albany, Dr. Eights. <i>Proc. Amer. Philos. Soc.</i> , ii, pp. 237, changed to <i>Unio pressus</i> .	
<i>Symphynota gracilis</i> (Barnes), Lea.....	452
Hab.: Ohio, T. G. Lea; Wisconsin, Mr. Schoolcraft.	
<i>Symphynota tenuissima</i> , Lea, n. s., pl. xi, fig. 21.....	453
Hab.: Ohio, T. G. Lea.	
<i>Symphynota ochracea</i> (Say), Lea.....	455
Hab.: Schuylkill and Delaware.	
<i>Symphynota cygnea</i> (Linn), Lea.....	456
Hab.: Rivers and Lakes of Europe.	

13.

1829. LEA, ISAAC. Observations | on | the Genus *Unio*, | together with | Descriptions | of | Eighteen New Species; and of the Genus *Symphynota*, now separated from the family of | *Naiades*, containing nine species. | Read before the Am. Philos. Society November 1827 & March 1829, | and published in their Transactions, Vol. III, N. S. | By Isaac Lea, M. A. P. S., M. A. N. S., &c. | Philadelphia: | Printed by James Kay, Jun. & Co. | 1829. 4°. pp. 71, pls. iii-xiv, colored.

This consists of numbers 9 and 12, repaged from 1 to 71, and with the same plates that are used in the Transactions. Published according to the title-page in 1829.

14.

1829-. LEA, ISAAC. Short Reviews and Notices of Nuttall's Travels. Captain Franklin's Travels, etc. < *National Gazette*.

15.

1830-31. LEA, ISAAC. Observations on the *Naiades*, and Descriptions of New Species of that and other Families. < *Trans. Amer. Philos. Soc.*, iv, pp. 63-121, with pls. iii-xviii, colored.

Consists of two parts.

The main part63-105

Read May 7, 1830.

The supplement105-121

Read May 20, 1831.

Both were issued together the latter end of 1831, and acknowledged by correspondents as received that year. (See *Proc. Acad. Nat. Sci.*, vii, p. 243.)

1830-31. LEA, ISAAC—Continued.

Remarks on the elevations on the surface of the disks	63
On the green irregular spots and marks on the interior of the valves	64
On the necessity of studying the different ages of the species of <i>Uniones</i>	65
On the habits of <i>Uniones</i>	65
On the difficulties attending the present generic divisions of the family <i>Naiades</i>	67
<i>Unio trapezoides</i> , Lea, n. s., pl. iii, fig. 1	69
Hab.: Lake St. Joseph, Louisiana, J. T. Griffith, Esq.	
<i>Unio multiplicatus</i> , Lea, n. s., pl. iv, fig. 2	70
Hab.: Tennessee River, Prof. Vanuxem; Ohio River, T. G. Lea.	
<i>Unio asperimus</i> , Lea, n. s., pl. v, fig. 3	71
Hab.: Ohio River, T. G. Lea.	
<i>Unio Congareus</i> , Lea, n. s., pl. vi, fig. 4	72
Hab.: Congaree River, South Carolina.	
<i>Unio oriens</i> , Lea, n. s., pl. vi, fig. 5	73
Hab.: Ohio River, T. G. Lea.	
<i>Unio brevidens</i> , Lea, n. s., pl. vi, fig. 6	75
Hab.: Ohio, William Cooper.	
<i>Unio pustulosus</i> , Lea, n. s., pl. vii, fig. 7	76
Hab.: Ohio, T. G. Lea; Alabama River, Judge Tait.	
<i>Unio stapes</i> , Lea, n. s., pl. vii, fig. 8	77
Hab.: Alabama River, Judge Tait.	
<i>Unio pustulatus</i> , Lea, n. s., pl. vii, fig. 9	79
Hab.: Ohio, T. G. Lea; Tennessee, Prof. Vanuxem.	
<i>Unio lens</i> , Lea, n. s., pl. viii, fig. 10	80
Hab.: Ohio, T. G. Lea; Tennessee, Prof. Vanuxem.	
<i>Unio anodontoides</i> , Lea, n. s., pl. viii, fig. 11	81
Hab.: Mississippi River, T. W. Robeson; Alabama River, Judge Tait; Ohio River, T. H. Taylor.	
<i>Unio glans</i> , Lea, n. s., pl. viii, fig. 12	82
Hab.: Ohio River, T. G. Lea.	
<i>Unio elegans</i> , Lea, n. s., pl. ix, fig. 13	83
Hab.: Ohio River, T. G. Lea.	
<i>Unio ebenus</i> , Lea, n. s., pl. ix, fig. 14	84
Hab.: Ohio River, T. G. Lea.	
<i>Unio asper</i> , Lea, n. s., pl. ix, fig. 15	85
Hab.: Alabama River, Judge Tait.	
<i>Unio fabalis</i> , Lea, n. s., pl. x, fig. 16	86
Hab.: Ohio River, T. G. Lea.	
<i>Unio soleniformis</i> , Lea, n. s., pl. x, fig. 17	87
Hab.: Ohio, T. G. Lea.	
<i>Unio acutissimus</i> , Lea, n. s., pl. x, fig. 18	89
Hab.: Alabama River, Judge Tait.	
<i>Unio varicosus</i> , Lea, n. s., pl. xi, fig. 20	90
Hab.: Ohio River, T. G. Lea.	
<i>Unio castaneus</i> , Lea, n. s., pl. xi, fig. 21	91
Hab.: Alabama River, Judge Tait.	
<i>Unio multistriatus</i> , Lea, n. s., pl. xii, fig. 22	91
Hab.: Brazil, Mrs. Mawe.	
<i>Unio decisus</i> , Lea, n. s., pl. xii, fig. 23	92
Hab.: Alabama River, Judge Tait.	
<i>Unio cuprinus</i> , Lea, n. s., pl. xii, fig. 24	94
Hab.: Mexico, J. R. Poinsett, Esq.	
<i>Unio cœruleus</i> , Lea, n. s., pl. xiii, fig. 25	95
Hab.: River Hoogly, Hindostan, G. W. Blakie.	
<i>Unio obesus</i> , Lea, n. s., pl. xiii, fig. 26	96
Hab.: York River, Virginia, Wm. Cooper.	
<i>Unio incurvus</i> , Lea, n. s., pl. xiii, fig. 27	97
Hab.: From Gibraltar, Mrs. Mawe.	
<i>Symphynota bilineata</i> , Lea, n. s., pl. xi, fig. 19	98
Hab.: River Hoogly, Hindostan, G. W. Blakie.	
<i>Symphynota inflata</i> , Lea, n. s., pl. xiv, fig. 28	99
Hab.: Alabama River, Judge Tait.	
<i>Melania subularis</i> , Lea, n. s., pl. xv, fig. 30	100
Hab.: Niagara River.	
<i>Melania tuberculata</i> , Lea, n. s., pl. xv, fig. 31, a, b	101
Hab.: Tennessee River, Prof. Vanuxem.	

1830. LEA, ISAAC—Continued.

<i>Melania acuta</i> , Lea, n. s., pl. xv., fig. 32.....	101
Hab.: Tennessee River, Prof. Vanuxem.	
<i>Helix carolinensis</i> , Lea, n. s., pl. xv, fig. 33, a, b, c.....	102
Hab.: South Carolina, near Cheraw.	
<i>Carocolla helicoides</i> , Lea, n. s., pl. xv, fig. 34, a, b, c.....	103
Hab.: Tennessee, near Nashville, Prof. Vanuxem.	
<i>Carocolla spinosa</i> , Lea, n. s., pl. xv, fig. 35, a, b, c.....	104
Hab.: Alabama, near Clairborne, Judge Tait.	
<i>Valvata arenifera</i> , Lea, n. s., pl. xv, fig. 36, a, b.....	104
Hab.: Cumberland River, near Nashville, W. Cooper.	
Supplement read before the American Philosophical Society May 20, 1831.	
Remarks upon color, size, habits, etc., of <i>Uniones</i>	105-108
<i>Unio olivarius</i> , Lea, n. s., pl. xvi, fig. 38.....	108
Hab.: Burrill River, India, Dr. Burrough.	
<i>Unio pyramidatus</i> , Lea, n. s., pl. xvi, fig. 39.....	109
Hab.: Ohio, T. G. Lea.	
<i>Unio trigonus</i> , Lea, n. s., pl. xvi, fig. 40.....	110
Hab.: Ohio River at Cincinnati, T. G. Lea; Ohio River at Louisville, T. H. Taylor.	
<i>Unio formosus</i> , Lea, n. s., pl. xvi, fig. 41.....	111
Hab.: Ohio River, T. G. Lea.	
<i>Unio perplexus</i> , Lea, n. s., pl. xvii, fig. 42.....	112
Hab.: Ohio River, T. G. Lea.	
<i>Unio angustatus</i> , Lea, n. s., pl. xvii, fig. 43.....	114
Hab.: Congaree River, South Carolina; Cooper River, South Carolina, Prof. Ravenel.	
<i>Unio arcæformis</i> , Lea, n. s., pl. xvii, fig. 44.....	116
Hab.: Tennessee River, Professor Vanuxem.	
<i>Unio subrotundus</i> , Lea, n. s., pl. xviii, fig. 45.....	117
Hab.: Ohio, T. G. Lea.	
<i>Unio subovatus</i> , Lea, n. s., pl. xviii, fig. 46.....	118
Hab.: Ohio River, T. G. Lea.	
<i>Unio pileus</i> , Lea, n. s., pl. xviii, fig. 47.....	119
Hab.: Ohio River near Cincinnati, Mrs. Febiger.	
<i>Melania elongata</i> , Lea, n. s., pl. xv, fig. 29.....	120
Hab.: West Tennessee, John Lea.	

16.

1831. LEA, ISAAC. Description of a new genus of the family Melaniana of Lamarck.

<Trans. Amer. Philos. Soc., iv, pp. 122-123.

Read before the American Philosophical Society January 7, 1831. Issued the latter part of the year 1831.

Io, Lea, n. g.....	122
<i>Io fusiformis</i> , Lea, n. s., pl. xv, fig. 37, a, b.....	122

17.

1832. LEA, ISAAC. Observations | on | the Genus Unio, | together with | Descriptions | of | New Genera and Species in the Families Naïades, | Melaniana and Colimacea. | Read before the Am. | Philos. Society in 1827, 1829 and 1831, and published in | their Transactions in vols. III and IV, N. S. | By Isaac Lea, | member of the American Philosophical Society, of the Academy of Natural Sci- | ences of Philadelphia, of the Lyceum of Natural History of New York, | of the Royal Physical Society of Edinburgh, of the Natural | History Society of Montreal, corresponding member | of the Linnean Society of Bordeaux, Etc. | Philadelphia: | Printed by James Kay, Jun. & Co. | Printers to the Society, | 1832. 4°. pp. 133, pls. xxvii, colored.

This consists of Nos. 13, 15, and 16 bound in one, with consecutive paging.

18.

1833. LEA, ISAAC. Contributions | to | Geology. | by | Isaac Lea, | member of the American Philosophical Society; | of the Academy of Natural Sciences of Philadelphia; | of the Lyceum of Natural History of New York; | honorary

1833. LEA, ISAAC—Continued.

member of the Medical Society of Orange County, | New York; | member of the Royal Physical Society of Edinburgh; | of the British Association of Science; | of the Natural Historical Society of Montreal; | corresponding member of the Linnaean Society of Bourdeaux, | Etc. Etc. | Philadelphia: | Carey, Lea and Blanchard. | 1833. 8°. pp. 227, with 228 colored figures.

Presented by the author to the library of the Acad. Natural Sciences, Philadelphia, December 10th, 1833; but this does not represent the date of issue, for Prof. Silliman (having received a bound copy) writing from New Haven, on the 3rd of December, 1833, wishes to have a notice for the January Number of the *American Journal of Science*, etc.

(See *Rectification of T. A. Conrad's Synopsis, etc., new edition, 1872, p. 37.*)

At that time the mail took two or three days to reach New Haven from Philadelphia, making the date of issue as early as the last part of November.

This book is dedicated to Charles Tait, Esq., of Clairborne, Alabama, of whom Mr. Lea says: "I am, therefore, indebted to Judge Tait for every new species described in this paper, and to him science owes the great obligation of having first brought them to light."

CONTENTS.

Tertiary Formation of Alabama.....	9-186
Read before the <i>Acad. Nat. Sci. Phila.</i> , Aug. 27, 1833.	
Supplement.....	187-208
Read before the <i>Acad. Nat. Sci. Phila.</i> , Oct. 29, 1833.	
New Tertiary Fossil Shells, from Maryland and New Jersey.....	209-216
Read before the <i>Amer. Philos. Soc.</i> , Nov. 1, 1833.	
New Genus of Fossil Shell, from New Jersey.....	217-220
Read before the <i>Amer. Philos. Soc.</i> , Nov. 1, 1833.	
Tufaceous Lacustrine Formation of Syracuse, Onondaga County, N. Y.....	221-227
Read before the <i>Amer. Philos. Soc.</i> , Nov. 1, 1833.	
Tertiary Formation of Alabama.....	9-186
Introduction.....	11-28
Systematic Index of New Tertiary Fossils from Claiborne, Alabama.....	29-32
<i>Siliquaria Claibornensis</i> , Lea, n. s., pl. 1, fig. 1.....	33
<i>Dentalium alternatum</i> , Lea, n. s., pl. 1, fig. 2.....	34
See <i>D. thalloides</i> , Con., <i>Foss. Shells Tertiary Form.</i> , p. 34, Aug., 1833. See <i>Amer. Journ. Sci.</i> , vol. 1, 1846, p. 212.	
<i>Dentalium turritum</i> , Lea, n. s., pl. 1, fig. 3.....	35
<i>Spirorbis tubanella</i> , Lea, n. s., pl. 1, fig. 4.....	36
<i>Serpula ornata</i> , Lea, n. s., pl. 1, fig. 5.....	37
(See <i>Amer. Journ. Sci.</i> , vol. 1, sec. ser., 1846, p. 212.)	
<i>Teredo simplex</i> , Lea, n. s., pl. 1, fig. 6.....	38
<i>Solecurtus Blainvillii</i> , Lea, n. s., pl. 1, fig. 7.....	39
<i>Anatina Claibornensis</i> , Lea, n. s., pl. 1, fig. 8.....	40
<i>Mastra dentata</i> , Lea, n. s., pl. 1, fig. 9.....	41
See <i>M. decisa</i> , Con., 1833, <i>Tert. Form.</i> , p. 42. (See <i>Amer. Journ. Sci.</i> , vol. 1, (2nd ser.), p. 217.)	
<i>Mastra Grayi</i> , Lea, n. s., pl. 1, fig. 10.....	42
See <i>Eryana aquorea</i> , <i>Foss. Shells Tert. Form.</i> — <i>Triquetra aquoria</i> , Con., <i>Amer. Journ. Sci.</i> , vol. 1 (2nd ser.), p. 218, March, 1846.	
<i>Mastra pygmaea</i> , Lea, n. s., pl. 1, fig. 11.....	44
See <i>Foss. Tert. Forma.</i> , p. 42. See <i>Amer. Journ. Sci.</i> , vol. 1 (2nd ser.), p. 217.	
<i>Corbula Alabamensis</i> , Lea, n. s., pl. 1, fig. 12.....	45
See <i>Corbula nasuta</i> , Con., <i>Foss. Shells Tert. Form.</i> , p. 38. (<i>Amer. Journ. Sci.</i> , 1 (2nd ser.), p. 398.)	
<i>Corbula Murchisonii</i> , Lea, n. s., pl. 1, fig. 13.....	46
<i>Corbula gibbosa</i> , Lea, n. s., pl. 1, fig. 14.....	46
<i>Corbula compressa</i> , Lea, n. s., pl. 1, fig. 15.....	47
<i>Byssonia petricoloides</i> , Lea, n. s., pl. 1, fig. 16.....	48
EGERIA, Lea, n. g.....	49
<i>Egeria rotunda</i> , Lea, n. s., pl. 1, fig. 17.....	50
See <i>Mysis unguina</i> , Con.	
<i>Egeria inflata</i> , Lea, n. s., pl. 1, fig. 18.....	50
See <i>Sphaerella</i> , <i>Journ. Conch.</i> , I, 9.	
<i>Egeria nitens</i> , Lea, n. s., pl. 1, fig. 19.....	51
<i>Egeria triangulata</i> , Lea, n. s., pl. 1, fig. 20.....	51
<i>Egeria Bucklandii</i> , Lea, n. s., pl. 1, fig. 21.....	52

1833. LEA, ISAAC—Continued.

<i>Egeria subtrigona</i> , Lea, n. s., pl. 1, fig. 22	53
See <i>Egeria stolic</i> .	
<i>Egeria vcnneriformis</i> , Lea, n. s., pl. 1, fig. 23	53
<i>Egeria ovalis</i> , Lea, n. s., pl. 1, fig. 24	54
<i>Egeria plana</i> , Lea, n. s., pl. 1, fig. 25	55
See <i>Tellina plana</i> , Con., 1846, <i>Amer. Jour. Sci.</i> , vol. 1 (2d series), p. 400.	
<i>Egeria nana</i> , Lea, n. s., pl. 1, fig. 26	55
<i>Lucina compressa</i> , Lea, n. s., pl. 1, fig. 27	55
<i>Lucina rotunda</i> , Lea, n. s., pl. 1, fig. 28	56
<i>Lucina cornuta</i> , Lea, n. s., pl. 1, fig. 29	56
See <i>L. curinifera</i> , Con., <i>Foss. Shells Tert. Forma.</i> , p. 40. Nov. 1, 1833.	
<i>Lucina impressa</i> , Lea, n. s., pl. 1, fig. 30	57
See <i>L. pomilia</i> , Con., Nov. 1, 1833. <i>Foss. Shells Tert. Form.</i> , p. 40. (See <i>Amer. Journ. Sci.</i> , vol. 1 (2d series), p. 403.	
<i>Lucina papyracea</i> , Lea, n. s., pl. 1, fig. 31	58
<i>Lucina lunata</i> , Lea, n. s., pl. 1, fig. 32	58
See <i>L. alveata</i> , Con., <i>Foss. Shells Tert. Form.</i> , p. 40. Nov.—, 1833. (See <i>Amer. Journ. Sci.</i> , vol. 1 (2d ser.), p. 402.	
<i>Gratebuptia Moulinsii</i> , Lea, n. s., pl. 2, fig. 33	59
<i>Astarte recurva</i> , Lea, n. s., pl. 2, fig. 34	61
<i>Astarte Nicklinii</i> , Lea, n. s., pl. 2, fig. 35	61
<i>Astarte sulcata</i> , Lea, n. s., pl. 2, fig. 36	62
<i>Astarte parva</i> , Lea, n. s., pl. 2, fig. 37	63
<i>Astarte minor</i> , Lea, n. s., pl. 2, fig. 38	63
<i>Astarte minutissima</i> , Lea, n. s., pl. 2, fig. 39	64
<i>Cytherea globosa</i> , Lea, n. s., pl. 2, fig. 40	65
<i>Cytherea comis</i> , Lea, n. s., pl. 2, fig. 41	66
<i>Cytherea hydii</i> , Lea, n. s., pl. 2, fig. 42	66
<i>Cytherea suberassa</i> , Lea, n. s., pl. 2, fig. 43	67
<i>Cytherea trigoniata</i> , Lea, n. s., pl. 2, fig. 44	67
<i>Cytherea minima</i> , Lea, n. s., pl. 2, fig. 45	68
<i>Venericardia transversa</i> , Lea, n. s., pl. 2, fig. 46	68
<i>Venericardia Sillimani</i> , Lea, n. s., pl. 2, fig. 47	69
<i>Venericardia rotunda</i> , Lea, n. s., pl. 2, fig. 48	70
<i>Venericardia parva</i> , Lea, n. s., pl. 2, fig. 49	70
HIPPAGUS, Lea, n. g.	72
<i>Hippagus isocardivides</i> , Lea, n. s., pl. 2, fig. 50	72
MYOPARO, Lea, n. g.	73
* <i>P. costatus</i> , Lea, n. s., pl. 2, fig. 51	74
<i>Area rhomboidella</i> , Lea, n. s., pl. 2, fig. 51	74
<i>Pectunculus Broderipii</i> , Lea, n. s., pl. 3, fig. 53	76
<i>Pectunculus minor</i> , Lea, n. s., pl. 3, fig. 54	77
<i>Pectunculus deltoideus</i> , Lea, n. s., pl. 3, fig. 55	77
<i>Pectunculus ellipsis</i> , Lea, n. s., pl. 3, fig. 56	78
<i>Pectunculus obliqua</i> , Lea, n. s., pl. 3, fig. 57	78
<i>Nucula Sedgwickii</i> , Lea, n. s., pl. 3, fig. 58	79
<i>Nucula ovula</i> , Lea, n. s., pl. 3, fig. 59	80
<i>Nucula pectuncularis</i> , Lea, n. s., pl. 3, fig. 60	81
<i>Nucula Brogniarti</i> , Lea, n. s., pl. 3, fig. 61	82
<i>Nucula media</i> , Lea, n. s., pl. 3, fig. 62	83
<i>Nucula pulcherrima</i> , Lea, n. s., pl. 3, fig. 63	84
<i>Nucula plicata</i> , Lea, n. s., pl. 3, fig. 64	85
<i>Avicula Claibornensis</i> , Lea, n. s., pl. 3, fig. 65	86
<i>Pecten Deshaysii</i> , Lea, n. s., pl. 3, fig. 66	87
<i>Pecten Lyelli</i> , Lea, n. s., pl. 3, fig. 67	88
<i>Plicatula Mantilli</i> , Lea, n. s., pl. 3, fig. 68	89
<i>Ostrea semilunata</i> , Lea, n. s., pl. 3, fig. 69	90
See <i>Trans. Nat. Inst.</i> , part 2, p. 193.	
<i>Ostrea divaricata</i> , Lea, n. s., pl. 3, fig. 79	91
See <i>Trans. Nat. Inst.</i> , part 2, p. 193.	
<i>Ostrea Alabamensis</i> , Lea, n. s., pl. 3, fig. 71	91
<i>Ostrea lingua canis</i> , Lea, n. s., pl. 3, fig. 72	92

* There is evidently a mistake here, and Myoparo should be the genus and not P. Plate 2 has *Myoparo costatus* for fig. 51.

1833. LEA, ISAAC—Continued.

<i>Ostrea pincerna</i> , Lea, n. s., pl. 3, fig. 73	92
<i>Fisurella Claibornensis</i> , Lea, n. s., pl. 3, fig. 74	94
<i>Hipponix pygmaea</i> , Lea, n. s., pl. 3, fig. 75	95
<i>Infundibulum trochiformis</i> , Lea, n. s., pl. 3, fig. 76	96
<i>Crepidula cornu-arietes</i> , Lea, n. s., pl. 3, fig. 77	97
<i>Bulla St. Hillarii</i> , Lea, n. s., pl. 4, fig. 78	98
PASITHEA, Lea, n. g.	99
<i>Pasithea secale</i> , Lea, n. s., pl. 4, fig. 79	100
<i>Pasithea notata</i> , Lea, n. s., pl. 4, fig. 80	101
<i>Pasithea lugubris</i> , Lea, n. s., pl. 4, fig. 81	101
<i>Pasithea aciculata</i> , Lea, n. s., pl. 4, fig. 82	102
<i>Pasithea striata</i> , Lea, n. s., pl. 4, fig. 83	102
See <i>Jour. Acad. Nat. Sci.</i> , IV, new series, p. 294.	
<i>Pasithea sulcata</i> , Lea, n. s., pl. 4, fig. 84	103
<i>Pasithea umbilicata</i> , Lea, n. s., pl. 4, fig. 85	103
<i>Pasithea guttula</i> , Lea, n. s., pl. 4, fig. 86	104
<i>Pasithea Claibornensis</i> , Lea, n. s., pl. 4, fig. 87	105
<i>Natica striata</i> , Lea, n. s., pl. 4, fig. 88	105
<i>Natica parva</i> , Lea, n. s., pl. 4, fig. 89	106
<i>Natica minor</i> , Lea, n. s., pl. 4, fig. 90	107
<i>Natica minima</i> , Lea, n. s., pl. 4, fig. 91	107
<i>Natica gibbosa</i> , Lea, n. s., pl. 4, fig. 92	108
<i>Natica semilunata</i> , Lea, n. s., pl. 4, fig. 93	108
<i>Natica magno-umbilicata</i> , Lea, n. s., pl. 4, fig. 94	109
<i>Natica mamma</i> , Lea, n. s., pl. 4, fig. 95	109
<i>Acteon punctatus</i> , Lea, n. s., pl. 4, fig. 96	111
<i>Acteon lineatus</i> , Lea, n. s., pl. 4, fig. 97	112
<i>Acteon elevatus</i> , Lea, n. s., pl. 4, fig. 98	113
<i>Acteon melanellus</i> , Lea, n. s., pl. 4, fig. 99	113
<i>Acteon striatus</i> , Lea, n. s., pl. 4, fig. 100	114
<i>Acteon pygmaeus</i> , Lea, n. s., pl. 4, fig. 101	114
<i>Scalaria planulata</i> , Lea, n. s., pl. 4, fig. 102	115
<i>Scalaria carinata</i> , Lea, n. s., pl. 4, fig. 103	116
<i>Scalaria quinquefasciata</i> , Lea, n. s.	116
<i>Delphinula plana</i> , Lea, n. s., pl. 4, fig. 104	117
<i>Delphinula depressa</i> , Lea, n. s., pl. 4, fig. 105	118
<i>Solarium bikineatum</i> , Lea, n. s., pl. 4, fig. 106	119
<i>Solarium Henrici</i> , Lea, n. s., pl. 4, fig. 107	119
<i>Solarium ornatum</i> , Lea, n. s., pl. 4, fig. 108	120
<i>Solarium elegans</i> , Lea, n. s., pl. 4, fig. 109	121
<i>Solarium cancellatum</i> , Lea, n. s., pl. 4, fig. 110	121
<i>Solarium granulatatum</i> , Lea, n. s., pl. 4, fig. 111	122
ORBIS, Lea, n. g.	123
<i>Orbis rotella</i> , Lea, n. s., pl. 4, fig. 112	123
<i>Planaria nitens</i> , Lea, n. s., pl. 4, fig. 113	124
<i>Turbo naticoides</i> , Lea, n. s., pl. 4, fig. 114	125
<i>Turbo nitens</i> , Lea, n. s., pl. 4, fig. 115	125
<i>Turbo lineata</i> , Lea, n. s., pl. 4, fig. 116	126
TUBA, Lea, n. g.	127
<i>Tuba striata</i> , Lea, n. s., pl. 4, fig. 117	128
<i>Tuba alternata</i> , Lea, n. s., pl. 4, fig. 118	128
<i>Tuba sulcata</i> , Lea, n. s., pl. 4, fig. 119	129
<i>Turritella carinata</i> , Lea, n. s., pl. 4, fig. 120	129
<i>Turritella lineata</i> , Lea, n. s., pl. 4, fig. 121	130
<i>Cerithium striatum</i> , Lea, n. s., pl. 4, fig. 122	131
<i>Pleurotoma calata</i> , Lea, n. s., pl. 4, fig. 123	132
<i>Pleurotoma Lonsdalei</i> , Lea, n. s., pl. 4, fig. 124	132
<i>Pleurotoma Sayi</i> , Lea, n. s., pl. 4, fig. 125	133
<i>Pleurotoma monilifera</i> , Lea, n. s., pl. 4, fig. 126	133
<i>Pleurotoma Baumontii</i> , Lea, n. s., pl. 4, fig. 127	134
<i>Pleurotoma Desnoyersii</i> , Lea, n. s., pl. 4, fig. 128	135
<i>Pleurotoma Henninghausii</i> , Lea, n. s., pl. 4, fig. 129	135
<i>Pleurotoma rugosa</i> , Lea, n. s., pl. 4, fig. 130	136
<i>Pleurotoma obliqua</i> , Lea, n. s., pl. 4, fig. 131	136
<i>Pleurotoma Childreni</i> , Lea, n. s., pl. 4, fig. 132	137

1833. LEA, ISAAC—Continued.

<i>Pleurotoma Lesuevrii</i> , Lea, n. s., pl. 4, fig. 133.....	137
<i>Cancellaria Babylonica</i> , Lea, n. s., pl. 5, fig. 134.....	138
<i>Cancellaria multiplicata</i> , Lea, n. s., pl. 5, fig. 135.....	139
<i>Cancellaria plicata</i> , Lea, n. s., pl. 5, fig. 136.....	139
<i>Cancellaria sculptura</i> , Lea, n. s., pl. 5, fig. 137.....	140
<i>Cancellaria tessellata</i> , Lea, n. s., pl. 5, fig. 138.....	140
<i>Cancellaria elevata</i> , Lea, n. s., pl. 5, fig. 139.....	141
<i>Cancellaria costata</i> , Lea, n. s., pl. 5, fig. 140.....	141
<i>Cancellaria parva</i> , Lea, n. s., pl. 5, fig. 141.....	142
<i>Fasciolaria plicata</i> , Lea, n. s., pl. 5, fig. 142.....	143
<i>Fasciolaria elevata</i> , Lea, n. s., pl. 5, fig. 143.....	143
<i>Fusus pulcher</i> , Lea, n. s., pl. 5, fig. 144.....	144
<i>Fusus Mortonii</i> , Lea, n. s., pl. 5, fig. 145.....	145
<i>Fusus decussatus</i> , Lea, n. s., pl. 5, fig. 146.....	145
<i>Fusus bicarinatus</i> , Lea, n. s., pl. 5, fig. 147.....	146
<i>Fusus venustus</i> , Lea, n. s., pl. 5, fig. 148.....	146
<i>Fusus crebissimus</i> , Lea, n. s., pl. 5, fig. 149.....	147
<i>Fusus magnocostatus</i> , Lea, n. s., pl. 5, fig. 150.....	147
<i>Fusus Delabechii</i> , Lea, n. s., pl. 5, fig. 151.....	148
<i>Fusus ornatus</i> , Lea, n. s., pl. 5, fig. 152.....	148
<i>Fusus acutus</i> , Lea, n. s., pl. 5, fig. 153.....	149
<i>Fusus Conybearii</i> , Lea, n. s., pl. 5, fig. 154.....	149
<i>Fusus nanus</i> , Lea, n. s., pl. 5, fig. 155.....	150
<i>Fusus Fittonii</i> , Lea, n. s., pl. 5, fig. 156.....	150
<i>Fusus parvus</i> , Lea, n. s., pl. 5, fig. 157.....	151
<i>Fusus minor</i> , Lea, n. s., pl. 5, fig. 158.....	151
<i>Fusus Taitii</i> , Lea, n. s., pl. 5, fig. 159.....	152
<i>Pyrula cancellata</i> , Lea, n. s., pl. 5, fig. 160.....	154
<i>Pyrula elegantissima</i> , Lea, n. s., pl. 5, fig. 161.....	155
<i>Pyrula Smithii</i> , Lea, n. s., pl. 5, fig. 162.....	155
<i>Murex alternata</i> , Lea, n. s., pl. 5, fig. 163.....	157
<i>Rostellaria Lamarckii</i> , Lea, n. s., pl. 5, fig. 164.....	158
<i>Rostellaria Cuvieri</i> , Lea, n. s., pl. 5, fig. 165.....	160
<i>Monoceros pyruloides</i> , Lea, n. s., pl. 5, fig. 166.....	161
<i>Monoceros fusiformis</i> , Lea, n. s., pl. 5, fig. 167.....	162
<i>Monoceros sulcatum</i> , Lea, n. s., pl. 5, fig. 168.....	163
<i>Buccinum Sowerbii</i> , Lea, n. s., pl. 5, fig. 169.....	164
<i>Nassa cancellata</i> , Lea, n. s., pl. 5, fig. 170.....	165
<i>Terebra gracilis</i> , Lea, n. s., pl. 5, fig. 171.....	166
<i>Terebra costata</i> , Lea, n. s., pl. 5, fig. 172.....	166
<i>Terebra venusta</i> , Lea, n. s., pl. 5, fig. 173.....	167
<i>Mitra lineata</i> , Lea, n. s., pl. 5, fig. 174.....	168
<i>Mitra minima</i> , Lea, n. s., pl. 6, fig. 175.....	168
<i>Mitra fusoides</i> , Lea, n. s., pl. 6, fig. 176.....	169
<i>Mitra Flemingii</i> , Lea, n. s., pl. 6, fig. 177.....	170
<i>Mitra Humboldtii</i> , Lea, n. s., pl. 6, fig. 178.....	171
<i>Voluta Defranci</i> , Lea, n. s., pl. 6, fig. 179.....	171
<i>Voluta gracilis</i> , Lea, n. s., pl. 6, fig. 180.....	172
<i>Voluta parva</i> , Lea, n. s., pl. 6, fig. 181.....	173
<i>Voluta Vanuzemi</i> , Lea, n. s., pl. 6, fig. 182.....	173
<i>Voluta striata</i> , Lea, n. s., pl. 6, fig. 183.....	174
<i>Voluta Parkinsonii</i> , Lea, n. s., pl. 6, fig. 184.....	175
<i>Voluta Cooperii</i> , Lea, n. s., pl. 6, fig. 185.....	175
<i>Marginella anatina</i> , Lea, n. s., pl. 6, fig. 186.....	176
<i>Marginella columba</i> , Lea, n. s., pl. 6, fig. 187.....	177
<i>Marginella crassilabra</i> , Lea, n. s., pl. 6, fig. 188.....	177
<i>Marginella plicata</i> , Lea, n. s., pl. 6, 189.....	178
<i>Marginella semen</i> , Lea, n. s., pl. 6, fig. 190.....	178
<i>Marginella ovata</i> , Lea, n. s., pl. 6, fig. 191.....	179
<i>Marginella incurva</i> , Lea, n. s., pl. 6, fig. 192.....	179
<i>Anolax gigantea</i> , Lea, n. s., pl. 6, fig. 193.....	180
<i>Anolax plicata</i> , Lea, n. s., pl. 6, fig. 194.....	181
<i>Oliva constricta</i> , Lea, n. s., pl. 6, fig. 195.....	182
<i>Oliva gracilis</i> , Lea, n. s., pl. 6, fig. 196.....	182
<i>Oliva Greenoughi</i> , Lea, n. s., pl. 6, fig. 197.....	183

1833. LEA, ISAAC—Continued.

<i>Oliva dubia</i> , Lea, n. s., pl. 6, fig. 198.....	183
<i>Oliva Phillipsii</i> , Lea, n. s., pl. 6, fig. 199.....	184
<i>Oliva minima</i> , Lea, n. s., pl. 6, fig. 200.....	184
MONOPTYGMA, Lea, n. g.....	185
<i>Monoptygma Alabamianensis</i> , Lea, n. s., pl. 6, fig. 201.....	186
<i>Conus Claibornensis</i> , Lea, n. s.....	186
Supplement.....	187-208
Read before the Academy of Natural Sciences, Phila., October 29, 1833.	
<i>Lunulites Bouéi</i> , Lea, n. s., pl. 6, fig. 202.....	189
<i>Lunulites Duclosii</i> , Lea, n. s., pl. 6, fig. 203.....	190
<i>Orbitolites interstitia</i> , Lea, n. s., pl. 6, fig. 204.....	191
<i>Orbitolites discoidca</i> , Lea, n. s., pl. 6, fig. 205.....	192
<i>Turbinolia Maclurii</i> , Lea, n. s., pl. 6, fig. 206.....	193
<i>Turbinolia Stokesii</i> , Lea, n. s., pl. 6, fig. 207.....	194
<i>Turbinolia Goldfussii</i> , Lea, n. s., pl. 6, fig. 208.....	195
<i>Turbinolia nana</i> , Lea, n. s., pl. 6, fig. 209.....	195
<i>Turbinolia pharetra</i> , Lea, n. s., pl. 6, fig. 210.....	196
<i>Nucula magna</i> , Lea, n. s., pl. 6, fig. 211.....	197
<i>Nucula carinifera</i> , Lea, n. s., pl. 6, fig. 212.....	198
<i>Nucula plana</i> , Lea, n. s., pl. 6, fig. 213.....	199
<i>Nucula semen</i> , Lea, n. s., pl. 6, fig. 214.....	200
<i>Bulla Dekayi</i> , Lea, n. s., pl. 6, fig. 215.....	200
<i>Marginella buplicata</i> , Lea, n. s., pl. 6, fig. 216.....	201
<i>Monoptygma elegans</i> , Lea, n. s., pl. 6, fig. 217.....	203
Description of bone of a Fish?, pl. 6, fig. 218.....	204
Description of tooth of a Fish?, pl. 6, fig. 219.....	204
Description of vertebra of a Fish?, pl. 6, fig. 220.....	205
Description of spine of a Fish?, pl. 6, fig. 221.....	205
Note on comparisons of the above with descriptions in M. Deshayes work on the fossil shells of the Paris basin.....	207-208
<i>Pasithea umbilicata</i> , Lea, p. 103.....	207
<i>Venericardia rotundata</i> , Lea.....	207
<i>Pectunculus obliqua</i> , Lea.....	208
<i>Ostrea divaricata</i> , Lea.....	208
<i>Solen Blainvillii</i> , Lea.....	208
New Tertiary Fossil Shells from Maryland and New Jersey. Read before the American Philosophical Society, November 1, 1833.....	209-216
<i>Balanus Finchi</i> , Lea, n. s., pl. 6, fig. 222.....	211
St. Mary's, Maryland, John Finch.....	
<i>Maetra clathrodon</i> , Lea, n. s., pl. 6, fig. 223.....	212
St. Mary's, Maryland, John Finch.....	
<i>Acteon Wetherilli</i> , Lea, n. s., pl. 6, fig. 224.....	213
Deal, New Jersey.....	
<i>Rotella nana</i> , Lea, n. s., pl. 6, fig. 225.....	214
St. Mary's, Maryland, John Finch.....	
<i>Fusus pumilus</i> , Lea, n. s., pl. 6, fig. 226.....	215
St. Mary's, Maryland, John Finch.....	
<i>Miliola Marylandica</i> , Lea, n. s., pl. 6, fig. 227.....	215
St. Mary's, Maryland, John Finch.....	
Description of a new genus of the Family Spherulacea of Blainville, from the Cretaceous deposit of Timber Creek, New Jersey.....	217-220
Read before the American Philosophical Society, November 1, 1833.....	
PALMULA, Lea, n. g.....	219
<i>Palmula sagittaria</i> , Lea, n. s., pl. 6, fig. 228.....	219
Tufaceous Lacustrine Formation of Syracuse, Onondaga County, New York.....	223-227
Read before the American Philosophical Society, November 1, 1833.....	

19.

1834. LEA, ISAAC. Ueber den Winterschlaf. <Notizen aus dem Gebiete der Natur- und Heilkunde, gesammelt und mitgetheilt von Ludwig Friedrich v. Froriep, xxxix, 1834, col. 161-168.

Translation from *Amer. Journ. Sci. & Arts*, ix, 1825, pp. 75-83.

20.

1832-34. LEA, ISAAC. Observations on the Naiades; and Descriptions of New Species of that and other Families. < *Trans. Amer. Philos. Soc.*, N. S., v, pp. 23-119.

This consists of four parts & index.	
The Main part	23-59
Read March 16, 1832.	
Supplement	59-94
Read March 15, 1833.	
Second Supplement	95-113
Read February 7, 1834.	
Last part	114-117
Read April 18, 1834.	
Systematic Index of the Shells described in Mr. Lea's Memoirs.....	118-119
The whole issued, printed, some time in August or September, 1834. (See <i>Proc. Acad. Nat. Sci. Phila.</i> , vii, p. 244.)	
Preliminary Remarks	23-27
<i>Unio Nicklinianus</i> , Lea, n. s., pl. i, fig. 1.....	28
Hab.: China.	
<i>Unio capillaris</i> , Lea, n. s., pl. ii, fig. 2	29
Hab.: Ohio, T. G. Lea.	
<i>Unio subglobosus</i> , Lea, n. s., pl. ii, fig. 3	30
Hab.: Bayou Teche, Louisiana, W. M. Stewart.	
<i>Unio capsæformis</i> , Lea, n. s., pl. ii, fig. 4	31
Hab.: Cumberland River, W. Cooper.	
<i>Unio Ravenelianus</i> , Lea, n. s., pl. iii, fig. 5	32
Hab.: French Broad River, tributary to the Tennessee, near Asheville, N. C., Professor Ravenel.	
<i>Unio Murchisonianus</i> , Lea, n. s., pl. iii, fig. 6.....	33
Hab.: China, Mrs. Murchison.	
<i>Unio Haysianus</i> , Lea, n. s., pl. iii, fig. 7	35
Hab.: Cumberland River, Professor Troost.	
<i>Unio Hildrethianus</i> , Lea, n. s., pl. iii, fig. 8	36
Hab.: Ohio, near Marietta, Dr. Hildreth.	
<i>Unio Schoolcraftensis</i> , Lea, n. s., pl. iii, fig. 9	37
Hab.: Fox River of Green Bay, Mr. Schoolcraft.	
<i>Unio geometricus</i> , Lea, n. s., pl. iv, fig. 10	38
Hab.: Bayou Teche, Louisiana, W. M. Stewart.	
<i>Unio Taitionus</i> , Lea, n. s., pl. iv, fig. 11	39
Hab.: Alabama River, Judge Tait.	
<i>Unio lacteolus</i> , Lea, n. s., pl. viii, fig. 19	40
Hab.: Rio de la Plata.	
<i>Symphynota globosa</i> , Lea, n. s., pl. iv, fig. 12	41
Hab.: River Ohio, 150 miles below Louisville, Col. Long.	
<i>Symphynota Woodiana</i> , Lea, n. s., pl. v, fig. 13.....	42
Hab.: China, W. W. Wood.	
<i>Symphynota magnifica</i> , Lea, n. s., pl. v, fig. 14	43
Hab.: China, W. W. Wood.	
<i>Anodonta Ferussaciana</i> , Lea, n. s., pl. vi, fig. 15	45
Hab.: Ohio River, near Cincinnati, T. G. Lea.	
<i>Anodonta incerta</i> , Lea, n. s., pl. vi, fig. 16	46
Hab.: Ohio River, near Cincinnati, T. G. Lea.	
<i>Anodonta Stewartiana</i> , Lea, n. s., pl. vi, fig. 17	47
Hab.: River Teche, Louisiana, W. M. Stewart.	
<i>Anodonta palna</i> , Lea, n. s., pl. vii, fig. 18.....	48
Hab.: Bear Grass Creek, near Louisville, Mr. T. H. Taylor.	
<i>Helicina lens</i> , Lea, n. s., pl. xix, fig. 56	49
Hab.: Feejee Islands, W. W. Wood.	
<i>Helicina pulcherrima</i> , Lea, n. s., pl. xix, fig. 57	49
Hab.: Java. ?	
<i>Helicina virginea</i> , Lea, n. s., pl. xix, fig. 58	50
Hab.: Java. ?	
<i>Helix muscarum</i> , Lea, n. s., pl. xix, fig. 59.....	51
Hab.: Society Islands, Pacific Ocean, Lieutenant Dornin.	
<i>Helix purpuragula</i> , Lea, n. s., pl. xix, fig. 60	51
Hab.: Java. ?	

1832-34. LEA, ISAAC—Continued.

<i>Helix ovum reguli</i> , Lea, n. s., pl. xix, fig. 61	52
Hab.: Java. ?	
<i>Helix monodonta</i> , Lea, n. s., pl. xix, fig. 62	53
Hab.: Java?	
<i>Helix cyclostomopsis</i> , Lea, n. s., pl. xix, fig. 63	53
Hab.: ———.	
<i>Helix mamilla</i> , Lea, n. s., pl. xix, fig. 64	54
Hab.: ———.	
<i>Helix diaphana</i> , Lea, n. s., pl. xix, fig. 65	54
Hab.: ———.	
<i>Helix Himalana</i> , Lea, n. s., pl. xix, fig. 66	55
Hab.: Himalaya Mountains, Dr. Burrough.	
<i>Helix vesica</i> , Lea, n. s., pl. xix, fig. 67	56
Hab.: ———.	
<i>Helix cincta</i> , Lea, n. s., pl. xix, fig. 68	56
Hab.: Java. ?	
<i>Helix Woodiana</i> , Lea, n. s., pl. xix, fig. 69	57
Hab.: China, near Canton, W. W. Wood.	
<i>Helix globula</i> , Lea, n. s., pl. xix, fig. 70	58
Hab.: China, near Canton, W. W. Wood.	
<i>Paludina bi-monilifera</i> , Lea, n. s., pl. xix, fig. 71	58
Hab.: Alabama River, Judge Tait.	

SUPPLEMENT.

Read March 15, 1833.

<i>Unio parallelopedon</i> , Lea, n. s., pl. viii, fig. 20	60
Hab.: River Parana, Province of Corrientes.	
<i>Unio Cooperianus</i> , Lea, n. s., pl. viii, fig. 21	61
Hab.: River Ohio, T. G. Lea.	
<i>Unio emarginatus</i> , Lea, n. s., pl. ix, fig. 22	62
Hab.: ———.	
<i>Unio Conradicus</i> , Lea, n. s., pl. ix, fig. 23	63
Hab.: ———, Prof. Troost.	
<i>Unio divaricatus</i> , Lea, n. s., pl. ix, fig. 24	64
Hab.: Egypt, Duke de Rivoli.	
<i>Unio Corrianus</i> , Lea, n. s., pl. ix, fig. 25	65
Hab.: India, Mrs. Corrie.	
<i>Unio Grayanus</i> , Lea, n. s., pl. ix, fig. 26	60
Hab.: Chiua.	
<i>Unio Burroughianus</i> , Lea, n. s., pl. x, fig. 27	67
Hab.: River Parana, Province of Corrientes, Dr. Burrough.	
<i>Unio Sowerbianus</i> , Lea, n. s., pl. x, fig. 28	68
Hab.: Tennessee, G. B. Sowerby.	
<i>Unio dromas</i> , Lea, n. s., pl. x, fig. 29	70
Hab.: Harpeth River, Tennessee, Prof. Conrad.	
<i>Unio Troostensis</i> , Lea, n. s., pl. x, fig. 30	71
Hab.: Cumberland River, Prof. Troost.	
<i>Unio perdix</i> , Lea, n. s., pl. xi, fig. 31	72
Hab.: Harpeth River, Tennessee, Prof. Troost.	
<i>Unio Pictus</i> , Lea, n. s., pl. xi, fig. 32	73
Hab.: Harpeth River, Tennessee, Prof. Troost.	
<i>Symphynota discoidea</i> , Lea, n. s., pl. xi, fig. 33	75
Hab.: ———, G. B. Sowerby; China, Dr. Burrough.	
<i>Anodonta lato-marginata</i> , Lea, n. s., pl. xii, fig. 34	76
Hab.: River Parana, South America, Dr. Burrough.	
<i>Anodonta Blairvilliana</i> , Lea, n. s., pl. xii, fig. 35	77
Hab.: Chili. ?	
<i>Anodonta tenbricosa</i> , Lea, n. s., pl. xii, fig. 36	78
Hab.: River Parana, South America, Dr. Burrough.	
<i>Anodonta Mortoniana</i> , Lea, n. s., pl. xiii, fig. 37	80
Hab.: River Parana, South America, Dr. Burrough.	
<i>Melania aculeus</i> , Lea, n. s., pl. xix, fig. 72	81
Hab.: Java. ?	
<i>Lymnca imperialis</i> , Lea, n. s., pl. xix, fig. 73	81
Hab.: South America?	

1832-34. LEA, ISAAC—Continued.

<i>Melanopsis princeps</i> , Lea, n. s., pl. xix, fig. 74	81
Hab.: Cape of Good Hope.	
<i>Melanopsis maculata</i> , Lea, n. s., pl. xix, fig. 75	82
Hab.: Peru, Lieutenant Humphreys.	
<i>Auricula fuscagula</i> , Lea, n. s., pl. xix, fig. 76	83
Hab.: Brazil.	
<i>Cyclostoma striata</i> , Lea, n. s., pl. xix, fig. 77	84
Hab.: Peru, Lieutenant Humphreys.	
<i>Achatina Vanuxemensis</i> , Lea, n. s., pl. xix, fig. 78	84
Hab.: Mexico, Professor Vanuxem.	
Concluding remarks containing notes upon the habitat, etc., of <i>Unio brevidens</i> , Lea, and <i>Unio arcæiformis</i>	
85-86	
Foot-note changing <i>Cochlicopa rosea</i> (Fer.), to <i>Achatina striata</i>	85
Observations on Lamarck's <i>Naïades</i>	86-94
"Having had the opportunity, while in Paris recently, to inspect most of the cabinets to which Lamarck refers in his description of the <i>Naïades</i> , I seized the opportunity to examine the individual specimens from which he made his descriptions; and having made notes on the spot, I feel great confidence as to the facts, and trust that my judgment as to the decisions on his species will be found to be correct."	
<i>Unio sinuata</i>	86
<i>Unio elongata</i>	87
<i>Unio crassidens</i>	87
<i>Unio Peruviana</i>	87
<i>Unio purpurata</i>	87
<i>Unio ligamentina</i>	88
<i>Unio obliqua</i>	88
<i>Unio retusa</i>	88
<i>Unio rarisulcata</i>	88
<i>Unio coarctata</i>	88
<i>Unio purpurascens</i>	88
<i>Unio radiata</i>	88
<i>Unio brevis</i>	88
<i>Unio rhombula</i>	88
<i>Unio carinifera</i>	89
<i>Unio Georgina</i>	89
<i>Unio clava</i>	89
<i>Unio recta</i>	89
<i>Unio naviformis</i>	89
<i>Unio glabrata</i>	89
<i>Unio nasuta</i>	89
<i>Unio ovata</i>	89
<i>Unio rotundata</i>	89
<i>Unio littoralis</i>	89
<i>Unio semirugata</i>	90
<i>Unio nana</i>	90
<i>Unio delodonta</i>	90
<i>Unio sulcidens</i>	90
<i>Unio rostrata</i>	90
<i>Unio Batava</i>	90
<i>Unio nodulosa</i>	91
<i>Unio varicosa</i>	91
<i>Unio granosa</i>	91
<i>Unio depressa</i>	91
<i>Unio Virginiana</i>	91
<i>Unio luteola</i>	92
<i>Unio angusta</i>	91
<i>Unio manca</i>	91
<i>Unio cariosa</i>	92
<i>Unio spuria</i>	92
<i>Unio australis</i>	92
<i>Unio anodontina</i>	92
<i>Unio suborbiculata</i>	92
<i>Hyria avicularis</i>	92
<i>Hyria corrugata</i>	92
<i>Anodonta cygnea</i>	92

1832-34. LEA, ISAAC—Continued.

<i>Anodonta anatina</i>	92
<i>Anodonta sulcata</i>	93
<i>Anodonta fragilis</i>	93
<i>Anodonta rubens</i>	93
<i>Anodonta crispata</i>	93
<i>Anodonta uniopsis</i>	93
<i>Anodonta Pennsylvanica</i>	93
<i>Anodonta intermedia</i>	93
<i>Anodonta trapezialis</i>	93
<i>Anodonta exotica</i>	93
<i>Anodonta glauca</i>	94
<i>Anodonta sinuosa</i>	94
<i>Anodonta Patagonica</i>	94
<i>Iridina exotica</i>	94

SECOND SUPPLEMENT.

Read February 7, 1834.

<i>Unio Shepardianus</i> , Lea, n. s., pl. xiii, fig. 38	95
Hab.: Hopeton, near Darien, Georgia, Professor Shepard.	
<i>Unio fulvus</i> , Lea, n. s., pl. xiii, fig. 39	96
Hab.: South Carolina, Dr. Blanding.	
<i>Unio modioliformis</i> , Lea, n. s., pl. xiii, fig. 40	97
Hab.: Santee Canal, South Carolina, Professor Ravenel.	
<i>Unio Kirtlandianus</i> , Lea, n. s., pl. xiv, fig. 41	98
Hab.: Mahoning, Ohio, J. P. Kirtland, M. D.	
<i>Unio Paracensis</i> , Lea, n. s., pl. xiv, fig. 42	99
Hab.: River Parana, Dr. Burrough.	
<i>Unio Nashvillianus</i> , Lea, n. s., pl. xiv, fig. 43	100
Hab.: Cumberland River, Professor Troost.	
<i>Unio Blandingianus</i> , Lea, n. s., pl. xv, fig. 44	101
Hab.: St. John's River, Florida Dr. Blanding.	
<i>Unio camelus</i> , Lea, n. s., pl. xv, fig. 45	102
Hab.: Ohio River, T. G. Lea.	
<i>Unio Griffithianus</i> , Lea, n. s., pl. xv, fig. 46	103
Hab.: South Carolina, Prof. Ravenel.	
<i>Unio confertus</i> , Lea, n. s., pl. xvi, fig. 47	103
Hab.: Santee Canal, South Carolina, Professor Ravenel.	
<i>Symphynota Benedictensis</i> , Lea, n. s., pl. xvi, fig. 48	104
Hab.: Lake Champlain.	
<i>Anodonta Burroughiana</i> , Lea, n. s., pl. xvi, fig. 49	105
Hab.: Island of Luconia, near Manilla, Dr. Burrough.	
<i>Margaritana Raveneliana</i> , Lea, n. s., pl. xvii, fig. 50	106
Hab.: French Broad and Swananoa Rivers, North Carolina.	
<i>Cyrena rotundata</i> , Lea, n. s., pl. xvii, fig. 51	107
Hab.: ———.	
<i>Cyrena Javensis</i> , Lea, n. s., pl. xvii, fig. 52	108
Hab.: Batavia? J. C. Jay, M. D.	
<i>Cyrena turgida</i> , Lea, n. s., pl. xviii, fig. 53	109
Hab.: ——— India, Rev. William Carey.	
<i>Cyrena Woodiana</i> , Lea, n. s., pl. xviii, fig. 55	110
Hab.: Canton, W. W. Wood.	
APHRODITE, Lea, n. g.	111
<i>Aphrodite columba</i> , Lea, n. s., pl. xviii, fig. 54	111
Hab.: ———.	
<i>Io spinosa</i> , Lea, n. s., pl. xix, fig. 79	112
Hab.: Holston River, Washington County, Virginia, Professor Troost.	
<i>Paludina Burroughiana</i> , Lea, n. s., pl. xix, fig. 80	113
Hab.: Island of Luconia, Dr. Burrough.	

LAST PART.

Read April 18, 1834.

<i>Lymnæa acuta</i> , Lea, n. s., pl. xix, fig. 81	114
Hab.: Pond four miles north of Philadelphia.	
<i>Lymnæa exilis</i> , Lea, n. s., pl. xix, fig. 82	114
Hab.: Ohio, T. G. Lea.	
<i>Physa elliptica</i> , Lea, n. s., pl. xix, fig. 83	115
Hab.: ———, T. G. Lea.	

1832-34. LEA, ISAAC—Continued.

<i>Ampullaria Hopetonensis</i> , Lea, n. s., pl. xix, fig. 84	115
Hab.: Hopeton, near Darien, Georgia, Professor Shepard.	
<i>Paludina Georgiana</i> , Lea, n. s., pl. xix, fig. 85	116
Hab.: Hopeton, near Darien, Georgia, Professor Shepard.	
<i>Succinea retusa</i> , Lea, n. s., pl. xix, fig. 86	117
Hab.: Ohio, near Cincinnati, T. G. Lea.	
Systematic Index of the Shells Described in Mr. Lea's Memoirs: <i>Trans. Am. Phil. Soc.</i> , volumes iii, iv, and v	118-119

21.

1834. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Genera and Species in the Families | Naïades, Conchæ, Colimacea, Lymnæana, Me- | laniana and Peristomiana: | consisting of | four memoirs read before the American Philosophical Society from | 1827 to 1834, and originally published in their Transactions, | with numerous coloured plates. | by Isaac Lea, | [Title] | Philadelphia: | Printed for the Author, | by James Kay, Jun. and Co. 4°. 4 leaves and pp. 233, with 46 plates.

This volume, dedicated to Philip Houlbrooke Nicklin, M. A., is I of Dr. Lea's series of "Observations on the Genus *Unio*," and consists of numbers 17 and 20 of this Catalogue. Noticed in *Amer. Journ. of Science and Arts*, xvii, 1835, p. 371.

22.

1835. LEA, ISAAC, and W. H. BENSON. Characters of three new species of Indian freshwater Bivalves. <*Journ. Asiatic Society of Bengal*, iv, 1835, pp. 450-454. Article not seen.

23.

1836. LEA, ISAAC. A | Synopsis | of the | Family of Naïades, | by | Isaac Lea, | Member of the American Philosophical Society, | etc., etc. | Philadelphia: | Carey, Lea and Blanchard. | London: | John Miller. | 1836. 8°. pp. viii, 1-59. 2 leaves.

1 plate with colored figures of *Unio spinosus*, Lea.

INTRODUCTION.

"This systematic arrangement and synonymy was communicated to the American Philosophical Society in July last nearly in the form in which it is now printed. It was undertaken purely with the view and in the hope of clearing away the difficulties which had incumbered one of the most interesting families of the Mollusca. * * * In attempting to establish the synonymy, he has endeavoured to render the strictest justice, and if in any case it is found he has failed to do this, it will be a matter of sincere regret to him.

In the following tables there will be found in the family 300 recent species as admitted, 22 as doubtful, and 22 fossil; in all 344.

Of the sub-genus *Unio* there are 226 species in a recent state, and 14 which I have not been able to admit as certain; of fossil species 21.

Of the sub-genus *Margaritana* there are 14 admitted species, and 2 which are unknown to me.

Of the sub-genus *Dipsas* I know of but two species, both of which are recent.

Of the sub-genus *Anodonta* there are 50 admitted species, and 6 which are unknown to me. Of fossil species there is one which is doubtful.

Of the sub-genus *Pleiodon* there is but one species, and that recent.

The genus *Iridina* has 7 species, all recent."

CONTENTS.

Introduction	v
List of Authors	vii
Division of the Family Naïades	1
Genus Margarita	10
Sub-genus <i>Unio</i>	10
Sub-genus <i>Margaritana</i>	43
Sub-genus <i>Dipsas</i>	47
Sub-genus <i>Anodonta</i>	48
Sub-genus <i>Pleiodon</i>	55

1836. LEA, ISAAC—Continued.

Genus <i>Iridina</i>	56
List of Prof. Rafinesque's species not identified.....	58
Addenda.....	61
Errata.....	63

This synopsis contains the names of many new species the descriptions of which at the time of its publication had been read before the American Philosophical Society, and which were published in 1838 in volume vi of that Society's Transactions. (See No. 27.)

24.

1836. LEA, ISAAC. Description of a new species of the genus *Unio* (*spinosus*), 1836. 4^o. pp. —, colored figures.

25.

1837. LEA, ISAAC. Neue Gattungen von Najaden. <*Faunus; Zeitschrift für Zoologie und vergleichenden Anatomie; von Joh. Gistl*. 8^o. München, i, 1837 (pte. 6), pp. 43-53.

26.

1837. LEA, ISAAC. (Title unknown). <*Gistl, Faunus*, i, 1837 (pte. 16), p. 83.

This refers to No. 16. Description of a new genus (*Io*) of the family Melaniana, Lamarck (*Io fusiformis* in *Amer. Philos. Soc. Trans.*, iv, pp. 122-124.)

27.

- 1834-38. LEA, ISAAC. Description of New Freshwater and Land Shells. <*Trans. Amer. Philos. Soc.*, vi, n. s., pp. 1-154. Article I, pls. i-xxiv, colored.

Part I of vol. vi of the Transactions printed and ready for distribution June 15, 1838. (See *Proc. Amer. Philos. Soc.*, i, 1838, p. 19.)

Article I consists of the following parts:

First part.....	1-18
Read December 19, 1834.....	
Continuation.....	19-20
Read January 2, 1835.....	
Continuation.....	21-22
Read September 18, 1835.....	
Continuation.....	23-48
Read February 5, 1836.....	
Continuation.....	48-69
Read July 15, 1836.....	
Continuation.....	69-72
Read August 19, 1836.....	
Continuation.....	73-94
Read November 4, 1836.....	
Continuation.....	95-102
Read July 21, 1837.....	
Continuation.....	103-108
Read January 5, 1838.....	
Continuation.....	108-109
Read January 19, 1838.....	
Systematic Index of Shells Described.....	110-111
Synopsis of the Family of Nalades.....	113-151
List of Authors.....	152
Contents.....	153
Errata.....	154
First Part.....	i-x
Read December 19, 1834.....	
<i>Anodonta gigantea</i> , Lea, n. s., pl. i, fig. 1.....	1
Hab.: near Port Gibson, T. W. Robeson.....	
<i>Anodonta ovata</i> , Lea, n. s., pl. ii, fig. 2.....	2
Hab.: near Marietta, Ohio, Dr. Hildreth.....	
<i>Unio bengalensis</i> , Lea, n. s., pl. ii, fig. 3.....	3
Hab.: Bengal, Dr. Burrough.....	
<i>Unio venustus</i> , Lea, n. s., pl. ii, fig. 4.....	4
Hab.: Potosi, Missouri, John Perry, Esq.....	

1834-38. LEA, ISAAC—Continued.

<i>Unio Vaughanianus</i> , Lea, n. s., pl. iii, fig. 5	5
Hab.: Sawney's Creek, near Camden, S. C., Professor Ravenel.	
<i>Unio pulcher</i> , Lea, n. s., pl. iii, fig. 6	6
Hab.: near Nashville, Tenn., Professor Troost.	
<i>Unio obscurus</i> , Lea, n. s., pl. iii, fig. 7	7
Hab.: near Nashville, Tenn., Professor Troost.	
<i>Unio Fisherianus</i> , Lea, n. s., pl. iv, fig. 8	8
Hab.: Head of Chester River, Md., Mr. Thomas Fisher.	
<i>Unio jejunos</i> , Lea, n. s., pl. iv, fig. 8	9
Hab.: Roanoke, also near Camden, S. C., Dr. Blanding.	
<i>Unio arctior</i> , Lea, n. s., pl. iv, fig. 10	10
Hab.: Ohio River, near Cincinnati, T. G. Lea.	
<i>Unio turgidus</i> , Lea, n. s., pl. v, fig. 11	11
Hab.: near New Orleans, Mr. Barabino.	
<i>Unio coccineus</i> , Lea, n. s., pl. v, fig. 12	12
Hab.: Ohio River, near Marietta, Dr. Hildreth; Mahoning River, Ohio, Dr. Kirtland; near Columbus, Ohio, Mr. Lapham.	
<i>Unio solidus</i> , Lea, n. s., pl. v, fig. 13	13
Hab.: Ohio River, at Cincinnati, T. G. Lea.	
<i>Unio Hydianus</i> , Lea, n. s., pl. vi, fig. 14	14
Hab.: Teche River, Louisiana, W. M. Stewart.	
<i>Unio interruptus</i> , Lea, n. s., pl. vi, fig. 15	15
Hab.: Harpeth River, Tenn., Professor Troost.	
<i>Ampullaria Pealiana</i> , Lea, n. s., pl. xxiii, fig. 77	16
Hab.: Turbaco, Colombia, South America, T. R. Peale.	
<i>Paludina hyalina</i> , Lea, n. s., pl. xxiii, fig. 81	17
Hab.: near Poland, Ohio, Dr. Kirtland.	
<i>Melania inflata</i> , Lea, n. s., pl. xxiii, fig. 98	17
Hab.: Indian Creek, Va., west of Alleghany Mountains, P. H. Nicklin.	
<i>Physa aurea</i> , Lea, n. s., pl. xxiii, fig. 106	18
Hab.: Hot Spring, Bath County, Virginia, P. H. Nicklin.	

CONTINUATION.

Read January 2, 1835.	
<i>Unio lamellatus</i> , Lea, n. s., pl. vi, fig. 16	19
Hab.: Bengal, Captain Lang.	
<i>Melania plicata</i> , Lea, n. s., pl. xxiii, fig. 95	20
Hab.: Bengal?	

CONTINUATION.

Read September 18, 1835.	
<i>MEGASPIRA</i> , Lea, n. g.	21
<i>Megaspira Ruschenbergiana</i> , Lea, n. s., pl. xxiii, fig. 101	21
Hab.: Brazil? W. S. W. Ruschenberger, M. D.	
<i>Paludina pallida</i> , Lea, n. s., pl. xxiii, fig. 104	22
Hab.: near Cincinnati, Ohio, T. G. Lea.	

CONTINUATION.

Read February 5, 1836.	
<i>Unio pumilus</i> , Lea, n. s., pl. vii, fig. 17	23
Hab.: Black River, North Carolina.	
<i>Unio Tampicoensis</i> , Lea, n. s., pl. vii, fig. 18	24
Hab.: River Tampico, Mexico; River Medellin, Mexico, Dr. Burrough.	
<i>Unio Cumberlandicus</i> , Lea, n. s., pl. vii, fig. 19	25
Hab.: Cumberland River, Tenn., Prof. Troost.	
<i>Unio simus</i> , Lea, n. s., pl. viii, fig. 20	26
Hab.: Cumberland River, Tenn., Prof. Troost.	
<i>Unio Roanokensis</i> , Lea, n. s., pl. viii, fig. 21	27
Hab.: Roanoke River, North Carolina; Altamaha, Georgia, Professor Nuttall and Major Leconte.	
<i>Unio notatus</i> , Lea, n. s., pl. viii, fig. 22	28
Hab.: Cumberland River, Prof. Troost.	
<i>Unio Jayensis</i> , Lea, n. s., pl. ix, fig. 23	28
Hab.: Florida, J. C. Jay, M. D.	
<i>Unio Hopetonensis</i> , Lea, n. s., pl. ix, fig. 24	29
Hab.: Hopeton, near Darien, Prof. Shepard.	
<i>Unio lugubris</i> , Lea, n. s., pl. ix, fig. 25	30
Hab.: Hopeton, near Darien, Prof. Shepard.	

1834-38. LEA, ISAAC—Continued.

<i>Unio Barnesianus</i> , Lea, n. s., pl. x, fig. 26.....	31
Hab.: Cumberland River, Tenn., Prof. Troost.	
<i>Unio Zeiglerianus</i> , Lea, n. s., pl. x, fig. 27.....	32
Hab.: Cumberland River, Tenn., Prof. Troost.	
<i>Unio creperus</i> , Lea, n. s., pl. x, fig. 28.....	33
Hab.: Tennessee, Professor Troost.	
<i>Unio glaber</i> , Lea, n. s., pl. x, fig. 29.....	34
Hab.: Holston River, Tenn., Professor Troost.	
<i>Unio gibber</i> , Lea, n. s., pl. x, fig. 30.....	35
Hab.: Carryfork River, Tenn., Professor Troost.	
<i>Unio Vanuxemensis</i> , Lea, n. s., pl. xi, fig. 31.....	36
Hab.: Cumberland River, Tenn., Professor Troost.	
<i>Unio carbonarius</i> , Lea, n. s., pl. xi, fig. 32.....	37
Hab.: River Medellin, Mexico, Dr. Burrough.	
<i>Unio folliculatus</i> , Lea, n. s., pl. xi, fig. 33.....	38
Hab.: Savannah River, Major Leconte.	
<i>Unio medellinus</i> , Lea, n. s., pl. xii, fig. 34.....	39
Hab.: River Medellin, near Vera Cruz, Dr. Burrough.	
<i>Unio Lecontianus</i> , Lea, n. s., pl. xii, fig. 35.....	40
Hab.: Conochee River, Georgia, Major Leconte.	
<i>Unio Muhlfeldianus</i> , Lea, n. s., pl. xii, fig. 36.....	41
Hab.: Cumberland River, Tenn., Professor Troost.	
<i>Margaritana Holstonia</i> , Lea, n. s., pl. xiii, fig. 37.....	42
Hab.: Holston River, Professor Troost.	
<i>Margaritana deltoidea</i> , Lea, n. s., pl. xiii, fig. 38.....	43
Hab.: Ohio River, near Cincinnati, T. G. Lea; Scioto, Dr. Kirtland.	
<i>Margaritana fabula</i> , Lea, n. s., pl. xiii, fig. 39.....	44
Hab.: Cumberland River, Tenn., Prof. Troost.	
<i>Anodonta cylindracea</i> , Lea, n. s., pl. xiii, fig. 40.....	45
Hab.: River Medellin, near Vera Cruz, Dr. Burrough.	
<i>Anodonta salmonia</i> , Lea, n. s., pl. xiv, fig. 41.....	45
Hab.: Near Poland, Ohio, J. P. Kirtland, M. D.	
<i>Anodonta Wardiana</i> , Lea, n. s., pl. xiv, fig. 42.....	46
Hab.: Near Chillicothe, Ohio, J. C. Ward, M. D.	
<i>Anodonta Buchananensis</i> , Lea, n. s., pl. xiv, fig. 43.....	47
Hab.: Buck Creek, Ohio, R. Buchanan, Esq.	

CONTINUATION.

Read July 15th, 1836.

Remarks upon the differences in the male and female shells among the Unionidæ and upon the structure of the oviducts producing these differences.....	48-57
<i>Unio spinosus</i> , Lea, pl. xvi, fig. 50.....	57
Described in 1836 in No. 24, and a plate was issued in Mr. Lea's Synopsis in 1836.	
<i>Unio pliciferus</i> , Lea, n. s., pl. xvii, fig. 53.....	61
Hab.: Mexico, Dr. Burrough.	
<i>Unio Tappanianus</i> , Lea, n. s., pl. xvii, fig. 55.....	62
Hab.: Juniata, near Hollidaysburg, Dr. Kirtland.	
<i>Anodonta decora</i> , Lea, n. s., pl. xx, fig. 63.....	64
Hab.: Canal, near Cincinnati, Ohio, T. G. Lea.	
<i>Bulimus lacteus</i> , Lea, n. s., pl. xxiii, fig. 100.....	65
Hab.: About one hundred miles up the Magdalena River, Colombia, T. R. Peale.	
<i>Bulimus Pealicanus</i> , Lea, n. s., pl. xxiii, fig. 105.....	65
Hab.: Near the Rapids of Angostura, Colombia, T. R. Peale.	
<i>Bulimus Colombianus</i> , Lea, n. s., pl. xxiii, fig. 110.....	66
Hab.: About one hundred miles up the Magdalena River, Colombia, T. R. Peale.	
<i>Bulimus corneus</i> , Lea, n. s., pl. xxiii, fig. 111.....	66
Hab.: Buenavista, Colombia, T. R. Peale.	
<i>Helix Wardiana</i> , Lea, n. s., pl. xxiii, fig. 82.....	67
Hab.: Near Cincinnati, Ohio, T. G. Lea; near Chillicothe, Ohio, C. J. Ward, M. D.	
<i>Cyclostoma maculata</i> , Lea, n. s., pl. xxiii, fig. 87.....	68
Hab.: Manila, W. W. Wood.	
<i>Planorbis lens</i> , Lea, n. s., pl. xxiii, fig. 83.....	68
Hab.: Near Cincinnati, Ohio, R. Buchanan.	

CONTINUATION.

Read August 19th, 1836.

<i>Unio graniferus</i> , Lea, n. s., pl. xix, fig. 60.....	69
Hab.: Ohio River, near Cincinnati, T. G. Lea.	

1834-38. LEA, ISAAC—Continued.

<i>Unio splendidus</i> , Lea, n. s., pl. xix, fig. 61.....	70
Hab.: Altamaha River, near Darien, Georgia, James Hamilton Cowper, Esq.	
<i>Margaritana arcuata</i> , Lea, n. s., pl. xxii, fig. 69.....	71
Hab.: Altamaha, Liberty County, Georgia, Lewis Leconte, Esq.	

CONTINUATION.

Read November 4th, 1836.	
<i>Unio Dorfeuillianus</i> , Lea, n. s., pl. xvii, fig. 54.....	73
Hab.: Ohio River, Mr. Dorfeuille, Cincinnati.	
<i>Unio discus</i> , Lea, n. s., pl. xviii, fig. 57.....	74
Hab.: India.	
<i>Unio contradens</i> , Lea, n. s., pl. xviii, fig. 58.....	75
Hab.: ———.	
<i>Unio Menkianus</i> , Lea, n. s., pl. xix, fig. 59.....	76
Hab.: Harpeth River, Tenn., Professor Troost.	
<i>Anodonta Nuttalliana</i> , Lea, n. s., pl. xx, fig. 62.....	77
Hab.: Wahlamat, near its junction with the Columbia River, Prof. Nuttall.	
<i>Anodonta Wahlamatensis</i> , Lea, n. s., pl. xx, fig. 64.....	78
Hab.: Wahlamat, near its junction with the Columbia River, Professor Nuttall.	
<i>Anodonta pavonia</i> , Lea, n. s., pl. xxi, fig. 65.....	78
Hab.: Head waters of the Little Beaver, Ohio, J. P. Kirtland, M. D.	
<i>Anodonta Newtoniensis</i> , Lea, n. s., pl. xxi, fig. 66.....	79
Hab.: Newtown Creek, New Jersey, near Philadelphia, Wm. Hyde. Also Schuylkill, at Fairmount.	
<i>Anodonta Oregonensis</i> , Lea, n. s., pl. xxi, fig. 67.....	80
Hab.: Wahlamat, near its junction with the Columbia River, Professor Nuttall.	
<i>Anodonta exilis</i> , Lea, n. s., pl. xxii, fig. 68.....	81
Hab.: ———.	
<i>Iridina caelestis</i> , Lea, n. s., pl. xxii, fig. 70.....	82
Hab.: Africa.	
<i>Bulimus glandiformis</i> , Lea, n. s., pl. xxiii, fig. 92.....	83
Hab.: New Granada, between La Plata and Tocaima, J. H. Gibbon, M. D.	
<i>Bulimus parvus</i> , Lea, n. s., pl. xxiii, fig. 96.....	84
Hab.: Near Carthage, S. A., J. H. Gibbon, M. D.	
<i>Bulimus virgo</i> , Lea, n. s., pl. xxii, fig. 97.....	84
Hab.: Near Carthage, S. A., J. H. Gibbon, M. D.	
<i>Bulimus Gibbonius</i> , Lea, n. s., pl. xxiii, fig. 99.....	85
Hab.: New Granada, between La Plata and Tocaima, J. H. Gibbon, M. D.	
<i>Bulimus gracilis</i> , Lea, n. s., pl. xxiii, fig. 102.....	85
Hab.: Near Carthage, S. A., J. H. Gibbon, M. D.	
<i>Bulimus decoratus</i> , Lea, n. s., pl. xxiii, fig. 108.....	86
Hab.: Near Carthage, S. A., J. H. Gibbon, M. D.	
<i>Bulimus maculatus</i> , Lea, n. s., pl. xxiii, fig. 112.....	86
Hab.: Near Carthage, S. A., J. H. Gibbon, M. D.	
<i>Helix Mitchelliana</i> , Lea, n. s., pl. xxiii, fig. 71.....	87
Hab.: Ohio, J. K. Mitchell, M. D.	
<i>Helix Vancouverensis</i> , Lea, n. s., pl. xxiii, fig. 72.....	87
Hab.: Fort Vancouver, Oregon, Prof. Nuttall.	
<i>Helix Nuttalliana</i> , Lea, n. s., pl. xxiii, fig. 74.....	88
Hab.: From Fort Vancouver down to the ocean, Oregon, Professor Nuttall.	
<i>Helix Columbiana</i> , Lea, n. s., pl. xxiii, fig. 75.....	89
Hab.: Fort Vancouver, Oregon, Professor Nuttall.	
<i>Helix magnifica</i> , Lea, n. s., pl. xxiii, fig. 88.....	89
Hab.: New Granada, J. H. Gibbon, M. D.	
<i>Paludina sinistrosa</i> , Lea, n. s., pl. xxiii, fig. 78.....	90
Hab.: East Indies, Miss Hodges.	
<i>Paludina virens</i> , Lea, n. s., pl. xxiii, fig. 93.....	91
Hab.: Wahlamat, near its junction with the Columbia River, Professor Nuttall.	
<i>Paludina nuclea</i> , Lea, n. s., pl. xxiii, fig. 103.....	91
Hab.: Wahlamat, near its junction with the Columbia River, Professor Nuttall.	
<i>Paludina Nickliniana</i> , Lea, n. s., pl. xxiii, fig. 109.....	92
Hab.: Hot Springs, Virginia, P. H. Nicklin.	
<i>Melania Troostiana</i> , Lea, n. s., pl. xxiii, fig. 86.....	92
Hab.: Mossy Creek, Jefferson County, Tenn., Prof. Troost.	
<i>Melania plicifera</i> , Lea, n. s., pl. xxiii, fig. 90.....	93
Hab.: Wahlamat, near its junction with the Columbia River, Prof. Nuttall.	

1834-33. LEA, ISAAC—Continued.

<i>Cyclostoma Popayana</i> , Lea, n. s., pl. xxiii, fig. 76	94
Hab.: New Granada, near Popayan, J. H. Gibbon, M. D.	
<i>Lymnea solida</i> , Lea, n. s., pl. xxiii, fig. 91	94
Hab.: Wahlamat, near its junction with the Columbia River, Prof. Nuttall.	

CONTINUATION.

Read July 21, 1837.

<i>Unio Rangianus</i> , Lea, n. s., pl. xviii, fig. 56	95
Hab.: Ohio River, near Cincinnati, T. G. Lea.	
<i>Anodonta Pepinianus</i> , Lea, n. s., pl. xvi, fig. 51	96
Hab.: Lake Pepin, Portage County, Ohio, B. Tappan, esq.	
<i>Anodonta angulata</i> , Lea, n. s., pl. xvi, fig. 52	97
Hab.: Lewis's River, Prof. Nuttall.	
<i>Oarocolla Hydiana</i> , Lea, n. s., pl. xxiii, fig. 73	98
Hab.: Near Porto Cabello, S. A., J. H. Gibbon, M. D.	
<i>Helix Californiensis</i> , Lea, n. s., pl. xxiii, fig. 79	99
Hab.: St. Diego, Upper California, Prof. Nuttall.	
<i>Helix Townsendiana</i> , Lea, n. s., pl. xxiii, fig. 80	99
Hab.: Wahlamat, near its junction with the Columbia River, Prof. Nuttall.	
<i>Helix Nickliniana</i> , Lea, n. s., pl. xxiii, fig. 84	100
Hab.: St. Diego, Upper California, Prof. Nuttall.	
<i>Helix Oregonensis</i> , Lea, n. s., pl. xxiii, fig. 85	100
Hab.: Wahlamat, near its junction with the Columbia River, Prof. Nuttall.	
<i>Succinea aperta</i> , Lea, n. s., pl. xxiii, fig. 107	101
Hab.: Banks of Columbia River, Prof. Nuttall.	
<i>Paludina Nuttalliana</i> , Lea, n. s., pl. xxiii, fig. 89	101
Hab.: Wahlamat, near its junction with the Columbia River, Prof. Nuttall.	
<i>Lymnea apicina</i> , Lea, n. s., pl. xxiii, fig. 94	102
Hab.: Wahlamat, near its junction with the Columbia River, Professor Nuttall.	

CONTINUATION.

Read January 5, 1838.

<i>Unio dolabraformis</i> , Lea, n. s., pl. xxiv, fig. 113	103
Hab.: Altamaha River, Liberty County, Georgia, Lewis Leconte, esq.	
<i>Unio Novi-Eboraci</i> , Lea, n. s., pl. xxiv, fig. 114	104
Hab.: Oak Orchard Creek, Orleans County, New York, J. C. Jay, M. D.	
<i>Unio Claibornensis</i> , Lea, n. s., pl. xxiv, fig. 115	105
Hab.: Alabama River, near Claiborne, Judge Tait.	
<i>Anodonta subcylindracea</i> , Lea, n. s., pl. xxiv, fig. 117	106
Hab.: Oak Orchard Creek, Orleans County, New York, J. C. Jay, M. D.	
<i>Polygyra Dorfeuilliana</i> , Lea, n. s., pl. xxiv, fig. 118	107
Hab.: Ohio, Mr. Dorfeuille, Cincinnati.	
<i>Polygyra Troostiana</i> , Lea, n. s., pl. xxiv, fig. 119	107
Hab.: Tennessee, Prof. Troost.	

CONTINUATION.

Read January 19, 1838.

<i>Unio Brownianus</i> , Lea, n. s., pl. xxiv, fig. 116	108
Hab.: River Amazon, South America, Capt. George Brown.	
Systematic Index of Shells Described in Mr. Lea's Memoir	
Synopsis of the Family of Naiades	
Though forming a part of Article I, this is really No. 23, revised. It was also published separately (see No. 28).	
Introductory Remarks	
"In the following table there will be found in the family 323 recent species as admitted, 29 unknown to me or doubtful, and 22 fossil; in all 374.	
"Of the subgenus <i>Unio</i> , there are 235 species in a recent state, and 20 which I have not been able to admit as certain; of fossil species 21.	
"Of the subgenus <i>Margaritana</i> , there are 20 admitted species, and 2 which are unknown to me.	
"Of the subgenus <i>Dipsas</i> I know of but 2 species, both of which are recent.	
"Of the subgenus <i>Anodonta</i> there are 58 admitted species, and 7 which are unknown to me. Of fossil species there is one which is doubtful.	
"The subgenus <i>Iridina</i> has 2 species, both recent.	
"The subgenus <i>Spatha</i> has 6 species, all recent."	

1834-36. LEA, ISAAC—Continued.

Division of the Family Naïades	118-120
Genus Margarita	121
Subgenus Unio	121
Subgenus Margaritana	134
Subgenus Dipsas	136
Subgenus Anodonta	137
Genus Platiris	141
Subgenus Iridina	141
Subgenus Spatha	141
Addenda	143
<i>Unio Katherinæ</i> , Lea, n. s.	143
Lake Superior.	
List of Rafinesque's species not identified by Mr. Lea	144
Geographical Distribution of the Species of the Family Naïades	145
Genus Margarita	145
Subgenus Unio	145
Subgenus Margaritana	148
Subgenus Dipsas	149
Subgenus Anodonta	149
Genus Platiris	150
Subgenus Iridina	150
Subgenus Spatha	151
List of species not satisfactorily made out	151
List of fossil species observed in Great Britain	151
Fossil species in the United States	151
List of authors quoted	152
Contents of Mr. Lea's Memoir	153
Errata	153

28.

1838. LEA, ISAAC. A Synopsis | of the | Family of Naïades, | by Isaac Lea, | [Title] Second Edition, Enlarged and Improved. | Philadelphia: | Carey, Lea & Blanchard. | 1838. 4^o. pp. 44.

This is pages 113 to 152 of No. 27 repaged and bound separate.

CONTENTS.

Synopsis of the Family Naïades	5-34
Division of the Family Naïades	10-12
Genus Margarita	13-32
Subgenus Unio	13-26
Subgenus Margaritana	26-28
Subgenus Dipsas	28
Subgenus Anodonta	29-32
Genus Platiris	33-34
Subgenus Iridina	33
Subgenus Spatha	33-34
Addenda	35
Geographical Distribution of the Species of the Family Naïades	37-43
Genus Margarita	37-42
Subgenus Unio	37-40
Subgenus Margaritana	40-41
Subgenus Dipsas	41
Subgenus Anodonta	42
Genus Platiris	42-43
Subgenus Iridina	42
Subgenus Spatha	42
List of authors	44

29.

1838. LEA, ISAAC. Observations | on the | Genus Unio, | together with | Descriptions of New Genera and Species in the Families | Naïades, Colimacea, Lymnæana, Melaniana | and Peristomiana. | Read before the American Philosophical

1838. LEA, ISAAC—Continued.

Society, and originally published in its Transactions, | with numerous Coloured Plates. | by Isaac Lea, | [Title] | Vol. ii, Philadelphia: | Printed for the author. 8°. 3 l., pp. 1-152, pls. 29, colored.

This is Article I of the Transactions of the American Philosophical Society, vol. vi, and No. 27 of this catalogue, and forms vol. ii of the series of xiii of "Observations on the Genus Unio." Issued in June, 1838.

30.

1838. LEA, ISAAC. [Description of a new shell, *Melania cincinnatiensis*.] <Proc. Amer. Philos. Soc., i, p. 66. No. 5.
Read before the American Philosophical Society December 21, 1838. Probably No. 5 of the Proceedings was issued the same month, certainly by the middle of January, 1839.
Melania cincinnatiensis, Lea, n. s. 66
Near Cincinnati, Ohio, T. G. Lea.
Trans. Amer. Philos. Soc., viii. 190

31.

1840. LEA, ISAAC. Description of Nineteen New Species of Colimacea. <Proc. Amer. Philos. Soc., i, pp. 173-175.
Read before the American Philosophical Society February 21, 1840. Proceedings for January and February ready for distribution March 20, 1840. (See Proc. Amer. Philos. Soc., i, p. 188.)
The full paper, with colored plates, will be found in the Transactions American Philosophical Society, vii, pp. 455-466 (see No. 38), the portion published here being the Latin descriptions of the species, with mention of habitat.
- | | |
|---|-----|
| <i>Bulimus Woodianus</i> , Lea, n. s. | 173 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 457. | |
| <i>Bulimus bicoloratus</i> , Lea, n. s. | 173 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 459. | |
| <i>Bulimus subglobosus</i> , Lea, n. s. | 173 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 455. | |
| <i>Bulimus gracilis</i> , Lea, n. s. | 173 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 458. | |
| <i>Bulimus carinatus</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 458. | |
| <i>Bulimus virido-striatus</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 455. | |
| <i>Bulimus virgineus</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 456, as <i>Bulimus virginicus</i> . | |
| <i>Bulimus Liberianus</i> , Lea, n. s. | 174 |
| Liberia, Africa, Dr. Blanding.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 457. | |
| <i>Cyclostoma Woodiana</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 465. | |
| <i>Carocolla bifasciata</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 465. | |
| <i>Helix cepoides</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 462. | |
| <i>Helix Blainvilliana</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 463. | |
| <i>Helix Lamarekiana</i> , Lea, n. s. | 174 |
| Philippine Islands, W. W. Wood.
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 461. | |

1840. LEA, ISAAC—Continued.

<i>Helix luteo-fasciata</i> , Lea, n. s.	175
Philippine Islands, W. W. Wood.	
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 462.	
<i>Helix ferruginca</i> , Lea, n. s.	175
Philippine Islands, W. W. Wood.	
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 464.	
<i>Helix Cuvieriana</i> , Lea, n. s.	175
Philippine Islands, W. W. Wood.	
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 461.	
<i>Helix Blandingiana</i> , Lea, n. s.	175
Banks of the river St. Paul, Liberia, Africa, Dr. Blanding.	
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 459.	
<i>Helix Humphreysiana</i> , Lea, n. s.	175
Pondicherry, Mr. Humphreys; Singapore, Mr. Balastier.	
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 463.	
<i>Helix Balasteriana</i> , Lea, n. s.	175
Philippine Islands, Mr. Balastier.	
<i>Trans. Amer. Philos. Soc.</i> , vii, 1841, p. 460, as <i>Helix balestieriana</i> .	

32.

1840. LEA, ISAAC. On the *Patella amæna* of Say. <*Proc. Amer. Philos. Soc.*, i, p. 187. Reporter's abstract of the above paper read March 6, 1840. Proceedings for March presented to the meeting of the Society May 1, 1840. (See *Proc. Amer. Philos. Soc.*, i, p. 209.) The full article was published in the *Trans. Amer. Philos. Soc.*, vii, pp. 73-74. (See No. 34.) *Patelloida testudinialis* (Müller), Lea. 187
Trans. Amer. Philos. Soc., vii, p. 73.

33.

1840. LEA, ISAAC. Notice of the Oolitic Formation in America, with Descriptions of some of its Organic Remains. <*Proc. Amer. Philos. Soc.*, i, pp. 225-227. No. 12. Read May 15, 1840. Ordered to be published June 19, 1840. Proceedings for May, June, and July presented to the meetings of the Society August 21, 1840. (See *Proc. Amer. Philos. Soc.*, i, p. 267.)

The full paper, with plates, will be found in the *Trans. Amer. Philos. Soc.*, vii, part II, pp. 251-260 (See No. 36), the portion printed in the Proceedings being the reporter's outline of the whole paper, followed by the Latin descriptions of the species.

<i>Orthocera Humboldtiana</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 253.	
<i>Ammonites Tocaimaensis</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 253.	
<i>Ammonites occidentalis</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 254.	
<i>Ammonites Gibboniana</i> , Lea, n. s.	26
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 254.	
<i>Ammonites Vanuzenensis</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 254.	
<i>Ammonites americana</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 255.	
<i>Trigonia Gibboniana</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 255.	
<i>Trigonia Tocaimana</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 256, as <i>T. Tocaimana</i> .	
<i>Trigonia Hondaana</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 256.	
<i>Natica Gibboniana</i> , Lea, n. s.	226
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 256.	
<i>Spatangus Colombianus</i> , Lea, n. s.	227
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 257.	
<i>Terebratula Tayloriana</i> , Lea, n. s.	227
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 259.	
<i>Terebratula Pocyana</i> , Lea, n. s.	227
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 260.	
<i>Tellina</i> (?) <i>Humboldtiana</i> , Lea, n. s.	227
<i>Trans. Amer. Philos. Soc.</i> , vii, p. 260, as <i>Tellinites Humboldtiana</i> .	

34.

1840. LEA, ISAAC. On the *Patella Amæna* of Say. <*Trans. Amer. Philos. Soc.*, vii, part I, pp. 73-74. (See also No. 32.)

Read before the American Philosophical Society March 6, 1840. (See *Proc. Amer. Philos. Soc.*, i, 1840, p. 181.) Transactions of the Society, vol. vii, part I, presented to the meeting of the Society September 18, 1840. (See *Proc. Amer. Philos. Soc.*, i, 1840, p. 273.)

"In this Paper Mr. Lea gives a Synonymy, showing that the *Patella Amæna* of Say was first described by Müller, under the specific name of *Testudinalis*: Zool. Dan., p. 237; and Mr. Couthouy, having lately given an elaborate description of the animal in the Boston Journal of Natural Science showing that it belongs to the new genus *Patelloida*, recently established by Quoy and Gaimard; Mr. Lea argues that it should henceforth be called *Patelloida Testudinalis*."—*Proc. Amer. Philos. Soc.*, i, p. 187.

35.

1840. LEA, ISAAC. Descriptions of new Fresh Water and Land Shells. <*Proc. Amer. Philos. Soc.*, Phila., i, pp. 284-289.

Read before the Society October 2, 1840. Ordered to be published October 16, 1840. Proceedings for October ready for distribution, and a copy presented to the meeting of the Society November 6, 1840. (See *Proc. Amer. Philos. Soc.*, i, 1840, p. 292.)

The full paper, with plates, will be found in the Transactions of the Society, vol. viii, pp. 191-229, as part of Article XII, but the Latin descriptions of the species (preceded by the reporter's notes on the whole paper) were published in the Proceedings, as above. (See No. 43.)

<i>Unio cucumoides</i> , Lea, n. s.	285
Hunter's River, New South Wales, Dr. Jay.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 192.	
<i>Unio delphinus</i> , Lea, n. s.	285
New Holland, G. von den Busch, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 218.	
<i>Unio orientalis</i> , Lea, n. s.	285
Java, † G. von den Busch, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 221.	
<i>Unio Javanus</i> , Lea, n. s.	285
Java, G. von den Busch, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 220.	
<i>Unio Cincinnatiensis</i> , Lea, n. s.	285
Ohio River, Cincinnati, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 194.	
<i>Unio pilaris</i> , Lea, n. s.	285
French Broad and Holston Rivers, East Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 209.	
<i>Unio Geddingsianus</i> , Lea, n. s.	285
Congarce River, So. Car., Prof. Ravenel.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 202.	
<i>Unio tuberosus</i> , Lea, n. s.	286
Cany Fork and Cumberland Rivers, Middle Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 210.	
<i>Unio cuneolus</i> , Lea, n. s.	286
Holston River, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 193.	
<i>Unio Lesueurianus</i> , Lea, n. s.	286
Cany Fork and Holston Rivers, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 195.	
<i>Unio Stonensis</i> , Lea, n. s.	286
Stone's River, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 195.	
<i>Unio lenis</i> , Lea, n. s.	286
Stone's River, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 204, as <i>Unio lenior</i> .	
<i>Unio plenus</i> , Lea, n. s.	286
Ohio River, near Cincinnati, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 211.	
<i>Unio tener</i> , Lea, n. s.	286
Big Pigeon River, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 198.	

1840. LEA, ISAAC—Continued.

<i>Unio pusillus</i> , Lea, n. s.	286
Ogeechee River, Georgia, Major Le Conte. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 220.	
<i>Unio amoenus</i> , Lea, n. s.	286
Holston River, Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 200.	
<i>Unio incrassatus</i> , Lea, n. s.	286
Chattahoochee River, near Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 217.	
<i>Unio Boydianus</i> , Lea, n. s.	286
Oak Orchard Creek, Orleans County, N. Y., Dr. Boyd. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 216.	
<i>Unio Sloatianus</i> , Lea, n. s.	287
Chattahoochee River, Georgia, Mr. L. W. Sloat. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 217.	
<i>Unio paulus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 213.	
<i>Unio strigosus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 198.	
<i>Unio lineatus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 206.	
<i>Unio exiguus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 191.	
<i>Unio tortivus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 204.	
<i>Unio sub-angulatus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 209.	
<i>Unio striatus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 203.	
<i>Unio fatuus</i> , Lea, n. s.	287
Holston River, Tenn., Dr. Currey. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 201.	
<i>Unio dactylus</i> , Lea, n. s.	287
Cany Fork River, Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 196.	
<i>Unio obtusus</i> , Lea, n. s.	287
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 201.	
<i>Unio Boykinianus</i> , Lea, n. s.	288
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 208.	
<i>Unio Edgarianus</i> , Lea, n. s.	288
Holston River, Tenn., Prof. Troost and Dr. Currey; Tennessee River at Florence, Alabama, Mr. T. R. Dutton. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 214.	
<i>Unio biangularis</i> , Lea, n. s.	288
Cany Fork River, Tenn., Prof. Troost and Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 197, as <i>Unio biangulatus</i> .	
<i>Unio nitens</i> , Lea, n. s.	288
Long Creek, Coeke Co., Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 205.	
<i>Unio Holstonensis</i> , Lea, n. s.	288
Holston River, Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 212.	
<i>Unio dolabelloides</i> , Lea, n. s.	288
Holston River, Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 215.	

1840. LEA, ISAAC—Continued.

<i>Unio Tennesseensis</i> , Lea, n. s.	288
Stone's River, Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 199.	
<i>Unio atro-marginatus</i> , Lea, n. s.	288
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 207.	
<i>Unio Bournianus</i> , Lea, n. s.	288
Scioto River, near Chillicothe, Ohio, Mr. A. Bourne. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 213.	
<i>Margaritana Vondenbrschiana</i> , Lea, n. s.	288
Java, G. von den Busch, M. D. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 222.	
<i>Margaritana Curreyiana</i> , Lea, n. s.	288
Stone's River, Tenn., Dr. Currey, of Nashville. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 223.	
<i>Anodonta Harpethensis</i> , Lea, n. s.	289
Harpeth River, Tenn., Mr. S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 224.	
<i>Anodonta argentea</i> , Lea, n. s.	289
Stone's River, Tenn., Dr. Currey. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 223.	
<i>Anodonta ferruginea</i> , Lea, n. s.	289
Simon's Creek, Indiana, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 225.	
<i>Anodonta Couperiana</i> , Lea, n. s.	289
Hopeton, near Darin, Georgia, J. H. Couper, Esq. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 227, as <i>Anodonta Couperiana</i> .	
<i>Anodonta Maryattiana</i> , Lea, n. s.	289
Vicinity of Fort Winnebago, Capt. Maryatt, R. N. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 226.	
<i>Anodonta Footiana</i> , Lea, n. s.	289
Vicinity of Fort Winnebago, Dr. Foot. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 225.	
<i>Melania catenaria</i> , Lea, n. s.	289
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 228, as <i>Melania catenoides</i> .	
<i>Melania Boykiniana</i> , Lea, n. s.	289
Chattahoochee River, Columbus, Georgia, Dr. Boykin. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 228.	
<i>Carocolla Cumberlandiana</i> , Lea, n. s.	289
Cumberland Mts., near Jasper, Tenn., Dr. Currey. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 229.	
<i>Cyclostoma Cincinnatiensis</i> , Lea, n. s.	289
Vicinity of Cincinnati, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 229.	

36.

1840. LEA, ISAAC. Notice of the Oolitic Formation in America, with Descriptions of some of its Organic Remains. <*Trans. Amer. Philos. Soc.*, vii, Part II, pp. 251-260, plates viii-x.

Read before the American Philosophical Society, May 15, 1840. Transactions of the Society, vol. vii, Part ii, ready for distribution February 5, 1841. (See *Proc. Amer. Philos. Soc.*, ii, p. 16.)

A portion of the paper, the Latin descriptions of the species, was published in the *Proc. Amer. Philos. Soc.*, i, 1840, pp. 225-227. (See No. 33.)

The paper describes some fossils from New Granada and Cuba, resembling forms found in the Jura formation of Europe, and is divided into two parts, the first relating to the Oolite of New Granada and the second to the Oolite of Cuba. Each of these parts commences with remarks upon the formations and localities from which the specimens were derived.

THE OOLITE OF NEW GRANADA 251-257

Orthocera Humboldtiana, Lea, pl. viii, fig. 1 253

Proc. Amer. Philos. Soc., i, p. 226.

Ammonites Tocaimaensis, Lea, pl. viii, fig. 2 253

Proc. Amer. Philos. Soc., i, p. 226.

1840. LEA, ISAAC—Continued.

<i>Ammonites Gibbonianus</i> , Lea, pl. viii, fig. 3.....	254
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Ammonites occidentalis</i> , Lea, pl. viii, fig. 4.....	254
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Ammonites Vanuzemensis</i> , Lea, pl. viii, fig. 5.....	254
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Ammonites Americanus</i> , Lea, pl. viii, fig. 6.....	255
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Trigonia Gibboniana</i> , Lea, pl. ix, fig. 7.....	255
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Trigonia Tocainaana</i> , Lea, pl. ix, fig. 8.....	256
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226, as <i>T. Tocaimana</i> .	
<i>Trigonia Hondaana</i> , Lea, pl. ix, fig. 9.....	256
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Natica Gibboniana</i> , Lea, pl. ix, fig. 10.....	256
<i>Proc. Amer. Philos. Soc.</i> , i, p. 226.	
<i>Spatangus Colombianus</i> , Lea, pl. ix, fig. 11.....	257
<i>Proc. Amer. Philos. Soc.</i> , i, p. 227.	
THE OOLITE OF CUBA.....	257-260
<i>Terebratula Tayloriana</i> , Lea, pl. x, fig. 12.....	259
<i>Proc. Amer. Philos. Soc.</i> , i, p. 227.	
<i>Terebratula Poeyana</i> , Lea, pl. x, fig. 13.....	260
<i>Proc. Amer. Philos. Soc.</i> , i, p. 227.	
<i>Tellinites Humboldtiana</i> , Lea, pl. x, fig. 14.....	260
<i>Proc. Amer. Philos. Soc.</i> , i, p. 227, as <i>Tellina</i> [?] <i>Humboldtiana</i> .	
Besides the foregoing species described and figured, Mr. Lea proposed the following names (without descriptions) for casts in his possession and figured in plate x.	
<i>Nautilus Cubænsis</i> , Lea, n. s., pl. x, fig. 15.....	259
<i>Arca Sillimaniana</i> , Lea, n. s., pl. x, fig. 16.....	259
<i>Cucullea dubia</i> , Lea, n. s., pl. x, fig. 17.....	259
<i>Chama tortuosa</i> , Lea, n. s., pl. x, fig. 18.....	259
<i>Cardium globosum</i> , Lea, n. s., pl. x, fig. 20.....	259
<i>Cardium depressum</i> , Lea, n. s., pl. x, fig. 21.....	259
<i>Conus latus</i> , Lea, n. s., pl. x, fig. 19.....	259

37.

1841. LEA, ISAAC. New Fresh Water and Land Shells. <*Proc. Amer. Philos. Soc.*, ii, pp. 11-15.

Read before the American Philosophical Society, January 15, 1841. No printed record of the publication of the Proceedings for February found, but in all probability they were issued March, 1841.

The full paper with plates will be found in the *Trans. Amer. Philos. Soc.*, viii, pp. 163-190. (See No. 43.) The portion published in the Proceedings consists of the Latin descriptions of the species with mention of habitat.

"In this paper Mr. Lea describes fifty-seven new species of the genus *Melania*. He notices the existence of numerous species distributed over a wide geographical range, from the Columbia River to the St. Lawrence; there being now about 117 species included in the Fauna of the United States.

This genus having become so extended, Mr. Lea felt the necessity of making minor groups, and has therefore proposed nine sections. 1. The Smooth. 2. The Plicate. 3. The Carinate. 4. The Sulcate. 5. The Striate. 6. The Tuberculate. 7. The Granulate. 8. The Cancellate. 9. The Spinose."

Section 1.—Smooth *Melania*.

<i>Melania Hildrethiana</i> , Lea, n. s.....	11
Ohio River, near Marietta, Dr. Hildreth.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 164.	
<i>Melania castanca</i> , Lea, n. s.....	11
Maury County, Tenn., Mr. Dutton.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 164.	
<i>Melania lævigata</i> , Lea, n. s.....	11
Alabama River, at Claiborne, Judge Tait.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 165.	

Specific name was afterward changed by Mr. Lea to *lævis* because *lævigata* was pre-occupied by Lamarck. (See *Proc. Amer. Philos. Soc.*, ii, p. 237, and *Transactions* of the same Society, vol. viii, Corrigenda between pages 250 and 251.)

1841. LEA, ISAAC—Continued.

<i>Melania Kirtlandiana</i> , Lea, n. s.	11
Richmond, Indiana; Duck Creek, near Cincinnati; and Miami, Ohio, T. G. Lea; Little Miami, Dr. Warder.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 165.	
<i>Melania Taitiana</i> , Lea, n. s.	11
Alabama River, at Claiborne, Judge Tait.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 165.	
<i>Melania dubia</i> , Lea, n. s.	11
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 166, as <i>Melania dubiosa</i> .	
<i>Melania ebenum</i> , Lea, n. s.	12
Robinson County, Tenn., Dr. Currey.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 166.	
<i>Melania rufa</i> , Lea, n. s.	12
Mamma's Creek, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, p. 167.	
Specific name changed to <i>rufescens</i> , because <i>rufa</i> was preoccupied by Dr. Philippi, for a Sicilian species. See <i>Proc. Amer. Philos. Soc.</i> , ii, 1842, p. 237, and <i>Transactions</i> of the same society, vol. viii, Corrigenda between pages 250 and 251.	
<i>Melania fusiformis</i> , Lea, n. s.	12
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 167.	
<i>Melania clavaformis</i> , Lea, n. s.	12
Ocoée District, Tenn., Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 168.	
<i>Melania gracilis</i> , Lea, n. s.	12
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 168.	
<i>Melania subsolida</i> , Lea, n. s.	12
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 168.	
<i>Melania Ocoënsis</i> , Lea, n. s.	12
Ocoée District, Tenn., Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 169.	
<i>Melania subcylindracea</i> , Lea, n. s.	12
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 169.	
<i>Melania sordida</i> , Lea, n. s.	12
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 170.	
<i>Melania regularis</i> , Lea, n. s.	12
Oconee District, Tenn.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 170.	
<i>Melania fuliginosa</i> , Lea, n. s.	12
Big Bigby Creek, Maury Co., Tenn., Mr. Dutton.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 170.	
<i>Melania Nickliniana</i> , Lea, n. s.	12
Bath County, Va., P. H. Nicklin.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 171.	
<i>Melania viridis</i> , Lea, n. s.	12
Vicinity of Cincinnati, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 172.	
<i>Melania occidentalis</i> , Lea, n. s.	12
Vicinity of Cincinnati, Ohio, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 172.	
<i>Melania Niagarensis</i> , Lea, n. s.	12
Falls of Niagara.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 173.	
<i>Melania globula</i> , Lea, n. s.	12
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 174.	
<i>Melania altilis</i> , Lea, n. s.	13
Susquehanna River, Md.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 174.	

1841. LEA, ISAAC—Continued.

<i>Melania strigosa</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 175.	
<i>Melania virgata</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 175.	
<i>Melania tenebrosa</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 176.	
Section 2.—Plicate Melaniæ.	
<i>Melania teres</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 176.	
<i>Melania obtusa</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 176.	
<i>Melania Lecontiana</i> , Lea, n. s.	13
Georgia, Major Le Conte.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 177.	
<i>Melania corrugata</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 177.	
Specific name changed to <i>rugosa</i> , because <i>corrugata</i> was preoccupied by Lamarck. See <i>Proc. Amer. Philos. Soc.</i> , ii, 1842, p. 237, and <i>Transactions</i> of the same Society, viii, Corrigenda, between pages 250 and 251.	
<i>Melania monozonalis</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 178.	
<i>Melania terebralis</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 178.	
<i>Melania columella</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 179.	
<i>Melania blanda</i> , Lea, n. s.	13
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 179.	
<i>Melania crebri-costata</i> , Lea, n. s.	13
Robinson County, Tenn., Dr. Currey.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 179.	
<i>Melania Curreyana</i> , Lea, n. s.	13
Barren River, Ky., Dr. Currey.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 180.	
<i>Melania Edgariana</i> , Lea, n. s.	14
Cany Fork, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 180.	
<i>Melania decora</i> , Lea, n. s.	14
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 181.	
<i>Melania costulata</i> , Lea, n. s.	14
Barren River, Kentucky, Dr. Currey.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 181.	
<i>Melania nitida</i> , Lea, n. s.	14
Tennessee, Dr. Troost.	
[Called <i>M. nitens</i> , in <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 182.]	
<i>Melania plicatula</i> , Lea, n. s.	14
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 182.	
<i>Melania concinna</i> , Lea, n. s.	14
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 183.	
Section 3.—Carinate Melaniæ.	
<i>Melania Babylonica</i> , Lea, n. s.	14
Yellow Springs, Green Co., Ohio, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 183.	

1841. LEA, ISAAC—Continued.

<i>Melania exarata</i> , Lea, n. s.	14
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 183.	
<i>Melania Potosiensis</i> , Lea, n. s.	14
Potosi, Missouri, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 184.	
<i>Melania acuto-carinata</i> , Lea, n. s.	14
Tennessee, Dr. Currey.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 184.	
<i>Melania Warderiana</i> , Lea, n. s.	14
Cedar Creek, a branch of Clinch River, Russell Co., Va., J. A. Warder, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 185.	
Section 4.—Sulcate <i>Melania</i> æ.	
<i>Melania sulcosa</i> , Lea, n. s.	14
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 185.	
Section 5.—Striate <i>Melania</i> æ.	
<i>Melania striata</i> , Lea, n. s.	15
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 186.	
Specific name changed to <i>striatula</i> because <i>striata</i> was preoccupied by Mr. Sowerby, for a fossil species. See <i>Proc. Amer. Philos. Soc.</i> , ii, 1842, p. 237, and <i>Transactions of the same Society</i> , viii, Corrigenda, between pages 250 and 251.	
<i>Melania pilula</i> , Lea, n. s.	15
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 186.	
<i>Melania circincta</i> , Lea, n. s.	15
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 187.	
Section 6.—Tuberculate <i>Melania</i> æ.	
<i>Melania venusta</i> , Lea, n. s.	15
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 187.	
<i>Melania Florentiana</i> , Lea, n. s.	15
Tennessee River, Florence, Alabama, Mr. Dutton.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 188.	
<i>Melania Duttoniana</i> , Lea, n. s.	15
Waters of Tennessee, Dr. Troost; Duck River, Maury Co., Tenn., Mr. Dutton.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 188.	
Section 7.—Granulate <i>Melania</i> æ.	
<i>Melania Holstonia</i> , Lea, n. s.	15
Tennessee, Dr. Troost; Holsten River, Tenn., Mr. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 189.	
Section 8.—Cancellate <i>Melania</i> æ.	
<i>Melania caliginosa</i> , Lea, n. s.	15
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 189.	
<i>Melania nodulosa</i> , Lea, n. s.	15
Tennessee, Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 190.	

38.

1841. LEA, ISAAC. Description of Nineteen new Species of Colimacea. <*Trans. Amer. Philos. Soc.*, N. S., vii, Part III., pp. 455-465, plates 11 & 12 (colored). Separate, 4^o, pp. 1-11, same plates.

Read before the American Philosophical Society, February 21, 1840. *Transactions vol. vii, Part III*, presented to the meeting of the Society, April 2, 1841. (See *Proc. Amer. Philos. Soc.*, ii, 1841, p. 43.)

The Latin descriptions of the species were published in the *Proc. Amer. Philos. Soc.*, i, pp. 173-175. (See No. 31.)

Bulimus subglobosus, Lea, pl. xi, fig. 1 455
Proc. Amer. Philos. Soc., i, p. 173.

1841. LEA, ISAAC—Continued.

<i>Bulinus virido-striatus</i> , Lea, pl. xi, fig. 2.....	455
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Bulinus virginicus</i> , Lea, pl. xi, fig. 3.....	456
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174, as <i>Bulinus Virginicus</i> .	
<i>Bulinus Liberianus</i> , Lea, pl. xi, fig. 4.....	457
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Bulinus Woodianus</i> , Lea, pl. xi, fig. 5.....	457
<i>Proc. Amer. Philos. Soc.</i> , i, p. 173.	
<i>Bulinus gracilis</i> , Lea, pl. xi, fig. 6.....	458
<i>Proc. Amer. Philos. Soc.</i> , i, p. 173.	
<i>Bulinus carinatus</i> , Lea, pl. xi, fig. 7.....	458
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Bulinus bicoloratus</i> , Lea, pl. xi, fig. 8.....	459
<i>Proc. Amer. Philos. Soc.</i> , i, p. 173.	
<i>Helix Blandingiana</i> , Lea, pl. xii, fig. 9.....	459
<i>Proc. Amer. Philos. Soc.</i> , i, p. 175.	
<i>Helix Balestieriana</i> , Lea, pl. xii, fig. 10.....	460
<i>Proc. Amer. Philos. Soc.</i> , i, p. 175, as <i>Helix balasteriana</i> .	
<i>Helix Lamarckiana</i> , Lea, pl. xii, fig. 11.....	461
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Helix Cuvieriana</i> , Lea, pl. xii, fig. 12.....	461
<i>Proc. Amer. Philos. Soc.</i> , i, p. 175.	
<i>Helix luteo-fasciata</i> , Lea, pl. xii, fig. 13.....	462
<i>Proc. Amer. Philos. Soc.</i> , i, p. 175.	
<i>Helix cepoides</i> , Lea, pl. xii, fig. 14.....	462
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Helix Blainvilliana</i> , Lea, pl. xii, fig. 15.....	463
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Helix Humphreysiana</i> , Lea, pl. xii, fig. 16.....	463
<i>Proc. Amer. Philos. Soc.</i> , i, p. 175.	
<i>Helix ferruginea</i> , Lea, pl. xii, fig. 17.....	464
<i>Proc. Amer. Philos. Soc.</i> , i, p. 175.	
<i>Carocola bifasciata</i> , Lea, pl. xii, fig. 18.....	465
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	
<i>Cyclostoma Woodiana</i> , Lea, pl. xii, fig. 19.....	465
<i>Proc. Amer. Philos. Soc.</i> , i, p. 174.	

39.

1841. LEA, ISAAC. Continuation of paper On Fresh Water and Land Shells. <Proc. Amer. Philos. Soc., ii, 1841, pp. 30-34.

Read before the American Philosophical Society February 19, 1841, and ordered to be published March 5, 1841. Proceedings for March and April were presented to the Society May 7, 1841. (See Proc. Amer. Philos. Soc., ii, 1841, p. 58.)

The part of the paper published in the Proceedings consists of the Latin descriptions of the species. The full paper was published in the Transactions of the Society in two parts, one containing the descriptions of the first ten species in vol. viii, pp. 230-241, as part of Article XII, and the other completing the paper in vol. ix, pp. 1-17, as part of Article I. (See Nos. 43 and 51.)

<i>Unio Sapotalensis</i> , Lea, n. s.....	30
Sapotal River, near Tlocatalpam, Mex., Dr. Burrough.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 233.	
<i>Unio Tecomatensis</i> , Lea, n. s.....	30
Tecomate River, near Tlocatalpam, Mex., Dr. Burrough.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 234.	
<i>Unio Rajahensis</i> , Lea, n. s.....	30
The Rajah's tanks, Calcutta, Dr. Jay.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 239.	
<i>Unio Bigbyensis</i> , Lea, n. s.....	30
Big Bigby Creek, Maury Co., Tenn., T. R. Dutton.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 237.	
<i>Unio erocatus</i> , Lea, n. s.....	31
Savannah River, Georgia, T. R. Dutton.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 238.	
<i>Unio callosus</i> , Lea, n. s.....	31
Ohio Canal, 12 miles below Columbus, Dr. Jay.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 239.	

1841. LEA, ISAAC—Continued.

<i>Unio Duttonianus</i> , Lea, n. s.	31
Ogeehee Canal, Savannah, Georgia, T. R. Dutton. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 236.	
<i>Unio Georgianus</i> , Lea, n. s.	31
Stump Creek, Georgia, T. R. Dutton. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 235.	
<i>Anodonta Montezuma</i> , Lea, n. s.	31
Central America, Dr. Jay. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 240.	
<i>Anodonta globosa</i> , Lea, n. s.	31
Concha Lake, near Tloecatalpam, Mex., Dr. Burrough. <i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 241.	
<i>Helix Tennesseensis</i> , Lea, n. s.	31
Cumberland Mts., Tenn., S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 1.	
<i>Carocolla Edgariana</i> , Lea, n. s.	31
Cumberland Mts., Tenn., S. M. Edgar. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 2.	
<i>Bulimus Jayanus</i> , Lea, n. s.	31
Java. ? <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 2.	
<i>Achatina turbinata</i> , Lea, n. s.	31
Liberia, Dr. Blanding. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 2.	
<i>Achatina striata</i> , Lea, n. s.	31
Liberia, Dr. Blanding. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 3.	
<i>Succinea gracilis</i> , Lea, n. s.	31
Java. ? <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 3.	
<i>Succinea Wardiana</i> , Lea, n. s.	31
Ohio, Dr. Ward. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 3.	
<i>Succinea Totteniana</i> , Lea, n. s.	32
Newport, R. I., Col. Totten, U. S. Army. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 4.	
<i>Succinea Nuttalliana</i> , Lea, n. s.	32
Oregon., Prof. Nuttall. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 4.	
<i>Succinea aurea</i> , Lea, n. s.	32
Springfield, Ohio, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 4.	
<i>Succinea Candéana</i> , Lea, n. s.	32
Martinique, Lieut. Candé. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 5.	
<i>Succinea fulgens</i> , Lea, n. s.	32
Cuba, M. Poey. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 5.	
<i>Succinea Oregonensis</i> , Lea, n. s.	32
Oregon, Prof. Nuttall. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 5.	
<i>Succinea inflata</i> , Lea, n. s.	32
South Carolina, Prof. Ravenel. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 5.	
<i>Planorbis regularis</i> , Lea, n. s.	32
U. States. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 6.	
<i>Planorbis Buchananensis</i> , Lea, n. s.	32
Near Cincinnati, Ohio, R. Buchanan. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 6.	
<i>Planorbis bellus</i> , Lea, n. s.	32
Tennessee, Dr. Troost. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 6.	
<i>Physa Hildrethiana</i> , Lea, n. s.	32
A Lake in Illinois, Dr. Hildreth. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 7.	

1841. LEA, ISAAC—Continued.

<i>Physa inflata</i> , Lea, n. s.	32
Virginia, between the Salt Sulphur and the Sweet Spring, P. H. Nicklin. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 7.	
<i>Physa Troostensis</i> , Lea, n. s.	32
Near Nashville, Tenn., Dr. Troost. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 7, as <i>Physa Troostiana</i> .	
<i>Lymnea Philadelphica</i> , Lea, n. s.	32
Schuylkill, near Philadelphia. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 8.	
<i>Lymnea Griffithiana</i> , Lea, n. s.	33
Charlotte Lake, Columbia Co., New York, Dr. Griffith. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 8.	
<i>Lymnea Nuttalliana</i> , Lea, n. s.	33
Oregon, Prof. Nuttall. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 9.	
<i>Lymnea bulimoides</i> , Lea, n. s.	33
Oregon, Prof. Nuttall. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 9.	
<i>Lymnea exigua</i> , Lea, n. s.	33
Tennessee, Dr. Troost. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 9.	
<i>Lymnea planulata</i> , Lea, n. s.	33
White Sulphur Springs, Virginia, P. H. Nicklin. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 9.	
<i>Lymnea fusiformis</i> , Lea, n. s.	33
Niagara River, Lewistown, N. Y., Tobias Wagner. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 10.	
<i>Lymnea rustica</i> , Lea, n. s.	33
Poland, Ohio, Dr. Kirtland. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 10.	
<i>Lymnea plicata</i> , Lea, n. s.	33
Tennessee, Dr. Troost. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 10.	
<i>Lymnea coarctata</i> , Lea, n. s.	33
Newport, R. I., Col. Totten, U. S. Army. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 11.	
<i>Lymnea casta</i> , Lea, n. s.	33
Poland, Ohio, Dr. Kirtland. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 11.	
<i>Lymnea parva</i> , Lea, n. s.	33
Cincinnati, Ohio, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 11.	
<i>Lymnea curta</i> , Lea, n. s.	33
Cincinnati, Ohio, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 11.	
<i>Lymnea strigosa</i> , Lea, n. s.	33
Near Cincinnati, Ohio, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 12.	
<i>Lymnea Kirtlandiana</i> , Lea, n. s.	33
Poland, Ohio, Dr. Kirtland. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 12.	
<i>Lymnea rubella</i> , Lea, n. s.	33
Oahu, Prof. Nuttall. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 12.	
<i>Paludina regularis</i> , Lea, n. s.	34
Ohio?, T. G. Lea. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 13.	
<i>Paludina obtusa</i> , Lea, n. s.	34
Ohio, Dr. Kirtland. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 13.	
<i>Paludina Troostiana</i> , Lea, n. s.	34
Tenn., Dr. Troost. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 14.	

1841. LEA, ISAAC—Continued.

<i>Anculosa Troostiana</i> , Lea, n. s.	34
Tenn., Prof. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 15.	
<i>Anculosa gibbosa</i> , Lea, n. s.	34
Tennessee, Prof. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 15.	
<i>Anculosa dentata</i> , Lea, n. s.	34
Vicinity of Richmond, Va., J. A. Warder, M. D.	
<i>Anculosa carinata</i> , Lea, n. s.	34
Roanoke River, Lafayette, J. A. Warder, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 15.	
<i>Anculosa variabilis</i> , Lea, n. s.	34
Roanoke River, Lafayette, J. A. Warder, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 15.	
<i>Amnicola orbiculata</i> , Lea, n. s.	34
Springfield, Ohio, and Schuykill, ? near Philadelphia, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 16.	
<i>Amnicola parva</i> , Lea, n. s.	34
Springfield, Ohio, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 16.	
<i>Io tenebrosa</i> , Lea, n. s.	34
Tennessee, S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 17.	

40.

1841. LEA, ISAAC. Continuation of Mr. Lea's Paper on Fresh Water and Land Shells. <*Proc. Amer. Philos. Soc.*, ii, July, 1841, pp. 81-83.

Read before the American Philosophical Society, June 18, 1841, and ordered to be published in the Transactions, July 16, 1841.

The whole article was published in two parts in the Transactions, the part relating to the first five species in volume viii, pp. 242-245, and the rest in volume ix, pp. 17-23. (See numbers 43 and 51.)

The portion published in the Proceedings consists of the Latin descriptions.

Proceedings for July, 1841, was received by the Academy Natural Sciences, Phila., on or before November 16, 1841. (See *Proc. Acad. Nat. Sci., Phila.*, i, p. 123.)

<i>Unio Brumbyanus</i> , Lea, n. s.	82
Warrior River, Tuscaloosa, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 245.	
<i>Unio regularis</i> , Lea, n. s.	82
French Broad River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 243.	
<i>Unio mæstus</i> , Lea, n. s.	82
French Broad River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 244.	
<i>Unio sparsus</i> , Lea, n. s.	82
Holston River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 242.	
<i>Unio argenteus</i> , Lea, n. s.	82
Holston River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 242.	
<i>Helix Mobiliana</i> , Lea, n. s.	82
Vicinity of Mobile, Alabama, Charles Lea.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 17.	
<i>Helix minutissima</i> , Lea, n. s.	82
Vicinity of Cincinnati, T. G. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 17.	
<i>Melania turgida</i> , Lea, n. s.	82
Holston River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 18.	
<i>Melania glabra</i> , Lea, n. s.	82
Holston River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 18.	
<i>Melania perfusca</i> , Lea, n. s.	82
Calfkiller Creek, Tenn. S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 18.	

1841. LEA, ISAAC—Continued.

<i>Melania picta</i> , Lea, n. s.	82
Holston River, East Tennessee, Dr. Troost and S. M. Edgar.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 19.	
<i>Melania impressa</i> , Lea, n. s.	83
Coosa River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 19.	
<i>Melania robusta</i> , Lea, n. s.	83
Coosa River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 19.	
<i>Melania Jayana</i> , Lea, n. s.	83
Cany Fork, De Kalb Co., Tenn., Dr. Troost.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 20.	
<i>Anculosa rubiginosa</i> , Lea, n. s.	83
Warrior River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 20.	
<i>Anculosa bella</i> , Lea, n. s.	83
Warrior River, Alabama, Prof. Brumby.	
<i>Anculosa Griffithiana</i> , Lea, n. s.	83
Coosa River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 20.	
<i>Anculosa tuberculata</i> , Lea, n. s.	83
Warrior River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 21.	
<i>Valvata bicarinata</i> , Lea, n. s.	83
Schuylkill River, west side, below Permanent Bridge, H. C. Lea.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 21.	
<i>Paludina angulata</i> , Lea, n. s.	83
Coosa River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 22.	
<i>Paludina Coosaensis</i> , Lea, n. s.	83
Coosa River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 23.	
<i>Paludina cyclostomaformis</i> , Lea, n. s.	83
Coosa River, Alabama, Prof. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 23, as <i>Paludina cyclostomatiformis</i> .	

41.

1842. LEA, ISAAC. [On the occurrence of <i>Melania attilis</i> on the shore of the Schuylkill near Philadelphia.] < <i>Proc. Amer. Philos. Soc.</i> , ii, p. 150.	
Verbal communication made March 4, 1842.	
<i>Melania attilis</i> , Lea	150

42.

1842. LEA, ISAAC. ["On Rocks perforated by Lithodomi, etc., and subsequently raised above the level of the sea."] < <i>Proc. Amer. Philos. Soc.</i> , ii, p. 213.	
Verbal communication made September 16, 1842.	
"The rock from which this specimen was taken is a compact sandstone, composed of minute grains of quartz, cemented by carbonate of lime, and perforated by <i>Lithodomi</i> or Boring Mollusca, being identical with the species now inhabiting the neighboring sea coast, and consisting of <i>Petricola solida</i> , <i>P. denticulata</i> , <i>Lithophagus dactylus</i> , &c. The included shells are nearly in a perfect state."	

43.

1842. LEA, ISAAC. Description of New Fresh Water and Land Shells. < <i>Trans. Amer. Philos. Soc.</i> , viii, Part II, Article xii, pp. 163-250. Separate, see (No. 44).	
Part II of Vol. VIII of the Transactions presented to the meeting of the Society December 16, 1842. (See <i>Proc. Amer. Philos. Soc.</i> , ii, p. 243.)	
This article consists of six parts read at different times before the American Philosophical Society.	
Pp. 163-190, read January 15, 1841, No. 37.	
Pp. 190-191, read December 21, 1838, No. 30.	
Pp. 191-229, read October 2, 1840, No. 35.	
Pp. 230-241, read February 19, 1841, No. 39.	
Pp. 242-245, read June 18, 1841, No. 40.	
Pp. 246-249, read October 21, 1842, No. 45.	

1842. LEA, ISAAC—Continued.

The place where the Latin description of each species was first published in the Proceedings of the Society is indicated after mention of the name of the species.

Besides descriptions and remarks upon new species, this article contains valuable information upon the number of species at that time known to inhabit the waters of the United States, upon the synonymy of *Melania* or *Anculosa inflata*, Lea (p. 172), and especially upon the gestation of the family Naïades (pp. 230-233).

<i>Melania Hildrethiana</i> , Lea, pl. 5, fig. 1	164
Proc. Amer. Philos. Soc., ii, 1841, p. 11.	
<i>Melania castanea</i> , Lea, pl. 5, fig. 2	164
Proc. Amer. Philos. Soc., ii, 1841, p. 11.	
<i>Melania lævigata</i> , Lea, pl. 5, fig. 3	165
Changed to <i>M. lævis</i> in Corrigenda.	
Proc. Amer. Philos. Soc., ii, 1841, p. 11.	
<i>Melania Kirtlandiana</i> , Lea, pl. 5, fig. 4	165
Proc. Amer. Philos. Soc., ii, 1841, p. 11.	
<i>Melania Taitiano</i> , Lea, pl. 5, fig. 5	165
Proc. Amer. Philos. Soc., ii, 1841, p. 11.	
<i>Melania dubiosa</i> , Lea, pl. 5, fig. 6	166
Proc. Amer. Philos. Soc., ii, 1841, p. 11, as <i>M. dubia</i> .	
<i>Melania ebum</i> , Lea, pl. 5, fig. 7	166
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania rufa</i> , Lea, pl. 5, fig. 8	167
Changed to <i>M. rufescens</i> in Corrigenda.	
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania fusiformis</i> , Lea, pl. 5, fig. 9	167
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania claviformis</i> , Lea, pl. 5, fig. 10	168
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania gracilis</i> , Lea, pl. 5, fig. 11	168
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania subsolida</i> , Lea, pl. 5, fig. 12	168
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania Ocoéensis</i> , Lea, pl. 5, fig. 13	169
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania subcylindracea</i> , Lea, pl. 5, fig. 14	169
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania sordida</i> , Lea, pl. 5, fig. 15	170
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania regularis</i> , Lea, pl. 5, fig. 16	170
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania fuliginosa</i> , Lea, pl. 5, fig. 17	170
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania Nickliniana</i> , Lea, pl. 5, fig. 18	171
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania viridis</i> , Lea, pl. 5, fig. 19	172
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania occidentalis</i> , Lea, pl. 5, fig. 20	172
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania Niagarensis</i> , Lea, pl. 5, fig. 21	173
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania globula</i> , Lea, pl. 5, fig. 22	174
Proc. Amer. Philos. Soc., ii, 1841, p. 12.	
<i>Melania altitilis</i> , Lea, pl. 5, fig. 23	174
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	
<i>Melania strigosa</i> , Lea, pl. 5, fig. 24	175
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	
<i>Melania virgata</i> , Lea, pl. 5, fig. 25	175
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	
<i>Melania tenebrosa</i> , Lea, pl. 5, fig. 26	176
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	
<i>Melania teres</i> , Lea, pl. 5, fig. 27	176
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	
<i>Melania obtusa</i> , Lea, pl. 5, fig. 28	176
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	
<i>Melania Lecontiana</i> , Lea, pl. 5, fig. 29	177
Proc. Amer. Philos. Soc., ii, 1841, p. 13.	

1842. LEA, ISAAC—Continued.

<i>Melania corrugata</i> , Lea, pl. 5, fig. 30	177
Changed to <i>M. rugosa</i> in Corrigenda.	
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania monozonalis</i> , Lea, pl. 6, fig. 31	178
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania terebralis</i> , Lea, pl. 6, fig. 32	178
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania columella</i> , Lea, pl. 6, fig. 33	179
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania blanda</i> , Lea, pl. 6, fig. 34	179
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania crebri-costata</i> , Lea, pl. 6, fig. 35	179
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania Curreyana</i> , Lea, pl. 6, fig. 36	180
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 13.	
<i>Melania Edgariana</i> , Lea, pl. 6, fig. 37	180
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania decora</i> , Lea, pl. 6, fig. 38	181
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania costulata</i> , Lea, pl. 6, fig. 39	181
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania nitens</i> , Lea, pl. 6, fig. 40	182
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14, as <i>M. nitida</i> .	
<i>Melania plicatula</i> , Lea, pl. 6, fig. 41	182
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania concinna</i> , Lea, pl. 6, fig. 42	183
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania Babylonica</i> , Lea, pl. 6, fig. 43	183
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania exarata</i> , Lea, pl. 6, fig. 44	183
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania Potosiensis</i> , Lea, pl. 6, fig. 45	184
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania acuto-carinata</i> , Lea, pl. 6, fig. 46	184
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania Warderiana</i> , Lea, pl. 6, fig. 47	185
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania sulcosa</i> , Lea, pl. 6, fig. 48	185
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 14.	
<i>Melania striata</i> , Lea, pl. 6, fig. 49	186
Changed to <i>M. striatula</i> in Corrigenda.	
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania pilula</i> , Lea, pl. 6, fig. 50	186
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania circincta</i> , Lea, pl. 6, fig. 51	187
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania venusta</i> , Lea, pl. 6, fig. 52	187
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania Florentiana</i> , Lea, pl. 6, fig. 53	188
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania Duttoniana</i> , Lea, pl. 6, fig. 54	188
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania Holstonia</i> , Lea, pl. 6, fig. 55	189
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania caliginosa</i> , Lea, pl. 6, fig. 56	189
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania nodulosa</i> , Lea, pl. 6, fig. 57	190
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 15.	
<i>Melania Cincinnatiensis</i> , Lea, pl. 6, fig. 58	190
<i>Proc. Amer. Philos. Soc.</i> , i, 1839, p. 66.	
<i>Unio exiguus</i> , Lea, pl. 7, fig. 1	191
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio cucumoides</i> , Lea, pl. 7, fig. 2	192
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	
<i>Unio cuneolus</i> , Lea, pl. 7, fig. 3	193
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	

1842. LEA, ISAAC—Continued.

<i>Unio Cincinnatiensis</i> , Lea, pl. 8, fig. 4	194
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	
<i>Unio Stonensis</i> , Lea, pl. 8, fig. 5	195
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio Lesueurianus</i> , Lea, pl. 8, fig. 6	195
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio dactylus</i> , Lea, pl. 9, fig. 7	196
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio biangulatus</i> , Lea, pl. 9, fig. 8	197
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288, as <i>U. biangularis</i> .	
<i>Unio strigosus</i> , Lea, pl. 9, fig. 9	198
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio tener</i> , Lea, pl. 10, fig. 10	198
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio Tennesseensis</i> , Lea, pl. 10, fig. 11	199
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio amœnus</i> , Lea, pl. 10, fig. 12	200
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio obtusus</i> , Lea, pl. 11, fig. 13	201
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio fatuus</i> , Lea, pl. 11, fig. 14	201
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio Geddingsianus</i> , Lea, pl. 11, fig. 15	202
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	
<i>Unio striatus</i> , Lea, pl. 12, fig. 16	203
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio tortivus</i> , Lea, pl. 12, fig. 17	204
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio lenior</i> , Lea, pl. 12, fig. 18	204
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286, as <i>Unio lenis</i> .	
<i>Unio nitens</i> , Lea, pl. 12, fig. 19	205
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio lineatus</i> , Lea, pl. 12, fig. 20	206
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio atro-marginatus</i> , Lea, pl. 13, fig. 21	207
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio Boykinianus</i> , Lea, pl. 13, fig. 22	208
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio subangulatus</i> , Lea, pl. 13, fig. 23	209
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio pilaris</i> , Lea, pl. 14, fig. 24	209
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	
<i>Unio tuberosus</i> , Lea, pl. 14, fig. 25	210
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio plenus</i> , Lea, pl. 14, fig. 26	211
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio Holstonensis</i> , Lea, pl. 15, fig. 27	212
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio Bournianus</i> , Lea, pl. 15, fig. 28	213
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio paulus</i> , Lea, pl. 15, fig. 29	213
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio Edgarianus</i> , Lea, pl. 15, fig. 30	214
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio dolabelloides</i> , Lea, pl. 15, fig. 31	215
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Unio Boydianus</i> , Lea, pl. 16, fig. 32	216
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio Sloatianus</i> , Lea, pl. 16, fig. 33	217
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 287.	
<i>Unio incrassatus</i> , Lea, pl. 16, fig. 34	217
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio delphinus</i> , Lea, pl. 17, fig. 35	218
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	

1842. LEA, ISAAC—Continued.

<i>Unio pusillus</i> , Lea, pl. 18, fig. 36.....	220
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 286.	
<i>Unio Javanus</i> , Lea, pl. 18, fig. 37.....	220
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	
<i>Unio orientalis</i> , Lea, pl. 18, fig. 38.....	221
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 285.	
<i>Margaritana Vondenbuschiana</i> , Lea, pl. 18, fig. 39.....	222
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Margaritana Curreyana</i> , Lea, pl. 18, fig. 40.....	223
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 288.	
<i>Anodonta argentea</i> , Lea, pl. 19, fig. 41.....	223
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Anodonta Harpethensis</i> , Lea, pl. 19, fig. 42.....	224
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Anodonta ferruginea</i> , Lea, pl. 19, fig. 43.....	225
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Anodonta Footiana</i> , Lea, pl. 20, fig. 44.....	225
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Anodonta Maryattana</i> , Lea, pl. 20, fig. 45.....	226
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289, as <i>A. Maryattiana</i> .	
<i>Anodonta Couperiana</i> , Lea, pl. 20, fig. 46.....	227
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289, as <i>Unio Couperiana</i> .	
<i>Melania Boykiniana</i> , Lea, pl. 6, fig. 59.....	228
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Melania catenoides</i> , Lea, pl. 6, fig. 60.....	228
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289, as <i>Melania catenaria</i> .	
<i>Carocolla Cumberlandiana</i> , Lea, pl. 6, fig. 61.....	229
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Cyclostoma Cincinnatiensis</i> , Lea, pl. 6, fig. 62.....	229
<i>Proc. Amer. Philos. Soc.</i> , i, 1840, p. 289.	
<i>Unio Sapotalensis</i> , Lea, pl. 21, fig. 47.....	233
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 30.	
<i>Unio Tecomatensis</i> , Lea, pl. 21, fig. 48.....	234
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 30.	
<i>Unio Georgianus</i> , Lea, pl. 21, fig. 49.....	235
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 31.	
<i>Unio Duttonianus</i> , Lea, pl. 22, fig. 50.....	236
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 31.	
<i>Unio Bigbyensis</i> , Lea, pl. 22, fig. 51.....	237
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 30.	
<i>Unio crocatus</i> , Lea, pl. 22, fig. 52.....	238
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 31.	
<i>Unio Rajahensis</i> , Lea, pl. 23, fig. 53.....	239
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 30.	
<i>Unio callosus</i> , Lea, pl. 23, fig. 54.....	239
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 31.	
<i>Anodonta Montezuma</i> , Lea, pl. 23, fig. 55.....	240
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 31.	
<i>Anodonta globosa</i> , Lea, pl. 24, fig. 56.....	241
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 31.	
<i>Unio argenteus</i> , Lea, pl. 25, fig. 57.....	242
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Unio sparsus</i> , Lea, pl. 25, fig. 58.....	242
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Unio regularis</i> , Lea, pl. 25, fig. 59.....	243
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Unio mastus</i> , Lea, pl. 26, fig. 60.....	244
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Unio Brumbyanus</i> , Lea, pl. 26, fig. 62.....	245
This is given as <i>U. Brumleyanus</i> , in the <i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Unio Dariensis</i> , Lea, n. s., pl. 26, fig. 61.....	246
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 225.	
<i>Unio Haleianus</i> , Lea, n. s., pl. 27, fig. 63.....	247
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 224.	
<i>Unio Foremanianus</i> , Lea, n. s., pl. 27, fig. 64.....	247
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 224.	

1842. LEA, ISAAC—Continued.

<i>Anodonta Dunlapiana</i> , Lea, n. s., pl. 27, fig. 65.....	248
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 225.	
Systematic Index.....	250
Contents.	
Corrigenda.	

44.

1842. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species in the Families Naiades, | Colimaceae, Lymnaeana, Melaniana | and Peristomiana. | Read before the American Philosophical Society, and originally | published in its Transactions, | with numerous plates. | By Isaac Lea, | [Title] | Vol. iii. | Philadelphia: | Printed for the author. 4^o. pp. 88. pls. 5-27.

This is separate of No. 43, repaged, and forms volume III of the series of XIII volumes of "Observations on the Genus *Unio*."

45.

1842. LEA, ISAAC. Continuation of paper On New Fresh Water and Land Shells. <*Proc. Amer. Philos. Soc.*, ii, pp. 224-225. (October.)

Read before the American Philosophical Society October 21, 1842 The publication of Nos. 23 (August, September, and October, 1842) and 24 (November and December, 1842) of the Proceedings was announced to the Society January 6, 1843 (See *Proc. Amer. Philos. Soc.*, ii, p. 247), but No. 24 was received by the Academy of Natural Sciences, Philadelphia, on or before January 3, 1843. (See *Proc. Acad. Nat. Sci., Phila.*, i, p. 234.)

The full paper appears in the *Trans. Amer. Philos. Soc.*, vol. viii, pp. 246-249, as part of Article XII. (See No. 43.) The portion printed in the Proceedings consists of the Latin descriptions with mention of habitat.

<i>Unio Foremanianus</i> , Lea	224
Coosa River, Alabama, Dr. Brumby.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 247.	
<i>Unio Halcianus</i> , Lea	224
Mississippi River, 30 miles above New Orleans, Josiah Hale, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 247.	
<i>Unio Dariensis</i> , Lea.....	225
Near Darien, Georgia, J. H. Couper, Esq.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 246.	
<i>Anodonta Dunlapiana</i> , Lea	225
South Carolina, Mrs. Dunlap.	
<i>Trans. Amer. Philos. Soc.</i> , viii, 1842, p. 248.	

46.

1843. LEA, ISAAC. [On the form and structure of turbinated and discoid univalve shells.] <*Proc. Amer. Philos. Soc.*, ii, pp. 234-235. No. 24. (November and December, 1842.)

Communication made November 18, 1842. No. 24 (November and December, 1842) of the Proceedings was received by the Academy of Natural Sciences of Philadelphia on or before January 3, 1843. (See *Proc. Acad. Nat. Sci., Phila.*, i, p. 234.)

Remarks relating to the conformation of the conchospiral to the logarithmic spiral, with measurements of *Turbo duplicatus*.

47.

1843. LEA, ISAAC. [Change of several specific names of *Melania*, because of pre-occupation.] <*Proc. Amer. Philos. Soc.*, ii, p. 237. (December, No. 24.)

Communication made December 2, 1842. No. 24 (Nov. & Dec., 1842) of the Proceedings was received by the Academy of Natural Sciences of Philadelphia on or before January 3, 1843. (See *Proc. Acad. Nat. Sci., Phila.*, i, p. 234.)

<i>Melania rufa</i> , to <i>M. rufescens</i> .
<i>Melania striata</i> , to <i>M. striatula</i> .
<i>Melania levigata</i> , to <i>M. levis</i> .
<i>Melania corrugata</i> , to <i>M. rugosa</i> .

Mr. Lea also proposed the provisional name of *pressus* for his *Unio compressus* (See *Trans. Amer. Philos. Soc.*, iii, N. S., p. 450, under *Symphynota compressa*) should Mr. Sowerby's *Unio compressus* prove to be a true *Unio*.

1843. LEA, ISAAC. Continuation of Paper on Fresh Water Shells. <Proc. Amer. Philos. Soc., ii, pp. 241-243. (December, No. 24.)

Read before the American Philosophical Society December 16, 1842. No. 24 (Nov. & Dec., 1842) of the Proceedings was received by the Academy of Natural Sciences, Philadelphia, on or before January 3, 1843. (See Proc. Acad. Nat. Sci., Phila., i, p. 234.)

The full paper will be found in the Transactions of the American Philosophical Society, ix, pp. 24-30, as part of Article I (see No. 51), the portion published in the Proceedings consisting almost entirely of the Latin descriptions of the species. Besides this the names of four species are changed because of preoccupation.

Names changed because of preoccupation..... 242

Melania plicatula, to *M. Deshayesiana*.

Melania plicata, to *M. Menkiana* = *M. Menkiana*, Trans. Amer. Philos. Soc., ix, 1844, p. 24.

Melania exarata, to *M. arata*.

Planorbis lens, to *P. Brogniartiana*.

NEW SPECIES.

Melania Vanuxemiana, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 25.

Melania ovalis, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 25.

Melania Haysiana, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 25.

Melania excisa, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 25.

SCHIZOSTOMA, Lea, n. g. 242

This is a new genus proposed in a foot-note for *Melania excisa* should the animal be found to differ from that of *Melania*.

Melania Ordiana, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 26.

Melania brevis, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 26.

Melania oliva, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 27.

Melania Foremani, Lea, n. s. 242

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 27.

Melania torquata, Lea, n. s. 242

Tennessee, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 27.

Melania producta, Lea, n. s. 243

Tennessee, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 28.

Melania curvata, Lea, n. s. 243

Tennessee, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 28.

Melania expansa, Lea, n. s. 243

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 28.

Anculosa incisa, Lea, n. s. 243

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 28.

Anculosa Foremani, Lea, n. s. 243

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 29.

Anculosa solida, Lea, n. s. 243

Alabama, Dr. Foreman.

Trans. Amer. Philos. Soc., ix, 1844, p. 29.

1843. LEA, ISAAC—Continued.

<i>Anculosa flammata</i> , Lea, n. s.	243
Alabama, Dr. Foreman. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 30.	
<i>Paludina incrassata</i> , Lea, n. s.	243
Alabama, Dr. Foreman. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 30.	
<i>Paludina coarctata</i> , Lea, n. s.	343
Alabama, Dr. Foreman. <i>Trans. Amer. Philos. Soc.</i> , ix, 1844, p. 30.	

49.

1843. LEA, ISAAC. [Communication objecting to Mr. Haldeman's proposed change in the orthography of two of Mr. Lea's species of *Unio*.] <*Proc. Acad. Nat. Sci., Phila.*, i, pp. 215-216. (Nos. 20, 21, Nov. & Dec., 1842.)

Communicated to the Academy by letter, dated October 31, 1842, and read November 1, 1842. Nos. 20, 21 (Nov. & Dec., 1842) were received by the American Philosophical Society on or before February 3, 1843.

The species referred to are:

Unio Couperiana, Lea, and

Unio Nashvillianus, Lea.

50.

1843. LEA, ISAAC. Description of Twelve New Species of *Uniones*. By Isaac Lea. Read before the American Philosophical Society August 18, 1843.

Title taken from *Proc. Amer. Philos. Soc.*, iv, p. 11.

This is a printed sheet, dated August 19, 1843, and consists of the descriptions of twelve new species of *Uniones* contained in a memoir read before the American Philosophical Society August 18, 1843, permission having been given Mr. Lea to publish an abstract of the memoir in anticipation of the Transactions. Received by the Academy of Natural Sciences of Philadelphia on or before August 22, 1843. (See *Proc. Acad. Nat. Sci., Phila.*, i, p. 289.)

The full memoir will be found in the *Trans. Amer. Philos. Soc.*, ix, pp. 275-282. (See No. 54.)

Unio amygdalum, Lea, n. s.

Lake George, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 275.

Unio Buckleyi, Lea, n. s.

Lake George & Lake Monroe, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 276.

Unio minor, Lea, n. s.

Lake Monroe & Lake George, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 276.

Unio fuscatus, Lea, n. s.

Black Creek, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 277.

Unio Buddianus, Lea, n. s.

Lake George and Lake Monroe, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 277.

Unio trossulus, Lea, n. s.

Lake Monroe, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 278.

Unio occultus, Lea, n. s.

Black Creek and Lake Monroe, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 279.

Unio Monroensis, Lea, n. s.

Lake Monroe, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 279.

Unio aheneus, Lea, n. s.

Black Creek, Florida, S. B. Buckley.

Trans. Amer. Philos. Soc., ix, p. 280.

Unio neglectus, Lea, n. s.

North Alabama, Dr. Budd.

Trans. Amer. Philos. Soc., ix, p. 280.

Unio superbus, Lea, n. s.

New Holland, J. C. Jay, M. D.

Trans. Amer. Philos. Soc., ix, p. 281.

Unio aratus, Lea, n. s.

Hab.: ———.

Trans. Amer. Philos. Soc., ix, 282.

1844. LEA, ISAAC. Continuation of Mr. Lea's Paper on Fresh Water and Land Shells. < *Trans. Amer. Philos. Soc.*, ix, Part I, pp. 1-31. Article I.

This article consists of three portions read at different times before the American Philo-
sophical Society.

Pp. 1-17, read February 19, 1841. (See *Proc. Amer. Philos. Soc.*, ii, pp. 33-34.)

Pp. 17-23, read June 18, 1841. (See *Proc. Amer. Philos. Soc.*, ii, pp. 82-83.)

Pp. 24-30, read December 16, 1842. (See *Proc. Amer. Philos. Soc.*, ii, pp. 242-243.)

Part I of vol. ix of the Transactions was presented to the meeting of the American Philo-
sophical Society April 5, 1844. (See *Proc. Amer. Philos. Soc.*, iv, 1844, p. 56.)

Remarks on the genera HELIX and CAROCOLLA (Lamarck) 1

Helix Tennesseeensis, Lea 1

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Carocola Edgariana, Lea 2

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Bulimus Jayanus, Lea 2

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Achatina turbinata, Lea 2

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Achatina striata, Lea 3

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Genus SUCCINEA (Draparnaud) 3

Succinea gracilis, Lea 3

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Succinea Wardiana, Lea 3

Proc. Amer. Philos. Soc., ii, 1841, p. 31.

Succinea Totteniana, Lea 4

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Succinea Nuttalliana, Lea 4

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Succinea aurea, Lea 4

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Succinea Candiana, Lea 5

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Succinea fulgens, Lea 5

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Succinea Oregonensis, Lea 5

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Succinea inflata, Lea 5

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

PLANORBIS (Lamarck) 5

Planorbis regularis, Lea 6

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Planorbis Buchanensis, Lea 6

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Planorbis bellus, Lea 6

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

PHYSA (Lamarck) 7

Physa Hildrethiana, Lea 7

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Physa inflata, Lea 7

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Physa Troostiana, Lea 7

Proc. Amer. Philos. Soc., ii, 1841, p. 32, as *Physa Troostensis*.

LYMNÆA (Lamarck) 8

Lymnæa Philadelphia, Lea 8

Proc. Amer. Philos. Soc., ii, 1841, p. 32.

Lymnæa Griffithiana, Lea 8

Proc. Amer. Philos. Soc., ii, 1841, p. 33.

Lymnæa Nuttalliana, Lea 9

Proc. Amer. Philos. Soc., ii, 1841, p. 33.

Lymnæa bulimoides, Lea 9

Proc. Amer. Philos. Soc., ii, 1841, p. 33.

Lymnæa exigua, Lea 9

Proc. Amer. Philos. Soc., ii, 1841, p. 33.

1844. LEA, ISAAC—Continued.

<i>Lymnæa planulata</i> , Lea	9
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa fusiformis</i> , Lea	10
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa rustica</i> , Lea	10
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa plica</i> , Lea	10
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa coarctata</i> , Lea	11
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa casta</i> , Lea	11
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa parva</i> , Lea	11
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa curta</i> , Lea	11
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa strigosa</i> , Lea	12
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa Kirtlandiana</i> , Lea	12
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
<i>Lymnæa rubella</i> , Lea	12
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 33.	
PALUDINA (Lamarck)	13
<i>Paludina regularis</i> , Lea	13
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Paludina obtusa</i> , Lea	13
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Paludina Troostiana</i> , Lea	14
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
ANCULOSA (Say)	14
<i>Anculosa Troostiana</i> , Lea	15
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Anculosa gibbosa</i> , Lea	15
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Anculosa carinata</i> , Lea	15
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Anculosa variabilis</i> , Lea	15
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
AMNICOLA (Gould)	16
<i>Amnicola orbiculata</i> , Lea	16
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Amnicola parva</i> , Lea	16
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
IO (Lea)	17
<i>Io tenebrosa</i> , Lea	17
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 34.	
<i>Helix Mobiliana</i> , Lea	17
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Helix minutissima</i> , Lea	17
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Melania turgida</i> , Lea	18
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Melania glabra</i> , Lea	18
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Melania perfusca</i> , Lea	18
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Melania picta</i> , Lea	19
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 82.	
<i>Melania impressa</i> , Lea	19
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Melania robusta</i> , Lea	19
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Melania Jayana</i> , Lea	20
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Anculosa rubiginosa</i> , Lea	20
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	

1844. LEA, ISAAC—Continued.

<i>Anculosa Griffithiana</i> , Lea	20
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Anculosa tuberculata</i> , Lea	21
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Valvata bicarinata</i> , Lea	21
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Paludina angulata</i> , Lea	22
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Paludina Coosensis</i> , Lea	23
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83.	
<i>Paludina cyclostomatiformis</i> , Lea	23
<i>Proc. Amer. Philos. Soc.</i> , ii, 1841, p. 83, as <i>Paludina cyclostomaformis</i> .	
Remarks on the Genus <i>Melania</i>	25
Foot note changing <i>Melania plicatula</i> , Lea, to <i>M. Deshayesiana</i> , Lea; <i>M. plicata</i> , Lea, to <i>M. Menkiana</i> , Lea; <i>M. exarata</i> , Lea, to <i>M. arata</i> , Lea; and <i>Planorbis lens</i> , Lea, to <i>P. Brogniartiana</i> , Lea.	
<i>Proc. Amer. Philos. Soc.</i> , ii, 1842, p. 242.	
<i>Melania Vanuxemiana</i> , Lea	25
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania ovalis</i> , Lea	25
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania Haysiana</i> , Lea	25
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania excisa</i> , Lea	25
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania Ordiana</i> , Lea	26
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania brevis</i> , Lea	26
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania oliva</i> , Lea	27
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania Foremani</i> , Lea	27
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania torquata</i> , Lea	27
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 242.	
<i>Melania producta</i> , Lea	28
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Melania curvata</i> , Lea	28
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Melania expansa</i> , Lea	28
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Anculosa incisa</i> , Lea	28
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Anculosa Foremani</i> , Lea	29
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Anculosa solida</i> , Lea	29
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Anculosa flammata</i> , Lea	30
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Paludina incrassata</i> , Lea	30
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
<i>Paludina coarctata</i> , Lea	30
<i>Proc. Amer. Philos. Soc.</i> , ii, 1843, p. 243.	
Systematic Index	31

52.

1844. LEA, ISAAC. [Names of twelve new species of Uniones.] <*Proc. Amer. Philos. Soc.*, iv, p. 8.

Reporter's note on the paper entitled "On New Fresh Water Shells," read August 18, 1843. Minutes of the meeting issued May 3, 1844. (See *Proc. Amer. Philos. Soc.*, iv, 1844, p. 81.)

The names of the species are given without descriptions, and are as follows: *U. Buckleyi*, *U. Buddianus*, *U. minor*, *U. amygdalum*, *U. occultus*, *U. Monroensis*, *U. aheneus*, *U. fuscatus*, *U. trosculus*, *U. superbus*, *U. aratus*, *U. neglectus*; but the descriptions were published August 19, 1843. (See No. 50.)

The full article will be found in the *Trans. Amer. Philos. Soc.*, ix, Part II, pp. 275-282. (See No. 54.)

1845. LEA, ISAAC. Descriptions of New Fresh Water and Land Shells. <Proc. Amer. Philos. Soc., iv, pp. 162-168. No. 33 (May-August, 1845).
- Read before the American Philosophical Society May 2, 1845. No. 33 (May-August) presented to the meeting of the Society December 5, 1845.
- The full paper will be found in the *Trans. Amer. Philos. Soc.*, x, Part I, pp. 67-101. (See No. 55.) The portion published in the Proceedings consists of the Latin descriptions of the species.
- | | |
|---|-----|
| <i>Unio compressissimus</i> , Lea, n. s. | 163 |
| Holston River, Tenn., President Estabrook. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 81. | |
| <i>Unio pellucidus</i> , Lea, n. s. | 163 |
| Chattahoochee River, Georgia, Major Le Conte. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 70. | |
| <i>Unio pernodosus</i> , Lea, n. s. | 163 |
| North Carolina, B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 71. | |
| <i>Unio atrocostatus</i> , Lea, n. s. | 163 |
| Claiborne, Ala., Judge Tait; Tuscaloosa, Ala., B. W. Budd, M. D.; Alexandria, La., Josiah Hale, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 70. | |
| <i>Unio latecostatus</i> , Lea, n. s. | 163 |
| Tuscaloosa, Ala., B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 68. | |
| <i>Unio hippopœus</i> , Lea, n. s. | 163 |
| Lake Erie, B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 67. | |
| <i>Unio simplex</i> , Lea, n. s. | 163 |
| Black Warrior River, Ala., B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 76. | |
| <i>Unio unicolor</i> , Lea, n. s. | 163 |
| Tuscaloosa, Ala., B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 74. | |
| <i>Unio flavescens</i> , Lea, n. s. | 163 |
| Black Warrior River, Ala., B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 72. | |
| <i>Unio pallescens</i> , Lea, n. s. | 164 |
| Tuscaloosa, Ala., B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 79. | |
| <i>Unio utriculus</i> , Lea, n. s. | 164 |
| North Carolina, B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 69. | |
| <i>Unio spatulatus</i> , Lea, n. s. | 164 |
| Rock River, Wisconsin, Capt. Marryatt and B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 80. | |
| <i>Unio tumescens</i> , Lea, n. s. | 164 |
| Alexandria, La., J. Hale, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 71. | |
| <i>Unio caperatus</i> , Lea, n. s. | 164 |
| Clinch River, Tenn., Pres't Estabrook. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 75. | |
| <i>Unio fulgidus</i> , Lea, n. s. | 164 |
| Alexandria, La., J. Hale, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 73. | |
| <i>Unio pulvinulus</i> , Lea, n. s. | 164 |
| Tuscaloosa, Ala., B. W. Budd, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 81. | |
| <i>Unio hyalinus</i> , Lea, n. s. | 164 |
| Richmond, Va., Major Le Conte. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 69. | |
| <i>Unio Estabrookianus</i> , Lea, n. s. | 164 |
| Clinch River and Second Creek, Tenn., President Estabrook. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 77. | |
| <i>Unio approximatus</i> , Lea, n. s. | 164 |
| Red River at Alexandria, La., J. Hale, M. D. | |
| <i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 74. | |

1845. LEA, ISAAC—Continued.

- Unio symmetricus*, Lea, n. s. 164
 Red River at Alexandria, La., J. Hale, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 73.
- Unio fuliginosus*, Lea, n. s. 164
 Cobb's Creek, near Philadelphia, R. E. Griffith, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 78.
- Unio caliginosus*, Lea, n. s. 165
 Red River at Alexandria, La., J. Hale, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 79.
- Unio Binneyi*, Lea, n. s. 165
 Southern States, R. E. Griffith, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 77.
- Unio Gouldii*, Lea, n. s. 165
 Tuscaloosa, Ala., R. E. Griffith, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 76.
- Margaritana minor*, Lea, n. s. 165
 Tennessee, S. M. Edgar, M. D.; North Carolina, B. W. Budd, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 82.
- Anodonta tetragona*, Lea, n. s. 165
 Alexandria, La., J. Hale, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 82.
- Melania Buddii*, Lea, n. s. 165
 Tennessee, B. W. Budd, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 90.
- Melania torta*, Lea, n. s. 165
 Big Creek, Lawrence County, Tenn., J. Clark.
Trans. Amer. Philos. Soc., x, 1848, p. 84.
- Melania pernodosa*, Lea, n. s. 165
 Cyprus Creek, Florence, Ala., T. R. Dutton.
Trans. Amer. Philos. Soc., x, 1848, p. 92.
- Melania filum*, Lea, n. s. 165
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 88.
- Melania nobilis*, Lea, n. s. 165
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 91.
- Melania carino-costata*, Lea, n. s. 165
 Alabama, Major Le Conte; Tennessee, B. W. Budd, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 88.
- Melania abrupta*, Lea, n. s. 165
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 85.
- Melania pallescens*, Lea, n. s. 166
 Chester District, S. C., Prof. Vanuxem.
Trans. Amer. Philos. Soc., x, 1848, p. 89.
- Melania lugubris*, Lea, n. s. 166
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 84.
- Melania spinalis*, Lea, n. s. 166
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 89.
- Melania spurca*, Lea, n. s. 166
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 85.
- Melania harpa*, Lea, n. s. 166
 Tuscaloosa, Ala., B. W. Budd, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 90.
- Melania basalis*, Lea, n. s. 166
 Alabama, Major Le Conte.
Trans. Amer. Philos. Soc., x, 1848, p. 85.
- Melania auriculæformis*, Lea, n. s. 166
 Tuscaloosa, Ala., B. W. Budd, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 88.
- Melania pumila*, Lea, n. s. 166
 Tuscaloosa, Ala., B. W. Budd, M. D.
Trans. Amer. Philos. Soc., x, 1848, p. 86.

1845. LEA, ISAAC—Continued.

<i>Melania protea</i> , Lea, n. s.	166
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 83.	
<i>Melania arcata</i> , Lea, n. s.	166
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 90.	
<i>Melania solida</i> , Lea, n. s.	166
Tennessee, E. Foreman, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 83.	
<i>Melania crebristriata</i> , Lea, n. s.	166
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 91.	
<i>Melania modesta</i> , Lea, n. s.	166
Chattahoochee River at Columbus, Georgia, Dr. Boykin.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 86.	
<i>Melania Haleiana</i> , Lea, n. s.	167
Alexandria, La., J. Hale, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 86.	
<i>Melania Alexandrcnsis</i> , Lea, n. s.	167
Alexandria, La., J. Hale, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 87.	
<i>Melania ovoidea</i> , Lea, n. s.	167
Alexandria, La., J. Hale, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 87.	
<i>Anculosa squalida</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 92.	
<i>Anculosa tintinnabulum</i> , Lea, n. s.	167
Tennessee, E. Foreman, M. D.; Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 93.	
<i>Schizostoma pagoda</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 93.	
<i>Schizostoma Buddii</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 94.	
<i>Schizostoma Babylonicum</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 94.	
<i>Schizostoma constrictum</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 94.	
<i>Schizostoma laciniatum</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 95.	
<i>Schizostoma funiculatum</i> , Lea, n. s.	167
Tuscaloosa, Ala., B. W. Budd, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 95.	
<i>Paludina Haleiana</i> , Lea, n. s.	167
Alexandria, La., J. Hale, M. D.	
<i>Trans. Amer. Philos. Soc.</i> , x, 1848, p. 96.	

54.

1845? LEA, ISAAC. Description of New Fresh Water and Land Shells. <*Trans. Amer. Philos. Soc.*, ix, pp. 275-282, Part II.

Read before the Amer. Philosophical Society August 18, 1843. For the first publication of the descriptions of the species described in this memoir see No. 50.

<i>Unio amygdalum</i> , Lea, pl. 39, fig. 1	275
<i>Unio Buckleyi</i> , Lea, pl. 39, fig. 2	276
<i>Unio minor</i> , Lea, pl. 39, fig. 3	276
<i>Unio fuscatus</i> , Lea, pl. 40, fig. 4	277
<i>Unio Buddianus</i> , Lea, pl. 40, fig. 5	277
<i>Unio trossulus</i> , Lea, pl. 40, fig. 6	278
<i>Unio occultus</i> , Lea, pl. 41, fig. 7	279

1845? LEA, ISAAC—Continued.

<i>Unio Monroensis</i> , Lea, pl. 41, fig. 8	279
<i>Unio aheneus</i> , Lea, pl. 41, fig. 9	280
<i>Unio neglectus</i> , Lea, pl. 42, fig. 10	280
<i>Unio superbus</i> , Lea, pl. 42, fig. 11	281
<i>Unio aratus</i> , Lea, pl. 42, fig. 12	282

55.

1848. LEA, ISAAC. Description of New Fresh Water and Land Shells. < *Trans. Amer. Philos. Soc.*, x, Part I, pp. 67–101.

Read before the American Philosophical Society May 2nd, 1845. Part I of the Transactions, vol. x, was presented to the meeting of the society January 7, 1848. (See *Proc. Amer. Philos. Soc.*, v, 1848, p. 4.)

The Latin descriptions of the species described in this memoir were first published in the *Proc. Amer. Philos. Soc.*, iv, pp. 163–168. (See No. 53.)

<i>Unio hippopæus</i> , Lea, pl. 1, fig. 1	67
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio latecostatus</i> , Lea, pl. 1, fig. 2	68
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio utriculus</i> , Lea, pl. 1, fig. 3	69
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio hyalinus</i> , Lea, pl. 2, fig. 4	69
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio atro-costatus</i> , Lea, pl. 2, fig. 5	70
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio pellucidus</i> , Lea, pl. 2, fig. 6	70
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio tumescens</i> , Lea, pl. 3, fig. 7	71
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio pernodosus</i> , Lea, pl. 3, fig. 8	71
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio flavescens</i> , Lea, pl. 3, fig. 9	72
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio fulgidus</i> , Lea, pl. 4, fig. 10	73
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio symmetricus</i> , Lea, pl. 4, fig. 11	73
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio unicolor</i> , Lea, pl. iv, fig. 12	74
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio approximatus</i> , Lea, pl. v, fig. 13	74
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio caperatus</i> , Lea, pl. v, fig. 14	75
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio simplex</i> , Lea, pl. v, fig. 15	76
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio Gouldii</i> , Lea, pl. vi, fig. 16	76
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Unio Estabrookianus</i> , Lea, pl. vi, fig. 17	77
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio Binneyi</i> , Lea, pl. vi, fig. 18	77
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Unio fuliginosus</i> , Lea, pl. vii, fig. 19	78
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio pallescens</i> , Lea, pl. vii, fig. 20	79
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio caliginosus</i> , Lea, pl. vii, fig. 21	79
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Unio spatulatus</i> , Lea, pl. viii, fig. 22	80
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	
<i>Unio compressissimus</i> , Lea, pl. viii, fig. 23	81
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 163.	
<i>Unio pulvinulus</i> , Lea, pl. viii, fig. 24	81
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 164.	

1848. LEA, ISAAC—Continued.

<i>Anodonta tetragona</i> , Lea, pl. viii, fig. 25	82
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Margaritana minor</i> , Lea, pl. viii, fig. 26	82
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania solida</i> , Lea, pl. ix, fig. 27	83
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania proteus</i> , Lea, pl. ix, fig. 28	83
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania lugubris</i> , Lea, pl. ix, fig. 29	84
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania torta</i> , Lea, pl. ix, fig. 30	84
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania spurca</i> , Lea, pl. ix, fig. 31	85
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania abrupta</i> , Lea, pl. ix, fig. 32	85
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania basalis</i> , Lea, pl. ix, fig. 33	85
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania modesta</i> , Lea, pl. ix, fig. 34	86
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania Halciana</i> , Lea, pl. ix, fig. 35	86
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Melania pumila</i> , Lea, pl. ix, fig. 36	86
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania Alexandrensis</i> , Lea, pl. ix, fig. 37	87
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Melania ovoidea</i> , Lea, pl. iv, fig. 38	87
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Melania auriculiformis</i> , Lea, pl. ix, fig. 39	88
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania carino-costata</i> , Lea, pl. ix, fig. 40	88
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania filum</i> , Lea, pl. ix, fig. 41	88
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania spinalis</i> , Lea, pl. ix, fig. 42	89
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania pallascens</i> , Lea, pl. ix, fig. 43	89
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania Buddii</i> , Lea, pl. ix, fig. 44	90
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania harpa</i> , Lea, pl. ix, fig. 45	90
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania aretata</i> , Lea, pl. ix, fig. 46	90
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania crebri-striata</i> , Lea, pl. ix, fig. 47	91
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 166.	
<i>Melania nobilis</i> , Lea, pl. ix, fig. 48	91
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Melania pernodosa</i> , Lea, pl. ix, fig. 49	92
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 165.	
<i>Aneulosa squalida</i> , Lea, pl. ix, fig. 50	92
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Aneulosa tintinnabulum</i> , Lea, pl. ix, fig. 51	93
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
SCHIZOSTOMA [Foot-note]	93
<i>Schizostoma pagoda</i> , Lea, pl. ix, fig. 52	93
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Schizostoma Buddii</i> , Lea, pl. ix, fig. 53	94
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Schizostoma Babylonicum</i> , Lea, pl. ix, fig. 54	94
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Schizostoma constrictum</i> , Lea, pl. ix, fig. 55	94
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Schizostoma funiculatum</i> , Lea, pl. ix, fig. 56	95
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	

1848. LEA, ISAAC—Continued.

<i>Schizostoma laciniatum</i> , Lea, pl. ix, fig. 57.....	95
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
<i>Paludina Haleiana</i> , Lea, pl. ix, fig. 58.....	96
<i>Proc. Amer. Philos. Soc.</i> , iv, 1845, p. 167.	
Catalogue of the Genus <i>Melania</i> , recent and fossil.....	96
Systematic Index.....	101

56.

1848. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species in the Families *Naïades*, | *Colimacea*, *Lymnæana*, *Melaniana*, | and *Peristomiana*. | Read before the American Philosophical Society, and Originally | Published in its Transactions: | with numerous plates. | By Isaac Lea, | Member of the Am. Phil. Soc.; of the Zoological Soc. | of London; of the Imperial Soc. of Nat. | Hist. of Moscow; Etc. Etc. | Vol. IV. | Philadelphia: | Printed for the Author. 4°. pp. 101. with plates 39-42 of vol. ix and 1-9 of vol. x, of the *Trans. Amer. Philos. Soc.*

This consists of numbers 51, 54, and 55, forming volume iv of the series entitled "Observations on the Genus *Unio*," &c.

57.

1849. LEA, ISAAC. [Upon some Reptilian foot-marks (*Sauropus primævus*) recently discovered near Pottsville, Pa.] <*Proc. Amer. Philos. Soc.*, v, pp. 91-94 (one cut). No. 43, April-September.

Communication made June 15, 1849. (See *Proc. Amer. Philos. Soc.*, v, 1849, p. 109.)

A large portion of this was reprinted in the American Journal of Science and Arts, ix, 1850, pp. 124-126, under the title, "On Reptilian foot-marks in the gorge of the Sharp Mountain near Pottsville, Pa."

58.

1849. LEA, ISAAC. On Traces of a Fossil Reptile (*Sauropus primævus*) found in the Old Red Sandstone. <Report Nineteenth Meeting British Association Advancement of Science, 1849, p. 56.

59.

1850. LEA, ISAAC, and HENRY C. LEA. Description of a New Genus of the Family *Melaniana*, and of many New Species of the Genus *Melania*, chiefly collected by Hugh Cuming, Esq., during his Zoological Voyage in the East, and now first described. <*Proc. Zool. Soc. of London*, xviii, 1850, pp. 179-197.

Read before the Zoological Society of London, July 9, 1850. See No. 61.

<i>Pachychilus</i> , I. & H. C. Lea, n. g.....	179
<i>Pachychilus Cumingii</i> , I. & H. C. Lea, n. s.....	179
Large rivers, Copan, Central America.	
<i>Melania canalis</i> , I. & H. C. Lea, n. s.....	180
Small streams, island of Guimaras, Philippines.	
<i>Melania foeda</i> , I. & H. C. Lea, n. s.....	180
Rocky stream, Java.	
<i>Melania sobria</i> , I. & H. C. Lea, n. s.....	181
Very small streams, Siquijor, Philippines.	
<i>Melania subula</i> , I. & H. C. Lea, n. s.....	181
Small river in the province of Ho Ho, isle of Panay, Philippines.	
<i>Melania acus</i> , I. & H. C. Lea, n. s.....	181
Small stream, Guimaras, Philippines.	
<i>Melania dermestoides</i> , I. & H. C. Lea, n. s.....	181
Seychelles Islands.	
<i>Melania contracta</i> , I. & H. C. Lea, n. s.....	182
Seychelles Islands.	
<i>Melania ferruginæa</i> , I. & H. C. Lea, n. s.....	182
Zanzibar, East Africa.	
<i>Melania impura</i> , I. & H. C. Lea, n. s.....	182
Naga, province of South Cumarines, Luzon, Philippines.	

1850. LEA, ISAAC—Continued.

<i>Melania cochlidium</i> , I. & H. C. Lea, n. s.	183
Very small streams, islands of Siquijor and Guimaras, Philippines.	
<i>Melania cineta</i> , I. & H. C. Lea, n. s.	183
India.	
<i>Melania lancca</i> , I. & H. C. Lea, n. s.	183
Oncataroa, Society Islands.	
<i>Melania episcopalis</i> , I. & H. C. Lea, n. s.	184
A sluggish river, Malacca.	
<i>Melania blatta</i> , I. & H. C. Lea, n. s.	184
Rapid river and small streams, Luzon, Philippines.	
<i>Melania costellaris</i> , I. & H. C. Lea, n. s.	184
Small streams in the islands of Negros, Tanhay, Siquijor, Philippines.	
<i>Melania recta</i> , I. & H. C. Lea, n. s.	185
Very small streams, Siquijor and isle of Negros, Philippines.	
<i>Melania australis</i> , I. & H. C. Lea, n. s.	185
Victoria River, North Australia.	
<i>Melania tornatella</i> , I. & H. C. Lea, n. s.	185
Shallow rivers, Tanhay, isle of Negros, Philippines.	
<i>Melania rudis</i> , I. & H. C. Lea, n. s.	186
Amboyna.	
<i>Melania microstoma</i> , I. & H. C. Lea, n. s.	186
Mountain streams, isle of Negros, Philippines.	
<i>Melania transversa</i> , I. & H. C. Lea, n. s.	186
Guiana.	
<i>Melania maxima</i> , I. & H. C. Lea, n. s.	187
Copan, Central America.	
<i>Melania Mindoriensis</i> , I. & H. C. Lea, n. s.	187
Small streams, Puerto Galero, isle of Mindoro, Philippines.	
<i>Melania indefinita</i> , I. & H. C. Lea, n. s.	187
Naga, Luzon, Philippines.	
<i>Melania Luzoniensis</i> , I. & H. C. Lea, n. s.	188
Small streams, Calanang, province of Bai, Philippines.	
<i>Melania albescens</i> , I. & H. C. Lea, n. s.	188
Small streams, isles of Guimaras, Negros and Siquijor, Philippines.	
<i>Melania hastula</i> , I. & H. C. Lea, n. s.	189
Various streams of Siquijor, Cagayan, Mindanao, and other Philippine Islands.	
<i>Melania juncea</i> , I. & H. C. Lea, n. s.	189
Lake of Taal, province of Batanos, and small streams in Luzon, Philippines.	
<i>Melania conulus</i> , I. & H. C. Lea, n. s.	190
Small streams, Fernando Po, West Africa.	
<i>Melania obruta</i> , I. & H. C. Lea, n. s.	190
Hab.—?	
<i>Melania turriculus</i> , I. & H. C. Lea, n. s.	190
Small streams, Calanang, province of Bai, Luzon, Philippines.	
<i>Melania apis</i> , I. & H. C. Lea, n. s.	190
Marsby places, Vera Cruz, Mexico.	
<i>Melania Cumingii</i> , I. & H. C. Lea, n. s.	191
Very small streams, island of Siquijor, Philippines.	
<i>Melania dactylus</i> , I. & H. C. Lea, n. s.	191
Small streams in Guimaras, Mindanao, Luzon and Seyte, Philippines.	
<i>Melania crenifera</i> , I. & H. C. Lea, n. s.	192
Small river in Java.	
<i>Melania nana</i> , I. & H. C. Lea, n. s.	192
Mountain streams, isle of Negros, Philippines.	
<i>Melania tessellata</i> , I. & H. C. Lea, n. s.	192
Hab.—?	
<i>Melania crebrum</i> , I. & H. C. Lea, n. s.	193
Small streams, Guimaras, Philippines.	
<i>Melania reticulata</i> , I. & H. C. Lea, n. s.	193
China.	
<i>Melania aculeus</i> , Lea. (Redescribed)	193
Siquijor, Naga, Cagayan, and others of the Philippines.	
<i>Melania diadema</i> , I. & H. C. Lea, n. s.	194
Small streams, isle of Guimaras, Philippines.	
<i>Melania cornuta</i> , I. & H. C. Lea, n. s.	194
Madagascar.	

1850. LEA, ISAAC—Continued.

<i>Melania acanthica</i> , I. & H. C. Lea, n. s.	194
Manila and Isle of Negros, Philippines.	
<i>Melania zeylanica</i> , I. & H. C. Lea, n. s.	194
Seychelles and Ceylon.	
<i>Melania polygonata</i> , I. & H. C. Lea, n. s.	195
Copan, Central America.	
<i>Melania denticulata</i> , I. & H. C. Lea, n. s.	195
Mountain streams, Isle of Negros, Philippines.	
<i>Melania armillata</i> , I. & H. C. Lea, n. s.	195
India.	
<i>Melania cochlea</i> , I. & H. C. Lea, n. s.	196
Hab.—?	
<i>Melania lateritia</i> , I. & H. C. Lea, n. s.	196
Philippines.	
<i>Melania modicella</i> , I. & H. C. Lea, n. s.	196
Timor.	
<i>Melania pagoda</i> , I. & H. C. Lea, n. s.	197
Isle of Guimaras, Philippines.	

60.

1850. LEA, ISAAC. Description of Five New Species of Anodontæ, collected by H. Cuming, Esq., in the East Indies. <Proc. Zool. Soc. of London, xviii, 1850, pp. 197-199.

Read before the Zoological Society of London, July 9, 1850.

This, with No. 59, forms No. 61.

<i>Anodonta gracilis</i> , Lea, n. s.	197
Dingle, Isle of Panay.	
<i>Anodonta crepera</i> , Lea, n. s.	198
Bongabon, Luzon, Philippines.	
<i>Anodonta tenuis</i> , Lea, n. s.	198
Snal, Luzon, Philippines.	
<i>Anodonta subcrassa</i> , Lea, n. s.	198
Laguna de Bai, Luzon, Philippines.	
<i>Anodonta Cumingii</i> , Lea, n. s.	199
Malacca.	

61.

1851. LEA, ISAAC, and HENRY C[AREY] LEA. Description | of | a New Genus of | the Family Melaniana, | and of many New Species of the | Genus Melania, | chiefly collected by Hugh Cuming, Esq., | during his zoological voyage in the East, and now first | described. | By Isaac Lea and Henry C[arey] Lea, | Philadelphia. | also | Descriptions | of | Five New Species of | Anodontæ, | collected by H. Cuming, Esq., in the East Indies. | By Isaac Lea. — | London: | Printed by Richard Taylor, Red Lion Court, Fleet Street, | 1851. 8°. Pp. 179-199.

This consists of Nos. 59 and 60.

Sabin in his Bibliotheca Americana mentions an edition of this published in Philadelphia, 1851.

62.

1851. LEA, ISAAC. [Exhibition of large Unios from the Little Miami River, near Cincinnati, Ohio.] <Proc. Amer. Philos. Soc., v, p. 153. No. 45, April-December, 1850.

Verbal communication made June 21, 1850. No. 45 of the Proceedings presented to the meeting of the Society January 3, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 178.)

<i>Unio multiplicatus</i>	153
---------------------------------	-----

63.

1851. LEA, ISAAC. Remarks on the Semibituminous and Transition Coal from Dauphin on the Susquehanna. <Journ. Franklin Institute, xxi, 1851, pp. 142-143.

64.

1851. LEA, ISAAC. [On the fossil bones of a Reptilian Quadruped from Upper Milford, Lehigh Co., Pa.] <Proc. Acad. Nat. Sci., v, pp. 171-172. No. 8, March and April, 1851.

Communication made April 8, 1851. (See Proc. Acad. Nat. Sci., Phila., v, 1851, p. 211.)

In this paper Mr. Lea proposed the specific name *Pennsylvanicus* for these bones, but deemed it advisable to postpone a generic one until a further examination shall prove the diagnosis, and then apply a descriptive one. The generic name *Clepsysaurus* was proposed by Mr. Lea for this animal May 20, 1851. See No. 67.

65.

1851. LEA, ISAAC. [On a communication from Prof. Agassiz to the Natural History Society of Boston relating to the soft parts of American fresh water Molluscs.] <Proc. Amer. Philos. Soc., v, pp. 187-189, No. 46, Jan.-June, 1851.

Remarks made before the American Philosophical Society March 21, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 212.)

In this paper Mr. Lea calls the attention of the American Philosophical Society to several papers of his read before the Society and published in its Transactions, describing several of the important parts mentioned by Prof. Agassiz in his communication to the Boston Society of Natural History. See also No. 74.

66.

1851. LEA, ISAAC. [On the great size of certain Naiades from the neighborhood of Cincinnati, Ohio.] <Proc. Amer. Philos. Soc., v, pp. 191-193, No. 46, Jan.-June, 1851.

Communication made April 4, 1851. No. 46, Jan.-June, 1851, of the Proceedings received by the Smithsonian Institution on or before July 16, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 212.)

The weights of the hard parts of the following species are given:

Unio multiplicatus.

Unio crassidens.

Unio crassus.

Margaritana complanata.

Unio pustulosus.

Unio undulatus.

Unio alatus.

Margaritana undulata.

Unio tuberculatus.

Unio verrucosus.

Unio lacrymosus.

Unio obliquus.

Unio rectus.

Unio rubiginosus.

Unio securis.

67.

1851. LEA, ISAAC. [The generic name *Clepsysaurus* applied to the fossil reptile discovered by Dr. J. Y. Schelley in Upper Milford, Pa.] <Proc. Acad. Nat. Sci., Phila., v, p. 205, No. 9, May and June, 1851.

Remarks made before the Academy Natural Science, Phila., May 20, 1851. No. 9, May and June, 1851, of the Proceedings was received by the British Museum on or before October 7, 1851. (See Proc. Acad. Nat. Sci., Phila., v, 1851, p. 307.)

CLEPSYSAURUS, Lea, n. g. 205

Clepsysaurus pennsylvanica, Lea 205

The specific name was proposed by Mr. Lea April 8, 1851. (See No. 64.)

68.

1851. LEA, ISAAC. [A new locality for Zircon, Reading, Pa.] <Proc. Acad. Nat. Sci., Phila., v, p. 211, No. 9, May and June, 1851.

Verbal communication made before the Academy Natural Sciences, Phila., June 3, 1851. (See Proc. Acad. Nat. Sci., Phila., v, 1851, p. 307.)

69.

1851. LEA, ISAAC. On the "Wave Theory" in regard to the Dynamics of Earth-quakes. <Proc. Acad. Nat. Sci., Phila., v, p. 261, No. 11, Sept. and Oct., 1851.
Verbal communication made before the Academy Natural Science, Phila., September 2, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 232.)

70.

1851. LEA, ISAAC. On the genus *Acostæa* of D'Orbigny. <Proc. Acad. Nat. Sci., Phila., v, p. 277, No. 11, Sept. & Oct., 1851.

Reporters' notes on paper, by Mr. Lea, read before the Academy Natural Sciences, Phila., October 21, 1851. No. 11, Sept. & Oct., 1851, of the Proceedings was received by the Amer. Philos. Society on or before December 5, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 232.)

The full paper was published in the *Journal of the Academy*, vol. 11, 1850-1854, pp. 125-131. See No. 71.

<i>Mulleria Ferrussacii</i> , new name	277
<i>Mulleria Guaduasana</i> (D'Orbigny), Lea	277

71.

1851. LEA, ISAAC. On the Genus *Acostæa* of D'Orbigny, a Fresh Water Lamelli-branchia. <Journ. Acad. Nat. Sci., Phila., ii, new series, pp. 125-131.

Read before the Academy Natural Sciences, Phila., October 21, 1851.

(See Proc. Amer. Philos. Soc., v, 1851, p. 232.)

"Mr. Lea expressed his convictions that this shell, now so well described by M. D'Orbigny, belonged to the same genus which Ferrussac described in 1823 in the Mem. of the Soc. Nat. Hist., vol. 1, under the name of *Mulleria*, if it be not of the same species, a single specimen (adult) of which had then only been seen. Ferrussac, considering the general resemblance of *Mulleria* to *Ostrea*, thought it ought to be put alongside of, if not in, the latter genus. Brongniart and Latreille thought it ought to go between *Spondylus* and *Arca*.

"Other authors had assigned it to various positions, while some doubted whether it was anything more than a malformation. The perfect specimen, in its junior and adult state, if it be *Mulleria*, now banish all difficulties. Mr. Lea thinks now, in placing *Mulleria* (*Acostæa*) in its true position at the head of the order *Monomyaria*, where it makes the link with *Dimyaria*, it forms an easy transition from the first to the second order. Thus retaining the trace of one while it passes so curiously into the other. *Nihil per saltum*.

"Mr. Lea, under the impression that D'Orbigny's *Acostæa Guaduasana* may prove to be a distinct species from the shell described by Ferrussac under the generic name of *Mulleria*, while it may belong to the same genus, proposes to give the name of that distinguished zoologist to it. That of *Guaduasana* should be retained of course for D'Orbigny's species. The genus would then represent *Mulleria Ferrussacii* and *Mulleria Guaduasana*."

Reporters' notes on this paper. See No. 70.

72.

1851. LEA, ISAAC. [Necrological Notice of Richard C. Taylor.] <Proc. Acad. Nat. Sci., Phila., v, pp. 290-296, No. 11, Sept. & Oct., 1851. Separate, see No. 73.

Remarks made before the Academy Natural Sciences, Phila., October 28, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 232.) For separate, see No. 73.

73.

1851. LEA, ISAAC. Biographical Sketch of Richard Cowling Taylor. 8°. pp. 1-8, without title page or cover.

A reprint of No. 72. Received by the American Philosophical Society on or before December 5, 1851. (See Proc. Amer. Philos. Soc., v, 1851, p. 232.)

74.

1851. LEA, ISAAC. [Correspondence between Mr. Lea and Prof. Agassiz, relating to the observations of Mr. Lea on the anatomy of the Naïades, laid before the Amer. Philosophical Society, March 21, 1851.] <Proc. Amer. Philos. Soc., v, pp. 218-221, No. 47, July, 1851-February, 1852.

Read before the American Philosophical Society September 19, 1851. No. 47 of the Proceedings presented to the Society March 5, 1852. (See Proc. Amer. Philos. Soc., vi, p. 253.) See, also, No. 65.

75.

1851. LEA, ISAAC. [Account of the Life of Richard C. Taylor.] <Proc. Amer. Philos. Soc., v, pp. 226-228, No. 47, July, 1851—February, 1852.

Communicated to the American Philosophical Society November 7, 1851. No. 47 of the Proceedings presented to the Society March 5, 1852. (See Proc. Amer. Philos. Soc., v, p. 253.)

76.

1852. LEA, ISAAC. A | Synopsis | of the | Family of Naiades. | by | Isaac Lea, | [Title] | Third Edition, greatly enlarged and Improved. | Philadelphia: | Blanchard and Lea. | 1852. 4to. pp. i-xx, 17-88.

Presented to the American Philosophical Society on or before May 21, 1852. (See Proc. Amer. Philos. Soc., v, p. 269.)

PREFACE.

"Few branches of Natural History have advanced with more rapidity than that which embraces the part of Malacology, which, in this volume, is presented in the form of a Synopsis. This edition is therefore very much enlarged, having quite double the quantity of matter of the former one. The arrangement of the genera will be found to have been somewhat changed. I have added an extensive alphabetical index of species and synonyms, which will be found extremely useful for reference; and the number of additional species will be found to be rather more than that which composed the whole in the previous edition."

CONTENTS.

Corrigenda et Addenda	viii
Synopsis of the Family Naiades	ix-xvii
Division of the Family Naiades	xviii-xx
Genus Margaron	17-53
Subgenus Triquetra	17
Subgenus Prisdodon	18
Subgenus Unio	19-41
Subgenus Margaritana	42-44
Subgenus Monocondylæa	45
Subgenus Dipsas	46
Subgenus Anodonta	47-53
Genus Platiris	54-56
Subgenus Iridina	54
Subgenus Spatha	55
Subgenus Mycetopns	56
Names given in Rafinesque's Monograph not identified	57-58
Geographical Distribution of the Species of the Family Naiades	59-66
Genus Margaron	59-65
Subgenus Triquetra	59
Subgenus Prisdodon	59
Subgenus Unio	59-64
Subgenus Margaritana	64
Subgenus Monocondylæa	64
Subgenus Dipsas	64
Subgenus Anodonta	64-65
Genus Platiris	66
Subgenus Iridina	66
Subgenus Spatha	66
Subgenus Mycetopns	66
Index of Species	67-83
Alphabetical List of the Works referring to the Naiades	85-88

77.

1852. LEA, ISAAC. Description of a Fossil Saurian of the New Red Sandstone Formation of Pennsylvania; with some account of that Formation. <Journ. Acad. Nat. Sci., Phila., ii, New Series, pp. 185-202. Part III. Plates xvii to xix. For separate see No. 79.

Read and presented for publication in the Journal of the Academy, May 11, 1852. Extra copies printed for the author May, 1852. (See Journ. Acad. Nat. Sci., ii, n. s., p. iv.)

CLEPSYSAURUS, Lea	198
<i>Clepsyssaurus pennsylvanicus</i> , Lea	199

For first mention of name see Proc. Acad. Nat. Sci., Phila., v, 1851, p. 73.

78.

1852. LEA, ISAAC. On some New Fossil Molluscs in the Carboniferous Slates of the Anthracite Seams of the Wilkesbarre Coal Formation. <Journ. Acad. Nat. Sci., Phila., ii, New Series, Part III, pp. 203-206. Plate xx. For separate see No. 79.

Read before the Academy Natural Sciences, May 18, 1852. Extra copies printed for the author June, 1852. (See Journ. Acad. Nat. Sci., Phila., ii, n. s., p. iv.)

<i>Modiola Wyomingensis</i> , Lea, n. s., pl. 20, fig. 1 a	205
<i>Modiola minor</i> , Lea, n. s., pl. 20, fig. 2	205
<i>Posidonia ? clathrata</i> , Lea, n. s., pl. 20, fig. 1 b	205
<i>Posidonia ? perstriata</i> , Lea, n. s., pl. 20, fig. 3 a	205
<i>Posidonia ? distans</i> , Lea, n. s., pl. 20, fig. 3 b	205
<i>Palaeoniscus ? Leidyiana</i> , Lea, n. s., pl. 20, figs. 4, 5	206

79.

1852. LEA, ISAAC. Descriptions of New Species of the Family Unionidæ. <Trans. Amer. Philos. Soc., x, pp. 253-294.

Read before the American Philosophical Society, March 5, 1852. Presented to the Academy of Natural Sciences, Phila., June 1, 1852. (See Proc. Acad. Nat. Sci., Phila., vi, p. xxii. (With No. 81 and No. 82 forms No. 83.)

A list of the species without remarks or descriptions was printed in the Proc. Amer. Philos. Soc., v, 1852, pp. 251-252.

"It is now some years since I presented to this society a continuation of my discoveries of new forms from the fresh waters and soil of the United States. Since that period, owing to the kindness of many valued friends, I have been enabled to get together a much larger number by far than could have been anticipated. These have come chiefly from localities hitherto little examined, and which have produced new species more or less interesting.

"I am aware that many persons doubt the existence of so extended a production of species, but this arises from the want of a knowledge of them, closely cultivated and analytically examined. An organic form, instituted by nature, must be recognized as distinct, for it will remain in a state of autonomy to the end of its term. It is the duty of the zoologist to bring to the investigation an eye practiced in discrimination, and a judgment experienced in analysis, as well as also an honest intention of purpose, that he may give the best and most accurate results to his investigations."

<i>Unio sordidis</i> , Lea, n. s., pl. xii, fig. 1	254
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio Gibbesianus</i> , Lea, n. s., pl. xii, fig. 2	254
Abbeville District, S. C., Louis R. Gibbes, M. D.	
<i>Unio perstriatus</i> , Lea, n. s., pl. xii, fig. 3	255
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio Tuomeyi</i> , Lea, n. s., pl. xiii, fig. 4	256
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio Barrattii</i> , Lea, n. s., pl. xiii, fig. 5	256
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio decoratus</i> , Lea, n. s., pl. xiii, fig. 6	257
Abbeville District, S. C., Dr. Barratt and Mr. Tuomey.	
<i>Unio rufusculus</i> , Lea, n. s., pl. xiv, fig. 7	258
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio Whiteianus</i> , Lea, n. s., pl. xiv, fig. 8	258
Near Savannah, Georgia, Rev. G. White.	
<i>Unio Lazarus</i> , Lea, n. s., pl. xiv, fig. 9	259
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio merus</i> , Lea, n. s., pl. xv, fig. 10	260
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio concavus</i> , Lea, n. s., pl. xv, fig. 11	260
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio inceptus</i> , Lea, n. s., pl. xv, fig. 12	261
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio luxus</i> , Lea, pl. xv, fig. 13	261
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio pygmaeus</i> , Lea, n. s., pl. xv, fig. 14	262
Abbeville District, S. C., J. P. Barratt, M. D.	
<i>Unio fraternus</i> , Lea, n. s., pl. xvi, fig. 15	263
Columbus, Georgia, Dr. Boykin; Abbeville District, S. C., J. P. Barratt, M. D.	

1852. LEA, ISAAC—Continued.

<i>Unio Cuvierianus</i> , Lea, n. s., pl. xvi, fig. 16	263
Washington County, Georgia, Rev. G. White.	
<i>Unio Forbesianus</i> , Lea, n. s., pl. xvi, fig. 17	264
Savannah River, Major Le Conte.	
<i>Unio Kleinianus</i> , Lea, n. s., pl. xvii, fig. 18	265
Suwanee River, Florida, Major Le Conte.	
<i>Unio satur</i> , Lea, n. s., pl. xvii, fig. 19	265
Alexandria, Louisiana, J. Hale, M. D.; Lake Calcashue, near New Orleans, Mr. Anthony.	
<i>Unio Lamarekianus</i> , Lea, n. s., pl. xvii, fig. 20	266
Caddo River, Arkansas, Prof. Powell; Washita River, near the Hot Springs, Arkansas, Dr. Hale.	
<i>Unio hebes</i> , Lea, n. s., pl. xviii, fig. 21	267
Oconee River, near Athens, Georgia, Major Le Conte.	
<i>Unio Moussonianus</i> , Lea, n. s., pl. xviii, fig. 22	268
Georgia, J. P. Barratt, M. D.	
<i>Unio nigerrimus</i> , Lea, n. s., pl. xviii, fig. 23	268
Alexandria, Louisiana, J. Hale, M. D.	
<i>Unio Prevostianus</i> , Lea, n. s., pl. xix, fig. 24	269
Entawah River, Georgia, Mr. C. M. Wheatley.	
<i>Unio Powellii</i> , Lea, n. s., pl. xix, fig. 25	270
Saline River, Arkansas, J. Hale, M. D., and Professor Powell.	
<i>Unio affinis</i> , Lea, n. s., pl. xix, fig. 26	271
Alexandria, Louisiana, J. Hale, M. D.	
<i>Unio proximus</i> , Lea, n. s., pl. xx, fig. 27	271
Georgia, J. P. Barratt, M. D.	
<i>Unio Reeveianus</i> , Lea, n. s., pl. xx, fig. 28	272
Alexandria, Louisiana, J. Hale, M. D., and Prof. Powell.	
<i>Unio luridus</i> , Lea, n. s., pl. xx, fig. 29	273
Coosawattee River, Murray County, Georgia, Dr. Boykin.	
<i>Unio Clarkianus</i> , Lea, n. s., pl. xxi, fig. 30	273
Williamsport, Tenn., Mr. Jos. Clark; Georgia or Alabama, Mr. C. M. Wheatley.	
<i>Unio Floridensis</i> , Lea, n. s., pl. xxi, fig. 31	274
Chácktíhachi River, West Florida, Major Le Conte.	
<i>Unio sucissus</i> , Lea, n. s., pl. xxi, fig. 32	275
West Florida, Major Le Conte.	
<i>Unio Oregonensis</i> , Lea, n. s., pl. xxii, fig. 33	275
Columbia River, Oregon, Mr. C. M. Wheatley.	
<i>Unio Rumphianus</i> , Lea, n. s., pl. xxii, fig. 34	276
West Georgia (?), Dr. Budd.	
<i>Unio sagittiformis</i> , Lea, n. s., pl. xxii, fig. 35	277
Oconee River, near Athens, Georgia, Major Le Conte.	
<i>Unio Stewardsoni</i> , Lea, n. s., pl. xxiii, fig. 36	278
Chattanooga River, Tenn., Thomas Stewardson, M. D.	
<i>Unio Hanleyianus</i> , Lea, n. s., pl. xxiii, fig. 37	279
Coosawattee River, Murray County, Georgia, Dr. Boykin.	
<i>Unio placitus</i> , Lea, n. s., pl. xxiii, fig. 38	279
Alabama, Mr. C. M. Wheatley.	
<i>Unio Troschelianus</i> , Lea, n. s., pl. xxiii, fig. 39	280
Coosawattee River, Murray County, Georgia, Dr. Boykin.	
<i>Unio Keinerianus</i> , Lea, n. s., pl. xxiii, fig. 40	281
Coosawattee River, Murray County, Georgia, Dr. Boykin.	
<i>Unio Ingallsianus</i> , Lea, n. s., pl. xxiv, fig. 41	282
Siam, Thomas R. Ingalls, M. D.	
<i>Unio nigellus</i> , Lea, n. s., pl. xxiv, fig. 42	283
Chattahoochee River, near Columbia, Georgia, Dr. Boykin.	
<i>Unio nux</i> , Lea, n. s., pl. xxiv, fig. 43	283
Alabama River, Mr. Wheatley.	
<i>Unio nigrinus</i> , Lea, n. s., pl. xxiv, fig. 44	284
West Florida, Major Le Conte.	
<i>Anodonta denigrata</i> , Lea, n. s., pl. xxv, fig. 45	285
Campbell County, East Tennessee, President Estabrook.	
<i>Anodonta opaea</i> , Lea, n. s., pl. xxv, fig. 46	285
Near New Orleans, Mons. Janin; Little Rock, Arkansas, Prof. Powell.	
<i>Anodonta Californiensis</i> , Lea, n. s., pl. xxv, fig. 47	286
Rio Colorado, California, J. L. Le Conte, M. D.	

1852. LEA, ISAAC—Continued.

<i>Anodonta Trautwiniana</i> , Lea, n. s., pl. xxvi, fig. 48	287
Carthage, South America, John C. Trautwine, Esq.	
<i>Anodonta Whcaileyi</i> , Lea, n. s., pl. xxvi, fig. 49	287
Para, South America, Mr. C. M. Wheatley.	
<i>Anodonta Shacfferiana</i> , Lea, n. s., pl. xxvi, fig. 50	288
Horn Lake Creek, Tenn., Mr. Shaeffer.	
<i>Anodonta Linneana</i> , Lea, n. s., pl. xxvii, fig. 51	289
Lake Concordia, Louisiana, Mr. C. M. Wheatley.	
<i>Anodonta oblita</i> , Lea, n. s., pl. xxviii, fig. 52	290
Campbell County, East Tennessee, President Estabrook.	
<i>Anodonta virens</i> , Lea, n. s., pl. xxviii, fig. 53	290
Red River, at Alexandria, Louisiana, J. Hale, M. D.	
<i>Anodonta tortilis</i> , Lea, n. s., pl. xxviii, fig. 54	291
Carthage, South America, J. C. Trautwine, Esq.	
<i>Anodonta Schröteriana</i> , Lea, n. s., pl. xxix, fig. 55	292
Rio Negro, Brazil, Mr. C. M. Wheatley.	
<i>Anodonta Arkansensis</i> , Lea, n. s., pl. xxix, fig. 56	293
Little Arkansas, J. L. Le Conte, M. D.	
Systematic Index	294

80.

1853. LEA, ISAAC. On a | Fossil Saurian | of the | New Red Sandstone Formation | of Pennsylvania, | with some | account of that formation. | also: on some | New Fossil Molluscs, | in the | Carboniferous Slates | of the | Anthracite Seams of the Wilkesbarre Coal Formation, | by | Isaac Lea, | Member of the Am. Phil. Soc.; of the Acad. of Nat. Sciences of Philadelphia; of the Zool. Soc. of | London; of the Imperial Soc. of Moscow, &c. &c. | Philadelphia: | Merrihew & Thompson, Printers, No. 7 Carter's Alley. | 1852. 4to. pp. 1-28. plates xvii to xx.

Presented to the Academy Natural Sciences, Phila., June 1, 1853, and to Amer. Philos. Soc., June 18, 1853.

This consists of Nos. 77 and 78, with title page and repaging.

81.

1852. LEA, ISAAC. Description of a New Genus (*Basistoma*) of the Family Melaniæ, together with some New Species of American Melaniæ. <*Trans. Amer. Philos. Soc.*, x, New Series, pp. 295-302.

Read before the American Philosophical Society, March 5, 1852. This, with Nos. 79 and 82, forms No. 83. See No. 83.

The genus *Basistoma* is also characterized, and a list of the species, without remarks or descriptions, is given in the *Proc. Amer. Philos. Soc.*, v, 1852, p. 252. See No. 94.

BASISTOMA, Lea, n. g.	295
Characters also given in <i>Proc. Amer. Philos. Soc.</i> , v, 1852, p. 252.	
<i>Schizochilus</i> proposed for <i>Schizostoma</i> , the later having been used for a fossil genus by M. Bronn (foot note)	295
<i>Basistoma Edwardsii</i> , Lea, n. s., pl. xxx, fig. 1	296
River Tocatinns, South America, Amory Edwards, Esq.	
<i>Melania perstriata</i> , Lea, n. s., pl. xxx, fig. 2	296
Coosa River, Alabama, Prof. Brumby; Huntsville, Tenn., Mr. J. Clark; Tennessee, Prof. Troost.	
<i>Melania sculptilis</i> , Lea, n. s., pl. xxx, fig. 3	297
Tennessee, Mr. J. Clark.	
<i>Melania Clarkii</i> , Lea, n. s., pl. xxx, fig. 4	297
Duck Creek, Tenn., Mr. Joseph Clark.	
<i>Melania Brumbyi</i> , Lea, n. s., pl. xxx, fig. 5	298
Coosa River, Alabama, Prof. Brumby; Huntsville, Alabama, Mr. J. Clark.	
<i>Melania oblita</i> , Lea, n. s., pl. xxx, fig. 6	298
Tennessee?	
<i>Melania furva</i> , Lea, n. s., pl. xxx, fig. 7	299
Branch of Coosa River, Alabama, Prof. Brumby.	
<i>Melania Sellersiana</i> , Lea, n. s., pl. xxx, fig. 8	299
Cany Fork, Tennessee, Mr. Coleman Sellers.	
<i>Melania oppugnata</i> , Lea, n. s., pl. xxx, fig. 9	300
Alabama River, Mr. C. M. Wheatley.	

1852. LEA, ISAAC—Continued.

Melania Saffordii, Lea, n. s., pl. xxx, fig. 10 300
 Lebanon, Wilson County, Tennessee, Mr. James M. Safford.
Melania pinguis, Lea, n. s., pl. xxx, fig. 11 301
 Lebanon, Wilson County, Tenn., Mr. J. M. Safford.
Melania gibbosa, Lea, n. s., pl. xxx, fig. 12 301
 Scioto River, Ohio, Mr. C. M. Wheatley.
 Systematic Index 302

82.

1852. LEA, ISAAC. Description of a New Species of Helix, from California, and a new Characteristic Form of certain American Colimaceæ. <Trans. Amer. Philos. Soc. Phila., x, Part 3, 1852, pp. 303-305.

Read before the American Philosophical Society, March 5, 1852. With Nos. 79 and 81 forms No. 83. See No. 83.
 Outline of paper given, Proc. Amer. Philos. Soc., v, 1852, pp. 252-253.
Helix Lecontii, Lea, n. s., pl. xxx, fig. 13 303
 St. Francisco, J. L. Le Conte, M. D.
 Accessory Column in the Family Colimacea 304
 "When recently examining very closely the structure of some of our *Helices*, I observed what had before escaped my attention, a pillar or an additional column, placed like a fulcrum (buttress) in the interior, against the wall of the ordinary column, at the distance of a fifth to a third of a revolution of the whorl from the aperture"
 "I have detected the fulcrum in the following species, and as several of the species of Dr. Binney and Dr. Gould are unknown to me, I think it likely to be found in some of them:
Carocolla spinosa, Lea. *Helix leporina*, Gould.
Carocolla Edgariana, Lea. *Helix Lecontii*, Lea.
Helix hirsuta, Say. *Polygyra Troostiana*, Lea.
Helix monodon, Rackett. *Polygyra Dorfuilliana*, Lea."
 On the use of personal names for species in natural history 305

83.

1852. LEA, ISAAC. Observations | on the | Genus Unio, | together with | Descriptions of New Species in the Families Unionidæ, Colimacea | and Melaniana. | Read before the American Philosophical Society, and originally | published in its Transactions. | by | Isaac Lea, | [Title] | with numerous plates. | Vol. V. | Philadelphia: | Printed for the Author. 4°. pp. 62, with plates 12-30 of Vol. X of the Trans. Amer. Philos. Soc.

This consists of Nos. 79, 81, and 82, and was presented to the Academy Natural Sciences June 1, 1852. (See Proc. Acad. Nat. Sci. Phila., vi, p. xxii.)

84.

1852. LEA, ISAAC. On the Fossil Foot-Marks in the Red Sandstones of Pottsville, Schuylkill County, Penna. <Trans. Amer. Philos. Soc. Phila., x, Part 2, pp. 307-317, plates 31, 32, and 33.

For separate see No. 85.
 Read before the American Philosophical Society, April 2, 1852. Ordered to be published in the Transactions of the Society, April 16, 1852. Part 2, vol. x of the Transactions laid before the Society June 18, 1852. (See Proc. Amer. Philos. Soc., v, p. 275.)
 Remarks on the opinions of Prof. H. D. Rogers and Prof. L. Agassiz on the character and age of these foot-prints 307-312
 Prof. Agassiz, asserting his belief before the Amer. Assoc. Adv. Sci. that these were not made by any air-breathing animal, Mr. Lea still holds to his "own opinions, as expressed in a former communication, as to the fact of these 'foot-marks' being impressed by a four-footed air-breathing animal, allied to the 'Saurians,' having four toes on the hind foot and five on the fore foot."
 Remarks on foot prints that have been discovered analogous to those under discussion 312-314
 An extended diagnosis of the foot prints of *Sauropus primævus*, plates xxxi and xxxii 314-316
 Description of other organic remains in the same formation, pl. xxxiii 316-317

85.

1852. LEA, ISAAC. On the Fossil Foot-Marks in the Red Sandstone of Pottsville, Pennsylvania, by Isaac Lea, Member of the Am. Phil. Soc.; of the Acad. of Nat. Sciences of Philada.; of the Zool. Soc. of London; of the Imperial Soc. of Moscow, &c. &c. [from the Transactions of the American Philo-sophical Society, Vol. x.] Philadelphia: Printed for the Author. 1852. 4to. Pp. 1-13, plates 31-33.

This is a separate of No. 84 and was received from the author by the Academy Natural Sciences, Phila., June 1, 1852. (See *Proc. Acad. Nat. Sci., Phila.*, v, p. xxii.)

86.

1852. LEA, ISAAC. [On a remarkably large specimen of *Dipsas plicatus*, Leach.] <*Proc. Acad. Nat. Sci. Phila.*, vi, p. 52.

Verbal communication made March 2, 1852.

87.

1852. LEA, ISAAC. [On the period of maturing and ejecting the young in the family Unioniæ.] <*Proc. Acad. Nat. Sci. Phila.*, vi, p. 54.

Verbal communication made March 23, 1852.

88.

1852. LEA, ISAAC. Description of a new species of Symphynote Unio. <*Proc. Acad. Nat. Sci.*, vi, pp. 54-55. No. 2, March and April, 1852.

Read before the Academy Natural Sciences, Phila., March 9, 1852, and printed with the Proceedings of March 30. See (*Proc. Amer. Philos. Soc.*, v, p. 271.)

Unio Cumingii, Lea, n. s. 54
Northern part of China, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 240.

89.

1852. LEA, ISAAC. Definition of the term Species and remarks on the Classification of the Family Naiades. <*Proc. Acad. Nat. Sci. Phila.*, vi, pp. 57-58. No. 2, March and April, 1852.

Communication made to the Academy Natural Sciences, Phila., April 6, 1852. (See *Proc. Amer. Philos. Soc.*, v, p. 271.)

90.

1852. LEA, ISAAC. [Remarks on a stone slab containing supposed imprints of human feet.] <*Proc. Acad. Nat. Sci., Phila.*, vi, p. 106.

Verbal communication made June 1, 1852.

91.

1852. LEA, ISAAC. [On some shells from the drift near Philadelphia.] <*Proc. Acad. Nat. Sci., Phila.*, vi, p. 106.

Verbal communication made June 1, 1852.

92.

1852. LEA, ISAAC. Description of a new species of Eschara, from the Eocene of Alabama. <*Proc. Acad. Nat. Sci., Phila.*, vi, pp. 109-110, No. 3, June and July, 1852. 2 cuts.

Read before the Academy Natural Sciences, Phila., June 1, 1852, and printed with minutes of June 29, 1852 (See *Proc. Amer. Philos. Soc.*, v, p. 231.)

Eschara Clairbornensis, Lea, n. s. 110

93.

1852. LEA, ISAAC. Descriptions of New Species of the Family Unionidæ. <Proc. Amer. Philos. Soc., v, pp. 251-252.

Read before the American Philosophical Society March 5, 1852, and published in the *Trans. Amer. Philos. Soc.*, x, new series, pp. 253-294. See No. 80.

The portion printed in the Proceedings consists merely of a list of the species described, without descriptions or remarks.

94.

1853. LEA, ISAAC. Description of a New Genus (*Basistoma*) of the Family Melaniana, together with some New Species of American Melaniæ. <Proc. Amer. Philos. Soc., v, p. 252. No. 48, February and December, 1852.

Read before the American Philosophical Society March 5, 1852, and published in the *Trans. Amer. Philos. Soc.*, x, pp. 275-302. See No. 81. No. 48 of the Proceedings presented to the meeting of the Society February 4, 1853. (See *Proc. Amer. Philos. Soc.*, v, p. 313.)

The characters of the genus *Basistoma* are given in this place; but, as the full article in the Transactions was published before No. 48 of the Proceedings, the date of the publication of the Proceedings amounts to little in determining priority of description. The rest of the article in the Proceedings consists of a list of the species without descriptions.

BASISTOMA, Lea..... 252

95.

1853. LEA, ISAAC. Description of a New Species of *Helix*, from California, and a new characteristic form of certain American *Colimaæa*. <Proc. Amer. Philos. Soc., v, pp. 252-253. No. 48, February and December, 1852.

Read before the American Philosophical Society March 5, 1852, and published in the Transactions of the Society, x, new series, pp. 303-305.

See No. 82. The portion published in the Proceedings consists only of an outline of the full paper.

96.

1853. LEA, ISAAC. Notice of the *Mya nodulosa*, Wood. <Proc. Acad. Nat. Sci., Phila., vi, p. 368. No. 9, May & June, 1853.

Read before the Academy Natural Sciences June 14, 1853. (See *Proc. Amer. Philos. Soc.*, v, p. 339.)

"In the examination of the Molluses of the Imperial Cabinet of Vienna, I observed a specimen of the family *Naiades*, which I immediately recognized to be *Mya nodulosa*, described and figured by Wood (General Conchology and Index Testaceorum), and which was placed by me among the nodulous *Uniones* in my Synopsis. * * * * * The inspection of the specimen, however, enabled me at once to place the species in its proper position in the system, the teeth, particularly the lateral ones, having equal and parallel striæ, as in the genus *Prisodon*, Schum.=*Castalia*, Lam. The cardinal and lateral teeth are both robust, and of the form of the ponderous subrotund *Uniones*, but the deeply-impressed striæ separate it from that genus and place it in *Prisodon*."

97.

1853. LEA, ISAAC. [On the *Castalia sulcata*, Krauss and other *Naiades*.] <Proc. Acad. Nat. Sci., Phila., vi, pp. 376-377. No. 10, July and August, 1853.

Letter to Dr. Leidy, dated Langen Schwalback, Duchy of Nassau, June 21, 1853, and read before the Academy August 2, 1853. (See *Proc. Amer. Philos. Soc.*, v, p. 344.)

Unio Kraussii, Lea, new name.

Castalia sulcata, Krauss.

Dipsas plicatus, Leach.

Unio superbus, Lea.

98.

1853. LEA, ISAAC. [On the *Mulleria*, Ferussac; and *Acostæa*, D'Orbigny.] <Proc. Acad. Nat. Sci., Phila., vi, p. 435. No. 12.

Verbal communication made November 22, 1853. (See *Proc. Amer. Philos. Soc.*, vi, p. 7.)

99.

1853. LEA, ISAAC. [On a specimen of Gneiss bored by *Pholas daedylus*.] <*Proc. Acad. Nat. Sci., Phila.*, vi, p. 433. No. 12.
Verbal communication made December 13, 1853. (See *Proc. Amer. Philos. Soc.*, vi, p. 7.)

100.

1854. LEA, ISAAC. [On *Acostwa Guaduasana*, D'Orbigny.] <*Proc. Acad. Nat. Sci., Phila.*, vii, pp. 1-2. No. 1, January and February, 1854.
Verbal communication made January 3, 1854. (See *Proc. Amer. Philos. Soc.*, vi, p. 20.)

101.

1854. LEA, ISAAC. Rectification of Mr. T. A. Conrad's "Synopsis of the Family of Naiades of North America," published in the "Proceedings of the Academy of Natural Sciences of Philadelphia, February, 1853." <*Proc. Acad. Nat. Sci., Phila.*, vii, pp. 236-249. No. 6, Nov. and Dec., 1854.

Read before the Academy Natural Sciences, Phila., February 7, 1854.

(See *Proc. Amer. Philos. Soc.*, vi, p. 83.)

Separate as follows:

Rectification of | Mr. T. A. Conrad's | "Synopsis of the Family of Naiades of North America," | published in the | "Proceedings of the Academy of Natural Sciences" | of Philadelphia, | February 1853," | by | Isaac Lea. | — | Philadelphia. | Merrihew and Thompson, Printers, | Merchant Street, above Fourth. | 1854. 12°. pp. 16. Pamphlet.

Received by the Academy Natural Sciences on or before February 6, 1855. (See *Proc. Acad. Nat. Sci., Phila.*, vii, p. xxii)

"Finding in it numerous errors in regard to the dates of my memoirs and the synonymy of my species, I desire that the correction of part at least of these errors may reach the scientific public by the same channel."

"I do not mean to correct the synonymy of this Synopsis, but I trust to satisfy every one that it can be of no value whatever where the dates are so erroneously stated."

"He usually takes the date of the title of the *Volume* of the Transactions of the American Philosophical Society, where the species may have been described, while the volumes published by the Society, as they are almost universally by all scientific bodies, were really issued *in parts* at different times, and generally in three parts. Thus when part first of any volume was issued, the Society distributed copies immediately to their subscribers and to all the principal societies in Europe and in this country; and, when I have had in such part a memoir, I had two hundred and fifty copies printed for my own use, one hundred and fifty of which I at once distributed at home and abroad where I thought they might be useful to science. When part second of the same volume may have been printed the same process took place, and when part third was ready it took the same course, with this addition, viz, a title-page for the *whole volume* was printed for the convenience of those who might choose to have their three parts bound into a volume, and this title bore the date of the last part. Thus most of these copies of my descriptions, with figures, may have been in the hands of the zoologists of Europe and America for two or three years prior to the date at which Mr. Conrad has stated them as being published. In addition, he usually pays no regard to the dates of my descriptions printed in the Proceedings of the American Philosophical Society or otherwise, prior to their subsequent issue in the Transactions. Thus on the 18th August, 1843, I read a number of descriptions before that society, and permission was granted to me to print them at once. The following day, August 19th, these descriptions were printed and circulated. Now Mr. Conrad in his synopsis dates these as published in 1846! three years after they were actually issued printed."

"The question as to fixing with precision the date of discovery of a new form, has been one of anxiety and doubt among men of science. For myself I have never felt satisfied that it was judicious to make any change in the long received rule of permanently fixing the date of publication to be that, when the paper was read before and deposited with the officers of a learned society, with a view to printing."

"Receiving as authority the dates issued by individuals in publications is exceedingly dangerous. There may be antedates, and these can rarely be detected. In the case of a deposit of a paper with a learned society, intended for publication, and a record being made of it at the time, there cannot be any probability by collusion of the officers to make a change."

1854. LEA, ISAAC—Continued.

"As much of Mr. Conrad's Synopsis involves the names and claims of Mr. Rafinesque, it becomes necessary to say something in explanation of my having in my papers adopted but few of his names."

Here follow four or five pages, in which Mr. Lea, by quoting the opinions of many conchologists, clearly shows that the descriptions of Mr. Rafinesque's species are so incomplete that they are worthless in determining species.

"We come now to by far the most important part of Mr. Conrad's Synopsis, the dates."

"In order to occupy as little space as possible, I will endeavor to tabulate these errors. To take up my species in the order in which they occur in his Synopsis and correct them, seriatim, would require great space. I commence with my first memoir, in 1827, and proceed chronologically to 1852.

Unio lanceolatus, Lea.	Dated by Mr. Conrad,	1832	} Published in Memoir read before and deposited with the Am. Phil. Soc., Nov. 2, 1827, and printed in Trans., vol. iii, p. 259. Distributed early in 1828.† Noticed in Silliman's Jour., Oct., 1829, and the Trans. cited for 1827.
" irroratus, Lea.*	" " "	†1852	
Unio occidens, Lea.	Dated by Mr. Conrad,	1832 ‡	} Published in Memoir read before and deposited with the Am. P. S., March 6th, 1829, and printed in Trans., vol. iii, p. 401. Distributed in May or June, 1829. The receipt of it, with comments, is acknowledged in a letter from Cincinnati, June 27th, 1829, and it is noticed in Silliman's Journal, vol. xvi, 1829.
" rubiginosus, Lea.	" "	1832	
" heterodon, Lea.	" "	1833	
" multiradiatus, Lea.	" "	1832	
" securis, Lea.	" "	1832	
Unio acutissimus, Lea.	Dated by Mr. Conrad, Aug.	1834	} Published in Memoir read before and deposited with the Am. P. S., May 7th, 1830, and printed in Trans., vol. iv., p. 63. Distributed in the latter end of 1831, and acknowledged by correspondents as received in that year. A long review of this, and the supplement read May 20, 1831, appeared in Silliman's Jour. for Jan., Feb., and March, 1832. It will be observed that Mr. Conrad makes <i>three dates</i> for the species described in this memoir, not one of which is correct on his own principle of the issue of printed copies being the time of date. This memoir and the following supplement having eighteen plates and nearly fifty species, all colored, required a long time to finish, hence the delay between reading the memoir and the issuing of it complete.
" asper, Lea.	" "	1832	
" pustulosus, Lea.	" "	1832	
" obesus, Lea.	" "	1832 ‡	
" castaneus, Lea.	" "	1832	
" varicosus, Lea.	" "	1832	
" Congaræus, Lea.	" "	1832	
" decisus, Lea.	" "	1832	
" glans, Lea.	" "	1832	
" fabalis, Lea.	" "	1832	
" lens, Lea.	" "	1832	
" cuprinus, Lea.	" "	1834	
" pustulatus, Lea.	" "	1832	
" ebennus, Lea.	" "	1832	
" stapes, Lea.	" "	1832	
" trapezoides, Lea.	" "	1838	

*The four other species of this memoir are given by Mr. Conrad without any date.

†This may be a typographical error and intended to be 1832, the same as *lanceolatus*, above it. Giving Mr. Conrad the benefit of this, it will still be found that he has dated these two species *five years* after they were read to the Society, *four years* after they were printed and issued, and *two years* after the date of the title-page of the whole volume.

‡A correspondent in Cincinnati, under date of April 25th, 1828, acknowledges the receipt of this paper, and comments on the descriptions and the plates, and particularly the anatomical parts. He had received impressions of the plates in the previous December.

1854. LEA, ISAAC—Continued.

Unio angulatus, Lea.	Dated by Mr. Conrad,	1832	} Published in Memoir (supplement) read before and deposited with the Am. Phil. Soc., May 20th, 1831, and printed in Trans., vol. iv., p. 105. This supplement was issued with the memoir. Therefore all these dates of Mr. Conrad's are one year after the memoir was distributed.
" subovatus, Lea.	" "	1832	
" arcæformis, Lea.	" "	1832	
" pileus, Lea.	" "	1832	
" trigonus, Lea.	" "	1832	
" subrotundus, Lea.	" "	1832	
Unio globosus, Lea.	Dated by Mr. Conrad,	1834	} Published in Memoir read before and deposited with the Am. Phil. Soc., March 16th, 1832, and printed in Trans., vol. v., p. 23. I was absent most of 1832 in Europe, and the large number of plates (19) with figures of 86 species, in this and the two following supplements, all colored, required much time, and it was not until some time in Aug. or Sept., 1834, that the whole was finished and issued printed.
" capsæformis, Lea.	" "	1834	
" Haysianus, Lea.	" "	1834	
" Ravenelianus, Lea.	" "	Aug. 1834	
" Schoolcraftensis, Lea.	" "	" 1834	
" geometricus, Lea.	" "	1834	
Anodonta plana, Lea.	" "	Aug. 1834	} Supplement read before and deposited with the Am. Phil. Soc., March 15, 1833, and printed in Trans., vol. v., p. 59. The same observations apply as to the preceding.
" incerta, Lea.	" "	1834	
Unio Conradicus, Lea.	Dated by Mr. Conrad,	1834	
" Cooperianus, Lea.	" "	1834	
" dromas, Lea.	" "	1834	
" perdix, Lea.	" "	1834	
" pictus, Lea.	" "	1834	
" Sowerbyanus, Lea.	" "	1834	
" Troostensis, Lea.	" "	1834	
Unio fulvus, Lea.	Dated by Mr. Conrad,	1834	} Second supplement read before and deposited with the Am. Phil. Soc., Feb. 7th, 1834, and printed in Trans., vol. v., p. 95. The same observations apply as to the preceding.
" Shepardianus, Lea.	" "	1834	
" confertus, Lea.	" "	Aug. 1834	
" modioliformis, Lea.	" "	1834	
Unio aretior, Lea.	Dated by Mr. Conrad,	1838	} Published in Memoir read before and deposited with the Am. Phil. Soc., Dec. 19th, 1834, and printed in Trans., vol. vi., p. 1. All these are inserted in the first edition of my Synopsis, issued in 1836, probably in Dec.
" coccineus, Lea.	" "	1838	
" Fisherianus, Lea.	" "	1838	
" Hydianus, Lea.	" "	1838	
" jejunus, Lea.	" "	1838	
" interruptus, Lea.	" "	1838	
" turgidus, Lea.	" "	*1837	
" venustus, Lea.	" "	1838	
Unio Barnesianus, Lea.	Dated by Mr. Conrad,	1838	} Published in Memoir read before and deposited with the Amer. Phil. Soc., Feb. 5th, 1836, and printed in Trans., vol. vi., p. 23. All these are inserted in the first edition of my Synopsis, issued in 1836, probably in Dec.
" Cumberlandianus, Lea.	" "	1838	
" folliculatus, Lea.	" "	1838	
" glaber, Lea.	" "	1838	
" Jayensis, Lea.	" "	1838	
" Lecontianus, Lea.	" "	1838	
" Muhlfeldianus, Lea.	" "	1838	
" notatus, Lea.	" "	1838	
" pumilis, Lea.	" "	1838	
" Medellinus, Lea.	" "	1838	
" Roanokensis, Lea.	" "	1838	
" sinus, Lea.	" "	1838	
" Hopetonensis, Lea.	" "	1838	
" Vanuxemensis, Lea.	" "	1838	
" Zieglerianus, Lea.	" "	1838	
Anodonta Wardiana, Lea.	" "	1838	

*I cannot understand why Mr Conrad dates this one year prior to the other species in the same memoir. In his Synopsis he makes it a synonym to *Mortoni* Con., which he described in No. 1 of his Monography, Dec. 1835.

1854. LEA, ISAAC—Continued.

Unio pliciferus, Lea. Dated by Mr. Conrad,	1838	} Published in Memoir read before and deposited with the Amer. Phil. Soc., July 15th, 1836, and printed in Trans., vol. vi. Issued in Synopsis, 1836.
Margaritana arcuata, Lea. Dated by Mr. Conrad,	1838	} Published in Memoir read before and deposited with the Amer. Phil. Soc., Aug. 19th, 1836, and printed in Trans., vol. vi. Issued in Synopsis, 1836.
Unio discus, Lea. Dated by Mr. Conrad,	1838	} Published in Memoir read before and deposited with the Amer. Phil. Soc., Nov. 4th, 1836, and printed in Trans., vol. vi. Issued in Synopsis, 1836.
" Dorfeuillians, Lea. Dated by Mr. Conrad,	1838	
" Menkeanus, Lea. " "	1838	
Unio Rangianus, Lea. Dated by Mr. Conrad,	1838	} Published in Memoir read before and deposited with the Amer. Phil. Soc., July 21st, 1837, and printed in Trans., vol. vi. Issued in Synopsis, 1836.
Unio amœnus, Lea. Dated by Mr. Conrad,	1841	} Published in Memoir read before and deposited with the Am. Phil. Soc., Oct. 2d, 1840. Oct. 16th ordered to be printed. Issued in the Proceedings of that month, (No. 13, p. 285), which was laid on the table by the Reporter, Nov. 6th, 1840. Printed in the Trans., vol. viii, p. 191.
" biangulatus, Lea. " "	1841	
" Bournianus, Lea. " "	1841	
" Boydianus, Lea. " "	1841	
" Cincinnatiensis, Lea. " "	1841	
" cuneolus, Lea. " "	1842	
" dactylus, Lea. " "	1841	
" dollabelloides, Lea. " "	1842	
" Edgarianus, Lea. " "	1841	
" exiguus, Lea. " "	1842	
" Geddingsianus, Lea. " "	1841	
" Helstonensis, Lea. " "	1841	
" lenior, Lea. " "	1841	
" Lesueurianus, Lea. " "	1842	
" lineatus, Lea. " "	1841	
" incrassatus, Lea. " "	1842	
" plenus, Lea. " "	1842	
" striatus, Lea. " "	1841	
" strigosus, Lea. " "	1841	
" Tennesseensis, Lea. " "	1842	
" tener, Lea. " "	1842	
" tortivus, Lea. " "	1842	
" tuberosus, Lea. " "	*1842	
Unio Brumbyanus, † Lea. Dated by Mr. Conrad,	1841	} Published in Memoir read before and deposited with the Am. Phil. Soc., June 18th, 1841. Issued in Proceedings, No. 19, for October, 1841. These dates of Mr. Conrad's are therefore correct.
" regularis, Lea. " "	1841	
" mœstus, Lea. " "	1841	
" sparsus, Lea. " "	1841	
" argenteus, Lea. " "	1841	

*It will be observed that Mr. Conrad continues the singular error of frequently dating my species of the same memoir in different years, while some of them in the same memoir he inserts without a date, viz.: *Stonensis*, *subangulatus*, *obesus*, &c.

†At page 245 of Mr. Conrad's Synopsis in "Proceedings," this is given as a species; at page 250 it is made a synonym to *glans* Lea.

1854. LEA, ISAAC—Continued.

Unio amygdalus, Lea.	Dated by Mr. Conrad,	1846	{ Published in Memoir read before and deposited with the Amer. Phil. Soc., Aug. 18th, 1843. Permission given by the Society to print the descriptions. They were printed and issued the following day, Aug. 19th, 1843. Receipt of these printed descriptions acknowledged by the Society Sept. 15th, 1843. Therefore six of these are dated by Mr. Conrad <i>three years</i> after they were printed and issued!!
" Buckleyi, Lea.	" "	1846	
" Buddianus, Lea.	" "	1846	
" fuscatus, Lea.	" "	1846	
" minor, Lea.	" "	1846	
" Monroensis, Lea.	" "	1841	
" neglectus, Lea.	" "	1846	{ Published in Memoir read before and deposited with the Amer. Phil. Soc., May 2, 1845. Printed descriptions issued in the Proceedings of that month, No. 33, p. 165, issued Aug., 1845. Generally the new species of this memoir are dated correctly (in 1845) by Mr. Conrad. The <i>tetragona</i> is one year wrong, and <i>M. minor</i> has no date.

Anodonta tetragona, Lea. Dated by Mr. Conrad, 1846

"In my last Memoir read before and deposited with the American Philosophical Society, March 5th, 1852, there are over fifty descriptions of new species. Two of these Mr. Conrad has omitted, viz.: *U. Oregonensis* Lea, and *U. succissus* Lea. Twelve he inserts without date; the remainder are dated correctly—1852.

"This finishes the corrections of the numerous *errors of date* in Mr. Conrad's Synopsis, as regards the long series of my memoirs in the Trans. Am. Phil. Soc. It will be seen by the above tables of corrections that he has, under his own rule of the time of issuing them printed, erroneously dated *about ninety of my species*. I do not pretend in this rectification to correct the *synonymy* of the Synopsis, as I have stated before. It would require too much space and time. Those interested in the subject must judge between the two synopses."

102.

1855. LEA, ISAAC. [Exhibition of the tanned skin of the Walrus used for polishing cutlery.] <Proc. Acad. Nat. Sci., Phila., vii, p. 265.
Exhibited February 20, 1855.

103.

1855. LEA, ISAAC. Description of a new Mollusk from the Red Sandstone near Pottsville, Pa. <Proc. Acad. Nat. Sci., Phila., vii, pp. 340-341. No. 9, May and June, 1855, with pl. iv. For separate see No. 104.

Read before the Academy Natural Sciences, Phila., May 22, 1855. (See Proc. Amer. Philos. Soc., vi, p. 135.)

Cypricardia Leidyi, Lea, n. s. 341

104.

1855. LEA, ISAAC. Description | of a | New Mollusk | from | The Red Sandstone, near Pottsville, Pa. | [Read before the Academy of Natural Sciences, May 22, 1855.] | By | Isaac Lea. | — | Philadelphia, | Merrihew and Thompson, Printers, | Merchant Street, above Fourth. | 1855. This is a separate of No. 103.

Received by the Academy Natural Sciences, Phila., on or before September 4, 1855. (See Proc. Acad. Nat. Sci., Phila., vii, p. xxxiv.)

105.

1856. LEA, ISAAC. [Notes on Auroras.] <Proc. Amer. Philos. Soc., vi, pp. 162-163. No. 54, May-Dec., 1855.
Read before the American Philosophical Society December 7, 1855. (See Proc. Amer. Philos. Soc., vi, p. 173.)

106.

1856. LEA, ISAAC. On the New Red Sandstone Formation of Pennsylvania. <Proc. Acad. Nat. Sci., Phila., viii, pp. 77-78. No. 2, March-April, 1856.
Notes on a paper bearing the above title intended for publication in the Journal of the Academy (see No. 111), and presented to the Academy April 15, 1856. This forms part of No. 111, which was presented to the Library of the Academy June 17, 1856. (See Proc. Acad. Nat. Sci., viii, p. xiii.)
Centemodon sulcatus, Lea, n. s. 87.

107.

1856. LEA, ISAAC. Description of a New Sub-Genus of Naiades. <Proc. Acad. Nat. Sci., Phila., viii, p. 79. No. 2, March and April, 1856.
Read before the Academy Natural Sciences, Phila., April 1, 1856. (See Proc. Acad. Nat. Sci., viii, p. xiii.)
Subgenus *PLAGIODON*, Lea, n. s. g. 79
Journ. Acad. Nat. Sci., iii, p. 317.
Plagiodon isocardioides, Lea, n. s. 79
Rio Plata, M. E. Verreaux, Paris.
Journ. Acad. Nat. Sci., iii, p. 318, as *P. isocardioides*.

108.

1856. LEA, ISAAC. Description of a New Species of Triquetra, Klein (Hyria, Lamarck). <Proc. Acad. Nat. Sci., Phila., viii, p. 79. No. 2, March and April, 1856.
Read before the Academy Natural Sciences, Phila., April 1, 1856. (See Proc. Acad. Nat. Sci., Phila., viii, p. xiii.)
Triquetra lanceolata, Lea, n. s. 79
China, ? Mr. Asa Fitch.
Journ. Acad. Nat. Sci., Phila., iii, p. 319, as *Triquetra contorta*.

109.

1856. LEA, ISAAC. Description of New Fresh-water Shells from California. <Proc. Acad. Nat. Sci., Phila., viii, pp. 80-81. No. 2, March and April, 1856.
Read before the Academy Natural Sciences, Phila., April 1, 1856. (Proc. Acad. Nat. Sci., Phila., viii, p. xiii.)
POMPHOLYX, Lea, n. g. 80
Journ. Acad. Nat. Sci., vi, 1866, p. 156.
Pompholyx effusa, Lea, n. s. 80
Sacramento River, California, Dr. Trask.
Journ. Acad. Nat. Sci., vi, 1866, p. 156.
Melania Shastaensis, Lea, n. s. 80
Shasta and Scott Rivers, California, Dr. Trask.
Journ. Acad. Nat. Sci., v, 1863, p. 337, as *Goniobasis Shastaensis*.
Melania nigrina, Lea, n. s. 80
Clear Creek, Shasta County, California, Dr. Trask.
Journ. Acad. Nat. Sci., v, 1863, p. 302.
Physa triticea, Lea, n. s. 80
Shasta County, California, Dr. Trask.
Journ. Acad. Nat. Sci., vi, 1866, p. 176.
Planorbis Traskii, Lea, n. s. 80
Kern Lake, Tulare County, California, Dr. Trask.
Journ. Acad. Nat. Sci., vi, 1866, p. 157.
Lynnæa prozina, Lea, n. s. 80
Arroyo San Antonio, California, Dr. Trask.
Journ. Acad. Nat. Sci., vi, 1866, p. 160.

1856. LEA, ISAAC—Continued.

- Aneythus patelloides*, Lea, n. s. 80
 Sacramento River, California, Dr. Trask.
Journ. Acad. Nat. Sci., vi, 1866, p. 185.
- Species already described:
Margaritana margaritifera, Lea.
Anodonta Wahlamatisensis, Lea.
Anodonta angulata, Lea.
Helix Oregonensis, Lea.
Helix Nickliniana, Lea.
Helix Californiensis, Lea.
Lymnaea exigua, Lea. "
Lymnaea pallida, Adams.
Physa heterostropha, Say.
Melania occata, Hinds.
Melania seminalis (*Patudina*, Hinds).
Planorbis trivolis, Say.
Planorbis ammon, Gould.

110.

1856. LEA, ISAAC. Description of Twenty-five New Species of Exotic Uniones.

- <*Proc. Acad. Nat. Sci., Phila.*, viii, p. 92-95. No. 2, March and April, 1856.
 Read before the Academy Natural Sciences, Phila., April 15, 1856. (See *Proc. Acad. Nat. Sci., Phila.*, viii, p. xiii.)
- Unio Hainesianus*, Lea, n. s. 92
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 289.
- Unio Myersianus*, Lea, n. s. 92
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 290.
- Unio Housei*, Lea, n. s. 92
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 291.
- Unio gravidus*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 292.
- Unio inornatus*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 293.
- Unio lutens*, Lea, n. s. 93
 Newville Burmah, Mrs. Vinton.
Journ. Acad. Nat. Sci., iii, 1858, p. 291, as *Unio luteus*.
- Unio ezinius*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 294.
- Unio tumidulus*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 295.
- Unio rusticus*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 294.
- Unio sagittarius*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 298.
- Unio substriatus*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 300, as *Unio subtriatus*.
- Unio scobinatus*, Lea, n. s. 93
 Siam, T. R. Ingalls, M. D., S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 299.
- Unio humilis*, Lea, n. s. 93
 Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 296.

1856. LEA, ISAAC—Continued.

<i>Unio phasclus</i> , Lea, n. s.	94
Siam, S. R. House, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 297.	
<i>Unio Verreauianus</i> , Lea, n. s.	94
Cape of Good Hope, M. E. Verreau.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 301.	
<i>Unio Africanus</i> , Lea, n. s.	94
Cape of Good Hope, M. E. Verreau.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 300.	
<i>Unio Shurtleffianus</i> , Lea, n. s.	94
Sina River, India, Major Le Conte; Ahmednugger, India, S. Shurtleff, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 302.	
<i>Unio efulgens</i> , Lea, n. s.	94
Brazil, B. W. Budd, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 303.	
<i>Unio Dünkerianus</i> , Lea, n. s.	94
River Macacoú, Rio de Janeiro, Brazil, Prof. Dünker; New Grenada, M. E. Verreau.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 305.	
<i>Unio Shuttleworthii</i> , Lea, n. s.	94
Australia, R. J. Shuttleworth, Esq., Berne, Switzerland.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 304.	
<i>Unio nucleus</i> , Lea, n. s.	94
Siam, S. R. House, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 306.	
<i>Unio Wheatleyanus</i> , Lea, n. s.	94
Rio Plata, M. A. D'Orbigny; Rio Negro, C. M. Wheatley, Esq.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 308.	
<i>Unio Brownii</i> , Lea, n. s.	95
Mocha, ? Asia, Capt. Geo. Brown.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 307.	
<i>Unio suavidicus</i> , Lea, n. s.	95
River Amazon, M. E. Verreau, Paris.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 309.	
<i>Unio umbrosus</i> , Lea, n. s.	95
Medellin River, Mexico, M. Burrough, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 311.	

111.

1856. LEA, ISAAC. On the | New Red Sandstone Formation | of Pennsylvania. | — | Description | of a | New Sub-Genus of Naïades. | Description | of a | New Species of Triquetra. | Description | of | New Fresh Water Shells | from California. | Description | of | Twenty-five New Species of Exotic Uniones, | by | Isaac Lea, LL. D., &c., &c. | — | Philadelphia: | Merrihew & Thompson, Printers, | Lodge street, north side Pennsylvania Bank. | 1856. 8°. pp. 1-8.
- Extracts from the Proceedings of the Academy Natural Sciences, Phila., and consists of Nos. 106, 107, 108, 109, and 110 of this Catalogue.
- Presented to the Library of the Academy on or before June 17, 1856. (See *Proc. Acad. Nat. Sci., Phila.*, viii, p. xiii.)

112.

1856. LEA, ISAAC. Description of four New Species of Exotic Uniones. < *Proc. Acad. Nat. Sci.*, viii, p. 103. No. 3, May and June, 1856.
- Read before the Academy May 13, 1856. No. 3 of the Proceedings was received by the American Philosophical Society on or before August 15, 1856. (See *Proc. Amer. Philos. Soc.*, p. 207.) This forms part of No. 126.
- | | |
|--|-----|
| <i>Unio Coloradoensis</i> , Lea, n. s. | 103 |
| Rio Colorado, Texas, B. W. Budd, M. D. | |
| <i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 314. | |
| <i>Unio Nuttallianus</i> , Lea, n. s. | 103 |
| India, Prof. Thomas Nuttall. | |
| <i>Journ. Acad. Nat. Sci.</i> , iii, 1858, p. 310. | |

1856. LEA, ISAAC—Continued.

- Unio Cambodiensis*, Lea, n. s. 103
Takrong River at Korat, Cambodia, S. R. House, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 313.
- Unio Newcombianus*, Lea, n. s. 103
Lake Nicaragua, W. Newcomb, M. D.
Journ. Acad. Nat. Sci., iii, 1858, p. 312.

113.

1856. LEA, ISAAC. Description of Thirteen New Species of Exotic Peristomata.

<*Proc. Acad. Nat. Sci., Phila.*, viii, pp. 109-111. No. 3, May and June, 1856.
Read before the Academy June 3, 1856. (See *Proc. Amer. Philos. Soc.*, vi, p. 207.) This forms part of No. 126.

- Paludina Hainesiana*, Lea, n. s. 109
Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 115.
- Paludina umbilicata*, Lea, n. s. 109
Takrong River, Siam, W. A. Haines.
Journ. Acad. Nat. Sci., vi, 1866, p. 117.
- Paludina Chinensis*, Lea, n. s. 110
China, W. A. Haines.
Journ. Acad. Nat. Sci., vi, 1866, p. 115, as *Paludina orientalis*.
- Paludina Swainsonianana*, Lea, n. s. 110
Siam, T. R. Ingalls, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 116.
- Paludina Ingallsiana*, Lea, n. s. 110
Siam, T. R. Ingalls, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 117.
- Bithinia Siamensis*, Lea, n. s. 110
Takrong River, Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 118.
- Bithinia globula*, Lea, n. s. 110
India, W. A. Haines.
Journ. Acad. Nat. Sci., vi, 1866, p. 119.
- Paludomus maculata*, Lea, n. s. 110
Ahmednugger, India, S. Shurtleff, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 118, as *Rivulina maculata*.
- Ampullaria aurostoma*, Lea, n. s. 110
Carthage, Col. Totten, J. C. Troutwine, Esq.
Journ. Acad. Nat. Sci., vi, 1866, p. 114.
- Ampullaria tubæformis*, Lea, n. s. 110
Hab. —? M. Burrough, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 114.
- Ampullaria gracilis*, Lea, n. s. 110
Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 113.
- Ampullaria turbinis*, Lea, n. s. 110
Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 113.
- Assimineæ carinata*, Lea, n. s. 111
Siam, S. R. House, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 119.

114.

1856. LEA, ISAAC. Description of Fifteen new species of Exotic Melaniana. <*Proc. Acad. Nat. Sci., Phila.*, viii, pp. 144-145. No. 4, July and August, 1856.

Read before the Academy of Natural Sciences July 8, 1856. (See *Proc. Amer. Philos. Soc.*, vi, p. 212.) This forms part of No. 126.

- Melania Verreauxiana*, Lea, n. s. 144
Sandwich Islands, M. E. Verreaux, Paris.
Journ. Acad. Nat. Sci., vi, 1866, p. 127, as *M. Verreauxiana*.

1856. LEA, ISAAC—Continued.

<i>Melania fraterna</i> , Lea, n. s.	144
Hab. ———	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 128.	
<i>Melania Hainesiana</i> , Lea, n. s.	144
India, W. A. Haines, New York.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 122.	
<i>Melania Housei</i> , Lea, n. s.	144
Korat, Takrong River, Siam, S. R. House, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 125.	
<i>Melania Ningpoensis</i> , Lea, n. s.	144
Ningpo, China, S. R. House, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 124.	
<i>Melania Myersiana</i> , Lea, n. s.	145
Feejee Islands, S. R. House, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 124.	
<i>Melania bullata</i> , Lea, n. s.	145
Brazil, W. A. Haines.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 129.	
<i>Melania lyriformis</i> , Lea, n. s.	145
Manila, W. Newcomb, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 126.	
<i>Melania affinis</i> , Lea, n. s.	145
Manila, W. Newcomb, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 125.	
<i>Melania australis</i> , Lea, n. s.	145
Manila, W. Newcomb, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 126, as <i>Melania Manillaensis</i> .	
<i>Melania Newcombii</i> , Lea, n. s.	145
Oahu, Sandwich Islands, W. Newcomb, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 122.	
<i>Melania Mauiensis</i> , Lea, n. s.	145
Maui, Sandwich Islands, W. Newcomb, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 123.	
<i>Melania Boninensis</i> , Lea, n. s.	145
Bonin Islands, M. Burrough, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 121.	
<i>Melania rubida</i> , Lea, n. s.	145
Mexico, Hon. J. R. Poinset.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 121.	
<i>Pachychilus parvum</i> , Lea, n. s.	145
Siam, S. R. House, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 120.	

115.

1856. LEA, ISAAC. Description of the Byssus in the genus *Unio*. <*Proc. Acad. Nat. Sci., Phila.*, viii, pp. 213-214. No. 5, September and October, 1856.

Read before the Academy of Natural Sciences September 23, 1856. (See *Proc. Amer. Philos. Soc.*, vi, p. 229.) This forms part of No. 126.

116.

1856. LEA, ISAAC. Description of eleven New Species of *Uniones*, from Georgia. <*Proc. Acad. Nat. Sci., Phila.*, viii, pp. 262-263. No. 6, November and December, 1856.

Read before the Academy of Natural Sciences November 4, 1856. This forms part of No. 126.

<i>Unio Elliottii</i> , Lea, n. s.	262
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 54.	
<i>Unio gracillior</i> , Lea, n. s.	262
Buckhead Creek, Burke Co., Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 56, as <i>U. gracillior</i> .	
<i>Unio pullatis</i> , Lea, n. s.	262
Creeks near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 47, as <i>U. pullatus</i> .	

1856. LEA, ISAAC—Continued.

<i>Unio favosus</i> , Lea, n. s.	262
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 58.	
<i>Unio rutilans</i> , Lea, n. s.	262
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 59.	
<i>Unio errans</i> , Lea, n. s.	262
Tobesaufkie Creek, near Macon, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 60.	
<i>Unio vicinus</i> , Lea, n. s.	262
Swift Creek, near Macon, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 61.	
<i>Unio subellipsis</i> , Lea, n. s.	262
Creeks near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 62.	
<i>Unio geminus</i> , Lea, n. s.	262
Buckhead Creek, Burks Co., Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 63.	
<i>Unio rostriformis</i> , Lea, n. s.	262
Swift Creek, near Macon, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 64, as <i>U. rostriformis</i> .	
<i>Unio Blandianus</i> , Lea, n. s.	263
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott.	
<i>Proc. Acad. Nat. Sci.</i> , ix, 1857, p. 31, and <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 65.	

117.

1856. LEA, ISAAC. [Communication on *Triquetra lanceolata*, Lea, with change of name to *Triquetra contorta*.] <*Proc. Acad. Nat. Sci., Phila.*, viii, pp. 300-301. No. 6, November and December, 1856.

Remarks made before the Academy of Natural Sciences, December 16, 1856. This forms part of No. 126.

118.

1857. LEA, ISAAC. [Remarks on the visual organs of certain species of the genus *Unio*.] <*Proc. Acad. Nat. Sci., Phila.*, ix, pp. 17-18. February, 1857.

Remarks made before the Academy of Natural Sciences, February 3, 1857. (See *Proc. Acad. Nat. Sci., Phila.*, ix, p. v.) This forms part of No. 126.

119.

1857. LEA, ISAAC. Description of Thirteen New Species of Uniones, from Georgia. <*Proc. Acad. Nat. Sci., Phila.*, ix, pp. 31-32. February, 1857.

Read before the Academy of Natural Sciences, February 17, 1857. (See *Proc. Acad. Nat. Sci., Phila.*, ix, p. v.) This forms part of No. 126.

<i>Unio Blandianus</i> , Lea, n. s.	31
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott.	
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 263, and <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 65.	
<i>Unio concestator</i> , Lea, n. s.	31
Creeks near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 66.	
<i>Unio extensus</i> , Lea, n. s.	31
Dry Creek near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 67.	
<i>Unio pyriformis</i> , Lea, n. s.	31
Near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 69.	
<i>Unio Columbensis</i> , Lea, n. s.	31
Creek near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 75.	
<i>Unio fallax</i> , Lea, n. s.	32
Streams near Columbus, Georgia, Bishop Elliott; and French Broad River,	
Tenn., Mr. Joseph Clark.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 79.	

1857. LEA, ISAAC—Continued.

<i>Unio intercedens</i> , Lea, n. s.	32
Streams near Columbus, Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 77.	
<i>Unio excavatus</i> , Lea, n. s.	32
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott; and Etowah, Georgia, Rev. Geo. White; Alabama River, Claiborne, Alabama, Judge Tait. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 71.	
<i>Unio radians</i> , Lea, n. s.	32
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 201.	
<i>Unio rubellinus</i> , Lea, n. s.	32
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 70.	
<i>Unio umbrosus</i> , Lea, n. s.	32
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 72, as <i>U. umbrans</i> .	
<i>Unio apicinus</i> , Lea, n. s.	32
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 76.	
<i>Unio Othcaloogensis</i> , Lea, n. s.	32
Othcalooga Creek, Gordon Co., Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 74.	

120.

1857. LEA, ISAAC. Description of Six New Species of Uniones from Alabama. <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 83. March, 1857.

Read before the Academy of Natural Sciences, March 24, 1857. (See *Proc. Acad. Nat. Sci., Phila.*, ix, p. vi.) This forms part of No. 126.

<i>Unio propinquus</i> , Lea, n. s.	83
Florence, Alabama, Rev. G. White, and Tuscumbia, Alabama, L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 63.	
<i>Unio Florentinus</i> , Lea, n. s.	83
Florence, Alabama, Rev. G. White; Cumberland River, Tennessee, Drs. Troost and Edgar, and T. C. Downie, Esq., St. Simon's Island. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 64.	
<i>Unio biemarginatus</i> , Lea, n. s.	83
Florence, Alabama, Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 47.	
<i>Unio mundus</i> , Lea, n. s.	83
Tuscumbia, Alabama, L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 40.	
<i>Unio Thorntonii</i> , Lea, n. s.	83
Tuscumbia, Alabama, L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 38.	
<i>Unio Mooresianus</i> , Lea, n. s.	83
Tuscumbia, Alabama, H. Moores. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 39.	

121.

1857. LEA, ISAAC. Description of Eight New Species of Naiades from various parts of the United States. <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 84. March, 1857.

Read before the Academy of Natural Sciences, March 24, 1857. (See *Proc. Acad. Nat. Sci.*, ix, p. vi.) This forms part of No. 126.

<i>Unio pinguis</i> , Lea, n. s.	84
St. Peter's River, Upper Mississippi, B. W. Budd, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 78.	
<i>Unio Higginsii</i> , Lea, n. s.	84
Muscataine, Iowa, Frank Higgins. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 188.	
<i>Unio Abbevilensis</i> , Lea, n. s.	84
Abbeville District, South Carolina, Dr. Barratt. <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 51.	

1857. LEA, ISAAC—Continued.

- Unio Jancsianus*, Lea, n. s. 84
 Jackson, Mississippi, U. P. James.
Journ. Acad. Nat. Sci., iv, 1858, p. 52.
- Unio Texasiensis*, Lea, n. s. 84
 De Witt County, Texas, W. Newcomb, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 359, as *U. Texasensis*.
- Anodonta Lewisii*, Lea, n. s. 84
 Erie Canal and Mohawk River, Herkimer Co., N. Y., James Lewis, M. D.; and
 Genesee River, below Rochester, Prof. C. Dewey.
Journ. Acad. Nat. Sci., iv, 1860, p. 362.
- Anodonta lacustris*, Lea, n. s. 84
 Crooked Lake and Little Lakes, New York, James Lewis, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 363.
- Anodonta modesta*, Lea, n. s. 84
 Pond, near Kalamazoo, Mich., J. Lewis, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 364.

122.

1857. LEA, ISAAC. Description of Three New Exotic species of Naiades. <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 85. March, 1857.
 Read before the Academy Natural Sciences, Phila., March 24, 1857. (See *Proc. Acad. Nat. Sci., Phila.*, ix, p. vi.) This forms part of No. 126.
- Unio Poeyanus*, Lea, n. s. 85
 Rio de las Balsas, near Coyucan, Mexico, Prof. Poey, of Havana.
Journ. Acad. Nat. Sci., iii, 1858, p. 315.
- Unio Canadensis*, Lea, n. s. 85
 St. Lawrence River, near Montreal, M. Carey Lea.
Journ. Acad. Nat. Sci., iv, 1860, p. 268.
- Anodonta Holtonis*, Lea, n. s. 85
 Near Cauca River, Province of Popayan, S. A., Rev. J. F. Holton.
Journ. Acad. Nat. Sci., iii, 1858, p. 316.

123.

1857. LEA, ISAAC. Description of Twelve New Species of Naiades from North Carolina. <*Proc. Acad. Nat. Sci., Phila.*, ix, pp. 85-86. March, 1857.
 Read before the Academy of Natural Sciences March 10, 1857. (See *Proc. Acad. Nat. Sci., Phila.*, ix, p. vi.) This forms part of No. 126.
- Unio Wheatleyi*, Lea, n. s. 85
 Catawba River, Gaston Co., N. C., C. M. Wheatley.
Journ. Acad. Nat. Sci., v, 1862, p. 54, as *Unio Catawbensis*.
- Unio percaeratus*, Lea, n. s. 85
 Catawba River, Gaston Co., N. C., C. M. Wheatley and F. A. Genth, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 59.
- Unio gracilentus*, Lea, n. s. 85
 Catawba River, Gaston Co., N. C., C. M. Wheatley.
Journ. Acad. Nat. Sci., v, 1862, p. 58.
- Unio mcans*, Lea, n. s. 85
 Catawba River, Gaston Co., N. C., C. M. Wheatley and F. A. Genth, M. D.; Deep
 River Gulf, N. C., Prof. Emmons.
Journ. Acad. Nat. Sci., v, 1862, p. 59.
- Unio Genthii*, Lea, n. s. 85
 Catawba River, Gaston Co., N. C., C. M. Wheatley and F. A. Genth, M. D.; Deep
 River Gulf, N. C., Prof. Emmons.
Journ. Acad. Nat. Sci., v, 1862, p. 57.
- Unio Emmonsii*, Lea, n. s. 86
 Roanoke River, at Weldon, N. C., Prof. E. Emmons.
Journ. Acad. Nat. Sci., v, 1862, p. 56.
- Unio spadiceus*, Lea, n. s. 86
 Deep River Gulf, N. C., Prof. Emmons; and mountain streams, N. C., Joseph
 Clark.
Journ. Acad. Nat. Sci., v, 1862, p. 55.
- Unio insulsus*, Lea, n. s. 86
 Roanoke River, Weldon, N. C., Prof. Emmons.
Journ. Acad. Nat. Sci., v, 1862, p. 53.

1857. LEA, ISAAC—Continued.

<i>Unio striatulus</i> , Lea, n. s.	86
Roanoke River, at Weldon, N. C. Prof. Emmons: <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 53.	
<i>Unio macer</i> , Lea, n. s.	86
Roanoke River, Weldon, N. C., Prof. Emmons. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 202.	
<i>Unio contractus</i> , Lea, n. s.	86
Roanoke River, Weldon, N. C., Prof. Emmons. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 203.	
<i>Anodonta virgulata</i> , Lea, n. s.	86
Roanoke River, Weldon, N. C., Prof. Emmons; and Washington, Co., Georgia, Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 213.	

124.

1857. LEA, ISAAC. [Remarks on *Unio spinosus*.] <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 101. April, 1857.

Verbal communication made to the Academy April 14, 1857.

125.

1857. LEA, ISAAC. Description of Six new species of Fresh Water and Land Shells of Texas and Tamaulipas, from the Collection of the Smithsonian Institution. <*Proc. Acad. Nat. Sci., Phila.*, ix, pp. 101-102. April, 1857.

Read before the Academy of Natural Sciences April 7, 1857. This forms part of No. 126.	
<i>Unio Berlandierii</i> , Lea, n. s.	101
Matamoras, Tamaulipas, Mexico, Luis Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 369.	
<i>Unio Popeii</i> , Lea, n. s.	102
Devil's River and Rio Salado, Texas, Capt. Pope, U. S. A. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 372.	
<i>Unio Bairdianus</i> , Lea, n. s.	102
Devil's River, Texas, Capt. Pope, U. S. A. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 361.	
<i>Anodonta Henryana</i> , Lea, n. s.	102
Matamoras, Tamaulipas, Mexico, L. Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 373, as <i>A. Henryana</i> .	
<i>Helix (Polygyra) Couchiana</i> , Lea, n. s.	102
Texas, L. Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 183.	
<i>Helix (Polygyra) Tamaulipasensis</i> , Lea, n. s.	102
Texas, L. Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 183.	

126.

1857. LEA, ISAAC. Descriptions of four New Species of Exotic Uniones. | Descriptions of thirteen New Species of exotic Peristomata. | — | Descriptions of fifteen New Species of exotic Melaniana. | — | Description of the Byssus of the Genus *Unio*. | — | Descriptions of eleven New Species of exotic Uniones, | from Georgia. | — | Remarks on *Triquetra contorta*. | — | Remarks on the Visual Organs of the Naiades. | — | Descriptions of thirteen New Species of Uniones, | from Georgia. | — | Descriptions of twelve New Species of Uniones, | from North Carolina. | — | Descriptions of six New Species of Uniones, | from Alabama. | Descriptions of eight New Species of Naiades, | from various parts of the United States. | — | Descriptions of three New Species of Naiades, | — | by | Isaac Lea, LL. D. &c. &c. | — | Philadelphia: | Merrilow & Thompson, Printers. | Lodge St., north side of Pennsylvania Bank. | 1857. 8°. pp. 1-24.

Extracts from the Proceedings Academy Natural Sciences, Phila., and consists of numbers 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 125.

127.

1857. LEA, ISAAC. [Proposed change of the names of *Unio umbrosus* and *Unio Wheatleyi* to *U. unbrans* and *U. Catawbensis*, respectively.] <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 104. May, 1857.
Verbal communication made May 5, 1857.

128.

1857. LEA, ISAAC. [Remarks on two specimens from the dark slates of the Red Sandstone of Phoenixville, Pa.] <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 149. June, 1857.
Communication made June 2, 1857.

129.

1857. LEA, ISAAC. Descriptions of Twenty-Seven New Species of Uniones from Georgia. <*Proc. Acad. Nat. Sci., Phila.*, ix, pp. 169-172, June, 1857.
Read before the Academy of Natural Sciences June 23, 1857. This forms part of No. 146.
- | | |
|--|-----|
| <i>Unio subgibbosus</i> , Lea, n. s. | 169 |
| Oostenaula River, Floyd County, and Etowah River, Georgia, Rev. G. White. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 53. | |
| <i>Unio Savannahensis</i> , Lea, n. s. | 169 |
| Savannah River, also Brantley's Mill, Washington County, Georgia, Rev. G. White; Sugar Creek, Mecklenburg County, N. C., C. M. Wheatley. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 81. | |
| <i>Unio virens</i> , Lea, n. s. | 169 |
| Georgia, Rev. G. White. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 80. | |
| <i>Unio sublatus</i> , Lea, n. s. | 169 |
| Uchee Bar, below Columbus, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 82.. | |
| <i>Unio obnubilus</i> , Lea, n. s. | 169 |
| Buckhead Creek, Burke County, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 84. | |
| <i>Unio opacus</i> , Lea, n. s. | 169 |
| Buckhead Creek, Burke County, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 86. | |
| <i>Unio similis</i> , Lea, n. s. | 169 |
| Buckhead Creek, Burke County, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 91. | |
| <i>Unio æquatus</i> , Lea, n. s. | 170 |
| Buckhead Creek, Burke County, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 89. | |
| <i>Unio naviculoides</i> , Lea, n. s. | 170 |
| Buckhead Creek, Burke County, Georgia, Bishop Elliott; Macon, I. C. Plant. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 94. | |
| <i>Unio viridicatus</i> , Lea, n. s. | 170 |
| Buckhead Creek, Burke County, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 87. | |
| <i>Unio subflavus</i> , Lea, n. s. | 170 |
| Walnut Creek, above Macon, Georgia, Bishop Elliott and I. C. Plant. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 90. | |
| <i>Unio sudus</i> , Lea, n. s. | 170 |
| Dry Creek, near Columbus, Georgia, Bishop Elliott; Macon, I. C. Plant. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 194. | |
| <i>Unio tetricus</i> , Lea, n. s. | 170 |
| Flint River, near Albany, Georgia, Bishop Elliott. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 195. | |
| <i>Unio Woodwardius</i> , Lea, n. s. | 170 |
| Etowah and Connasauga Rivers, Cass County, Georgia, Bishop Elliott and Rev. G. White. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 199, as <i>U. Woodwardianus</i> . | |
| <i>Unio tenebricus</i> , Lea, n. s. | 171 |
| Etowah River, Georgia, Bishop Elliott and Rev. G. White. | |
| <i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 83. | |

1857. LEA, ISAAC—Continued.

<i>Unio rufus</i> , Lea, n. s.	171
Etowah River, Cass County, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 85.	
<i>Unio modicus</i> , Lea, n. s.	171
Chattahoochee River, near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 204.	
<i>Unio demigratus</i> , Lea, n. s.	171
Streams near Columbus, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 200.	
<i>Unio fumatus</i> , Lea, n. s.	171
Chattahoochee River, near Columbus, Georgia, Bishop Elliott; Haspaliga Creek, Alabama, Dr. Neisler.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 88.	
<i>Unio purpurellus</i> , Lea, n. s.	171
Flint River, near Albany, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 198.	
<i>Unio penicillatus</i> , Lea, n. s.	171
Chattahoochee, near Columbus, Georgia, Dr. Boykin; near Atlanta, Bishop Elliott; Flint River, near Albany, Georgia, Bishop Elliott and Rev. G. White.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 203.	
<i>Unio Plantii</i> , Lea, n. s.	171
Flint River, near Macon, Georgia, I. C. Plant.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 192.	
<i>Unio subniger</i> , Lea, n. s.	172
Flint River, near Macon, Georgia, I. C. Plant.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 196.	
<i>Unio bulbosus</i> , Lea, n. s.	172
Flint River, near Macon, Georgia, I. C. Plant and H. M. Neisler, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 191.	
<i>Unio Maconensis</i> , Lea, n. s.	172
Flint River, near Macon, Georgia, I. C. Plant.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 93.	
<i>Unio obfuscus</i> , Lea, n. s.	172
Flint River, near Macon, Georgia, I. C. Plant.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 197.	
<i>Unio aquilus</i> , Lea, n. s.	172
Flint River, near Macon, Georgia, I. C. Plant.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1858, p. 92.	

130.

1857. LEA, ISAAC. [Observations on the geology of the Red Sandstone formation near Gwynned.] <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 173. July, 1857.
Remarks made before the Academy July 7, 1857.

131.

1857. LEA, ISAAC. [Remarks on plates of fresh water Naïades from Siam.] <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 205.
Remarks made December 15, 1857.

132.

1857. LEA, ISAAC. [Remarks on Trilobites found at Braintree, Mass.] <*Proc. Acad. Nat. Sci., Phila.*, ix, p. 205. December, 1857.
Remarks made December 22, 1857.

133.

1857. LEA, ISAAC. Descriptions of Exotic Genera and species of the family Unionidæ.
<*Journ. Acad. Nat. Sci., Phila.*, iii. New Series, pp. 289-321.
Read before the Academy Natural Sciences, Phila., December 1, 1857. Extra copies printed for the author January, 1858. (See *Jour. Acad. Nat. Sci., Phila.*, iii, p. 4.)
For separate see No. 134.
Unio Hainsianus, Lea, pl. 21, fig. 1. 289
Proc. Acad. Nat. Sci., viii, 1856, p. 92.

1857. LEA, ISAAC—Continued.

<i>Unio Myersianus</i> , Lea, pl. 22, fig. 2	290
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 92.	
<i>Unio Houssi</i> , Lea, pl. 23, fig. 3	291
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 92.	
<i>Unio lutcus</i> , Lea, pl. 24, fig. 4	291
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93, as <i>Unio lutens</i> .	
<i>Unio gravidus</i> , Lea, pl. 24, fig. 5	292
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio inornatus</i> , Lea, pl. 24, fig. 6	293
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio rusticus</i> , Lea, pl. 25, fig. 7	294
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio eximius</i> , Lea, pl. 25, fig. 8	294
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio tumidulus</i> , Lea, pl. 25, fig. 9	295
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio humilis</i> , Lea, pl. 26, fig. 10	296
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio phaselus</i> , Lea, pl. 26, fig. 11	297
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio sagittarius</i> , Lea, pl. 26, fig. 12	298
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio scobinatus</i> , Lea, pl. 26, fig. 13	299
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93.	
<i>Unio substriatus</i> , Lea, pl. 26, fig. 14	300
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 93, as <i>Unio substriatus</i> .	
<i>Unio Africanus</i> , Lea, pl. 27, fig. 15	300
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio Verreauianus</i> , Lea, pl. 27, fig. 16	301
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio Shurtleffianus</i> , Lea, pl. 27, fig. 17	302
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio effulgens</i> , Lea, pl. 28, fig. 18	303
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio Shuttleworthii</i> , Lea, pl. 28, fig. 19	304
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio Dunkerianus</i> , Lea, pl. 28, fig. 20	305
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio nucleus</i> , Lea, pl. 28, fig. 21	306
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio Brownii</i> , Lea, pl. 29, fig. 22	307
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 95.	
<i>Unio Wheatleyanus</i> , Lea, pl. 29, fig. 23	308
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 94.	
<i>Unio suavidicus</i> , Lea, pl. 29, fig. 24	309
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 95.	
<i>Unio Nuttallianus</i> , Lea, pl. 30, fig. 25	310
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 103.	
<i>Unio umbrosus</i> , Lea, pl. 30, fig. 26	311
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 95.	
<i>Unio Newcombianus</i> , Lea, pl. 30, fig. 27	312
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 103.	
<i>Unio Cambodiensis</i> , Lea, pl. 30, fig. 28	313
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 103.	
<i>Unio Coloradoensis</i> , Lea, pl. 31, fig. 29	314
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 103.	
<i>Unio Pocyanus</i> , Lea, pl. 32, fig. 30	315
<i>Proc. Acad. Nat. Sci.</i> , ix, 1857, p. 85.	
<i>Anodonta Holtonsis</i> , Lea, pl. 32, fig. 31	316
<i>Proc. Acad. Nat. Sci.</i> , ix, 1857, p. 85.	
Subgenus <i>PLAGIODON</i> , Lea	317
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 79.	
<i>Plagiodon isocardioides</i> , Lea, pl. 32, fig. 32	318
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 79, <i>P. isocardiodes</i> .	
<i>Triquetra contorta</i> , Lea, pl. 33, fig. 33	319
<i>Proc. Acad. Nat. Sci.</i> , viii, 1856, p. 79, as <i>Triquetra lunceolata</i> , Lea.	

134.

1857. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species in the Family Unionidæ. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL. D. | [title], | with thirteen plates. | Vol. vi. | Part I.—1857. | Philadelphia: | Printed for the author. | Merrihew & Thompson Printers. 4to. pp. 7-48.

This consists of a separate of No. 133, and, with No. —, forms No. 150.

135.

1858. LEA, ISAAC. "Remarks on the Unionidæ of Nebraska Territory and Red River of the North." <*Proc. Acad. Nat. Sci., Phila.*, x, pp. 13-14. March, 1858. Communicated March 23, 1858. This forms part of No. 146.

136.

1858. LEA, ISAAC. Descriptions of New Species of *Unio*, from Tennessee, Alabama, and North Carolina. <*Proc. Acad. Nat. Sci., Phila.*, x, pp. 40-41. March, 1858. Read before the Academy March 23, 1858. This forms part of No. 146.

<i>Unio turgidulus</i> , Lea, n. s.	40
Cumberland River, Tennessee, Dr. Troost and T. C. Downie; Florence, Alabama, Rev. G. White.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 62.	
<i>Unio perradiatus</i> , Lea, n. s.	40
Florence, Alabama, Rev. George White.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 66.	
<i>Unio Meredithii</i> , Lea, n. s.	40
Tennessee River, Florence, Alabama, L. B. Thornton.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 65.	
<i>Unio Pybasii</i> , Lea, n. s.	40
Tennessee River at Florence, Alabama, B. Pybas.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 67.	
<i>Unio virescens</i> , Lea, n. s.	40
Tennessee River at Florence, Alabama, B. Pybas.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 341.	
<i>Unio Neusensis</i> , Lea, n. s.	41
Neuse River, six miles from Raleigh, N. C., Prof. Emmons.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 60.	
<i>Unio purus</i> , Lea, n. s.	41
Neuse River, six miles from Raleigh, N. C., Prof. Emmons.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 61.	
<i>Unio exactus</i> , Lea, n. s.	41
Neuse River, six miles from Raleigh, N. C., Prof. Emmons.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 62.	

137.

1858. LEA, ISAAC. Descriptions of a New *Helix* and Two New Planorbis. <*Proc. Acad. Nat. Sci., Phila.*, x, p. 41. March, 1858.

Read before the Academy of Natural Sciences March 23, 1858. This forms part of No. 146.

<i>Helix Clarkii</i> , Lea, n. s.	41
Tuskee Cove, Cherokee County, North Carolina, Prof. D. Christy, Hamilton, Ohio.	
<i>Planorbis Wheatleyi</i> , Lea, n. s.	41
Cotoma Creek, Montgomery County, Alab., C. M. Wheatley.	
<i>Planorbis Newberryi</i> , Lea, n. s.	41
Klamath Lake and Canoe Creek, California, J. S. Newberry, M. D.	

138.

1858. LEA, ISAAC. [Remarks on Permian and Triassic Formations in Kansas and Pennsylvania.] <*Proc. Acad. Nat. Sci., Phila.*, x, pp. 90-92. April, 1858. Communicated April 20, 1858. This forms part of No. 146.

139.

1858. LEA, ISAAC. [Remarks on some remarkable specimens of Unionidæ.] <Proc. Acad. Nat. Sci., Phila., x, p. 114. May, 1858.
Remarks made before the Academy Natural Sciences May 18, 1858. This forms part of No. 146.
Margaritana complanata.
Unio multiplicatus.

140.

1858. LEA, ISAAC. Description of Four New Fresh-water Molluses, from the Isthmus of Darien and Honduras. <Proc. Acad. Nat. Sci., Phila., x, p. 118. May, 1858.
Read before the Academy of Natural Sciences May 18, 1858. This forms part of No. 146.
Unio Caldwellii, Lea, n. s. 118
Isthmus of Darien, H. C. Caldwell, M. D., U. S. Navy.
Journ. Acad. Nat. Sci., iv, 1860, p. 265.
Unio Goascoranensis, Lea, n. s. 118
River Goascoran, Honduras, Pacific Slope, J. L. Le Conte, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 258.
Anodonta luteola, Lea, n. s. 118
Isthmus of Darien, H. C. Caldwell, M. D., U. S. Navy.
Journ. Acad. Nat. Sci., iv, 1860, p. 267.
Melania Planensis, Lea, n. s. 118
Plan and Omoa, Valley of Ulua River, Atlantic slope, Honduras, J. L. Le Conte, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 127.

141.

1858. LEA, ISAAC. [Remarks on the reproduction of *Unio rubiginosus*, Lea.] <Proc. Acad. Nat. Sci., Phila., x, p. 135. June, 1858.
Remarks made before the Academy Natural Sciences June 15, 1858. This forms part of No. 146.

142.

1858. LEA, ISAAC. Descriptions of seven new species of Margaritanae, and four new species of Anodonta. <Proc. Acad. Nat. Sci., Phila., x, pp. 138-139. June, 1858.
Read before the Academy of Natural Sciences June 22, 1858. This forms part of No. 146.
Margaritana Elliottii, Lea, n. s. 138
Chattahoochee River, near Columbus, Georgia, Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1859, p. 226.
Margaritana triangulata, Lea, n. s. 138
Upper Chattahoochee, Georgia, Bishop Elliott; Columbus, Georgia, Dr. Boykin and J. Postell; Potato Creek, Georgia, Rev. G. White; and Sawney's Creek, S. Carolina, Dr. Blanding.
Journ. Acad. Nat. Sci., iv, 1859, p. 228.
Margaritana Connasaugaensis, Lea, n. s. 138
Connasauga River, one of the head waters of the Alabama River, in Gilmer Co., Georgia, Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1859, p. 229.
Margaritana Etowahensis, Lea, n. s. 138
Tennessee, Dr. Troost; Etowah River, Georgia, Rev. G. White.
Journ. Acad. Nat. Sci., iv, 1859, p. 227.
Margaritana Gesnerii, Lea, n. s. 138
Uphaupce Creek, Alabama, below Columbia, Georgia, W. Gesner and G. Hallenbeck.
Journ. Acad. Nat. Sci., v, 1862, p. 211.
Margaritana Tombecebensis, Lea, n. s. 138
Tombecebe River, near Columbus, Mississippi, Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 107, as *M. Tombigbeensis*.
Margaritana Spillmanii, Lea, n. s. 138
Tombecebe River, near Columbus, Mississippi, Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 105.

1858. LEA, ISAAC—Continued.

<i>Anodonta Hallenbeckii</i> , Lea, n. s.	138
Uphaupsee Creek, Macon Co., Geo., W. Gesner. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 232.	
<i>Anodonta Gesnerii</i> , Lea, n. s.	139
Uphaupsee Creek, Macon Co., Alabama, W. Gesner, of Milledgeville, Georgia. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 231.	
<i>Anodonta Dariensis</i> , Lea, n. s.	139
Hopeton, near Darien, Georgia, J. Hamilton Couper; and Swift Creek, near Macon, Georgia, Bishop Elliott and J. C. Plant. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 230.	
<i>Anodonta Danielsii</i> , Lea, n. s.	139
Topeka, Kansas, Prof. Edward Daniels. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 365.	

143.

1858. LEA, ISAAC. Descriptions of Twelve New Species of Uniones and other Fresh-water Shells of the United States. <*Proc. Acad. Nat. Sci., Phila.*, x, pp. 165–166. July, 1858.

Read before the Academy of Natural Sciences July 6, 1858.

This forms part of No. 146.

<i>Unio Roswellensis</i> , Lea, n. s.	165
Chattahoochee River at Roswell, Cobb Co., Georgia, N. A. Pratt, Jr. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 205.	
<i>Unio Postellii</i> , Lea, n. s.	165
Randall's Creek, near Columbus, Georgia, Bishop Elliott; and at Carter's Creek, Baldwin County Georgia, J. Postell. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 214.	
<i>Unio Neisleri</i> , Lea, n. s.	165
Flint River, at Lanier, Georgia, Dr. H. M. Neisler. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 212.	
<i>Unio Prattii</i> , Lea, n. s.	166
Chattahoochee River, at Roswell, Cobb Co., Georgia, N. A. Pratt, Jr.; and Tobe- sautke Creek, near Macon Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 206.	
<i>Unio Chattanoogaensis</i> , Lea, n. s.	166
Chattanooga, Tenn., T. Stewardson, M. D.; Etowah River, Rev. G. White; Coosawatee and Oostanaula Rivers, Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 209.	
<i>Unio Downiei</i> , Lea, n. s.	166
Buck Lake, an enlargement of Satilla River, Georgia, J. C. Downie and J. Postell <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 210.	
<i>Unio satillaensis</i> , Lea, n. s.	166
Satilla River, Camden Co., Georgia, T. C. Downie. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 216.	
<i>Unio Hazlhurstianus</i> , Lea, n. s.	166
Satilla River, Camden Co., Georgia, T. C. Downie. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 211.	
<i>Melania Postellii</i> , Lea, n. s.	166
Altamaha River, Georgia, James Postell. <i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 214.	
<i>Paludina Elliottii</i> , Lea, n. s.	166
Othcalooga Creek, Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 184.	
<i>Lymnaea Haydenii</i> , Lea, n. s.	166
Yellowstone and Big Sioux Rivers, Dr. Hayden. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 159.	
<i>Ancylus Newberryi</i> , Lea, n. s.	166
Klamath Lake, California, J. S. Newberry, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 185.	

144.

1858. LEA, ISAAC. [Remarks on *Triquetra contorta*.] <*Proc. Acad. Nat. Sci., Phila.*, x, p. 179. October, 1858.

Communicated to the Academy Natural Sciences October 12, 1858.

145.

1858. LEA, ISAAC. [Remarks on fossils presented by Mr. Foulke to the Academy of Natural Sciences, Phila.] <Proc. Acad. Nat. Sci., Phila., x, pp. 218-221.
Communicated December 14, 1858. Forms part of No. 146.

146.

1858. LEA, ISAAC. [Title-page not seen]. 8°, pp. 1-26.
Consists of Numbers 129, 135, 136, 137, 138, 139, 140, 141, 142, 143, 145.

147.

1858. LEA, ISAAC. Descriptions of the Embryonic Forms of Thirty-eight species of Unionidæ. <Journ. Acad. Nat. Sci., Phila., iv. New Series, pp. 43-50, pl. v.
Separate 4to, pp. 43-50.

Read before the Academy Natural Sciences November 23, 1858.

Extra copies printed for the author December, 1858. (See Journ. Acad. Nat. Sci., Phila., iv, n. s., p. 3.)

This also forms part of No. 149.

<i>Unio obtusus</i> , Lea, pl. 5, fig. 1	46
<i>Unio Anodontooides</i> , Lea, fig. 2	46
<i>Unio multiplicatus</i> , Lea, fig. 3	46
<i>Unio rutilans</i> , Lea, fig. 4	46
<i>Unio penicillatus</i> , Lea, fig. 5	47
<i>Unio securis</i> , Lea, fig. 6	47
<i>Unio retusus</i> , Lam., fig. 7	47
<i>Unio Pratii</i> , Lea, fig. 8	47
<i>Unio spatulatus</i> , Lea, fig. 9	47
<i>Unio luteolus</i> , Lam., fig. 10	47
<i>Unio rectus</i> , Lam., fig. 11	47
<i>Unio phaseolus</i> , Hild., fig. 12	47
<i>Unio occidentis</i> , Lea, fig. 13	47
<i>Unio novi-eboraci</i> , Lea, fig. 14	47
<i>Unio ovatus</i> , Say, fig. 15	47
<i>Unio Woodwardianus</i> , Lea, fig. 16	47
<i>Unio multiradiatus</i> , Lea, fig. 17	47
<i>Unio ligamentinus</i> , Lam., fig. 18	47
<i>Unio triangularis</i> , Bar., fig. 19	48
<i>Unio radiatus</i> , Lam., fig. 20	48
<i>Unio perplexus</i> , Lea, fig. 21	48
<i>Unio undulatus</i> , Bar., fig. 22	48
<i>Unio pressus</i> , Lea, fig. 23	48
<i>Unio levi-simus</i> , Lea, fig. 24	48
<i>Unio alatus</i> , Say, fig. 25	48
<i>Margaritana rugosa</i> , Lea, fig. 26	48
<i>Margaritana marginata</i> , Lea, fig. 27	49
<i>Margaritana triangulata</i> , Lea, fig. 28	49
<i>Margaritana complanata</i> , Lea, fig. 29	49
<i>Margaritana deltoidea</i> , Lea, fig. 30	49
<i>Margaritana Hildrethiana</i> , Lea, fig. 31	49
<i>Anodonta Bevisi</i> , Lea, fig. 32	49
<i>Anodonta ovata</i> , Lea, fig. 33	49
<i>Anodonta decora</i> , Lea, fig. 34	49
<i>Anodonta Ferrussaciana</i> , Lea, fig. 35	50
<i>Anodonta imbecilis</i> , Say, fig. 36	50
<i>Anodonta edentula</i> , Lea, fig. 37	50
<i>Anodonta undulata</i> , Say, fig. 38	50
Ovum of <i>Unio subangulatus</i> , Lea, fig. 39	50

148.

1858. LEA, ISAAC. New Unionidæ of the United States. <Journ. Acad. Nat. Sci., iv. New Series, pp. 51-95. Plates vi to xx.

Read before the Academy Natural Sciences, Phila., November 23, 1858. Extra copies printed for the author December, 1858. (See Journ. Acad. Nat. Sci., Phila., iv, n. s., p. 3.)

This forms part of No. 149.

1858. LEA, ISAAC—Continued.

<i>Unio Abbevillensis</i> , Lea, pl. 6, fig. 34	51
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Unio Jamesianus</i> , Lea, pl. 6, fig. 35	52
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Unio subgibbosus</i> , Lea, pl. 6, fig. 36	53
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	
<i>Unio Elliotti</i> , Lea, pl. 7, fig. 37	54
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio gracillior</i> , Lea, pl. 8, fig. 38	56
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262, as <i>U. gracillior</i> .	
<i>Unio pullatus</i> , Lea, pl. 8, fig. 39	57
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262, as <i>U. pullatis</i> .	
<i>Unio fuvosus</i> , Lea, pl. 8, fig. 40	58
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio rutilans</i> , Lea, pl. 9, fig. 41	59
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio errans</i> , Lea, pl. 9, fig. 42	60
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio victnus</i> , Lea, pl. 9, fig. 43	61
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio subellipsis</i> , Lea, pl. 10, fig. 44	62
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio geminus</i> , Lea, pl. 10, fig. 45	63
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262.	
<i>Unio rostriformis</i> , Lea, pl. 10, fig. 46	64
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 262, as <i>U. rostræformis</i> .	
<i>Unio Blandianus</i> , Lea, pl. 11, fig. 47	65
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 263, and <i>Proc. Acad. Nat. Sci.</i> , 1857, p. 31.	
<i>Unio concestator</i> , Lea, pl. 12, fig. 48	66
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 31.	
<i>Unio extensus</i> , Lea, pl. 12, fig. 49	67
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 31.	
<i>Unio pyriformis</i> , Lea, pl. 12, fig. 50	69
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 31.	
<i>Unio rubellinus</i> , Lea, pl. 13, fig. 51	70
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio excavatus</i> , Lea, pl. 13, fig. 52	71
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio umbrans</i> , Lea, pl. 13, fig. 53	72
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32, as <i>umbrosus</i> .	
<i>Unio Othealooensis</i> , Lea, pl. 14, fig. 54	74
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio Columbensis</i> , Lea, pl. 14, fig. 55	75
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 31.	
<i>Unio apicinus</i> , Lea, pl. 14, fig. 56	76
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio intercedens</i> , Lea, pl. 15, fig. 57	77
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio pinguis</i> , Lea, pl. 15, fig. 58	78
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Unio fallax</i> , Lea, pl. 15, fig. 59	79
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio virens</i> , Lea, pl. 16, fig. 60	80
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	
<i>Unio Savannahensis</i> , Lea, pl. 16, fig. 61	81
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	
<i>Unio sublatus</i> , Lea, pl. 16, fig. 62	82
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	
<i>Unio tenebrius</i> , Lea, pl. 17, fig. 63	83
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio obnubilus</i> , Lea, pl. 17, fig. 64	84
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	
<i>Unio rufus</i> , Lea, pl. 17, fig. 65	85
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio opacus</i> , Lea, pl. 18, fig. 66	86
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	

1858. LEA, ISAAC—Continued.

<i>Unio viridicatus</i> , Lea, pl. 18, fig. 67.....	87
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170.	
<i>Unio fumatus</i> , Lea, pl. 18, fig. 68.....	88
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio aquatus</i> , Lea, pl. 19, fig. 69.....	89
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170.	
<i>Unio subglarus</i> , Lea, pl. 19, fig. 70.....	90
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170.	
<i>Unio similis</i> , Lea, pl. 19, fig. 71.....	91
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 169.	
<i>Unio aquilus</i> , Lea, pl. 20, fig. 72.....	92
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 172.	
<i>Unio macconensis</i> , Lea, pl. 20, fig. 73.....	93
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 172.	
<i>Unio naviculoides</i> , Lea, pl. 20, fig. 74.....	94
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170.	

149.

1858. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionida. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences of Philadelphia, Etc., Etc. | with sixteen plates. | Vol. 6,—Part II. | Philadelphia: | Printed for the author. 4to., pp. 43–95.

This with No. 134 forms No. 150.

150.

1858. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionida. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences of Philadelphia, Etc., Etc. | with twenty-nine plates. | Vol. 6. | Philadelphia: | Printed for the author. 4to., pp. 1–97.

This consists of numbers 134 and 149.

151.

1859. LEA, ISAAC. Descriptions of Eight New Species of Unionida, from Georgia, Mississippi, and Texas. <*Proc. Acad. Nat. Sci., Phila.*, xi, pp. 112–113. April, 1859.

Read before the Academy Natural Sciences April 5, 1859. Ordered to be printed in the Proceedings April 26, 1859.

Proceedings of the Academy for April laid on the table May 10, 1859. (See *Proc. Acad. Nat. Sci., Phila.*, xi, p. 150.) This forms part of No. 172.

<i>Unio spissus</i> , Lea, n. s.....	112
Satilla River, Wayne Co., Geo., T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 208.	
<i>Unio corvus</i> , Lea, n. s.....	112
Buckhead Creek, Burke Co., Geo., Bishop Elliott; Ogeechee River, Geo., Prof. Hanley.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 217.	
<i>Unio burkensis</i> , Lea, n. s.....	112
Buckhead Creek, Burke Co., Geo., Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , iv, 1859, p. 215.	
<i>Unio aureus</i> , Lea, n. s.....	112
Texas, W. Newcomb, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 195.	
<i>Unio curtus</i> , Lea, n. s.....	112
Tombigbee River, Columbus, Miss., Wm. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 103.	

1859. LEA, ISAAC—Continued.

- Unio permiscens*, Lea, n. s. 112
Tombigbee River, Columbus, Miss., Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 102.
- Margaritana elliptica*, Lea, n. s. 113
Tombigbee River, Columbus, Miss., Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 106.
- Anodonta Texasensis*, Lea, n. s. 113
Texas, W. Newcomb, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 366.

152.

1859. LEA, ISAAC. Descriptions of Twenty-one New Species of Exotic Unionidæ.

< *Proc. Acad. Nat. Sci., Phila.*, xi, pp. 151-154. May, 1859.

Read before the Academy Natural Sciences April 19, 1859.

Ordered to be published in the Proceedings May 31, 1859. This forms part of No. 172.

- Unio Sikkimensis*, Lea, n. s. 151
Sikkim, India, H. Cuming and Prof. Hanley.
Journ. Acad. Nat. Sci., iv, 1860, p. 251.
- Unio diminutis*, Lea, n. s. 151
East Africa, H. Cuming and Prof. Hanley.
Journ. Acad. Nat. Sci., iv, 1860, p. 254.
- Unio plicatulus*, Lea, n. s. 152
Borneo, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 247.
- Unio navigioliformis*, Lea, n. s. 152
Hab. —? H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 245.
- Unio fluctiger*, Lea, n. s. 152
Hab. —? H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 250.
- Unio mutabilis*, Lea, n. s. 152
Brisbane Water, Australia; New Zealand, H. Cuming; and Murray River, Australia, W. Newcomb, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 248.
- Unio Thwaitesii*, Lea, n. s. 152
Ceylon, Mr. Thwaites, by H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 246.
- Unio melleus*, Lea, n. s. 152
Hab. —? H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 250.
- Unio Dysonii*, Lea, n. s. 152
Honduras, D. Dyson.
Journ. Acad. Nat. Sci., iv, 1860, p. 252.
- Unio Demeraraensis*, Lea, n. s. 152
Demerara, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 253, as *U. Demeraraensis*.
- Unio Mauritanius*, Lea, n. s. 152
Island of Mauritius, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 257.
- Unio vittatus*, Lea, n. s. 153
Australia, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 249.
- Unio persulcatus*, Lea, n. s. 153
Mexico, Prof. Hanley.
Journ. Acad. Nat. Sci., iv, 1860, p. 255.
- Unio Shanghaiensis*, Lea, n. s. 153
Shanghai, China, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 242.
- Unio Layardii*, Lea, n. s. 153
Ceylon, Frederick Layard.
Journ. Acad. Nat. Sci., iv, 1860, p. 243.
- Unio Japanensis*, Lea, n. s. 153
Japan, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 244.

1859. LEA, ISAAC—Continued.

- Unio Sumatrensis*, Lea, n. s. 153
Sumatra, H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 239.
- Unio Rowellii*, Lea, n. s. 153
Chagres River, New Granada, Rev. Joseph Rowell.
Journ. Acad. Nat. Sci., iv, 1860, p. 256.
- Unio Wilsonii*, Lea, n. s. 153
Eastern Branch of Isaac's Plain, New South Wales, T. B. Wilson, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 256.
- Anodonta Dahomeyensis*, Lea, n. s. 154
Dahomey, West Africa, Mr. Fraser, by H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 261.
- Anodonta Senegalensis*, Lea, n. s. 154
Senegal, J. C. Jay, M. D., E. Verreaux, and H. Cuming.
Journ. Acad. Nat. Sci., iv, 1860, p. 260.

153.

1859. LEA, ISAAC. Descriptions of Two New Species of Uniones, from Georgia.

<*Proc. Acad. Nat. Sci., Phila.*, xi, 1859, p. 154.

Read before the Academy of Natural Sciences April 19, 1859, and ordered to be published in the Proceedings May 31, 1859. This forms part of No. 172.

- Unio fibulodes*, Lea, n. s. 154
Connasauga River, Geo., Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1859, p. 219.
- Unio compactus*, Lea, n. s. 154
Etowah River, Geo., Bishop Elliott and Rev. G. White.
Journ. Acad. Nat. Sci., iv, 1859, p. 218.

154.

1859. LEA, ISAAC. Descriptions of seven new species of Uniones from South Carolina Florida, Alabama, and Texas. <*Proc. Acad. Nat. Sci., Phila.*, xi, pp. 154-155.

Read before the Academy Natural Sciences May 10, 1859, and ordered to be published in the Proceedings May 31, 1859. This forms part of No. 172.

- Unio cacao*, Lea, n. s. 154
Chacktahaebie River, West Florida, Major Le Conte.
Journ. Acad. Nat. Sci., iv, 1860, p. 344.
- Unio hepaticus*, Lea, n. s. 154
Salkakatche River, S. Carolina, J. Postell.
Journ. Acad. Nat. Sci., iv, 1860, p. 348.
- Unio viridiradiatus*, Lea, n. s. 154
Big Uchee, Ala., near Columbus, Geo., G. Hallenbeck.
Journ. Acad. Nat. Sci., iv, 1860, p. 336.
- Unio macrodon*, Lea, n. s. 154
Rutersville, Texas, Prof. C. G. Forshey.
Journ. Acad. Nat. Sci., v, 1862, p. 193.
- Unio Houstonensis*, Lea, n. s. 155
Houston, Texas, F. Moore, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 358.
- Unio Rutersvillensis*, Lea, n. s. 155
Rutersville, Fayette Co., Texas, Prof. C. G. Forshey.
Journ. Acad. Nat. Sci., iv, 1860, p. 356.
- Unio Forsheyi*, Lea, n. s. 155
Fayette Co., Texas, Prof. C. S. Forshey.
Journ. Acad. Nat. Sci., iv, 1860, p. 357.

155.

1859. LEA, ISAAC. "Remarks on the death of Alexander von Humboldt." <*Proc. Acad. Nat. Sci., Phila.*, xi, pp. 162-164. June, 1859.

Communicated to the Academy Natural Sciences June 7, 1859. This forms part of No. 172.

156.

1859. LEA, ISAAC. Descriptions of Twelve New Species of Uniones, from Georgia. <Proc. Acad. Nat. Sci., Phila., xi, 1859, pp. 170-172. June, 1859.
Read before the Academy of Natural Sciences June 21, 1859, and ordered to be published in the Proceedings June 28, 1859. This forms part of No. 172.
- Unio Baldwinensis*, Lea, n. s. 170
Carter's Creek, Baldwin Co., Geo., J. Postell.
Journ. Acad. Nat. Sci., iv, 1860, p. 330.
- Unio viridans*, Lea, n. s. 170
Near Columbus, Geo., G. Hallenbeck.
Journ. Acad. Nat. Sci., iv, 1860, p. 337.
- Unio Hallenbeckii*, Lea, n. s. 170
Flat Rock Creek and Four Mile Creek, near Columbus, Geo., G. Hallenbeck and Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1860, p. 328.
- Unio sulcrosus*, Lea, n. s. 170
Flat Rock Creek and Bull Creek, Georgia, G. Hallenbeck; and Chattoohocchee River, near Columbus, Geo., Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1860, p. 332.
- Unio modicellus*, Lea, n. s. 171
Connasanga River, Bishop Elliott; and Chattanooga River, Geo., T. Stewardson, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 347.
- Unio latus*, Lea, n. s. 171
Savannah River, near Savannah, Geo., Rev. G. White and Major Le Conte.
Journ. Acad. Nat. Sci., iv, 1860, p. 334.
- Unio verutus*, Lea, n. s. 171
Flat Rock Creek, near Columbus, Geo., G. Hallenbeck.
Journ. Acad. Nat. Sci., iv, 1860, p. 335.
- Unio Johannis*, Lea, n. s. 171
Connasanga River, Bishop Elliott; and Etowah River, Geo., Rev. G. White; Alabama River, Dr. Budd.
Journ. Acad. Nat. Sci., iv, 1860, p. 343.
- Unio Raecensis*, Lea, n. s. 171
Chattoohocchee, near Columbus, and Rae's Creek, Geo., Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1860, p. 331.
- Unio inusitatis*, Lea, n. s. 171
Swift Creek, below Macon, Geo., Bishop Elliott.
Journ. Acad. Nat. Sci., iv, 1859, p. 333.
- Unio Jonesii*, Lea, n. s. 171
Uharlee Creek, Geo., J. Postell.
Journ. Acad. Nat. Sci., iv, 1860, p. 339.
- Unio quadratus*, Lea, n. s. 172
Carter's Creek, J. Postell; and Factory Creek, Geo., G. Hallenbeck.
Journ. Acad. Nat. Sci., iv, 1860, p. 338.

157.

1859. LEA, ISAAC. [Remark on *Unio Kleinianus*, Lea, possessing a branchial uterus in both lobes of the branchia on each side.] <Proc. Acad. Nat. Sci., Phila., xi, p. 177.

Communicated to the Academy Natural Sciences July 5, 1859. This forms part of No. 172.
This very remarkable feature, in the functions of the female of this species, constitutes the third which has been observed by Mr. Lea, two he had formerly shown to the Academy, namely, that of *Unio multiplicatus*, Lea, and *rubiginosus*, Lea."

158.

1859. LEA, ISAAC. Descriptions of Four New Species of Exotic Unionidæ. <Proc. Acad. Nat. Sci., Phila., xi, p. 187. July, 1859.

Read before the Academy Natural Sciences July 5, 1859, and ordered to be printed in the Proceedings July 26, 1859. This forms part of No. 172.

- Unio bulloides*, Lea, n. s. 187
Rio de la Plata, S. Amer., G. Von dem Busch, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 264.

1859. LEA, ISAAC—Continued.

<i>Monocondylaea planulata</i> , Lea, n. s.	187
Java, G. Von dem Busch, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 262.	
<i>Monocondylaea rhomboidea</i> , Lea, n. s.	187
Euphrates River, near Bagdad, Asia, G. Von dem Busch, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 263.	
<i>Unio rudus</i> , Lea, n. s.	187
Río de la Plata, S. America, G. Von dem Busch, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 266.	

159.

1859. LEA, ISAAC. New Unionidae of the United States. <*Journ. Acad. Nat. Sci.*, iv.
New series, pp. 191-233. Plates 21 to 32.

Extra copies printed for the author September, 1859. Forms No. 160.

<i>Unio bulbosus</i> , Lea, pl. 21, fig. 75	191
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 172.	
<i>Unio Plantii</i> , Lea, pl. 21, fig. 76	192
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio sudus</i> , Lea, pl. 21, fig. 77	194
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170.	
<i>Unio tetricus</i> , Lea, pl. 22, fig. 78	195
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170.	
<i>Unio subniger</i> , Lea, pl. 22, fig. 79	196
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 172.	
<i>Unio obfuscus</i> , Lea, pl. 22, fig. 80	197
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 172.	
<i>Unio purpurellus</i> , Lea, pl. 23, fig. 81	198
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio Woodwardianus</i> , Lea, pl. 23, fig. 82, and pl. 29, fig. 103	199
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 170, as <i>U. Woodwardius</i> .	
<i>Unio denigratus</i> , Lea, pl. 23, fig. 83	200
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio radians</i> , Lea, pl. 23, fig. 84	201
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 32.	
<i>Unio penicillatus</i> , Lea, pl. 23, fig. 85	203
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio modicus</i> , Lea, pl. 24, fig. 86	204
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 171.	
<i>Unio Roswellensis</i> , Lea, pl. 24, fig. 87	205
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 165.	
<i>Unio Prattii</i> , Lea, pl. 24, figs. 88 and 88a	206
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Unio spissus</i> , Lea, pl. 25, fig. 89	208
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 112.	
<i>Unio Chattanoogaensis</i> , Lea, pl. 25, fig. 90	209
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Unio Downiei</i> , Lea, pl. 25, fig. 91	210
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Unio Hazlehurstianus</i> , Lea, pl. 26, fig. 92	211
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Unio Neislerii</i> , Lea, pl. 26, fig. 93	212
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 165.	
<i>Unio Postellii</i> , Lea, pl. 26, fig. 94	214
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 165.	
<i>Unio Burkensis</i> , Lea, pl. 27, fig. 95	215
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 112.	
<i>Unio Satillaensis</i> , Lea, pl. 27, fig. 96	216
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Unio corvus</i> , Lea, pl. 27, fig. 97	217
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 112.	
<i>Unio compactus</i> , Lea, pl. 28, fig. 98	218
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154.	
<i>Unio fibuloides</i> , Lea, pl. 28, fig. 100	219
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154.	

1859. LEA, ISAAC—Continued.

<i>Unio phaseolus</i> , Hild, pl. 29, figs. 101 and 101a	220
<i>Unio parvus</i> , Barnes, pl. 29, figs. 102 and 102a	221
<i>Unio multiplicatus</i> , Lea, pl. 30, fig. 105	222
<i>Trans. Amer. Philos. Soc.</i> , n. s., v, p. 4.	
<i>Unio stramineus</i> , Con., pl. 39, fig. 106	223
<i>Unio ventricosus</i> , Barnes, pl. 30, fig. 107	224
<i>Margaritana margaritifera</i> , Lea, pl. 29, fig. 104	224
<i>Synopsis Family Naiades</i> , 3d edition, p. 43.	
<i>Margaritana Elliottii</i> , Lea, pl. 31, fig. 108	226
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138.	
<i>Margaritana Etowahensis</i> , Lea, pl. 31, fig. 110	227
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138.	
<i>Margaritana trian, pulata</i> , Lea, pl. 32, fig. 111	228
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138.	
<i>Margaritana Connasaugaensis</i> , Lea, pl. 32, fig. 113	229
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138.	
<i>Anodonta Dariensis</i> , Lea, pl. 28, fig. 99	230
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 139.	
<i>Anodonta Gesnerii</i> , Lea, pl. 31, fig. 109	231
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 139.	
<i>Anodonta Hardenbeckii</i> , Lea, pl. 32, fig. 112	232
<i>I. oc. Acad. Nat. Sci.</i> , 1858, p. 138.	

160.

1859. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionidæ. | Read before the Academy of Natural Sciences of Philadelphia, and | published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences, Etc., Etc. | with twelve plates. | Vol. 7.—Part I. | — | Philadelphia: | Printed for the author. 4to., pp. 8-51.
The separate of No. 159, and with No. 169 forms No. 170
Presented to the Library of the Academy Natural Sciences, Phila., on or before October 4, 1859.

161.

1859. LEA, ISAAC. [Change of name of *Margaritana Etowahensis* to *M. Georgiana*.] <*Proc. Acad. Nat. Sci., Phila.*, xi, p. 280. October, 1859.
Communicated to the Academy Natural Sciences October 18, 1859. Minutes of that meeting issued November 1, 1859. (See *Proc. Acad. Nat. Sci., Phila.*, xi, p. 292.)
The specific name *Etowahensis* preoccupied by Mr. Courad.
This forms part of No. 172.
Margaritana Georgiana, Lea, n. s. 280

162.

1859. LEA, ISAAC. [Resolutions on the death of Thomas Nuttall.] <*Proc. Acad. Nat. Sci., Phila.*, xi, 1859, p. 281.
Resolutions offered October 18, 1859.

163.

1859. LEA, ISAAC. Description of a New Species of *Unio* from the Isthmus of Darien. <*Proc. Acad. Nat. Sci., Phila.*, xi, p. 281. October, 1859.
Read before the Academy Natural Sciences October 18, 1859, and ordered to be printed in the Proceedings October 25, 1859. Issued November 1, 1859. (See *Proc. Acad. Nat. Sci., Phila.*, xi, p. 292.) This forms part of No. 172.
Unio Averyi, Lea, n. s. 281
Isthmus of Darien, Mr. Frederick Avery, per J. G. Cooper, M. D.
Journ. Acad. Nat. Sci., iv, 1860, p. 269.

164.

1859. LEA, ISAAC. [Remarks on four species of the genus *Unio*, known to have a branchial uterus in each lobe of the branchia; and also on the Power of

1859. LEA, ISAAC—Continued.

Vision in the family Unionidæ.] <Proc. Acad. Nat. Sci., Phila., xi, pp. 3-9-330. December, 1859.

Communicated December 6, 1859. This forms part of No. 172.

"We now know of four species which have this remarkable provision of a branchial uter in each lobe or leaf of the branchia, viz:

- Unio multiplicatus,*
- Unio rubiginosus,*
- Unio Kleinianus,*
- Unio subrotundus,*

and of these, two at least have the very remarkable condition of redness of the ova, viz:

- Unio rubiginosus,*
- Unio subrotundus."*

"He found the following species always to close the anal opening, and to withdraw the papillæ of the branchial opening when the light was suddenly intercepted, viz:

- Unio cylindricus,* Say.
- Unio rubiginosus,* Lea.
- Unio subrotundus,* Lea.
- Unio pyramidatus,* Lea.
- Unio obscurus,* Lea.
- Unio pustulosus,* Lea.
- Unio Esopus,* Green.
- Anodonta imbecilis,* Say."

165.

1859. LEA, ISAAC. Descriptions of Three New Species of Exotic Uniones. <Proc. Acad. Nat. Sci., Phila., xi, p. 331. December, 1859.

Read before the Academy Natural Sciences December 6, 1859, and ordered to be published in the Proceedings December 27, 1859. This forms part of No. 172.

<i>Unio Wynegungaensis,</i> Lea, n. s.	331
Wynegunga River, 30 miles east of Nagpoor, in the Deccan, Bengal, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.,</i> iv, 1860, p. 271.	
<i>Unio consobrinus,</i> Lea, n. s.	331
China, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.,</i> iv, 1860, p. 272.	
<i>Unio Nagpoorensis,</i> Lea, n. s.	331
Ambajiri Tank, Nagpoor, Bengal, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.,</i> iv, 1860, p. 270.	

166.

1860. LEA, ISAAC. [Remarks and Resolutions on the death of Augustus E. Jessup.] <Proc. Acad. Nat. Sci., xii, pp. 1-2. January, 1860.

Communicated January 3, 1860. Proceedings for January laid on the table February 14, 1860. (See Proc. Acad. Nat. Sci., Phila., xii, p. 54.)

167.

1860. LEA, ISAAC. [Remarks on the number of species of Unionidæ in the United States and Territories.] <Proc. Acad. Nat. Sci., Phila., xii, p. 3.

Communicated January 24, 1860. Proceedings for January laid on the table February 14, 1860. (See Proc. Acad. Nat. Sci., Phila., xii, p. 54.) This forms part of No. 172.

"From the list he had carefully eliminated the synonyms, and there remained in it the extraordinarily large number of five hundred and twenty species which have been described, inhabiting the Rivers, Lakes and Pools of the United States and Territories, and he stated that he had some 30 to 40 in his possession not yet named or described.

These 520 may be thus divided:

<i>Unio</i>	441 species.
<i>Margaritana</i>	26 do.
<i>Anodonta</i>	53 do.
	<hr/>
	520
New species in Mr. Lea's possession not yet described.....	30
	<hr/>
	550."

For correction of this paper see No. 173,

1859. LEA, ISAAC. Descriptions of Exotic Unionidae. < *Journ. Acad. Nat. Sci., Phila.*, iv, pp. 235-273. plates 33 to 45.

Read before the Academy of Natural Sciences December 20, 1859. Extra copies printed for the author February, 1860. (See *Journ. Acad. Nat. Sci., Phila.*, iv, p. 3.) For Separate see No. 169. With No. 160 forms part of No. 170.

<i>Monocondylea Cumingii</i> , Lea, pl. 33, fig. 114.....	235
<i>Proc. Zool. Soc. London</i> , 1850, p. 199, as <i>Anodonta Cumingii</i> , Lea.	
<i>Anodonta suberassa</i> , Lea, pl. 33, fig. 115.	236
<i>Proc. Zool. Soc. Lond.</i> , 1850, p. 198.	
<i>Anodonta tenuis</i> , Lea, pl. 33, fig. 116.	237
<i>Proc. Zool. Soc. Lond.</i> , 1850, p. 198.	
<i>Anodonta crepera</i> , Lea, pl. 34, fig. 117.	238
<i>Proc. Zool. Soc. Lond.</i> , 1850, p. 198.	
<i>Unio Sumatrensis</i> , Lea, pl. 34, fig. 118.	239
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Anodonta gracilis</i> , Lea, pl. 34, fig. 119.	239
<i>Proc. Zool. Soc. London</i> , 1850, p. 197.	
<i>Unio Cumingii</i> , Lea, pl. 35, fig. 120.	240
<i>Proc. Acad. Nat. Sci.</i> , vi, p. 54.	
<i>Unio Shanghaiensis</i> , Lea, pl. 36, fig. 121.	242
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio Layardi</i> , Lea, pl. 36, fig. 122.	243
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio Japonensis</i> , Lea, pl. 36, fig. 123.	244
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio narigioliformis</i> , Lea, pl. 37, fig. 124.	245
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio Thwaitesii</i> , Lea, pl. 37, fig. 125.	246
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio plicatulus</i> , Lea, pl. 37, fig. 126.	247
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio mutabilis</i> , Lea, pl. 38, fig. 127.	248
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio vittatus</i> , Lea, pl. 38, fig. 128.	249
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio melleus</i> , Lea, pl. 38, fig. 129.	250
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio fluctiger</i> , Lea, pl. 39, fig. 130.	250
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio Sikkimensis</i> , Lea, pl. 39, fig. 131.	251
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 151.	
<i>Unio Dysonii</i> , Lea, pl. 39, fig. 132.	252
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio Demeraraensis</i> , Lea, pl. 39, fig. 133.	253
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152, as <i>U. demararaensis</i> .	
<i>Unio diminutus</i> , Lea, pl. 39, fig. 134.	254
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 151, as <i>U. diminutis</i> .	
<i>Unio persulcatus</i> , Lea, pl. 40, fig. 135.	255
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio Rowellii</i> , Lea, pl. 40, fig. 136.	256
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio Wilsonii</i> , Lea, pl. 40, fig. 137.	256
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 153.	
<i>Unio Mauritanus</i> , Lea, pl. 40, fig. 138.	257
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 152.	
<i>Unio Goaseoranensis</i> , Lea, pl. 41, fig. 139.	258
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 118.	
<i>Unio scannatus</i> , Morelet.	259
<i>Anodonta Senegalensis</i> , Lea, pl. 41, fig. 140.	260
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154.	
<i>Anodonta Dahomeycensis</i> , Lea, pl. 41, fig. 141.	261
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154.	
<i>Monocondyloa planulata</i> , Lea, pl. 42, fig. 142.	262
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 187.	

1859. LEA, ISAAC—Continued.

<i>Monocondylæa rhomboidea</i> , Lea, pl. 42, fig. 143.....	263
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 187.	
<i>Unio bulloides</i> , Lea, pl. 42, fig. 144.....	264
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 187.	
<i>Unio Caldwellii</i> , Lea, pl. 43, fig. 145.....	265
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 118.	
<i>Unio rudus</i> , Lea, pl. 43, fig. 146.....	266
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 187.	
<i>Anodonta luteola</i> , Lea, pl. 43, fig. 147.....	267
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 118.	
<i>Unio Canadensis</i> , Lea, pl. 44, fig. 148.....	268
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 85.	
<i>Unio Averyi</i> , Lea, pl. 44, fig. 149.....	269
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 281.	
<i>Unio Nagpoorensis</i> , Lea, pl. 45, fig. 150.....	270
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 331.	
<i>Unio Wynegungaensis</i> , Lea, pl. 45, fig. 151.....	271
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 331.	
<i>Unio consobrinus</i> , Lea, pl. 45, fig. 152.....	272
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 331.	

169.

1860. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionidæ. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences of Philadelphia, Etc. Etc. | with thirteen plates. | Vol. 7. | Part II. | Philadelphia: | Printed for the Author. 4to., pp. 53-91. plates 33-45.

This is the separate of No. 168, and with No. 169 forms No. 170.

170.

1860. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionidæ. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences of Philadelphia, Etc. Etc. | with twenty-five plates. | Vol. 7. | Philadelphia: | Printed for the Author. 4to. pp. 93.

Presented to the Library of the Academy of Natural Sciences, Phila., on or before March 17, 1860. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. iv.)

171.

1860. LEA, ISAAC. [Remarks on abnormal shells.] <*Proc. Acad. Nat. Sci., Phila.*, xii, pp. 51-53.

Remarks made February 11, 1860. This forms part of No. 172.

"The following table will exhibit the various abnormal forms of *Uniones* in Mr. Lea's collection:

Single lateral tooth in each valve.

Unio complanatus, Lea (*Mya complanata*, Solan), Schuylkill river, Pa.

" *occidens*, Lea, Wisconsin.

" *purpuratus*, Lam., Claiborne, Ala.

" *ventricosus*, Bar., St. Lawrence, Montreal.

Single lateral tooth in the left, and double in the right valve.

Unio complanatus, Lea, 2 specimens, Bristol, Pa., and Mohawk, N. Y.

" *alatus*, Say, Ohio River.

" *Hopetownensis*, Lea, Darien, Geo.

" *nasutus*, Say, Arkansas.

" *radiatus*, Lam., Petersburg, Vir.

Double lateral tooth in both valves.

1860. LEA, ISAAC—Continued.

Unio complanatus, Lea, 6 specimens, Mohawk, N. Y.

" " " Genesee, N. Y.

" " " Schuylkill, Pa.

" *corrugatus*, Lam., Pondichery, India.

Treble lateral tooth in the left, and double in the right valve.

Unio corrugatus, Lam., Bengal.

Treble lateral tooth in the left, and partly treble in the right valve.

Unio gibbosus, Barnes, Fox River, Wisconsin.

" *corrugatus*, Lam., India."

"In the following table will be found most of the species which, while they are perfectly normal, are still aberrant from the typical *Unio*, all of them but two having been described by Mr. Lea.

Cardinal tooth single in both valves.

Unio Bengalensis, Lea, Bengal.

Cardinal tooth double in the right, and single in the left valve.

Unio Corrianus, Lea, Bengal.

" *lamellatus*, Lea, Bengal.

" *bilineatus*, Lea, Bengal.

" *contralens*, Lea, Java?

" *gravidus*, Lea, Siam.

" *tumidulus*, Lea, Siam.

" *humilis*, Lea, Siam.

" *sagittarius*, Lea, Siam.

" *substriatus*, Lea, Siam.

" *Dunkrianus*, Lea, Brazil.

" *Cambodianus*, Lea, Siam.

" *consobrinus*, Lea, China.

" *Layardii*, Lea, Ceylon.

" *plicatulus*, Lea, Borneo.

" *vittatus*, Lea, Australia.

" *Wilsonii*, Lea, Australia.

" *Mauritianus*, Lea, Indian Ocean.

" *bulloides*, Lea, Rio Plata, S. Amer.

" *atratus* (Niña, Swain), Chili.

" *Araucanus*, Philippi, Chili.

" *piceus*, Lea, Uruguay, S. Amer.

Caudal and lateral teeth double in both valves.

Unio phasetus, Lea, Siam.

" *scobinatus*, Lea, Siam.

Lateral tooth double in the right valve only.

Unio heterodon, Lea, Penn.

Lateral tooth double in both valves.

Unio nucleus, Lea, Siam.

Lateral tooth treble in the left, and double in the right valve.

Unio eximius, Siam.

Cardinal tooth treble in the right valve.

Unio funebris, Lea, Uruguay river, S. Amer.

Cardinal tooth treble in both valves, and lateral tooth treble in the right and double in the left valve.

Unio trifidus, Lea, Buenos Ayres, S. Amer.

172.

1860. LEA, ISAAC. Descriptions of Eight New Species of Unionida, | from Georgia, Mississippi and Texas. | — | Descriptions of Twenty-one New Species of Exotic Unionide. | — | Descriptions of two New Species of Uniones, | from Georgia. | Descriptions of seven New Species of Uniones, | from South Carolina, Florida, Alabama and Texas. | — | Remarks on Alexander von Humboldt. | Descriptions of twelve New Species of Uniones, | from Georgia. | Descriptions of four New Species of Exotic Unionida. | — | Descriptions of a New Species of *Unio*, | from the Isthmus of Darien. | — | Observations on Species with the four branchiæ | charged with ovæ, and on Red Ovæ. | — | Descriptions of three New Species of Exotic Uniones. | — | On the number of species of Unionida of the | United States. | — | On various forms of the Teeth of

1860. LEA, ISAAC—Continued.

Heterostrophe Unionidæ. | — | by | Isaac Lea, LL. D. | Pres. Acad. Nat. Sci., &c. &c. | — | Philadelphia: | Merrihew & Thompson, Printers, | Lodge St., corner of Kenton Place, | 1860. 8^o. pp. 24.

This consists of Numbers 151, 152, 153, 154, 155, 156, 157, 158, 161, 163, 164, 165, 167, 171, and was presented to the Library of the Academy of Natural Sciences, Phila., on or before April 3, 1860. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. v.)

173.

1860. LEA, ISAAC. [Remarks on the number of Unionidæ of North America.] <*Proc. Acad. Nat. Sci., Phila.*, xii, p. 85.

Communicated March 13, 1860. This forms part of No. 202.

"Mr. Lea stated that when he made some remarks a few weeks since, on the *Unionidæ* of the United States, he gave the number of them incorrectly by an inadvertence. He now desired to restate them numerically:

Unio.....	465 species.
Margaritana.....	26 "
Anodonta.....	59 "
	550

To these may be added new species in his cabinet not yet described..... 30

580

And to these may be added for North America, known to inhabit Mexico,

Honduras, Central America, and one in Canada, Unio..... 29

Anodonta..... 8

37

617 "

174.

1860. LEA, ISAAC. [Remarks on letter of Dr. Lewis on the coloring matter of the naere of Umones.] <*Proc. Acad. Nat. Sci., Phila.*, xii, 1860, pp. 88-89.

Communicated March 20, 1860. This forms part of No. 202.

175.

1860. LEA, ISAAC. Descriptions of Four New Species of Unionidæ from Brazil and Buenos Ayres. <*Proc. Acad. Nat. Sci., Phila.*, xii, pp. 89-90.

Read before the Academy Natural Sciences March 13, 1860. Ordered to be printed in the Proceedings March 27, 1860. This forms part of No. 202.

Unio trifidus, Lea, n. s. 89

Buenos Ayres, S. Amer., M. D'Orbigny.

Journ. Acad. Nat. Sci., v, 1863, p. 386.

Unio patelloides, Lea, n. s. 89

Amazon river, Brazil, Capt. Geo. Brown; Rio Plata, H. Cuming.

Journ. Acad. Nat. Sci., v, 1863, p. 383.

Anodonta Amazonensis, Lea, n. s. 89

Upper Amazon, Brazil. C. M. Wheatley.

Journ. Acad. Nat. Sci., v, 1863, p. 395.

Anodonta Moricandii, Lea, n. s. 90

Bahia, Brazil, S. Moricand, Geneva.

• *Journ. Acad. Nat. Sci.*, v, 1863, p. 396.

176.

1860. LEA, ISAAC. Descriptions of Fifteen new Species of Uruguayan Unionidæ. <*Proc. Acad. Nat. Sci., Phila.*, xii, pp. 90-92.

Read before the Academy March 13, 1860. This forms part of No. 202.

Collected on an excursion, organized by R. B. Forbes, Esq., of Boston, to the La Plata, the Uruguay, and Rio Negro rivers, in South America, and placed at the disposal of Dr. Lea, by Professor J. Wyman, who accompanied it."

Unio Wymanii, Lea, n. s. 90

Uruguay river, S. Amer., Prof. J. Wyman.

Journ. Acad. Nat. Sci., v, 1863, p. 381.

Unio Uruguayensis, Lea, n. s. 90

Uruguay river, S. Amer., Prof. J. Wyman.

Journ. Acad. Nat. Sci., v, 1863, p. 388.

1860. LEA, ISAAC—Continued.

<i>Unio piger</i> , Lea, n. s	90
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 387.	
<i>Unio peræformis</i> , Lea, n. s	90
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 384.	
<i>Unio nocturnis</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 380.	
<i>Unio funebris</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 378.	
<i>Unio gratus</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 382.	
<i>Unio disculus</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 385.	
<i>Unio piceus</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 379.	
<i>Unio lepidus</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 389.	
<i>Unio Æthiops</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 377.	
<i>Anodonta Wymani</i> , Lea, n. s	91
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 390.	
<i>Anodonta rubicunda</i> , Lea, n. s	92
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 392.	
<i>Anodonta Forbesiana</i> , Lea, n. s	92
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 393.	
<i>Anodonta Uruguayensis</i> , Lea, n. s	92
Uruguay river, S. Amer., Prof. J. Wyman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 393.	

177.

1860. LEA, ISAAC. Descriptions of Five New Species of Uniones, from North Alabama.

<*Proc. Acad. Nat. Sci., Phila.*, xii, pp. 92-93.

Read before the Academy Natural Sciences March 20, and ordered to be published in the Proceedings March 27, 1860. This forms part of No. 202.

<i>Unio pudicus</i> , Lea, n. s	92
North Alabama, Prof. Tuomey; and Florence, Alabama, L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 346.	
<i>Unio camelopardilis</i> , Lea, n. s	92
North Alabama, Prof. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 355.	
<i>Unio fucatus</i> , Lea, n. s	92
North Alabama, Prof. Tuomey; Tusculmbia, L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 353.	
<i>Unio discrepans</i> , Lea, n. s	92
North Alabama, Prof. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 340.	
<i>Unio planicostatus</i> , Lea, n. s	92
Tusculmbia, Alabama, L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 354.	
<i>Unio scitulus</i> , Lea, n. s	93
Tusculmbia, Ala., L. B. Thornton, Esq. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 242.	

178.

1860. LEA, ISAAC. Descriptions of Four New Species of Melanidæ of the United States. <Proc. Acad. Nat. Sci., Phila., xii, p. 93.

Read before the Academy Natural Sciences March 20, 1860, and ordered to be printed in the Proceedings March 27, 1860. This forms part of No. 202.

<i>Schizochilus Showalterii</i> , Lea, n. s.	93
Coosa River, Uniontown, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 246, as <i>Schizostoma Showalterii</i> .	
<i>Anculosa Showalterii</i> , Lea, n. s.	93
Coosa River, Uniontown, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 255.	
<i>Melania crenatella</i> , Lea, n. s.	93
Coosa River, Uniontown, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 268, as <i>Goniobasis crenatella</i> .	
<i>Melania Newberryi</i> , Lea, n. s.	93
Upper des Chutes River, Oregon Terr., J. S. Newberry, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 300, as <i>Goniobasis Newberryi</i> .	

179.

1860. LEA, ISAAC. [Remarks on a new form of Palpi of Anodonta from the Uruguay River, S. America.] <Proc. Acad. Nat. Sci., Phila., xii, p. 97.

Communicated April 10, 1860. This forms part of No. 202.

"The form of the *Palpi* heretofore described have always been obliquely or transversely elliptical or subtriangular, while these two species, *An. Wymanii*, Lea, and *An. lato-marginata*, Lea, are round, and the pair on either side only joined above, the edges being entirely free."

180.

1860. LEA, ISAAC. [Remarks on letter of Dr. Showalter, of Ala., on specimens of *Physa (gyrma)*, Say, obtained in water supplied by an artesian well.] <Proc. Acad. Nat. Sci., Phila., xii, p. 147.

Communicated May 8, 1860. This forms part of No. 202.

181.

1860. LEA, ISAAC. [Remarks on perforation of rocks by Echini.] <Proc. Acad. Nat. Sci., Phila., xii, p. 149.

Made before the Academy of Natural Sciences May 22, 1860. This forms part of No. 202.

182.

1860. LEA, ISAAC. Descriptions of Fourteen new species of Schizostomæ, Anculose and Lithasie. <Proc. Acad. Nat. Sci., Phila., xii, pp. 186-188.

Read before the Academy May 22, 1860. This forms part of No. 202.

Reasons for adopting the name Schizostoma	186
<i>Schizostoma castanca</i> , Lea, n. s.	186
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 247.	
<i>Schizostoma glans</i> , Lea, n. s.	186
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 248.	
<i>Schizostoma globosa</i> , Lea, n. s.	187
Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 252.	
<i>Schizostoma virens</i> , Lea, n. s.	187
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 253.	
<i>Schizostoma glandula</i> , Lea, n. s.	187
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 249.	
<i>Schizostoma Wetumpkaensis</i> , Lea, n. s.	187
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 251.	

1860. LEA, ISAAC—Continued.

<i>Schizostoma Alabamensis</i> , Lea, n. s.	187
Alabama, B. W. Budd, M. D., and E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 250.	
<i>Schizostoma Hartmani</i> , Lea, n. s.	187
Coosa River, Alab., W. D. Hartman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 247.	
<i>Schizostoma pumila</i> , Lea, n. s.	187
Alabama, B. W. Budd, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 252.	
<i>Anculosa formosa</i> , Lea, n. s.	187
Coosa River, Shelby Co., Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 254.	
<i>Anculosa contorta</i> , Lea, n. s.	187
Coosa River, at Wetumpka, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 258.	
<i>Anculosa vittata</i> , Lea, n. s.	188
Coosa River, at Wetumpka, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 256.	
<i>Lithasia Showalterii</i> , Lea, n. s.	188
Coosa River, at Wetumpka, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 262.	
<i>Lithasia nuclea</i> , Lea, n. s.	188
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 263.	

183.

1860. LEA, ISAAC. Descriptions of Two New Species of Uniones from Georgia.

< *Proc. Acad. Nat. Sci., Phila.*, xii, p. 305. July, 1860.

Read before the Academy Natural Sciences July 3, 1860, and ordered to be published in the Proceedings July 31, 1860. Proceedings for July laid on the table August 7, 1860. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. 325.) This forms part of No. 202.

<i>Unio linguiformis</i> , Lea, n. s.	305
Columbus, Georgia. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 345.	
<i>Unio dispar</i> , Lea, n. s.	305
Columbus, Georgia, Bishop Elliott and G. Hallenbeck. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 327.	

184.

1860. LEA, ISAAC. Descriptions of Three New Species of Uniones from Mexico.

< *Proc. Acad. Nat. Sci., Phila.*, xii, pp. 305-306.

Read before the Academy Natural Sciences July 3, 1860, and ordered to be published in the Proceedings July 31, 1860. Proceedings for July laid on the table August 7, 1860. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. 325.) This forms part of No. 202.

<i>Unio Couchianus</i> , Lea, n. s.	305
Rio Salado, New Leon, Mexico, L. Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 371.	
<i>Unio Saladoensis</i> , Lea, n. s.	305
Rio Salado, New Leon, Mexico, L. Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 370.	
<i>Unio cognatus</i> , Lea, n. s.	306
Rio Salado, New Leon, Mexico, L. Berlandier, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 368.	

185.

1860. LEA, ISAAC. Descriptions of Seven New Species of Unionidæ from the United States. < *Proc. Acad. Nat. Sci., Phila.*, xii, pp. 306-307.

Presented for publishing July 3, 1860. Proceedings for July laid on the table August 7, 1860. (*Proc. Acad. Nat. Sci., Phila.*, xii, p. 325.) This forms part of No. 202.

<i>Unio Lesleyi</i> , Lea, n. s.	306
Kentucky, Mr. Joseph Lesley; Tennessee, Mr. J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 352.	

1860. LEA, ISAAC—Continued.

<i>Unio castus</i> , Lea, n. s.	306
South Carolina, Prof. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 349.	
<i>Unio Lindsleyi</i> , Lea, n. s.	306
Tennessee, President J. B. Lindsley. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 351.	
<i>Unio perpictus</i> , Lea, n. s.	306
Bull River, Tenn., Pres't Estabrook; Holston River, Prof. Troost. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 350.	
<i>Unio Eightsi</i> , Lea, n. s.	306
Texas and Sabinas River, New Leon, Mexico, James Eight, M. D. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 367.	
<i>Unio quadrans</i> , Lea, n. s.	306
Texas, Mr. C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , iv, 1860, p. 360.	
<i>Anodonta Kennertyi</i> , Lea, n. s.	306
Chilweyuch Depot, near Puget's Sound, Washington Terr., C. B. Kennerly, M. D.	

186.

1860. LEA, ISAAC. Descriptions of Six New Species of Unionidæ from Alabama.

<*Proc. Acad. Nat. Sci., Phila.*, xii, p. 307.

Read before the Academy of Natural Sciences July 3, 1860, and ordered to be published in the Proceedings July 31, 1860. Proceedings for July laid on the table August 7, 1860. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. 325.) This forms part of No. 202.

<i>Unio Showalterii</i> , Lea, n. s.	307
Coosa River, Wetumpka, Alab., E. R. Showalter, M. D.	
<i>Unio Hartmanianus</i> , Lea, n. s.	307
Coosa River, Wetumpka, Alab., E. R. Showalter, M. D.	
<i>Unio dolosus</i> , Lea, n. s.	307
Alabama River, Claiborne, Alab., Judge Tait; Coosa River, E. R. Showalter, M. D.	
<i>Unio parvulus</i> , Lea, n. s.	307
Coosa River, Alab., E. R. Showalter, M. D.	
<i>Unio plancus</i> , Lea, n. s.	307
Coosa River, at Wetumpka, Alab., E. R. Showalter, M. D.	
<i>Anodonta Showalterii</i> , Lea, n. s.	307
Coosa River, Wetumpka, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , 1862, p. 215.	

187.

1860. LEA, ISAAC. Descriptions of Three New Species of Exotic Unionidæ. <*Proc. Acad. Nat. Sci., Phila.*, xii, pp. 307-308.

Read before the Academy Natural Sciences July 3, 1860, and ordered to be published in the Proceedings July 31, 1860. Proceedings for July laid on the table August 7, 1860. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. 325.) This forms part of No. 202.

<i>Unio occatus</i> , Lea, n. s.	307
Bengal, W. A. Haines. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 398.	
<i>Anodonta Cailliaudii</i> , Lea, n. s.	308
Brazil, Menr. F. Cailliaud. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 395.	
<i>Mycetopus emarginatus</i> , Lea, n. s.	308
Siam, S. R. House, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 398.	

188.

1860. LEA, ISAAC. [Remark on *Helix Cumberlandiana*.] <*Proc. Acad. Nat. Sci., Phila.*, xii, p. 363.

Communicated Sept. 18, 1860.

Remark on letter from Bishop Elliott, of Georgia, dated University Place, Tennessee, on the occurrence of numerous living specimens of *Helix Cumberlandiana* at that place.

189.

1860. LEA, ISAAC. New Unionidae of the United States and Northern Mexico.

<Journ. Acad. Nat. Sci., Phila., iv, N. Series, pp. 327-374.

Read before the Academy Natural Sciences, Phila., October 2, 1860. Extra copies printed for the author November, 1860. (See Journ. Acad. Nat. Sci., Phila., iv, p. 4.) For separate, see No. 190.

<i>Unio dispar</i> , Lea, pl. 51, fig. 153	327
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 305	
<i>Unio Hallenbeckii</i> , Lea, pl. 51, fig. 154	328
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 170	
<i>Unio Baldwinensis</i> , Lea, pl. 51, fig. 155	330
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 170	
<i>Unio Racensis</i> , Lea, pl. 52, fig. 156	331
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio salcbrosus</i> , Lea, pl. 52, fig. 157	332
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 170	
<i>Unio inusitatis</i> , Lea, pl. 52, fig. 158	333
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio latus</i> , Lea, pl. 53, fig. 159	334
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio verutus</i> , Lea, pl. 53, fig. 160	335
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio viridiradiatus</i> , Lea, pl. 53, fig. 161	336
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154	
<i>Unio viridans</i> , Lea, pl. 54, fig. 162	337
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 170	
<i>Unio quadratus</i> , Lea, pl. 54, fig. 163	338
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 172	
<i>Unio Jonesii</i> , Lea, pl. 54, fig. 164	339
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio discrepans</i> , Lea, pl. 55, fig. 165	340
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 92	
<i>Unio virescens</i> , Lea, pl. 55, fig. 166	341
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 40	
<i>Unio scitulus</i> , Lea, pl. 55, fig. 167	342
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 93	
<i>Unio Johannis</i> , Lea, pl. 55, fig. 168	343
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio cacao</i> , Lea, pl. 56, fig. 169	344
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154	
<i>Unio linguiformis</i> , Lea, pl. 56, fig. 170	345
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 305	
<i>Unio pudicus</i> , Lea, pl. 56, fig. 171	346
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 92	
<i>Unio modicellus</i> , Lea, pl. 57, fig. 172	347
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 171	
<i>Unio hepaticus</i> , Lea, pl. 57, fig. 173	348
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154	
<i>Unio castus</i> , Lea, pl. 57, fig. 174	349
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306	
<i>Unio perpictus</i> , Lea, pl. 58, fig. 175	350
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306	
<i>Unio Lindsleyi</i> , Lea, pl. 58, fig. 176	351
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306	
<i>Unio Lesleyi</i> , Lea, pl. 58, fig. 177	352
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306	
<i>Unio fucatus</i> , Lea, pl. 59, fig. 178	353
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 92	
<i>Unio planicostatus</i> , Lea, pl. 59, fig. 179	354
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 92	
<i>Unio camelpardilis</i> , Lea, pl. 59, fig. 180	355
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 92	
<i>Unio Kutersvillensis</i> , Lea, pl. 60, fig. 181	356
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 155	
<i>Unio Forsheyi</i> , Lea, pl. 60, fig. 182	357
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 155	

1860. LEA, ISAAC—Continued.

<i>Unio Houstonensis</i> , Lea, pl. 60, fig. 183	358
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 155.	
<i>Unio Texasensis</i> , Lea, pl. 61, fig. 184	359
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84, as <i>U. Texasensis</i> .	
<i>Unio quadrans</i> , Lea, pl. 61, fig. 185	360
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306.	
<i>Unio Bairdianus</i> , Lea, pl. 61, fig. 186	361
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 102.	
<i>Anodonta Lewisii</i> , Lea, pl. 62, fig. 187	362
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Anodonta lacustris</i> , Lea, pl. 62, fig. 188	363
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Anodonta modesta</i> , Lea, pl. 63, fig. 189	364
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Anodonta Danielsii</i> , Lea, pl. 63, fig. 190	365
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 139.	
<i>Anodonta Texasensis</i> , Lea, pl. 63, fig. 191	366
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 113.	
<i>Unio Eightsi</i> , Lea, pl. 64, fig. 192	367
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306.	
<i>Unio cognatus</i> , Lea, pl. 65, fig. 193	368
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306.	
<i>Unio Berlandierii</i> , Lea, pl. 65, fig. 194	369
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 101.	
<i>Unio Saladoensis</i> , Lea, pl. 65, fig. 195	370
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 305.	
<i>Unio Couchianus</i> , Lea, pl. 66, fig. 196	371
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 305.	
<i>Unio Popeii</i> , Lea, pl. 66, fig. 197	372
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 102.	
<i>Anodonta Henryana</i> , Lea, pl. 66, fig. 198	373
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 102, as <i>A. Henryana</i> .	

190.

1860. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionidae. | Read before the Academy of Natural Sciences of Philadelphia, and | published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences, Etc., Etc. | with sixteen plates. | Vol. 8.—Part I. | Philadelphia: | Printed for the Author. 4to. pp. 56.

This is the separate of No. 189, and with No. 204 forms No. 205.

191.

1860. LEA, ISAAC. Publications of Isaac Lea on Recent Conchology. 8°.

Copied from "Sabin's Bibliotheca Americana," and is probably a separate of part of "List of Amer. Writers on Recent Conchology," by Geo. W. Tryon, Jr. pp. 41-51.

192.

1861. LEA, ISAAC. Descriptions of Twenty-five New Species of Unionidæ from Georgia, Alabama, Mississippi, Tennessee and Florida. <*Proc. Acad. Nat. Sci., Phila.*, xiii, pp. 38-41.

Read before the Academy Natural Sciences February 5, 1861, and ordered to be published in the Proceedings Feb. 16, 1861. Proceedings for February laid on the table March 19, 1861. (See *Proc. Acad. Nat. Sci., Phila.*, xii, p. 56.) This forms part of No. 202.

<i>Unio fabaceus</i> , Lea, n. s.	38
Oostanaula River, Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 90.	
<i>Unio irrasus</i> , Lea, n. s.	38
Etowah River, Georgia, Rev. G. White.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 91.	
<i>Unio Ocmulgcensis</i> , Lea, n. s.	38
Little Ocmulgee River, Lumber City, Geo., S. W. Wilson, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 95.	

1861. LEA, ISAAC—Continued.

<i>Unio cicur</i> , Lea, n. s.	39
Little Ocmulgee River, Geo., S. W. Wilson, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 93.	
<i>Unio crapulus</i> , Lea, n. s.	39
Etowah River, Geo., Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 42.	
<i>Unio Beadleianus</i> , Lea, n. s.	39
Pearl River, Jackson, Miss., Rev. E. R. Beadle. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 94.	
<i>Unio Chickasawhensis</i> , Lea, n. s.	39
Chickasawha River, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 101.	
<i>Unio cinnamonicus</i> , Lea, n. s.	39
Tombigbee River, Columbus, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 100.	
<i>Unio pauperculus</i> , Lea, n. s.	39
Near Columbus, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 99.	
<i>Unio Spillmanii</i> , Lea, n. s.	39
Luxpalla Creek, near Columbus, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 98.	
<i>Unio flavidulus</i> , Lea, n. s.	39
Near Columbus, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 97.	
<i>Unio anaticulus</i> , Lea, n. s.	40
Near Columbus, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 92.	
<i>Unio rubidus</i> , Lea, n. s.	40
Tombigbee river, Miss., W. Spillman, M. D.; Coosa River and Big Prairie Creek, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 95.	
<i>Unio decumbens</i> , Lea, n. s.	40
Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 87.	
<i>Unio germanus</i> , Lea, n. s.	40
Coosa River, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 49.	
<i>Unio Lewisii</i> , Lea, n. s.	40
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 71.	
<i>Unio medius</i> , Lea, n. s.	40
Near Uniontown, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 78.	
<i>Unio concolor</i> , Lea, n. s.	40
Big Prairie Creek, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 89.	
<i>Unio verus</i> , Lea, n. s.	40
Cahawba River, Perry Co., Ala., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 83.	
<i>Unio asperatus</i> , Lea, n. s.	41
Alabama River, Claiborne, Alab., Judge Tait. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 68.	
<i>Unio ornatus</i> , Lea, n. s.	41
Alabama? T. R. Ingalls, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 85.	
<i>Unio perpurpurens</i> , Lea, n. s.	41
Tennessee, J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 46.	
<i>Unio Anthonyi</i> , Lea, n. s.	41
Florida, J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , 1862, p. 197.	
<i>Margaritana quadrata</i> , Lea, n. s.	41
East Tennessee, President Estabrook. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 210.	

1861. LEA, ISAAC—Continued.

<i>Margaritana Alabamensis</i> , Lea, n. s.	41
Talladega Creek, Alab., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 104.	

193.

1861. LEA, ISAAC. Descriptions of new species of *Schizostoma*, *Anculosa*, and *Lithasia*.

< <i>Proc. Acad. Nat. Sci., Phila.</i> , xiii, pp. 54-55.	
In the minutes of the meeting of February 19, 1860 is the following: "A paper was presented for publication, entitled 'Descriptions of new species of Anodonta and Lithasia, by Isaac Lea,' which was referred to a committee." This probably refers to the present paper, which was ordered to be printed in the Proceedings February 26. Proceedings for February laid on the table March 19, 1861. (See <i>Proc. Acad. Nat. Sci., Phila.</i> , xiii, p. 56.)	
<i>Schizostoma Spillmanii</i> , Lea, n. s.	54
Coosa River, Alab., Dr. Showalter. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 250.	
<i>Anculosa turbinata</i> , Lea, n. s.	54
North Alab., Prof. M. Tuomey and Dr. Lewis; Tuscaloosa, Dr. Budd. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 254.	
<i>Anculosa Lewisii</i> , Lea, n. s.	54
Tennessee, James Lewis, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 257.	
<i>Anculosa Coosaensis</i> , Lea, n. s.	54
Coosa River, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 257.	
<i>Lithasia fusiformis</i> , Lea, n. s.	54
Coosa River, Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 261.	
<i>Lithasia imperialis</i> , Lea, n. s.	55
North Alabama, Prof. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 258.	
<i>Lithasia Tuomeyi</i> , Lea, n. s.	55
North Alabama, Prof. M. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 259.	
<i>Lithasia subglobosa</i> , Lea, n. s.	55
Tennessee, Prof. G. Troost. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 261.	
<i>Lithasia dilatata</i> , Lea, n. s.	55
Tennessee, Prof. G. Troost. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 261.	

194.

1861. LEA, ISAAC. Description of a new species of *Neritina*, from Coosa River, Alabama. < *Proc. Acad. Nat. Sci., Phila.*, xiii, p. 55.

Read before the Academy Natural Sciences, February 12, 1860, and ordered to be printed in the Proceedings Feb. 26, 1860. Proceedings for February laid on the table March 19, 1861. (See *Proc. Acad. Nat. Sci., Phila.*, xiii, p. 56.)

This forms part of No. 202.

<i>Neritina Showalteri</i> , Lea, n. s.	55
Coosa River, ten miles above Fort William, Shelby Co., Alab., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 267.	

"The discovery of this shell by Dr. Showalter marks the first notice of the genus *Neritina* being observed in our fresh waters."

195.

1861. LEA, ISAAC. Descriptions of two new species of *Anodonta*, from Arctic America. < *Proc. Acad. Nat. Sci., Phila.*, xiii, p. 56.

Read before the Academy Natural Sciences, February 12, 1860, and ordered to be printed in the Proceedings February 26, 1861. Proceedings for Feb. laid on the table March 19, 1861. (See *Proc. Acad. Nat. Sci., Phila.*, xiii, p. 56.)

This forms part of No. 202.

1861. LEA, ISAAC—Continued.

- Anodonta Kennicottii*, Lea, n. s. 56
 Great Slave Lake at Fort Rae, and north end of Lake Winnipeg, Arctic America,
 R. Kennicott.
Journ. Acad. Nat. Sci., v, 1862, p. 214.
- Anodonta Simpsoniana*, Lea, n. s. 56
 Fort Rae, Great Slave Lake, Arctic America, R. Kennicott.
Journ. Acad. Nat. Sci., v, 1862, p. 212.

196.

1861. LEA, ISAAC. Descriptions of twelve new species of *Unio*es, from Alabama.
 <*Proc. Acad. Nat. Sci., Phila.*, xiii, pp. 59-60.

Read before the Academy Natural Sciences, March 5, 1860, and ordered to be published in the Proceedings March 26, 1861. Proceedings for March laid on the table April 2, 1861. (See *Proc. Acad. Nat. Sci., Phila.*, xiii, p. 73.)

This forms part of No. 202.

- Unio negatus*, Lea, n. s. 59
 Big Prairie Creek, Alab., E. R. Showalter, M. D.; Columbus, Miss., W. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 76.
- Unio glandaceus*, Lea, n. s. 59
 Cahawba River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 77.
- Unio instructus*, Lea, n. s. 59
 Cahawba River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 82.
- Unio trinacrus*, Lea, n. s. 59
 Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 86.
- Unio stabilis*, Lea, n. s. 59
 Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 71.
- Unio consanguineus*, Lea, n. s. 60
 Etowah River, Rev. G. White; Oostenaula River, Georgia, Bishop Elliott; Cahawba River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 67.
- Unio crebrivittatus*, Lea, n. s. 60
 Coosawattee River, Alab., Bishop Elliott.
Journ. Acad. Nat. Sci., vi, 1866, p. 43.
- Unio interventus*, Lea, n. s. 60
 Cahawba River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 84.
- Unio pallidofulvus*, Lea, n. s. 60
 Cahawba River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 83.
- Unio porphyreus*, Lea, n. s. 60
 Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 80.
- Unio perpastus*, Lea, n. s. 60
 Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1862, p. 69.
- Unio granulatis*, Lea, n. s. 60
 Big Prairie Creek, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 48, as *U. granulatus*.

197.

1861. LEA, ISAAC. Description of a new genus (*Streplobasis*) of the family *Melanidae*, and three new species. <*Proc. Acad. Nat. Sci., Phila.*, xiii, p. 96.

Read before the Academy of Natural Sciences, April 16, 1860, and ordered to be published April 30, 1861. Proceedings for April laid on the table May 14, 1861. (See *Proc. Acad. Nat. Sci., Phila.*, xiii, p. 99.)

This forms part of No. 202.

- STREPHOBASIS, Lea, n. g. 96
Journ. Acad. Nat. Sci., v, 1863, p. 264.

1851. LEA, ISAAC—Continued

- Strophobasis Spillmanii*, Lea, n. s. 96
Tennessee River, Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 264.
- Strophobasis cornea*, Lea, n. s. 96
Tennessee River, Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 265.
- Strophobasis Clarkii*, Lea, n. s. 96
Tennessee River, at Chattanooga, Tenn., Joseph Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 265.

198.

1861. LEA, ISAAC. Descriptions of forty-nine New Species of the Genus Melania.

< *Proc. Acad. Nat. Sci., Phila.*, xiii, pp. 117-123.

Read before the Academy Natural Sciences May 21, 1860, and ordered to be published in the Proceedings May 28, 1861. This forms part of No. 202.

- Melania Hartmaniana*, Lea, n. s. 117
Coosa and Cahawba Rivers, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 218, as *Goniobasis Hartmanii*.
- Melania Lewisii*, Lea, n. s. 118
Coosa and Talapoosa Rivers, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 243, as *Goniobasis Lewisii*.
- Melania elliptica*, Lea, n. s. 118
Coosa River, Alab., E. R. Showalter, M. D., and E. Foreman, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 225, as *Goniobasis elliptica*.
- Melania rubicunda*, Lea, n. s. 118
Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 235, as *Goniobasis rubicunda*.
- Melania vesicula*, Lea, n. s. 118
Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 242, as *Goniobasis vesicula*.
- Melania Coosaensis*, Lea, n. s. 118
Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 234, as *Goniobasis Coosaensis*.
- Melania gracilior*, Lea, n. s. 118
Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 234, as *Goniobasis ellipsoides*.
- Melania propria*, Lea, n. s. 118
Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 229, as *Goniobasis propria*.
- Melania nubila*, Lea, n. s. 118
Coosa River, Wetumpka, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 235, as *Goniobasis nubila*.
- Melania orbicula*, Lea, n. s. 118
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 238, as *Goniobasis orbicula*.
- Melania calculoides*, Lea, n. s. 118
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 238, as *Goniobasis calculoides*.
- Melania punicea*, Lea, n. s. 119
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 232, as *Goniobasis punicea*.
- Melania luteola*, Lea, n. s. 119
Alabama River, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 230, as *Goniobasis luteola*.
- Melania fascians*, Lea, n. s. 119
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 229, as *Goniobasis fascians*.
- Melania quadrivittata*, Lea, n. s. 119
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 226, as *Goniobasis quadrivittata*.
- Melania midas*, Lea, n. s. 119
Coosa and Alabama Rivers, near Wetumpka, E. R. Showalter.
Journ. Acad. Nat. Sci., v, 1863, p. 233, as *Goniobasis midas*.

1861. LEA, ISAAC—Continued.

- Melania variata*, Lea, n. s. 119
Coosa River, at Wetumpka and Montevallo, Bibb Co., Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 224, as *Goniobasis variata*.
- Melania virgulata*, Lea, n. s. 119
Coosa and Tallapoosa Rivers, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 223, as *Goniobasis virgulata*.
- Melania mucronata*, Lea, n. s. 119
Big Prairie Creek, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 277, as *Trypanostoma mucronata*.
- Melania propinqua*, Lea, n. s. 119
Coosa and Cahawba Rivers, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 234, as *Goniobasis propinqua*.
- Melania suavis*, Lea, n. s. 120
Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 228, as *Goniobasis suavis*.
- Melania fallax*, Lea, n. s. 120
Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 231, as *Goniobasis fallax*.
- Melania clausa*, Lea, n. s. 120
Coosa River, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 231, as *Goniobasis clausa*.
- Melania purpurca*, Lea, n. s. 120
Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 225, as *Goniobasis purpurea*.
- Melania mellea*, Lea, n. s. 120
Coosa River, at Wetumpka, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 224, as *Goniobasis mellea*.
- Melania varians*, Lea, n. s. 120
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 219, as *Goniobasis varians*.
- Melania Showalterii*, Lea, n. s. 120
Coosa and Cahawba Rivers, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 220, as *Goniobasis Showalterii*.
- Melania glandaria*, Lea, n. s. 120
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 226, as *Goniobasis glandaria*.
- Melania pudica*, Lea, n. s. 120
Yellowleaf Creek, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 222, as *Goniobasis pudica*.
- Melania Shelbyensis*, Lea, n. s. 121
Yellowleaf Creek, Alab., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 228, as *Goniobasis Shelbyensis*.
- Melania Alabamensis*, Lea, n. s. 121
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 232, as *Goniobasis Alabamensis*.
- Melania rara*, Lea, n. s. 121
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 220, as *Goniobasis rara*.
- Melania bullula*, Lea, n. s. 121
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 221, as *Goniobasis bullula*.
- Melania straminea*, Lea, n. s. 121
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 227, as *Goniobasis straminea*.
- Melania solidula*, Lea, n. s. 121
Yellowleaf Creek, near Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 230, as *Goniobasis solidula*.
- Melania Cahawbensis*, Lea, n. s. 121
Cahawba River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 223, as *Goniobasis Cahawbensis*.
- Melania culta*, Lea, n. s. 121
Coosa River, Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 237, as *Goniobasis culta*.

1861. LEA, ISAAC—Continued.

<i>Melania lita</i> , Lea, n. s.	121
Cahawba River, Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 239, as <i>Goniobasis lita</i> .	
<i>Melania copiosa</i> , Lea, n. s.	122
Coosa River, Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 239, as <i>Goniobasis copiosa</i> .	
<i>Melania pergrata</i> , Lea, n. s.	123
Coosa River, Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 243, as <i>Goniobasis pergrata</i> .	
<i>Melania bellula</i> , Lea, n. s.	123
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 237, as <i>Goniobasis bellula</i> .	
<i>Melania æqua</i> , Lea, n. s.	122
Yellowleaf Creek, Alab., E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 240, as <i>Goniobasis æqua</i> .	
<i>Melania capillaris</i> , Lea, n. s.	122
Coosa River, Alabama, E. R. Showalter, M. D., and Wm. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 236, as <i>Goniobasis capillaris</i> .	
<i>Melania gratiosa</i> , Lea, n. s.	122
Coosa River, Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 241, as <i>Goniobasis gratiosa</i> .	
<i>Melania paula</i> , Lea, n. s.	122
Cahawba River, Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 244, as <i>Goniobasis paula</i> .	
<i>Melania blanda</i> , Lea, n. s.	122
Yellowleaf Creek, Alab., E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 242, as <i>Goniobasis blanda</i> .	
<i>Melania crepera</i> , Lea, n. s.	123
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 240, as <i>Goniobasis crepera</i> .	
<i>Melania fumea</i> , Lea, n. s.	123
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 222, as <i>Goniobasis fumea</i> .	
<i>Melania propria</i> , Lea, n. s.	123
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 227, as <i>Goniobasis lepida</i> .	

199.

1861. LEA, ISAAC. Descriptions of New Fossil Mollusca, from the Cretaceous Formation at Haddonfield, New Jersey. <*Proc. Acad. Nat. Sci., Phila.*, xiii, pp. 148-150.

Read before the Academy Natural Sciences June 4, 1861, and ordered to be published in the Proceedings June 25, 1861. This forms part of No. 202.

Preliminary remarks upon the Geological position of the Green Sand Formation at Haddonfield, New Jersey	148
<i>Corbula Foulkei</i> , Lea, n. s.	149
<i>Modiola Juliae</i> , Lea, n. s.	149
<i>Dosinia Haddonfieldensis</i> , Lea, n. s.	149
List of Green Sand Fossils found at Haddonfield, N. J., by Mr. Foulke and Mr. Lea 43 species	150

200.

1861. LEA, ISAAC. Descriptions of Eleven New Species of the genus *Unio* from the United States. <*Proc. Acad. Nat. Sci., Phila.*, xiii, pp. 391-393.

Read before the Academy of Natural Sciences December 24, 1861, and ordered to be published in the Proceedings Dec. 31, 1861. This forms part of No. 202.

<i>Unio squameus</i> , Lea, n. s.	391
North Carolina, J. G. Anthony.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 200.	
<i>Unio rostrum</i> , Lea, n. s.	391
Davidson Co., N. Carolina, F. A. Genth, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 201.	

1861. LEA, ISAAC—Continued.

<i>Unio contiguus</i> , Lea, n. s.	392
Stewart's Mill Dam, Union Co., N. Carolina, F. A. Genth, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 199.	
<i>Unio Riddelli</i> , Lea, n. s.	392
Dallas, Texas, Prof. C. G. Forshey. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 198.	
<i>Unio Chunii</i> , Lea, n. s.	392
Dallas, Texas, Prof. C. G. Forshey. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 196.	
<i>Unio Heermaunii</i> , Lea, n. s.	392
Medina River, Texas, A. L. Heermann, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 194.	
<i>Unio tesserulæ</i> , Lea, n. s.	392
Nolachucky River, Tenn., J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 40.	
<i>Unio Northamptonensis</i> , Lea, n. s.	392
Connecticut River, at Northampton; at Springfield, by L. Shurtleff, M. D.; below Hartford, T. R. Ingalls, M. D.; Neuse River, N. C., E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 190.	
<i>Unio Wardii</i> , Lea, n. s.	392
Walhonding River, Ohio, J. C. Ward; Wassepinicon River, Iowa, Dr. Foreman; Coal River, Virginia, Dr. Hartman. <i>Journ. Acad. Nat. Sci.</i> , v, 1862 p. 187.	
<i>Unio Sampsonii</i> , Lea, n. s.	392
Wabash River, New Harmony, Indiana, James Sampson. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 192.	
<i>Unio vestitus</i> , Lea, n. s.	393
Ogechee River, Georgia, Major Le Conte and J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 189.	

201.

1861. LEA, ISAAC. Description of Seven New Species of the Genus *Io*. < *Proc. Acad. Nat. Sci., Phila.*, xiii, pp. 393-394.

Read before the Academy of Natural Sciences December 24, 1861, and ordered to be printed in the Proceedings Dec. 31, 1861. This forms part of No. 202.

Short outline history of the Genus <i>Io</i>	393
<i>Io-nodosa</i> , Lea, n. s.	393
Tennessee River, Alab., ? Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 346.	
<i>Io robusta</i> , Lea, n. s.	393
Tennessee River, Alab., ? Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 346.	
<i>Io variabilis</i> , Lea, n. s.	393
Tennessee River, Alab., ? Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 347.	
<i>Io modesta</i> , Lea, n. s.	394
Tennessee River, Alab., ? Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 348.	
<i>Io Spillmanii</i> , Lea, n. s.	394
Tennessee River, Alab., ? Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 348.	
<i>Io gracilis</i> , Lea, n. s.	394
Coosa River, Alabama, Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 349.	
<i>Io viridula</i> , Lea, n. s.	394
Coosa River, Alabama, Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 349.	

202.

1862. LEA, ISAAC. Remarks on the Number of Unionidæ. | Descriptions of Fifteen new species of Uruguayan Unionidæ. | Descriptions of Four new species of Unionidæ, | from Brazil and Buenos Ayres. | Remarks on the Color of the Unionidæ. | Descriptions of Four new species of Melanidæ | of the United

1862. LEA, ISAAC—Continued.

States. | Descriptions of Five new species of Uniones, | from North America. | Remarks on the form of the Palpi of Anodontæ, | from Uruguay. | Remarks on the Physæ in a Cistern. | Remarks on Echinus perforating Granite. | Descriptions of Fourteen new species of Schi | zostoma, &c., and reclamation of the name. | Descriptions of two new species of Uniones, | from Georgia. | Descriptions of Three new species of Uniones, | from Mexico. | Descriptions of Seven new species of Unionidæ, | from the United States. | Descriptions of Six new species of Unionidæ, | from Alabama. | Descriptions of Three new species of Exotic Unionidæ. | Descriptions of Twenty-five new species of Unionidæ. | Description of a New Species of Neritina, | from Coosa River. | Descriptions of Two new species of Anodontæ, | from Arctic America. | Descriptions of New Species of Schizostoma, &c. | Descriptions of Twelve new species of Uniones, | from Alabama. | Description of a New Genus, (Strephobasis.) | Descriptions of Forty-nine new species of Melania. | Descriptions of New Fossil Mollusca, | from New Jersey. | Descriptions of Eleven new species of the genus Unio. | Descriptions of Seven new species of the genus Io. | — | by | Isaac Lea, LL. D., &c., &c. | — | Philadelphia: | 1862. 8^o, pp. 49.

This consists of a reprint of numbers 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201.

203.

1861. LEA, ISAAC. New Unionidæ of the United States. <Journ. Acad. Nat. Sci., v, new series, pp. 53–109. Plates i–xviii. For separate see No. 204.

Read before the Academy of Natural Sciences November 12, 1861. Extra copies printed for the author February, 1862. (See Journ. Acad. Nat. Sci., Phila., v, n. s., p. 3.)

<i>Unio insulsus</i> , Lea, pl. i, fig. 199	53
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Unio Catawbensis</i> , Lea, pl. i, fig. 200	54
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 85, as <i>U. Wheatleyi</i> .	
<i>Unio spadiceus</i> , Lea, pl. i, fig. 201	55
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Unio striatulus</i> , Lea, pl. ii, fig. 202	55
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Unio Emmonsii</i> , Lea, pl. ii, fig. 203	56
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Unio Genthii</i> , Lea, pl. 2, fig. 204	57
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 85.	
<i>Unio gracilentus</i> , Lea, pl. 3, fig. 205	58
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 85.	
<i>Unio procarretatus</i> , Lea, pl. 3, fig. 206	59
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 85.	
<i>Unio micans</i> Lea, pl. 3, fig. 207	59
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 85.	
<i>Unio Neusensis</i> , Lea, pl. 4, fig. 208	60
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 41.	
<i>Unio purus</i> , Lea, pl. 4, fig. 209	61
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 41.	
<i>Unio exactus</i> Lea, pl. 4, fig. 210	62
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 41.	
<i>Unio turgidulus</i> , Lea, pl. 5, fig. 211	62
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 40.	
<i>Unio propinquus</i> , Lea, pl. 5, fig. 212	63
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 83.	
<i>Unio Florentinus</i> , Lea, pl. 5, fig. 213	64
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 83.	
<i>Unio Meredithii</i> , Lea, pl. 6, fig. 214	65
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 40.	
<i>Unio perradiatus</i> , Lea, pl. 6, fig. 215	66
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 40.	
<i>Unio Pybasii</i> , Lea, pl. 6, fig. 216	67
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 40.	

1861. LEA, ISAAC—Continued.

<i>Unio consanguineus</i> , Lea, pl. 7, fig. 217	67
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 60.	
<i>Unio asperatus</i> , Lea, pl. 7, fig. 218	68
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 41.	
<i>Unio perpastus</i> , Lea, pl. 7, fig. 219	69
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 60.	
<i>Unio Lewisii</i> , Lea, pl. 8, fig. 220	71
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio stabilis</i> , Lea, pl. 8, fig. 221	71
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 59.	
<i>Unio Hartmanianus</i> , Lea, pl. 8, fig. 222	78
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 307.	
<i>Unio Showalterii</i> , Lea, pl. 8, fig. 223	73
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 307.	
<i>Unio dolosus</i> , Lea, pl. 9, fig. 224	75
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 307.	
<i>Unio negatus</i> , Lea, pl. 9, fig. 225	76
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 59.	
<i>Unio glandaceus</i> , Lea, pl. 9, fig. 226	77
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 59.	
<i>Unio medius</i> , Lea, pl. 10, fig. 227	78
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio porphyreus</i> , Lea, pl. 10, fig. 228	80
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 60.	
<i>Unio plancus</i> , Lea, pl. 10, fig. 229	81
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 307.	
<i>Unio instructus</i> , Lea, pl. 10, fig. 230	82
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 59.	
<i>Unio verus</i> , Lea, pl. 11, fig. 231	83
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio pallidiflavus</i> , Lea, pl. 11, fig. 232	83
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 60.	
<i>Unio interventus</i> , Lea, pl. 11, fig. 233	84
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 60.	
<i>Unio ornatus</i> , Lea, pl. 11, fig. 234	85
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 41.	
<i>Unio trinacrus</i> , Lea, pl. 12, fig. 235	86
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 59.	
<i>Unio decumbens</i> , Lea, pl. 12, fig. 236	87
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio concolor</i> , Lea, pl. 12, fig. 237	89
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio fabaceus</i> , Lea, pl. 13, fig. 238	90
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 38.	
<i>Unio irrasus</i> , Lea, pl. 13, fig. 239	91
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 38.	
<i>Unio anaticulus</i> , Lea, pl. 13, fig. 240	92
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio cicur</i> , Lea, pl. 13, fig. 241	93
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	
<i>Unio Beadleanus</i> , Lea, pl. 14, fig. 242	94
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	
<i>Unio Ocmulgensis</i> , Lea, pl. 14, fig. 243	95
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 38.	
<i>Unio rubidus</i> , Lea, pl. 14, fig. 244	95
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio flavidulus</i> , Lea, pl. 15, fig. 245	97
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	
<i>Unio Spillmanii</i> , Lea, pl. 15, fig. 246	98
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	
<i>Unio paupereulus</i> , Lea, pl. 15, fig. 247	99
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39	
<i>Unio cinnamonicus</i> , Lea, pl. 16, fig. 248	100
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	
<i>Unio Chickasawhensis</i> , Lea, pl. 16, fig. 250	101
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	

1861. LEA, ISAAC—Continued.

<i>Unio permiscens</i> , Lea, pl. 17, fig. 251.....	102
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 112.	
<i>Unio curtus</i> , Lea pl. 17, fig. 253.....	103
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 112.	
<i>Margaritana Alabamensis</i> , Lea, pl. 16, fig. 249.....	104
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 41.	
<i>Margaritana Spillmndtii</i> , Lea, pl. 17, fig. 252.....	105
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138.	
<i>Margaritana elliptica</i> , Lea, pl. 18, fig. 254.....	106
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 113.	
<i>Margaritana Tombigbéensis</i> , Lea, pl. 18, fig. 255.....	107
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138, as <i>M. Tombebeensis</i> .	
<i>Anodonta Kennerlyi</i> , Lea, pl. 18, fig. 256.....	108
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 306.	

204.

1862. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionidæ. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL.D., | President of the Academy of Natural Sciences of Philadelphia, Etc., Etc. | with eighteen plates. | Vol. 8.—Part II. | Philadelphia: | Printed for the author. 4^o, pp. 57–113.

This is the separate of No. 203, and, with No. 190, forms No. 205.

Presented to the Library of the Academy of Natural Sciences in 1862. (See *Proc. Acad. Nat. Sci.*, xiv, p. 612.)

205.

1862. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, in | the Family Unionidæ. | Read before the Academy of Natural Sciences of Philadelphia and | published in their Journal. | by | Isaac Lea, LL. D. | President of the Academy of Natural Sciences of Philadelphia, Etc., Etc. | with thirty-four plates. | Vol. 8. | Philadelphia: | Printed for the author. 4to, pp. 115.

This consists of numbers 190 and 204.

206.

1862. LEA, ISAAC. Descriptions of Ten new species of Unionidæ of the United States.

<*Proc. Acad. Nat. Sci., Phila.*, xiv, pp. 168–169.

Read before the Academy of Natural Sciences April 22, 1862, and ordered to be printed in the Proceedings April 29, 1862. This forms part of No. 211.

<i>Unio grandidens</i> , Lea, n. s.....	168
Near Hot Springs, Ark., Byrd Powell, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , 1862, p. 205.	
<i>Unio speciosus</i> , Lea, n. s.....	168
Colorado River, near Lagrange, Texas, Prof. Forshey; and Leon Co., Texas, Lieut. E. F. Beale.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 207.	
<i>Unio Leibii</i> , Lea, n. s.....	168
Erie Co., Michigan, G. B. Leib, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 44.	
<i>Unio Gerhardtii</i> , Lea, n. s.....	168
Chatanooga, Geo., Alexander Gerhardt.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 208.	
<i>Unio Mercerii</i> , Lea, n. s.....	169
Lee Co., Georgia, Dr. Mercer.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 209.	
<i>Unio Arkansasensis</i> , Lea, n. s.....	169
Near Hot Springs, Ark., Byrd Powell, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 206.	
<i>Unio Bealei</i> , Lea, n. s.....	169
Leon Co., Texas, Lieut. E. F. Beale, U. S. Navy; Rutersville, Texas, Prof. Forshey.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1862, p. 204.	

1832. LEA, ISAAC—Continued.

- Anodonta leonensis*, Lea, n. s. 169
 Leon Co., Texas, Lieut. E. F. Beale, U. S. Navy.
Journ. Acad. Nat. Sci., vi, 1866, p. 25.
- Anodonta Williamsii*, Lea, n. s. 169
 Potomac River, at the White House below Mt. Vernon, H. C. Williams.
Journ. Acad. Nat. Sci., vi, 1866, p. 27.
- Anodonta Tryonii*, Lea, n. s. 169
 Schuylkill River, above Phila.; Delaware River, at League Island, G. W. Tryon,
 jr.; Flemington, Conn., Prof. Shepard; Westfield, Mass., Dr. Shurtleff; Potomac
 near Chain Bridge, above Washington, Prof. Henry.
Journ. Acad. Nat. Sci., vi, 1866, p. 28.

207.

1862. LEA, ISAAC. Description of a New Genus (*Trypanostoma*), of the Family Melanidae, and of forty-five New Species. <*Proc. Acad. Nat. Sci., Phila.*, xiv, pp. 169-175.

Read before the Academy of Natural Sciences April 15, 1862, and ordered to be published in the Proceedings April 29, 1862. This forms part of No. 211.

- TRYPANOSTOMA, Lea, n. g. 169
 Τρυπανον, an auger, and στόμα, a mouth.
Journ. Acad. Nat. Sci., v, 1863, p. 268.
 "The genus now proposed, under the name of *Trypanostoma*, will include all the well-known *Melanie* with an *auger-shaped* aperture, the type of which may be considered Mr. Say's *Melania caudiculata*, a common and well-known species from the basin of the Ohio River."
 "Mr. Swainson, in his 'Treatise on Malacology,' proposed a sub-genus of *Melania* under the name of *Ceriphasia*, and gives a figure, page 204 (*C. sulcata*), stating it came from Ohio. It is evident, on looking on this figure, that it does not represent any Ohio species, neither in the aperture nor in the revolving ribs. Dr. Gray and the Messrs. Adams adopt the genus, and the latter give a figure (pl. 31, fig. 6) of *caudiculata*, Say, as the type, which I do not think answers to the description or figure of Mr. Swainson."
- Trypanostoma dux*, Lea, n. s. 170
 Tennessee River, W. Spillman, M. D.; Fox River, Ill., J. Sampson; Oostenaula, Rev. G. White; Tusculmbia, B. Pybas.
Journ. Acad. Nat. Sci., v, 1863, p. 283.
- Trypanostoma Thorntonii*, Lea, n. s. 170
 Tusculmbia, Ala., L. B. Thornton, Esq., and Rev. G. White; Chattanooga, Tenn., J. Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 284, as *T. Thorntonii*.
- Trypanostoma Troostii*, Lea, n. s. 171
 Tenn., Prof. G. Troost; Florence, Ala., Rev. G. White; Oostenaula River, Ga., Bishop Elliott; Fox River, near New Harmony, Indiana, J. Sampson.
Journ. Acad. Nat. Sci., v, 1863, p. 285.
- Trypanostoma incurvum*, Lea, n. s. 171
 Florence, Ala., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 286.
- Trypanostoma Postellii*, Lea, n. s. 171
 Tennessee River, J. Postell; N. Ala., Prof. Tuomey.
Journ. Acad. Nat. Sci., v, 1863, p. 286.
- Trypanostoma Tuomeyi*, Lea, n. s. 171
 North Ala., Prof. Tuomey; Florence, Ala., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 287.
- Trypanostoma Florencense*, Lea, n. s. 171
 Florence, Ala., Dr. Spillman; Tusculmbia, L. E. Thornton, Esq.
Journ. Acad. Nat. Sci., v, 1863, p. 287.
- Trypanostoma Clarkii*, Lea, n. s. 171
 French, Broad, and Tellico Creeks, Tenn., J. Clark and Prof. Christy; Florence, Ala., G. White; Noxubee River, Miss., Dr. Spillman; Clinch River, Tenn., Dr. Warder; Coosa, Cahawba, and Alabama Rivers Ala., Dr. Showalter.
Journ. Acad. Nat. Sci., v, 1863, p. 285.
- Trypanostoma Alabamense*, Lea, n. s. 171
 N. Alabama, Prof. Tuomey; Florence, Ala., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 288.

1862. LEA, ISAAC—Continued.

- Trypanostoma ligatum*, Lea, n. s. 171
Tenn., Prof. Troost; Cumberland River, C. T. Downie; North Ala., Prof. Tuomey; Ohio River, at Cincinnati, U. P. James.
Journ. Acad. Nat. Sci., v, 1863, p. 288.
- Trypanostoma Pybasii*, Lea, n. s. 172
Tuscumbia, Ala., B. Pybas.
Journ. Acad. Nat. Sci., v, 1863, p. 289.
- Trypanostoma olivaceum*, Lea, n. s. 172
Tombigbee River, Miss., W. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 290.
- Trypanostoma moniliferum*, Lea, n. s. 172
Tenn., Prof. Troost and Mr. Anthony; Florence, Ala., Rev. G. White, Mr. Pybas, and Mr. Thornton; Cumberland River, Dr. Powell; Ohio River, near the mouth, in Illinois, J. Donaldson; New Harmony, Indiana, Mr. Carley and Mr. Sampson; Warrior River, Ala., Prof. Brumby.
Journ. Acad. Nat. Sci., v, 1863, p. 295.
- Trypanostoma Lewisii*, Lea, n. s. 172
Peoria, Illinois, J. Lewis, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 292.
- Trypanostoma moriformi*, Lea, n. s. 172
Oostenaula River, near Rome, Ga., Rev. G. White; Tenn. River, Dr. Spillman; Tuscumbia, Ala., B. Pybas.
Journ. Acad. Nat. Sci., v, 1863, p. 290, as *T. moriforme*.
- Trypanostoma viride*, Lea, n. s. 172
Tennessee, Prof. Troost.
Journ. Acad. Nat. Sci., v, 1863, p. 291.
- Trypanostoma Showalterii*, Lea, n. s. 172
Cahawba River, Ala., E. R. Showalter, M. D.; Tuscaloosa, Ala., Dr. Budd; Oostenaula River, Ga., Rev. G. White and Bishop Elliott.
Journ. Acad. Nat. Sci., v, 1863, p. 293.
- Trypanostoma Anthonyi*, Lea, n. s. 172
Tennessee, J. G. Anthony; Warrior River and Yellowleaf Creek, Ala., Dr. Showalter; Fox River, Indiana, J. Sampson.
Journ. Acad. Nat. Sci., v, 1863, p. 293.
- Trypanostoma striatum*, Lea, n. s. 173
Florence, Ala., B. Pybas.
Journ. Acad. Nat. Sci., v, 1863, p. 294.
- Trypanostoma Hartmani*, Lea, n. s. 173
Cahawba and Coosa Rivers, Dr. Showalter; Warrior River, Ala., Knoxville, Dr. Budd and J. Clark; Tenn. River, Ala., Dr. Spillman.
Journ. Acad. Nat. Sci., v, 1863, p. 270.
- Trypanostoma Jayi*, Lea, n. s. 173
Hab.— —, Ala.? J. C. Jay, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 270.
- Trypanostoma Spillmanii*, Lea, n. s. 173
Noxubee River, Miss., W. Spillman, M. D.; Tennessee, J. Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 271.
- Trypanostoma Chrystyi*, Lea, n. s. 173
Cane Creek, Tenn., Prof. D. Christy.
Journ. Acad. Nat. Sci., v, 1863, p. 272.
- Trypanostoma labiatum*, Lea, n. s. 173
Big Miami River, Ohio, J. Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 272.
- Trypanostoma Whitei*, Lea, n. s. 173
Lafayette Co. and Marietta, Ga., Rev. G. White; Farland's Creek, Miss., Dr. Spillman; Tennessee, J. G. Anthony.
Journ. Acad. Nat. Sci., v, 1863, p. 273.
- Trypanostoma Estabrookii*, Lea, n. s. 173
East Tennessee, President Estabrook and Bishop Elliott; near Cleveland, Tenn., Prof. Christy; Monroe Co., Tenn., J. Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 273.
- Trypanostoma Knoxvilleense*, Lea, n. s. 173
Knoxville, Tenn., Pres. Estabrook.
Journ. Acad. Nat. Sci., v, 1863, p. 274.

1862. LEA, ISAAC—Continued.

<i>Trypanostoma attenuatum</i> , Lea, n. s.	174
Lafayette, Ga., Rev. G. White; Tennessee, Dr. Hartman. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 274.	
<i>Trypanostoma subulaforme</i> , Lea, n. s.	174
Knoxville, Tenn., Prof. Troost and W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 289.	
<i>Trypanostoma tortum</i> , Lea, n. s.	174
Uchee Bar, below Columbus, Ga., J. Lewis, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 275.	
<i>Trypanostoma pallidum</i> , Lea, n. s.	174
Niagara Falls, New York. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 275.	
<i>Trypanostoma parvum</i> , Lea, n. s.	174
Knoxville, Pres. Estabrook; French Broad River, East Tenn., J. Clark. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 276.	
<i>Trypanostoma modestum</i> , Lea, n. s.	174
Chilogita Creek, Blount Co, Tenn., J. Clark. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 276.	
<i>Trypanostoma simplex</i> , Lea, n. s.	174
Cincinnati, Ohio, T. G. Lea. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 277.	
<i>Trypanostoma minor</i> , Lea, n. s.	174
Tennessee, Prof. Troost. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 278.	
<i>Trypanostoma punilum</i> , Lea, n. s.	174
Tennessee, Prof. Troost. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 279.	
<i>Trypanostoma bivittatum</i> , Lea, n. s.	175
Tennessee, Prof. Troost. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 279.	
<i>Trypanostoma Vanuxemii</i> , Lea, n. s.	175
S. Carolina, Prof. L. Vanuxem. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 280.	
<i>Trypanostoma trivittatum</i> , Lea, n. s.	175
Tombigbee River, Miss., W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 282.	
<i>Trypanostoma trochulus</i> , Lea, n. s.	175
Holston River, Tenn., Prof. G. Troost. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 282.	
<i>Trypanostoma Sycamorensis</i> , n. s.	175
Sycamore, Claiborne Co., E. Tenn., J. Lewis, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 283.	
<i>Trypanostoma Chakasahaense</i> , Lea, n. s.	175
Chakasaka River, Ala., Wm. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 280.	
<i>Trypanostoma Tennesseeense</i> , Lea, n. s.	175
Tenn., Prof. Troost; Lebanon Co., Tenn., J. M. Safford. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 281.	
<i>Trypanostoma Knoxense</i> , Lea, n. s.	175
Flat Creek, Knox Co., Tenn., Prof. D. Christy. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 281.	
<i>Trypanostoma canalitium</i> , Lea, n. s.	175
Yellowleaf Creek, Ala., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 292.	

208.

1862. LEA, ISAAC. Descriptions of two new species of *Exotic Uniones* and one *Monocorydyla*. <*Proc. Acad. Nat. Sci., Phila.*, xiv, p. 176.

Read before the Academy of Natural Sciences April 22, 1862, and ordered to be published in the Proceedings April 29, 1862.

This forms part of No. 211.

<i>Unio Paramattensis</i> , Lea, n. s.	176
Paramatta River, New South Wales. Smithsonian Institution. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 60.	

1862. LEA, ISAAC—Continued.

<i>Unio Pazii</i> , Lea, n. s.	176
China, Sig. Patricio Maria Paz. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 61.	
<i>Monocondylea Wheatleyi</i> , Lea, n. s.	176
River Tigris, Assyria, Rev. Mr. Beadle, by C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 399.	

209.

1862. LEA, ISAAC. Description of a new genus (GONIOBASIS) of the Family *Melanidæ* and eighty-two new species. < *Proc. Acad. Nat. Sci., Phila.*, xiv, pp. 262-272.

Read before the Academy May 27, 1862. Ordered to be published in the Proceedings May 27, 1862.

This forms part of No. 211.

GONIOBASIS, Lea, n. g.	262
Ἦννα, angle, and βασις, base.	
List of, and key to, the Genera of American Melanidæ	263
<i>Goniobasis osculata</i> , Lea, n. s.	263
Coosa River, Ala., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 296.	
<i>Goniobasis Brumbyi</i> , Lea, n. s.	263
Alabama, Prof. Brumby. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 296.	
<i>Goniobasis Grosvenorii</i> , Lea, n. s.	263
Fox River, Illinois, H. C. Grosvenor; Quincy, Ohio, J. Clark. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 297.	
<i>Goniobasis parva</i> , Lea, n. s.	264
Georgia, Right Rev. Stephen Elliott. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 297.	
<i>Goniobasis spinella</i> , Lea, n. s.	264
Sycamore, Claiborne Co., Tenn., J. Lewis, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 298.	
<i>Goniobasis Estabrooki</i> , Lea, n. s.	264
Knoxville, Tenn., Prof. Estabrook. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 298.	
<i>Goniobasis Prairiensis</i> , Lea, n. s.	264
Big Prairie Creek, Ala., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 299.	
<i>Goniobasis Etowahensis</i> , Lea, n. s.	264
Etowah River, Georgia, J. Postell. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 299.	
<i>Goniobasis Draytoni</i> , Lea, n. s.	264
Fort George, Oregon, J. Drayton; also at Walla. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 300.	
<i>Goniobasis tenebrovittata</i> , Lea, n. s.	264
Coosa River, W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 301.	
<i>Goniobasis Spillmanii</i> , Lea, n. s.	264
Tennessee River, W. Spillman, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 302.	
<i>Goniobasis flava</i> , Lea, n. s.	264
Benton County? Northwest Ala., G. Hallenbeck. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 303.	
<i>Goniobasis Anthonyi</i> , Lea, n. s.	264
Tenn., J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 303.	
<i>Goniobasis Gabbiana</i> , Lea, n. s.	264
Tenn.; Prof. G. Troost; Alabama, Prof. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 304.	
<i>Goniobasis Bridgesiana</i> , Lea, n. s.	265
Cahawba River, Ala., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 305.	
<i>Goniobasis intercedens</i> , Lea, n. s.	265
Cahawba River, Ala., E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 305.	

1862. LEA, ISAAC—Continued.

<i>Goniobasis Ohiensis</i> , Lea, n. s.	265
Yellow Springs, Ohio.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 306.	
<i>Goniobasis cinerea</i> , Lea, n. s.	265
South Carolina, Prof. L. Vanuxem.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 306.	
<i>Goniobasis Vanuxemii</i> , Lea, n. s.	265
North Fork of the Holston River, Virginia, Prof. L. Vanuxem.	
<i>Jorn. Acad. Nat. Sci.</i> , v, 1863, p. 307.	
<i>Goniobasis Spartenburgensis</i> , Lea, n. s.	265
Spartenburg District, S. Carolina, Prof. L. Vanuxem; Marietta, Ohio, Dr. Hil-	
dredh; Wabash River, Indiana, H. C. Grosvenor.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 307.	
<i>Goniobasis auricoma</i> , Lea, n. s.	265
Tennessee River, W. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 308.	
<i>Goniobasis Georgiana</i> , Lea, n. s.	265
North Georgia.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 308.	
<i>Goniobasis Vauxiana</i> , Lea, n. s.	265
Coosa River, Ala., Prof. Brumby.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 309.	
<i>Goniobasis Whitei</i> , Lea, n. s.	266
Georgia, Rev. G. White.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 310.	
<i>Goniobasis Binneyana</i> , Lea, n. s.	266
Coosa River, Ala., W. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 310, as <i>G. Binneyana</i> .	
<i>Goniobasis Tuomeyi</i> , Lea, n. s.	266
N. Alabama, Prof. M. Tuomey.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 311.	
<i>Goniobasis fabalis</i> , Lea, n. s.	266
Tennessee River, W. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 311.	
<i>Goniobasis gibberosa</i> , Lea, n. s.	266
Alabama River, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 312.	
<i>Goniobasis Lyonii</i> , Lea, n. s.	266
Grayson Co., Kentucky, S. S. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 313.	
<i>Goniobasis Pybasii</i> , Lea, n. s.	266
Tuscumbia, Ala., B. Pybas.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 313.	
<i>Goniobasis Duttonii</i> , Lea, n. s.	266
Maurey Co., Tenn., T. R. Dutton; Grayson Co., Kentucky, S. S. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 314.	
<i>Goniobasis Doolyensis</i> , Lea, n. s.	266
Tennessee, Prof. Troost; near Vienna, Dooly Co., Georgia, Rev. G. White.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 315.	
<i>Goniobasis Viennaensis</i> , Lea, n. s.	267
Near Vienna, Dooly Co., Geo., Rev. G. White.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 315.	
<i>Goniobasis strenua</i> , Lea, n. s.	267
Benton Co., ? Northwest Ala., G. Hallenbeck.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 316.	
<i>Goniobasis sparus</i> , Lea, n. s.	267
Tennessee, Dr. Currey and Prof. Lindsey.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 316.	
<i>Goniobasis difficilis</i> , Lea, n. s.	267
Tennessee, Dr. Edgar.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 317.	
<i>Goniobasis Bairdiana</i> , Lea, n. s.	267
Columbia River, at Fort George, Oregon, J. Drayton.	
<i>Journ. Acad. Nat. Sci.</i> , v, 1863, p. 317.	

1862. LEA, ISAAC—Continued.

- Goniobasis inclinans*, Lea, n. s. 267
Near Albany, Georgia, Rev. G. White; Etowah, J. Postell; Tusculmbia, Ala.,
B. Pybas.
Journ. Acad. Nat. Sci., v, 1863, p. 318.
- Goniobasis induta*, Lea, n. s. 267
Near Vienna, Dooly Co., Georgia, Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 319.
- Goniobasis Lindsleyi*, Lea, n. s. 267
Tennessee, Prof. Lindsley and Dr. Edgar.
Journ. Acad. Nat. Sci., v, 1863, p. 319.
- Goniobasis Thorntonii*, Lea, n. s. 268
Tusculmbia, L. B. Thornton, Esq.; Florence, Ala., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 320, as *G. Thorntonii*.
- Goniobasis interveniens*, Lea, n. s. 268
North Alabama, Prof. Tuomey.
Journ. Acad. Nat. Sci., v, 1863, p. 320.
- Goniobasis continens*, Lea, n. s. 268
North Alabama, Prof. Tuomey.
Journ. Acad. Nat. Sci., v, 1863, p. 321.
- Goniobasis cerea*, Lea, n. s. 268
Tennessee, Prof. Troost; Duck Creek, Tenn., J. Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 321.
- Goniobasis viridicata*, Lea, n. s. 268
Grayson Co., Kentucky, S. S. Lyon.
Journ. Acad. Nat. Sci., v, 1863, p. 322.
- Goniobasis Leidyana*, Lea, n. s. 268
Benton Co., Northwest Ala., G. Hallenbeck.
Journ. Acad. Nat. Sci., v, 1863, p. 322.
- Goniobasis Abbevillensis*, Lea, n. s. 268
Abbeville District, S. Carolina, J. P. Barratt, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 323.
- Goniobasis amana*, Lea, n. s. 268
North Alabama, Prof. Tuomey.
Journ. Acad. Nat. Sci., v, 1863, p. 323.
- Goniobasis paupercula*, Lea, n. s. 268
North Alabama, Prof. Tuomey,
Journ. Acad. Nat. Sci., v, 1863, p. 324.
- Goniobasis proletaria*, Lea, n. s. 268
Florence, Ala., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 325.
- Goniobasis inconstans*, Lea, n. s. 269
Etowah River, J. Postell.
Journ. Acad. Nat. Sci., v, 1863, p. 325.
- Goniobasis mediocris*, Lea, n. s. 269
Tennessee, Dr. Edgar and Pres. Lindsey.
Journ. Acad. Nat. Sci., v, 1863, p. 326.
- Goniobasis crispa*, Lea, n. s. 269
Florence, Ala., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 326.
- Goniobasis ornatella*, Lea, n. s. 269
Tennessee, Coleman Sellers.
Journ. Acad. Nat. Sci., v, 1863, p. 326.
- Goniobasis olivella*, Lea, n. s. 269
Tennessee, Prof. Troost.
Journ. Acad. Nat. Sci., v, 1863, p. 327.
- Goniobasis purpurella*, Lea, n. s. 269
Caney-Fork River, Tenn., J. Lewis, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 327.
- Goniobasis cinerella*, Lea, n. s. 269
Tennessee, Coleman Sellers.
Journ. Acad. Nat. Sci., v, 1863, p. 328.
- Goniobasis Christyi*, Lea, n. s. 269
Valley River, Cherokee Co., N. C., Prof. David Christy.
Journ. Acad. Nat. Sci., v, 1863, p. 328.

1862. LEA, ISAAC—Continued.

- Goniobasis instabilis*, Lea, n. s. 269
 Cherokee Co., Georgia, Prof. David Christy.
Journ. Acad. Nat. Sci., v, 1863, p. 328.
- Goniobasis Gerhardtii*, Lea, n. s. 270
 Chattanooga River, Georgia, Alexander Gerhardt; Coosa River, Alabama, D. Spillman.
Journ. Acad. Nat. Sci., v, 1863, p. 330.
- Goniobasis infuscata*, Lea, n. s. 270
 Georgia, Rev. G. White; Coosa River, Ala., Dr. Spillman.
Journ. Acad. Nat. Sci., v, 1863, p. 330.
- Goniobasis mutabilis*, Lea, n. s. 270
 Butts Co., Ga., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 331.
- Goniobasis cruda*, Lea, n. s. 270
 Tennessee River, Dr. Spillman.
Journ. Acad. Nat. Sci., v, 1863, p. 332.
- Goniobasis rubella*, Lea, n. s. 270
 Near Murphy, Cherokee Co., N. C., Prof. Christy.
Journ. Acad. Nat. Sci., v, 1863, p. 332.
- Goniobasis macella*, Lea, n. s. 270
 Coosa River, Ala., Prof. Brumby.
Journ. Acad. Nat. Sci., v, 1863, p. 333.
- Goniobasis rubiginosa*, Lea, n. s. 270
 Oregon, W. Newcomb, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 333.
- Goniobasis Ucheensis*, Lea, n. s. 270
 Little Uchee River, below Columbus, Georgia, G. Hallenbeck, Esq.
Journ. Acad. Nat. Sci., v, 1863, p. 334.
- Goniobasis inosculata*, Lea, n. s. 270
 Little Uchee River, below Columbus, Georgia, G. Hallenbeck, Esq.
Journ. Acad. Nat. Sci., v, 1863, p. 334.
- Goniobasis Barrattii*, Lea, n. s. 271
 Abbeville District, S. Carolina, J. P. Barratt, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 335.
- Goniobasis rubricata*, Lea, n. s. 271
 Tennessee, Prof. Troost.
Journ. Acad. Nat. Sci., v, 1863, p. 335.
- Goniobasis Bentoniensis*, Lea, n. s. 271
 Benton County ? N. Alabama, G. Hallenbeck, Esq.
Journ. Acad. Nat. Sci., v, 1863, p. 336.
- Goniobasis negata*, Lea, n. s. 271
 Coosa River, Ala., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 337.
- Goniobasis Elliottii*, Lea, n. s. 271
 Fannin Co., Georgia, Bishop Elliott; Uchee and Little Uchee Rivers, Alabama, G. Hallenbeck and Dr. Gesner.
Journ. Acad. Nat. Sci., v, 1863, p. 338.
- Goniobasis flavescens*, Lea, n. s. 271
 Oconee and Tennessee River, Tenn., Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 339.
- Goniobasis Hallenbeckii*, Lea, n. s. 271
 Randall's Creek, near Columbus, Geo., G. Hallenbeck, Esq.
Journ. Acad. Nat. Sci., v, 1863, p. 339.
- Goniobasis Canbyi*, Lea, n. s. 271
 Lake Monroe, Florida, Wm. Canby; and Etowah and Tennessee Rivers, George J. Postell.
Journ. Acad. Nat. Sci., v, 1863, p. 340.
- Goniobasis Couperii*, Lea, n. s. 271
 Etowah River, Mr. Couper, by J. Postell.
Journ. Acad. Nat. Sci., v, 1863, p. 341.
- Goniobasis Downieana*, Lea, n. s. 272
 Etowah River, J. Postell.
Journ. Acad. Nat. Sci., v, 1863, p. 341.

1862. LEA, ISAAC—Continued.

- Goniobasis Tryoniana*, Lea, n. s. 272
Oostenaula, near Rome, Bishop Elliott; Etowah River, Georgia, J. Postell;
Ocoee and Tennessee Rivers, Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 342.
- Goniobasis granata*, Lea, n. s. 272
Etowah, near Canton, Ga., Bishop Elliott and Rev. G. White.
Journ. Acad. Nat. Sci., v, 1863, p. 343.
- Goniobasis Stewardsoniana*, Lea, n. s. 272
Knoxville, Kentucky, B. W. Budd, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 344.
- Goniobasis cadus*, Lea, n. s. 272
Georgia, Major J. Le Conte.
Journ. Acad. Nat. Sci., v, 1863, p. 345.

210.

1862. LEA, ISAAC. Descriptions of Eleven New Species of Melanidæ of the United States. < *Proc. Acad. Nat. Sci., Phila.*, xiv, pp. 272-273.

Read before the Academy of Natural Sciences June 3, 1862. Ordered to be published in the Proceedings May 27, 1862.

This forms part of No. 211.

- Trypanostoma Henryanum*, Lea, n. s. 272
Tennessee, ? Smithsonian Institution.
Journ. Acad. Nat. Sci., v, 1862, p. 351.
- Trypanostoma rostellatum*, Lea, n. s. 272
Florence, Alabama, Rev. G. White.
Journ. Acad. Nat. Sci., v, 1862, p. 353.
- Trypanostoma strictum*, Lea, n. s. 272
South Carolina, Prof. L. Vanuxem.
Journ. Acad. Nat. Sci., v, 1863, p. 352.
- Trypanostoma lativittatum*, Lea, n. s. 273
Chikasaba River, Ala., Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 352.
- Trypanostoma Carolinense*, Lea, n. s. 273
South Carolina, Prof. L. Vanuxem.
Journ. Acad. Nat. Sci., v, 1863, p. 351.
- Trypanostoma luteum*, Lea, n. s. 273
South Carolina, Prof. L. Vanuxem.
Journ. Acad. Nat. Sci., v, 1863, p. 350.
- Trypanostoma dignum*, Lea, n. s. 273
Yellowleaf Creek, Shelby Co., Alabama, E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 350.
- Strepobasis carinata*, Lea, n. s. 273
Tennessee River, Wm. Spillman, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 355.
- Strepobasis olivaria*, Lea, n. s. 273
Knoxville, Tennessee, J. Clark.
Journ. Acad. Nat. Sci., v, 1863, p. 356.
- Lithasia vittata*, Lea, n. s. 273
Coosa and Cahawba Rivers, Ala., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., v, 1863, p. 354.
- Lithasia Downiei*, Lea, n. s. 273
Cumberland River, T. C. Downie.
Journ. Acad. Nat. Sci., v, 1863, p. 354.

211.

1862. LEA, ISAAC. Description of a New Genus (*Trypanostoma*) of the Family Melanidæ, and of Forty-five New Species. | — | Description of Ten New Species of Unionidæ of the United States. | — | Description of Two New Species of Exotic Uniones and One Monocondylæa. | — | Description of a New Genus (*Goniobasis*) of the Family Melanidæ, and Eighty-two Species. | — | Description of Eleven New Species of Melanidæ of the United States. | — | by |

1862. LEA, ISAAC—Continued.

Isaac Lea, LL. D. | — | Philadelphia: | Merrihew & Thompson, Printers. |
Lodge St., corner of Kenton Place. | 1862. 8°. pp. 29.

This is a reprint of Nos. 206, 207, 208, 209, 210.

Presented to the Library of the Academy of Natural Sciences in 1862. (See *Proc. Acad. Nat. Sci., Phila.*, xiv, p. 612.)

212.

1862. LEA, ISAAC. Check List of the Shells of North America. Unionida. <Smithsonian Miscellaneous Collections. II. Part of article VI, pp. 6.

Separate 8°. pp. 6.

213.

1862. LEA, ISAAC. New Unionida of the United States and Arctic America. <*Journ. Acad. Nat. Sci., Phila.*, v, New Series, pp. 187-216. Plates 24-33.

Read before the Academy of Natural Sciences, Phila., June 3, 1862. Extra copies printed for the author October, 1862. (See *Journ. Acad. Nat. Sci., Phila.*, v, p. 3.) This, with No. 214, forms No. 215.

<i>Unio Wardii</i> , Lea, pl. 24, fig. 257	137
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio Higginsii</i> , Lea, pl. 24, fig. 258	188
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 84.	
<i>Unio vestitus</i> , Lea, pl. 25, fig. 259	189
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 393.	
<i>Unio Northamptonensis</i> , Lea, pl. 25, fig. 260	190
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio Sampsonii</i> , Lea, pl. 25, fig. 261	192
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio macerodon</i> , Lea, pl. 26, fig. 262	193
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 154.	
<i>Unio Heermannii</i> , Lea, pl. 26, fig. 263	194
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio aureus</i> , Lea, pl. 26, fig. 264	195
<i>Proc. Acad. Nat. Sci.</i> , 1859, p. 112.	
<i>Unio Chunii</i> , Lea, pl. 27, fig. 265	196
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio Anthonyi</i> , Lea, pl. 27, fig. 266	197
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 41.	
<i>Unio Riddellii</i> , Lea, pl. 27, fig. 267	198
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio contiguus</i> , Lea, pl. 28, fig. 268	199
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio squameus</i> , Lea, pl. 28, fig. 269	200
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 391.	
<i>Unio rostrum</i> , Lea, pl. 29, fig. 270	201
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 391.	
<i>Unio macer</i> , Lea, pl. 29, fig. 271	202
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Unio contractus</i> , Lea, pl. 29, fig. 272	203
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Unio Bealei</i> , Lea, pl. 30, fig. 273	204
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 169.	
<i>Unio grandidens</i> , Lea, pl. 30, fig. 274	205
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 168.	
<i>Unio Arkansasensis</i> , Lea, pl. 30, fig. 275	206
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 169.	
<i>Unio speciosus</i> , Lea, pl. 31, fig. 276	207
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 168.	
<i>Unio Gerhardtii</i> , Lea, pl. 31, fig. 277	208
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 168.	
<i>Unio Mercerii</i> , Lea, pl. 31, fig. 278	209
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 169.	
<i>Margaritana quadrata</i> , Lea, pl. 32, fig. 279	210
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 41.	

1862. LEA, ISAAC—Continued.

<i>Margaritana Gesnerii</i> , Lea, pl. 32, fig. 280.....	211
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 138.	
<i>Anodonta Simpsoniana</i> , Lea, pl. 32, fig. 281.....	212
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 56.	
<i>Anodonta virgulata</i> , Lea, pl. 33, fig. 282.....	213
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 86.	
<i>Anodonta Kennicottii</i> , Lea, pl. 33, fig. 283.....	214
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 56.	
<i>Anodonta Showalterii</i> , Lea, pl. 33, fig. 284.....	215
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 307.	

214.

1862. LEA, ISAAC. New Melanidæ of the United States. <*Journ. Acad. Nat. Sci.*, v. New Series, pp. 217-356, with plates, 34 to 39 inclusive.

Read before the Academy of Natural Sciences, Phila., June 3, 1862. Extra copies printed for the author March, 1863. (See *Journ. Acad. Nat. Sci., Phila.*, v. n. s., p. 3.) This, with No. 213, forms No. 215.

GONIOBASIS, Lea, n. g.....	217
<i>Goniobasis Hartmanii</i> , Lea, pl. 34, fig. 1.....	218
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 117, under <i>Melania Hartmaniana</i> .	
<i>Goniobasis varians</i> , Lea, pl. 34, fig. 2.....	219
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, under <i>Melania varians</i> .	
<i>Goniobasis rara</i> , Lea, pl. 34, fig. 3.....	220
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, under <i>Melania rara</i> .	
<i>Goniobasis Showalterii</i> , Lea, pl. 34, fig. 4.....	220
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, under <i>Melania Showalterii</i> .	
<i>Goniobasis bullula</i> , Lea, pl. 34, fig. 5.....	221
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, under <i>Melania bullula</i> .	
<i>Goniobasis funea</i> , Lea, pl. 34, fig. 6.....	222
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 123, under <i>Melanea funea</i> .	
<i>Goniobasis pudica</i> , Lea, pl. 34, fig. 7.....	222
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, under <i>Melania pudica</i> .	
<i>Goniobasis Cahawbensis</i> , Lea, pl. 34, fig. 8.....	223
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, under <i>Melania Cahawbensis</i> .	
<i>Goniobasis virgulata</i> , Lea, pl. 34, fig. 9.....	223
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, under <i>Melania virgulata</i> .	
<i>Goniobasis mellea</i> , Lea, pl. 34, fig. 10.....	224
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, <i>Melania mellea</i> .	
<i>Goniobasis variata</i> , Lea, pl. 34, fig. 11.....	224
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, under <i>Melania variata</i> .	
<i>Goniobasis purpurea</i> , Lea, pl. 34, fig. 12.....	225
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, under <i>Melanea purpurea</i> .	
<i>Goniobasis elliptica</i> , Lea, pl. 34, fig. 13.....	225
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, under <i>Melania elliptica</i> .	
<i>Goniobasis glandaria</i> , Lea, pl. 34, fig. 14.....	226
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, under <i>Melania glandaria</i> .	
<i>Goniobasis quadrivittata</i> , Lea, pl. 34, fig. 15.....	226
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, under <i>Melania quadrivittata</i> .	
<i>Goniobasis straminea</i> , Lea, pl. 34, fig. 16.....	227
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, under <i>Melania straminea</i> .	
<i>Goniobasis lepida</i> , Lea, pl. 34, fig. 17.....	227
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 123, as <i>Melania propria</i> .	
<i>Goniobasis Shelbyensis</i> , Lea, pl. 34, fig. 18.....	228
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, under <i>Melania Shelbyensis</i> .	
<i>Goniobasis suavis</i> , Lea, pl. 34, fig. 19.....	228
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, under <i>Melania suavis</i> .	
<i>Goniobasis fascians</i> , Lea, pl. 34, fig. 20.....	229
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, as <i>Melania fascians</i> .	
<i>Goniobasis propria</i> , Lea, pl. 34, fig. 21.....	229
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania propria</i> .	
<i>Goniobasis luteola</i> , Lea, pl. 34, fig. 22.....	230
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, as <i>Melania luteola</i> .	
<i>Goniobasis solidula</i> , Lea, pl. 34, fig. 23.....	230
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, as <i>Melania solidula</i> .	

1862. LEA, ISAAC—Continued.

<i>Goniobasis fallax</i> , Lea, pl. 34, fig. 24.....	231
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, as <i>Melania fallax</i> .	
<i>Goniobasis clausa</i> , Lea, pl. 34, fig. 25.....	231
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 120, as <i>Melania clausa</i> .	
<i>Goniobasis Alabamensis</i> , Lea, pl. 34, fig. 26.....	232
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, as <i>Melania Alabamensis</i> .	
<i>Goniobasis punicea</i> , Lea, pl. 34, fig. 27.....	232
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, as <i>Melanea punicea</i> .	
<i>Goniobasis midas</i> , Lea, pl. 34, fig. 28.....	233
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, as <i>Melanea midas</i> .	
<i>Goniobasis propinqua</i> , Lea, pl. 34, fig. 29.....	234
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, as <i>Melania propinqua</i> .	
<i>Goniobasis Coosaensis</i> , Lea, pl. 34, fig. 30.....	234
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania Coosaensis</i> .	
<i>Goniobasis ellipsoides</i> , Lea, pl. 34, fig. 31.....	234
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania gracilior</i> .	
<i>Goniobasis rubicunda</i> , Lea, pl. 34, fig. 32.....	235
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania rubicunda</i> .	
<i>Goniobasis nubila</i> , Lea, pl. 34, fig. 33.....	235
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania nubila</i> .	
<i>Goniobasis capillaris</i> , Lea, pl. 34, fig. 34.....	236
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania capillaris</i> .	
<i>Goniobasis bellula</i> , Lea, pl. 34, fig. 35.....	237
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania bellula</i> .	
<i>Goniobasis culta</i> , Lea, pl. 34, fig. 36.....	237
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, as <i>Melania culta</i> .	
<i>Goniobasis orbicula</i> , Lea, pl. 34, fig. 37.....	238
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania orbicula</i> .	
<i>Goniobasis calculoides</i> , Lea, pl. 34, fig. 38.....	238
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania calculoides</i> .	
<i>Goniobasis copiosa</i> , Lea, pl. 34, fig. 39.....	239
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania copiosa</i> .	
<i>Goniobasis lita</i> , Lea, pl. 34, fig. 40.....	239
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 121, as <i>Melania lita</i> .	
<i>Goniobasis æqua</i> , Lea, pl. 34, fig. 41.....	240
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania æqua</i> .	
<i>Goniobasis crepera</i> , Lea, pl. 34, fig. 42.....	240
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 123, as <i>Melania crepera</i> .	
<i>Goniobasis gratiosa</i> , Lea, pl. 35, fig. 43.....	241
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania gratiosa</i> .	
<i>Goniobasis blanda</i> , Lea, pl. 35, fig. 44.....	242
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania blanda</i> .	
<i>Goniobasis vesicula</i> , Lea, pl. 35, fig. 45.....	242
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania vesicula</i> .	
<i>Goniobasis Lewisii</i> , Lea, pl. 35, fig. 46.....	243
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 118, as <i>Melania Lewisii</i> .	
<i>Goniobasis pergrata</i> , Lea, pl. 35, fig. 47.....	243
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania pergrata</i> .	
<i>Goniobasis paula</i> , Lea, pl. 35, fig. 48.....	244
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 122, as <i>Melania paula</i> .	
Genus SCHIZOSTOMA, Lea.....	245
<i>Schizostoma Showalterii</i> , Lea, pl. 35, fig. 49.....	246
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 93, as <i>Schizochilus Showalterii</i> .	
<i>Schizostoma castaneum</i> , Lea, pl. 35, fig. 50.....	247
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 186.	
<i>Schizostoma Hartmanii</i> , Lea, pl. 35, fig. 51.....	247
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Schizostoma glans</i> , Lea, pl. 35, fig. 52.....	248
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 186.	
<i>Schizostoma glandula</i> , Lea, pl. 35, fig. 53.....	249
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Schizostoma Alabamense</i> , Lea, pl. 35, fig. 54.....	250
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Schizostoma Spillmanii</i> , Lea, pl. 35, fig. 55.....	250
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 54.	

1862. LEA, ISAAC—Continued.

<i>Schizostoma Wetumpkaense</i> , Lea, pl. 35, fig. 50	251
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Schizostoma pumilum</i> , Lea, pl. 35, fig. 57	252
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Schizostoma globosum</i> , Lea, pl. 35, fig. 58	252
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Schizostoma virens</i> , Lea, pl. 35, fig. 59	253
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Anculosa turbinata</i> , Lea, pl. 35, fig. 60	254
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 54.	
<i>Anculosa formosa</i> , Lea, pl. 35, fig. 61	254
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Anculosa Showalterii</i> , Lea, pl. 35, fig. 62	255
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 93.	
<i>Anculosa vittata</i> , Lea, pl. 35, fig. 63	256
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 188.	
<i>Anculosa Lewisii</i> , Lea, pl. 35, fig. 64	257
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 54.	
<i>Anculosa Coosaensis</i> , Lea, pl. 35, fig. 65	257
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 54.	
<i>Anculosa contorta</i> , Lea, pl. 35, fig. 66	258
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 187.	
<i>Lithasia imperialis</i> , Lea, pl. 35, fig. 67	258
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 55.	
<i>Lithasia Tuomeyi</i> , Lea, pl. 35, fig. 68	259
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 55.	
<i>Lithasia dilatata</i> , Lea, pl. 35, fig. 69	260
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 55.	
<i>Lithasia subglobosa</i> , Lea, pl. 35, fig. 70	261
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 55.	
<i>Lithasia fusiformis</i> , Lea, pl. 35, fig. 71	261
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 54.	
<i>Lithasia Showalterii</i> , Lea, pl. 35, fig. 72	262
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 188.	
<i>Lithasia nuclea</i> , Lea, p. 35, fig. 73	263
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 188.	
Genus STREPHOBASIS, Lea, n. g.	264
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 96.	
<i>Strophobasis Spillmanii</i> , Lea, pl. 35, fig. 74	264
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 96.	
<i>Strophobasis cornea</i> , Lea, pl. 35, fig. 75	265
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 96.	
<i>Strophobasis Clarkii</i> , Lea, pl. 35, fig. 76	265
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 96.	
<i>Strophobasis solida</i> , Lea, pl. 35, fig. 77	266
<i>Trans. Amer. Philos. Soc.</i> , vol. x, pl. 9, fig. 27, as <i>Melania solida</i> , Lea.	
<i>Neritina Showalterii</i> , Lea, pl. 35, fig. 78, 78a	267
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 55.	
<i>Goniobasis crenatella</i> , Lea, pl. 35, fig. 79	268
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 93, as <i>Melania crenatella</i> .	
Genus TRYPANOSTOMA, Lea	268
<i>Proc. Acad. Nat. Sci.</i> , v, 1862, p. 169.	
<i>Trypanostoma Hartmanii</i> , Lea, pl. 36, fig. 80	270
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma Jayi</i> , Lea, pl. 36, fig. 81	270
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma Spillmanii</i> , Lea, pl. 36, fig. 82	271
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma Christyi</i> , Lea, pl. 36, fig. 83	272
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma labiatum</i> , Lea, pl. 36, fig. 84	272
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma Whittei</i> , Lea, pl. 36, fig. 85	273
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	

1862. LEA, ISAAC—Continued.

<i>Trypanostoma Estabrookii</i> , Lea, pl. 36, fig. 86.....	273
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma Knoxvillense</i> , Lea, pl. 36, fig. 87.....	274
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma attenuatum</i> , Lea, pl. 36, fig. 88.....	274
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma tortum</i> , Lea, pl. 36, fig. 89.....	275
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma pallidum</i> , Lea, pl. 36, fig. 90.....	275
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma parvum</i> , Lea, pl. 36, fig. 91.....	276
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma modestum</i> , Lea, pl. 36, fig. 92.....	276
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma mucronatum</i> , Lea, pl. 36, fig. 93.....	277
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 119, as <i>Melania mucronata</i> .	
<i>Trypanostoma simplex</i> , Lea, pl. 36, fig. 94.....	277
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma minor</i> , Lea, pl. 36, fig. 95.....	278
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma pumilum</i> , Lea, pl. 36, fig. 96.....	279
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma bivittatum</i> , Lea, pl. 36, fig. 97.....	279
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma Vanuzemii</i> , Lea, pl. 36, fig. 98.....	280
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma Chakashaense</i> , Lea, pl. 36, fig. 99.....	280
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma Tennesseeense</i> , Lea, pl. 36, fig. 100.....	281
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma Knoxvilleense</i> , Lea, pl. 36, fig. 101.....	281
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma tricittatum</i> , Lea, pl. 36, fig. 102.....	282
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma trochulus</i> , Lea, pl. 36, fig. 103.....	282
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma Sycamoreense</i> , Lea, pl. 36, fig. 104.....	283
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma dux</i> , Lea, pl. 36, fig. 105.....	283
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 170.	
<i>Trypanostoma Thorntonii</i> , Lea, pl. 36, fig. 106.....	284
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 170, as <i>F. Thorntonii</i> .	
<i>Trypanostoma Troostii</i> , Lea, pl. 36, fig. 107.....	285
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma Clarkii</i> , Lea, pl. 36, fig. 108.....	285
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma incurvum</i> , Lea, pl. 36, fig. 109.....	286
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma Postellii</i> , Lea, pl. 36, fig. 110.....	286
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma Tuomeyi</i> , Lea, pl. 36, fig. 111.....	287
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma Florencense</i> , Lea, pl. 36, fig. 112.....	287
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma Alabamense</i> , Lea, pl. 36, fig. 113.....	288
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma ligatum</i> , Lea, pl. 36, fig. 114.....	288
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 171.	
<i>Trypanostoma Pybasii</i> , Lea, pl. 36, fig. 115.....	289
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Trypanostoma subulæforme</i> , Lea, pl. 36, fig. 116.....	289
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 174.	
<i>Trypanostoma olivaceum</i> , Lea, pl. 36, fig. 117.....	290
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Trypanostoma moriforme</i> , Lea, pl. 35, fig. 118.....	290
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172, as <i>T. moriformi</i> .	

1862. LEA, ISAAC—Continued.

<i>Trypanostoma viride</i> , Lea, pl. 36, fig. 119.....	291
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Trypanostoma Lewi-ii</i> , Lea, pl. 36, fig. 120.....	292
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Trypanostoma canalitium</i> , Lea, pl. 36, fig. 121.....	292
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 175.	
<i>Trypanostoma Showalterii</i> , Lea, pl. 36, fig. 122.....	293
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Trypanostoma Anthonyi</i> , Lea, pl. 36, fig. 123.....	293
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Trypanostoma striatum</i> , Lea, pl. 36, fig. 124.....	294
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 173.	
<i>Trypanostoma moniliferum</i> , Lea, pl. 36, fig. 125.....	295
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 172.	
<i>Goniobasis osculata</i> , Lea, pl. 37, fig. 126.....	296
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 263.	
<i>Goniobasis Brunbyi</i> , Lea, pl. 37, fig. 127.....	296
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 263.	
<i>Goniobasis Grosvenorii</i> , Lea, pl. 37, fig. 128.....	297
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 263.	
<i>Goniobasis parva</i> , Lea, pl. 37, fig. 129.....	297
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis spinella</i> , Lea, pl. 37, fig. 130.....	298
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Estabrookii</i> , Lea, pl. 37, fig. 131.....	298
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Prairiensis</i> , Lea, pl. 37, fig. 132.....	299
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Etowahensis</i> , Lea, pl. 37, fig. 133.....	299
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Draytonii</i> , Lea, pl. 37, fig. 134.....	300
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Newberryi</i> , Lea, pl. 37, fig. 135.....	300
<i>Proc. Acad. Nat. Sci.</i> , 1860, p. 93.	
<i>Goniobasis tenebrosivittata</i> , Lea, pl. 37, fig. 136.....	301
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis nigrina</i> , Lea, pl. 37, fig. 137.....	302
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80, as <i>Melania nigrina</i> .	
<i>Goniobasis Spillmanii</i> , Lea, pl. 37, fig. 138.....	302
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis flava</i> , Lea, pl. 37, fig. 139.....	303
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Anthonyi</i> , Lea, pl. 37, fig. 140.....	303
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 264.	
<i>Goniobasis Gabbiana</i> , Lea, pl. 37, fig. 141.....	308
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Bridgiana</i> , Lea, pl. 37, fig. 142.....	305
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis intercedens</i> , Lea, pl. 37, fig. 143.....	305
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Ohioensis</i> , Lea, pl. 37, fig. 144.....	306
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265, as <i>G. Ohioensis</i> .	
<i>Goniobasis cinerea</i> , Lea, pl. 37, fig. 145.....	306
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Vanuxemii</i> , Lea, pl. 37, fig. 146.....	304
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Spartanburgensis</i> , Lea, pl. 37, fig. 147.....	307
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis auricoma</i> , Lea, pl. 37, fig. 148.....	308
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Georgiana</i> , Lea, pl. 37, fig. 149.....	307
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Vauxiana</i> , Lea, pl. 37, fig. 150.....	309
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 265.	
<i>Goniobasis Whitei</i> , Lea, pl. 37, fig. 151.....	310
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	

1862. LEA, ISAAC—Continued.

<i>Goniobasis Binneyana</i> , Lea, pl. 37, fig. 152.....	310
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266, as <i>G. Binneyiana</i> .	
<i>Goniobasis Tuomeyi</i> , Lea, pl. 37, fig. 153.....	311
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis fabalis</i> , Lea, pl. 37, fig. 154.....	311
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis gibberosa</i> , Lea, pl. 37, fig. 155.....	312
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis Lyonii</i> , Lea, pl. 37, fig. 156.....	313
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis Pybasii</i> , Lea, pl. 37, fig. 157.....	313
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis Duttonii</i> , Lea, pl. 37, fig. 158.....	314
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis Doolyensis</i> , Lea, pl. 37, fig. 159.....	315
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 266.	
<i>Goniobasis Viennaensis</i> , Lea, pl. 37, fig. 160.....	315
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis strenua</i> , Lea, pl. 37, fig. 161.....	316
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis sparus</i> , Lea, pl. 37, fig. 162.....	316
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis difficilis</i> , Lea, pl. 37, fig. 163.....	317
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis Bairdiana</i> , Lea, pl. 37, fig. 164.....	317
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis inclinans</i> , Lea, pl. 37, fig. 165.....	318
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis induta</i> , Lea, pl. 37, fig. 166.....	319
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis Lindsleyi</i> , Lea, pl. 37, fig. 167.....	319
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 267.	
<i>Goniobasis Thorntonii</i> , Lea, pl. 38, fig. 168.....	320
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268, as <i>G. Thorntonii</i> .	
<i>Goniobasis interreniens</i> , Lea, pl. 38, fig. 169.....	320
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis continens</i> , Lea, pl. 38, fig. 170.....	321
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis cecrea</i> , Lea, pl. 38, fig. 171.....	321
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis viridicata</i> , Lea, pl. 38, fig. 172.....	322
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis Leidyana</i> , Lea, pl. 38, fig. 173.....	322
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis Abbevilensis</i> , Lea, pl. 38, fig. 174.....	323
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis amœna</i> , Lea, pl. 38, fig. 175.....	323
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis paupercula</i> , Lea, pl. 38, fig. 176.....	324
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis proletaria</i> , Lea, pl. 38, fig. 177.....	325
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 268.	
<i>Goniobasis inconstans</i> , Lea, pl. 38, fig. 178.....	325
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis mediocris</i> , Lea, pl. 38, fig. 179.....	326
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis crispa</i> , Lea, pl. 38, fig. 180.....	326
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis ornatella</i> , Lea, pl. 38, fig. 181.....	326
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis olivella</i> , Lea, pl. 38, fig. 182.....	327
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis purpurella</i> , Lea, pl. 38, fig. 183.....	327
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis cinerella</i> , Lea, pl. 38, fig. 184.....	328
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	

1862. LEA, ISAAC—Continued.

<i>Goniobasis Christyi</i> , Lea, pl. 38, fig. 185	328
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis instabilis</i> , Lea, pl. 38, fig. 186	329
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 269.	
<i>Goniobasis Gerhardtii</i> , Lea, pl. 38, fig. 187	330
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis infuscata</i> , Lea, pl. 38, fig. 188	330
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis mutabilis</i> , Lea, pl. 38, fig. 189	331
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis cruda</i> , Lea, pl. 38, fig. 190	332
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis rubella</i> , Lea, pl. 38, fig. 191	332
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis macella</i> , Lea, pl. 38, fig. 192	333
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis rubiginosa</i> , Lea, pl. 38, fig. 193	333
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis Uchecensis</i> , Lea, pl. 38, fig. 194	334
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis inosculata</i> , Lea, pl. 38, fig. 195	334
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 270.	
<i>Goniobasis Barrattii</i> , Lea, pl. 38, fig. 196	335
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis rubricata</i> , Lea, pl. 38, fig. 197	335
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Bentonensis</i> , Lea, pl. 38, fig. 198	336
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Shastaensis</i> , Lea, pl. 38, fig. 199	337
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80, as <i>Melania Shastaensis</i> .	
<i>Goniobasis negata</i> , Lea, pl. 38, fig. 200	337
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Elliottii</i> , Lea, pl. 38, fig. 201	338
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis flavescens</i> , Lea, pl. 38, fig. 202	339
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Hallenbeckii</i> , Lea, pl. 38, fig. 203	339
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Canbyi</i> , Lea, pl. 38, fig. 204	340
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Couperii</i> , Lea, pl. 38, fig. 205	341
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 271.	
<i>Goniobasis Downieana</i> , Lea, pl. 38, fig. 206	341
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Goniobasis Tryoniana</i> , Lea, pl. 38, fig. 207	342
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Goniobasis Postellii</i> , Lea, pl. 38, fig. 208	343
<i>Proc. Acad. Nat. Sci.</i> , 1858, as <i>Melania Postellii</i> .	
<i>Goniobasis granata</i> , Lea, pl. 38, fig. 209	343
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Goniobasis Stewardsoniana</i> , Lea, pl. 38, fig. 210	344
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Goniobasis cadus</i> , Lea, pl. 38, fig. 211	345
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Io</i> , Lea, n. g.	345
<i>Io nodosa</i> , Lea, pl. 39, fig. 212	346
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 393.	
<i>Io robusta</i> , Lea, pl. 39, fig. 213	346
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 393.	
<i>Io variabilis</i> , Lea, pl. 39, fig. 214	347
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 393.	
<i>Io Spillmanii</i> , Lea, pl. 39, fig. 215	348
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 394.	
<i>Io modesta</i> , Lea, pl. 39, fig. 216	348
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 394.	

1862. LEA, ISAAC—Continued.

<i>Io gracilis</i> , Lea, pl. 39, fig. 217	349
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 394.	
<i>Io viridula</i> , Lea, pl. 39, fig. 218	349
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 394.	
<i>Trypanostoma dignum</i> , Lea, pl. 39, fig. 219	350
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Trypanostoma luteum</i> , Lea, pl. 39, fig. 220	350
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Trypanostoma Carolinense</i> , Lea, pl. 39, fig. 221	351
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Trypanostoma Henryanum</i> , Lea, pl. 39, fig. 222	351
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Trypanostoma lativittatum</i> , Lea, pl. 39, fig. 223	352
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Trypanostoma strictum</i> , Lea, pl. 39, fig. 224	352
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Trypanostoma rostellatum</i> , Lea, pl. 39, fig. 225	353
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 272.	
<i>Lithasia vittata</i> , Lea, pl. 39, fig. 226	354
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Lithasia Downiei</i> , Lea, pl. 39, fig. 227	354
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Strophobasis carinata</i> , Lea, pl. 39, fig. 228	355
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	
<i>Strophobasis olicaria</i> , Lea, pl. 39, fig. 229	356
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 273.	

215.

1863. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms in | the Family Unionidae, | and Descriptions of New Genera and species of the | Melanidae. | Read before the Academy of Natural Sciences of Philadelphia, and published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences of Philadelphia, Etc., Etc. | with sixteen plates. | Vol. 9. | Philadelphia: | Printed for the author. 4^o. pp. 180. With plates of the Journ. of the Acad. Nat. Sci. 2d Series. Vol. V. Plates 24-39.

This consists of Nos. 213 and 214.

Presented to the Library of the Academy of Natural Sciences, Phila., 1863. (See *Proc. Acad. Nat. Sci., Phila.* xv, p. 378.)

216.

1863. LEA, ISAAC. Descriptions of fourteen new species of *Melanida* and one *Paludina*. <*Proc. Acad. Nat. Sci., Phila.*, xv, pp. 154-156. May, 1863.

Read before the Academy of Natural Sciences May 19, 1863. Ordered to be published in Proceedings May 23, 1863.

Proceedings for May laid on the table June 30, 1863. (See *Proc. Acad. Nat. Sci., Phila.* XV, p. 157.)

This forms part of No. 236.

<i>Goniobasis Milesii</i> , Lea, n. s.	154
Tuseola Co., Mich., M. Miles, State Zoologist.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 135.	
<i>Goniobasis lithasiodes</i> , Lea, n. s.	154
Ohio, J. P. Kirtland, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 133, as <i>G. lithasioides</i> .	
<i>Goniobasis Decampii</i> , Lea, n. s.	154
Huntsville, Ala., Wm. H. De Camp, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 138.	
<i>Goniobasis informis</i> , Lea, n. s.	154
Falls of the Ohio at Louisville, W. H. De Camp, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 136.	
<i>Goniobasis Louisvillensis</i> , Lea, n. s.	155
Falls of the Ohio at Louisville, W. H. De Camp, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 133.	

1863. LEA, ISAAC—Continued.

<i>Goniobasis infantula</i> , Lea, n. s.	155
Falls of the Ohio at Louisville, W. H. De Camp, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 135.	
<i>Goniobasis aterina</i> , Lea, n. s.	155
Gap Spring, Cumberland Gap; and Roger's Spring, west of Fincaastle, East Tennessee, Capt. S. S. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 136.	
<i>Goniobasis porrecta</i> , Lea, n. s.	155
Gap Creek and Spring, Cumberland Gap, E. Tenn., Capt. S. S. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 139.	
<i>Goniobasis vittatella</i> , Lea, n. s.	155
Cumberland Gap, E. Tenn., Capt. S. S. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 134.	
<i>Goniobasis Cumberlandiensis</i> , Lea, n. s.	155
Gap Spring, Cumberland Gap, Capt. Lyon; Knoxville, Tenn., Wm. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 132.	
<i>Trypanostoma Currierianum</i> , Lea, n. s.	155
Florence, Alabama, W. H. De Camp, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 147, as <i>T. Currierianum</i> .	
<i>Trypanostoma Lyonii</i> , Lea, n. s.	155
Cumberland River, near the Ford and Big Creek, south of Cumberland Gap, E. Tenn., Capt. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 144.	
<i>Trypanostoma curtatum</i> , Lea, n. s.	155
Powell's River, near Cumberland Gap, E. Tenn., Capt. Lyon.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 143.	
<i>Ammicola Currieriana</i> , Lea, n. s.	156
Huntsville, Alabama, W. H. De Camp, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 186.	
<i>Paludina Milesi</i> , Lea, n. s.	156
Branch Lake, Antrim Co., Mich., M. Miles.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 184.	

217.

1863. LEA, ISAAC. Descriptions of Eleven New Species of Exotic *Unionida*. <Proc. Acad. Nat. Sci. Phila., xv, pp. 189-190. July, 1863.

Read before the Academy Natural Sciences June 16, 1863. Ordered to be published in the Proceedings July 28, 1863. This forms part of No. 236.

<i>Unio delicatus</i> , Lea, n. s.	189
River Orontes, Syria, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1863, p. 58.	
<i>Unio Bourguignatianus</i> , Lea, n. s.	189
Tigris River at Mosul, Asia Minor, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 54.	
<i>Unio dignatus</i> , Lea, n. s.	189
River Tigris at Bagdad, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 51.	
<i>Unio rarus</i> , Lea, n. s.	189
Assyria, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 50.	
<i>Unio Syriacus</i> , Lea, n. s.	189
River Orontes, Syria, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 56.	
<i>Unio Damascensis</i> , Lea, n. s.	190
River Barado, Damascus, Asia Minor C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 55.	
<i>Unio Orontesensis</i> , Lea, n. s.	190
River Orontes, Syria, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 53.	
<i>Unio Mosulensis</i> , Lea, n. s.	190
River Tigris at Mosul, C. M. Wheatley	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 52.	

1863. LEA, ISAAC—Continued.

- Unio tripartitus*, Lea, n. s. 190
 Jillingee River, India, Dr. Burroughs.
Journ. Acad. Nat. Sci., vi, 1866, p. 57.
- Monocondylaea compressa*, Lea, n. s. 190
 Siam, C. M. Wheatley.
Journ. Acad. Nat. Sci., vi, 1866, p. 30.
- Anodonta Dallasia*, Lea, n. s. 190
 Winnipeg, mouth of the Saskatchewan River, R. Kennicott.
Journ. Acad. Nat. Sci., vi, 1866, p. 29.

218.

1863. LEA, ISAAC. Description of a new species of *Unio* and a *Monocondylaea*. <Proc. Acad. Nat. Sci., Phila., xv, p. 190. July, 1863.

Read before the Academy Natural Sciences July 21, 1863. Ordered to be published in the Proceedings July 28, 1863. This forms part of No. 236.

- Unio Laosensis*, Lea, n. s. 190
 Laos Mountains, Cambodia, Siam, Monsieur Mouhot, per H. Cuming, esq.
Journ. Acad. Nat. Sci., vi, 1866, p. 63.
- Monocondylaea Mouhotii*, Lea, n. s. 190
 Laos Mountains, Cambodia, Siam, Monsieur Mouhot, per H. Cuming, esq.
Journ. Acad. Nat. Sci., vi, 1866, p. 65.

219.

1863. LEA, ISAAC. Descriptions of twenty-four New Species of *Unionida* of the United States. <Proc. Acad. Nat. Sci., Phila., xv, pp. 191-194. July, 1863.

Read before the Academy Natural Sciences June 16, and ordered to be published in the Proceedings July 28, 1863. This forms part of No. 236.

- Unio Raleighensis*, Lea, n. s. 191
 Neuse River, six miles east of Raleigh, N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 6.
- Unio Charlottensis*, Lea, n. s. 191
 Near Charlotte, Mecklenberg Co., N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 8.
- Unio Mecklenbergensis*, Lea, n. s. 191
 Near Charlotte, Mecklenberg Co., N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 17.
- Unio Gastonensis*, Lea, n. s. 191
 Mine Creek, Gaston Co., N. Carolina, C. M. Wheatley.
Journ. Acad. Nat. Sci., vi, 1866, p. 20.
- Unio Weldonensis*, Lea, n. s. 191
 Roanoke River at Weldon, N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 11.
- Unio aberrans*, Lea, n. s. 191
 Neuse River, six miles east of Raleigh, N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 7.
- Unio Chathamensis*, Lea, n. s. 191
 Rocky River, Chatham Co., N. Carolina, E. Emmons, M. D.; James River, near Richmond, Major Le Conte.
Journ. Acad. Nat. Sci., vi, 1866, p. 21.
- Unio mediocris*, Lea, n. s. 191
 Neuse River, Raleigh, N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 24.
- Unio squalidus*, Lea, n. s. 192
 Neuse River, near Raleigh; Roanoke, near Weldon; Deep River, N. Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 22.
- Unio Livingstonensis*, Lea, n. s. 192
 Livingston's Creek, Brunswick Co., North Carolina, E. Emmons, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 14.
- Unio quadrilaterus*, Lea, n. s. 192
 Abbeville District, S. Carolina, Dr. Barratt; Neuse River, Raleigh and Catawba River, North Carolina, C. M. Wheatley.
Journ. Acad. Nat. Sci., vi, 1866, p. 5.

1863. LEA, ISAAC—Continued.

<i>Unio lucidus</i> , Lea, n. s.	192
Livingston's Creek, Brunswick Co., N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1862, p. 9.	
<i>Unio nasutilus</i> , Lea, n. s.	192
Livingston's Creek, Brunswick Co., N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 12, as <i>U. nasutilus</i> .	
<i>Unio indefinitus</i> , Lea, n. s.	192
Long Creek, Mecklenberg Co., N. Carolina, C. M. Wheatley; Neuse River, near Raleigh, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 15, as <i>U. indefinitus</i> .	
<i>Unio eistellaformis</i> , Lea, n. s.	192
Neuse River, near Raleigh, N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 19.	
<i>Unio Waccamawensis</i> , Lea, n. s.	193
Waccamaw Lake, N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 16.	
<i>Unio pertenuis</i> , Lea, n. s.	193
Neuse River, near Raleigh, N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 8.	
<i>Unio perlucens</i> , Lea, n. s.	193
Six Runs, Sampson Co., N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 18.	
<i>Unio perlatus</i> , Lea, n. s.	193
Black Rock Landing, Cape Fear River, N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 15.	
<i>Unio viridulus</i> , Lea, n. s.	193
Neuse River, near Raleigh, N. Carolina, E. Emmons, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 10.	
<i>Unio oblatas</i> , Lea, n. s.	193
Long Creek, Gaston Co., N. Carolina, C. M. Wheatley; N. Carolina, J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 13, as <i>U. oblatas</i> .	
<i>Unio curatus</i> , Lea, n. s.	193
Sugar Creek, N. Carolina, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 23.	
<i>Unio doliaris</i> , Lea, n. s.	193
Stewart's Milldam, Union Co., N. Carolina, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 24, as <i>U. doliaris</i> .	
<i>Anodonta Bealei</i> , Lea, n. s.	193
Leon Co., Texas, Lieutenant Beale. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 26.	

220.

1863. LEA, ISAAC. New Exotic Unionidæ. <*Journ. Acad. Nat. Sci.*, v, new series, pp. 377-400. Plates 41-50.

Read before the Academy Natural Sciences, Phila., May 12, 1863. Ordered to be published in the Journal May 26, 1863. Extra copies printed for the author November, 1863. (See *Journ. Acad. Nat. Sci., Phila.*, v, n. s., p. 3.) This, with No. 221, forms No. 222.

"Most of the species described in this paper are from South America, and nearly the whole of these were collected by Prof. J. Wyman. A few are from Asia, presented by various friends, to whom they are duly credited."

<i>Unio Ethiops</i> , Lea, pl. 41, fig. 285.	377
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Unio funebralis</i> , Lea, pl. 41, fig. 286.	378
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Unio piccus</i> , Lea, pl. 41, fig. 287.	379
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Unio nocturnus</i> , Lea, pl. 42, fig. 288.	380
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	

1863. LEA, ISAAC—Continued.

<i>Unio Wymanii</i> , Lea, pl. 42, fig. 289	381
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 90.	
<i>Unio gratus</i> , Lea, pl. 43, fig. 290	382
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Unio patelloides</i> , Lea, pl. 43, fig. 291	383
Amazon River, Brazil, Capt. George Brow; Rio Plata, H. Cuming. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 89.	
<i>Unio peraeformis</i> , Lea, pl. 43, fig. 292	384
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 90.	
<i>Unio disculus</i> , Lea, pl. 44, fig. 293	385
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Unio trifidus</i> , Lea, pl. 44, fig. 295	386
Buenos Ayres, South America, M. D'Orbigny. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 89.	
<i>Unio piger</i> , Lea, pl. 45, fig. 296	387
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 90.	
<i>Unio Uruguayensis</i> , Lea, pl. 45, fig. 298	388
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 90.	
<i>Unio lepidus</i> , Lea, pl. 50, fig. 306	389
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Anodonta Wymanii</i> , Lea, pl. 44, fig. 294	390
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 91.	
<i>Anodonta rubicunda</i> , Lea, pl. 46, fig. 299	392
Uruguay River, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 92.	
<i>Anodonta Forbesiana</i> , Lea, pl. 47, fig. 301	393
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 92.	
<i>Anodonta Uruguayensis</i> , Lea, pl. 48, fig. 302	393
Uruguay River, South America, Prof. J. Wyman. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 92.	
<i>Anodonta lato-marginata</i> , Lea	394
<i>Trans. Amer. Philos. Soc.</i> , v, pl. 12, fig. 34.	
<i>Anodonta Cailliandii</i> , Lea, pl. 45, fig. 297	395
Brazil, Monsieur F. Cailland. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 308.	
<i>Anodonta Amazonensis</i> , Lea, pl. 46, fig. 300	395
Upper Amazon, Brazil, C. M. Wheatley. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 89.	
<i>Anodonta Moricandii</i> , Lea, pl. 49, fig. 303	396
Bahia, Brazil, S. Moricand, Geneva, Switzerland. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 90.	
<i>Unio occatus</i> , Lea, pl. 50, fig. 304	398
Bengal, W. A. Haines. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 307.	
<i>Mycetopus emarginatus</i> , Lea, pl. 50, fig. 305	398
Siam, S. R. House, M. D. <i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 308.	
<i>Monocondylæa Wheatleyi</i> , Lea, pl. 50, fig. 307	399
River Tigris, Assyria, C. M. Wheatley.	

1863. LEA, ISAAC. Descriptions of the Soft Parts of one hundred and forty-three species and some Embryonic Forms of Unionidæ of the United States. <*Journ. Acad. Nat. Sci.*, v, new series, pp. 401-456.

1863. LEA, ISAAC—Continued.

Read before the Academy Natural Sciences, Phila., May 12, 1863. This, with No. 220, forms 222.

"It is not my intention here to redescribe the outward or hard parts—the exoskeleton—of those species which have been described, but simply the included *soft parts* of such as have come into my possession and have not heretofore been given."

"In my vols. i., ii., vi., vii., viii., and ix., taken from the Trans. Amer. Phil. Soc. and the Journal of the Acad. Nat. Sci., I have published descriptions of the soft parts of ninety-one species, which, with those herein described, will make two hundred and thirty-four."

<i>Unio luteolus</i> , Lam	402
<i>Unio paulus</i> , Lea	402
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 15, fig. 29.	
<i>Unio Boykinianus</i> , Lea	403
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 13, fig. 22.	
<i>Unio alatus</i> , Say	403
<i>Unio nasutus</i> , Say	403
<i>Unio obtusus</i> , Lea	404
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 13, fig. 26.	
<i>Unio Kleinianus</i> , Lea	404
<i>Trans. Amer. Philos. Soc.</i> , x, pl. 17, fig. 18.	
<i>Unio Dariensis</i> , Lea	404
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 26, fig. 61.	
<i>Unio angustatus</i> , Lea	405
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 17, fig. 43.	
<i>Unio decius</i> , Lea	405
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 12, fig. 23.	
<i>Unio glans</i> , Lea	405
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 8, fig. 12.	
<i>Unio nitens</i> , Lea	406
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 12, fig. 19.	
<i>Unio anodontoides</i> , Lea	406
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 8, fig. 11.	
<i>Unio obtusus</i> , Lea	406
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 11, fig. 13.	
<i>Unio infucatus</i> , Con	407
<i>Unio lineatus</i> , Lea	407
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 12, fig. 20.	
<i>Unio limatulus</i> , Con	407
<i>Unio Barrattii</i> , Lea	408
<i>Trans. Amer. Philos. Soc.</i> , x, pl. 13, fig. 5.	
<i>Unio Sloatianus</i> , Lea	408
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 16, fig. 33.	
<i>Unio subangulatus</i> , Lea	408
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 13, fig. 23.	
<i>Unio incrassatus</i> , Lea	409
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 16, fig. 34.	
<i>Unio nigellus</i> , Lea	409
<i>Trans. Amer. Philos. Soc.</i> , x, pl. 24, fig. 42.	
<i>Unio tortivus</i> , Lea	409
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 12, fig. 17.	
<i>Unio fraternus</i> , Lea	410
<i>Trans. Amer. Philos. Soc.</i> , x, pl. 16, fig. 15.	
<i>Unio crassidens</i> , Lam	410
<i>Unio Conradianus</i> , Lea	410
<i>Trans. Amer. Philos. Soc.</i> , v, pl. 9, fig. 23.	
<i>Unio acutissimus</i> , Lea	411
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 10, fig. 18.	
<i>Unio strigosus</i> , Lea	411
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 9, fig. 9.	
<i>Unio radiatus</i> , Lam	411
<i>Unio complanatus</i> = <i>Mya complanata</i> , Soland., MSS	412
<i>Unio spinosus</i> , Lea	413
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 16, fig. 50.	
<i>Unio dolabraformis</i> , Lea	413
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 24, fig. 113.	

1863. LEA, ISAAC—Continued.

<i>Unio splendidus</i> , Lea	414
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 19, fig. 61.	
<i>Unio lugubris</i> , Lea	414
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 96, fig. 25.	
<i>Unio tenerus</i> , Ravenel	415
<i>Unio Shepardianus</i> , Lea	415
<i>Trans. Amer. Philos. Soc.</i> , v, pl. 13, fig. 38.	
<i>Unio Hooponensis</i> , Lea	415
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 9, fig. 24.	
<i>Unio camptodon</i> , Say, = <i>Sayii</i> , Tappan	416
<i>Unio rubiginosus</i> , Lea	416
<i>Trans. Amer. Philos. Soc.</i> , iii, pl. 8, fig. 10.	
<i>Unio undulatus</i> , Bar	417
<i>Unio gibbosus</i> , Bar	417
<i>Unio exiguus</i> , Lea	418
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 7, fig. 1.	
<i>Unio striatus</i> , Lea	418
<i>Trans. Amer. Philos. Soc.</i> , viii, pl. 12, fig. 16.	
<i>Unio occidentens</i> , Lea	418
<i>Trans. Amer. Philos. Soc.</i> , iii, pl. 10, fig. 16.	
<i>Unio iris</i> , Lea	419
<i>Trans. Amer. Philos. Soc.</i> , iii, pl. 11, fig. 18.	
<i>Unio Novi-Eboraci</i> , Lea	419
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 24, fig. 114.	
<i>Unio perplexus</i> , Lea	420
<i>Trans. Amer. Philos. Soc.</i> , iv, pl. 17, fig. 42.	
<i>Unio triangularis</i> , Bar	420
<i>Unio cylindricus</i> , Say	421
<i>Unio striatulus</i> , Lea	421
<i>Journ. Acad. Nat. Sci.</i> (2), v, p. 55.	
<i>Unio monodontus</i> , Say, = <i>soleniformis</i> , Lea	422
<i>Unio patulus</i> , Lea	422
<i>Trans. Amer. Philos. Soc.</i> , iii, pl. 12, fig. 20.	
<i>Unio fubalis</i> , Lea	423
<i>Trans. Amer. Philos. Soc.</i> , iv (2), pl. 10, fig. 16.	
<i>Unio pressus</i> , Lea	423
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 12, fig. 22.	
<i>Unio coccineus</i> , Lea	423
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 5, fig. 12.	
<i>Unio spatulatus</i> , Lea	424
<i>Trans. Amer. Philos. Soc.</i> (2), x, pl. 8, fig. 22.	
<i>Unio ligamentinus</i> , Lam	424
<i>Unio ebcnus</i> , Lea	424
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 9, fig. 14.	
<i>Unio levissimus</i> , Lea	425
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 13, fig. 23.	
<i>Unio tuberculatus</i> , Bar	425
<i>Unio Rangianus</i> , Lea	426
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 18, fig. 56.	
<i>Unio multiradiatus</i> , Lea	426
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 9, fig. 15.	
<i>Unio rectus</i> , Lam	426
<i>Unio verrucosus</i> , Bar	427
<i>Unio subrotundus</i> , Lea	427
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 18, fig. 45.	
<i>Unio pustulosus</i> , Lea	428
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 7, fig. 7.	
<i>Unio lens</i> , Lea	428
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 8, fig. 10.	
<i>Unio trigonus</i> , Lea	428
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 16, fig. 40.	
<i>Unio solidus</i> , Lea	429
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 5, fig. 13.	
<i>Unio cornutus</i> , Bar	429
<i>Unio pustulatus</i> , Lea	429
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 7, fig. 9.	

1863. LEA, ISAAC—Continued.

<i>Unio zigzag</i> , Lea	430
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 12, fig. 19.	
<i>Unio Cooperianus</i> , Lea	430
<i>Trans. Amer. Philos. Soc.</i> (2), v, pl. 8, fig. 21.	
<i>Unio metancrus</i> , Raf.	430
<i>Unio orbiculatus</i> , Hild	430
<i>Unio plicatus</i> , Lesueur, Say	431
<i>Unio lacrymosus</i> , Lea	431
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 6, fig. 8.	
<i>Unio securis</i> , Lea	431
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 11, fig. 17.	
<i>Unio Esopus</i> , Green	432
<i>Unio ellipsis</i> , Lea	432
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 4, fig. 4.	
<i>Unio retusus</i> , Lam.	433
<i>Unio pyramidatus</i> , Lea	433
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 16, fig. 39.	
<i>Unio irroratus</i> , Lea	433
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 5, fig. 5.	
<i>Unio gracilis</i> , Bar.	434
<i>Unio ovatus</i> , Say	435
<i>Unio Blandingianus</i> , Lea	435
<i>Trans. Amer. Philos. Soc.</i> , v, pl. 15, fig. 44.	
<i>Unio inflatus</i> , Lea, = <i>Symphynota inflata</i> , Lea	335
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 14, fig. 28.	
<i>Unio purpuratus</i> , Lam.	436
<i>Unio Claibornensis</i> , Lea	436
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 24, fig. 115.	
<i>Unio trapezoides</i> , Lea	436
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 3, fig. 1.	
<i>Unio asper</i> , Lea	437
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 9, fig. 15.	
<i>Unio atrocostatus</i> , Lea	437
<i>Trans. Amer. Philos. Soc.</i> (2), x, pl. 2, fig. 5.	
<i>Unio declivis</i> , Say	437
<i>Unio circulus</i> , Lea	438
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 9, fig. 14.	
<i>Unio crocatus</i> , Lea	438
<i>Trans. Amer. Philos. Soc.</i> (2), viii, pl. 22, fig. 52.	
<i>Unio castanus</i> , Lea	439
<i>Trans. Amer. Philos. Soc.</i> (2), iv, pl. 11, fig. 21.	
<i>Unio Nashvillensis</i> , Lea	439
<i>Trans. Amer. Philos. Soc.</i> (2), v, pl. 14, fig. 43.	
<i>Unio nux</i> , Lea	439
<i>Trans. Amer. Philos. Soc.</i> (2), x, pl. 24, fig. 43.	
<i>Unio penitus</i> , Con	440
<i>Unio debiscens</i> , Say, (= <i>oriens</i> , Lea)	440
<i>Unio tenuissimus</i> , Lea, = <i>Sympyanota tenuissima</i> , Lea	441
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 11, fig. 21.	
<i>Unio clavus</i> , Lam.	441
<i>Unio obliquus</i> , Lam. (= <i>undatus</i> , Bar.)	441
<i>Unio obscurus</i> , Lea	442
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 3, fig. 7.	
<i>Unio personatus</i> , Say, (= <i>capillaris</i> , Lea)	442
<i>Unio heterodon</i> , Lea	442
<i>Trans. Amer. Philos. Soc.</i> (2), iii, pl. 8, fig. 11.	
<i>Unio ridibundus</i> , Say (= <i>sulcatus</i> , Lea)	442
<i>Unio foliatus</i> , Hild	443
<i>Unio subgibbosus</i> , Lea	443
<i>Journ. Acad. Nat. Sci.</i> (2), iv, pl. 6, fig. 36.	
<i>Unio fibuloides</i> , Lea	443
<i>Journ. Acad. Nat. Sci.</i> (2), iv, pl. 28, fig. 100	
<i>Unio Foremanianus</i> , Lea	443
<i>Trans. Amer. Philos. Soc.</i> (2), viii, pl. 27, fig. 64.	
<i>Unio compactus</i> , Lea	444
<i>Journ. Acad. Nat. Sci.</i> (2), iv, pl. 28, p. 98.	

1863. LEA, ISAAC—Continued.

<i>Unio Tuomeyi</i> , Lea	444
<i>Trans. Amer. Philos. Soc.</i> (2), x, pl. 13, fig. 4.	
<i>Unio Abbevillensis</i> , Lea	445
<i>Journ. Acad. Nat. Sci.</i> (2), iv, p. 51.	
<i>Unio Emmonsii</i> , Lea	445
<i>Journ. Acad. Nat. Sci.</i> (2), v, p. 56.	
<i>Margaritana rugosa</i> , = <i>Alasmodonta rugosa</i> , Bar	446
<i>Margaritana marginata</i> , = <i>Alasmodonta marginata</i> , Say	446
<i>Margaritana arcuata</i> , Lea	447
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 22, fig. 69.	
<i>Margaritana Hildrethiana</i> , Lea	447
<i>Trans. Amer. Philos. Soc.</i> , v, pl. 3, fig. 8.	
<i>Margaritana deltoidea</i> , Lea	448
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 13, fig. 38.	
<i>Margaritana confragosa</i> , = <i>Alasmodonta confragosa</i> , Say	448
<i>Margaritana complanata</i> , = <i>Alasmodonta complanata</i> , Barnes	448
<i>Anodonta subeylindracea</i> , Lea	449
<i>Trans. Amer. Philos. Soc.</i> , vi, pl. 24, fig. 117.	
<i>Anodonta imbecilis</i> , Say	449
<i>Anodonta undulata</i> , Say	450
<i>Anodonta Ferrussaciana</i> , Lea	451
<i>Trans. Amer. Philos. Soc.</i> (2), v, pl. 6, fig. 15.	
<i>Anodonta Couperiana</i> , Lea	451
<i>Trans. Amer. Philos. Soc.</i> (2), viii, pl. 20, fig. 46.	
<i>Anodonta plana</i> , Lea	452
<i>Trans. Amer. Philos. Soc.</i> (2), pl. 7, fig. 18.	
<i>Anodonta decora</i> , Lea	452
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 20, fig. 63.	
<i>Anodonta ovata</i> , Lea	452
<i>Trans. Amer. Philos. Soc.</i> (2), v, pl. 2, fig. 2.	
<i>Anodonta edentula</i> , = <i>Alasmodonta</i> , Say	453
<i>Anodonta Wahlmatensis</i> , Lea	453
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 20, fig. 64.	
<i>Anodonta gigantea</i> , Lea	454
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 1, fig. 1.	
<i>Anodonta Oregonensis</i> , Lea	454
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 21, fig. 67.	
<i>Anodonta fragilis</i> , Lam	455
Supplement	455-456
<i>Unio ochraceus</i> , Say	455
<i>Unio Fisherianus</i> , Lea	456
<i>Trans. Amer. Philos. Soc.</i> (2), vi, pl. 4, fig. 8.	

222.

1863. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species, their Soft Parts, and Embryonic Forms, | in the | Family *Unionidæ*. | Read before the Academy of Natural Sciences of Philadelphia, and | Published in their Journal. | by | Isaac Lea, LL. D., | President of the Academy of Natural Sciences of Philadelphia, Etc., Etc. | with ten plates. | Vol. 10. | Philadelphia: | Printed for the author. 4to, pp. 94, with the plates of the *Journ. Acad. Nat. Sci.*, 2d series, Vol. v, plates 41-50.

This consists of Nos. 220 and 221.

223.

1864. LEA, ISAAC. Description of a new Genus of the Family *Melanidæ*. <*Proc. Acad. Nat. Sci., Phila.*, xvi, pp. 2-3. January, 1864.

Read before the Academy Natural Sciences January 12, 1864, and ordered to be published in the Proceedings January 26, 1864. This forms part of No. 236.

MESCHIZA, Lea, n. g. 2

Meschiza Grosvenorii, Lea, n. s. 2

Wabash River, Indiana, H. C. Grosvenor.

Journ. Acad. Nat. Sci., vi, 1866, p. 152.

224.

1864. LEA, ISAAC. Descriptions of eleven new indigenous Species of *Melanida*. <Proc. Acad. Nat. Sci., Phila., xvi, pp. 3-5. January, 1864.
Read before the Academy of Natural Sciences January 12, 1864, and ordered to be published in the Proceedings January 26, 1864. This forms part of No. 236.
- Goniobasis Emeryensis*, Lea, n. s. 3
Rocky Creek, head branch of Emery Run, E. Tennessee, Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 137.
- Goniobasis umbonata*, Lea, n. s. 3
Smith's Shoals, Cumberland River, E. Tennessee, Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 150, under the name of *Eurycælon umbonatum*.
- EURYCÆLON, Lea, n. s. g. 3
Eurus, *amplus*, and *Koilon*, *cavitas*.
- Goniobasis Albanyensis*, Lea, n. s. 4
Near Albany and Blue Springs, Baker Co., Georgia, Rev. G. White.
Journ. Acad. Nat. Sci., vi, 1866, p. 141.
- Goniobasis viridostriatis*, Lea, n. s. 4
Flint River, Georgia, Bishop Elliott and Mr. Gesner.
Journ. Acad. Nat. Sci., vi, 1866, p. 140, under the name *G. viridistriata*.
- Trypanostoma subrobustum*, Lea, n. s. 4
Holston River at Knoxville, E. Tennessee, Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 141.
- Trypanostoma Roanensis*, Lea, n. s. 4
Roane Co., E. Tennessee, Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 142.
- Trypanostoma Lesleyi*, Lea, n. s. 4
East Tennessee, Professor Frost; Smith's Shoals, Cumberland River, E. Tenn.,
Maj. S. S. Lyon; Pulaski Co., Kentucky, Joseph Lesley, C. E.
Journ. Acad. Nat. Sci., vi, 1866, p. 146.
- Trypanostoma affine*, Lea, n. s. 4
Smith's Shoals, Cumberland River, E. Tenn., Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 145.
- Trypanostoma cylindraceum*, Lea, n. s. 4
Roane Co., E. Tenn., Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 142.
- Trypanostoma carinatum*, Lea, n. s. 4
Bull Run, tributary to Clinch River, E. Tennessee, Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 148.
- Strophobasis Lyonii*, Lea, n. s. 5
Holston River at Knoxville, E. Tennessee, Maj. S. S. Lyon.
Journ. Acad. Nat. Sci., vi, 1866, p. 151.

225.

1864. LEA, ISAAC. Description of and Remarks on *Planorbis Newberryi*. <Proc. Acad. Nat. Sci., Phila., xvi, p. 5. January, 1864.
Read before the Academy Natural Sciences January 12, 1864, and ordered to be published in the Proceedings January 26, 1864. This forms part of No. 236.
- Planorbis Newberryi*, Lea, n. s. 5
Klamath Lake and Canoe Creek, California, J. S. Newberry, M. D.

226.

1864. LEA, ISAAC. Descriptions of six New Species of *Unionidæ* from Lake Nyassa, Central Africa, &c. <Proc. Acad. Nat. Sci., Phila., xvi, pp. 103-109. April, 1864.
Read before the Academy Natural Sciences April 12, 1864, and ordered to be published April 25, 1864. This forms part of No. 236.
- Unio Kirkii*, Lea, n. s. 108
Lake Nyassa, Central Africa, John Kirk, M. D., of the Zambezi Expedition.
Journ. Acad. Nat. Sci., vi, 1866, p. 32.
- Unio Nyassaensis*, Lea, n. s. 108
Lake Nyassa, Central Africa, John Kirk, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 33.

1864. LEA, ISAAC—Continued.

<i>Unio Aferula</i> , Lea, n. s.	109
Lake Nyassa, Africa, John Kirk, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 34.	
<i>Spatha alata</i> , Lea, n. s.	109
Lake Nyassa, Africa, John Kirk, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 35.	
<i>Spatha Nyassensis</i> , Lea, n. s.	109
Lake Nyassa, Africa, John Kirk, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 36.	
<i>Spatha modesta</i> , Lea, n. s.	109
Fresh-waters near Mozambique, Africa, John Kirk, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 37.	

227.

1864. LEA, ISAAC. Description of six new species of SUCCINEA of the United States.

<*Proc. Acad. Nat. Sci., Phila.*, xvi, pp. 109-111.

Read before the Academy Natural Sciences April 12, 1864, and ordered to be published April 25, 1864. This forms part of No. 236.

<i>Succinea Haleana</i> , Lea, n. s.	109
Alexandria, La., J. Hale, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 180, under the name <i>S. Halei</i> .	
<i>Succinea Grosvenorii</i> , Lea, n. s.	109
Santa Rita Valley, Kans.? H. C. Grosvenor; Alexandria, La., J. Hale, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 179.	
<i>Succinea Mooresiana</i> , Lea, n. s.	109
Court House Rock, on Platte River, California route, Mr. H. Moores. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 179.	
<i>Succinea Wilsonii</i> , Lea, n. s.	109
Near Darien, Ga., S. W. Wilson, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 177.	
<i>Succinea Forsheyi</i> , Lea, n. s.	109
Rutersville, Tex., Prof. C. G. Forshey. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 178.	
<i>Succinea pellucida</i> , Lea, n. s.	110
United States. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 178.	
Discussion upon Dr. Binney's treatment of the following eight species of Succinea. 110-111 <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, pp. 180-182.	
<i>Succinea aperta</i> , Lea.	110
<i>Succinea aurea</i> , Lea.	110
<i>Succinea retusa</i> , Lea.	110
<i>Succinea Wardiana</i> , Lea.	111
<i>Succinea Totteniana</i> , Lea.	111
<i>Succinea Nuttalliana</i> , Lea.	111
<i>Succinea Oregonensis</i> , Lea.	111
<i>Succinea inflata</i> , Lea.	111

228.

1864. LEA, ISAAC. Description of a new Species of PLANORBIS. <*Proc. Acad. Nat. Sci., Phila.*, xvi, p. 111. April, 1864.

Read before the Academy of Natural Sciences April 19, 1864. Ordered to be published April 25, 1864. This forms part of No. 236.

<i>Planorbis Billingsii</i> , Lea, n. s.	111
Ottawa River, Canada West, E. Billings, esq. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 159.	

229.

1864. LEA, ISAAC. Descriptions of Thirteen New Species of MELANIDE of the United States. <*Proc. Acad. Nat. Sci., Phila.*, xvi, pp. 111-113. April, 1864.

Read before the Academy Natural Sciences April 12, 1864. Ordered to be published April 25, 1864. This forms part of No. 236.

1864. LEA, ISAAC—Continued.

<i>Goniobasis subrhombica</i> , Lea, n. s.	111
Hog Creek, North Georgia, J. Clark. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 132.	
<i>Goniobasis fraterna</i> , Lea, n. s.	111
Bibb Co. and Cahawba River, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 139.	
<i>Goniobasis Romea</i> , Lea, n. s.	111
Rome, North Georgia, Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 129.	
<i>Goniobasis quadricincta</i> , Lea, n. s.	112
Coosa and Cahawba River, Alabama, E. R. Showalter, M. D.; East Tennessee and North Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 131.	
<i>Goniobasis Smithsoniana</i> , Lea, n. s.	112
North Georgia, Smithsonian Inst. and East Tenn., Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 137.	
<i>Goniobasis pulla</i> , Lea, n. s.	112
Cumberland Gab, East Tenn., Maj. S. S. Lyon. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 130.	
<i>Goniobasis pupaeformis</i> , Lea, n. s.	112
Coosa River, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 130.	
<i>Trypanostoma venustum</i> , Lea, n. s.	112
Big Prairie Creek, Alabama, Dr. Showalter. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 151.	
<i>Trypanostoma cinctum</i> , Lea, n. s.	112
North Alabama, Professor Tuomey. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 147.	
<i>Trypanostoma univittata</i> , Lea, n. s.	112
Cahawba River, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 145.	
<i>Trypanostoma corneum</i> , Lea, n. s.	112
Tennessee, J. G. Anthony. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 148.	
<i>Trypanostoma napoideum</i> , Lea, n. s.	112
Tennessee, Professor Troost. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 143.	
<i>Schizostoma Showalteri</i> , Lea, n. s.	112
Coosa River, Alabama, E. R. Showalter, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 149.	

230.

1864. LEA, ISAAC. Description of five new Species of *Lynnæa* of North America.

<*Proc. Acad. Nat. Sci. Phila.*, xvi, 1864, p. 113. April, 1864.

Read before the Academy of Natural Sciences April 19, 1864. Ordered to be printed April 25, 1864. This forms part of No. 236.

<i>Lynnæa Smithsoniana</i> , Lea, n. s.	113
Loup Fork of Platte River, F. V. Hayden, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 161.	
<i>Lynnæa Traskii</i> , Lea, n. s.	113
San Antonio, Arroya, John B. Trask, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 162, under the name of <i>Lynnæa Tryoniana</i> .	
<i>Lynnæa Jamesii</i> , Lea, n. s.	113
Ponds near Cincinnati, Ohio, U. P. James, esq.; and La Fayette, Walker Co., Georgia, Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 161.	
<i>Lynnæa Lecontei</i> , Lea, n. s.	113
Georgia, Major John Le Conte. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 162.	
<i>Lynnæa Arctica</i> , Lea, n. s.	113
Moose River of Hudson's Bay, Smithsonian Institution. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 160.	

231.

1864. LEA, ISAAC. Descriptions of two new Species of Unionidæ from South Africa. <Proc. Acad. Nat. Sci., Phila., xvi, p. 113. April, 1864.
Read before the Academy of Natural Sciences April 19, 1864. Ordered to be published April 25, 1864. This forms part of No. 236.
- Spatha Natalensis*, Lea, n. s. 113
Umpingave River, Port Natal, South Africa, Rev. J. McKen.
Journ. Acad. Nat. Sci., vi, 1866, p. 64.
- Unio Natalensis*, Lea, n. s. 113
Umpingave River, Port Natal, South Africa, Rev. J. McKen.
Journ. Acad. Nat. Sci., vi, 1866, p. 59.

232.

1864. LEA, ISAAC. Descriptions of Twenty-four new Species of PHYSA of the United States and Canada. <Proc. Acad. Nat. Sci., Phila., xvi, pp. 114-116. April, 1864.
Read before the Academy of Natural Sciences April 19, 1864, and ordered to be published April 25, 1864. This forms part of No. 236.
- Physa Niagarensis*, Lea, n. s. 114
Niagara River, N. Y.
Journ. Acad. Nat. Sci., vi, 1866, p. 173.
- Physa Altonensis*, Lea, n. s. 114
Alton, Illinois, Henry Lea.
Journ. Acad. Nat. Sci., vi, 1866, p. 164.
- Physa erocata*, Lea, n. s. 114
Lafayette, Walker Co., Ga., Rev. G. White.
Journ. Acad. Nat. Sci., vi, 1866, p. 169.
- Physa Forsheyi*, Lea, n. s. 114
Near Rutersville, Texas, Prof. C. G. Forshey.
Journ. Acad. Nat. Sci., vi, 1866, p. 172.
- Physa tenuissima*, Lea, n. s. 114
Alexandria, La., J. Hale, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 167.
- Physa Halci*, Lea, n. s. 114
Alexandria, La., J. Hale, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 165.
- Physa Febigerii*, Lea, n. s. 114
Logan Co., Ohio, Major G. L. Febiger.
Journ. Acad. Nat. Sci., vi, 1866, p. 174.
- Physa Nicklinii*, Lea, n. s. 114
Callaghan's, Alleghany Co., Va., P. H. Nicklin, Esq.
Journ. Acad. Nat. Sci., vi, 1866, p. 175.
- Physa Grosvenorii*, Lea, n. s. 114
Santa Rita Valley, Kansas, ? Mr. H. C. Grosvenor.
Journ. Acad. Nat. Sci., vi, 1866, p. 175.
- Physa Whitei*, Lea, n. s. 114
Lafayette, Walker Co., Ga., Rev. G. White; Verdigris River, Kansas, F. Hawn.
Journ. Acad. Nat. Sci., vi, 1866, p. 172.
- Physa Saffordii*, Lea, n. s. 115
Lebanon, Wilson Co., Tenn., J. M. Safford; Verdigris River, Kansas, F. Hawn;
Nashville, Prof. Troost.
Journ. Acad. Nat. Sci., vi, 1866, p. 167.
- Physa Hawnii*, Lea, n. s. 115
Verdigris River, Kansas, F. Hawn.
Journ. Acad. Nat. Sci., vi, 1866, p. 165.
- Physa anatina*, Lea, n. s. 115
Northern Tributary Arkansas River, Kansas, F. Hawn.
Journ. Acad. Nat. Sci., vi, 1866, p. 171.
- Physa parva*, Lea, n. s. 115
Verdigris River and Rock Creek, Kansas, F. Hawn.
Journ. Acad. Nat. Sci., vi, 1866, p. 177.
- Physa Showalterii*, Lea, n. s. 115
Uniontown, Ala., E. R. Showalter, M. D.
Journ. Acad. Nat. Sci., vi, 1866, p. 170.

1864. LEA, ISAAC—Continued.

<i>Physa Smithsoniana</i> , Lea, n. s.	115
Loup Fork, Platte River, F. V. Hayden, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 169.	
<i>Physa Warreniana</i> , Lea, n. s.	115
Loup Fork, Platte River, F. V. Hayden, M. D.; Milwaukee, Wisconsin, H. C. Grosvenor; Grand Rapids, Michigan, A. O. Currier. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 164.	
<i>Physa Traskii</i> , Lea, n. s.	115
Rio Los Angeles, California, J. B. Trask, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 163.	
<i>Physa striata</i> , Lea, n. s.	115
Salt Lagoon, near Monterey, Cal., J. B. Trask, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 166, under the name of <i>P. D'orbigniana</i> .	
<i>Physa Blandii</i> , Lea, n. s.	116
California, Mr. Thomas Bland. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 168.	
<i>Physa Nuttallii</i> , Lea, n. s.	116
Lewis' River, Oregon, Prof. Thomas Nuttall. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 171.	
<i>Physa venusta</i> , Lea, n. s.	116
Near Fort Vancouver, Oregon, Sir George Simpson. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 168.	
<i>Physa hordacca</i> , Lea, n. s.	116
Vancouver Island, Oregon, Sir George Simpson. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 176.	
<i>Physa brevispira</i> , Lea, n. s.	116
Ottawa River, Canada West, E. Billings, esq. <i>Journ. Acad. Nat. Sci.</i> , vi, 1866, p. 173.	

233.

1864. LEA, ISAAC. Description of Six new species of Western Asiatic Unionidæ.

<*Proc. Acad. Nat. Sci., Phila.*, xvi, pp. 285-286. December, 1864.

Read before the Academy of Natural Sciences December 20, 1864, and ordered to be published December 27, 1864. This forms part of No. 236.

The portion here printed consists only of the Latin descriptions of the species, with mention of the habitat of each. The full paper will be found in "*Journ. Acad. Nat. Sci., Phila.*," vi, 1868, pp. 249-255, and in "Observations on the Genus *Unio*," vol. xii, 1869, pp. 9-15.

<i>Unio Homsensis</i> , Lea, n. s.	285
Lake Homs (ancient Emesa), River Orontes, North Syria, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 249.	
<i>Unio Kullethensis</i> , Lea, n. s.	285
Near Mardin, in a stream from Kulleth falling into the Tigris, Asia, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 251.	
<i>Unio Orphaensis</i> , Lea, n. s.	285
Tigris River, near Mardin Pashalic of Orpha, Asiatic Turkey, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 250.	
<i>Unio Mardincensis</i> , Lea, n. s.	286
Tigris River, near Mardin, Asiatic Turkey, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 252.	
<i>Unio Emesaensis</i> , Lea, n. s.	286
Lake Homs, River Orontes, North Syria, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 254.	
<i>Monocoondylea Mardincensis</i> , Lea, n. s.	286
Near Mardin, in a stream falling into the Tigris River, Asia, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 252.	

234.

1865. LEA, ISAAC. Descriptions of three new species of Exotic Uniones. <*Proc. Acad. Nat. Sci., Phila.*, xvii, pp. 75-76. April, 1865.

Read before the Academy of Natural Sciences April 18, 1865, and ordered to be published April 25, 1865. This forms part of No. 236.

The full notes upon the species are found in the *Journ. Acad. Nat. Sci., Phila.*, vi, 1868, pp. 282-287, and in Observations upon the Genus *Unio*, vol. xii, 1869, pp. 42-47.

1865. LEA, ISAAC—Continued.

<i>Unio Wrightii</i> , Lea, n. s.	75
China, A. R. Wright, M. D. <i>Journ. Acad. Nat. Sci.</i> , 1868, p. 283.	
<i>Unio toriusus</i> , Lea, n. s.	76
China, A. R. Wright, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 286.	
<i>Unio rufifusus</i> , Lea, n. s.	76
— ? Sig. Patricio María Paz. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 282.	

235.

1865. LEA, ISAAC. Descriptions of Eight new species of *Unio* of the United States.

<*Proc. Acad. Nat. Sci., Phila.*, xvii, pp. 88-89. May, 1865.

Read before the Academy of Natural Sciences May 16, 1865, and ordered to be published May 30, 1865. This forms part of No. 236.

This consists only of the Latin descriptions of the species, with mention of the habitat of each species. The full paper will be found in "*Journ. Acad. Nat. Sci., Phila.*," vi, 1868, pp. 255-262, and in "Observations on the Genus *Unio*," xii, 1869, pp. 15-22.

<i>Unio doliaris</i> , Lea, n. s.	88
Etowah River, Georgia, Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 260.	
<i>Unio protensus</i> , Lea, n. s.	88
North Carolina, Prof. E. Emmons. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 256.	
<i>Unio punctatus</i> , Lea, n. s.	89
Canev Fork, Tennessee, Dr. Edgar; and Tascumbia, Alabama, B. Pybas. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 261.	
<i>Unio amabilis</i> , Lea, n. s.	89
Butler, Taylor Co., Georgia, H. M. Neisler. <i>Journ. Acad. Nat. Sci.</i> , 1868, p. 257.	
<i>Unio Lyonii</i> , Lea, n. s.	89
East Tennessee, Major S. S. Lyon, U. S. E. <i>Journ. Acad. Nat. Sci.</i> , 1868, p. 259.	
<i>Unio proprius</i> , Lea, n. s.	89
Lafayette, Georgia, Rev. G. White. <i>Journ. Acad. Nat. Sci.</i> , 1868, p. 256.	
<i>Unio Cromwellii</i> , Lea, n. s.	89
Kiokee Creek, near Albany, Dougherty Co., Georgia, B. M. Cromwell, M. D. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 258.	
<i>Unio marginis</i> , Lea, n. s.	89
Blue Springs, Dougherty Co., Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , 1868, p. 255.	

236.

1866. LEA, ISAAC. On | *Leaia Leidyi*=*Cypriocardia Leidyi*. | Descriptions of Fourteen New Species of Melanidæ. | Descriptions of Eleven New Species of Exotic | Unionidæ. | Descriptions of Twenty-four New Species of Unionidæ. | Descriptions of a New Species of *Unio* and a Mono- | condylæa. | Description of a New Genus of the Family Melanidæ. | Descriptions of Eleven New Species of Melanidæ. | Description of & Remarks on *Planorbis Newberryi*. | Descriptions of Six New Species of Unionidæ from | Lake Nyassa. | Descriptions of Six New Species of Succinea, Etc. | Descriptions of Thirteen New Species of Melanidæ. | Description of a New Species of *Planorbis*. | Descriptions of Five New Species of Lynnea. | Descriptions of Two New Species of Unionidæ, from | South Africa. | Descriptions of Twenty-four New Species of Physa. | Descriptions of Six New Species of Western Asiatic | Unionidæ. | Descriptions of Three New Species of Exotic Uniones. | Descriptions of Eight New Species of *Unio*. | by | Isaac Lea, LL. D. | — | Philadelphia: | Merrihew & Son, Printers, | No. 243 Arch Street. | 1866. 8°. pp. 32.

Extracts from the Proceedings Academy Natural Sciences, Phila.

This consists of Nos. 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, and 235.

237.

1866. LEA, ISAAC. Appendix IV. [to Bibliography of North American Conchology, Previous to the year 1860, by W. G. Binney.] <Smithsonian Miscellaneous Collections, ix, 1866, pp. 289-294.

Separate as follows:

Tables | of the | Rectification of Mr. T. A. Conrad's | "Synopsis of the Family of Naiades of North America." | by Isaac Lea, LL. D. | — | Philadelphia: | Collins, Printer, 705 Jayne Street. | 1866. 8°. pp. 289-294 Pamphlet.

This is an exact reprint of the tables contained in No. 101.

238.

1866. LEA, ISAAC. Description of twelve new species of Unionidæ from South America. <Proc. Acad. Nat. Sci., Phila., xviii, pp. 33-35.

Read before the Academy of Natural Sciences March 20, 1866, and ordered to be published March 27, 1866.

This forms part of No. 256.

The full notes on the species will be found in *Journ. Acad. Nat. Sci., Phila.*, vi, 1868, pp. 262-275, and "Observations on the Genus Unio," vol. xii, 1869, pp. 22-35.

The species described in this paper were procured in South America by Don Patricio M. Paz, of Madrid.

<i>Unio peculiaris</i> , Lea, n. s.	33
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 265.	
<i>Unio firmus</i> , Lea, n. s.	33
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 267.	
<i>Unio rugosculcatus</i> , Lea, n. s.	33
Central America, ? Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 266.	
<i>Unio apprimus</i> , Lea, n. s.	34
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 263.	
<i>Unio locellus</i> , Lea, n. s.	34
Buenos Ayres, S. Amer., Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 264.	
<i>Unio parvus</i> , Lea, n. s.	34
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 262.	
<i>Unio acutirostris</i> , Lea, n. s.	34
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 270.	
<i>Unio ampullaceus</i> , Lea, n. s.	34
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 269.	
<i>Unio Paraguayensis</i> , Lea, n. s.	34
Paraguay, South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 271.	
<i>Monocondylea lentiformis</i> , Lea, n. s.	34
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 272.	
<i>Monocondylea Pazi</i> , Lea, n. s.	34
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 273.	
<i>Anodonta Pazi</i> , Lea, n. s.	35
South America, Don Patricio M. Paz.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 274.	

239.

1866. LEA, ISAAC. Notes on Some Members of the Feldspar Family. <Proc. Acad. Nat. Sci., Phila., xviii, pp. 110-113. Separate without cover, pp. 4.

Read before the Academy of Natural Sciences May 1, 1866, and ordered to be published May 29, 1866.

This forms part of No. 256.

240.

1866. LEA, ISAAC. Description of five New Species of the Genus *Unio*. <Proc. Acad. Nat. Sci., Phila., xviii, p. 133.

Read before the Academy of Natural Sciences May 15, 1866, and ordered to be published May 29, 1866.

This forms part of No. 256.

The portion printed here consists of the Latin descriptions of the species with the habitat of each. The full remarks upon the species will be found in "*Journ. Acad. Nat. Sci., Phila.*," vol. vi, 1868, and "Observations on the genus *Unio*," vol. xii, 1869.

<i>Unio Siamensis</i> , Lea, n. s.	133
Siam, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 279.	
<i>Unio asperulus</i> , Lea, n. s.	133
Siam, Thomas R. Ingalls, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 280.	
<i>Unio pilatus</i> , Lea, n. s.	133
Siam, Thomas R. Ingalls, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 281.	
<i>Unio vitatus</i> , Lea, n. s.	133
Bengal, W. A. Haines.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 279.	
<i>Unio Strebelii</i> , Lea, n. s.	133
Vera Cruz, Mexico, G. Strebel.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 318.	

241.

1866. LEA, ISAAC. Description of two New Species of the Genus *Lithasia*. <Proc. Acad. Nat. Sci., Phila., xviii, p. 133.

Read before the Academy of Natural Sciences May 15, 1866, and ordered to be published May 29, 1866.

This forms part of No. 256.

Latin descriptions with mention of habitat.

<i>Lithasia cylindrica</i> , Lea, n. s.	133
Coosa River, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 341.	
<i>Lithasia Wheatleyi</i> , Lea, n. s.	133
Cahaba River, Alabama, E. R. Showalter, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 341.	

242.

1866. LEA, ISAAC. New Unionidæ, Melanidæ, etc., chiefly of the United States. <*Journ. Acad. Nat. Sci., Phila.*, vi, pp. 5-65, with plates 1 to 21 inclusive.

See No. 219.

(See *Journ. Acad. Nat. Sci., Phila.*, vi, p. 3.)

This with No. 243 forms 244.

The place where the Latin description is first published is given after each species.

<i>Unio quadrilaterus</i> , Lea, pl. 1, fig. 1.	5
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192.	
<i>Unio Ralcighensis</i> , Lea, pl. 1, fig. 2.	6
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio aberrans</i> , Lea, pl. 1, fig. 3.	7
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio pertenuis</i> , Lea, pl. 2, fig. 4.	8
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193.	
<i>Unio Charlottensis</i> , Lea, pl. 2, fig. 5.	8
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio lucidus</i> , Lea, pl. 2, fig. 6.	9
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192.	
<i>Unio viridulus</i> , Lea, pl. 3, fig. 7.	10
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193.	
<i>Unio Weldonensis</i> , Lea, pl. 3, fig. 8.	11
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio nasutulus</i> , Lea, pl. 3, fig. 9.	12
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192, as <i>U. nasutidus</i> .	

1866. LEA, ISAAC—Continued.

<i>Unio obtatus</i> , Lea, pl. 4, fig. 10.....	13
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193, as <i>U. ablatatus</i> .	
<i>Unio Livingstonensis</i> , Lea, pl. 4, fig. 11.....	14
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192.	
<i>Unio indefinitus</i> , Lea, pl. 4, fig. 12.....	15
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192, as <i>U. indefinitus</i> .	
<i>Unio perlatus</i> , Lea, pl. 4, fig. 13.....	15
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193.	
<i>Unio Waccamawensis</i> , Lea, pl. 5, fig. 14.....	15
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193.	
<i>Unio Mecklenbergensis</i> , Lea, pl. 5, fig. 15.....	17
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio perlucens</i> , Lea, pl. 5, fig. 16.....	18
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193.	
<i>Unio cistellæformis</i> , Lea, pl. 6, fig. 17.....	19
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192.	
<i>Unio Gastonensis</i> , Lea, pl. 6, fig. 18.....	20
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio Chathamensis</i> , Lea, pl. 6, fig. 19.....	21
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Unio squalidus</i> , Lea, pl. 7, fig. 20.....	22
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 192.	
<i>Unio curatus</i> , Lea, pl. 7, fig. 21.....	23
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 193.	
<i>Unio mediocris</i> , Lea, pl. 7, fig. 22.....	24
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 191.	
<i>Anodonta doliaris</i> , Lea, pl. 8, fig. 23.....	24
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 193, as <i>U. dolearis</i> .	
<i>Anodonta Leonensis</i> , Lea, pl. 9, fig. 24.....	25
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 169.	
<i>Anodonta Bealei</i> , Lea, pl. 9, fig. 25.....	26
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 194.	
<i>Anodonta Williamsii</i> , Lea, pl. 10, fig. 26.....	27
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 169.	
<i>Anodonta Tryonii</i> , Lea, pl. 10, fig. 27.....	28
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 169.	
<i>Anodonta Dallasiana</i> , Lea, pl. 11, fig. 28.....	29
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Monocondylæa compressa</i> , Lea, pl. 11, fig. 29.....	30
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Unio Kirkii</i> , Lea, pl. 12, fig. 30.....	32
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 108.	
<i>Unio Nyassaensis</i> , Lea, pl. 12, fig. 32.....	23
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 108.	
<i>Unio Aferulus</i> , Lea, pl. 13, fig. 34.....	34
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Spatha alata</i> , Lea, pl. 12, fig. 31.....	35
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Spatha Nyassaensis</i> , Lea, pl. 13, fig. 33.....	36
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Spatha modesta</i> , Lea, pl. 13, fig. 35.....	37
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Unio Thorntonii</i> , Lea, pl. 14, fig. 36.....	38
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 83.	
<i>Unio Mooresianus</i> , Lea, pl. 14, fig. 37.....	39
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 83.	
<i>Unio mundus</i> , Lea, pl. 14, fig. 38.....	40
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 83.	
<i>Unio tesserula</i> , Lea, pl. 15, fig. 39.....	40
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 392.	
<i>Unio crapulus</i> , Lea, pl. 15, fig. 40.....	42
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 39.	
<i>Unio crebrivittatus</i> , Lea, pl. 15, fig. 41.....	43
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 60.	
<i>Unio Leibii</i> , Lea, pl. 15, fig. 42.....	44
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 168.	

1866. LEA, ISAAC—Continued.

<i>Unio parvulus</i> , Lea, pl. 16, fig. 43.....	45
<i>Proc. Acad. Nat. Sci.</i> , xii, 1860, p. 307.	
<i>Unio perpurpureus</i> , Lea, pl. 16, fig. 44.....	46
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 41.	
<i>Unio biemarginatus</i> , Lea, pl. 16, fig. 45.....	47
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 83.	
<i>Unio granulatus</i> , Lea, pl. 16, fig. 46.....	48
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 00, as <i>U. granulatis</i> .	
<i>Unio germanus</i> , Lea, pl. 19, fig. 54.....	49
<i>Proc. Acad. Nat. Sci.</i> , 1861, p. 40.	
<i>Unio rasmus</i> , Lea, pl. 17, fig. 47.....	50
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 189.	
<i>Unio dignatus</i> , Lea, pl. 17, fig. 48.....	51
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 189.	
<i>Unio Mosulensis</i> , Lea, pl. 17, fig. 49.....	52
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Unio Orontesensis</i> , Lea, pl. 18, fig. 50.....	53
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Unio Bourguignatianus</i> , Lea, pl. 18, fig. 51.....	54
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 189.	
<i>Unio Damascensis</i> , Lea, pl. 18, fig. 52.....	55
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Unio Syriacus</i> , Lea, pl. 19, fig. 53.....	56
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 189.	
<i>Unio tripartitus</i> , Lea, pl. 19, fig. 55.....	57
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Unio delicatus</i> , Lea, pl. 19, fig. 56.....	58
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 189.	
<i>Unio Natalensis</i> , Lea, pl. 20, fig. 57.....	59
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113.	
<i>Unio Paramattensis</i> , Lea, pl. 20, fig. 59.....	60
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 176.	
<i>Unio Pazii</i> , Lea, pl. 21, fig. 60.....	61
<i>Proc. Acad. Nat. Sci.</i> , 1862, p. 176.	
<i>Unio Laosensis</i> , Lea, pl. 21, fig. 61.....	63
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190.	
<i>Spatha Natalensis</i> , Lea, pl. 20, fig. 58.....	64
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113.	
<i>Monocondylea Mouhotiana</i> , Lea, pl. 21, fig. 62.....	65
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 190, as <i>M. Mouhotii</i> .	

243.

1866. LEA, ISAAC. New Unionidæ, Melanidæ, etc., chiefly of the United States.

<*Journ. Acad. Nat. Sci., Phila.*, vi, pp. 113-187, with plates 22-24, inclusive.

Separate copies printed for the author December, 1866. Continuation of No. 242, and with it forms part of No. 244.

The places where the Latin description of each species was first published is shown after each species.

<i>Ampullaria gracilis</i> , Lea, pl. 22, fig. 1.....	113
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Ampullaria turbinis</i> , Lea, pl. 22, fig. 2.....	113
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Ampullaria tubæformis</i> , Lea, pl. 22, fig. 3.....	114
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Ampullaria aurostoma</i> , Lea, pl. 22, fig. 4.....	114
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Paludina orientalis</i> , Lea, pl. 22, fig. 5.....	115
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110, as <i>Paludina Chinensis</i> .	
<i>Paludina Hainesiana</i> , Lea, pl. 22, fig. 6.....	115
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 109.	
<i>Paludina Swainsoniana</i> , Lea, pl. 22, fig. 7.....	116
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Paludina umbilicata</i> , Lea, pl. 22, fig. 8.....	117
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 109.	

1866. LEA, ISAAC—Continued.

<i>Paludina Ingallsiana</i> , Lea, pl. 22, fig. 9.....	117
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Rivulina maculata</i> , Lea, pl. 22, fig. 10.....	118
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110, under name of <i>Paludomus maculata</i> , Lea.	
<i>Bithinia Siancensis</i> , Lea, pl. 22, fig. 11.....	118
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Bithinia globula</i> , Lea, pl. 22, fig. 12.....	119
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 110.	
<i>Assiminea carinata</i> , Lea, pl. 22, fig. 13.....	119
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 111.	
<i>Pachychilus parvum</i> , Lea, pl. 22, fig. 14.....	120
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Boninensis</i> , Lea, pl. 22, fig. 15.....	121
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania rubida</i> , Lea, pl. 22, fig. 16.....	121
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Newcombii</i> , Lea, pl. 22, fig. 17.....	122
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Hainesiana</i> , Lea, pl. 22, fig. 18.....	122
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 144.	
<i>Melania Mauiensis</i> , Lea, pl. 22, fig. 19.....	123
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Ningpoensis</i> , Lea, pl. 22, fig. 20.....	124
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 144.	
<i>Melania Myersiana</i> , Lea, pl. 22, fig. 21.....	124
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Housei</i> , Lea, pl. 22, fig. 22.....	125
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 144.	
<i>Melania affinis</i> , Lea, pl. 22, fig. 23.....	125
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Manillaensis</i> , Lea, pl. 22, fig. 24.....	126
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145, under the name <i>M. australis</i> , Lea.	
<i>Melania lyraeformis</i> , Lea, pl. 22, fig. 25.....	126
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Melania Planensis</i> , Lea, pl. 22, fig. 26.....	127
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 118.	
<i>Melania Verreauxiana</i> , Lea, pl. 22, fig. 27.....	127
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 144, as <i>M. Verreauxiana</i> .	
<i>Melania fraternz</i> , Lea, pl. 22, fig. 28.....	128
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 144.	
<i>Melania bullata</i> , Lea, pl. 22, fig. 29.....	129
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 145.	
<i>Goniobasis Romæ</i> , Lea, pl. 23, fig. 30.....	129
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 111.	
<i>Goniobasis pupæformis</i> , Lea, pl. 23, fig. 31.....	130
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Goniobasis pulla</i> , Lea, pl. 23, fig. 32.....	130
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Goniobasis quadricincta</i> , Lea, pl. 23, fig. 33.....	131
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Goniobasis subrhombica</i> , Lea, pl. 23, fig. 34.....	132
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 111.	
<i>Goniobasis Cumberlandensis</i> , Lea, pl. 23, fig. 35.....	132
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155, as <i>G. cumberlandensis</i> .	
<i>Goniobasis Louisvilleensis</i> , Lea, pl. 23, fig. 36.....	133
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Goniobasis lithasioides</i> , Lea, pl. 23, fig. 37.....	133
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 154, as <i>G. lithasioides</i> .	
<i>Goniobasis vittatella</i> , Lea, pl. 23, fig. 38.....	134
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Goniobasis infantula</i> , Lea, pl. 23, fig. 39.....	135
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Goniobasis Milesii</i> , Lea, pl. 23, fig. 40.....	135
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 154.	
<i>Goniobasis informis</i> , Lea, pl. 23, fig. 41.....	136
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 154.	

1866. LEA, ISAAC—Continued.

<i>Goniobasis aterina</i> , Lea, pl. 23, fig. 42	136
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Goniobasis Emeryensis</i> , Lea, pl. 23, fig. 43	137
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 3.	
<i>Goniobasis Smithsoniana</i> , Lea, pl. 23, fig. 44	137
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Goniobasis Decampii</i> , Lea, pl. 23, fig. 45	138
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 154.	
<i>Goniobasis fraterna</i> , Lea, pl. 23, fig. 46	139
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 111.	
<i>Goniobasis porrecta</i> , Lea, pl. 23, fig. 47	139
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Goniobasis viridistriata</i> , Lea, pl. 23, fig. 48	140
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4, under the name <i>G. viridostriatis</i> .	
<i>Goniobasis Albanyensis</i> , Lea, pl. 23, fig. 49	141
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma subrobustum</i> , Lea, pl. 23, fig. 50	141
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma cylindraceum</i> , Lea, pl. 23, fig. 51	142
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma Roanense</i> , Lea, pl. 23, fig. 52	142
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma curtatum</i> , Lea, pl. 23, fig. 53	143
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Trypanostoma napoideum</i> , Lea, pl. 23, fig. 54	143
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Trypanostoma Lyonii</i> , Lea, pl. 23, fig. 55	144
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Trypanostoma affine</i> , Lea, pl. 23, fig. 57	145
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma univittatum</i> , Lea, pl. 23, fig. 58	145
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Trypanostoma Lesleyi</i> , Lea, pl. 23, fig. 59	146
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma cinctum</i> , Lea, pl. 23, fig. 60	147
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Trypanostoma Currierianum</i> , Lea, pl. 23, fig. 61	147
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 155.	
<i>Trypanostoma carinatum</i> , Lea, pl. 23, fig. 62	148
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 4.	
<i>Trypanostoma corneum</i> , Lea, pl. 23, fig. 63	148
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Schizostoma Showalterii</i> , Lea, pl. 23, fig. 56	149
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
<i>Eurycalon umbonatum</i> , Lea, pl. 23, fig. 64	150
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 3, under the name <i>Goniobasis umbonata</i> .	
<i>Strepobasis Lyonii</i> , Lea, pl. 23, fig. 65	151
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 5.	
<i>Trypanostoma renustum</i> , pl. 23, fig. 66	151
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 112.	
Genus MESESCHIZA, Lea	152
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 2.	
<i>Meseschiza Grosvenorii</i> , Lea, pl. 23, fig. 67	152
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 2.	
<i>Megasystropha Newberryi</i> , Lea, pl. 23, fig. 68	153
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 41, under name <i>Planorbis Newberryi</i> , Lea.	
Enumeration of species sent by Dr. John B. Trask, of San Francisco, California, in February, 1856	154-155
Genus POMPHOLYX, Lea	156
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80.	
<i>Pompholyx effusa</i> , Lea, pl. 23, fig. 69	156
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80.	
<i>Planorbis Traskii</i> , Lea, pl. 23, fig. 70	157
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80.	
<i>Planorbis Wheatleyi</i> , Lea, pl. 23, fig. 71	158
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 41.	

1866. LEA, ISAAC—Continued.

<i>Planorbis Billingsii</i> , Lea, pl. 23, fig. 72.....	159
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 111.	
<i>Lymnæa Haydenii</i> , Lea, pl. 24, fig. 73.....	159
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Lymnæa proxima</i> , Lea, pl. 24, fig. 74.....	160
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80.	
<i>Lymnæa arctica</i> , Lea, pl. 24, fig. 75.....	160
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113.	
<i>Lymnæa Smithsoniana</i> , Lea, pl. 24, fig. 76.....	161
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113.	
<i>Lymnæa Jamesii</i> , Lea, pl. 24, fig. 77.....	161
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113.	
<i>Lymnæa Tryoniana</i> , Lea, pl. 24, fig. 78.....	162
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113, under the name <i>Lymnæa Traskii</i> .	
<i>Lymnæa Lecontii</i> , Lea, pl. 24, fig. 79.....	162
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 113.	
<i>Physa Traskii</i> , Lea, pl. 24, fig. 80.....	163
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Warreniana</i> , Lea, pl. 24, fig. 81.....	164
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Altonensis</i> , Lea, pl. 24, fig. 82.....	164
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Halci</i> , Lea, pl. 24, fig. 83.....	165
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Hawnii</i> , Lea, pl. 24, fig. 84.....	165
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Dorbigniana</i> , Lea, pl. 24, fig. 85.....	166
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115, under the name <i>P. striata</i> .	
<i>Physa tennissima</i> , Lea, pl. 24, fig. 86.....	167
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Saffordii</i> , Lea, pl. 24, fig. 87.....	167
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Blandii</i> , Lea, pl. 24, fig. 88.....	168
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 116.	
<i>Physa venusta</i> , Lea, pl. 24, fig. 89.....	168
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 116.	
<i>Physa crocata</i> , Lea, pl. 24, fig. 90.....	169
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Smithsoniana</i> , Lea, pl. 24, fig. 91.....	169
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Showalterii</i> , Lea, pl. 24, fig. 92.....	170
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Nuttallii</i> , Lea, pl. 24, fig. 93.....	171
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 116.	
<i>Physa anatina</i> , Lea, pl. 24, fig. 94.....	171
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Physa Forsheyi</i> , Lea, pl. 24, fig. 95.....	172
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Whitei</i> , Lea, pl. 24, fig. 96.....	172
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Niagarensis</i> , Lea, pl. 24, fig. 97.....	173
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa brevispira</i> , Lea, pl. 24, fig. 98.....	173
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 116.	
<i>Physa Febigerii</i> , Lea, pl. 24, fig. 99.....	174
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Grosvenorii</i> , Lea, pl. 24, fig. 100.....	175
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa Nicklinii</i> , Lea, pl. 24, fig. 101.....	175
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 114.	
<i>Physa hordacea</i> , Lea, pl. 24, fig. 102.....	176
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 116.	
<i>Physa triticea</i> , Lea, pl. 24, fig. 103.....	176
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80.	

1866. LEA, ISAAC—Continued.

<i>Physa parva</i> , Lea, pl. 24, fig. 104.....	177
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 115.	
<i>Succinea Wilsonii</i> , Lea, pl. 24, fig. 105.....	177
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Succinea pellucida</i> , Lea, pl. 24, fig. 106.....	178
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 110.	
<i>Succinea Forsheyi</i> , Lea, pl. 24, fig. 107.....	178
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Succinea Grosvenorii</i> , Lea, pl. 24, fig. 108.....	179
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Succinea Mooresiana</i> , Lea, pl. 24, fig. 109.....	179
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109.	
<i>Succinea Halcii</i> , Lea, pl. 24, fig. 110.....	180
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 109, under the name <i>Succinea Haleana</i> .	
Remarks on Dr. Binney, Dr. Gould, and Mr. W. G. Binney's treatment of the following species:	
<i>Succinea aperta</i> , Lea; <i>S. aurca</i> , Lea; <i>S. retusa</i> , Lea; <i>S. Wardiana</i> , Lea; <i>S. Totteniana</i> , Lea; <i>S. Nuttalliana</i> , Lea; <i>S. Oregonensis</i> , Lea; <i>S. inflata</i> , Lea; pp. 180-182.	
<i>Helix Clarkii</i> , Lea, pl. 24, fig. 111.....	182
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 41.	
<i>Helix (Polygyra) Couchiana</i> , Lea, pl. 24, fig. 112.....	183
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 102.	
<i>Helix (Polygyra) Tamavilipasensis</i> , Lea, pl. 24, fig. 113.....	183
<i>Proc. Acad. Nat. Sci.</i> , 1857, p. 102.	
<i>Paludina Milesii</i> , Lea, pl. 24, fig. 114.....	184
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 156.	
<i>Paludina Elliottii</i> , Lea, pl. 24, fig. 115.....	184
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Ancylus Newberryi</i> , Lea, pl. 24, fig. 116.....	185
<i>Proc. Acad. Nat. Sci.</i> , 1858, p. 166.	
<i>Ancylus patelloides</i> , Lea, pl. 24, fig. 117.....	185
<i>Proc. Acad. Nat. Sci.</i> , 1856, p. 80.	
<i>Amnicola Currieriana</i> , Lea, pl. 24, fig. 118.....	186
<i>Proc. Acad. Nat. Sci.</i> , 1863, p. 156.	

244.

1867. LEA, ISAAC. Observations | on the | Genus *Unio*, | together with | Descriptions of New Species in the Family Unionidæ, | and Descriptions of New Species of the | Melanidæ, Limneidæ, Paludineæ and Helicidæ, | read before the Academy of Natural Sciences of Philadelphia, and | published in their Journal, | by | Isaac Lea, LL. D., | Vice-President of the American Philosophical Society, etc. etc. | with twenty-four plates. | Vol. XI. | Philadelphia: | Printed for the author. 4°. pp. 146, with plates 1-24.
A Reprint of Nos. 242, 243.

245.

1867. LEA, ISAAC. Index | to Vol. I. to XI. of | Observations | on the | Genus *Unio*, | together with | Description of New Species of the Family Unionidæ | and | Descriptions of New Species of the Melanidæ, | Paludineæ, Helicidæ, Etc. | Read before the American Philosophical Society and the Academy of Natural | Sciences of Philadelphia, from 1827 to 1863. | by | Isaac Lea, LL. D., Etc. | Philadelphia: | Printed for the Author | by T. K. Collins, 705 Jayne Street. | 1867.
4°. pp. 63.

Deposited in the Library of the Academy of Natural Sciences, Phila., in 1867. (See *Proc. Acad. Nat. Sci.*, xix, p. 271.)

"Having constantly felt the inconvenience of reference to former papers issued in previous volumes of "Observations on the Genus *Unio*," &c., I determined, after issuing my eleventh volume, to have an *Index* for the whole, by way of easy reference to all my new species described therein, as well also to every species referred to; also to the soft parts and embryonic forms, thus making the whole more available to the student. My own time

1867. LEA, ISAAC—Continued.

being too much occupied with original investigations, I applied to my friend, James Lewis, M. D., of Mohawk, N. Y., whose thorough knowledge in this branch of Natural History is so well known. Many of the volumes already testify to his friendly aid from time to time— at once he acceded to my wishes, and the result is now, I believe, a perfect *Index*." Notice p. 3.

SECTION I—Unionidæ of North America.

Subsections—Unio, Margaritana, Anodonta.

SECTION II—Unionidæ of Mexico and Central America.

Subsections—Unio, Anodonta.

SECTION III—Exotic Unionidæ.

Subsections—Triquetra, Prisedon, Unio, Margaritana, Plagiodon, Monocondylea, Dipsas, Anodonta, Iridina, Spatha, Mycetopus.

SECTION IV—Unionidæ—Synonyms, Species of Other Authors, and Obsolete Nomenclature.

Subsections—Alasnodonta, Anodonta, Anodontites, Castalia, Chama, Cristaria, Diplodon, Hyria, Margaritana, Mya, Mytilus, Symphynota, Unio.

SECTION V—Operculated Aquatic Univalves.

Subsections—Ampullaria, Amnicola, Anculosa, Anculotus, Assiminea, Basistoma, Bythinia, Eurycælon, Goniobasis, Iô, Lithasia, Melania, Melanopsis, Meseschia, Neritina, Pachychilus, Paludina, Paludomus, Rivulina, Schizostoma, Strepobasis, Trypanostoma, Valvata.

SECTION VI—Limnæidæ.

Subsections—Ancyclus, Lymnæa, Megasytropa, Physa, Planorbis, Pompholix.

SECTION VII—Colimaces.

Subsections—Achatina, Auricula, Bulimus, Cyclostoma, Helicina, Helix (Polygyra and Carocella), Megaspira, Succinea.

SECTION VIII—Miscellaneous and Unclassified References. Alphabetically arranged.

Errata et Corrigenda of Vols. I to XI.

Appendix.

246.

1867. LEA, ISAAC. On two New Minerals from Chester Co., Penn. <*Proc. Acad. Nat. Sci., Phila.*, xix, pp. 44-45. Separate, without cover, 8^o, pp. 2.

Read before the Academy of Natural Sciences April 9, 1867, and ordered to be published April 30, 1867. This forms part of No. 256.

Lesleyite.

Pattersonite.

247.

1867. LEA, ISAAC. Descriptions of Five New Species of Unionidæ and One Paludina of the United States. <*Proc. Acad. Nat. Sci., Phila.*, xix, p. 81.

Read before the Academy of Natural Sciences May 21, 1867, and ordered to be printed May 28, 1867. This forms part of No. 256.

Unio Bisseliani, Lea, n. s. 81

Bissel's Pond, Charlotte, N. C., C. M. Wheatley.

Journ. Acad. Nat. Sci., 1868, p. 277.

Unio Clinchensis, Lea, n. s. 81

Clinch River, Tenn., Pres. Estabrook; and French Broad River, Dr. Edgar.

Journ. Acad. Nat. Sci., 1868, p. 278.

Unio Jewettii, Lea, n. s. 81

Florida, Col. Jewett.

Journ. Acad. Nat. Sci., vi, 1868, p. 276.

Margaritana Columbensis, Lea, n. s. 81

Tombigbee River, near Columbus, Miss., W. Spillman, M. D.

Anodonta Youconensis, Lea, n. s. 81

Headwaters of the Yoncon, Arctic America.

Journ. Acad. Nat. Sci., vi, 1868, p. 287, spelled *Youkanensis*.

Paludina Spillmanii, Lea, n. s. 81

Jackson Co., Alabama, W. Spillman, M. D.

Journ. Acad. Nat. Sci., vi, 1868, p. 343.

248.

1868. LEA, ISAAC. Description of Nine Species of Unionidæ from Lake Nicaragua, Central America. <*Proc. Acad. Nat. Sci., Phila.*, xx, pp. 94-96. March, 1868.

Read before the Academy of Natural Sciences March 10, 1868, and ordered to be published March 31, 1868. This forms part of No. 256.

1868. LEA, ISAAC—Continued.

Remarks upon, with list of inequivalve, Unionidae.....	94-95
<i>Unio Nicaraguensis</i> , Lea, n. s.	95
Lake Nicaragua, Central America, Mr. W. M. Gabb. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 296.	
<i>Unio Granadensis</i> , Lea, n. s.	95
Lake Nicaragua, Central America, Col. E. Jewett & Mr. W. M. Gabb. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 293.	
<i>Unio encarpus</i> , Lea, n. s.	95
Lake Nicaragua, Cent. America, Mr. W. M. Gabb. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 294.	
<i>Unio Gabbianus</i> , Lea, n. s.	95
Lake Nicaragua, Cent. America, Col. E. Jewett and Mr. W. M. Gabb. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 295.	
<i>Anodonta Bridgesii</i> , Lea, n. s.	95
Lake Nicaragua, Cent. America, Mr. Thomas Bridges. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 291.	
<i>Anodonta inequivalva</i> , Lea, n. s.	95
Lake Nicaragua, Cent. America, Mr. W. M. Gabb. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 292.	
<i>Anodonta Jewettiana</i> , Lea, n. s.	95
Lake Nicaragua, Cent. America, Col. E. Jewett. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 289, spelled Jewettii.	
<i>Anodonta lenticularis</i> , Lea, n. s.	95
Lake Nicaragua, Cent. Amer., Mr. W. M. Gabb. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 290.	
<i>Anodonta Granadensis</i> , Lea, n. s.	96
Lake Nicaragua, Cent. America, Col. E. Jewett. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 288.	

249.

1868. LEA, ISAAC. Description of Sixteen New Species of the Genus *Unio* of the United States. <*Proc. Acad. Nat. Sci., Phila.*, xx, pp. 143-145. April, 1868.

Read before the Academy of Natural Sciences April 7, 1868, and ordered to be published April 28, 1868. This forms part of No. 256.

<i>Unio Murrayensis</i> , Lea, n. s.	143
Murray County, Georgia, Maj. T. C. Downie; Etowah River, Georgia, Bishop Elliott. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 303.	
<i>Unio fassinans</i> , Lea, n. s.	143
Headwaters of Holston River, Washington Co., Va., Prof. E. D. Cope. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 305.	
<i>Unio sparus</i> , Lea, n. s.	143
Swamp Creek, North Georgia, Maj. T. C. Downie. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 306.	
<i>Unio Copci</i> , Lea, n. s.	144
Headwaters of Holston River, Smith Co., Va., Prof. E. D. Cope. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 307.	
<i>Unio cylindrellus</i> , Lea, n. s.	144
Duck Creek, Tenn.; Swamp Creek, Murray Co., Ga., Major Downie; and North Alabama, Prof. Tuomey. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 308.	
<i>Unio difficilis</i> , Lea, n. s.	144
Swamp Creek, Ga., Major Downie; Holston River, Washington Co., Prof. Cope. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 311.	
<i>Unio Topckacensis</i> , n. s.	144
Topeka, Kansas, Prof. Daniels; Little Arkansas, Dr. Le Conte. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 313.	
<i>Unio Brazosensis</i> , n. s.	144
Dallas Co., Texas, Prof. Forshey; Brazos River, Dr. Lincecum. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 309.	
<i>Unio Lincecumii</i> , n. s.	144
Dallas County, Texas, Prof. Forshey; Brazos River, Texas, Dr. G. Lincecum. <i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 312.	

1868. LEA, ISAAC—Continued.

<i>Unio corvinus</i> , n. s.	144
Flint River, Georgia, J. C. Plant and Dr. Neisler; Neuse River, N. C., Prof. Emmons.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 310.	
<i>Unio corvunculus</i> , n. s.	144
Flint River, Ga., J. C. Plant and Dr. Neisler; Darien, J. H. Couper.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 314.	
<i>Unio planior</i> , n. s.	145
Tennessee, Mr. H. Moores; Headwaters Holston River, Washington Co., Virginia, Prof. Copo.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 316.	
<i>Unio callatus</i> , n. s.	145
Alabama River, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 315.	
<i>Unio refulgens</i> , n. s.	145
Oktibbeha River, Lauderdale Co., Miss., W. Spillman, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 317.	
<i>Unio Uharënsis</i> , Lea, n. s.	145
Uharee River, Montgomery Co., N. C., F. A. Genth, M. D.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 304.	
<i>Unio sphaericus</i> , Lea, n. s.	145
Pearl River at Jackson, Miss., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 319.	

250.

1868. LEA, ISAAC. Notes on some singular forms of Chinese species of *Unio*. <Proc. Acad. Nat. Sci., Phila., xx, pp. 145-146.

Read before the Academy of Natural Sciences April 21, 1868, and ordered to be published April 28, 1868. This forms part of No. 256.

Criticism on a paper, "Chinese Shells," by Dr. Baird and Mr. H. Adams, in Proceedings of the Zoological Society of London, May 9, 1867.

<i>Unio Douglasice</i> , Gray	145
A synonym of <i>Unio Murchisonianus</i> , Lea.	
<i>Anodonta tenuis</i> , Gray	146
A synonym of <i>Dipsas discoidca</i> , Lea.	

251.

1868. LEA, ISAAC. Descriptions of four new species of Exotic Unionidæ. <Proc. Acad. Nat. Sci., Phila., xx, p. 150.

Read before the Academy of Natural Sciences May 12, 1868, and ordered to be published May 26, 1868. This forms part of No. 256.

<i>Anodonta Strebëlii</i> , Lea, n. s.	150
Vera Cruz, Mexico, Dr. G. Strebel, per Smithsonian Inst.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 322.	
<i>Unio Veracruzensis</i> , Lea, n. s.	150
Vera Cruz, Mexico, Dr. G. Strebel, per Smithsonian Inst.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 320.	
<i>Unio prunoides</i> , Lea, n. s.	150
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 323.	
<i>Unio Chinensis</i> , Lea, n. s.	150
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 325.	

252.

1868. LEA, ISAAC. Descriptions of Twenty-six New Species of Melanidæ of the United States. <Proc. Acad. Nat. Sci., Phila., xx, pp. 151-153. May, 1868.

Read before the Academy of Natural Sciences May 12, 1868, and ordered to be published May 26, 1868. This forms part of No. 256.

<i>Goniobasis Wheatleyi</i> , Lea, n. s.	151
Coosa River, Alabama, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 328.	
<i>Goniobasis similis</i> , n. s.	151
Connasauga Creek, Georgia, Major T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 328.	

1868. LEA, ISAAC—Continued.

<i>Goniobasis sulcata</i> , n. s.	151
Cahawba River, Alabama, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 329.	
<i>Goniobasis arata</i> , n. s.	151
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 329.	
<i>Goniobasis Gesnerii</i> , n. s.	151
Uchee River, Alabama, Mr. W. Gesner.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 330.	
<i>Goniobasis tenebrosa</i> , n. s.	151
Connesauga Creek, Georgia, Maj. F. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 330, under the name <i>G. Whitfieldensis</i> .	
<i>Goniobasis bifasciata</i> , n. s.	151
Jackson Co., Alabama, Dr. Spillman.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 331.	
<i>Goniobasis clathrata</i> , n. s.	151
Jackson Co., Ala., Dr. Spillman.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 331.	
<i>Goniobasis pulchella</i> , n. s.	151
North Alabama, Dr. Spillman.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 332, under name of <i>G. Gouldiana</i> .	
<i>Goniobasis lutocella</i> , n. s.	151
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 332.	
<i>Goniobasis Connesaugaensis</i> , n. s.	152
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 333.	
<i>Goniobasis contigua</i> , n. s.	152
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 334.	
<i>Goniobasis Murrayensis</i> , n. s.	152
Swamp Creek, Murray Co., Ga., Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 334.	
<i>Goniobasis granatoides</i> , n. s.	152
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 335.	
<i>Goniobasis clavula</i> , n. s.	152
Jackson Co., Alabama, Dr. Spillman.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 335.	
<i>Goniobasis cochliaris</i> , n. s.	152
Sheiby Co., Alabama, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 336.	
<i>Goniobasis venusta</i> , n. s.	152
Coosa River, Alabama, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 336.	
<i>Goniobasis ornata</i> , n. s.	152
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 337.	
<i>Trypanostoma nuciforme</i> , n. s.	152
Connesauga Creek, Georgia, Maj. T. C. Downie.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 337.	
<i>Trypanostoma castaneum</i> , n. s.	152
Coosa River, Alabama, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 338.	
<i>Trypanostoma Wheatleyi</i> , n. s.	153
Coosa River, Alabama, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 338.	
<i>Trypanostoma terebrale</i> , n. s.	153
Jackson Co., Alabama, Dr. W. Spillman.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 339.	
<i>Lithasia purpurea</i> , n. s.	153
Cahawba River at Centreville, Bibb Co., Ala., Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 340.	
<i>Lithasia curta</i> , n. s.	153
North Alabama, Prof. Thomey and Dr. Spillman; Tuscombua, B. Pybus.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 340.	

1868. LEA, ISAAC—Continued.

<i>Schizostoma Wheatleyi</i> , n. s.	153
Coosa River, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 342.	
<i>Anulosa Downiei</i> , n. s.	153
Connesauga Creek, Georgia, Maj. T. C. Downie; Coosa River, Alabama, Dr. Showalter.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 342.	

253.

1868. LEA, ISAAC. Descriptions of seven new species of *Unio* from North Carolina.

<*Proc. Acad. Nat. Sci., Phila.*, xx, pp. 160-161.

Read before the Academy of Natural Sciences, June 2, 1868, and ordered to be published June 30, 1868. This forms part of No. 256.

<i>Unio dorsatus</i> , Lea, n. s.	160
Catawba River, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 300.	
<i>Unio datus</i> , Lea, n. s.	161
Paw Creek, Beaver Creek, and Long Creek, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 299.	
<i>Unio Beaverensis</i> , n. s.	161
Beaver and Long Creeks, N. C., C. M. Wheatley; Carter's Creek, Ga., J. Postell.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 297.	
<i>Unio nubilus</i> , n. s.	161
Paw Creek, Mecklenberg Co., N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 298.	
<i>Unio Pawensis</i> , n. s.	161
Paw Creek, Beaver Creek, and Catawba River, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , 1868, p. 302.	
<i>Unio humerosus</i> , n. s.	161
Charlotte, Mecklenberg Co., N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 301.	
<i>Unio geminus</i> , n. s.	161
Bissel's Pond, Charlotte, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 305.	

254.

1868. LEA, ISAAC. Description of two new species of *Unionidæ* from Equador.

<*Proc. Acad. Nat. Sci., Phila.*, xx, pp. 161-162.

Read before the Academy of Natural Sciences, June 2, 1868, and ordered to be published June 30, 1868. This forms part of No. 256.

<i>Unio Ortonii</i> , n. s.	161
River Napo, Equador, S. Amer., Prof. Orton.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 321.	
<i>Anodonta Napoensis</i> , n. s.	162
River Napo, Equador, S. Amer., Prof. Orton.	
<i>Journ. Acad. Nat. Sci.</i> , vi, 1868, p. 324.	

255.

1868. LEA, ISAAC. Descriptions of *Unionidæ* from the Lower Cretaceous Formation of New Jersey. <*Proc. Acad. Nat. Sci., Phila.*, xx, pp. 162-164.

Read before the Academy of Natural Sciences, June 9, 1868, and ordered to be published June 30, 1868. This forms part of No. 256.

The descriptions of the species are preceded by remarks upon the formation from which the shells were procured.

<i>Unio nasutoides</i> , Lea, n. s.	163
<i>Unio radiatoides</i> , Lea, n. s.	163
<i>Unio subrotundoides</i> , Lea, n. s.	163
<i>Unio carrioides</i> , Lea, n. s.	163
<i>Unio humerosoides</i> , Lea, n. s.	163
<i>Unio Roanokoides</i> , Lea, n. s.	164
<i>Unio ligamentinoides</i> , Lea, n. s.	164
<i>Unio alatoides</i> , Lea, n. s.	164
<i>Anodonta grandioides</i> , Lea, n. c.	164
<i>Anodonta corpulentoides</i> , Lea, n. s.	164

1868. LEA, ISAAC. Descriptions of Twelve New Species of Unionidæ | from South America. | Notes on some members of the Feldspar Family. | Description of Two New Species of the Genus | Lithasia. | Descriptions of Five New Species of the Genus Unio. | On Two New Minerals from Chester Co., Penn. | Descriptions of Five New Species of Unionidæ and | One Paludina of the United States. | Descriptions of Nine Species of Unionidæ from Lake | Nicaragua, Central America. | Descriptions of Sixteen New Species of the Genus | Unio of the United States. | Notes on some Singular forms of Chinese Species of | Unio. | Descriptions of Four New Species of Exotic Unionidæ. | Descriptions of Twenty-six New Species of Melanidæ | of the United States. | Descriptions of Seven New Species of Unio from | North Carolina. | Descriptions of Two New Species of Unionidæ from | Equador. | Descriptions of Unionidæ from the Lower Creta- | ceous Formation of New Jersey. | — | by | Isaac Lea, LL. D. | — | Philadelphia: | Merrihew & Son, Printers, | No. 243 Arch Street, | 1868. 8°. pp. 32.

This consists of Numbers 238, 239, 240, 241, 246, 247, 248, 249, 250, 251, 252, 253, 254, and 255.

1868. LEA, ISAAC. New Unionidæ, Melanidæ, etc., chiefly of the United States. < *Journ. Acad. Nat. Sci. Phila.*, vi, New Series, pp. 249-302. Plates 29 to 45 inclusive.

Read before the Academy of Natural Sciences, June 2, 1868. Extra copies printed for the author, December, 1868. (See *Journ. Acad. Nat. Sci., Phila.*, vi, n. s., p. 3.) This, with No. 258, forms No. 259.

The place where the Latin descriptions of these species first occurs is given after each species.

<i>Unio Homsensis</i> , Lea, pl. 29, fig. 63	249
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 285.	
<i>Unio Orphaensis</i> , Lea, pl. 29, fig. 64	250
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 285.	
<i>Unio Kullethensis</i> , Lea, pl. 29, fig. 65	251
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 285.	
<i>Unio Mardinensis</i> , Lea, pl. 30, fig. 66	252
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 286.	
<i>Monocondylæa Mardinensis</i> , Lea, pl. 30, fig. 67	252
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 286.	
<i>Unio Emcsaensis</i> , Lea, pl. 30, fig. 68	254
<i>Proc. Acad. Nat. Sci.</i> , 1864, p. 286.	
<i>Unio marginis</i> , Lea, pl. 31, fig. 69	255
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 89.	
<i>Unio proprius</i> , Lea, pl. 31, fig. 70	256
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 89.	
<i>Unio protensus</i> , Lea, pl. 31, fig. 71	256
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 88.	
<i>Unio amabilis</i> , Lea, pl. 31, fig. 72	257
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 89.	
<i>Unio Cromwellii</i> , Lea, pl. 31, fig. 73	258
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 89.	
<i>Unio Lyonii</i> , Lea, pl. 32, fig. 74	259
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 89.	
<i>Unio doliaris</i> , Lea, pl. 32, fig. 75	260
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 88.	
<i>Unio punctatus</i> , Lea, pl. 32, fig. 76	261
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 89.	
<i>Unio parvus</i> , Lea, pl. 33, fig. 77	262
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Unio apprimus</i> , Lea, pl. 33, fig. 78	263
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Unio locellus</i> , Lea	264
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	

1868. LEA, ISAAC—Continued.

<i>Unio peculiaris</i> , Lea, pl. 34, fig. 80	265
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 33.	
<i>Unio rugososulcatus</i> , Lea, pl. 34, fig. 81	266
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 33.	
<i>Unio firmus</i> , Lea, pl. 34, fig. 82	267
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 33.	
<i>Unio ampullaceus</i> , Lea, pl. 35, fig. 83	269
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Unio acutirostris</i> , Lea, pl. 35, fig. 84	279
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Unio Paraguayensis</i> , Lea, pl. 35, fig. 85	271
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Monocondylæa lentiformis</i> , Lea, pl. 36, fig. 86	272
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Monocondylæa Pazii</i> , Lea, pl. 36, fig. 88	273
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 34.	
<i>Anodonta Pazii</i> , Lea, pl. 36, fig. 87	274
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 35.	
<i>Mycetopus pygmaeus</i> , Lea	275
<i>Unio Jewettii</i> , Lea, pl. 37, fig. 89	276
<i>Proc. Acad. Nat. Sci.</i> , 1867, p. 81.	
<i>Unio Bisseliani</i> , Lea, pl. 37, fig. 90	277
<i>Proc. Acad. Nat. Sci.</i> , 1867, p. 81.	
<i>Unio Olinchensis</i> , Lea, pl. 37, fig. 91	278
<i>Proc. Acad. Nat. Sci.</i> , 1867, p. 81.	
<i>Unio evitatus</i> , Lea, pl. 38, fig. 92	279
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Unio Siamensis</i> , Lea, pl. 38, fig. 93	279
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Unio asperulus</i> , Lea, pl. 38, fig. 94	280
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Unio pilatus</i> , Lea, pl. 38, fig. 95	281
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Unio rufofuscus</i> , Lea, pl. 39, fig. 96	282
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 76.	
<i>Unio Wrightii</i> , Lea, pl. 39, fig. 97	283
<i>Proc. Acad. Nat. Sci.</i> , 1865, p. 75.	
<i>Unio tortuosus</i> , Lea, pl. 39, fig. 98	286
<i>Proc. Acad. Nat. Sci.</i> , 1:65, p. 76.	
<i>Anodonta Youkanensis</i> , Lea, pl. 40, fig. 99	287
<i>Proc. Acad. Nat. Sci.</i> , 1867, p. 81, spelled <i>Youconensis</i> .	
<i>Anodonta Granadensis</i> , Lea, pl. 41, fig. 100	288
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 96.	
<i>Anodonta Jewettii</i> , Lea, pl. 41, fig. 101	289
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95, spelled <i>Jewettiana</i> .	
<i>Anodonta lenticularis</i> , Lea, pl. 41, fig. 102	290
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Anodonta Bridgesii</i> , Lea, pl. 42, fig. 104	291
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Anodonta inequivalva</i> , Lea, pl. 43, fig. 108	292
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Unio Granadensis</i> , Lea, pl. 42, fig. 103	293
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Unio encarpus</i> , Lea, pl. 42, fig. 105	294
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Unio Gabbianus</i> , Lea, pl. 43, fig. 106	295
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Unio Nicaraguensis</i> , Lea, pl. 43, fig. 107	296
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 95.	
<i>Unio Bcaverensis</i> , Lea, pl. 44, fig. 109	297
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	
<i>Unio nubilus</i> , Lea, pl. 44, fig. 110	298
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	
<i>Unio datus</i> , Lea, pl. 44, fig. 111	299
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	

1868. LEA, ISAAC—Continued.

<i>Unio dorsatus</i> , Lea, pl. 45, fig. 112	300
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 160.	
<i>Unio humerosus</i> , Lea, pl. 45, fig. 113	301
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	
<i>Unio Pawensis</i> , Lea, pl. 45, fig. 114	302
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	

258.

1868 LEA, ISAAC. New Unionidæ, Melanidæ, etc., chiefly of the United States.

< *Journ. Acad. Nat. Sci., Phila.*, vi, 1868, pp. 303-343. Plates 46-54, inclusive.

Continuation of No. 257. Extra copies printed for the author December, 1868. This with No. 257 forms No. 259.

The place in the *Proc. Acad. Nat. Sci.* where the description of each species first occurs is given after the name of the species.

<i>Unio Murrayensis</i> , Lea, pl. 46, fig. 115	303
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 143.	
<i>Unio Uharéncsis</i> , Lea, pl. 46, fig. 116	304
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 145.	
<i>Unio genuinus</i> , Lea, pl. 46, fig. 117	305
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	
<i>Unio fassinans</i> , Lea, pl. 47, fig. 118	305
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 143.	
<i>Unio sparus</i> , Lea, pl. 47, fig. 119	306
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 143.	
<i>Unio Copci</i> , Lea, pl. 47, fig. 120	307
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio cylindrellus</i> , Lea, pl. 48, fig. 121	308
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio Brazosensis</i> , Lea, pl. 48, fig. 122	309
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio corvinus</i> , Lea, pl. 48, fig. 123	310
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio difficilis</i> , Lea, pl. 49, fig. 124	311
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio Linccumii</i> , Lea, pl. 49, fig. 125	312
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio Topckaensis</i> , Lea, pl. 49, fig. 126	313
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio corvunculus</i> , Lea, pl. 50, fig. 127	314
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 144.	
<i>Unio vallatus</i> , Lea, pl. 50, fig. 128	315
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 145.	
<i>Unio planior</i> , Lea, pl. 50, fig. 129	316
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 145.	
<i>Unio refulgens</i> , Lea, pl. 51, fig. 130	317
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 145.	
<i>Unio Strcbelii</i> , Lea, pl. 51, fig. 131	318
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Unio sphaericus</i> , Lea, pl. 51, fig. 132	319
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 145.	
<i>Unio Veraeruzensis</i> , Lea, pl. 52, fig. 133	320
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 150.	
<i>Unio Ortonii</i> , Lea, pl. 52, fig. 134	321
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 161.	
<i>Anodonta Strcbelii</i> , Lea, pl. 52, fig. 135	322
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 150.	
<i>Unio prunoides</i> , Lea, pl. 53, fig. 136	323
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 150.	
<i>Anodonta Napoensis</i> , Lea, pl. 53, fig. 137	324
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 162.	
<i>Unio Chinensis</i> , Lea, pl. 53, fig. 138	325
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 150.	

Here follow descriptions of the soft parts of the following species:

1868. LEA, ISAAC—Continued.

<i>Unio pliciferous</i> , Lea	326
<i>Unio umbrosus</i> , Lea	326
<i>Unio granulatus</i> , Lea	327
<i>Unio consanguineus</i> , Lea	327
<i>Unio Lewisii</i> , Lea	327
<i>Margaritana Holstonia</i> , Lea	327
<i>Goniobasis Wheatleyi</i> , Lea, pl. 54, fig. 1	328
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis similis</i> , Lea, pl. 54, fig. 2	328
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis sulcata</i> , Lea, pl. 54, fig. 3	329
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis arata</i> , Lea, pl. 54, fig. 4	329
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis Gesnerii</i> , Lea, pl. 54, fig. 5	330
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis Whitfieldensis</i> , Lea, pl. 54, fig. 6	330
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151. (Changed from <i>tenebrosa</i> , which name is pre-occupied.)	
<i>Goniobasis bifasciata</i> , Lea, pl. 54, fig. 7	331
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis clathrata</i> , Lea, pl. 54, fig. 8	331
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis Gouldiana</i> , Lea, pl. 54, fig. 9	332
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151, under name of <i>G. pulchella</i> .	
<i>Goniobasis luteocella</i> , Lea, pl. 54, fig. 10	332
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 151.	
<i>Goniobasis Connesaugaensis</i> , Lea, pl. 54, fig. 11	333
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis contigua</i> , pl. 54, fig. 12	334
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis Murrayensis</i> , pl. 54, fig. 13	334
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis granatoides</i> , Lea, pl. 54, fig. 14	335
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis clavula</i> , Lea, pl. 54, fig. 15	335
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis cochliaris</i> , Lea, pl. 54, fig. 16	336
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis venusta</i> , Lea, pl. 54, fig. 17	336
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Goniobasis ornata</i> , Lea, pl. 54, fig. 18	337
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Trypanostoma nuciforme</i> , Lea, pl. 54, fig. 19	337
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Trypanostoma castaneum</i> , Lea, pl. 54, fig. 20	338
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 152.	
<i>Trypanostoma Wheatleyi</i> , Lea, pl. 54, fig. 21	338
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 153.	
<i>Trypanostoma terebrale</i> , Lea, pl. 54, fig. 22	339
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 153.	
<i>Lithasia purpurea</i> , Lea, pl. 54, fig. 23	340
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 153.	
<i>Lithasia curta</i> , Lea, pl. 54, fig. 24	340
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 153.	
<i>Lithasia Wheatleyi</i> , Lea, pl. 54, fig. 25	341
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Lithasia cylindrica</i> , Lea, pl. 54, fig. 26	341
<i>Proc. Acad. Nat. Sci.</i> , 1866, p. 133.	
<i>Schizostoma Wheatleyi</i> , Lea, pl. 54, fig. 27	342
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 153.	
<i>Anculosa Downiei</i> , Lea, pl. 54, fig. 28	342
<i>Proc. Acad. Nat. Sci.</i> , 1868, p. 153.	
<i>Paludina Spillmanii</i> , Lea, pl. 54, fig. 29	343
<i>Proc. Acad. Nat. Sci.</i> , 1867, p. 81.	

259.

1869. LEA, ISAAC. Observations | on the | Genus *Unio*; | together with | Descriptions of New Species in the Family Unionidæ, | and Descriptions of New Species of the | Melanidæ and Paludinæ. | Read before the Academy of Natural Sciences of Philadelphia, and Published | in their Journal. | by | Isaac Lea, LL. D., | Vice-President of the American Philosophical Society, Etc., Etc. | With Twenty-Six Plates. | Vol. XII. | — | Philadelphia: | Printed for the Author. 4°, pp. 105, with plates, 29 to 54 inclusive.

This is a reprint of numbers 257 and 258.

260.

1869. LEA, ISAAC. Index | to Vol. XII. | and Supplementary Index to Vols. I. to XI. of | Observations | on the | Genus *Unio*, | together with | Description of New Species of the Family Unionidæ, | and | Description of New Species of the Melanidæ, | Paludinæ, Helicidæ, Etc. | Read before the American Philosophical Society and the Academy of Natural | Sciences of Philadelphia, from 1827 to 1868. | by | Isaac Lea, LL. D., Etc. | — | Vol. II. | — | Philadelphia: | Printed for the Author | by T. K. Collins, 705 Jayne Street. | 1869. 4°, pp. 23.

"The index which I published, in 1867, of the eleven volumes of my Observations on the Genus *Unio*, etc., has proved so useful for reference to the Genera and Species described by me, I am induced to continue it for Vol. XII., and to issue with it an index of the *subject-matter* of the whole twelve volumes. I have also included tables of Errata and Corrigenda, that the whole may be made as complete and useful to the student of this interesting branch of zoology as possible."—Contents, p. 3.

ORDER OF ARRANGEMENT.

Section I. embraces new species of North American *Unionidæ*, original descriptive matter, and miscellaneous references to the same species in Vol. XII., in continuation of Section I., Index to Vols. I. to XI.

Subsections—*Unio*, Margaritana, Anodonta.

Section II. embraces new species of *Unionidæ* of Mexico and Central America, original descriptive matter, and miscellaneous references to the same species in Vol. XII., in continuation of Section II., Index to Vols. I. to XI.

Subsections—*Unio*, Anodonta.

Section III. embraces new species of Exotic *Unionidæ*, original descriptive matter, and references to the same species in Vol. XII., in continuation of Section III., Index to Vols. I. to XI.

Subsections—*Unio*, Anodonta, Monocondylea, Mycetopus.

Section IV. embraces Miscellaneous *Unionidæ*, etc. (genera and species), to which incidental references have been made in classifying and comparing species under description, in Vol. XII., in continuation of Section IV., Index to Vols. I. to XI.

Subsections—Anodonta, *Area*, Castalia, Dipsas, Iridina, Monocondylea, Mycetopus, Prisdou, Spatha, Triquetra.

Section V. embraces Operculated Univalve Aquatic *Mollusca* in Vol. XII., in continuation of Section V. Index to Vols. I. to XI.

Part A. embraces new species only, and miscellaneous references to the same.

Part B. embraces miscellaneous species, subjects of incidental remarks in classifying and comparing species under description.

Subsections—Anculosa, Goniobasis, Lithasia, Paludina, Schizostoma, Trypanostoma.

Section VI. embraces *subject-matter* (not necessarily descriptive or comparative of species) in the series of volumes from I. to XII. alphabetically arranged. Nearly all that refers to Vol. I. to XI. is supplementary, and will not be found in the previous index.

Section VII. embraces Errata and Corrigenda.

Part A. is supplementary to the table of "Errata and Corrigenda" of Vols. I. to XI. in the index to those volumes.

Part B. embraces Errata and Corrigenda of Vol. XII.

Part C. embraces Errata and Corrigenda of Index to Vols. I. to XI.

261.

1869. LEA, ISAAC. Notes on Microscopic Crystals included in some Minerals. <Proc. Acad. Nat. Sci., Phila., xxi, p. 4. February, 1869. Separate with No. 262. 8°. pp. 7.

Read before the Academy of Natural Sciences February 16, 1869, and ordered to be published Feb. 23, 1869. This forms part of No. 272.

262.

1869. LEA, ISAAC. Further Notes on Microscopic Crystals in some of the Gems, &c. <Proc. Acad. Nat. Sci., Phila., xxi, pp. 119-121. May, 1869. Separate with No. 261. 8°. pp. 7.

Read before the Academy of Natural Sciences May 11, 1869, and ordered to be published May 23, 1869. This forms part of No. 272.

263.

1869. LEA, ISAAC. Descriptions of six new species of Fresh Water Shells. <Proc. Acad. Nat. Sci., Phila., xxi, pp. 124-125. June, 1869.

Read before the Academy of Natural Sciences June 15, 1869. This forms part of No. 272. Latin descriptions of the species, with mention of Habitat.

<i>Unio Maeniellii</i> , Lea, n. s.	124
Rio Gigillillo, Corcuera, Nicaragua, Cent. Amer., M. J. A. McNiel. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 25.	
<i>Goniobasis baculoides</i> , Lea, n. s.	125
Coosa River, Alab., Dr. Schowalter. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 62.	
<i>Goniobasis Lawrenceii</i> , Lea, n. s.	125
Washita River, near Hot Springs, Arkansas, Dr. Lawrence. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 62, as <i>G. Lawrencei</i> .	
<i>Schizostoma Lewisii</i> , Lea, n. s.	125
Coosa River, Alabama, Dr. Schowalter. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 61.	
<i>Physa Carltonii</i> , Lea, n. s.	125
Mount Diablo, California, W. G. W. Harford. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 63.	
<i>Physa Wolfiana</i> , Lea, n. s.	125
Hot Springs, Colorado Ter., Prof. J. W. Powell. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 63.	

264.

1869. LEA, ISAAC. Are Unios sensitive to light. <Amer. Journ. Sci. Arts, xlvii, 1869, pp. 430-431.

265.

1870. LEA, ISAAC. A | Synopsis | of the | Family Unionidæ. | by | Isaac Lea, LL. D., | Vice President of the American Philosophical Society; | Late President of the Academy of Natural Sciences of Philadelphia; | Member of the Zoological Society of London, Etc., Etc. | Fourth Edition, very greatly enlarged and improved. | Philadelphia: | Henry C. Lea. | 1870. 4to. pp. xxx, 25-184. Dedicated to Isaac Hays, M. D.

Preface to Fourth Edition.

"It is now eighteen years since the last edition of this 'Synopsis' was published. The advancement of the knowledge of Natural History has been accelerated during that period by the labors of many men of science, the younger of whom have embraced the study with great earnestness and energy. The effect of this progress has been felt very sensibly in that interesting group of *Mollusca* which embraces the Family *Unionidæ*. Consequently the Additions of species and synonyms have been largely increased, resulting, in fact, in more than doubling the lists of the last edition. The labor required for this portion of the work has been very great.

The same principles of arrangement of the tabular system which were used in the previous editions have been retained in this. After the experience of thirty-four years since the first

1870. LEA, ISAAC—Continued.

edition was issued, I have had no reason to believe that any better arrangement could be devised in the present state of our knowledge. The tables have therefore been extended to the present time, and have been so much enlarged with new matter as almost to entitle the work to be considered a new one. This has been done with a faithful desire to recognize every fellow-laborer in this group, and to render to each one full justice. Some may have been omitted, for want of access to their works—none intentionally.

The present edition is greatly improved and enlarged by additions to the geographical distribution tables, and by the habitat of each of the species; and the *Index* referring to the tables of species and synonymy has had the exact references fully made to the works where they were originally announced. These two very important additions to the previous editions will facilitate the use of reference to all the works on the subject which this 'Synopsis' embraces.

These tables were originally made for my own use. Subsequently I was induced to print them, and they have now expanded to a large volume. With all the care which has been bestowed on them, I do not present them as a perfect and complete work, and I trust that any omissions and errors may be pointed out to me.

The Bibliographical List of the *Unionidæ* at the end of the volume will surprise the general student by its enormous extent, comprising, as it does, about eleven hundred references, and yet I am perfectly aware that many works will be found to exist which have never come under my notice."

CONTENTS.

Corrigenda et Addenda	viii
Synopsis of the Family Unionidæ.....	ix
Division of the Family Unionidæ.....	xxvi
Genus <i>Margarona</i>	25
Subgenus <i>Triquetra</i>	25
Subgenus <i>Prisodon</i>	27
Subgenus <i>Unio</i>	xiii, 28
Subgenus <i>Margaritana</i>	67
Subgenus <i>Plagiodon</i>	71
Subgenus <i>Monocondylea</i>	72
Subgenus <i>Dipsas</i>	74
Subgenus <i>Anodonta</i>	75
Subgenus <i>Columba</i>	86
Subgenus <i>Byssanodonta</i>	87
Genus <i>Platiris</i>	88
Subgenus <i>Iridina</i>	88
Subgenus <i>Spatha</i>	89
Subgenus <i>Mycetopus</i>	90
Geographical Distribution of the Species of the Family Unionidæ	93
Genus <i>Margarona</i>	93
Subgenus <i>Triquetra</i>	93
Subgenus <i>Prisodon</i>	93
Subgenus <i>Unio</i>	93
Subgenus <i>Margaritana</i>	103
Subgenus <i>Plagiodon</i>	104
Subgenus <i>Monocondylea</i>	104
Subgenus <i>Dipsas</i>	104
Subgenus <i>Anodonta</i>	104
Subgenus <i>Columba</i>	107
Subgenus <i>Byssanodonta</i>	107
Genus <i>Platiris</i>	108
Subgenus <i>Iridina</i>	108
Subgenus <i>Spatha</i>	108
Subgenus <i>Mycetopus</i>	108
Index of Species	109
Alphabetical List of Works referring to the Unionidæ in this volume	149
Chronological Bibliography of the Unionidæ.....	157
Appendix	183

266.

1871. LEA, ISAAC. Description of three new species of Exotic Unionidæ. <Proc. Acad. Nat. Sci., Phila., xxiii, p. 188. October, 1871.

Read before the Academy of Natural Sciences June 13, 1871, and ordered to be published June 27, 1871. Presented to the meeting of the Academy October 24, 1871. (See Proc. Acad. Nat. Sci., Phila., xxiii, p. 6.) This forms part of No. 272.

1871. LEA, ISAAC—Continued.

- Full notes on the species to be found in *Journal Acad. Nat. Sci.*, viii, 1874, and *Obs.*, xiii.
- Unio Jeffreysianus*, Lea, n. s. 188
Australia, C. M. Wheatley.
Journ. Acad. Nat. Sci., viii, 1874, p. 23.
- Unio Stevensii*, Lea, n. s. 188
Ynuari River, Tributary to Essequibo River, Guiana, R. P. Stevens.
Journ. Acad. Nat. Sci., viii, 1874, p. 22.
- Anodonta exilior*, Lea, n. s. 188
Mexico, C. M. Wheatley.
Journ. Acad. Nat. Sci., viii, 1874, p. 24.

267.

1871. LEA, ISAAC. Descriptions of Twenty New Species of Uniones of the United States. <*Proc. Acad. Nat. Sci., Phila.*, xxiii, pp. 189-193. October, 1871.

Read before the Academy of Natural Sciences June 13, 1871, and ordered to be published June 27, 1871. Presented to the meeting of the Academy October 24, 1871. (See *Proc. Acad. Nat. Sci.*, xxiii, p. 6.) This forms part of No. 272.

Latin descriptions of the species, with mention of habitat. Full notes on species in *Journ. Acad. Nat. Sci., Phila.*, vol. viii, 1874, and *Obs.*, etc.

- Unio Lawii*, Lea, n. s. 189
Tennessee River, Tusculmbia, Alab., B. Pybas; Tenn. River, Dr. Edgar; Holston River, Miss., A. E. Law and Prof. Cope.
Journ. Acad. Nat. Sci., viii, 1874, p. 8.
- Unio appressus*, Lea, n. s. 189
Tusculmbia, Alab., B. Pybas and J. G. Anthony; Holston River, Miss Law and C. M. Wheatley.
Journ. Acad. Nat. Sci., viii, 1874, p. 12.
- Unio validus*, Lea, n. s. 189
Duck River, Tenn., Dr. Powell; Clinch River, Pres. Estabrook; Holston River, Dr. Edgar and Miss Law.
Journ. Acad. Nat. Sci., viii, p. 6.
- Unio titus*, Lea, n. s. 189
Cahaba River, Shelby Co., Alab., E. R. Schowalter, M. D.
Journ. Acad. Nat. Sci., viii, 1874, p. 17.
- Unio simulans*, Lea, n. s. 190
Cahaba River, Shelby Co., Alab., E. R. Schowalter, M. D.
Journ. Acad. Nat. Sci., viii, 1874, p. 18.
- Unio Cahabensis*, Lea, n. s. 190
Cahaba River, Shelby Co., Alab., E. R. Schowalter, M. D.
Journ. Acad. Nat. Sci., viii, 1874, p. 17.
- Unio acuens*, Lea, n. s. 190
Holston River, near Concord, E. Tenn., Miss Law.
Journ. Acad. Nat. Sci., viii, 1874, p. 27.
- Unio crudus*, Lea, n. s. 190
French Broad River, E. Tenn., Pres. Lindsley; Swamp Creek, Murray Co., Geo., Maj. Downie; Holston River, Miss Law and C. M. Wheatley.
Journ. Acad. Nat. Sci., viii, 1874, p. 14.
- Unio Tusculmbiensis*, Lea, n. s. 190
Tusculmbia, Alab., L. B. Thornton, Esq.; Holston River, E. Tenn., Dr. Edgar.
Journ. Acad. Nat. Sci., viii, 1874, p. 11.
- Unio dispansus*, Lea, n. s. 191
East Tennessee, Dr. Edgar.
Journ. Acad. Nat. Sci., viii, 1874, p. 19.
- Unio Pealei*, Lea, n. s. 191
Topeka, Kansas, Chas. W. Peale.
Journ. Acad. Nat. Sci., viii, 1874, p. 26.
- Unio globatus*, Lea, n. s. 191
Holston River, Dr. Edgar; Etowah River, Georgia, Thos. Bland.
Journ. Acad. Nat. Sci., viii, 1874, p. 5.
- Unio subglobatus*, Lea, n. s. 191
Florence, Alab., B. Pybas; Nashville, Tenn., Pres. J. B. Lindsley.
Journ. Acad. Nat. Sci., viii, 1874, p. 7.

1871. LEA, ISAAC—Continued.

<i>Unio recurvatus</i> , Lea, n. s.	192
Tenn. River, J. G. Anthony; Holston River, E. Tenn., Miss Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 10.	
<i>Unio obuncus</i> , Lea, n. s.	192
Tusculum, Alab.; Holston River, E. Tenn., Miss Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 9.	
<i>Unio radiosus</i> , Lea, n. s.	192
Holston River, E. Tenn., C. M. Wheatley & Miss Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 13.	
<i>Unio circumactus</i> , Lea, n. s.	192
Florence, Alab., Rev. G. White; Holston River, Miss Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 15.	
<i>Unio radiolus</i> , Lea, n. s.	192
Ogeechee River, Liberty Co., Geo., Major John Le Conte.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 21.	
<i>Unio pattinoides</i> , Lea, n. s.	193
Clinch River, Pres. Estabrook; Holston River, Dr. Edgar and Miss Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 16.	
<i>Unio Santeensis</i> , Lea, n. s.	193
Santee Canal, S. C., Dr. Foreman; Oconee River, Georgia, Major J. Le Conte.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 20.	

268.

1872. LEA, ISAAC. Descriptions of Twenty-nine Species of Unionidæ from the United States. <*Proc. Acad. Nat. Sci., Phila.*, xxiv, pp. 155-161. June, 1872.

Read before the Academy of Natural Sciences June 4, 1872, and ordered to be published June 25, 1872. Pages 121-168 presented to the meeting of the Academy September 3, 1872. (See *Proc. Acad. Nat. Sci., Phila.*, xxiv, p. ii.) This forms part of No. 272.

This consists of the Latin descriptions of the species, with mention of the habitat of each. The place where the full notes are to be found will be indicated after each species.

<i>Unio Tellicoensis</i> , Lea, n. s.	155
Tellico River, Monroe Co., E. Tenn., Miss A. E. Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 31.	
<i>Unio Conasaugaensis</i> , Lea, n. s.	155
Conasauga Creek, Monroe Co., E. Tenn., Miss A. E. Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 33.	
<i>Unio lenticularis</i> , Lea, n. s.	155
Tellico River, Monroe Co., E. Tenn., Miss A. E. Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 30.	
<i>Unio Andersonensis</i> , Lea, n. s.	155
Holston River and Clinch River, Anderson Co., E. Tenn., Miss A. E. Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 36.	
<i>Unio flavidus</i> , Lea, n. s.	156
Clinch River, Anderson Co., E. Tenn., Miss A. E. Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 28.	
<i>Unio pauciplicatus</i> , Lea, n. s.	156
Austin, Texas, Prof. C. G. Forshey.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 29.	
<i>Unio vesicularis</i> , Lea, n. s.	156
Lake Ocheechee, Florida, Dr. Budd and C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 37.	
<i>Unio conspicuus</i> , Lea, n. s.	156
Yadkin River, near Salisbury, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 34.	
<i>Unio Yadkinensis</i> , Lea, n. s.	156
Yadkin River, near Salisbury, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 32.	
<i>Unio brevis</i> , Lea, n. s.	157
Conasauga Creek, Monroe Co., E. Tenn., Miss A. E. Law.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 35.	
<i>Unio amplus</i> , Lea, n. s.	157
Irwin's Creek, Mecklenberg Co., N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 39.	

1872. LEA, ISAAC—Continued.

<i>Unio ligatus</i> , Lea, n. s.	157
Irwin's Creek, Mecklenberg Co., and Long Creek, Gaston Co., N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 49.	
<i>Unio attenuatus</i> , Lea, n. s.	157
Savannah River, Georgia, Dr. Barratt; and Beaver Creek, Houston Co., Georgia, Dr. J. Lewis.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 41.	
<i>Unio difertus</i> , Lea, n. s.	158
Georgia, ? Major J. Le Conte.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 42.	
<i>Unio strumosus</i> , Lea, n. s.	158
Yadkin River, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 57.	
<i>Unio subparallelus</i> , Lea, n. s.	158
Irwin's Creek and Fox River, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 46.	
<i>Unio oblongus</i> , Lea, n. s.	158
Irwin's Creek, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 52.	
<i>Unio Irwinensis</i> , Lea, n. s.	159
Irwin's Creek, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 44.	
<i>Unio curvatus</i> , Lea, n. s.	159
Pfeiffer's Pond, Mecklenberg Co., N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 38.	
<i>Unio insolidus</i> , Lea, n. s.	159
Abbeville Dist., N. C., Dr. Barratt; and Irwin's Creek, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 40.	
<i>Unio cuspidatus</i> , Lea, n. s.	159
Buckhead Creek, Burke Co., Georgia, Bishop Elliott.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 43.	
<i>Unio exacutus</i> , Lea, n. s.	159
Savannah River at Governor Hamilton's, Georgia, Dr. Barratt.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 45.	
<i>Unio subsquamosus</i> , Lea, n. s.	160
Yadkin River, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 47.	
<i>Unio rostcllum</i> , Lea, n. s.	160
Macon, Georgia, I. C. Plant.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 44.	
<i>Unio infuscus</i> , Lea, n. s.	160
Fox River and Irwin's Creek, N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 51.	
<i>Unio ratus</i> , Lea, n. s.	160
Neuse River, N. C., Prof. E. Emmons.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 52.	
<i>Unio dissimilis</i> , Lea, n. s.	161
Long Creek, Gaston Co., and Pfeiffer's Pond, Mecklenberg Co., N. C., C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 53.	
<i>Unio bellulus</i> , Lea, n. s.	161
Holston River, Dr. Edgar; Tenn. River, Rev. G. White; Mussel Shoals, Tenn. River, Alabama, C. M. Wheatley.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 50.	
<i>Unio basalis</i> , Lea, n. s.	161
Carter's Creek, near Columbus, Georgia, G. Hallenbeck.	
<i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 48.	

1872. LEA, ISAAC. Rectification | of | T. A. Conrad's | "Synopsis of the Family of Naïades of | North America," | published in the | "Proceedings of the Academy of Natural Sciences | of Philadelphia, | February, 1853." | New edition. |

1872. LEA, ISAAC—Continued.

By | Isaac Lea, LL. D. | Philadelphia: | Collins, Printer, 705 Jayne Street. | 1872. | 8°. pp. 45. Pamphlet.

(See numbers 101 and 237.)

NOTICE.

The previous edition of my "Rectification" of Mr. Conrad's "Synopsis of the Family of Naïades of North America" being exhausted, I am induced to reprint it complete as originally read before the Academy of Natural Sciences, February 7, 1854. The parts now inserted in brackets [—] are those which, on consultation with the committee appointed on the paper, I consented should be left out. These were chiefly the arguments regarding *priority* of publication, and the opinions of the principal naturalists regarding the claims of M. Rafinesque. All the matter in brackets is precisely as originally read by me to the Academy.

In addition there are two foot-notes on pages 7 and 10, written and dated at the present time. They are intended to be explanatory.

In the "Bibliography of North American Conchology," by W. G. Binney, "Smithsonian Miscellaneous Collections," Part I, 1863, the "Synopsis of the Family of North America," by E. A. Conrad, is tabulated in eight pages, double column. It would naturally be supposed, in pretending to give a complete bibliography, that my "Rectification" of this very erroneous "Synopsis" would have been inserted by Mr. Binney as a part of the Bibliography of North American Conchology, and have followed in its proper place, so that the student of American Conchology could at least have known the facts. Such, however, was not the case. He simply gave the title, and says, "as regards errors of dates the following are specified"—and then cites *four* specific names, with dates, instead of nearly *one hundred*. Mr. Binney, therefore, evidently used the "Bibliography" for personal purposes, depriving the student of the power of ascertaining the facts, unless he referred to my original publication in the Proceedings of the Academy of Natural Sciences. It was very natural that I should apply to Prof. Henry, the Secretary of the Smithsonian Institution, for a correction of this omission, which he very kindly promised should be made in Part II, to come out the next year, 1864. In an Appendix of this Part, Mr. Binney published a mere useless catalogue of names, *without a date and without a single correction* of Mr. Conrad's erroneous dates of my species, for which the "Rectification" was expressly written. In the caption of this Appendix, Mr. Binney says that "Mr. Lea having requested that the whole of his 'Rectification' should be published, I add a list of the species to which he refers in that paper." This is not the fact; I only requested Prof. Henry to have inserted *the tables* of the corrected dates of species, so that all naturalists interested in the subject might be able to judge for themselves. The tables, as inserted at pages 273 and 274 by Mr. Binney, are utterly useless for any purpose, as they do not correct a single error of Mr. Conrad's dates of my species, the very object of the publication of my "Rectification."

Subsequently, on my complaining to Prof. Henry of this second act of injustice by Mr. Binney, he requested another copy of the tables of my "Rectification" for the purpose of inserting it in another Appendix, and he very kindly has published it in Vol. IX, p. 289, of "Smithsonian Miscellaneous Collections," 1869, under his own name. Unfortunately, it never can be of the same use to science as if it had been in its proper place in Part I, and in the interim six years had elapsed.*

The unreliability and danger of taking a date of species, on assumptive grounds, and putting aside that of a paper regularly read before an accredited scientific society—placing a fictitious date in its place—are so fully exemplified in the case of Mr. Conrad's paper on Tertiary Fossils, American Journal of Conchology, Vol. I, 1865, that I am induced to print my correspondence with the editor in regard to it. In this paper, some of my species read before the Academy of Natural Sciences, August 27, 1833, and issued printed the last of November following, with illustrations, and the imprint of 1833, Mr. Conrad has placed the date of April, 1834, and made them synonyms to those of his paper issued in 1833. This correspondence will fully exemplify the absurdity of taking dates from individual authority, and rejecting those of accredited scientific bodies.

*In the remarks of the editor of the "American Journal of Conchology," Vol. I, p. 270, he criticises the course taken by Mr. Binney, and says "a book of this nature should afford every possible information to those who have occasion to consult it," and that I had proved the priority of certain of "his [my] species by evidence which had never been questioned. Yet Mr. Binney has not deemed it advisable even to mention the dates stated by Mr. Lea except in regard to four species only, and thus those who in future times depend, as they certainly will, on the Bibliography, for the synonymy of these species, will be misled into the perpetuation of a wrong."

270.

1874. LEA, ISAAC. Description of Seven New Species of Unionidæ of the United States. <Proc. Acad. Nat. Sci., Phila., xxv, pp. 422-423.

Read before the Academy of Natural Sciences Nov. 25, 1873. Ordered to be published Dec. 30, 1873. Pages 409-424 of the Proceedings, presented to the Society at the meeting of February 17, 1874. (See Proc. Acad. Nat. Sci., Phila., xxv, 1873, pp. ii.) This forms part of No. 272.

<i>Unio infulgens</i> , Lea, n. s.	422
Stewart's Pond, Union Co., N. C., C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 60.	
<i>Unio subolivaceus</i> , Lea, n. s.	422
Catawba River, Fox and Yadkin Rivers, N. C., C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , 1874, p. 57.	
<i>Unio cirratus</i> , Lea, n. s.	422
Abbeville Dist., S. C., Dr. Barratt. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 55.	
<i>Unio subcylindraceus</i> , Lea, n. s.	422
Rocky Creek, near Macon, Georgia, J. C. Plant; and Carter's Creek, Georgia, J. Postell. <i>Journ. Acad. Nat. Sci.</i> , viii, 1878, p. 58.	
<i>Unio hastatus</i> , Lea, n. s.	423
New Market, Abbeville Dist., S. C., Dr. L. R. Gibbs and Dr. Barratt; and Rocky Creek, near Macon, Georgia, J. C. Plant. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 56.	
<i>Unio corneus</i> , Lea, n. s.	423
Columbus, Georgia, G. Hallenbeck; Abbeville Dist., S. C., Dr. Barratt; Marietta, Georgia, J. C. Anthony. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 59.	
<i>Unio strumosus</i> , Lea, n. s.	423
Yadkin River, N. C., C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , 1874, p. 57, first described in <i>Proc. Acad. Nat. Sci.</i> , 1872, p. 158.	

271.

1874. LEA, ISAAC. Description of Three New Species of Uniones of the United States.

<Proc. Acad. Nat. Sci., Phila., xxv, p. 424.

Read before the Academy of Natural Sciences December 23, 1873, and ordered to be printed Dec. 30, 1873. Pages 409-424 presented to the meeting of the Society Feb. 17, 1874. (See Proc. Acad. Nat. Sci., Phila., xxv, 1873, p. ii.) This forms part of No. 272.

<i>Unio Dooleysensis</i> , Lea, n. s.	424
Dooley Co., Georgia, Rev. G. White; Abbeville, S. C., Dr. Barratt. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 64.	
<i>Unio invenustus</i> , Lea, n. s.	424
Columbus, Georgia, G. Hallenbeck; Russel Co., Georgia, Dr. Neisler; Irwin's Creek, North Carolina, C. M. Wheatley. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 66.	
<i>Unio Gesnerii</i> , Lea, n. s.	424
Uchee River, near Columbus, Georgia, Dr. J. Lewis. <i>Journ. Acad. Nat. Sci.</i> , viii, 1874, p. 65.	

272.

1874 LEA, ISAAC. Notes on Microscopic Crystals included in | some Minerals. | Further Notes on Microscopic Crystals in | some of the Gems, Etc. (With a Plate.) | Descriptions of Six New Species of Fresh | Water Shells. | Descriptions of Three New Species of Exotic | Unionidæ. | Descriptions of Twenty New Species of Uni- | ones of the United States. | Descriptions of Twenty-Nine Species of Uni- | onidæ of the United States. | Descriptions of Seven New Species of Union- | idæ of the United States. | Descriptions of Three New Species of Uniones | of the United States. | by | Isaac Lea, LL. D., Etc. | Philadelphia: | Collins, Printer, 705 Jayne Street, | 1874. 8°. pp. 24. Pamphlet.

This consists of Nos. 261, 262, 263, 266, 267, 268, 270, & 271.

1874. LEA, ISAAC. Description of fifty-two species of Unionidæ. <Journ. Acad. Nat. Sci., Phila., viii. New series. Pp. 5-54. With plates I to XVIII.

Read before the Academy Natural Sciences, Phila., September 15, 1873. Ordered to be printed in the Journ. of the Acad. Sept. 15, 1873. Extra copies printed for the author March 30, 1874. (See Table of Contents of Journ. Acad. Nat. Sci., Phila., viii, n. s. Part I.) This with No. 274 forms No. 275. Reprinted with plates in Observations on the Genus Unio, vol. xiii.

The descriptions of these species were published in various articles in the Proc. Acad. Nat. Sci., Phila., previous to the reading of this paper. The place where each species was first described is indicated after each species.

<i>Unio globatus</i> , Lea, pl. 1, fig. 1	5
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 191.	
<i>Unio validus</i> , Lea, pl. 1, fig. 2	6
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 189.	
<i>Unio subglobatus</i> , Lea, pl. 1, fig. 3	7
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 191.	
<i>Unio Lawii</i> , Lea, pl. 2, fig. 4	8
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 189.	
<i>Unio obuncus</i> , Lea, pl. 2, fig. 5	9
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 192.	
<i>Unio recurvatus</i> , Lea, pl. 2, fig. 6	10
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 192.	
<i>Unio Tuscumbiensis</i> , Lea, pl. 3, fig. 7	11
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 190.	
<i>Unio appressus</i> , Lea, pl. 3, fig. 8	12
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 189.	
<i>Unio radiosus</i> , Lea, pl. 3, fig. 9	13
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 192.	
<i>Unio crudus</i> , Lea, pl. 4, fig. 10	14
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 190.	
<i>Unio circumactus</i> , Lea, pl. 4, fig. 11	15
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 192.	
<i>Unio pattinoides</i> , Lea, pl. 4, fig. 12	16
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 193.	
<i>Unio litus</i> , Lea, pl. 5, fig. 13	17
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 189.	
<i>Unio Cahabensis</i> , Lea, pl. 5, fig. 14	17
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 190.	
<i>Unio simulans</i> , Lea, pl. 5, fig. 15	18
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 190.	
<i>Unio dispansus</i> , Lea, pl. 6, fig. 16	19
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 191.	
<i>Unio Santéensis</i> , Lea, pl. 6, fig. 17	20
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 193.	
<i>Unio radiolus</i> , Lea, pl. 6, fig. 18	21
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 192.	
<i>Unio Stevcnsii</i> , Lea, pl. 7, fig. 19	22
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 188.	
<i>Unio Jeffreysianus</i> , Lea, pl. 7, fig. 20	23
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 188.	
<i>Anodonta exilior</i> , Lea, pl. 7, fig. 21	24
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 188.	
<i>Unio Macneilii</i> , Lea, pl. 8, fig. 22	25
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1869, p. 124.	
<i>Unio Pealei</i> , Lea, pl. 8, fig. 23	26
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 191.	
<i>Unio acuens</i> , Lea, pl. 8, fig. 24	27
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1871, p. 190.	
<i>Unio flavidus</i> , Lea, pl. 9, fig. 25	28
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 156.	
<i>Unio pauciplicatus</i> , Lea, pl. 9, fig. 26	29
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 156.	
<i>Unio lenticularis</i> , Lea, pl. 9, fig. 27	30
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 155.	

1874. LEA, ISAAC—Continued.

<i>Unio Tellicoensis</i> , Lea, pl. 10, fig. 28	31
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 155.	
<i>Unio Yadrincensis</i> , Lea, pl. 10, fig. 29	32
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 156.	
<i>Unio Conasaugaensis</i> , Lea, pl. 10, fig. 30	33
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 155.	
<i>Unio conspicuus</i> , Lea, pl. 11, fig. 31	34
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 156.	
<i>Unio brevis</i> , Lea, pl. 12, fig. 32	35
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 157.	
<i>Unio Andersonensis</i> , Lea, pl. 12, fig. 33	36
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 155.	
<i>Unio vesicularis</i> , Lea, pl. 12, fig. 34	37
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 156.	
<i>Unio curvatus</i> , Lea, pl. 13, fig. 35	38
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 159.	
<i>Unio amplus</i> , Lea, pl. 13, fig. 36	39
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 157.	
<i>Unio insolidus</i> , Lea, pl. 13, fig. 37	40
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 159.	
<i>Unio attenuatus</i> , Lea, pl. 14, fig. 38	41
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 157.	
<i>Unio difertus</i> , Lea, pl. 14, fig. 39	42
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 158.	
<i>Unio cuspidatus</i> , Lea, pl. 14, fig. 40	43
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 159.	
<i>Unio rostellum</i> , Lea, pl. 15, fig. 41	44
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 160.	
<i>Unio Irwinensis</i> , Lea, pl. 15, fig. 42	44
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 159.	
<i>Unio exacutus</i> , Lea, pl. 15, fig. 43	45
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 159.	
<i>Unio subparallelus</i> , Lea, pl. 16, fig. 44	46
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 158.	
<i>Unio subsquamosus</i> , Lea, pl. 16, fig. 45	47
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 160.	
<i>Unio basalis</i> , Lea, pl. 16, fig. 46	48
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 161.	
<i>Unio ligatus</i> , Lea, pl. 17, fig. 47	49
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 157.	
<i>Unio bellulus</i> , Lea, pl. 17, fig. 48	50
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 161.	
<i>Unio infuscus</i> , Lea, pl. 17, fig. 49	51
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 160.	
<i>Unio oblongus</i> , Lea, pl. 18, fig. 50	52
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 158.	
<i>Unio ratus</i> , Lea, pl. 18, fig. 51	52
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 160.	
<i>Unio dissimilis</i> , Lea, pl. 18, fig. 52	53
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1872, p. 161.	

274.

1874. LEA, ISAAC. Supplement to Isaac Lea's Paper on Unionidæ. <*Journ. Acad. Nat. Sci., Phila.*, viii, pp. 55-69, with plates 19 to 22, inclusive.

Read before the Academy of Natural Sciences, Phila., February 3, 1874. Extra copies printed for the author March 30, 1874. (See *Table of Contents of Journ. Acad. Nat. Sci., Phila.*, viii, n. s. Part I.) This with No. 273 forms No. 275.

This paper consists of three parts:

1. Descriptions of fifteen species of shells.
2. Soft Parts of Unionidæ.
3. Embryonic Forms of Unionidæ.

<i>Unio cirratus</i> , Lea, pl. 19, fig. 53	55
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 422.	
<i>Unio hastatus</i> , Lea, pl. 19, fig. 54	56
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 423.	

1374. LEA, ISAAC—Continued.

<i>Unio strumosus</i> , Lea, pl. 19, fig. 55	57
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 423. <i>Proc. Acad. Nat. Sci.</i> , 1872, p. 158.	
<i>Unio subolivaceus</i> , Lea, pl. 20, fig. 56	57
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 422.	
<i>Unio subcylindraceus</i> , Lea, pl. 20, fig. 57	58
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 422.	
<i>Unio corneus</i> , Lea, pl. 20, fig. 58	59
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 423.	
<i>Unio infulgens</i> , Lea, pl. 21, fig. 59	60
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 422.	
<i>Sehizostoma Lewisii</i> , Lea, pl. 21, fig. 16	61
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1869, p. 125.	
<i>Goniobasis Lawrencei</i> , Lea, pl. 21, fig. 17	62
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1869, p. 125.	
<i>Goniobasis baculoides</i> , Lea, pl. 21, fig. 18	62
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1869, p. 125.	
<i>Physa Carltonii</i> , Lea, pl. 21, fig. 19	63
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1869, p. 125.	
<i>Physa Wolfiana</i> , Lea, pl. 21, fig. 20	63
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1869, p. 125.	
<i>Unio Dooleyensis</i> , Lea, pl. 22, fig. 60	64
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 424.	
<i>Unio Gesnerii</i> , Lea, pl. 22, fig. 61	65
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 424.	
<i>Unio invenustus</i> , Lea, pl. 22, fig. 62	66
<i>Proc. Acad. Nat. Sci., Phila.</i> , 1873, p. 424.	
Soft Parts of Unionidæ	67, 68
<i>Unio Tappanianus</i> , Lea	67
<i>Unio Rowellii</i> , Lea	67
<i>Anodonta Leonensis</i> , Lea	67
<i>Unio Hydeianus</i> , Lea	68
Embryonic Forms of Unionidæ	68, 69
<i>Unio Nashvilleensis</i> , Lea, pl. 21, fig. 1	68
<i>Unio nasutus</i> , Say, pl. 21, fig. 2	68
<i>Unio parvus</i> , Bar, pl. 21, fig. 3	68
<i>Unio conceptator</i> , Lea, pl. 21, fig. 4	68
<i>Unio rubellinus</i> , Lea, pl. 21, fig. 5	68
<i>Unio excavatus</i> , Lea, pl. 21, fig. 6	68
<i>Unio sudus</i> , Lea, pl. 21, fig. 7	69
<i>Unio fallax</i> , Lea, pl. 21, fig. 8	69
<i>Unio Claibornensis</i> , Lea, pl. 21, fig. 9	69
<i>Unio gibbosus</i> , Bar, pl. 21, fig. 10	69
<i>Unio Othcaloogensis</i> , Lea, pl. 21, fig. 11	69
<i>Unio tortivus</i> , Lea, pl. 21, fig. 12	69
<i>Unio purpuratus</i> , Lam, pl. 21, fig. 13	69
<i>Unio Tappanianus</i> , Lea, pl. 21, fig. 14	69
<i>Margarita Spillmannii</i> , Lea, pl. 21, fig. 35	69

275.

1874. LEA, ISAAC. Observations | on the | Genus *Unio*; | together with | Descriptions of New Species in the Family Unionidæ, | and descriptions of | Embryonic Forms and Soft Parts, | also, New Species of | Strepomatidæ, Limnæidæ. | Read before the Academy of Natural Sciences of Philadelphia, and Published in | its Journal. | by | Isaac Lea, LL. D., | Vice President of the American Philosophical Society, Ect. Ect. | with twenty-two plates. | Vol. XIII. | — | Philadelphia: | Printed for the Author. 4°. pp. 75. Plates 1 to 22.

This consists of Nos. 273 and 274.

276.

1874. LEA, ISAAC. Index | to Vol. I to XIII. | Observations | on the | Genus *Unio*, | together with | Descriptions of New Species of the Family Unionidæ, | and | Descriptions of New Species of the Melanidæ, | Paludina, Helicidæ, Etc. |

1874. LEA, ISAAC—Continued.

Read before the American Philosophical Society and the Academy of Natural Sciences of Philadelphia, from 1827 to 1874. | by | Isaac Lea, LL. D. | — | Vol. III. | — | Philadelphia: | Printed for the Author. | Collins, Printer, 705 Jayne Street. | 1874. 4°. pp. 29.

"The two previous indices, published in 1867 and 1869, were chiefly intended for references to general species in the previous twelve volumes. The object of this Index is to embrace the subject-matter, *anatomical and structural* details, habits, etc., of the whole thirteen volumes, and in such an extended and analytical manner as to make every part of these volumes accessible to the student of these important and very interesting Families of the Mollusca." Notice p. 3.

ORDER OF ARRANGEMENT.

SECTION I—Embraces new species of Unionidæ, Embryonic forms and soft parts, being *original descriptive* matter in Vol. xiii.

SECTION II—Embraces new species of Univalve mollusca, being *original descriptive matter* in Vol. xiii.

SECTION III—Embraces *miscellaneous references to known species* of Unionidæ, in Vol. xiii.

SECTION IV—Embraces *miscellaneous references to known species* of Univalves, in Vol. xiii.

SECTION V—Embraces references to *Anatomical and Structural details, habits, and other peculiarities* of Unionidæ, etc., etc., in Vols. i to xiii, not embraced in former Indices.

277.

1876. LEA, ISAAC. Further Notes on "Inclusions" in Gems, etc. <*Proc. Acad. Nat. Sci., Phila.*, xxviii, pp. 98-107, with a lithographic plate.

Read before the Academy of Natural Sciences, May 23, 1876. Pages 98-104 of the Proceedings were presented to the Academy July 11, 1876, pp. 105-107 August 8, 1876. For separate, see No. 278.

278.


1876. LEA, ISAAC. Further Notes | on | "Inclusions" in Gems, Etc. | by | Isaac Lea, LL. D. | Philadelphia: | Collins, Printer, 705 Jayne Street. | 1876.

This is the Separate of No. 277.

Copy in Library of Congress has date of June 20, 1876.

279.

1876. LEA, ISAAC. Catalogue | of | the Published Works | of | Isaac Lea, LL. D. | From 1817 to 1876. | — | Philadelphia: | Collins, Printer, 705 Jayne Street. | 1876. 8°. pp. 22.



LIST OF SPECIES DISCUSSED AND DESCRIBED.

NOTE.

In this list the genera and species are arranged alphabetically according to their generic and specific designations. The names of genera are printed in SMALL CAPS. The abbreviated titles of publications are as follows:

J. A. N. S., Journal, (& P. A. N. S., Proceedings) Academy Natural Sciences, Philadelphia. T. A. P. S., Transactions, (& P. A. P. S., Proceedings) American Philosophical Society, Philadelphia. Obs. Gen. Unio, Observations on the Genus Unio. Con. Geol., Contributions to Geology.

The numbers in parentheses () refer to the titles in the first part of this work.

ACOSTEA.

J. A. N. S., (147) vol. iv, 1858, p. 45; (71) vol. ii, pp. 125-131; Obs. Gen. Unio, (150) vol. vi, p. 45.

A. Guaduasana.

J. A. N. S., (71) vol. ii, 1851, pp. 125-131.

Achatina columba.

T. A. P. S., (81) vol. x, 1852, p. 296; Obs. Gen. Unio, (83) vol. v, p. 52.

A. flammata.

T. A. P. S., (51) vol. ix, 1841, p. 2; Obs. Gen. Unio, (56) vol. iv, p. 2.

A. folliculus.

T. A. P. S., (51) vol. ix, 1841, p. 3; Obs. Gen. Unio, (56) vol. iv, p. 3.

A. striata.

T. A. P. S., (20) vol. v, p. 85; (51) vol. ix, 1841, p. 3; P. A. P. S., (39) vol. ii, 1841, p. 31; Obs. Gen. Unio, (56) vol. iv, p. 3.

A. turbinata.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (51) vol. ix, 1841, p. 2; Obs. Gen. Unio, (56) vol. iv, p. 2.

A. Vanuzemensis.

T. A. P. S., (20) vol. v, 1833, p. 84, pl. xix, f. 78; Obs. Gen. Unio, (21) vol. i, p. 196, pl. xix, f. 78.

ACTEON.

(18) Con. Geol., 1833, p. 115.

A. elevatus.

(18) Con. Geol., 1833, p. 113, pl. iv, f. 98.

A. lineatus.

(18) Con. Geol., 1833, pp. 109, 111, 112, pl. iv, f. 97.

A. melanellus.

(18) Con. Geol., 1833, p. 113, pl. iv, f. 99.

A. melanooides.

(18) Con. Geol., 1833, p. 115.

A. Noë.

(18) Con. Geol., 1833, p. 111.

A. ovooides.

(18) Con. Geol., 1833, p. 112.

A. punctatus.

(18) Con. Geol., 1833, pp. 110, 203.

A. pygmaeus.

(18) Con. Geol., 1833, p. 114, pl. iv, f. 101.

Acteon striatus.

(18) Con. Geol., 1833, pp. 112, 113, pl. iv, f. 100.

A. Wetherilli.

(18) Con. Geol., 1833, p. 213, pl. vi, f. 224.

ALASMODON.

T. A. P. S., (27) vol. vi, 1838, p. 115.

ALASMODONTA.

T. A. P. S., (12) vol. iii, 1829, p. 429, 443; (27) vol. vi, 1838, p. 117; J. A. N. S., (221) vol. v, 1863, p. 447; Obs. Gen. Unio, (21) vol. i, pp. 43, 57; (29) vol. ii, p. 117, (222) vol. x, p. 83.

A. abducta.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.

A. ambigua.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

A. arcuata.

T. A. P. S., (12) vol. iii, 1829, p. 421; (20) vol. v, 1833, pp. 63, 87, 88; (27) vol. vi, 1838, pp. 134, 136; Obs. Gen. Unio, (21) vol. i, pp. 35, 175, 199, 200.

A. atropurpureum.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. badium.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. Bonellii.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (170) vol. vii, p. 54; (20) vol. ii, p. 135; J. A. N. S., (168) vol. iv, 1859, p. 236.

A. complanaria.

J. A. N. S., (221) vol. v, 1863, p. 446; Obs. Gen. Unio, (222) vol. x, p. 82.

A. complanata.

T. A. P. S., (15) vol. iv, 1831, p. 106; (20) vol. v, 1832, p. 28; (27) vol. vi, 1836, p. 78; 1838, pp. 118, 134; Obs. Gen. Unio, (21) vol. i, pp. 106, 116, 140; (29) vol. ii, pp. 118, 134; (222) vol. x, p. 84; J. A. N. S., (221) vol. v, 1863, p. 448.

A. confragosa.

T. A. P. S., (27) vol. vi, 1838, p. 155; Obs. Gen. Unio, (29) vol. ii, p. 135; (222) vol. x, p. 84; J. A. N. S., (221) vol. v, 1863, p. 448.

Alasmodonta costata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. edentula.

T. A. P. S., (27) vol. vi, 1838, pp. 135, 138; (43) vol. viii, 1840, p. 222; (55) vol. x, 1845, p. 82; (79) vol. x, 1852, p. 293; Obs. Gen. Unio, (29) vol. ii, pp. 135, 138; (44) vol. iii, p. 60; (56) vol. iv, p. 82; (83) vol. v, p. 49; (205) vol. viii, p. 111.

A. falcata.

J. A. N. S., (159) vol. iv, 1859, pp. 224, 225; Obs. Gen. Unio, (170) vol. vii, pp. 42, 43.

A. hians.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. incurva.

T. A. P. S., (27) vol. vi, 1838, pp. 136, 149; Obs. Gen. Unio, (29) vol. ii, pp. 136, 149.

A. margaritifera.

T. A. P. S., (12) vol. iii, 1829, p. 421; (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (21) vol. i, p. 35; (29) vol. ii, p. 136.

A. marginata.

T. A. P. S., (12) vol. iii, 1829, p. 429; (15) vol. iv, 1830, p. 67; (20) vol. v, 1832, pp. 25, 91, 92, 107; (27) vol. vi, 1838, pp. 126, 135; Obs. Gen. Unio, (21) vol. i, pp. 43, 77, 137, 203, 204, 219; (29) vol. ii, pp. 126, 135; (215) vol. ix, p. 20; (222) vol. x, p. 82; J. A. N. S., (213) vol. v, 1862, p. 198; (221) vol. v, 1863, p. 446.

A. papyraceum.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. ponderosum.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. radiata.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.

A. rugosa.

T. A. P. S., (15) vol. iv, 1830, p. 67; (27) vol. vi, 1838, pp. 135, 144; (43) vol. viii, 1840, p. 207; Obs. Gen. Unio, (21) vol. i, p. 77; (44) vol. iii, p. 45; (29) vol. ii, pp. 135, 144; (222) vol. x, p. 82.

A. scriptum.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. sculptilis.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.

A. sulcatum.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. Tripolitana.

T. A. P. S., (27) vol. vi, 1838, pp. 136, 149; Obs. Gen. Unio, (29) vol. ii, pp. 136, 149.

A. truncata.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.

A. undulata.

T. A. P. S., (12) vol. iii, 1829, p. 424; (15) vol. iv, 1831, p. 107; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, pp. 72, 118, 135; Obs. Gen. Unio, (21) vol. i, pp. 38, 117, 203; (29) vol. ii, pp. 72, 118, 135.

Alasmodonta viridis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. Yulaensis.

J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (244) vol. xi, p. 111.

AMMONITES.

T. A. P. S., (36) vol. vii, 1840, p. 252; P. A. N. S. (145) vol. x, 1858, pp. 218, 221.

A. Americanus.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 255, pl. viii, f. 6.

A. Gibbonianus.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 254, pl. viii, f. 3.

A. occidentalis.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vi, 1840, p. 254, pl. viii, f. 4.

A. Tocaimaensis.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 253, pl. viii, f. 2.

A. Fanuzemensis.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 254, pl. viii, f. 5.

AMNICOLA.

T. A. P. S., (51) vol. ix, 1841, p. 16; J. A. N. S., (214) vol. v, 1862, pp. 218, 269; Obs. Gen. Unio, (56) vol. iv, p. 16; (215) vol. ix, pp. 40, 91.

A. Currieriana.

J. A. N. S., (243) vol. vi, 1866, p. 186, pl. xxiv, f. 118; Obs. Gen. Unio, (244) vol. xi, p. 142, pl. xxiv, f. 118.

A. isogona.

T. A. P. S., (51) vol. ix, 1841, p. 16; Obs. Gen. Unio, (56) vol. iv, p. 16.

A. limosa.

T. A. P. S., (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (56) vol. iv, p. 13.

A. lustrica.

T. A. P. S., (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (56) vol. iv, p. 13.

A. orbiculata.

P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, pp. 16, 17; Obs. Gen. Unio, (56) vol. iv, pp. 16, 17.

A. porata.

T. A. P. S., (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (56) vol. iv, p. 13.

A. parva.

P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 16; Obs. Gen. Unio, (56) vol. iv, p. 16.

AMPHIDESMA.

(18) Con. Geol., 1833, p. 43.

Ampullaria aurostoma.

P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (242) vol. vi, 1866, p. 114, pl. xxii, f. 4; Obs. Gen. Unio, (244) vol. xi, p. 71, pl. xxii, f. 4.

A. carinata.

T. A. P. S., (27) vol. vi, 1836, p. 90; Obs. Gen. Unio, (29) vol. ii, p. 90.

A. Celebensis.

J. A. N. S., (243) vol. vi, 1866, p. 114; Obs. Gen. Unio, (244) vol. xi, p. 70.

- Amphidesma crassa.*
J. A. N. S., (243) vol. vi, 1866, p. 115; Obs. Gen. Unio, (244) vol. xi, p. 71.
- A. depressa.*
T. A. P. S., (20) vol. v, 1834, p. 116; Obs. Gen. Unio, (21) vol. i, p. 228.
- A. fasciata.*
T. A. P. S., (20) vol. v, 1834, p. 116; Obs. Gen. Unio, (21) vol. i, p. 228.
- A. flagellata.*
J. A. N. S., (243) vol. vi, 1866, p. 113; Obs. Gen. Unio, (244) vol. xi, p. 70.
- A. gracilis.*
P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, p. 113, pl. xxii, f. 1; Obs. Gen. Unio, (244) vol. xi, p. 70, pl. xxii, f. 1.
- AMPULLARIA.
- A. Hopetonensis.*
T. A. P. S., (20) vol. v, 1834, p. 115, pl. xix, f. 84; Obs. Gen. Unio, (21) vol. i, p. 227, pl. xix, f. 84.
- A. neritoides.*
J. A. N. S., (243) vol. vi, 1866, p. 156; Obs. Gen. Unio, (244) vol. xi, pp. 112, 113.
- A. ovata.*
J. A. N. S., (243) vol. vi, 1866, p. 114; Obs. Gen. Unio, vol. xi, p. 71.
- A. paludosa.*
T. A. P. S., (20) vol. v, 1834, p. 116; Obs. Gen. Unio, (21) vol. i, p. 228.
- A. Pealiana.*
T. A. P. S., (27) vol. vi, 1834, p. 16, pl. xxiii, f. 77; J. A. N. S., (243) vol. vi, 1866, p. 115; Obs. Gen. Unio, (29) vol. ii, p. 16, pl. xxiii, f. 77; (244) vol. xi, p. 71.
- A. tubæformis.*
P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, p. 114, pl. xxii, f. 3; Obs. Gen. Unio, (244) vol. xi, p. 70, pl. xxii, f. 3.
- A. turbinis.*
P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, p. 113, pl. xxii, f. 2; Obs. Gen. Unio, (244) vol. xi, p. 70, pl. xxii, f. 2.
- Anatina Claibornensis.*
(18) Con. Geol., 1833, p. 40, pl. i, f. 8.
- ANCULOSA.
- P. A. P. S., (48) vol. ii, 1842, p. 241; T. A. P. S., (43) vol. viii, 1841, p. 143; (51) vol. ix, 1842, pp. 14, 24; J. A. N. S., (214) vol. v, 1862, pp. 218, 261, 346; (243) vol. vi, 1866, pp. 150, 157; P. A. N. S., (201) vol. xiii, 1861, p. 393; Obs. Gen. Unio, (44) vol. iii, p. 1; (56) vol. iv, pp. 14, 24; (215) vol. ix, pp. 40, 83, 168; (244) vol. xi, pp. 106, 113.
- A. bella.*
P. A. P. S., (40) vol. ii, 1841, p. 83.
- A. carinata.*
P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 15; Obs. Gen. Unio, (56) vol. iv, p. 15.
- A. contorta.*
P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N. S., (214) vol. v, 1862, p. 258, pl. xxxv, f. 66; Obs. Gen. Unio, (215) vol. ix, p. 80, pl. xxxv, f. 66.
- Anculosa Coosaensis.*
P. A. N. S., (193) vol. xiii, 1861, p. 54; J. A. N. S., (214) vol. v, 1862, p. 257, pl. xxxv, f. 65; Obs. Gen. Unio, (215) vol. ix, p. 79, pl. xxxv, f. 65.
- A. dentata.*
P. A. P. S., (39) vol. ii, 1841, p. 34.
- A. dissimilis.*
T. A. P. S., (51) vol. ix, 1841, pp. 13, 15; Obs. Gen. Unio, (56) vol. iv, pp. 13, 15.
- A. Downiei.*
J. A. N. S., (258) vol. vi, 1868, p. 342, pl. liv, f. 28; Obs. Gen. Unio, (259) vol. xii, p. 102, pl. liv, f. 28.
- A. flammula.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, pp. 29, 30; Obs. Gen. Unio, (56) vol. iv, pp. 29, 30.
- A. Foremani.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 29; Obs. Gen. Unio, (56) vol. iv, p. 29.
- A. formosa.*
P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N. S., (214) vol. v, 1862, p. 254, pl. xxxv, f. 61; Obs. Gen. Unio, (215) vol. ix, p. 76, pl. xxxv, f. 61.
- A. gibbosa.*
P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 15; Obs. Gen. Unio, (56) vol. iv, p. 15.
- A. Griffithiana.*
P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 20; Obs. Gen. Unio, (56) vol. iv, p. 20.
- A. incisa.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 28; (55) vol. x, 1845, p. 93; Obs. Gen. Unio, (56) vol. iv, pp. 28, 93.
- A. inflata.*
T. A. P. S., (43) vol. viii, 1841, p. 172; Obs. Gen. Unio, (44) vol. iii, p. 10.
- A. Lewisii.*
P. A. N. S., (193) vol. xiii, 1861, p. 54; J. A. N. S., (214) vol. v, 1862, p. 257, pl. xxxv, f. 64; Obs. Gen. Unio, (215) vol. xi, p. 79, pl. xxxv, f. 64.
- A. picta.*
J. A. N. S., (214) vol. v, 1862, p. 255; Obs. Gen. Unio, (215) vol. ix, p. 77.
- A. prærosea.*
T. A. P. S., (55) vol. x, 1845, p. 92; J. A. N. S., (214) vol. v, 1862, pp. 255, 256; (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (56) vol. iv, p. 92; (215) vol. ix, pp. 77, 78; (244) vol. xi, p., 106.
- A. rubiginosa.*
P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 20; Obs. Gen. Unio, (56) vol. iv, p. 20; (215) vol. ix, p. 43; J. A. N. S., (214) vol. v, 1862, p. 221.
- A. Showalterii.*
P. A. N. S., (178) vol. xii, 1860, p. 93; J. A. N. S., (214) vol. v, 1862, p. 255, pl. xxxv, f. 62; Obs. Gen. Unio, (215) vol. ix, p. 77, pl. xxxv, f. 62.

- Anculosa solida.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 29; Obs. Gen. Unio, (56) vol. iv, p. 29.
- A. squalida.*
T. A. P. S., (55) vol. x, 1845, p. 92, pl. ix, f. 50; Obs. Gen. Unio, (56) vol. iv, p. 92, pl. ix, f. 50; P. A. P. S., (53) vol. iv, 1845, p. 167.
- A. subglobosa.*
T. A. P. S., (51) vol. ix, 1841, p. 15; Obs. Gen. Unio, (56) vol. iv, p. 15.
- A. tintinnabulum.*
T. A. P. S., (55) vol. x, 1845, p. 93, pl. ix, f. 51; J. A. N. S., (214) vol. v, 1862, p. 258; Obs. Gen. Unio, (56) vol. iv, p. 93, pl. ix, f. 51; (215) vol. ix, p. 80; P. A. P. S., (53) vol. iv, 1845, p. 167.
- A. Troostiana.*
P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 15; Obs. Gen. Unio, (56) vol. iv, p. 15.
- A. tuberculata.*
P. A. P. S., (49) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 21; Obs. Gen. Unio, (56) vol. iv, p. 21.
- A. turbinata.*
P. A. N. S., (193) vol. xiii, 1861, p. 54; J. A. N. S., (214) vol. v, 1862, p. 254, pl. xxxv, f. 60; Obs. Gen. Unio, (215) vol. ix, p. 76, pl. xxxv, f. 60.
- A. variabilis.*
P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) 1841, p. 15; Obs. Gen. Unio, (56) vol. iv, p. 15.
- A. vittata.*
P. A. N. S., (182) vol. xii, 1860, p. 188; J. A. N. S., (214) vol. v, 1862, p. 256, pl. xxxv, f. 63; Obs. Gen. Unio, (215) vol. ix, p. 78, pl. xxxv, f. 63.
- ANCULOTUS.
T. A. P. S., (51) vol. ix, 1841, p. 14; Obs. Gen. Unio, (56) vol. iv, p. 14.
- A. carinatus.*
T. A. P. S., (43) vol. viii, 1841, p. 172; Obs. Gen. Unio, (44) vol. iii, p. 10.
- A. costatus.*
T. A. P. S., (43) vol. viii, 1841, p. 173; Obs. Gen. Unio, (44) vol. iii, p. 11.
- A. Kirtlandianus.*
T. A. P. S., (43) vol. viii, 1841, p. 172; Obs. Gen. Unio, (44) vol. iii, p. 10.
- A. subglobosa.*
T. A. P. S., (51) vol. ix, 1841, p. 14; Obs. Gen. Unio, (56) vol. iv, p. 14.
- Ancylus crassus.*
J. A. N. S., (243) vol. vi, 1866, p. 186; Obs. Gen. Unio, (244) vol. xi, p. 142.
- A. Nuttallii.*
J. A. N. S., (243) vol. vi, 1866, p. 186; Obs. Gen. Unio, (244) vol. xi, p. 142.
- A. Newberryi.*
P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (243) vol. vi, 1866, p. 185, pl. xxiv, f. 116; Obs. Gen. Unio, (244) vol. xi, p. 141, pl. xxiv, f. 116.
- Ancylus patelloides.*
P. A. N. S., (109) vol. viii, 1856, p. 80; J. A. N. S., (243) vol. vi, 1866, p. 185, pl. xxiv, f. 117; Obs. Gen. Unio, (244) vol. xi, p. 141, pl. xxiv, f. 117.
- A. proclarus.*
J. A. N. S., (243) vol. vi, 1866, p. 185; Obs. Gen. Unio, vol. xi, p. 141.
- ANODON.
T. A. P. S., (27) vol. vi, 1838, p. 115; Obs. Gen. Unio, (29) vol. ii, p. 115.
- A. abatus.*
T. A. P. S., (12) vol. iii, 1829, p. 443; Obs. Gen. Unio, (21) vol. i, p. 57.
- A. arcolatus.*
T. A. P. S., (15) vol. iv, 1830, p. 67; (27) vol. vi, 1838, pp. 115, 138; (43) vol. viii, 1840, p. 222; Obs. Gen. Unio, (21) vol. i, p. 77; (29) vol. ii, pp. 115, 138; (44) vol. iii, p. 60.
- A. crassus.*
T. A. P. S., (20) vol. v, 1833, p. 78; Obs. Gen. Unio, (21) vol. i, p. 190.
- A. purpurascens.*
T. A. P. S., (12) vol. iii, 1829, p. 454; Obs. Gen. Unio, (21) vol. i, p. 68.
- A. radiatus.*
J. A. N. S., (133) vol. iii, 1857, p. 317; Obs. Gen. Unio, (150) vol. vi, p. 37.
- A. rugosus.*
T. A. P. S., (12) vol. iii, 1829, p. 425; (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (21) vol. i, p. 39; (29) vol. ii, p. 138.
- ANODONTA.
T. A. P. S., (12) vol. iii, 1829, p. 442; (27) vol. vi, 1838, pp. 114, 115, 117, 118, 136, 142, 149, 150; (43) vol. viii, p. 230; J. A. N. S., (147) vol. iv, 1858, pp. 44, 46; (213) vol. v, 1862, p. 216; (221) vol. v, 1863, pp. 447, 451, 453; P. A. N. S., (167) vol. xii, 1860, p. 3; (173) p. 85; (179) p. 97; Obs. Gen. Unio, (21) vol. i, p. 56; (29) vol. ii, pp. 114, 115, 117, 118, 136, 142, 149, 150; (44) vol. iii, p. 68; (150) vol. vi, pp. 44, 46; (170) vol. vii, Introduction; (205) vol. viii, Introduction; (215) vol. ix, p. 38; (222) vol. x, pp. 83, 87, 89; (244) vol. xi, Introduction; Proc. Zool. Soc. Lond., (60) vol. xviii, 1850, p. 197; P. A. N. S., (118) vol. ix, 1857, p. 18.
- A. Abyssina.*
T. A. P. S., (27) vol. vi, 1838, pp. 140, 150; Obs. Gen. Unio, (29) vol. ii, pp. 140, 150.
- A. alatus.*
T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.
- A. Amazonensis.*
P. A. N. S., (175) vol. xii, 1860, p. 89; J. A. N. S., (220) vol. v, 1863, p. 395, pl. xlvi, f. 300; Obs. Gen. Unio, (222) vol. x, p. 31, pl. xlvi, f. 300.
- A. anatina.*
T. A. P. S., (20) vol. v, 1833, pp. 92, 93; (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (21) vol. i, pp. 204, 205; (29) vol. ii, p. 137.
- A. angulata.*
T. A. P. S., (27) vol. vi, 1838, pp. 97, 140, 149; (43) vol. viii, 1842, p. 246; J. A. N. S., (243) vol. vi, 1866, p. 155; P. A. N. S., (109) vol. viii, 1856, p. 81; Obs. Gen. Unio, (29) vol. ii, pp. 97, 140, 149; (44) vol. iii, p. 84; (244) vol. xi, p. 111.

Anodonta anserina.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 149; J. A. N. S., (220) vol. v, 1863, pp. 393, 397; Obs. Gen. Unio, (29) vol. ii, pp. 139, 149; (222) vol. x, pp. 29, 33.

A. aperta.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. arcuata.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 149, 150; J. A. N. S., (168) vol. iv, 1859, pp. 237, 261; Obs. Gen. Unio, (29) vol. ii, pp. 140, 149, 150; (170) vol. vii, pp. 55, 79; Proc. Zool. Soc. Lond., (60) vol. xviii, 1850, p. 199.

A. areolatus.

T. A. P. S., vol. vi, 1838, pp. 47, 135; (79) vol. x, 1852, p. 289; Obs. Gen. Unio, (29) vol. ii, pp. 47, 135; (83) vol. v, p. 45.

A. areolus.

T. A. P. S., (20) vol. v, 1832, p. 45; Obs. Gen. Unio, (21) vol. i, p. 157.

A. argentea.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 223; pl. xix, f. 41; Obs. Gen. Unio, (44) vol. iii, p. 61; pl. xix, f. 41.

A. Arkansensis.

T. A. P. S., (79) vol. x, 1852, p. 293; pl. xxix, f. 56; Obs. Gen. Unio, (83) vol. v, p. 49; pl. xxix, f. 56; P. A. N. S., (93) vol. v, 1852, p. 252.

A. atra.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. Bealei.

J. A. N. S., (242) vol. vi, 1866, p. 26, pl. ix, f. 25; Obs. Gen. Unio, (244) vol. xi, p. 30; pl. ix, f. 25.

A. Benedictensis.

T. A. P. S., (27) vol. vi, 1838, p. 77; 1838, pp. 137, 149; Obs. Gen. Unio, (29) vol. ii, pp. 77, 137, 149.

A. Benedictii.

J. A. N. S., (242) vol. vi, 1866, p. 28; Obs. Gen. Unio, (244) vol. xi, p. 32.

A. Blainvilliana.

T. A. P. S., (20) vol. v, 1833, p. 77, pl. xii, f. 35; (27) vol. vi, 1838, pp. 39, 140, 149; Obs. Gen. Unio, (21) vol. i, p. 189, pl. xii, f. 35; (29) vol. ii, pp. 139, 140, 149; (222) vol. x, pp. 13, 30, 52; J. A. N. S., (220) vol. v, 1863, pp. 377, 394.

A. Bridgesii.

J. A. N. S., (257) vol. vi, 1868, p. 291, pl. xlii, f. 104; Obs. Gen. Unio, (259) vol. xii, p. 51, pl. xlii, f. 104; P. A. N. S., (248) vol. xx, 1868, p. 95.

A. Buchananensis.

T. A. P. S., vol. vi, 1836, p. 47; 1838, pp. 140, 149, pl. xiv, f. 43; Obs. Gen. Unio, (29) vol. ii, pp. 47, 140, 149, pl. xiv, f. 43.

A. Burroughiana.

T. A. P. S., vol. v, 1834, p. 105, pl. xvi, f. 49; Obs. Gen. Unio, (21) vol. i, p. 117, pl. xvi, f. 49.

Anodonta Cailiaudii.

P. A. N. S., (187) vol. xii, 1860, p. 308; J. A. N. S., (220) vol. v, 1863, p. 395, pl. xlv, f. 297; Obs. Gen. Unio, (222) vol. x, p. 31, pl. xlv, f. 297.

A. Californiensis.

A. P. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 286, pl. xxv, f. 47; Obs. Gen. Unio, (83) vol. v, p. 42, pl. xxv, f. 47.

A. cataracta.

T. A. P. S., (15) vol. iv, 1830, pp. 46, 48, 82; (27) vol. vi, 1834, p. 2, 1836, pp. 51, 80, 1838, p. 138; Obs. Gen. Unio, (21) vol. i, pp. 92, 158, 160; (29) vol. ii, pp. 2, 51, 80, 138; (244) vol. xi, p. 32; J. A. N. S., (242) vol. vi, 1866, p. 28.

A. cellensis.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Chaiziana.

T. A. P. S., (27) vol. vi, 1838, pp. 138, 149; Obs. Gen. Unio, (29) vol. ii, pp. 138, 149; (244) vol. xi, p. 41; J. A. N. S., (242) vol. vi, 1866, p. 37.

A. Chinensis.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 150; Obs. Gen. Unio, (29) vol. ii, pp. 140, 150.

A. Chiquitana.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138.

A. Clappertoni.

T. A. P. S., (27) vol. vi, 1838, p. 141; Obs. Gen. Unio, (29) vol. ii, p. 141.

A. compressa.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. compresso-alata.

T. A. P. S., (12) vol. iii, 1829, p. 443; Obs. Gen. Unio, (21) vol. i, p. 57.

A. corpulenta.

T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 139.

A. corpulentoides.

P. A. N. S., (255) vol. xx, 1868, p. 164.

A. Couperiana.

T. A. P. S., (43) vol. viii, 1840, pp. 227, 249, pl. xx, f. 46; Obs. Gen. Unio, (44) vol. iii, pp. 63, 87, pl. xx, f. 46; (222) vol. x, p. 87; J. A. N. S., (221) vol. v, 1863, p. 451.

A. Couperiana.

P. A. P. S., (33) vol. i, 1840, p. 288.

A. crassa.

T. A. P. S., (20) vol. v, p. 78; (27) vol. vi, 1838, pp. 138, 140, 149; Obs. Gen. Unio, (29) vol. ii, pp. 138, 140, 149.

A. crepera.

P. Zool. Soc., Lond., (60) vol. xviii, 1850, p. 198; J. A. N. S., (168) vol. iv, 1859, p. 238, pl. xxxiv, f. 117; Obs. Gen. Unio, (170) vol. vii, p. 56, pl. xxxiv, f. 117.

A. crispata.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, pp. 137, 150; (79) vol. x, 1852, p. 291; J. A. N. S., (133) vol. iii, 1857, p. 313; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, pp. 137, 150; (83) vol. v, p. 47; (150) vol. vi, p. 33.

Anodonta Cumingii.

P. Zool. Soc. Lond., (60) vol. xviii, 1850, p. 199;
J. A. N. S., (168) vol. iv, 1859, p. 235; Obs.
Gen. Unio, (170) vol. ii, p. 53.

A. cuneata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen.
Unio, (29) vol. ii, p. 144.

A. curvatus.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 150; Obs.
Gen. Unio, (29) vol. ii, pp. 140, 150.

A. cygnea.

T. A. P. S., (15) vol. iv, 1830, p. 67; (20) vol. v,
1833, pp. 92, 93; J. A. N. S., (159) vol. iv, 1859,
p. 232, 1860, p. 366; Obs. Gen. Unio, (21) vol.
i, pp. 77, 204, 205; (29) vol. ii, pp. 81, 137, 149;
(170) vol. vii, p. 50; (205) vol. viii, p. 48.

A. cylindracea.

T. A. P. S., (27) vol. vi, 1836, p. 45, 1838, pp. 140,
149; Obs. Gen. Unio, (29) vol. ii, pp. 45, 140,
149, pl. xiii, f. 40.

A. Dahomeyensis.

P. A. N. S., (152) vol. xi, 1859, p. 154; J. A. N. S.,
(168) vol. iv, 1859, p. 261, pl. xli, f. 141; Obs.
Gen. Unio, (170) vol. vii, p. 79, pl. xli, f. 141.

A. Dallasiana.

P. A. N. S., (217) vol. xv, 1863, p. 190; J. A. N. S.,
(242) vol. vi, 1866, p. 29, pl. xi, f. 28; Obs.
Gen. Unio, (244) vol. xi, p. 33, pl. xi, f. 28.

A. Danielsii.

P. A. N. S., (142) vol. x, 1858, p. 139; J. A. N. S.,
(189) vol. iv, 1860, p. 365, pl. lxiii, f. 190;
Obs. Gen. Unio, (205) vol. viii, p. 47, pl.
lxiii, f. 190.

A. Dariensis.

P. A. N. S., (142) vol. x, 1858, p. 139; J. A. N. S.,
(159) vol. iv, 1859, p. 230, pl. xxviii, f. 99;
Obs. Gen. Unio, (170) vol. vii, p. 48, pl.
xxviii, f. 99.

A. declivis.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen.
Unio, (29) vol. ii, p. 138.

A. decora.

T. A. P. S., (27) vol. vi, 1836, pp. 64, 138, 149; (43)
vol. viii, 1840, p. 224; J. A. N. S., (147) vol.
iv, 1858, p. 49, pl. v, f. 34; (189) vol. iv,
1860, p. 366; (213) vol. v, 1862, p. 213; (221)
vol. v, 1863, pp. 452, 453; P. A. N. S., (135) vol.
x, 1858, pp. 13, 14; Obs. Gen. Unio, (29) vol.
ii, pp. 64, 138, 149, pl. xx, f. 63; (44) vol. iii,
p. 62; (150) vol. vi, p. 49, pl. v, f. 34; (205)
vol. viii, p. 48; (215) vol. ix, p. 35; (222) vol.
x, p. 88, 89.

A. denigrata.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S.,
(79) vol. x, 1852, pp. 285, 290, pl. xxv, f. 45;
Obs. Gen. Unio, (83) vol. v, pp. 41, 46, pl.
xxv, f. 45.

A. dentiens.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen.
Unio, (29) vol. ii, p. 137.

A. digonota.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen.
Unio, (29) vol. ii, p. 144.

A. dipsas.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen.
Unio, (29) vol. ii, p. 136.

Anodonta deliaria.

J. A. N. S., (220) vol. v, 1863, p. 393; (242) vol.
vi, 1866, p. 24, pl. viii, f. 23; Obs. Gen.
Unio, (222) vol. x, p. 29; (244) vol. xi, p. 28,
pl. viii, f. 23.

A. Dallasiana.

J. A. N. S., (242) vol. vi, 1866, p. 29, pl. xi, f. 28;
Obs. Gen. Unio, (244) vol. xi, p. 33, pl. xi, f.
28.

A. dubia.

T. A. P. S., (27) vol. vi, 1838, p. 141; Obs. Gen.
Unio, (29) vol. ii, p. 141.

A. Dunlapiana.

T. A. P. S., (43) vol. viii, 1842, p. 248, pl. xxvii,
f. 65; P. A. P. S., (45) vol. ii, p. 225; J. A.
N. S., (159) vol. iv, 1859, p. 232; (189) vol. iv,
1560, p. 374; Obs. Gen. Unio, (44) vol. iii, p.
86, pl. xxvii, f. 65; (170) vol. vii, p. 50;
(205) vol. viii, p. 56.

A. edentula.

T. A. P. S., (27) vol. vi, 1836, pp. 55, 56, 1838, pp.
138, 149; (43) vol. viii, 1841, p. 231; (55) vol.
x, 1845, p. 82; (79) vol. x, 1852, p. 289; J. A.
N. S., (147) vol. iv, 1858, p. 50, pl. v, f. 37;
(203) vol. v, 1861, p. 107; (221) vol. v, 1863,
pp. 451, 453; (242) vol. vi, 1866, p. 27; Obs.
Gen. Unio, (29) vol. ii, pp. 55, 56, 138, 139;
(44) vol. iii, p. 69; (56) vol. iv, p. 82; (83)
vol. v, p. 45; (150) vol. vi, p. 50, pl. v, f. 37;
(205) vol. viii, p. 111; (222) vol. x, pp. 87, 89;
(244) vol. xi, p. 31.

A. elongata.

T. A. P. S., (20) vol. v, 1833, p. 80; (27) vol. vi,
1838, pp. 140, 149; Obs. Gen. Unio, (21) vol.
i, p. 192; (29) vol. ii, pp. 140, 149.

A. ensiformis.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 149; (79)
vol. x, 1852, p. 293; Obs. Gen. Unio, (29) vol.
ii, pp. 140, 149.

A. esula.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 149; Obs.
Gen. Unio, (29) vol. ii, pp. 140, 149.

A. exilior.

P. A. N. S., (266) vol. xxiv, 1872, p. 188.

A. exilis.

T. A. P. S., (27) vol. vi, 1836, p. 81, pl. xxii, f. 68;
1838, pp. 140, 150; (79) vol. x, 1852, p. 293;
Obs. Gen. Unio, (29) vol. ii, pp. 81, 140, 150,
pl. xxii, f. 68; (83) vol. v, p. 49; (244) vol.
xi, p. 35; J. A. N. S., (242) vol. vi, 1866, p. 31.

A. exotica.

T. A. P. S., (20) vol. v, 1833, pp. 78, 79, 93; (29)
vol. vi, 1838, pp. 139, 141; Obs. Gen. Unio,
(21) vol. i, pp. 190, 191, 205; (29) vol. ii, pp.
139, 141.

A. feminalis.

P. A. N. S., (109) vol. viii, 1856, p. 81; J. A. N.
S., (243) vol. vi, 1866, p. 155; Obs. Gen.
Unio, (244) vol. xi, p. 111.

A. Ferrarisii.

T. A. P. S., (27) vol. vi, 1838, p. 140; Obs. Gen.
Unio, (29) vol. ii, p. 140.

A. ferruginca.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S.,
(43) vol. viii, 1840, p. 225, pl. xix, f. 43; Obs.
Gen. Unio, (44) vol. iii, p. 63, pl. xix, f. 43.

Anodonta Ferrussaciana.

T. A. P. S., (20) vol. v, 1832, pp. 45, 46, pl. vi, f. 15; (27) vol. vi, 1836, pp. 46, 55, 79; 1838, pp. 106, 138, 149; (43) vol. viii, 1841, pp. 224, 231; (79) vol. x, 1852, p. 285; J. A. N. S., (147) vol. iv, 1858, p. 50, pl. v, f. 35; (170) vol. iv, 1859, p. 226; (189) vol. iv, 1860, p. 365; (203) vol. v, 1861, p. 109; (213) vol. v, 1862, p. 213; (221) vol. v, 1863, p. 451; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; Obs. Gen. Unio, (21) vol. i, pp. 157, 158, pl. vi, f. 15; (29) vol. ii, pp. 46, 47, 48, 51, 55, 79, 106, 138, 149; (44) vol. iii, pp. 62, 69; (83) vol. v, p. 41; (150) vol. vi, p. 50, pl. v, f. 35; (170) vol. vii, p. 44; (205) vol. viii, pp. 47, 113; (215) vol. ix, p. 35; (222) vol. x, p. 87.

A. fluviatilis.

T. A. P. S., (27) vol. vi, 1836, pp. 51, 52, 54, 80; 1838, pp. 118, 138, 149; (43) vol. viii, 1840, pp. 221, 249; (79) vol. x, 1852, p. 286; J. A. N. S., (133) vol. iii, 1857, p. 317; (159) vol. iv, 1859, pp. 231, 232; (189) vol. iv, 1860, pp. 363, 364; (213) vol. v, 1862, pp. 213, 216; (221) vol. v, 1863, pp. 451, 455; (242) vol. vi, 1866, pp. 28, 29; Obs. Gen. Unio, (29) vol. ii, pp. 51, 52, 54, 80, 118, 138, 149; (44) vol. iii, pp. 59, 87; (83) vol. v, p. 42; (150) vi, p. 37; (170) vol. vii, pp. 49, 50; (205) vol. viii, pp. 45, 46; (215) vol. ix, pp. 35, 38; (222) vol. x, pp. 87, 91; (244) vol. xi, pp. 32, 33.

A. folium.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 150; Obs. Gen. Unio, (29) vol. ii, pp. 140, 150.

A. Footiana.

P. A. N. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 225, pl. xx, f. 44; J. A. N. S., (189) vol. iv, 1860, p. 364; Obs. Gen. Unio, (44) vol. iii, p. 63, pl. xx, f. 44; (205) vol. viii, p. 46.

A. Forbesiana.

P. A. N. S., (176) vol. xii, 1860, p. 92; J. A. N. S., (220) vol. v, 1863, pp. 393, 397, pl. xlvii, f. 301; Obs. Gen. Unio, (222) vol. x, pp. 29, 33; pl. xlvii, f. 301.

A. fragilis.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1837, p. 96; 1838, pp. 138, 149; (43) vol. viii, 1840, p. 226; J. A. N. S., (189) vol. iv, 1860, p. 364; (203) vol. v, 1861, p. 109; (221) vol. v, 1863, p. 454; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, pp. 96, 138, 149; (44) vol. iii, p. 64; (205) vol. viii, pp. 46, 113; (222) vol. x, p. 90.

A. Georginae.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 149; Obs. Gen. Unio, (29) vol. ii, pp. 139, 149.

A. Gesnerii.

P. A. N. S., (142) vol. x, 1858, p. 139; J. A. N. S., (159) vol. iv, 1859, pp. 231, 232, pl. xxxi, f. 109; Obs. Gen. Unio, (170) vol. vii, pp. 49, 50, pl. xxxi, f. 109.

A. gibbosa.

T. A. P. S., (12) vol. iii, 1829, p. 443; (20) vol. v, 1832, p. 47; (27) vol. vi, 1838, pp. 139, 149; (43) vol. viii, 1840, pp. 226, 227; J. A. N. S., (159) vol. iv, 1859, p. 231; (203) vol. v, 1861, p. 106; Obs. Gen. Unio, (21) vol. i, pp. 57, 159; (29) vol. ii, pp. 139, 149; (44) vol. iii, pp. 64, 65; (170) vol. vii, p. 49; (205) vol. viii, p. 110.

Anodonta gigantea.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1834, p. 1, pl. i, f. 1; (1838) pp. 139, 149; J. A. N. S., (221) vol. v, 1863, p. 454; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, pp. 1, 139, 149, pl. i, f. 1; (222) vol. x, p. 90.

A. glauca.

T. A. P. S., (12) vol. iii, 1829, p. 443; (20) vol. v, 1833, p. 94; 27 vol. vi, 1838, pp. 138, 149; (79) vol. x, 1852, p. 292; Obs. Gen. Unio, (21) vol. i, pp. 57, 206; (29) vol. ii, pp. 138, 149; (83) vol. v, p. 48.

A. globosa.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (43) vol. viii, 1841, p. 241, pl. xxiv, f. 56; (79) vol. x, 1852, p. 289; Obs. Gen. Unio, (44) vol. iii, p. 79, pl. xxiv, f. 56.

A. gracilis.

P. Zool. Soc., Lond., (60) vol. xviii, 1850, p. 197; J. A. N. S., (168) vol. iv, 1859, p. 239, pl. xxxiv, f. 119; Obs. Gen. Unio, (170) vol. vii, p. 57, pl. xxxiv, f. 119.

A. grandivosa.

P. A. N. S., (255) vol. xx, 1868, p. 164.

A. Granadensis.

J. A. N. S., (257) vol. vi, 1868, p. 288, pl. xli, f. 100; Obs. Gen. Unio, (259) vol. xii, p. 48, pl. xli, f. 100; P. A. N. S., (248) vol. xx, 1868, p. 96.

A. grandis.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 149; Obs. Gen. Unio, (29) vol. ii, pp. 139, 149.

A. grossa.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Hallenbeckii.

P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S., vol. iv, 1859, p. 232, pl. 32, f. 112; Obs. Gen. Unio, (170) vol. vii, p. 50, pl. xxxii, f. 112.

A. Harpethensis.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 224, pl. xix, f. 42; Obs. Gen. Unio, (44) vol. iii, p. 62, pl. xix, f. 42.

A. Henryana.

P. A. P. S., (125) vol. ix, 1857, p. 102; J. A. N. S., (189) vol. iv, 1860, p. 373, pl. lxvi, f. 198; Obs. Gen. Unio, (205) vol. viii, p. 55, pl. lxvi, f. 198.

A. Holtonis.

P. A. P. S., (122) vol. ix, 1857, p. 85; J. A. N. S., (133) vol. iii, 1857, p. 316, pl. xxxii, f. 31; Obs. Gen. Unio, (150) vol. vi, p. 36, pl. xxxii, f. 31.

A. imbecilis.

T. A. P. S., (27) vol. vi, 1838, p. 138; J. A. N. S., (147) vol. iv, 1858, p. 50, pl. v, f. 36; (148) vol. iv, 1858, p. 51; (221) vol. v, 1863, pp. 409, 440; Obs. Gen. Unio, (29) vol. ii, p. 138; (150) vol. vi, pp. 50, 51, pl. v, f. 36; (222) vol. x, pp. 45, 85.

A. implicata.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138; (244) vol. xi, pp. 32, 33; J. A. N. S., (242) vol. vi, 1866, pp. 28, 29.

A. impura.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 150; Obs. Gen. Unio, (29) vol. ii, pp. 140, 150.

Anodonta inaequalva.

J. A. N. S., (257) vol. vi, 1868, p. 292; pl. xliii, f. 108; Obs. Gen. Unio, (259) vol. xii, p. 52; pl. xliiii, f. 108; P. A. N. S., (248) vol. xx, 1868, p. 95.

A. incerta.

T. A. P. S., (20) vol. v, 1832, pp. 45, 46, pl. vi, f. 16; (27) vol. vi, 1836, pp. 47, 55; 1838, pp. 138, 149; (43) vol. viii, 1840, 227; 1841, p. 231; Obs. Gen. Unio, (21) vol. i, pp. 157, 158; pl. vi, f. 16; (29) vol. ii, pp. 47, 55, 138, 149; (44) vol. iii, pp. 65, 69; P. A. N. S., (101) vol. vii, 1854, p. —.

A. inflata.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 144; Obs. Gen. Unio, (29) vol. ii, pp. 139, 144.

A. intermedia.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Jewettii.

J. A. N. S., (257) vol. vi, 1868, p. 289, pl. xli, f. 101; Obs. Gen. Unio, (259) vol. xii, p. 49, pl. xli, f. 101; P. A. N. S., (248) vol. xx, 1868, p. 95.

A. Kennerlyi.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (203) vol. v, 1861, p. 108, pl. xviii, f. 256; Obs. Gen. Unio, (205) vol. viii, p. 112, pl. xviii, f. 256.

A. Kennicottii.

P. A. N. S., (195) vol. xiii, p. 56; J. A. N. S., (213) vol. v, 1862, pp. 212, 214, pl. xxxiii, f. 283; (242) vol. vi, 1866, p. 30; Obs. Gen. Unio, (215) vol. ix, pp. 34, 36, pl. xxxiii, f. 283; (244) vol. xi, p. 34.

A. lata.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 144; Obs. Gen. Unio, (29) vol. ii, pp. 131, 144.

A. lato-marginata.

T. A. P. S., (20) vol. v, 1833, p. 76, pl. xii, f. 34; (27) vol. vi, 1838, pp. 139, 149; Obs. Gen. Unio, (21) vol. i, p. 188, pl. xii, f. 34; (29) vol. ii, pp. 139, 149; (170) vol. vii, p. 55; (222) vol. x, pp. 13, 27, 30; J. A. N. S., (168) vol. iv, 1859, p. 237; (220) vol. v, 1863, pp. 377, 391, 393; P. Zool. Soc., Lond., (60) vol. xviii, 1850, p. 199; P. A. N. S., (179) vol. xii, 1860, p. 97.

A. lacustris.

P. A. N. S., (118) vol. ix, 1857, p. 18; (121) vol. ix, 1857, p. 84; J. A. N. S., (189) vol. iv, 1860, p. 363, pl. lxii, f. 188; Obs. Gen. Unio, (205) vol. viii, p. 45, pl. lxii, f. 188.

A. lenticularis.

J. A. N. S., (257) vol. vi, 1868, p. 290, pl. xli, f. 102; Obs. Gen. Unio, (259) vol. xii, p. 50, pl. xli, f. 102; P. A. N. S., (248) vol. xx, 1868, p. 95.

A. Leonensis.

J. A. N. S., (242) vol. vi, 1866, p. 25, pl. ix, f. 24; (274) vol. viii, 1874, p. 67; Obs. Gen. Unio, (244) vol. xi, p. 29, pl. ix, f. 24; (275) vol. xiii, p. 71; P. A. N. S., (206) vol. xiv, 1862, p. 169.

Anodonta Lewisii.

P. A. N. S., (121) vol. ix, 1857, p. 24; J. A. N. S., (147) vol. iv, 1858, p. 49, pl. v, f. 32; (189) vol. iv, 1860, pp. 362, 364, pl. lxii, f. 187; (221) vol. v, 1863, pp. 452, 454; Obs. Gen. Unio, (150) vol. vi, p. 49, pl. v, f. 32; (205) vol. viii, pp. 44, 46, pl. lxii, f. 187; (222) vol. x, pp. 88, 90.

A. Linnaeana.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, pp. 289, 291, pl. xxvii, f. 51; Obs. Gen. Unio, (83) vol. v, pp. 45, 47, pl. xxvii, f. 51.

A. limnoica.

T. A. P. S., (27) vol. vi, 1838, pp. 138, 149; Obs. Gen. Unio, (29) vol. ii, pp. 138, 149.

A. lituratum.

T. A. P. S., (27) vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 139.

A. longinus.

T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.

A. lucida.

T. A. P. S., (27) vol. vi, 1838, p. 140; Obs. Gen. Unio, (29) vol. ii, p. 140.

A. lugubris.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 150; Obs. Gen. Unio, (29) vol. ii, pp. 140, 150.

A. luteola.

P. A. N. S., (140) vol. x, 1858, p. 118; J. A. N. S., (168) vol. iv, 1859, p. 267, pl. xliii, f. 147; Obs. Gen. Unio, (170) vol. vii, p. 85, pl. xliii, f. 147.

A. magnifica.

T. A. P. S., (27) vol. vi, 1838, pp. 137, 149; Obs. Gen. Unio, (29) vol. ii, pp. 137, 149; (150) vol. vi, p. 40; J. A. N. S., (133) vol. iii, 1857, p. 320.

A. marginata.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138; J. A. N. S., (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (244) vol. xi, p. 31.

A. Maryattana.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 226; Obs. Gen. Unio, (44) vol. iii, p. 64, pl. lxiv, f. 45.

A. modesta.

P. A. N. S., (121) vol. ix, 1857, p. 84; J. A. N. S., (189) vol. iv, 1860, p. 364, pl. xliii, f. 189; Obs. Gen. Unio, (205) vol. viii, p. 46, pl. lxiii, f. 189.

A. Montezuma.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (43) vol. viii, 1841, p. 240, pl. xxiii, f. 55; Obs. Gen. Unio, (44) vol. iii, p. 78, pl. xxiii, f. 55.

A. Moricandii.

P. A. N. S., (175) vol. xii, 1860, p. 89; J. A. N. S., (220) vol. v, 1863, p. 396, pl. xlix, f. 303; Obs. Gen. Unio, (222) vol. x, p. 32, pl. xlix, f. 303.

A. Mortoniiana.

T. A. P. S., (20) vol. v, 1833, p. 80, pl. xiii, f. 37; (27) vol. vi, 1838, pp. 138, 150; Obs. Gen. Unio, (21) vol. i, p. 192, pl. xiii, f. 37; (29) vol. ii, pp. 138, 150.

Anodonta Napoensis.

J. A. N. S., (258) vol. vi, 1868, p. 324, pl. liii, f. 137; Obs. Gen. Unio, (259) vol. xii, p. 84; P. A. N. S., (254) vol. xx, 1868, p. 162.

A. Neutonensis.

T. A. P. S., vol. vi, 1836, p. 79, pl. xxi, f. 66, 1838, pp. 138, 149; J. A. N. S., vol. vi, 1866, p. 28; Obs. Gen. Unio, (29) vol. ii, pp. 79, 138, 149, pl. xxi, f. 66.

A. Nuttalliana.

T. A. P. S., (27) vol. vi, 1836, p. 77, pl. xx, f. 62, 1838, pp. 137, 149; Obs. Gen. Unio, (29) vol. ii, pp. 77, 137, 149, pl. xx, f. 62.

A. oblita.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 290; Obs. Gen. Unio, (83) vol. v, p. 46, pl. xxviii, f. 52.

A. obtusa.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 150; Obs. Gen. Unio, (29) vol. ii, pp. 139, 150.

A. obvoluta.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Ohiensis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

A. opaca.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 285, pl. xxv, f. 46; Obs. Gen. Unio, (83) vol. v, p. 41, pl. xxv, f. 46.

A. Oregonensis.

T. A. P. S., (27) vol. vi, 1836, p. 80, pl. xxi, f. 67, 1838, pp. 138, 149; J. A. N. S., (213) vol. v, 1862, p. 213; (221) p. 454; Obs. Gen. Unio, (29) vol. ii, pp. 67, 138, 149, pl. xxi, f. 67; (215) vol. ix, p. 35; (222) vol. x, p. 90.

A. ovata.

T. A. P. S., (27) vol. vi, 1834, p. 2, pl. ii, f. 2, 1838, pp. 138, 149; Obs. Gen. Unio, (29) vol. ii, pp. 2, 138, 149, pl. ii, f. 2; (150) vol. vi, p. 49, pl. v, f. 33; (222) vol. x, p. 88; J. A. N. S., (147) vol. iv, 1858, p. 49, pl. v, f. 33; (221) vol. v, 1863, p. 452.

A. pallida.

J. A. N. S., (221) vol. v, 1863, p. 455; Obs. Gen. Unio, (222) vol. x, p. 91.

A. plana. (Same as *plana*.)

T. A. P. S., (20) vol. v, 1832, p. 48, pl. vii, f. 18; Obs. Gen. Unio, (21) vol. i, p. 160, pl. vii, f. 18.

A. paludosus.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Parishii.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 150; Obs. Gen. Unio, (29) vol. ii, pp. 139, 150.

A. Patagonia.

T. A. P. S., (20) vol. v, 1833, p. 77; Obs. Gen. Unio, (21) vol. i, p. 189.

A. Patagonica.

T. A. P. S., (20) vol. v, 1833, p. 94; (27) vol. vi, 1838, pp. 139, 150; Obs. Gen. Unio, (21) vol. i, p. 206; (29) vol. ii, pp. 139, 150.

Anodonta pavonia.

T. A. P. S., (27) vol. vi, 1836, p. 78, pl. xxi, f. 65, 1838, pp. 138, 149; Obs. Gen. Unio, (29) vol. ii, pp. 65, 138, 149, pl. xxi, f. 65; (215) vol. ix, p. 38; J. A. N. S., (213) vol. v, 1862, p. 216.

A. Pazii.

J. A. N. S., (257) vol. vi, 1868, p. 274, pl. xxxvi, f. 86; Obs. Gen. Unio, (259) vol. xii, p. 34, pl. xxxvi, f. 86; P. A. N. S., (238) vol. xviii, p. 35.

A. penicillatus.

T. A. P. S., (27) vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 139.

A. Pennsylvanica.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, p. 138.

A. Pepiniana.

T. A. P. S., (27) vol. vi, 1837, p. 96, pl. xvi, f. 51; 1838, pp. 138, 149, 154; J. A. N. S., (213) vol. v, 1862, p. 214; Obs. Gen. Unio, (29) vol. ii, pp. 96, 138, 149, pl. xvi, f. 51; (215) vol. ix, p. 36.

A. piscinalis.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. plana. (See *palma*.)

T. A. P. S., (27) vol. vi, 1836, p. 64; 1838, pp. 138, 149; (43) vol. viii, 1841, p. 231; J. A. N. S., (221) vol. v, 1863, pp. 452, 453; Obs. Gen. Unio, (29) vol. ii, pp. 138, 149; (44) vol. iii, p. 69; (222) vol. x, pp. 88, 89; P. A. N. S., (101) vol. vii, 1854, p. —.

A. ponderosa.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. porcifer.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 150; Obs. Gen. Unio, (29) vol. ii, pp. 139, 150.

A. proboscidalis.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Puelchana.

T. A. P. S., (27) vol. vi, 1838, p. 140; Obs. Gen. Unio, (29) vol. ii, p. 140.

A. purpurascens.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

A. purpurca.

T. A. P. S., (27) vol. vi, 1838, pp. 138, 150; Obs. Gen. Unio, (29) vol. ii, pp. 138, 150.

A. pygmaea.

J. A. N. S., (257) vol. vi, 1868, p. 275; Obs. Gen. Unio, (259) vol. xii, p. 35.

A. pygmaeum.

T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.

A. radiatus.

T. A. P. S., vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 139.

A. Randalli.

P. A. N. S., (109) vol. viii, 1856, p. 81; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (244) vol. xi, p. 111.

Anodonta rubens.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, p. 141; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, p. 141.

A. rubicunda.

P. A. N. S., (176) vol. xii, 1860, p. 92; J. A. N. S., (220) vol. v, 1863, p. 392, pl. xlvi, f. 229; Obs. Gen. Unio, (222) vol. x, p. 28, pl. xlvi, f. 299.

A. rugosus.

T. A. P. S., (20) vol. v, 1833, p. 93; Obs. Gen. Unio, (21) vol. i, p. 205.

A. rotunda.

J. A. N. S., (189) vol. iv, 1860, p. 361; (220) vol. v, 1863, pp. 377, 392, 395; Obs. Gen. Unio, (29) vol. ii, p. 139; (205) vol. viii, p. 43; (222) vol. x, pp. 13, 28, 31; T. A. P. S., (27) vol. vi, 1838, p. 139.

A. rotundovata.

P. A. N. S., (109) vol. viii, 1856, p. 81; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, vol. xi, p. 111.

A. salmonia.

T. A. P. S., (27) vol. vi, 1836, p. 45, pl. xiv, f. 41; 1838, pp. 138, 149; Obs. Gen. Unio, (29) vol. ii, pp. 45, 138, 149, pl. xiv, f. 41.

A. Schröteriana.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 292, pl. xxix, f. 55; Obs. Gen. Unio, (83) vol. v, p. 48, pl. xxix, f. 55.

A. Senegalensis.

P. A. N. S., (152) vol. xi, 1859, p. 154; J. A. N. S., (168) vol. iv, 1859, pp. 260, 261, pl. xli, f. 140; Obs. Gen. Unio, (170) vol. vii, pp. 78, 79, pl. xli, f. 140.

A. Sharferiana.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 288, pl. xxvi, f. 50; Obs. Gen. Unio, (83) vol. v, p. 44, pl. xxvi, f. 50.

A. Showalterii.

J. A. N. S., (213) vol. v, 1862, p. 215, pl. xxxiii, f. 284; Obs. Gen. Unio, (215) vol. ix, p. 37, pl. xxxiii, f. 284.

A. siliquosus.

T. A. P. S., vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.

A. Simpsoniana.

P. A. N. S., (195) vol. xiii, 1861, p. 56; J. A. N. S., (213) vol. v, 1862, p. 212, pl. xxxii, f. 281; (242) vol. vi, 1866, p. 30; Obs. Gen. Unio, (215) vol. ix, p. 34; (244) vol. xi, p. 34.

A. sinuosa.

T. A. P. S., (20) vol. v, 1833, pp. 79, 94; (27) vol. vi, 1838, pp. 139, 140, 150; Obs. Gen. Unio, (21) vol. i, pp. 191, 206; (29) vol. ii, pp. 139, 140, 150.

A. soleniformis.

T. A. P. S., (27) vol. vi, 1838, pp. 140, 144, 150; (79) vol. x, 1852, p. 293; Obs. Gen. Unio, (29) vol. ii, pp. 140, 144, 150; (83) p. 49.

A. solidula.

J. A. N. S., (220) vol. v, 1863, p. 396; Obs. Gen. Unio, (222) vol. x, p. 32.

A. Spixii.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 150; Obs. Gen. Unio, (29) vol. ii, pp. 139, 150.

Anodonta spuria.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. Streblii.

J. A. N. S., (258) vol. vi, 1868, p. 322, pl. lii, f. 135; Obs. Gen. Unio, (259) vol. xii, p. 82, pl. lii, f. 135; P. A. N. S., (251) vol. xx, 1868, p. 150.

A. Stewartiana.

T. A. P. S., (20) vol. v, 1832, p. 47, pl. vi, f. 17; (27) vol. vi, 1836, p. 64; 1838, pp. 139, 149; (79) vol. x, 1852, p. 291; J. A. N. S., (159) vol. iv, 1859, p. 231; Obs. Gen. Unio, (21) vol. i, p. 159, pl. vi, f. 7; (29) vol. ii, pp. 64, 139, 149; (83) vol. v, p. 47; (170) vol. vii, p. 49.

A. subcrassa.

P. Zöhl. Soc. Lond., (60) vol. xviii, 1850, p. 198; J. A. N. S., vol. iv, 1859, p. 236, pl. xxxiii, f. 115; Obs. Gen. Unio, (170) vol. vii, p. 54, pl. xxxiii, f. 115.

A. subcylindracea.

T. A. P. S., (27) vol. vi, 1838, pp. 106, 140, 149, pl. xxiv, f. 117; J. A. N. S., (221) vol. v, 1863, p. 449; Obs. Gen. Unio, (29) vol. ii, pp. 106, 140, 149, pl. xxiv, f. 117; (222) vol. x, p. 85.

A. suborbiculata.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 149; (43) vol. vii, 1841, p. 241; Obs. Gen. Unio, (29) vol. ii, pp. 139, 149; (44) vol. iii, p. 79.

A. subvexa.

T. A. P. S., (27) vol. vi, 1838, pp. 139, 149; Obs. Gen. Unio, (29) vol. ii, pp. 139, 149.

A. sulcata.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, p. 137.

A. Susanna.

T. A. P. S., (27) vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 139.

A. Tawai.

T. A. P. S., (27) vol. vi, 1838, p. 140; Obs. Gen. Unio (29) vol. ii, p. 140.

A. Tawai.

T. A. P. S., (27) vol. vi, 1838, p. 150; Obs. Gen. Unio, (29) vol. ii, p. 150.

A. tenebriosa.

T. A. P. S., (20) vol. v, 1833, pp. 76, 78, pl. xii, f. 36; (27) vol. vi, 1836, pp. 45, 140, 150; J. A. N. S., (220) vol. v, 1863, p. 377; Obs. Gen. Unio, (21) vol. i, pp. 188, 190, pl. xii, f. 36; (29) vol. ii, pp. 45, 140, 150; (222) vol. x, p. 13.

A. tenuis.

T. A. P. S., (27) vol. vi, 1838, p. 136; P. Z. S., Lond., (60) vol. xviii, 1850, p. 198; J. A. N. S., (168) vol. iv, 1859, p. 237, pl. xxxiii, f. 116; Obs. Gen. Unio, (29) vol. ii, p. 136; (170) vol. vii, p. 55, pl. xxxiii, f. 116; P. A. N. S., (250) vol. xx, 1868, p. 146.

A. teres.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138.

Anodonta tetragona.

T. A. P. S., (55) vol. x, 1845, p. 82, pl. viii, f. 25; (79) vol. x, 1852, pp. 287, 289; Obs. Gen. Unio, (56) vol. iv, p. 82, pl. viii, f. 25; (83) vol. v, pp. 43, 45; P. A. N. S., (53) vol. iv, 1845, p. 165; (101) vol. vii, 1854, p. 246.

A. Texasensis.

P. A. N. S., (151) vol. xi, 1859, p. 113; J. A. N. S., (189) vol. iv, 1860, p. 366, pl. 63, f. 191; Obs. Gen. Unio, (205) vol. viii, p. 48, pl. 63, f. 191.

A. tortilis.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 291, pl. xxvii, f. 54; J. A. N. S., (133) vol. iii, 1857, p. 313; Obs. Gen. Unio, (83) vol. v, p. 47, pl. xxvii, f. 54; (150) vol. vi, p. 33.

A. Trautwiniiana.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 287, pl. xxvi, f. 48; J. A. N. S., (189) vol. iv, 1860, p. 367; Obs. Gen. Unio, (83) vol. v, p. 43, pl. xxvi, f. 48; (205) vol. viii, p. 49.

A. triangulata.

P. A. N. S., (109) 1856, p. 81; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (244) vol. xi, p. 111.

A. trigona.

T. A. P. S., (27) vol. vi, 1838, pp. 138, 150; Obs. Gen. Unio, (29) vol. ii, pp. 138, 150.

A. trapezius.

T. A. P. S., (12) vol. iii, 1829, p. 443; (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, pp. 139, 150; (79) vol. lxxix, 1852, p. 287; J. A. N. S., (220) vol. v, 1863, pp. 377, 393, 394, 397; Obs. Gen. Unio, (21) vol. i, pp. 57, 205; (29) vol. ii, pp. 139, 150; (83) vol. v, p. 43; (222) vol. x, pp. 13, 29, 30, 33.

A. Tryonii.

J. A. N. S., (242) vol. vi, 1866, p. 28; Obs. Gen. Unio, (244) vol. xi, p. 32, pl. x, f. 27; P. A. N. S., (206) vol. xiv, p. 169.

A. tuberculata.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

A. undulata.

T. A. P. S., (9) vol. iii, 1827, p. 262; (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, p. 93; (27) vol. vi, 1836, pp. 51, 52, 54, 55, 56; 1838, pp. 138, 150; (43) vol. viii, p. 225; J. A. N. S., (147) vol. iv, 1858, pp. 46, 50, pl. v, f. 38; (203) vol. v, 1861, p. 107; (213) vol. v, 1862, p. 216; (221) vol. v, 1863, pp. 453, 450; Obs. Gen. Unio, (21) vol. i, pp. 4, 39, 205; (23) vol. ii, pp. 51, 52, 54, 55, 56, 138, 150; (44) vol. iii, p. 63; (150) vol. vi, pp. 46, 50, pl. v, f. 38; (205) vol. viii, p. 111; (215) vol. ix, p. 38; (222) vol. x, pp. 86, 89; P. A. N. S., (118) vol. ix, 1857, p. 18.

A. uniopsis.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, pp. 138, 150; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, pp. 138, 150.

Anodonta Uruguayensis.

P. A. N. S., (176) vol. xii, 1860, p. 92; J. A. N. S., (220) vol. v, 1863, p. 393, pl. xlvi, f. 302; Obs. Gen. Unio, (222) vol. x, p. 29, pl. xlvi, f. 302.

A. variabilis.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. ventricosa.

T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.

A. virens.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 290, pl. xxviii, f. 53; Obs. Gen. Unio, (83) vol. v, p. 46, pl. xxviii, f. 53.

A. virgata.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138.

A. virgulata.

P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (213) vol. v, 1862, p. 213, pl. xxxiii, f. 282; Obs. Gen. Unio, (215) vol. ix, p. 35, pl. xxxiii, f. 282.

A. Wahlamatensis.

T. A. P. S., (27) vol. vi, 1836, p. 78, pl. xx, f. 64, 1838, p. 137; J. A. N. S., (221) vol. v, 1863, p. 453; (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (29) vol. ii, pp. 78, 137, 149, pl. xx, f. 64; (222) vol. x, p. 89; (244) vol. xi, p. 111; P. A. N. S., (109) vol. viii, 1856, p. 81.

A. Wardiana.

T. A. P. S., (27) vol. vi, 1836, p. 46, pl. xiv, f. 42; 1838, pp. 138, 149; (43) vol. viii, 1841, p. 231; Obs. Gen. Unio, (29) vol. ii, pp. 46, 138, 149, pl. xiv, f. 42; (44) vol. iii, p. 69; P. A. N. S., (101) vol. vii, 1854, p. 241.

A. Wheatleyi.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 287, pl. xxvi, f. 49; J. A. N. S., (220) vol. v, 1863, pp. 391, 396; Obs. Gen. Unio, (83) vol. v, p. 43, pl. xxvi, f. 49; (222) vol. x, pp. 27, 32.

A. Williamsii.

J. A. N. S., (242) vol. vi, 1866, pp. 27, 29; pl. x, f. 26; Obs. Gen. Unio, (244) vol. xi, pp. 31, 33, pl. x, f. 26; P. A. N. S., (206) vol. xiv, 1862, p. 169.

A. Woodiana.

T. A. P. S., (27) vol. vi, 1838, pp. 137, 149; Obs. Gen. Unio., (29) vol. ii, pp. 137, 149.

A. Wymani.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, pp. 390, 394; pl. xliv, f. 294; Obs. Gen. Unio., (222) vol. x, pp. 26, 30; pl. xliv, f. 294; P. A. N. S., (179) vol. xii, 1860, p. 97.

A. Youkanensis.

J. A. N. S., (257) vol. vi, 1868, p. 287, pl. xi, f. 99; Obs. Gen. Unio, (259) vol. xii, p. 47, pl. xi, f. 99; P. A. N. S., (247) vol. xix, 1867, p. 81.

Anodontites anatina.

T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138.

- Anodontites cygna*.
T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138.
- ANOLAX.
(18) Con. Geol., 1833, p. 180.
- A. altile*.
(18) Con. Geol., 1833, p. 181.
- A. gigantea*.
(18) Con. Geol., 1833, p. 180, pl. vi, f. 193.
- A. plicata*.
(18) Con. Geol., 1833, p. 181, pl. vi, f. 194.
- A. samba*.
(18) Con. Geol., 1833, p. 181.
- A. subglobosa*.
(18) Con. Geol., 1833, p. 181.
- ANOMIA.
P. A. N. S., (145) vol. x, 1858, p. 221.
- APHRODITE.
T. A. P. S., (20) vol. v, 1834, p. 111; Obs. Gen. Unio, (21) vol. i, p. 223.
- A. columba*.
T. A. P. S., (20) vol. v, 1834, p. 111, pl. xviii, f. 54; Obs. Gen. Unio, (21) vol. i, p. 223, pl. xviii, f. 54.
- ARCA.
(18) Con. Geol., 1833, p. 75; P. A. N. S., (145) vol. x, 1858, p. 221.
- A. centenaria*.
(18) Con. Geol., 1833, p. 75.
- A. duplicata*.
(18) Con. Geol., 1833, p. 75.
- A. rhomboidella*.
(18) Con. Geol., 1833, p. 74, pl. ii, f. 52.
- A. Sillimaniana*.
T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 16.
- A. tortuosa*.
J. A. N. S., (133) vol. iii, 1857, p. 320; Obs. Gen. Unio, (150) vol. vi, p. 40; P. A. N. S., (144) vol. x, 1858, p. 179.
- Assimineia carinata*.
P. A. N. S., (113) vol. viii, 1856, p. 111; J. A. N. S., (243) vol. vi, 1866, p. 119, pl. xxii, f. 13; Obs. Gen. Unio, (244) vol. xi, p. 76, pl. xxii, f. 13.
- ASTARTE.
(18) Con. Geol., 1833, pp. 63, 64.
- A. minor*.
(18) Con. Geol., 1833, p. 63, pl. ii, f. 38.
- A. minutissima*.
(18) Con. Geol., 1833, p. 64, pl. ii, f. 39.
- A. Nicklinii*.
(18) Con. Geol., 1833, p. 61, pl. ii, f. 35.
- A. parva*.
(18) Con. Geol., 1833 pp. 63, 64, pl. ii, f. 37.
- A. recurva*.
(18) Con. Geol., 1833, p. 61, pl. ii, f. 34.
- A. rugatus*.
(18) Con. Geol., 1833, p. 64.
- A. sulcata*.
(18) Con. Geol., 1833, p. 62, pl. ii, f. 36.
- AVICULA.
(18) Con. Geol., 1833, p. 87.
- A. Claibornensis*.
(18) Con. Geol., 1833, p. 86, pl. iii, f. 65.
- A. media*.
(18) Con. Geol., 1833, pp. 86, 87.
- Auricula fuscagula*.
T. A. P. S., (20) vol. v, 1833, p. 83, pl. xix, f. 76; Obs. Gen. Unio, (21) vol. i, p. 195, pl. xix, f. 76.
- A. ringens*.
(18) Con. Geol., 1833, p. 202.
- BACULITES.
P. A. N. S., (145) vol. x, 1858, p. 218.
- BALANUS.
(18) Con. Geol., 1833, p. 212.
- B. Finchii*.
(18) Con. Geol., 1833, p. 211, pl. vi, f. 222.
- Barbata plicatus*.
T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.
- BASISTOMA.
T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51.
- B. Edwardsii*.
P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 296, pl. xxx, f. 1; Obs. Gen. Unio, (83) vol. v, p. 52, pl. xxx, f. 1.
- Bathynathus borealis*.
P. A. N. S., (106) vol. viii, 1856, p. 78.
- BELEMNITES.
P. A. N. S., (145) vol. x, 1858, p. 218.
- BIFRONTIA.
P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, p. 245; Obs. Gen. Unio, (215) vol. ix, p. 67.
- BITHINIA.
J. A. N. S., (243) vol. vi, 1866, p. 119; Obs. Gen. Unio, (244) vol. xi, p. 75.
- B. faculata*.
J. A. N. S., (243) vol. vi, 1866, p. 119; Obs. Gen. Unio, (244) vol. xi, p. 75.
- B. globula*.
J. A. N. S., (243) vol. vi, 1866, p. 119, pl. xxii, f. 12; Obs. Gen. Unio, (244) vol. xi, p. 75, pl. xxii, f. 12; P. A. N. S., (113) vol. viii, 1856, p. 110.
- B. Siamensis*.
P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, pp. 118, 119, pl. xxii, f. 11; Obs. Gen. Unio, (244) vol. xi, pp. 75, 76, pl. xxii, f. 11.
- BUCCINUM.
(18) Con. Geol., 1833, p. 164; P. A. N. S., (145) vol. x, 1858, p. 221.
- B. Sowerbii*.
(18) Con. Geol., 1833, p. 164, pl. v, f. 169; T. A. P. S., (20) vol. v, p. 85.
- B. striatum*.
T. A. P. S., (20) vol. v, 1833, p. 85; Obs. Gen. Unio, (21) vol. i, p. 197.
- Bulimus bicoloratus*.
P. A. P. S., (31) vol. i, 1840, p. 173; T. A. P. S., (38) vol. vii, 1841, p. 459, pl. xi, f. 8.
- B. carinatus*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 458, pl. xi, f. 7.
- B. Colombianus*.
T. A. P. S., (27) vol. vi, 1836, p. 66, pl. xxiii, f. 110; Obs. Gen. Unio, (29) vol. ii, p. 66, pl. xxiii, f. 110.

- Bulimus corneus*.
T. A. P. S., (27) vol. vi, 1836, p. 66, pl. xxiii, f. 111;
Obs. Gen. Unio, (29) vol. ii, p. 66, pl. xxiii, f. 111.
- B. decollatus*.
J. A. N. S., (214) vol. v, 1862, p. 233; Obs. Gen. Unio, (215) vol. ix, 1862, p. 255.
- B. decoratus*.
T. A. P. S., (27) vol. vi, 1836, p. 86, pl. xxiii, f. 108; Obs. Gen. Unio, (29) vol. ii, p. 86, pl. xxiii, f. 108.
- B. Gibbonius*.
T. A. P. S., (27) vol. vi, 1836, p. 85, pl. xxiii, f. 99; Obs. Gen. Unio, (29) vol. ii, p. 85, pl. xxiii, f. 99.
- B. glandiformis*.
T. A. P. S., (27) vol. vi, 1836, p. 83, pl. xxiii, f. 92; Obs. Gen. Unio, (29) vol. ii, p. 83, pl. xxiii, f. 92.
- B. gracilis*.
P. A. P. S., (31) vol. i, 1840, p. 173; T. A. P. S., (27) vol. vi, 1836, p. 85, pl. xxiii, f. 102; (38) vol. vi, 1841, pp. 456, 458, pl. xi, f. 6; Obs. Gen. Unio, (29) vol. ii, p. 85, pl. xxiii, f. 102.
- B. hæmastomas*.
T. A. P. S., (38) vol. vii, 1841, p. 457.
- B. Jayanus*.
P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (51) vol. ix, 1841, p. 2; Obs. Gen. Unio, (56) vol. iv, p. 2.
- B. lacteus*.
T. A. P. S., (27) vol. vi, 1836, pp. 65, 67; Obs. Gen. Unio, (29) vol. ii, p. 65, pl. xxiii, f. 100.
- B. Liberianus*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 457, pl. xi, f. 4.
- B. maculatus*.
T. A. P. S., (27) vol. vi, 1836, pp. 84, 86, pl. xxiii, f. 112; Obs. Gen. Unio, (29) vol. ii, p. 86, pl. xxiii, f. 112.
- B. octoneus*.
T. A. P. S., (51) vol. ix, 1841, p. 3; Obs. Gen. Unio, (56) vol. iv, p. 3.
- B. parvus*.
T. A. P. S., (27) vol. vi, 1836, p. 84, pl. xxiii, f. 96; Obs. Gen. Unio, (29) vol. ii, p. 84, pl. xxiii, f. 96.
- B. Pealianus*.
T. A. P. S., (27) vol. vi, 1836, p. 65, pl. xxiii, f. 105; Obs. Gen. Unio, (29) vol. ii, p. 65, pl. xxiii, f. 105.
- B. radiatus*.
T. A. P. S., (38) vol. vii, 1841, p. 457.
- B. subglobosus*.
P. A. N. S., (31) vol. i, 1840, p. 173; T. A. P. S., (38) vol. vii, 1841, p. 455, pl. xi, f. 1.
- B. terebellatus*.
(18) Con. Geol., 1833, p. 207.
- B. virgineus*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 456, pl. xi, f. 3.
- B. virgo*.
T. A. P. S., (27) vol. vi, 1836, p. 84, pl. xxiii, f. 97; Obs. Gen. Unio, (29) vol. ii, p. 84, pl. xxiii, f. 97.
- Bulimus virido-striatus*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 455, pl. xi, f. 2.
- B. Woodianus*.
P. A. P. S., (31) vol. i, 1840, p. 173; T. A. P. S., (38) vol. vii, 1841, p. 457, pl. xi, f. 5.
- BULLA.
(18) Con. Geol., 1833, p. 99.
- B. constricta*.
(18) Con. Geol., 1833, p. 98.
- B. Dekayi*.
(18) Con. Geol., 1833, p. 200, pl. vi, f. 215.
- B. St. Hillairii*.
(18) Con. Geol., 1833, pp. 98, 201, pl. iv, f. 78.
- Byssomia petricoloides*.
(18) Con. Geol., 1833, p. 48, pl. i, f. 16.
- Byssanodonta Paranensis*.
P. A. N. S., (115) vol. viii, 1856, p. 214.
- CANCELLARIA.
(18) Con. Geol., 1833, p. 142.
- C. babylonica*.
(18) Con. Geol., 1833, p. 138, pl. v, f. 134.
- C. costata*.
(18) Con. Geol., 1833, p. 141, pl. v, f. 140.
- C. elevata*.
(18) Con. Geol., 1833, p. 141, pl. v, f. 139.
- C. multiplicata*.
(18) Con. Geol., 1833, p. 139, pl. v, f. 135.
- C. parva*.
(18) Con. Geol., 1833, p. 142, pl. v, f. 141.
- C. plicata*.
(18) Con. Geol., 1833, pp. 139, 140, pl. v, f. 136.
- C. sculptura*.
(18) Con. Geol., 1833, p. 140, pl. v, f. 137.
- C. tessellata*.
(18) Con. Geol., 1833, p. 140, pl. v, f. 138.
- CARDITA.
P. A. P. S., (145) vol. x, 1858, p. 221.
- C. planicosta*.
(18) Con. Geol., 1833, p. 19.
- Cardium cardissa*.
T. A. P. S., (27) vol. vi, 1836, p. 72; Obs. Gen. Unio, (29) vol. ii, p. 72.
- C. depressum*.
T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 20.
- C. globosum*.
T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 20.
- CARCOLLA.
T. A. P. S., (51) vol. ix, 1841, p. 1; (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (56) vol. iv, p. 1; (83) vol. v, p. 60.
- C. bicolor*.
T. A. P. S., (38) vol. vii, 1841, p. 461.
- C. bifasciata*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. xii, 1841, p. 465, pl. xii, f. 18.
- C. Cumberlandiana*.
P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 229, pl. vi, f. 61; Obs. Gen. Unio, (44) vol. iii, p. 67, pl. vi, f. 61.
- C. Edgariana*.
P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (51) vol. ix, 1841, p. 2; (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (56) vol. iv, p. 2; (83) vol. v, p. 60.

Carocolla helioides.

T. A. P. S., (15) vol. iv, 1830, p. 103, pl. xv, f. 34, a. b. c.; Obs. Gen. Unio, (21) vol. i, p. 113, pl. xv, f. 34, a. b. c.

C. Hydrina.

T. A. P. S., (27) vol. vi, 1837, p. 98, pl. xxiii, f. 73; Obs. Gen. Unio, (29) vol. ii, p. 98, pl. xxiii, f. 73.

C. labyrinthus.

T. A. P. S., (27) vol. vi, 1837, p. 98; Obs. Gen. Unio, (29) vol. ii, p. 98.

C. spinosa.

T. A. P. S., (15) vol. iv, 1830, p. 104, pl. xv, f. 35, a. b. c.; (27) vol. vi, 1836, p. 69; (51) vol. ix, 1841, p. 2; (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (21) vol. i, p. 114, pl. xv, f. 35, a. b. c.; (29) vol. ii, p. 69; (56) vol. iv, p. 2; (83) vol. v, p. 60.

CASTALIA.

T. A. P. S., (12) vol. iii, 1829, pp. 442, 443; (15) vol. iv, 1831, p. 107; (27) vol. vi, 1838, p. 109; Obs. Gen. Unio, (21) vol. i, pp. 56, 57; (15) p. 117; (29) vol. ii, p. 109.

C. ambigua.

T. A. P. S., (12) vol. iii, 1829, p. 443; (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, p. 122; J. A. N. S., (220) vol. v, 1863, p. 377; Obs. Gen. Unio, (21) vol. i, p. 57; (20) p. 204; (29) vol. ii, p. 122; (222) vol. x, p. 13.

C. inflata.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

C. quadrilatera.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

CATILLUS.

(18) Con. Geol., 1833, p. 73.

Centemodon sulcatus.

P. A. N. S., (106) vol. viii, 1856, p. 78; (128) vol. ix, 1857, p. 149.

CERIPHASIA.

J. A. N. S., (214) vol. v, 1862, p. 269; Obs. Gen. Unio, (215) vol. ix, p. 91.

C. canaliculata.

J. A. N. S., (214) vol. v, 1862, p. 269; Obs. Gen. Unio, (215) vol. ix, p. 91.

C. sulcata.

J. A. N. S., (214) vol. v, 1862, p. 269; Obs. Gen. Unio, (215) vol. ix, p. 91.

CERITHIUM.

(18) Con. Geol., 1833, p. 132.

C. striatum.

(18) Con. Geol., 1833, p. 131, pl. iv, f. 122.

Chana plumbea.

J. A. N. S., (213) vol. v, 1862, p. 206; Obs. Gen. Unio, (215) vol. ix, p. 28.

C. tortuosa.

T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 18.

Chelichnus Wymantianus.

P. A. N. S., (106) vol. viii, 1856, p. 78.

CHILINA.

J. A. N. S., (214) vol. v, 1862, p. 257; Obs. Gen. Unio, (215) vol. ix, p. 79.

CLATHRODON.

J. A. N. S., (133) vol. iii, 1857, p. 318; Obs. Gen. Unio, (150) vol. vi, p. 38.

Clepsyisaurus Pennsylvanicus.

P. A. N. S., (106) vol. viii, 1856, p. 78; (128) vol. ix, 1857, p. 149; (138) vol. x, 1858, p. 91.

Cochlicopa rosea.

T. A. P. S., (20) vol. v, 1833, p. 85; Obs. Gen. Unio, (21) vol. i, p. 197.

COLUMBA.

T. A. P. S., (20) vol. v, 1833, p. 78; (27) vol. ii, p. 139; Obs. Gen. Unio, (21) vol. i, p. 190; (29) vol. ii, p. 139.

Conus Claibornensis.

(18) Con. Geol., 1833, p. 186.

C. latus.

T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 19.

CORBULA.

(18) Con. Geol., 1833, p. 47; P. A. N. S., (145) vol. x, 1858, p. 221.

C. compressa.

(18) Con. Geol., 1833, p. 47, pl. i, f. 15.

C. clegans.

(18) Con. Geol., 1833, p. 46.

C. gibbosa.

(18) Con. Geol., 1833, p. 43, pl. i, f. 14.

C. Murchisonii.

(18) Con. Geol., 1833, pp. 46, 47, pl. i, f. 13.

C. revoluta.

(18) Con. Geol., 1833, p. 46.

CRASSINA.

(18) Con. Geol., 1833, p. 63.

Crassatella alta.

(18) Con. Geol., 1833, p. 23.

CREPIDULA.

(18) Con. Geol., 1833, p. 98.

C. cornu-arictes.

(18) Con. Geol., 1833, p. 97, pl. iii, f. 77.

C. costata.

(18) Con. Geol., 1833, p. 97.

CRISTARIA.

T. A. P. S., (12) vol. iii, 1829, p. 443; Obs. Gen. Unio, (21) vol. i, p. 57.

C. tuberculata.

T. A. P. S., (12) vol. iii, 1829, p. 447; (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (21) vol. i, p. 61; (29) vol. ii, p. 136.

Ovulella dubia.

T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 17.

C. gigantea.

(18) Con. Geol., 1833, p. 19.

CYCLAS.

T. A. P. S., (20) vol. v, 1832, p. 25; Obs. Gen. Unio, (21) vol. i, p. 137.

Cyclostoma Cincinnatiensis.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 229, pl. vi, f. 62; Obs. Gen. Unio, (44) vol. iii, p. 67, pl. vi, f. 62.

C. Jamaicensis.

T. A. P. S., (20) vol. v, 1833, p. 34; Obs. Gen. Unio, (21) vol. i, p. 196.

C. maculata.

T. A. P. S., vol. vi, 1836, p. 68, pl. xxiii, f. 87; Obs. Gen. Unio, (29) vol. ii, p. 68, pl. xxiii, f. 87.

C. Popayanana.

T. A. P. S., (27) vol. vi, 1836, p. 94, pl. xxiii, f. 76; Obs. Gen. Unio, (29) vol. ii, p. 94, pl. xxiii, f. 76.

Cyclostoma striata.

T. A. P. S., (20) vol. v, 1833, p. 84, pl. xix, f. 77; (27) vol. vi, 1836, p. 94; Obs. Gen. Unio, (21) vol. i, p. 196, pl. xix, f. 77; (29) vol. ii, p. 94.

C. unicolor.

J. A. N. S., (243) vol. vi, 1866, p. 116; Obs. Gen. Unio, (244) vol. xi, p. 73.

C. Woodiana.

P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 465, pl. xii, f. 19.

CYRENA.

T. A. P. S., (20) vol. v, 1834, p. 111; Obs. Gen. Unio, (21) vol. i, p. 223; (150) vol. vi, p. 38; J. A. N. S., (133) vol. iii, 1857, p. 318.

C. Jayensis.

T. A. P. S., (20) vol. v, 1834, p. 108, pl. xvii, f. 52; Obs. Gen. Unio, (21) vol. i, p. 220, pl. xvii, f. 52.

C. papua.

T. A. P. S., (20) vol. v, 1834, pp. 109, 110; Obs. Gen. Unio, (21) vol. i, pp. 221, 222.

C. rotundata.

T. A. P. S., (20) vol. v, 1834, pp. 107, 108, 110, pl. xvii, f. 51; Obs. Gen. Unio, (21) vol. i, pp. 219, 220, 221, pl. xvii, f. 51.

C. turgidia.

T. A. P. S., (20) vol. v, 1834, p. 109, pl. xviii, f. 53; Obs. Gen. Unio, (21) vol. i, p. 221, pl. xviii, f. 53.

C. variegata.

J. A. N. S., (220) vol. v, 1863, p. 377; Obs. Gen. Unio, (222) vol. x, p. 13.

C. Woodiana.

T. A. P. S., (20) vol. v, 1834, pp. 109, 110, pl. xviii, f. 55; Obs. Gen. Unio, (21) vol. i, p. 222, pl. xviii, f. 55.

C. Zeylanica.

T. A. P. S., (20) vol. v, 1834, pp. 108, 109; Obs. Gen. Unio, (21) vol. i, pp. 220, 221.

CYTHEREA.

(18) Con. Geol., 1833, pp. 60, 68.

C. comis.

(18) Con. Geol., 1833, p. 66, pl. ii, f. 41.

C. convexa.

(18) Con. Geol., 1833, p. 21.

C. Dione.

T. A. P. S., (27) vol. vi, 1836, p. 58; Obs. Gen. Unio, (29) vol. ii, p. 58.

C. globosa.

(18) Con. Geol., 1833, pp. 65, 66, pl. ii, f. 40.

C. Hydii.

(18) Con. Geol., 1833, p. 66, pl. ii, f. 42.

C. minima.

(18) Con. Geol., 1833, p. 68, pl. ii, f. 45.

C. subcrassa.

(18) Con. Geol., 1833, p. 67, pl. ii, f. 43.

C. trigonata.

(18) Con. Geol., 1833, pp. 67, 68, pl. ii, f. 44.

DAMALIS.

T. A. P. S., (27) vol. vi, 1836, p. 134; Obs. Gen. Unio, (29) vol. ii, p. 134.

DENTALIUM.

P. A. N. S., (145) vol. x, 1858, p. 221.

D. alternatum.

(18) Con. Geol., 1833, p. 34, pl. i, f. 2.

Dentalium attenuatum.

(18) Con. Geol., 1833, p. 36.

D. dentalis.

(18) Con. Geol., 1833, p. 35.

D. turritum.

(18) Con. Geol., 1833, p. 35, pl. i, f. 3.

DELPHINULA.

(18) Con. Geol., 1833, p. 118.

D. depressa.

(18) Con. Geol., 1833, p. 118, pl. iv, f. 105.

D. plana.

(18) Con. Geol., 1833, p. 117, pl. iv, f. 104.

Didelphis Bucklandii.

(18) Con. Geol., 1833, p. 12.

Diplasma marginato.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

Diplasma similis.

J. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

D. striata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

D. vitrea.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

Diplodon ellipticum.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

D. furcatum.

T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

D. rhombeum.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

DIPSAS.

T. A. P. S., (12) vol. iii, 1829, pp. 442, 443; (27) vol. vi, 1838, pp. 114, 117, 118, 136, 149; P. Z. S. L., (60) vol. xviii, 1850, p. 197; J. A. N. S., (168) vol. iv, 1859, pp. 240, 241; Obs. Gen. Unio, (21) vol. i, pp. 56, 57; (29) vol. ii, pp. 114, 117, 118, 136, 149; (170) vol. vii, pp. 58, 59.

D. discoideus.

T. A. P. S., (27) vol. vi, 1838, pp. 136, 149; Obs. Gen. Unio, (29) vol. ii, pp. 136, 149.

D. plicatus.

T. A. P. S., (12) vol. iii, 1829, p. 447; (15) vol. iv, 1830, p. 68; (27) vol. vi, 1836, pp. 136, 149; 1838, p. 118; Obs. Gen. Unio, (21) vol. i, pp. 61, 78; (29) vol. ii, pp. 118, 136, 149; (150) vol. vi, p. 40; (170) vol. vii, p. 59; J. A. N. S., (133) vol. iii, 1857, p. 320; (168) vol. iv, 1859, p. 241.

ECHINUS.

P. A. N. S., (145) vol. x, 1858, p. 221.

EGERIA.

(18) Con. Geol., 1833, p. 49.

E. Bucklandii.

(18) Con. Geol., 1833, pp. 52, 53, pl. i, f. 21.

E. inflata.

(18) Con. Geol., 1833, pp. 50, 51, pl. i, f. 18.

E. nana.

(18) Con. Geol., 1833, pp. 50, 55, pl. i, f. 26.

E. nitens.

(18) Con. Geol., 1833, p. 51, pl. i, f. 19.

- Egeria ovalis*.
(18) Con. Geol., 1833, p. 54, pl. i, f. 24.
- E. plana*.
(18) Con. Geol., 1833, p. 54, pl. i, f. 25.
- E. rotunda*.
(18) Con. Geol., 1833, pp. 50, 55, pl. i, f. 17.
- E. subtrigonia*.
(18) Con. Geol., 1833, p. 53, pl. i, f. 22.
- E. triangulata*.
(18) Con. Geol., 1833, pp. 51, 52, pl. i, f. 20.
- E. veneriformis*.
(18) Con. Geol., 1833, p. 53, pl. i, f. 23.
- ELMIA.
J. A. N. S., (214) vol. v, 1862, p. 218; Obs. Gen. Unio, (215) vol. ix, p. 40.
- ERYCINA.
(18) Con. Geol., 1833, p. 43.
- E. cardioides*.
(18) Con. Geol., 1833, p. 43.
- ESCHARA.
P. A. N. S., (145) vol. x, 1858, p. 221.
- EUOMPHALUS.
P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, p. 245; Obs. Gen. Unio, (215) vol. ix, p. 67.
- EURYCELON.
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- E. Anthonyi*.
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- E. basalis*.
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- E. midas*.
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- E. tintinnabulum*.
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- E. turbinata*.
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- E. umbonatum*.
J. A. N. S., (243) vol. vi, 1866, p. 150, pl. xxiii, f. 64; Obs. Gen. Unio, (244) vol. xi, p. 106, pl. xxiii, f. 64.
- EURYNEA.
J. A. N. S., (221) vol. v, 1863, p. 456; Obs. Gen. Unio, (222) vol. x, p. 92.
- E. Fisherianus*.
J. A. N. S., (221) vol. v, 1863, p. 456; Obs. Gen. Unio, (222) vol. x, p. 92.
- E. nasutus*.
J. A. N. S., (222) vol. v, 1863, p. 456; Obs. Gen. Unio, (222) vol. x, p. 92.
- EXOXYRA.
P. A. N. S., (145) vol. x, 1858, pp. 218, 221.
- FASCIOLARIA.
(18) Con. Geol., 1833, p. 144.
- F. elevata*.
(18) Con. Geol., 1833, p. 143, pl. v, f. 143.
- F. plicata*.
(18) Con. Geol., 1833, p. 143, pl. v, f. 142.
- FISSURELLA.
(18) Con. Geol., 1833, p. 95.
- Fissurella Claibornensis*.
(18) Con. Geol., 1833, p. 94, pl. iii, f. 74.
- F. græca*.
(18) Con. Geol., 1833, p. 94.
- FUSUS.
(18) Con. Geol., 1833, p. 153; J. A. N. S., (214) vol. v, 1862, p. 346; Obs. Gen. Unio, (215) vol. ix, p. 168.
- F. acutus*.
(18) Con. Geol., 1833, p. 150, pl. v, f. 153.
- F. bicarinatus*.
(18) Con. Geol., 1833, p. 146, pl. v, f. 147.
- F. Claibornensis*.
(18) Con. Geol., 1833, p. 19.
- F. Conybearii*.
(18) Con. Geol., 1833, p. 150, pl. v, f. 154.
- F. creberrimus*.
(18) Con. Geol., 1833, p. 147, pl. v, f. 149.
- F. decussatus*.
(18) Con. Geol., 1833, p. 145, pl. v, f. 146.
- F. Delabechii*.
(18) Con. Geol., 1833, p. 148, pl. v, f. 151.
- F. errans*.
(18) Con. Geol., 1833, p. 153.
- F. ficulneus*.
(18) Con. Geol., 1833, p. 151.
- F. Fittonii*.
(18) Con. Geol., 1833, p. 150, pl. v, f. 156.
- F. fluviatis*.
T. A. P. S., (16) 1831, p. 123; Obs. Gen. Unio, (21) vol. i, p. 133.
- F. fluviatilis*.
T. A. P. S., (20) vol. v, 1834, p. 112; (51) vol. ix, 1841, p. 17; J. A. N. S., (214) vol. v, 1862, p. 345; P. A. N. S., (201) vol. xiii, 1861, p. 393; Obs. Gen. Unio., (21) vol. i, p. 224; (56) vol. iv, p. 17; (215) vol. ix, p. 167.
- F. fusiformis*.
J. A. N. S., (214) vol. v, 1862, p. 345; Obs. Gen. Unio, (215) vol. ix, p. 167.
- F. longævus*.
(18) Con. Geol., 1833, p. 19.
- F. magnocostatus*.
(18) Con. Geol., 1833, p. 147, pl. v, f. 150.
- F. minax*.
(18) Con. Geol., 1833, p. 153.
- F. minor*.
(18) Con. Geol., 1833, pp. 151, 152, pl. v, f. 158.
- F. minutus*.
(18) Con. Geol., 1833, p. 215.
- F. Mortonii*.
(18) Con. Geol., 1833, p. 145, pl. v, f. 145.
- F. nanus*.
(18) Con. Geol., 1833, p. 150, pl. v, f. 155.
- F. ornatus*.
(18) Con. Geol., 1833, p. 148, pl. v, f. 152.
- F. parvus*.
(18) Con. Geol., 1833, p. 151, pl. v, f. 157.
- F. pulcher*.
(18) Con. Geol., 1833, p. 144, pl. v, f. 144.
- F. pumilus*.
(18) Con. Geol., 1833, p. 215, pl. vi, f. 226.
- F. rusticus*.
(18) Con. Geol., 1833, p. 153.
- F. Taitii*.
(18) Con. Geol., 1833, p. 152, pl. v, f. 159.

Fusus venustus.

(18) *Con. Geol.*, 1833, p. 146, pl. v, f. 148.

GONIOBASIS.

J. A. N. S., (214) vol. v, 1862, pp. 217, 218; (243) vol. vi, 1866, p. 150; *Obs. Gen. Unio*, (215) vol. ix, pp. 39, 40; (244) vol. xi, p. 106.

G. Abbevillensis.

J. A. N. S., (214) vol. v, 1862, p. 323, pl. xxxviii, f. 174; *Obs. Gen. Unio*, (215) vol. ix, p. 145, pl. xxxviii, f. 174.

G. abrupta.

J. A. N. S., (214) vol. v, 1862, p. 323; *Obs. Gen. Unio*, (215) vol. ix, p. 145.

G. acuta.

J. A. N. S., (214) vol. v, 1862, p. 321; *Obs. Gen. Unio*, (215) vol. ix, p. 143.

G. adjecta.

J. A. N. S., (243) vol. vi, 1866, p. 137; *Obs. Gen. Unio*, (244) vol. x, p. 93.

G. æqua.

J. A. N. S., (214) vol. v, 1862, pp. 223, 240, pl. xxxiv, f. 41; *Obs. Gen. Unio*, (215) vol. ix, pp. 45, 62, pl. xxxiv, f. 41.

G. Alabamensis.

J. A. N. S., (214) vol. v, 1862, pp. 232, 296, pl. xxxiv, f. 26; (243) vol. vi, 1866, p. 130; *Obs. Gen. Unio*, (215) vol. ix, pp. 54, 118, pl. xxxiv, f. 26; (244) vol. xi, p. 86.

G. Albanyensis.

J. A. N. S., (243) vol. vi, 1866, pp. 140, 141, pl. xxiii, f. 49; *Obs. Gen. Unio*, (244) vol. xi, pp. 96, 97, pl. xxiii, f. 49.

G. amœna.

J. A. N. S., (214) vol. v, 1862, p. 323, pl. xxxviii, f. 175; *Obs. Gen. Unio*, (215) vol. ix, p. 145, pl. xxxviii, f. 175.

G. Anthonyi.

J. A. N. S., (214) vol. v, 1862, p. 303, pl. xxxvii, f. 140; *Obs. Gen. Unio*, (215) vol. ix, p. 125, pl. xxxvii, f. 140.

G. arata.

J. A. N. S., (258) vol. vi, 1868, p. 329, pl. liv, f. 4; *Obs. Gen. Unio*, (259) vol. xii, p. 89, pl. liv, f. 4.

G. aterina.

J. A. N. S., (243) vol. vi, 1866, p. 136, pl. xxiii, f. 42; *Obs. Gen. Unio*, (244) vol. xi, p. 92, pl. xxiii, f. 42.

G. athleta.

J. A. N. S., (214) vol. v, 1862, p. 316; *Obs. Gen. Unio*, (215) vol. ix, p. 138.

G. auricoma.

J. A. N. S., (214) vol. v, 1862, p. 308, pl. xxxvii, f. 148; *Obs. Gen. Unio*, (215) vol. ix, p. 130, pl. xxxvii, f. 148.

G. auriculæformis.

J. A. N. S., (214) vol. v, 1862, pp. 242, 312; *Obs. Gen. Unio*, (215) vol. ix, pp. 64, 134.

G. baculoides.

J. A. N. S., (274) vol. viii, 1874, p. 62; *Obs. Gen. Unio*, (275) vol. xiii, p. 66, pl. xxi, f. 18.

G. Bairdiana.

J. A. N. S., (214) vol. v, 1862, p. 317, pl. xxxvii, f. 164; *Obs. Gen. Unio*, (215) vol. ix, p. 139, pl. xxxvii, f. 164.

Goniobasis Barrattii.

J. A. N. S., (214) vol. v, 1862, p. 335, pl. xxxviii, f. 196; *Obs. Gen. Unio*, (215) vol. ix, p. 157, pl. xxxviii, f. 196.

G. basalis.

J. A. N. S., (214) vol. v, 1862, pp. 233, 313, 329; (243) vol. vi, 1866, p. 150; *Obs. Gen. Unio*, (215) vol. ix, pp. 55, 135, 151; (244) vol. xi, p. 55.

G. bellula.

J. A. N. S., (214) vol. v, 1862, pp. 221, 222, 228, 237, 344, pl. xxxiv, f. 35; *Obs. Gen. Unio*, (215) vol. ix, pp. 43, 44, 50, 59, 166, pl. xxxiv, f. 35.

G. bullula.

J. A. N. S., (214) vol. v, 1862, pp. 221, 222, pl. xxxiv, f. 5; *Obs. Gen. Unio*, (215) vol. ix, pp. 43, 44, pl. xxxiv, f. 5.

G. Bentoniensis.

J. A. N. S., (214) vol. v, 1862, p. 336, pl. xxxviii, f. 198; *Obs. Gen. Unio*, (215) vol. ix, p. 158, pl. xxxviii, f. 198.

G. bicincta.

J. A. N. S., (214) vol. v, 1862, p. 244; *Obs. Gen. Unio*, (215) vol. ix, p. 66.

G. bifasciata.

J. A. N. S., (258) vol. vi, 1868, p. 331, pl. liv, f. 7; *Obs. Gen. Unio*, (259) vol. xii, p. 91, pl. liv, f. 7.

G. Binncyana.

J. A. N. S., (214) vol. v, 1862, p. 310, pl. xxxvii, f. 152; *Obs. Gen. Unio*, (215) vol. ix, p. 132, pl. xxxvii, f. 152.

G. blanda.

J. A. N. S., (214) vol. v, 1862, p. 242, pl. xxxv, f. 44; (243) vol. vi, 1866, p. 137; *Obs. Gen. Unio*, (215) vol. ix, pp. 64, 93, pl. xxxv, f. 44.

G. Boykiniana.

J. A. N. S., (214) vol. v, 1862, pp. 336, 340; (243) vol. vi, 1866, pp. 140, 141; *Obs. Gen. Unio*, (215) vol. ix, pp. 158, 162; (244) vol. xi, pp. 96, 97.

G. brevis.

J. A. N. S., (214) vol. v, 1862, p. 339; *Obs. Gen. Unio*, (215) vol. ix, p. 161.

G. Bridgesiana.

J. A. N. S., (214) vol. v, 1862, p. 305, pl. xxxvii, f. 142; *Obs. Gen. Unio*, (215) vol. ix, p. 127, pl. xxxvii, f. 142.

G. Brunbyi.

J. A. N. S., (214) vol. v, 1862, p. 296, pl. xxxvii, f. 127; *Obs. Gen. Unio*, (215) vol. ix, p. 118, pl. xxxvii, f. 127.

G. cadus.

J. A. N. S., (214) vol. v, 1862, p. 345, pl. xxxviii, f. 211; *Obs. Gen. Unio*, (215) vol. ix, p. 167, pl. xxxviii, f. 211.

G. Cahawbensis.

J. A. N. S., (214) vol. v, 1862, p. 223, pl. xxxiv, f. 8; *Obs. Gen. Unio*, (215) vol. ix, p. 45, pl. xxxiv, f. 8.

G. caliginosa.

J. A. N. S., (214) vol. v, 1862, p. 343; *Obs. Gen. Unio*, (215) vol. ix, p. 165.

G. calculoides.

J. A. N. S., (214) vol. v, 1862, p. 238, pl. xxxiv, f. 38; *Obs. Gen. Unio*, (215) vol. ix, p. 60, pl. xxxiv, f. 38.

Goniobasis Canbyi.

J. A. N. S., (214) vol. v, 1862, pp. 340, 341, 342, pl. xxxviii, f. 204; Obs. Gen. Unio, (215) vol. ix, pp. 162, 163, 164, pl. xxxviii, f. 204.

G. capillaris.

J. A. N. S., (214) vol. v, 1862, pp. 236, 244, pl. xxxiv, f. 34; Obs. Gen. Unio, (215) vol. ix, pp. 58, 66, pl. xxxiv, f. 34.

G. carneola.

J. A. N. S., (214) vol. v, 1862, p. 308; Obs. Gen. Unio, (215) vol. ix, p. 130.

G. castanea.

J. A. N. S., (214) vol. v, 1862, pp. 299, 323; Obs. Gen. Unio, (215) vol. ix, pp. 121, 145.

G. catenaria.

J. A. N. S., (214) vol. v, 1862, p. 343; Obs. Gen. Unio, (215) vol. ix, p. 165.

G. cerea.

J. A. N. S., (214) vol. v, 1862, pp. 321, 322, pl. xxxviii, f. 171; Obs. Gen. Unio, (215) vol. ix, pp. 143, 144, pl. xxxviii, f. 171.

G. Christyi.

J. A. N. S., (214) vol. v, 1862, p. 328, pl. xxxviii, f. 185; (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (215) vol. ix, p. 150, pl. xxxviii, f. 185; (244) vol. xi, p. 93.

G. cinerea.

J. A. N. S., (214) vol. v, 1862, p. 306; Obs. Gen. Unio, (215) vol. ix, p. 128.

G. cinerella.

J. A. N. S., (214) vol. v, 1862, p. 328, pl. xxxviii, f. 184; Obs. Gen. Unio, (215) vol. ix, p. 150, pl. xxxviii, f. 184.

G. clathrata.

J. A. N. S., (258) vol. vi, 1868, p. 331, pl. liv, f. 8; Obs. Gen. Unio, (259) vol. xii, p. 91, pl. liv, f. 8.

G. clausa.

J. A. N. S., (214) vol. v, 1862, pp. 228, 231, 232, pl. xxxiv, f. 25; Obs. Gen. Unio, (215) vol. ix, pp. 50, 53, 54, pl. xxxiv, f. 25.

G. clavula.

J. A. N. S., (258) vol. vi, 1868, p. 335, pl. liv, f. 15; Obs. Gen. Unio, (259) vol. xii, p. 95, pl. liv, f. 15.

G. cochliaris.

J. A. N. S., (258) vol. vi, 1868, p. 336, pl. liv, f. 16; Obs. Gen. Unio, (259) vol. xii, p. 96, pl. liv, f. 16.

G. cognata.

J. A. N. S., (243) vol. vi, 1866, p. 135; Obs. Gen. Unio, (244) vol. xi, p. 91.

G. columella.

J. A. N. S., (214) vol. v, 1862, p. 317; Obs. Gen. Unio, (215) vol. ix, p. 139.

G. concinna.

J. A. N. S., (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (244) vol. xi, p. 94.

G. Connesaugaensis.

J. A. N. S., (258) vol. vi, 1868, p. 333, pl. liv, f. 11; Obs. Gen. Unio, (259) vol. xii, p. 93, pl. liv, f. 11.

G. continens.

J. A. N. S., (214) vol. v, 1862, p. 321, pl. xxxviii, f. 170; Obs. Gen. Unio, (215) vol. ix, p. 143, pl. xxxviii, f. 170.

Goniobasis contigua.

J. A. N. S., (258) vol. vi, 1868, p. 334, pl. liv, f. 12; Obs. Gen. Unio, (259) vol. xii, p. 94, pl. liv, f. 12.

G. Coosaensis.

J. A. N. S., (214) vol. v, 1862, pp. 234, 335, 338, 343, pl. xxxiv, f. 30; Obs. Gen. Unio, (215) vol. ix, pp. 56, 57, 160, 165, pl. xxxiv, f. 30.

G. coepiosa.

J. A. N. S., (214) vol. v, 1862, p. 239, pl. xxxiv, f. 39; Obs. Gen. Unio, (215) vol. ix, p. 61, pl. xxxiv, f. 39.

G. corneola.

J. A. N. S., (214) vol. v, 1862, p. 243; Obs. Gen. Unio, (215) vol. ix, p. 65.

G. costulata.

J. A. N. S., (214) vol. v, 1862, pp. 315, 320, 321; Obs. Gen. Unio, (215) vol. ix, pp. 137, 142, 143.

G. Couperii.

J. A. N. S., (214) vol. v, 1862, pp. 341, 342, pl. xxxviii, f. 205; Obs. Gen. Unio, (215) vol. ix, pp. 163, 164, pl. xxxviii, f. 205.

G. crebristriata.

J. A. N. S., (214) vol. v, 1862, pp. 236, 244; Obs. Gen. Unio, (215) vol. ix, pp. 56, 58.

G. crenatella.

J. A. N. S., (214) vol. v, 1862, p. 268, pl. xxxv, f. 79; Obs. Gen. Unio, (215) vol. ix, p. 90, pl. xxxv, f. 79; (244) vol. ix, Errata.

G. crenatula.

Obs. Gen. Unio, (244) vol. ix, Errata.

G. crepera.

J. A. N. S., (214) vol. v, 1862, pp. 222, 240, pl. xxxiv, f. 42; Obs. Gen. Unio, (215) vol. ix, pp. 44, 62, pl. xxxiv, f. 42.

G. crispata.

J. A. N. S., (214) vol. v, 1862, pp. 326, 327, pl. xxxviii, f. 180; Obs. Gen. Unio, (215) vol. ix, pp. 148, 149, pl. xxxviii, f. 180.

G. cruda.

J. A. N. S., (214) vol. v, 1862, p. 332, pl. xxxviii, f. 190; Obs. Gen. Unio, (215) vol. ix, p. 154, pl. xxxviii, f. 190.

G. culta.

J. A. N. S., (214) vol. v, 1862, pp. 237, 239, pl. xxxiv, f. 36; Obs. Gen. Unio, (215) vol. ix, pp. 59, 61, pl. xxxiv, f. 36.

G. Cumberlandensis.

J. A. N. S., (243) vol. vi, 1866, p. 132, pl. xxiii, f. 35; Obs. Gen. Unio, (244) vol. ix, p. 88, pl. xxiii, f. 35.

G. Decampii.

J. A. N. S., (243) vol. vi, 1866, p. 138, pl. xxiii, f. 45; Obs. Gen. Unio, (244) vol. xi, p. 94, pl. xxviii, f. 45.

G. decora.

J. A. N. S., (214) vol. v, 1862, p. 315; Obs. Gen. Unio, (215) vol. ix, p. 137.

G. depygis.

J. A. N. S., (243) vol. vi, 1866, pp. 133, 134; Obs. Gen. Unio, (244) vol. xi, pp. 89, 90.

G. Deshaysiana.

J. A. N. S., (214) vol. v, 1862, pp. 313, 314, 315, 316, 317, 318, 323, 324, 345; Obs. Gen. Unio, (215) vol. ix, pp. 135, 136, 137, 138, 139, 140, 145, 146, 167.

Goniobasis diffeilis.

J. A. N. S., (214) vol. v, 1862, p. 317, pl. xxxvii, f. 163; Obs. Gen. Unio, (215) vol. ix, p. 139, pl. xxxvii, f. 163.

G. Doolyensis.

J. A. N. S., (214) vol. v, 1862, pp. 315, 322, pl. xxxvii, f. 159; Obs. Gen. Unio, (215) vol. ix, pp. 137, 144, pl. xxxvii, f. 159.

G. Downicana.

J. A. N. S., (214) vol. v, 1862, p. 341, pl. xxxviii, f. 206; Obs. Gen. Unio, (215) vol. ix, p. 163, pl. xxxviii, f. 206.

G. Dratonii.

J. A. N. S., (214) vol. v, 1862, pp. 300, 318, pl. xxxvii, f. 134; Obs. Gen. Unio, (215) vol. ix, pp. 122, 140, pl. xxxvii, f. 134.

G. dubiosa.

J. A. N. S., (214) vol. v, 1862, pp. 277, 299; Obs. Gen. Unio, (215) vol. ix, pp. 99, 121.

G. Duttonii.

J. A. N. S., (214) vol. v, 1862, p. 314, pl. xxxvii, f. 158; Obs. Gen. Unio, (215) vol. ix, p. 136, pl. xxxvii, f. 158.

G. ebenum.

J. A. N. S., (214) vol. v, 1862, p. 225; Obs. Gen. Unio, (215) vol. ix, p. 47.

G. Edgariana.

J. A. N. S., (214) vol. v, 1862, p. 321; Obs. Gen. Unio, (215) vol. ix, pp. 140, 143.

G. elata.

J. A. N. S., (243) vol. vi, 1866, p. 131; Obs. Gen. Unio, (244) vol. xi, p. 87.

G. Elliottii.

J. A. N. S., (214) vol. v, 1862, p. 338, pl. xxxviii, f. 201; Obs. Gen. Unio, (215) vol. ix, p. 160, pl. xxxviii, f. 201.

G. ellipsoides.

J. A. N. S., (214) vol. v, 1862, p. 234, pl. xxxiv, f. 31; Obs. Gen. Unio, (215) vol. ix, p. 56, pl. xxxiv, f. 31.

G. elliptica.

J. A. N. S., (214) vol. v, 1862, pp. 225, 312, pl. xxxiv, f. 13; Obs. Gen. Unio, (215) vol. ix, pp. 47, 134, pl. xxxiv, f. 13.

G. Emeryensis.

J. A. N. S., (243) vol. vi, 1866, p. 137, pl. xxiii, f. 43; Obs. Gen. Unio, (244) vol. xi, p. 93, pl. xxiii, f. 43.

G. Estabrookii.

J. A. N. S., (214) vol. v, 1862, p. 298, pl. xxxvii, f. 131; Obs. Gen. Unio, (215) vol. ix, p. 120, pl. xxxvii, f. 131.

G. Etowahensis.

J. A. N. S., (214) vol. v, 1862, p. 299, pl. xxxvii, f. 133; Obs. Gen. Unio, (215) vol. ix, p. 121, pl. xxxvii, f. 133.

G. fabalis.

J. A. N. S., (214) vol. v, 1862, p. 311, pl. xxxvii, f. 154; Obs. Gen. Unio, (215) vol. ix, p. 133, pl. xxxvii, f. 154.

G. fallax.

J. A. N. S., (214) vol. v, 1862, pp. 231, 240, pl. xxxiv, f. 24; Obs. Gen. Unio, (215) vol. ix, pp. 53, 62, pl. xxxiv, f. 24.

Goniobasis fascians.

J. A. N. S., (214) vol. v, 1862, pp. 227, 229, pl. xxxiv, f. 20; Obs. Gen. Unio, (215) vol. ix, pp. 49, 51, pl. xxxiv, f. 20.

G. flava.

J. A. N. S., (214) vol. v, 1862, p. 303, pl. xxxvii, f. 139; Obs. Gen. Unio, (215) vol. ix, p. 125, pl. xxxvii, f. 139.

G. flavescens.

J. A. N. S., (214) vol. v, 1862, p. 339, pl. xxxviii, f. 202; Obs. Gen. Unio, (215) vol. ix, p. 161, pl. xxxviii, f. 202.

G. fraternna.

J. A. N. S., (243) vol. vi, 1866, p. 139, pl. xxiii, f. 46; Obs. Gen. Unio, vol. xi, p. 95, pl. xxiii, f. 46.

G. fumea.

J. A. N. S., (214) vol. v, 1862, p. 222, pl. xxxiv, f. 6; Obs. Gen. Unio, (215) vol. ix, p. 44, pl. xxxiv, f. 6.

G. fusiformis.

J. A. N. S., (214) vol. v, 1862, pp. 308, 311; Obs. Gen. Unio, (215) vol. ix, pp. 130, 133.

G. Gabbiana.

J. A. N. S., (214) vol. v, 1862, p. 304, pl. xxxvii, f. 141; Obs. Gen. Unio, (215) vol. ix, p. 126, pl. xxxvii, f. 141.

G. Georgina.

J. A. N. S., (214) vol. v, 1862, p. 308, pl. xxxvii, f. 149, (243) vol. vi, 1866, p. 135; Obs. Gen. Unio, (215) vol. ix, p. 130, pl. xxxvii, f. 149; (244) vol. xi, p. 91.

G. Gerhardtii.

J. A. N. S., (214) vol. v, 1862, pp. 330, 331, pl. xxxviii, f. 187; Obs. Gen. Unio, (215) vol. ix, pp. 152, 153, pl. xxxviii, f. 187.

G. germana.

J. A. N. S., (243) vol. vi, 1866, p. 153; Obs. Gen. Unio, (244) vol. xi, p. 109.

G. Gesnerii.

J. A. N. S., (258) vol. vi, 1868, p. 330, pl. liv, f. 5; Obs. Gen. Unio, (259) vol. xii, p. 90, pl. liv, f. 5.

G. gibberosa.

J. A. N. S., (214) vol. v, 1862, p. 312, pl. xxxvii, f. 155; Obs. Gen. Unio, (215) vol. ix, p. 134, pl. xxxvii, f. 155.

G. glandarica.

J. A. N. S., (214) vol. v, 1862, p. 226, pl. xxxiv, f. 14; Obs. Gen. Unio, (215) vol. ix, p. 48, pl. xxxiv, f. 14.

G. glabra.

J. A. N. S., (243) vol. vi, 1866, p. 134; Obs. Gen. Unio, (244) vol. xi, p. 90.

G. Gouldiana.

J. A. N. S., (258) vol. vi, 1868, p. 332; pl. liv, f. 9; Obs. Gen. Unio, (259) vol. xii, p. 92, pl. liv, f. 9.

G. gracilior.

J. A. N. S., (214) vol. v, 1862, pp. 230, 300; Obs. Gen. Unio, (215) vol. ix, pp. 52, 122.

G. gracilis.

J. A. N. S., (214) vol. v, 1862, pp. 303, 311; Obs. Gen. Unio, (215) vol. ix, pp. 125, 133.

Goniobasis granata.

J. A. N. S., (214) vol. v, 1862, p. 343, pl. xxxviii, f. 209; Obs. Gen. Unio, (215) vol. ix, p. 165, pl. xxxviii, f. 209.

G. granatoides.

J. A. N. S., (258) vol. vi, 1868, p. 335, pl. liv, f. 14; Obs. Gen. Unio, (259) vol. xii, p. 95, pl. liv, f. 14.

G. grata.

J. A. N. S., (214) vol. v, 1862, pp. 301, 314, 330; (243) vol. vi, 1866, p. 131; Obs. Gen. Unio, (215) vol. ix, pp. 123, 136, 152; (244) vol. xi, p. 87.

G. gratiosa.

J. A. N. S., (214) vol. v, 1862, p. 241, pl. xxxv, f. 43; Obs. Gen. Unio, (215) vol. ix, p. 63, pl. xxxv, f. 43.

G. Groenorii.

J. A. N. S., (214) vol. v, 1862, pp. 297, 306, pl. xxxvii, f. 128; Obs. Gen. Unio, (215) vol. ix, pp. 119, 128, pl. xxxvii, f. 128.

G. Hallenbeckii.

J. A. N. S., (214) vol. v, 1862, pp. 339, 340, pl. xxxviii, f. 203; Obs. Gen. Unio, (215) vol. ix, pp. 161, 162, pl. xxxviii, f. 203.

G. Hartmannii.

J. A. N. S., (214) vol. v, 1862, pp. 218, 233, pl. xxxiv, f. 1; Obs. Gen. Unio, (215) vol. ix, pp. 40, 55, pl. xxxiv, f. 1.

G. Haysiana.

T. A. P. S., (214) vol. v, 1862, pp. 235, 241; Obs. Gen. Unio, (215) vol. ix, pp. 57, 63.

G. Holstonia.

J. A. N. S., (214) vol. v, 1862, p. 339; Obs. Gen. Unio, (215) vol. ix, p. 161.

G. Hydei.

J. A. N. S., (214) vol. v, 1862, p. 345; Obs. Gen. Unio, (215) vol. ix, p. 167.

G. inclinans.

J. A. N. S., (214) vol. v, 1862, pp. 318, 319, pl. xxxvii, f. 165; Obs. Gen. Unio, (215) vol. ix, pp. 140, 141, pl. xxxvii, f. 165.

G. inconstans.

J. A. N. S., (214) vol. v, 1862, p. 325, pl. xxxviii, f. 178; Obs. Gen. Unio, (215) vol. ix, p. 147, pl. xxxvii, f. 178.

G. induta.

J. A. N. S., (214) vol. v, 1862, p. 319, pl. xxxvii, f. 166; Obs. Gen. Unio, (215) vol. ix, p. 141, pl. xxxvii, f. 166.

G. infantula.

J. A. N. S., (243) vol. vi, 1866, p. 135, pl. xxxiii, f. 39; Obs. Gen. Unio, (244) vol. xi, p. 91, pl. xxxiii, f. 39.

G. informis.

J. A. N. S., (243) vol. vi, 1866, p. 136, pl. xxxiii, f. 41; Obs. Gen. Unio, (244) vol. xi, p. 92, pl. xxxiii, f. 41.

G. infuscata.

J. A. N. S., (214) vol. v, 1862, p. 330, pl. xxxviii, f. 188; Obs. Gen. Unio, (215) vol. ix, p. 152, pl. xxxviii, f. 188.

G. impressa.

J. A. N. S., (214) vol. v, 1862, pp. 236, 244; Obs. Gen. Unio, (215) vol. ix, pp. 58, 66.

Goniobasis inoseculata.

J. A. N. S., (214) vol. v, 1862, pp. 322, 334, pl. xxxviii, f. 195; Obs. Gen. Unio, (215) vol. ix, pp. 144, 156, pl. xxxviii, f. 195.

G. instabilis.

J. A. N. S., (214) vol. v, 1862, p. 329, pl. xxxviii, f. 186; (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (215) vol. ix, p. 151, pl. xxxviii, f. 186; (244) vol. xi, p. 93.

G. intercedens.

J. A. N. S., (214) vol. v, 1862, p. 305, pl. xxxvii, f. 143; Obs. Gen. Unio, (215) vol. ix, p. 127, pl. xxxvii, f. 143.

G. interveniens.

J. A. N. S., (214) vol. v, 1862, p. 320, pl. xxxviii, f. 169; Obs. Gen. Unio, (215) vol. ix, p. 142, pl. xxxviii, f. 169.

G. Kirtlandiana.

J. A. N. S., (214) vol. v, 1862, p. 296; Obs. Gen. Unio, (215) vol. ix, p. 118.

G. laevis.

J. A. N. S., (214) vol. v, 1862, p. 297; Obs. Gen. Unio, (215) vol. ix, p. 119.

G. laqueata.

J. A. N. S., (214) vol. v, 1862, p. 314; Obs. Gen. Unio, (215) vol. ix, p. 136.

G. Laurencii.

J. A. N. S., (274) vol. viii, 1874, p. 62, pl. xxi, f. 17; Obs. Gen. Unio, (275) vol. xiii, p. 66, pl. xxi, f. 17.

G. Leeontiana.

J. A. N. S., (214) vol. v, 1862, p. 331; (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (215) vol. ix, p. 153; (244) vol. xi, p. 94.

G. Leidyana.

J. A. N. S., (214) vol. v, 1862, p. 322, pl. xxxviii, f. 173; Obs. Gen. Unio, (215) vol. ix, p. 144, pl. xxxviii, f. 173.

G. levida.

J. A. N. S., (214) vol. v, 1862, p. 227, pl. xxxiv, f. 17; Obs. Gen. Unio, (215) vol. ix, p. 49, pl. xxxiv, f. 17.

G. Lewisii.

J. A. N. S., (214) vol. v, 1862, pp. 221, 243, pl. xxxv, f. 46; Obs. Gen. Unio, (215) vol. ix, pp. 43, 65, pl. xxxv, f. 46.

G. Lindsleyi.

J. A. N. S., (214) vol. v, 1862, p. 319, pl. xxxvii, f. 167; Obs. Gen. Unio, (215) vol. ix, pp. 141, 142, pl. xxxvii, f. 167.

G. lita.

J. A. N. S., (214) vol. v, 1862, p. 239, pl. xxxiv, f. 40; Obs. Gen. Unio, (215) vol. ix, p. 61, pl. xxxv, f. 40.

G. lithasioides.

J. A. N. S., (243) vol. vi, 1866, p. 133, pl. xxxiii, f. 37; Obs. Gen. Unio, (244) vol. xi, p. 89, pl. xxxiii, f. 37.

G. Louisvillensis.

J. A. N. S., (243) vol. vi, 1866, p. 133, pl. xxxiii, f. 36; Obs. Gen. Unio, (244) vol. xi, p. 89, pl. xxxiii, f. 36.

G. luteocella.

J. A. N. S., (258) vol. vi, 1868, p. 332, pl. liv, f. 10; Obs. Gen. Unio, (259) vol. xii, p. 92, pl. liv, f. 10.

Goniobasis luteola.

J. A. N. S., (214) vol. v, 1862, p. 230, pl. xxxiv, f. 22; Obs. Gen. Unio, (215) vol. ix, p. 52, pl. xxxiv, f. 22.

G. Lyonii.

J. A. N. S., (214) vol. v, 1862, pp. 313, 314, pl. xxxvii, f. 156; Obs. Gen. Unio, (215) vol. ix, pp. 135, 136, pl. xxxvii, f. 156.

G. macella.

J. A. N. S., (214) vol. v, 1862, p. 333, pl. xxxviii, f. 192; Obs. Gen. Unio, (215) vol. ix, p. 156, pl. xxxviii, f. 192.

G. mediocris.

J. A. N. S., (214) vol. v, 1862, p. 326, pl. xxxviii, f. 179; Obs. Gen. Unio, (215) vol. ix, p. 148, pl. xxxviii, f. 179.

G. mellea.

J. A. N. S., (214) vol. v, 1862, pp. 224, 305, pl. xxxiv, f. 10; Obs. Gen. Unio, (215) vol. ix, pp. 46, 127, pl. xxxiv, f. 10.

G. midas.

J. A. N. S., (214) vol. v, 1862, p. 233, pl. xxxiv, f. 28; (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (215) vol. ix, p. 255, pl. xxxiv, f. 28; (244) vol. xi, p. 106.

G. Milesii.

J. A. N. S., (243) vol. vi, 1866, p. 135, pl. xxiii, f. 40; Obs. Gen. Unio, (244) vol. xi, p. 90, pl. xxiii, f. 40.

G. modesta.

J. A. N. S., (214) vol. v, 1862, p. 277; Obs. Gen. Unio, (215) vol. ix, p. 99.

G. Murrayensis.

J. A. N. S., (258) vol. vi, 1868, p. 334, pl. liv, f. 13; Obs. Gen. Unio, (259) vol. xii, p. 94, pl. liv, f. 13.

G. mutabilis.

J. A. N. S., (214) vol. v, 1862, p. 331, pl. xxxviii, f. 189; Obs. Gen. Unio, (215) vol. ix, p. 153, pl. xxxviii, f. 189.

G. nebula.

J. A. N. S., (214) vol. v, 1862, p. 226; Obs. Gen. Unio, (215) vol. ix, p. 48.

G. negata.

J. A. N. S., (214) vol. v, 1862, p. 337, pl. xxxviii, f. 200; Obs. Gen. Unio, (215) vol. ix, p. 159, pl. xxxviii, f. 200.

G. Neuberryi.

J. A. N. S., (214) vol. v, 1862, pp. 300, 318, pl. xxxvii, f. 135; Obs. Gen. Unio, (215) vol. ix, p. 122, 140, pl. xxxvii, f. 135.

G. Niagarensis.

J. A. N. S., (214) vol. v, 1862, p. 307; (243) vol. vi, 1866, p. 135; Obs. Gen. Unio, (215) vol. ix, p. 129; (244) vol. xi, p. 91.

G. Nickliniana.

J. A. N. S., (214) vol. v, 1862, pp. 309, 310; (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (215) vol. ix, pp. 131, 132; (244) vol. xi, p. 93.

G. nigrina.

J. A. N. S., (214) vol. v, 1862, pp. 300, 302, 334, pl. xxxvii, f. 137; Obs. Gen. Unio, (215) vol. ix, pp. 122, 124, 156, pl. xxxvii, f. 137.

G. nitens.

J. A. N. S., (214) vol. v, 1862, p. 304; Obs. Gen. Unio, (215) vol. ix, p. 126.

Goniobasis nubila.

J. A. N. S., (214) vol. v, 1862, p. 225, pl. xxxiv, f. 33; Obs. Gen. Unio, (215) vol. ix, p. 57, pl. xxxiv, f. 33.

G. obtusa.

J. A. N. S., (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (244) vol. xi, p. 94.

G. Oeocœnsis.

J. A. N. S., (214) vol. v, 1862, p. 277; Obs. Gen. Unio, (215) vol. ix, p. 99.

G. Ohioensis.

J. A. N. S., (214) vol. v, 1862, pp. 306, 307, pl. xxxvii, f. 144; Obs. Gen. Unio, (215) vol. ix, pp. 128, 129, pl. xxxvii, f. 144.

G. olivella.

J. A. N. S., (214) vol. v, 1862, p. 327, pl. xxxviii, f. 182; Obs. Gen. Unio, (215) vol. ix, p. 149, pl. xxxvii, f. 182.

G. oppugnata.

J. A. N. S., (214) vol. v, 1862, p. 233; Obs. Gen. Unio, (215) vol. ix, p. 55.

G. orbicula.

J. A. N. S., (214) vol. v, 1862, p. 238, pl. xxxiv, f. 37; Obs. Gen. Unio, (215) vol. ix, p. 60, pl. xxxiv, f. 37.

G. ornata.

J. A. N. S., (258) vol. vi, 1868, p. 337, pl. liv, f. 18; Obs. Gen. Unio, (259) vol. xii, p. 97, pl. liv, f. 18.

G. ornatella.

J. A. N. S., (214) vol. v, 1862, pp. 326, 327, pl. xxxviii, f. 181; Obs. Gen. Unio, (215) vol. ix, pp. 148, 149, pl. xxxviii, f. 181.

G. osculata.

J. A. N. S., (214) vol. v, 1862, p. 296, pl. xxxvii, f. 126; Obs. Gen. Unio, (215) vol. ix, p. 118, pl. xxxvii, f. 126.

G. ovalis.

J. A. N. S., (214) vol. v, 1862, pp. 234, 239; Obs. Gen. Unio, (215) vol. ix, pp. 56, 61.

G. ovoidea.

J. A. N. S., (214) vol. v, 1862, p. 308; (243) vol. vi, 1866, p. 133; Obs. Gen. Unio, (215) vol. ix, p. 130; (244) vol. xi, p. 89.

G. parva.

J. A. N. S., (214) vol. v, 1862, p. 297, pl. xxxvii, f. 129; Obs. Gen. Unio, (215) vol. ix, p. 119, pl. xxxvii, f. 129.

G. paula.

J. A. N. S., (214) vol. v, 1862, p. 244, pl. xxxv, f. 48; (243) vol. vi, 1866, p. 139; Obs. Gen. Unio, (215) vol. ix, p. 66, pl. xxxv, f. 48; (244) vol. xi, p. 95.

G. paupercula.

J. A. N. S., (214) vol. v, 1862, p. 324, pl. xxxviii, f. 176; Obs. Gen. Unio, (215) vol. ix, pp. 146, 147, pl. xxxviii, f. 176.

G. perfusca.

J. A. N. S., (214) vol. v, 1862, pp. 304, 332; Obs. Gen. Unio, (215) vol. ix, pp. 126, 154.

G. pergrata.

J. A. N. S., (214) vol. v, 1862, p. 243, pl. xxxv, f. 47; Obs. Gen. Unio, (215) vol. ix, p. 65, pl. xxxv, f. 47.

G. pallascœnsis.

J. A. N. S., (243) vol. vi, 1866, p. 130; Obs. Gen. Unio, (244) vol. xi, p. 86.

Goniobasis porrecta.

J. A. N. S., (243) vol. vi, 1866, pl. xxiii, f. 47; Obs. Gen. Unio, (244) vol. xi, p. 95, pl. xxiii, f. 47.

G. Postellii.

J. A. N. S., (214) vol. v, 1862, p. 343, pl. xxxviii, f. 208; Obs. Gen. Unio, (215) vol. ix, p. 165, pl. xxxviii, f. 208.

G. Prairiensis.

J. A. N. S., (214) vol. v, 1862, p. 299; pl. xxxvii, f. 132; Obs. Gen. Unio, (215) vol. ix, p. 121, pl. xxxvii, f. 132.

G. Prestoniana.

J. A. N. S., (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (244) vol. xi, p. 93.

G. proleteria.

J. A. N. S., (214) vol. v, 1862, p. 325, pl. xxxviii, f. 177; Obs. Gen. Unio, (215) vol. ix, p. 147, pl. xxxviii, f. 177.

G. propinqua.

J. A. N. S., (214) vol. v, 1862, p. 234, pl. xxxiv, f. 29; Obs. Gen. Unio, (215) vol. ix, p. 56, pl. xxxiv, f. 29.

G. propria.

J. A. N. S., (214) vol. v, 1862, p. 229, pl. xxxiv, f. 21; Obs. Gen. Unio, (215) vol. ix, p. 51, pl. xxxiv, f. 21.

G. proxima.

J. A. N. S., (214) vol. v, 1862, pp. 334, 336, 353; Obs. Gen. Unio, (215) vol. ix, pp. 156, 158, 175.

G. pudica.

J. A. N. S., (214) vol. v, 1862, p. 222, pl. xxxiv, f. 7; Obs. Gen. Unio, (215) vol. ix, p. 44, pl. xxxiv, f. 7.

G. pulla.

J. A. N. S., (243) vol. vi, 1866, p. 130, pl. xxiii, f. 32; Obs. Gen. Unio, (244) vol. xi, p. 86, pl. xxiii, f. 32.

G. punicea.

J. A. N. S., (214) vol. v, 1862, pp. 230, 232, pl. xxxiv, f. 27; Obs. Gen. Unio, (215) vol. ix, pp. 52, 54, pl. xxxiv, f. 27.

G. pupæformis.

J. A. N. S., (243) vol. vi, 1866, p. 130, pl. xxiii, f. 31; Obs. Gen. Unio, (244) vol. xi, p. 86, pl. xxiii, f. 31.

G. pupoidea.

J. A. N. S., (214) vol. v, 1862, p. 234; (243) vol. vi, 1866, p. 130; Obs. Gen. Unio, (215) vol. ix, p. 56; (244) vol. xi, p. 86.

G. purpurca.

J. A. N. S., (214) vol. v, 1862, p. 225, pl. xxxiv, f. 12; Obs. Gen. Unio, (215) vol. ix, p. 47, pl. xxxiv, f. 12.

G. purpurella.

J. A. N. S., (214) vol. v, 1862, p. 327, pl. xxxviii, f. 183; Obs. Gen. Unio, (215) vol. ix, p. 149, pl. xxxviii, f. 183.

G. Pybasii.

J. A. N. S., (214) vol. v, 1862, pp. 313, 314, pl. xxxvii, f. 157; Obs. Gen. Unio, (215) vol. ix, pp. 135, 136, pl. xxxvii, f. 157.

G. quadricincta.

J. A. N. S., (243) vol. vi, 1866, p. 131, pl. xxiii, f. 33; Obs. Gen. Unio, (244) vol. xi, p. 87, pl. xxiii, f. 33.

Goniobasis quadrivittata.

J. A. N. S., (214) vol. v, 1862, p. 226; Obs. Gen. Unio, (215) vol. ix, p. 48, pl. xxxiv, f. 15.

G. rara.

J. A. N. S., (214) vol. v, 1862, p. 220, pl. xxxiv, f. 3; Obs. Gen. Unio, (215) vol. ix, p. 42, pl. xxxiv, f. 3.

G. rhombica.

J. A. N. S., (214) vol. v, 1862, p. 244; (243) vol. vi, 1866, pp. 130, 132; Obs. Gen. Unio, (215) vol. ix, p. 66; (244) vol. xi, pp. 86, 88.

G. robusta.

J. A. N. S., (214) vol. v, 1862, p. 239; Obs. Gen. Unio, (215) vol. ix, p. 61.

G. Romæ.

J. A. N. S., (243) vol. vi, 1866, p. 129, pl. xxiii, f. 30; Obs. Gen. Unio, (244) vol. xi, p. 85, pl. xxiii, f. 30.

G. rubella.

J. A. N. S., (214) vol. v, 1862, p. 332, pl. xxxviii, f. 191; (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (215) vol. ix, p. 154, pl. xxxviii, p. 191; (244) vol. xi, p. 94.

G. rubicunda.

J. A. N. S., (214) vol. v, 1862, p. 235, pl. xxxiv, f. 32; Obs. Gen. Unio, (215) vol. ix, p. 57, pl. xxxiv, f. 32.

G. rubiginosa.

J. A. N. S., (214) vol. v, 1862, p. 333, pl. xxxviii, f. 193; Obs. Gen. Unio, (215) vol. ix, p. 155, pl. xxxviii, f. 193.

G. rubricata.

J. A. N. S., (214) vol. v, 1862, p. 335, pl. xxxviii, f. 197; Obs. Gen. Unio, (215) vol. ix, p. 157, pl. xxxviii, f. 197.

G. rufescens.

J. A. N. S., (214) vol. v, 1862, p. 228; Obs. Gen. Unio, (215) vol. ix, p. 150.

G. Staffordii.

J. A. N. S., (214) 1862, p. 330; Obs. Gen. Unio, (215) vol. ix, p. 152.

G. sculptilis.

J. A. N. S., (243) vol. vi, 1866, p. 148; Obs. Gen. Unio, (244) vol. xi, p. 104.

G. Sellersiana.

J. A. N. S., (214) vol. v, 1862, p. 328; Obs. Gen. Unio, (215) vol. ix, p. 150.

G. Shastaensis.

J. A. N. S., (214) vol. v, 1862, p. 337, pl. xxxviii, f. 199; Obs. Gen. Unio, (215) vol. ix, p. 159, pl. xxxviii, f. 199.

G. Shelbyensis.

J. A. N. S., (214) vol. v, 1862, p. 228, pl. xxxiv, f. 18; Obs. Gen. Unio, (215) vol. ix, p. 50, pl. xxxiv, fig. 18.

G. Showalterii.

J. A. N. S., (214) vol. v, 1862, pp. 220, 227, pl. xxxiv, f. 4; Obs. Gen. Unio, (215) vol. ix, pp. 42, 59, pl. xxxiv, f. 4.

G. similis.

J. A. N. S., (258) vol. vi, 1868, p. 328, pl. liv, f. 2; Obs. Gen. Unio, (259) vol. xii, p. 88, pl. liv, f. 2.

G. Smithsoniana.

J. A. N. S., (243) vol. vi, 1866, p. 137, pl. xxiii, f. 44; Obs. Gen. Unio, (244) vol. xi, p. 93, pl. xxii, f. 44.

- Goniobasis solidula.*
J. A. N. S., (214) vol. v, 1862, p. 230, pl. xxxiv, f. 23; Obs. Gen. Unio, (215) vol. ix, p. 52, pl. xxxiv, f. 23.
- G. Spartanbergensis.*
J. A. N. S., (214) vol. v, 1862, p. 307, pl. xxxvii, f. 147; (243) vol. vi, 1866, p. 133; Obs. Gen. Unio, (215) vol. ix, p. 129, pl. xxxvii, f. 147; (244) vol. xi, p. 89. Errata.
- G. sparus.*
J. A. N. S., (214) vol. v, 1862, p. 316, pl. xxxvii, f. 162; Obs. Gen. Unio, (215) vol. ix, p. 138, pl. xxxvii, f. 162.
- G. Spillmanii.*
J. A. N. S., (214) vol. v, 1862, p. 302, pl. xxxvii, f. 138; Obs. Gen. Unio, (215) vol. ix, pl. xxxvii, f. 138.
- G. spinella.*
J. A. N. S., (214) vol. v, 1862, p. 298, pl. xxxvii, f. 120; Obs. Gen. Unio, (215) vol. ix, p. 120, pl. xxxvii, f. 130.
- G. Stewardsoniana.*
J. A. N. S., (214) vol. v, 1862, p. 344, pl. xxxviii, f. 210; Obs. Gen. Unio, (215) vol. ix, p. 166, pl. xxxviii, f. 210.
- G. straminea.*
J. A. N. S., (214) vol. v, 1862, pp. 227, 228; Obs. Gen. Unio, (215) vol. ix, pp. 49, 50, pl. xxxiv, f. 16.
- G. strenua.*
J. A. N. S., (214) vol. v, 1862, p. 316, pl. xxxvii, f. 161; Obs. Gen. Unio, (215) vol. ix, p. 138, pl. xxxvii, f. 161.
- G. striatula.*
J. A. N. S., (214) vol. v, 1866, p. 268; Obs. Gen. Unio, (215) vol. ix, p. 90.
- G. strigosa.*
J. A. N. S., (214) vol. v, 1862, p. 298; (243) vol. vi, 1866, p. 140; Obs. Gen. Unio, (215) vol. ix, p. 120; (244) vol. xi, p. 96.
- G. suavis.*
J. A. N. S., (214) vol. v, 1862, pp. 221, 228, 330, pl. xxxiv, f. 19; Obs. Gen. Unio, (215) vol. ix, pp. 43, 50, 152, pl. xxxiv, f. 19.
- G. subangulata.*
J. A. N. S., (214) vol. v, 1862, p. 340; Obs. Gen. Unio, (215) vol. ix, p. 152.
- G. subrhombica.*
J. A. N. S., (243) vol. vi, 1866, p. 132[†] Obs. Gen. Unio, (244) vol. xi, p. 88, pl. xxiii, f. 34.
- G. sulcata.*
J. A. N. S., (258) vol. vi, 1868, p. 329, pl. liv, f. 3; Obs. Gen. Unio, (259) vol. xii, p. 89, pl. liv, f. 3.
- G. Taitiana.*
J. A. N. S., (214) vol. v, 1862, p. 301; Obs. Gen. Unio, (215) vol. ix, p. 123.
- G. tenebrosa.*
J. A. N. S., (214) vol. v, 1862, p. 335; (243) vol. vi, 1866, p. 133; Obs. Gen. Unio, (215) vol. ix, p. 157; (244) vol. xi, p. 89.
- G. tenebrovittata.*
J. A. N. S., (214) vol. v, 1862, p. 301, pl. xxxvii, f. 136; Obs. Gen. Unio, (215) vol. ix, p. 123, pl. xxxvii, f. 136.
- Goniobasis terebralis.*
J. A. N. S., (214) vol. v, 1862, p. 298; Obs. Gen. Unio, (215) vol. ix, p. 120.
- G. teres.*
J. A. N. S., (214) vol. v, 1862, pp. 332, 333; Obs. Gen. Unio, (215) vol. ix, pp. 154, 155.
- G. Thorntonii.*
J. A. N. S., (214) vol. v, 1862, p. 320, pl. xxxviii, f. 168; Obs. Gen. Unio, (215) vol. ix, p. 142, pl. xxxviii, f. 168.
- G. Tryoniiana.*
J. A. N. S., (214) vol. v, 1862, pp. 339, 342, pl. xxxvii, f. 207; Obs. Gen. Unio, (215) vol. ix, pp. 161, 164, pl. xxxviii, f. 207.
- G. Tuomeyi.*
J. A. N. S., (214) vol. v, 1862, p. 311, pl. xxxvii, f. 153; Obs. Gen. Unio, (215) vol. ix, p. 133, pl. xxxvii, f. 153.
- G. Ucheensis.*
J. A. N. S., (214) vol. v, 1862, pp. 334, 335, pl. xxxvii, f. 194; Obs. Gen. Unio, (215) vol. ix, pp. 156, 157, pl. xxxviii, f. 194.
- G. Vanuzemiana.*
J. A. N. S., (214) vol. v, 1862, pp. 234, 238, 307, 338, 350, pl. xxxvii, f. 146; Obs. Gen. Unio, (215) vol. ix, pp. 56, 60, 129, 160, 172, pl. xxxvii, f. 146.
- G. Vanuzemii.*
J. A. N. S., (242) vol. vi, 1866, p. 137; Obs. Gen. Unio, (244) vol. xi, p. 93.
- G. varians.*
J. A. N. S., (214) vol. v, 1862, pp. 219, 220, pl. xxxiv, f. 2; Obs. Gen. Unio, (215) vol. ix, pp. 41, 42, pl. xxxiv, f. 2.
- G. variata.*
J. A. N. S., (214) vol. v, 1862, p. 224, pl. xxxiv, f. 11; Obs. Gen. Unio, (215) vol. ix, p. 46, pl. xxxiv, f. 11.
- G. varicosa.*
J. A. N. S., (214) vol. v, 1862, p. 306; Obs. Gen. Unio, (215) vol. ix, p. 128.
- G. Vauxiana.*
J. A. N. S., (214) vol. v, 1862, pp. 309, 310, pl. xxxvii, f. 150; (243) vol. vi, 1866, p. 153; Obs. Gen. Unio, (215) vol. ix, pp. 131, 132, pl. xxxvii, f. 150; (244) vol. xi, p. 109.
- G. venusta.*
J. A. N. S., (258) vol. vi, 1868, p. 336, pl. liv, f. 17; Obs. Gen. Unio, (259) vol. xii, p. 96, pl. liv, f. 17.
- G. versa.*
J. A. N. S., (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (244) vol. xi, p. 93.
- G. vesicula.*
J. A. N. S., (214) vol. v, 1862, p. 242, pl. xxxv, f. 45; Obs. Gen. Unio, (215) vol. ix, p. 64, pl. xxxv, f. 45.
- G. Viennaensis.*
J. A. N. S., (214) vol. v, 1862, p. 315, pl. xxxvii, f. 160; Obs. Gen. Unio, (215) vol. ix, p. 137, pl. xxxvii, f. 160.
- G. Virginiae.*
J. A. N. S., (214) vol. v, 1862, p. 337; Obs. Gen. Unio, (215) vol. ix, p. 150.

- Goniobasis virgulata*.
J. A. N. S., (214) vol. v, 1862, p. 223, pl. xxxiv, f. 9; Obs. Gen. Unio, (215) vol. ix, p. 45, pl. xxxiv, f. 9.
- G. viridistriata*.
J. A. N. S., (243) vol. vi, 1866, pp. 140, 141, pl. xxiii, f. 48; Obs. Gen. Unio, (244) vol. xi, pp. 96, 97, pl. xxiii, f. 48.
- G. viridicata*.
J. A. N. S., (214) vol. v, 1862, p. 322, pl. xxxviii, f. 172; Obs. Gen. Unio, (215) vol. ix, p. 144, pl. xxxviii, f. 172.
- G. vittatella*.
J. A. N. S., (243) vol. vi, 1866, p. 134, pl. xxiii, f. 38; Obs. Gen. Unio, (244) vol. xi, p. 90, pl. xxiii, f. 38.
- G. Warderiana*.
J. A. N. S., (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (244) vol. xi, p. 94.
- G. Wheatleyi*.
J. A. N. S., (258) vol. vi, 1868, p. 328, pl. liv, f. 1; Obs. Gen. Unio, (259) vol. xii, p. 88, pl. liv, f. 1.
- G. Whitei*.
J. A. N. S., (214) vol. v, 1862, p. 310, pl. xxxvii, f. 151; Obs. Gen. Unio, (215) vol. ix, p. 132, pl. xxxvii, f. 151.
- G. Whitfieldensis*.
J. A. N. S., (258) vol. vi, 1868, p. 330, pl. liv, f. 6; Obs. Gen. Unio, (259) vol. xii, p. 90, pl. liv, f. 6.
- GRATELUPIA.
(18) Con. Geol., 1833, p. 60.
- G. donaciformis*.
(18) Con. Geol., 1833, p. 60.
- G. Moulinsii*.
(18) Con. Geol., 1833, p. 59, pl. ii, f. 33.
- GRYPHÆA.
P. A. N. S., (145) vol. x, 1858, p. 218.
- GYROTOMA.
P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, p. 245; Obs. Gen. Unio, (215) vol. ix, p. 67.
- G. demissa*.
P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, p. 246; Obs. Gen. Unio, (215) vol. ix, p. 63.
- G. quadrata*.
P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, p. 246; Obs. Gen. Unio, (215) vol. ix, p. 68.
- HELICINA.
Helicina lens.
T. A. P. S., (20) vol. v, 1832, p. 49, pl. xix, f. 56; Obs. Gen. Unio, (21) vol. i, p. 161, pl. xix, f. 56.
- H. pulcherrima*.
T. A. P. S., (20) vol. v, 1832, p. 49, pl. xix, f. 57; (27) vol. vi, 1836, p. 69; Obs. Gen. Unio, (21) vol. i, p. 161, pl. xix, f. 57; (29) vol. ii, p. 69.
- H. virginea*.
T. A. P. S., (20) vol. v, 1832, p. 50, pl. xix, f. 58; Obs. Gen. Unio, (21) vol. i, p. 162, pl. xix, f. 58.
- HELIX.
T. A. P. S., (51) vol. ix, 1841, p. 1; (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (56) vol. iv, p. 1; (83) vol. v, p. 60; P. Z. S. L., vol. xviii, 1850, p. 191.
- Helix Balasteriana*.
P. A. P. S., (31) vol. i, 1840, p. 175.
- H. Balestieriana*.
T. A. P. S., (38) vol. vii, 1841, p. 460, pl. xii, f. 10.
- H. Blainvilliana*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 463, pl. xii, f. 15.
- H. Blandingiana*.
P. A. P. S., (31) vol. i, 1840, p. 175; T. A. P. S., (38) vol. vii, 1841, p. 459, pl. xii, f. 9.
- H. Bonplandii*.
T. A. P. S., (82) vol. x, 1852, p. 305; Obs. Gen. Unio, (83) vol. v, p. 61.
- H. Californiense*.
T. A. P. S., (27) vol. vi, 1837, pp. 99, 100, pl. xxiii, f. 79; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (29) vol. ii, pp. 99, 100, pl. xxiii, f. 79; (244) vol. xi, p. 111; P. A. N. S., (109) vol. viii, 1856, p. 81.
- H. carioscula*.
T. A. P. S., (38) vol. vii, 1841, p. 465.
- H. Carolinensis*.
T. A. P. S., (15) vol. iv, 1830, pp. 102, 103, pl. xv, f. 33, a, b, c.; Obs. Gen. Unio, (21) vol. i, p. 112, pl. xv, f. 33, a, b, c.
- H. cepoides*.
P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, p. 462, pl. xii, f. 14.
- H. cinctæ*.
T. A. P. S., (20) vol. v, 1832, p. 56, pl. xix, f. 68; Obs. Gen. Unio, (21) vol. i, p. 168, pl. xix, f. 68.
- H. citrina*.
T. A. P. S., (20) vol. v, 1832, p. 55; (38) vol. vii, 1841, p. 462; Obs. Gen. Unio, (21) vol. i, p. 167.
- H. Clarkii*.
P. A. N. S., (137) vol. x, 1858, p. 41; J. A. N. S., (243) vol. vii, 1866, p. 182, pl. xxiv, f. 111; Obs. Gen. Unio, (244) vol. xi, p. 138, pl. xxiv, f. 111.
- H. clausa*.
T. A. P. S., (27) vol. vi, 1836, p. 87; Obs. Gen. Unio, (29) vol. ii, p. 87.
- H. Columbianæ*.
T. A. P. S., (27) vol. vi, 1836, p. 89, pl. xxiii, f. 75; Obs. Gen. Unio, (29) vol. ii, p. 89, pl. xxiii, f. 75.
- H. concava*.
T. A. P. S., (27) vol. vi, 1836, p. 88; Obs. Gen. Unio, (29) vol. ii, p. 88.
- H. contusa*.
T. A. P. S., (38) vol. 7, 1841, p. 460.
- H. Couchiana*.
P. A. N. S., (125) vol. ix, 1857, p. 102; J. A. N. S., (243) vol. vi, 1866, pp. 183, 184, pl. xxiv, f. 112; Obs. Gen. Unio, (244) vol. xi, pp. 139, 140, pl. xxiv, f. 112.
- H. Cuvieriana*.
P. A. P. S., (31) vol. i, 1840, p. 175; T. A. P. S., (38) vol. vii, 1841, p. 461, pl. xii, f. 12.
- H. cyclostoma*.
T. A. P. S., (20) vol. v, 1832, p. 53; Obs. Gen. Unio, (21) vol. i, p. 165.
- H. cyclostomopsis*.
T. A. P. S., (20) vol. v, 1832, p. 53, pl. xix, f. 63.

Helix diaphana.

T. A. P. S., (20) vol. v, 1832, p. 54, pl. xix, f. 65; Obs. Gen. Unio, (21) vol. i, p. 166, pl. xix, f. 65.

H. fatigiata.

T. A. P. S., (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (83) vol. v, p. 60.

H. ferruginea.

P. A. P. S., (31) vol. i, 1840, p. 175; T. A. P. S., (38) vol. vii, 1841, p. 464.

H. globula.

T. A. P. S., (20) vol. v, 1832, p. 58, pl. xix, f. 70; Obs. Gen. Unio, (21) vol. i, p. 170, pl. xix, f. 70.

H. hæmastoma.

T. A. P. S., (38) vol. vii, 1841, p. 464.

H. Himalana.

T. A. P. S., (20) vol. v, 1832, p. 55, pl. xix, f. 66; (38) vol. vii, 1841, pp. 460, 462, 463; Obs. Gen. Unio, (21) vol. i, p. 67, pl. xix, f. 66.

H. hirsuta.

T. A. P. S., (15) vol. iv, 1830, p. 104; (51) vol. ix, 1841, p. 2; (82) vol. x, 1852, pp. 303, 304; Obs. Gen. Unio, (21) vol. i, p. 114; (56) vol. iv, p. 2; (83) vol. v, pp. 59, 60.

H. Humphreysiana.

P. A. P. S., (31) vol. i, 1840, p. 175; T. A. P. S., (38) vol. vii, 1841, p. 463, pl. xii, f. 16.

H. infecta.

T. A. P. S., (82) vol. x, 1852, p. 303; Obs. Gen. Unio, (83) vol. v, p. 59.

H. jejuna.

T. A. P. S., (27) vol. vi, 1836, p. 87; (51) vol. ix, 1841, p. 17; Obs. Gen. Unio, (29) vol. ii, p. 87; (59) vol. iv, p. 17.

H. labyrinthica.

T. A. P. S., (51) vol. ix, 1841, p. 18; Obs. Gen. Unio, (56) vol. iv, p. 18.

H. lævipes.

T. A. P. S., (20) vol. v, 1832, p. 55; Obs. Gen. Unio, (21) vol. i, p. 167.

H. Lamarckiana.

P. A. P. S., (31) vol. i, 1840, p. 174; T. A. P. S., (38) vol. vii, 1841, pp. 461, 463, pl. xii, f. 11.

H. Leai.

T. A. P. S., (82) vol. x, 1852, pp. 303, 304; Obs. Gen. Unio, (83) vol. v, pp. 59, 60.

H. Lecontii.

T. A. P. S., (82) vol. x, 1852, pp. 303, 304; pl. xxx, f. 13; Obs. Gen. Unio, (83) vol. v, pp. 59, 60, pl. xxx, f. 13.

H. leporina.

T. A. P. S., (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (83) vol. v, p. 60.

H. ligera.

T. A. P. S., (27) vol. vi, 1836, p. 67; Obs. Gen. Unio (29) vol. ii, p. 67.

H. limbata.

T. A. P. S., (51) vol. ix, 1841, p. 1; Obs. Gen. Unio, (56) vol. iv, p. 1.

H. luteo-fasciata.

P. A. P. S., (31) vol. i, 1840, p. 175; T. A. P. S., (38) vol. vii, 1841, p. 462, pl. xii, f. 13.

H. magnifica.

T. A. P. S., (27) vol. vi, 1836, p. 89, pl. xxiii, f. 88; Obs. Gen. Unio, (29) vol. ii, p. 89, pl. xxiii, f. 88.

Helix mamilla.

T. A. P. S., (20) vol. v, 1832, pp. 52, 54, pl. xix, f. 64; Obs. Gen. Unio, (21) vol. i, pp. 164, 166, pl. xix, f. 64.

H. minutissima.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (51) vol. ix, 1841, p. 17; Obs. Gen. Unio, (56) vol. iv, p. 17.

H. Mitchelliana.

T. A. P. S., (27) vol. vi, 1836, p. 87, pl. xxiii, f. 71; Obs. Gen. Unio, (29) vol. ii, p. 87, pl. xxiii, f. 71.

H. Mobiliana.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (51) vol. ix, 1841, p. 17; Obs. Gen. Unio, (56) vol. iv, p. 17.

H. monodon.

T. A. P. S., (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (83) vol. v, p. 60.

H. monodonta.

T. A. P. S., (20) vol. v, 1832, p. 53, pl. xix, f. 62; Obs. Gen. Unio, (21) vol. i, p. 165, pl. xix, f. 62.

H. monozonalis.

T. A. P. S., (38) vol. vii, 1841, p. 461.

H. muscarum.

T. A. P. S., (20) vol. v, 1832, p. 51, pl. xix, f. 59; Obs. Gen. Unio, (21) vol. i, p. 163; pl. xix, f. 59.

H. Nickliniana.

T. A. P. S., (27) vol. vi, 1837, p. 100, pl. xxiii, f. 84; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (29) vol. ii, p. 100, pl. xxiii, f. 84; (244) vol. xi, p. 111; P. A. N. S., (109) vol. viii, 1856, p. 81.

H. Nuttalliana.

T. A. P. S., (27) vol. vi, 1836, p. 88, pl. xxiii, f. 74; (38) vol. vii, 1841, p. 462; Obs. Gen. Unio, (29) vol. ii, p. 88, pl. xxiii, f. 74.

H. Oregonensis.

T. A. P. S., (27) vol. vi, 1837, p. 100, pl. xxiii, f. 85; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (29) vol. ii, p. 100, pl. xxiii, f. 85; (244) vol. xi, p. 111; P. A. N. S., (109) vol. viii, 1856, p. 81.

H. ovum reguli.

T. A. P. S., (20) vol. v, 1832, p. 52, pl. xix, f. 61; Obs. Gen. Unio, (21) vol. i, p. 164, pl. xix, f. 61.

H. palliata.

T. A. P. S., (15) vol. iv, 1830, pp. 102, 103; J. A. N. S., (243) vol. vi, 1866, p. 183; Obs. Gen. Unio, (21) vol. i, pp. 112, 113; (244) vol. xi, p. 139.

H. pellis serpentis.

T. A. P. S., (27) vol. vi, 1836, p. 90; Obs. Gen. Unio, (29) vol. ii, p. 90.

H. Pennsylvanica.

J. A. N. S., (243) vol. vi, 1866, p. 182; Obs. Gen. Unio, (244) vol. xi, p. 138.

H. purpuragula.

T. A. P. S., (20) vol. v, 1832, p. 51, pl. xix, f. 60; (27) vol. vi, 1836, p. 69; Obs. Gen. Unio, (21) vol. i, p. 163, pl. xix, p. 163; (29) vol. ii, p. 69.

H. Richardii.

T. A. P. S., (82) vol. x, 1852, p. 305; Obs. Gen. Unio, (83) vol. v, p. 61.

- Helix Sengcalensis.*
T. A. P. S., vii, 1841, p. 460.
- H. solidaria.*
T. A. P. S., (27) vol. vi, 1836, p. 88; Obs. Gen. Unio, (29) vol. ii, p. 88.
- H. Tamaulipasensis.*
P. A. N. S., (125) vol. ix, 1857, p. 102; J. A. N. S., (243) vol. vi, 1866, p. 186, pl. xxiv, f. 113; Obs. Gen. Unio, (244) vol. xi, p. 139, pl. xxiv, f. 113.
- H. Tennesseeensis.*
P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (51) vol. ix, 1841, p. 1; Obs. Gen. Unio, (56) vol. iv, p. 1.
- H. Texasiana.*
J. A. N. S., (243) vol. vi, 1866, p. 184; Obs. Gen. Unio, (244) vol. xi, p. 140.
- H. thyroideus.*
T. A. P. S., (27) vol. vi, 1836, p. 89; 1837, p. 99; Obs. Gen. Unio, (29) vol. ii, pp. 89, 99.
- H. Townsendiana.*
T. A. P. S., (27) vol. vi, 1837, p. 99, pl. xxiii, f. 80; Obs. Gen. Unio, (29) vol. ii, p. 99, pl. xxiii, f. 80.
- H. Troostiana.*
J. A. N. S., (243) vol. vi, 1866, pp. 183, 184; Obs. Gen. Unio, (244) vol. xi, pp. 139, 140.
- H. unidentata.*
T. A. P. S., (38) vol. vii, 1841, pp. 463, 464.
- H. Vancouverensis.*
T. A. P. S., (27) vol. vi, 1836, p. 87, pl. xxiii, f. 72; Obs. Gen. Unio, (29) vol. ii, p. 87, pl. xxiii, f. 72.
- H. vesica.*
T. A. P. S., (20) vol. v, 1832, p. 56, pl. xix, f. 67; Obs. Gen. Unio, (21) vol. i, p. 168, pl. xix, f. 67.
- H. viridis.*
T. A. P. S., (38) vol. vii, 1841, p. 456.
- H. Wardiana.*
T. A. P. S., (27) vol. vi, 1836, p. 67, pl. xxiii, f. 82; Obs. Gen. Unio, (29) vol. ii, p. 67, pl. xxiii, f. 82.
- H. Woodiana.*
T. A. P. S., (20) vol. v, 1832, p. 57, pl. xix, f. 69; Obs. Gen. Unio, (21) vol. i, p. 169, pl. xix, f. 69.
- HIPPAGUS.
(18) Con. Geol., 1833, p. 72.
- H. isocardoides.*
(18) Con. Geol., 1833, p. 72, pl. ii, f. 50.
- HIPPONIX.
(18) Con. Geol., 1833, p. 96.
- H. cornucopia.*
(18) Con. Geol., 1833, p. 95.
- H. pygmaea.*
(18) Con. Geol., 1833, p. 95, pl. iii, f. 75.
- HYRIA.
T. A. P. S., (12) vol. iii, 1829, pp. 442, 443; (27) vol. vi, 1838, pp. 109, 115, 142; Obs. Gen. Unio, (21) vol. i, pp. 56, 57; (29) vol. ii, pp. 109, 115, 142.
- H. aricularis.*
T. A. P. S., (15) vol. iv, 1830, pp. 67, 107; (20) vol. v, 1833, pp. 41, 92; (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, pp. 77, 117, 204; (29) vol. ii, p. 121.
- Hyria corrugata.*
T. A. P. S., (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, p. 204; (29) vol. ii, p. 121.
- H. elongata.*
T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.
- H. symmatophora.*
T. A. P. S., (27) vol. vi, 1838, pp. 109, 121; Obs. Gen. Unio, (29) vol. ii, pp. 109, 121.
- INFUNDIBULUM.
(18) Con. Geol., 1833, p. 97.
- I. trochiformis.*
(18) Con. Geol., 1833, p. 96, pl. iii, f. 76.
- INOCERAMUS.
(18) Con. Geol., 1833, p. 72; P. A. N. S., (145) vol. x, 1858, p. 221.
- IO.
T. A. P. S., (16) vol. iv, 1831, pp. 122, 127; (51) vol. ix, 1841, p. 17; J. A. N. S., (214) vol. v, 1862, pp. 218, 269, 345; (243) vol. vi, 1866, pp. 145, 149; Obs. Gen. Unio, (21) vol. i, p. 132; (56) vol. iv, p. 17; (215) vol. ix, pp. 40, 91, 167; (244) vol. xi, pp. 101, 105; P. A. N. S., (201) vol. xii, 1861, p. 393.
- I. fluviatilis.*
T. A. P. S., (51) vol. ix, 1841, p. 17; Obs. Gen. Unio, (56) vol. iv, p. 17.
- I. fusiformis.*
T. A. P. S., (16) vol. iv, 1831, p. 122, pl. xv, f. 37, a, b; (20) vol. v, 1834, p. 112; Obs. Gen. Unio, (21) vol. i, pp. 132, 224, pl. xv, f. 37, a, b; P. A. N. S., (201) vol. xiii, 1861, p. 393.
- I. gracilis.*
P. A. N. S., (201) vol. xiii, 1861, p. 394; J. A. N. S., (214) vol. v, 1862, p. 349, pl. xxxix, f. 217; Obs. Gen. Unio, (215) vol. ix, p. 171, pl. xxxix, f. 217.
- I. modesta.*
P. A. N. S., (201) vol. xiii, 1861, p. 394; J. A. N. S., (214) vol. v, 1862, p. 348, pl. xxxix, f. 216; Obs. Gen. Unio, (215) vol. ix, p. 170, pl. xxxix, f. 216.
- I. nodosa.*
P. A. N. S., (201) vol. xiii, 1861, p. 393; J. A. N. S., (214) vol. v, 1862, pp. 346, 347, pl. xxxix, f. 212; Obs. Gen. Unio, (215) vol. ix, pp. 168, 169, pl. xxxix, f. 212.
- I. robusta.*
P. A. N. S., (201) vol. xiii, 1861, p. 393; J. A. N. S., (214) vol. v, 1862, p. 346, pl. xxxix, f. 213; Obs. Gen. Unio, (215) vol. ix, p. 168, pl. xxxix, f. 213.
- I. Spillmanii.*
P. A. N. S., (201) vol. xiii, 1861, p. 394; J. A. N. S., (214) vol. v, 1862, pp. 348, 349, pl. xxxix, f. 215; Obs. Gen. Unio, (215) vol. ix, pp. 170, 171, pl. xxxix, f. 215.
- I. spinosa.*
T. A. P. S., (20) vol. v, 1834, p. 112, pl. xix, f. 79; (51) vol. ix, 1841, p. 17; Obs. Gen. Unio, (21) vol. i, p. 224, pl. xix, f. 79; (56) vol. iv, p. 17; (215) vol. ix, p. 167; J. A. N. S., (214) vol. v, 1862, p. 345; P. A. N. S., (201) vol. xiii, 1861, p. 393.

Io tenebrosa.

P. A. N. S., (59) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 17; Obs. Gen. Unio, (56) vol. iv, p. 17.

I. variabilis.

P. A. N. S., (201) vol. xiii, 1861, p. 393; J. A. N. S., (214) vol. v, 1862, p. 347, pl. xxxix, f. 213; Obs. Gen. Unio, (215) vol. ix, p. 169, pl. xxxix, f. 213.

I. viridula.

P. A. N. S., (201) vol. xiii, 1861, p. 394; J. A. N. S., (214) vol. v, 1862, p. 349, pl. xxxix, f. 218; Obs. Gen. Unio, (215) vol. ix, p. 171, pl. xxxix, f. 218.

IRIDINA.

T. A. P. S., (12) vol. iii, 1829, pp. 442, 443; (27) vol. vi, 1838, pp. 114, 115, 117, 118, 141, 150; Obs. Gen. Unio, (21) vol. i, p. 57; (29) vol. ii, pp. 114, 115, 117, 118, 141, 150.

I. Clappertoni.

T. A. P. S., (20) vol. v, 1833, p. 94; Obs. Gen. Unio, (21) vol. i, p. 206.

I. caelestis.

T. A. P. S., (27) vol. vi, 1836, p. 82, pl. xxii, f. 70; Obs. Gen. Unio, (29) vol. ii, p. 82, pl. xxii, f. 70.

I. esula.

T. A. P. S., (27) vol. vi, 1838, p. 140; Obs. Gen. Unio (29) vol. ii, p. 140.

I. exotica.

T. A. P. S., (20) vol. v, 1833, p. 94; (27) vol. vi, 1838, pp. 118, 141, 150; Obs. Gen. Unio, (21) vol. i, p. 206; (29) vol. ii, pp. 118, 141, 150.

I. longina.

T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.

I. nilotica.

T. A. P. S., (15) vol. iv, 1830, p. 67; (20) vol. v, 1833, p. 94; (27) vol. vi, 1838, p. 118; Obs. Gen. Unio, (21) vol. i, pp. 77, 206; (29) vol. ii, p. 118.

I. mutel.

T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.

I. Oudniei.

T. A. P. S., (27) vol. vi, 1838, p. 141; Obs. Gen. Unio, (29) vol. ii, p. 141.

I. ovata.

T. A. P. S., (27) vol. vi, 1838, pp. 141, 150; Obs. Gen. Unio, (29) vol. ii, pp. 141, 150.

I. rostrata.

T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.

I. rubens.

T. A. P. S., (20) vol. v, 1833, p. 93; (27) vol. vi, 1838, p. 138; J. A. N. S., (242) vol. vi, 1866, p. 64; Obs. Gen. Unio, (21) vol. i, p. 205; (29) vol. ii, p. 138; (244) vol. xi, p. 68.

I. striata.

T. A. P. S., (27) vol. vi, 1838, p. 141; Obs. Gen. Unio, (29) vol. ii, p. 141.

I. wapezialis.

T. A. P. S., (27) vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 139.

Isocardia cor.

(18) Con. Geol., 1833, p. 72; J. A. N. S., (133) vol. iii, 1857, p. 318; Obs. Gen. Unio, (150) vol. vi, p. 38.

I. Moltkiana.

J. A. N. S., (133) vol. iii, 1857, pp. 318, 319; Obs. Gen. Unio, (150) vol. vi, pp. 38, 39.

Lasmonos fragilis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

Leila Parishii.

T. A. P. S., (27) vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 139.

LITHASIA.

J. A. N. S., (214) vol. v, 1862, pp. 217, 218, 257, 260, 312, 346; (243) vol. vi, 1866, pp. 133, 134, 150, 151; Obs. Gen. Unio, (215) vol. ix, pp. 39, 40, 79, 91, 134, 168; vol. xi, pp. 89, 90, 106, 107; P. A. N. S., (201) vol. xiii, 1861, p. 393.

L. armigera.

J. A. N. S., (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (244) vol. xi, p. 102.

L. brevis.

J. A. N. S., (214) vol. v, 1862, p. 354; Obs. Gen. Unio, (215) vol. ix, p. 176.

L. curta.

J. A. N. S., (258) vol. vi, 1868, p. 340, pl. liv, f. 24; Obs. Gen. Unio, (259) vol. xii, p. 100, pl. liv, f. 24.

L. cylindrica.

J. A. N. S., (258) vol. vi, 1868, p. 341, pl. liv, f. 26; Obs. Gen. Unio, (259) vol. xii, p. 901, pl. liv, f. 26.

L. dilatata.

P. A. N. S., (193) vol. xiii, 1861, p. 55; J. A. N. S., (214) vol. v, 1862, p. 260, pl. xxxv, f. 69; Obs. Gen. Unio, (215) vol. ix, p. 82, pl. xxxv, f. 69.

L. Downiei.

J. A. N. S., (214) vol. v, 1862, p. 354, pl. xxxix, f. 227; (243) vol. vi, 1866, p. 134; Obs. Gen. Unio, (215) vol. ix, p. 176, pl. xxxix, f. 227; (244) vol. xi, p. 90.

L. Duttoniana.

J. A. N. S., (214) vol. v, 1862, pp. 242, 259, 314; Obs. Gen. Unio, (215) vol. ix, pp. 64, 81, 136.

L. Florentiana.

J. A. N. S., (214) vol. v, 1862, pp. 224, 260; Obs. Gen. Unio, (215) vol. ix, pp. 46, 82.

L. fuliginosa.

J. A. N. S., (214) vol. v, 1862, p. 224; Obs. Gen. Unio, (215) vol. ix, p. 46.

L. fusiformis.

P. A. P. S., (193) vol. xiii, 1861, p. 54; J. A. N. S., (214) vol. v, 1862, p. 261, pl. xxxv, f. 71; Obs. Gen. Unio, (215) vol. ix, p. 83, pl. xxxv, f. 71.

L. imperialis.

P. A. N. S., (193) vol. xiii, 1861, p. 55; J. A. N. S., (214) vol. v, 1862, pp. 258, 260, pl. xxxv, f. 67; Obs. Gen. Unio, (215) vol. ix, pp. 80, 82, pl. xxxv, f. 67.

L. Jayana.

J. A. N. S., (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (244) vol. xi, p. 102.

Lithasia nuclea.

P. A. N. S., (182) vol. xii, 1860, p. 188; J. A. N. S., (214) vol. v, 1862, p. 263, pl. xxxv, f. 73; Obs. Gen. Unio, (215) vol. ix, p. 85, pl. xxxv, f. 73.

L. pernodosa.

J. A. N. S., (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (244) vol. xi, p. 102.

L. pumila.

J. A. N. S., (214) vol. v, 1862, p. 279; Obs. Gen. Unio, (215) vol. ix, p. 101.

L. purpurea.

J. A. N. S., (258) vol. vi, 1868, p. 340, pl. liv, f. 23; Obs. Gen. Unio, (259) vol. xii, p. 100, pl. liv, f. 23.

L. salebrosa.

J. A. N. S., (214) vol. v, 1862, pp. 260, 261; Obs. Gen. Unio, (215) vol. ix, pp. 82, 83.

L. semigranulata.

J. A. N. S., (214) vol. v, 1862, p. 260; Obs. Gen. Unio, (215) vol. ix, p. 82; (244) vol. xi, Errata.

L. semigranulosa.

J. A. N. S., (244) vol. xi, Errata.

L. Showalterii.

P. A. N. S., (182) vol. xii, 1860, p. 188; J. A. N. S., (214) vol. v, 1862, pp. 226, 262, 311, pl. xxxv, f. 72; Obs. Gen. Unio, (215) vol. ix, pp. 48, 84, 133, pl. xxxv, f. 72.

L. subglobosa.

P. A. N. S., (193) vol. xiii, 1861, p. 55; J. A. N. S., (214) vol. v, 1862, p. 261, pl. xxxv, f. 70; Obs. Gen. Unio, (215) vol. ix, p. 83, pl. xxxv, f. 70.

L. Tuomeyi.

J. A. N. S., (214) vol. v, 1862, p. 259, pl. xxxv, f. 68; Obs. Gen. Unio, (215) vol. ix, p. 81, pl. xxxv, f. 68; P. A. N. S., (193) vol. xiii, 1861, p. 55.

L. venusta.

J. A. N. S., (214) vol. v, 1862, p. 260; Obs. Gen. Unio, (215) vol. ix, p. 82.

L. vittata.

J. A. N. S., (214) vol. v, 1862, p. 354, pl. xxxix, f. 226; Obs. Gen. Unio, (215) vol. ix, p. 176, pl. xxxix, f. 226.

L. Wheatleyi.

J. A. N. S., (258) vol. vi, 1868, p. 341, pl. liv, f. 25; Obs. Gen. Unio, (259) vol. xii, p. 101, pl. liv, f. 25.

Lottia Antillarum.

T. A. P. S., (34) vol. vii, 1840, p. 74.

LUCINA.

(18) Con. Geol., 1833, p. 59.

L. compressa.

(18) Con. Geol., 1833, p. 55, pl. i, f. 27.

L. cornuta.

(18) Con. Geol., 1833, pp. 56, 57, pl. i, f. 29.

L. impressa.

(18) Con. Geol., 1833, pp. 57, 58, 59, pl. i, f. 30.

L. lunata.

(18) Con. Geol., 1833, p. 58, pl. i, f. 32.

L. mitris.

(18) Con. Geol., 1833, p. 58.

L. papyracca.

(18) Con. Geol., 1833, p. 58, pl. i, f. 31.

Lucina rotunda.

(18) Con. Geol., 1832, p. 56, pl. i, f. 28.

LUNULITES.

(18) Con. Geol., 1833, p. 190.

L. Bouci.

(18) Con. Geol., 1833, p. 189, pl. vi, f. 202.

L. Ductosii.

(18) Con. Geol., 1833, p. 190, pl. vi, f. 203.

L. radiata.

(18) Con. Geol., 1833, p. 190.

L. urcolata.

(18) Con. Geol., 1833, pp. 189, 190.

LUTRICOLA.

(18) Con. Geol., 1833, p. 49.

Lymnædia gigas.

T. A. P. S., vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

LYMNÆA.

T. A. P. S., (51) vol. ix, 1841, p. 78; Obs. Gen. Unio, (56) vol. iv, p. 78.

L. acuta.

T. A. P. S., (20) vol. v, 1834, p. 114, pl. xix, f. 81; (51) vol. ix, 1841, p. 12; Obs. Gen. Unio, (21) vol. i, p. 226, pl. xix, f. 81; (56) vol. iv, p. 12.

L. apicina.

T. A. P. S., (27) vol. vi, 1837, p. 102, pl. xxiii, f. 94; Obs. Gen. Unio, (29) vol. ii, p. 102, pl. xxiii, f. 94.

L. appressa.

T. A. P. S., (51) vol. ix, 1841, p. 8; Obs. Gen. Unio, (56) vol. iv, p. 8.

L. arctica.

J. A. N. S., (243) vol. vi, 1866, p. 160, pl. xxiv, f. 75; Obs. Gen. Unio, (244) vol. xi, p. 116, pl. xxiv, f. 75.

L. bulimoides.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, pp. 9, 12; J. A. N. S., (243) vol. vi, 1866, pp. 162, 163; Obs. Gen. Unio, (56) vol. iv, pp. 9, 12; (244) vol. xi, pp. 118, 119.

L. casta.

P. A. N. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, pp. 10, 11; Obs. Gen. Unio, (56) vol. iv, pp. 10, 11.

L. caperata.

J. A. N. S., (243) vol. vi, 1866, p. 160; Obs. Gen. Unio, (244) vol. xi, p. 116.

L. coarctata.

T. A. P. S., (51) vol. ix, 1841, pp. 11, 12; Obs. Gen. Unio, (56) vol. iv, pp. 11, 12; P. A. P. S., (39) 1841, p. 33.

L. columella.

T. A. P. S., (51) vol. ix, 1841, pp. 11, 12; Obs. Gen. Unio, (36) vol. iv, pp. 11, 12.

L. columnaris.

T. A. P. S., (81) vol. x, 1852, p. 296; Obs. Gen. Unio, (83) vol. v, p. 52.

L. curta.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 11; J. A. N. S., (243) vol. vi, 1866, p. 163; Obs. Gen. Unio, (56) vol. iv, p. 11; (244) vol. xi, p. 119.

L. decidiosa.

T. A. P. S., (51) vol. ix, 1841, pp. 10, 11; Obs. Gen. Unio, vol. iv, pp. 10, 11.

Lymnæa elodes.

T. A. P. S., (51) vol. ix, 1841, p. 9; Obs. Gen. Unio, (56) vol. iv, p. 9.

L. exigua.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, pp. 9, 10; J. A. N. S., (243) vol. vi, 1866, p. 155, 162; Obs. Gen. Unio, (56) vol. iv, pp. 9, 10; (244) vol. xi, pp. 111, 118; P. A. N. S., (109) vol. viii, 1856, p. 81.

L. exilis.

T. A. P. S., (20) vol. v, 1834, p. 114, pl. xix, f. 82; Obs. Gen. Unio, (21) vol. i, p. 226, pl. xix, f. 82.

L. fasiformis.

P. A. N. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 10; Obs. Gen. Unio, (56) vol. iv, p. 10.

L. Griffithiana.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., vol. ix, 1841, p. 8; Obs. Gen. Unio, (56) vol. iv, p. 8.

L. Haydenii.

P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (243) vol. vi, 1866, pp. 159, 161, pl. xxxiv, f. 73; Obs. Gen. Unio, (244) vol. xi, pp. 115, 117, pl. xxxiv, f. 73.

L. imperialis.

T. A. P. S., (20) vol. v, 1833, p. 81, pl. xix, f. 73; Obs. Gen. Unio, (21) vol. i, p. 193, pl. xix, f. 73.

L. Jamesii.

J. A. N. S., (243) vol. vi, 1866, p. 161, pl. xxiv, f. 77; Obs. Gen. Unio, (244) vol. xi, p. 117, pl. xxiv, f. 77.

L. Kirtlandiana.

P. A. N. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 12; Obs. Gen. Unio, (56) vol. iv, p. 12.

L. Leontii.

J. A. N. S., (243) vol. vi, 1866, p. 162, pl. xxiv, f. 79; Obs. Gen. Unio, (244) vol. xi, p. 118, pl. xxiv, f. 79.

L. modicella.

T. A. P. S., (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (56) vol. iv, p. 13.

L. Nuttalliana.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 9; J. A. N. S., (243) vol. vi, 1866, p. 160; Obs. Gen. Unio, (56) vol. iv, p. 9; (244) vol. xi, p. 116.

L. pallida.

P. A. N. S., (109) vol. viii, 1856, p. 81; J. A. N. S., (243) vol. vi, 1866, pp. 155, 162; Obs. Gen. Unio, (244) vol. xi, pp. 111, 118.

L. parva.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 11; Obs. Gen. Unio, (56) vol. iv, p. 11.

L. Philadelphica.

P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 8; Obs. Gen. Unio, (56) vol. iv, p. 8.

L. Pingetii.

J. A. N. S., (243) vol. vi, 1866, p. 160; Obs. Gen. Unio, (244) vol. xi, p. 116.

Lymnæa planulata.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 9; Obs. Gen. Unio, (56) vol. iv, p. 9.

L. plicata.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, pp. 8, 9, 10; J. A. N. S., (243) vol. vi, 1866, p. 162; Obs. Gen. Unio, (56) vol. iv, pp. 8, 9, 10; (244) vol. xi, p. 118.

L. proxima.

P. A. N. S., (109) vol. viii, 1856, p. 80; J. A. N. S., (243) vol. vi, 1866, p. 160, pl. xxiv, f. 74; Obs. Gen. Unio, (244) vol. xi, p. 116, pl. xxiv, f. 74.

L. reflexa.

T. A. P. S., (20) vol. v, 1834, p. 115; (51) vol. ix, 1841, p. 12; J. A. N. S., (243) vol. vi, 1866, p. 160; Obs. Gen. Unio, (21) vol. i, p. 227; (244) vol. xi, p. 116; (56) vol. iv, p. 12.

L. rubella.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 12; Obs. Gen. Unio, (56) vol. iv, p. 12.

L. rustica.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 10; Obs. Gen. Unio, (56) vol. iv, p. 10.

L. Smithsoniana.

J. A. N. S., (243) vol. vi, 1866, p. 161, pl. xxiv, f. 76; Obs. Gen. Unio, (244) vol. xi, p. 117, pl. xxiv, f. 76.

L. solida.

T. A. P. S., vol. vi, 1836, p. 94, pl. xxiii, f. 91; Obs. Gen. Unio, (29) vol. ii, p. 94, pl. xxiii, f. 91.

L. stagnalis.

T. A. P. S., vol. ix, 1841, p. 8; Obs. Gen. Unio, (56) vol. iv, p. 8.

L. strigosa.

P. A. P. S., (39) vol. ii, 1841, p. 33; T. A. P. S., (51) vol. ix, 1841, p. 12; Obs. Gen. Unio, (56) vol. iv, p. 12.

L. Traskii.

J. A. N. S., (243) vol. vi, 1866, pp. 161, 162; Obs. Gen. Unio, (244) vol. xi, pp. 117, 118.

L. Tryonianna.

J. A. N. S., (243) vol. vi, 1866, p. 162, pl. xxiv, f. 78; Obs. Gen. Unio, (244) vol. xi, p. 118, pl. xxiv, f. 78.

L. umbilicata.

J. A. N. S., (243) vol. vi, 1866, pp. 161, 162; Obs. Gen. Unio, (244) vol. xi, pp. 117, 118.

L. umbrosa.

J. A. N. S., (243) vol. vi, 1866, p. 159; Obs. Gen. Unio, (244) vol. xi, p. 115.

MACLURITE.

(18) Con. Geol., 1833, p. 123.

MACROLIMEN.

J. A. N. S., (214) vol. v, 1862, p. 221; Obs. Gen. Unio, (215) vol. ix, p. 43.

M. Showalterii.

J. A. N. S., (214) vol. v, 1862, p. 221; Obs. Gen. Unio, (215) vol. ix, p. 43.

MACTRA.

(18) Con. Geol., 1833, pp. 43, 44; T. A. P. S., (20) vol. v, 1834, p. 111; Obs. Gen. Unio, (21) vol. i, p. 223.

- Mactra areolata*.
(18) Con. Geol., 1833, pp. 42, 43.
- M. clathrodon*.
(18) Con. Geol., 1833, p. 212, pl. vi, f. 223.
- M. delumbis*.
(18) Con. Geol., 1833, p. 45.
- M. dentata*.
(18) Con. Geol., 1833, p. 41, pl. i, f. 9.
- M. donacina*.
(18) Con. Geol., 1833, pp. 42, 43.
- M. erebea*.
(18) Con. Geol., 1833, p. 44.
- M. Grayi*.
(18) Con. Geol., 1833, pp. 42, 212, pl. i, f. 10.
- M. lateralis*.
(18) Con. Geol., 1833, pp. 44, 212.
- M. panderosa*.
(18) Con. Geol., 1833, p. 45.
- M. pygmaea*.
(18) Con. Geol., 1833, p. 44, pl. i, f. 11.
- M. sirena*.
(18) Con. Geol., 1833, p. 44.
- M. solidissima*.
(18) Con. Geol., 1833, p. 43.
- MARGARITA.
T. A. P. S., (27) vol. v, 1838, pp. 117, 118, 121, 145;
Obs. Gen. Unio, (29) vol. ii, pp. 117, 118, 121,
145.
- MARGARITANA.
T. A. P. S., (27) vol. vi, 1838, pp. 114, 118, 134,
149; J. A. N. S., (133) vol. iii, 1857, p. 317;
(147) vol. iv, 1858, pp. 44, 46; (213) vol. v,
1862, p. 216; (221) vol. v, 1863, pp. 434, 447;
Obs. Gen. Unio, (29) vol. ii, pp. 114, 118, 134,
149; (150) vol. vi, pp. 37, 44, 46; (170) vol.
vii, Introduction; (205) vol. viii, Introduction;
(215) vol. ix, p. 38; (222) vol. x, pp. 70,
83, 84; (244) vol. xi, Introduction.
- M. Alabamensis*.
P. A. N. S., (192) vol. xiii, 1861, p. 41; J. A. N. S.,
(203) vol. v, 1861, p. 104, pl. xvi, f. 249; Obs.
Gen. Unio, (205) vol. viii, p. 108, pl. xvi, f. 249.
- M. arcuata*.
T. A. P. S., (27) vol. vi, 1836, p. 71, pl. xxii, f. 69;
1838, pp. 135, 148; P. A. N. S., (135) vol. x,
1858, p. 13; J. A. N. S., (221) vol. v, 1863, p.
447; Obs. Gen. Unio, (29) vol. ii, pp. 71, 135,
148, pl. xxii, f. 69; (222) vol. x, p. 83.
- M. Bonellii*.
T. A. P. S., (27) vol. vi, 1838, pp. 135, 143, 148;
Obs. Gen. Unio, (29) vol. ii, pp. 135, 143, 148.
- M. caleola*.
T. A. P. S., (27) vol. vi, 1838, pp. 135, 143, 148;
(43) vol. viii, 1841, p. 231; Obs. Gen. Unio,
(29) vol. ii, pp. 135, 143, 148; (44) vol. iii, p. 69.
- M. complanata*.
T. A. P. S., (27) vol. vi, 1838, pp. 134, 148; (43)
vol. viii, 1841, p. 231; P. A. P. S., (66) vol. v,
1851, p. 192; P. A. N. S., (135) vol. x, 1858,
pp. 13, 14; (139) vol. x, 1858, p. 114; J. A. N.)
S., (147) vol. iv, 1858, p. 49, pl. v, f. 29; (168)
vol. iv, 1859, p. 242; (213) vol. v, 1862, p. 215;
(221) vol. v, 1863, p. 418; (242) vol. vi, 1866,
p. 27; Obs. Gen. Unio, (29) vol. ii, pp. 134,
148; (44) vol. iii, p. 69; (150) vol. vi, p. 49,
pl. v, f. 29; (170) vol. vii, p. 60; (215) vol. ix,
p. 37; (222) vol. x, p. 84; (244) vol. xi, p. 31.
- Margaritana confragosa*.
T. A. P. S., (27) vol. vi, 1838, pp. 135, 148; J. A.
N. S., (221) vol. v, 1863, p. 448; Obs. Gen.
Unio, (29) vol. ii, pp. 135, 148; (222) vol. x,
p. 84.
- M. Connasauyaensis*.
P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S.,
(159) vol. iv, 1859, pl. xxxii, f. 113; Obs.
Gen. Unio, (170) vol. vii, p. 47, pl. xxxii, f.
113.
- M. Corrientesensis*.
T. A. P. S., (27) vol. vi, 1838, pp. 136, 148; Obs.
Gen. Unio, (29) vol. ii, pp. 136, 148.
- M. Curreyana*.
P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S.,
(43) vol. viii, 1840, p. 223, pl. xviii, f. 40; Obs.
Gen. Unio, (44) vol. iii, p. 61, pl. xviii, f. 40.
- M. deltoidea*.
T. A. P. S., (27) vol. vi, 1836, p. 43, pl. xiii, f. 38;
1838, pp. 135, 148; (55) vol. x, 1845, p. 83; J.
A. N. S., (147) vol. iv, 1858, p. 49, pl. v, f. 30;
(221) vol. v, 1863, p. 448; Obs. Gen. Unio,
(29) vol. ii, pp. 43, 135, 148, pl. xiii, f. 38; (56)
vol. iv, p. 83; (150) vol. vi, p. 49, pl. v, f. 30;
(222) vol. x, p. 84.
- M. Elliottii*.
P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S.,
(159) vol. iv, 1859, p. 226, pl. xxxi, f. 108;
(203) vol. v, 1861, pp. 106, 107; (213) vol. v,
1862, p. 212; Obs. Gen. Unio, (170) vol. vii,
p. 44, pl. xxxi, f. 108; (205) vol. viii, pp. 110,
111; (215) vol. ix, p. 34.
- M. elliptica*.
P. A. N. S., (151) vol. xi, 1859, p. 113; J. A. N.
S., (203) vol. v, 1861, p. 106, pl. xviii, f. 254;
Obs. Gen. Unio, (205) vol. viii, p. 110, pl.
xviii, f. 254.
- M. Etowahensis*.
P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S.,
(159) vol. iv, 1859, p. 227, pl. xxxi, f. 110;
Obs. Gen. Unio, (170) vol. vii, p. 45, pl. xxxi,
f. 110, Errata.
- M. fabula*.
T. A. P. S., (27) vol. vi, 1836, p. 44, pl. xiii, f.
39, 1838, pp. 136, 148; Obs. Gen. Unio, (29)
vol. ii, pp. 44, 136, 148, pl. xiii, f. 39.
- M. falcata*.
P. A. N. S., (109) vol. viii, 1856, p. 80.
- M. fluviatilis*.
T. A. P. S., (27) vol. vi, 1838, pp. 135, 136; J. A.
N. S., (159) vol. iv, 1859, p. 224; Obs. Gen.
Unio, (29) vol. ii, pp. 135, 136; (170) vol. vii,
p. 42.
- M. fossiculifera*.
T. A. P. S., (27) vol. vi, 1838, pp. 136, 148; Obs.
Gen. Unio, (29) vol. ii, pp. 136, 148.
- M. Franciscana*.
T. A. P. S., (27) vol. vi, 1838, pp. 143, 149; Obs.
Gen. Unio, (29) vol. ii, pp. 143, 149.
- M. Georgiana*.
Obs. Gen. Unio, (170) vol. vii, Errata.
- M. Gesnerii*.
P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S.,
(213) vol. v, 1862, p. 211, pl. xxxii, f. 280;
Obs. Gen. Unio, (215) vol. ix, p. 33, pl. xxxii,
f. 280.

Margaritana Guarayana.

T. A. P. S., (27) vol. vi, 1838, pp. 136, 149; Obs. Gen. Unio, (29) vol. ii, pp. 136, 149.

M. Hildrethiana.

J. A. N. S., (147) vol. iv, 1858, p. 49, pl. v, f. 31; (221) vol. v, 1863, p. 447; Obs. Gen. Unio, (150) vol. vi, p. 49, pl. vi, f. 31; (222) vol. x, p. 83.

M. Holstonia.

T. A. P. S., (27) vol. vi, 1836, p. 42, pl. xiii, f. 37, 1838, pp. 136, 148; J. A. N. S., (159) vol. iv, 1859, p. 227; (213) vol. v, 1862, p. 211; (258) vol. vi, 1868, p. 327; Obs. Gen. Unio, (29) vol. ii, pp. 42, 136, 148, pl. xiii, f. 37; (170) vol. vii, p. 45; (215) vol. ix, p. 33; (259) vol. xii, p. 87.

M. margaritifera.

T. A. P. S., (27) vol. vi, 1836, p. 56, 1837, p. 97, 1838, pp. 119, 136, 148; (55) vol. x, 1845, p. 79; J. A. N. S., (159) vol. v, 1859, p. 224, pl. xxix, f. 104; (221) vol. v, 1863, pp. 422, 427, (242) vol. vi, 1866, p. 63; (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (29) vol. ii, pp. 56, 97, 119, 136, 148; (56) vol. iv, p. 79; (170) vol. vii, p. 42, pl. xxix, f. 104; (222) vol. x, pp. 58, 63; (244) vol. xi, pp. 67, 111; P. A. N. S., (109) vol. viii, 1856, p. 80; (118) vol. ix, 1857, p. 17.

M. marginata.

T. A. P. S., (27) vol. vi, 1836, pp. 54, 56, 1837, p. 97, 1838, pp. 135, 148; (57) vol. ix, 1843, p. 281; J. A. N. S., (147) vol. iv, 1858, p. 49, pl. v, f. 27; (159) vol. iv, 1859, pp. 226, 229; (213) vol. v, 1862, p. 198; (221) vol. v, 1863, p. 423, 446, 447; Obs. Gen. Unio, (29) vol. ii, p. 54, 56, 97, 135, 148; (56) vol. iv, p. 281; (150) vol. vi, p. 49, pl. v, f. 27; (170) vol. vii, pp. 44, 47; (215) vol. ix, p. 20; (222) vol. x, pp. 59, 82, 83.

M. minor.

T. A. P. S., (55) vol. x, 1845, p. 82, pl. viii, f. 26; Obs. Gen. Unio, (56) vol. iv, p. 82, pl. viii, f. 26.

M. Minuana.

T. A. P. S., (27) vol. vi, 1838, pp. 136, 149; Obs. Gen. Unio, (29) vol. ii, pp. 136, 149.

M. Paraguayana.

T. A. P. S., (27) vol. vi, 1838, pp. 135, 149; Obs. Gen. Unio, (29) vol. ii, pp. 135, 149.

M. Parchappii.

T. A. P. S., (27) vol. vi, 1838, pp. 136, 149; Obs. Gen. Unio, (29) vol. ii, pp. 136, 149.

M. quadrata.

P. A. N. S., (192) vol. xiii, 1861, p. 41; J. A. N. S., (213) vol. v, 1862, p. 210, pl. xxxii, f. 279; Obs. Gen. Unio, (215) vol. ix, p. 32, pl. xxxii, f. 279.

M. radiata.

T. A. P. S., (27) vol. vi, 1838, pp. 135, 148; Obs. Gen. Unio, (29) vol. ii, pp. 135, 148.

M. rugosa.

T. A. P. S., (27) vol. vi, 1838, pp. 135, 148; (43) vol. viii, 1840, p. 207, 231; J. A. N. S., (147) vol. iv, 1858, pp. 44, 45, 48, pl. v, f. 26; (221) vol. v, 1863, pp. 446, 447, 449; Obs. Gen. Unio, (29) vol. ii, pp. 135, 148; (44) vol. iii, pp. 45, 69; (150) vol. vi, pp. 44, 45, 48, pl. v, f. 26; (222) vol. x, pp. 82, 83, 85.

Margaritana Raveneliana.

T. A. P. S., (20) vol. v, 1834, p. 106, pl. xvii, f. 50; (27) vol. vi, 1836, p. 42; 1838, pp. 135, 148; Obs. Gen. Unio, (21) vol. i, p. 218, pl. xvii, f. 50; (29) vol. ii, pp. 42, 135, 148.

M. Spillmanii.

P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S., (203) vol. v, 1861, p. 105, pl. xvii, f. 252; (274) vol. viii, 1874, p. 69, pl. xxi, f. 35; Obs. Gen. Unio, (205) vol. viii, p. 109, pl. xvii, f. 252; (275) vol. xiii, p. 73, pl. xxi, f. 15.

M. Tombeebensis.

P. A. N. S., (142) vol. x, 1858, p. 138.

M. Tombigbeensis.

J. A. N. S., (203) vol. v, 1861, p. 107, pl. xviii, f. 255; Obs. Gen. Unio, (205) vol. viii, p. 111, pl. xviii, f. 255.

M. triangulata.

P. A. N. S., (142) vol. x, 1858, p. 138; J. A. N. S., (147) vol. iv, 1858, p. 49, pl. v, f. 28; (159) vol. iv, 1859, p. 228, pl. xxxii, f. 111; Obs. Gen. Unio, (150) vol. vi, p. 49, pl. v, f. 28; (170) vol. vii, p. 46, pl. xxxii, f. 111.

M. undulata.

T. A. P. S., (27) vol. vi, 1836, pp. 54, 55, 56, 1838, pp. 135, 148; J. A. N. S., (159) vol. iv, 1859, p. 229; P. A. N. S., (66) vol. ii, 1851, p. 192; Obs. Gen. Unio, (29) vol. ii, pp. 54, 55, 56, 135, 148; (170) vol. vii, p. 47.

M. Fondenbuschiana.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 222, pl. xviii, f. 39; P. Z. S. Lond., (60) vol. xviii, 1850, p. 199; Obs. Unio, (44) vol. iii, p. 60, pl. xviii, f. 39.

M. Fubensis.

P. A. N. S., (109) vol. viii, 1856, p. 80.

MARGARITIFERA.

T. A. P. S., (27) vol. vi, 1838, p. 117; Obs. Gen. Unio, (29) vol. ii, p. 117.

MARGINELLA.

(18) Con. Geol., 1833, p. 180.

M. anatina.

(18) Con. Geol., 1833, pp. 176, 177, pl. vi, f. 186.

M. bicipitata.

(18) Con. Géol., 1833, p. 201, pl. vi, f. 216.

M. columba.

(18) Con. Geol., 1833, p. 177, pl. vi, f. 187.

M. crassilabra.

(18) Con. Geol., 1833, p. 177, pl. vi, f. 188.

M. incurva.

(18) Con. Geol., 1833, p. 179, pl. vi, f. 192.

M. ovata.

(18) Con. Geol., 1833, p. 179, pl. vi, f. 191.

M. plicata.

(18) Con. Geol., 1833, p. 178, pl. vi, f. 189.

M. semen.

(18) Con. Geol., 1833, p. 178, pl. vi, f. 190.

MEGASPIRA.

T. A. P. S., (27) vol. vi, 1835, p. 21; Obs. Gen. Unio, (29) vol. ii, p. 21.

M. Ruschenbergiana.

T. A. P. S., (27) vol. vi, 1835, p. 21, pl. xxiii, f. 101; Obs. Gen. Unio, (29) vol. ii, p. 21, pl. xxiii, f. 101.

Megasystropha Newberryi.

J. A. N. S., (243) vol. vi, 1866, p. 153, xxiii, f. 68; Obs. Gen. Unio, (244) vol. xi, p. 109, pl. xxiii, f. 68.

MELANIA.

- (18) *Con. Geol.*, 1833, pp. 99, 207; T. A. P. S., (43) vol. viii, 1841, p. 163; (51) vol. ix, 1841, p. 14, 1842, p. 24; (55) vol. x, 1845, p. 67; (81) vol. x, 1852, p. 296; J. A. N. S., (214) vol. v, 1862, pp. 217, 218, 264, 268, 346; (243) vol. vi, 1866, p. 152; *Obs. Gen. Unio.* (44) vol. iii, p. 1; (56) vol. iv, pp. 14, 24, 67; (83) vol. v, p. 52; (215) vol. ix, pp. 39, 40, 86, 90, 108; (244) vol. xi, p. 108; P. A. P. S., (48) vol. ii, p. 1842, p. 241; P. A. N. S., (197) vol. xiii, 1861, p. 96; (198) p. 117; (201) p. 393; P. Z. S., London, (59) vol. xviii, 1850, pp. 179, 180.
- M. abrupta.*
T. A. P. S., (55) vol. x, 1845, p. 85, pl. ix, f. 32; J. A. N. S., (214) vol. v, 1862, pp. 231, 323; *Obs. Gen. Unio.* (56) vol. iv, p. 85, pl. ix, f. 32; (215) vol. ix, pp. 53, 145.
- M. aculeus.*
T. A. P. S., (20) vol. v, 1833, p. 81, pl. xix, f. 72; P. Z. S., London, (59) vol. xviii, 1850, pp. 183, 193; *Obs. Gen. Unio.* (21) vol. i, p. 192, pl. xix, f. 72.
- M. acanthica.*
P. Z. S., London, (59) vol. xviii, 1850, p. 194.
- M. acus.*
P. Z. S., London, (59) vol. xviii, 1850, p. 181.
- M. acuta.*
T. A. P. S., (15) vol. iv, 1830, p. 101, pl. xv, f. 32; J. A. N. S., (214) vol. v, 1862, p. 321; *Obs. Gen. Unio.* (21) vol. i, p. 111, pl. xv, f. 32; (215) vol. ix, p. 143.
- M. acuto carinata.*
P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 184, pl. vi, f. 46; *Obs. Gen. Unio.* (44) vol. iii, p. 22, pl. vi, f. 46.
- M. adjusta.*
J. A. N. S., (243) vol. vi, 1866, p. 137; *Obs. Gen. Unio.* (244) vol. xi, p. 93.
- M. æqua.*
P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (214) vol. v, 1862, p. 340; *Obs. Gen. Unio.* (215) vol. ix, p. 62.
- M. affinis.*
P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, pp. 121, 125, pl. xxii, f. 23; *Obs. Gen. Unio.* (244) vol. xi, pp. 77, 81, pl. xxii, f. 23.
- M. Alabamensis.*
P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, pp. 232, 296; *Obs. Gen. Unio.* (215) vol. ix, pp. 54, 118.
- M. albescens.*
P. Z. S., London, (59) vol. xviii, 1850, p. 188.
- M. Alexandrensis.*
T. A. P. S., (55) vol. x, 1845, p. 87, pl. ix, f. 37; (81) vol. x, 1852, p. 299; J. A. N. S., (214) vol. v, 1862, p. 275; *Obs. Gen. Unio.* (56) vol. iv, p. 87, pl. ix, f. 37; (83) vol. v, p. 55; (215) vol. ix, p. 97.
- M. altilis.*
T. A. P. S., (43) vol. viii, 1841, p. 174, pl. v, f. 23; P. A. P. S., (37) vol. ii, 1841, p. 13; *Obs. Gen. Unio.* (44) vol. iii, p. 12, pl. v, f. 23.
- Melania atvcare.*
T. A. P. S., (51) vol. ix, 1842, p. 27; (55) vol. x, 1845, pp. 83, 87; *Obs. Gen. Unio.* (56) vol. iv, pp. 27, 83, 87.
- M. amarula.*
T. A. P. S., (27) vol. vi, 1835, p. 20; P. Z. S., London, (59) vol. xviii, 1850, p. 194; J. A. N. S., (214) vol. v, 1862, p. 218; *Obs. Gen. Unio.* (29) vol. ii, p. 20; (215) vol. ix, p. 40.
- M. annullifera.*
T. A. P. S., (51) vol. ix, 1842, p. 26; (81) vol. x, 1852, p. 298; J. A. N. S., (214) vol. v, 1862, p. 292; *Obs. Gen. Unio.* (56) vol. iv, p. 26; (83) vol. v, p. 54; (215) vol. ix, p. 114.
- M. apis.*
P. Z. S., London, (59) vol. xviii, 1850, p. 190.
- M. arata.*
P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 24; (81) vol. x, 1852, p. 299; *Obs. Gen. Unio.* (56) vol. iv, p. 24; (83) vol. v, p. 55.
- M. aretata.*
T. A. P. S., (55) vol. x, 1845, p. 90, pl. ix, f. 46; *Obs. Gen. Unio.* (56) vol. iv, p. 90, pl. ix, f. 46.
- M. armigera.*
T. A. P. S., (15) vol. iv, 1830, p. 101; (51) vol. ix, 1841, p. 20; J. A. N. S., (243) vol. vi, 1866, p. 146; *Obs. Gen. Unio.* (21) vol. i, p. 111; (56) vol. iv, p. 20; (244) vol. xi, p. 102.
- M. armillata.*
P. Z. S., London, (59) vol. xviii, 1850, p. 195.
- M. asperata.*
J. A. N. S., (214) vol. v, 1862, p. 218; *Obs. Gen.* (215) vol. ix, p. 40.
- M. athleta.*
J. A. N. S., (214) vol. v, 1862, p. 316; *Obs. Gen. Unio.* (215) vol. ix, p. 138.
- M. atra.*
J. A. N. S., (243) vol. vi, 1866, p. 129; *Obs. Gen. Unio.* (244) vol. xi, p. 85.
- M. auriculæformis.*
T. A. P. S., (55) vol. x, 1845, p. 88, pl. ix, f. 39; (81) vol. x, 1852, p. 300; J. A. N. S., (214) vol. v, 1862, pp. 242, 312; *Obs. Gen. Unio.* (56) vol. iv, p. 88, pl. ix, f. 39; (83) vol. v, p. 56; (215) vol. ix, pp. 64, 134.
- M. australis.*
P. Z. S., London, (59) vol. xviii, 1850, p. 185; P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 126; *Obs. Gen. Unio.* (244) vol. xi, p. 82.
- M. Babylonica.*
P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 183, pl. vi, f. 43; *Obs. Gen. Unio.* (44) vol. iii, p. 21, pl. vi, f. 43.
- M. basalis.*
T. A. P. S., (55) vol. x, 1845, p. 85, pl. ix, f. 33; J. A. N. S., (214) vol. v, 1862, pp. 233, 263, 313, 329; (243) vol. vi, 1866, p. 150; *Obs. Gen. Unio.* (56) vol. iv, p. 85, pl. ix, f. 33; (215) vol. ix, pp. 55, 85, 135, 151; (244) vol. xi, p. 106.
- M. bellicosa.*
P. Z. S. London, (59) vol. xviii, 1850, p. 194.

Melania bellula.

P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (214) vol. v, 1862, pp. 237, 344; Obs. Gen. Unio, (215) vol. ix, pp. 59, 166.

M. bicincta.

J. A. N. S., (214) vol. v, 1862, p. 244; Obs. Gen. Unio, (215) vol. ix, p. 66.

M. bicostata.

J. A. N. S., (214) vol. v, 1862, p. 290; Obs. Gen. Unio, (215) vol. ix, p. 112.

M. blanda.

P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, pp. 166, 179, pl. vi, f. 34; P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (44) vol. iii, pp. 4, 17, pl. vi, f. 34, 244, vol. xi, p. 93.

M. blatta.

P. Z. S. London, (59) vol. xviii, 1850, p. 184.

M. Boninensis.

P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 121, pl. xxii, f. 15; Obs. Gen. Unio, (244) vol. xi, p. 77, pl. xxii, f. 15.

M. Boykiniana.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1840, p. 228, pl. vi, f. 59; J. A. N. S., (214) vol. v, 1862, pp. 336, 340; (243) vol. vi, 1866, pp. 140, 141; Obs. Gen. Unio, (44) vol. iii, p. 66, pl. vi, f. 59; (215) vol. ix, pp. 158, 162; (244) vol. xi, pp. 96, 97.

M. Braziliensis.

T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51.

M. breviformis.

T. A. P. S., (51) vol. ix, 1842, p. 30; Obs. Gen. Unio, (56) vol. iv, p. 30.

M. brevis.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 26; J. A. N. S., (214) vol. v, 1862, p. 339; Obs. Gen. Unio, (56) vol. iv, p. 26; (215) vol. ix, p. 161.

M. Brumbyi.

P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 298, pl. xxx, f. 5; J. A. N. S., (214) vol. v, 1862, p. 287; Obs. Gen. Unio, (215) vol. ix, p. 109.

M. Buddii.

T. A. P. S., (55) vol. x, 1845, p. 90, pl. ix, f. 44; J. A. N. S., (214) vol. v, 1862, p. 344; Obs. Gen. Unio, (56) vol. iv, p. 90, pl. ix, f. 44; (215) vol. ix, p. 166.

M. bulbosa.

J. A. N. S., (214) vol. v, 1862, p. 302; Obs. Gen. Unio, (215) vol. ix, p. 124.

M. bullata.

P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 129, pl. xxii, f. 29; Obs. Gen. Unio, (244) vol. xi, p. 85, pl. xxii, f. 29.

M. bulbula.

P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 221; Obs. Gen. Unio, (215) vol. ix, p. 43.

M. Cahawbensis.

P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 223; Obs. Gen. Unio, (215) vol. ix, p. 45.

Melania calculoides.

J. A. N. S., (214) vol. v, 1862, p. 259; Obs. Gen. Unio, (215) vol. ix, p. 61; P. A. N. S., (198) vol. xiii, 1861, p. 118.

M. caliginosa.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, p. 189, pl. vi, f. 56; J. A. N. S., (214) vol. v, 1862, p. 343; Obs. Gen. Unio, (44) vol. iii, p. 27, pl. vi, f. 56; (215) vol. ix, p. 165.

M. Cambessedesii.

(18) Con. Geol., 1833, p. 100.

M. canaliculata.

T. A. P. S., (51) vol. ix, 1842, p. 26; (95) vol. x, 1845, pp. 83, 84; J. A. N. S., (214) vol. v, 1862, pp. 269, 278, 279, 284, 285, 291, 292, 294; Obs. Gen. Unio, (56) vol. iv, pp. 26, 83, 84; (215) vol. ix, pp. 91, 100, 101, 106, 107, 113, 114, 116.

M. canalis.

P. Z. S., London, (59) vol. xviii, 1850, p. 180; J. A. N. S., (243) vol. vi, 1866, p. 122; Obs. Gen. Unio, (244) vol. xi, p. 78.

M. capillaris.

P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (214) vol. v, 1862, pp. 236, 241; Obs. Gen. Unio, (215) vol. ix, pp. 58, 66.

M. carino-costata.

T. A. P. S., (55) vol. x, 1845, p. 88, pl. ix, f. 40; Obs. Gen. Unio, (56) vol. iv, p. 88, pl. ix, f. 40.

M. carneola.

J. A. N. S., (214) vol. v, 1862, p. 308; Obs. Gen. Unio, (215) vol. ix, p. 130.

M. castanea.

P. A. P. S., (37) vol. ii, 1841, p. 11; T. A. P. S., (43) vol. viii, 1841, p. 164, pl. v, f. 2; J. A. N. S., (214) vol. v, 1862, p. 323; Obs. Gen. Unio, (44) vol. iii, p. 2, pl. v, f. 2; (215) vol. ix, p. 145.

M. catenaria.

P. A. P. S., (35) vol. i, 1840, p. 289; T. A. P. S., (43) vol. viii, 1841, p. 190; Obs. Gen. Unio, (44) vol. iii, p. 28.

M. catenoides.

T. A. P. S., (43) vol. viii, 1840, p. 228, pl. vi, f. 60; Obs. Gen. Unio, (44) vol. iii, p. 66, pl. vi, f. 60.

M. Cincinnatiensis.

P. A. P. S., (30) vol. i, 1838, p. 66; T. A. P. S., (43) vol. viii, 1838, p. 190, pl. vi, f. 58; Obs. Gen. Unio, (44) vol. iii, p. 28, pl. vi, f. 58.

M. cincta.

P. Z. S., London, (59) vol. xviii, 1850, p. 183.

M. circincta.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, p. 187, pl. vi, f. 51; Obs. Gen. Unio, (44) vol. iii, p. 25, pl. vi, f. 25.

M. Clarkii.

P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 297, pl. xxx, f. 4; Obs. Gen. Unio, (83) vol. v, p. 53, pl. xxx, f. 4.

M. clausa.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, p. 232; Obs. Gen. Unio, (215) vol. ix, p. 54.

M. clavaformis.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, pp. 164, 168, pl. v, f. 10; Obs. Gen. Unio, (44) vol. iii, pp. 2, 6, pl. v, f. 10.

- Melania clavata*.
T. A. P. S., (43) vol. viii, 1841, p. 168; Obs. Gen. Unio, (44) vol. iii, p. 6.
- M. cochlea*.
P. Z. S. London, (59) vol. xviii, 1850, pp. 196, 197.
- M. cochlidium*.
P. Z. S. London, (59) vol. xviii, 1850, p. 183.
- M. cognata*.
J. A. N. S., (243) vol. vi, 1866, p. 135; Obs. Gen. Unio, (244) vol. xi, p. 91.
- M. cotumella*.
P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 179, pl. vi, f. 33; J. A. N. S., (214) vol. v, 1862, p. 317; Obs. Gen. Unio, (44) vol. iii, p. 17, pl. vi, f. 33; (215) vol. ix, p. 139.
- M. concinna*.
P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 183, pl. vi, f. 42; J. A. N. S., (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (44) vol. iii, p. 21, pl. vi, f. 42; (244) vol. xi, p. 94.
- M. conica*.
T. A. P. S., (51) vol. ix, 1842, p. 28; J. A. N. S., (214) vol. v, 1862, pp. 224, 278; (243) vol. vi, 1866, p. 144; Obs. Gen. Unio, (56) vol. iv, p. 28; (215) vol. ix, pp. 46, 100; (244) vol. xi, p. 100.
- M. consanguinea*.
J. A. N. S., (214) vol. v, 1862, p. 263; Obs. Gen. Unio, (215) vol. ix, p. 85.
- M. contracta*.
P. Z. S., London, (59) vol. xviii, 1850, p. 182.
- M. conulus*.
P. Z. S., London, (59) vol. xviii, 1850, p. 190; J. A. N. S., (243) vol. vi, 1866, p. 123; Obs. Gen. Unio, (244) vol. xi, p. 79.
- M. Coosaensis*.
P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, pp. 234, 338, 343; Obs. Gen. Unio, (215) vol. ix, pp. 56, 160, 165.
- M. copiosa*.
P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (214) vol. v, 1862, p. 239; Obs. Gen. Unio, (215) vol. ix, p. 61.
- M. corneola*.
J. A. N. S., (214) vol. v, 1862, p. 243; Obs. Gen. Unio, (215) vol. ix, p. 65.
- M. cornuta*.
P. Z. S., London, (59) vol. xviii, 1850, p. 194.
- M. corrugata*.
P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 177, Corrigenda; Obs. Gen. Unio, (44) vol. iii, p. 15, pl. v, f. 30, Corrigenda.
- M. costata*.
P. A. N. S., (182) vol. xii, 1860, p. 186.
- M. costellaris*.
P. Z. S., London, (59) vol. xviii, 1850, pp. 184, 185.
- M. costulata*.
P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 181, pl. vi, f. 39; J. A. N. S., (214) vol. v, 1862, pp. 315, 320, 321; Obs. Gen. Unio, (44) vol. iii, p. 19, pl. vi, f. 39; (215) vol. ix, pp. 137, 142, 143.
- Melania crebri-costata*.
P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 179, pl. vi, f. 35; Obs. Gen. Unio, (44) vol. iii, p. 17, pl. vi, f. 35.
- M. crebri-striata*.
T. A. P. S., (55) vol. x, 1845, p. 91, pl. ix, f. 47; (214) vol. v, 1862, pp. 235, 244; Obs. Gen. Unio, (56) vol. iv, p. 91, pl. ix, f. 47; (215) vol. ix, pp. 58, 66.
- M. crebrum*.
P. Z. S., London, (59) vol. xviii, 1850, p. 193.
- M. crenatella*.
P. A. N. S., (178) vol. xii, 1860, p. 93; J. A. N. S., (214) vol. v, 1862, p. 268; Obs. Gen. Unio, (215) vol. ix, p. 90.
- M. crenifera*.
P. Z. S., London, (59) vol. xviii, 1850, p. 192.
- M. crepera*.
P. A. N. S., (198) vol. xiii, 1861, p. 123; J. A. N. S., (214) vol. v, 1862, p. 241; Obs. Gen. Unio, (215) vol. ix, p. 63.
- M. culta*.
P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 288; Obs. Gen. Unio, (215) vol. ix, p. 60.
- M. Cumingii*.
P. Z. S., London, (59) vol. xviii, 1850, p. 191.
- M. Curreyana*.
P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 180, pl. vi, f. 36; Obs. Gen. Unio, (44) vol. iii, p. 18, pl. vi, f. 36.
- M. curvata*.
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 28; Obs. Gen. Unio, (56) vol. iv, p. 28.
- M. dactylus*.
P. Z. S. Lond., (59) vol. xviii, 1850, p. 191.
- M. decora*.
P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 181, pl. vi, f. 38; J. A. N. S., (214) vol. v, 1862, p. 315; Obs. Gen. Unio, (44) vol. iii, p. 18, pl. vi, f. 38; (215) vol. ix, p. 137.
- M. denticulata*.
P. Z. S., London, (59) vol. xviii, 1850, p. 195.
- M. depygis*.
T. A. P. S., (43) vol. viii, 1841, p. 173; (55) vol. x, 1845, p. 87; J. A. N. S., (243) vol. vi, 1866, p. 134; Obs. Gen. Unio, (44) vol. iii, p. 11; (56) vol. iv, p. 87; (244) vol. xi, p. 90.
- M. dermestoides*.
P. Z. S., London, (59) vol. xviii, 1850, p. 181.
- M. Deshayesiana*.
P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 24; J. A. N. S., (214) vol. v, 1862, pp. 313, 314, 315, 316, 317, 318, 319, 323, 324, 345; Obs. Gen. Unio, (56) vol. iv, p. 24; (215) vol. ix, pp. 135, 136, 137, 138, 139, 140, 141, 145, 146, 167.
- M. diadema*.
P. Z. S., London, (59) vol. xviii, 1850, p. 194.
- M. dilatata*.
T. A. P. S., (43) vol. viii, 1841, pp. 171, 172; Obs. Gen. Unio, (44) vol. iii, pp. 9, 10.
- M. dubia*.
P. A. P. S., (37) vol. ii, 1841, p. 11.

- Melania dubiosa.*
T. A. P. S., (43) vol. viii, 1841, p. 166, pl. v, f. 6; Obs. Gen. Unio, (44) vol. iii, p. 4, pl. v, f. 6; (215) vol. ix, pp. 99, 121; J. A. N. S., (214) vol. v, 1862, pp. 277, 299.
- M. Duttoniana.*
P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, pp. 171, 188, pl. vi, f. 54; J. A. N. S., (214) vol. v, 1862, pp. 259, 314; Obs. Gen. Unio, (44) vol. iii, pp. 9, 26, pl. vi, f. 54; (215) vol. ix, pp. 81, 136.
- M. ebenum.*
P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 166, pl. v, f. 7; (51) vol. ix, 1841, p. 19; Obs. Gen. Unio, (44) vol. iii, p. 4, pl. v, f. 7; (56) vol. iv, p. 19.
- M. Edgariana.*
P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 180, pl. vi, f. 37; J. A. N. S., (214) vol. v, 1862, pp. 318, 321; Obs. Gen. Unio, (44) vol. iii, p. 18, pl. vi, f. 37; (215) vol. ix, pp. 140, 143.
- M. elevata.*
T. A. P. S., (55) vol. x, 1845, p. 89; Obs. Gen. Unio, (56) vol. iv, p. 89.
- M. elliptica.*
P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, pp. 226, 312; Obs. Gen. Unio, (215) vol. ix, pp. 48, 134.
- M. elongata.*
T. A. P. S., (15) vol. iv, 1831, p. 120, pl. xv, f. 29; J. A. N. S., (214) vol. v, 1862, pp. 148, 267; Obs. Gen. Unio, (21) vol. i, p. 130, pl. xv, f. 29; (215) vol. ix, p. 109; (244) vol. xi, p. 104.
- M. episcopalis.*
P. Z. S., London, (59) vol. xviii, p. 184.
- M. exarata.*
P. A. P. S., (37) vol. ii, 1841, p. 14; (48) vol. ii, 1842, p. 242; T. A. P. S., (43) vol. viii, 1841, p. 183, pl. vi, f. 44; (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (44) vol. iii, p. 21, pl. vi, f. 44; (56) vol. iv, p. 24.
- M. excisa.*
P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, pp. 25, 29; (55) vol. x, 1845, p. 93; Obs. Gen. Unio, (56) vol. iv, pp. 25, 29, 93.
- M. excurata.*
T. A. P. S., (55) vol. x, 1845, p. 92; Obs. Gen. Unio, (56) vol. iv, p. 92.
- M. expansa.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 28; Obs. Gen. Unio, (56) vol. iv, p. 28.
- M. fallax.*
P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, p. 231; Obs. Gen. Unio, (215) vol. ix, p. 53.
- M. fascinans.*
P. A. N. S., (198) vol. xiii, 1861, p. 119.
- M. fasciolata.*
J. A. N. S., (243) vol. vi, 1866, pp. 122, 125; Obs. Gen. Unio, (244) vol. xi, pp. 78, 81.
- M. ferruginea.*
P. Z. S., London, (59) vol. xviii, 1850, p. 182.
- Melania figurata.*
J. A. N. S., (243) vol. vi, 1866, p. 125; Obs. Gen. Unio, (244) vol. xi, p. 81.
- M. filum.*
T. A. P. S., (55) vol. x, 1845, p. 88, pl. ix, f. 41; J. A. N. S., (214) vol. v, 1862, p. 284; Obs. Gen. Unio, (56) vol. iv, p. 88, pl. ix, f. 41; (215) vol. ix, p. 106.
- M. flamigera.*
J. A. N. S., (243) vol. vi, 1866, p. 125; Obs. Gen. Unio, (244) vol. xi, p. 81.
- M. flammulata.*
P. Z. S., London, (59) vol. xviii, 1850, p. 189.
- M. Florentiana.*
P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S. (43) vol. viii, 1841, p. 188, pl. vi, f. 53; J. A. N. S., (214) vol. v, 1862, p. 260; Obs. Gen. Unio, (44) vol. iii, p. 26, pl. vi, f. 53; (215) vol. ix, p. 82.
- M. foeda.*
P. Z. S., London, (59) vol. xviii, 1850, p. 180.
- M. Foremanii.*
P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 27; Obs. Gen. Unio, (56) vol. iv, p. 27.
- M. fraternaria.*
P. A. N. S., (114) vol. viii, 1856, p. 144; J. A. N. S., (243) vol. vi, 1866, p. 128, pl. xxii, f. 28; Obs. Gen. Unio, (244) vol. xi, p. 84, pl. xxii, f. 28.
- M. fuliginosa.*
P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 170, pl. v, f. 17; J. A. N. S., (214) vol. v, 1862, p. 225; Obs. Gen. Unio, (44) vol. iii, p. 8, pl. v, f. 17; (215) vol. ix, p. 47.
- M. funea.*
P. A. N. S., (198) vol. xiii, 1861, p. 123; J. A. N. S., (214) vol. v, 1862, p. 222; Obs. Gen. Unio, (215) vol. ix, p. 44.
- M. furva.*
P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 299, pl. xxx, f. 7; Obs. Gen. Unio, (83) vol. v, p. 55, pl. xxx, f. 7.
- M. fusiformis.*
P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, pp. 164, 167, pl. v, f. 9; (81) vol. x, 1852, p. 302; J. A. N. S., (214) vol. v, 1862, pp. 308, 311; Obs. Gen. Unio, (44) vol. iii, pp. 2, 5, pl. v, f. 9; (83) vol. v, p. 58; (215) vol. ix, pp. 130, 133.
- M. germana.*
J. A. N. S., (214) vol. v, 1862, p. 223; (243) vol. vi, 1866, p. 153; Obs. Gen. Unio, (215) vol. ix, p. 45; (244) vol. xi, p. 109.
- M. gibberosa.*
J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (244) vol. xi, p. 106.
- M. gibbosa.*
P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 301, pl. xxx, f. 12; Obs. Gen. Unio, (83) vol. v, p. 57, pl. xxx, f. 12.
- M. glabra.*
P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (51) vol. ix, 1841, p. 18; J. A. N. S., (243) vol. vi, 1866, p. 134; Obs. Gen. Unio, (56) vol. iv, p. 18; (244) vol. xi, p. 90.

Melania glandaria.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, p. 236; Obs. Gen. Unio, (215) vol. ix, p. 48.

M. globula.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 174, pl. v, f. 22; Obs. Gen. Unio, (44) vol. iii, p. 12, pl. v, f. 22.

M. gracilior.

P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, pp. 235, 300; Obs. Gen. Unio, (215) vol. ix, pp. 57, 122.

M. gracilis.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 168, pl. v, f. 11; Obs. Gen. Unio, (44) vol. iii, p. 6, pl. iii, f. 11; (215) vol. ix, pp. 102, 125, 133; J. A. N. S., (214) vol. v, 1862, pp. 280, 303, 311.

M. granifera.

P. Z. S., London, (59) vol. xviii, 1850, p. 196.

M. grata.

J. A. N. S., (214) vol. v, 1862, pp. 299, 301, 303, 314, 330; Obs. Gen. Unio, (215) vol. ix, pp. 121, 123, 125, 136, 152.

M. gratiosa.

P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (214) vol. v, 1862, p. 241; Obs. Gen. Unio, (215) vol. ix, p. 63.

M. gravida.

J. A. N. S., (214) vol. v, 1862, p. 305; Obs. Gen. Unio, (215) vol. ix, p. 127.

M. Havnesiana.

P. A. N. S., (114) vol. viii, 1856, p. 144; J. A. N. S., (243) vol. vi, 1866, p. 122, pl. xxii, f. 18; Obs. Gen. Unio, (244) vol. xi, p. 78, pl. xxii, f. 18.

M. Haleiana.

T. A. P. S., (55) vol. x, 1845, pp. 86, 87, pl. ix, f. 35; Obs. Gen. Unio, (56) vol. iv, pp. 86, 87, pl. ix, f. 35.

M. harpa.

T. A. P. S., (55) vol. x, 1845, p. 90, pl. ix, f. 45; Obs. Gen. Unio, (56) vol. iv, p. 90, pl. ix, f. 45.

M. Hartmaniana.

P. A. N. S., (198) vol. xiii, 1861, p. 117; J. A. N. S., (214) vol. v, 1862, pp. 218, 233; Obs. Gen. Unio, (215) vol. ix, pp. 49, 55.

M. hastula.

P. Z. S., London, (59) vol. xviii, 1850, p. 189.

M. Haysiana.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 25; (55) vol. x, 1845, pp. 90, 91; J. A. N. S., (214) vol. v, 1862, pp. 219, 235; Obs. Gen. Unio, (56) vol. iv, pp. 25, 90, 91; (215) vol. ix, pp. 41, 57.

M. Hildrethiana.

P. A. P. S., (37) vol. ii, 1841, p. 11; T. A. P. S., (43) vol. viii, 1841, p. 164, pl. v, f. 1; Obs. Gen. Unio, (44) vol. iii, p. 2, pl. v, f. 1.

M. Holstonia.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, p. 189, pl. vi, f. 55; J. A. N. S., (214) vol. v, 1862, p. 339; Obs. Gen. Unio, (44) vol. iii, p. 27, pl. vi, f. 55; (215) vol. ix, p. 161.

Melania Housei.

P. A. N. S., (144) vol. viii, 1856, p. 144; J. A. N. S., (243) vol. vi, 1866, p. 125, pl. xxii, f. 22; Obs. Gen. Unio, (244) vol. xi, p. 81, pl. xxii, f. 22.

M. Hydel.

J. A. N. S., (214) vol. v, 1862, p. 345; Obs. Gen. Unio, (215) vol. ix, p. 167.

M. impressa.

P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 19; (55) vol. x, 1845, p. 91; J. A. N. S., vol. v, 1862, pp. 236, 244; Obs. Gen. Unio, (56) vol. iv, pp. 19, 91; (215) vol. ix, pp. 53, 66.

M. impura.

P. Z. S., London, (59) vol. xviii, 1850, p. 182.

M. indefinita.

P. Z. S., London, (59) vol. xviii, 1850, p. 187.

M. inflata.

T. A. P. S., (27) vol. vi, 1834, p. 17, pl. xxiii, f. 98; (43) vol. viii, 1841, pp. 171, 172; (81) vol. x, 1852, p. 301; Obs. Gen. Unio, (29) vol. ii, p. 17, pl. xxiii, f. 98; (44) vol. iii, pp. 9, 10; (83) vol. v, p. 57.

M. infrafasciata.

J. A. N. S., (214) vol. v, 1862, pp. 291, 292; Obs. Gen. Unio, (215) vol. ix, pp. 113, 114.

M. inhoneata.

J. A. N. S., (243) vol. vi, 1866, p. 125; Obs. Gen. Unio, (244) vol. xi, p. 81.

M. isogoma.

T. A. P. S., (51) vol. ix, 1841, p. 16; Obs. Gen. Unio, (56) vol. iv, p. 16.

M. iostoma.

J. A. N. S., (214) vol. v, 1862, p. 225; Obs. Gen. Unio, (215) vol. ix, p. 47.

M. Jayana.

P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 20; J. A. N. S., (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (56) vol. iv, p. 20; (244) vol. xi, p. 102.

M. juncea.

P. Z. S., London, (59) vol. xviii, 1850, p. 189.

M. Kirtlandiana.

P. A. P. S., (37) vol. ii, 1841, p. 11; T. A. P. S., (43) vol. viii, 1841, p. 165, pl. v, f. 4; J. A. N. S., (214) vol. v, 1862, p. 296; Obs. Gen. Unio, (44) vol. iii, p. 3, pl. v, f. 4; (215) vol. ix, p. 118.

M. laevis.

T. A. P. S., (43) vol. viii, 1842, Corrigenda; J. A. N. S., (214) vol. v, 1862, p. 297; Obs. Gen. Unio, (44) vol. iii, Corrigenda; (215) vol. ix, p. 119.

M. laevigata.

P. A. P. S., (37) vol. ii, 1841, p. 11; T. A. P. S., (43) vol. viii, 1841, p. 165, pl. v, f. 3, also Corrigenda; Obs. Gen. Unio, (44) vol. iii, p. 3, pl. v, f. 3, also Corrigenda.

M. laevissima.

P. Z. S., London, (59) vol. xviii, 1850, p. 179.

M. lancea.

P. Z. S., London, (59) vol. xviii, 1850, p. 183.

M. laqueata.

T. A. P. S., (43) vol. viii, 1841, p. 181; J. A. N. S., (214) vol. v, 1862, p. 314; Obs. Gen. Unio, (44) vol. iii, p. 19; (215) vol. ix, p. 136.

- Melania Largillierti*.
J. A. N. S., (243) vol. vi, 1866, pp. 127, 128; Obs. Gen. Unio, (244) vol. xi, pp. 83, 84.
- M. lateritia*.
P. Z. S., London, (59) vol. xviii, 1850, p. 196; J. A. N. S., (243) vol. vi, 1866, p. 123; Obs. Gen. Unio, (244) vol. xi, p. 79.
- M. Lccontiana*.
P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 177, pl. v, f. 29; J. A. N. S., (214) vol. v, 1862, p. 331; Obs. Gen. Unio, (244) vol. iii, p. 15, pl. v, f. 29; (215) vol. ix, p. 153.
- M. Lewisii*.
P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, p. 243; Obs. Gen. Unio, (215) vol. ix, p. 65.
- M. ligata*.
J. A. N. S., (214) vol. v, 1862, p. 289; Obs. Gen. Unio, (215) vol. ix, p. 111.
- M. lita*.
P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 240; Obs. Gen. Unio, (215) vol. ix, p. 62.
- M. luteola*.
P. A. N. S., (198) vol. xiii, 1861, p. 119.
- M. lugubris*.
T. A. P. S., (55) vol. x, 1845, p. 84, pl. ix, f. 29; Obs. Gen. Unio, (56) vol. iv, p. 84, pl. ix, f. 29.
- M. Luzoniensis*.
P. Z. S. London, (59) vol. xviii, 1850, p. 188.
- M. lyraefornis*.
P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 126, pl. xxii, f. 25; Obs. Gen. Unio, (244) vol. xi, p. 82, pl. xxii, f. 25.
- M. Manillaensis*.
J. A. N. S., (243) vol. vi, 1866, p. 126, pl. xxii, f. 24; Obs. Gen. Unio, (244) vol. xi, p. 82, pl. xxii, f. 24.
- M. Mauiensis*.
P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 123, pl. xxii, f. 19; Obs. Gen. Unio, (244) vol. xi, p. 79, pl. xxii, f. 19.
- M. maxima*.
P. Z. S., London, (59) vol. xviii, 1850, p. 187.
- M. mellea*.
P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, pp. 224, 305; Obs. Gen. Unio, (215) vol. ix, pp. 46, 127.
- M. Menkiana*.
P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (56) vol. iv, p. 24.
- M. microstoma*.
P. Z. S., London, (59) vol. xviii, 1850, pp. 186, 187; T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51.
- M. midas*.
P. A. N. S., (198) vol. xiii, 1861, p. 119; J. A. N. S., (214) vol. v, 1862, p. 233; (243) vol. vi, 1866, p. 150; Obs. Gen. Unio, (215) vol. ix, p. 55; (244) vol. xi, p. 106.
- Melania Mindoriensis*.
P. Z. S., London, (59) vol. xviii, 1850, p. 187; J. A. N. S., (243) vol. vi, 1866, p. 123; Obs. Gen. Unio, (244) vol. xi, p. 79.
- M. modesta*.
T. A. P. S., (55) vol. x, 1845, p. 86, pl. ix, f. 34; J. A. N. S., (214) vol. v, 1862, p. 277; Obs. Gen. Unio, (56) vol. iv, p. 86, (215) vol. ix, p. 99.
- M. modicella*.
P. Z. S., London, (59) vol. xviii, 1850, p. 196.
- M. monozonalis*.
P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 178, pl. vi, f. 31; Obs. Gen. Unio, (44) vol. iii, p. 16, pl. vi, f. 31.
- M. mucronata*.
P. A. N. S., (198) vol. xiii, 1861, p. 119; J. A. N. S., (214) vol. v, 1862, p. 277; Obs. Gen. Unio, (215) vol. ix, p. 99.
- M. multilineata*.
T. A. P. S., (27) vol. vi, 1836, p. 93; Obs. Gen. Unio, (29) vol. ii, p. 93.
- M. multistriata*.
T. A. P. S., (55) vol. x, 1845, p. 90; Obs. Gen. Unio, (56) vol. iv, p. 90.
- M. Myersiana*.
P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, pp. 124, 126, 127; pl. xxii, f. 21; Obs. Gen. Unio, (244) vol. xi, pp. 80, 81, 82, pl. xxii, f. 21.
- M. nana*.
P. Z. S. Lond., (59) vol. xviii, 1850, p. 192.
- M. nassula*.
T. A. P. S., (43) vol. viii, 1841, p. 190; Obs. Gen. Unio, (44) vol. iii, p. 28.
- M. neglecta*.
J. A. N. S., (214) vol. v, 1862, p. 273; Obs. Gen. Unio, (215) vol. ix, p. 95.
- M. Newberryi*.
P. A. N. S., (178) vol. xii, 1860, p. 93; J. A. N. S., (214) vol. v, 1862, p. 318; Obs. Gen. Unio, (215) vol. ix, p. 140.
- M. Newcombii*.
P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, pp. 122, 123, pl. xxii, f. 17; Obs. Gen. Unio, vol. xi, pp. 78, 79, pl. xxii, f. 17.
- M. Niagarensis*.
P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 173, pl. v, f. 21; J. A. N. S., (214) vol. v, 1862, pp. 276, 307; (243) vol. vi, 1866, p. 135; Obs. Gen. Unio, (44) vol. iii, p. 11; (215) vol. ix, pp. 98, 129; (244) vol. xi, p. 91.
- M. Nickliniana*.
P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 171, pl. v, f. 18; (55) vol. x, 1845, p. 85; (81) vol. x, 1852, p. 299; J. A. N. S., (214) vol. v, 1862, p. 309; (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (44) vol. iii, p. 9, pl. v, f. 18; (56) vol. iv, p. 85. (83) vol. v, p. 55; (215) vol. ix, p. 131; (244) vol. xi, p. 93.
- M. nigrina*.
P. A. N. S., (109) vol. viii, 1856, p. 80; J. A. N. S., (214) vol. v, 1862, pp. 300, 334; Obs. Gen. Unio, (215) vol. ix, pp. 122, 156.

Melania Ningpoensis.

P. A. N. S., (144) vol. viii, 1856, p. 144; J. A. N. S., (243) vol. vi, 1866, p. 124, pl. xxii, f. 20; Obs. Gen. Unio, (214) vol. xi, p. 80, pl. xxii, f. 20.

M. nitens.

T. A. P. S., (43) vol. viii, 1841, p. 182, pl. vi, f. 40; J. A. N. S., (214) vol. v, 1862, p. 304; Obs. Gen. Unio, (44) vol. iii, p. 20, pl. vi, f. 40; (215) vol. ix, p. 126.

M. nitida.

P. A. P. S., (37) vol. ii, 1841, p. 14.

M. nobilis.

T. A. P. S., (55) vol. x, 1845, p. 91, pl. ix, f. 48; J. A. N. S., (214) vol. v, 1862, p. 346; Obs. Gen. Unio, (56) vol. iv, p. 91, pl. ix, f. 48; (215) vol. ix, p. 168.

M. nodulosa.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, p. 190, pl. vi, f. 57; Obs. Gen. Unio, (44) vol. iii, p. 28, pl. vi, f. 57.

M. nubila.

P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, p. 236; Obs. Gen. Unio, (215) vol. ix, p. 58.

M. oblita.

P. A. P. S., (94) vol. v, 1852, p. 252. T. A. P. S., (81) vol. x, 1852, p. 298, pl. xxx, f. 6; Obs. Gen. Unio, (83) vol. v, p. 54, pl. xxx, f. 6.

M. obovata.

J. A. N. S., (214) vol. v, 1862, pp. 257, 263; Obs. Gen. Unio, (215) vol. ix, pp. 79, 85.

M. obruta.

P. Z. S., London, (59) vol. xviii, 1850, p. 190.

M. obtusa.

P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 176, pl. v, f. 28; J. A. N. S., (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (44) vol. iii, p. 14, pl. v, f. 28; (244) vol. xi, p. 94.

M. occata.

P. A. N. S., (109) vol. viii, 1856, p. 81; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (244) vol. xi, p. 111.

M. occidentalis.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 172, pl. v, f. 20; Obs. Gen. Unio, (44) vol. iii, p. 10, pl. v, f. 20.

M. Océensis.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, pp. 169, 170, pl. v, f. 13, (81) vol. x, 1852, p. 298; J. A. N. S., (214) vol. v, 1862, pp. 277, 290; Obs. Gen. Unio, (44) vol. iii, pp. 7, 8, pl. v, f. 13; (83) vol. v, p. 54; (215) vol. ix, pp. 99, 112.

M. oliva.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 27; Obs. Gen. Unio, (56) vol. iv, p. 27.

M. olivula.

T. A. P. S., (43) vol. viii, 1841, p. 188; J. A. N. S., (214) vol. v, 1862, p. 227; Obs. Gen. Unio, (44) vol. iii, p. 26; (215) vol. ix, p. 49.

M. oppugnata.

P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 300, pl. xxx, f. 9; Obs. Gen. Unio, (83) vol. v, p. 56, pl. xxx, f. 9; (215) vol. ix, p. 55.

Melania orbicula.

P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, p. 238; Obs. Gen. Unio, (215) vol. ix, p. 60.

M. Ordiana.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 26; Obs. Gen. Unio, (56) vol. iv, p. 26.

M. Ordii.

P. A. P. S., (214) vol. v, 1862, p. 293; Obs. Gen. Unio, (215) vol. ix, p. 115.

M. ovalis.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 25; J. A. N. S., (214) vol. v, 1862, pp. 226, 229, 239; Obs. Gen. Unio, (56) vol. iv, p. 25; (215) vol. ix, pp. 48, 51, 61.

M. ovoidea.

T. A. P. S., (55) vol. x, 1845, p. 87, pl. ix, f. 38; J. A. N. S., (214) vol. v, 1862, p. 308; Obs. Gen. Unio, (56) vol. iv, p. 87, pl. ix, f. 38; (215) vol. ix, p. 130.

M. pagoda.

P. Z. S. Lond., (59) vol. xviii, 1850, p. 197.

M. pallescens.

T. A. P. S., (55) vol. x, 1845, p. 89, pl. ix, f. 43; J. A. N. S., (243) vol. vi, 1866, p. 130; Obs. Gen. Unio, (56) vol. iv, p. 89, pl. ix, f. 43; (244) vol. xi, p. 86.

M. pavula.

P. A. N. S., (198) vol. xiii, 1861, p. 122; J. A. N. S., (214) vol. v, 1862, p. 244; Obs. Gen. Unio, (215) vol. ix, p. 66.

M. percarinata.

T. A. P. S., (81) vol. x, 1852, p. 299; Obs. Gen. Unio, (83) vol. v, p. 55.

M. perfusca.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (51) vol. ix, 1841, p. 18; J. A. N. S., (214) vol. v, 1862, pp. 304, 332; Obs. Gen. Unio, (56) vol. iv, p. 18; (215) vol. ix, pp. 126, 154.

M. pergrata.

P. A. N. S., (198) vol. xiii, 1861, p. 122.

M. pernodosa.

T. A. P. S., (55) vol. x, 1845, p. 92, pl. ix, f. 49; J. A. N. S., (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (56) vol. iv, p. 92, pl. ix, f. 49; (244) vol. xi, p. 102.

M. perstriata.

P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 296, pl. xxx, f. 2; Obs. Gen. Unio, (83) vol. v, p. 52, pl. xxx, f. 2.

M. picta.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (51) vol. ix, 1841, p. 19, 1842, p. 25; Obs. Gen. Unio, (56) vol. iv, pp. 19, 25.

M. pilula.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, p. 186, pl. vi, f. 50; Obs. Gen. Unio, (44) vol. iii, p. 24, pl. vi, f. 50.

M. pinguis.

T. A. P. S., (81) vol. x, 1852, p. 301, pl. xxx, f. 11; P. A. P. S., (94) vol. v, 1852, p. 252; J. A. N. S., (214) vol. v, 1862, p. 281; Obs. Gen. Unio, (83) vol. v, p. 57, pl. xxxv, f. 11; (215) vol. ix, p. 103.

Melania planensis.

P. A. N. S., (140) vol. x, 1858, p. 118; J. A. N. S., (243) vol. vi, 1866, p. 127, pl. xxii, f. 26; Obs. Gen. Unio, (244) vol. xi. p. 83, pl. xxii, f. 26.

M. plicata.

T. A. P. S., (27) vol. vi, 1835, p. 20, pl. xxiii, f. 95; (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (29) vol. ii, p. 20, pl. xxii, f. 95; (56) vol. iv, p. 24; P. A. P. S., (48) vol. ii, 1842, p. 242.

M. plicatula.

P. A. P. S., (37) vol. ii, 1841, p. 14; (48) vol. ii, 1842, p. 242; T. A. P. S., (43) vol. viii, 1841, p. 182, pl. vi, f. 41; (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (44) vol. iii, p. 20, pl. vi, f. 41; (56) vol. iv, p. 24.

M. plicifera.

T. A. P. S., (27) vol. vi, 1836, p. 93, pl. xxiii, f. 90; Obs. Gen. Unio, (29) vol. ii, p. 93, pl. xxiii, f. 90.

M. polygonata.

P. Z. S., London, (59) vol. xviii, 1850, p. 195.

M. porcata.

J. A. N. S., (243) vol. vi, 1866, p. 123; Obs. Gen. Unio, (244) vol. xi, p. 79.

M. Postellii.

P. A. N. S., (143) vol. x, 1858, p. 166.

M. Potosiensis.

P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 184, pl. vi, f. 45; Obs. Gen. Unio, (44) vol. iii, p. 22, pl. vi, f. 45.

M. prerosa.

T. A. P. S., (51) vol. ix, 1841, p. 14; Obs. Gen. Unio, (56) vol. iv, p. 14.

M. prassinata.

J. A. N. S., (214) vol. v, 1862, p. 271; Obs. Gen. Unio, (215) vol. ix, p. 93.

M. producta.

P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 28; Obs. Gen. Unio, (56) vol. iv, p. 28.

M. propria.

P. A. N. S., (198) vol. xiii, 1861, pp. 118, 123; J. A. N. S., (214) vol. v, 1862, pp. 228, 230; Obs. Gen. Unio, (215) vol. ix, pp. 50, 52.

M. propinqua.

P. A. N. S., (198) vol. xiii, 1861, p. 119; J. A. N. S., (214) vol. v, 1862, p. 234; Obs. Gen. Unio, (215) vol. ix, p. 56.

M. proteus.

T. A. P. S., (55) vol. x, 1845, p. 83, pl. ix, f. 28; J. A. N. S., (214) vol. v, 1862, pp. 228, 334, 336, 353; Obs. Gen. Unio, (56) vol. iv, p. 83, pl. ix, f. 28; (215) vol. ix, p. 50.

M. proxima.

J. A. N. S., (214) vol. v, 1862, pp. 334, 336, 353; Obs. Gen. Unio, (215) vol. ix, pp. 156, 158, 175.

M. pudica.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, p. 222; Obs. Gen. Unio, (215) vol. ix, p. 44.

M. pumila.

P. A. N. S., (198) vol. xiii, 1861, p. 119; T. A. P. S., (55) vol. x, 1845, p. 86, pl. ix, f. 36; J. A. N. S., (214) vol. v, 1862, pp. 266, 279; Obs. Gen. Unio, (56) vol. iv, p. 86, pl. ix, f. 36; (215) vol. ix, pp. 88, 101

Melania pumicea.

J. A. N. S., (214) vol. v, 1862, p. 232, pl. xxxiv, f. 27; Obs. Gen. Unio, (215) vol. ix, p. 54, pl. xxxiv, f. 27.

M. pupiformis.

J. A. N. S., (214) vol. v, 1862, p. 232; Obs. Gen. Unio, (215) vol. ix, p. 54.

M. pupoides.

J. A. N. S., (214) vol. v, 1862, pp. 229, 234; (214) vol. vi, 1866, p. 139; Obs. Gen. Unio, (215) vol. ix, pp. 51, 56; (244) vol. xi, p. 86.

M. purpurea.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, p. 225; Obs. Gen. Unio, (215) vol. ix, p. 47.

M. pyrenclia.

J. A. N. S., (214) vol. v, 1862, p. 270; Obs. Gen. Unio, (215) vol. ix, p. 92.

M. quadrivittata.

P. A. N. S., (198) vol. xiii, 1861, p. 119; J. A. N. S., (214) vol. v, 1862, p. 227; Obs. Gen. Unio, (215) vol. ix, p. 49.

M. rara.

P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 220; Obs. Gen. Unio, (215) vol. ix, p. 42.

M. recta.

P. Z. S., London, (59) vol. xviii, 1850, p. 185.

M. regularis.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 170, pl. v, f. 16; (55) vol. x, 1845, p. 85; J. A. N. S., (214) vol. v, 1862, p. 272; Obs. Gen. Unio, (44) vol. iii, p. 8, pl. v, f. 16; (56) vol. iv, p. 85; (215) vol. ix, p. 94.

M. reticulata.

P. Z. S., London, (59) vol. xviii, 1850, p. 193.

M. rhombica.

J. A. N. S., (214) vol. v, 1862, p. 244; (243) vol. vi, 1866, pp. 130, 132; Obs. Gen. Unio, (215) vol. ix, p. 66; (244) vol. xi, pp. 86, 88.

M. robusta.

P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 19; J. A. N. S., (214) vol. v, 1862, p. 219, 239; Obs. Gen. Unio, (56) vol. iv, p. 19; (215) vol. ix, pp. 41, 61.

M. Rogersii.

T. A. P. S., (43) vol. viii, 1841, pp. 171, 172; Obs. Gen. Unio, (44) vol. iii, pp. 9, 10.

M. rubicunda.

P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, p. 235; Obs. Gen. Unio, (215) vol. ix, p. 57.

M. rubida.

P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 121, pl. xxii, f. 16; Obs. Gen. Unio, (244) vol. xi, p. 77, pl. xxii, f. 16.

M. rudis.

P. Z. S., London, (59) vol. xviii, 1850, pp. 186, 187; T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51.

M. rufo.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 167, pl. v, f. 8, also Corrigenda; (51) vol. ix, 1841, p. 18; Obs. Gen. Unio, (44) vol. iii, p. 5, pl. v, f. 8, also Corrigenda; (56) vol. iv, p. 18.

Melania rufescens.

T. A. P. S., (43) vol. viii, 1842, Corrigenda; J. A. N. S., (243) vol. vi, 1860, p. 131; Obs. Gen. Unio, (44) vol. iii, Corrigenda; (244) vol. xi, p. 87.

M. rugosa.

T. A. P. S., (43) vol. viii, 142, Corrigenda; J. A. N. S., (214) vol. v, 1862, p. 328; Obs. Gen. Unio, (44) vol. iii, Corrigenda; (215) vol. ix, p. 150.

M. Saffordii.

P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 300, pl. xxx, f. 10; J. A. N. S., (214) vol. v, 1862, p. 330; Obs. Gen. Unio, (83) vol. v, p. 56, pl. xxx, f. 10; (215) vol. ix, p. 152.

M. salebrosa.

J. A. N. S., (214) vol. v, 1862, pp. 260, 261; Obs. Gen. Unio, (215) vol. ix, pp. 82, 83.

M. Sayi.

J. A. N. S., (214) vol. v, 1862, p. 276; Obs. Gen. Unio, (215) vol. ix, p. 98.

M. scabra.

P. Z. S. London, (59) vol. xviii, 1850, p. 194.

M. scilicula.

J. A. N. S., (243) vol. vi, 1866, p. 126; Obs. Gen. Unio, (244) vol. xi, p. 82.

M. sculptilis.

P. A. N. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 297, pl. xxx, f. 3; Obs. Gen. Unio, (83) vol. v, p. 53, pl. xxx, f. 3; (244) vol. xi, p. 104; J. A. N. S., (243) vol. vi, 1866, p. 148.

M. Sellersiana.

P. A. P. S., (94) vol. v, 1852, p. 252; T. A. P. S., (81) vol. x, 1852, p. 299, pl. xxx, f. 8; J. A. N. S., (214) vol. v, 1862, p. 328; Obs. Gen. Unio, (83) vol. v, p. 55, pl. xxx, f. 8; (215) vol. ix, p. 150.

M. semiearinata.

T. A. P. S., (55) vol. x, 1845, p. 89; J. A. N. S., (214) vol. v, 1862, p. 302; Obs. Gen. Unio, (56) vol. iv, p. 89; (215) vol. ix, p. 124.

M. semigranulata.

J. A. N. S., (214) vol. v, 1862, p. 260; Obs. Gen. Unio, (215) vol. ix, p. 82.

M. seminatis.

P. A. N. S., (109) vol. viii, 1856, p. 81; J. A. N. S., (243) vol. vi, 1866, pp. 155, 156; Obs. Gen. Unio, (244) vol. xi, pp. 111, 112.

M. semiplicata.

P. Z. S., London, (59) vol. xviii, 1850, p. 187.

M. Shastaensis.

P. A. N. S., (109) vol. viii, 1856, p. 80.

M. Shelbyensis.

P. A. N. S., (198) vol. xiii, 1861, p. 121.

M. Showalterii.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, p. 220; Obs. Gen. Unio, (215) vol. ix, p. 42.

M. silicula.

J. A. N. S., (214) vol. v, 1862, p. 302; Obs. Gen. Unio, (215) vol. ix, p. 124.

M. simplex.

T. A. P. S., (43) vol. viii, 1841, pp. 166, 169; P. Z. S., London, (59) xviii, 1850, p. 182; J. A. N. S., (214) vol. v, 1862, p. 278; Obs. Gen. Unio, (41) vol. iii, pp. 4, 7; (215) vol. ix, p. 100.

Melania sobria.

P. Z. S., London, (59) vol. xviii, 1850, p. 181.

M. solida.

T. A. P. S., (55) vol. x, 1845, p. 83, pl. ix, f. 27; J. A. N. S., (214) vol. v, 1862, p. 266; Obs. Gen. Unio, (56) vol. iv, p. 83, pl. ix, f. 27; (215) vol. ix, p. 88.

M. solidula.

P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 231; Obs. Gen. Unio, (215) vol. ix, p. 53.

M. sordida.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 170, pl. v, f. 15; (81) vol. x, 1852, p. 301; Obs. Gen. Unio, (44) vol. iii, p. 8, pl. v, f. 15; (83) vol. v, p. 57.

M. spinalis.

T. A. P. S., (55) vol. x, 1845, p. 89, pl. ix, f. 42; Obs. Gen. Unio, (56) vol. iv, p. 89, pl. ix, f. 42.

M. spinulosa.

P. Z. S., London, (59) vol. xviii, 1850, p. 195; J. A. N. S., (214) vol. v, 1862, p. 340; Obs. Gen. Unio, (215) vol. ix, p. 162.

M. spurca.

T. A. P. S., (55) vol. x, 1845, p. 85, pl. ix, f. 31; Obs. Gen. Unio, (56) vol. iv, p. 85, pl. ix, f. 31.

M. straminea.

P. A. N. S., (198) vol. xiii, 1861, p. 121; J. A. N. S., (214) vol. v, 1862, p. 227; Obs. Gen. Unio, (215) vol. ix, p. 49.

M. striata.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1842, p. 186, pl. vi, f. 49, also Corrigenda; Obs. Gen. Unio, (44) vol. iii, p. 24, pl. vi, f. 49, also Corrigenda.

M. striatula.

T. A. P. S., (43) vol. viii, 1842, Corrigenda; (81) vol. x, 1852, p. 207; J. A. N. S., (214) vol. v, 1862, p. 268; Obs. Gen. Unio, (44) vol. iii, Corrigenda; (83) vol. v, p. 53; (215) vol. ix, p. 90.

M. strigosa.

P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 175, pl. v, f. 24; J. A. N. S., (214) vol. v, 1862, pp. 274, 275, 294, 298; (243) vol. vi, 1866, p. 140; Obs. Gen. Unio, (44) vol. iii, p. 13, pl. v, f. 24; (215) vol. ix, pp. 96, 97, 116, 120; (244) vol. xi, p. 96.

M. suavis.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (214) vol. v, 1862, pp. 229, 330; Obs. Gen. Unio, (215) vol. ix, pp. 51, 152.

M. subangulata.

J. A. N. S., (214) vol. v, 1862, p. 330; Obs. Gen. Unio, (215) vol. ix, p. 152.

M. subcylindracea.

P. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 169; Obs. Gen. Unio, (44) vol. iii, p. 7, pl. v, f. 14.

M. subglobosa.

T. A. P. S., (43) vol. viii, 1841, pp. 176, 186; (51) vol. ix, 1841, p. 14; Obs. Gen. Unio, (44) vol. iii, pp. 10, 24; (56) vol. iv, p. 14.

M. subimbricata.

J. A. N. S., (243) vol. vi, 1866, p. 129; Obs. Gen. Unio, (244) vol. xi, p. 85.

Melania subsolida.

T. A. P. S., (37) vol. ii, 1841, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 168, pl. v, f. 12; Obs. Gen. Unio, (44) vol. iii, p. 6, pl. v, f. 12.

M. subula.

P. Z. S., London, (59) vol. xviii, 1850, p. 181.

M. subularis.

T. A. P. S., (15) vol. iv, 1830, pp. 100, 121, pl. xv, f. 30; J. A. N. S., (214) vol. v, 1862, p. 276; Obs. Gen. Unio, (21) vol. i, pp. 110, 131, pl. xv, f. 30; (215) vol. ix, p. 98.

M. sulcosa.

P. A. P. S., (37) vol. ii, 1841, p. 14; T. A. P. S., (43) vol. viii, 1841, p. 185, pl. vi, f. 48. Obs. Gen. Unio, (44) vol. iii, p. 23, pl. vi, f. 48.

M. taitiana.

P. A. P. S., (37) vol. ii, 1841, p. 11; T. A. P. S., (43) vol. viii, 1841, p. 165, pl. v, f. 5; J. A. N. S., (214) vol. v, 1862, p. 301; Obs. Gen. Unio, (44) vol. iii, p. 3, pl. v, f. 5; (215) vol. ix, p. 123.

M. Tamsii.

J. A. N. S., (243) vol. vi, 1866, p. 125; Obs. Gen. Unio, (244) vol. xi, p. 81.

M. tenebrosa.

P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, pp. 167, 176; J. A. N. S., (214) vol. v, 1862, p. 335; (243) vol. vi, 1866, p. 133; Obs. Gen. Unio, (44) vol. iii, pp. 5, 14, pl. v, f. 26; (215) vol. ix, p. 157; (244) vol. xi, p. 89.

M. terebralis.

P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 178, pl. vi, f. 32; J. A. N. S., (214) vol. v, 1862, p. 298; Obs. Gen. Unio, (44) vol. iii, p. 16, pl. vi, f. 32; (215) vol. ix, p. 120.

M. teres.

P. A. P. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, pp. 167, 175, 176, pl. v, f. 27; J. A. N. S., (214) vol. v, 1862, p. 332; Obs. Gen. Unio, (44) vol. iii, pp. 5, 13, 14, pl. v, f. 27; (215) vol. ix, f. 154.

M. tessellata.

P. Z. S., London, (59) vol. xviii, 1850, p. 192.

M. tornatella.

P. Z. S., London, (59) vol. xviii, 1850, pp. 185, 186, 187; T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51.

M. torquata.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 27; J. A. N. S., (243) vol. vi, 1866, p. 126; Obs. Gen. Unio, (56) vol. iv, p. 27; (244) vol. xi, p. 82.

M. torta.

T. A. P. S., (55) vol. x, 1845, p. 84, pl. ix, f. 30; Obs. Gen. Unio, (56) vol. iv, p. 84, pl. ix, f. 30.

M. transversa.

P. Z. S., London, (59) vol. xviii, 1850, p. 187; T. A. P. S., (81) vol. x, 1852, pp. 295, 296; P. Z. S., London, (59) vol. xviii, 1850, p. 186; J. A. N. S., (243) vol. vi, 1866, pp. 128, 129; Obs. Gen. Unio, (83) vol. v, pp. 51, 52; (244) vol. xi, pp. 84, 85.

M. Troostiana.

T. A. P. S., (27) vol. vi, 1836, p. 92, pl. xxiii, f. 86; Obs. Gen. Unio, (29) vol. ii, p. 92, pl. xxiii, f. 86.

Melania truncata.

P. Z. S., London, (59) vol. xviii, 1850, p. 187.

M. tuberculata.

T. A. P. S., (15) vol. iv, 1830, p. 101, pl. xv, f. 31, a, b; (27) vol. vi, 1838; Obs. Gen. Unio, (21) vol. i, p. 111, pl. xv, f. 31, a, b; (29) vol. ii, p. 18.

M. turgidula.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (51) vol. ix, 1841, p. 18; J. A. N. S., (214) vol. v, 1862, p. 282; Obs. Gen. Unio, (56) vol. iv, p. 18; (215) vol. ix, p. 104.

M. turriculus.

P. Z. S., London, (59) vol. xviii, 1850, p. 190; J. A. N. S., (243) vol. vi, 1866, p. 122; Obs. Gen. Unio, (244) vol. xi, p. 78.

M. uncialis.

J. A. N. S., (214) vol. v, 1862, p. 352; Obs. Gen. Unio, (215) vol. ix, p. 174.

M. undosa.

J. A. N. S., (214) vol. v, 1862, p. 263; Obs. Gen. Unio, (215) vol. ix, p. 85.

M. undulata.

J. A. N. S., (214) vol. v, 1862, pp. 284, 295; (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (215) vol. ix, pp. 106, 117; (244) vol. xi, p. 102.

M. Vanuxemiana.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, pp. 25, 26; J. A. N. S., (214) vol. v, 1862, pp. 234, 338, 350; Obs. Gen. Unio, (56) vol. iv, pp. 25, 26; (215) vol. ix, pp. 56, 160, 172.

M. Vanuxemii.

J. A. N. S., (243) vol. vi, 1866, p. 137; Obs. Gen. Unio, (244) vol. xi, p. 93.

M. variabilis.

T. A. P. S., (51) vol. ix, 1842, p. 28; Obs. Gen. Unio, (56) vol. iv, p. 28.

M. varians.

P. A. N. S., (198) vol. xiii, 1861, p. 120; J. A. N. S., (215) vol. ix, p. 41.

M. variata.

P. A. N. S., (198) vol. xiii, 1861, p. 119; J. A. N. S., (214) vol. v, 1862, p. 224; Obs. Gen. Unio, (215) vol. ix, p. 46.

M. varicosa.

J. A. N. S., (214) vol. v, 1862, pp. 297, 306; Obs. Gen. Unio, (215) vol. ix, pp. 119, 128.

M. venusta.

P. A. P. S., (37) vol. ii, 1841, p. 15; T. A. P. S., (43) vol. viii, 1841, p. 187, pl. vi, f. 52; J. A. N. S., (214) vol. v, 1862, p. 260; Obs. Gen. Unio, (44) vol. iii, p. 25, pl. vi, f. 52; (215) vol. ix, p. 82.

M. Verreauxiana.

P. A. N. S., (114) vol. viii, 1856, p. 144; J. A. N. S., (243) vol. vi, 1866, p. 127, pl. xxii, f. 27; Obs. Gen. Unio, (244) vol. xi, p. 83, pl. xxii, f. 27.

M. vesicula.

P. A. N. S., (198) vol. xiii, 1861, p. 118; J. A. N. S., (214) vol. v, 1862, p. 242; Obs. Gen. Unio, (215) vol. ix, p. 64.

M. virgata.

P. A. N. S., (37) vol. ii, 1841, p. 13; T. A. P. S., (43) vol. viii, 1841, p. 175, pl. v, f. 25; Obs. Gen. Unio, (44) vol. iii, p. 13, pl. v, f. 25.

Melania Virginica.

T. A. P. S., (15) vol. iv, 1830, p. 101; (27) vol. vi, 1836, p. 93; (43) vol. viii, 1840, pp. 176, 228; (55) vol. x, 1845, pp. 86, 90; P. Z. S., London, (59) vol. xviii, 1850, pp. 188, 190; Obs. Gen. Unio, (21) vol. i, p. 111; (29) vol. ii, p. 93; (44) vol. iii, pp. 14, 66; (56) vol. iv, pp. 86, 90; (215) vol. ix, p. 40, 159; J. A. N. S., (214) vol. ix, 1862, pp. 218, 337.

M. virgulata.

P. A. N. S., (198) vol. xiii, 1861, p. 119; J. A. N. S., (214) vol. v, 1862, p. 223; Obs. Gen. Unio, (215) vol. ix, p. 45.

M. viridis.

P. A. P. S., (37) vol. ii, p. 12; T. A. P. S., (43) vol. viii, 1841, p. 172, pl. v, f. 19; Obs. Gen. Unio, (44) vol. iii, p. 10, pl. v, f. 19.

M. Warderiana.

T. A. P. S., (43) vol. viii, 1841, p. 185, pl. vi, f. 47; (55) vol. x, 1845, p. 84; J. A. N. S., (243) vol. vi, 1866, p. 138; Obs. Gen. Unio, (44) vol. iii, p. 23, pl. vi, f. 47; (56) vol. iv, p. 84; (244) vol. xi, p. 94.

M. zeylanica.

P. Z. S., London, (59) vol. xviii, 1850, pp. 194, 196; J. A. N. S., (243) vol. vi, 1866, p. 118; Obs. Gen. Unio, (244) vol. xi, p. 75.

MELANOPSIS.

T. A. P. S., (20) vol. v, 1833, pp. 83; (51) vol. ix, 1842, p. 24; (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (21) vol. i, p. 195; (56) vol. iv, p. 24; (83) vol. v, p. 51; P. Z. S., London, (59) vol. xviii, 1850, p. 179.

M. Braziliensis.

T. A. P. S., (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (56) vol. iv, p. 24.

M. crenocarinata.

T. A. P. S., (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (56) vol. iv, p. 24.

M. maculata.

T. A. P. S., (20) vol. v, 1833, p. 82, pl. xix, f. 75; (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (21) vol. i, p. 194, pl. xix, f. 75; (56) vol. iv, p. 24.

M. princeps.

T. A. P. S., (20) vol. v, 1833, pp. 82, 83, pl. xix, f. 74; Obs. Gen. Unio, (21) vol. i, pp. 194, 195.

MELATOMA.

T. A. P. S., (81) vol. x, 1852, p. 295; J. A. N. S., (214) vol. v, 1862, p. 245; Obs. Gen. Unio, (83) vol. v, p. 51; (215) vol. ix, p. 67; P. A. N. S., (182) vol. xii, 1860, p. 186.

M. costata.

J. A. N. S., (214) vol. v, 1862, p. 245; Obs. Gen. Unio, (215) vol. ix, p. 67.

MESESCHIZA.

J. A. N. S., (243) vol. vi, 1866, p. 152; Obs. Gen. Unio, (244) vol. xi, p. 108.

M. Grosvenorii.

J. A. N. S., (243) vol. vi, 1866, p. 152, pl. xxxiii, f. 67; Obs. Gen. Unio, (244) vol. xi, p. 108, pl. xxxiii, f. 67.

MILIOLA.

(18) Con. Geol., 1833, p. 216.

M. Marylandica.

(18) Con. Geol., 1833, p. 215, pl. vi, f. 227.

M. planulata.

(18) Con. Geol., 1833, p. 216.

MITRA.

(18) Con. Geol., 1833, p. 171.

M. cancellata.

(18) Con. Geol., 1833, p. 168.

M. Defranci.

(18) Con. Geol., 1833, p. 169.

M. Flemingii.

(18) Con. Geol., 1833, p. 170, pl. vi, f. 177.

M. fusoides.

(18) Con. Geol., 1833, pp. 169, 170, pl. vi, f. 176.

M. Humboldtii.

(18) Con. Geol., 1833, p. 170, pl. vi, f. 178.

M. lineata.

(18) Con. Geol., 1833, p. 168, pl. v, f. 174.

M. minima.

(18) Con. Geol., 1833, p. 168, pl. vi, f. 175.

M. pumila.

(18) Con. Geol., 1833, p. 170.

M. Savignyi.

(18) Con. Geol., 1833, p. 169.

MONOCEROS.

(18) Con. Geol., 1833, p. 163.

M. fusiformis.

(18) Con. Geol., 1833, p. 162, pl. v, f. 167.

M. pyruloides.

(18) Con. Geol., 1833, p. 161, pl. v, f. 166.

M. sulcatum.

(18) Con. Geol., 1833, p. 163, pl. v, f. 168.

MONOCONDYLGEA.

T. A. P. S., (27) vol. vi, 1838, p. 135; (79) vol. x, 1852, p. 293; P. Z. S., London, (60) vol. xviii, 1850, p. 199; J. A. N. S., (133) vol. iii, 1837, pp. 317, 318; Obs. Gen. Unio, (29) vol. ii, p. 135; (83) vol. v, p. 49; (150) vol. vi; pp. 37, 38.

M. Bonellii.

J. A. N. S., (242) vol. vi, 1866, p. 65; Obs. Gen. Unio, (244) vol. xi, p. 69.

M. compressa.

J. A. N. S., (242) vol. vi, 1866, p. 30, pl. xi, f. 29; Obs. Gen. Unio, (244) vol. xi, p. 34, pl. xi, f. 29.

M. Corrientensis.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

M. Cumingii.

J. A. N. S., (168) vol. iv, 1859, pp. 235, 262, pl. xxx, f. 114; Obs. Gen. Unio, (170) vol. vii, pp. 53, 80, pl. xxxiii, t. 114.

M. fossiculifera.

T. A. P. S., (27) vol. vi, 1838, p. 136; (43) vol. viii, 1840, p. 222; Obs. Gen. Unio, (29) vol. ii, p. 136; (44) vol. iii, p. 60.

M. Franciscana.

T. A. P. S., (27) vol. vi, 1838, p. 143; Obs. Gen. Unio, (29) vol. ii, p. 143.

M. Guarayana.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136; (150) vol. vi, p. 38; J. A. N. S., (133) vol. iii, 1857, p. 318.

M. lentiformis.

J. A. N. S., (257) vol. vi, 1868, p. 272, pl. xxxvi, f. 86; Obs. Gen. Unio, (259) vol. xii, p. 32, pl. xxxvi, f. 86.

M. Mardinenis.

J. A. N. S., (257) vol. vi, 1868, p. 252, pl. xxx, f. 67; Obs. Gen. Unio, (259) vol. xii, p. 12, pl. xxx, f. 67.

Monocondylæa Minuana.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

M. Mouhotiana.

J. A. N. S., (242) vol. vi, 1866, p. 65, pl. 21, f. 62; Obs. Gen. Unio, (244) vol. xi, p. 69, pl. xxi, f. 62.

M. Paraguayana.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135; (150) vol. vi, p. 39; J. A. N. S., (133) vol. iii, 1857, p. 319.

M. Parchappii.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

M. Paziü.

J. A. N. S., (257) vol. vi, 1868, p. 273, pl. xxxvi, f. 88; Obs. Gen. Unio, (259) vol. xii, p. 33, pl. xxxvi, f. 88.

M. planulata.

P. A. N. S., (158) vol. xi, 1859, p. 137; J. A. N. S., (168) vol. iv, 1859, p. 262, pl. xlii, f. 142; (220) vol. v, 1863, p. 399; Obs. Gen. Unio, (170) vol. vii, p. 80, pl. xlii, f. 42; (222) vol. x, p. 35.

M. rhomboidea.

P. A. N. S., (158) vol. xi p. 187; J. A. N. S., (168) vol. iv, 1859, p. 263, pl. xlii, f. 143; Obs. Gen. Unio, (170) vol. vii, p. 81, pl. xlii, f. 143.

M. Sauleyi.

J. A. N. S., (242) vol. vi, 1866, p. 65; Obs. Gen. Unio, (244) vol. xi, p. 69.

M. Vondenbuschiana.

J. A. N. S., (168) vol. iv, 1859, p. 236; Obs. Gen. Unio, (170) vol. vii, p. 54.

M. Wheatleyi.

J. A. N. S., (220) vol. v, 1862, p. 399, pl. I, f. 307; Obs. Gen. Unio, (222) vol. x, p. 35, pl. I, f. 307.

MONOPTYGMA.

(18) Con. Geol., 1833, p. 185.

M. Alabamensis.

(18) Con. Geol., 1833, pp. 186, 203, pl. vi, f. 201.

M. elegans.

(18) Con. Geol., 1833, p. 203, pl. vi, f. 217.

M. melanoides.

(18) Con. Geol., 1833, p. 185.

MULLEBIA.

J. A. N. S., (147) vol. iv, 1858, p. 45; Obs. Gen. Unio, (150) vol. vi, p. 45.

MUREX.

(18) Con. Geol., 1833, p. 157.

M. alternata.

(18) Con. Geol., 1833, p. 157, pl. v, f. 163.

M. fistulosus.

(18) Con. Geol., 1833, p. 157.

M. minax.

(18) Con. Geol., 1833, p. 153.

M. nexilis.

(18) Con. Geol., 1833, p. 154.

M. pungens.

(18) Con. Geol., 1833, p. 157.

M. tubifer.

(18) Con. Geol., 1833, p. 157.

M. turgidus.

(18) Con. Geol., 1833, p. 151.

MYA.

T. A. P. S., (20) vol. v, p. 24.

M. alata.

T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

M. ambigua.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

M. angulata.

T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

M. angustata.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

M. Batava.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

M. complanata.

T. A. P. S., (12) vol. iii, 1829, p. 416; (15) vol. iv, 1830, p. 77; (27) vol. vi, 1838, p. 130; J. A. N. S., (221) vol. v, 1863, p. 412; Obs. Gen. Unio, (21) vol. i, pp. 30, 87; (29) vol. ii, p. 130; (222) vol. x, p. 48.

M. corrugata.

T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 129.

M. corrugata Marocana.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

M. crassa.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

M. crassissima.

T. A. P. S., (27) vol. vi, 1838, p. 139; Obs. Gen. Unio, (29) vol. ii, p. 134.

M. depressa.

T. A. P. S., (27) vol. vi, 1838, pp. 130, 132; Obs. Gen. Unio, (29) vol. ii, pp. 130, 132.

M. gravis.

T. A. P. S., (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (29) vol. ii, p. 127.

M. margaritifera.

T. A. P. S., (12) vol. iii, 1829, p. 421; (20) vol. v, 1833, pp. 63, 87, 88; (27) vol. vi, 1838, pp. 134, 136; J. A. N. S., (159) vol. iv, 1859, p. 224; Obs. Gen. Unio, (21) vol. i, pp. 35, 175, 139, 200; (29) vol. ii pp. 134, 136; (170) vol. vii, p. 42.

M. nasuta.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

M. nodosa.

T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 129.

M. nodulosa.

T. A. P. S., (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (29) vol. ii, p. 23; (215) vol. ix, p. 28; J. A. N. S., (213) vol. v, 1862, p. 206.

M. obliqua.

T. A. P. S., (27) vol. vi, 1838, p. 125; Obs. Gen. Unio, (29) vol. i p. 125.

M. oblongata.

T. A. P. S., (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (29) vol. ii, p. 127.

M. ovalis.

T. A. P. S., (27) vol. vi, 1838, pp. 128, 132; Obs. Gen. Unio, (29) vol. ii, pp. 128, 132.

- Mya ovata*.
T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.
- M. pictorum*.
T. A. P. S., (15) vol. iv, 1830, p. 67; (27) vol. vi, 1838, pp. 128, 129, 132; Obs. Gen. Unio, (21) vol. i, p. 77; (29) vol. ii, pp. 128, 129, 132.
- M. pictorum tenuis*.
T. A. P. S., (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (29) vol. ii, p. 127.
- M. ponderosa*.
T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.
- M. prolunga*.
T. A. P. S., vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.
- M. radiata*.
T. A. P. S., (15) vol. iii, 1829, pp. 415, 422; (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (21) vol. i, pp. 29, 36; (29) vol. ii, p. 127.
- M. regulosa*.
T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.
- M. rigida*.
T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.
- M. rotunda*.
T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.
- M. rugosa*.
T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 129.
- M. spuria*.
T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 129.
- M. serratophora*.
T. A. P. S., (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, p. 204; (29) vol. ii, p. 121.
- M. undulata*.
T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.
- M. variabilis*.
T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.
- M. ventricosa*.
T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.
- MYCETOPODA
T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.
- M. soleniformis*.
T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.
- M. siliquosus*.
T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.
- M. emarginatus*.
P. A. N. S., (187) vol. xii, 1860, p. 308; J. A. N. S., (220) vol. v, 1863, p. 398, pl. 1, f. 305; Obs. Gen. Unio, (222) vol. x, p. 34, pl. 1, f. 305.
- M. pygmaeus*.
J. A. N. S., (257) vol. vi, 1868, p. 275; Obs. Gen. Unio, (259) vol. xii, p. 35.
- M. siliquosus*.
J. A. N. S., (220) vol. v, 1863, p. 399; Obs. Gen. Unio, (222) vol. x, p. 35.
- MYOPARO.
(18) Con. Geol., 1833, p. 73.
- M. costatus*.
(18) Con. Geol., 1833, p. 74.
- Mysca Batawa*.
T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.
- M. ovata*.
T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.
- M. pictorum*.
T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.
- M. solida*.
T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.
- MYTILUS.
T. A. P. S., (20) vol. v, p. 24.
- M. anatinus*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- M. angustior*.
T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.
- M. Avonensis*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- M. cygneus*.
T. A. P. S., (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (21) vol. i, p. 204; (29) vol. ii, p. 137.
- M. dubius*.
T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.
- M. edulis*.
P. A. N. S., (118) vol. ix, 1857, p. 17.
- M. fluviatilis*.
T. A. P. S., (12) vol. iii, 1829, p. 416; (27) vol. vi, 1836, p. 51; 1838, pp. 137, 138; Obs. Gen. Unio, (21) vol. i, p. 30; (29) vol. ii, pp. 51, 137, 138.
- M. fucatus*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- M. illitus*.
T. A. P. S., (27) vol. vi, 1838, p. 138; Obs. Gen. Unio, (29) vol. ii, p. 138.
- M. incrassatus*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- M. macula*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- M. Matoniana*.
T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.
- M. membranacea*.
T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.
- M. modiolus*.
T. A. P. S., (12) vol. iii, 1829, p. 416; Obs. Gen. Unio, (21) vol. i, p. 30.
- M. Niloticus*.
T. A. P. S., (27) vol. vi, 1838, p. 142; Obs. Gen. Unio, (29) vol. ii, p. 142.
- M. plicatus*.
T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

- Mytilus radiatus*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Gen. Unio, (29) vol. ii, p. 137.
- M. stagnalis*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- M. Zellensis*.
T. A. P. S., (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (29) vol. ii, p. 137.
- NATICA.**
(18) Con. Geol., 1833, p. 110.
- N. arguta*.
T. A. P. S., (36) vol. vii, 1840, p. 257.
- N. Gibboniana*.
P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 256, pl. ix, f. 10.
- N. gibbosa*.
(18) Con. Geol., 1833, pp. 107, 108, 110, pl. iv, f. 92.
- N. magno-umbilicata*.
(18) Con. Geol., 1833, p. 109, pl. iv, f. 94.
- N. mamma*.
(18) Con. Geol., 1833, p. 109, pl. iv, f. 95.
- N. minima*.
(18) Con. Geol., 1833, pp. 107, 109, pl. iv, f. 91.
- N. minor*.
(18) Con. Geol., 1833, pp. 107, 108, 109, pl. iv, f. 90.
- N. parva*.
(18) Con. Geol., 1833, p. 106, pl. iv, f. 89.
- N. semilunata*.
(18) Con. Geol., 1833, p. 108, pl. iv, f. 93.
- N. sigaretina*.
(18) Con. Geol., 1833, p. 106.
- N. striata*.
(18) Con. Geol., 1833, pp. 105, 106, pl. iv, f. 88.
- NASSA.**
(18) Con. Geol., 1833, pp. 164, 165.
- N. cancellata*.
(18) Con. Geol., 1833, p. 165, pl. v, f. 170.
- Nautilus Cubaensis*.
T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 15.
- NERITINA.**
P. A. N. S., (194) vol. iii, 1861, p. 55.
- N. Shwalterii*.
P. A. N. S., (194) vol. xiii, 1861, p. 55; J. A. N. S., (214) vol. v, 1862, p. 267, pl. xxxv, ff. 78, 78a; Obs. Gen. Unio, (215) vol. ix, p. 89, pl. xxxv, f. 78, 78a.
- Niäa atrata*.
T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.
- N. aurata*.
T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.
- N. fragilis*.
T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.
- NUCULA.**
(18) Con. Geol., 1833, p. 85; P. A. N. S., (145) vol. x, 1858, p. 221.
- N. Brogmarti*.
(18) Con. Geol., 1833, pp. 82, 85, pl. iii, f. 61.
- N. carinifera*.
(18) Con. Geol., 1833, p. 198, pl. vi, f. 212.
- N. deltoidea*.
(18) Con. Geol., 1833, p. 199.
- N. Gobboldice*.
(18) Con. Geol., 1833, p. 80.
- Nucula levigata*.
(18) Con. Geol., 1833, p. 80.
- N. magna*.
(18) Con. Geol., 1833, p. 197, pl. vi, f. 211.
- N. margaritacea*.
(18) Con. Geol., 1833, p. 80.
- N. media*.
(18) Con. Geol., 1833, pp. 83, 85, pl. iii, f. 62.
- N. mucronata*.
(18) Con. Geol., 1833, p. 200.
- N. ovula*.
(18) Con. Geol., 1833, p. 80, pl. iii, f. 59.
- N. pectuncularis*.
(18) Con. Geol., 1833, p. 81, pl. iii, f. 60.
- N. plana*.
(18) Con. Geol., 1833, p. 199, pl. vi, f. 213.
- N. plicata*.
(18) Con. Geol., 1833, p. 85, pl. iii, f. 64.
- N. pulcherrima*.
(18) Con. Geol., 1833, pp. 84, 199, pl. iii, f. 63.
- N. Sedgewickii*.
(18) Con. Geol., 1833, pp. 79, 81, pl. iii, f. 58.
- N. semen*.
(18) Con. Geol., 1833, p. 200, pl. vi, f. 214.
- N. variabilis*.
(18) Con. Geol., 1833, p. 81.
- OLIVA.**
(18) Con. Geol., 1833, p. 185.
- O. clarula*.
(18) Con. Geol., 1833, p. 183.
- O. constricta*.
(18) Con. Geol., 1833, p. 182, pl. vi, f. 195.
- O. dubia*.
(18) Con. Geol., 1833, p. 183, pl. vi, f. 198.
- O. gracilis*.
(18) Con. Geol., 1833, p. 182, pl. vi, f. 196.
- O. Greenoughi*.
(18) Con. Geol., 1833, p. 183, pl. vi, f. 197.
- O. minima*.
(18) Con. Geol., 1833, p. 184, pl. vi, f. 200.
- O. Phillipsii*.
(18) Con. Geol., 1833, p. 184, pl. vi, f. 199.
- O. plicaria*.
(18) Con. Geol., 1833, p. 183.
- O. subulata*.
(18) Con. Geol., 1833, p. 183.
- ORBIS.**
(18) Con. Geol., 1833, p. 123.
- O. rotella*.
(18) Con. Geol., 1833, p. 123, pl. iv, f. 112.
- ORBITOLITES.**
(18) Con. Geol., 1833, p. 192.
- O. discoida*.
(18) Con. Geol., 1833, p. 192, pl. vi, f. 205.
- O. interstitia*.
(18) Con. Geol., 1833, p. 191, pl. vi, f. 204.
- Orthocera Humboldtiana*.
P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 253, pl. viii, f. 1.
- OSTREA.**
(18) Con. Geol., 1833, p. 93; P. A. N. S., (145) vol. x, 1858, p. 221.
- O. Alabamiansis*.
(18) Con. Geol., 1833, p. 91, pl. iii, f. 71.
- O. congesta*.
P. A. N. S., (145) vol. x, 1858, p. 219, 220.

- Ostrea costata.*
(18) *Con. Geol.*, 1833, p. 91.
- O. divaricata.*
(18) *Con. Geol.*, 1833, p. 91, 208, pl. iii, f. 70.
- O. flabellula.*
(18) *Con. Geol.*, 1833, p. 208.
- O. lingua-canis.*
(18) *Con. Geol.*, 1833, p. 92, pl. iii, f. 72.
- O. pincerna.*
(18) *Con. Geol.*, 1833, p. 92, pl. iii, f. 73.
- O. semilunata.*
(18) *Con. Geol.*, 1833, p. 90, pl. iii, f. 69.
- PACHYCHILUS.
J. A. N. S., (243) vol. vi, 1866, p. 120; *Obs. Gen. Unio*, (244) vol. xi, p. 77; P. Z. S., London, (59) vol. xviii, 1850, p. 179.
- P. Cumingii.*
P. Z. S., London, (59) vol. xviii, 1850, p. 179.
- P. parvum.*
P. A. N. S., (144) vol. viii, 1856, p. 145; J. A. N. S., (243) vol. vi, 1866, p. 120, pl. xxii, f. 14; *Obs. Gen. Unio*, (244) vol. xi, p. 76, pl. xxii, f. 14.
- PALMULA.
(18) *Con. Geol.*, 1833, p. 219.
- P. sagittaria.*
(18) *Con. Geol.*, 1833, p. 219, pl. vi, f. 228.
- PALUDINA.
P. A. P. S., (48) vol. ii, 1842, p. 241; T. A. P. S., (51) vol. ix, 1842, pp. 13, 14, 16, 24; J. A. N. S., (214) vol. v, 1862, pp. 218, 258; (243) vol. vi, 1866, p. 119; *Obs. Gen. Unio*, (56) vol. iv, pp. 13, 14, 16, 24; (215) vol. ix, pp. 40, 80; (244) vol. xi, p. 75.
- P. Alleghaniensis.*
T. A. P. S., (51) vol. ix, 1841, p. 13; *Obs. Gen. Unio*, (56) vol. iv, p. 13.
- P. altitilis.*
T. A. P. S., (43) vol. viii, 1841, p. 174; *Obs. Gen. Unio*, (44) vol. iii, p. 12.
- P. angulata.*
P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 22; *Obs. Gen. Unio*, (56) vol. iv, p. 22.
- P. bimonilifera.*
T. A. P. S., (20) vol. v, 1832, p. 58, pl. xix, f. 71; *Obs. Gen. Unio*, (21) vol. i, p. 170, pl. xix, f. 71.
- P. Burrroughiana.*
T. A. P. S., (20) vol. v, 1834, p. 113, pl. xix, f. 80; *Obs. Gen. Unio*, (21) vol. i, p. 225, pl. xix, f. 80.
- P. Chinensis.*
P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, p. 115; *Obs. Gen. Unio*, (244) vol. xi, p. 72.
- P. Cincinnatiensis.*
T. A. P. S., (51) vol. ix, 1841, p. 16; *Obs. Gen. Unio*, (56) vol. iv, p. 16.
- P. coarctata.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 30; J. A. N. S., (243) vol. vi, 1866, p. 184; *Obs. Gen. Unio*, (56) vol. iv, p. 30; (244) vol. xi, p. 140.
- Paludina Coosaensis.*
P. A. P. S., (40) vol. ii, 1841, p. 83; T. A. P. S., (51) vol. ix, 1841, p. 23; *Obs. Gen. Unio*, (56) vol. iv, p. 23.
- P. crassa.*
J. A. N. S., (243) vol. vi, 1866, p. 116; *Obs. Gen. Unio*, (244) vol. xi, p. 72.
- P. cyclostomaformis.*
P. A. P. S., (40) vol. ii, 1841, p. 83.
- P. cyclostomatiformis.*
T. A. P. S., (51) vol. ix, 1841, p. 23; *Obs. Gen. Unio*, (56) vol. iv, p. 23.
- P. decisa.*
T. A. P. S., (20) vol. v, 1834, p. 116; (27) vol. vi, 1836, p. 91; *Obs. Gen. Unio*, (21) vol. i, p. 228; (29) vol. ii, p. 91.
- P. dissimilis.*
T. A. P. S., (51) vol. ix, 1841, p. 13; *Obs. Gen. Unio*, (56) vol. iv, p. 13.
- P. Elliottii.*
P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (243) vol. vi, 1866, p. 184, pl. xxiv, f. 115; *Obs. Gen. Unio*, (244) vol. xi, p. 140, pl. xxiv, f. 115.
- P. Georgiana.*
T. A. P. S., (20) vol. v, 1834, p. 116, pl. xix, f. 85; *Obs. Gen. Unio*, (21) vol. i, p. 228, pl. xix, f. 85.
- P. granosa.*
T. A. P. S., (27) vol. vi, 1836, p. 92; *Obs. Gen. Unio*, (29) vol. ii, p. 92.
- P. Hainesiana.*
P. A. N. S., (113) vol. viii, 1856, p. 109; J. A. N. S., (243) vol. vi, 1866, pp. 115, 116, pl. xxii, f. 6; *Obs. Gen. Unio*, (244) vol. xi, pp. 72, 73, pl. xxii, f. 6.
- P. Haleiana.*
T. A. P. S., (55) vol. x, 1845, p. 96; *Obs. Gen. Unio*, (56) vol. iv, p. 96, pl. ix, f. 58.
- P. hyalina.*
T. A. P. S., (27) vol. vi, 1834, p. 17, pl. xxiii, f. 81; *Obs. Gen. Unio*, (29) vol. ii, p. 17, pl. xxiii, f. 81.
- P. incrassata.*
P. A. P. S., (48) vol. ii, 1842, p. 243; T. A. P. S., (51) vol. ix, 1842, p. 30; *Obs. Gen. Unio*, (56) vol. iv, p. 30.
- P. Ingallsiana.*
P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, p. 117, pl. xxii, f. 9; *Obs. Gen. Unio*, (244) vol. xi, p. 74, pl. xxii, f. 9.
- P. integra.*
J. A. N. S., (243) vol. vi, 1866, p. 184; *Obs. Gen. Unio*, (244) vol. xi, p. 140.
- P. limosa.*
T. A. P. S., (43) vol. viii, 1840, p. 229; (51) vol. ix, 1841, pp. 13, 16; *Obs. Gen. Unio*, (44) vol. iii, p. 67; (56) vol. iv, pp. 13, 16.
- P. lustrica.*
T. A. P. S., (51) vol. ix, 1841, pp. 13, 16; *Obs. Gen. Unio*, (56) vol. iv, pp. 13, 16.
- P. Maheyana.*
T. A. P. S., (51) vol. ix, 1841, p. 14; *Obs. Gen. Unio*, (56) vol. iv, p. 14.

Paludina Milesii.

J. A. N. S., (243) vol. 1866, p. 184, pl. xxiv, f. 114; Obs. Gen. Unio, (244) vol. xi, p. 140, pl. xxiv, f. 114.

P. Nickliniana.

T. A. P. S., (27) vol. vi, 1836, p. 97, pl. xxiii, f. 109; (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (29) vol. ii, p. 92, pl. xxiii, f. 109; (56) vol. iv, p. 13.

P. nuclea.

T. A. P. S., (27) vol. vi, 1836, p. 91, pl. xxiii, f. 103, 1837, p. 102; Obs. Gen. Unio, (29) vol. ii, pp. 91, 102, pl. xxiii, f. 103.

P. Nuttalliana.

T. A. P. S., (27) vol. vi, 1837, p. 101, pl. xxiii, f. 89; Obs. Gen. Unio, (29) vol. ii, p. 101, pl. xxiii, f. 89.

P. obtusa.

P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 13; J. A. N. S., (243) vol. vi, 1866, p. 116; Obs. Gen. Unio, (56) vol. iv, p. 13; (244) vol. xi, p. 72.

P. orientalis.

J. A. N. S., (243) vol. vi, 1866, p. 115, pl. xxii, f. 5; Obs. Gen. Unio, (244) vol. xi, p. 71, pl. xxii, f. 5.

P. pallidu.

T. A. P. S., (27) vol. vi, 1835, p. 22, pl. xxiii, f. 104; (51) vol. ix, 1841, p. 16; Obs. Gen. Unio, (29) vol. ii, p. 22, pl. xxiii, f. 104; (56) vol. iv, p. 16.

P. porata.

T. A. P. S., (51) vol. ix, 1841, pp. 13, 16; Obs. Gen. Unio, (56) vol. iv, pp. 13, 16.

P. pyramidata.

J. A. N. S., (243) vol. vi, 1866, p. 115; Obs. Gen. Unio, (244) vol. xi, p. 72.

P. regularis.

P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (56) vol. iv, p. 13.

P. sinistrosa.

T. A. P. S., (27) vol. vi, 1836, p. 90, pl. xxiii, f. 78; Obs. Gen. Unio, (29) vol. ii, p. 90, pl. xxiii, f. 78.

P. Spillmannii.

J. A. N. S., (258) vol. vi, 1868, p. 343, pl. liv, f. 29; Obs. Gen. Unio, (259) vol. xii, p. 103, pl. liv, f. 29.

P. subcarinatus.

J. A. N. S., (243) vol. vi, 1866, p. 185; Obs. Gen. Unio, (244) vol. xi, p. 141.

P. subpurpurea.

J. A. N. S., (243) vol. vi, 1866, p. 184, 185; Obs. Gen. Unio, (244) vol. xi, pp. 140, 141.

P. Swainsoniana.

P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (243) vol. vi, 1866, p. 116, pl. xxii, f. 7; Obs. Gen. Unio, (244) vol. xi, p. 73, pl. xxii, f. 7.

P. Troostiana.

P. A. P. S., (39) vol. ii, 1841, p. 34; T. A. P. S., (51) vol. ix, 1841, p. 14; (55) vol. x, 1845, p. 96; Obs. Gen. Unio, (56) vol. iv, pp. 14, 96.

Paludina umbilicata.

P. A. N. S., (113) vol. viii, 1856, p. 109; J. A. N. S., (243) vol. vi, 1866, p. 117, pl. xxii, f. 8; Obs. Gen. Unio, (244) vol. xi, p. 73, pl. xxii, f. 8.

P. unicolor.

T. A. P. S., (51) vol. ix, 1841, p. 14; J. A. N. S., (243) vol. vi, 1866, p. 116; Obs. Gen. Unio, (56) vol. iv, p. 14; (244) vol. xi, p. 73.

P. virens.

T. A. P. S., (27) vol. vi, 1836, p. 91, pl. xxiii, f. 93; Obs. Gen. Unio, (29) vol. ii, p. 91, pl. xxiii, f. 93.

P. viridis.

T. A. P. S., (27) vol. vi, 1836, p. 92; (51) vol. ix, 1841, p. 13; Obs. Gen. Unio, (29) vol. ii, p. 92; (56) vol. iv, p. 13.

P. vivipara.

T. A. P. S., (20) vol. v, 1834, p. 116; Obs. Gen. Unio, (21) vol. i, p. 228.

Paludonius loricata.

P. A. N. S., (113) vol. viii, 1856, p. 110; J. A. N. S., (214) vol. v, 1862, p. 256; (243) vol. vi, 1866, p. 118; Obs. Gen. Unio, (215) vol. ix, p. 78; (244) vol. xi, p. 75.

Paradoxides Harlani.

P. A. N. S., (132) vol. ix, 1851, p. 205.

PASITHEA.

(18) Con. Geol., 1833, pp. 99, 207.

P. aciculata.

(18) Con. Geol., 1833, p. 102, pl. iv, f. 82.

P. Clairbornensis.

(18) Con. Geol., 1833, p. 104, pl. iv, f. 87.

P. guttula.

(18) Con. Geol., 1833, p. 104, pl. iv, f. 86.

P. lugubris.

(18) Con. Geol., 1833, p. 101, pl. iv, f. 81.

P. notata.

(18) Con. Geol., 1833, pp. 101, 102, pl. iv, f. 80.

P. secale.

(18) Con. Geol., 1833, p. 100, pl. iv, f. 79.

P. striata.

(18) Con. Geol., 1833, p. 102, 103, pl. iv, f. 83.

P. sulcata.

(18) Con. Geol., 1833, p. 103, pl. iv, f. 84.

P. umbilicata.

(18) Con. Geol., 1833, pp. 103, 207, pl. iv, f. 85.

PATELLA.

(18) Con. Geol., 1833, p. 96.

P. amena.

P. A. P. S., (32) vol. i, 1840, p. 187; T. A. P. S., (34) vol. vii, 1840, p. 73; J. A. N. S., (243) vol. vi, 1866, p. 186; Obs. Gen. Unio, (244) vol. xi, p. 142.

P. Olealandii.

T. A. P. S., (34) vol. vii, 1840, p. 73.

P. clypeus.

T. A. P. S., (34) vol. vii, 1840, p. 74.

P. tessellata.

T. A. P. S., (34) vol. vii, 1840, p. 73.

P. testudinialis.

P. A. P. S., (32) vol. i, 1840, p. 187; T. A. P. S., (34) vol. vii, 1840, p. 73.

P. testudinaria.

T. A. P. S., (34) vol. vii, 1840, p. 73.

Patella ungarica.(18) *Con. Geol.*, 1833, p. 96.*P. virginea.*

T. A. P. S., (34) vol. vii, 1840, p. 74.

PATELLOIDA.

T. A. P. S., (34) vol. vii, 1840, p. 73.

P. amœna.

T. A. P. S., (34) vol. vii, 1840, p. 73.

*P. testudinialis.*P. A. P. S., (32) vol. i, 1840, p. 187; T. A. P. S.,
(34) vol. vii, 1840, p. 73.*P. testudinaria.*J. A. N. S., (243) vol. vi, 1866, p. 186; *Obs. Gen.*
Unio, (244) vol. xi, p. 142.

PAXYDON.

T. A. P. S., (12) vol. iii, 1829, p. 443; *Obs. Gen.*
Unio, (21) vol. i, p. 57.*P. ponderosus.*T. A. P. S., (27) vol. vi, 1838, p. 121; *Obs. Gen.*
Unio, (29) vol. ii, p. 121.

PECTEN.

(18) *Con. Geol.*, 1833, p. 89; P. A. N. S., (145) vol.
x, 1858, p. 221.*P. Deshayssi.*(18) *Con. Geol.*, 1833, p. 87, pl. iii, f. 66.*P. gracilis.*(18) *Con. Geol.*, 1833, p. 88.*P. Lyelli.*(18) *Con. Geol.*, 1833, p. 88, pl. iii, f. 67.*P. minutus.*(18) *Con. Geol.*, 1833, p. 88.*P. varius.*

P. A. N. S., (118) vol. ix, 1857, p. 17.

PECTUNCULUS.

(18) *Con. Geol.*, 1833, p. 79.*P. Broderipii.*(18) *Con. Geol.*, 1833, pp. 76, 77, pl. iii, f. 53.*P. deltooides.*(18) *Con. Geol.*, 1833, p. 77, pl. iii, f. 55.*P. ellipsis.*(18) *Con. Geol.*, 1833, pp. 78, 82, pl. iii, f. 56.*P. minor.*(18) *Con. Geol.*, 1833, pp. 77, 78, pl. iii, f. 54.*P. obliqua.*(18) *Con. Geol.*, 1833, pp. 78, 208, pl. iii, f. 57.*P. nanus.*(18) *Con. Geol.*, 1833, p. 208.

PEDIPES.

(18) *Con. Geol.*, 1833, p. 202.*Petricola fornicata.*(18) *Con. Geol.*, 1833, p. 49.*P. pholadiformis.*(18) *Con. Geol.*, 1833, p. 49.

PHYSA.

T. A. P. S., (51) vol. ix, 1841, p. 7; *Obs. Gen.*
Unio, (56) vol. iv, p. 7.*P. acuta.*J. A. N. S., (243) vol. vi, 1866, p. 169; *Obs. Gen.*
Unio, (244) vol. xi, p. 125.*P. Altonensis.*J. A. N. S., (243) vol. vi, 1866, p. 164, pl. xxiv, f.
82; *Obs. Gen. Unio*, (244) vol. xi, p. 120, pl.
xxiv, f. 82.*P. anatina.*J. A. N. S., (243) vol. vi, 1866, p. 171, pl. xxiv, f.
94; *Obs. Gen. Unio*, (244) vol. xi, p. 127, pl.
xxiv, f. 94.*Physa ancillararia.*J. A. N. S., (243) vol. vi, 1866, pp. 165, 171; *Obs.*
Gen. Unio, (244) vol. xi, pp. 121, 127.*P. aurea.*T. A. P. S., (27) vol. vi, 1834, p. 18, 1836, p. 92;
(51) vol. ix, 1841, p. 8; J. A. N. S., (243) vol.
vi, 1866, pp. 174, 177; *Obs. Gen. Unio*, (29)
vol. ii, pp. 18, 92, pl. xxiii, f. 106; (56) vol. iv,
p. 8; (244) vol. xi, pp. 330, 331.*P. Blandii.*J. A. N. S., (243) vol. vi, 1866, pp. 168, 175, pl.
xxiv, f. 88; *Obs. Gen. Unio*, (244) vol. xi, pp.
124, 131, pl. xxiv, f. 88.*P. brevispira.*J. A. N. S., (243) vol. vi, 1866, p. 173, pl. xxiv, f.
98; *Obs. Gen. Unio*, (244) vol. xi, p. 129, pl.
xxiv, f. 98.*P. Carltonii.*J. A. N. S., (274) vol. viii, 1874, p. 63, pl. xxi, f. 19;
Obs. Gen. Unio, (275) vol. xiii, p. 67; pl. xxi,
f. 19.*P. concolor.*J. A. N. S., (243) vol. vi, 1866, p. 171; *Obs. Gen.*
Unio, (244) vol. xi, p. 127.*P. crocata.*J. A. N. S., (243) vol. vi, 1866, p. 169, pl. xxiv, f.
90; *Obs. Gen. Unio*, (244) vol. xi, p. 125, pl.
xxiv, f. 90.*P. Dorbigniana.*J. A. N. S., (243) vol. vi, 1866, p. 166, pl. xxiv, f.
85; *Obs. Gen. Unio*, (244) vol. xi, p. 122, pl.
xxiv, f. 85.*P. elliptica.*T. A. P. S., (20) vol. v, 1834, p. 115, pl. xix, f. 83;
J. A. N. S., (243) vol. vi, 1866, pp. 165, 169,
170, 174, 176; *Obs. Gen. Unio*, (21) vol. i, p.
227, pl. xix, f. 83; (244) vol. xi, pp. 121, 126,
130, 132.*P. Febigerii.*J. A. N. S., (243) vol. vi, 1866, p. 174, pl. xxiv, f.
99; *Obs. Gen. Unio*, (244) vol. xi, p. 130, pl.
xxiv, f. 99.*P. fontana.*J. A. N. S., (243) vol. vi, 1866, p. 177; *Obs. Gen.*
Unio, (244) vol. xi, p. 133.*P. fontinalis.*J. A. N. S., (243) vol. vi, 1866, p. 174; *Obs. Gen.*
Unio, (244) vol. xi, p. 130.*P. Forsheyi.*J. A. N. S., (243) vol. vi, 1866, p. 172, pl. xxiv, f.
95; *Obs. Gen. Unio*, (244) vol. xi, p. 128, pl.
xxiv, f. 95.*P. fragilis.*J. A. N. S., (243) vol. vi, 1866, p. 163; *Obs. Gen.*
Unio, (244) vol. xi, p. 119.*P. globosa.*J. A. N. S., (243) vol. vi, 1866, p. 174; *Obs. Gen.*
Unio, (244) vol. xi, p. 130.*P. Grosvenorii.*J. A. N. S., (243) vol. vi, 1866, p. 175, pl. xxiv, f.
100; *Obs. Gen. Unio*, (244) vol. xi, p. 131,
pl. xxiv, f. 100.*P. gyryna.*J. A. N. S., (243) vol. vi, 1866, p. 170; *Obs. Gen.*
Unio, (244) vol. xi, p. 126.

Physa Halei.

J. A. N. S., (243) vol. vi, 1866, pp. 165, 170, pl. xxiv, f. 83; Obs. Gen. Unio, (244) vol. xi, pp. 121, 126, pl. xxiv, f. 83.

P. Hawnii.

J. A. N. S., (243) vol. vi, 1866, p. 165, pl. xxiv, f. 84; Obs. Gen. Unio, (244) vol. xi, p. 121, pl. xxiv, f. 84.

P. heterostropha.

T. A. P. S., (51) vol. ix, 1841, p. 7; J. A. N. S., (243) vol. vi, 1866, pp. 164, 165, 166, 168, 172, 173; Obs. Gen. Unio, (56) vol. iv, p. 7; (244) vol. xi, pp. 111, 119, 120, 121, 122, 124, 128, 129; P. A. N. S., (109) vol. viii, 1856, p. 81.

P. Hildrethiana.

P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 7; Obs. Gen. Unio, (56) vol. iv, p. 7; (244) vol. xi, p. 121; J. A. N. S., (244) vol. vi, 1866, p. 165.

P. hordacea.

J. A. N. S., (243) vol. vi, 1866, pp. 176, 177, pl. xxiv, f. 102; Obs. Gen. Unio, (244) vol. xi, pp. 132, 133, pl. xxiv, f. 102.

P. inflata.

P. A. P. S., (39) vol. ii, 1841, p. 32; Obs. Gen. Unio, (56) vol. iv, p. 7; (244) vol. xi, p. 129; J. A. N. S., (243) vol. vi, 1866, p. 173.

P. Niagarensis.

J. A. N. S., (243) vol. vi, 1866, pp. 168, 173, 175, pl. xxiv, f. 97; Obs. Gen. Unio, (244) vol. xi, pp. 124, 129, 131, pl. xxiv, f. 97.

P. Nicklinii.

J. A. N. S., (243) vol. vi, 1866, p. 175, pl. xxiv, f. 101; Obs. Gen. Unio, (244) vol. xi, p. 131, pl. xxiv, f. 101.

P. Nuttallii.

J. A. N. S., (243) vol. vi, 1866, p. 171, pl. xxiv, f. 93; Obs. Gen. Unio, (244) vol. xi, p. 127, pl. xxiv, f. 93.

P. parva.

J. A. N. S., (243) vol. vi, 1866, p. 177, pl. xxiv, f. 104; Obs. Gen. Unio, (244) vol. xi, p. 133, pl. xxiv, f. 104.

P. Saffordii.

J. A. N. S., (243) vol. vi, 1866, p. 166, 167, pl. xxiv, f. 87; Obs. Gen. Unio, (244) vol. xi, pp. 122, 123, pl. xxiv, f. 87.

P. Smithsoniana.

J. A. N. S., (243) vol. iv, 1866, p. 169, pl. xxiv, f. 91; Obs. Gen. Unio, (244) vol. xi, p. 125, pl. xxiv, f. 91.

P. Showalterii.

J. A. N. S., (243) vol. vi, 1866, pp. 170, 172, 175, pl. xxiv, f. 92; Obs. Gen. Unio, (244) vol. xi, pp. 126, 128, 131, pl. xxiv, f. 92.

P. striata.

J. A. N. S., (243) vol. vi, 1866, p. 166; Obs. Gen. Unio, (244) vol. xi, p. 122.

P. tenuissima.

J. A. N. S., (243) vol. vi, 1866, p. 167, pl. xxiv, f. 86; Obs. Gen. Unio, (244) vol. xi, p. 123, pl. xxiv, f. 86.

P. Traskii.

J. A. N. S., (243) vol. vi, 1866, p. 163, pl. xxiv, f. 80; Obs. Gen. Unio, (244) vol. xi, p. 119, pl. xxiv, f. 80.

Physa triticea.

P. A. N. S., (109) vol. viii, 1856, p. 80; J. A. N. S., (243) vol. vi, 1866, p. 176, pl. xxiv, f. 103; Obs. Gen. Unio, (244) vol. xi, p. 132, pl. xxiv, f. 103.

P. Troostensis.

P. A. P. S., (39) vol. ii, 1841, p. 32.

P. Troostiana.

T. A. P. S., (51) vol. ix, 1841, p. 7; J. A. N. S., (243) vol. vi, 1866, pp. 169, 177; Obs. Gen. Unio, (56) vol. iv, p. 7; (244) vol. xi, pp. 125, 133.

P. venusta.

J. A. N. S., (243) vol. vi, 1866, p. 168, pl. xxiv, f. 89; Obs. Gen. Unio, (244) vol. xi, p. 124, pl. xxiv, f. 89.

P. virginica.

J. A. N. S., (243) vol. vi, 1866, pp. 164, 169, 172, 173; Obs. Gen. Unio, (244) vol. xi, pp. 120, 125, 128, 129.

P. Warreniana.

J. A. N. S., (243) vol. vi, 1866, pp. 163, 164, pl. xxiv, f. 81; Obs. Gen. Unio, (244) vol. xi, pp. 119, 120, pl. xxiv, f. 81.

P. Whitei.

J. A. N. S., (243) vol. vi, 1866, pp. 172, 173, pl. xxiv, f. 96; Obs. Gen. Unio, (244) vol. xi, pp. 128, 129, pl. xxiv, f. 96.

P. Wolfiana.

J. A. N. S., (274) vol. viii, 1874, p. 63, pl. xxi, f. 20; Obs. Gen. Unio, (275) vol. xiii, p. 67, pl. xxi, f. 20.

PILEOPSIS.

(18) Con. Geol., 1833, p. 96.

P. cornueopia.

(18) Con. Geol., 1833, p. 95.

PINNA.

P. A. N. S., (115) vol. viii, 1856, p. 214; (145) vol. x, 1858, p. 221.

PIRENA.

T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51.

PLAGIODON.

P. A. N. S., (107) vol. viii, 1856, p. 79; J. A. N. S., (133) vol. iii, 1857, p. 317; Obs. Gen. Unio, (150) vol. vi, p. 37.

P. isocardioides.

P. A. N. S., (107) vol. viii, 1856, p. 79; J. A. N. S., (133) vol. iii, 1857, p. 318, pl. xxxii, f. 32; Obs. Gen. Unio, (150) vol. vi, p. 38, pl. xxxii, f. 32.

Planaria alba.

(18) Con. Geol., 1833, p. 124.

P. nitens.

(18) Con. Geol., 1833, p. 124, pl. iv, f. 113.

PLANORBIS.

(18) Con. Geol., 1833, p. 125; T. A. P. S., (51) vol. ix, 1841, p. 6; J. A. N. S., (243) vol. vi, 1866, p. 156; Obs. Gen. Unio, (56) vol. iv, p. 6; (244) vol. xi, p. 112.

P. ammon.

J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (244) vol. xi, p. 111; P. A. N. S., (109) vol. viii, 1856, p. 81.

- Planorbis armigerus*.
J. A. N. S., (243) vol. vi, 1866, p. 158; Obs. Gen. Unio, (244) vol. xi, p. 114.
- P. bellus*.
P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 6; Obs. Gen. Unio, (56) vol. iv, p. 6.
- P. bicarinatus*.
J. A. N. S., (243) vol. vi, 1866, p. 158; Obs. Gen. Unio, (244) vol. xi, p. 114.
- P. Billingsii*.
J. A. N. S., (243) vol. vi, 1866, p. 159, pl. xxiii, f. 72; Obs. Gen. Unio, (244) vol. xi, p. 115, pl. xxiii, f. 72.
- P. Brogniartiana*.
T. A. P. S., (51) vol. ix, 1842, p. 24; Obs. Gen. Unio, (56) vol. iv, p. 24; P. A. P. S., (48) vol. ii, 1842, p. 242.
- P. Buchanensis*.
P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 6; Obs. Gen. Unio, (56) vol. iv, p. 6.
- P. corpulentus*.
T. A. P. S., (51) vol. ix, 1841, p. 7; J. A. N. S., (243) vol. vi, 1866, p. 157; Obs. Gen. Unio, (56) vol. iv, p. 7; (244) vol. xi, p. 113.
- P. lens*.
T. A. P. S., (27) vol. vi, 1836, p. 68, pl. xxiii, f. 83; (51) vol. ix, 1841, pp. 6, 24; P. A. P. S., (48) vol. ii, 1842, p. 242; Obs. Gen. Unio, (29) vol. ii, p. 68, pl. xxiii, f. 83; (56) vol. iv, pp. 6, 24.
- P. ienticularis*.
T. A. P. S., (51) vol. ix, 1841, p. 6; Obs. Gen. Unio, (56) vol. iv, p. 6.
- P. Newberryi*.
P. A. N. S., (137) vol. x, 1858, p. 41.
- P. nitidulus*.
(18) Con. Geol., 1833, p. 125.
- P. parvus*.
J. A. N. S., (243) vol. vi, 1866, p. 159; Obs. Gen. Unio, (244) vol. xi, p. 115.
- P. regularis*.
P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 6; Obs. Gen. Unio, (56) vol. iv, p. 6.
- P. Traskii*.
P. A. N. S., (109) vol. viii, 1856, p. 80; J. A. N. S., (243) vol. vi, 1866, p. 157, pl. xxiii, f. 70; Obs. Gen. Unio, (244) vol. xi, p. 113, pl. xxiii, f. 70.
- P. trivolis*.
P. A. N. S., (109) vol. viii, 1856, p. 81.
- P. trivolvis*.
T. A. P. S., (51) vol. ix, 1841, p. 6; J. A. N. S., (243) vol. vi, 1866, p. 155; Obs. Gen. Unio, (56) vol. iv, p. 6; (244) vol. xi, p. 111.
- P. Wheatleyi*.
P. A. N. S., (137) vol. x, 1858, p. 41; J. A. N. S., (243) vol. vi, 1866, p. 158, pl. xxiii, f. 71; Obs. Gen. Unio, (244) vol. xi, p. 114, pl. xxiii, f. 71.
- PLATIRIS.
T. A. P. S., (27) vol. vi, 1838, pp. 117, 118, 141, 150; Obs. Gen. Unio, (29) vol. ii, pp. 117, 118, 141, 150.
- PLEIODOX.
T. A. P. S., (27) vol. vi, 1838, p. 141; Obs. Gen. Unio, (29) vol. ii, p. 141.
- P. Macmurtriei*.
T. A. P. S., (27) vol. vi, 1838, p. 141; Obs. Gen. Unio, (29) vol. ii, p. 141.
- PLEUROTOMA.
(18) Con. Geol., 1833, p. 138; P. A. P. S., (48) vol. ii, 1842, p. 242.
- P. Baumontii*.
(18) Con. Geol., 1833, p. 134, pl. iv, f. 127.
- P. cælata*.
(18) Con. Geol., 1833, p. 132, pl. iv, f. 123.
- P. Childreni*.
(18) Con. Geol., 1833, p. 137, pl. iv, f. 132.
- P. comma*.
(18) Con. Geol., 1833, p. 133.
- P. Desnoyersii*.
(18) Con. Geol., 1833, p. 135, pl. iv, f. 128.
- P. Heavinghausii*.
(18) Con. Geol., 1833, p. 135, pl. iv, f. 129.
- P. Lesueurii*.
(18) Con. Geol., 1833, p. 137, pl. iv, f. 133.
- P. Lonsdalii*.
(18) Con. Geol., 1833, p. 132, pl. iv, f. 124.
- P. monilifera*.
(18) Con. Geol., 1833, p. 133, pl. iv, f. 126.
- P. obliqua*.
(18) Con. Geol., 1833, p. 136, pl. iv, f. 131.
- P. rugosa*.
(18) Con. Geol., 1833, p. 136, pl. iv, f. 130.
- P. Sayi*.
(18) Con. Geol., 1833, p. 133, pl. iv, f. 125.
- P. semicolon*.
(18) Con. Geol., 1833, p. 134.
- Pleuromarium tuberculosum*.
(18) Con. Geol., 1833, p. 124.
- PLICATULA.
(18) Con. Geol., 1833, p. 90.
- P. Mantilli*.
(18) Con. Geol., 1833, p. 89, pl. iii, f. 68.
- POLYGYRA.
T. A. P. S., (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (83) vol. v, p. 60.
- P. Dorfevilliana*.
T. A. P. S., (27) vol. vi, 1838, pp. 107, 108, pl. xxiv, f. 118; (82) vol. x, 1852, p. 307; Obs. Gen. Unio, (29) vol. ii, pp. 107, 108, pl. xxiv, f. 118; (83) vol. v, p. 60.
- P. fatigiata*.
T. A. P. S., (27) vol. vi, 1838, pp. 107, 108; Obs. Gen. Unio, (29) vol. ii, pp. 107, 108.
- P. plicata*.
T. A. P. S., (27) vol. vi, 1838, pp. 107, 108; Obs. Gen. Unio, (29) vol. ii, pp. 107, 108.
- P. Troostiana*.
T. A. P. S., (27) vol. vi, 1838, p. 107, pl. xxiv, f. 119; (82) vol. x, 1852, p. 304; Obs. Gen. Unio, (29) vol. ii, p. xxiv, f. 119; (83) vol. v, p. 60.
- Polyphemus glans*.
T. A. P. S., (20) vol. v, 1833, p. 85; Obs. Gen. Unio, (21) vol. i, p. 197.
- POMPHOLYX.
P. A. N. S., (109) vol. viii, 1856, p. 89; J. A. N. S., (243) vol. vi, 1866, p. 156; Obs. Gen. Unio, (244) vol. xi, p. 112.

Pompholyx effusa.

P. A. N. S., (109) vol. viii, 1856, p. 80; J. A. N. S., (243) vol. vi, 1866, p. 156, pl. xxiii, f. 69; Obs. Gen. Unio, (244) vol. xi, p. 112, pl. xxiii, f. 69.

Posidonia orata.

P. A. N. S., (106) vol. viii, 1856, p. 78.

P. parva.

P. A. N. S., (106) vol. viii, 1856, p. 78.

Potamides fragilis.

(18) Con. Geol., 1833, p. 131.

PRISODON.

T. A. P. S., (12) vol. iii, 1829, p. 443; Obs. Gen. Unio, (21) vol. i, p. 57.

P. nodulosa.

J. A. N. S., (213) vol. v, 1862, p. 206; Obs. Gen. Unio, (215) vol. ix, p. 28.

P. obliquus.

T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

P. truncatus.

T. A. P. S., (27) vol. vi, 1838, p. 121; J. A. N. S., (220) vol. v, 1863, p. 377; Obs. Gen. Unio, (29) vol. ii, p. 121; (222) vol. x, p. 13.

PTEROCERA.

P. A. N. S., (145) vol. x, 1858, p. 221.

PULVINITES.

(18) Con. Geol., 1833, p. 74.

Pupa crysalis.

J. A. N. S., (214) vol. v, 1862, p. 232; Obs. Gen. Unio, (215) vol. ix, p. 54.

PYRAMIS.

(18) Con. Geol., 1833, p. 100.

PYRULA.

(18) Con. Geol., 1833, pp. 152, 154.

P. bezoar.

(18) Con. Geol., 1833, p. 156.

P. cancellata.

(18) Con. Geol., 1833, p. 154, pl. v, f. 160.

P. elegantissima.

(18) Con. Geol., 1833, p. 155, pl. v, f. 161.

P. Greenwoodii.

(18) Con. Geol., 1833, p. 154.

P. nexilis.

(18) Con. Geol., 1833, p. 154.

P. Smithii.

(18) Con. Geol., 1833, p. 155, pl. v, f. 162.

R. speciosus.

P. A. N. S., (130) vol. ix, 1857, p. 173.

Raia Desmarestia.

(18) Con. Geol., 1833, p. 205.

RISSEA.

(18) Con. Geol., 1833, pp. 100, 127.

RIVULINA.

P. Z. S., London, (59) vol. xviii, 1850, p. 197; J. A. N. S., (243) vol. vi, 1866, p. 118; Obs. Gen. Unio, (244) vol. xi, p. 74.

R. maculata.

J. A. N. S., (243) vol. vi, 1866, p. 118, pl. xxii, f. 10; Obs. Gen. Unio, (244) vol. xi, p. 74, pl. xxii, f. 10.

R. spiralis.

J. A. N. S., (243) vol. vi, 1866, p. 118; Obs. Gen. Unio, (244) vol. xi, p. 75.

R. Zeylonica.

J. A. N. S., (243) vol. vi, 1866, p. 118; Obs. Gen. Unio, (244) vol. xi, p. 75.

ROSTELLARIA.

(18) Con. Geol., 1833, p. 158.

R. columbata.

(18) Con. Geol., 1833, p. 159.

R. curvirostris.

(18) Con. Geol., 1833, p. 159.

R. Cuvieri.

(18) Con. Geol., 1833, p. 160, pl. v, f. 165.

R. decussata.

(18) Con. Geol., 1833, p. 160.

R. fissurella.

(18) Con. Geol., 1833, pp. 159, 160.

R. Lamarekii.

(18) Con. Geol., 1833, p. 158, pl. v, 164.

R. longirostra.

(18) Con. Geol., 1833, p. 159.

R. macroptera.

(18) Con. Geol., 1833, p. 159.

R. pes-pelecani.

(18) Con. Geol., 1833, p. 160.

ROTELLA.

(18) Con. Geol., 1833, p. 214.

R. nana.

(18) Con. Geol., 1833, p. 214, pl. vi, f. 225.

Sanguinolaria compressa.

(18) Con. Geol., 1833, p. 39.

SARACENARIA.

(18) Con. Geol., 1833, p. 219.

SCALARIA.

(18) Con. Geol., 1833, p. 117.

S. earinata.

(18) Con. Geol., 1833, p. 116, pl. iv, f. 103.

S. lamellosa.

(18) Con. Geol., 1833, p. 116.

S. multistriata.

(18) Con. Geol., 1833, p. 117.

S. planulata.

(18) Con. Geol., 1833, p. 115, pl. iv, f. 102.

S. quinquefasciata.

(18) Con. Geol., 1833, p. 116.

S. semicosta.

(18) Con. Geol., 1833, p. 116.

SCAPHITES.

P. A. N. S., (145) vol. x, 1858, p. 221.

SCHIZOCHILUS.

T. A. P. S., (81) vol. x, 1852, p. 295; Obs. Gen. Unio, (83) vol. v, p. 51; (215) vol. ix, p. 67;

P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, p. 245.

S. Showalterii.

P. A. N. S., (178) vol. xii, 1860, p. 93.

SCHIZOSTOMA.

P. A. P. S., (48) vol. ii, 1842, p. 242; T. A. P. S., (51) vol. ix, 1842, p. 26; (55) vol. x, 1845, pp. 67, 93; (81) vol. x, 1852, p. 295; P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S., (214) vol. v, 1862, pp. 218, 243, 245, 246; (243) vol. vi, 1866, p. 152; Obs. Gen. Unio, (56) vol. iv, pp. 26, 67, 93; (83) vol. v, p. 51; (215) vol. ix, pp. 40, 65, 67, 68; (244) vol. xi, p. 108.

S. Alabamense.

P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N. S., (214) vol. v, 1862, p. 250, pl. xxxv, f. 54; Obs. Gen. Unio, (215) vol. ix, p. 72, pl. xxxv, f. 54.

Schizostoma Babylonicum.

- T. A. P. S., (55) vol. x, 1845, p. 94, pl. ix, f. 54;
 J. A. N. S., (214) vol. v, 1862, p. 248; Obs.
 Gen. Unio, (56) vol. iv, p. 94, pl. ix, f. 54;
 (215) vol. ix, f. 70.

S. Buddii.

- T. A. P. S., (55) vol. x, 1845, p. 94, pl. ix, f. 53;
 J. A. N. S., (214) vol. v, 1862, p. 252; Obs.
 Gen. Unio, (56) vol. iv, p. 94, pl. ix, f. 53;
 (215) vol. ix, p. 74.

S. bulbosa.

- J. A. N. S., (214) vol. v, 1862, p. 253; Obs. Gen.
 Unio, (215) vol. ix, p. 75.

S. carinifera.

- J. A. N. S., (243) vol. vi, 1866, p. 150; Obs. Gen.
 Unio, (244) vol. xi, p. 106.

S. castanea.

- P. A. N. S., (182) vol. xii, 1860, p. 186; J. A. N. S.,
 (214) vol. v, 1862, p. 247, pl. xxxv, f. 50; Obs.
 Gen. Unio, (215) vol. ix, p. 69, pl. xxxv,
 f. 50.

S. constricta.

- T. A. P. S., (55) vol. x, 1845, p. 94, pl. ix, f. 55;
 P. A. N. S., (182) vol. xii, 1860, p. 186; J. A.
 N. S., (214) vol. v, 1862, p. 246; (243) vol. vi,
 1866, p. 149; Obs. Gen. Unio, (56) vol. iv,
 p. 94, pl. ix, f. 55; (215) vol. ix, p. 68; (244)
 vol. xi, p. 105.

S. exoisa.

- J. A. N. S., (214) vol. v, 1862, p. 250; Obs. Gen.
 Unio, (215) vol. ix, p. 72.

S. funiculatum.

- T. A. P. S., (55) vol. x, 1845, p. 95, pl. ix, f. 56;
 Obs. Gen. Unio, (56) vol. iv, p. 95, pl. ix, f.
 56.

S. glandula.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, pp. 249, 252, pl. xxxv,
 f. 53.

S. glans.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, pp. 248, 249, 252, pl.
 xxxv, f. 52; Obs. Gen. Unio, (215) vol. ix,
 pp. 70, 71, 74, pl. xxxv, f. 52.

S. globosa.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, p. 252, pl. xxxv, f. 58;
 Obs. Gen. Unio, (215) vol. ix, p. 74, pl. xxxv,
 f. 58.

S. globula.

- J. A. N. S., (214) vol. v, 1862, p. 238; Obs. Gen.
 Unio, (215) vol. ix, p. 60.

S. Hartmanii.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, p. 247, pl. xxxv, f. 51;
 Obs. Gen. Unio, (215) vol. ix, p. 69, pl. xxxv,
 f. 51.

S. incisa.

- P. A. N. S., (182) vol. xii, 1860, p. 186.

S. laciniatum.

- T. A. P. S., (55) vol. x, 1845, p. 95, pl. ix, f. 57;
 Obs. Gen. Unio, (56) vol. iv, p. 95, pl. ix, f.
 57; (215) vol. ix, p. 75; J. A. N. S., (214) vol.
 v, 1862, p. 253.

S. Lewisii.

- J. A. N. S., (274) vol. viii, 1874, p. 61, pl. xxi, f.
 16; Obs. Gen. Unio, (275) vol. xiii, p. 65, pl.
 xxi, f. 16.

Schizostoma pagoda.

- T. A. P. S., (55) vol. x, 1845, p. 93, pl. ix, f. 52;
 J. A. N. S., (214) vol. v, 1862, p. 247; Obs.
 Gen. Unio, (56) vol. iv, p. 93, pl. ix, f. 52;
 (215) vol. ix, p. 69.

S. pumila.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, p. 252, pl. xxxv, f. 57;
 Obs. Gen. Unio, (215) vol. ix, p. 74, pl. xxxv,
 f. 57.

S. Showalterii.

- J. A. N. S., (214) vol. v, 1862, p. 246, pl. xxxv, f.
 49; (243) vol. vi, 1866, p. 149, pl. xxiii, f. 56;
 Obs. Gen. Unio, (215) vol. ix, p. 68, pl. xxxv,
 f. 49; (244) vol. xi, p. 105, pl. xxiii, f. 56.

S. Spillmannii.

- P. A. N. S., (193) vol. xiii, 1861, p. 54; J. A. N.
 S., (214) vol. v, 1862, p. 250, pl. xxxv, f. 55;
 Obs. Gen. Unio, (215) vol. ix, p. 72, pl. xxxv,
 f. 55.

S. virens.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, p. 253, pl. xxxv, f. 59;
 Obs. Gen. Unio, (215) vol. ix, p. 75, pl. xxxv,
 f. 59.

S. Wetumpkaensis.

- P. A. N. S., (182) vol. xii, 1860, p. 187; J. A. N.
 S., (214) vol. v, 1862, p. 251, pl. xxxv, f. 56;
 Obs. Gen. Unio, (215) vol. ix, p. 73, pl. xxxv,
 f. 56.

S. Wheatleyi.

- J. A. N. S., (258) vol. vi, 1868, p. 342, pl. liv, f. 27;
 Obs. Gen. Unio, (259) vol. xii, p. 102, pl. liv,
 f. 27.

Scutella crustuloides.

- (18) Con. Geol., 1833, p. 25.

Serpula granifera.

- (18) Con. Geol., 1833, p. 37.

S. granulata.

- (18) Con. Geol., 1833, p. 37.

S. ornata.

- (18) Con. Geol., 1833, p. 37, pl. i, f. 5.

SIGARETUS.

- (18) Con. Geol., 1833, p. 105.

SILIQVARIA.

- P. A. N. S., (145) vol. x, 1858, p. 221.

S. Claibornensis.

- (18) Con. Geol., 1833, p. 33, pl. i, f. 1.

SOLARIUM.

- (18) Con. Geol., 1833, p. 123.

S. bilineatum.

- (18) Con. Geol., 1833, p. 119, pl. iv, f. 106.

S. canaliculatum.

- (18) Con. Geol., 1833, p. 120.

S. cancellatum.

- (18) Con. Geol., 1833, p. 121, pl. iv, f. 110.

S. elegans.

- (18) Con. Geol., 1833, p. 121, pl. iv, f. 109.

S. granulatum.

- (18) Con. Geol., 1833, p. 122, pl. iv, f. 111.

S. Henrici.

- (18) Con. Geol., 1833, p. 119, pl. iv, f. 107.

S. ornatum.

- (18) Con. Geol., 1833, p. 120, pl. iv, f. 108.

S. variegatum.

- (18) Con. Geol., 1833, pp. 121, 122.

Solecirtus Blainvillii.

- (18) Con. Geol., 1833, p. 39, pl. xxxix, f. 7.

- Solen affinis*.
(18) *Con. Geol.*, 1833, p. 39.
- S. Blainvillii*.
(18) *Con. Geol.*, 1833, p. 208.
- S. effusus*.
(18) *Con. Geol.*, 1833, p. 208.
- Spatangus Colombianus*.
P. A. P. S., (33) vol. i, 1840, p. 227; T. A. P. S., (36) vol. vii, 1840, p. 257, pl. ix, f. 11.
- SPATHA.**
T. A. P. S., (27) vol. vi, 1838, pp. 114, 118, 141, 150; *Obs. Gen. Unio*, (29) vol. ii, pp. 114, 118, 141, 150.
- S. alata*.
J. A. N. S., (242) vol. vi, 1866, p. 35, pl. xii, f. 31; *Obs. Gen. Unio*, (244) vol. xi, p. 39, pl. xii, f. 31.
- Spatha caelestis*.
T. A. P. S., (27) vol. vi, 1838, pp. 142, 150; J. A. N. S., (133) vol. iii, 1857, p. 320; (242) vol. vi, 1866, p. 37; *Obs. Gen. Unio*, (29) vol. ii, pp. 142, 150; (150) vol. vi, p. 40; (244) vol. xi, p. 41.
- S. elongata*.
T. A. P. S., (27) vol. vi, 1838, pp. 142, 150; *Obs. Gen. Unio*, (29) vol. ii, pp. 142, 150.
- S. modesta*.
J. A. N. S., (242) vol. vi, 1866, p. 37, pl. xiii, f. 35; *Obs. Gen. Unio*, (244) vol. xi, p. 41, pl. xiii, f. 35.
- S. Natalensis*.
J. A. N. S., (242) vol. vi, 1866, p. 64, pl. xx, f. 58; *Obs. Gen. Unio*, (244) vol. xi, p. 68, pl. xx, f. 58.
- S. Nilotica*.
T. A. P. S., (27) vol. vi, 1838, pp. 141, 150; *Obs. Gen. Unio*, (29) vol. ii, pp. 141, 150.
- S. Nyassaensis*.
J. A. N. S., (242) vol. vi, 1866, p. 36, pl. xiii, f. 33; *Obs. Gen. Unio*, (244) vol. xi, p. 40, pl. xii, f. 33.
- S. rubens*.
T. A. P. S., (27) vol. vi, 1838, pp. 141, 150; J. A. N. S., (242) vol. vi, 1866, pp. 36, 64; *Obs. Gen. Unio*, (29) vol. ii, pp. 141, 150; (244) vol. xi, pp. 40, 68.
- S. siliquosus*.
T. A. P. S., (27) vol. vi, 1838, pp. 142, 150; *Obs. Gen. Unio*, (29) vol. ii, pp. 142, 150.
- S. soleniformis*.
T. A. P. S., (27) vol. vi, 1838, pp. 142, 150; *Obs. Gen. Unio*, (29) vol. ii, pp. 142, 150.
- Spirorbis tubanella*.
(18) *Con. Geol.* 1833, p. 36, pl. i, f. 4.
- STOMATELLA.**
(18) *Con. Geol.* 1833, p. 105.
- STREPHOBASIS.**
P. A. N. S., (197) vol. xiii, 1861, p. 96; J. A. N. S., (214) vol. v, 1862, pp. 218, 264, 268; *Obs. Gen. Unio*, (215) vol. ix, pp. 40, 86, 90.
- S. carinata*.
J. A. N. S., (214) vol. v, 1862, p. 355, pl. xxxix, f. 228; *Obs. Gen. Unio*, (215) vol. ix, p. 177, pl. xxxix, f. 228.
- S. cornea*.
P. A. N. S., (197) vol. xiii, 1861, p. 96; J. A. N. S., (214) vol. v, 1862, p. 265, pl. xxxv, f. 75; *Obs. Gen. Unio*, (215) vol. ix, p. 87, pl. xxxv, f. 75.
- Strephobasis Clarkii*.
P. A. N. S., (197) vol. xiii, 1861, p. 96; J. A. N. S., (214) vol. v, 1862, pp. 265, 355, pl. xxxv, f. 76; *Obs. Gen. Unio*, (215) vol. ix, pp. 87, 177, pl. xxxv, f. 76.
- S. Lyonii*.
J. A. N. S., (243) vol. vi, 1866, p. 151, pl. xxiii, f. 65; *Obs. Gen. Unio*, (244) vol. xi, p. 107, pl. xxiii, f. 65.
- S. olivaria*.
J. A. N. S., (214) vol. v, 1862, pp. 290, 356, pl. xxxix, f. 229; (243) vol. vi, 1866, p. 151; *Obs. Gen. Unio*, (215) vol. ix, pp. 112, 178, pl. xxxix, f. 229; (244) vol. xi, p. 107.
- S. solida*.
J. A. N. S., (214) vol. v, 1862, pp. 266, 356, pl. xxxv, f. 77; *Obs. Gen. Unio*, (215) vol. ix, pp. 88, 178, pl. xxxv, f. 77.
- S. Spüllmannii*.
P. A. N. S., (197) vol. xiii, 1861, p. 96; J. A. N. S., (214) vol. v, 1862, p. 264, pl. xxxv, f. 74; (243) vol. vi, 1866, p. 151; *Obs. Gen. Unio*, (215) vol. ix, p. 86, pl. xxxv, f. 74; (244) vol. xi, p. 117.
- Strombus amplius*.
(18) *Con. Geol.*, 1833, p. 159.
- STROPHITUS.**
J. A. N. S., (221) vol. v, 1863, pp. 447, 450; *Obs. Gen. Unio*, (222) vol. x, pp. 83, 86.
- S. undulata*.
J. A. N. S., (221) vol. v, 1863, p. 450; *Obs. Gen. Unio*, (222) vol. x, p. 86.
- STREPTAXIS.**
T. A. P. S., (38) vol. vii, 1841, p. 460.
- SUCCINEA.**
T. A. P. S., (51) vol. ix, 1841, p. 3; *Obs. Gen. Unio*, (56) vol. iv, p. 3.
- S. aperta*.
T. A. P. S., (27) vol. vi, 1837, p. 101, pl. xxiii, f. 107; *Obs. Gen. Unio*, (29) vol. ii, p. 101, pl. xxiii, f. 107.
J. A. N. S., (243) vol. vi, 1866, p. 181; *Obs. Gen. Unio*, (244) vol. xi, p. 137.
- S. aurea*.
P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, pp. 4, 5; J. A. N. S., (243) vol. vi, 1866, pp. 180, 181; *Obs. Gen. Unio*, (56) vol. iv, pp. 4, 5; (244) vol. xi, pp. 136, 137.
- S. avara*.
T. A. P. S., (51) vol. ix, 1841, p. 5; J. A. N. S., (243) vol. vi, 1866, p. 181; *Obs. Gen. Unio*, (56) vol. iv, p. 5; (244) vol. xi, p. 137.
- S. campestris*.
T. A. P. S., (51) vol. ix, 1841, p. 6; J. A. N. S., (243) vol. vi, 1866, pp. 180, 181, 182; *Obs. Gen. Unio*, (56) vol. iv, p. 6; (244) vol. xi, pp. 136, 137, 138.
- S. Candeara*.
P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 5; *Obs. Gen. Unio*, (56) vol. iv, p. 5.
- S. Concordialis*.
J. A. N. S., (243) vol. vi, 1866, p. 178; *Obs. Gen. Unio*, (244) vol. xi, p. 134.

Succinea Dorbigniana.

T. A. P. S., vol. ix, 1841, p. 4; Obs. Gen. Unio, (56) vol. iv, p. 4.

S. Forsheyi.

J. A. N. S., (243) vol. vi, 1866, p. 178, pl. xxiv, f. 107; Obs. Gen. Unio, (244) vol. xi, p. 134, pl. xxiv, f. 107.

S. fulgens.

P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 5; Obs. Gen. Unio, (56) vol. iv, p. 5.

S. gracilis.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (51) vol. ix, 1841, p. 3; Obs. Gen. Unio, (56) vol. iv, p. 3.

S. Grosvenorii.

J. A. N. S., (243) vol. vi, 1866, p. 179, pl. xxiv, f. 108; Obs. Gen. Unio, (244) vol. xi, p. 135, pl. xxiv, f. 108.

S. Halei.

J. A. N. S., (243) vol. vi, 1866, p. 180, pl. xxiv, f. 110; Obs. Gen. Unio, (244) vol. xi, p. 136, pl. xxiv, f. 110.

S. Haydeni.

J. A. N. S., (243) vol. vi, 1866, p. 178; Obs. Gen. Unio, (244) vol. xi, p. 134.

S. inflata.

P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 5; J. A. N. S., (243) vol. vi, 1866, pp. 181, 182; Obs. Gen. Unio, (56) vol. iv, p. 5; (244) vol. xi, pp. 137, 138.

S. lineata.

J. A. N. S., (243) vol. vi, 1866, pp. 179, 180; Obs. Gen. Unio, (244) vol. xi, pp. 135, 136.

S. luteola.

J. A. N. S., (243) vol. vi, 1866, p. 180; Obs. Gen. Unio, (244) vol. xi, p. 136.

S. Moeresiana.

J. A. N. S., (243) vol. vi, 1866, p. 179, pl. xxiv, f. 109; Obs. Gen. Unio, (244) vol. xi, p. 135, pl. xxiv, f. 109.

S. Nuttalliana.

P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, pp. 3, 4; J. A. N. S., (243) vol. vi, 1866, pp. 180, 181, 182; Obs. Gen. Unio, (56) vol. iv, pp. 3, 4; (244) vol. xi, pp. 136, 137, 138.

S. obliqua.

T. A. P. S., (51) vol. ix, 1841, pp. 4, 5; J. A. N. S., (243) vol. vi, 1866, pp. 181, 182; Obs. Gen. Unio, (56) vol. iv, pp. 4, 5; (244) vol. xi, pp. 137, 138.

S. Orcgonensis.

P. A. P. S., (39) vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 5; J. A. N. S., (243) vol. vi, 1866, pp. 180, 181, 182; Obs. Gen. Unio, (56) vol. iv, p. 5; (244) vol. xi, pp. 136, 137, 138.

S. ovalis.

T. A. P. S., (51) vol. ix, 1841, pp. 4, 5; J. A. N. S., (243) vol. vi, 1866, pp. 181, 182; Obs. Gen. Unio, (56) vol. iv, pp. 4, 5; (244) vol. xi, pp. 137, 138.

S. pellucida.

J. A. N. S., (243) vol. vi, 1866, p. 178, pl. xxiv, f. 106; Obs. Gen. Unio, (244) vol. xi, p. 134, pl. xxiv, f. 106.

Succinea putris.

T. A. P. S., (51) vol. ix, 1841, p. 4; Obs. Gen. Unio, (56) vol. iv, p. 4.

S. retusa.

T. A. P. S., (20) vol. v, 1834, p. 117, pl. xix, f. 86; (51) vol. ix, 1841, p. 4; J. A. N. S., (243) vol. vi, 1866, pp. 178, 181; Obs. Gen. Unio, (21) vol. i, p. 229, pl. xix, f. 86; (56) vol. iv, p. 4; (244) vol. xi, pp. 134, 137.

S. rusticana.

J. A. N. S., (243) vol. vi, 1866, p. 182; Obs. Gen. Unio, (244) vol. xi, p. 138.

S. Totteniana.

P. A. P. S., vol. ii, 1841, p. 32; T. A. P. S., (51) vol. ix, 1841, p. 4; J. A. N. S., (243) vol. vi, 1866, pp. 180, 181, 182; Obs. Gen. Unio, (56) vol. iv, p. 4; (244) vol. xi, pp. 136, 137, 138.

S. vermeta.

T. A. P. S., (51) vol. ix, 1841, p. 4; J. A. N. S., (243) vol. vi, 1866, p. 178; Obs. Gen. Unio, (56) vol. iv, p. 4; (244) vol. xi, p. 4.

S. Wardiana.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (51) vol. ix, 1841, p. 3; J. A. N. S., (243) vol. vi, 1866, pp. 178, 180, 181; Obs. Gen. Unio, (56) vol. iv, p. 3; (244) vol. xi, pp. 134, 136, 137.

S. Wilsonii.

J. A. N. S., (243) vol. vi, 1866, pp. 177, 179, pl. xxiv, f. 105; Obs. Gen. Unio, (244) vol. xi, pp. 133, 135, pl. xxiv, f. 105.

SYMPHYNOTA.

T. A. P. S., (12) vol. iii, 1829, p. 424, 442; (15) vol. iv, 1830, pp. 67, 68; (27) vol. vi, 1838, p. 115, 116, 117; Obs. Gen. Unio, (21) vol. i, pp. 38, 56, 77, 78; (29) vol. ii, pp. 115, 116, 117.

S. alata.

T. A. P. S., (12) vol. iii, 1829, pp. 445, 447, 448; (15) vol. iv, 1830, p. 67, 1831, p. 106; (20) vol. v, p. 26; (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, pp. 59, 61, 62, 77; (29) vol. ii, p. 121.

S. Benedictensis.

T. A. P. S., (20) vol. v, 1834, p. 104, pl. xvi, f. 48; (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (21) vol. i, p. 216, pl. xvi, f. 48; (29) vol. ii, p. 137.

S. Bengalensis.

T. A. P. S., (27) vol. vi, 1835, p. 20; Obs. Gen. Unio, (29) vol. ii, p. 20.

S. bialata.

T. A. P. S., (12) vol. iii, 1829, p. 445, pl. xiv, f. 24; (15) vol. iv, 1830, pp. 68, 100; (20) vol. v, 1833, pp. 75, 105; (27) vol. vi, 1834, p. 3, 1838, pp. 117, 136; Obs. Gen. Unio, (21) vol. i, pp. 59, 78, 110, 117, 187, pl. xiv, f. 24; (29) vol. ii, pp. 3, 117, 136.

S. bilineata.

T. A. P. S., (15) vol. iv, 1830, p. 98, pl. xi, f. 19; (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (21) vol. i, p. 108, pl. xi, f. 19; (29) vol. ii, p. 133.

S. complanata.

T. A. P. S., (12) vol. iii, 1829, p. 448; (15) vol. iv, 1831, p. 106; (20) vol. v, 1832, p. 28; (27) vol. vi, 1836, p. 55, 1838, p. 134; Obs. Gen. Unio, (21) vol. i, pp. 62, 116, 140; (29) vol. ii, pp. 55, 134.

Symphynota compressa.

T. A. P. S., (12) vol. iii, 1829, pp. 429, 450; (15) vol. iv, 1830, p. 67; (20) vol. v, 1832, p. 25; (27) vol. vi, 1838, p. 121; (79) vol. x, 1852, pp. 257, 294; Obs. Gen. Unio, (21) vol. i, pp. 43, 64, 77, 137; (27) vol. vi, 1838, p. 121; (83) vol. x, 1852, pp. 257, 294.

S. cygnea.

T. A. P. S., (12) vol. iii, 1829, p. 456; (15) vol. iv, 1831, p. 99; Obs. Gen. Unio, (21) vol. i, pp. 70, 109.

S. discoidea.

T. A. P. S., (20) vol. v, 1853, p. 75, pl. xi, f. 33; (27) vol. vi, 1834, p. 3, 1838, p. 136; Obs. Gen. Unio, (21) vol. i, p. 187, pl. xi, f. 33; (29) vol. ii, pp. 3, 136.

S. globosa.

T. A. P. S., (20) vol. v, 1832, p. 41; (27) vol. vi, 1838, p. 126; Obs. Gen. Unio, (21) vol. i, p. 153, pl. iv, f. 12; (29) vol. ii, p. 126.

S. gracilis.

T. A. P. S., (12) vol. iii, 1829, pp. 452, 454; (27) vol. vi, 1836, p. 55, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, pp. 66, 68; (29) vol. ii, pp. 55, 121.

S. inflata.

T. A. P. S., (15) vol. iv, 1830, p. 99, pl. xiv, f. 23; (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, p. 109, pl. xiv, f. 28; (29) vol. ii, p. 121.

S. lævissima.

T. A. P. S., (12) vol. iii, 1829, pp. 413, 444, pl. xiii, f. 23; (15) vol. iv, 1830, pp. 68, 100; (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (21) vol. i, pp. 27, 58, 60, 78, 110, pl. xiii, f. 23; (29) vol. ii, p. 121.

S. magnifica.

T. A. P. S., (20) vol. v, 1832, p. 43, pl. v, f. 14; 1833, p. 75; (27) vol. vi, 1838, pp. 118, 137; Obs. Gen. Unio, (21) vol. i, pp. 155, 187, pl. v, f. 14; (29) vol. ii, pp. 118, 137.

S. ochracea.

T. A. P. S., (12) vol. iii, 1829, p. 455; (15) vol. iv, 1830, p. 99; (27) vol. vi, 1838, p. 126; Obs. Gen. Unio, (21) vol. i, pp. 69, 109; (29) vol. ii, p. 126.

S. pressus.

T. A. P. S., (79) vol. x, 1852, p. 257; Obs. Gen. Unio, (83) vol. v, p. 13.

S. tenuissima.

T. A. P. S., (12) vol. iii, 1829, pp. 414, 453, pl. xi, f. 21; (27) vol. vi, 1838, pp. 131, 133; J. A. N. S., (221) vol. v, 1863, p. 441; Obs. Gen. Unio, (21) vol. i, pp. 28, 67, pl. xi, f. 21; (29) vol. ii, pp. 131, 133; (222) vol. x, p. 77.

S. Woodiana.

T. A. P. S., (20) vol. v, 1832, p. 42, pl. v, f. 13; (27) vol. vi, 1838, p. 137; Obs. Gen. Unio, (21) vol. i, p. 154, pl. v, f. 13; (29) vol. ii, p. 137.

TELLINA.

P. A. N. S., (145) vol. x, 1858, p. 221; J. A. N. S., (220) vol. v, 1863, p. 383; Obs. Gen. Unio, (222) vol. x, p. 19.

T. Humboldtiana.

P. A. P. S., (33) vol. i, 1840, p. 227.

TELESCOPELLA.

J. A. N. S., (214) vol. v, 1862, p. 269; Obs. Gen. Unio, (215) vol. ix, p. 91.

Tellinites Humboldtiana.

T. A. P. S., (36) vol. vii, 1840, p. 260, pl. x, f. 14.

T. problematicus.

T. A. P. S., (36) vol. vii, 1840, p. 260.

TEREBRA.

(18) Con. Geol., 1833, p. 167.

T. costata.

(18) Con. Geol., 1833, p. 166, pl. v, f. 172.

T. gracilis.

(18) Con. Geol., 1833, p. 166, pl. v, f. 171.

T. venusta.

(18) Con. Geol., 1833, p. 167, pl. v, f. 173.

TEREBRATULA.

P. A. N. S., (145) vol. x, 1858, p. 218.

T. convexa.

T. A. P. S., (36) vol. vii, 1840, p. 259.

T. Cabaensis.

T. A. P. S., (36) vol. vii, 1840, p. 258.

T. Poeyana.

P. A. P. S., (33) vol. i, 1840, p. 227; T. A. P. S., (36) vol. vii, 1840, p. 260.

T. praelonga.

T. A. P. S., (36) vol. vii, 1840, p. 260.

T. Tayloriana.

P. A. P. S., (33) vol. i, 1840, p. 227; T. A. P. S., (36) vol. vii, 1840, p. 259, pl. x, f. 12.

Teredo antenautæ.

(18) Con. Geol., 1833, p. 38.

T. navalis.

(18) Con. Geol., 1833, p. 38.

T. simplex.

(18) Con. Geol., 1833, p. 38, pl. i, f. 6.

T. tibialis.

(18) Con. Geol., 1833, p. 38

Tetraplodon pectinatum.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

TEXULARIA.

(18) Con. Geol., 1833, p. 219.

Thecodontosaurus antiquus.

P. A. N. S., (138) vol. x, 1858, p. 92.

TORNATELLA.

(18) Con. Geol., 1833, p. 110.

T. inflata.

(18) Con. Geol., 1833, p. 19.

TRIGONIA.

T. A. P. S., (36) vol. vii, 1840, pp. 251, 252; P. A. N. S., (145) vol. x, 1858, p. 221.

T. aliformis.

T. A. P. S., (36) vol. vii, 1840, p. 256.

T. alaxformis.

T. A. P. S., (36) vol. vii, 1840, p. 253.

T. clavellata.

T. A. P. S., (36) vol. vii, 1840, p. 251.

T. dædalæ.

T. A. P. S., (36) vol. vii, 1840, p. 255.

T. Gibboniana.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, pp. 255, 256, pl. ix, f. 7.

T. Hondaana.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, p. 256, pl. ix, f. 9.

T. scabra.

T. A. P. S., (36) vol. vii, 1840, p. 255.

T. spinosa.

T. A. P. S., (36) vol. vii, 1840, p. 255.

Trigonia Tocaimaana.

P. A. P. S., (33) vol. i, 1840, p. 226; T. A. P. S., (36) vol. vii, 1840, pp. 253, 256, pl. ix, f. 8.

Triplodon rugosus.

T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

TRIQUETRA.

T. A. P. S., (27) vol. vi, 1836, p. 117; Obs. Gen. Unio, (29) vol. ii, p. 117.

T. avicularis.

J. A. N. S., (133) vol. iii, 1857, p. 320; Obs. Gen. Unio, (150) vol. vi, p. 40.

T. contorta.

P. A. N. S., (117) vol. viii, 1856, p. 301; (144) vol. x, 1858, p. 179; J. A. N. S., (133) vol. iii, 1857, pp. 319, 321, pl. xxxiii, f. 33; Obs. Gen. Unio, (150) vol. vi, pp. 39, 41, pl. xxxiii, f. 33.

T. lanceolata.

P. A. N. S., (108) vol. viii, 1856, p. 79; (117) vol. viii, 1856, p. 301; J. A. N. S., (133) vol. iii, 1851, p. 321; Obs. Gen. Unio, (150) vol. vi, p. 41.

T. subviridis.

J. A. N. S., (133) vol. iii, 1857, p. 320; Obs. Gen. Unio, (150) vol. vi, p. 40.

Trochus agglutinans.

T. A. P. S., (15) vol. iv, 1830, p. 105; Obs. Gen. Unio, (21) vol. i, p. 115.

T. conchyliophorus.

T. A. P. S., (15) vol. vi, 1830, p. 105; Obs. Gen. Unio, (21) vol. i, p. 115.

TRYPANOSTOMA.

J. A. N. S., (214) vol. v, 1862, pp. 217, 218, 268, 350; (243) vol. vi, 1866, pp. 151, 152; Obs. Gen. Unio, (215) vol. ix, pp. 39, 40, 90, 172; (244) vol. xi, pp. 107, 108; also Introduction.

T. affine.

J. A. N. S., (243) vol. vi, 1866, p. 145, pl. xxxiii, f. 57; Obs. Gen. Unio, (244) vol. xi, p. 101, pl. xxiii, f. 57.

T. Alabamense.

J. A. N. S., (214) vol. v, 1862, p. 288, pl. xxxvi, f. 113; (243) vol. vi, 1866, p. 147; Obs. Gen. Unio, (215) vol. ix, p. 110, pl. xxxvi, f. 113; (244) vol. xi, p. 103.

T. Anthonyi.

J. A. N. S., (214) vol. v, 1862, p. 293, pl. xxxvi, f. 123; (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (215) vol. ix, p. 115, pl. xxxvi, f. 123; (244) vol. xi, p. 102.

T. annulifera.

J. A. N. S., (214) vol. v, 1862, p. 292; Obs. Gen. Unio, (215) vol. ix, p. 114.

T. attenuatum.

J. A. N. S., (214) vol. v, 1862, pp. 274, 290, pl. xxxvi, f. 88; Obs. Gen. Unio, (215) vol. ix, pp. 96, 112; pl. xxxvi, f. 88.

T. bicostata.

J. A. N. S., (214) vol. v, 1862, p. 290; Obs. Gen. Unio, (215) vol. ix, p. 112.

T. bivittatum.

J. A. N. S., (214) vol. v, 1862, pp. 278, 279, 280, pl. xxxvi, f. 97; Obs. Gen. Unio, (215) vol. ix, pp. 100, 101, 102, pl. xxxvi, f. 97.

T. Brumbyi.

J. A. N. S., (214) vol. v, 1862, p. 287; Obs. Gen. Unio, (215) vol. ix, p. 109.

Trypanostoma canaliculata.

J. A. N. S., (214) vol. v, 1862, pp. 278, 284, 285, 291, 292, 294; Obs. Gen. Unio, (215) vol. ix, pp. 100, 106, 107, 113, 114, 116.

T. canaliculata.

J. A. N. S., (214), vol. v, 1862, p. 292, pl. xxxvi, f. 121; (243) vol. vi, 1866, p. 145; Obs. Gen. Unio, (215) vol. ix, p. 114, pl. xxxvi, f. 121; (244) vol. xi, p. 101.

T. carinatum.

J. A. N. S., (243) vol. vi, 1866, p. 148, pl. xxxiii, f. 62; Obs. Gen. Unio, (244) vol. xi, p. 104, pl. xxxiii, f. 62.

T. Carolinense.

J. A. N. S., (214) vol. v, 1862, p. 351, pl. xxxix, f. 221; Obs. Gen. Unio, (215) vol. ix, p. 173, pl. xxxix, f. 221.

T. castaneum.

J. A. N. S., (258) vol. vi, 1868, p. 338, pl. liv, f. 20; Obs. Gen. Unio, (259) vol. xii, p. 98, pl. liv, f. 20.

T. Chakasahænsis.

J. A. N. S., (214) vol. v, 1862, pp. 280, 352, pl. xxxvi, f. 99; Obs. Gen. Unio, (215) vol. ix, pp. 102, 174, pl. xxxvi, f. 99.

T. Christyi.

J. A. N. S., (214) vol. v, 1862, pp. 272, 274, pl. xxxvi, f. 83; (243) vol. vi, 1866, p. 144; Obs. Gen. Unio, (215) vol. ix, pp. 94, 96, pl. xxxvi, f. 83; (244) vol. xi, p. 100.

T. cinctum.

J. A. N. S., (243) vol. vi, 1866, p. 147, pl. xxiii, f. 60; Obs. Gen. Unio, (244) vol. xi, p. 103, pl. xxiii, f. 60.

T. Clarkii.

J. A. N. S., (214) vol. v, 1862, p. 285, pl. xxxvi, f. 108; Obs. Gen. Unio, (215) vol. ix, p. 107, pl. xxxvi, f. 108.

T. conica.

J. A. N. S., (243) vol. vi, 1866, p. 144; Obs. Gen. Unio, (244) vol. xi, p. 100.

T. corneum.

J. A. N. S., (243) vol. vi, 1866, p. 148, pl. xxiii, f. 63; Obs. Gen. Unio, (244) vol. xi, p. 104, pl. xxiii, f. 63.

T. Currierianum.

J. A. N. S., (243) vol. vi, 1866, p. 147, pl. xxiii, f. 61; Obs. Gen. Unio, (244) vol. xi, p. 103, pl. xxiii, f. 61.

T. curtatum.

J. A. N. S., (243) vol. vi, 1866, p. 143, pl. xxiii, f. 53; Obs. Gen. Unio, (244) vol. xi, p. 99, pl. xxiii, f. 53.

T. cylindraceum.

J. A. N. S., (243) vol. vi, 1866, pp. 142, 143, pl. xxiii, f. 51; Obs. Gen. Unio, (244) vol. xi, pp. 98, 99, pl. xxiii, f. 51.

T. dignum.

J. A. N. S., (214) vol. v, 1862, p. 350, pl. xxxix, f. 219; Obs. Gen. Unio, (215) vol. ix, p. 172, pl. xxxix, f. 219.

T. Æuz.

J. A. N. S., (244) vol. v, 1862, p. 283, pl. xxxvi, f. 105; Obs. Gen. Unio, (215) vol. ix, p. 105, pl. xxxvi, f. 105.

Trypanostoma elongata.

J. A. N. S., (214) vol. v, 1862, p. 287; (243) vol. vi, 1866, p. 148; Obs. Gen. Unio, (215) vol. ix, p. 109; (244) vol. xi, p. 104.

T. Estabrookii.

J. A. N. S., (214) vol. v, 1862, pp. 273, 275, pl. xxxvi, f. 86; Obs. Gen. Unio, (215) vol. ix, pp. 77, 95, pl. xxxvi, f. 86.

T. filum.

J. A. N. S., (214) vol. v, 1862, p. 284; Obs. Gen. Unio, (215) vol. ix, p. 106.

T. Florencense.

J. A. N. S., (214) vol. v, 1862, pp. 287, 288, pl. xxxvi, f. 112; Obs. Gen. Unio, (215) vol. ix, pp. 109, 110, pl. xxxvi, f. 112; also Errata.

T. Hartmanii.

J. A. N. S., (214) vol. v, 1862, pp. 270, 276, pl. xxxvi, f. 80; (243) vol. vi, 1866, pp. 142, 146; Obs. Gen. Unio, (215) vol. ix, pp. 92, 98, pl. xxxvi, f. 80; (244) vol. xi, pp. 98, 102.

T. Henryanum.

J. A. N. S., (214) vol. v, 1862, p. 381, pl. xxxix, f. 222; Obs. Gen. Unio, (215) vol. ix, p. 173, pl. xxxix, f. 222.

T. incurvum.

J. A. N. S., (214) vol. v, 1862, p. 286, pl. xxxvi, f. 109; Obs. Gen. Unio, (215) vol. ix, p. 108, pl. xxxvi, f. 109.

T. infrafasciata.

J. A. N. S., (214) vol. v, 1862, pp. 291, 292; Obs. Gen. Unio, (215) vol. ix, pp. 113, 114.

T. Jayi.

J. A. N. S., (214) vol. v, 1862, p. 270, pl. xxxvi, f. 81; Obs. Gen. Unio, (215) vol. ix, p. 92, pl. xxxvi, f. 81.

T. Knozense.

J. A. N. S., (214) vol. v, 1862, p. 281, pl. xxxvi, f. 101; Obs. Gen. Unio, (215) vol. ix, p. 103, pl. xxxvi, f. 101.

T. Knoxvillense.

J. A. N. S., (214) vol. v, 1862, p. 274, pl. xxxvi, f. 87; Obs. Gen. Unio, (215) vol. ix, p. 96, pl. xxxvi, f. 87.

T. labiatum.

J. A. N. S., (214) vol. v, 1862, pp. 272, 283, pl. xxxvi, f. 84; Obs. Gen. Unio, (215) vol. ix, pp. 94, 105, pl. xxxvi, f. 84.

T. lativittatum.

J. A. N. S., (214) vol. v, 1862, pp. 352, 353, pl. xxxix, f. 223; Obs. Gen. Unio, (215) vol. ix, pp. 174, 175, pl. xxxix, f. 223.

T. Lesleyi.

J. A. N. S., (243) vol. vi, 1866, p. 146, pl. xxiii, f. 59; Obs. Gen. Unio, (244) vol. xi, p. 102, pl. xxiii, f. 59.

T. Lewisii.

J. A. N. S., (214) vol. v, 1862, p. 292, pl. xxxvi, f. 120; Obs. Gen. Unio, (215) vol. ix, p. 114, pl. xxxvi, f. 120.

T. ligatum.

J. A. N. S., (214) vol. v, 1862, p. 288, pl. xxxvi, f. 114; Obs. Gen. Unio, (215) vol. ix, p. 110, pl. xxxvi, f. 114.

Trypanostoma luteum.

J. A. N. S., (214) vol. v, 1862, p. 350, pl. xxxix, f. 220; Obs. Gen. Unio, (215) vol. ix, p. 172, pl. xxxix, f. 220.

T. Lyonii.

J. A. N. S., (243) vol. vi, 1866, p. 144, pl. xxiii, f. 55; Obs. Gen. Unio, (244) vol. xi, p. 100, pl. xxiii, f. 55.

T. minor.

J. A. N. S., (214) vol. v, 1862, p. 278, pl. xxxvi, f. 95; (243) vol. vi, 1866, p. 143; Obs. Gen. Unio, (215) vol. ix, p. 100, pl. xxxvi, f. 95; (244) vol. xi, p. 99.

T. modestum.

J. A. N. S., (214) vol. v, 1862, p. 276, pl. xxxvi, f. 92; (243) vol. vi, 1866, p. 144; Obs. Gen. Unio, (215) vol. ix, p. 98, pl. xxxvi, f. 92; (244) vol. xi, p. 100.

T. moniliferum.

J. A. N. S., (214) vol. v, 1862, p. 295, pl. xxxvi, f. 125; (243) vol. vi, 1866, p. 145; Obs. Gen. Unio, (215) vol. ix, p. 117, pl. xxxvi, f. 125; (244) vol. xi, f. 101.

T. moriforme.

J. A. N. S., (214) vol. v, 1862, pp. 284, 289, 290, pl. xxxvi, f. 118; (243) vol. vi, 1866, p. 142; Obs. Gen. Unio, (215) vol. ix, pp. 106, 111, 112, pl. xxxvi, f. 118; (244) vol. xi, p. 98.

T. mucronatum.

J. A. N. S., (214) vol. v, 1862, p. 277, pl. xxxvi, f. 93; (243) vol. vi, 1866, p. 152; Obs. Gen. Unio, (215) vol. ix, p. 99, pl. xxxvi, f. 93; (244) vol. xi, p. 108.

T. napoideum.

J. A. N. S., (243) vol. vi, 1866, p. 143, pl. xxiii, f. 54; Obs. Gen. Unio, (244) vol. xi, p. 99, pl. xxiii, f. 54.

T. Niagarensis.

J. A. N. S., (214) vol. v, 1862, p. 276; Obs. Gen. Unio, (215) vol. ix, p. 98.

T. nuciforme.

J. A. N. S., (258) vol. vi, 1868, p. 337, pl. liv, f. 19; Obs. Gen. Unio, (259) vol. xii, p. 97, pl. liv, f. 19.

T. Ocoënsis.

J. A. N. S., (214) vol. v, 1862, p. 290; Obs. Gen. Unio, (215) vol. ix, p. 112.

T. olivaceum.

J. A. N. S., (214) vol. v, 1862, p. 290, pl. xxxvi, f. 117; Obs. Gen. Unio, (215) vol. ix, p. 112, pl. xxxvi, f. 117.

T. Ordii.

J. A. N. S., (214) vol. v, 1862, p. 293; Obs. Gen. Unio, (215) vol. ix, p. 115.

T. pallidum.

J. A. N. S., (214) vol. v, 1862, p. 275, pl. xxxvi, f. 90; Obs. Gen. Unio, (215) vol. ix, p. 97, pl. xxxvi, f. 90.

T. parvum.

J. A. N. S., (214) vol. v, 1862, pp. 276, 280, pl. xxxvi, f. 91; (243) vol. vi, 1866, p. 142; Obs. Gen. Unio, (215) vol. ix, pp. 98, 102, pl. xxxvi, f. 91; (244) vol. xi, p. 98.

T. Postellii.

J. A. N. S., (214) vol. v, 1862, p. 286, pl. xxxvi, f. 110; Obs. Gen. Unio, (215) vol. ix, p. 108, pl. xxxvi, f. 110.

Trypanostoma pumilum.

J. A. N. S., (214) vol. v, 1862, p. 279, pl. xxxvi, f. 96; (243) vol. vi, 1866, p. 143; Obs. Gen. Unio, (215) vol. ix, p. 101, pl. xxxvi, f. 96; (244) vol. xi, p. 99.

T. Pybasii.

J. A. N. S., (214) vol. v, 1862, p. 289, pl. xxxvi, f. 115; Obs. Gen. Unio, (215) vol. ix, p. 111, pl. xxxvi, f. 115.

T. regularis.

J. A. N. S., (214) vol. v, 1862, p. 272; Obs. Gen. Unio, (215) vol. ix, p. 94.

T. Roanense.

J. A. N. S., (243) vol. vi, 1866, p. 142, pl. xxiii, f. 52; Obs. Gen. Unio, (244) vol. xi, p. 98, pl. xxiii, f. 52.

T. rostellatum.

J. A. N. S., (214) vol. v, 1862, p. 353, pl. xxxix, f. 225; Obs. Gen. Unio, (215) vol. ix, p. 175, pl. xxxix, f. 225.

T. Sayi.

J. A. N. S., (214) vol. v, 1862, p. 276; Obs. Gen. Unio, (215) vol. ix, p. 98.

T. Showalterii.

J. A. N. S., (214) vol. v, 1862, p. 293, pl. xxxvi, f. 122; Obs. Gen. Unio, (215) vol. ix, p. 115, pl. xxxvi, f. 122.

T. simplex.

J. A. N. S., (214) vol. v, 1862, pp. 277, 351, pl. xxxvi, f. 94; Obs. Gen. Unio, (215) vol. ix, pp. 99, 173, pl. xxxvi, f. 94.

T. Spüllmanii.

J. A. N. S., (214) vol. v, 1862, pp. 271, 285, pl. xxxvi, f. 82; Obs. Gen. Unio, (215) vol. ix, pp. 93, 107, pl. xxxvi, f. 82.

T. striatum.

J. A. N. S., (214) vol. v, 1862, p. 294, pl. xxxvi, f. 124; Obs. Gen. Unio, (214) vol. v, 1862, p. 294, pl. xxxvi, f. 124.

T. strictum.

J. A. N. S., (214) vol. v, 1862, p. 352, pl. xxxix, f. 224; Obs. Gen. Unio, (215) vol. ix, p. 174, pl. xxxix, f. 224.

T. subrobustum.

J. A. N. S., (243) vol. vi, 1866, p. 141, pl. xxiii, f. 50; Obs. Gen. Unio, (244) vol. xi, p. 97, pl. xxiii, f. 50.

T. subuliforme.

J. A. N. S., (214) vol. v, 1862, p. 289, pl. xxxvi, f. 116; Obs. Gen. Unio, (215) vol. ix, p. 111, pl. xxxvi, f. 116.

T. subularis.

J. A. N. S., (214) vol. v, 1862, p. 276; Obs. Gen. Unio, (215) vol. ix, p. 98.

T. Sycamorensis.

J. A. N. S., (214) vol. v, 1862, p. 283, pl. xxxvi, f. 104; Obs. Gen. Unio, (215) vol. ix, p. 105, pl. xxxvi, f. 104.

T. Tennesseeense.

J. A. N. S., (214) vol. v, 1862, p. 281, pl. xxxvi, f. 100; Obs. Gen. Unio, (215) vol. ix, p. 103, pl. xxxvi, f. 100.

T. Thorntonii.

J. A. N. S., (214) vol. v, 1862, pp. 284, 286, pl. xxxvi, f. 106; (243) vol. vi, 1866, p. 145; Obs. Gen. Unio, (215) vol. ix, pp. 106, 108, pl. xxxvi, f. 106; (244) vol. xi, p. 101.

Trypanostoma terebralis.

J. A. N. S., (258) vol. vi, 1868, p. 339, pl. liv, f. 22; Obs. Gen. Unio, (259) vol. xii, p. 99, pl. liv, f. 22.

T. uncialis.

J. A. N. S., (214) vol. v, 1862, p. 352; Obs. Gen. Unio, (215) vol. ix, p. 174.

T. undulata.

J. A. N. S., (214) vol. v, 1862, pp. 284, 295; (243) vol. vi, 1866, p. 146; Obs. Gen. Unio, (215) vol. ix, pp. 106, 117; (244) vol. xi, p. 102.

T. univittatum.

J. A. N. S., (243) vol. vi, 1866, p. 145, pl. xxiii, f. 58; Obs. Gen. Unio, (244) vol. xi, p. 101, pl. xxiii, f. 58.

T. Vanuzemii.

J. A. N. S., (214) vol. v, 1862, pp. 280, 282, 351, pl. xxxvi, f. 98; Obs. Gen. Unio, (215) vol. ix, pp. 102, 104, 173, pl. xxxvi, f. 98.

T. tortum.

J. A. N. S., (214) vol. v, 1862, p. 275, pl. xxxvi, f. 89; Obs. Gen. Unio, (215) vol. ix, p. 97, pl. xxxvi, f. 89.

T. trivittatum.

J. A. N. S., (214) vol. v, 1862, p. 282, pl. xxxvi, f. 102; Obs. Gen. Unio, (215) vol. ix, p. 104, pl. xxxvi, f. 102.

T. trochulus.

J. A. N. S., (214) vol. v, 1862, p. 282, pl. xxxvi, f. 103; Obs. Gen. Unio, (215) vol. ix, p. 104, pl. xxxvi, f. 103.

T. Troostii.

J. A. N. S., (214) vol. v, 1862, p. 285, pl. xxxvi, f. 107; Obs. Gen. Unio, (215) vol. ix, p. 107, pl. xxxvi, f. 107.

T. Tuomeyi.

J. A. N. S., (214) vol. v, 1862, p. 287, pl. xxxvi, f. 111; Obs. Gen. Unio, (215) vol. ix, p. 109, pl. xxxvi, f. 111.

T. venusta.

J. A. N. S., (243) vol. vi, 1866, pp. 149, 151, pl. xxiii, f. 66; Obs. Gen. Unio, (244) vol. xi, pp. 105, 107, pl. xxiii, f. 66.

T. viride.

J. A. N. S., (214) vol. v, 1862, p. 291, pl. xxxvi, f. 119; Obs. Gen. Unio, vol. ix, p. 113, pl. xxxvi, f. 119.

T. Wheatleyi.

J. A. N. S., (258) vol. vi, 1868, p. 338, pl. liv, f. 21; Obs. Gen. Unio, (259) vol. xii, p. 98, pl. liv, f. 21.

T. Whitei.

J. A. N. S., (214) vol. v, 1862, pp. 273, 353, pl. xxxvi, f. 85; Obs. Gen. Unio, (215) vol. ix, pp. 95, 175, pl. xxxvi, f. 85.

TUBA.

(18) Con. Geol., 1833, p. 127.

T. alternata.

(18) Con. Geol., 1833, p. 127, pl. iv, f. 118.

T. striata.

(18) Con. Geol., 1833, p. 128.

T. sulcata.

(18) Con. Geol., 1833, p. 128, pl. iv, f. 119.

Turbinella pyrroides.

(18) Con. Geol., 1833, p. 176.

TURBINOLIA.

(18) Con. Geol., 1833, p. 197.

- Turbinolia crispa.*
(18) Con. Geol., 1833, pp. 194, 195, 197.
- T. Goldfussii.*
(18) Con. Geol., 1833, pp. 194, 195, 197, pl. vi, f. 208.
- T. Maclurii.*
(18) Con. Geol., 1833, pp. 193, 194, pl. vi, f. 206.
- T. nana.*
(18) Con. Geol., 1833, p. 195, pl. vi, f. 209.
- T. pharetra.*
(18) Con. Geol., 1833, pp. 194, 195, 197, pl. vi, f. 210.
- T. Stokesii.*
(18) Con. Geol., 1833, pp. 194, 195, 197, pl. vi, f. 207.
- T. sulcata.*
(18) Con. Geol., 1833, pp. 196, 197.
- TURBO.**
(18) Con. Gen., 1833, pp. 122, 126, 127.
- T. arenosus.*
(18) Con. Geol., 1833, p. 122.
- T. canaliculatum.*
(18) Con. Geol., 1833, p. 120.
- T. lineata.*
(18) Con. Geol., 1833, p. 126, pl. iv, f. 116.
- T. naticoides.*
(18) Con. Geol., 1833, p. 125, pl. iv, f. 114.
- T. nitens.*
(18) Con. Geol., 1833, p. 125, pl. iv, f. 115.
- T. sculptus.*
(18) Con. Geol., 1833, pp. 127, 128.
- TURRITELLA.**
(18) Con. Geol., 1833, p. 130; P. A. N. S., (145) vol. x, 1858, p. 221.
- T. carinata.*
(18) Con. Geol., 1833, p. 129, pl. iv, f. 120.
- T. lineata.*
(18) Con. Geol., 1833, pp. 130, 131, pl. iv, f. 121.
- T. Mortoni.*
(18) Con. Geol., 1833, p. 19.
- T. strangulata.*
(18) Con. Geol., 1833, p. 130.
- UNIO.**
T. A. P. S., (9) vol. iii, 1827, pp. 260, 265; (12) vol. iii, 1829, pp. 406-425, 442, 443; (15) vol. iv, 1830, pp. 68, 93; (27) vol. vi, 1836, p. 57, 1838, pp. 113, 115, 117, 118, 121, 142, 145; (43) vol. viii, 1841, p. 230; J. A. N. S., (133) vol. iii, 1857, pp. 317, 318; (147) vol. iv, 1858, pp. 44, 46; (168) vol. iv, 1859, p. 240; (221) vol. v, 1863, p. 421; Obs. Gen. Unio, (21) vol. i, pp. 2-7, 20-39, 56, 57, 78; (29) vol. ii, pp. 58, 113, 115, 117, 118, 121, 142, 145; (43) vol. iii, p. 68; (150) vol. vi, pp. 37, 38, 44, 46; (170) vol. vii, p. 58; also Introduction; (205) vol. viii, Introduction; (222) vol. x, p. 57; (244) vol. xi, Introduction; P. Z. S., London, (60) vol. xviii, 1850, p. 197; P. A. N. S., (115) vol. viii, 1856, p. 213; (118) vol. ix, 1857, pp. 17, 18.
- U. Abbevillensis.*
P. A. N. S., (121) vol. ix, 1857, p. 84; J. A. N. S., (148) vol. iv, 1858, p. 51, pl. vi, f. 34; (221) vol. v, 1863, p. 445; Obs. Gen. Unio, (150) vol. vi, p. 51, pl. vi, f. 34; (222) vol. x, p. 81.
- U. abductus.*
T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.
- Unio abruptus.*
T. A. P. S., (20) vol. v, 1833, p. 25; (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (21) vol. i, p. 137; (29) vol. ii, p. 127.
- U. acuens.*
J. A. N. S., (273) vol. viii, 1874, p. 27, pl. viii, f. 24; Obs. Gen. Unio, (275) vol. xiii, p. 35, pl. viii, f. 24.
- U. acutirostris.*
J. A. N. S., (257) vol. vi, 1868, p. 270, pl. xxxv, f. 84; Obs. Gen. Unio, (259) vol. xii, p. 30, pl. xxxv, f. 84.
- U. acutissimus.*
T. A. P. S., (15) vol. iv, 1830, p. 89, pl. x, f. 18; (27) vol. vi, 1838, pp. 122, 134, 145, 151; J. A. N. S., (133) vol. iii, 1857, p. 297; (148) vol. iv, 1858, p. 71; (159) vol. iv, 1859, p. 204; (221) vol. v, 1863, p. 411; (242) vol. vi, 1866, p. 46; Obs. Gen. Unio, (21) vol. i, p. 99, pl. x, f. 18; (29) vol. ii, pp. 122, 145; (150) vol. vi, pp. 17, 71; (170) vol. vii, p. 22; (222) vol. x, p. 47; (244) vol. xi, p. 50; P. A. N. S., (115) vol. viii, 1856, p. 214.
- U. acutus.*
T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.
- U. aduncus.*
T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.
- U. æquatus.*
P. A. N. S., (129) vol. ix, 1857, p. 170; J. A. N. S., (148) vol. iv, 1858, pp. 88, 89, pl. xix, f. 69; Obs. Gen. Unio, (150) vol. vi, pp. 88, 89, pl. xix, f. 69.
- U. Æsopus.*
T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 412, 413, 429; (15) vol. iv, 1830, p. 90; (27) vol. vi, 1836, p. 55; 1838, pp. 124, 145; (43) vol. viii, 1841, p. 231; (55) vol. x, 1845, p. 77; J. A. N. S., (221) vol. v, 1863, pp. 416, 417, 428, 432; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 26, 27, 34, 100; (27) vol. ii, pp. 55, 124, 145; (44) vol. iii, p. 69; (56) vol. iv, p. 77; (222) vol. x, pp. 52, 53, 64, 68.
- U. Æthiops.*
P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, p. 377, pl. xli, f. 285; Obs. Gen. Unio, (222) vol. x, p. 13, pl. xli, f. 285.
- U. aferulus.*
J. A. N. S., (242) vol. vi, 1866, p. 34, pl. xiii, f. 34; Obs. Gen. Unio, (244) vol. xi, p. 38, pl. xiii, f. 34.
- U. affinis.*
P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 271, pl. xix, f. 26; Obs. Gen. Unio, (83) vol. v, p. 27, pl. xix, f. 26; (170) vol. vii, p. 76; J. A. N. S., (168) vol. iv, 1859, p. 258.
- U. Africanus.*
P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, p. 300, pl. xxvii, f. 115; (242) vol. vi, 1866, p. 60; Obs. Gen. Unio, (150) vol. vi, p. 20, pl. xxvii, f. 15; (244) vol. xi, p. 64.
- U. aheneus.*
T. A. P. S., (54) vol. ix, 1843, p. 280, pl. xli, f. 9; Obs. Gen. Unio, (56) vol. iv, p. 280, pl. xli, f. 9.

- Unio alasmodonta*.
T. A. P. S., (12) vol. iii, 1829, p. 451; Obs. Gen. Unio, (21) vol. i, p. 65.
- U. alatus*.
P. A. P. S., (66) vol. v, 1851, p. 192; T. A. P. S., (12) vol. iii, 1829, pp. 407, 417, 424, 442, 448; (15) vol. iv, 1831, p. 106; (27) vol. vi, 1836, pp. 56, 74; 1838, pp. 118, 121, 146; (43) vol. viii, 1841, p. 231; J. A. N. S., (133) vol. iii, 1857, pp. 295, 314; (147) vol. iv, 1858, pp. 45, 48, pl. v, f. 25; (213) vol. v, 1862, p. 195; (221) vol. v, 1863, pp. 403, 425, 434, 436; Obs. Gen. Unio, (21) vol. i, pp. 21, 31, 38, 57, 62, 116; (29) vol. ii, pp. 56, 74, 118; (44) vol. iii, p. 69; (150) vol. vi, pp. 15, 34, 45, 48, pl. v, f. 25; (215) vol. ix, p. 17; (222) vol. x, pp. 39, 61, 70, 72; P. A. N. S., (135) vol. x, 1858, p. 13.
- U. altitlis*.
T. A. P. S., (27) vol. vi, 1838, pp. 127, 146; Obs. Gen. Unio, (29) vol. ii, pp. 127, 146.
- U. amabilis*.
P. A. N. S., (235) vol. xvii, 1865, p. 89; J. A. N. S., (257) vol. vi, 1868, p. 257, pl. xxxi, f. 72; Obs. Gen. Unio, (259) vol. xii, p. 17, pl. xxxi, f. 72.
- U. amoenus*.
P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 200; Obs. Gen. Unio, (44) vol. iii, p. 38, pl. x, f. 12.
- U. ambiguus*.
T. A. P. S., (27) vol. vi, 1838, pp. 122, 148; Obs. Gen. Unio, (29) vol. ii, pp. 122, 148.
- U. amnicus*.
T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.
- U. amplus*.
J. A. N. S., (273) vol. viii, 1874, p. 39, pl. xiii, f. 36; Obs. Gen. Unio, (275) vol. xiii, p. 43, pl. xiii, f. 36.
- U. ampullaceus*.
J. A. N. S., (257) vol. vi, 1868, p. 269, pl. xxxv, f. 83; Obs. Gen. Unio, (259) vol. xii, p. 29, pl. xxxv, f. 83.
- U. anygdalum*.
T. A. P. S., (54) vol. ix, 1843, pp. 275, 279, pl. xxxix, f. 1; (79) vol. x, 1852, p. 284; Obs. Gen. Unio, (56) vol. iv, pp. 275, 279, pl. xxxix, f. 1; (83) vol. v, p. 40; (205) vol. viii, p. 53; J. A. N. S., (189) vol. iv, 1860, p. 371.
- U. anas*.
T. A. P. S., (12) vol. iii, 1829, p. 424; Obs. Gen. Unio, (21) vol. i, p. 38.
- U. anaticulus*.
P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, p. 92, pl. xiii, f. 240; Obs. Gen. Unio, (205) vol. viii, p. 96, pl. xiii, f. 240.
- U. Andersonensis*.
J. A. N. S., (273) vol. viii, 1874, p. 36, pl. xii, f. 33; Obs. Gen. Unio, (275) vol. xiii, p. 40, pl. xii, f. 33.
- U. angulatus*.
T. A. P. S., (27) vol. vi, 1838, pp. 121, 148; Obs. Gen. Unio, (29) vol. ii, pp. 121, 148.
- Unio angustata*.
T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, pp. 130, 148; (43) vol. viii, 1840, p. 198; Obs. Gen. Unio, (21) vol. i, pp. 39, 203; (29) vol. ii, pp. 130, 148; (44) vol. iii, p. 36.
- U. angustatus*.
T. A. P. S., (15) vol. iv, 1831, p. 114, pl. xvii, f. 43; (27) vol. vi, 1838, pp. 131, 146; (148) vol. iv, 1858, pp. 68, 95; (189) vol. iv, 1860, p. 335; (221) vol. v, 1863, p. 405; Obs. Gen. Unio, (21) vol. i, p. 124, pl. xvii, f. 43; (29) vol. ii, pp. 131, 146; (150) vol. vi, p. 68, 83, 95; (205) vol. viii, p. 17; (222) vol. x, p. 41; J. A. N. S., (148) vol. iv, 1858, pp. 68, 83, 95; (189) vol. iv, 1860, p. 335; (221) vol. v, 1863, p. 405.
- U. anodontina*.
T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (21) vol. i, pp. 39, 204; (29) vol. ii, p. 132.
- U. anodontoides*.
T. A. P. S., (15) vol. iv, 1830, pp. 81, 89, pl. viii, f. 11; (27) vol. vi, 1838, pp. 132, 146; (79) vol. x, 1852, p. 274; J. A. N. S., (147) vol. iv, 1858, p. 46, pl. v, f. 2; (221) vol. v, 1863, pp. 406, 407, 414; (242) vol. vi, new ser., 1866, p. 51; Obs. Gen. Unio, (21) vol. i, p. 91, pl. viii, ff. 11, 89; (29) vol. v, pp. 132, 146; (83) vol. v, p. 30; (150) vol. vi, p. 46, pl. v, f. 2; (222) vol. x, pp. 42, 43, 50; (244) vol. xi, p. 55; P. A. N. S., (135) vol. x, 1858, p. 13.
- U. Anthonyi*.
P. A. N. S., (192) vol. xiii, 1861, p. 41; J. A. N. S., (213) vol. v, 1862, p. 197, pl. xxvii, f. 266; Obs. Gen. Unio, (215) vol. ix, p. 19, pl. xxvii, f. 266.
- U. antiquus*.
T. A. P. S., (27) vol. vi, 1838, pp. 131, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.
- U. apicinus*.
P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (148) vol. iv, 1858, p. 76, pl. xiv, f. 56; Obs. Gen. Unio, (150) vol. vi, p. 76, pl. xiv, f. 56.
- U. apiculatus*.
J. A. N. S., (213) vol. v, 1862, p. 208; (242) vol. vi, 1866, p. 34; T. A. P. S., (27) vol. vi, 1838, pp. 123, 146; Obs. Gen. Unio, (29) vol. ii, pp. 123, 146; (215) vol. ix, p. 30; (244) vol. xi, p. 38.
- U. appressus*.
J. A. N. S., (273) vol. viii, 1874, p. 12, pl. iii, f. 8; Obs. Gen. Unio, (275) vol. xiii, p. 16, pl. iii, f. 8.
- U. apprimus*.
J. A. N. S., (257) vol. vi, 1868, p. 263, pl. xxx, f. 78; Obs. Gen. Unio, (56) vol. iv, p. 74, pl. v, f. 13; (259) vol. xii, p. 23, pl. xxx, f. 78; T. A. P. S., (55) vol. x, 1845, p. 74, pl. v, f. 13.
- U. aquilus*.
P. A. N. S., (129) vol. ix, 1857, p. 172; J. A. N. S., (148) vol. iv, 1858, p. 92, pl. xx, f. 72; Obs. Gen. Unio, (150) vol. vi, p. 92, pl. xx, f. 72.

Unio aratus.

T. A. P. S., (54) vol. ix, 1843, p. 282, pl. xlii, f. 12; J. A. N. S., (133) vol. iii, 1857, p. 313; (168) vol. iv, 1859, pp. 250, 253, 265; Obs. Gen. Unio, (56) vol. iv, p. 282, pl. xlii, f. 12; (150) vol. vi, p. 33; (170) vol. vii, pp. 68, 71, 83.

U. arcaiformis.

T. A. P. S., (15) vol. iv, 1831, p. 116, pl. xvii, f. 44; (20) vol. v, 1832, pp. 35, 86; (27) vol. vi, 1836, p. 50; 1838, pp. 124, 146; (242) vol. xi, 1866, p. 41; Obs. Gen. Unio, (21) vol. i, pp. 126, 147, 198, pl. xvii, f. 41; (29) vol. ii, pp. 50, 124, 146; (244) vol. xi, p. 45.

U. aretatus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 146; Obs. Gen. Unio, (29) vol. ii, pp. 133, 146.

U. arcticus.

T. A. P. S., (27) vol. vi, 1834, p. 10, pl. iv, f. 10; 1838, pp. 133, 146; (79) vol. x, 1852, p. 273; J. A. N. S., (148) vol. iv, 1858, p. 54; Obs. Gen. Unio, (29) vol. ii, pp. 10, 133, 146, pl. iv, f. 10; (83) vol. vi, p. 29; (150) vol. vi, p. 54.

U. arcus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 146; Obs. Gen. Unio, (29) vol. ii, pp. 133, 146.

U. argenteus.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (43) vol. viii, 1841, p. 242, pl. xxv, f. 57; J. A. N. S., (148) vol. iv, 1858, p. 69; (189) vol. iv, 1860, p. 349; Obs. Gen. Unio, (44) vol. iii, p. 80, pl. xxv, f. 57; (150) vol. vi, p. 69; (205) vol. viii, p. 31.

U. argyratus.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Arkansasensis.

J. A. N. S., (213) vol. v, 1862, p. 206, pl. xxx, f. 275; Obs. Gen. Unio, (215) vol. ix, p. 28, pl. xxx, f. 275.

U. asper.

T. A. P. S., (15) vol. iv, 1830, p. 85, pl. ix, f. 15; (27) vol. vi, 1838, pp. 123, 146; J. A. N. S., (221) vol. v, 1863, p. 437; Obs. Gen. Unio, (29) vol. ii, pp. 123, 146; (222) vol. x, p. 73.

U. asperatus.

P. A. N. S., (192) vol. xiii, 1861, p. 41; J. A. N. S., (203) vol. v, 1861, p. 68, pl. vii, f. 218; Obs. Gen. Unio, (205) vol. viii, p. 72, pl. vii, f. 218.

U. asperulus.

J. A. N. S., (237) vol. vi, 1868, p. 280, pl. xxxviii, f. 94; Obs. Gen. Unio, (259) vol. xii, p. 40, pl. xxxviii, f. 94.

U. asperrimus.

T. A. P. S., (15) vol. iv, 1830, p. 71, pl. v, f. 3; (20) vol. v, 1832, p. 38; (27) vol. vi, 1836, p. 56; 1838, pp. 119, 123, 146; (43) vol. viii, 1841, p. 231; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; J. A. N. S., (189) vol. iv, 1860, p. 372; Obs. Gen. Unio, (15) vol. i, pp. 81, 150, pl. v, f. 3; (29) vol. ii, pp. 56, 119, 123, 146; (44) vol. iii, p. 69; (205) viii, p. 54.

Unio ater.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 420, 426; pl. vii, f. 9; (20) vol. v, 1833, p. 87; (27) vol. vi, 1836, p. 43; 1838, pp. 128, 133; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 34, 40, 199, pl. vii, f. 9; (29) vol. ii, pp. 49, 128, 133.

Unio atratus.

T. A. P. S., (27) vol. vi, 1838, pp. 130, 148; J. A. N. S., (220) vol. v, 1863, p. 390; Obs. Gen. Unio, (29) vol. ii, pp. 130, 148; (222) vol. x, p. 26.

U. atrocostatus.

T. A. P. S., (55) vol. x, 1845, p. 70, pl. ii, f. 5; J. A. N. S., (148) vol. iv, 1858, p. 55; (221) vol. v, 1863, p. 437; Obs. Gen. Unio, (56) vol. iv, p. 70, pl. ii, f. 5; (150) vol. vi, p. 55; (222) vol. x, p. 73.

U. atromarginatus.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 207, pl. xiii, f. 21; Obs. Gen. Unio, (44) vol. iii, p. 45, pl. xiii, f. 21.

U. antrosa.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. atroviolacea.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. attenuatus.

T. A. P. S., (27) vol. vi, 1838, p. 144; J. A. N. S., (273) vol. viii, 1874, p. 41, pl. xiv, f. 38; Obs. Gen. Unio, (29) vol. ii, p. 144; (275) vol. xiii, p. 45, pl. xiv, f. 38.

U. auratus.

T. A. P. S., (27) vol. vi, 1838, pp. 130, 140, 444; Obs. Gen. Unio, (29) vol. ii, pp. 130, 140, 144.

U. aureus.

P. A. N. S., (151) vol. xi, 1859, p. 112; J. A. N. S., (213) vol. v, 1862, p. 195, pl. xxvi, f. 264; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (215) vol. ix, p. 17, pl. xxvi, f. 264; (244) vol. xi, p. 31.

U. auricularis.

T. A. P. S., (27) vol. vi, 1838, p. 134; Obs. Gen. Unio, (29) vol. ii, p. 134.

U. Australis.

T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, pp. 127, 148; Obs. Gen. Unio, (21) vol. i, pp. 39, 204; (29) vol. ii, pp. 127, 148.

U. Averyi.

J. A. N. S., (168) vol. iv, 1859, p. 269, pl. xlv, f. 149; Obs. Gen. Unio, (170) vol. vii, p. 87; pl. xlv, f. 149.

U. Bairdianus.

P. A. N. S., (125) vol. ix, 1857, p. 102; J. A. N. S., (189) vol. iv, 1860, pp. 360, 361, pl. lxi, f. 186; Obs. Gen. Unio, (205) vol. viii, pp. 42, 43, pl. lxi, f. 186.

U. Baldwinensis.

P. A. N. S., (156) vol. xi, 1859, p. 170; J. A. N. S., (205) vol. viii, p. 12, pl. li, f. 155.

U. Barnesianus.

T. A. P. S., (27) vol. vi, 1836, p. 31, pl. x, f. 26; 1838, pp. 125, 146; (43) vol. viii, 1840, p. 194; J. A. N. S., (203) vol. v, 1861, pp. 82, 83; Obs. Gen. Unio, (29) vol. ii, pp. 31, 125, 146, pl. x, f. 26; (44) vol. iii, p. 32; (205) vol. viii, pp. 86, 87.

U. Barrattianus.

T. A. P. S., (79) vol. x, 1852, p. 278; Obs. Gen. Unio, (83) vol. v, p. 34.

Unio Barrattii.

T. A. P. S., (79) vol. x, 1852, p. 256, pl. xiii, f. 5; P. A. P. S., (93) vol. v, 1852, p. 251; J. A. N. S., (148) vol. iv, 1858, p. 58; (221) vol. v, 1863, p. 408; Obs. Gen. Unio, (83) vol. v, p. 12, pl. xiii, f. 5; (150) vol. vi, p. 58; (222) vol. x, p. 44.

U. basalis.

J. A. N. S., (273) vol. viii, 1874, p. 48, pl. xvi, f. 46; Obs. Gen. Unio, (275) vol. xiii, p. 32, pl. xvi, f. 46.

U. Batava.

T. A. P. S., (12) vol. iii, 1829, p. 424; (20) vol. v, 1833, pp. 88, 90; (27) vol. vi, 1838, pp. 128, 145; (54) vol. ix, 1843, p. 276; J. A. N. S., (133) vol. iii, 1857, p. 301; (242) vol. vi, 1866, pp. 53, 54, 57; Obs. Gen. Unio, (21) vol. i, pp. 38, 200, 202; (29) vol. ii, pp. 128, 145; (56) vol. iv, p. 276; (150) vol. vi, p. 21; (244) vol. xi, pp. 57, 58, 61.

U. Beadleanus.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 94, pl. xiv, f. 242; Obs. Gen. Unio, (205) vol. viii, p. 98, pl. xiv, f. 242.

U. Bealei.

J. A. N. S., (213) vol. v, 1866, p. 204, pl. xxx, f. 273; Obs. Gen. Unio, (215) vol. ix, p. 26, pl. xxx, f. 273.

U. Beaverensis.

J. A. N. S., (257) vol. vi, 1868, p. 297, pl. xliv, f. 109; Obs. Gen. Unio, (259) vol. xii, p. 57, pl. xliv, f. 109.

U. bellulus.

J. A. N. S., (273) vol. viii, 1874, p. 50, pl. xvii, f. 48; Obs. Gen. Unio, (275) vol. xiii, p. 54, pl. xvii, f. 48.

U. Benedictii.

J. A. N. S., (242) vol. vi, 1866, p. 26; Obs. Gen. Unio, (244) vol. xi, p. 30.

U. Bengalensis.

T. A. P. S., (27) vol. vi, 1834, p. 3, pl. ii, f. 3, 1838, pp. 128, 145; P. Z. S. London, (60) vol. xviii, 1856, p. 198; J. A. N. S., (168) vol. iv, 1859, p. 240; Obs. Gen. Unio, (29) vol. ii, pp. 3, 128, 145, pl. ii, f. 3; (170) vol. vii, p. 58.

U. Berlandierii.

P. A. N. S., (125) vol. ix, 1857, p. 101; J. A. N. S., (189) vol. iv, 1860, pp. 361, 369, pl. lxxv, f. 194; Obs. Gen. Unio, (205) vol. viii, pp. 43, 51, pl. lxxv, f. 194.

U. bialata.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

U. biangularis.

P. A. P. S., (35) vol. i, 1840, p. 288.

U. biangulatus.

T. A. P. S., (43) vol. viii, 1840, p. 197, pl. ix, f. 8; Obs. Gen. Unio, (44) vol. iii, p. 35, pl. ix, f. 35.

U. bicolor.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. biemarginatus.

P. A. N. S., (120) vol. ix, 1851, p. 83; J. A. N. S., (189) vol. iv, 1860, p. 372; (203) vol. v, 1861, p. 63; (242) vol. vi, 1866, p. 47, pl. xvi, f. 45; Obs. Gen. Unio, (205) vol. viii, pp. 54, 67; (244) vol. xi, p. 51, pl. xvi, f. 45.

Unio brevisalis.

T. A. P. S., (12) vol. iii, 1829, p. 422; Obs. Gen. Unio, (21) vol. i, p. 36.

U. Bigbyensis.

P. A. P. S., (39) vol. ii, 1841, p. 30; T. A. P. S., (43) vol. viii, 1841, p. 237, pl. xxii, f. 51; J. A. N. S., (148) vol. iv, 1858, p. 59; (203) vol. v, 1861, p. 86; Obs. Gen. Unio, (44) vol. iii, p. 75, pl. xxii, f. 51; (150) vol. vi, p. 59; (205) vol. viii, p. 90.

U. bilineatus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 145; Obs. Gen. Unio, (29) vol. ii, pp. 133, 145.

U. biloba.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Binneyi.

T. A. P. S., (55) vol. x, 1845, p. 77, pl. vi, f. 18; Obs. Gen. Unio, (56) vol. iv, p. 77, pl. vi, f. 18.

U. Bisselianus.

J. A. N. S., (257) vol. vi, 1868, p. 277, pl. xxxvii, f. 90; Obs. Gen. Unio, (259) vol. xii, p. 37, pl. xxxvii, f. 90.

U. Blandianus.

P. A. N. S., (116) vol. viii, 1856, p. 263; (119) vol. ix, 1857, p. 31; J. A. N. S., (148) vol. iv, 1858, p. 65, pl. xi, f. 47; (189) vol. iv, 1860, p. 358; Obs. Gen. Unio, (150) vol. vi, p. 65, pl. xi, f. 47; (205) vol. viii, p. 40.

U. Blandingianus.

T. A. P. S., (20) vol. v, 1834, p. 101, pl. xv, f. 44; (27) vol. vi, 1838, pp. 130, 146; (54) vol. ix, 1843, p. 275; J. A. N. S., (221) vol. v, 1863, pp. 22, 435; (242) vol. vi, 1866, p. 22; Obs. Gen. Unio, (21) vol. i, p. 213; (29) vol. ii, pp. 130, 146; (56) vol. iv, p. 275; (222) vol. x, p. 71; (244) vol. xi, p. 26.

U. Boroughianus.

J. A. N. S., (213) vol. v, 1862, p. 190; Obs. Gen. Unio, (215) vol. ix, p. 12.

U. Bourguignatianus.

J. A. N. S., (242) vol. vi, 1866, pp. 51, 54; Obs. Gen. Unio, (244) vol. xi, pp. 55, 58, pl. xviii, f. 51.

U. Bourmianus.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 213, pl. xv, f. 28; Obs. Gen. Unio, (44) vol. iii, p. 51, pl. xv, f. 28.

U. Boydianus.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 216, pl. xvi, f. 32; Obs. Gen. Unio, (44) vol. iii, p. 54, pl. xvi, f. 32.

U. Boykinianus.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 208, pl. xiii, f. 22; J. A. N. S., (221) vol. v, 1863, p. 403; Obs. Gen. Unio, (44) vol. iii, p. 46, pl. xiii, f. 22; (222) vol. x, p. 39.

U. Brazosensis.

J. A. N. S., (258) vol. vi, 1868, p. 309, pl. xlvi, f. 122; Obs. Gen. Unio, (259) vol. xii, p. 69, pl. xlvi, f. 122.

U. brevisalis.

T. A. P. S., (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, pp. 126, 130, 131; Obs. Gen. Unio, (21) vol. i, p. 200; (29) vol. ii, pp. 126, 130, 131.

Unio brevidens.

T. A. P. S., (15) vol. iv, 1830, p. 75, pl. vi, f. 6; (20) vol. v, 1833, p. 85; (27) vol. vi, 1836, p. 50; 1838, pp. 129, 146; (43) vol. viii, 1840, p. 205; J. A. N. S., (159) vol. iv, 1859, p. 219; Obs. Gen. Unio, (21) vol. i, pp. 85, 197, pl. vi, f. 6; (29) vol. ii, pp. 50, 129, 146; (44) vol. iii, p. 43; (170) vol. vii, p. 37.

U. brevis.

J. A. N. S., (273) vol. viii, 1874, p. 35, pl. xii, f. 32; Obs. Gen. Unio, (275) vol. xiii, p. 39, pl. xii, f. 32.

U. Brownianus.

T. A. P. S., (27) vol. vi, 1838, pp. 108, 121, 148, pl. xxiv, f. 116; Obs. Gen. Unio, (29) vol. ii, pp. 108, 121, 148, pl. xxiv, f. 116.

U. Brownii.

P. A. N. S., (110) vol. viii, 1856, p. 95; J. A. N. S., (133) vol. iii, 1857, p. 307, pl. xxix, f. 22; (168) vol. iv, 1859, p. 252; Obs. Gen. Unio, (150) vol. vi, p. 27, pl. xxix, f. 22; (170) vol. vii, p. 70.

U. Bruguerianus.

J. A. N. S., (242) vol. vi, 1866, p. 54; Obs. Gen. Unio, (244) vol. xi, p. 58.

U. Brumleyanus.

P. A. P. S., (40) vol. ii, 1841, p. 82.

U. Brumbyanus.

T. A. P. S., (43) vol. viii, 1841, p. 245, pl. xxvi, f. 62; J. A. N. S., (189) vol. iv, 1860, p. 344; (203) vol. v, 1861, pp. 89, 101; Obs. Gen. Unio, (44) vol. iii, p. 83, pl. xxvi, f. 62; (205) vol. viii, pp. 26, 93, 105.

U. Buckleyi.

T. A. P. S., (54) vol. ix, 1843, p. 276, pl. xxxix, f. 2; Obs. Gen. Unio, (56) vol. iv, p. 276, pl. xxxix, f. 2.

U. Buddianus.

T. A. P. S., (54) vol. ix, 1843, p. 277, pl. xl, f. 5; Obs. Gen. Unio, (56) vol. iv, p. 277, pl. xl, f. 5.

U. bulbosus.

P. A. N. S., (129) vol. ix, 1857, p. 172; J. A. N. S., (159) vol. iv, 1859, p. 191, pl. xxi, f. 75; Obs. Gen. Unio, (170) vol. vii, p. 9, pl. xxi, f. 75.

U. bullata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. bulloides.

P. A. N. S., (158) vol. xi, 1859, p. 187; J. A. N. S., (168) vol. iv, 1859, p. 264, pl. xlii, f. 144; Obs. Gen. Unio, (170) vol. vii, p. 82, pl. xlii, f. 144.

U. Burkensii.

P. A. N. S., (151) vol. xi, 1859, p. 112; J. A. N. S., (159) vol. iv, 1859, p. 215, pl. xxvii, f. 95; (242) vol. vi, 1866, p. 13; Obs. Gen. Unio, (170) vol. vii, p. 33, pl. xxvii, f. 95; (244) vol. xi, p. 17.

U. Borroughianus.

T. A. P. S., (20) vol. v, 1833, pp. 61, 67, pl. x, f. 27; (27) vol. vi, 1838, pp. 129, 148; J. A. N. S., (133) vol. iii, 1857, pp. 308, 309; (168) vol. iv, 1859, p. 272; (220) vol. v, 1863, p. 387; Obs. Gen. Unio, (21) vol. i, pp. 173, 179, pl. x, f. 27; (29) vol. ii, pp. 129, 148; (150) vol. vi, pp. 28, 29; (170) vol. vii, p. 90; (222) vol. x, p. 23.

Unio buzeus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 261, pl. xv, f. 13; J. A. N. S., (148) vol. iv, p. 80; Obs. Gen. Unio, (83) vol. v, p. 17; (150) vol. vi, p. 80.

U. cacao.

P. A. N. S., (154) vol. xi, 1859, p. 154; J. A. N. S., (189) vol. iv, 1860, p. 344, pl. lvi, f. 169; (203) vol. v, 1861, p. 90; Obs. Gen. Unio, (205) vol. viii, pp. 26, 94, pl. lvi, f. 169.

U. caeruleus.

T. A. P. S., (15) vol. iv, 1830, pp. 92, 95, pl. xiii, f. 25; (20) vol. v, 1832, p. 34; (27) vol. vi, 1838, pp. 128, 145; J. A. N. S., (133) vol. iii, 1857, pp. 294, 300, 303, 311; Obs. Gen. Unio, (21) vol. i, pp. 34, 102, 105, 146, pl. xiii, f. 25; (29) vol. ii, pp. 128, 145; (150) vol. vi, p. 20.

U. Caffer.

T. A. P. S., (133) vol. iii, 1857, pp. 301, 302; Obs. Gen. Unio, (150) vol. vi, pp. 21, 22.

U. Cahabensis.

J. A. N. S., (273) vol. viii, 1874, p. 17; Obs. Gen. Unio, (275) vol. xiii, p. 21, pl. v, f. 14.

U. Caillaudii.

T. A. P. S., (27) vol. vi, 1838, pp. 132, 148; (79) vol. x, 1852, p. 282; J. A. N. S., (133) vol. iii, 1857, p. 298; Obs. Gen. Unio, (29) vol. ii, pp. 132, 148; (83) vol. v, p. 38; (150) vol. vi, p. 18.

U. calceolus.

T. A. P. S., (9) vol. iii, 1827, p. 265, pl. iii, f. 1; (12) vol. iii, 1829, pp. 409, 411, 413, 439; (15) vol. iv, 1830, p. 67; (27) vol. vi, 1836, pp. 33, 43, 55, 56; Obs. Gen. Unio, (21) vol. i, pp. 7, 23, 25, 27, 53, 77, pl. iii, f. 1; (27) vol. vi, 1838, pp. 33, 43, 55, 56, 135.

U. Caldwellii.

P. A. N. S., (140) vol. x, 1858, p. 118; J. A. N. S., (168) vol. iv, 1859, p. 265, pl. xliii, f. 145; Obs. Gen. Unio, (170) vol. vii, p. 83, pl. xliii, f. 145.

U. calendis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. caliginosus.

T. A. P. S., (55) 1845, p. 79, pl. vii, f. 21; Obs. Gen. Unio, (56) vol. iv, p. 79, pl. vii, f. 21.

U. callosus.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (43) vol. viii, 1841, p. 239, pl. xxiii, f. 54; J. A. N. S., (213) vol. v, 1862, p. 205; Obs. Gen. Unio, (44) vol. iii, p. 77, pl. xxiii, f. 54; (215) vol. ix, p. 27.

U. Cambodiensis.

P. A. N. S., (112) vol. viii, 1856, p. 103; J. A. N. S., (133) vol. iii, 1857, p. 313, pl. xxx, f. 28; (168) vol. iv, 1859, p. 249; Obs. Gen. Unio, (150) vol. vi, p. 33, pl. xxx, f. 28; (170) vol. vii, p. 67.

U. camelopardilis.

P. A. N. S., (177) vol. xii, 1860, p. 92; J. A. N. S., (189) vol. iv, 1860, pp. 353, 355, pl. lix, f. 180; Obs. Gen. Unio, (205) vol. viii, pp. 35, 37, pl. lix, f. 180.

Unio camelus.

T. A. P. S., (20) vol. v, 1834, p. 102, pl. xv, f. 45; (27) vol. vi, 1838, pp. 125, 146; (43) vol. viii, 1841, p. 231; Obs. Gen. Unio, (21) vol. i, p. 214, pl. xv, f. 45; (29) vol. ii, pp. 125, 146; (44) vol. iii, p. 69.

U. camptodon.

T. A. P. S., (27) vol. vi, 1838, pp. 129, 146; (55) vol. x, 1845, p. 74; J. A. N. S., (148) vol. iv, 1858, pp. 53, 76; (221) vol. v, 1863, p. 416; Obs. Gen. Unio, (29) vol. ii, pp. 129, 146; (56) vol. iv, p. 74; (150) vol. vi, pp. 53, 76; (222) vol. x, p. 52.

U. Canadensis.

P. A. N. S., (122) vol. ix, 1857, p. 85; J. A. N. S., (168) vol. iv, 1859, p. 268, pl. xlv, f. 148; Obs. Gen. Unio, (170) vol. vii, p. 86, pl. xlv, f. 148.

U. capax.

T. A. P. S., (27) vol. vi, 1838, p. 125, 126; (79) vol. x, 1852, p. 266; Obs. Gen. Unio, (29) vol. ii, pp. 125, 126; (83) vol. v, p. 22.

U. caperatus.

T. A. P. S., (55) vol. x, 1845, p. 75, pl. v, f. 14; (79) vol. x, 1852, p. 267; Obs. Gen. Unio, (56) vol. iv, p. 75, pl. v, f. 14; (83) vol. v, p. 23.

U. Capigiolo.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. capillaris.

T. A. P. S., (20) vol. v, 1832, p. 29, pl. ii, f. 2; (27) vol. vi, 1836, p. 50, 1838, p. 131; J. A. N. S., (221) vol. v, 1863, p. 442; Obs. Gen. Unio, (21) vol. i, p. 50, 141, pl. ii, f. 2; (29) vol. ii, p. 131; (222) vol. x, p. 78.

U. capillus.

T. A. P. S., (27) vol. vi, 1838, p. 129; J. A. N. S., (221) vol. v, 1863, p. 423; Obs. Gen. Unio, (29) vol. ii, p. 129; (222) vol. x, p. 59.

U. capsæformis.

T. A. P. S., (20) vol. v, 1832, p. 31, pl. ii, f. 4; (27) vol. v, 1836, pp. 51, 96; 1838, pp. 127, 146; J. A. N. S., (203) vol. v, 1861, pp. 63, 65; Obs. Gen. Unio, (21) vol. i, p. 143, pl. ii, f. 4; (29) vol. ii, pp. 51, 96, 127, 146; (205) vol. viii, pp. 67, 69.

U. carbonarius.

T. A. P. S., (27) vol. vi, 1836, p. 37, pl. xi, f. 32; 1838, pp. 125, 146; Obs. Gen. Unio, (29) vol. ii, pp. 37, 125, 146, pl. xi, f. 32.

U. cardium.

T. A. P. S., (27) vol. vi, 1838, pp. 125, 144; Obs. Gen. Unio, (29) vol. ii, pp. 125, 144.

U. carinatus.

T. A. P. S., (12) vol. iii, 1829, p. 417; (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (21) vol. i, p. 31; (29) vol. ii, p. 127.

U. carinifera.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 422; (20) vol. v, 1833, p. 69; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 36, 201; (29) vol. ii, p. 130.

Unio cariosus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 414, 417, 418, 423, 424, 425, 426, 435; (15) vol. iv, 1830, pp. 75, 107; (20) vol. v, 1832, p. 24; 1833, pp. 74, 92; 1834, p. 101; (27) vol. vi, 1836, pp. 49, 53, 54, 55; 1838, pp. 126, 135, 146; (43) vol. viii, 1841, p. 236; (79) vol. x, 1852, pp. 261, 270, 271, 274; Obs. Gen. Unio, (21) vol. i, pp. 23, 24, 28, 31, 32, 37, 38, 39, 40, 49, 75, 107, 136, 213; (29) vol. ii, pp. 49, 50, 51, 53, 54, 55, 126, 135, 146; (44) vol. iii, pp. 39, 74; (83) vol. v, pp. 17, 26, 27, 30; (205) vol. viii, pp. 24, 74, 79, 103; (222) vol. x, p. 71; J. A. N. S., (189) vol. iv, 1860, p. 342; (203) vol. v, 1861, pp. 70, 75, 99; (221) vol. v, 1863, p. 435.

U. Carolinensis.

T. A. P. S., (27) vol. vi, 1834, p. 5; 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, pp. 5, 133.

U. Carolinianus.

T. A. P. S., (12) vol. iii, 1829, p. 416; (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (21) vol. i, p. 30; (29) vol. ii, p. 129.

U. Carynthiacus.

T. A. P. S., (27) vol. vi, 1838, p. 128; J. A. N. S., (133) vol. iii, 1857, p. 301; Obs. Gen. Unio, (29) vol. ii, p. 128; (150) vol. vi, p. 21.

U. castaneus.

T. A. P. S., (15) vol. iv, 1830, p. 91, pl. xi, f. 21; (27) vol. vi, 1838, pp. 126, 144, 146; (55) vol. x, 1845, p. 82; J. A. N. S., (189) vol. iv, 1860, p. 344; (203) vol. v, 1861, pp. 58, 104; Obs. Gen. Unio, (21) vol. i, p. 101, pl. xi, f. 21; (29) vol. ii, pp. 126, 144, 146; (56) vol. iv, p. 82; (205) vol. viii, pp. 26, 62, 108; (244) vol. ix; Errata.

U. castanus.

J. A. N. S., (221) vol. v, 1863, p. 439; Obs. Gen. Unio, (222) vol. x, p. 75; (244) vol. xi; Errata.

U. castus.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 349, pl. lviii, f. 174; Obs. Gen. Unio, (205) vol. viii, p. 31, pl. lvii, f. 174.

U. Catawbensis.

P. A. N. S., (127) vol. ix, 1857, p. 104; J. A. N. S., (203) vol. v, 1861, p. 54, pl. i, f. 200; Obs. Gen. Unio, (205) vol. viii, p. 58, pl. i, f. 200.

U. catillus.

T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.

U. caudatus.

T. A. P. S., (27) vol. vi, 1838, p. 121; Obs. Gen. Unio, (29) vol. ii, p. 121.

U. Charlottensis.

J. A. N. S., (242) vol. vi, 1866, p. 8, pl. ii, f. 5; Obs. Gen. Unio, (244) vol. xi, p. 12, pl. ii, f. 5.

U. Charruanus.

T. A. P. S., (27) vol. vi, 1838, pp. 128, 148; Obs. Gen. Unio, (29) vol. ii, pp. 128, 148; (150) vol. vi, p. 30; J. A. N. S., (133) vol. iii, 1857, p. 310.

U. Chathamensis.

J. A. N. S., (242) vol. vi, 1866, p. 21, pl. vi, f. 19; Obs. Gen. Unio, (244) vol. xi, p. 25, pl. vi, f. 19.

Unio Chattanoogaensis.

P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (159) vol. iv, 1859, p. 209, pl. xxv, f. 90; Obs. Gen. Unio, (170) vol. vii, p. 27, pl. xxv, f. 90.

U. Chickasawhensis.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 101, pl. xvi, f. 250; Obs. Gen. Unio, (205) vol. viii, p. 105, pl. xvi, f. 250.

U. Childreni.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 148; Obs. Gen. Unio, (29) vol. ii, pp. 127, 148.

U. Chinensis.

J. A. N. S., (258) vol. vi, 1868, p. 325, pl. lii, f. 138; Obs. Gen. Unio, (259) vol. xii, p. 85, pl. liii, f. 138.

U. chloris.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Chunii.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, p. 196, pl. xxvii, f. 265; Obs. Gen. Unio, (215) vol. ix, p. 18, pl. xxvii, f. 265.

U. cicatricosus.

T. A. P. S., (27) vol. vi, 1838, p. 124; Obs. Gen. Unio, (29) vol. ii, p. 124.

U. cicur.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 93, pl. xiii, f. 241; (242) vol. vi, 1866, p. 20; Obs. Gen. Unio, (205) vol. viii, p. 97, pl. xiii, f. 241; (242) vol. xi, p. 24.

U. Cincinnatiensis.

P. A. P. S., (35) vol. i, 1840, p. 285; T. A. P. S., (43) vol. viii, 1840, p. 194, pl. viii, f. 4.

U. cinerescens.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. cinnamonicus.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 100, pl. xvi, f. 248; Obs. Gen. Unio, (205) vol. viii, p. 104, pl. xvi, f. 248.

U. circulus.

T. A. P. S., (12) vol. iii, 1829; pp. 406, 409, 412, 414, 420, 422, 423, 433, pl. ix, f. 14; (15) vol. iv, 1830, pp. 77, 80, 91; 1831, p. 106; (27) vol. vi, 1838, pp. 119, 130, 146; (43) vol. viii, 1841, p. 231; J. A. N. S., (168) vol. iv, 1859, p. 252; (189) vol. iv, 1860, p. 349; (203) vol. v, 1861, pp. 74, 94; (221) vol. v, 1863, p. 438; (242) vol. vi, 1866, p. 19, pl. vi, f. 17; Obs. Gen. Unio, (21) vol. i, pp. 20, 23, 26, 28, 34, 36, 37, 47, 87, 90, 101, pl. ix, f. 14; (29) vol. ii, pp. 119, 130, 146; (44) vol. iii, p. 69; (170) vol. viii, p. 70; (205) vol. viii, pp. 41, 74, 78, 98; (222) vol. x, p. 74; (244) vol. xi, p. 23, pl. vi, f. 17.

U. circumactus.

J. A. N. S., (273) vol. viii, 1874, p. 15, pl. iv, f. 11; Obs. Gen. Unio, (275) vol. xiii, p. 19, pl. iv, f. 11.

Unio cirratus.

J. A. N. S., (274) vol. viii, 1874, p. 56, pl. xix, f. 53; Obs. Gen. Unio, (275) vol. xiii, p. 59, pl. xix, f. 53.

U. clavus.

T. A. P. S., (12) vol. iii, 1829, p. 422; (20) vol. v, 1833, p. 89; (27) vol. vi, 1838, pp. 55, 126, 146; J. A. N. S., (159) vol. iv, 1859, p. 210; (189) vol. iv, 1860, p. 352; (221) vol. v, 1863, p. 441; (242) vol. vi, 1866, pp. 40, 43; Obs. Gen. Unio, (21) vol. i, pp. 36, 201; (29) vol. ii, pp. 55, 126, 146; (170) vol. vii, p. 28; (205) vol. viii, 34; (222) vol. x, p. 77; (244) vol. xi, pp. 44, 47.

U. Cliffordiana.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Clinchensis.

J. A. N. S., (257) vol. vi, 1868, p. 278, pl. xxxvii, f. 91; Obs. Gen. Unio, (259) vol. xii, p. 38, pl. xxxvii, f. 91.

U. Claibornensis.

T. A. P. S., (27) vol. vi, 1838, pp. 105, 127, 146; J. A. N. S., (221) vol. v, 1863, p. 436; (274) vol. viii, 1874, p. 69, pl. xxi, f. 9; Obs. Gen. Unio, (29) vol. ii, pp. 105, 127, 146, pl. xxiv, f. 115; (222) vol. x, p. 72; (275) vol. xiii, p. 73, pl. xxi, f. 9.

U. Clarkianus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 273, pl. xxi, f. 30; Obs. Gen. Unio, (83) vol. v, p. 29, pl. xxi, f. 30.

U. clavatus.

T. A. P. S., (27) vol. vi, 1838, p. 119; Obs. Gen. Unio, (29) vol. ii, p. 119.

U. coarctatus.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 36, 200; (29) vol. ii, p. 130.

U. coccineus.

T. A. P. S., (27) vol. vi, 1834, p. 12, pl. v, f. 12; (27) vol. vi, 1838, pp. 131, 146; J. A. N. S., (203) vol. v, 1861, pp. 82, 86; (221) vol. v, 1863, p. 423; Obs. Gen. Unio, (29) vol. ii, pp. 12, 131, 146, pl. v, f. 12; (205) vol. viii, pp. 86, 90; (222) vol. x, p. 59.

U. coelatus.

T. A. P. S., (27) vol. vi, 1838, pp. 122, 146; Obs. Gen. Unio, (29) vol. ii, pp. 122, 146.

U. cognatus.

P. A. N. S., (184) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 368, pl. lxx, f. 193; Obs. Gen. Unio, (205) vol. viii, p. 50, pl. lxx, f. 193.

U. Coloradoensis.

P. A. N. S., (112) vol. viii, 1856, p. 103; J. A. N. S., (133) vol. iii, 1857, p. 311, pl. xxxi, f. 29; Obs. Gen. Unio, (150) vol. vi, p. 34, pl. xxxi, f. 29.

U. Columbensis.

P. A. N. S., (119) vol. ix, 1857, p. 31; J. A. N. S., (148) vol. iv, 1858, p. 75, pl. xiv, f. 55; Obs. Gen. Unio, (150) vol. vi, p. 75, pl. xiv, f. 55.

Unio compactus.

P. A. N. S., (153) vol. xi, 1859, p. 154; J. A. N. S., (159) vol. iv, 1859, p. 218, pl. xxviii, f. 98; (221) vol. v, 1863, p. 444; Obs. Gen. Unio, (170) vol. vii, p. 36, pl. xxviii, f. 98; (222) vol. x, p. 80.

U. complanatus.

T. A. P. S., (12) vol. iii, 1829, pp. 408, 410, 411, 416, 419, 422; (15) vol. iv, 1830, pp. 73, 77, 92, 94, 97, 1831, p. 115; (20) vol. v, 1832, pp. 25, 26, 39; 1833, pp. 88, 89, 90; 1834, pp. 96, 102, 103, 104; (27) vol. vi, 1834, p. 9, 1836, pp. 27, 28, 30, 31; 1836, pp. 35, 38, 52, 53, 54; 1838, pp. 119, 129, 130, 146; (43) vol. viii, 1840, pp. 198, 204, 207, 218, 220, 230, 235, 240; vol. ix, 1843, pp. 276, 278, 279, 280; (55) vol. x, 1845, p. 79; (79) vol. x, 1852, pp. 254, 255, 259, 263, 264, 273, 275; J. A. N. S., (148) vol. iv, 1858, pp. 52, 58, 61, 62, 80, 81, 85, 86, 87, 88, 90; (159) vol. iv, 1859, pp. 201, 206, 215; (168) vol. iv, 1859, p. 255; (189) vol. iv, 1860, pp. 329, 330, 334, 335, 337, 339, 348; (203) vol. v, 1861, pp. 54, 59, 61, 62; (213) vol. v, 1862, pp. 191, 203, 210; (221) vol. v, 1863, p. 412, 438, 445; (242) vol. vi, 1866, pp. 7, 12, 15, 18, 21; Obs. Gen. Unio, (21) vol. i, pp. 22, 24, 25, 30, 33, 36, 83, 87, 102, 104, 107, 123, 137, 138, 151, 200, 201, 202, 208, 214, 215, 216; (29) vol. ii, pp. 9, 27, 28, 30, 31, 35, 38, 52, 53, 54, 119, 129, 130, 146; (44) vol. iii, pp. 36, 42, 45, 56, 58, 68, 73, 78; (56) vol. iv, pp. 79, 276, 278, 279, 280; (83) vol. v, pp. 10, 11, 15, 19, 20, 29, 31; (150) vol. vi, pp. 52, 58, 61, 62, 80, 81, 85, 86, 87, 88, 90; (170) vol. vii, pp. 19, 24, 33, 73; (205) vol. viii, pp. 11, 12, 16, 17, 19, 21, 30, 46, 58, 63, 65, 66; (215) vol. ix, pp. 13, 25, 32; (222) vol. x, p. 48, 74, 81; (244) vol. xi, pp. 11, 16, 19, 22, 25; P. A. N. S., (115) vol. viii, 1856, p. 213.

U. compressissimus.

T. A. P. S., (55) vol. x, 1845, p. 81, pl. viii, f. 23; Obs. Gen. Unio, (56) vol. iv, p. 81, pl. viii, f. 23.

U. compressus.

T. A. P. S., (27) vol. vi, 1838, pp. 121, 134, 135, 146, 151; (43) vol. viii, 1841, p. 231; (79) vol. x, 1852, p. 257; Obs. Gen. Unio, (29) vol. ii, pp. 121, 134, 135, 146, 151; (44) vol. iii, p. 69; (83) vol. v, p. 13.

U. Conasaugaensis.

J. A. N. S., (273) vol. viii, 1874, p. 33, pl. x, f. 30; Obs. Gen. Unio, (275) vol. xiii, p. 37, pl. x, f. 30.

U. concavus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, pp. 260, 262, pl. xv, f. 11; J. A. N. S., (159) vol. iv, 1859, pp. 194, 202; (189) vol. iv, 1860, p. 343; Obs. Gen. Unio, (83) vol. v, pp. 16, 18, pl. xv, f. 11; (170) vol. vii, pp. 12, 20; (205) vol. viii, p. 25.

U. concastator.

P. A. N. S., (119) vol. ix, 1857, p. 31; J. A. N. S., (148) vol. iv, 1858, pp. 66, 73, pl. xii, f. 48; (213) vol. v, 1862, p. 200; (274) vol. viii, 1874, p. 68, pl. xxi, f. 4; Obs. Gen. Unio, (150) vol. vi, pp. 66, 73, pl. xii, f. 48; (215) vol. ix, p. 22; (275) vol. xiii, p. 72, pl. xxv, f. 4.

Unio concinnus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. concolor.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, p. 89, pl. xii, f. 237; Obs. Gen. Unio, (205) vol. viii, p. 93, pl. xii, f. 237.

U. confertus.

T. A. P. S., (20) vol. v, 1834, p. 103, pl. xvi, f. 47; (27) vol. vi, 1836, p. 21, 1838, pp. 130, 146; (43) vol. viii, 1840, p. 203; (79) vol. x, 1852, p. 259; J. A. N. S., (133) vol. iii, 1857, p. 302; (148) vol. iv, 1858, pp. 85, 86; (203) vol. v, 1861, p. 54; Obs. Gen. Unio, (21) vol. i, p. 215, pl. xvi, f. 47; (29) vol. ii, pp. 31, 130, 146; (44) vol. iii, p. 41; (83) vol. v, p. 15; (150) vol. vi, pp. 22, 85, 86; (205) vol. viii, p. 58.

U. Congaræus.

T. A. P. S., (15) vol. iv, 1830, p. 72, pl. vi, f. 4; (27) vol. vi, 1838, pp. 130, 146; (43) vol. viii, 1842, p. 246; (79) vol. x, 1852, pp. 258, 260; J. A. N. S., (242) vol. vi, 1866, p. 7, pl. i, f. 3; Obs. Gen. Unio, (21) vol. i, p. 82, pl. vi, f. 4; (29) vol. ii, pp. 130, 146; (44) vol. iii, p. 84; (83) vol. v, pp. 14, 16; (244) vol. xi, p. 11, pl. i, f. 3.

U. Conradius.

J. A. N. S., (221) vol. v, 1863, pp. 410, 411; Obs. Gen. Unio, (222) vol. x, pp. 46, 47.

U. Conradicus.

T. A. P. S., (20) vol. v, 1833, p. 63, pl. ix, f. 23; (27) vol. vi, 1838, pp. 122, 146; P. A. N. S., (115) vol. viii, 1856, p. 214; J. A. N. S., (148) vol. iv, 1858, p. 71; (159) vol. iv, 1859, p. 204; Obs. Gen. Unio, (21) vol. i, p. 175, pl. ix, f. 23; (29) vol. ii, pp. 122, 146; (150) vol. vi, p. 71; (170) vol. vii, p. 22.

U. Conradius.

J. A. N. S., (242) vol. vi, 1866, p. 46; Obs. Gen. Unio, (244) vol. xi, p. 50.

U. consanguineus.

P. A. N. S., (196) vol. xiii, 1861, p. 60; J. A. N. S., (203) vol. v, 1861, p. 67, pl. vii, f. 217; (258) vol. vi, 1868, p. 327; Obs. Gen. Unio, (205) vol. viii, p. 71, pl. vii, f. 217; (259) vol. xii, p. 87.

U. consentaneus.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

U. consobrinus.

P. A. N. S., (165) vol. xi, 1859, p. 311; J. A. N. S., (168) vol. iv, 1859, pl. xlv, f. 152; Obs. Gen. Unio, (170) vol. vii, p. 90, pl. xlv, f. 152.

U. conspicuus.

J. A. N. S., (273) vol. viii, 1874, p. 34, pl. xi, f. 31; Obs. Gen. Unio, (275) vol. xiii, p. 38, pl. xi, f. 31.

U. contractus.

P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (213) vol. v, 1862, p. 203, pl. xxix, f. 272; Obs. Gen. Unio, (215) vol. ix, p. 25, pl. xxix, f. 272.

U. constrictus.

T. A. P. S., (79) vol. x, 1852, p. 280; Obs. Gen. Unio, (83) vol. v, p. 36.

Unio contiguus.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, p. 199, pl. xxviii, f. 268; Obs. Gen. Unio, (215) vol. ix, p. 21, pl. xxviii, f. 268.

U. contradens.

T. A. P. S., (27) vol. vi, 3 ser., 1836, p. 75, pl. f. xviii, 58; 1838, pp. 133, 146; Obs. Gen. Unio, (29) vol. ii, pp. 75, 133, 146, pl. xviii, f. 58.

U. Cooperianus.

T. A. P. S., (20) vol. v, 1833, p. 61, pl. viii, f. 21; (27) vol. vi, 1838, pp. 123, 146; (43) vol. viii, 1841, p. 231; (55) vol. x, 1845, p. 72; J. A. N. S., (221) vol. v, 1863, p. 430; Obs. Gen. Unio, (21) vol. i, p. 173, pl. viii, f. 21; (29) vol. ii, pp. 123, 146; (44) vol. iii, p. 69; (56) vol. iv, p. 72; (222) vol. x, p. 66.

U. Copei.

J. A. N. S., (258) vol. vi, 1868, p. 307, pl. xlvii, f. 120; Obs. Gen. Unio, (259) vol. xii, p. 67, pl. xlvii, f. 120.

U. cor.

T. A. P. S., (27) vol. vi, 1838, pp. 126, 146; (43) vol. viii, 1840, p. 216; J. A. N. S., (203) vol. v, 1861, p. 71; (242) vol. vi, 1866, pp. 38, 42; Obs. Gen. Unio, (29) vol. ii, pp. 126, 146; (44) vol. iii, p. 54; (205) vol. viii, p. 75; (244) vol. xi, pp. 42, 46.

U. cordatus.

T. A. P. S., (27) vol. vi, 1838, p. 125; Obs. Gen. Unio, (29) vol. ii, p. 125.

U. cordiformis.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. corneus.

J. A. N. S., (274) vol. viii, 1874, p. 59, pl. xx, f. 58; Obs. Gen. Unio, (275) vol. xiii, p. 63, pl. xx, f. 58.

U. cornutus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 410, 411, 418, 419; (15) vol. iv, 1830, pp. 63, 80; 1831, p. 113; (29) vol. ii, pp. 55, 59, 123, 146; (44) vol. iii, p. 69; J. A. N. S., (221) vol. v, 1863, p. 429; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 23, 24, 25, 32, 33, 73, 90, 123; (29) vol. ii, pp. 55, 59, 123, 146; (44) vol. iii, p. 69; (222) vol. x, p. 65; (244) vol. xi, p. 31.

U. Corrianus.

T. A. P. S., (20) vol. v, 1833, p. 65, pl. ix, f. 25; (27) vol. vi, 1835, p. 19; 1838, pp. 133, 145; (43) vol. viii, 1840, p. 222; Obs. Gen. Unio, (21) vol. i, p. 177, pl. ix, f. 25; (29) vol. ii, p. 19, 133, 145; (44) vol. iii, p. 60.

U. corrugatus.

T. A. P. S., (12) vol. iii, 1829, p. 424; (15) vol. iv, 1830, pp. 92, 96, 98; (20) vol. v, 1833, p. 65, 68; (27) vol. vi, 1838, pp. 121, 129, 145; (43) vol. viii, 1841, p. 239; J. A. N. S., (133) vol. iii, 1857, pp. 292, 294; (168) vol. iv, 1859, p. 266; (203) vol. v, 1861, p. 77; (242) vol. vi, 1866, p. 57; Obs. Gen. Unio, (21) vol. i, pp. 38, 102, 106, 108, 177, 180; (29) vol. ii, pp. 121, 129, 145; (44) vol. iii, p. 77; (150) vol. vi, pp. 12, 14; (170) vol. vii, p. 84; (205) vol. viii, p. 81; (244) vol. xi, p. 61.

Unio corvinus.

J. A. N. S., (258) vol. vi, 1868, p. 310, pl. xlvi, f. 123; Obs. Gen. Unio, (259) vol. xii, p. 70, pl. xlvi, f. 123.

U. corvunculus.

J. A. N. S., (258) vol. vi, 1868, p. 314, pl. i, f. 127; Obs. Gen. Unio, (259) vol. xii, p. 74, pl. i, f. 127.

U. corvus.

P. A. N. S., (151) vol. xi, 1859, p. 112; J. A. N. S., (159) vol. iv, 1859, p. 217, pl. xxvii, f. 97; Obs. Gen. Unio, (170) vol. vii, p. 35, pl. xxvii, f. 97.

U. costatus.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

U. Couchianus.

P. A. N. S., (184) vol. xii, 1860, p. 305; J. A. N. S., (189) vol. iv, 1860, p. 371, pl. xvi, f. 196; Obs. Gen. Unio, (205) vol. viii, p. 53, pl. lxvi, f. 196.

U. crapulus.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (242) vol. vi, 1866, p. 42; Obs. Gen. Unio, (244) vol. xi, p. 46, pl. xv, f. 40.

U. crassidens.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 421; (20) vol. v, 1833, p. 87; (27) vol. vi, 1836, pp. 35, 37, 40, 56, 74, 122, 125, 146; (43) vol. viii, 1840, p. 218; (54) vol. ix, 1843, p. 280; J. A. N. S., (213) vol. v, 1862, pp. 190, 194, 202; (221) vol. v, 1863, p. 410; P. A. P. S., (66) vol. v, 1851, pp. 192, 193; P. A. N. S., (115) vol. viii, 1856, p. 213; Obs. Gen. Unio, (21) vol. i, pp. 31, 35, 199; (29) vol. ii, pp. 35, 37, 40, 56, 74, 122, 125, 146; (44) vol. iii, p. 56; (56) vol. iv, p. 280; (215) vol. ix, pp. 12, 14, 24; (222) vol. x, p. 46.

U. crassissimus.

T. A. P. S., (20) vol. v, 1833, p. 86; (27) vol. vi, 1838, pp. 134, 145; Obs. Gen. Unio, (29) vol. ii, pp. 134, 145, 151.

U. crassiusculus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. crassus.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 418, 421; (20) vol. v, 1832, pp. 25, 73, 74, 88; 1834, pp. 4, 6, 16, 24, 101; 1836, pp. 40, 56, 76; 1838, pp. 119, 127, 130, 144, 146; (43) vol. viii, 1841, pp. 231, 235; (55) vol. x, 1845, p. 80; (79) vol. x, 1852, p. 276; J. A. N. S., (148) vol. iv, 1858, p. 78; (242) vol. vi, 1866, p. 63; P. A. P. S., (66) vol. v, 1851, pp. 192, 193; P. A. N. S., (115) vol. viii, 1856, p. 213; Obs. Gen. Unio, (21) vol. i, pp. 31, 32, 35, 137, 213; (29) vol. ii, pp. 4, 6, 16, 24, 40, 56, 76, 119, 127, 130, 144, 146; (44) vol. iii, pp. 69, 73; (56) vol. iv, p. 80; (83) vol. v, p. 32; (150) vol. vi, p. 78; (244) vol. xi, p. 67.

U. crebrivittatus.

P. A. N. S., (196) vol. xiii, 1861, p. 60; J. A. N. S., (203) vol. v, 1861, p. 68; (242) vol. vi, 1866, p. 43, pl. xv, f. 41; Obs. Gen. Unio, (205) vol. viii, p. 72; (244) vol. xi, p. 47, pl. xv, f. 41.

Unio creperus.

T. A. P. S., (27) vol. vi, 1836, p. 33, pl. x, f. 28; 1838, pp. 128, 146; Obs. Gen. Unio, (29) vol. ii, pp. 33, 128, 146, pl. x, f. 29.

U. crispatus.

J. A. N. S., (133) vol. iii, 1857, pp. 296, 297, 299, 303, 307; (168) vol. iv, 1859, p. 251; Obs. Gen. Unio, (150) vol. vi, pp. 16, 17, 19, 23, 27; (170) vol. vii, p. 69.

U. crocatus.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (43) vol. viii, 1841, p. 238, pl. xxii, f. 52; (79) vol. x, 1852, pp. 271, 274; J. A. N. S., (133) vol. iii, 1857, p. 314; (203) vol. v, 1861, p. 98; (221) vol. v, 1863, p. 438; Obs. Gen. Unio, (44) vol. iii, p. 76, pl. xxii, f. 52; (88) vol. v, pp. 27, 30; (150) vol. vi, p. 34; (205) vol. viii, p. 102; (222) vol. x, p. 74.

U. Cromwellii.

P. A. N. S., (235) vol. xvii, 1865, p. 89; J. A. N. S., (257) vol. vi, 1868, p. 258, pl. xxxi, f. 73; Obs. Gen. Unio, (259) vol. xii, p. 18, pl. xxxi, f. 73.

U. crudus.

J. A. N. S., (273) vol. viii, 1874, p. 14, pl. iv, f. 10; Obs. Gen. Unio, (275) vol. xiii, p. 18, pl. iv, f. 10.

U. cucumoides.

P. A. P. S., (35) vol. i, 1840, p. 285; T. A. P. S., (43) vol. viii, 1840, pp. 192, 219, pl. vii, f. 2; (54) vol. ix, 1843, p. 277; Obs. Gen. Unio, (44) vol. iii, pp. 30, 57, pl. vii, f. 2; (56) vol. iv, p. 277.

U. Cumberlandianus.

T. A. P. S., (27) vol. vi, 1836, p. 25, 26, pl. vii, f. 19; 1838, pp. 128, 146; Obs. Gen. Unio, (29) vol. ii, pp. 25, 26, 128, 146, pl. vii, f. 19; (170) vol. vii, p. 21; (205) vol. viii, pp. 22, 28; J. A. N. S., (159) vol. iv, 1859, p. 203; (189) vol. iv, 1860, pp. 340, 346.

U. Cumingii.

J. A. N. S., (168) vol. iv, 1859, p. 240, pl. xxxv, f. 120; Obs. Gen. Unio, (170) vol. vii, p. 58, pl. xxxv, f. 120.

U. cuneatus.

T. A. P. S., (12) vol. iii, 1829, pp. 410, 411, 419; (15) vol. iv, 1830, p. 77; (20) vol. v, 1832, pp. 31, 87; (27) vol. vi, 1836, pp. 35, 40; 1838, pp. 124, 125, 133, 144; (43) vol. viii, 1841, p. 231; Obs. Gen. Unio, (21) vol. i, pp. 24, 25, 33, 87, 143, 199; (29) vol. ii, pp. 35, 40, 124, 125, 133, 144; (44) vol. iii, p. 69.

U. cuneolus.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 193, pl. vii, f. 3; Obs. Gen. Unio, (44) vol. iii, p. 31, pl. vii, f. 3.

U. cuprea.

T. A. P. S., (27) vol. vi, 1834, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. cuprimus.

T. A. P. S., (15) vol. iv, 1830, p. 94, pl. xii, f. 24; (20) vol. v, 1834, p. 106; (27) vol. vi, 1838, pp. 133, 146; (79) vol. x, 1852, p. 284; J. A. N. S., (243) vol. vi, 1866, p. 121; Obs. Gen. Unio, (21) vol. i, pp. 204, 218; (29) vol. ii, pp. 133, 146; (83) vol. v, p. 40; (244) vol. xi, p. 78.

Unio curatus.

J. A. N. S., (242) vol. vi, 1866, p. 23, pl. vii, f. 21; Obs. Gen. Unio, (244) vol. xi, p. 27, pl. vii, f. 21.

U. curtus.

P. A. N. S., (151) vol. xi, 1859, p. 112; J. A. N. S., (203) vol. v, 1861, pp. 92, 103, pl. xvii, f. 253; Obs. Gen. Unio, (205) vol. viii, pp. 96, 107, pl. xvii, f. 253.

U. curvatus.

J. A. N. S., (273) vol. viii, 1874, p. 38, pl. xiii, f. 35; Obs. Gen. Unio, (275) vol. xiii, p. 42, pl. xiii, f. 35.

U. cuspidatus.

J. A. N. S., (273) vol. viii, 1874, p. 43, pl. xiv, f. 40; Obs. Gen. Unio, (275) vol. xiii, p. 47, pl. xiv, f. 40.

U. Cuvierianus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 263, pl. xvi, f. 16; J. A. N. S., (148) vol. iv, 1858, p. 81; Obs. Gen. Unio, (83) vol. v, p. 19, pl. xvi, f. 16; (150) vol. vi, p. 81.

U. cyclips.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. cylindrellus.

J. A. N. S., (258) vol. vi, 1868, p. 308, pl. xlviii, f. 121; Obs. Gen. Unio, (259) vol. xii, p. 68, pl. xlviii, f. 121.

U. cylindricus.

T. A. P. S., (12) vol. iii, 1829, pp. 407, 409, 410, 412, 413, 414, 417, 423; (15) vol. iv, 1831, p. 106; (20) vol. v, 1833, pp. 60, 89; (27) vol. vi, 1836, p. 55; 1838, pp. 124, 146; (43) vol. viii, 1841, pp. 230, 231; J. A. N. S., (133) vol. iii, 1857, p. 316; (148) vol. iv, 1858, p. 51; (221) vol. v, 1863, p. 421; Obs. Gen. Unio, (21) vol. i, pp. 21, 23, 24, 26, 27, 28, 31, 37, 116, 172, 201; (29) vol. ii, pp. 55, 124, 146; (44) vol. iii, pp. 68, 69; (150) vol. vi, pp. 33, 51; (222) vol. x, p. 57.

U. cypha.

T. A. P. S., (27) vol. vi, 1834, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. cyrenoides.

J. A. N. S., (168) vol. iv, 1859, p. 269; Obs. Gen. Unio, (170) vol. vii, p. 87.

U. dactylus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 196, pl. ix, f. 7; Obs. Gen. Unio, (44) vol. iii, p. 34, pl. ix, f. 7.

U. Damascensis.

J. A. N. S., (242) vol. vi, 1866, p. 55, pl. xviii, f. 52; Obs. Gen. Unio, (244) vol. xi, p. 59, pl. xviii, f. 52.

U. Dariensis.

T. A. P. S., (43) vol. viii, 1842, p. 246, pl. xxvi, f. 61; J. A. N. S., (148) vol. iv, 1858, p. 62; (221) vol. v, 1863, p. 404; Obs. Gen. Unio, (44) vol. iii, p. 84, pl. xxvi, f. 61; (150) vol. vi, p. 62; (222) vol. x, p. 40.

U. datus.

J. A. N. S., (257) vol. vi, 1868, p. 299, pl. xlv, f. 111; Obs. Gen. Unio, (259) vol. xii, p. 59, pl. xlv, f. 111.

Unio decisis.

T. A. P. S., (15) vol. iv, 1830, p. 92, pl. xii, f. 23; (27) vol. vi, 1838, pp. 126, 141, 146; (79) vol. x, 1852, p. 279, 284; J. A. N. S., (159) vol. iv, 1859, p. 210; (203) vol. v, 1861, pp. 48, 85, 92, 104; (221) vol. v, 1863, p. 405; (242) vol. vi, 1866, p. 43; Obs. Gen. Unio, (15) vol. iv, 1830, p. 92, pl. xii, f. 23; (27) vol. ii, pp. 126, 141, 146; (83) vol. v, pp. 35, 40; (170) vol. vii, p. 28; (205) vol. viii, pp. 72, 89, 96, 108; (222) vol. x, p. 41; (244) vol. xi, p. 47.

U. declivis.

T. A. P. S., (27) vol. vi, 1838, pp. 129, 130, 146; (55) vol. x, 1845, p. 74; J. A. N. S., (148) vol. iv, 1858, p. 76; (221) vol. v, 1863, p. 437; Obs. Gen. Unio, (29) vol. ii, pp. 129, 130, 146; (56) vol. iv, p. 74; (150) vol. vi, p. 76; (222) vol. x, p. 73.

U. decoratus.

T. A. P. S., (79) vol. x, 1852, p. 257, pl. xiii, f. 6; P. A. P. S., (93) vol. v, 1852, p. 251; Obs. Gen. Unio, (83) vol. v, p. 13, pl. xiii, f. 6.

U. decorticata.

T. A. P. S., (27) vol. vi, 1834, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. decumbens.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, p. 87, pl. xii, f. 236; Obs. Gen. Unio, (205) vol. viii, p. 91, pl. xii, f. 236.

U. decurvatus.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

U. dehisicens.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 146; (43) vol. viii, 1841, p. 231; P. A. N. S., (115) vol. viii, 1856, p. 213; J. A. N. S., (221) vol. v, 1863, p. 440; Obs. Gen. Unio, (29) vol. ii, pp. 131, 146; (41) vol. iii, p. 69; (222) vol. x, p. 76.

U. delicatus.

T. A. P. S., (12) vol. iii, 1829, p. 424; (20) vol. v, 1833, p. 90; (27) vol. vi, 1838, pp. 128, 133, 148; (43) vol. viii, 1840, pp. 200, 218, pl. xvii, f. 35; (54) vol. ix, 1843, p. 281; (79) vol. x, 1852, p. 268; J. A. N. S., (133) vol. iii, 1857, pp. 291, 309; (159) vol. iv, 1859, p. 197; (220) vol. v, 1863, pp. 388, 389; (242) vol. vi, 1866, pp. 35, 58, pl. xix, f. 56; P. A. P. S., (35) vol. i, 1840, p. 285; Obs. Gen. Unio, (21) vol. i, pp. 38, 202; (29) vol. ii, pp. 128, 133, 148; (44) vol. iii, pp. 38, 56, pl. xvii, f. 35; (56) vol. iv, p. 281; (83) vol. v, p. 24; (150) vol. vi, pp. 11, 29; (170) vol. vii, p. 15; (222) vol. x, pp. 24, 25; (244) vol. xi, p. 39, 62; pl. xix, f. 56.

U. Demarensis.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, p. 253, pl. xxxix, f. 133; Obs. Gen. Unio, (170) vol. vii, p. 71, pl. xxxix, f. 133.

Unio demigratus.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (159) vol. iv, 1859, pp. 199, 200, pl. xxiii, f. 83; (189) vol. iv, 1860, p. 331; Obs. Gen. Unio (170) vol. vii, p. 17, pl. xxiii, f. 83; (205) vol. viii, p. 13.

U. depressa.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 424, 438; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, pp. 124, 135, 148; Obs. Gen. Unio, (21) vol. i, pp. 23, 38, 52, 203; (29) vol. ii, pp. 124, 135, 148.

U. Deshayesii.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. diaphanus.

T. A. P. S., (27) vol. vi, 1834, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. difertus.

J. A. N. S., (273) vol. viii, 1874, p. 42, pl. xiv, f. 39; Obs. Gen. Unio, (275) vol. xiii, p. 46, pl. xiv, f. 39.

U. diffeilis.

J. A. N. S., (258) vol. vi, 1868, p. 311, pl. xlv, f. 124; Obs. Gen. Unio, (259) vol. xii, p. 71, pl. xlix, f. 124.

U. dignatus.

J. A. N. S., (242) vol. vi, 1866, p. 51, pl. xvii, f. 48; Obs. Gen. Unio, (244) vol. xi, pp. 55, 59, pl. xvii, f. 48.

U. dilatatus.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

U. dominatus.

P. A. N. S., (152) vol. xi, 1859, p. 151; J. A. N. S., (168) vol. iv, 1859, p. 254, pl. xxxix, f. 131; Obs. Gen. Unio, (170) vol. vii, p. 72, pl. xxxix, f. 134.

U. diploderma.

T. A. P. S., (27) vol. vi, 1834, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. diplodon.

J. A. N. S., (168) vol. iv, 1859, p. 265; Obs. Gen. Unio, (170) vol. vii, p. 83.

U. discrepans.

P. A. N. S., (177) vol. xii, 1860, p. 92; J. A. N. S., (189) vol. iv, 1860, p. 340, pl. lv, f. 165; Obs. Gen. Unio, (205) vol. viii, p. 22, pl. lv, f. 165.

U. disculus.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, p. 385, pl. xl, f. 293; Obs. Gen. Unio, (222) vol. x, p. 21, pl. xlv, f. 293.

U. discus.

T. A. P. S., (27) vol. vi, 1836, p. 74, pl. xviii, f. 57, 1838, pp. 129, 148; Obs. Gen. Unio, (29) vol. ii, pp. 74, 129, 148, pl. xviii, f. 57.

U. dispansus.

J. A. N. S., (273) vol. viii, 1874, p. 19, pl. vi, f. 16; Obs. Gen. Unio, (275) vol. xiii, p. 23, pl. vi, f. 16.

U. dispar.

P. A. N. S., (183) vol. xii, 1860, p. 305; J. A. N. S., (189) vol. iv, 1860, p. 327, pl. li, f. 153; Obs. Gen. Unio, (205) vol. viii, p. 9, pl. li, f. 153.

Unio dissimilis.

J. A. N. S., (273) vol. viii, 1874, p. 53, pl. xviii, f. 52; Obs. Gen. Unio, (275) vol. xiii, p. 57, pl. xviii, f. 52.

U. divaricatus.

T. A. P. S., (20) vol. v, 1833, p. 64, pl. ix, f. 24; (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (21) vol. i, p. 166, pl. ix, f. 24; (29) vol. ii, p. 129.

U. dolabelloides.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 215, pl. xv, f. 31; J. A. N. S., (242) vol. vi, 1866, pp. 38, 39; Obs. Gen. Unio, (44) vol. iii, p. 53, pl. xv, f. 31; (244) vol. xi, pp. 42, 43.

U. dolabriformis.

T. A. P. S., (27) vol. vi, 1838, pp. 103, 126, 146, pl. xxiv, f. 113; J. A. N. S., (221) vol. v, 1863, p. 413; Obs. Gen. Unio, (29) vol. ii, pp. 103, 136, 146; (222) vol. x, p. 49.

U. dollariis.

P. A. N. S., (235) vol. xvii, 1865, p. 88; J. A. N. S., (257) vol. vi, 1868, p. 260, pl. xxxii, f. 75; Obs. Gen. Unio, (259) vol. xii, p. 20, pl. xxxii, f. 75.

U. dolosus.

P. A. N. S., (186) vol. xii, 1860, p. 307; J. A. N. S., (203) vol. v, 1861, p. 75, pl. ix, f. 224; Obs. Gen. Unio, (205) vol. viii, p. 79, pl. ix, f. 224.

U. Dombeyanus.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 421; (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (21) vol. i, pp. 31, 35; (29) vol. ii, p. 122.

U. donaciformis.

T. A. P. S., (9) vol. iii, 1827, pp. 266, 267, pl. iv, f. 3; (12) vol. iii, 1829, pp. 409, 412, 420, 441; (15) vol. iv, 1830, p. 83; (27) vol. vi, 1838, pp. 124, 146; Obs. Gen. Unio, (21) vol. i, pp. 8, 9, 23, 26, 34, 35, 93, pl. iv, f. 3.

U. Dooleyensis.

J. A. N. S., (274) vol. viii, 1874, p. 64, pl. xxii, f. 60; Obs. Gen. Unio, (275) vol. xiii, p. 68, pl. xxii, f. 60.

U. Dorfeuillanus.

T. A. P. S., (27) vol. vi, 1836, p. 73, pl. xvii, f. 54; 1838, pp. 123, 146; Obs. Gen. Unio, (29) vol. ii, pp. 73, 123, 146, pl. xvii, f. 54.

U. dorsatus.

J. A. N. S., (257) vol. vi, 1868, p. 300, pl. xlv, f. 112.

U. Douglasia.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

U. Downei.

P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (159) vol. iv, 1859, pp. 209, 210, 217; Obs. Gen. Unio, (170) vol. vii, pp. 27, 28, 35, pl. xxv, f. 91.

U. dromas.

T. A. P. S., (20) vol. v, 1833, p. 70, pl. x, f. 29; (27) vol. vi, 1838, pp. 124, 146; (55) vol. x, 1845, p. 75; (79) vol. x, 1852, p. 267; J. A. N. S., (148) vol. iv, 1858, p. 55; Obs. Gen. Unio, (21) vol. i, p. 182, pl. x, f. 29; (29) vol. ii, pp. 124, 146; (56) vol. iv, p. 75; (83) vol. v, p. 23; (150) vol. vi, p. 55.

Unio Dunkerianus.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, p. 305, pl. xxviii, f. 20; (168) vol. iv, 1859, p. 243; Obs. Gen. Unio, (150) vol. vi, p. 25, pl. xxviii, f. 20; (170) vol. vii, p. 61.

U. Duttonianus.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (43) vol. viii, 1841, p. 236, pl. xxii, f. 50; J. A. N. S., (189) vol. iv, 1860, p. 335; Obs. Gen. Unio, (44) vol. iii, p. 74, pl. xxii, f. 50; (205) vol. viii, p. 17.

U. Dysonii.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, p. 252, pl. xxxix, f. 132; Obs. Gen. Unio, (170) vol. vii, p. 70, pl. xxxix, f. 132.

U. ebenus.

T. A. P. S., (15) vol. iv, 1830, p. 84, pl. ix, f. 14; 1831, p. 118; (27) vol. vi, 1838, pp. 131, 146; (43) vol. viii, 1840, p. 210, 231; (79) vol. x, 1852, p. 284; J. A. N. S., (203) vol. v, 1861, pp. 74, 91; (221) vol. v, 1863, p. 424; P. A. N. S., (115) vol. viii, 1856, p. 213; Obs. Gen. Unio, (21) vol. i, p. 94, pl. ix, f. 14; (29) vol. ii, pp. 131, 146; (44) vol. iii, pp. 48, 69; (83) vol. v, p. 40; (205) vol. viii, pp. 78, 95; (222) vol. x, p. 60.

U. Novi-Eboracii.

T. A. P. S., (27) vol. vi, 1838, p. 104, pl. xxiv, f. 114; Obs. Gen. Unio, (29) vol. ii, p. 104, pl. xxiv, f. 114.

U. Edgarianus.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 214, pl. xv, f. 30; (55) vol. x, 1845, p. 71; J. A. N. S., (242) vol. vi, 1866, p. 39; Obs. Gen. Unio, (44) vol. iii, p. 52, pl. xv, f. 30; (56) vol. iv, p. 71; (244) vol. xi, p. 43.

U. effulgens.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, p. 303, pl. xxviii, f. 18; Obs. Gen. Unio, (150) vol. vi, p. 23, pl. xxviii, f. 18.

U. Egyptiacus.

T. A. P. S., (27) vol. vi, 1838, pp. 129, 145; Obs. Gen. Unio, (29) vol. ii, pp. 129, 145.

U. Eightsi.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 367, pl. lxvi, f. 192; Obs. Gen. Unio, (205) vol. viii, p. 49, pl. lxiv, f. 192.

U. elegans.

T. A. P. S., (15) vol. iv, 1830, p. 83, pl. ix, f. 13; (27) vol. vi, 1838, pp. 124, 146; (43) vol. viii, 1841, p. 231; J. A. N. S., (242) vol. vi, 1866, p. 33; P. A. N. S., (115) vol. viii, 1856, p. 213; (135) vol. x, 1858, pp. 13, 14; Obs. Gen. Unio, (21) vol. i, p. 93, pl. ix, f. 13; (29) vol. ii, pp. 124, 146; (44) vol. iii, p. 69; (244) vol. xi, p. 37.

U. Elliottii.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, p. 54, pl. vii, f. 37; Obs. Gen. Unio, (150) vol. vi, p. 54, pl. vii, f. 37.

Unio ellipsaria.

T. A. P. S., (27) vol. vi, 1838, pp. 124, 144; Obs. Gen. Unio, (29) vol. ii, pp. 124, 144.

U. ellipsiformis.

T. A. P. S., (55) vol. x, 1845, p. 80; Obs. Gen. Unio, (56) vol. iv, p. 80.

U. ellipsis.

T. A. P. S. (9) vol. iii, 1827, p. 268, pl. iv, f. 4; (12) vol. iii, 1829, pp. 408, 409, 412, 413, 414, 420, 431; (15) vol. iv, 1830, pp. 91; (20) vol. v, 1832, p. 30; (27) vol. vi, 1836, p. 55, 1838, pp. 126, 146; (43) vol. viii, 1841, p. 231; J. A. N. S., (213) vol. v, 1862, p. 189; (221) vol. v, 1863, p. 432; Obs. Gen. Unio, (21) vol. i, pp. 10, 22, 23, 26, 27, 28, 34, 45, 101, 142, pl. iv, f. 4; (29) vol. ii, pp. 55, 126, 146; (44) vol. iii, p. 69; (215) vol. ix, p. 11; (222) vol. x, p. 68.

U. ellipticus.

T. A. P. S., (12) vol. iii, 1829, p. 417; (27) vol. vi, 1834, p. 144; 1838, p. 127; J. A. N. S., (133) vol. iii, 1857, p. 304; (168) vol. iv, 1859, p. 245; Obs. Gen. Unio, (21) vol. i, p. 31; (270) vol. ii, pp. 144, 127; (150) vol. vi, p. 24; (170) vol. vii, p. 63.

U. elongata.

T. A. P. S., (12) vol. iii, 1829, p. 421; (20) vol. v, 1833, pp. 87, 88; (27) vol. vi, 1838, pp. 132, 134, 136, 145; J. A. N. S., (159) vol. iv, 1859, p. 224; Obs. Gen. Unio, (21) vol. i, pp. 35, 199, 206; (29) vol. ii, pp. 132, 134, 136, 145; (170) vol. vii, p. 42.

U. elongatula.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. emarginatus.

T. A. P. S., (20) vol. v, 1833, p. 62, pl. ix, f. 22; (27) vol. vi, 1836, p. 33; (29) vol. ii, pp. 134, 148; P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (203) vol. v, 1861, p. 56, pl. ii, f. 203; (221) vol. v, 1863, p. 445; Obs. Gen. Unio, (21) vol. i, p. 174, pl. ix, f. 22; (29) vol. ii, pp. 33, 134, 148; (205) vol. viii, p. 60, pl. ii, f. 203; (222) vol. x, p. 81.

U. Emesensis.

J. A. N. S., (257) vol. vi, 1868, p. 254, pl. xxx, f. 68; Obs. Gen. Unio, (259) vol. xii, p. 14, pl. xxx, f. 68.

U. encarpus.

J. A. N. S., (257) vol. vi, 1868, p. 294, pl. xlii, f. 105; Obs. Gen. Unio, (259) vol. xii, p. 54, pl. xlii, f. 105.

U. errans.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, p. 60, pl. ix, f. 42; Obs. Gen. Unio, (150) vol. vi, p. 60, pl. ix, f. 42.

U. Estabrookianus.

T. A. P. S., (55) vol. x, 1845, p. 77, pl. vi, f. 17; J. A. N. S., (203) vol. v, 1861, p. 66; Obs. Gen. Unio, (56) vol. iv, p. 77, pl. vi, f. 17, (205) vol. viii, p. 70.

U. evitatus.

J. A. N. S., (257) vol. vi, 1868, p. 279, pl. xxxviii, f. 97; Obs. Gen. Unio, (259) vol. xii, p. 39, pl. xxxviii, f. 97.

Unio exactus.

P. A. N. S., (136) vol. x, 1858, p. 111; J. A. N. S., (203) vol. v, 1861, p. 62, pl. iv, f. 210; Obs. Gen. Unio, (205) vol. viii, p. 66, pl. iv, f. 210.

U. excavatus.

J. A. N. S., (273) vol. viii, 1874, p. 45, pl. xv, f. 43; Obs. Gen. Unio, (275) vol. xiii, p. 49, pl. xv, f. 43.

U. excavatus.

P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (148) vol. iv, 1858, p. 71, pl. xiii, f. 52; (274) vol. viii, 1874, p. 68, pl. xxi, f. 6; Obs. Gen. Unio, (150) vol. vi, p. 71, pl. xiii, f. 52; (275) vol. xiii, p. 72, pl. xxi, f. 6.

U. eximius.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, p. 294, pl. xxv, f. 8; Obs. Gen. Unio, (150) vol. vi, p. 14, pl. xxv, f. 8.

U. exiguus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 191, pl. vii, f. 1; J. A. N. S., (148) vol. iv, 1858, p. 57; (189) vol. iv, 1860, pp. 328, 354; (221) vol. v, 1863, p. 418; Obs. Gen. Unio, (44) vol. iii, p. 29, pl. vii, f. 1; (150) vol. vi, p. 57; (205) vol. viii, pp. 10, 36; (222) vol. x, p. 54.

U. extensus.

P. A. N. S., (119) vol. ix, 1857, p. 31; J. A. N. S., (148) vol. iv, 1858, pp. 67, 94, pl. xii, f. 49; (159) vol. iv, 1859, p. 216; Obs. Gen. Unio, (150) vol. vi, pp. 67, 94, pl. xii, f. 49; (170) vol. vii, p. 34.

U. faba.

T. A. P. S., (27) vol. vi, 1838, pp. 129, 148; (79) vol. x, 1852, p. 261; Obs. Gen. Unio, (29) vol. ii, pp. 129, 148; (83) vol. v, p. 17.

U. fabaceus.

P. A. N. S., (192) vol. xiii, 1861, p. 38; J. A. N. S., (203) vol. v, 1861, p. 90, pl. xiii, f. 238; Obs. Gen. Unio, (205) vol. viii, p. 94, pl. xiii, f. 238.

U. fabalis.

T. A. P. S., (15) vol. iv, 1830, p. 86, pl. x, f. 16; (27) vol. vi, 1838, pp. 128, 146; (43) vol. viii, 1840, pp. 223, 231; (79) vol. x, 1852, pp. 261, 262; J. A. N. S., (221) vol. v, 1863, pp. 423, 448; Obs. Gen. Unio, (21) vol. i, p. 96, pl. x, f. 16; (29) vol. ii, pp. 128, 146; (44) vol. iii, p. 61, 69; (83) vol. v, pp. 17, 18; (222) vol. x, pp. 59, 94.

U. fallax.

P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (148) vol. iv, 1858, pp. 74, 77, 79, pl. xv, f. 59; (159) vol. iv, 1859, p. 208; (274) vol. viii, 1874, p. 69, pl. xxi, f. 8; Obs. Gen. Unio, (150) vol. vi, pp. 74, 77, 79, pl. xv, f. 59; (170) vol. vii, p. 26; (275) vol. xiii, p. 73, pl. xxi, f. 8.

U. fasciata.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 144; Obs. Gen. Unio, (29) vol. ii, pp. 127, 144.

U. fasciulus.

T. A. P. S., (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (29) vol. ii, p. 127.

- Unio fasciolaris*.
T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, vol. ii, p. 144.
- U. fassinans*.
J. A. N. S., (258) vol. vi, 1868, p. 305, pl. xlvii, f. 118; Obs. Gen. Unio, (259) vol. xii, p. 65, pl. xlvii, f. 118.
- U. fatuus*.
P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 201, pl. xi, f. 14; Obs. Gen. Unio, (44) vol. iii, p. 39, pl. xi, f. 14.
- U. favidens*.
J. A. N. S., (168) vol. iv, 1859, p. 271; (203) vol. v, 1861, pp. 72, 82; Obs. Gen. Unio, (170) vol. vii, p. 89; (205) vol. viii, pp. 76, 86.
- U. favosus*.
P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, pp. 58, 59, pl. viii, f. 40; Obs. Gen. Unio, (150) vol. vi, pp. 58, 59, pl. viii, f. 40.
- U. fibuloides*.
P. A. N. S., (153) vol. xi, 1859, p. 154; J. A. N. S., (159) vol. iv, 1859, p. 219, pl. xxviii, f. 100; (221) vol. v, 1863, p. 443; Obs. Gen. Unio, (170) vol. vii, p. 37, pl. xxviii, f. 100; (222) vol. x, p. 79.
- U. firmus*.
J. A. N. S., (257) vol. vi, 1868, p. 267, pl. xxxiv, f. 82; Obs. Gen. Unio, (259) vol. xii, p. 27, pl. xxxiv, f. 82.
- U. Fisherianus*.
T. A. P. S., (27) vol. vi, 1834, p. 8, pl. iv, f. 8; 1838, pp. 132, 146; (79) vol. x, 1852, p. 278; J. A. N. S., (148) vol. iv, 1858, p. 65; (203) vol. v, 1861, p. 57; (221) vol. v, 1863, p. 456; (242) vol. v, 1866, p. 12; Obs. Gen. Unio, (29) vol. ii, pp. 8, 132, 146, pl. iv, f. 8; (83) vol. v, p. 34; (150) vol. vi, p. 65; (205) vol. viii, p. 61; (222) vol. x, p. 92; (244) vol. xi, p. 16.
- U. flava*.
T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.
- U. flavescens*.
T. A. P. S., (55) vol. x, 1845, p. 72, pl. iii, f. 9; Obs. Gen. Unio, (56) vol. iv, p. 72, pl. iii, f. 9.
- U. flavidulus*.
P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 97, pl. xv, f. 245; Obs. Gen. Unio, (205) vol. viii, p. 101, pl. xv, f. 245.
- U. flavidus*.
J. A. N. S., (273) vol. viii, 1874, p. 28; Obs. Gen. Unio, (275) vol. xiii, p. 32, pl. ix, f. 25.
- U. flexuosus*.
T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.
- U. flexus*.
T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.
- U. Florentinus*.
P. A. N. S., (120) vol. ix, 1857, p. 83; J. A. N. S., (203) vol. v, 1861, pp. 63, 64, pl. v, f. 213; Obs. Gen. Unio, (205) vol. viii, pp. 67, 68, pl. v, f. 213.
- Unio Floridensis*.
T. A. P. S., (79) vol. x, 1852, p. 274, pl. xxi, f. 31; Obs. Gen. Unio, (83) vol. v, p. 30, pl. xxi, f. 31; P. A. P. S., (93) vol. v, 1852, p. 251.
- U. fluctiger*.
P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, p. 250, pl. xxxix, f. 130; (242) vol. vi, 1866, p. 60; Obs. Gen. Unio, (170) vol. vii, p. 68, pl. xxxix, f. 130; (244) vol. xi, p. 64.
- U. fluviatilis*.
T. A. P. S., (12) vol. iii, 1829, p. 416; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, p. 30; (29) vol. ii, p. 130.
- U. foliatus*.
T. A. P. S., (12) vol. iii, 1829, p. 419; (15) vol. iv, 1831, p. 113; (27) vol. vi, 1836, p. 55, 1838, pp. 122, 146; (43) vol. viii, 1841, p. 231; (79) vol. x, 1852, p. 278; P. A. N. S., (115) vol. viii, 1856, p. 213; J. A. N. S., (221) vol. v, 1863, p. 443; Obs. Gen. Unio., (21) vol. i, pp. 33, 123; (29) vol. ii, pp. 55, 122, 146; (44) vol. iii, p. 69; (83) vol. v, p. 34; (222) vol. x, p. 79.
- U. folliculatus*.
T. A. P. S., (27) vol. vi, 1836, p. 38, 1838, pp. 131, 146; (43) vol. viii, 1841, p. 237; (79) vol. x, 1852, p. 260; Obs. Gen. Unio, (29) vol. ii, pp. 38, 131, 146, pl. xi, f. 33; (44) vol. iii, p. 75; (83) vol. v, p. 16.
- U. Fontainiana*.
T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151; (222) vol. x, p. 22; J. A. N. S., (220) vol. v, 1863, p. 386.
- U. fontinalis*.
T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio (29) vol. ii, p. 144.
- U. Footiana*.
J. A. N. S., (242) vol. vi, 1866, p. 26; Obs. Gen. Unio, (244) vol. xi, p. 30.
- U. Forbesianus*.
P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 264, pl. xvi, f. 17; J. A. N. S., (148) vol. iv, 1858, p. 89; (159) vol. iv, 1829, p. 217; Obs. Gen. Unio, (83) vol. v, p. 20, pl. xvi, f. 17; (150) vol. vi, p. 89; (170) vol. vii, p. 35.
- U. Foremanianus*.
T. A. P. S., (43) vol. viii, 1842, p. 247, pl. xxvii, f. 64; J. A. N. S., (159) vol. iv, 1859, pp. 200, 218; (221) vol. v, 1863, p. 443; Obs. Gen. Unio, (44) vol. iii, p. 85, pl. xxvii, f. 64; (170) vol. vii, pp. 18, 36; (222) vol. v, p. 79.
- U. formosus*.
T. A. P. S., (15) vol. iv, 1831, p. 111, pl. xvi, f. 41; (27) vol. vi, 1836, p. 50; 1838, p. 121; (43) vol. viii, 1841, pp. 231, 248; Obs. Gen. Unio, (21) vol. i, p. 121, pl. xvi, f. 41; (29) vol. ii, pp. 50, 124; (44) vol. iii, pp. 69, 86.
- U. Forsheyi*.
P. A. N. S., (154) vol. xi, 1859, p. 155; J. A. N. S., (189) vol. iv, 1860, p. 357, pl. ix, f. 182; (213) vol. v, 1862, p. 208; Obs. Gen. Unio, (205) vol. viii, p. 29, pl. ix, f. 182; (215) vol. ix, p. 30.

Unio fragilis.

T. A. P. S., (12) vol. iii, 1829, p. 452; (27) vol. vi, 1838, pp. 121, 144; Obs. Gen. Unio, (21) vol. i, p. 66; (29) vol. ii, pp. 121, 144.

U. fragosus.

T. A. P. S., (27) vol. vi, 1838, pp. 123, 146; (43) vol. viii, 1841, p. 231; Obs. Gen. Unio, (29) vol. ii, pp. 123, 146; (44) vol. iii, p. 69.

U. fraternus.

T. A. P. S., (79) vol. x, 1852, p. 263, pl. xvi, f. 15; P. A. P. S., (93) vol. v, 1852, p. 251; J. A. N. S., (221) vol. v, 1863, p. 410; Obs. Gen. Unio, (83) vol. v, p. 19, pl. xvi, f. 15.

U. fucatus.

P. A. N. S., (177) vol. xii, 1860, p. 92; J. A. N. S., (189) vol. iv, 1861, p. 346; Obs. Gen. Unio, (205) vol. viii, p. 28.

U. fulgens.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. fulgidus.

T. A. P. S., (55) vol. x, 1845, p. 73, pl. iv, f. 10; J. A. N. S., (203) vol. v, 1861, p. 73; Obs. Gen. Unio, (56) vol. iv, p. 73, pl. iv, f. 10; (205) vol. viii, p. 77.

U. fuliginosus.

T. A. P. S., (55) vol. x, 1845, p. 78, pl. vii, f. 19; Obs. Gen. Unio, (56) vol. iv, p. 78, pl. vii, f. 19.

U. fulvus.

T. A. P. S., (20) vol. v, 1834, p. 96, pl. xiii, f. 39; (27) vol. vi, 1838, pp. 130, 144, 146; (79) vol. x, 1852, p. 258; J. A. N. S., (203) vol. v, 1861, p. 55; Obs. Gen. Unio, (21) vol. i, p. 208, pl. xii, f. 39; (29) vol. ii, pp. 130, 144, 146; (83) vol. v, p. 14; (205) vol. viii, p. 59.

U. fumatus.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (148) vol. iv, 1858, pp. 88, 89, pl. xviii, f. 68; (159) vol. iv, 1859, pp. 197, 218; (189) vol. iv, 1860, pp. 348, 353, pl. lix, f. 178; (213) vol. v, 1862, pp. 201, 202; Obs. Gen. Unio, (150) vol. vi, pp. 88, 89, pl. xviii, f. 68; (170) vol. vii, pp. 15, 36; (205) vol. viii, pp. 30, 35, pl. lix, f. 178; (215) vol. ix, pp. 23, 24.

U. funebratis.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, pp. 378, 381, pl. xli, f. 286; Obs. Gen. Unio, (222) vol. x, pp. 14, 17, pl. xli, f. 286.

U. furvus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. fuscatus.

T. A. P. S., (54) vol. ix, 1843, p. 277, pl. xl, f. 4; J. A. N. S., (242) vol. vi, 1866, p. 47; Obs. Gen. Unio, (56) vol. iv, p. 277, pl. xl, f. 4; (244) vol. xi, p. 51.

U. fusculus.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

U. ———.

T. A. P. S., (27) vol. vi, 1838, p. 20; Obs. Gen. Unio, (29) vol. ii, p. 128.

Unio Gabbianus.

J. A. N. S., (257) vol. vi, 1868, p. 295, pl. xliii, f. 106; Obs. Gen. Unio, (259) vol. xii, p. 55, pl. xliii, f. 106.

U. Gastonensis.

J. A. N. S., (242) vol. vi, 1866, p. 20, pl. vi, f. 18; Obs. Gen. Unio, (244) vol. xi, p. 24, pl. vi, f. 18.

U. Geddingsianus.

P. A. P. S., (35) vol. i, 1840, p. 285; T. A. P. S., (43) vol. viii, 1840, p. 202, pl. xi, f. 15; (79) vol. x, 1852, p. 259; Obs. Gen. Unio, (44) vol. iii, p. 40, pl. xi, f. 15; (84) vol. v, p. 15; (150) vol. vi, p. 91; J. A. N. S., (148) vol. iv, 1858, p. 91.

U. geminus.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, pp. 63, 66, pl. x, f. 45; Obs. Gen. Unio, (150) vol. vi, pp. 45, 86, pl. x, f. 45.

U. generosus.

J. A. N. S., (213) vol. v, 1862, p. 195; Obs. Gen. Unio, (215) vol. ix, p. 17.

U. Genthii.

P. A. N. S., (123) vol. ix, 1857, p. 85; J. A. N. S., (203) vol. v, 1861, p. 57, pl. ii, f. 204; Obs. Gen. Unio, (205) vol. viii, p. 61, pl. ii, f. 204.

U. genuinus.

J. A. N. S., (258) vol. vi, 1863, p. 305, pl. xlvi, f. 117; Obs. Gen. Unio, (259) vol. xii, p. 64, pl. xlvi, f. 117.

U. geometricus.

T. A. P. S., (20) vol. v, 1832, p. 38, pl. iv, f. 10; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, p. 150, pl. iv, f. 10; (29) vol. ii, p. 130.

U. Georgina.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 422; (2) vol. v, 1833, p. 89; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 36, 201; (29) vol. ii, p. 130.

U. Georgianus.

P. A. P. S., (39) vol. ii, 1841, p. 31; T. A. P. S., (43) vol. viii, 1841, p. 235, pl. xxi, f. 49; Obs. Gen. Unio, (44) vol. iii, p. 73, pl. xxi, f. 49.

U. Gerhardii.

J. A. N. S., (213) vol. v, 1862, p. 208, pl. xxxi, f. 277; Obs. Gen. Unio, (215) vol. ix, p. 30, pl. xxxi, f. 277.

U. germanus.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (242) vol. vi, 1866, p. 49, pl. xix, f. 54; Obs. Gen. Unio, (244) vol. xi, p. 53, pl. xix, f. 54.

U. Gesnerii.

J. A. N. S., (242) vol. vi, 1866, p. 26; (274) vol. viii, 1874, p. 65, pl. xxii, f. 61; Obs. Gen. Unio, (244) vol. xi, p. 230; (275) vol. xiii, p. 69, pl. xxii, f. 61.

U. gibbus.

T. A. P. S., (27) vol. vi, 1838, pp. 128, 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 128, 134, 151.

U. gibber.

T. A. P. S., (27) vol. vi, 1836, p. 35, pl. x, f. 30; 1838, pp. 125, 146; Obs. Gen. Unio, (29) vol. ii, pp. 35, 125, 126, pl. x, f. 30.

Unio Gibbesianus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 254; Obs. Gen. Unio, (83) vol. v, p. 10, pl. xii, f. 21.

U. gibbosus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 419, 423, 432; (20) vol. v, 1833, pp. 89, 102; (27) vol. ii, pp. 10, 37, 124, 131, 133, 146; (43) vol. viii, 1841, pp. 195, 231; P. A. N. S., (115) vol. viii, 1856, p. 213; J. A. N. S., (148) vol. iv, 1858, p. 54; (221) vol. v, 1863, p. 417; (242) vol. vi, 1866, p. 27; (274) vol. viii, 1874, p. 69, pl. xxi, f. 10; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 31, 37, 46, 201, 214; (29) vol. ii, pp. 10, 37, 124, 131, 134, 146; (44) vol. iii, pp. 33, 69; (150) vol. vi, p. 54; (222) vol. x, p. 53; (244) vol. xi, p. 31; (275) vol. xiii, p. 73, pl. xxi, f. 10.

U. giganteus.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 421; J. A. N. S., (242) vol. vi, 1866, p. 25; Obs. Gen. Unio, (21) vol. i, pp. 31, 35; (244) vol. xi, p. 29.

U. gigas.

T. A. P. S., (27) vol. vi, 1838, pp. 121, 148; Obs. Gen. Unio, (29) vol. ii, pp. 121, 146.

U. glaber.

T. A. P. S., (27) vol. vi, 1836, p. 34, pl. x, f. 29; 1838, pp. 128, 146; J. A. N. S., (189) vol. iv, 1860, p. 341; Obs. Gen. Unio, (29) vol. ii, pp. 34, 128, 146, pl. x, f. 29; (205) vol. viii, p. 23.

U. glabratus.

T. A. P. S., (12) vol. iii, 1829, p. 423; (20) vol. v, 1833, p. 89; (27) vol. vi, 1838, pp. 130, 135; Obs. Gen. Unio, (21) vol. i, pp. 37, 201; (29) vol. ii, pp. 130, 135.

U. glandaceus.

P. A. N. S., (196) vol. xiii, 1861, p. 59; J. A. N. S., (203) vol. v, 1861, p. 77, pl. ix, f. 226; Obs. Gen. Unio, (205) vol. viii, p. 81, pl. ix, f. 226.

U. glans.

T. A. P. S., (15) vol. iv, 1830, p. 82, pl. viii, f. 12; (27) vol. vi, 1834, p. 7; 1838, pp. 129, 146; (43) vol. viii, 1841, p. 245; (54) vol. ix, 1843, p. 275; (79) vol. x, 1852, p. 284; J. A. N. S., (148) vol. iv, 1858, p. 73; (159) vol. iv, 1859, pp. 198, 221; (221) vol. v, 1863, p. 405; Obs. Gen. Unio, (21) vol. i, p. 92, pl. viii, f. 12; (29) vol. ii, pp. 7, 129, 146; (44) vol. iii, p. 83; (56) vol. iv, p. 275; (83) vol. v, p. 40; (150) vol. vi, p. 73; (170) vol. vii, pp. 16, 37; (222) vol. x, p. 41.

U. glebulus.

T. A. P. S., (20) vol. v, 1836, p. 89; (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (21) vol. i, p. 201; (29) vol. ii, p. 131.

U. globatus.

J. A. N. S., (273) vol. viii, 1874, p. 5, pl. i, f. 1; Obs. Gen. Unio, (275) vol. xiii, p. 9, pl. i, f. 1.

U. globosus.

T. A. P. S., (12) vol. iii, 1829, p. 419; (15) vol. iv, 1831, p. 119; (27) vol. vi, 1838, pp. 104, 126, 146; Obs. Gen. Unio, (21) vol. i, pp. 33, 129; (29) vol. ii, pp. 104, 126, 146.

Unio Goascoranensis.

P. A. N. S., (140) vol. x, 1858, p. 118; J. A. N. S., (168) vol. iv, 1859, pp. 256, 258, pl. xli, f. 139; Obs. Gen. Unio, (170) vol. vii, pp. 74, 76, pl. xli, f. 139.

U. Gouldii.

T. A. P. S., (55) vol. x, 1845, p. 76, pl. vi, f. 16; Obs. Gen. Unio, (56) vol. iv, p. 76, pl. vi, f. 16.

U. gracilentus.

P. A. N. S., (123) vol. ix, 1857, p. 85; J. A. N. S., (203) vol. v, 1861, p. 58, pl. iii, f. 205; Obs. Gen. Unio, (205) vol. viii, p. 62, pl. iii, f. 205.

U. gracilior.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, p. 56, pl. viii, f. 38; (159) vol. iv, 1859, p. 198; Obs. Gen. Unio, (150) vol. vi, p. 56, pl. viii, f. 38; (170) vol. vii, p. 16.

U. gracilis.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 452; (27) vol. vi, 1836, p. 56; 1838, pp. 121, 146; (43) vol. viii, 1841, p. 231; J. A. N. S., (159) vol. iv, 1859, p. 239; (221) vol. v, 1863, p. 434; Obs. Gen. Unio, (21) vol. i, pp. 31, 66; (29) vol. ii, pp. 56, 121, 146; (44) vol. iii, p. 69; (170) vol. vii, p. 48; (222) vol. x, p. 70.

U. Granadensis.

J. A. N. S., (257) vol. vi, 1868, p. 293, pl. xlii, f. 103; Obs. Gen. Unio, (259) vol. xii, p. 53, pl. xlii, f. 103.

U. grandidens.

J. A. N. S., (213) vol. v, 1862, p. 205, pl. xxx f. 274; Obs. Gen. Unio, (215) vol. ix, p. 27, pl. xxx, f. 274.

U. graniferus.

T. A. P. S., (27) vol. vi, 1836, p. 69, pl. xix, f. 60; 1838, pp. 123, 146; Obs. Gen. Unio, (29) vol. ii, pp. 69, 123, 146, pl. xix, f. 60.

U. granosa.

T. A. P. S., (12) vol. iii, 1829, p. 424; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, pp. 124, 130, 148; Obs. Gen. Unio, (21) vol. i, pp. 38, 203; (29) vol. ii, pp. 124, 130, 146.

U. granulatus.

P. A. N. S., (196) vol. xiii, 1861, p. 60; T. A. P. S., (27) vol. vi, 1838, p. 144; J. A. N. S., (242) vol. vi, 1866, p. 48, pl. xvi, f. 46; (258) vol. vi, 1868, p. 327; Obs. Gen. Unio, (29) vol. ii, p. 144; (244) vol. xi, p. 52, pl. xvi, f. 46; (259) vol. xii, p. 87.

U. gratosus.

J. A. N. S., (133) vol. iii, 1857, pp. 297, 299, 303; (168) vol. iv, 1859, p. 251; (220) vol. v, 1863, p. 298; Obs. Gen. Unio, (150) vol. vi, pp. 17, 19, 23; (170) vol. vii, p. 69; (222) vol. x, p. 34.

U. gratus.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, p. 382, pl. xliii, f. 290; Obs. Gen. Unio, (222) vol. x, p. 18, pl. xliii, f. 290.

Unio gravidus.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, p. 292, pl. xxiv, f. 5; Obs. Gen. Unio, (150) vol. vi, p. 12, pl. xxiv, f. 5.

U. Grayanus.

T. A. P. S., (20) vol. v, 1833, p. 66, pl. ix, f. 26; 1834, p. 96; (27) vol. vi, 1834, p. 8, 1838, pp. 122, 145; Obs. Gen. Unio, (21) vol. i, pp. 178, 208, pl. ix, f. 26; (29) vol. ii, pp. 8, 122, 145.

U. Greenii.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 146; (55) vol. x, 1845, p. 73; J. A. N. S., (159) vol. iv, 1859, p. 290; Obs. Gen. Unio, (29) vol. ii, pp. 127, 146; (56) vol. iv, p. 73; (170) vol. vii, p. 18.

U. Griffithianus.

T. A. P. S., (20) vol. v, 1834, p. 103, pl. xv, f. 46; (27) vol. vi, 1838, pp. 130, 146; J. A. N. S., (242) vol. vi, 1866, p. 24; Obs. Gen. Unio, (21) vol. i, p. 215, pl. xv, f. 46; (29) vol. ii, pp. 130, 146; (244) vol. xi, p. 28.

U. Grænländicus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. Guaraniana.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. Gundlachi.

J. A. N. S., (168) vol. iv, 1859, p. 259; Obs. Gen. Unio, (170) vol. vii, p. 77.

U. Hainesianus.

P. A. N. S., (110) vol. viii, 1856, p. 92; J. A. N. S., (133) vol. iii, 1857, p. 289, pl. xxi, f. 1; Obs. Gen. Unio, (150) vol. vi, p. 4, pl. xxi, f. 1.

U. Haleianus.

T. A. P. S., (43) vol. viii, 1842, p. 247, pl. xxvii, f. 63; (55) vol. x, 1845, p. 80; (79) vol. x, 1852, p. 269; Obs. Gen. Unio, (44) vol. iii, p. 85, pl. xxvii, f. 63; (56) vol. iv, p. 80; (83) vol. v, p. 25.

U. Hallenbeckii.

P. A. N. S., (156) vol. xi, 1859, p. 170; J. A. N. S., (148) 1858, vol. iv, p. 83; (189) vol. iv, 1860, pp. 328, 333, pl. li, f. 154; Obs. Gen. Unio, (150) vol. vi, p. 83; (205) vol. viii, pp. 10, 15, 18, pl. li, f. 1, 54.

U. Hanleyianus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1853, p. 279, pl. xxiii, f. 37; J. A. N. S., (159) vol. iv, 1859, p. 192; (189) vol. iv, 1860, p. 344; (203) vol. v, 1861, pp. 84, 85, 97; Obs. Gen. Unio, (83) vol. v, p. 35, pl. xxiii, f. 37; (170) vol. vii, p. 10; (205) vol. viii, pp. 26, 88, 89, 101.

U. hastatus.

J. A. N. S., (274) vol. viii, 1874, p. 56; Obs. Gen. Unio, (275) vol. xiii, p. 60, pl. xix, f. 54.

U. Hartmanianus.

P. A. N. S., (186) vol. xii, 1860, p. 307; J. A. N. S., (203) vol. v, 1861, p. 73, pl. viii, f. 222; Obs. Gen. Unio, (205) vol. viii, p. 77, pl. viii, f. 222.

Unio Haysianus.

T. A. P. S., (20) vol. v, 1832, pp. 30, 35, pl. iii, f. 7; 1833, p. 69; (27) vol. vi, 1838, pp. 126, 146; J. A. N. S., (148) vol. iv, 1858, p. 75; Obs. Gen. Unio, (20) vol. i, pp. 142, 147, 181, pl. iii, f. 7; (29) vol. ii, pp. 126, 146; (150) vol. vi, p. 75.

U. Hazlehurstianus.

J. A. N. S., (159) vol. iv, 1859, p. 211, pl. xxvi, f. 92; P. A. N. S., (143) vol. x, 1858, p. 166; Obs. Gen. Unio, (170) vol. vii, p. 29, pl. xxvi, f. 92.

U. hebes.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 267, pl. xviii, f. 21; J. A. N. S., (189) vol. iv, 1860, p. 339; (203) vol. v, 1861, p. 91; (242) vol. vi, 1866, p. 6; Obs. Gen. Unio, (83) vol. v, p. 23, pl. xviii, f. 21; (205) vol. viii, p. 21, 95; (244) vol. xi, p. 10.

U. Heermannii.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, p. 194, pl. xxvi, f. 263; Obs. Gen. Unio, (215) vol. ix, p. 16, pl. xxvi, f. 263.

U. Hembellii.

T. A. P. S., (79) vol. x, 1852, p. 263; J. A. N. S., (168) vol. iv, 1859, p. 245; Obs. Gen. Unio, (83) vol. v, p. 19; (170) vol. vii, p. 63.

U. hepaticus.

P. A. N. S., (154) vol. xi, 1859, p. 154; J. A. N. S., (189) vol. iv, 1860, p. 248, pl. lvii, f. 173; (242) vol. vi, 1866, p. 14; Obs. Gen. Unio, (205) vol. viii, p. 30, pl. lvii, f. 173; (244) vol. xi, p. 18.

U. heros.

T. A. P. S., (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (29) vol. ii, p. 122.

U. heterodon.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 420, 428, pl. viii, f. 11; (27) vol. vi, 1836, p. 56; 1838, pp. 124, 146; J. A. N. S., (148) vol. iv, 1858, p. 79; (221) vol. v, 1863, p. 442; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 34, 42, pl. viii, f. 11; (29) vol. ii, pp. 56, 124, 146; (150) vol. vi, p. 79; (222) vol. x, p. 78.

U. hians.

T. A. P. S., (27) vol. vi, 1838, p. 135; Obs. Gen. Unio, (29) vol. ii, p. 135.

U. Higginsii.

P. A. N. S., (121) vol. ix, 1857, p. 84; J. A. N. S., (213) vol. v, 1862, p. 188, pl. xxiv, f. 258; Obs. Gen. Unio, (215) vol. ix, p. 10, pl. xxiv, f. 258.

U. Hildrethianus.

T. A. P. S., (20) vol. v, 1832, pp. 36, 64, pl. iii, f. 8; (27) vol. vi, 1838, pp. 128, 146; Obs. Gen. Unio, (21) vol. i, pp. 148, 176, pl. iii, f. 8; (29) vol. ii, pp. 128, 146.

U. hippoæus.

T. A. P. S., (55) vol. x, 1845, p. 67, pl. i, f. 1; Obs. Gen. Unio, (56) vol. iv, p. 67, pl. i, f. 1.

U. Holstonensis.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 212, pl. xv, f. 27; Obs. Gen. Unio, (44) vol. iii, p. 50, pl. xv, f. 27.

Unio Homsensis.

J. A. N. S., (257) vol. vi, 1868, p. 249, pl. xxix, f. 63; Obs. Gen. Unio, (259) vol. xii, p. 9, pl. xxix, f. 63.

U. Hopetonensis.

T. A. P. S., (27) vol. vi, 1836, p. 29, pl. ix, f. 24; 1838, pp. 129, 146; (79) vol. x, 1852, p. 263; J. A. N. S., (133) vol. iii, 1857, p. 305; (221) vol. v, 1863, p. 415; P. A. N. S., (131) vol. ix, 1857, p. 205; Obs. Gen. Unio, (29) vol. ii, pp. 29, 129, 146, pl. ix, f. 24; (83) vol. v, p. 19; (150) vol. vi, p. 25; (222) vol. x, p. 51.

U. Housei.

P. A. N. S., (110) vol. viii, 1856, p. 92; J. A. N. S., (133) vol. iii, 1857, pp. 290, 291, pl. xxiii, f. 3; Obs. Gen. Unio, (150) vol. vi, pp. 10, 11, pl. xxiii, f. 3.

U. Houstonensis.

P. A. N. S., (154) vol. xi, 1859, p. 155; J. A. N. S., (189) vol. iv, 1860, pp. 358, 372, pl. lx, f. 182; Obs. Gen. Unio, (205) vol. viii, pp. 40, 54, pl. lx, f. 183.

U. humerosus.

J. A. N. S., (257) vol. vi, 1868, p. 301, pl. xlv, f. 113; Obs. Gen. Unio, (259) vol. xii, p. 61, pl. xlv, f. 113.

U. humilis.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, pp. 296, 297, pl. xxvi, f. 10; Obs. Gen. Unio, (150) vol. vi, pp. 16, 17, pl. xxvi, f. 10.

U. hyalinus.

T. A. P. S., (53) vol. x, 1845, pp. 69, 71, pl. ii, f. 4; Obs. Gen. Unio, (56) vol. iv, pp. 69, 71, pl. ii, f. 4.

U. hybridus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. Hydiarius.

T. A. P. S., (27) vol. vi, 1834, p. 14, pl. vi, f. 14; 1838, pp. 106, 127, 146; (55) vol. x, 1845, pp. 75, 76; J. A. N. S., (274) vol. viii, 1874, p. 68; Obs. Gen. Unio, (29) vol. ii, pp. 14, 106, 127, 146, pl. vi, f. 14; (56) vol. iv, pp. 75, 76; (275) vol. xiii, p. 72.

U. hylea.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. ieterinus.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

U. incrassatus.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 217, pl. xvi, f. 34; (79) vol. x, 1852, p. 264; J. A. N. S., (159) vol. iv, 1859, p. 217; (221) vol. 5, 1863, p. 469; Obs. Gen. Unio, (44) vol. iii, p. 55, pl. xvi, f. 34; (83) vol. v, p. 40; (170) vol. vii, p. 35; (222) vol. x, p. 45.

U. ineureus.

T. A. P. S., (15) vol. iv, 1830, p. 97, pl. xiii, f. 27; (20) vol. v, 1833, p. 90; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 107, 202, pl. xiii, f. 27; (29) vol. ii, p. 130.

Unio indefinitus.

J. A. N. S., (242) vol. vi, 1866, p. 15, pl. iv, f. 12; Obs. Gen. Unio, (244) vol. xi, p. 19, pl. iv, f. 12.

U. ineptus.

T. A. P. S., (79) vol. x, 1852, p. 261, pl. xv, f. 12; J. A. N. S., (242) vol. vi, 1866, p. 21; Obs. Gen. Unio, (83) vol. v, p. 17, pl. xv, f. 12; (244) vol. xi, p. 25.

U. inflatus.

T. A. P. S., (12) vol. iii, 1829, p. 419; (27) vol. vi, 1838, pp. 121, 127, 146; J. A. N. S., (221) vol. v, 1863, p. 435; P. A. N. S., (118) vol. ix, 1857, p. 18; Obs. Gen. Unio, (21) vol. i, p. 33; (29) vol. ii, pp. 121, 127, 146; (222) vol. x, p. 71.

U. infueatus.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 146; (79) vol. x, 1852, p. 265; J. A. N. S., (221) vol. v, 1863, p. 407; Obs. Gen. Unio, (29) vol. ii, pp. 131, 146; (83) vol. v, p. 21; (222) vol. x, p. 43.

U. infulgens.

J. A. N. S., (274) vol. viii, 1874, p. 60, pl. xxi, f. 59; Obs. Gen. Unio, (275) vol. xiii, p. 64, pl. xxi, f. 59.

U. infuscus.

J. A. N. S., (273) vol. viii, 1874, p. 51, pl. xvii, f. 49; Obs. Gen. Unio, (275) vol. xiii, p. 55, pl. xvii, f. 49.

U. Ingaltsivius.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 282, pl. xxiv, f. 41; J. A. N. S., (133) vol. iii, 1857, pp. 298, 300; (242) vol. vi, 1866, p. 62; Obs. Gen. Unio, (83) vol. v, p. 38, pl. xxiv, f. 41; (150) vol. vi, pp. 18, 20; (244) vol. xi, p. 66.

U. inornata.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, pp. 293, 300, pl. xxiv, f. 6; (168) vol. iv, 1859, p. 257; Obs. Gen. Unio, (150) vol. vi, pp. 13, 20, pl. xxiv, f. 6; (170) vol. vii, p. 75.

U. insolitus.

J. A. N. S., (273) vol. viii, 1874, p. 40, pl. xiii, f. 37; Obs. Gen. Unio, (275) vol. xiii, p. 44, pl. xiii, f. 37.

U. instructus.

P. A. N. S., (196) vol. xiii, 1861, p. 59; J. A. N. S., (203) vol. v, 1861, pp. 72, 78, 82, pl. x, f. 230; Obs. Gen. Unio, (205) vol. viii, pp. 76, 82, 86, pl. x, f. 230.

U. insulsus.

P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (203) vol. v, 1861, p. 53, pl. i, f. 199; Obs. Gen. Unio, (205) vol. viii, p. 57, pl. i, f. 199.

U. intercedens.

P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (148) vol. iv, 1858, pp. 77, 80, pl. xv, f. 57; (189) vol. iv, 1860, p. 328; Obs. Gen. Unio, (150) vol. vi, pp. 77, 80, pl. xv, f. 57; (205) vol. viii, p. 10.

U. intermedius.

T. A. P. S., (43) vol. viii, 1840, p. 211; (79) vol. x, 1852, p. 267; Obs. Gen. Unio, (44) vol. iii, p. 49; (83) vol. v, p. 23.

Unio interruptus.

T. A. P. S., (27) vol. vi, 1834, p. 15, pl. vi, f. 15; 1836, p. 76; 1838, pp. 122, 127, 144, 146; (43) vol. viii, 1841, p. 234; J. A. N. S., (189) vol. iv, 1860, p. 351; Obs. Gen. Unio, (29) vol. ii, pp. 15, 76, 122, 127, 144, 146, pl. vi, f. 15; (44) vol. iii, p. 72; (205) vol. viii, p. 33.

U. interrentus.

P. A. N. S., (196) vol. xiii, 1861, p. 60; J. A. N. S., (203) vol. v, 1861, p. 84, pl. xi, f. 233; Obs. Gen. Unio, (205) vol. viii, p. 88, pl. xi, f. 233.

U. inusitata.

P. A. N. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 333, pl. lii, f. 158; (203) vol. v, 1861, p. 93; (242) vol. vi, 1866, p. 14; Obs. Gen. Unio, (205) vol. viii, p. 15, 97 (also errata) pl. xv, f. 158; (244) vol. xi, p. 18.

U. invenustus.

J. A. N. S., (274) vol. viii, 1874, p. 66, pl. xxii, f. 62; Obs. Gen. Unio, (275) vol. xiii, p. 70, pl. xxii, f. 62.

U. iris.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 421, 439, pl. xi, f. 18; (20) vol. v, 1832, p. 37, 64; (27) vol. vi, 1836, pp. 25, 34, 41; 1838, pp. 105, 133, 146; (43) vol. viii, 1841, pp. 192, 202; (55) vol. x, 1845, p. 80; J. A. N. S., (189) vol. iv, 1860, pp. 350, 357; (221) vol. v, 1863, p. 419; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 35, 53, 149, 166, pl. xi, f. 18; (29) vol. ii, pp. 25, 34, 41, 105, 133, 146; (44) vol. iii, p. 30, 40; (56) vol. iv, p. 80; (205) vol. viii, pp. 32, 39; (222) vol. x, p. 55.

U. irrasus.

P. A. N. S., (192) vol. xiii, 1861, p. 38; J. A. N. S., (203) vol. v, 1861, p. 91, pl. xiii, f. 239; Obs. Gen. Unio, (205) vol. viii, p. 95, pl. xiii, f. 239.

U. irreptus.

P. A. P. S., (93) vol. ii, 1852, p. 251.

U. irroratus.

T. A. P. S., (9) vol. iii, 1827, p. 269, pl. v, f. 5; (12) vol. iii, 1829, pp. 70, 406, 407, 409, 411, 412, 414, 420; (27) vol. vi, 1836, p. 49, 51; 1838, pp. 123, 146; (43) vol. viii, 1841, p. 231; (55) vol. x, 1845, p. 75; (79) vol. x, 1852, p. 167; J. A. N. S., (147) vol. iv, 1858, p. 44; (213) vol. v, 1863, p. 206; (221) vol. v, 1863, pp. 401, 433; Obs. Gen. Unio, (21) vol. i, pp. 11, 20, 21, 23, 25, 26, 28, 34, 182, pl. v, f. 5; (29) vol. ii, pp. 49, 51, 123, 146; (44) vol. iii, p. 69; (56) vol. iv, p. 75; (83) vol. v, p. 23; (150) vol. vi, p. 44; (215) vol. ix, p. 28; (222) vol. x, pp. 37, 69.

U. Irwinensis.

J. A. N. S., (273) vol. viii, 1874, p. 41, pl. xv, f. 42; Obs. Gen. Unio, (275) vol. xiii, p. 48, pl. xv, f. 42.

U. Jamesianus.

P. A. N. S., (121) vol. ix, 1857, p. 84; J. A. N. S., (148) vol. iv, 1858, p. 52, pl. vi, f. 35; Obs. Gen. Unio, (150) vol. vi, p. 52, pl. vi, f. 35.

U. Japanensis.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, p. 244, pl. xxxvi, f. 123; Obs. Gen. Unio, (170) vol. vii, p. 62, pl. xxxvi, f. 123.

Unio Javanus.

P. A. P. S., (35) vol. i, 1840, p. 285; T. A. P. S., (43) vol. viii, 1840, p. 220, pl. xviii, f. 37; J. A. N. S., (133) vol. iii, 1857, p. 294; (168) vol. iv, 1859, p. 239; Obs. Gen. Unio, (14) vol. iii, p. 58, pl. xviii, f. 37; (150) vol. vi, p. 14; (170) vol. vii, p. 57.

U. Jayensis.

T. A. P. S., (27) vol. vi, 1836, p. 28, pl. ix, f. 23, 1838, pp. 132, 146; Obs. Gen. Unio, (29) vol. ii, pp. 28, 132, 146, pl. ix, f. 23.

U. Jeffreyanus.

J. A. N. S., (273) vol. viii, 1874, p. 23, pl. vii, f. 20; Obs. Gen. Unio, (275) vol. xiii, p. 27, pl. vii, f. 20.

U. jejunus.

T. A. P. S., (27) vol. vi, 1834, p. 9, pl. iv, f. 9; 1838, pp. 130, 146; Obs. Gen. Unio, (29) vol. ii, pp. 9, 130, 146, pl. iv, f. 9.

U. Jewettii.

J. A. N. S., (257) vol. vi, 1868, p. 276, pl. xxxvii, f. 89; Obs. Gen. Unio, (259) vol. xii, p. 36, pl. xxxvii, f. 89.

U. Johannis.

P. A. N. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 343, pl. lv, f. 168; Obs. Gen. Unio, (205) vol. viii, p. 25, pl. lv, f. 168.

U. Jonesii.

P. A. N. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 339, pl. liv, f. 164; Obs. Gen. Unio, (205) vol. viii, p. 21, pl. liv, f. 164.

U. Jordanus.

J. A. N. S., (242) vol. vi, 1866, p. 53; Obs. Gen. Unio, (241) vol. xi, p. 57.

U. Juliani.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. Katherinæ.

T. A. P. S., (27) vol. vi, 1838, pp. 143, 146; Obs. Gen. Unio, (29) vol. ii, pp. 143, 146.

U. Keinerianus.

P. A. P. S., (92) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 281, pl. xxiii, f. 40; Obs. Gen. Unio, (83) vol. v, p. 37, pl. xxiii, f. 40.

U. Keradreni.

J. A. N. S., (133) vol. iii, 1857, p. 311; Obs. Gen. Unio, (150) vol. vi, p. 31.

U. Kirkii.

J. A. N. S., (242) vol. vi, 1866, pp. 32, 34, pl. xii, f. 30; Obs. Gen. Unio, (244) vol. xi, pp. 36, 38, pl. xii, f. 30.

U. Kirtlandianus.

T. A. P. S., (20) vol. v, 1834, p. 98, pl. xiv, f. 41; (27) vol. vi, 1838, pp. 131, 146; Obs. Gen. Unio, (21) vol. i, p. 210, pl. xiv, f. 41; (29) vol. ii, pp. 131, 146.

U. Kleinianus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 265; J. A. N. S., (221) vol. v, 1863, pp. 401, 417, 418; Obs. Gen. Unio, (83) vol. v, p. 21, pl. xvii, f. 18; (222) vol. x, pp. 40, 53, 64.

Unio Kullethensis.

J. A. N. S., (257) vol. vi, 1868, p. 251, pl. xxix, f. 65; Obs. Gen. Unio, (259) vol. xii, p. 11, pl. xxix, f. 65.

U. Labacensis.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

U. lacrymosus.

T. A. P. S., (9) vol. iii, 1827, p. 272, pl. vi, f. 8; (12) vol. iii, 1829, pp. 407, 409, 410, 411, 413, 414, 420; (15) vol. iv, 1830, pp. 64, 72, 86; (27) vol. vi, 1838, pp. 123, 116; (43) vol. viii, 1841, p. 231; P. A. P. S., (66) vol. v, 1851, p. 192; P. A. N. S., (135) vol. x, 1858, p. 13; J. A. N. S., (148) vol. iv, 1858, p. 66; (189) vol. iv, 1860, p. 358; (221) vol. v, 1863, p. 431; Obs. Gen. Unio, (21) vol. i, pp. 14, 21, 23, 24, 25, 27, 28, 34, 74, 82, 96, pl. v, f. 8; (29) vol. ii, pp. 123, 146; (44) vol. iii, p. 69; (150) vol. vi, p. 66; (205) vol. viii, p. 40; (222) vol. x, p. 67.

U. lacteolus.

T. A. P. S., (20) vol. v, 1832, pp. 40, 61, 63, 90, pl. viii, f. 19; (27) vol. vi, 1838, p. 128; (43) vol. viii, 1840, p. 200; J. A. N. S., (133) vol. iii, 1857, p. 309; Obs. Gen. Unio, (21) vol. i, pp. 152, 173, 180, 202, pl. viii, f. 19; (29) vol. ii, p. 128; (44) vol. iii, p. 38; (150) vol. vi, p. 29.

U. laevigata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. laevissimus.

T. A. P. S., (27) vol. vi, 1838, pp. 121, 146; (43) vol. viii, 1840, pp. 219, 231; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; J. A. N. S., (147) vol. iv, 1858, pp. 45, 48, pl. v, f. 24; (221) vol. v, 1863, pp. 425, 434; (242) vol. vi, 1866, p. 35; Obs. Gen. Unio, (29) vol. ii, pp. 121, 146; (44) vol. iii, pp. 57, 69; (150) vol. vi, pp. 45, 48, pl. v, f. 24; (222) vol. x, pp. 61, 70; (244) vol. xi, p. 39.

U. Lamarckianus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 266, pl. xvii, f. 20; Obs. Gen. Unio, (83) vol. v, p. 22, pl. xvii, f. 20.

U. lamellatus.

T. A. P. S., (27) vol. vi, 1835, p. 19, pl. vi, f. 16; 1838, p. 128; J. A. N. S., (168) vol. iv, 1859, pp. 244, 273; (242) vol. vi, 1866, p. 23; Obs. Gen. Unio, (29) vol. ii, pp. 19, 128, pl. xix, f. 16; (170) vol. vii, pp. 62, 91; (244) vol. xi, p. 27.

U. lamobrachys.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. lanceolata.

T. A. P. S., (9) vol. iii, 1827, p. 266, pl. iii, f. 2; (12) vol. iii, 1829, pp. 406, 409, 413, 420; (20) vol. v, 1834, p. 97; (27) vol. vi, 1838, pp. 132, 146; (43) vol. viii, 1840, p. 197; J. A. N. S., (203) vol. v, 1861, pp. 55, 60; (242) vol. vi, 1866, p. 11; Obs. Gen. Unio, (21) vol. i, pp. 8, 20, 23, 27, 34, 209, pl. iii, f. 2; (29) vol. ii, pp. 132, 146; (205) vol. viii, pp. 59, 64; (244) vol. xi, p. 15.

Unio Laosensis.

J. A. N. S., (242) vol. vi, 1866, p. 63, pl. xxi, f. 61; Obs. Gen. Unio, (244) vol. xi, p. 67, pl. xxi, f. 61.

U. lapillus.

T. A. P. S., (27) vol. vi, 1838, pp. 28, 129; J. A. N. S., (221) vol. v, 1863, p. 423; Obs. Gen. Unio, (29) vol. ii, pp. 128, 129; (222) vol. x, p. 59.

U. latecostatus.

T. A. P. S., (55) vol. x, 1845, p. 68, pl. i, f. 2; Obs. Gen. Unio, (56) vol. iv, p. 68, pl. i, f. 2.

U. lateralis.

T. A. P. S., (27) vol. vi, 1838, pp. 125, 144; Obs. Gen. Unio, (29) vol. ii, pp. 125, 144.

U. latissima.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. latus.

T. A. P. S., (27) vol. vi, 1838, p. 131; P. A. P. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 334, pl. liii, f. 159; Obs. Gen. Unio, (29) vol. ii, p. 131; (205) vol. viii, p. 16, pl. liii, f. 159.

U. Lawii.

J. A. N. S., (273) vol. viii, 1874, p. 8, pl. ii, f. 4; Obs. Gen. Unio, (275) vol. xiii, p. 12, pl. ii, f. 4.

U. Layardii.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, pp. 243, 273, pl. xxxvi, f. 122; Obs. Gen. Unio, (170) vol. vii, pp. 61, 91, pl. xxxvi, f. 122.

U. Lazarus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 259, pl. xiv, f. 9; Obs. Gen. Unio, (83) vol. v, p. 15, pl. xiv, f. 9.

U. Leaii.

T. A. P. S., (20) vol. v, 1832, p. 43; (27) vol. vi, 1838, pp. 124, 145; Obs. Gen. Unio, (29) vol. ii, pp. 124, 145.

U. Lecontianus.

T. A. P. S., (27) vol. vi, 1836, p. 40, pl. xii, f. 35, 1838, pp. 126, 147; (79) vol. x, 1852, p. 268; J. A. N. S., (148) vol. iv, 1858, p. 64; (159) vol. iv, 1859, pp. 209, 211, 217; (203) vol. v, 1861, p. 80; Obs. Gen. Unio, (29) vol. ii, pp. 40, 126, 147, pl. xii, f. 35; (83) vol. v, p. 24; (150) vol. vi, p. 64; (170) vol. vii, pp. 27, 29, 35; (205) vol. viii, p. 84.

U. Ligamentinus.

J. A. N. S., (148) vol. iv, 1858, p. 78; Obs. Gen. Unio, (150) vol. vi, p. 78.

U. Leibii.

J. A. N. S., (242) vol. vi, 1866, p. 44, pl. xv, f. 42; Obs. Gen. Unio, (244) vol. xi, p. 48, pl. xv, f. 42.

U. lenior (same as lenis).

T. A. P. S., (43) vol. viii, 1840, p. 204, pl. xii, f. 18; Obs. Gen. Unio, (44) vol. iii, p. 42, pl. xii, f. 18.

U. lenis (same as lenior).

P. A. P. S., (35) vol. i, 1840, p. 286.

Unio lens.

T. A. P. S., (15) vol. iv, 1830, p. 80, pl. viii, f. 10; (27) vol. vi, 1838, pp. 130, 147; (55) vol. x, 1845, p. 74; J. A. N. S., (221) vol. v, 1863, p. 428; Obs. Gen. Unio, (21) vol. i, p. 90, pl. viii, f. 10; (29) vol. ii, pp. 130, 147; (56) vol. iv, p. 74; (222) vol. x, p. 64.

U. lenticularis.

J. A. N. S., (273) vol. viii, 1874, p. 30, pl. ix, f. 27; Obs. Gen. Unio, (275) vol. xiii, p. 34, pl. ix, f. 27.

U. lepidus.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, pp. 380, 389, pl. I, f. 306; Obs. Gen. Unio, (222) vol. x, pp. 16, 25, pl. II, f. 306.

U. leptodon.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Lesleyi.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 352, pl. lviii, f. 177; Obs. Gen. Unio, (205) vol. viii, p. 34, pl. lviii, f. 177.

U. Lesueurianus.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 195, pl. viii, f. 6; Obs. Gen. Unio, (44) vol. iii, p. 33, pl. viii, f. 6.

U. Lewisii.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, p. 71, pl. viii, f. 220; (258) vol. vi, 1868, p. 327; Obs. Gen. Unio, (205) vol. viii, p. 75, pl. viii, f. 220; (259) vol. xii, p. 87.

U. lienosus.

T. A. P. S., (27) vol. vi, 1838, pp. 128, 147; Obs. Gen. Unio, (29) vol. ii, pp. 128, 147.

U. ligamentina.

T. A. P. S., (12) vol. iii, 1829, p. 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 127; (79) vol. x, 1852, p. 276; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 18; (148) vol. iv, 1858, p. 82; (159) vol. iv, 1859, p. 193; (189) vol. iv, 1860, p. 369; (203) vol. v, 1861, p. 62; (213) vol. v, 1862, p. 189; (221) vol. v, 1863, p. 244; Obs. Gen. Unio, (21) vol. i, pp. 36, 200; (29) vol. ii, p. 127; (83) vol. v, p. 32; (150) vol. vi, pp. 47, 82, pl. v, f. 18; (170); vol. vii, p. 11; (205) vol. viii, pp. 51, 66; (215) vol. ix, p. 11; (222) vol. x, p. 60.

U. ligatus.

J. A. N. S., (273) vol. viii, 1874, p. 49, pl. xvii, f. 47; Obs. Gen. Unio, (275) vol. xiii, p. 53, pl. xvii, f. 47.

U. Linnaea.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. linatulus.

J. A. N. S., (221) vol. v, 1863, p. 407; Obs. Gen. Unio, (222) vol. x, p. 43.

U. limosa.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. Linovianseae.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

Unio Lincecumii.

J. A. N. S., (258) vol. vi, 1868, p. 312, pl. xlix, f. 125; Obs. Gen. Unio, (259) vol. xii, p. 72, pl. xlix, f. 125.

U. Lindsleyi.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 351, pl. lviii, f. 176; Obs. Gen. Unio, (205) vol. viii, p. 33, pl. lviii, f. 176.

U. lineatus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 206, pl. xii, f. 20; J. A. N. S., (221) vol. v, 1863, pp. 407, 414; Obs. Gen. Unio, (44) vol. iii, p. 44, pl. xii, f. 20; (222) vol. x, pp. 43, 50.

U. lineolata.

T. A. P. S., (27) vol. vi, 1838, pp. 124, 144; Obs. Gen. Unio, (29) vol. ii, pp. 124, 144.

U. linguaformis.

P. A. N. S., (183) vol. xii, 1860, p. 305; J. A. N. S., (189) vol. iv, 1860, p. 345, pl. lvi, f. 170; Obs. Gen. Unio, (205) vol. viii, p. 27, pl. lvi, f. 170.

U. Listeri.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. littoralis.

T. A. P. S., (12) vol. iii, 1829, p. 423; (20) vol. v, 1833, pp. 88, 90; (27) vol. vi, 1838, pp. 130, 137, 145; Obs. Gen. Unio, (21) vol. i, pp. 37, 200, 201, 202; (29) vol. ii, pp. 130, 137, 145.

U. litus.

J. A. N. S., (273) vol. viii, 1874, p. 17, pl. v, f. 13; Obs. Gen. Unio, (275) vol. xiii, p. 21, pl. v, f. 13.

U. lividus.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Livingstonei.

J. A. N. S., (242) vol. vi, 1866, p. 14, pl. iv, f. 11; Obs. Gen. Unio, (244) vol. xi, p. 18, pl. iv, f. 11.

U. locellus.

J. A. N. S., (257) vol. vi, 1858, p. 264, pl. xxxiii, f. 79; Obs. Gen. Unio, (259) vol. xii, p. 24, pl. xxx, f. 79.

U. longirostris.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. lucidus.

J. A. N. S., (242) vol. vi, 1866, p. 9, pl. ii, f. 6; Obs. Gen. Unio, (244), vol. xi, p. 13, pl. ii, f. 6.

U. lugubris.

T. A. P. S., (20) vol. v, 1833, p. 88; (27) vol. vi, 1836, p. 30, pl. ix, f. 25; (27) vol. vi, 1838, pp. 132, 133, 147; J. A. N. S., (159) vol. iv, 1859, p. 212; (220) vol. v, 1863, p. 380; (221) vol. v, 1863, p. 414; Obs. Gen. Unio, (21) vol. i, p. 200; (29) vol. ii, pp. 30, 132, 133, 147, pl. ix, f. 25; (170) vol. vii, p. 30; (222) vol. x, pp. 16, 50.

U. luridus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 273, pl. xx, f. 29; J. A. N. S., (148) vol. iv, 1858, p. 54; Obs. Gen. Unio, (83) vol. v, p. 29, pl. xx, f. 29.

Unio lutens (same as *U. luteus*).

P. A. N. S., (110) vol. viii, 1856, p. 93.

U. luteolus.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 425; (20) vol. v, 1833, p. 91; (27) vol. vi, 1834, p. 15; 1836, pp. 34, 49, 56; 1838, pp. 106, 126, 127, 147; (43) vol. viii, 1841, p. 231; (55) vol. x, 1845, p. 79; (79) vol. x, 1852, pp. 271, 273; P. A. N. S., (135) vol. x, 1858, p. 13; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 10; (213) vol. v, 1861, p. 215; (220) vol. v, 1863, p. 382; (221) vol. v, 1863, pp. 402, 414; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 31, 39, 203; (29) vol. ii, pp. 15, 34, 49, 56, 106, 126, 127, 147; (44) vol. iii, p. 69; (56) vol. iv, p. 79; (83) vol. v, pp. 27, 29; (150) vol. vi, p. 47, pl. v, f. 10; (215) vol. ix, p. 37; (222) vol. x, pp. 18, 38, 50; (244) vol. xi, p. 31.

U. luteus. (see *U. lutens*).

J. A. N. S., (133) vol. iii, 1857, p. 291, pl. xxiv, f. 4; Obs. Gen. Unio, (150) vol. vi, p. 11, pl. xxiv, f. 4.

U. Lagonii.

P. A. N. S., (235) vol. xvii, 1865, p. 89; J. A. N. S., (257) vol. vi, 1868, p. 259, pl. xxxii, f. 74; Obs. Gen. Unio, (259) vol. vii, p. 19, pl. xxxii, f. 74.

U. macer.

P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (213) vol. v, 1862, p. 202, pl. xxix, f. 271; Obs. Gen. Unio, (215) vol. ix, p. 24, pl. xxix, f. 271.

U. Macneilii.

J. A. N. S., (273) vol. viii, 1874, p. 250, pl. viii, f. 22; Obs. Gen. Unio, (275) vol. xiii, p. 29, pl. viii, f. 22.

U. Maconensis.

P. A. N. S., (129) vol. ix, 1857, p. 172; J. A. N. S., (148) vol. iv, 1858, pp. 93, 95, pl. xx, f. 73; Obs. Gen. Unio, (150) vol. vi, pp. 93, 95, pl. xx, f. 73.

U. macrodon.

P. A. N. S., (154) vol. xi, 1859, p. 154; J. A. N. S., (213) vol. v, 1862, p. 193, pl. xxvi, f. 262; Obs. Gen. Unio, (215) vol. ix, p. 15, pl. xxvi, f. 262.

U. maculatus.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 147; (43) vol. viii, 1840, p. 210; Obs. Gen. Unio, (29) vol. ii, pp. 131, 147; (44) vol. iii, p. 48.

U. maestus.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (43) vol. viii, 1841, p. 244, pl. xxvi, f. 60; Obs. Gen. Unio, (44) vol. iii, p. 82, pl. xxvi, f. 60.

U. manca.

T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (21) vol. i, pp. 39, 203; (29) vol. ii, p. 32.

U. manubius.

J. A. N. S., (148) vol. iv, 1858, p. 53; Obs. Gen. Unio, (150) vol. vi, p. 53.

U. Mardinensis.

J. A. N. S., (257) vol. vi, 1868, p. 252, pl. xxx, f. 66; Obs. Gen. Unio, (259) vol. vii, p. 12, pl. xxx, f. 66.

Unio marginalis.

T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1832, p. 41; 1833, pp. 66, 92; 1834, p. 97; (27) vol. vi, 1838, pp. 132, 145; J. A. N. S., (168) vol. iv, 1859, p. 244; Obs. Gen. Unio, (21) vol. i, pp. 39, 153, 178, 204, 209; (29) vol. ii, pp. 132, 145; (170) vol. vii, p. 62.

U. marginis.

P. A. N. S., (235) vol. xvii, 1865, p. 89; J. A. N. S., (257) vol. vi, 1868, p. 255, pl. xxxi, f. 69; Obs. Gen. Unio, (259) vol. vii, p. 15, pl. xxxi, f. 69.

U. margaritacea.

T. A. P. S., (27) vol. vi, 1838, p. 134; Obs. Gen. Unio, (29) vol. ii, p. 134.

U. margaritifera.

T. A. P. S., (12) vol. iii, 1829, p. 423; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (21) vol. i, pp. 37, 200; (29) vol. ii, p. 136.

U. Masoni.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 147; Obs. Gen. Unio, (29) vol. ii, pp. 131, 147.

U. Maurititanus.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, pp. 249, 257, pl. xl, f. 138; Obs. Gen. Unio, (170) vol. vii, pp. 67, 75, pl. xl, f. 138.

U. Mecklenbergensis.

J. A. N. S., (242) vol. vi, 1866, pp. 12, 17, pl. v, f. 15; Obs. Gen. Unio, (244) vol. xi, pp. 16, 21, pl. v, f. 15.

U. Medellinus.

T. A. P. S., (27) vol. vi, 1836, p. 39, pl. xii, f. 34; 1838, pp. 127, 147; (43) vol. viii, 1840, p. 201; Obs. Gen. Unio, (29) vol. ii, pp. 39, 127, 147, pl. xii, f. 34; (44) vol. iii, p. 39.

U. medioeris.

J. A. N. S., (242) vol. vi, 1866, p. 24, pl. vii, f. 22; Obs. Gen. Unio, (244) vol. xi, p. 28, pl. vii, f. 22.

U. medius.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, pp. 78, 83, 92, pl. x, f. 227; Obs. Gen. Unio, (205) vol. viii, pp. 82, 87, 96, pl. x, f. 227.

U. megaptera.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. melaplata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. melleus.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, pp. 250, 253, pl. xxxviii, f. 129; Obs. Gen. Unio, (170) vol. vii, pp. 68, 71, pl. xxxviii, f. 129.

U. membranaceus.

T. A. P. S., (27) vol. vi, 1838, pp. 148, 154; J. A. N. S., (133) vol. iii, 1857, p. 309; Obs. Gen. Unio, (29) vol. ii, p. 148; (150) vol. vi, p. 29.

U. Menkianus.

T. A. P. S., (27) vol. vi, 1836, p. 76, pl. xix, f. 59; 1838, pp. 127, 147; J. A. N. S., (189) vol. iv, 1860, p. 351; Obs. Gen. Unio, (29) vol. ii, pp. 76, 127, 147, pl. xix, f. 59; (205) vol. viii, p. 33.

- Unio Mercerii.*
J. A. N. S., (213) vol. v, 1862, p. 209, pl. xxxi, f. 278; Obs. Gen. Unio, (215) vol. ix, p. 31, pl. xxxi, f. 278.
- U. Meredithii.*
P. A. N. S., (136) vol. x, 1858, p. 40; J. A. N. S., (189) vol. iv, 1860, p. 347; (203) vol. v, 1861, p. 65, pl. vi, f. 214; Obs. Gen. Unio, (205) vol. viii, pp. 29, 69, pl. vi, f. 214.
- U. merus.*
P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 260, pl. xv, f. 10; J. A. N. S., (168) vol. iv, 1859, p. 254; (189) vol. iv, 1860, p. 349; Obs. Gen. Unio, (83) vol. v, p. 16, pl. xv, f. 10; (170) vol. vii, p. 72; (205) vol. viii, p. 31.
- U. metanever.*
T. A. P. S., (9) vol. iii, 1827, p. 273; (12) vol. iii, 1829, pp. 409, 410, 412, 418; (15) vol. iv, 1830, pp. 64, 72; 1831, p. 106; (27) vol. vi, 1838, pp. 123, 147; (43) vol. viii, 1840, pp. 211, 231, 243; (79) vol. x, 1852, pp. 267, 277; J. A. N. S., (148) vol. iv, 1858, p. 66; (213) vol. v, 1862, p. 188; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 15, 23, 24, 26, 32, 74, 82, 116; (29) vol. ii, pp. 123, 147; (44) vol. iii, pp. 49, 69, 81; (83) vol. v, pp. 23, 33; (150) vol. vi, p. 66; (215) vol. ix, p. 10; (244) vol. xi, p. 31.
- U. metanevrus.*
J. A. N. S., (221) vol. v, 1863, p. 430; Obs. Gen. Unio, (222) vol. x, p. 66.
- U. metallieus.*
T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.
- U. Mexicanus.*
J. A. N. S., (168) vol. iv, 1859, p. 264; Obs. Gen. Unio, (170) vol. vii, p. 72.
- U. micans.*
P. A. N. S., (123) vol. ix, 1857, p. 85; J. A. N. S., (203) vol. v, 1861, p. 59, pl. iii, f. 207; (242) vol. vi, 1866, p. 19; Obs. Gen. Unio, (205) vol. viii, p. 63, pl. iii, f. 207; (244) vol. xi, p. 23.
- U. Michaudiana.*
T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.
- U. minor.*
T. A. P. S., (54) vol. ix, 1843, pp. 276, 278, pl. xxxix, f. 3; Obs. Gen. Unio, (56) vol. x, pp. 276, 278, pl. xxxix, f. 3.
- U. Mississippiensis.*
J. A. N. S., (213) vol. 5, 1862, p. 260; (220) vol. v, 1863, p. 378; Obs. Gen. Unio, (215) vol. ix, p. 22; (222) vol. x, p. 14.
- U. modestus.*
T. A. P. S., (27) vol. vi, 1836, p. 23; 1838, pp. 130, 148; J. A. N. S., (189) vol. iv, 1860, p. 345; (242) vol. vi, 1866, p. 20; Obs. Gen. Unio, (29) vol. ii, pp. 23, 130, 148; (205) vol. viii, p. 27; (244) vol. xi, p. 24.
- U. modicellus.*
P. A. N. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 347, pl. lvii, f. 172; (203) vol. v, 1861, p. 79; (213) vol. v, 1862, p. 267; Obs. Gen. Unio, (205) vol. viii, p. 29, pl. lvii, f. 172; (205) vol. viii, p. 83; (215) vol. ix, p. 29.
- Unio modicus.*
P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (159) vol. iv, 1859, p. 204, pl. xxiv, f. 86; Obs. Gen. Unio, (170) vol. vii, p. 22, pl. xxiv, f. 86.
- U. modioliformis.*
T. A. P. S., (20) vol. v, 1833, p. 89; 1834, p. 97, pl. xiii, f. 40; (27) vol. vi, 1836, p. 63; 1838, pp. 119, 133; (54) vol. ix, 1843, p. 275; (79) vol. x, 1852, pp. 270, 274; J. A. N. S., (148) vol. iv, 1858, p. 60; Obs. Gen. Unio, (21) vol. i, pp. 201, 209, pl. xiii, f. 40; (29) vol. ii, pp. 63, 119, 126, 133, 147; (56) vol. iv, p. 275; (83) vol. v, pp. 26, 30; (150) vol. vi, p. 60.
- U. monodontus.*
T. A. P. S., (27) vol. vi, 1838, pp. 128, 134, 147; (43) vol. viii, 1840, pp. 193, 231; J. A. N. S., (159) vol. iv, 1859, p. 225; (221) vol. v, 1863, p. 422; Obs. Gen. Unio, (29) vol. ii, pp. 128, 134, 147; (44) vol. iii, p. 31; (44) vol. iii, p. 69; (170) vol. vii, p. 43; (222) vol. x, p. 58.
- U. Monroensis.*
T. A. P. S., (54) vol. ix, 1843, p. 279, pl. xli, f. 8; Obs. Gen. Unio, (56) vol. iv, p. 279, pl. xli, f. 8.
- U. montanus.*
T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.
- U. Mooresianus.*
P. A. N. S., (120) vol. ix, 1857, p. 83; J. A. N. S., (242) vol. vi, 1866, p. 39, pl. xiv, f. 37; Obs. Gen. Unio, (244) vol. xi, p. 43, pl. xiv, f. 37.
- U. Mortoni.*
T. A. P. S., (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (29) vol. ii, p. 123.
- U. Mosulensis.*
J. A. N. S., (242) vol. vi, 1866, pp. 51, 52, pl. xvii, f. 49; Obs. Gen. Unio, (244) vol. xi, pp. 55, 56, pl. xvii, f. 49.
- U. Moussonianus.*
P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 268; Obs. Gen. Unio, (83) vol. v, p. 24, pl. xviii, f. 22.
- U. mucronatus.*
T. A. P. S., (12) vol. iii, 1829, p. 419; (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (21) vol. i, p. 31; (29) vol. ii, p. 133.
- U. Mühlfeldianus.*
T. A. P. S., (27) vol. vi, 1836, pp. 32, 41, pl. xii, f. 36; 1838, pp. 128, 147; Obs. Gen. Unio, (29) vol. ii, pp. 32, 41, 128, 147, pl. xii, f. 36.
- U. multiplicatus.*
T. A. P. S., (15) vol. iv, 1830, pp. 65, 70; 1831, p. 106, pl. iv, f. 2; (20) vol. v, 1832, p. 29; (27) vol. vi, 1836, p. 56; 1838, pp. 122, 147; (43) vol. viii, 1841, p. 231; P. A. P. S., (66) vol. v, 1851, p. 192; P. A. N. S., (139) vol. x, 1858, p. 111; (141) vol. x, 1858, p. 135; J. A. N. S., (147) vol. iv, 1858, p. 46, pl. v, f. 3; (159) vol. iv, 1859, pp. 191, 222, pl. xxx, f. 105; (221) vol. v, 1863, pp. 417, 428; Obs. Gen. Unio, (21) vol. i, pp. 75, 80, 116, 141, pl. iv, f. 2; (29) vol. ii, pp. 56, 122, 140, 147; (44) vol. iii, p. 69; (150) vol. vi, p. 40, pl. v, f. 3; (170) vol. vii, pp. 9, 40, pl. xxx, f. 105; (222) vol. x, pp. 53, 64.

Unio multiradiatus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 420, 434, pl. ix, f. 15; (27) vol. vi, 1838, pp. 127, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 17; (189) vol. iv, 1860, p. 368; (203) vol. v, 1861, pp. 66, 76; (213) vol. v, 1862, p. 209; (221) vol. v, 1863, pp. 409, 426, 431; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 34, 48, pl. ix, f. 15; (29) vol. ii, pp. 127, 147; (44) vol. iii, p. 69; (150) vol. vi, p. 47, pl. v, f. 17; (205) vol. viii, pp. 50, 70, 80; (215) vol. ix, p. 31; (222) vol. x, pp. 45, 62, 67.

U. multistriatus.

T. A. P. S., (15) vol. iv, 1830, p. 91, pl. xii, f. 22; (27) vol. vi, 1838, pp. 122, 148; (55) vol. x, 1845, p. 68; Obs. Gen. Unio, (21) vol. i, p. 101, pl. xii, f. 22; (29) vol. ii, pp. 122, 148; (56) vol. iv, p. 78.

U. mundus.

P. A. N. S., (120) vol. ix, 1857, p. 83; J. A. N. S., (242) vol. vi, 1866, p. 40, pl. xiv, f. 38; Obs. Gen. Unio, (244) vol. xi, p. 44, pl. xiv, f. 38.

U. Murchisonianus.

T. A. P. S., (20) vol. v, 1832, p. 33, pl. iii, f. 6; (27) vol. vi, 1838, p. 122; J. A. N. S., (133) vol. iii, 1857, p. 294; (168) vol. iv, 1859, p. 243; Obs. Gen. Unio, (21) vol. i, p. 145, pl. iii, f. 6; (29) vol. ii, p. 122; (150) vol. vi, p. 14; (170) vol. vii, p. 61.

U. Murrayensis.

J. A. N. S., (258) vol. vi, 1868, p. 303, pl. xlvi, f. 115; Obs. Gen. Unio, (259) vol. xii, p. 62, pl. xlvi, f. 115.

U. musicus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. mutabilis.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, p. 248, pl. xxxviii, f. 127; Obs. Gen. Unio, (170) vol. vii, p. 66, pl. xxxviii, f. 127.

U. Myerianus.

P. A. N. S., (110) vol. viii, 1856, p. 92; J. A. N. S., (133) vol. iii, 1857, p. 290, pl. xxii, f. 2; (242) vol. vi, 1866, p. 63; Obs. Gen. Unio, (150) vol. vi, p. 10, pl. xxii, f. 2; (244) vol. xi, p. 67.

U. mytiloides.

T. A. P. S., (9) vol. iii, 1827, p. 269; (12) vol. iii, 1829, pp. 409, 412, 418; (15) vol. iv, 1830, p. 85; 1831, pp. 110, 111; (27) vol. vi, 1838, pp. 125, 131, 147; Obs. Gen. Unio, (21) vol. i, pp. 11, 23, 26, 32, 95, 120, 121; (29) vol. ii, pp. 125, 131, 147.

U. Nagpoorensis.

P. A. N. S., (165) vol. xi, 1859, p. 331; J. A. N. S., (168) vol. iv, 1859, p. 270, pl. xlv, f. 150; Obs. Gen. Unio, (170) vol. vii, p. 88, pl. xlv, f. 150.

U. nana.

T. A. P. S., (12) vol. iii, 1829, p. 424, (20) vol. v, 1833, p. 90, (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 38, 202, (29) vol. ii, p. 130.

U. Napeanensis.

J. A. N. S., (242) vol. vi, 1866, p. 49; Obs. Gen. Unio, (244) vol. xi, p. 53.

Unio Nashvillianus.

T. A. P. S., (20) vol. v, 1834, p. 100, pl. xiv, f. 43; (27) vol. vi, 1834, p. 7; 1836, p. 36; 1838, pp. 128, 147; (55) vol. x, 1845, p. 80; (79) vol. x, 1852, p. 269; J. A. N. S., (148) vol. iv, 1858, p. 80; (203) vol. v, 1861, p. 67; (213) vol. v, 1862, p. 200; (221) vol. v, 1863, p. 439; (274) vol. viii, 1874, p. 68, pl. xxi, f. 1; Obs. Gen. Unio, (21) vol. i, p. 212, pl. xiv, f. 43; (29) vol. ii, pp. 7, 36, 128, 147; (56) vol. iv, p. 80; (83) vol. v, p. 25; (150) vol. vi, p. 80; (205) vol. viii, p. 71; (215) vol. ix, p. 22; (222) vol. x, p. 75; (275) vol. xiii, p. 72, pl. xxi, f. 1.

U. nasutus.

T. A. P. S., (12) vol. iii, 1829, pp. 406, 409, 411, 417, 418, 423; (15) vol. iv, 1831, p. 115; (20) vol. v, 1832, pp. 25, 60; 1833, p. 89; (27) vol. vi, 1834, pp. 5, 8; 1836, pp. 20, 53, 54; 1838, pp. 132, 133, 147; (55) vol. x, 1845, p. 78; (79) vol. x, 1852, pp. 257, 278; J. A. N. S., (148) vol. iv, 1858, p. 92; (189) vol. iv, 1860, p. 357; (203) vol. v, 1861, p. 57; (221) vol. v, 1863, pp. 403, 409, 445, 456; (242) vol. v, 1866, p. 12, pl. iii, f. 9; (274) vol. viii, 1874, p. 68, pl. xxi, f. 2; Obs. Gen. Unio, (21) vol. i, pp. 20, 23, 24, 31, 32, 37, 125, 137, 172, 201; (29) vol. ii, pp. 5, 8, 29, 53, 54, 132, 133, 147; (56) vol. iv, p. 78; (83) vol. v, pp. 13, 34; (150) vol. vi, p. 92; (205) vol. viii, pp. 39, 61; (222) vol. x, pp. 39, 45, 81, 92; (244) vol. xi, p. 16, pl. iii, f. 9; (275) vol. xiii, p. 72, pl. xxi, f. 2.

U. Natalensis.

J. A. N. S., (242) vol. vi, 1866, p. 59, pl. xx, f. 57; Obs. Gen. Unio, (244) vol. xi, p. 63, pl. xx, f. 57.

U. naviculoides.

P. A. N. S., (129) vol. ix, 1857, p. 170; J. A. N. S., (148) vol. iv, 1858, p. 94, pl. xx, f. 74; (150) vol. iv, 1859, pp. 212, 216; (242) vol. vi, 1866, p. 16; Obs. Gen. Unio, (150) vol. vi, p. 94, pl. xx, f. 74; (170) vol. vii, pp. 30, 34; (244) vol. xi, p. 20.

U. naviformis.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 423; (20) vol. v, 1833, p. 89; (27) vol. vi, 1838, p. 124; Obs. Gen. Unio, (21) vol. i, pp. 31, 37, 201; (29) vol. ii, p. 124.

U. navigiiformis.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, p. 248, pl. xxxvii, f. 124; Obs. Gen. Unio, (170) vol. vii, p. 63, pl. xxxvii, f. 124.

U. nebulosus.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

U. negatus.

P. A. N. S. (196) vol. xiii, 1861, p. 59; J. A. N. S. (203) vol. v, 1861, p. 76, pl. ix, f. 225; Obs. Gen. Unio, (205) vol. viii, p. 80, pl. ix, f. 225.

U. neglectus.

T. A. P. S., (54) vol. ix, 1843, p. 280, pl. xlii, f. 10; Obs. Gen. Unio, (56) vol. iv, p. 280, pl. xlii, f. 10.

U. Neislerii.

P. A. N. S. (143) vol. x, 1858, p. 165; J. A. N. S., (159) vol. iv, 1859, p. 212, pl. xxvi, f. 93; Obs. Gen. Unio, (170) vol. vii, p. 30, pl. xxvi, f. 93.

Unio nerrosa.

T. A. P. S. (27) vol. vi, 1838, pp. 124, 144; Obs. Gen. Unio, (29) vol. ii, pp. 124, 144.

U. Neusensis.

P. A. N. S., (136) vol. x, 1858, p. 41; J. A. N. S., (159) vol. iv, 1859, p. 206; (189) vol. iv, 1860, p. 331; (203) vol. v, 1861, p. 60, pl. iv, f. 208; Obs. Gen. Unio, (170) vol. vii, p. 24; (205) vol. viii, pp. 12, 64, pl. iv, f. 208.

U. Newcombianus.

P. A. N. S., (112) vol. viii, 1856, p. 103; J. A. N. S., (133) vol. iii, 1857, p. 312, pl. xxx, f. 27; Obs. Gen. Unio, (150) vol. vi, p. 32, pl. xxx, f. 27.

U. nexus.

T. A. P. S. (27) vol. vi, 1838, p. 124; Obs. Gen. Unio, (29) vol. ii, p. 124.

U. Nicaraguensis.

J. A. N. S. (257) vol. vi, 1868, p. 296, pl. xliii, f. 107; Obs. Gen. Unio, (259) vol. xii, p. 56, pl. xliii, f. 107.

U. Nicklinianus.

T. A. P. S., (20) vol. v, 1832, p. 28, pl. i, f. 1; (27) vol. vi, 1838, pp. 122, 148; (43) vol. viii, 1840, p. 208; J. A. N. S., (133) vol. iii, 1857, p. 295; (189) vol. iv, 1860, p. 368; Obs. Gen. Unio, (21) vol. i, p. 140, pl. i, f. 1; (29) vol. ii, pp. 122, 148; (44) vol. iii, p. 46; (150) vol. vi, p. 15; (205) vol. viii, p. 50.

U. nigellus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 283, pl. xxiv, f. 42; J. A. N. S., (159) vol. iv, 1859, pp. 196, 201; (221) vol. v, 1863, p. 409; Obs. Gen. Unio, (83) vol. v, p. 39, pl. xxiv, f. 42; (170) vol. vii, pp. 14, 19; (222) vol. x, p. 45.

U. niger.

T. A. P. S., (27) vol. vi, 1838, p. 125; Obs. Gen. Unio, (29) vol. ii, p. 125.

U. nigerrimus.

P. A. P. S., (93) vol. v, 1852, p. 251; T. A. P. S., (79) vol. x, 1852, p. 268, pl. xviii, f. 23; Obs. Gen. Unio, (83) vol. v, p. 24, pl. xviii, f. 23.

U. nigrinus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 284, pl. xxiv, f. 44; Obs. Gen. Unio, (83) vol. v, p. 40, pl. xxiv, f. 44.

U. Niloticus.

T. A. P. S., (27) vol. vi, 1838, pp. 129, 145; Obs. Gen. Unio, (29) vol. ii, pp. 129, 145.

U. nitens.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 205, pl. xii, f. 19; J. A. N. S., (148) vol. iv, 1858, p. 83; (203) vol. v, 1861, p. 91; (221) vol. v, 1863, p. 406; Obs. Gen. Unio, (44) vol. iii, p. 43, pl. xii, f. 19; (150) vol. vi, p. 83; (205) vol. viii, p. 95; (222) vol. x, p. 42.

U. nitidens.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. nocturnus.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, p. 380, pl. xlii, f. 288; Obs. Gen. Unio, (222) vol. x, p. 16, pl. xlv, f. 288.

Unio nodosus.

T. A. P. S., (12) vol. iii, 1829, p. 418; (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (21) vol. i, p. 32; (29) vol. ii, p. 123.

U. nodulata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. nodulosus.

T. A. P. S., (12) vol. iii, 1829, p. 424; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, pp. 123, 132; Obs. Gen. Unio, (21) vol. i, pp. 38, 203; (29) vol. ii, pp. 123, 132.

U. Northamptonensis.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, p. 190, pl. xxv, f. 260; Obs. Gen. Unio, (215) vol. ix, p. 12, pl. xxv, f. 260.

U. notatus.

T. A. P. S., (27) vol. vi, 1836, p. 28; 1838, pp. 127, 147; Obs. Gen. Unio, (29) vol. ii, pp. 28, 127, 147.

U. Novæ Hollandiæ.

T. A. P. S., (27) vol. vi, 1838, pp. 124, 148; Obs. Gen. Unio, (29) vol. ii, pp. 124, 148.

U. Novi-Eboraci.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 147; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 14; (189) vol. iv, 1860, pp. 343, 350; (221) vol. v, 1863, p. 419; Obs. Gen. Unio, (29) vol. ii, pp. 127, 147; (150) vol. vi, p. 47, pl. v, f. 14; (205) vol. viii, pp. 25, 32; (222) vol. x, p. 55.

U. nubilus.

J. A. N. S., (257) vol. vi, 1868, p. 298, pl. xlv, f. 110; Obs. Gen. Unio, (259) vol. xii, p. 59, pl. xlv, f. 110.

U. nucleopsis.

T. A. P. S., (79) vol. x, 1852, p. 281; J. A. N. S., (159) vol. iv, 1859, p. 220; (203) vol. v, 1861, p. 79; Obs. Gen. Unio, (83) vol. v, p. 37; (170) vol. vii, p. 38; (205) vol. viii, p. 83.

U. nucleus.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, pp. 297, 300, 306, pl. xxviii, f. 21; Obs. Gen. Unio, (150) vol. vi, pp. 17, 20, 26, pl. xxviii, f. 21.

U. Nuttallianus.

P. A. N. S., (112) vol. viii, 1856, p. 103; J. A. N. S., (133) vol. iii, 1857, pp. 310, 311, pl. xxx, f. 25; Obs. Gen. Unio, (150) vol. vi, pp. 30, 31.

U. nux.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 283, pl. xxiv, f. 43; J. A. N. S., (189) vol. iv, 1860, p. 344; (203) vol. v, 1861, pp. 58, 90, 101; (221) vol. v, 1863, p. 439; Obs. Gen. Unio, (83) vol. v, p. 39, pl. xxiv, f. 43; (205) vol. viii, p. 26, 62, 94, 105; (222) vol. x, p. 75.

U. Nyassaensis.

J. A. N. S., (242) vol. vi, 1866, pp. 33, 35, pl. xii, f. 32; Obs. Gen. Unio, (244) vol. xi, pp. 37, 39, pl. xii, f. 32.

Unio obesus.

T. A. P. S., (15) vol. iv, 1830, p. 96, pl. xiii, f. 26; 1831, p. 108; (20) vol. v, 1832, p. 39; 1834, p. 102; (27) vol. vi, 1838, pp. 129, 147; J. A. N. S., (148) vol. iv, 1858, p. 75; (221) vol. v, 1863, p. 404; (242) vol. vi, 1866, p. 22; Obs. Gen. Unio, (21) vol. i, pp. 106, 151, 214, pl. xiii, f. 26; (29) vol. ii, pp. 129, 147; (150) vol. vi, p. 75; (222) vol. x, p. 40; (244) vol. x, p. 26.

U. obfuscus.

P. A. N. S., (129) vol. ix, 1857, p. 172; J. A. N. S., (159) vol. iv, 1859, p. 197, pl. xxii, f. 80; Obs. Gen. Unio, (170) vol. vii, p. 15, pl. xxii, f. 80.

U. oblongus.

J. A. N. S., (242) vol. v, 1866, p. 13, pl. iv, f. 10; Obs. Gen. Unio, (244) vol. xi, p. 17, pl. iv, f. 10.

U. obliquata.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. obliquus.

T. A. P. S., (12) vol. iii, 1829, p. 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, pp. 125, 147; (43) vol. viii, 1840, p. 212; (55) vol. x, 1845, p. 71; P. A. N. S., (66) vol. v, 1851, p. 192; J. A. N. S., (168) vol. iv, 1859, p. 271; (221) vol. v, 1863, p. 441; Obs. Gen. Unio, (21) vol. i, pp. 36, 200; (29) vol. ii, pp. 125, 147; (44) vol. iii, p. 50; (56) vol. iv, p. 71; (170) vol. vii, p. 89; (222) vol. x, p. 77.

U. oblongus.

J. A. N. S., (273) vol. viii, 1874, p. 52, pl. viii, f. 50; Obs. Gen. Unio, (225) vol. xiii, p. 56, pl. xviii, f. 50.

U. obnubilus.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. iv, 1858, pp. 84, 86, pl. xvii, f. 64; Obs. Gen. Unio, (150) vol. vi, pp. 84, 86, pl. xvii, f. 64.

U. obovalis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. obovatus.

T. A. P. S., (20) vol. v, 1833, p. 73; Obs. Gen. Unio, (21) vol. i, p. 185.

U. obscurus.

T. A. P. S., (27) vol. vi, 1834, p. 7, pl. iii, f. 7, 1838, pp. 128, 147; (43) vol. viii, 1840, p. 206; (55) vol. x, 1845, p. 77; (79) vol. x, 1852, p. 272; J. A. N. S., (221) vol. v, 1863, p. 442; Obs. Gen. Unio, (29) vol. ii, pp. 7, 128, 147, pl. iii, f. 7; (44) vol. iii, p. 44; (56) vol. iv, p. 77; (83) vol. v, p. 28; (222) vol. x, p. 78.

U. obtusus.

T. A. P. S., (27) vol. vi, 1838, pp. 130, 134, 151; (43) vol. viii, 1840, p. 201, pl. xi, f. 13; P. A. N. S., (35) vol. i, 1840, p. 287; J. A. N. S., (147) vol. iv, 1858, p. 46, pl. v, f. 1; (168) vol. iv, 1859, p. 267; (221) vol. v, 1863, p. 406; Obs. Gen. Unio, (29) vol. ii, pp. 130, 134, 151; (44) vol. iii, p. 39, pl. xi, f. 13; (150) vol. vi, p. 46, pl. v, f. 1; (170) vol. vii, p. 85; (222) vol. x, p. 42.

U. obunous.

J. A. N. S., (273) vol. viii, 1874, p. 9, pl. ii, f. 5; Obs. Gen. Unio, (275) vol. xiii, p. 13, pl. ii, f. 5.

Unio ocellatus.

P. A. N. S., (187) vol. xii, 1860, p. 307; J. A. N. S., (220) vol. v, 1863, p. 398, pl. i, f. 304; Obs. Gen. Unio, (222) vol. x, p. 34, pl. i, f. 304.

U. occidentis.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 420, 435, pl. x, f. 16; (15) vol. iv, 1831, p. 119; (20) vol. v, 1832, pp. 26, 42, 89; (27) vol. vi, 1836, p. 49; 1838, pp. 104, 125, 126, 147; (43) vol. viii, 1840, p. 207; 1841, p. 231; (79) vol. x, 1852, p. 266; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 13; (221) vol. v, 1863, p. 418; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 34, 49, 129, 138, 154, 201, pl. x, f. 16; (29) vol. ii, pp. 49, 104, 125, 126, 147; (44) vol. iii, pp. 44, 69; (83) vol. v, p. 22; (150) vol. vi, p. 47, pl. v, f. 13; (222) vol. x, p. 54; (244) vol. xi, p. 31.

U. occultus.

T. A. P. S., (54) vol. ix, 1843, p. 279, pl. xli, f. 7; (79) vol. x, 1852, pp. 273, 283, 284; Obs. Gen. Unio, (56) vol. iv, p. 279, pl. xli, f. 7; (83) vol. v, pp. 29, 39, 40.

U. ochraceus.

T. A. P. S., (12) vol. iii, 1829, pp. 411, 416, 421; (26) vol. v, 1833, p. 88; (27) vol. vi, 1836, pp. 49, 54, 57, 71; 1838, pp. 126, 147; (43) vol. viii, 1840, pp. 216, 238; J. A. N. S., (221) vol. v, 1863, pp. 438, 455; (242) vol. vi, 1866, p. 59; Obs. Gen. Unio, (21) vol. i, pp. 25, 30, 36, 200; (29) vol. ii, pp. 49, 51, 54, 57, 71, 126; (44) vol. iii, pp. 54, 76; (222) vol. x, pp. 74, 91; (244) vol. xi, p. 63.

U. Ocmulgensis.

P. A. N. S., (192) vol. xiii, 1861, p. 38; J. A. N. S., (203) vol. v, 1861, p. 95, pl. xiv, f. 243; Obs. Gen. Unio, (205) vol. viii, p. 99, pl. xiv, f. 243.

U. olivarius.

T. A. P. S., (15) vol. iv, 1831, p. 108, pl. xvi, f. 38 (27) vol. vi, 1838, pp. 126, 128, 144, 145; J. A. N. S., (133) vol. iii, 1857, p. 311; Obs. Gen. Unio, (21) vol. i, p. 118, pl. xvi, f. 38; (29) vol. ii, pp. 126, 128, 144, 145; (150) vol. vi, p. 31.

U. opacus.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. v, 1858, pp. 85, 86, pl. xviii, f. 66; Obs. Gen. Unio, (150) vol. vi, pp. 85, 86, pl. xviii, f. 66.

U. orbicularis.

T. A. P. S., (12) vol. iii, 1829, p. 418; Obs. Gen. Unio, (21) vol. i, p. 32.

U. orbiculatus.

T. A. P. S., (12) vol. iii, 1829, p. 418; (27) vol. vi, 1836, p. 55; 1838, pp. 127, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (148) vol. iv, 1858, p. 78; (213) vol. v, 1862, p. 189; (221) vol. v, 1863, p. 430; Obs. Gen. Unio, (21) vol. i, p. 32; (29) vol. ii, pp. 55, 127; (44) vol. iii, p. 69; (150) vol. vi, p. 78; (215) vol. ix, p. 11; (222) vol. x, p. 66.

U. Oregonensis.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 275, pl. xxii, f. 33; J. A. N. S., (168) vol. iv, 1859, p. 256; Obs. Gen. Unio, (83) vol. v, p. 31, pl. xxii, f. 33; (170) vol. vii, p. 74.

Unio oriens.

T. A. P. S., (15) vol. iv, 1830, pp. 68, 73, pl. vi, f. 5; 1831, p. 107; (20) vol. v, 1832, p. 37; (27) vol. vi, 1838, pp. 128, 131, 142; J. A. N. S., (221) vol. x, 1863, p. 440; Obs. Gen. Unio, (21) vol. i, pp. 78, 83, 117, 149, pl. vi, f. 5; (29) vol. ii, pp. 128, 134, 142; (222) vol. x, p. 76.

U. orientalis.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; (43) vol. viii, 1840, p. 221, pl. xviii, f. 38; P. A. P. S., (35) vol. i, 1846, p. 285; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151; (44) vol. iii, p. 59, pl. xviii, f. 38.

U. ornatus.

P. A. N. S., (192) vol. xiii, 1861, p. 41; J. A. N. S., (189) vol. iv, 1860, p. 353; (203) vol. v, 1861, p. 85, pl. xi, f. 234; Obs. Gen. Unio, (205) vol. viii, pp. 35, 89, pl. xi, f. 234.

U. Orontesensis.

J. A. N. S., (242) vol. vi, 1866, pp. 53, 56, pl. xviii, f. 50; Obs. Gen. Unio, (244) vol. xi, pp. 57, 60, pl. xviii, f. 50.

U. Orphanus.

J. A. N. S., (257) vol. vi, 1868, p. 250, pl. xxix, f. 64; Obs. Gen. Unio, (259) vol. xii, p. 10, pl. xxix, f. 64.

U. Ortonii.

J. A. N. S., (258) vol. vi, 1868, p. 321, pl. lii, f. 134; Obs. Gen. Unio, (259) vol. xii, p. 81, pl. lii, f. 134.

U. Othealoogensis.

P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (148) vol. iv, 1858, pp. 74, 91, pl. xiv, f. 54; (274) vol. viii, 1874, p. 69, pl. xxi, f. 11; Obs. Gen. Unio, (150) vol. vi, pp. 74, 91, pl. xiv, f. 54; (275) vol. xiii, p. 73, pl. xxi, f. 11.

U. ovalis.

T. A. P. S., (27) vol. vi, 1838, pp. 132, 145; (54) vol. ix, 1843, p. 276; Obs. Gen. Unio, (29) vol. ii, pp. 132, 145; (56) vol. iv, p. 276.

U. ovatus.

T. A. P. S., (9) vol. iii, 1827, p. 268; (12) vol. iii, 1829, pp. 409, 411, 417, 423, 436; (15) vol. iv, 1831, p. 119; (20) vol. v, 1833, pp. 89, 91; (27) vol. vi, 1836, p. 55, 1838, pp. 103, 125, 126, 132, 144, 147; (43) vol. viii, 1841, p. 231; (79) vol. x, 1852, p. 266; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 15; (148) vol. iv, 1858, p. 72; (168) vol. iv, 1859, p. 268; (221) vol. v, 1863, p. 435; Obs. Gen. Unio, (21) vol. i, pp. 10, 23, 25, 31, 37, 50, 129, 201, 203; (29) vol. ii, pp. 55, 103, 125, 126, 132, 144, 147; (44) vol. iii, p. 69; (83) vol. v, p. 22; (150) vol. vi, pp. 47, 72, pl. v, f. 15; (170) vol. vii, p. 86; (222) vol. x, p. 71.

U. oriformis.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; (43) vol. viii, 1841, pp. 228, 242; J. A. N. S., (203) vol. v, 1861, p. 86; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151; (44) vol. iii, pp. 76, 80; (205) vol. viii, p. 90.

Unio paliiatus.

T. A. P. S., (27) vol. vi, 1838, pp. 125, 144; Obs. Gen. Unio, (29) vol. ii, pp. 125, 144.

U. pachostea.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

U. pallens.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. pallidescens.

T. A. P. S., (55) vol. x, 1845, p. 79; Obs. Gen. Unio, (56) vol. iv, p. 79; (205) vol. viii, p. 74, pl. vii, f. 20; J. A. N. S., (203) vol. v, 1861, p. 70.

U. palliatus.

T. A. P. S., (27) vol. vi, 1838, p. 147; Obs. Gen. Unio, (29) vol. ii, p. 147.

U. pallida.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. pallidofulvus.

T. A. N. S., (196) vol. xiii, 1861, p. 60; J. A. N. S., (203) vol. v, 1861, pp. 83, 85, pl. xi, f. 232; Obs. Gen. Unio, (205) vol. viii, pp. 87, 89, pl. xi, f. 232.

U. Paphos.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. parallelopedon.

T. A. P. S., (20) vol. v, 1833, p. 60, pl. viii, f. 20; (27) vol. vi, 1838, pp. 132, 148; J. A. N. S., (168) vol. iv, 1863, p. 245; (220) vol. v, 1863, pp. 377, 378, 387; Obs. Gen. Unio, (21) vol. i, p. 172, pl. viii, f. 20; (29) vol. ii, pp. 132, 148; (170) vol. vii, p. 63; (222) vol. x, pp. 13, 14, 23.

U. Paramattensis.

J. A. N. S., (242) vol. vi, 1866, p. 60, pl. xx, f. 59; Obs. Gen. Unio, (244) vol. xi, p. 64, pl. xx, f. 59.

U. Paranensis.

T. A. P. S., (20) vol. v, 1834, p. 99, pl. xiv, f. 42; (27) vol. vi, 1838, pp. 131, 143, 148; J. A. N. S., (133) vol. iii, 1857, pp. 289, 308, 309; (168) vol. iv, 1859, p. 265; (220) vol. v, 1863, pp. 377, 379, 381, 384, 385, 386; Obs. Gen. Unio, (21) vol. i, p. 211, pl. xiv, f. 42; (29) vol. ii, pp. 131, 143, 148; (150) vol. vi, pp. 9, 28; (170) vol. vii, p. 83; (222) vol. x, pp. 13, 15, 17, 20, 21, 32.

U. Paraguayensis.

J. A. N. S., (257) vol. vi, 1868, p. 271, pl. xxxv, f. 85; Obs. Gen. Unio, (259) vol. xii, f. 31, pl. xxxv, f. 85.

U. parvus.

J. A. N. S., (257) vol. vi, 1868, p. 262, pl. xxxiii, ff. 33, 77; Obs. Gen. Unio, (259) vol. xii, p. 22, pl. xxxiii, f. 77.

U. Parensis.

J. A. N. S., (257) vol. vi, 1868, p. 302, pl. xlv, f. 114; Obs. Gen. Unio, (259) vol. xii, p. 62, pl. xlv, f. 114.

U. parvulus.

P. A. N. S., (186) vol. xii, 1860, p. 307; J. A. N. S., (242) vol. vi, 1866, p. 45, pl. xvi, f. 43; Obs. Gen. Unio, (244) vol. xi, p. 49, pl. xvi, f. 43.

Unio parvus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 413, 419, 420, 440; (15) vol. iv, 1830, p. 87; (20) vol. v, 1834, p. 101; (27) vol. vi, 1836, p. 55; 1838, pp. 129, 147; (43) vol. viii, 1841, pp. 231, 214, 247; (54) vol. ix, 1843, p. 277; (79) vol. x, 1852, pp. 262, 269; J. A. N. S., (133) vol. iii, 1857, p. 300; (159) vol. iv, 1859, p. 221, pl. xxix, f. 102, 102a; (189) vol. iv, 1860, pp. 360, 362; (203) vol. v, 1861, p. 97; (213) vol. v, 1862, p. 205; (221) vol. v, 1863, pp. 403, 405, 440, 444; (242) vol. vi, 1866, pp. 20, 27, 49, 50; (274) vol. viii, 1874, p. 68 pl. xxi, f. 3; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 27, 33, 34, 54, 97, 213; (29) vol. iii, pp. 53, 129; (44) vol. iii, pp. 52, 69, 85; (56) vol. ix, p. 277; (83) vol. v, pp. 18, 25; (150) vol. vi, p. 20; (170) vol. vii, p. 39, pl. xxix, f. 102, 102a; (205) vol. viii, pp. 42, 44, 101; (215) vol. ix, p. 27; (222) vol. x, pp. 39, 41, 76, 80; (244) vol. xi, pp. 24, 31, 53, 54; (275) vol. xiii, p. 72, pl. xxi, f. 3.

U. Patagonicus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 148; Obs. Gen. Unio, (29) vol. ii, pp. 133, 148.

U. patelloides.

P. A. N. S., (175) vol. xii, 1860, p. 89; J. A. N. S., (220) vol. v, 1863, p. 383, pl. xliii, f. 291; Obs. Gen. Unio, (222) vol. x, p. 19, pl. xliii, f. 291.

U. pattinoides.

J. A. N. S., (273) vol. viii, 1874, p. 16, pl. iv, f. 12; Obs. Gen. Unio, (275) vol. xiii, p. 20, pl. iv, f. 12.

U. patulus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 421, 441, pl. xii, f. 20; (15) vol. iv, 1830, p. 93; (20) vol. v, 1833, pp. 33, 74; (27) vol. vi, 1838, pp. 126, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (159) vol. iv, 1859, p. 210; (189) vol. iv, 1860, p. 352; (221) vol. v, 1863, p. 422; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 35, 55, 103, 145, 186, pl. xii, f. 20; (29) vol. ii, p. 126; (44) vol. iii, p. 69; (170) vol. vii, p. 28; (205) vol. viii, p. 34; (222) vol. x, p. 58.

U. pauciplicatus.

J. A. N. S., (273) vol. viii, 1874, p. 29, pl. ix, f.; Obs. Gen. Unio, (275) vol. xiii, p. 33, pl. ix, f. 26.

U. paulus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 213, pl. xv, f. 29; J. A. N. S., (159) vol. iv, 1859, pp. 221, 222; (189) vol. iv, 1860, p. 344; (221) vol. v, 1863, pp. 402, 405; (242) vol. vi, 1866, p. 50; Obs. Gen. Unio, (44) vol. iii, p. 51, pl. xv, f. 29; (170) vol. vii, pp. 39, 40; (205) vol. viii, p. 26; (222) vol. x, pp. 38, 41; (244) vol. xi, p. 54.

U. pauperculus.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 99, pl. xv, f. 247; Obs. Gen. Unio, (205) vol. viii, p. 103, pl. xv, f. 247.

U. Pazi.

J. A. N. S., (242) vol. vi, 1866, p. 61, pl. xxi, f. 60; Obs. Gen. Unio, (244) vol. xi, p. 65, pl. xxi, f. 60.

Unio Paeali.

J. A. N. S., (273) vol. viii, 1874, p. 26, pl. viii, f. 23; Obs. Gen. Unio, (275) vol. xiii, p. 30, pl. viii, f. 23.

U. pectorosus.

T. A. P. S., (27) vol. vi, 1838, pp. 126, 147; Obs. Gen. Unio, (29) vol. ii, pp. 126, 147.

U. peculiaris.

J. A. N. S., (257) vol. vi, 1868, p. 265, pl. xxxiv, f. 80; Obs. Gen. Unio, (259) vol. xii, p. 25, pl. xxxiv, f. 80.

U. pellucidus.

T. A. P. S., (55) vol. x, 1845, p. 70, pl. ii, f. 6; Obs. Gen. Unio, (56) vol. iv, p. 70, pl. ii, f. 6.

U. penicillatus.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 5; (159) vol. iv, 1859, p. 203, pl. xxiii, f. 85; (221) vol. v, 1862, p. 411; (242) vol. vi, 1866, p. 46; Obs. Gen. Unio, (150) vol. vi, p. 47, pl. v, f. 5; (170) vol. vii, p. 21, pl. xxiii, f. 85; (222) vol. x, p. 47; (244) vol. xi, p. 50.

U. penitus.

T. A. P. S., (27) vol. vi, 1838, pp. 124, 147; J. A. N. S., (159) vol. iv, 1859, p. 219; (221) vol. v, 1863, pp. 440, 444; Obs. Gen. Unio, (29) vol. ii, pp. 124, 147; (170) vol. vii, p. 37; (222) vol. x, pp. 76, 80.

U. pereformis.

P. A. N. S., (176) vol. xii, 1860, p. 90; J. A. N. S., (220) vol. v, 1863, p. 384, pl. xliii, f. 292; Obs. Gen. Unio, (222) vol. x, p. 20, pl. xliii, f. 292.

U. percoarctatus.

P. A. N. S., (123) vol. ix, 1857, p. 85; J. A. N. S., (203) vol. v, 1861, pp. 59, 88, pl. iii, f. 206; (213) vol. v, 1862, p. 201; Obs. Gen. Unio, (205) vol. viii, pp. 62, 63, 92, pl. iii, f. 206; (215) vol. ix, p. 23.

U. perdix.

T. A. P. S., (20) vol. v, 1833, pp. 72, 74, pl. xi, f. 31; (27) vol. vi, 1838, pp. 126, 147; (43) vol. viii, 1840, p. 198; Obs. Gen. Unio, (21) vol. i, pp. 184, 186, pl. xi, f. 31; (29) vol. ii, pp. 126, 147; (44) vol. iii, p. 36.

U. peregrinus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. perlatus.

J. A. N. S., (242) vol. vi, 1866, p. 15, pl. iv, f. 13; Obs. Gen. Unio, (244) vol. xi, p. 19, pl. iv, f. 13.

U. perlucens.

J. A. N. S., (242) vol. vi, 1866, p. 18, pl. v, f. 16; Obs. Gen. Unio, (244) vol. xi, p. 22, pl. v, f. 16.

U. permiscens.

P. A. N. S., (151) vol. xi, 1859, p. 112; J. A. N. S., (203) vol. v, 1861, pp. 76, 102, pl. xvii, f. 251; Obs. Gen. Unio, (205) vol. viii, pp. 80, 106, pl. xvii, f. 251.

U. pernodosus.

T. A. P. S., (55) vol. x, 1845, p. 71, pl. iii, f. 8; Obs. Gen. Unio, (56) vol. iv, p. 71, pl. iii, f. 8.

U. peroralis.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 147; Obs. Gen. Unio, (29) vol. ii, pp. 127, 147.

Unio perovatus.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 147; J. A. N. S., (203) vol. v, 1861, p. 90; Obs. Gen. Unio, (29) vol. ii, pp. 127, 147; (205) vol. viii, p. 94.

U. perpastus.

P. A. N. S., (196) vol. xiii, 1861, p. 60; J. A. N. S., (203) vol. v, 1861, p. 69, pl. vii, f. 219; Obs. Gen. Unio, (205) vol. viii, p. 73, pl. vii, f. 219.

U. perpietus.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 350, pl. lviii, f. 175; Obs. Gen. Unio, (205) vol. viii, p. 32, pl. lviii, f. 175.

U. perplexus.

T. A. P. S., (15) vol. iv, 1831, p. 112, pl. xvii, f. 42; (20) vol. v, 1832, p. 32; (27) vol. vi, 1836, p. 51, 1837, p. 95; (27) vol. vi, 1838, pp. 124, 144, 147; (43) vol. viii, 1841, pp. 194, 231; J. A. N. S., (147) vol. iv, 1858, p. 48, pl. v, f. 21; (148) vol. iv, 1858, p. 74; (203) vol. v, 1861, p. 64; (213) vol. v, 1862, p. 193; (221) vol. v, 1863, pp. 420, 426, 442, 444; Obs. Gen. Unio, (21) vol. i, pp. 122, 144, pl. xvii, f. 42; (29) vol. ii, pp. 51, 95, 124, 144, 147; (44) vol. iii, pp. 32, 69; (150) vol. vi, pp. 48, 74, pl. v, f. 21; (205) vol. viii, p. 68; (215) vol. ix, p. 15; (222) vol. x, pp. 56, 62, 78, 80.

U. perpurpureus.

P. A. N. S., (192) vol. xiii, 1861, p. 41; J. A. N. S., (242) vol. vi, 1866, p. 46, pl. xvi, f. 44; Obs. Gen. Unio, (244) vol. xi, p. 50, pl. xvi, f. 44.

U. perradiatus.

P. A. N. S., (136) vol. x, 1858, p. 40; J. A. N. S., (203) vol. v, 1861, p. 66, pl. vi, f. 215; Obs. Gen. Unio, (205) vol. viii, p. 70, pl. vi, f. 215.

U. personatus.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (221) vol. v, 1861, p. 442; Obs. Gen. Unio, (29) vol. ii, pp. 131, 147; (44), vol. iii, p. 69; (222) vol. x, p. 78.

U. perstriatus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 255, pl. xi, f. 3; J. A. N. S., (203) vol. v, 1861, p. 58; Obs. Gen. Unio, (83) vol. v, p. 11, pl. xii, f. 3; (205) vol. viii, p. 62.

U. persulcatus.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, p. 255, pl. xi, f. 135; Obs. Gen. Unio, (170) vol. vii, p. 73, pl. xi, f. 135.

U. pertenuis.

J. A. N. S., (242) vol. vi, 1866, p. 8, pl. ii, f. 4; Obs. Gen. Unio, (244) vol. xi, p. 12, pl. ii, f. 4.

U. Peruviana.

T. A. P. S., (12) vol. iii, 1829, pp. 406, 417, 418, 421; (20) vol. v, 1833, p. 87; (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (21) vol. i, pp. 20, 31, 32, 35, 199, also errata; (29) vol. ii, p. 122.

U. petrinus.

J. A. N. S., (189) vol. iv, 1860, pp. 359, 372; (203) vol. v, 1861, p. 100; (213) vol. v, 1862, p. 186; Obs. Gen. Unio, (205) vol. viii, pp. 41, 54, 104; (215) vol. ix, p. 18.

Unio petrosus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. phaseolus.

T. A. P. S., (27) vol. vi, 1836, p. 51; 1838, pp. 133, 147; (43) vol. viii, 1841, pp. 231, 240; (55) vol. x, 1845, p. 81; P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, pp. 297, 299, pl. xxvi, f. 11; (147) vol. iv, 1858, p. 47, pl. v, f. 12; (148) vol. iv, 1858, p. 86; (159) vol. iv, 1859, pp. 191, 199, 200, 220, pl. xxix, ff. 101, 101a; (221) vol. v, 1863, pp. 404, 408, 443, 444; Obs. Gen. Unio, (29) vol. ii, pp. 51, 133, 147; (44) vol. iii, pp. 69, 78; (56) vol. iv, p. 81; (150) vol. vi, pp. 17, 19, 86, pl. v, f. 12; pl. xxvi, f. 11; (170) vol. vii, pp. 9, 17, 18, 38, pl. xxix, ff. 101, 101a; (222) vol. x, pp. 40, 44, 54, 79, 80.

U. Phillipsii.

T. A. P. S., (27) vol. vi, 1838, pp. 123, 147; (43) vol. viii, 1840, p. 194; Obs. Gen. Unio, (29) vol. ii, pp. 123, 147; (44) vol. iii, p. 32.

U. Pianensis.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

U. picus.

P. A. N. S., (176) vol. xii, 1860, p. 91; J. A. N. S., (220) vol. v, 1863, p. 379, pl. xli, f. 287; Obs. Gen. Unio, (222) vol. x, p. 15, pl. xli, f. 287.

U. pictorum.

T. A. P. S., (9) vol. iii, 1827, p. 267; (12) vol. iii, 1829, pp. 406, 414, 417, 423, 424, 425; (15) vol. iv, 1830, p. 67; (20) vol. v, 1833, pp. 90, 91, 92; (27) vol. vi, 1838, pp. 118, 128, 132, 145; (43) vol. viii, 1840, pp. 197, 222; (79) vol. x, 1852, p. 270; Obs. Gen. Unio, (21) vol. i, pp. 9, 20, 28, 31, 37, 38, 39, 77, 202, 203, 204; (29) vol. ii, pp. 118, 128, 132, 145; (44) vol. iii, pp. 35, 60; (83) vol. v, p. 26.

U. pictus.

T. A. P. S., (20) vol. v, 1833, pp. 73, 74, pl. xi, f. 32; (27) vol. vi, 1838, pp. 127, 147; (43) vol. viii, 1841, p. 244; J. A. N. S., (189) vol. iv, 1860, pp. 351, 353, 355; Obs. Gen. Unio, (21) vol. i, p. 186; (29) vol. ii, pp. 127, 147; (44) vol. iii, p. 82; (205) vol. viii, pp. 33, 35, 37.

U. piger.

P. A. N. S., (176) vol. xii, 1860, p. 90; J. A. N. S., (220) vol. v, 1863, p. 387, pl. xlv, f. 296; Obs. Gen. Unio, (222) vol. x, p. 23, pl. xlv, f. 296.

U. pilaris.

P. A. P. S., (35) vol. i, 1840, p. 285; T. A. P. S., (43) vol. viii, 1840, p. 209, pl. xiv, f. 24; Obs. Gen. Unio, (44) vol. iii, p. 47, pl. xiv, f. 24.

U. platus.

J. A. N. S., (257) vol. vi, 1868, p. 281, pl. xxxviii, f. 95; Obs. Gen. Unio, (259) vol. xii, p. 41, pl. xxxviii, f. 95.

U. pileus.

T. A. P. S., (15) vol. iv, 1831, p. 119, pl. xviii, f. 47; (27) vol. vi, 1838, pp. 125, 147; (43) vol. viii, 1841, p. 231; Obs. Gen. Unio, (21) vol. i, p. 129, pl. xviii, f. 47; (29) vol. ii, pp. 125, 147; (44) vol. iii, p. 69.

Unio pinguis.

P. A. N. S., (121) vol. ix, 1857, p. 84; J. A. N. S., (148) vol. iv, 1858, p. 78, pl. xv, f. 58; Obs. Gen. Unio, (150) vol. vi, p. 78, pl. xv, f. 58.

U. placitus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 279, pl. xxiii, f. 38; Obs. Gen. Unio, (83) vol. v, p. 35, pl. xxiii, f. 38.

U. planicus.

P. A. N. S., (186) vol. xii, 1860, p. 307; J. A. N. S., (203) vol. v, 1861, p. 81, pl. x, f. 229; Obs. Gen. Unio, (205) vol. viii, p. 85, pl. x, f. 229.

U. planicostatus.

P. A. N. S., (177) vol. xii, 1860, p. 92; J. A. N. S., (189) vol. iv, 1860, p. 354, pl. lix, f. 179; Obs. Gen. Unio, (205) vol. viii, p. 36, pl. lix, f. 179.

U. planilateris.

T. A. P. S., (79) vol. x, 1852, p. 258; Obs. Gen. Unio, (83) vol. v, p. 14.

U. planior.

J. A. N. S., (258) vol. vi, 1868, p. 316, pl. l, f. 129; Obs. Gen. Unio, (259) vol. xii, p. 76, pl. l, f. 129.

U. Plantii.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (159) vol. iv, 1859, pp. 192, 197, pl. xxi, f. 76; (242) vol. vi, 1866, p. 21; Obs. Gen. Unio, (170) vol. vii, pp. 10, 15, pl. xxi, f. 76; (244) vol. xi, p. 25.

U. planulatus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 420, 431, pl. ix, f. 13; (20) vol. v, 1833, pp. 74, 102; (27) vol. vi, 1836, p. 56; 1838, p. 133; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 34, 45, 186, 214, pl. ix, f. 13; (29) vol. ii, pp. 56, 133.

U. planus.

T. A. P. S., (12) vol. iii, 1829, p. 452; (27) vol. vi, 1838, pp. 121, 128; Obs. Gen. Unio, (21) vol. i, p. 66; (29) vol. ii, pp. 121, 128.

U. plateolus.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. platyrhynchus.

T. A. P. S., (27) vol. vi, 1838, pp. 132, 145; Obs. Gen. Unio, (29) vol. ii, pp. 132, 145.

U. plenus.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 211, pl. xiv, f. 26; Obs. Gen. Unio, (44) vol. iii, p. 49, pl. xiv, f. 26.

U. plicatulus.

P. A. N. S., (152) vol. xi, 1859, p. 152; J. A. N. S., (168) vol. iv, 1859, p. 247, pl. xxxvii, f. 127; Obs. Gen. Unio, (170) vol. vii, p. 65, pl. xxxvii, f. 126.

U. plicatus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 412, 417, 418, 421, 422; (15) vol. iv, 1830, pp. 65, 68, 69, 71; 1831, p. 106; (20) vol. v, 1833, p. 87; (27) vol. vi, 1838, pp. 119, 122, 123, 147; (43) vol. viii, 1841, p. 231; (55) vol. x, 1845, p. 68; J. A. N. S., (221) vol. v, 1863, p. 431; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 26, 31, 32, 35, 77, 78, 79, 81, 116, 199, also errata; (29) vol. ii, pp. 119, 122, 123, 147; (44) vol. iii, p. 69; (50) vol. iv, p. 68; (222) vol. x, p. 67.

Unio pliciferus.

T. A. P. S., (27) vol. vi, 1836, p. 61, pl. xvii, f. 53, 1838, pp. 122, 147; (43) vol. viii, 1841, p. 235; J. A. N. S., (258) vol. vi, 1868, p. 236; Obs. Gen. Unio, (29) vol. ii, pp. 61, 122, 147, pl. xvii, f. 53; (44) vol. iii, p. 73; (259) vol. xii, p. 86.

U. Poeyanus.

P. A. N. S., (122) vol. ix, 1857, p. 85; J. A. N. S., (133) vol. iii, 1857, p. 315, pl. xxxii, f. 30; (189) vol. vi, 1860, p. 373; Obs. Gen. Unio, (150) vol. vi, 1857, p. 35, pl. xxxii, f. 30; (205) vol. viii, p. 55.

U. politus.

T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.

U. ponderosus.

T. A. P. S., (12) vol. iii, 1829, p. 421; (27) vol. vi, 1838, pp. 122, 144, 145; J. A. N. S., (189) vol. iv, 1860, p. 366; Obs. Gen. Unio, (21) vol. i, p. 35; (29) vol. ii, pp. 122, 144, 145; (205) vol. viii, p. 48.

U. Popeii.

P. A. N. S., (125) vol. ix, 1857, p. 102; J. A. N. S., (133) vol. iii, 1857, p. 316; (189) vol. iv, 1860, p. 372; Obs. Gen. Unio, (150) vol. vi, p. 36; (205) vol. viii, p. 54, pl. lvi, f. 197.

U. porphyreus.

P. A. N. S., (196) vol. xiii, 1861, p. 60; J. A. N. S., (203) vol. v, 1861, p. 80, pl. x, f. 228; Obs. Gen. Unio, (205) vol. viii, p. 84, pl. x, f. 228.

U. porrectus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. Postellii.

P. A. N. S., (143) vol. x, 1858, p. 165; J. A. N. S., (159) vol. iv, 1859, p. 214, pl. xxvi, f. 94; Obs. Gen. Unio, (170) vol. vii, p. 32, pl. xxvi, f. 94.

U. Poulsonii.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

U. Powellii.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 270, pl. xix, f. 25; Obs. Gen. Unio, (83) vol. v, p. 26, pl. xix, f. 25.

U. prelongus.

T. A. P. S., (12) vol. iii, 1829, pp. 418, 423; (20) vol. v, 1833, p. 89; (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (21) vol. i, pp. 32, 37, 201.

U. prasinus.

T. A. P. S., (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (29) vol. ii, p. 123.

U. Prattii.

P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 8; (159) vol. iv, 1859, p. 206, pl. xxiv, ff. 88, 88a; (242) vol. vi, 1866, p. 8; Obs. Gen. Unio, (150) vol. vi, p. 47, pl. v, f. 8; (170) vol. vii, p. 24, pl. xxiv, ff. 88, 88a; (244) vol. xi, p. 12.

U. preciosus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. pressus.

T. A. P. S., (79) vol. x, 1852, pp. 257, 294; (147) vol. iv, 1858, p. 48, pl. v, f. 23; (221) vol. v, 1863, pp. 423, 442; Obs. Gen. Unio, (83) vol. v, pp. 13, 50; (150) vol. vi, p. 48, pl. v, f. 23; (222) vol. x, pp. 59, 78.

Unio Prevostianus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 269, pl. xix, f. 24; J. A. N. S., (159) vol. iv, 1859, p. 194; (189) vol. iv, 1860, p. 350; Obs. Gen. Unio, (83) vol. v, p. 25, pl. xviii, f. 24; (170), vol. vii, p. 12; (205) vol. viii, p. 32.

U. productus.

T. A. P. S., (27) vol. vi, 1838, pp. 132, 147; Obs. Gen. Unio, (29) vol. ii, pp. 132, 147.

U. propinquus.

P. A. N. S., (120) vol. ix, 1857, p. 83; J. A. N. S., (203) vol. v, 1861, p. 63, pl. v, f. 212; Obs. Gen. Unio, (205) vol. viii, p. 67, pl. v, f. 212.

U. proprius.

P. A. N. S., (235) vol. xvii, 1865, p. 89; J. A. N. S., (257) vol. vi, 1868, p. 256, pl. xxxi, f. 70; Obs. Gen. Unio, (259) vol. xii, p. 16, pl. xxxi, f. 70.

U. protensus.

P. A. N. S., (235) vol. xviii, 1865, p. 88; J. A. N. S., (257) vol. vi, 1868, p. 256, pl. xxxi, f. 71; Obs. Gen. Unio, (259) vol. xii, p. 16, pl. xxxi, f. 71.

U. proximus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 271, pl. xx, f. 27; J. A. N. S., (189) vol. iv, 1860, p. 340; Obs. Gen. Unio, (83) vol. v, p. 27, pl. xx, f. 27; (205) vol. viii, p. 22.

U. prunoides.

J. A. N. S., (258) vol. vi, 1868, p. 323, pl. liii, f. 136; Obs. Gen. Unio, (259) vol. xii, p. 83, pl. liii, f. 136.

U. psammoica.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. pudicus.

P. A. N. S., (177) vol. xii, 1860, p. 92; J. A. N. S., (189) vol. iv, 1860, p. 346, pl. xlvi, f. 171; Obs. Gen. Unio, (205) vol. viii, p. 28, pl. lvi, f. 171.

U. pulcher.

T. A. P. S., (27) vol. vi, 1834, pp. 6, 16, pl. iii, f. 6; 1838, pp. 127, 147; Obs. Gen. Unio, (29) vol. ii, pp. 6, 16, pl. iii, f. 6; (29) vol. ii, pp. 127, 147.

U. pulchellus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. pullatus.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, pp. 57, 76, pl. viii, f. 39; (189) vol. iv, 1860, p. 329; (203) vol. v, 1861, p. 54; Obs. Gen. Unio, (150) vol. vi, pp. 57, 76, pl. viii, f. 39; (205) vol. viii, pp. 11, 58.

U. pulvinulus.

T. A. P. S., (55) vol. x, 1845, p. 81, pl. viii, f. 24; (79) vol. x, 1852, p. 279; J. A. N. S., (189) vol. iv, 1860, p. 348; (203) v, 1861, p. 58; Obs. Gen. Unio, (56) vol. iv, p. 81, pl. viii, f. 24; (83) vol. v, p. 35; (205) vol. viii, pp. 30, 62.

U. pumilus.

T. A. P. S., (27) vol. vi, 1836, p. 23, pl. vii, f. 17; 1838, pp. 125, 147; Obs. Gen. Unio, (29) vol. ii, pp. 23, 125, 147, pl. vii, f. 17.

Unio punctatus.

P. A. N. S., (235) vol. xvii, 1865, p. 89; J. A. N. S., (257) vol. vi, 1868, p. 261, pl. xxxii, f. 76; Obs. Gen. Unio, (259) vol. xii, p. 21, pl. xxxii, f. 76.

U. purpurascens.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 36, 200; (29) vol. ii, p. 130.

U. purpuratus.

T. A. P. S., (12) vol. iii, 1829, pp. 418, 422; (20) vol. v, 1833, p. 87; (27) vol. vi, 1836, p. 49; 1838, pp. 133, 134, 143, 147, 151; (54) vol. ix, 1843, p. 281; J. A. N. S., (133) vol. iii, 1857, p. 314; (203) vol. v, 1861, pp. 76, 80, 102; (221) vol. v, 1863, pp. 425, 436; (242) vol. vi, 1866, p. 27; (274) vol. viii, 1874, p. 69, pl. xxi, f. 13; Obs. Gen. Unio, (21) vol. i, pp. 32, 36, 199; (29) vol. ii, pp. 49, 133, 134, 143, 147, 151; (56) vol. iv, p. 281; (150) vol. vi, p. 34; (205) vol. viii, pp. 80, 84, 106; (222) vol. x, pp. 61, 72; (244) vol. xi, p. 31; (275) vol. xiii, p. 73, pl. xxi, f. 13.

U. purpurellus.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (159) vol. iv, 1859, p. 198, pl. xxiii, f. 81; Obs. Gen. Unio, (170) vol. vii, p. 16, pl. xxiii, f. 81.

U. purpureus.

T. A. P. S., (12) vol. iii, 1829, pp. 408, 416; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 119; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 22, 30, 200; (29) vol. ii, pp. 119, 130.

U. purus.

P. A. N. S., (136) vol. x, 1858, p. 41; J. A. N. S., (203) vol. v, 1861, p. 61, pl. iv, f. 209; Obs. Gen. Unio, (205) vol. viii, p. 65, pl. iv, f. 209.

U. pusillus.

P. A. P. S., (35) vol. i, 1860, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 220, pl. xviii, f. 36; (54) vol. ix, 1843, p. 277; J. A. N. S., (189) vol. iv, 1860, p. 341; (242) vol. vi, 1866, p. 10; Obs. Gen. Unio, (44) vol. iii, p. 58, pl. xviii, f. 36; (56) vol. iv, p. 277; (205) vol. viii, p. 23; (244) vol. xi, p. 14.

U. pustulatus.

T. A. P. S., (15) vol. iv, 1830, p. 79, pl. vii, f. 9; (29) vol. ii, 1836, p. 73; (1838) pp. 123, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (221) vol. v, 1863, p. 429; Obs. Gen. Unio, (21) vol. i, p. 89, pl. vii, f. 9; (29) vol. ii, pp. 73, 123, 147; (44) vol. iii, p. 69; (222) vol. x, p. 65.

Unio pustulosus.

T. A. P. S., (15) vol. iv, 1830, pp. 64, 76, pl. viii, f. 7; (20) vol. v, 1833, p. 61; (27) vol. vi, 1834, p. 11; 1838, pp. 119, 123, 147; (43) vol. viii, 1841, p. 231; (79) vol. x, 1852, p. 281; P. A. P. S., (66) vol. v, 1851, p. 192; J. A. N. S., (203) vol. v, 1861, p. 69; (213) vol. v., 1862, p. 206; (221) vol. v, 1863, p. 428; Obs. Gen. Unio, (21) vol. i, pp. 74, 86, 89, 173, pl. vii, f. 7; (29) vol. ii, pp. 11, 119, 123, 147; (44) vol. iii, p. 69; (83) vol. v, p. 37; (205) vol. viii, p. 73; (215) vol. ix, p. 28; (222) vol. x, p. 64.

U. Pybasii.

P. A. N. S., (136) vol. x, 1858, p. 40; J. A. N. S., (203) vol. v, 1861, p. 67, pl. vi, f. 216; Obs. Gen. Unio, (205) vol. viii, p. 71, pl. vi, f. 216.

U. pygmaeus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 262, pl. xv, f. 14; Obs. Gen. Unio, (83) vol. v, p. 18, pl. xv, f. 14.

U. pyriformis.

P. A. N. S., (119) vol. ix, 1857, p. 31; J. A. N. S., (148) vol. iv, 1858, p. 69, pl. xii, f. 50; Obs. Gen. Unio, (150) vol. vi, p. 69, pl. xii, f. 50.

U. pyramidatus.

T. A. P. S., (15) vol. iv, 1831, pp. 109, 111, pl. xvi, f. 39; (27) vol. vi, 1834, pp. 13, 14; (27) vol. vi, 1838, pp. 125, 147; (43) vol. viii, 1840, p. 213; 1841, p. 231; P. A. N. S., (115) vol. viii, 1856, p. 213; J. A. N. S., (221) vol. v, 1863, p. 433; Obs. Gen. Unio, (21) vol. i, pp. 13, 14, 119, 121, pl. xvi, f. 39; (29) vol. ii, pp. 125, 147; (44) vol. iii, pp. 51, 69; (222) vol. x, p. 69.

U. quadrans.

P. A. N. S., (185) vol. xii, 1860, p. 306; J. A. N. S., (189) vol. iv, 1860, p. 360, pl. lxi, f. 185; Obs. Gen. Unio, (205) vol. viii, p. 42, pl. lxi, f. 185.

U. quadratus.

P. A. N. S., (156) vol. xi, 1859, p. 172; J. A. N. S., (205) vol. viii, p. 20, pl. liv, f. 163.

U. quadrilaterus.

J. A. N. S., (242) vol. vi, 1866, pp. 5, 15, pl. i, f. 1; Obs. Gen. Unio, (244) vol. xi, pp. 9, 19, pl. i, f. 1.

U. quadrulus.

T. A. P. S., (27) vol. vi, 1838, pp. 123, 144; Obs. Gen. Unio, (29) vol. ii, pp. 123, 144.

U. radians.

P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (159) vol. iv, 1859, p. 201, pl. xxiii, f. 84; (189) vol. iv, 1860, p. 342; Obs. Gen. Unio, (170) vol. vii, p. 19, pl. xxiii, f. 84; (205) vol. viii, p. 24.

U. radiatus.

T. A. P. S., (12) vol. iii, 1829, pp. 411, 415, 422, 425; (15) vol. iv, 1830, p. 73; (20) vol. v, 1833, pp. 88, 91; (27) vol. vi, 1834, p. 14; 1836, pp. 39, 49, 50, 52, 53, 54, 57; 1838, pp. 127, 147; (43) vol. viii, 1840, p. 199; 1841, pp. 234, 244; (79) vol. x, 1852, pp. 261, 270; P. A. N. S., (118)

Unio radiatus—Continued.

vol. ix, 1857, pp. 17, 18; J. A. N. S., (147) vol. iv, 1858, p. 48, pl. v, f. 20; (148) vol. iv, 1858, pp. 51, 76; (189) vol. iv, 1860, p. 364; (221) vol. v, 1863, pp. 407, 411, 412, 450; Obs. Gen. Unio, (21) vol. i, pp. 25, 29, 36, 83, 200, 203; (29) vol. ii, pp. 14, 39, 49, 50, 52, 53, 54, 56; (29) vol. ii, pp. 127, 147; (44) vol. iii, p. 37, 72, 82; (83) vol. v, pp. 17, 26; (150) vol. vi, pp. 48, 51, 76, pl. v, f. 20; (205) vol. viii, p. 46; (222) vol. x, pp. 43, 47, 48, 86.

U. radiolus.

J. A. N. S., (273) vol. viii, 1874, p. 21, pl. vi, f. 18; Obs. Gen. Unio, (275) vol. xiii, p. 25, pl. vi, f. 18.

U. radiosus.

J. A. N. S., (273) vol. viii, 1874, p. 13, pl. iii, f. 9; Obs. Gen. Unio, (275) vol. xiii, p. 17, pl. iii, f. 9.

U. Raënsis.

P. A. N. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 331, pl. lii, f. 156; Obs. Gen. Unio, (205) vol. viii, p. 12, pl. lii, f. 156.

U. Rajahensis.

P. A. P. S., (39) vol. ii, 1841, p. 30; T. A. P. S., (43) vol. viii, 1841, p. 238, pl. xxiii, f. 53; J. A. N. S., (242) vol. vi, 1866, p. 32; Obs. Gen. Unio, (44) vol. iii, p. 77, pl. xxiii, p. 53; (244) vol. xi, p. 36.

U. Raleighensis.

J. A. N. S., (242) vol. vi, 1866, pp. 6, 7, pl. i, f. 2; Obs. Gen. Unio, (244) vol. xi, pp. 10, 11, pl. i, f. 2.

U. Rangianus.

T. A. P. S., (27) vol. vi, 1837, p. 95, pl. xviii, f. 56; 1838, pp. 126, 147; J. A. N. S., (203) vol. v, 1861, p. 64; (213) vol. v, 1862, p. 193; (221) vol. v, 1863, p. 426; Obs. Gen. Unio, (29) vol. ii, pp. 95, 126, 147, pl. xviii, f. 56; (205) vol. viii, p. 68; (215) vol. ix, p. 15; (222) vol. x, p. 62.

U. raripectata.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 421, 422; (27) vol. vi, 1838, p. 122; Obs. Gen. Unio, (21) vol. i, pp. 31, 35, 36; (29) vol. ii, p. 122.

U. rarisulcata.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 36, 200; (29) vol. ii, p. 130.

U. rarusus.

J. A. N. S., (242) vol. vi, 1866, p. 50, pl. xvii, f. 47; Obs. Gen. Unio, (244) vol. xi, p. 154, pl. xvii, f. 47.

U. ratus.

J. A. N. S., (273) vol. viii, 1874, p. 52, pl. xviii, f. 57; Obs. Gen. Unio, (275) vol. xiii, p. 56, pl. xviii, f. 51.

U. Raveneli.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

Unio Ravenelianus.

T. A. P. S., (20) vol. v, 1832, p. 32, pl. iii, f. 5; (27) vol. vi, 1838, pp. 126, 147; (43) vol. viii, 1840, p. 203; 1841, p. 236; (79) vol. x, 1852, p. 281; (159) vol. iv, 1859, pp. 205, 228; (189) vol. iv, 1860, p. 349; (213) vol. v, 1862, p. 207; Obs. Gen. Unio, (21) vol. i, p. 144, pl. iii, f. 5; (29) vol. ii, pp. 126, 147; (44) vol. iii, pp. 41, 74; (83) vol. v, p. 37; (170) vol. vii, pp. 26, 46; (205) vol. viii, p. 31; (215) vol. ix, p. 29.

U. rectus.

T. A. P. S., (12) vol. iii, 1829, pp. 406, 409, 410, 411, 418, 422, 423; (15) vol. iv, 1830, p. 77; (20) vol. v, 1832, pp. 26, 89; (27) vol. vi, 1836, p. 55; 1838, pp. 119, 131, 147; (43) vol. viii, 1841, p. 231; (79) vol. x, 1852, p. 257; P. A. P. S., (66) vol. v, 1851, pp. 192, 193; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 11; (159) vol. iv, 1859, p. 221; (221) vol. v, 1863, p. 426; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 20, 23, 24, 25, 32, 36, 37, 87, 138, 201; (29) vol. ii, pp. 55, 119; (44) vol. iii, p. 69; (83) vol. v, p. 13; (150) vol. vi, p. 47, pl. v, f. 11; (170) vol. vii, p. 39; (222) vol. x, p. 62; (244) vol. xi, p. 31.

U. recurvatus.

J. A. N. S., (273) vol. viii, 1874, p. 10, pl. ii, f. 6; Obs. Gen. Unio, (275) vol. xiii, p. 14, pl. xiv, f. 6.

U. Reeveianus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (83) vol. v, p. 28, pl. xx, f. 28.

U. reflexus.

T. A. P. S., (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (29) vol. ii, p. 123.

U. refulgens.

J. A. N. S., (258) vol. vi, 1868, p. 317, pl. li, f. 130; Obs. Gen. Unio, (259) vol. xii, p. 77, pl. li, f. 130.

U. regularis.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (43) vol. viii, 1841, p. 243, pl. xxv, f. 59; Obs. Gen. Unio, (44) vol. iii, p. 81, pl. xxv, f. 59.

U. reniformis.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

U. Requienii.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. retusus.

T. A. P. S., (12) vol. iii, 1829, p. 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1836, p. 55; 1838, pp. 131, 144, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 7; (221) vol. v, 1863, p. 433; Obs. Gen. Unio, (21) vol. i, pp. 36, 200; (29) vol. ii, pp. 55, 131, 144, 147; (44) vol. iii, p. 69; (150) vol. vi, p. 47, pl. v, f. 7; (222) vol. x, p. 69.

U. Retzii.

J. A. N. S., (242) vol. vi, 1866, p. 53; Obs. Gen. Unio, (244) vol. xi, p. 57.

U. rhombeus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 148; Obs. Gen. Unio, (29) vol. ii, pp. 133, 148.

Unio rhomboidea.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

U. rhombula.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 422; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 36, 200; (29) vol. ii, p. 130.

U. rhoocoica.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; J. A. N. S., (133) vol. iii, 1857, p. 306; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151; (150) vol. vi, p. 26.

U. Riddellii.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, pp. 197, 198, pl. xxvii, f. 267; Obs. Gen. Unio, (215) vol. ix, pp. 19, 20, pl. xxvii, f. 267.

U. ridibundus.

T. A. P. S., (15) vol. iv, 1831, p. 117; (20) vol. v, 1832, p. 35; (27) vol. vi, 1838, p. 126; (43) vol. viii, 1841, p. 231; J. A. N. S., (221) vol. v, 1863, p. 442; Obs. Gen. Unio, (21) vol. i, p. 127; (29) vol. ii, p. 126; (44) vol. iii, p. 69; (222) vol. x, p. 78.

U. rimosus.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. riparia.

T. A. P. S., (27) vol. vi, 1838, p. 128; Obs. Gen. Unio, (29) vol. ii, p. 128.

U. rivalis.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

U. rivularis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Roanokensis.

T. A. P. S., (27) vol. vi, 1836, p. 27, pl. viii, f. 21; 1838, pp. 129, 147; J. A. N. S., (159) vol. iv, 1859, p. 206; (203) vol. v, 1861, p. 61; (213) vol. v, 1862, p. 203; Obs. Gen. Unio, (29) vol. ii, pp. 27, 129, 147, pl. viii, f. 21; (170) vol. vii, p. 24; (205) vol. viii, p. 65; (215) vol. ix, p. 25.

U. Roissyi.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

U. rosea.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. rostellum.

J. A. N. S., (273) vol. viii, 1871, p. 44, pl. xv, f. 41; Obs. Gen. Unio, (275) vol. xiii, p. 48, pl. xv, f. 41.

U. rostriformis (see *U. rostriformis*).

P. A. N. S., (116) vol. viii, 1856, p. 262.

U. rostrata.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 424; (20) vol. v, 1833, p. 90; (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (21) vol. i, pp. 31, 38, 202; (29) vol. ii, p. 132.

Unio rostriformis.

J. A. N. S., (148) vol. iv, 1858, p. 64, pl. x, f. 46; (203) vol. v, 1861, p. 58; (242) vol. v, 1866, p. 13; Obs. Gen. Unio, (150) vol. vi, p. 64, pl. x, f. 46; (205) vol. viii, p. 62; (244) vol. xi, p. 17.

U. rostrum.

P. A. N. S., (200) vol. xiii, 1861, p. 391; J. A. N. S., (213) vol. v, 1862, p. 201, pl. xxix, f. 270; Obs. Gen. Unio, (215) vol. ix, p. 23, pl. xxix, f. 270.

U. Roswellensis.

P. A. N. S., (143) vol. x, 1858, p. 165; J. A. N. S., (159) vol. iv, 1859, pp. 205, 206, 215, pl. xxiv, f. 87; (189) vol. iv, 1860, p. 333; Obs. Gen. Unio, (170) vol. vii, pp. 23, 24, 33, pl. xxiv, f. 87; (205) vol. viii, p. 15.

U. rotundatus.

T. A. P. S., (12) vol. iii, 1829, pp. 423, 434; (20) vol. v, 1833, pp. 89, 92; (27) vol. vi, 1838, pp. 131, 147; (203) vol. v, 1861, p. 101; Obs. Gen. Unio, (21) vol. i, pp. 37, 48, 201, 204; (29) vol. ii, pp. 131, 147; (205) vol. viii, p. 105.

U. rotundus.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 143; Obs. Gen. Unio, (29) vol. ii, pp. 131, 143.

U. Ronellii.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, pp. 256, 259, pl. xl, f. 136; (274) vol. viii, 1874, p. 67; Obs. Gen. Unio, (170) vol. vii, pp. 74, 77, pl. xl, f. 136; (275) vol. xiii, p. 71.

U. rubellinus.

P. A. N. S., (119) vol. ix, 1857, p. 32; J. A. N. S., (148) vol. iv, 1858, pp. 51, 70, pl. xiii, f. 51; (242) vol. vi, 1866, p. 46; (274) vol. viii, 1874, p. 68, pl. xxi, f. 5; Obs. Gen. Unio, (150) vol. vi, pp. 51, 70, pl. xiii, f. 51; (244) vol. xi, p. 50; (275) vol. xiii, p. 72, pl. xxi, f. 5.

U. rubellus.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 147; Obs. Gen. Unio, (29) vol. ii, pp. 131, 147.

U. rubens.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. rubidus.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, pp. 77, 95, pl. xiv, f. 214; Obs. Gen. Unio, (205) vol. viii, pp. 81, 99, pl. xiv, f. 244.

U. rubiginosus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 413, 420, 427, 438, pl. viii, f. 10; (20) vol. v, 1832, pp. 31, 38; (27) vol. vi, 1836, p. 32; 1838, pp. 125, 147; (43) vol. viii, 1841, pp. 231, 237; (55) vol. x, 1845, p. 77; (79) vol. x, 1852, p. 275; P. A. P. S., (66) vol. v, 1851, p. 192; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; (141) vol. x, 1858, p. 135; J. A. N. S., (148) vol. iv, 1858, pp. 51, 59; (159) vol. iv, 1859, p. 222; (168) vol. iv, 1859, p. 270; (189) vol. iv, 1860, p. 347; (203) vol. v, 1861, pp. 56, 66, 71, 96, 100; (213) vol. v, 1862, p. 196; (221) vol.

Unio rubiginosus—Continued.

v, 1863, pp. 416, 417, 432; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 27, 34, 41, 52, 143, 150, pl. viii, f. 10; (27) vol. ii, pp. 32, 125, 147; (44) vol. iii, pp. 69, 75; (56) vol. iv, p. 77; (83) vol. v, p. 31; P. A. P. S., (66) vol. v, 1851, p. 192; (150) vol. vi, pp. 51, 59; (170) vol. vii, pp. 40, 88; (205) vol. viii, pp. 29, 60, 70, 81, 100, 104; (215) vol. ix, p. 18; (222) vol. x, pp. 52, 53, 66; (244) vol. xi, p. 31.

U. rubra.

T. A. P. S., (27) vol. vi, 1838, p. 125; Obs. Gen. Unio, (29) vol. ii, p. 125.

U. rudis.

P. A. N. S., (158) vol. xi, p. 187; J. A. N. S., (168) vol. iv, 1859, p. 266, pl. xliii, f. 146; Obs. Gen. Unio, (170) vol. vii, p. 84, pl. xliii, f. 146.

U. rufofuscus.

P. A. N. S., (234) vol. xvii, 1865, p. 76; J. A. N. S., (257) vol. vi, 1868, p. 282, pl. xxxix, f. 96; Obs. Gen. Unio, (259) vol. xii, p. 42, pl. xxxix, f. 96.

U. rufus.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (148) vol. iv, 1858, p. 85, pl. xvii, f. 65; Obs. Gen. Unio, (150) vol. vi, p. 85, pl. xvii, f. 65.

U. rufusculus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 258, pl. xiv, f. 7; J. A. N. S., (148) vol. iv, 1858, pp. 64, 85; Obs. Gen. Unio, (83) vol. v, p. 14, pl. xiv, f. 7; (150) vol. vi, pp. 64, 85.

U. rugatus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. rugososulcatus.

J. A. N. S., (257) vol. vi, 1868, p. 266, pl. xxxiv, f. 81; Obs. Gen. Unio, (259) vol. xii, p. 26, pl. xxxiv, f. 81.

U. rugosus.

T. A. P. S., (12) vol. iii, 1829, p. 418; (27) vol. vi, 1838, pp. 121, 123, 129, 134; Obs. Gen. Unio, (21) vol. i, p. 32; (29) vol. ii, pp. 121, 123, 129, 134.

U. Rumphianus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 276, pl. xxii, f. 34; J. A. N. S., (148) vol. iv, 1858, p. 66; Obs. Gen. Unio, (83) vol. v, p. 32, pl. xxii, f. 34; (150) vol. vi, p. 66.

U. rusticus.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, pp. 294, 296, pl. xxv, f. 7; Obs. Gen. Unio, (150) vol. vi, pp. 14, 16, pl. xxv, f. 7.

U. Ratersvillensis.

P. A. N. S., (154) vol. xi, 1859, p. 155; J. A. N. S., (189) vol. iv, 1860, p. 356, pl. lx, f. 181; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (205) vol. viii, p. 38, pl. lx, f. 181; (244) vol. xi, p. 31.

Unio rutilans.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (147) vol. iv, 1858, p. 46, pl. v, f. 4; (148) vol. iv, 1858, pp. 59, 63, pl. ix, f. 41; (159) vol. iv, 1859, p. 202; (189) vol. iv, 1860, p. 328; Obs. Gen. Unio, (150) vol. vi, pp. 46, 59, 63, pl. v, f. 4; pl. ix, f. 41; (170) vol. vii, p. 20; (205) vol. viii, p. 10.

U. Sageri.

T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.

U. sagittaformis.

P. A. P. S., (93) vol. —, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 277, pl. xxii, f. 35; J. A. N. S., (148) vol. iv, 1858, pp. 65, 68; Obs. Gen. Unio, (83) vol. v, p. 33, pl. xxii, f. 35; (150) vol. vi, pp. 65, 68.

U. sagittarius.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (123) vol. iii, 1857, p. 298, pl. xxvi, f. 12; (168) vol. iv, 1859, p. 243; Obs. Gen. Unio, (150) vol. vi, p. 18, pl. xxvi, f. 12; (170) vol. viii, p. 61.

U. Saladoensis.

P. A. N. S., (184) vol. xii, 1860, p. 305; J. A. N. S., (189) vol. iv, 1860, p. 370, pl. lxx, f. 195; Obs. Gen. Unio, (205) vol. viii, p. 52.

U. salebrosus.

P. A. N. S., (156) vol. xi, 1859, p. 170; J. A. N. S., (189) vol. iv, 1860, pp. 332, 336, 337, 338, pl. lii, f. 157; Obs. Gen. Unio, (205) vol. viii, pp. 14, 18, 19, 20, pl. lii, f. 157.

U. Sampsoni.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, p. 192, pl. xxv, f. 261; Obs. Gen. Unio, (215) vol. ix, p. 14, pl. xxv, f. 261.

U. Santeensis.

J. A. N. S., (273) vol. viii, 1874, p. 20, pl. vi, f. 17; Obs. Gen. Unio, (275) vol. xiii, f. 17.

U. Sapotalensis.

P. A. P. S., (39) vol. ii, 1841, p. 30; T. A. P. S., (43) vol. viii, 1841, p. 233, pl. xxi, f. 47; (79) vol. x, 1852, p. 276; Obs. Gen. Unio, (44) vol. iii, p. 71, pl. xxi, f. 47; (83) vol. v, p. 32.

U. Satillaensis.

P. A. N. S., (143) vol. x, 1858, p. 166; J. A. N. S., (153) vol. iv, 1859, p. 216, pl. xxvii, f. 96; Obs. Gen. Unio, (170) vol. vii, p. 34, pl. xxvii, f. 96.

U. satur.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 265, pl. xvii, f. 19; Obs. Gen. Unio, (83) vol. v, p. 21, pl. xvii, f. 19.

U. Savannahensis.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. iv, 1858, p. 81, pl. xvi, f. 61; (189) vol. iv, 1860, p. 330; (242) vol. vi, 1866, pp. 18, 23; Obs. Gen. Unio, (150) vol. vi, p. 81, pl. xvi, f. 61; (205) vol. viii, p. 12; (244) vol. xi, pp. 22, 27.

U. saxulum.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. scaleniensis.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 414, 418, 442; (15) vol. iv, 1830, p. 93; (20) vol. v,

Unio scaleniensis—Continued.

1832, pp. 40, 72, 89; (27) vol. vi, 1838, p. 126, (79) vol. x, 1852, p. 279; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 28, 32, 56, 103, 152, 184, 201; (29) vol. ii, p. 126; (83) vol. v, p. 35.

U. Scamnatius.

J. A. N. S., (133) vol. iii, 1857, p. 302; (168) vol. iv, 1859, pp. 259, 267; Obs. Gen. Unio, (150) vol. vi, p. 22; (170) vol. vii, pp. 77, 85.

U. Schoolcraftensis.

T. A. P. S., (20) vol. v, 1832, p. 37, pl. iii, f. 9; (27) vol. vi, 1838, pp. 123, 147; (79) vol. x, 1852, p. 281; J. A. N. S., (213) vol. v, 1862, p. 196; Obs. Gen. Unio, (21) vol. i, p. 149, pl. iii, f. 9; (29) vol. ii, pp. 123, 141; (83) vol. v, p. 37; (115) vol. ix, p. 18.

U. scitulus.

P. A. N. S., (177) vol. xii, 1860, p. 93; J. A. N. S., (189) vol. iv, 1860, pp. 342, 343, 350, pl. iv, f. 167; Obs. Gen. Unio, (205) vol. viii, pp. 24, 25, 32, pl. xxxv, f. 167.

U. scobinatus.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, p. 299, pl. xxvi, f. 13; (168) vol. iv, 1859, p. 251; Obs. Gen. Unio, (150) vol. vi, p. 19, pl. xxvi, f. 13; (170) vol. vii, p. 69.

U. securis.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 420, 428, 437; (15) vol. iv, 1831, p. 106; (27) vol. vi, 1836, p. 55; 1838, pp. 124, 147; (43) vol. viii, 1841, pp. 231, 248; (79) vol. x, 1852, p. 267; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 6; (221) vol. v, 1863, pp. 431, 440; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 34, 42, 51, 116; (29) vol. ii, pp. 55, 124, 147; (44) vol. iii, pp. 69, 86; (83) vol. v, p. 23; (150) vol. vi, p. 47, pl. v, f. 6; (222) vol. x, pp. 67, 76.

U. semirugata.

T. A. P. S., (12) vol. iii, 1829, p. 423; (20) vol. v, 1833, pp. 89, 90; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 37, 201, 202, 29) vol. ii, p. 130.

U. Shanghaiensis.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, p. 242, pl. xxxvi, f. 121; Obs. Gen. Unio, (170) vol. vii, p. 60, pl. xxxvi, f. 121.

U. Shepardianus.

T. A. P. S., (20) vol. v, 1833, p. 95, pl. xiii, f. 38; (27) vol. vi, 1834, p. 8; 1836, p. 38; 1838, pp. 131, 147; (54) vol. ix, 1843, p. 289; P. A. N. S., (135) vol. x, 1858, p. 13; J. A. N. S., (221) vol. v, 1863, p. 415; Obs. Gen. Unio, (21) vol. i, p. 207, pl. xiii, f. 38; (29) vol. ii, pp. 8, 58, 131, 147; (56) vol. iv, p. 280; (222) vol. x, p. 51.

U. Showalterii.

P. A. N. S., (186) vol. xii, 1860, p. 307; J. A. N. S., (203) vol. v, 1861, p. 73, pl. viii, f. 223; Obs. Gen. Unio, (205) vol. viii, p. 77, pl. viii, f. 223.

U. Shurtzleffianus.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, pp. 302, 303, pl. xxvii, f. 17; (220) vol. v, 1863, p. 298; Obs. Gen. Unio, (150) vol. vi, p. 22, pl. xxvii, f. 17; (222) vol. x, p. 34.

Unio Shuttleworthii.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, p. 304, pl. xxviii, f. 19; Obs. Gen. Unio, (150) vol. vi, p. 24, pl. xxv, f. 19.

U. Siamensis.

J. A. N. S., (257) vol. vi, 1868, p. 279, pl. xxxviii, f. 93; Obs. Gen. Unio, (259) vol. xii, p. 39, pl. xxxviii, f. 93.

U. Sikkimensis.

P. A. N. S., (152) vol. xi, 1859, p. 151; J. A. N. S., (168) vol. iv, 1859, p. 251, pl. xxxix, f. 131; Obs. Gen. Unio, (170) vol. vii, p. 69, pl. xxxix, f. 131.

U. siligoideus.

T. A. P. S., (12) vol. iii, 1829, pp. 407, 409, 411, 414, 415, 419; (20) vol. v, 1833, p. 91; 1834, p. 101; (27) vol. vi, 1834, p. 15; 1836, p. 34; 1838, p. 127; Obs. Gen. Unio, (21) vol. i, pp. 21, 23, 25, 28, 29, 33, 203, 213; (29) vol. ii, pp. 15, 34, 127.

U. similis.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. iv, 1858, p. 91, pl. xix, f. 71; (159) vol. iv, 1859, p. 195; Obs. Gen. Unio, (150) vol. vi, p. 91, pl. xix, f. 71; (170) vol. vii, p. 13.

U. simplex.

T. A. P. S., (55) vol. x, 1845, pp. 73, 76, pl. v, f. 15; Obs. Gen. Unio, (56) vol. iv, pp. 73, 76, pl. v, f. 15.

U. simulans.

J. A. N. S., (273) vol. viii, 1874, pl. v, f. 15; Obs. Gen. Unio, (275) vol. xiii, p. 22, pl. v, f. 15.

U. sinus.

T. A. P. S., (27) vol. vi, 1836, p. 26, pl. viii, f. 20; 1838, pp. 129, 147; J. A. N. S., (202) vol. v, 1861, p. 81; Obs. Gen. Unio, (29) vol. ii, pp. 26, 129, 147, pl. viii, f. 20; (205) vol. viii, p. 85.

U. sintozia.

T. A. P. S., (27) vol. vi, 1838, pp. 125, 144; Obs. Gen. Unio, (29) vol. ii, pp. 125, 144.

U. sinuata.

T. A. P. S., (12) vol. iii, 1829, p. 421; (20) vol. v, 1833, p. 86; (27) vol. vi, 1838, pp. 128, 134, 136, 144; Obs. Gen. Unio, (21) vol. i, pp. 35, 198; (29) vol. ii, pp. 128, 134, 136, 144.

U. Sloatianus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 217, pl. xvi, f. 33; J. A. N. S., (221) vol. v, 1863, p. 408; Obs. Gen. Unio, (44) vol. iii, p. 55, pl. xvi, f. 33; (222) vol. x, p. 44.

U. Smithii.

T. A. P. S., (27) vol. vi, 1838, pp. 128, 148; Obs. Gen. Unio, (29) vol. ii, pp. 128, 148.

U. Solandri.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. soleniformis.

T. A. P. S., (15) vol. iv, 1830, pp. 75, 87, pl. x, f. 17, 1831, p. 106; (20) vol. v, 1822, p. 37; (27) vol. vi, 1838, pp. 128, 134; J. A. N. S., (221) vol. v, 1863, p. 422; Obs. Gen. Unio, (21) vol. i, pp. 85, 97, 116, 149, pl. x, f. 17; (29) vol. ii, pp. 128, 134; (222) vol. x, p. 58.

Unio Soladoensis.

J. A. N. S., (242) vol. vi, 1866, p. 8; Obs. Gen. Unio, (244) vol. xi, p. 12.

U. solenoides.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. solidus.

T. A. P. S., (27) vol. vi, 1834, p. 13, pl. v, f. 13; 1838, pp. 125, 147; J. A. N. S., (203) vol. v, 1861, p. 73; (221) vol. v, 1863, p. 429; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (29) vol. ii, pp. 13, 125, 147, pl. v, f. 13; (205) vol. viii, p. 77; (222) vol. x, p. 65; (244) vol. xi, p. 31.

U. Solisiana.

T. A. P. S., (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (29) vol. ii, p. 131.

U. sordidus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 254, pl. xii, f. 1; J. A. N. S., (189) vol. iv, 1860, p. 332; Obs. Gen. Unio, (88) vol. v, p. 10, pl. xii, f. 1; (205) vol. viii, p. 14.

U. Soverbianus.

T. A. P. S., (20) vol. v, 1833, p. 68, pl. x, f. 28; (27) vol. vi, 1838, pp. 125, 147; Obs. Gen. Unio, (21) vol. i, p. 180, pl. x, f. 28; (29) vol. ii, pp. 125, 147.

U. spadiceus.

P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (189) vol. iv, 1860, p. 330; (203) vol. v, 1861, p. 55, pl. i, f. 201; Obs. Gen. Unio, (205) vol. viii, pp. 12, 59, pl. i, f. 201.

U. sparsus.

P. A. P. S., (40) vol. ii, 1841, p. 82; T. A. P. S., (43) vol. viii, 1841, p. 242; (79) vol. x, 1852, p. 277; Obs. Gen. Unio, (44) vol. iii, p. 80, pl. xxv, f. 58; (83) vol. v, p. 33.

U. sparus.

J. A. N. S., (258) vol. vi, 1868, p. 306, pl. xlvii, f. 119; Obs. Gen. Unio, (259) vol. xii, p. 66, pl. xlvii, f. 119.

U. spatulatus.

T. A. P. S., (55) vol. x, 1845, p. 80, pl. viii, f. 22; J. A. N. S., (147) vol. iv, 1858, p. 47, pl. v, f. 9; (221) vol. v, 1863, p. 424; Obs. Gen. Unio, (56) vol. iv, p. 80, pl. viii, f. 22; (150) vol. vi, p. 47, pl. v, f. 9; (222) vol. x, p. 60.

U. speciosus.

J. A. N. S., (213) vol. v, 1862, p. 207, pl. xxxi, f. 276; Obs. Gen. Unio, (215) vol. ix, p. 29, pl. xxxi, f. 276.

U. sphaericus.

J. A. N. S., (258) vol. vi, 1868, p. 319, pl. li, f. 132; Obs. Gen. Unio, (259) vol. xii, p. 79, pl. li, f. 132.

U. Spillmanii.

P. A. N. S., (192) vol. xiii, 1861, p. 39; J. A. N. S., (203) vol. v, 1861, p. 98, pl. xv, f. 246; Obs. Gen. Unio, (205) vol. viii, p. 102, pl. xv, f. 246.

U. spinosus.

T. A. P. S., (27) vol. vi, 1836, pp. 57, 71, pl. xvi, f. 50; 1838, pp. 119, 147, 124; P. A. N. S., (124) vol. ix, 1857, p. 101; (135) vol. x, 1858, p. 13; J. A. N. S., (168) vol. iv, 1859, p. 244; (221) vol. v, 1863, p. 413; Obs. Gen. Unio, (29) vol. ii, pp. 57, 71, 119, 124, 147, pl. xvi, f. 50; (170) vol. vii, p. 62; (222) vol. x, p. 49.

Unio spissus.

P. A. N. S., (151) vol. xi, 1859, p. 112; J. A. N. S., (159) vol. iv, 1859, p. 208, pl. xxv, f. 89; Obs. Gen. Unio, (170) vol. vii, p. 26, pl. xxv, f. 89.

U. splendidus.

T. A. P. S., (27) vol. vi, 1836, p. 70, pl. xix, f. 61; 1838, pp. 126, 147; J. A. N. S., (221) vol. v, 1863, p. 414; Obs. Gen. Unio, (29) vol. ii, pp. 70, 126, 147, pl. xix, f. 61; (222) vol. x, p. 50.

U. spuria.

T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, p. 92; (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (21) vol. i, pp. 39, 204; (29) vol. ii, p. 129.

U. squalidus.

J. A. N. S., (242) vol. vi, 1866, p. 22, pl. vii, f. 20; Obs. Gen. Unio, (244) vol. xi, p. 26, pl. vii, f. 20.

U. squameus.

P. A. N. S., (200) vol. xiii, 1861, p. 391; J. A. N. S., (213) vol. v, 1862, p. 200, pl. xxviii, f. 269; Obs. Gen. Unio, (215) vol. ix, p. 22, pl. xxviii, f. 269.

U. stabilis.

P. A. N. S., (196) vol. xii, 1861, p. 59; J. A. N. S., (203) vol. v, 1861, p. 71, pl. viii, f. 221; Obs. Gen. Unio, (205) vol. viii, p. 75, pl. viii, f. 221.

U. stapes.

T. A. P. S., (15) vol. iv, 1830, p. 77, pl. vii, f. 8; (27) vol. vi, 1838, pp. 123, 147; Obs. Gen. Unio, (21) vol. i, p. 87, pl. vii, f. 8; (29) vol. ii, pp. 123, 147.

U. stegarius.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. Stevensii.

J. A. N. S., (273) vol. viii, 1874, p. 22, pl. vii, f. 19; Obs. Gen. Unio, (275) vol. xiii, p. 26, pl. vii, f. 19.

U. Stewardsonii.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 278, pl. xxxiii, f. 36; J. A. N. S., (203) vol. v, 1861, p. 65; (242) vol. vi, 1866, p. 48; Obs. Gen. Unio, (83) vol. v, p. 34, pl. xxiii, f. 36; (205) vol. viii, p. 69; (244) vol. xi, p. 52.

U. Stewartiana.

J. A. N. S., (242) vol. vi, 1866, p. 26; Obs. Gen. Unio, (244) vol. xi, p. 30.

U. Stonensis.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, p. 195, pl. xviii, f. 5; J. A. N. S., (148) vol. iv, 1858, p. 90; (159) vol. iv, 1859, p. 195; Obs. Gen. Unio, (44) vol. iii, p. 33; (150) vol. vi, p. 90; (170) vol. vii, p. 11.

U. stramineus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 147; (43) vol. viii, 1840, p. 200; (54) vol. ix, 1843, p. 282; (55) vol. x, 1845, p. 79; J. A. N. S., (159) vol. iv, 1859, p. 223, pl. xxx, f. 106; Obs. Gen. Unio, (29) vol. ii, pp. 133, 147; (44) vol. iii, p. 38; (56) vol. iv, pp. 79, 282; (170) vol. vii, p. 41, pl. xxx, f. 106.

Unio Strebelii.

J. A. N. S., (258) vol. vi, 1868, p. 318, pl. li, f. 131; Obs. Gen. Unio, (259) vol. xii, p. 78, pl. li, f. 131.

U. striatulus.

P. A. N. S., (123) vol. ix, 1857, p. 86; J. A. N. S., (203) vol. v, 1861, p. 55, pl. ii, f. 202; (221) vol. v, 1863, p. 421; Obs. Gen. Unio, (205) vol. viii, p. 59, pl. ii, f. 202; (222) vol. x, p. 57.

U. striatus.

T. A. P. S., (27) vol. vi, 1838, p. 144; (43) vol. viii, 1840, p. 203, pl. xii, f. 16; P. A. P. S., (35) vol. i, 1840, p. 287; J. A. N. S., (203) vol. v, 1861, p. 82; (221) vol. v, 1863, p. 418; Obs. Gen. Unio, (29) vol. ii, p. 144; (44) vol. iii, p. 41, pl. xii, f. 16; (205) vol. viii, p. 86; (222) vol. x, p. 54.

U. strigosus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 198, pl. ix, f. 9; (79) vol. x, 1852, p. 256; J. A. N. S., (159) vol. iv, 1859, p. 215; (221) vol. v, 1863, p. 411; Obs. Gen. Unio, (44) vol. iii, p. 36, pl. ix, f. 9; (83) vol. v, p. 12; (170) vol. vii, p. 33; (222) vol. x, p. 47.

U. strumosus.

J. A. N. S., (274) vol. viii, 1874, p. 57, pl. xix, f. 55; Obs. Gen. Unio, (275) vol. xiii, p. 61, pl. xix, f. 55.

U. suavidicus.

P. A. N. S., (110) vol. viii, 1856, p. 95; J. A. N. S., (133) vol. iii, 1857, p. 309, pl. xxix, f. 24; Obs. Gen. Unio, (150) vol. vi, p. 29, pl. xxix, f. 24.

U. subangulatus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (43) vol. viii, 1840, p. 209, pl. xiii, f. 23; J. A. N. S., (147) vol. iv, 1858, p. 50, pl. v, f. 39; (168) vol. iv, 1859, p. 259; (221) vol. v, 1863, p. 408; Obs. Gen. Unio, (44) vol. iii, p. 47, pl. xiii, f. 23; (150) vol. vi, p. 50, pl. v, f. 39; (170) vol. vii, p. 77; (222) vol. x, p. 44.

U. subconstrictus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. subcylindraceus.

J. A. N. S., (274) vol. viii, 1874, p. 58, pl. xx, f. 57; Obs. Gen. Unio, (275) vol. xiii, p. 62, pl. xx, f. 57.

U. subellipsis.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, pp. 62, 67, 77, pl. x, f. 44; (189) vol. iv, 1860, p. 328; Obs. Gen. Unio, (150) vol. vi, pp. 62, 67, 77, pl. x, f. 44; (205) vol. viii, p. 10.

U. subflavus.

P. A. N. S., (129) vol. ix, 1857, p. 170; J. A. N. S., (148) vol. iv, 1858, p. 90, pl. xix, f. 70; (159) vol. iv, 1859, p. 197; (242) vol. vi, 1866, p. 23; Obs. Gen. Unio, (150) vol. vi, p. 56, pl. xix, f. 70; (170) vol. vii, p. 15; (244) vol. xi, p. 27.

U. subgibbosus.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. iv, 1858, p. 53, pl. vi, f. 36;

Unio subgibbosus—Continued.

(213) vol. v, 1862, p. 204; (221) vol. v, 1863, p. 443; Obs. Gen. Unio, (150) vol. vi, p. 53, pl. vi, f. 36; (215) vol. ix, p. 26; (222) vol. x, p. 79.

U. subglobatus.

J. A. N. S., (273) vol. viii, 1874, p. 7, pl. i, f. 3; Obs. Gen. Unio, (275) vol. xiii, p. 11, pl. i, f. 3.

U. subglobosus.

T. A. P. S., (20) vol. v, 1832, pp. 30, 89, pl. ii, f. 3; (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (21) vol. i, pp. 142, 201, pl. ii, f. 3.

U. sublatus.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. iv, 1858, p. 82, pl. xvi, f. 62; Obs. Gen. Unio, (150) vol. vi, p. 82, pl. xvi, f. 62.

U. subniger.

P. A. N. S., (129) vol. ix, 1857, p. 172; J. A. N. S., (159) vol. iv, 1859, p. 196, pl. xxii, f. 79; Obs. Gen. Unio, (170) vol. vii, p. 14, pl. xxii, f. 79.

U. subolivaceus.

J. A. N. S., (274) vol. viii, 1874, p. 58, pl. xx, f. 56; Obs. Gen. Unio, (275) vol. xiii, p. 61, pl. xx, f. 56.

U. suborbiculata.

T. A. P. S., (12) vol. iii, 1829, p. 425; (20) vol. v, 1833, pp. 89, 92; (27) vol. v, 1838, p. 131; Obs. Gen. Unio, (21) vol. i, pp. 39, 201, 204; (29) vol. ii, p. 131.

U. subovatus.

T. A. P. S., (15) vol. iv, 1831, p. 118, pl. xviii, f. 46; (27) vol. vi, 1838, pp. 125, 147; Obs. Gen. Unio, (21) vol. i, p. 128, pl. xviii, f. 46; (29) vol. ii, pp. 125, 147.

U. subparallelus.

J. A. N. S., (273) vol. viii, 1874, p. 46, pl. xvi, f. 44; Obs. Gen. Unio, (275) vol. xiii, p. 50, pl. xvi, f. 44.

U. subrostratus.

T. A. P. S., (27) vol. vi, 1838, pp. 132, 133; Obs. Gen. Unio, (29) vol. ii, pp. 132, 133.

U. subrotundus.

T. A. P. S., (15) vol. iv, 1831, p. 117, pl. xviii, f. 45; (20) vol. v, 1832, pp. 35, 99; (27) vol. vi, 1838, pp. 131, 144, 147; (43) vol. viii, 1840, pp. 196, 210; J. A. N. S., (221) vol. v, 1863, pp. 417, 427, 432; Obs. Gen. Unio, (21) vol. i, pp. 127, 147, 211, pl. xviii, f. 45; (29) vol. ii, pp. 131, 144, 147; (44) vol. iii, pp. 34, 48; (222) vol. x, pp. 53, 63, 66.

U. subsquamosus.

J. A. N. S., (273) vol. viii, 1874, p. 47, pl. xvi, f. 45; Obs. Gen. Unio, (275) vol. xiii, p. 51, pl. xvi, f. 45.

U. substriatus.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, p. 300, pl. xxvi, f. 14; Obs. Gen. Unio, (150) vol. vi, p. 20, pl. xxvi, f. 14.

U. subtenatus.

T. A. P. S., (12) vol. iii, 1829; pp. 409, 412, 417; (20) vol. v, 1833, p. 63; (27) vol. vi, 1838, pp. 122, 147; (43) vol. viii, 1840, p. 202; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 31, 175; (29) vol. ii, pp. 122, 147; (44) vol. iii, p. 40.

U. subtetragonus.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

Unio succissus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 275, pl. xxi, f. 32; Obs. Gen. Unio, (83) vol. v, p. 31, pl. xxi, f. 32; (205) vol. viii, p. 27; J. A. N. S., (189) vol. iv, 1860, p. 345.

U. sudus.

P. A. N. S., (129) vol. ix, 1857, p. 170; J. A. N. S., (159) vol. iv, 1859, p. 194, pl. xxi, f. 77; (274) vol. viii, 1874, p. 69, pl. xxi, f. 7; Obs. Gen. Unio, (170) vol. vii, p. 12, pl. xxi, f. 77; (275) vol. xiii, p. 73, pl. xxi, f. 7.

U. sulcatus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 420, 430, pl. viii, f. 12; (15) vol. iv, 1831; pp. 117, 120; (20) vol. v, 1835, p. 35; (27) vol. vi, 1836, p. 50; 1838, pp. 126, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (213) vol. v, 1862, p. 193; (221) vol. v, 1863, p. 442; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 34, 44, 127, 130, 147; (29) vol. ii, pp. 50, 126, 147; (44) vol. iii, p. 69; (215) vol. ix, p. 15; (222) vol. x, p. 78.

U. sulcidens.

T. A. P. S., (12) vol. iii, 1829, pp. 416, 424; (20) vol. v, 1833, p. 90; (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (21) vol. i, pp. 30, 38, 202; (29) vol. ii, p. 130.

U. Sumatrensis.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, p. 239, pl. xxxiv, f. 118; (242) vol. vi, 1866, p. 63; Obs. Gen. Unio, (170) vol. vii, p. 57, pl. xxxiv, f. 118; (244) vol. xi, p. 67.

U. superbus.

T. A. P. S., (54) vol. ix, 1843, p. 281, pl. xlii, f. 11; J. A. N. S., (133) vol. iii, 1857, pp. 289, 293, 309; Obs. Gen. Unio, (56) vol. iv, p. 281, pl. xlii, f. 11; (150) vol. vi, pp. 9, 13, 29.

U. symmetricus.

T. A. P. S., (55) vol. x, 1845, p. 73, pl. iv, f. 11; J. A. N. S., (148) vol. iv, 1858, p. 76; Obs. Gen. Unio, (56) vol. iv, p. 73, pl. iv, f. 11; (150) vol. vi, p. 76.

U. Syriacus.

J. A. N. S., (242) vol. vi, 1866, p. 56, pl. xix, f. 53; Obs. Gen. Unio, (244) vol. xi, p. 60, pl. xix, f. 53.

U. syrmatophorus.

T. A. P. S., (27) vol. vi, 1838, pp. 121, 148; Obs. Gen. Unio, (29) vol. ii, pp. 121, 148.

U. teniatus.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 147; Obs. Gen. Unio, (29) vol. ii, pp. 127, 147.

U. Taitianus.

T. A. P. S., (20) vol. v, 1832, p. 39, pl. iv, f. 11; (27) vol. vi, 1838, pp. 126, 147; Obs. Gen. Unio, (21) vol. i, p. 39, pl. iv, f. 11; (29) vol. ii, pp. 126, 147.

U. Tampicoensis.

T. A. P. S., (27) vol. vi, 1836, p. 24, pl. vii, f. 18; (27) vol. vi, 1838, pp. 126, 147; J. A. N. S., (133) vol. iii, 1857, pp. 312, 315; Obs. Gen. Unio, (29) vol. ii, pp. 24, 126, 147, pl. vii, f. 18; (150) vol. vi, pp. 32, 35.

Unio Tappanianus.

T. A. P. S., (27) vol. vi, 1836, pp. 62, 75, pl. xvii, f. 55; 1838, pp. 133, 147; J. A. N. S., (242) vol. vi, 1866, p. 8; (274) vol. viii, 1874, pp. 67, 69, pl. xxi, f. 14; Obs. Gen. Unio, (29) vol. ii, pp. 62, 75, pl. xvii, f. 55; 1838, pp. 133, 147; (244) vol. xi, p. 12; (275) vol. xiii, pp. 71, 73, pl. xxi, f. 14.

U. Tavoyensis.

J. A. N. S., (133) vol. iii, 1857, pp. 292, 294; Obs. Gen. Unio, (150) vol. vi, pp. 12, 14.

U. Tecomatensis.

P. A. P. S., (39) vol. ii, 1841, p. 30; T. A. P. S., (43) vol. viii, 1841, p. 234, pl. xxi, f. 48; J. A. N. S., (189) vol. iv, 1860, p. 370; Obs. Gen. Unio, (44) vol. iii, p. 72, pl. xxi, f. 48; (205) vol. viii, p. 52.

U. Tellicoensis.

J. A. N. S., (273) vol. viii, 1874, p. 31, pl. x, f. 28; Obs. Gen. Unio, (275) vol. xiii, p. 35, pl. x, f. 28.

U. tenebricus.

P. A. N. S., (129) vol. ix, 1857, p. 171; J. A. N. S., (148) vol. iv, 1858, p. 83, pl. xvii, f. 63; Obs. Gen. Unio, (150) vol. vi, p. 83, pl. xvii, f. 63.

U. tenebrosus.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

U. tenellus.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. tener.

P. A. P. S., (35) vol. i, 1840, p. 26; T. A. P. S., (43) vol. viii, 1840, p. 198, pl. x, f. 10; J. A. N. S., (189) vol. iv, 1860, pp. 346, 353; Obs. Gen. Unio, (44) vol. iii, p. 36, pl. x, f. 10; (205) vol. viii, pp. 28, 35.

U. tenerus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 147; J. A. N. S., (221) vol. v, 1863, p. 415; Obs. Gen. Unio, (29) vol. ii, pp. 133, 147; (322) vol. x, p. 51.

U. Tennesseeensis.

P. A. P. S., (35) vol. i, 1840, p. 288; T. A. P. S., (43) vol. viii, 1840, p. 199, pl. x, f. 11; Obs. Gen. Unio, (44) vol. iii, p. 37, pl. x, f. 11.

U. tenuis.

T. A. P. S., (27) vol. vi, 1838, p. 136; Obs. Gen. Unio, (29) vol. ii, p. 136.

U. tenuissimus.

T. A. P. S., (27) vol. vi, 1838, pp. 133, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (221) vol. v, 1863, p. 441; Obs. Gen. Unio, (29) vol. ii, pp. 133, 147; (44) vol. iii, p. 69; (222) vol. x, p. 77.

U. teres.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. terrenus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. tesseralæ.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (242) vol. vi, 1866, p. 40, pl. xv, f. 39; Obs. Gen. Unio, (244) vol. xi, p. 44, pl. xv, f. 39.

Unio tetragona.

J. A. N. S., (242) vol. vi, 1866, p. 25; Obs. Gen. Unio, (244) vol. xi, p. 29.

U. tetralasmus.

T. A. P. S., (27) vol. vi, 1838, pp. 129, 147; (55) vol. x, 1845, p. 74; Obs. Gen. Unio, (29) vol. ii, pp. 129, 147; (56) vol. iv, p. 74.

U. tetricus.

P. A. N. S., (129) vol. ix, 1857, p. 170; J. A. N. S., (159) vol. iv, 1859, pp. 195, 199, pl. xxii, f. 78; Obs. Gen. Unio, (170) vol. vii, pp. 13, 17, pl. xxii, f. 78.

U. Texasensis.

P. A. N. S., (121) vol. ix, 1857, p. 84; J. A. N. S., (189) vol. iv, 1860, pp. 357, 359, 362, pl. lxi, f. 184; (213) vol. v, 1862, p. 205; Obs. Gen. Unio, (205) vol. viii, pp. 39, 41, 44, pl. lxi, f. 184; (215) vol. ix, p. 27.

U. Thorntonii.

P. A. N. S., (120) vol. ix, 1857, p. 83; J. A. N. S., (242) vol. vi, 1866, pp. 38, 39, 40; Obs. Gen. Unio, (244) vol. xi, pp. 42, 43, 44, pl. xiv, f. 36.

U. Thwaitesii.

P. A. N. S., (152) vol. xi, 1859, p. 452; J. A. N. S., (168) vol. iv, 1859, p. 246, pl. xxxvii, f. 125; Obs. Gen. Unio, (170) vol. vii, p. 64, pl. xxxvii, f. 125.

U. Tigridis.

J. A. N. S., (242) vol. vi, 1866, p. 52; Obs. Gen. Unio, (244) vol. xi, p. 56.

U. Tigris.

T. A. P. S., (27) vol. vi, 1838, pp. 126, 145; J. A. N. S., (133) vol. iii, 1857, p. 296; (242) vol. vi, 1866, pp. 52, 62; Obs. Gen. Unio, (29) vol. ii, pp. 126, 145; (150) vol. vi, p. 26; (244) vol. xi, pp. 56, 66.

U. Topekaensis.

J. A. N. S., (258) vol. vi, 1868, p. 313, pl. xlix, f. 126; Obs. Gen. Unio, (259) vol. xii, p. 73, pl. xlix, f. 126.

U. torsus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 412, 418, 434; (15) vol. iv, 1830, p. 77; (20) vol. v, 1833, p. 88; (27) vol. vi, 1838, p. 131; Obs. Gen. Unio, (21) vol. i, pp. 23, 26, 32, 48, 87, 200; (29) vol. ii, p. 131.

U. tortivus.

P. A. P. S., (35) vol. i, 1840, p. 287; T. A. P. S., (213) vol. viii, 1840, p. 204, pl. xii, f. 17; J. A. N. S., (159) vol. iv, 1859, p. 196, 199, 214; (221) vol. v, 1863, p. 409; (274) vol. viii, 1874, p. 69, pl. xxi, f. 12; Obs. Gen. Unio, (44) vol. iii, p. 42, pl. xii, f. 17; (170) vol. vii, pp. 14, 17, 32; (222) vol. x, p. 45; (275) vol. xiii, p. 73, pl. xxi, f. 12.

U. tortuosus.

P. A. N. S., (234) vol. xvii, 1865, p. 76; J. A. N. S., (257) vol. vi, 1868, p. 287, pl. xxxix, f. 98; Obs. Gen. Unio, (259) vol. xii, p. 46, pl. xxxix, f. 98.

U. torulosa.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. trabalis.

T. A. P. S., (27) vol. vi, 1838, p. 126; Obs. Gen. Unio, (29) vol. ii, p. 126.

Unio trapezialis.

J. A. N. S., (220) vol. v, 1863, p. 387; Obs. Gen. Unio, (222) vol. x, p. 23.

U. trapezium.

T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 129.

U. troostoides.

T. A. P. S., (15) vol. iv, 1830, p. 69, pl. iii, f. 1; (20) vol. v, 1833, pp. 87, 96; (27) vol. vi, 1838, pp. 122, 125, 147; J. A. N. S., (133) vol. iii, 1857, p. 315; (203) vol. v, 1861, p. 61; (221) vol. v, 1863, p. 436; Obs. Gen. Unio, (21) vol. i, pp. 79, 199, 208, pl. iii, f. 1; (29) vol. ii, pp. 122, 125, 147; (150) vol. vi, p. 35; (205) vol. viii, p. 65; (222) vol. x, p. 72.

U. trautwiniana.

J. A. N. S., (168) vol. iv, 1859, p. 267; Obs. Gen. Unio, (170) vol. vii, p. 85.

U. triangularis.

T. A. P. S., (12) vol. iii, 1829, pp. 406, 409, 419, 430, 443; (15) vol. iv, 1830, p. 76; 1831, pp. 112, 116; (20) vol. v, 1832, p. 25; (27) vol. vi, 1836, pp. 50, 55, 72; 1838, pp. 119, 120, 124, 125, 144, 147; (43) vol. viii, 1841, p. 231; J. A. N. S., (147) vol. iv, 1858, p. 48, pl. v, f. 19; (221) vol. v, 1863, pp. 420, 448; (242) vol. vi, 1866, p. 17; Obs. Gen. Unio, (21) vol. i, pp. 20, 23, 26, 33, 44, 57, 86, 122, 126, 137; (29) vol. ii, pp. 50, 55, 72, 119, 120, 124, 125, 126, 144, 147; (44) vol. iii, p. 69; (150) vol. vi, p. 48, pl. v, f. 19; (222) vol. x, pp. 56, 94; (244) vol. x, p. 21.

U. trifidus.

P. A. N. S., (175) vol. xii, 1860, p. 89; J. A. N. S., (220) vol. v, 1863, p. 386, pl. xlv, f. 295; (242) vol. vi, 1866, p. 58; Obs. Gen. Unio, (222) vol. x, p. 22, pl. xlv, f. 295; (244) vol. xi, p. 62.

U. trigonus.

T. A. P. S., (15) vol. iv, 1831, p. 110, pl. xvi, f. 40; (20) vol. v, 1833, p. 69; (27) vol. vi, 1836, pp. 55, 73; 1838, pp. 125, 148; (43) vol. viii, 1841, pp. 212, 231; (55) vol. x, 1845, p. 71; J. A. N. S., (203) vol. v, 1861, p. 91; (213) vol. v, 1862, pp. 197, 199; (221) vol. v, 1863, p. 428; Obs. Gen. Unio, (21) vol. i, pp. 120, 181, pl. xvi, f. 40; (29) vol. ii, pp. 55, 73, 125, 148; (44) vol. iii, pp. 50, 69; (56) vol. iv, p. 71; (205) vol. viii, p. 95; (215) vol. ix, pp. 19, 21; (222) vol. x, p. 64.

U. trinaerus.

P. A. N. S., (196) vol. xiii, 1861, p. 59; J. A. N. S., (203) vol. v, 1861, p. 86, pl. xii, f. 235; Obs. Gen. Unio, (205) vol. viii, p. 90, pl. xii, f. 235; also errata.

U. tripartitus.

J. A. N. S., (242) vol. vi, 1866, p. 57, pl. xix, f. 55; Obs. Gen. Unio, (244) vol. xi, p. 61, pl. xix, f. 55.

U. triqueter.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

U. triradiatus.

T. A. P. S., (27) vol. vi, 1838, p. 129; Obs. Gen. Unio, (29) vol. ii, p. 129.

U. troschelianus.

P. A. P. S., (93) vol. v, 1852, p. 252; T. A. P. S., (79) vol. x, 1852, p. 280, pl. xxiii, f. 39; J. A.

Unio Troschelianus—Continued.

N. S., (159) vol. iv, 1859, p. 220; Obs. Gen. Unio, (83) vol. v, p. 36, pl. xxiii, f. 39; (170) vol. vii, p. 38.

U. Troostensis.

T. A. P. S., (20) vol. v, 1833, p. 71, pl. x, f. 30; (27) vol. vi, 1838, pp. 126, 148; (54) vol. ix, 1843, p. 278; Obs. Gen. Unio, (21) vol. i, p. 183, pl. x, f. 30; (29) vol. ii, pp. 126, 148; (56) vol. iv, p. 278.

U. Troostii.

J. A. N. S., (242) vol. vi, 1866, p. 47; Obs. Gen. Unio., (244) vol. xi, p. 51.

U. trossulus.

T. A. P. S., (54) vol. ix, 1843, p. 278, pl. xl, f. 6; Obs. Gen. Unio., (56) vol. iv., p. 278, pl. xl, f. 6.

U. truncatus.

T. A. P. S., (15) vol. iv, 1830, p. 93; (27) vol. vi, 1838, pp. 124, 126, 134, 144, 148, 151; J. A. N. S., (242) vol. vi, 1866, p. 52; Obs. Gen. Unio, (21) vol. i, p. 103; (29) vol. ii, pp. 124, 126, 134, 144, 148, 151; (244) vol. xi, p. 56.

U. tuberculatus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 410, 412, 419; (15) vol. iv, 1830, pp. 64, 65, 71, 86; (27) vol. vi, 1836, p. 56; 1838, pp. 123, 124, 148; (43) vol. viii, 1841, p. 231; P. A. P. S., (66) vol. v, 1851, pp. 192, 193; J. A. N. S., (221) vol. v, 1863, p. 425; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 23, 24, 26, 33, 74, 75, 81, 96; (29) vol. ii, pp. 56, 123, 124, 148; (44) vol. iii, p. 69; (222) vol. x, p. 61; (244) vol. xi, p. 31.

U. tuberculosa.

T. A. P. S., (12) vol. iii, 1829, p. 419; Obs. Gen. Unio., (21) vol. i, p. 33.

U. tuberosus.

P. A. P. S., (35) vol. i, 1840, p. 286; T. A. P. S., (43) vol. viii, 1840, pp. 210, 243, pl. xiv, f. 25; (79) vol. x, 1852, p. 277; Obs. Gen. Unio., (44) vol. iii, pp. 48, 81, pl. xiv, f. 25; (83) vol. v, p. 33.

U. tunescens.

T. A. P. S., (55) vol. x, 1845, pp. 71, 73, pl. iii, f. 7; Obs. Gen. Unio, (56) vol. iv, pp. 71, 73, pl. iii, f. 7.

U. tumida.

T. A. P. S., (12) vol. iii, 1829, p. 424; (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. i, pp. 38, 132.

U. tumidulus.

P. A. N. S., (110) vol. viii, 1856, p. 93; J. A. N. S., (133) vol. iii, 1857, p. 295, pl. xxv, f. 9; (242) vol. vi, 1866, p. 62; Obs. Gen. Unio, (150) vol. vi, p. 15, pl. xxv, f. 9; (244) vol. xi, p. 66.

U. tumulatus.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. turgidulus.

P. A. N. S., (136) vol. x, 1858, p. 40; J. A. N. S., (203) vol. v, 1861, p. 62, pl. v, f. 211; (213) vol. v, 1862, p. 193; Obs. Gen. Unio, (205) vol. viii, p. 66, pl. v, f. 211; (215) vol. ix, p. 15.

Unio turgidus.

T. A. P. S., (27) vol. vi, 1834, p. 11, pl. v, f. 11; 1838, pp. 123, 148; Obs. Gen. Unio, (29) vol. ii, pp. 11, 123, 148, pl. v, f. 11.

U. Turtonii.

T. A. P. S., (27) vol. vi, 1838, p. 132; Obs. Gen. Unio, (29) vol. ii, p. 132.

U. Tuomeyi.

T. A. P. S., (79) vol. x, 1852, p. 256, pl. xiii, f. 4; P. A. P. S., (93) vol. v, 1852, p. 252; J. A. N. S., (148) vol. iv, 1858, pp. 61, 80; (189) vol. iv, 1860, p. 329; (221) vol. v, 1863, p. 444; (242) vol. vi, 1866, p. 21; Obs. Gen. Unio, (83) vol. v, p. 12, pl. xiii, f. 4; (150) vol. vi, pp. 61, 80; (205) vol. viii, p. 11; (222) vol. x, p. 80; (244) vol. xi, p. 25.

U. Tuscanbiensis.

J. A. N. S., (273) vol. viii, 1874, p. 11, pl. iii, f. 7; Obs. Gen. Unio, (275) vol. xiii, p. 15, pl. iii, f. 7.

U. Uharicensis.

J. A. N. S., (258) vol. vi, 1868, p. 304, pl. xlvi, f. 116; Obs. Gen. Unio, (259) vol. xii, p. 63, pl. xlvi, f. 116.

U. umbrans.

P. A. N. S., (127) vol. ix, 1857, p. 104; J. A. N. S., (148) vol. iv, 1858, p. 73; Obs. Gen. Unio, (150) vol. vi, p. 73.

U. umbrosus.

P. A. N. S., (110) vol. viii, 1856, p. 95; (119) vol. ix, 1857, p. 32; (127) vol. ix, 1857, p. 104; J. A. N. S., (133) vol. iii, 1857, p. 311, pl. xxx, f. 26; (168) vol. iv, 1859, p. 246; (203) vol. v, 1861, p. 80; (258) vol. vi, 1868, p. 326; Obs. Gen. Unio, (150) vol. vi, p. 31, pl. xxx, f. 26; (170) vol. vii, p. 64; (205) vol. viii, p. 84; (259) vol. xii, p. 86.

U. undatus.

T. A. P. S., (12) vol. iii, 1829, p. 418; (15) vol. iv, 1831, pp. 111, 118; (20) vol. v, 1833, p. 88; (27) vol. vi, 1834, p. 13; 1838, p. 125; (43) vol. viii, 1840, pp. 216, 231; J. A. N. S., (221) vol. v, 1863, p. 441; Obs. Gen. Unio, (21) vol. i, pp. 32, 121, 128, 200; (29) vol. ii, pp. 13, 125; (44) vol. iii, pp. 54, 69; (222) vol. x, p. 77.

U. undulatus.

T. A. P. S., (12) vol. iii, 1829, pp. 417, 421; (15) vol. iv, 1830, p. 68; (27) vol. vi, 1838, pp. 122, 124, 125, 148; (55) vol. x, 1845, pp. 68, 70; P. A. P. S., (66) vol. v, 1851, p. 192; P. A. N. S., (135) vol. x, 1858, pp. 13, 14; J. A. N. S., (147) vol. iv, 1858, p. 48, pl. v, f. 22; (221) vol. v, 1863, pp. 417, 443; (242) vol. vi, 1866, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 31, 55, 78; (29) vol. ii, pp. 122, 124, 125, 148; (56) vol. iv, pp. 68, 70; (150) vol. vi, p. 48, pl. v, f. 22; (222) vol. x, pp. 53, 79; (244) vol. xi, p. 31.

U. unicolor.

T. A. P. S., (55) vol. x, 1845, p. 74, pl. iv, f. 12; Obs. Gen. Unio, (56) vol. iv, p. 74.

U. uniformis.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

Unio Urii.

T. A. P. S., (27) vol. vi, 1838, pp. 134, 151; Obs. Gen. Unio, (29) vol. ii, pp. 134, 151.

U. Uruguayensis.

P. A. N. S., (176) vol. xii, 1860, p. 90; J. A. N. S., (220) vol. v, 1863, pp. 382, 388, pl. xlv, f. 298; Obs. Gen. Unio, (222) vol. x, pp. 18, 24, pl. xlv, f. 298.

U. utriculus.

T. A. P. S., (55) vol. x, 1845, p. 69, pl. i, f. 3; Obs. Gen. Unio, (56) vol. iv, p. 69, pl. i, f. 3.

U. validus.

J. A. N. S., (273) vol. viii, 1874, p. 6, pl. i, f. 2; Obs. Gen. Unio, (275) vol. xiii, p. 10, pl. i, f. 2.

U. vallatus.

J. A. N. S., (258) vol. vi, 1868, p. 315, pl. i, f. 128; Obs. Gen. Unio, (259) vol. xii, p. 75, pl. i, f. 128.

U. Vanuxemensis.

T. A. P. S., (27) vol. vi, 1836, pp. 28, 36, pl. xi, f. 31; 1838, pp. 127, 148; (55) vol. x, 1845, p. 69; Obs. Gen. Unio, (29) vol. ii, pp. 28, 36, 127, 148, pl. xi, f. 31; (56) vol. iv, p. 69.

U. Vanuxemii.

J. A. N. S., (148) vol. iv, 1858, p. 83; (203) vol. v, 1861, p. 67; (242) vol. vi, 1866, p. 47; Obs. Gen. Unio, (150) vol. vi, p. 83; (205) vol. viii, p. 71; (244) vol. xi, p. 51.

U. variabilis.

T. A. P. S., (27) vol. vi, 1838, pp. 131, 148; J. A. N. S., (220) vol. v, 1863, p. 381; Obs. Gen. Unio, (29) vol. ii, pp. 131, 148; (222) vol. x, p. 17.

U. varicosus.

T. A. P. S., (12) vol. iii, 1829, p. 424; (15) vol. iv, 1830, p. 9, pl. xi, f. 20; 1831, p. 107; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, pp. 124, 135, 148; (43) vol. viii, 1841, p. 231; Obs. Gen. Unio, (21) vol. i, pp. 38, 100, 107, 203, pl. xi, f. 20; (29) vol. ii, pp. 124, 135, 148; (44) vol. iii, p. 69.

U. vasus.

J. A. N. S., (242) vol. vi, 1866, p. 55; Obs. Gen. Unio, (244) vol. xi, p. 59.

U. Vaughanianus.

T. A. P. S., (27) vol. vi, 1834, p. 5, pl. iii, f. 5; 1838, pp. 133, 148; Obs. Gen. Unio, (29) vol. ii, pp. 5, 133, 148, pl. iii, f. 5.

U. velum.

T. A. P. S., (27) vol. vi, 1838, p. 133; Obs. Gen. Unio, (29) vol. ii, p. 133.

U. ventricosus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 419, 436; (15) vol. iv, 1831, p. 119; (27) vol. vi, 1838, pp. 125, 126, 148; J. A. N. S., (159) vol. iv, 1859, p. 224, pl. xxx, f. 107; Obs. Gen. Unio, (12) vol. i, pp. 23, 25, 33, 51, 129; (29) vol. ii, pp. 125, 126, 148; (170) vol. vii, p. 42, pl. xxx, f. 107.

U. Venus.

T. A. P. S., (15) vol. iv, p. 118; (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144;

U. venustus.

T. A. P. S., (27) vol. vi, 1834, p. 4, pl. ii, f. 4; 1838, pp. 127, 148; J. A. N. S., (189) vol. iv, 1860, p. 369; Obs. Gen. Unio, (29) vol. ii, pp. 4, 127, 148, pl. ii, f. 4; (205) vol. viii, p. 51.

Unio Veracruzensis.

J. A. N. S., (258) vol. vi, 1868, p. 320, pl. lii, f. 133; Obs. Gen. Unio, (259) vol. xii, p. 80, pl. lii, f. 133.

U. Verreceanus.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, p. 301, pl. xxvii, f. 16; Obs. Gen. Unio, (150) vol. vi, p. 21, pl. xxvii, f. 16.

U. verrucosus.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 410, 412, 413, 419; (15) vol. iv, 1830, pp. 77, 79; (20) vol. v, 1833, p. 61; (27) vol. vi, 1836, p. 70; 1838, pp. 123, 144, 148; P. A. P. S., (66) vol. v, 1851, p. 192; T. A. P. S., (43) vol. viii, 1841, p. 231; (55) vol. x, 1845, p. 72; J. A. N. S., (221) vol. v, 1863, p. 427; Obs. Gen. Unio, (21) vol. i, pp. 23, 24, 26, 27, 33, 87, 89, 173; (29) vol. ii, pp. 70, 123, 144, 149; (44) vol. iii, p. 69; (56) vol. iv, p. 72; (222) vol. x, p. 63.

U. verrucosus albus.

T. A. P. S., (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (29) vol. ii, p. 123.

U. verrucosus purpureus.

T. A. P. S., (27) vol. vi, 1838, p. 123; Obs. Gen. Unio, (29) vol. ii, p. 123.

U. verus.

P. A. N. S., (192) vol. xiii, 1861, p. 40; J. A. N. S., (203) vol. v, 1861, p. 83, pl. xi, f. 231; Obs. Gen. Unio, (205) vol. viii, p. 87, pl. xi, f. 231.

U. verutus.

P. A. N. S., (156) vol. xi, 1859, p. 171; J. A. N. S., (189) vol. iv, 1860, p. 335, pl. liii, f. 160; (203) vol. v, 1861, p. 95; Obs. Gen. Unio, (205) vol. viii, pp. 17, 99, pl. liii, f. 160.

U. vesicularis.

J. A. N. S., (273) vol. viii, 1874, p. 37, pl. xii, f. 34; Obs. Gen. Unio, (275) vol. lxi, p. 41, pl. xii, f. 34.

U. vestitus.

P. A. N. S., ((200) vol. xiii, 1861, p. 393; J. A. N. S., (213) vol. v, 1862, p. 189, pl. xxv, f. 259; Obs. Gen. Unio, (215) vol. ix, p. 11, pl. xxv, f. 259.

U. vibex.

T. A. P. S., (27) vol. vi, 1838, pp. 128, 148; Obs. Gen. Unio, (29) vol. ii, pp. 128, 148.

U. vicinus.

P. A. N. S., (116) vol. viii, 1856, p. 262; J. A. N. S., (148) vol. iv, 1858, p. 61, pl. ix, f. 43; (159) vol. iv, 1859, p. 216; Obs. Gen. Unio, (150) vol. vi, p. 61, pl. ix, f. 43; (170) vol. vii, p. 34.

U. violaceus.

T. A. P. S., (27) vol. vi, 1838, p. 130; Obs. Gen. Unio, (29) vol. ii, p. 130.

U. virens.

P. A. N. S., (129) vol. ix, 1857, p. 169; J. A. N. S., (148) vol. iv, 1858, p. 80, pl. xvi, f. 60; Obs. Gen. Unio, (150) vol. vi, p. 80, pl. xvi, fig. 60.

U. virescens.

P. A. N. S., (136) vol. x, 1858, p. 40; J. A. N. S., (189) vol. iv, 1860, p. 341, pl. lv, f. 166; Obs. Gen. Unio, (205) vol. viii, p. 23, pl. lv, f. 166.

Unio Virginiana.

T. A. P. S., (12) vol. iii, 1829, pp. 415, 416, 425; (20) vol. v, 1833, p. 91; (27) vol. vi, 1838, p. 127; Obs. Gen. Unio, (21) vol. i, pp. 29, 30, 39, 203; (29) vol. ii, p. 127.

U. viridans.

P. A. N. S., (156) vol. xi, 1859, p. 170; J. A. N. S., (189) vol. iv, 1860, p. 337, pl. liv, f. 162; Obs. Gen. Unio, (205) vol. viii, p. 19, pl. liv, f. 162.

U. viridicatus.

P. A. N. S., (129) vol. ix, 1857, p. 170; J. A. N. S., (148) vol. iv, 1858, p. 87, pl. xviii, f. 67; Obs. Gen. Unio, (150) vol. vi, p. 87, pl. xviii, f. 67.

U. viridiradiatus.

P. A. N. S., (154) vol. xi, 1859, p. 154; J. A. N. S., (189) vol. iv, 1860, pp. 336, 338, pl. lii, f. 161; (213) vol. v, 1862, p. 210; Obs. Gen. Unio, (205) vol. viii, pp. 18, 20, pl. liii, f. 161; (215) vol. ix, p. 32.

U. viridis.

T. A. P. S., (27) vol. vi, 1838, pp. 127, 144; Obs. Gen. Unio, (29) vol. ii, pp. 127, 144.

U. viridulus.

J. A. N. S., (242) vol. vi, 1866, p. 10, pl. xiii, f. 7; Obs. Gen. Unio, (244) vol. xi, p. 14, pl. iii, f. 7.

U. vittatus.

T. A. P. S., (27) vol. vi, 1838, p. 144; P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, p. 249, pl. xxxviii, f. 128; Obs. Gen. Unio, (29) vol. ii, p. 144; (170) vol. viii, p. 67, pl. xxxviii, f. 128.

U. waccamavensis.

J. A. N. S., (242) vol. vi, 1866, p. 16, pl. v, f. 14; Obs. Gen. Unio, (244) vol. xi, p. 20, pl. v, f. 14.

U. Wardii.

P. A. N. S., (200) vol. xiii, 1861, p. 392; J. A. N. S., (213) vol. v, 1862, p. 187, pl. xxiv, f. 257; Obs. Gen. Unio, (215) vol. ix, p. 9, pl. xxiv, f. 257.

U. Watereensis.

T. A. P. S., (27) vol. vi, 1838, pp. 130, 148; Obs. Gen. Unio, (29) vol. ii, pp. 130, 148.

U. Weldonensis.

J. A. N. S., (242) vol. vi, 1866, p. 11, pl. iii, f. 8; Obs. Gen. Unio, (244) vol. xi, p. 15, pl. iii, f. 8.

U. Wheatleyanus.

P. A. N. S., (110) vol. viii, 1856, p. 94; J. A. N. S., (133) vol. iii, 1857, p. 308, pl. xxix, f. 23; (168) vol. iv, 1859, pp. 267, 272; Obs. Gen. Unio, (150) vol. vi, p. 28, pl. xxix, f. 23; (170) vol. vii, pp. 85, 90.

U. Wheatleyi.

P. A. N. S., (123) vol. ix, 1857, p. 85; (127) vol. ix, 1857, p. 104; J. A. N. S., (203) vol. v, 1861, p. 54; Obs. Gens. Unio, (205) vol. viii, p. 58.

U. Whiteiana.

T. A. P. S., (79) vol. x, 1852, p. 258, pl. xiv, f. 8; P. A. P. S., (93) vol. v, 1852, p. 252; J. A. N. S., (148) vol. iv, 1858, p. 91; (213) vol. v, 1862, p. 200; Obs. Gen. Unio, (83) vol. v, p. 14, pl. xiv, f. 8; (150) vol. vi, p. 91; (215) vol. ix, p. 22.

Unio Wilsonii.

P. A. N. S., (152) vol. xi, 1859, p. 153; J. A. N. S., (168) vol. iv, 1859, p. 256, pl. xi, f. 137; (242) vol. vi, 1866, p. 61; Obs. Gens. Unio, (170) vol. vii, p. 74, pl. xi, f. 137; (244) vol. xi, p. 65.

U. Woodwardianus.

J. A. N. S., (147) vol. iv, 1858, pp. 45, 47, pl. v, f. 16; (159) vol. iv, 1859, pp. 191, 199, 219, pl. xxiii, f. 82, pl. xxix, f. 103; (202) vol. v, 1861, p. 87; (221) vol. v, 1863, pp. 443, 444; Obs. Gen. Unio, (150) vol. vi, pp. 45, 47, pl. v, f. 16; (170) vol. vii, pp. 9, 17, 37, pl. xxiii, f. 82, pl. xxix, f. 103; (205) vol. viii, p. 91; (222) vol. x, pp. 79, 80.

U. Woodwardius.

P. A. N. S., (129) vol. ix, 1857, p. 170.

U. Wrightii.

P. A. N. S., (234) vol. xvii, 1865, p. 75; J. A. N. S., (257) vol. vi, 1868, p. 283, pl. xxxix, f. 97; Obs. Gen. Unio, (259) vol. xii, p. 43, pl. xxxix, f. 97.

U. Wymanii.

P. A. N. S., (176) vol. xii, 1860, p. 90; J. A. N. S., (220) vol. v, 1863, pp. 381, 389, pl. xlii, f. 289; Obs. Gen. Unio, (222) vol. x, pp. 17, 25, pl. xlii, f. 289.

U. Wyngungaensis.

P. A. N. S., (165) vol. xi, 1859, p. 331; J. A. N. S., (168) vol. iv, 1859, pp. 271, 272, pl. xlv, f. 151; Obs. Gen. Unio, (170) vol. vii, pp. 89, 90, pl. xlv, f. 151.

U. Yarkinensis.

J. A. N. S., (273) vol. viii, 1874, p. 32; Obs. Gen. Unio, (275) vol. xiii, p. 36, pl. x, f. 29.

U. Zeiglerianus.

T. A. P. S., (27) vol. vi, 1836, p. 32, pl. x, f. 27; 1838, pp. 128, 148; Obs. Gen. Unio, (29) vol. ii, pp. 32, 128, 148, pl. x, f. 27.

U. zigzag.

T. A. P. S., (12) vol. iii, 1829, pp. 409, 411, 412, 421, 440, pl. xii, f. 19; (15) vol. iv, 1830, pp. 82, 83; (27) vol. vi, 1838, pp. 124, 148; P. A. N. S., (115) vol. viii, 1856, p. 213; (135) vol. x, 1858, p. 14; J. A. N. S., (189) vol. iv, 1860, p. 369; (221) vol. v, 1863, p. 430; Obs. Gen. Unio, (21) vol. i, pp. 23, 25, 26, 35, 54, 92, 93, pl. xii, f. 19; (29) vol. ii, pp. 124, 148; (205) vol. viii, p. 51; (222) vol. x, p. 66.

U. zonalis.

T. A. P. S., (27) vol. vi, 1838, p. 144; Obs. Gen. Unio, (29) vol. ii, p. 144.

Valvata arenifera.

T. A. P. S., (15) vol. iv, 1830, p. 104, pl. xv, f. 36, a, b; (20) vol. v, 1832, p. 27; Obs. Gen. Unio, (21) vol. i, pp. 114, 139, pl. xv, f. 36, a, b.

V. bicarinata.

P. A. P. S., (40) vol. 2, 1841, pp. 81, 83; T. A. P. S., (51) vol. ix, 1841, p. 21; Obs. Gen. Unio, (56) vol. iv, p. 21.

Valvata tricarinata.

P. A. P. S., (40) vol. ii, 1841, p. 81; T. A. P. S., (51) vol. ix, 1841, p. 21; Obs. Gen. Unio, (56) vol. iv, p. 21.

Venericardia.

(18) Con. to Geol., 1833, p. 71.

V. Blandingi.

(18) Con. to Geol., 1833, p. 71.

V. Brogniarti.

(18) Con. to Geol., 1833, p. 71.

V. granulata.

(18) Con. to Geol., 1833, p. 71.

V. parva.

(18) Con. to Geol., 1833, p. 70, pl. ii, f. 49.

V. planicosta.

(18) Con. to Geol., 1833, pp. 19, 20, 71.

V. rotunda.

(18) Con. to Geol., 1833, p. 70, pl. ii, f. 48.

V. rotundata.

(18) Con. to Geol., 1833, pp. 71, 207.

V. Sillimani.

(18) Con. to Geol., 1833, pp. 69, 70, pl. ii, f. 47.

V. squamosa.

(18) Con. to Geol., 1833, p. 207.

V. transversa.

(18) Con. to Geol., 1833, p. 68, pl. ii, f. 46.

Vitrina.

J. A. N. S., (243) vol. vi, 1866, p. 156; Obs. Gen. Unio, (244) vol. xi, p. 112.

Voluta.

(18) Con. to Geol., 1833, p. 176.

V. athleta.

(18) Con. to Geol., 1833, p. 174.

V. Cooperii.

(18) Con. to Geol., 1833, pp. 174, 175, pl. vi, f. 185.

V. Defrancoii.

(18) Con. to Geol., 1833, pp. 171, 172, 174, pl. vi, f. 179.

V. depauperata.

(18) Con. to Geol., 1833, p. 174.

V. gracilis.

(18) Con. to Geol., 1833, p. 172, pl. vi, f. 180.

V. Lamberti.

(18) Con. to Geol., 1833, pp. 144, 171.

V. Parkinsonii.

(18) Con. to Geol., 1833, p. 175.

V. parva.

(18) Con. to Geol., 1833, p. 173, pl. vi, f. 181.

V. spinosa.


(18) Con. to Geol., 1833, p. 172.

V. striata.

(18) Con. to Geol., 1833, p. 174, pl. vi, f. 183.

V. Vanuxemi.

(18) Con. to Geol., 1833, p. 173, pl. vi, f. 182.



GENERAL INDEX.


Page.		Page.	
Academy Natural Sciences, Philadelphia,		Brazil	95
Dr. Lea president of	lvii	Brewster, David	xii
Acostea	xxiii, xxv, xl	Braintree, Mass	78
Africa	137, 140	British Association for the Advancement	
Agassiz, Prof. Alexander	xxi, xlvi, xlix, l, 54, 55	of Science	xii, xxxiv
Aiken, Miss	xiii	British Museum	xiv, xxxix
Alabama	76, 80, 87, 95, 96, 99, 101, 103, 104	Broderip, Mr	xiii, xiv
Alasmodonta, Say	viii	Brongiart, Adolphe	xii, xvii
America and Europe compared	xv	Brongiart, Alexandre	xxxii
America, Central	151	Brougham, Lord	xxii
America, South	143	Brown, Professor	xii, xxii
American Association Advancement Science,		Brunel, M	xii
Dr. Lea president at meeting of	lvii	Brussels	xxii, xxx
American Journal of Science	viii, ix	Buchanan, Mr	xx, xxxix
American Philosophical Society, Philadel-		Buckland, Dr. William	xii, xiii, xiv, xxxiv, xxxviii, xli, li
phia	x, xxiv, lvii	Budd, Dr	xx
Amsterdam, visit to	xxxv	Buenos Ayres	95
Ancestors of Isaac Lea	vii	Buonaparte, Prince Charles	xvi, xx, xxiii, xxiv, xxxi, xxxiii
Andresse, M	xxxii, xxxiii	Buonaparte, Prince Lucien M	xxiv
Antwerp	xxxv	Buonaparte, Prince Napoleon	xxiv
Arveyron	xxiii	Business, retirement from	xix
Asia	141	Byssus in Unio	72, 76
Asiatic Society of Bengal	lvi	Caillaud, M	xvii
Asteria	xxix	California, illness in	xlvi
Audouin, M	xvii	Cambridge, visit to	xxxvii
Auroras	68	Campbell, Lord	xxii
Babbage, Mr	xiii, xiv	Carey, Miss Frances A	ix
Babbington, Professor	xxxvii	Carey, Mathew	ix, x
Bache, Professor	xxvii	Carpenter, Dr	xlii, xliii
Baie, visit to	xxv	Cass, Major	xxxix
Bailey, Mr	xiv, xxxviii, xliv	Cassinite	xvi
Barrande, M	xxiv, xxviii	Chamouni, visit to	xxii
Beaumont, Elie de	xxiv, xxix	Chapman, Dr	x
Beebles, Mr	xl	Charlesworth, Mr	xxxiv, xxxv
Bêche, Sir Henry de la	xiv, xxix, xxxviii, xxxix, xli, xliii, xliv	Check list of North American shells	120
Berlin, visit to	xxviii	Chenu, Dr	xxiv, xxv
Bernard, General	xv, xviii	Cheves, Langdon	x
Beyrick, Professor	xxx	Chevrenil, Professor	xxxii
Bibliography of Isaac Lea	i	Chiagi, Signor Dolli	xxv
Biddle, Nicholas	x	Children of Dr. Lea	ix
Binney, Horace	x	Claxton, Mr	xiv
Binney, W. G.	166	Clepsysaurus Pennsylvanicus	xxi, xliij
Biographical sketch of Isaac Lea	vii	Coal	xiii, 53
Biot, Professor	xvi	Colimacea	3, 15, 21, 22, 30, 40, 51, 60, 62
Birth	vii	Collins, Z	x
Blainville, Professor	xvi, xvii	Combes, M	xxxii
Boivin	xxiii, xxxii, xxxiii, li, lv	Conchæ	15
Bonamic, M	xxxii	Conrad, T. A	xix, xx, xxxvi, xlvi, 63, 143, 165
Bonn, visit to	xxii	Conybeare	xii
Bostock, Dr	xiv	Cooper, J. Fenimore	xiv
Boué, Professor	xxvii	Cooper, Judge William	xi, xx
Boykin, Dr	xlv		


	Page.		Page.
Copley medal.....	xii	Gems, crystals in.....	161, 167, 171
Correspondence.....	xi, xx, xlv, xlvii, lv	Geneva, visit to.....	xxii
Corridi, Professor.....	xxv	Genth, Dr.....	lvii
Corrie, Mrs.....	xx	Geology, contributions to.....	5
Couper, Mr.....	xlv	Georgia.....	76, 77, 85, 87, 88, 94, 98, 101
Cretaceous formation.....	107, 155	Gerhard.....	xxiii
Crosse, Mr.....	xlii	Gladstone.....	xxii
Cruvellier, M.....	xxxiii	Godman, Dr.....	xxix
Crystals.....	lviii, 161, 167	Gould, Dr.....	xxxiv, xxxix, lvii
Cuba.....	26	Graham.....	xliii
Cuning, Hugh.....	51, 53	Gray, Dr.....	xiv, xviii, xl
Cuvier, Baron.....	xii, xvi	Grey, Lord.....	xxii
Cuvier, Frederiek.....	xvi	Hague.....	xxxii
Dalton, Professor.....	xii	Haidinger, William.....	xxiii, xxvi, xxviii, xxix, li, liv, lvi
Dana, Prof. J. D.....	xxix, xxxviii	Haines, Reuben.....	*x, xx
Daniels, Mr.....	xiv	Haldeman.....	42
Darien, Isthmus of.....	81, 90, 94	Hallenback, Mr.....	xlv
Daubeny, Dr.....	xxxii, xxxiv, xxxvii	Hallstatter Schichten.....	xxvii
Davidson.....	xxvii	Halos, article on.....	1
Davies, Gilbert.....	xii	Hamilton, Sir William.....	xxxiv, xxxv, xvii, xlv
Dawson, J. W.....	xxxvi	Hare, Dr. Robert.....	x, xxxiv
Delawarite.....	lvii	Hartman, Dr.....	lvi
Delessert.....	xxv	Harkness, Professor.....	xxixv, xli
Deshayes.....	xviii, xxxii	Hays, Dr. Isaac.....	xxxii
Desing.....	xxvii	Heidelberg, visit to.....	xxii
Desor.....	xxiii	Helicidæ.....	150, 160, 170
Deweese, Dr.....	x	Henry, Prof. Joseph.....	166
D'Orbigny.....	xxiii, xxv	Herculaneum, visit to.....	xxv
Drayton, Mr.....	xix	Hibernation, article on.....	ix, i
Dresden, visit to.....	xxviii	Hildreth, Dr.....	xi, xx
Duclos.....	xvii	Honduras.....	81
Dumas.....	xvii	Honors to Dr. Lea.....	lviii
Duméril.....	xxxiii	Hooker, Sir Wm.....	xlii, xlix
Dumont.....	xxiv	Hoffman.....	xlii
Dunghison, Professor.....	xxxii, xlii, xliii	Hopkins, Mr.....	xxxiv, xlii
Dunker, Dr.....	xxiii, xxx	Hopkinson, Judge.....	x
Duperrey, Admiral.....	xviii	Hörness, Professor.....	xxvi, xxvii
Earthquakes.....	ix, 1, 55	Hull, visit to.....	xxxiv
Echini.....	97	Humboldt, Alexander.....	xxviii, xxxi, 87, 94
Ecuador.....	155	Hunt, Mr.....	xxxv
Edwards, Milne.....	xxxii	India.....	15
Ehrenberg.....	xxviii	Innsbruck.....	xxvi
Elliott, Rev. Stephen.....	xlv	Jackson, Dr.....	xlili
Ems, visit to.....	xxii	Jager, Dr.....	xxiii
Eocene of Alabama.....	61	James, Dr.....	x
Erenberg, Professor.....	xxx	Jaumard.....	xvii
Estheria.....	xl	Jay, Dr.....	xi, xx
Etheria.....	xxv, xl	Jefferies, Dr.....	lvi
Europe, visits to.....	xii, xix, xxi	Jerrold, Douglas.....	xxxix
Ewald, Professor.....	xxx	Jessup, Augustus E.....	91
Faraday.....	xii	Johnston, Professor.....	xxxiv, xxxv
Fernsac, Baron.....	xv, xvi, xxiv, xxv, xl	Jones, T. Rupert.....	xl
Florence, visit to.....	xxv	Jordan, Mr.....	xxxiv
Florida.....	87, 95, 101	Kansas.....	80
Flourens, Professor.....	xxxii, xxxiii	Kensington Palace.....	xiv
Follet, Mr.....	xiv	King, Dr.....	xxi
Forbes, Prof. Edward.....	xxii, xxxviii, xxxix, xlii, xliii, xlv	Kirtland, Dr.....	xi, xx, xlv
Forbes, R. B.....	95	Klepstein.....	xxlii
Foulke, Mr.....	83	Krauss, Professor.....	xxiii
Frances, Mr.....	xxxix	Kurr, Professor.....	xxiii
Frankfort, visit to.....	xxii, xxx	LL. D. conferred on Dr. Lea.....	xxvi
Franenfeld, Professor.....	xxvii	La Croix.....	xvi, xvii
Friends, Society of.....	vii	La Fayette, General.....	xv
Frost, Mr.....	xxiv	Lankaster, Dr.....	xxxiv, xxxv, xxxix
Gates, Dr.....	xix	Largierelett.....	xxiv


	Page.
Latham	xxxiv
Latrelle	xvi, xvii
Lawrence, Abbott	xxii
Lea, Hannah	vii
Lea, James	vii
Lea, John	vii
Lea, Mrs	lviii
Lea, Thomas	ix
Lebrun	xxiv
Le Conte, Major	xi
Légris	xviii
Leidy, Dr. Joseph	xxvii, xxviii, xxxvi
Lennilite	lvii
Leonard, Professor	xxii, xxiii, xxix
Lesley, Mr	lvii
Lesleyite	lvii
Lesueur, Mr	xxxvi
Lewis, Dr. James	95, 151
Leyden, visit to	xxxix
Lichtenstein, Professor	xxix
Limnæidæ	170
Lindau, visit to	xxvi
Lithodomi	35
Little Miami River	53
Liverpool	xxi, xlii
London, visits to	xxii, xxxv, xxxviii
Long, Major	ix
Lyell, Sir Charles	xx, xxxv, xxxvi, xxxvii, xxxix, xlii, xliii.
Lymnæana	15, 21, 40, 51
Lyons, visit to	xxv
McAndrews	xxxiv, xlii
McBride, Dr.	xii
McDonald	xxxix
Manhood	vii
Mantell, Dr	xxxviii, xl, xli
Marriage of Dr. Lea	ix
Marsden, Mr	xiv
Maskelyne	xxxvii
Massena, Prince	xxiv
Maximilian, Prince	xxi, xxix, xxxi
Mechelin	xxiv
Medical Profession	vii
Meigs, Dr	xliii
Melanidæ .. 5, 15, 21, 40, 51, 53, 59, 60, 62, 71, 76, 97, 104, 112, 115, 119, 121, 128, 136, 137, 144, 146, 150, 153, 156, 158, 160, 170	
Mer de Glace, Chamouni	xvii, xxiii
Meredith, William	x
Mexico	98, 100
Miehaux, M	xxiv, lviii
Milan, visit to	xxvi
Miller, Johannes	xxviii, xxix
Milne-Edwards	xxxii
Mineralogy, history of	1
Mineralogy, microscopic	xlvi, lvii
Minerals	viii, 1, 151
Mississippi	85, 94, 101
Mitchel, Professor	xxviii
Modena, visit to	xxvi
Mollusca, soft parts	54
Moricand	xxii
Morris, Mr	xxxviii, xlii
Moss, Mr	xiii
Monsson	xxiii


	Page.
Müller	xxiii
Murchison, Sir Roderick	xiv, xix
Nacre, coloring matters of	95
Nafades	2, 3, 5, 11, 15, 16, 21, 36, 40, 51, 54, 55, 56, 61, 62, 63, 68, 70, 74, 75, 76, 78, 144, 165
Naples, visit to	xxv
Neuwied, visit to	xxii
Nebraska	89
New Granada	26
New Jersey	107, 155
New red sandstone formation	56, 59, 68, 70
Nicaragua, Lake	151
Northwest passage	ix, 1, 2
Nuttall, Thomas	xxi, xlii, lviii, 3, 96
Oolitic formation in America	23, 20
Ord, Mr. George	xxxvi
Ova, red	94
Owen, Prof. Richard	xxvii, xxviii, xxxiii, xl, liii, liv
Oxford, visit to	xxxvii
Pæstum, visit to	xxv
Padua	xxvi
Paludinæ	150, 160, 170
Parents of Dr. Lea	vii
Parhelia, article on	1
Paris	xiv, xxii, xxiii, xxxi
Parry, Capt. William Edward	2
Patersonite	lvi
Patterson, Dr. Robert M	x, xxiv
Peabody, Mr. George	xxii
Pennsylvania	80, 151
Pentland	xxv
Peristomiana	15, 21, 40, 51, 71
Permian formation	89
Peters, Mr	xxix
Petit	xxiii, xxiv
Pfeiffer, Dr	xxx, xlvii
Phillips, Prof. John	xxxv, xxxvii, xlvii
Plant, Mr	xlv
Pompeii	xxv
Porter, Major	xlii
Posilippo	xxv
Postell, Mr	xlv
Powell, Colonel	xlii
Powers	xxv
Prague, visit to	xxviii
Price, Dr	xxxviii
Publication, proper date of	63
Quetelet	xxii
Rafinesque, Mr	64
Rathbone, Willam	xxi, xlii
Red Lion Club	xxxiv, xxxviii, xxxix
Red River of the North	80
Red sandstone formation	60, 61, 67, 77, 78
Redfern	xxxiv, xxxv
Reeve, Lovel	xxxv
Remak	xxii
Rhine, visits to	xiv, xvi, xxii
Rigsby, Dr	lvi
Rivoli, Duc de	xvii, xviii
Roemer, Professor	xxii
Rogers, Prof. H. D	xxi, xxxvi, xxxvii, xxxviii
Rogert, Dr	xiv
Rome, visit to	xxv
Rose, Prof. George	xxix


	Page.		Page.
Ruppell, Dr	xxx, xxxi	Tervier, M	xxv
Sabine, Colonel	xxxv, xlii, xliii	Texas	76, 85, 87, 94
St. Hilaire	xvi	Tilghman, Judge	x
Say, Mr.	viii, xlv	Torregiani, Marquis	xxv
Schacchi, Professor	xxv	Triassic formation	80
Schimper, Professor	xxiii	Trilobites	78
Schintz	xxxiii	Troschel, Professor	xxii
Schlangenbad	xxii	United States Coast Survey	xxviii
Schlegel	xxx	Unionidae 57, 60, 61, 62, 78, 80, 81, 82, 85, 86, 88, 89, 90,	
Schellcy, Dr. J. Y.	54	91, 92, 93, 94, 95, 98, 99, 100, 101, 108, 109, 111, 120,	
Schwalback, visits to	xxii, xxxi	128, 129, 130, 131, 132, 136, 137, 140, 141, 143, 144,	
Scientists, description of distinguished ..	xxvi	146, 150, 151, 153, 155, 156, 158, 160, 161, 162, 164,	
Scorsby, Rev. Mr	xxxiv	167, 168, 169, 170	
Sedgwick, Rev. Adam	xiii, xiv, xxxiv, xxxvi,	Uruguay	95, 97
xxxvii, xlvii, xlviii		Vanuxem, Professor	vii, viii, xxvii
Sergeant, John	x	Vaughan, John	x
Seybert, Dr. Adam	vii	Venice, visit to	xxvi
Sharpe, Mr	xli	Verneuil, M	xxiv, xxix
Sharpey, Professor	xlii, xliii	Verona, visit to	xxvi
Shells, abnormal	93	Verreaux, M.	xxxii, xxxiii
turbinated and discoidal	40	Vesuvius, visit to	xxv
Showalter, Dr	97	Vienna	xxvi
Sian	78	Vigors, Mr	xiii
Silliman, Prof. Benjamin	viii, xvi, liii	Von Buch, Leopold	xxiii, xxiv, xxxi
Smith, Rev. Sydney	xiii	Von Hauer	xxiii, xxvi
Smith, William	xii	Von Martius	xvi
Smithsonian Institution	lvi	Von Meyer	xxii, xxiii
Somerville, Mrs	xiv	Walsh, Robert, jr	x
South Carolina	94	Ward, Dr	xi, xx
Species, definition of the term	61	Warren, J. C., Dr	xlvi
list of, discussed and described	173	Waterhouse, Dr	xxxix
number of new	lii	Weaver, Mr	xlii
Stewardson, Dr	xlv	Weiss, Professor	xxix
Stilling	xxiii	Wells, Mr	xiv
Stokes, Mr	xiii, xxxiv, xli	Wetherill, Mr	xxxvi
Stoneheuge, visit to	xxxviii	Wheatstone	xlii
Strasburg, visit to	xxiii	Wiesbaden, visit to	xxii, xxiii
Strepomatidæ	170	Wife of Dr. Lea	lviii
Strickland, Professor	xxiv, xxxvii	Wilkes Barre, coal formation	57, 59
Stutchbury	xxxix	Willcox, Joseph	lvi
Studer, Professor	xvi	Wistar Association	x, xxxiv
Stuttgart, visit to	xxiii	Wood, Dr	xliii
Sussex, Duke of	xiv	Woodhouse	xxxix
Swess, Professor	xxvii	Woodward, S. P	xxii
Switzerland	xiv, xvi	Wyman, Prof. Jeffries	xxxv, xlviii, l, 95
Tait, Judge Charles	xix, 6	York, visit to	xxxvii
Tamanlipas	76	Youth	vii
Tappan, Senator	xi, xx, xlv	Zircon	54
Taylor, Richard Cowling	55, 56	Zurich, visit to	xxiii
Tennessee	80, 101		











SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01421 0553