

Q.L.
640
S666
Rept.

3

INDEX TO THE SCIENTIFIC NAMES
IN
"CLASSIFICATION OF THE LIZARDS"

by

CHARLES LEWIS CAMP

Bull. Amer. Mus. Nat. Hist.
Vol. XLVIII, Art. XI, pp. 289-481

1923

Indexed by James A. Peters


SMITHSONIAN HERPETOLOGICAL INFORMATION SERVICES 3

1965

4

Additional copies available from:

Division of Reptiles and Amphibians
U. S. National Museum
Washington, D.C. 20560



LIBRARIES

- Acanthodactylus*; 361,
406, 410.
Acanthosaura; 367, 406.
- Acontias*; 340, 351, 369,
375, 396.
meleagris; 355, 380,
387.
monodactylus; 355, 367,
niger; 387.
- Acrosauria*; 346.
- Acteosaurus*; 322.
- Adriosaurus*; 322.
- Aelurosaurus*; 305.
- Aëtosaurus*; 399.
- Agama*; 348, 363, 367, 416.
atra; 410, 412.
colonorum; 371.
galliae; 309.
hispida; 362.
inermis; 402.
pallida; 362.
plica; 406.
sanguinlenta; 362.
stellio; 402, 410.
- Agamidae*; 298, 304, 307,
310, 311, 312, 334,
357, 359, 360, 361,
362, 363, 364, 365,
367, 369, 375, 379,
381, 393, 394, 395,
398, 401, 406, 409,
410, 417, 418, 421.
- Agamodon*; 351, 361.
- Aigialosauridae*; 300,
321, 324, 356, 361,
365, 367, 418.
- Aigialosaurus*; 321.
- Algiroides*; 339, 361,
365, 406.
- Amblyrhynchus*; 307, 365,
371, 373, 395, 401,
405, 416.
cristatus; 379, 406.
- Ameiva*; 404, 408, 411.
surinamensis, 406.
vulgaris; 377, 406.
- Amphibia*; 369, 420.
- Amphibolurus*; 339, 348,
362, 367, 372, 406,
416.
muricatus; 371, 380.
- Amphisbaena*; 339, 340,
342, 343, 351, 356,
360, 417, Fig. 18
(448).
alba; 342, 351, 361,
380, 399, 400, Fig.
9 (438), Fig. 40
(448).
caeca; Fig. F (342).
fuliginosa; 342, 361,
399, 400.
occidentalis; 352.
- Amphisbaenidae*; 299, 313,
314, 316, 334, 342,
344, 351, 354, 356,
357, 361, 362, 363,
365, 369, 375, 379,
393, 394, 401, 415,
417, 419.
- Amphisbaenoidea*; 299,
316, 352, 372.
- Anelytropsidae*, 299, 352,
365, 379, 396, 397.
- Anelytropsis*
papillosum, 352.
- Anguidae*; 300, 318, 325,
326, 328, 334, 355,
356, 361, 362, 365,
367, 369, 373, 374,

- Anguidae* (cont.); 377,
 386, 396, 401, 406,
 418.
Anguiniomorpha; 299, 306,
 313, 314, 315, 318,
 351, 358, 360, 361,
 365, 367, 369, 373,
 374, 376, 386, 392,
 401, 409, 411, 417,
 419, 420, Figs. 13-
 20 (440), 454, Figs.
 90-98 (474).
Anguoidea; 300, 315,
326, 373, 420, Figs.
 58-61 (456).
Anguis; 327, 340, 345,
 348, 352, 353, 356,
 358, 360, 363, 367,
 374, 376, 394, 396,
 397, 398.
fragilis; 353, 355,
 365, 367, 373, 380,
 409, 413, Fig. 92
 (474).
Anisolepis; 386.
Anniella; 314, 325, 334,
 340, 350, 351, 352,
 358, 375, 376, 386,
 393, 394, 395, 456.
pulchra; 355, 400.
pulchra nigra; 373,
 380, Fig. 61 (456),
 Figs. 70-72 (468).
Anniellidae; 301, 325,
 326, 356, 365, 373,
 375, 396, 397, 401,
 415, 418, 419, 420.
Anolis; 311, 345, 360,
 365, 366, 371, 376,
 377, 386, 388, 416.
carolinensis; 410.
cuvieri; 379.
sagracae; 308, 406, 410,
 414.
Anopsibaena
 kingii; 352, 399, 400.
Aporosaura; 401.
Aprasia; 330, 401.
 pulchella; 330.
Araeoscelis; 310, 337,
 344, 346, 347, 349,
 356, 362, 363, 368,
 376, 394, 414, Fig.
 77 (472).
Archaeopteryx; 392.
Ardeosauridae; 304, 306,
 356.
Ardeosaurus; 306, 350,
 361, 394, 418.
 brevipes; 306, Fig. C.
Aristelliger; 339.
Ascalabota; 297, 302,
303, 305, 310, 312,
 331, 335, 341, 358,
 374, 376, 377, 380,
 385, 386, 398, 400,
 401, 403, 408, 414,
 415, 416, 417, 418,
 419, 420, Figs. 1-
 7 (436), Figs. 27-
 31 (444), Figs. 42-
 47 (450), 458.
Ascalabotes; 396, 397.
Autarchoglossa; 298, 302,
312, 335, 358, 378,
 379, 380, 385, 387,
 390, 398, 399, 400,
 401, 408, 414, 415,
 416, 417, 418, 419,
 Figs. 32-37 (446),
 458.

- Aves, 392.
Bachia, 345, 360, 367,
377, 386, 400.
intermedia, 339,
380, 387, 400, 410,
413, Fig. 68 (464).
Fig. 74 (468).
Basiliscus, 365, 369,
371, 394, 416.
amboinensis, 406.
vittatus, 379.
Bipes, 317.
Blanus, 399.
cinerea, 351.
cinereus, 375, 399,
400, 410, 454.
strauchii, 353.
Brachylophus, 365, 371,
401, 416.
fasciatus, 386, 404,
406, Fig. 29 (444),
Fig. 44 (450).
Brevilingues, 397.
Brookesia, 311, 351,
356, 357, 358, 362,
375, 394, 405, 408,
410.
superocularis, 412.
Cadurcosaurus
sauvagei, 315.
Callisaurus, 307, 360,
366, 370, 371, 450.
Callopistes, 401.
Calotes, 310, 311, 348,
364, 367, 371, 372,
377, 404, 408, 417.
cristatellus, 394.
jubatus, 355, 410,
412.
- Calotes (cont.)
mystaceus, 362.
versicolor, 350, 360,
362, 380, 394, 406,
410, 412, Fig. 5
(436), Fig. 30
(444), Fig. 46 (450).
Carsosaurus, 321, 413.
Celestus, 418.
costatus, 373,
striatus, 411.
Cephalopeltis
scutigera, 352.
Chalarodon, 308, 339,
360, 365, 370, 371,
386, 405, 416, 450.
madagascarensis, 379,
386, 400, 405, 409,
412.
Chalcides, 339, 351,
353, 357, 377, 391.
mionecton, 386, 387,
410, 413.
sepoides, 380, 387,
390, 391.
tridactylus, 353,
380, 386, 387, 391,
413.
simonyi, 361.
lineatus, 367, 410.
ocellatus, 377, 380,
387, 391.
Chamaeleo
pristinus, 309, 310.
Chamaeleolis, 307, 311,
365, 386.
Chamaeleon, 303, 340,
351, 357, 360, 364,
372, 377, 381, 383,

- Chamaeleon* (cont.),
 384, 388, 390, 394,
 395, 404, 405, 408,
 411, 419, 420.
brevicornis, 410.
demaranus, 410
dilepis, 405, 410.
gracilis, 310, 357,
 360, 362, 372, 377,
 380, 400, 410, 412,
 Fig. 7 (436), Fig.
 47, (450).
lateralis, 410.
pumilus, 357.
quilensis, 410.
senegalensis, 377.
ventralis, 410.
vulgaris, 310, 357,
 360, 377, 380, 387,
 393, 405, 409, 410,
 412.
Chamaeleontidae, 298.
311, 334, 344, 357,
 359, 363, 364, 365,
 367, 375, 381, 386,
 401, 415.
Chamaesaura, 318, 330,
 331, 339, 345, 373,
 376, 386, 400.
macrolepis, 380, 387,
 400, 406, 410, Fig.
 36 (446), Fig. 57
 (454).
Chamaesauridae, 379.
Chamaesaurinae, 301,
 386.
Chamops, 309, Fig. D,
 E, 363, 418.
segnis, 309
- Charasia*, 367, 406.
Chelonia, 302, 369, 373.
Chelosania, 401.
Chelydra
serpentina, Fig. 41
 (448).
Chirotes, 339, 367, 409.
canaliculatus, 410,
 413
Chalamydosaurus, 339.
Chondrodactylus 306.
Cicigna, 394.
Clidastes, 322, 351.
dispar, 410.
velox, 413.
westii, 413, Fig. 22
 (442).
Cnemidophorus, 360, 361,
 369, 377, 380, 394,
 411, 414.
 sp. ? 400.
lemniscatus, 402
sexlineatus, 410.
tessellatus, 410.
Coleonyx, 305, 314, 339,
 340, 350, 359, 360,
 366, 376, 377, 394,
 452.
variegatus, 344, 370,
 379, 400, 404, 405,
 409, Fig. 4 (436),
 Fig. 27 (444), Fig.
 42 (450).
Coniasaurus, 302.
Conolophus, 350, 365, 401.
Cordylosaurus, 394.
Corythophanes, 365, 394.
Cotylosauria, 324, 346,
 347, 375, 392.

- Crocodilia, 302, 369,
383, 384, 392.
Crocodylus
 americanus, Fig. 39
 (448).

Crotaphytus, 345, 360,
365, 371, 376, 377,
409, 450.
collaris, 309, 361,
410, 412.
collaris baileyi,
350, 357, 366, 379,
406.
wislizenii, 379, 409,
412.
Cryptobranchus, 381,
383, 384.
Cryptodelma, 401.
Ctenoblepharis, 365,
401.
Ctenosaura, 351, 365,
371, 386, 387, 416.
Cyclodus, 315.
 [*Tiliqua*] *nigro-*
 lineatus, 412.
Cyclura, 365, 371, 377,
386, 387, 394, 409,
412, 416.
Cymbospondylus, 349.
 petrinus, 348.
Dasia,
 smaragdinum, 380.
Delma, 401.
 impar, 330.
 fraseri, 410.
Diadophis, 302.
 sp.?, 400.
Dibamidae, 299, 314,
317, 353, 365, 386,
393, 397, 415, 419.

Dibamus, 313, 314, 340,
353, 376, 390.
 novaeguineae, 353,
380, 400, Fig. 75
(470).
Didelphys, 408.
Didosaurus, 315.
 mauritanicus, 315.
Dinosauria, 392.
Diopus
 leptocephalus, 349.
Diploglossa, 300, 302,
325, 251, 354, 358,
374, 394, 397, 418.
Diploglossus, 365
 cadurcensis, 327.
Diplolaemus, 366.
Dipsosaurus, 345, 360,
365, 371, 373, 376,
377, 394, 416.
 dorsalis, 379, 410.
Dolichosauridae, 300,
321, 322, 345, 356,
359, 367, 418. 4
Dolichosaurus, 303, 322,
413.
Dopasia
 gracilis, 368.
 smaragdinum, 405.
Dracaenosaurus
 croizeti, 315.
Draco, 336, 348, 362,
367, 371, 395, 417.
 formosus, 360, 380,
406.
 viridis, 377.
Egernia, 335, 339, 340,
351, 359, 360, 365,
368, 377, 394, 408,
409, 410.

- Egernia**, (cont.)
 cunninghami, 405.
 whitei, 412.
Elasmobranchs, 393.
Enigmatosaurus, 303.
Enyaliooides, 365, 386,
 401.
 heterolepis, 379.
Enyalius, 365, 385.
 rhombifer, 379, 400.
Eremias, 361, 365, 410.
Eublepharidae, 305.
Eumeces, 339, 351.
 fasciatus, 410.
 obsoletus, 410
 schneideri, 365, 377.
Euposauridae, 310, 318,
 346, 363.
Euposaurus, 319.
 thiollieri, 318.
Evesia, 367.
 monodactyla, 410.
Feylinia, 314, 353,
 390.
 currori, 380,
 387, 400; Fig. 73,
 (468).
Feyliniidae, 299, -340,
 356, 362, 372, 375,
 386, 396, 415.
Geckolepis, 396, -400.
 polylepis, Fig.A,
 304.
Gehyra, 340, 343, 350,
 359, 366, 405, 409.
Gekko, 404, 405, 408.
 verticillatus, 341,
 343, 355, 372, 379,
 405, 412, Fig. 62,
 (458).
- Gekko** (cont.)
 vittatus, 355.
Gekkonidae, 297, 304,
 334, 335, 336, 345,
 348, 356, 359, 362,
 365, 366, 370, 375,
 401, 404, 405, 411,
 413, 418, Figs. 1-4,
 (436), 458.
Gekkota, 297, 303, 304,
 307, 315, 329, 332,
 358, 361, 362, 366,
 370, 373, 374, 376,
 379, 394, 395, 409,
 412.
- Gerrhonotus**, 325, 328,
 331, 340, 342, 351,
 360, 364, 365, 373,
 376, 377, 404, 418,
 420, Fig. 16 (440),
 456.
imbricatus, 406, 413.
liocephalus, Fig. 93,
 (474).
multicarinatus, 409.
scincicauda, 340, 400,
 409.
scincicauda scinci-
cauda; Fig.H, Fig. 15,
 (440), Fig. 99,
 (476), Fig. 198,
 (480).
scincicauda webbii,
 373, 380, 406; Fig.
 33 (446), Fig. 59,
 (456).
- Gerrhosauridae**, 299,
 306, 314, 316, 334,
 356, 361, 362, 365,

- Gerrhosauridae (cont.)
369, 370, 371, 377,
386, 396, 397, 401,
406.
- Gerrhosaurus, 316, 340,
348, 351, 360, 394,
395, 397, 406, 409.
flavigularis nigro-
lineatus, 413.
nigrolineatus, 365,
Fig.K, 397, 410,
Figs.88-89, (474).
zechi, 342, 370, 380,
400, 404, Fig.32,
(446), Fig.52, (452),
Fig. 63, (458), Fig.
66 (462).
- Glauconiidae, 302.
- Globidens, 323.
- Glyptosauridae, 301,
325, 326, 327, 351,
356, 361, 362, 364,
365, 376, 397, 405,
418, 420, 474, 476,
Fig.112 (480).
- Glyptosaurus, 327, 328,
329, 394, Fig.20,
(440), Fig.95-96,
(474), 476.
- Gonatodes, 339, 340, 359,
366.
annularis, 405, 409.
atricucullaris, 409,
412.
- Gongylus, 396, 404.
ocellatus, 409, 410,
Fig.85, (474).
- Gonocephalus, 367.
dilophus, 377.
godeffroyi, 394.
- Gonocephalus (cont.)
kuhlii, 394, 410, 412.
subcristatus, 406.
- Grammatophora
barbata, 410, 412.
- Gymnodactylus
platurus, 355.
- Gymnophthalmus, 398.
- Helocephalus, 366.
- Heloderma, 301, 328, 340,
348, 349, 350, 355,
361, 362, 365, 376,
377, 394, 396, 397,
404, 411, 418, Fig.
21, (440), Fig.100,
(476), 480.
horridum, 351, Fig.
98, (474).
suspectum, 380, 400,
406, 410, 413, Fig.
58, (456).
- Helodermatidae, 301, 318,
325, 326, 328, 334,
345, 356, 363, 365,
377, 396, 401, 406,
418, 420, 474.
- Helodermatoidea, 358.
- Helodermoides, 327, 328,
- 376.
- Hemidactylus, 340, 343,
350, 404, 405, 408.
brookii, 379.
ovalensis, 409, 412.
turcicus, 355.
- Helaspis, 335.
- Holbrookia, 307, 360,
366, 370, 371, 410,
416, 450.
maculata approximans,
406.

- Homopholis*, 340.
Hoplocercus, 365, 386.
Hoplodactylus, 335, 401.
Hoplurus, 365, 386.
Hyporhina, 318.
Ichthyosauria, 347, 348.
Iguana, 339, 348, 350,
 360, 361, 365, 371,
 373, 380, 381, 387,
 394, 404, 409, 416.
delicatissima, 406.
tuberculata, 400,
 406, 410, 412.
Iguanavus, 309.
Iguania, 298, 303, 306,
307, 311, 332, 336,
 350, 351, 358, 360,
 361, 362, 364, 366,
 370, 373, 374, 379,
 385, 394, 405, 409,
 412, Figs. 5-6,
 (436);
Iguanidae, 298, 304,
 308, 310, 334, 336,
 362, 363, 365, 366,
 367, 369, 370, 371,
 381, 386, 395, 396,
 401, 406, 409, 410,
 411, 417, 418.
Isopachys, 331.
gyldenstolpei, 352.
Japalura, 367, 371, 372.
swinhonis, 380, 406.
Kadaliosaurus, 346, 392.
Lacerta, 316, 339, 340,
 342, 348, 351, 362,
 366, 374, 378, 382,
 383, 384, 402, 403,
 404, 406, 408.
Lacerta (cont.)
agilis, 316, 328,
 341, 355, 358, 361,
 365, 392, 392, 410,
 413.
atlantica, 361, 365.
dugesii, 361.
galloti, 361, 365.
mosorensis, 361, 410.
mucronata, 316.
muralis, 361, 365,
 410.
muralis coerulea, 410.
muralis major, 402.
ocellata, 355, 361,
 365, 370, 380, 400,
 409, Fig. 50, (452).
oxycephala, 361, 365,
 410.
serpa, 353, 413, Fig.
 80, (472).
simonyi, 361, 365,
 410, 413, Fig. 79,
 (472).
viridis, 355, 361,
 365, 413.
vivipara, 361.
Lacertoidea, 299, 315,
 405.
Laemancus, 365, 369.
longipes, 409, 412.
Lanthanotus, 365.
Lathrogecko, 339, 340,
 359, 367.
xanthostigma, 405,
 409.
Leiocephalus, 366, 371,
 386, 399.
carinatus, 379, 400.

- Lepidoblepharis, 339,
340, 359.
barbouri, 405, 409,
412.
Lepidophyma, 339, 340,
361.
Lepidosternon, 351,
361, 401.
sphenorhynchum,
352.
Leposoma, 401.
Leptoglossa, 358.
Leptotyphlopidae, 302.
Lialis, 330, 340, 361,
362, 370, 376, 386,
401, 418, Fig. 17,
(440).
burtoni, 320, 400,
419, Fig. 13, (440),
Fig. 55, (454).
Liolaemus, 365, 401.
multiformis, 379.
Liolepis, 367, 369, 379,
401, 404, 416.
belliana, 371, 380,
394, 410, 412.
guttata, 406.
Liolepisma, 339.
Liosaurus, 365, 386.
Lophura, 308, 406, 409,
411, 412.
amboinensis, 380.
Loxopholis, 401.
Lygosoma, 339, 348, 349,
351, 360, 361, 375,
377, 396, 404, 408.
moco, 412.
ornatum, 412.
quoyi, 361, 410.
- Lygosoma (cont.)
smithii, 413.
sundevallii, 410.
taeniolatus, 410.
tenue, Fig. 87, (474).
Lyriocephalus, 362,
367, 369, 393, 409.
kuhlii, 406.
scutatus, 412.
Mabuya, 348, 351, 362,
396.
multifasciata, 361,
365, 410, 412.
striata, 410, 412.
trivittata, 339.
Macropholidus, 401.
Macroscincus, 339.
Megalania
prisca, Fig. 26,
(442).
4
- Megalanidae, 321.
Megalaninae, 300, 321,
345.
Melanerpeton, 392.
Menobranchus, 408.
Mesoleptos, 321.
Metopoceros, 364.
Moloch, 350, 367, 406,
409.
horridus, 412.
Monitor
dracaena, 413.
Monoplocus, 401.
Mosasauridae, 300, 321,
345, 356, 361, 362,
365, 367, 392.
Mosasauroidea, 300, 319,
322, 359, 418.

- Mosasaurus*, 322, 351,
 394, 411.
Naocephalus, 303.
Naultinus, 335, 401.
Necrodasypus
 galliae, 327.
Neoseps, 314, 354.
Nephrurus, 335.
Norops, 360, 366, 386,
 394.
 auratus, 406.
Notiosaurus, 303.
Nucras, 316, 335, 339.
Nyctisaura, 332, 358.
Opetiosaurus, 321, 409.
Ophiacodon, 389, 392.
Ophiodes, 326, 365, 373,
 418.
 striatus, 313, 368,
 373, 380, 400, 406,
 410.
Ophiognomon, 367.
 abendrothii, 355.
Ophiops, 365, 410.
Ophiosaurus, 331.
Ophioseps, 330, 361,
 375, 401
 nasuta, 330.
 repens, 330.
Ophiopsisepidae, 330, 331.
Ophisaurus, 326, 327, 329.
 340, 344, 345, 348,
 351, 352, 360, 363,
 365, 376, 381, 396,
 398, 413, 418, 419,
 420, Fig. 14, 19,
 (440).
 anguis, 373.
 apus, 355, 365, 380.
Ophisaurus (cont.)
 harti, 363.
 pallasi, 368.
 ventralis, 355, 367
 409
Ophryoessa, 365, 380,
 381.
Oreosaurus, 328.
Ornithorhynchus, 356,
 411.
Pachydactylus, 340, 343,
 350, 359, 360, 398.
 bibroni, 341.
 maculatus, 405.
Pachyglossa, 358, 363.
Palaeochamaleo
 europeus, 309.
Palaeohatteria, 366.
Paliguana, 304, 309,
 418.
 whitei, 304.
Pantylus, Fig. 82 (474).
Paragonatodes, 340, 367.
 dickersoni, 409, 412.
Parapsida, 347.
Patricosaurus, 303
Peltosaurus, 327, 328,
 329, 394.
Pelycosauria, 346, 375..
Phelsuma, 359.
Pholidobolus, 401.
Phrynocephalus, 367,
 393, 406.
Phrynosoma, 307, 345,
 348, 355, 360, 366,
 367, 371, 376, 377,
 381, 404, 405, 406,
 408, 410.
 (Anota) m'callii, 307.

- Phrynosoma*, (cont.)
 cornutum, 405
 coronatum, 379.
 hernandesi, 379,
 Fig. 31 (444), Fig.
 45 (450).
Phyllodactylus, 343, 359,
 360, 367, 376, 396,
 405.
 lesueuri, 377.
 tuberculatus, 409.
Phyllurus, 311, 335,
 356.
Phymaturus, 365, 401,
 403.
Physignathus, 379, 417,
 lesueurii, 371, 380,
 410.
Placosaurus, 327, 328,
 418.
 rugosus, 327, Fig. 97,
 (474), Figs. 104-
 105, (476).
Platecarpus, 323.
 coryphaeus, 413.
 ictericus, 413.
Platycarpus, 351.
Platydactylus, 381.
 guttatus, 340, 358,
 386, 409.
 japonicus, 379.
 mauritanicus, 339,
 341, 405, 409, 412.
 muralis, 412.
 mурorum, 396.
Platynota, 299, 302,
 318, 319, 336, 344,
 359, 365, 376, 417,
 418, 420, Figs. 22-
 26 (422).
 Platyplacopus, 335.
Plestiodon
 aldrovandi, 410, 412.
 cadurcensis, 327.
 quinquelineatum,
 380.
 quinquelineatus,
 405.
Pletholax, 401.
Pleurosaurus, 346, 348,
Plioplatecarpus
 marshii, 413.
Polychrus, 311, 345,
 348, 355, 365, 371,
 381, 386, 388, 409.
 marmoratus, 379, 406.
Pontosaurus, 322.
Pristidactylus, 365.
Prioiguana, 309.
Propseudopus, 326.
 fraasii, 326, 365.
Propus
 vermiformis, 410.
Proterosaurus, 366.
 speneri, Fig. 76.
 (472).
Protopterus, 407.
Psammodromus, 361, 365.
Psammosaurus
 scincus, 413.
Pseudocordylus, 339.
Pseudopus, 326, 374, 381,
 396, 397.
 moguntius, 326.
 pallasii, 365, 367.
Psilodactylus, 305.
Ptenopus, 305.
Pterosauria, 392.
Ptychozoon, 305, 306,
 404, 408.

- Ptyodactylus*, 379, 381.
Pygopodidae, 300, 313
 325, 326, 330, 335,
 344, 345, 354, 355,
 365, 368, 375, 379,
 386, 394, 401, 406,
 415, 420.
Pygopodoidea, 300, 325,
 329, 418.
Pygopus, 326, 330, 340,
 352, 370, 401,
lepidopus, 330, 355,
 380, 400, 406, 410.
Python, 301.
Pythonomorpha, 359.
Rhacodactylus, 306.
Rhampholeon, 358.
Rhineura, 317, 318,
 340, 343, 360, 401.
floridana, Fig. G,
 342, 352, 380, 399,
 400.
Rhiptoglossa, 298, 304,
 308, 310, 336, 358,
 361, 362, 370, 379,
 394, 405, 410, 412,
 Fig. 7 (436).
Rhynchocephalia, 306,
 345, 363.
Saccodira, 365.
Saniwa, 320, 344, 345,
 376, 419, Fig. 24,
 (442).
ensidens, 321.
Saniwinae, 300, 320.
Sauria, 302, 369.
Saurillus, 302.
Sauromalus, 345, 350, 360,
 361, 371, 373, 376,
 377, 409, 416.
hispidus, 365, 379,
 406, 412, Fig. 6
 (436).
- Sauromalus* (cont.)
 varius, 412.
Sauropspondylus, 303.
Scartiscus, 366, 386.
Sceloporus, 341, 345,
 360, 366, 370, 371,
 375, 376, 377, 450.
magister, 379, 399,
 400.
spinosus, 410.
undulata, 410.
Scelotes
bipes, 355.
Scincidae, 299, 316,
 329, 334, 351, 355,
 356, 358, 359, 361,
 362, 365, 369, 370,
 372, 377, 386, 394,
 395, 396, 397, 405,
 406, 411.
Scincoidea, 298, 306,
 315, 326, 352, 354,
 379, 386, 393, 401,
 417, 420.
Scincomorpha, 298, 313.
 336, 344, 358, 360,
 364, 365, 369, 372,
 373, 374, 376, 387,
 397, 401, 410, 412,
 417, 419, 420, Figs.
 8-12 (438), Figs.
 48-52 (452), Figs.
 84-89 (474).
Scincus, 339, 396.
officinalis, Figs. 84-
 86 (474)
Scolecosaurus, 369.
Seps, 396.
chalcides, 377.

- Serpentes*, 301, 325,
 418, 454.
Seymouria, 343, 411.
Sitana, 362, 367, 406.
 ponticeriana, 394.
Sphaerodactylus, 339,
 340, 350, 359, 367,
 398, 399.
cinereus, 400.
macrolepis, 400, 405,
 412, Fig.3 (436).
Sphenodon, 302, 324, 341,
 343, 345, 346, 348,
 349, 355, 364, 369,
 376, 378, 379, 383,
 384, 389, 390, 391,
 392, 408, 411, 414,
 419, 420.
punctatus, Fig. 38,
 (448).
Squamata, 345, 369,
Stellio, 404.
 cordylinus, 412.
Stenocercus
 boettgeri, 379.
 cupreus, 365.
 humeralis, 366.
 marmoratus, 366.
 moestus, 366.
 roseiventris, 365,
 torquatus, 366.
 varius, 366.
Strobilurus, 366.
Tachydromus, 361, 365,
 401.
Tarentola, 343, 350, 396,
 404, 474.
 annularis, 355.
mauritanica, 355, 396,
 Fig.83, (474).
- Tarentola* (cont.)
cubana, Fig.2 (436).
Teiidae, 299, 306, 309,
 314, 315, 316, 317,
 334, 342, 345, 354,
 355, 358, 361, 362,
 363, 365, 369, 370,
 372, 374, 377, 378,
 386, 401, 406.
Teju, 351.
 tejuexin, 377.
Teratolepis, 398.
Teratoscincus, 398, 399.
Tetradactylus, 325, 345.
Thalattosaurus, 419.
 alexandrae, 348.
Thaumastosaurus, 303
Thecadactylus, 340, 359,
 405.
 rapicauda, 343, 355,
 379, 400, 402, Fig.
 1 (436).
 australis, 401.
Thecaglossa, 358.
Theropleura, 392.
Thinosaurus, 320, 345,
 376, 419, Fig. 23,
 (442).
Tiliqua, 335, 339, 340,
 351, 355, 357, 359,
 360, 365, 368, 377,
 387, 388, 394, 406,
 408, 409.
nigrolutea, 410.
Trachysaurus, 335, 339,
 340, 348, 357, 359,
 360, 365, 368, 377,
 388, 404, 405, 408,
 409.

- Trachysaurus* (cont.)
rugosus, 370, 380,
 387, 394, 400, 406,
 410, 412, Fig. 11
 (438), Fig. 49.
 (452), Fig. 78,
 (472).
Tretioscincus, 369.
Trimerorhachis, 434.
Triturus, 383, 384.
Tropidonophis, 317, 399,
 401.
wiegmanni, 361, 399,
 400.
Tropidodactylus, 365,
 386.
Tropidurus, 365.
Tupinambis, 316, 340, 345,
 348, 351, 357, 360,
 361, 375, 376, 394,
 404, 408, 409.
nigropunctatus, 379,
 377, 380, 400, 406,
 413, Fig. 10, (438),
 Fig. 51, (452).
Tylosaurus, 323, 324, 356,
 376.
dyspelor, 356, 410, 413.
Tylosteus, 303.
Typhlopidae, 302, 313, 417.
Typhlops, 302, 314, 316,
 317.
congestus, 302, 400,
 Fig. 53, (454).
Typhlosaurus, 340, 360.
 . *auranticus*, 387.
Typhloseps, 331.
Uma, 307, 370, 371.
 . *notata*, 379.
Uraniscodon, 365, 366.
Urocentron, 366.
Urodela, 373
Uromastix, 339, 341, 348,
 359, 360, 362, 364, 367,
 372, 372, 379, 401,
 404, 405, 406, 416.
acantherinus, 341.
hardwickii, 380.
spinipes, 341, 361,
 394.
Uropeltidae, 302, 349.
Uroplates, 303, 305, 311,
 340, 343, 355, 367,
 369, 370, 377, 380,
 390, 394, 404, 406,
 408, 411, 420, 454.
fimbriatus, 340, 341,
 379, 386, 389, 405,
 409, Fig. 28, (444),
 Fig. 43, (450).
Uroplatidae, 298, 304,
 334, 345, 356, 365,
 386, 401, 405, 415.
Urostrophus, 365, 386.
Uta, 371, 450.
 . *thalassina*, 361, 379.
Varanidae, 300, 320,
 334, 345, 356, 361,
 362, 363, 367, 372,
 373, 395, 401, 408.
Varaninae, 300, 321.
Varanoidea, 300, 301,
 320, 326, 358.
Varanus, 301, 319, 320,
 323, 324, 340, 348,
 351, 357, 358, 359,
 360, 362, 372, 374,
 376, 377, 394, 404,
 408, 409, 417, 419.

Varanus (cont.)
arenarius, 409.
bengalensis, 410.
bivittatus, 406.
exanthematicus, 406.
griseus, 402, 413.
margariticeps, 327.
niloticus, 323, 406,
413, Fig. 25, (442).
nuchalis, 380, 400,
406, Fig. 54, (454).
salvator, 406.
Voeltzkowia, 351, 354,
mira, Fig. B, 304,
386, 387, 394, 395,
Xantusia, 326, 339, 340,
350, 360, 367, 375,
377, 394, 417.
riversiana, 361, 362,
367, 380, 400, 405,
Fig. 48, (452).
vigilis, 344, 361,
362, 367, 377, 405,
409, 410, 412, 414,
Fig. 8 (438), Fig.
69, (466).
Xantusiidae, 298, 314,
334, 336, 344, 356,
358, 361, 362, 365,
367, 372, 377, 396,
401, 405, 414, 417.
Xantusioidea, 298, 306,
314.
Xenosauridae, 301, 318,
325, 326, 334, 358,
365, 367, 373, 396,
401, 406, 418, 420.
Xenosaurus, 340, 376,
377, 404, 418, 456,
458.

Xenosaurus (cont.)
grandis, 380, 400,
406, 410, 413, Fig.
34 (446), Fig. 60,
(456), Fig. 64, (460)
Fig. 65, (462).
Xestops, 327, 328, Fig.
I, 394, Fig. 94 (474),
Fig. 101-103, (476),
Figs. 106-107 (462),
Figs. 109, 111 (480).
Xiphocercus, 360, 365,
386, 394.
heterodermus, 406.
Zonosaurus, 340, 365,
377, 395, 404, 408.
madagascarensis, 394,
Fig. 89 (474).
ornatus, 410, 412.
Zonura, 348.
Zonuridae, 301, 312, 318,
331, 334, 335, 336,
358, 361, 362, 364,
365, 367, 373, 377,
386, 396, 401, 406,
418, 420.
Zonurinae, 301.
Zonuroidea, 301, 331.
Zonurus, 331, 339, 345,
351, 357, 360, 373,
376, 395, 396, 404,
408.
cordylus, 410, Fig.
90-91, (474).
giganteus, 355, 377,
380, 406, 413, Fig.
35, (446), Fig. 55,
(454), Fig. 81,
(472).

Zonurus (cont.)
grandis, 400.
griseus, 413.