

SMITHSONIAN MISCELLANEOUS COLLECTIONS
VOLUME 112 (WHOLE VOLUME)

CATALOG OF
THE TERMITES (ISOPTERA) OF THE
WORLD


BY

THOMAS E. SNYDER

Bureau of Entomology and Plant Quarantine
Agricultural Research Administration
U. S. Department of Agriculture



(PUBLICATION 3953)



PUBLISHED BY THE SMITHSONIAN INSTITUTION
NOVEMBER 1, 1949

SMITHSONIAN MISCELLANEOUS COLLECTIONS
VOLUME 112 (WHOLE VOLUME)

CATALOG OF
THE TERMITES (ISOPTERA) OF THE
WORLD

BY

THOMAS E. SNYDER

Bureau of Entomology and Plant Quarantine
Agricultural Research Administration
U. S. Department of Agriculture



(PUBLICATION 3953)

CITY OF WASHINGTON
PUBLISHED BY THE SMITHSONIAN INSTITUTION
NOVEMBER 1, 1949

The Lord Baltimore Press
BALTIMORE, MD., U. S. A.

CATALOG OF THE TERMITES (ISOPTERA) OF THE WORLD

BY THOMAS E. SNYDER

*Bureau of Entomology and Plant Quarantine
Agricultural Research Administration
U. S. Department of Agriculture*

CONTENTS

	Page
Introduction	2
List of symbols and abbreviations.....	3
Acknowledgments	4
List of the families, subfamilies, genera, and subgenera (vertically arranged from primitive to specialized; with page references for genera).....	5
Living termites	5
Fossil termites	7
Catalog of the termites (Isoptera) of the world (systematically arranged).....	9
Living termites	9
Family Mastotermitidae	9
Family Kalotermitidae	10
Family Hodotermitidae	54
Family Rhinotermitidae	64
Family Termitidae	99
Not identified as to species.....	345
Not classified (listed alphabetically).....	348
Not termites, or of doubtful position.....	352
Fossil termites	352
Family Uralotermitidae	352
Family Mastotermitidae	352
Family Kalotermitidae	356
Family Hodotermitidae	360
Family Rhinotermitidae	364
Family Termitidae	367
Of uncertain or doubtful position.....	369
Fossils not termites.....	371
Descriptions of new genera.....	374
Index to species (listed alphabetically; genera arranged systematically).....	379
Bibliography	458
On living termites.....	458
On fossil termites.....	483

INTRODUCTION

A complete catalog of the termites of the world has long been urgently needed, since there is no modern catalog of the group and reclassification has necessitated innumerable shifts in generic and supergeneric placement of species. The catalog here presented is the result of intermittent work over a period of more than 2 years, and it is believed to reflect an improved classification of the order. In a catalog so large doubtless errors and omissions have occurred.

Subgenera, where it seems desirable, have been raised to generic rank; in some instances the status of the genus and subgenus await further study. The family Kalotermitidae, in the author's concept, is more closely related to the Mastotermitidae than the family Hodotermitidae. The vertical arrangement of the subfamilies of the Termitidae has been changed because, in the author's opinion, the Nasutitermitinae are the most specialized of the termites, and the other subfamilies are grouped in their relation to the Nasutitermitinae. All doubtless have radiated from a stock now extinct, and a linear arrangement is arbitrary. The imago-worker mandible indicates basic phylogenetic relationships but needs further study and analysis before a more satisfactory linear order can be made. Also the radical rearrangement of the genera in the subfamily Nasutitermitinae in vertical order from the most primitive to the most highly specialized is based chiefly on the relative size and position of the marginal teeth on the mandibles of the winged adult, worker and nymphs.

The term "generitype" is used to replace "genotype"; in the index to species, generitypes of new genera are in bold-face capitals. Genera and species are in bold-face, except in bibliographical references; synonyms are in italics.

Types listed as being in the collections of the late Dr. S. F. Light or G. F. Hill are now in the collection of the American Museum of Natural History, New York City, in the custody of Dr. A. E. Emerson at the University of Chicago. Practically all of Dr. Emerson's types are deposited in the American Museum of Natural History including those listed as being with the New York Zoological Society.

Publication considerations have necessitated the omission of many references under each category.

Data on the known geographical distribution of species are available in more detail than possible to give herein. The fossil termites are handled separately.

Names of new genera or species followed by either Snyder or Emerson alone should be credited to that author; where followed by both names they should be credited to both authors. Brief descriptions of new genera are appended.

Where authors are referred to in the catalog but the papers are not listed in the bibliography these papers are of minor importance to taxonomy and are on biology or geographical distribution; they have been omitted owing to lack of space. A comprehensive bibliography is available.

LIST OF SYMBOLS AND ABBREVIATIONS

The following symbols and abbreviations have been used in this paper:

= : equals.

> : greater than.

< : less than.

>< : greater and less than.

A.M.N.H. : American Museum of Natural History, New York City.

bibliog. : bibliography.

biol. : biology.

cat. : catalog.

coll. : collection.

C.S.I.R. : Council for Scientific and Industrial Research, Canberra, Australia.

descr. : described, description.

discus. : discussion.

dist. : distribution.

distr. : district.

econ. : economic.

fig. : figure.

im. : imago.

in lit. : in literature.

loc. : location.

local. : locality.

mand. : mandible.

M.C.Z. : Museum of Comparative Zoology, Cambridge, Mass.

ms. : manuscript.

nat. : national.

n. gen. : new genus.

n. sp. : new species.

N. Y. Zool. Soc. : New York Zoological Society, New York City.

nom. nud. : nomen nudum.

nom. praeoc. : nomen praeoccupatum.

p. : page.

pl. : plate.

sens. lat. ; or s. l. : broad sense.

sold.¹⁻² : soldier, major and minor.

sold.¹⁻²⁻³ : soldier, major, intermediate, and minor.

ss. : strict sense.

syn. : synonymy.

tab. : table.

U.S.N.M. : U. S. National Museum, Washington, D. C.

vol. : volume.

wing. : winged.

work.¹⁻² : worker, major and minor.

work.¹⁻²⁻³ : worker, major, intermediate, and minor.

ACKNOWLEDGMENTS

A large amount of this work has been done in collaboration with Dr. A. E. Emerson of the University of Chicago. The majority of the species placed in synonymy for the first time in this catalog are the result of taxonomic studies by Dr. Emerson. Dr. Emerson's card catalog has been freely consulted in checking references.

Grateful acknowledgment is made to the following: Dr. F. C. Craighead, in charge of the Division of Forest Insect Investigations, Bureau of Entomology and Plant Quarantine, U. S. Department of Agriculture, for allowing the author to work on this catalog as part of his official duties; C. F. W. Muesebeck, in charge of the Division of Insect Identification of this same bureau, for his encouragement and for having the manuscript typed by his technically trained typists; Dr. Alexander Wetmore, Secretary of the Smithsonian Institution, for publishing the manuscript.

LIST OF THE FAMILIES, SUBFAMILIES, GENERA, AND SUBGENERA
(Vertically arranged from primitive to specialized; with page references for genera)

LIVING TERMITES

- | | |
|---|---|
| Family MASTOTERMITIDAE Silvestri | Subfamily TERMITOGETONINAE |
| Genus <i>Mastotermes</i> Froggatt, 10 | Holmgren |
| Family KALOTERMITIDAE Enderlein | Genus <i>Termitogeton</i> Desneux, 84 |
| Subfamily KALOTERMITINAE | Subfamily RHINOTERMITINAE |
| Froggatt | Froggatt |
| Genus <i>Kalotermes</i> Hagen, 11 | Genus <i>Prorhinotermes</i> Silvestri, 85 |
| Genus <i>Neotermes</i> Holmgren, 21 | Genus <i>Parrhinotermes</i> Holmgren, 88 |
| Genus <i>Paraneotermes</i> Light, 33 | Genus <i>Schedorhinotermes</i> Silvestri, 89 |
| Genus <i>Rugitermes</i> Holmgren, 34 | Genus <i>Rhinotermes</i> Hagen, 96 |
| Genus <i>Procryptotermes</i> Holmgren, 36 | Genus <i>Dolichorhinotermes</i> Snyder and |
| Genus <i>Cryptotermes</i> Banks, 38 | Emerson, n. gen., 98, 374 |
| Genus <i>Eucryptotermes</i> Holmgren, 44 | Genus <i>Acorhinotermes</i> Emerson, |
| Genus <i>Glyptotermes</i> Froggatt, 45 | n. gen., 99, 374 |
| Genus <i>Calcaritermes</i> Snyder, 52 | Family TERMITIDAE Westwood |
| Family HODOTERMITIDAE Snyder | Subfamily SERRITERMITINAE |
| Subfamily TERMOPSINAE Holmgren | Holmgren |
| Genus <i>Archotermopsis</i> Desneux, 55 | Genus <i>Serritermes</i> Wasmann, 100 |
| Genus <i>Hodotermopsis</i> Holmgren, 55 | Subfamily AMITERMITINAE |
| Genus <i>Zootermopsis</i> Emerson, 56 | Kemner |
| Subfamily STOLOTERMITINAE | Genus <i>Protohamitermes</i> Holmgren, 101 |
| Holmgren | Genus <i>Prohamitermes</i> Holmgren, 101 |
| Genus <i>Stolotermes</i> Hagen, 57 | Genus <i>Eurytermes</i> Wasmann, 102 |
| Subfamily POROTERMITINAE | Genus <i>Hoplotermes</i> Light, 102 |
| Emerson | Genus <i>Anoplotermes</i> Fritz Müller, 103 |
| Genus <i>Porotermes</i> Hagen, 58 | Genus <i>Speculitermes</i> Wasmann, 110 |
| Subfamily HODOTERMITINAE | Genus <i>Cephalotermes</i> Silvestri, 110 |
| Holmgren | Genus <i>Labritermes</i> Holmgren, 111 |
| Genus <i>Hodotermes</i> Hagen, 59 | Genus <i>Cylindrotermes</i> Holmgren, 111 |
| Genus <i>Microhodotermes</i> Sjöstedt, 61 | Genus <i>Euhamitermes</i> Holmgren, 112 |
| Genus <i>Anacanthotermes</i> Jacobson, 62 | Genus <i>Drepanotermes</i> Silvestri, 112 |
| Family RHINOTERMITIDAE Light | Genus <i>Amphidotermes</i> Sjöstedt, 113 |
| Subfamily PSAMMOTERMITINAE | Genus <i>Amitermes</i> Silvestri, 113 |
| Holmgren | Genus <i>Gnathamitermes</i> Light, 127 |
| Genus <i>Psammotermes</i> Desneux, 64 | Genus <i>Synhamitermes</i> Holmgren, 129 |
| Subfamily HETEROTERMITINAE | Genus <i>Globitermes</i> Holmgren, 129 |
| Froggatt | Genus <i>Ahamitermes</i> Mjöberg, 130 |
| Genus <i>Heterotermes</i> Froggatt, 66 | Genus <i>Pseudomicrotermes</i> |
| Genus <i>Reticulitermes</i> Holmgren, 71 | Holmgren, 131 |
| Subfamily STYLOTERMITINAE | Genus <i>Eremotermes</i> Silvestri, 131 |
| Holmgren | Genus <i>Microcerotermes</i> Silvestri, 132 |
| Genus <i>Stylotermes</i> Holmgren, 75 | Subfamily TERMITINAE Sjöstedt |
| Subfamily COPTOTERMITINAE | Genus <i>Allognathotermes</i> Silvestri, 149 |
| Holmgren | Genus <i>Apicotermes</i> Holmgren, 149 |
| Genus <i>Coptotermes</i> Wasmann, 75 | Genus <i>Jugositermes</i> Emerson, 150 |
| | Genus <i>Apilitermes</i> Holmgren, 151 |
| | Genus <i>Hoplognathotermes</i> Silvestri, 151 |

- Genus **Firmitermes** Sjöstedt, 152
 Genus **Trichotermes** Sjöstedt, 152
 Genus **Rostrotermes** Grassé, 152
 Genus **Crenetermes** Silvestri, 153
 Genus **Thoracotermes** Wasmann, 153
 Genus **Euchilotermes** Silvestri, 154
 Genus **Ophiotermes** Sjöstedt, 154
 Genus **Megagnathotermes** Silvestri, 155
 Genus **Cubitermes** Wasmann, 155
 Genus **Lepidotermes** Sjöstedt, 166
 Genus **Procutitermes** Silvestri, 167
 Genus **Noditermes** Sjöstedt, 169
 Genus **Unguitermes** Sjöstedt, 170
 Genus **Fastigitermes** Sjöstedt, 171
 Genus **Proboscitermes** Sjöstedt, 171
 Genus **Basidentitermes** Holmgren, 171
 Genus **Orthotermes** Silvestri, 173
 Genus **Ceratotermes** Silvestri, 173
 Genus **Tuberculitermes** Holmgren, 174
 Genus **Angulitermes** Sjöstedt, 174
 Genus **Spinitermes** Wasmann, 175
 Genus **Orthognathotermes**
 Holmgren, 176
 Genus **Dentispicotermes** Emerson,
 n. gen., 177, 374
 Genus **Crepititermes** Emerson, 177
 Genus **Termes** Linnaeus, 178
 Genus **Cavitermes** Emerson, 187
 Genus **Protocapritermes** Holmgren, 187
 Genus **Promirotermes** Silvestri, 188
 Genus **Mirocapritermes** Holmgren, 189
 Genus **Paracapritermes** Hill, 190
 Genus **Procapritermes** Holmgren, 190
 Genus **Homalotermes** John, 191
 Genus **Pseudocapritermes** Kemner, 191
 Genus **Capritermes** Wasmann, 192
 Genus **Pericapritermes** Silvestri, 198
 Genus **Neocapritermes** Holmgren, 200
 Genus **Planicapritermes** Emerson,
 n. gen., 202, 375
 Subfamily **MACROTERMITINAE**
 Kemner
 Genus **Acanthotermes** Sjöstedt, 203
 Genus **Pseudacanthotermes** Sjöstedt, 203
 Genus **Synacanthotermes**
 Holmgren, 205
 Genus **Protermes** Holmgren, 206
 Genus **Allodotermes** Silvestri, 206
 Genus **Sphaerotermes** Holmgren, 208
 Genus **Macrotermes** Holmgren, 208
 Genus **Odontotermes** Holmgren, 218
 Subgenus **Odontotermes**
 Holmgren, 218
 Subgenus **Euscaiotermes**
 Silvestri, 244
 Subgenus **Hypotermes**
 Holmgren, 244
 Genus **Ancistrotermes** Silvestri, 245
 Genus **Microtermes** Wasmann, 247
 Subgenus **Microdontermes**
 Sarwar ms., 255
 Subfamily **NASUTITERMITINAE**
 Hare
 Genus **Syntermes** Holmgren, 256
 Genus **Procornitermes** Emerson,
 n. gen., 260, 375
 Genus **Cornitermes** Wasmann, 261
 Genus **Triacitermes** Emerson,
 n. gen., 263, 376
 Genus **Rhynchotermes** Holmgren, 264
 Genus **Hirtitermes** Holmgren, 264
 Genus **Nasutitermes** Dudley, 265
 Genus **Rotunditermes** Holmgren, 300
 Genus **Havilanditermes** Light, 301
 Genus **Tumulitermes** Holmgren, 301
 Genus **Occasitermes** Holmgren, 304
 Genus **Parvitermes** Emerson,
 n. gen., 305, 376
 Genus **Obtusitermes** Snyder, 306
 Genus **Diversitermes** Holmgren, 306
 Genus **Bulbitermes** Emerson,
 n. gen., 307, 377
 Genus **Coarctotermes** Holmgren, 310
 Genus **Velocitermes** Holmgren, 311
 Genus **Tenuirostritermes** Holmgren, 312
 Genus **Ceylonitermes** Holmgren, 313
 Genus **Grallatotermes** Holmgren, 314
 Genus **Lacessititermes** Holmgren, 315
 Genus **Longipeditermes** Holmgren, 317
 Genus **Constrictotermes** Holmgren, 318
 Genus **Hospitalitermes** Holmgren, 318
 Genus **Trinervitermes** Holmgren, 322
 Genus **Paracornitermes** Emerson,
 n. gen. 333, 377
 Genus **Labiotermes** Holmgren, 334
 Genus **Armitermes** Wasmann, 334
 Genus **Curvitermes** Holmgren, 337
 Genus **Angularitermes** Emerson, 338
 Genus **Mimeutermes** Silvestri, 338
 Genus **Subulitermes** Holmgren, 338
 Genus **Convexitermes** Holmgren, 342
 Genus **Eutermellus** Silvestri, 344
 ?Subfamily
 Genus **Foraminitermes** Holmgren, 344

FOSSIL TERMITES

- ?Family URALOTERMITIDAE Zalessky
 ?Genus *Uralotermes* Zalessky, 352..... Permian
- Family MASTOTERMITIDAE Silvestri
 Genus *Mastotermes* Froggatt, 352..... Eocene, Oligocene, Miocene, living
 Genus *Pliotermes* Pongrácz, 354..... Miocene
 Genus *Diatermes* Martynov, 354..... Oligocene
 Genus *Miotermes* von Rosen, 355..... Miocene
- Family KALOTERMITIDAE Enderlein
 Subfamily ELECTROTERTITINAE Emerson
 Genus *Eotermes* Statz, 356..... Oligocene
 Genus *Proelectrotermes* von Rosen, 356..... Eocene
 Genus *Prokalotermes* Emerson, 357..... Miocene
 Genus *Electrotermes* von Rosen, 357..... Eocene
- Subfamily KALOTERMITINAE Froggatt
 Genus *Kalotermes* Hagen, 358... Eocene, Oligocene, Miocene, Pleistocene, living
 Genus *Neotermes* Holmgren, 359..... Eocene, Pleistocene, living
 Genus *Cryptotermes* Banks, 359..... Pleistocene, living
 Genus *Glyptotermes* Froggatt, 359..... Pleistocene, living
- Family HODOTERMITIDAE Snyder
 Subfamily TERMOPSISINAE Holmgren
 Genus *Termopsis* Heer, 360..... Eocene, Oligocene, Miocene
 Genus *Archotermopsis* Desneux, 361..... Eocene, living
 Genus *Parotermes* Scudder, 362..... Miocene
 Genus *Zootermopsis* Emerson, 362..... Miocene, living
- Subfamily HODOTERMITINAE Holmgren
 Genus *Ulmeriella* Meunier, 363..... Oligocene, Miocene
- Family RHINOTERMITIDAE Light
 Subfamily HETEROTERMITINAE Froggatt
 Genus *Heterotermes* Froggatt, 364..... Miocene, living
 Genus *Reticulitermes* Holmgren, 365..... Eocene, ?Oligocene, Miocene, living
- Subfamily STYLOTERMITINAE Holmgren
 Genus *Parastylotermes* Snyder and Emerson, n. gen. 366, 378..... Miocene
- Subfamily COPTOTERMITINAE Holmgren
 Genus *Coptotermes* Wasmann, 366..... Pleistocene, living
- Subfamily RHINOTERMITINAE Froggatt
 Genus *Schedorhinotermes* Silvestri, 366..... Pleistocene, living
- Family TERMITIDAE Westwood
 Subfamily AMITERMITINAE Kemner
 Genus *Microcerotermes* Silvestri, 367..... ?Oligocene, Pleistocene, living
- Subfamily TERMITINAE Sjöstedt
 Genus *Termes* Linnaeus, 367..... Pleistocene, living
- Subfamily MACROTERTITINAE Kemner
 Genus *Macrotermes* Holmgren, 368..... Miocene, Pleistocene, living
 Genus *Odontotermes* Holmgren, 368..... Pleistocene, living
 Genus *Microtermes* Wasmann, 368..... Pleistocene, living
- Subfamily NASUTITERMITINAE Hare
 Genus *Trinervitermes* Holmgren, 369..... Pleistocene, living

CATALOG OF THE TERMITES (ISOPTERA) OF THE WORLD
(Systematically arranged)

ISOPTERA

Order ISOPTERA Brullé.

- <Family TERMITINA Latreille 1802, p. 293; family TERMITINE 1805, p. 51.
- <Tribe TERMITIDES Leach 1815, p. 139.
- =Natio TERMIDES Billberg 1820, p. 95.
- =Order ISOPTÈRES Brullé 1832, p. 66.
- <Section TERMITINA Stephens 1835, p. 97.
- <Family TERMITINES Pictet 1836, p. 75.
- =Family TERMITINA Burmeister 1839, p. 758.
- =Family TERMITIDAE Westwood 1840, p. 11.
- <Tribe CORRODANTS Rambur 1842, p. 300.
- =Family TERMITIDES Rambur 1842, p. 300.
- <Suborder CORRODENTIA Walker 1853, p. 477.
- <Family TERMITIDES Walker 1853, p. 501.
- <Tribe CORRODENTIA Hagen 1858, p. 4.
- =Family TERMITINA Hagen 1858, p. 4.
- <Order PLATYPTERA Packard 1886, p. 808 (includes bird-lice).
- =Order ISOPTERA Comstock 1895, p. 95.
- =Family TERMITIDAE Froggatt 1896, p. 512.
- =Superfamily TERMITINA Enderlein 1903, p. 424 [order ISOPTERA includes EMBIIDAE].
- =Family TERMITIDAE (NEUROPTERA) Silvestri 1903, p. 13.
- <Order ISOPTERA Börner 1904, p. 526.
- =Suborder SOCIALIA (Autorum) Börner 1904, p. 526, includes family Termitidae only.
- =Order ISOPTERA Desneux 1904b, p. 283.
- =Family TERMITIDAE Desneux 1904b, p. 283.
- =Order ISOPTERA Desneux 1904e, p. 3.
- =Family TERMITIDAE Desneux 1904e, p. 4.
- =Order ISOPTERA Handlirsch 1904, pp. 751, 758; 1925, p. 502, syn. order (fossil bibliography).
- <Superorder AETIOPTERA Enderlein 1909, p. 171.
- =Order ISOPTERA Enderlein 1909, p. 173.
- =Order ISOPTERA Martynov 1937, pp. 131, 144, 150 (fossil bibliography).
- =Order ISOPTERA Crampton 1938, p. 171 (of superorder PANISOPTERA (ISOPTERIA) including PALAEOPTERA (Blattids and Mantids)).

LIVING TERMITES

MASTOTERMITIDAE

Family MASTOTERMITIDAE Silvestri.

Type genus: *Mastotermes* Froggatt.

- <Subfamily CALOTERMITINAE Froggatt 1896, p. 516; Silvestri 1903, pp. 16, 17.
- >Subfamily MASTOTERMITINAE Desneux 1904b; p. 284.

- >Subfamily MASTOTERMITINAE Desneux 1904e, p. 9.
- =Family MASTOTERMITIDAE Silvestri 1909, pp. 280-284.
- =Family MASTOTERMITIDAE Enderlein 1909, p. 172.
- =Subfamily MASTOTERMITINAE Holmgren 1910, p. 285 (no descr.).
- =Suborder HEMICLIDOPTERA Enderlein 1909, p. 172.
- =Subfamily MASTOTERMITINAE Holmgren 1910a, p. 137 (no descr.).
- =Family MASTOTERMITIDAE Holmgren 1911a, pp. 14, 13.
- <Family PROTERMITIDAE Holmgren 1910, p. 285.

MASTOTERMES

Genus *Mastotermes* Froggatt.

Generitype: *Mastotermes darwiniensis* Froggatt.

- >Genus *Mastotermes* Froggatt 1896, pp. 517, 519.
- >Genus *Mastotermes* Desneux 1904b, p. 279.
- >Genus *Mastotermes* Desneux 1904e, p. 10.
- =Genus *Mastotermes* Silvestri 1909, p. 284.
- Genus *Mastotermes* Holmgren 1910, p. 285 (no descr.) (includes *Termes errabundus* Froggatt).
- =Genus *Mastotermes* Holmgren 1911a, p. 15.

Mastotermes darwiniensis Froggatt.

Mastotermes darwiniensis Froggatt 1896, p. 519, im., pl. XXXV, figs. 3-3a, im., Port Darwin, North. Terr., Australia.

Mastotermes darwiniensis Hill 1942, pp. 15-21, im., sold., work., figs. 5-6, pls. 1, 2.

Termes errabundus Froggatt 1897, p. 733, sold., work., pl. XXXIV, fig. 4, sold., Torrens Creek, No. Queensland.

Holoneotype: winged; morphoneotype: sold., C.S.I.R. coll.

Im., sold.

North. Terr., No. Queensland,
NW. Australia.

Australian.

KALOTERMITIDAE

Family KALOTERMITIDAE Enderlein.

Type genus: *Kalotermes* Hagen.

- <Subfamily CALOTERMITINAE Froggatt 1896, p. 516.
- <Subfamily GLYPTOTERMITINAE Froggatt 1896, p. 518.
- <Subfamily CALOTERMITINAE Silvestri 1903, pp. 16, 17.
- <Subfamily CALOTERMITINAE Desneux 1904b, pp. 284, 285.
- <Subfamily CALOTERMITINAE Desneux 1904e, pp. 11, 9.
- Family CALOTERMITIDAE Enderlein 1909, p. 172 (composition unknown).
- <Family PROTERMITIDAE Holmgren 1909, p. 100 (no descr.).
- <Suborder CRYPTOCLIDOPTERA Enderlein 1909, p. 171.
- <Family PROTERMITIDAE Holmgren 1910, p. 285 (no descr.).
- <Family PROTERMITIDAE Holmgren 1910a, p. 137.
- <Family PROTERMITIDAE Holmgren 1911a, pp. 33, 13, 10.
- =Family KALOTERMITIDAE Banks 1919, p. 475.
- =Family KALOTERMITIDAE Light 1921a, p. 29.
- =Family CALOTERMITIDAE Sjöstedt 1926, p. 22.
- =Family KALOTERMITIDAE Emerson 1942, p. 10.

KALOTERMITINAE

Subfamily KALOTERMITINAE.

Type genus: *Kaloterмес* Hagen.

- >Tribe CALOTERMITINI Desneux 1904b, pp. 285, 286.
- >Tribe CALOTERMITINI Desneux 1904e, p. 20.
- <Subfamily CALOTERMITINAE Holmgren 1910, p. 285 (no descr.).
- Subfamily CALOTERMITINAE Holmgren 1910a, p. 137 (part).
- <Subfamily CALOTERMITINAE Holmgren 1911a, pp. 48, 34, 5.
- =Subfamily KALOTERMITINAE Emerson 1942, pp. 9, 10.

Genera :

- Kaloterмес* Hagen.
- Neoterмес* Holmgren.
- Paraneoterмес* Light.
- Rugiterмес* Holmgren.
- Procryptoterмес* Holmgren.
- Cryptoterмес* Banks.
- Eucryptoterмес* Holmgren.
- Glyptoterмес* Froggatt.
- Calcariterмес* Snyder.

KALOTERMES

Beautiful (kalos); not hard wood (kalon).

Genus *Kaloterмес* Hagen.

Generitype: *Kaloterмес flavicollis* (Fabricius).

- =Genus *Kaloterмес* Hagen 1853, pp. 479, 480.
- <Genus *Termes* Walker 1853, p. 529.
- <Genus *Kaloterмес* Hagen 1854, p. 222 (fossil bibliography).
- <Gruppe *Kaloterмес* Hagen *in* Berendt 1856, p. 49.
- <Genus *Caloterмес* Hagen 1858, p. 33.
- <Genus *Caloterмес* Hagen 1858a, p. 5.
- <Genus *Caloterмес* Froggatt 1896, pp. 521, 517.
- <Genus *Caloterмес* Wasmann 1897, p. 150 (includes *Serriterмес*), designates *flavicollis* as generitype.
- ><Genus *Termopsis* Wasmann 1897, p. 149.
- <Genus *Caloterмес* Haviland 1898, p. 373.
- <Genus *Caloterмес* Sjöstedt 1900a, p. 35.
- <Genus *Caloterмес* Silvestri 1901, pp. 1-3.
- <Genus *Caloterмес* Silvestri 1903, p. 20.
- <Genus *Caloterмес* Desneux 1904b, p. 283.
- <Genus *Caloterмес* Desneux 1904e, p. 20 (includes *Poroterмес planiceps*).
- <Genus *Caloterмес* Escherich 1909 (biol.), pp. 166-170.
- <Genus *Caloterмес* Holmgren 1910, p. 285 (type: *C. flavicollis*).
- <Genus *Caloterмес* Holmgren 1910a, p. 137 (no descr.).
- <Genus *Caloterмес* Holmgren 1911a, pp. 49, 52 (type: *C. flavicollis*).
- <Genus *Kaloterмес* Banks (and Snyder) 1920, pp. 9, 16, 18.
- >Subgenus *Caloterмес* [*Caloterмес*] Holmgren 1911a, p. 53, pl. 2, figs. 6-7, pl. 3, fig. 6.
- <Subgenus *Caloterмес* Holmgren 1910, p. 285 (no descr.).
- Subgenus *Caloterмес* Holmgren 1910a, p. 137 (no descr.).

- =Genus *Kaloterme*s Banks 1919, pp. 476, 477.
 =Genus *Kaloterme*s Light 1921a, p. 29.
 >Genus *Pteroterme*s Holmgren 1911a, pp. 43, 42.
 ><Subgenus *Proneoterme*s Holmgren 1911a, p. 53.
 >Genus *Epicaloterme*s Silvestri 1918a, p. 347.
 =Genus *Kaloterme*s Emerson 1942, pp. 7-10.

*Kaloterme*s *aethiopicus* (Silvestri).

*Epicaloterme*s *aethiopicus* Silvestri 1918a, p. 349, im. (queen), sold., nymph, fig. 1 (queen, sold.), Erythraea: Mayabal.

*Epicaloterme*s *aethiopicus* Sjöstedt 1926, pp. 44-45, fig. 13 (sold.).

Queen, sold.

Eritrea, Africa.

Ethiopian.

*Kaloterme*s *approximatus* Snyder.

*Kaloterme*s *approximatus* (Banks and) Snyder 1920, p. 22 (sold.), Florida: Ortega; Snyder 1925a, p. 14, winged, Cape Henry, Va.

Type: sold., U.S.N.M. No. 22359; morphotype: winged.

Winged, sold.

No. Florida, Virginia, So.

Louisiana, U. S. A. Bermuda.

*Kaloterme*s *arizonensis* Snyder.

*Kaloterme*s *arizonensis* Snyder 1926c, pp. 393-394, sold., figs. 5, 6 (nest, sold.), Copper Butte Canyon, Ray, Ariz.

Holotype: sold., U.S.N.M. No. 28417.

Sold.

Arizona, U. S. A.

Nearctic.

*Kaloterme*s *atratus* Hill.

*Caloterme*s (*Cryptoterme*s) *atratus* Hill 1933a, pp. 48-50, pl. 2, figs. 15-19, winged, sold., New So. Wales: near Appin; 1942, pp. 68-70, figs. 27-28, winged, sold.

Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: New So. Wales.

Australian.

*Kaloterme*s *banksi* Snyder.

*Kaloterme*s *banksi* Snyder 1920, pp. 38-39, dealated adult, Sabino Canyon, Santa Catalina Mts., Ariz.

Type: dealated male, U.S.N.M. No. 22685.

*Kaloterme*s *lighti* Snyder 1926c, pp. 395-396, sold., fig. 6 (sold.), Copper Butte Canyon, Ray, Ariz.

*Kaloterme*s *texanus* Banks (and Snyder) 1920, p. 29, fig. 19 (1), sold., Chalk Bluff, Tex.

Dealated adult, sold.

Arizona, Texas, U. S. A.

Nearctic.

Kaloterme banksiae Hill.

Kaloterme (?) *banksiae* Hill 1942, p. 115, figs. 61-62, fig. 61 (im.), 62 (sold.), Australia: Victoria, Mallacoota; Kermadec Isls.: Raoul Isl.; New Zealand.

Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: Victoria; Kermadec Isls.: Raoul; New Zealand.

Australian.

Kaloterme barretoii Grassé.

Kaloterme barretoii Grassé 1939, pp. 182-184, fig. 2, sold., Serra d'Agua, Madeira.

Sold.

Madeira.

Palearctic.

Kaloterme beelsoni Gardner.

Kaloterme beelsoni Gardner 1944, p. 103, sold., Haldwani, United Provinces.

Sold.

United Provinces, India.

Indo-Malayan.

Kaloterme bequaerti Snyder.

Kaloterme (*Kaloterme*) *bequaerti* Snyder 1929, pp. 81-83, winged and sold., Cuba: Banos (Oriente).

Cotypes: winged, U.S.N.M. No. 41742; morphotypes: sold., U.S.N.M.; coparatypes: M.C.Z., Cambridge, Mass.

Winged, sold.

Cuba, Bermuda, St. Croix.

Neotropical.

Kaloterme brouni Froggatt.

Kaloterme Brouni Froggatt 1896, p. 531, winged, sold., pl. XXXVI, figs. 1-1a, New Zealand: Drury.

Kaloterme Brouni Wasmann 1902b, p. 139, loc. Chatham Isls. (east of New Zealand).

Kaloterme (?) *brouni* Hill 1942, pp. 100-102, winged, sold., figs. 50-51, New Zealand.

Holoneotype: sold.; morphoneotype: winged, C.S.I.R. coll.

Winged, sold.

New Zealand, Chatham Isls.

Australian.

Kaloterme castaneiceps Sjöstedt.

Kaloterme castaneiceps Sjöstedt 1914, pp. 4, 5, fig. 1, winged, Madagascar: Fenerive; 1926, p. 36.

Winged.

Madagascar.

Malagasy.

Kaloterme condonensis Hill.

Kaloterme (*Kaloterme*) *condonensis* Hill 1922b, p. 275, figs. 1-4, sold., SW. Australia: Condon; 1942, pp. 38-42, figs. 21-23, wing., sold., syn., loc.

Holotype: sold.; morphotype: winged, Nat. Museum, Melbourne.

Calotermes (Calotermes) oldfieldi Hill 1925a, pp. 207-208, pl. 23, figs. 1, 2, winged, sold., Victoria: Kiata.

Types: Nat. Museum, Victoria.

Calotermes (Calotermes) oldfieldi var. *chryseus* Hill 1926b, pp. 201-202, winged, sold., New So. Wales: Brooklana.

Types: Nat. Museum, Victoria.

Winged, sold.

West. and So. Australia; Victoria, New So. Wales; Austral. Capital Terr.; Queensland; New Zealand (introduced).

Australian.

Kalotermes convexus (Walker).

Termes convexus Walker 1853, p. 527, No. 37 (im.), Van Dieman's Land (Tasmania).

?*Termes australis* Walker 1853, p. 526 (sold. and immature nymph only), Van Dieman's Land only.

Calotermes convexus Hagen 1858, p. 45 (im.), Van Dieman's Land only.

Termes obscurus Hagen 1858, p. 45.

Calotermes convexus Froggatt 1896, p. 522, im., sold., Tasmania.

Calotermes convexus Desneux 1904e, p. 23, syn.

Calotermes (Cryptotermes?) convexus Holmgren 1911a, p. 55, Tasmania only.

Calotermes (Calotermes) obscurus Hill 1925a, pp. 208-10, pl. XXIII, figs. 3-7, Tasmania only.

Calotermes (?) convexus Hill 1942, pp. 102-104, winged, sold., syn. of sold., sold. described, Tasmania.

Holotype: im., Brit. Museum.

Winged, sold.

Tasmania.

Australian.

Kalotermes cubanus Snyder.

Kalotermes cubanus Snyder 1922, pp. 7-8, figs. 1-2, pl. 1, fig. 2 (sold.), Cuba: Las Playuelas, Pinar del Rio.

Type: sold., U.S.N.M. No. 24565.

Sold.

Cuba.

Neotropical.

Kalotermes dispar Grassé.

Calotermes dispar Grassé 1938, pp. 291-295, figs. 1-2 (im.), 3-10 (sold.), Canary Is.: La Palma.

Im., sold.

Canary Isls.

Palaeartic.

Kalotermes durbanensis Haviland.

Calotermes durbanensis Haviland 1898, p. 377, sold., Natal, Durban; Sjöstedt 1926, p. 25, syn., loc.

Calotermes madagascariensis (ex part) Sjöstedt 1900a, pp. 41-43, 218, 220, 235, Natal; 1904, pl. 1, figs. D1-2, Natal.

Calotermes braunsi Fuller 1921, p. 28, sold., So. Africa: Cape South Coast.

Im., sold.

So. Africa.

Ethiopian.

Kalotermes emersoni Light.

*Kaloterme*s emersoni Light 1933, pp. 86-88, pl. 7, figs. 3, 5, 6, 8, 10 (sold.), W. Mexico: Jala.

Sold.

W. Mexico.

Neotropical.

Kalotermes flavicollis (Fabricius).

Termes flavicollé Fabricius 1793, p. 91, im., Barbaria; Latreille 1804, p. 62, loc.; 1805, p. 70.

Termes flavicollis Lucas, 1849, p. 110.

*Caloterme*s flavicollis Hagen 1858, p. 54, im., sold., loc.

Eutermes flavicollis Perris 1876.

Termes lucifugus Rossi 1792, p. 107 (only the var.).

Hemerobius marginalis Rossi 1792, p. 16.

*Caloterme*s marginalis Jacobson 1904, p. 72, p. 57, loc.

*Caloterme*s flavicollis Sjöstedt 1926, p. 24, pl. 1, figs. F1-2, im., sold., Mus. Paris. Im., sold.

So. France: Pyr. Orient.,

Provence; Spain; Portugal;

Italy, Sardinia, Sicily; Dal-

matia (Yugoslavia); Bar-

bary Coast—Algeria to

Egypt; Mediterranean area—

Levant; Asia Minor: Syria,

NW. Caucasus.

Palaeartic.

Kalotermes galapagoensis Banks.

*Caloterme*s galapagoensis Banks 1901, p. 544, figs. 55-56, winged, Wenman Isl., Galapagos Isls.

Type: winged, Acad. Sci. Calif. (destroyed).

Winged.

Galapagos Isls.

Neotropical.

Kalotermes gracilidens (Sjöstedt).

Neotermes gracilidens Sjöstedt 1925, p. 53, sold., Madagascar, Mus. Stockholm; 1926, p. 38, pl. L₁₋₂.

Sold.

Madagascar.

Malagasy.

Kalotermes hilli Emerson, new name.

Termes obscurus Walker 1853, p. 527, No. 36, im., Swan River, Australia (preoccupied by *Termes* obscurus Heer fossil).

?*Termes* australis Walker 1853, p. 526, sold. and nymph only, New Holland only.

*Caloterme*s convexus Hagen 1858, p. 45, im. only, New Holland only.

*Caloterme*s (*Cryptoterme*s?) convexus Holmgren, 1911a, p. 55, Australia only.

*Caloterme*s (?) obscurus Hill 1942, pp. 105-107, figs. 53-54, winged, sold., syn., W. Australia.

Holotype: winged, Brit. Mus.; morphotype: sold. and associated winged, Nat. Mus. Melbourne.

Winged, sold.

W. Australia.

Australian.

Kalotermes immigrans Snyder.

Kalotermes immigrans Snyder 1922, pp. 2-4, pl. 4, fig. 15 (winged), winged, sold., Terr. Hawaii; Oahu, Honolulu.

Kalotermes (K.) *immigrans* Light 1932a, p. 73, dist.

Type: winged, U.S.N.M. No. 24562.

Calotermes marginipennis Bryan 1915; Swezey 1919; Fullaway 1915; (Banks) and Snyder 1920, p. 132.

Kalotermes (*Kalotermes*) *clevelandi* Snyder 1926a, pp. 7-8, sold., Panama: C. Z., Ancon.

Calotermes (*Calotermes*) *curvithorax* Kelsey 1943, pp. 45-53, figs. 1-3, winged, sold., Phoenix group, Canton Isl.

Cotypes: Auckland Museum.

Winged, sold.

Terr. Hawaii: Oahu, Honolulu;

Kauai, Laysan; Lanai; Maui;

Hawaii, Hilo. Line Isls.,

Fanning; and Jarvis Isls. to

Marquesas and Canton Isl.

Panama: Canal Zone; Sal-

vador; Ecuador, Galapagos;

Peru.

Papuan and Neotropical.

Kalotermes improbus Hagen.

Calotermes improbus Hagen 1858, p. 44 (im.), Van Dieman's Land (Tasmania).

Calotermes (?) *improbus* Hill 1942, p. 105.

Holotype: winged, Mus. Berlin.

Winged.

Tasmania.

Australian.

Kalotermes inamurae Oshima.

Calotermes (?) *inamurae* Oshima 1912, p. 61, pl. 1, figs. 5-6, 21-22, pl. 2, figs. 2, 19; 1913, p. 272, female im., sold. 1-2, Formosa.

Im., sold.¹⁻²

Formosa.

Indo-Malayan.

Kalotermes incisus Silvestri.

Calotermes incisus Silvestri 1901, p. 2, im.; 1903, p. 27, im., sold., fig. 4 (wings), pl. 1, figs. 19-20 (sold.), Venezuela: S. Jean.

Im., sold.

Venezuela, W. Indies: Mona Isl.

Neotropical.

Kalotermes indicus Holmgren.

Calotermes (*Calotermes*) *indicus* Holmgren 1913b, p. 37, im., Makassar, Mus. Berlin, Siam, Mus. Vienna.

Im.

Macassar, Siam.

Kalotermes jepsoni Kemner.

Kalotermes Jepsoni Kemner 1932a, pp. 146-149, fig. 7 (sold.), alate, sold., Ceylon.

Alate, sold.

Ceylon.

Indo-Malayan.

Kalotermes jouteli Banks.

Kalotermes jouteli Banks (and Snyder) 1920, p. 25, winged, sold., fig. 14 (1), (sold.), Florida: Adam Key.

Type: sold., U.S.N.M. No. 21857; paratype: sold., M.C.Z. No. 10544.

Winged, sold.

So. Florida, U. S. A.; Cuba;
Bahamas; Mexico.

Nearctic and Neotropical.

Kalotermes longus Holmgren.

Kalotermes (Glyptotermes?) longus Holmgren 1910a, p. 142, sold., Aldabra: Takamaka.

Kalotermes (Glyptotermes) longus Holmgren 1911a, p. 55, Madagascar.

Glyptotermos longus Sjöstedt 1926, p. 43.

Sold.

Aldabra, Madagascar.

Malagasy.

Kalotermes madagascariensis Wasmann.

Calotermes madagascariensis Wasmann 1897, p. 153, im., sold., Madagascar: Nossi-Bé.

Calotermes (Proneotermes) madagascariensis Holmgren 1911a, p. 54.

Proneotermes madagascariensis Sjöstedt 1926, pp. 32-33, fig. 7 (winged).

Winged, sold.

Africa: Madagascar.

Malagasy.

Kalotermes marginipennis (Latreille).

Termes marginipenné Latreille 1811-1832; vol. 2 (1832), p. 111; vol. 1 (1811), pl. 39, fig. 8 (sold.), Mexico.

Termes mexicanus Walker 1853, p. 528, im.

Calotermes marginipennis Hagen 1858, p. 47, im.

Kalotermes (Kalotermes) marginipennis Light 1933, pp. 92-97, fig. F-1 (sold.).

Kalotermes montanus Snyder 1922, p. 5, winged, Mexico.

Kalotermes tuberculifrons Snyder 1922, pp. 6-7, pl. 1, fig. 1 (sold.), Mexico.

Type: Selys Longchamps coll.

Winged, sold.

Mexico, Guatemala.

Neotropical.

Kalotermes marianus Holmgren.

Calotermes marianus Holmgren 1912c, p. 281, winged, Marianas; Light 1946, p. 9, Guam.

Winged.

Marianas, Guam.

Papuan.

Kalotermes marjoriae Snyder.

Kalotermes marjoriae Snyder 1924c, pp. 3-4, winged, Hawaii: Hilo.

Type: winged, U.S.N.M. No. 25082.

Winged.

Terr. Hawaii: Hawaii.

Papuan.

Kalotermes maroccoensis Sjöstedt.

Calotermes maroccoensis Sjöstedt 1904, p. 17, sold., p. 10, key, Marocco: Tanger.

Calotermes (*Neotermes*) *maroccoensis* Hegh 1922, pp. 68, 345, 682.

Calotermes maroccoensis Sjöstedt 1926, p. 26, pl. 1, fig. G.

Type: sold., Mus. Paris.

Sold.

No. Africa: Morocco.

Palearctic.

Kalotermes mcgregori Light.

Kalotermes mcgregori Light 1921a, p. 30, fig. 1 (sold.) Philippines: Luzon: Culi Culi (Rizal Prov.), Rosario (Batangas Prov.).

Sold.

Philippines.

Indo-Malayan.

Kalotermes milleri Emerson.

Kalotermes milleri Emerson 1943, pp. 18-22, pl. 3, im., sold., Florida: Elliott Key, loc.

Holotype: queen; morphotype: sold.; paratypes: king and sold., dealate and sold. A.M.N.H., U.S.N.M., M.C.Z. and Field Mus. Nat. Hist.; Emerson and Miller 1943, pp. 184-186, key.

Winged. sold.

U. S. A., Florida: Elliott Key,
Key Largo; Jamaica.

Nearctic and Neotropical.

Kalotermes minor Hagen.

Kalotermes marginipennis var. *minor* Hagen 1858, pp. 47-49, sold., California; 1860, p. 100, im.

Kalotermes minor Banks (and Snyder) 1920, p. 26, im., sold., fig. 14 (2) (sold.), fig. 15 (im.), fig. 16 (dist.).

Type: sold., M.C.Z. No. 10546, California, San Diego.

Winged, sold.

U. S. A.: California, Washington, Utah, Arizona; Lower California.

Nearctic.

Kalotermes minor, form *varius* Snyder.

Kalotermes minor forma *varius* Snyder 1926c, p. 394, sold., Arizona: Copper Butte Canyon, U.S.N.M.

Sold.

U. S. A.: Arizona.

Nearctic.

Kalotermes mona Banks.

Kalotermes mona Banks 1919, pp. 477-478, pl. 1, fig. 6 (sold.), p. 477, key, British West Indies: Mona Isl.

Type: sold., A.M.N.H. No. F-3510A; paratype: M.C.Z. No. 10076

Winged, sold.

West Indies: Mona Isl.

Neotropical.

Kaloterme monticola Sjöstedt.

Caloterme monticola Sjöstedt 1925, p. 53, sold., Alger: Massif de l'Edough; 1926, pp. 26-27, pl. 1, figs. H1-2 (sold.), p. 24, key.

Sold.

No. Africa: Algeria.

Palaeartic.

Kaloterme monticola, form *brachycephala* Sjöstedt.

Caloterme monticola forma *brachycephala* Sjöstedt 1926, pp. 26-27, pl. 1, figs. I1-2 (sold.), p. 24, key, Alger.

Sold.

No. Africa: Algeria.

Palaeartic.

Kaloterme nigrinus Snyder.

Kaloterme nigrinus Snyder 1946, pp. 158-160, winged, sold., Guatemala: San Jose.

Cotypes: winged, U.S.N.M. No. 57718; comorphotypes: sold., U.S.N.M.

Winged, sold.

Guatemala.

Neotropical.

Kaloterme occidentis (Walker).

Termes occidentis Walker 1853, p. 529, sold., W. coast America.

Termopsis ? occidentis Hagen 1858, p. 77, im., pl. 1, fig. 8 (sold.).

Peteroterme occidentis Holmgren 1911a, pp. 43-44, sold.

Kaloterme occidentis Banks (and Snyder) 1920, p. 18, sold., im., fig. 8 (sold.).

Type: sold., Brit. Mus.; paratypes: M.C.Z. No. 195.

Winged, sold.

Lower California (W. coast
Mexico); Arizona, U. S. A.

Nearctic, Neotropical.

Kaloterme pacificus Banks.

Caloterme pacificus Banks 1901, p. 545, fig. 57 (sold.), Albemarle and Narboro Isl., Galapagos Isls.

Sold.

Galapagos Isls. (off Ecuador).

Neotropical.

Kaloterme pallidiotum Hill.

Caloterme (?) pallidiotum Hill 1942, pp. 117-119, figs. 63-64, winged, sold., New So. Wales: Pigeon House Range.

Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold.

New So. Wales, Australia.

Australian.

Kaloterme pintoii Kemner.

Kaloterme Pintoii Kemner 1932a, pp. 143-146, alate, sold., fig. 6 (sold.), Ceylon: Pullalam.

Winged, sold.

Ceylon.

Indo-Malayan.

*Kaloterme*s repandus Hill.

*Caloterme*s (*Caloterme*s) repandus Hill 1926d, p. 297, winged, sold., Samoa: Upolu Isl.; 1927, pp. 6-9, figs. 5-9, pl. I, figs. 3-4; 1942, p. 42, syn., loc.

Holotype: winged; morphotype: sold., Brit. Mus.

Winged, sold.

Samoa, Fiji.

Papuan.

*Kaloterme*s rufinotum Hill.

*Caloterme*s (*Glyptoterme*s) obscurus Hill 1921a, p. 439, figs. 20-25 winged, figs. 26-29 sold., Victoria; not Walker, 1853, p. 527.

*Caloterme*s (?) rufinotum Hill 1925a, p. 207, im., sold., Victoria: Seaford; 1942, pp. 107-110, figs. 55-56, im., sold., syn., Victoria, New So. Wales, Austral. Capital Terr., Queensland.

Holotype: winged; morphotype: sold., Nat. Mus., Melbourne.

Winged, sold.

Australia.

Australian.

*Kaloterme*s schwarzi Banks.

*Kaloterme*s schwarzi Banks (and Snyder) 1920, p. 22, im., sold., fig. 10 (2-3) (sold.), fig. 11 (dist.), fig. 12 (im.), fig. 20 (femora sold.). Paradise Key, Fla.; Banks 1919, p. 477, im., p. 478, loc., Cuba, Jamaica.

Type: winged and sold., U.S.N.M. No. 21856; paratype: winged, M.C.Z. No. 10536.

Winged, sold.

So. Florida, U. S. A.; Cuba,

Jamaica, W. I.

Nearctic, Neotropical.

*Kaloterme*s seeversi Snyder and Emerson, new name.

*Kaloterme*s perparvus Light 1933, pp. 98-99, winged, Maria Madre Isl. (W. coast Mexico). (Preoccupied by *Kaloterme*s (*Glyptoterme*s) perparvus Emerson 1925, p. 332).

Winged.

Tres Marias Isls. (W. coast Mexico).

Neotropical.

*Kaloterme*s sinaicus Kemner.

*Kaloterme*s sinaicus Kemner 1932, pp. 87-91, fig. 1, sold., Sinai: Amir. Sold.

Palestine: Sinai.

Palearctic.

*Kaloterme*s snyderi Light.

*Kaloterme*s snyderi Light 1933, p. 97.

*Kaloterme*s marginipennis Banks 1918, p. 659, Texas only; Banks (and Snyder) 1920, pp. 17, 20-22, 77; (Banks and) Snyder, pp. 131-132, SE. Texas; Savannah, Ga.; No. Florida; Snyder 1924c, pp. 4-5, Texas; 1926a, pp. 8-9, U. S. A.

Winged, sold.

SE. U. S. A., West Indies.

Nearctic, Neotropical.

Kalotermes spoliator Hill.

Kalotermes (?) *spoliator* Hill 1932, p. 136, figs. 1-2, sold., Australian Capital Terr.: Uriarra; 1933a, p. 39, pl. 1, figs. 2-5, winged; 1942, pp. 111-113, figs. 57-58 (winged, sold.).

Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: Australian Capital Terr.; New So. Wales, Queensland.

Australian.

Kalotermes tabogae Snyder.

Kalotermes *tabogae* Snyder 1924c, pp. 4-5, winged, Taboga Isl., Rep. Panama.

Type: winged, U.S.N.M. No. 25691.

Kalotermes (**Kalotermes**) *tabogae* Snyder 1926a, pp. 8-9, sold., Taboga Isl.

Calotermes marginipennis Dudley and Beaumont 1889, pp. 86-87, biol.

Winged, sold.

Panama.

Neotropical.

[Protozoa same as *Kalotermes pacificus* (Banks), valid species.]

Kalotermes taylori Light.

Kalotermes *taylori* Light 1930a, pp. 24-26, pl. 3, fig. 3, pl. 4, fig. 4, pl. 5, figs. 7-13, sold., Santa Cruz, Zamboanga, Mindanao.

Type: sold., Cat. No. 1156, Light coll., now in Emerson coll.

Sold.

Philippines: Mindanao.

Indo-Malayan.

Kalotermes tillyardi Hill.

Kalotermes (?) *tillyardi* Hill 1932, pp. 138-142, figs. 3 to 8, winged, sold., Austral. Capital Terr.; 1942, pp. 113-115, figs. 59-60, winged, sold., Austral. Capital Terr., New So. Wales, So. Australia.

Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Australia.

Australian.

NEOTERMES

Genus **Neotermes** Holmgren.

Generitype: **Neotermes castaneus** (Burmeister).

=Genus **Neotermes** Silvestri 1912, p. 212.

=Subgenus **Neotermes** Holmgren 1911a, pp. 53-54, pl. 2, fig. 9, p. 3, figs. 8 and 9; 1913b, p. 37.

=Genus **Neotermes** Banks 1919, p. 476.

=Genus **Neotermes** Banks (and Snyder) 1920, p. 32.

<Genus **Neotermes** Sjöstedt 1926, p. 33, fig. 8 (forewing).

Neotermes aburiensis Sjöstedt.

Neotermes aburiensis Sjöstedt, 1926, p. 39, soldiers of 2 types, Gold Coast: Aburi (close to *gestri*); Grassé 1937a, p. 10, wing., sold., Ivory Coast.

Type: sold., Brit. Mus., Mus. Stockholm.

Winged, sold.

Africa: Gold and Ivory Coasts.

Ethiopian.

Neotermes agilis (Sjöstedt).

Calotermes agilis Sjöstedt, 1902b, p. 302, im., Cameroon; 1904, pp. 15-16, im., Kamerun: Johann Albrechtshöhe; Holmgren 1911a, p. 54, syn.

Neotermes agilis Sjöstedt, 1926, p. 36, syn., loc.

Winged.

Africa: Cameroon.

Ethiopian.

Neotermes amplus Sjöstedt.

Neotermes amplus Sjöstedt 1925, p. 53, sold., Madagascar: Sikora; 1926, pp. 38-39, fig. 9, pl. 1, fig. K.

Type: sold., Mus. Stockholm.

Sold.

Africa: Madagascar.

Malagasy.

Neotermes andamanensis (Snyder).

Kalotermes (*Neotermes*) *andamanensis* Snyder 1933a, p. 2, dealated female adult and apterous male, No. Andaman Isl.

Holotype: dealated female, Brit. Mus.; morphotype: apterous male, Forest Research Institute, Dehra Dun, India.

Dealated female, apterous male.

India: No. Andaman Isl.

Indo-Malayan.

Neotermes artocarpi (Haviland).

Calotermes artocarpi Haviland 1898, p. 376, winged, sold., Sarawak.

Type: No. 177.

Calotermes (*Neotermes*) *artocarpi* Holmgren 1913b, p. 39, im., sold., fig. 1 (sold.), pl. 1, fig. 5 (sold.), Sarawak, Japore, Mus. Vienna; 1913-14, p. 233, im., Central Sumatra.

?*Calotermes artocarporum* Haviland and Sharp 1896, p. 589, Singapore.

Winged, sold.

Sarawak, Sumatra.

Indo-Malayan.

Neotermes assmuthi (Holmgren).

Calotermes (*Neotermes*) *Assmuthi* Holmgren 1913a, pp. 102-103, im., sold., Bangalore.

Calotermes Assmuthi Holmgren 1913b, p. 45, im., sold., Bangalore (Mysore), India.

Winged, sold.

India: Mysore.

Indo-Malayan.

Neotermes bosei (Snyder).

Kalotermes (*Neotermes*) *bosei* Snyder 1933a, pp. 2-3, sold., nymphs, India: U. P., Mathranwala, Dehra Dun.

Holotype: sold., Brit. Mus.; comorphotypes: nymphs: winged, U.S.N.M.; 1934a, pp. 2-4, fig. 1, sold., winged Bengal, Buxa Div., specimens in Brit. Mus., U.S.N.M. and Forest Research Institute, Dehra Dun.

Winged, sold.

India: U. P., Bengal.

Indo-Malayan.

Neotermes brevinotus (Snyder).

Calotermes (**Neotermes**) **brevinotus** Snyder 1932, pp. 98-99, dealated adult, sold., Costa Rica: Sandalo.

Holotype: sold., U.S.N.M. No. 44099; morphotypes: dealated adults.

Dealated adult, sold.

Costa Rica.

Neotropical.

Neotermes camerunensis (Sjöstedt).

Calotermes robustus Sjöstedt 1897a, p. 212, im., Cameroon: Mungo; name preoccupied by **Calotermes robustus** Froggatt 1896, p. 529, pl. 35, fig. 8.

Calotermes camerunensis Sjöstedt 1900a, p. 39, im., pl. 1, fig. D₁₋₃.

Calotermes auriceps Sjöstedt 1904, p. 19, sold., pl. 1, fig. F₁₋₃; 1907a, p. 12.

Calotermes (**Neotermes**) **camerunensis** Holmgren 1911a, p. 54.

Neotermes camerunensis Silvestri 1912, p. 212, im., sold., refers *auriceps* to this species; Sjöstedt 1926, p. 37, syn., loc.

Winged, sold.

Africa: Cameroon.

Ethiopian.

Neotermes castaneus (Burmeister).

Termes castaneus Burmeister 1839, p. 764, im., Puerto Rico.

Calotermes castaneus Hagen 1858, p. 38, im., pl. 2, fig. 2, pl. 3, fig. 2, W. Indies, Middle and So. America, Mus. Berlin, Vienna, Brit. Mus., etc.

Calotermes (**Neotermes**) **castaneus** Holmgren 1911a, p. 54.

Neotermes castaneus Banks 1919, p. 476, sold., im., W. Indies; Banks (and Snyder) 1920, p. 32, im., fig. 20 (sold. leg), fig. 21 (dist. W. Indies, So. Florida).

Termes Guatimalae Walker 1853, p. 528, im., Guatemala.

Termes anticus Walker 1853, p. 528, im., Honduras.

Neotermes elevatus Banks 1919, p. 477, sold., Dominica.

Neotermes angustoculus Snyder 1924c, pp. 8-9, im., sold., Florida.

Winged, sold.

So. Florida, U. S. A.; West

Indies, Middle and So.

America.

Nearctic, Neotropical.

Neotermes chilensis (Blanchard).

Termes chilensis Blanchard in Gay 1851, p. 87, pl. 1, figs. 1-3, im., sold., Chile; Hagen 1858, p. 103 (translation of Gay).

Porotermes chilensis Bolivar 1884, p. 3, redescribes *chilensis* in Gay.

Calotermes (**Neotermes**) **chilensis** Holmgren 1911a, p. 54.

Type: Mus. Paris.

Winged, sold.

So. America: Chile.

Neotropical.

Neotermes chilensis, var. **cayutuensis** (Goetsch).

Calotermes chilensis var. **cayutuensis** Goetsch 1933, pp. 227-244, im., sold., subst. queen, 4 figs., Chili: Cayutue. (P. 229, southern race.)

Im., substitute queen, sold.

So. America: Chile.

Neotropical.

Neotermes chilensis, var. *zapallarensis* (Goetsch).

Calotermes chilensis var. *zapallarensis* Goetsch 1933, pp. 227-244, im., sold., 4 figs., Chili: Zapallar. (P. 229, northern race.)

Im., sold.

So. America: Chile.

Neotropical.

Neotermes connexus Snyder.

Neotermes connexus Snyder 1922, pp. 9-11, figs. 2-3, pl. 4, fig. 16, winged, sold., Terr. Hawaii: Kauai.

Type: sold., U.S.N.M. No. 24566.

Kalotermes (Neo.) *connexus* Light 1932a, pp. 76-77, distr.; 1946, p. 9, Guam. [Belongs in series including *N. papua* (Desneux), *rainbowi* (Hill), *sanctae crucis* (Sny.), and *kanehirae* (Oshima).]

Winged, sold.

Terr. Hawaii; Society Isls.:

Moorea; Marquesas, Guam.

Papuan.

Neotermes cryptops (Sjöstedt).

Calotermes cryptops Sjöstedt 1900, p. 278, sold., Ugalla R.: Ituri Fährö (former German E. Africa); Holmgren 1911a, p. 54.

Neotermes cryptops Sjöstedt 1926, p. 41.

Sold.

Africa.

Ethiopian.

Neotermes dalbergiae (Kalshoven).

Kalotermes dalbergiae Kalshoven 1930, pp. 29-32, fig. 5, im., sold., Java: Banjoemas, Kedoe.

Winged, sold.

Java.

Indo-Malayan.

Neotermes desneuxi (Sjöstedt).

Calotermes Desneuxi Sjöstedt 1904, p. 11, im., sold., Madagascar.

Calotermes (*Neotermes*) *Desneuxi* Holmgren 1911a, pl. 3, fig. 9 (im. wing); pl. 4, fig. 5 (sold.).

Neotermes Desneuxi Sjöstedt 1926, p. 37.

Winged, sold.

Africa: Madagascar.

Malagasy.

Neotermes erythraeus Silvestri.

Neotermes erythraeus Silvestri 1918a, pp. 350-351, im., sold., fig. 2, Erythrae: Netasit; Sjöstedt 1926, p. 41, syn., loc.

Winged, sold.

Africa.

Ethiopian.

Neotermes europae (Wasmann).

Calotermes europae Wasmann 1910a, p. 118, im., fig. 1^{a-3} (im.), 1^b (sold.), Isl. Europa (in Canal of Mozambique).

Neotermes europae Sjöstedt 1926, p. 37, syn., loc.

Winged, sold.

Africa: Isl. Europa.

Malagasy

Neotermes ferrugineus (Holmgren).

Calotermes (*Neotermes*) *ferrugineus* Holmgren 1911b, p. 455, im., Germ. New Guinea: Kela.

Winged.

New Guinea.

Papuan.

Neotermes firmus (Sjöstedt).

Calotermes firmus Sjöstedt 1911b, p. 175, im., Brit. E. Africa: Riv. Luazomela tributary to Guaso Nyiri north of Mt. Kenia.

Neotermes firmus Sjöstedt 1926, p. 36, syn., loc.

Winged.

Africa: Kenya.

Ethiopian.

Neotermes fletcheri (Holmgren, K. and N.).

Calotermes (*Neotermes*) *fletcheri* Holmgren, K. and N. 1917, p. 139, im., sold., India: Coimbatore.

Winged, sold.

So. India: Madras.

Indo-Malayan.

Neotermes fulvescens (Silvestri).

Calotermes fulvescens Silvestri 1901, p. 1, im., Brazil: Cuyabá; 1903, p. 21 (im.), fig. 2 (wings), pl. 1, figs. 8-11 (im.), figs. 12-13 (sold.).

Calotermes (*Neotermes*) *fulvescens* Holmgren 1911a, p. 54.

Calotermes (*Neotermes*) *flavescens* Holmgren 1911a, pl. 3, fig. 10 (wings); name misspelled?

Winged, sold.

Brazil: Matto Grosso.

Neotropical.

Neotermes gardneri (Snyder).

Kalotermes (*Neotermes*) *gardneri* Snyder 1933a, pp. 3-4, fig. 1 (wing), India: U. P., Dehra Dun.

Cotypes: wing., Brit. Mus., Forest Research Inst., U.S.N.M. No. 44101.

Winged.

India: United Provinces.

Indo-Malayan.

Neotermes gestri Silvestri.

Neotermes Gestri Silvestri 1912, p. 213, im., sold., variations, biol., fig. 1 (im., sold.), Isl. Principe; De Seabra 1917, p. 24, Isl. of S. Thomé; Sjöstedt 1926, pp. 39-40, also Isl. Fernando Po.

Winged, sold.

W. Africa.

Ethiopian.

Neotermes gracilignathus (Emerson).

Kalotermes (*Neotermes*) *gracilignathus* Emerson 1924, pp. 392-394, figs. a-e, winged, sold., Juan Fernandez and Easter Isls., W. coast So. America.

Holotype: winged; morphotype: sold., Naturhist. Riksmuseet, Stockholm, Sweden; paratypes: A.M.N.H.

Winged, sold.

W. coast So. America.

Neotropical.

Neotermes grandis Light.

Neotermes grandis Light 1930a, pp. 27-29, pl. 2, fig. 9, pl. 3, fig. 5, pl. 4, fig. 3, pl. 5, figs. 3 and 11, sold., Philippines: Laguna Prov., Luzon, Mt. Maquiling.

Type: sold., Light coll., now in Emerson coll.

Sold.

Philippines: Luzon.

Indo-Malayan.

Neotermes greeni (Desneux).

Calotermes Greeni Desneux 1908, p. 388, im., sold., Ceylon.

Calotermes (*Neotermes*) *Greeni* Holmgren 1913b, p. 44, im., sold., fig. 4 (sold.), pl. 1, fig. 7 (sold.); 1913-14, p. 233; John 1925, p. 380; Kemner 1926, pp. 382-383.

Winged, neoteinic reproductive,
sold.

Ceylon.

Indo-Malayan.

Neotermes hirtellus (Silvestri).

Calotermes hirtellus Silvestri 1901, p. 1, im., Brazil: Itasisi (Cuyabà); 1903, p. 23, fig. 3 (wings), pl. 1, figs. 14-15 (im., sold.).

Winged, sold.

Brazil: Matto Grosso.

Neotropical.

Neotermes holmgreni Banks.

Neotermes holmgreni Banks 1918, p. 659, im., pl. 51, fig. 9 (im.), Rep. Panama: Taboga Isl.; Snyder 1925, p. 184, sold.

Type: im., M.C.Z.; paratypes and morphotype: sold., U.S.N.M.

Kalotermes (*Neotermes*) *clarei* Emerson 1925, pp. 316-318, im., sold., Brit. Guiana: Georgetown.

Winged, sold.

Middle (Panama) and So.
America (Brit. Guiana).

Neotropical.

Neotermes howa (Wasmann).

Calotermes howa Wasmann 1897, p. 157, sold., Madagascar: Fenerive; Sjöstedt 1904, p. 19, Mauritius.

Calotermes (*Neotermes*) *howa* Holmgren 1911a, p. 54.

Neotermes howa Sjöstedt 1926, p. 42.

Neotermes howa var. *mauritiana* Sjöstedt 1926, p. 42, sold., Mauritius.

Sold.

Africa: Madagascar, Mauritius.

Malagasy.

Neotermes insularis (Walker).

Termes insularis Walker 1853, p. 521, im., New Zealand.

Calotermes insularis Hagen 1858, p. 42, im.; Hill 1925, p. 86, im., sold., Victoria.

Termes australis French 1893, p. 137, fig. 10 (sold. only), Victoria.

Termes insularis White 1846, p. 1-24, pl. II (pl. XXXV, fig. 4), Victoria.

Calotermes (*Neotermes*) *insularis* Holmgren 1911a, p. 54; Hill 1942, pp. 47-48, syn.

- Calotermes (Neotermes) deuqueti* Hill 1926b, pp. 196-199, fig. 1 (sold.), New So. Wales: Lismore.
- Calotermes irregularis* Froggatt 1896, p. 525, Queensland, North. Terr. (Darwin).
- Calotermes longiceps* Froggatt 1896, p. 529, New So. Wales.
- Calotermes malandensis* Mjöberg 1920, p. 12, im., sold., fig. 4, im., pl. 1, fig. 4, sold., fig. 6, egg, No. Queensland.
- Calotermes (Neotermes) oculifer* Mjöberg 1920, p. 19, sold., pl. 1, fig. 3, text fig. 8, No. Queensland.
- Calotermes (Neotermes) parallelicepts* Mjöberg 1920, pp. 16-19, fig. sold. mand., No. Queensland.
- Calotermes robustus* Froggatt 1896, p. 528, pl. 35, fig. 8, winged, New So. Wales.
Winged, sold.
New Zealand, Australia: Victoria, New So. Wales, Queensland, North. Terr. Australian.
- Neotermes kanehirae* (Oshima).
- Calotermes (Neotermes) kanehirae* Oshima 1917, p. 195, im., fig. 1, Caroline Isls.: Palao; 1942, pp. 381-384, im., sold., fig. 1 (sold. mand.), Nghus, Ngureketabel.
Winged, sold.
Caroline Isls.: Palao, Nghus. Papuan.
- Neotermes kartaboensis* (Emerson).
- Kalotermes (Neotermes) kartaboensis* Emerson 1925, pp. 318-319, im., Brit. Guiana: Kartabo.
Holotype: im., N. Y. Zool. Soc.
Winged.
Brit. Guiana: Kartabo. Neotropical.
- Neotermes ketelensis* Kemner.
- Neotermes ketelensis* Kemner 1932a, pp. 135-136, fig. 3, sold., Djampea Isl. between Celebes and Flores.
Sold.
Oceania: Djampea Isl. Indo-Malayan.
- Neotermes koshunensis* (Holmgren).
- Calotermes (Neotermes) koshunensis* Holmgren 1912a, p. 114, Formosa: Koshun distr.; 1913b, p. 42, im., sold., fig. 3 (sold.), pl. 1, fig. 8 (sold.), Formosa, China; Oshima 1914a, p. 1; Hozawa 1915, pp. 21-32, figs. 3-5 pl. 1, figs. 3-4.
- Calotermes koshunensis* Shiraki 1909, p. 241 (described in Japanese).
Winged, sold.
Formosa; China. Indo-Malayan.
- Neotermes lagunensis* (Oshima).
- Calotermes (Neotermes) lagunensis* Oshima 1920a, p. 490, sold., pl. 1, fig. 2, pl. 3, figs. 1-2, pl. 4, fig. 1, sold., Philippines: Luzon, Paete (Laguna Prov.).
Sold.
Philippines: Luzon. Indo-Malayan.

Neotermes larseni (Light).

Kalotermes (*Neotermes*) *larseni* Light 1935, pp. 239-242, figs. 1-4, pl. 9, fig. 3, winged, sold.,
Cocos Isl.; Wafer Bay.

Type: California Acad. Sci. Ent. No. 3912.

Winged, sold.

Cocos Isl. (off Costa Rica).

Neotropical.

Neotermes laticollis (Holmgren).

Calotermes (*Calotermes*) *laticollis* Holmgren 1910a, p. 137, im., sold., Seychelles: Mahé
near Morne Blanc, Long Isl., Silhouette.

Calotermes (*Neotermes*) *laticollis* Holmgren 1911a, p. 54, pl. 2, fig. 9 (im.), pl. 3, fig. 8
(im. wing.), pl. 4, fig. 6 (sold.).

Neotermes laticollis Sjöstedt 1926, p. 40, syn., loc.

Winged, sold.

Seychelles.

Malagasy.

Neotermes longipennis Kemner.

Neotermes longipennis Kemner 1930, pp. 299-300, adult, Sumatra: Fort de Kock.

Winged.

Sumatra.

Indo-Malayan.

Neotermes magnoculus (Snyder).

Kalotermes (*Neotermes*) *magnoculus* Snyder 1926d, p. 5, wing. female, Bolivia: Huachi.

Type: winged, U.S.N.M. No. 27644.

Winged.

Bolivia: Huachi.

Neotropical.

Neotermes major Snyder.

Neotermes connexus var. *major* Snyder 1922, pp. 11-12, dealated adult, Hawaii: Kaiwiki
(near Hilo).

Neotermes major Snyder 1924f, p. 383, sold., Terr. Hawaii.

Type. dealated adult, U.S.N.M. No. 24675; morphotype:
sold., M.C.Z.; comorphotype: sold., U.S.N.M.

Dealated adult, ?sold.

Terr. Hawaii: Hawaii.

Papuan.

Neotermes malatensis (Oshima).

Calotermes (*Neotermes*) *malatensis* Oshima 1917a, p. 221, sold., Philippines: Luzon;
1920a, p. 490 (loc.), Manila, Malate, pl. 1, fig. 1
(sold.); Light 1921, p. 250, loc., Manila.

Sold.

Philippines: Luzon.

Indo-Malayan.

Neotermes manni (Snyder).

Kalotermes (*Neotermes*) *manni* Snyder 1926d, p. 6, sold., Bolivia: Mapiri (near mouth).

Type: sold., U.S.N.M. No. 27645.

Sold.

Bolivia.

Neotropical.

Neotermes medius Oshima.

Neotermes medius Oshima 1923, pp. 3-4, im., Sumatra: Labuan Badjau, Simalur.

Im.

Sumatra.

Indo-Malayan.

Neotermes meruensis (Sjöstedt).

Calotermes meruensis Sjöstedt 1907a, p. 11, sold., biol., p. 9, sold., pl. 4, figs. C₁, C₂ (sold.), Germ. E. Africa: Meru region on river Ngare na nyuki.

Calotermes (*Neotermes*) *meruensis* Holmgren 1911a, p. 54.

Neotermes meruensis Sjöstedt 1926, pp. 40-41, syn., loc.

Calotermes athii Sjöstedt 1915, p. 6, Brit. E. Africa: Kamiti Riv., Athi Riv. region.

Neotermes athii Sjöstedt 1926, pp. 34-36, im.

Sold., im. (*athii*).

Brit. E. Africa (Kenya).

Ethiopian.

Neotermes microphthalmus (Light).

Kalotermes (*Neotermes*) *microphthalmus* Light 1930a, pp. 31-33, pl. 1, figs. 2 and 9, pl. 2, figs. 1 and 7, pl. 5, fig. 6, winged, Philippines: Horns of Negros.

Type: Light coll., now in Emerson coll.

Winged.

Philippines: Horns of Negros.

Indo-Malayan.

Neotermes militaris (Desneux).

Calotermes militaris Desneux 1904a, p. 146, sold., Ceylon.

Calotermes (*Neotermes*) *militaris* Holmgren 1911a, p. 54, pl. 4, fig. 4 (sold.); 1913b, p. 40, im., sold., fig. 2, pl. 1, fig. 6 (sold.).

Winged, sold.

Ceylon.

Indo-Malayan.

Neotermes militaris, var. *unidentatus* (Kemner).

Calotermes militaris var. *unidentatus* Kemner 1926, pp. 381-382, fig. 1 (sold.), Ceylon: Bogowantalawa.

Sold., neoteinic reproductives.

Ceylon.

Indo-Malayan.

?*Neotermes modestus* (Silvestri).

Calotermes modestus Silvestri 1901, p. 2, im., Argentina: Corrientes; 1903, p. 25, im., sold., etc., pl. 1, fig. 16 (substitute queen), fig. 17 (sold.).

King, substitute queen, sold.

So. America: Argentina.

Neotropical.

Neotermes nigeriensis (Sjöstedt).

Calotermes nigeriensis Sjöstedt 1911b, p. 181, im., So. Nigeria, Oban distr.

Neotermes nigeriensis Sjöstedt 1926, p. 40, pl. 2, fig. 7 (wings). Remarks.—Hegh 1922 confused this species with *C. (Neotermes) Nigeriae* Holm., nom. nudum.

Winged.

Africa: So. Nigeria.

Ethiopian.

Neotermes ovatus Kemner.*Neotermes ovatus* Kemner 1931, pp. 8-11, dealated, sold., fig. 3 (sold.), Amboina.

Dealated, sold.

Moluccas: Amboina.

Papuan.

Neotermes pallidicollis (Sjöstedt).*Calotermes pallidicollis* Sjöstedt 1902b, p. 302, im., Cameroon: Johann Albrechtshöle.*Calotermes* (*Neotermes*) *pallidicollis* Holmgren 1911a, p. 54.*Neotermes pallidicollis* Silvestri 1912, p. 213, S. Thomé: Vista Alegre.*Neotermes pallidicollis* Sjöstedt 1926, p. 36, syn., loc.

Im.

Africa: Cameroon, Isl. S. Thomé.

Ethiopian.

Neotermes papua (Desneux).*Calotermes papua* Desneux 1905, p. 367, sold., biol., N. Guinea; Simbang (Huon Gulf).*Calotermes* (*Neotermes*) *papua* Holmgren 1911a, p. 54; Hill 1927a, pp. 8-11, pl. 1, figs. 1-4, pl. 5, fig. 150, im., sold., New Britain: Rabaul; 1942, pp. 54-55, syn., loc.*Kalotermes* (*Neotermes*) *papua* Light 1932a, p. 77.

Oceania: New Guinea, New Britain.

Papuan.

Neotermes paraensis (Lima).*Kalotermes* (*Neotermes*) *paraensis* Lima 1942, pp. 2-4, figs. 1-2 (wings and sold.), wing, sold., Brazil: Rio de Janeiro.

Type: Escola Nac. de Agron.

Winged, sold.

Brazil: Rio de Janeiro.

Neotropical.

Neotermes parviscutatus (Light).*Kalotermes* (*Neotermes*) *parviscutatus* Light 1930a, pp. 30-31, pl. 1, fig. 8, pl. 2, fig. 6, pl. 3, fig. 7, king, queen, sold., Philippines: Negros Occidental.

Type: Emerson coll.

King, queen, sold.

Philippines: Negros.

Indo-Malayan.

Neotermes perfectus (Hagen).*Calotermes perfectus* Hagen 1858, p. 46, im., habitat unknown.*Termes quadricollis*? Walker 1853, p. 515

Type: Brit. Mus.

Im.

Neotermes praecox (Wollaston ms., *in* Hagen).*Calotermes praecox* Hagen 1858, pp. 51-53, pl. 3, fig. 3, im., Madeira.*Neotermes praecox* Grassé 1939, pp. 180-182, fig. 1, 184, sold., im.

Im., sold.

Isl. Madeira (off W. Coast No.

Africa).

Palaeartic.

Neotermes rainbowi (Hill).

Calotermes (*Neotermes*) *rainbowi* Hill 1926, p. 95, fig. 1 (wing., sold.), Ellice Group: Nanumea; 1942, pp. 55-56, loc.

Calotermes marginipennis Rainbow 1897, p. 100, Ellice Isl.: Funafuti.

Holotype: winged; morphotype: sold., Nat. Mus., Melbourne; paratypes: Hill coll.

Winged, sold.

Oceania: Ellice Isls.

Papuan.

Neotermes rouxi (Holmgren, N. and K.).

Calotermes (*Neotermes*) *rouxi* Holmgren, N. and K. 1915, p. 86, sold., New Caledonia: Mt. Canala, 700 m.; Hill 1942, p. 57.

Type: Basler Natural Hist. Mus.

Sold.

Oceania: New Caledonia.

Papuan.

Neotermes saleierensis Kemner.

Neotermes saleierensis Kemner 1932a, pp. 134-135, fig. 2 (sold.), im., sold., Saleier Isl. south of Celebes.

Alate, sold.

Oceania: Saleier Isl.

Indo-Malayan.

Neotermes samoanus (Holmgren).

Calotermes samoanus Holmgren 1912c, p. 282, dealated adult, Samoa: Apia.

Calotermes (*Neotermes*) *samoanus* Hill 1926d, p. 296, winged, sold.; 1927, pp. 2-5, figs. 1-4 (im., sold.), pl. 1, fig. 2 (forewing); 1942, p. 58, im., sold., syn., loc.

Calotermes (*Cryptotermes*) *samoanus* Holmgren 1911, p. 550, im., not described; 1911a, p. 55, Australia indefinite, not described.

Holotype: winged, Berlin Ent. Mus.; morphotype: sold., Brit. Mus.; topotypes: Hill coll.

Winged, sold.

Oceania: Samoa.

Papuan.

Neotermes sanctae-crucis (Snyder).

Kalotermes (*Neotermes*) *sanctae-crucis* Snyder 1925f, pp. 396-398, winged, sold., Santa Cruz Arch.: Graciosa Bay.

[*Neotermes sanctae-crucis* Hill 1942, p. 58, refers to *Calotermes* (*Neotermes*) *samoanus* Holmgren.]

Type: winged, M.C.Z. No. 15284; morphotype: sold.; paratypes U.S.N.M. and Hill coll.

Winged, sold.

Oceania: Santa Cruz Arch.

Papuan.

Neotermes sarasini (Holmgren, N. and K.).

Calotermes (*Neotermes*) *sarasini* Holmgren, N. and K. 1915, pp. 86-88, im., sold., New Caledonia: Prong; Loyalty Isls.: Lefou; Hill 1942, pp. 59-61.

Types: Basler Nat. Hist. Mus.; cotypes: Hill coll.

Winged, sold.

Oceania: New Caledonia.

Papuan.

Neotermes schultzei (Holmgren).

Calotermes (*Neotermes*) *schultzei* Holmgren 1911b, pp. 453-455, winged, sold., fig. 1,
German New Guinea: Sepik; Hill 1942, pp. 61-62.

Cotypes: Hill coll.

Winged, sold.

Oceania: New Guinea.

Papuan.

Neotermes semilunaris (Holmgren, N. and K.).

Calotermes (*Neotermes*) *semilunaris* Holmgren, N. and K. 1915, p. 88, sold., Loyalty Isls.:
Ouneu; Hill 1942, p. 63.

Type: Basler Nat. Hist. Mus.

Sold.

Oceania: Loyalty Isls.

Papuan.

Neotermes sepulvillus (Emerson).

Kalotermes (*Neotermes*) *sepulvillus* Emerson 1928, pp. 421-422, fig. 1, winged, Belgian
Congo: Stanleyville.

Holotype: winged, A.M.N.H.

Winged.

Africa: Belgian Congo.

Ethiopian.

Neotermes sinensis (Light).

Kalotermes sinensis Light 1924, pp. 54-57, sold., China: Kwantung Prov., Ting Wu Shan
Monastery West River.

Neotermes sinensis Light 1931, pp. 583, 585-586, syn.

Sold.

China.

Indo-Malayan.

Neotermes sjöstedti (Desneux).

Calotermes sjöstedti Desneux 1908, p. 389, winged, sold., New Hebrides: Espiritu Santo
Isl.; Hill 1942, pp. 63-64.

Types: Mus. Paris.

Winged, sold.

Oceania: New Hebrides.

Papuan.

Neotermes sonneratae Kemner.

Neotermes sonneratae Kemner 1932a, pp. 133-134, alate, sold., fig. 1 (sold.), Java:
Batavia; 1934, pp. 32-34, fig. 1 (sold.).

Winged, sold.

Java.

Indo-Malayan.

Neotermes superans Silvestri.

Neotermes superans Silvestri 1928, pp. 91-93, fig. 1 (winged female, sold.), Abyssinia:
Djem Forest 8,000-9,000 ft. (close to *europae* Wasm.).

Winged, sold.

Africa: Abyssinia.

Ethiopian.

Neotermes tectonae (Dammerman).

Calotermes tectonae Dammerman 1915, pp. 98-100, pl. 3, figs. 1-3 (sold., wings), Java: Keodoing-Djati (near *assmuthi* Holmg.).

Wings, sold.

Java.

Indo-Malayan.

Neotermes voeltzkowi (Wasmann).

Calotermes Voeltzkowi Wasmann 1897, p. 156, sold., pl. 11, figs. 5, 5a, pl. 12, fig. 37, Madagascar: Majunga.

Calotermes (*Neotermes*) *Voeltzkowi* Holmgren 1911a, p. 54.

Neotermes Voeltzkowi Sjöstedt 1926, p. 41, syn., loc.

Sold.

Africa: Madagascar.

Malagasy.

Neotermes wagneri (Desneux).

Calotermes Wagneri Desneux 1904c, p. 286, sold., Brazil: Montagne dos Orgues, Serra dos Orgãos, Rio de Janeiro; 1904e, p. 24, pl. 1, fig. 5 (sold.).

Kalotermes (*Neotermes*) ?*wagneri* Lima 1938, pp. 360-361, figs. 1-2 (sold.), figs. 3-8 (winged, sold.).

Kalotermes (*Neotermes*) *wagneri* Lima 1941, p. 386, fig. 11 (sold.).

Winged, sold.

So. America: Brazil.

Neotropical.

Neotermes zuluensis (Holmgren).

Calotermes (*Neotermes*) *zuluensis* Holmgren 1913d, p. 322, sold., So. Africa: Lake Sibayi, Zululand.

Neotermes zuluensis Fuller 1921, p. 29; Sjöstedt 1926, p. 41, syn., loc.

Sold.

So. Africa: Zululand.

Ethiopian.

PARANEOTERMES

Genus *Paraneotermes* Light.

Generitype: *Paraneotermes simplicicornis* (Banks).

=Subgenus *Paraneotermes* Light 1937a, pp. 423-464, pls. 15-17.

<Genus *Kalotermes* Banks (and Snyder) 1920, p. 16.

<Genus *Cryptotermes* Banks (and Snyder) 1920, p. 35.

Paraneotermes simplicicornis (Banks).

Kalotermes simplicicornis Banks (and Snyder) 1920, p. 32, fig. 19⁽²⁾ (sold.), Texas: Laguna.

Type: sold., U.S.N.M. No. 21858; paratype: sold., M.C.Z. No. 10545.

Paraneotermes simplicicornis Light 1937a, pp. 423-464, pls. 15-17.

Cryptotermes infumatus Banks (and Snyder) 1920, p. 38, im., Texas: Cotulla.

Winged, sold.

U. S. A.: Texas to California;

W. Mexico: Lower California.

Nearctic, Neotropical.

RUGITERMES

Genus *Rugitermes* Holmgren.

Generitype: *Rugitermes nodulosus* (Hagen).

=Subgenus *Rugitermes* Holmgren 1911a, pp. 53-54.

=Subgenus *Metaneotermes* Light 1932a, p. 78.

Rugitermes arthuri-muelleri (von Rosen).

Kalotermes (*Neotermes*) *arthuri-muelleri* von Rosen 1912, p. 221, im., Brazil: Corcovado (Rio de Janeiro).

Winged.

So. America: Brazil.

Neotropical.

Rugitermes athertoni (Light).

Kalotermes (*Metaneotermes*) *athertoni* Light 1932a, pp. 78-80, fig. 23 (sold.), pl. 1, pl. 2 (alate), Marquesas.

Winged, sold.

Oceania: Marquesas.

Papuan.

Rugitermes bicolor (Emerson).

Kalotermes (*Rugitermes*) *bicolor* Emerson 1925, pp. 320-323, fig. 26 (queen, sold.), Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.

Queen, sold.

So. America: Brit. Guiana.

Neotropical.

Rugitermes costaricensis (Snyder).

Kalotermes (*Rugitermes*) *costaricensis* Snyder 1926, pp. 18-20, winged, sold., Costa Rica: Santa Clara Prov., Hamburg Farm.

Cotypes: winged; comorphotypes: sold., U.S.N.M. No. 28655.

Winged, sold.

Middle America: Costa Rica.

Neotropical.

Rugitermes flavicinctus (Emerson).

Kalotermes (*Rugitermes*) *flavicinctus* Emerson 1925, pp. 323-324, fig. 27 (queen, sold.), Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.

Queen, sold.

So. America: Brit. Guiana.

Neotropical.

Rugitermes kirbyi (Snyder).

Kalotermes (*Rugitermes*) *kirbyi* Snyder 1926a, pp. 9-11, dealated female, sold., Costa Rica: Cartago.

Holotype: sold., U.S.N.M. No. 28729; morphotype: dealated female; topotypes: sold., U.S.N.M.; paratypes: Kirby coll.

Dealated female, sold.

Middle America: Costa Rica.

Neotropical.

Rugitermes magninotus (Emerson).

Calotermes (*Rugitermes*) *magninotus* Emerson 1925, pp. 324-326, fig. 28 (king, sold.),
Brit. Guiana: Kartabo.

Holotype: king; morphotype: sold., N. Y. Zool. Soc.

King, sold.

So. America: Brit. Guiana.

Neotropical.

Rugitermes nodulosus (Hagen).

Calotermes nodulosus Hagen 1858, p. 61, im., pl. 2, fig. 4 (wing), Brazil: St. Jão del Rey.

Calotermes rugosus var. *nodulosus* Silvestri 1901, p. 3, Brazil: Belle Vista.

Calotermes rugosus subsp. *nodulosus* Silvestri 1903, p. 33, im., sold., nymphs, Brazil: Bella
Vista (Alto Paraná).

Calotermes (*Rugitermes*) *nodulosus* Holmgren 1911a, p. 54, pl. 2, fig. 8 (im.), pl. 3, fig. 11
(wings).

Winged, sold.

So. America: Brazil.

Neotropical.

Rugitermes occidentalis (Silvestri).

Calotermes rugosus var. *occidentalis* Silvestri 1901, p. 3, im., Argentina: S. Ana, Tucumán.

Calotermes rugosus subsp. *occidentalis* Silvestri 1903, p. 32, im., sold., fig. 6 (wings), pl. 1,
fig. 24 (sold.), Argentina: Tafi Viejo, S. Ana.

Calotermes (*Rugitermes*) *occidentalis* Holmgren 1911a, p. 54.

Winged, sold.

So. America: Argentina.

Neotropical.

Rugitermes panamae (Snyder).

Calotermes panamae Snyder 1925, pp. 182-184, fig. 3 (sold.), Panama: Rio Chinilla, Canal
Zone.

Type: sold., U.S.N.M. No. 27266.

Calotermes (*Rugitermes*) *isthmi* Snyder 1925c, pp. 197-200, winged, sold., Panama:
Barro Colorado Isl., C. Z.

Winged, sold.

Middle America: Panama.

Neotropical.

Rugitermes rugosus (Hagen).

Calotermes rugosus Hagen 1858, p. 63, pl. 3, fig. 4 (im.), Brazil: Constancia (near Rio de
Janeiro); Silvestri 1901, p. 3, Argentina: Tigre,

S. Miguel, Villa Catalina (Buenos Aires); 1903, pp.
28-29, im., sold., nymphs, fig. 5 (wings), pl. 1, figs.
21-22 (im.), fig. 23 (sold.), also Uruguay: La Sierra.

Calotermes (*Rugitermes*) *rugosus* Holmgren 1911a, p. 54.

Type: Brit. Museum, im., M.C.Z.

Winged, sold.

So. America: Brazil, Argen-
tina, Uruguay.

Neotropical.

PROCRYPTOTERMES

Genus *Procryptotermes* Holmgren.

Generitype: *Procryptotermes fryeri* (Holmgren).

=Subgenus *Procryptotermes* Holmgren 1910, p. 285 (no descr.); 1911a, pp. 53, 55.

=Genus *Procryptotermes* Sjöstedt 1926, pp. 22-23, 31.

=Genus *Allotermes* Wasmann 1910a, p. 121.

><Subgenus *Proneotermes* (*perezi*) Holmgren 1911a, pp. 53-54.

<Subgenus *Cryptotermes* Hill 1942, pp. 7, 65.

Procryptotermes canalensis (Holmgren, N. and K.).

Calotermes (*Procryptotermes*?) *canalensis* Holmgren, N. and K. 1915, p. 88, winged, Ne Caledonia: Canala.

Calotermes (*Cryptotermes*) *canalensis* Hill 1942, pp. 72-74, winged, sold., fig. 30 (sold.).
Holotype: winged, Basler Nat. Hist. Mus.; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Oceania: Loyalty Isls., New Caledonia.

Papua

Procryptotermes corniceps (Snyder).

Glyptotermes corniceps Snyder 1923a, pp. 91-93, dealated adults, sold., pl. 8 (sold.), Puer Rico: Boqueron-Salinas.

Kalotermes (*Calcaritermes*) *corniceps* Snyder 1925b, p. 155.

Type: dealated male, U.S.N.M. No. 26199.

Dealated, sold.

W. Indies: Puerto Rico.

Neotropic

Procryptotermes fryeri (Holmgren).

Calotermes (*Procryptotermes*) *fryeri* Holmgren 1910a, p. 139, im., sold., etc., Aldabra Isl. Takamaka; 1911a, p. 55, pl. 4, figs. 11-12 (sold.).

Procryptotermes fryeri Sjöstedt 1926, pp. 31-32.

Type: Mus. Stockholm.

Winged, sold.

Africa: Indian Ocean, Aldabra Isl.

Malagas

Procryptotermes hubbardi (Banks).

Kalotermes hubbardi Banks (and Snyder) 1920, pp. 28-29, fig. 18 (sold.), pl. 2, fig. 4 (for wing), fig. 17 (dist.), im., sold., Arizona: Tucson

Holotype: winged, U.S.N.M. No. 21855; morphotype sold.; cotypes: im., sold., M.C.Z. No. 10535.

Winged, sold.

U. S. A.: Arizona, California;
W. Mexico: Lower California.

Nearctic and Neotropic

Procryptotermes jeannelanus (Sjöstedt).

Calotermes jeannelanus Sjöstedt 1915, p. 5, winged, Kilimandjaro: Neu Moschi; 1926, pp. 23, 27, Mus. Paris.

- Kaloterme mutubae* Harris 1948, pp. 73-75, im., sold., fig. 1 (wing, head, pronotum im.; head, pronotum, mandibles sold.). Uganda.
Types: Brit. Mus.
- Winged.
Africa: Tanganyika, Kilimanjaro, Uganda. Ethiopian.
- Procryptotermes paradoxus* (Wasmann).
Kaloterme paradoxus Wasmann 1910a, p. 121, fig. 4 (antennae sold.), SW. Madagascar; Tulear.
- Kaloterme* (*Procryptotermes*) *paradoxus* Holmgren 1911a, p. 55, pl. 4, fig. 16 (sold.).
Procryptotermes paradoxus Sjöstedt 1926, p. 32, syn., loc. sold.
Africa: Indian Ocean, Madagascar. Malagasy.
- Procryptotermes perezii* (Holmgren).
Kaloterme (*Proneotermes*) *perezii* Holmgren 1911a, pp. 53-54, pl. 3, fig. 7 (im.), pl. 4, fig. 3 (sold.), Costa Rica.
Kaloterme (*Proneotermes*) *perezii* Hare 1937, p. 467.
Kaloterme (*Kaloterme*) *perezii* Hare 1937, fig. 12 (work.? and sold. mand.).
Kaloterme marginipennis Kirby 1928.
Kaloterme snyderi Kirby 1930.
Winged, sold.
Middle America: Costa Rica. Neotropical.
- Procryptotermes queenslandis* (Hill).
Kaloterme (*Cryptotermes*) *queenslandis* Hill 1933a, pp. 45-47, pl. 2, fig. 14, winged, sold., Queensland: Toowoomba, New So. Wales; 1942, pp. 80-81, figs. 34-35 (im., sold.), syn., loc.
Holotype: sold.; morphotype: winged, C.S.I.R. coll., Canberra.
Winged, sold.
Australia: Queensland; New So. Wales, Victoria. Australian.
- Procryptotermes rapae* (Light and Zimmerman).
Kaloterme (?) *rapae* Light and Zimmerman 1936, pp. 5-9, dealated female, sold., fig. 1, p. 12, dist., Polynesia: Rapa.
Type: Bernice P. Bishop Mus.
Dealated female, sold.
Oceania: E. Polynesia, Isl. Rapa. Papuan.
- Procryptotermes speiseri* (Holmgren, N. and K.).
Kaloterme (*Procryptotermes*) *speiseri* Holmgren, N. and K. 1915, pp. 91-92, sold., New Hebrides: Ambrym.
Kaloterme (*Cryptotermes*) *speiseri* Hill 1942, p. 82.
Type: Basler Nat. Hist. Mus.
Sold.
Oceania: New Hebrides. Papuan.

Procryptotermes taurocephalus (Silvestri).

Calotermes taurocephalus Silvestri 1901, p. 3, sold., Brazil: Corumbà; 1903, p. 35, sold., etc.
pl. 1, fig. 29 (sold.).

Calotermes (*Procryptotermes*) *taurocephalus* Holmgren 1911a, p. 55, pl. 4, fig. 13 (sold.)
(*tauricephalus* misspelled.).

Cotype: Silvestri coll., Portici.

Sold.

So. America: Brazil.

Neotropical

Procryptotermes triceromegas (Silvestri).

Calotermes triceromegas Silvestri 1901, p. 2, sold., Argentina: Cosquin (Còrdoba); 1903,
p. 34, sold., etc., pl. 1, figs. 27-28 (sold.).

Cotype: Silvestri coll., Portici.

Calotermes (?*Procryptotermes*) *triceromegas* Holmgren 1911a, p. 55.

Sold.

Argentina.

Neotropical

CRYPTOTERMES

Genus *Cryptotermes* Banks.

Generitype: *Cryptotermes cavifrons* Banks.

Genus *Cryptotermes* Banks 1906, p. 336.

<Subgenus *Cryptotermes* (*Calotermes*) Holmgren 1911a, pp. 53, 55.

>Genus *Planocryptotermes* Light 1921a, p. 43, sold.

Cryptotermes albipes (Holmgren, N. and K.).

Calotermes albipes Holmgren, N. and K. 1915, pp. 89-90, im., Loyalty Isls.: Maré; Hill
1942, pp. 66-67.

Type: Basler Nat. Hist. Mus., Hill coll.

Im.

Oceania: Loyalty Isls., Maré.

Papua

Cryptotermes arcanus (Hill).

Calotermes (*Cryptotermes*) *arcanus* Hill 1925a, pp. 214-215, pl. 23, figs. 13-15, winged
sold., Lord Howe Isl.; 1942, pp. 67-68.

Holotype: sold.; morphotype: winged, Australian Museum,
Sydney.

Winged, sold.

Australia: Lord Howe Isl.

Australia

Cryptotermes bengalensis (Snyder).

Kalotermes (*Cryptotermes*) *bengalensis* Snyder 1934a, pp. 4-6, fig. 2 (winged, sold.), India:
Bengal: Sundarbans.

Cotypes: winged, Brit. Mus., U.S.N.M. and Forest Research
Inst., Dehra Dun; comorphotypes: sold.,
above. U.S.N.M. No. 50162.

Winged, sold.

India: Bengal.

Indo-Malaya

Cryptotermes breviarticulatus (Snyder).

Calotermes (*Cryptotermes*) *breviarticulatus* Snyder 1926a, pp. 11-12, winged, sold., Rep. Panama: Taboga Isl.

Holotype: sold., U.S.N.M. No. 28765; morphotype: winged.

Winged, sold.

Middle America: Panama.

Neotropical.

Cryptotermes brevis (Walker).

Termes brevis Walker 1853, p. 524, im., No. 33, Jamaica.

Calotermes brevis Hagen 1858, p. 68, pl. 2, fig. 6, pl. 3, fig. 5 (im.), West Indies: Jamaica, Cuba, St. Thomas; Brazil; Middle America; Mexico (St. Fe de Bogota).

Termes indecisus Walker 1853, p. 524, im., Colombia, No. 32.

Termes flavicollis Walker 1853, p. 502 (part), No. 1, im.? p. 503? sold.

Termes lucifugus Walker 1853, p. 505 (part), only im., No. 3.

Calotermes (*Cryptotermes*) *brevis* Holmgren 1911a, p. 55, America.

Cryptotermes brevis Banks 1919, p. 476, loc., Dominica.

Cryptotermes brevis Banks (and Snyder) 1920, p. 36, fig. 23 (3) (sold.).

Cryptotermes brevis (Banks and) Snyder 1920, p. 144, loc., U. S. A.: So. Florida.

Calotermes (*Cryptotermes*) *brevis* Emerson 1925, pp. 326-329, winged, sold., Brit. Guiana: Kartabo; Lever 1939, pp. 36-37, loc., Fiji.

Type: Brit. Mus.

Cryptotermes pseudobrevis Fuller 1921, p. 30, winged, sold., So. Africa: Durban; Sjöstedt 1926, p. 31; Light 1936, p. 125, *pseudobrevis*, *piceatus* Snyder and *darwini* Light possibly in synonymy with *brevis*; Emerson 1925, p. 327, and 1936, p. 410, in syn. with *brevis*.

Calotermes (*Cryptotermes*) *grassii* Silvestri ms., So. America: Chile: Iquique; Janicke, 1911, pp. 321-330; 1915, pp. 573-691; Kirby 1941, p. 54, protozoa same as in *brevis*.

Cryptotermes piceatus Snyder 1922, pp. 14-16, winged, sold., figs. 18-19 (wings), Terr. Hawaii: Oahu, Honolulu; Hawaii, Hilo; Light 1931, pp. 583-584, 588-589, loc.

Calotermes (*Cryptotermes*) *piceatus* Light 1932a, p. 84, Marquesas.

Winged, queens, sold.

U. S. A.: So. Florida, Louisiana; West Indies: Middle America and So. America: So. Africa: Durban; Midway Isld. thru Terr. Hawaii and Fanning Isl. to Marquesas; China: Hongkong; Fiji.

Nearctic and Cosmotropical.

Cryptotermes cavifrons Banks.

Cryptotermes cavifrons Banks 1906, p. 337, winged, sold., U. S. A.: Florida, Kissimmee.

Cryptotermes cavifrons Banks (and Snyder) 1920, pp. 35-38, fig. 23 (1-2) (sold.), fig. 24 (wing), fig. 25 (dist.).

Cryptotermes cavifrons (Banks and) Snyder 1920, pp. 142-143, loc.

Calotermes (*Cryptotermes*) *cavifrons* Holmgren 1911a, p. 55, pl. 3, fig. 12 (wings), pl. 4 fig. 8 (sold.).

Type: M.C.Z. No. 10549.

Winged, queen, sold.

U. S. A.: So. Florida; West Indies; Middle America.

Nearctic, Neotropical

Cryptotermes crassicornis (Holmgren).

Calotermes (*Cryptotermes*) *crassicornis* Holmgren 1911a, p. 55, not described but pl. 4 fig. 10 (sold.), habitat unknown.

Sold.

?America.

Cryptotermes cubicoceps (Emerson).

Kalotermes (*Cryptotermes*) *cubicoceps* Emerson 1925, pp. 330-331, fig. 31 (*d* and *e*) (sold.), Brit. Guiana: Kartabo.

Holotype: sold., N. Y. Zool. Soc.

Sold.

So. America: Brit. Guiana: Kartabo.

Neotropica

Cryptotermes cyanocephalus Light.

Cryptotermes cyanocephalus Light 1921a, p. 36, pl. 2 (sold.), winged, sold., Philippines: Manila.

Type: No. 25, No. 67, gen. coll.

Cryptotermes buitenzorgi Kemner 1934, pp. 45-47, fig. 5 (sold.), winged, sold., Java: Buitenzorg.

Winged, sold.

Philippines, Java.

Indo-Malaya

Cryptotermes darwini (Light).

Kalotermes (*Cryptotermes*) *darwini* Light 1935, pp. 242-244, pl. 9, figs. 1-2, 7-8 (winged, sold.), Galapagos Isls.

Type: California Acad. Sci. Ent. No. 3913 [possibly *brevis*].

Winged, sold.

Galapagos Isls. (off Ecuador).

Neotropica

Cryptotermes dolei (Light).

Kalotermes (*Cryptotermes*) *dolei* Light 1932a, pp. 81-83, alate, sold., fig. 24, pl. 3 (winged, sold.), Marquesas [possibly *domesticus*].

Winged, sold.

Polynesia (So. Pacific): Marquesas Isls.

Papua

Cryptotermes domesticus (Haviland).

Calotermes domesticus Haviland 1898, p. 374, pl. 23, figs. 3-6, wing. male, female, sold. Singapore, Sarawak.

Type: No. 376.

- Calotermes (Cryptotermes) domesticus* Holmgren 1911a, p. 55, pl. 4, fig. 9 (sold.); 1913b, p. 46, im., sold., pl. 1, fig. 16 (sold.), Siam: Bangkok, Mus. Vienna.
- Cryptotermes domesticus* Oshima 1923, p. 5, im., Sumatra: Sinabang, Simalur.
- Calotermes (Cryptotermes) buxtoni* Hill 1926d, p. 298; 1927, pp. 9, 13, im., sold., figs. 10-14, Samoa: Apia, Upolu Isl.; 1942, pp. 70-72, syn. *buxtoni* and following species = *domesticus*.
- Cryptotermes campbelli* Light 1924, pp. 57-60, queen, sold., China: Hainan; 1931, pp. 583-584, 586-587, Hainan, Kwangtung.
- Calotermes (Cryptotermes) dentatus* Oshima 1914, pp. 289-291, im., sold., fig. 1 (sold. mand.); Formosa; 1914a, p. 2, pl. 1, fig. 1, pl. 2, figs. 8-9, Formosa.
- Calotermes (Cryptotermes) formosae* Holmgren 1912a, pp. 119-120, im., sold., Formosa: Botel-Tobago.
- Calotermes (Cryptotermes) Formosae* Holmgren 1913b, p. 47, im., sold., fig. 5, pl. 1, fig. 17 (sold.).
- Calotermes (Cryptotermes) kotoensis* Oshima 1914a, p. 1; and *ogasawarensis* Oshima 1913, p. 274; 1914, p. 291, are in syn. with *domesticus*.
- Calotermes (Cryptotermes) kotoensis* Hozawa 1915, p. 52, figs. 11-13, pl. 2, figs. 9-10, syn.
- Cryptotermes hermsi* Kirby 1925, pp. 437-441, wing., sold., Fanning Isl.; Light 1946, p. 9, Guam.
- Kalotermes (Cryptotermes) hermsi* Light 1932a, p. 83, Marquesas.
- Calotermes (Cryptotermes) gulosus* Hill 1927a, pp. 11-13, pl. 1, figs. 5-11, pl. 5, fig. 151, pl. 8, fig. 152, im., queen, sold., Papua: (30 mi. SE. Port Moresby).
- Calotermes (Cryptotermes) repentinus* Hill 1927a, pp. 13-14, pl. 1, fig. 13 (im.), New Britain: Rabaul.
- Winged, queen, sold.
India; China; Formosa; Siam.
Malay Arch.; Sumatra; Krakatau; Sarawak; Marianas; Guam; Papua; New Britain; Solomon Isls.; Fiji; Samoa; Fanning Isl.; Flint; Society Isls.; Australian Isls.; Marquesas; Oeno.
- Indo-Malayan, Papuan.
- Cryptotermes dudleyi* Banks.
- Cryptotermes dudleyi* Banks 1918, p. 660, im., sold., pl. 51, fig. 3 (sold.), Panama.
Type: M.C.Z.; paratypes: Amer. Mus. Nat. Hist.
- Cryptotermes dudleyi* Snyder 1926, p. 27, winged, Costa Rica.
- Cryptotermes (Planocryptotermes) dudleyi* Light 1937, p. 17, syn.
- Cryptotermes (Planocryptotermes) javanicus* Kemner 1934, pp. 47-49, fig. 6 (sold.), Java: Buitenzorg.
- Calotermes (Cryptotermes) Jacobsoni* Holmgren 1913b, p. 48, im., Java; 1913-14, p. 235, im., E. Sumatra.
- Planocryptotermes nocens* Light 1921a, p. 43, im., sold., Philippines: Manila.
- Cryptotermes (Planocryptotermes) primus* Kemner 1932a, pp. 151-153, alate, sold., fig. 8 (sold.), Ceylon.
- Calotermes (Cryptotermes) secundus* Hill 1925a, pp. 215-216, pl. 13, fig. 16 (sold.), North. Terr.: Darwin.

Cryptotermes thompsonae Snyder 1922, pp. 16-18, pl. 2, winged, sold., Panama: Ancor
C. Z.; 1925, p. 179, syn.

Calotermes (Cryptotermes) torresi Hill 1927a, p. 12, im., sold., Thursday Isl.
Winged, sold.

Middle America: Costa Rica,
Panama; So. America: Co-
lombia; Ceylon; Philippines;
Sumatra; Java; New Guinea;
No. Australia: North. Terr.,
Thursday Isl. (Queensland).

Neotropical, Indo-Malayan, Papuan, Australian

Cryptotermes fatulus (Light).

Kalotermes (Cryptotermes) fatulus Light 1935, pp. 245-247, pl. 9, figs. 4, 6 (dealated adult
sold.), new name for *K. (Cryptotermes) occidentalis*

Kalotermes (Cryptotermes) occidentalis Light 1933, pp. 103-104, winged, Tres Maria
Isls.: Maria Madre Isl.

Winged.

W. Mexico: Tres Marias Isls.:
Maria Madre Isl.

Neotropical

Cryptotermes gearyi (Hill).

Calotermes (Cryptotermes) gearyi Hill 1942, pp. 83-84, figs. 36-37 (winged, sold.), Queens-
land: Dalby.

Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: Queensland.

Australian

Cryptotermes havilandi (Sjöstedt).

Calotermes domesticus Sjöstedt 1897a, p. 212, im., Fernando Po. Camerun (nom. praeoccup.)

Calotermes Havilandi Sjöstedt 1900a, p. 43, pl. 1, figs. C₁₋₃; Wasmann 1910a, p. 120
Comoren Isls.

Cryptotermes Havilandi Silvestri 1914-15, p. 6, fig. I₁₋₃ (sold.).

Calotermes (Cryptotermes) Havilandi Holmgren 1911a, p. 55.

Cryptotermes Havilandi Sjöstedt 1926, pp. 29-30, im., sold., syn., loc.

Calotermes lamanianus Sjöstedt 1911, p. 137, im., sold., fig., Congo: Mukimbungu
Hegh 1922, pp. 346, 683.

Cryptotermes senegalensis Silvestri 1914-15, p. 7, fig. II, 1-7 (sold.), Senegal: Thiès.

Cryptotermes lamanianus subsp. *senegalensis* Grassé 1937a, p. 8, sold., im.

Cryptotermes sp. Adamson 1940, p. 13, biol., loc., Trinidad and Tobago: Speysid
(introduced).

Winged, sold.

Africa: Senegal, Ivory and
Gold Coasts, Nigeria, Cam-
eroon, Fernando Po, Belgian
Congo, E. Africa, Comoro
Isl., Madagascar. W. Indies
(introduced)

Ethiopian, Malagasy, Neotropical (introduced)

Cryptotermes longicollis Banks.*Cryptotermes longicollis* Banks 1918, p. 661, pl. 51, fig. 8 (sold.), Panama.Type: Amer. Mus. Nat. Hist., N. Y. C.; paratypes:
M.C.Z., U.S.N.M.*Kaloterme*s (*Lobitermes*) *longicollis* Snyder 1925, p. 179.

Winged, sold.

Middle America: Panama.

Neotropical.

Cryptotermes merwei Fuller.*Cryptotermes merwei* Fuller 1921, p. 29, im., sold., So. Africa: Natal.*Cryptotermes Merwei* Sjöstedt 1926, pp. 30-31.

Winged, sold.

So. Africa: Natal.

Ethiopian.

Cryptotermes pallidus (Rambur).*Termes pallidus* Rambur 1842, p. 303, im., Isle de France (Mauritius).*Caloterme*s *pallidus* Hagen 1858, p. 71, im.*Caloterme*s (*Cryptotermes*) *pallidus* Holmgren 1911a, p. 55.*Cryptotermes pallidus* Sjöstedt 1926, p. 29.*Kaloterme*s (*Cryptotermes*) *pallidus* Moutia 1936, p. 9, im., sold., figs. 1, 2.*Caloterme*s *Havilandi* subsp. *parasita* Wasmann 1910a, p. 120, im., Mauritius only.*Cryptotermes parasita* Sjöstedt 1926, p. 30, Mauritius only.

Winged, sold.

Isl. Mauritius (Indian Ocean).

Malagasy.

Cryptotermes parasitus (Wasmann).*Caloterme*s *Havilandi* subsp. *parasita* Wasmann 1910a, p. 120, im., Isl. Europa (Canal of
Mosambique) [from Mauritius only = *pallidus*].*Caloterme*s (*Cryptotermes*) *parasita* Holmgren 1911a, p. 55, Africa.*Cryptotermes parasita* Sjöstedt 1926, p. 30, winged, Comoro, Madagascar.

Winged.

Indian Ocean Isls.: Europa,

Comoro, Madagascar.

Malagasy.

Cryptotermes perforans Kemner.*Cryptotermes perforans* Kemner 1932a, pp. 153-155, alate, sold., Ceylon: Colombo.

Winged, sold.

Ceylon.

Indo-Malayan.

Cryptotermes primus (Hill).*Caloterme*s (*Cryptotermes*) *primus* Hill 1921a, p. 446, figs. 35-40 (winged, sold.), No.
Queensland: Townsville; 1942, pp. 78-79, winged,
sold., fig. 33 (sold.), Queensland, New So. Wales.Holotype: sold.; morphotype: winged, Nat. Museum,
Melbourne.

Winged, sold.

Australia: Queensland, New

So. Wales.

Australian.

Cryptotermes rospigliosi Snyder.

Cryptotermes rospigliosi Snyder 1922, pp. 13-14, fig. 17 (winged), Peru: Lima.
Holotype: male wing., U.S.N.M. No. 24567.

Winged.

So. America: Peru.

Neotropical.

Cryptotermes solidus (Hagen).

Calotermes solidus Hagen 1858, p. 70, im., habitat unknown.
Type: British Museum.

Termes ochraceus Walker 1853, p. 507.

Calotermes (Cryptotermes) solidus Holmgren 1911a, p. 55.

Winged.

Cryptotermes sumatrensis Kemner.

Cryptotermes sumatrensis Kemner 1930, pp. 301-305, figs. 1-8, adult, sold. (fig.), Sumatra:
Fort de Kock.

Winged, sold.

Sumatra.

Indo-Malayan.

Cryptotermes venezolanus (Holmgren).

Calotermes (Cryptotermes) venezolanus Holmgren 1911a, p. 55, not descr., pl. 2, fig. 10
(im.), America; 1911, p. 550, im.

Winged.

America.

Neotropical.

Cryptotermes verruculosus (Emerson).

Kalotermes (Cryptotermes) verruculosus Emerson 1925, pp. 329-330, fig. 30 (im., sold.),
Brit. Guiana: Kartabo.

Holotype: sold.; morphotype: queen, N. Y. Zool. Soc.

Queen, sold.

So. America: British Guiana.

Neotropical.

EUCRYPTOTERMES

Genus *Eucryptotermes* Holmgren.

Generitype: *Eucryptotermes hageni* (Fr. Müller).

=Subgenus *Eucryptotermes (Calotermes)* Holmgren 1911a, pp. 53, 55.

Eucryptotermes wheeleri Snyder and Emerson, new name.

Calotermes Hageni Fr. Müller 1873, p. 341, Santa Catherina: Blumenau. (Preoccupied
by *Termes (Calotermes) Hageni* Goldenberg 1854,
p. 37), an arachnid.

Calotermes (Eucryptotermes) Hageni Holmgren 1911a, pp. 53, 55, im., sold., pl. 3, fig. 15
(wings), pl. 4, fig. 23 (sold.), So. America.

Winged, sold.

So. America.

Neotropical.

GLYPTOTERMES

(En-
graved)Genus *Glyptotermes* Froggatt.Generitype: *Glyptotermes tuberculatus* Froggatt.Genus *Glyptotermes* Froggatt 1896, p. 543.=Subgenus *Glyptotermes* Holmgren 1910, p. 285 (no descr.); 1911a, pp. 53, 55; 1913b, p. 37.<Genus *Glyptotermes* Sjöstedt 1926, p. 42, fig. 10 (forewing).(Rag-
ged)>Subgenus *Lobitermes* (*Calotermes*) Holmgren 1911a, pp. 53, 55.*Glyptotermes almorensis* (Gardner).*Kalotermes* (*Glyptotermes*) *almorensis* Gardner 1944, pp. 104-105, fig. 1 (sold.), winged, sold., Bajivar, Almora distr., U.P., India.

Winged, sold.

India.

Indo-Malayan.

Glyptotermes angustus (Snyder).*Kalotermes* (*Glyptotermes*) *angustus* Snyder 1925, pp. 184-185, winged, sold., Rio Chinilla, C. Z., Panama.

Type: sold.; morphotype: winged, U.S.N.M. No. 27267.

Glyptotermes barbouri Snyder 1925, pp. 185-186, dealated male, sold., Barro Colorado Isl., C. Z.

Winged, sold.

Panama.

Neotropical.

Glyptotermes asperatum (Snyder).*Kalotermes* (*Calcaritermes*) *asperatum* Snyder 1926, pp. 20-22, winged, sold., Hamburg Farm, Santa Clara Prov., Costa Rica.

Cotypes: sold.; comorphotypes: winged, U.S.N.M. No. 28656.

Winged, sold.

Costa Rica.

Neotropical.

Glyptotermes bilobatus (Snyder).*Kalotermes* (*Glyptotermes*) *bilobatus* Snyder 1934, pp. 95-96, fig. 1, sold., Hamburg Farm, Costa Rica.

Type: sold., U.S.N.M. No. 50213.

Sold.

Costa Rica.

Neotropical.

Glyptotermes borneensis (Haviland).*Calotermes borneensis* Haviland 1898, p. 376, im., sold., worker, Sarawak.

Type: No. 439.

Calotermes (*Glyptotermes*) *borneensis* Holmgren 1911a, p. 56, pl. 2, fig. 11 (im.), pl. 3, fig. 15 (wings), pl. 4, figs. 19-20 (sold.); 1913b, pp. 54-55, fig. 9 (sold. mand.), pl. 1, fig. 9 (sold.); 1913-14, pp. 233-234, im., sold.

Winged, sold.

Sarawak.

Indo-Malayan.

Glyptotermes brevicaudatus (Haviland).*Calotermes brevicaudatus* Haviland 1898, p. 375, im., sold., Sarawak.

Type: No. 237.

Calotermes (*Glyptotermes*) *brevicaudatus* Holmgren 1911a, p. 56, pl. 4, fig. 21, sold.; 1913b, pp. 52-53, pl. 1, figs. 13a-b (sold.¹⁻²); 1913-14, p. 234, E. Sumatra.

Winged, sold.

Sarawak, Sumatra.

Indo-Malayan.

Glyptotermes brevicornis Froggatt.*Glyptotermes brevicornis* Froggatt 1896, p. 547, pl. 36, figs. 6, 6a, im., sold., Queensland: MacKay.*Calotermes* (*Glyptotermes*) *brevicornis* Mjöberg 1920, p. 24, im., sold.; Hill 1942, pp. 86-89, figs. 38-39, syn.*Calotermes* (*Glyptotermes*) *affinis* Mjöberg 1920, p. 21, im., sold., pl. 2, fig. 7, fig. 9b (im.), pl. 1, fig. 7, figs. 9a-10 (sold.), So. Queensland.*Calotermes* (*Glyptotermes*) *clari-pennis* Hill 1925a, pp. 212-214, pl. XXIII, winged, Lord Howe Isl.*Calotermes* (*Glyptotermes*) *dubius* Mjöberg 1920, p. 26, im., sold., fig. 11a, No. Queensland.*Calotermes* (*Glyptotermes*) *nigrolabrum* Hill 1921a, p. 437, figs. 12-19, king, queen, sold., N. Queensland.*Calotermes* (*Glyptotermes*) *perangustus* Hill 1926b, pp. 199, 201, dealated, sold., New So. Wales.*Calotermes* (*Glyptotermes*) *trilineatus* Mjöberg 1920, p. 24, im., sold., fig. 11b, sold., Queensland.Type: wings *brevicornis*; cotypes, *affinis*, *trilineatus* and *dubius*, in Nat. Hist. Mus. Stockholm and Hill coll.; types: *perangustus* in Nat. Mus., Melbourne; *clari-pennis* in Australian Mus., Sydney; *nigrolabrum* in Hill coll.

Winged, sold.

Queensland; New So. Wales;

Lord Howe Isl.; Fiji?

Australian.

Glyptotermes buttel-reepeni (Holmgren).*Calotermes* (*Glyptotermes*) *buttel-reepeni* Holmgren 1913-14, pp. 233-234, im., sold., pl. 7, fig. 1, Malacca; (1913, pp. 49-50, key im., sold.).

Winged, sold.

Malacca.

Indo-Malayan.

Glyptotermes canellae (Fr. Müller).*Calotermes canellae* Fr. Müller 1873, p. 334 (im.), Argentina: S. Pedro (Misiones).*Calotermes lobicephalus* Silvestri 1901, p. 3, sold.; 1903, p. 36, sold., pl. 1, figs. 20-32, sold.*Calotermes* (*Lobitermes*) *canellae* Holmgren 1911a, p. 56, syn., pl. 2, figs. 12-13 (im.), pl. 4, figs. 14-15 (sold.).

Winged, sold.

So. America.

Neotropical.

Glyptotermes caudomunitus Kemner.*Glyptotermes caudomunitus* Kemner 1932a, pp. 137-138, fig. 4, alate, sold., W. Java: Depok.

Winged, sold.

Java.

Indo-Malayan.

Glyptotermes ceylonicus (Holmgren).

Calotermes (*Glyptotermes*) *ceylonicus* Holmgren 1911c (*in* Escherich), p. 189, im., Ceylon: Peradeniya; 1913b, p. 55, im., sold., fig. 10, pl. 1, fig. 12, sold.

Winged, sold.

Ceylon.

Indo-Malayan.

Glyptotermes chapmani (Light).

Calotermes (*Glyptotermes*) *chapmani* Light 1930a, pp. 33-40, pl. 1, figs. 3, 4, 6, 10, pl. 2, figs. 2, 5, pl. 3, figs. 4, 6, pl. 4, figs. 4, 8, 9, 14, winged, sold., Quiot, Leyte.

Type: alate female; allotype: alate male; morphotype: sold., Light coll. (Emerson coll.); paratypes, U.S.N.M.

Winged, sold.

Philippines.

Indo-Malayan.

Glyptotermes contracticornis (Snyder).

Calotermes contracticornis Snyder 1925b, pp. 153-154, sold., Navarro, Costa Rica.

Calotermes (*Neotermes*) *contracticornis* Hare 1937, p. 467, pl. VII, fig. 13.

Type: sold., U.S.N.M. No. 27733.

Sold.

Costa Rica.

Neotropical.

Glyptotermes coogensis (Holmgren, K. and N.).

Calotermes (*Glyptotermes*) *coogensis* Holmgren, K. and N. 1917, p. 139, sold., Coord, Sidapur, India.

Sold.

India.

Indo-Malayan.

Glyptotermes dentatus (Haviland).

Calotermes dentatus Haviland 1898, p. 375, wing. female, sold., Sarawak.

Type: No. 355.

Calotermes (*Glyptotermes*) *dentatus* Holmgren 1911a, p. 55; 1913b, p. 51, im., sold., fig. 6, sold., pl. 1, fig. 15, sold.

Calotermes dentatus Oshima 1914, p. 289, Japan.

Winged, sold.

Sarawak, Japan.

Indo-Malayan.

Glyptotermes dilatatus (Bugnion and Popoff).

Calotermes dilatatus Bugnion and Popoff 1910a, pp. 137-143, fig. 13, sold., Ambalangoda, Ceylon.

Calotermes (*Glyptotermes*) *dilatatus* Holmgren 1911a, p. 55, pl. 4, fig. 22, sold., India; 1913b, p. 56, im., sold., fig. 11, sold., pl. 1, fig. 10, sold.; 1913-14, pp. 234-235, im., sold.

Winged, sold.

Ceylon.

Indo-Malayan.

Glyptotermes eucalypti Froggatt.

Glyptotermes eucalypti Froggatt 1896, p. 548, pl. 35, figs. 5, 5a, im., sold., New So. Wales
Sydney, etc.

Calotermes (Glyptotermes) eucalypti Hill 1942, p. 89.

Cotype: winged, So. Austral. Mus., Hill coll.; cotype
sold., So. Austral. Mus.

Winged, sold.

Australia.

Australian

Glyptotermes fuscus Oshima.

Glyptotermes fuscus Oshima 1912, p. 67, pl. 1, fig. 15.

Calotermes (Glyptotermes) fuscus Oshima 1913, p. 274, syn.; 1914a, p. 2.

Calotermes (Glyptotermes) fuscus Hozawa 1915, pp. 42-51, pl. II, figs. 7-8, figs. 9-10
winged, sold., Formosa, Loo-choo, Bonin Isl.

Calotermes (Glyptotermes) Hozawae Holmgren 1912a, p. 118; 1913b, p. 53, fig. 8
pl. 1, fig. 14, sold.

Winged, sold.

Formosa, Loo Choo, Bonin Isl.

Indo-Malayan

Glyptotermes guianensis (Emerson).

Kalotermes (Glyptotermes) guianensis Emerson 1925, pp. 335-336, fig. 33, im., sold., Bri
Guiana: Kartabo, Emerson coll.

Holotype: sold.; morphotype: dealated imago, N. Y.
Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropica

Glyptotermes hospitalis (Emerson).

Kalotermes (Glyptotermes) hospitalis Emerson 1925, pp. 336-337, fig. 34, im., sold., Bri
Guiana: Kartabo, Emerson coll.

Holotype: sold.; morphotype: queen, N. Y. Zool. So

Winged, sold.

Brit. Guiana.

Neotropica

Glyptotermes insulanus Silvestri.

Glyptotermes parvulus Sjöstedt subsp. *insulanus* Silvestri 1912, p. 216, fig. 11, 1-12, winged
sold., Isl. Principe.

Glyptotermes insulanus Sjöstedt 1926, p. 43, syn., Isl. Principe.

Winged, sold.

Africa: Isl. Principe.

Ethiopia

Glyptotermes iridipennis Froggatt.

Glyptotermes iridipennis Froggatt 1896, p. 546, pl. 36, figs. 5, 5a, winged, Victoria: Frank
ton.

Calotermes (Glyptotermes) iridipennis Hill 1925a, p. 210, pl. 23, figs. 8-9, queen, sold
Victoria; 1942, pp. 90-92, figs. 40-41, winged, sold.

Holoneotype: winged (Melbourne); morphotype: sold
Nat. Mus., Melbourne.

Winged, sold.

Victoria, New So. Wales, So.

Australia.

Australia

Glyptotermes latifrons (Silvestri).

Kalotermes latifrons Silvestri 1901, p. 2, sold., Venezuela: La Trincheras.

Sold.

So. America: Venezuela.

Neotropical.

Glyptotermes liberatus (Snyder).

Kalotermes (*Kalotermes*) *liberatus* Snyder 1929, pp. 81, 83, sold. only, Jamaica: Cinchona.

Type: sold., Amer. Mus. Nat. Hist.

Kalotermes posticus Banks 1919, p. 478, sold. only, pl. 1, figs. 8, 12.

Sold.

Jamaica.

Neotropical.

Glyptotermes luteus Kemner.

Glyptotermes luteus Kemner 1931, pp. 11-14, winged, sold., fig. 4, winged, sold., Amboina.

Winged, sold.

Amboina.

Papuan.

Glyptotermes marlatti (Snyder).

Kalotermes (*Glyptotermes*) *marlatti* Snyder 1926, pp. 25-26, winged, sold., Hamburg Farm, S. Clara Prov., Costa Rica.

Cotype: sold., comorphotype: winged, U.S.N.M. No. 28659.

Winged, sold.

Costa Rica.

Neotropical.

Glyptotermes minutus Kemner.

Glyptotermes minutus Kemner 1932a, pp. 149-150, alate, sold., Ceylon.

Winged, sold.

Ceylon.

Indo-Malayan.

Glyptotermes montanus Kemner.

Glyptotermes montanus Kemner 1934, pp. 39-40, fig. 3, sold., im., sold., Java.

Winged, sold.

Java.

Indo-Malayan.

Glyptotermes neotuberculatus (Hill).

Kalotermes (*Glyptotermes*) *neotuberculatus* Hill 1933a, pp. 42-43, pls. I-II, figs. 8-13, winged, sold., Austral. Capital Terr.; 1942, pp. 92-94, figs. 2, 42-43, winged, sold.

Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Australian Capital Terr., New

So. Wales, Victoria.

Australian.

Glyptotermes nevermani (Snyder).

Kalotermes (*Glyptotermes*) *nevermani* Snyder 1926, p. 26, sold., Volcano Irazu, Costa Rica.

Cotype: sold., U.S.N.M. No. 28660.

Sold.

Costa Rica.

Neotropical.

Glyptotermes niger Kemner.

Glyptotermes niger Kemner 1934, pp. 43-44, im., sold., Tjisolok near Wijnkoopsbaai so. coast W. Java.

Winged, sold.

Java.

Indo-Malayan.

Glyptotermes parvulus (Sjöstedt).

Calotermes parvulus Sjöstedt 1907, p. 234, queen, sold., Congo: Mukimbungu.

Calotermes (*Glyptotermes*) *parvulus* Holmgren 1911a, p. 56.

Glyptotermes parvulus Silvestri 1914-15, p. 8, Gold Coast: Aburi; Sjöstedt 1926, p. 43, fig. 11, pl. 1, fig. M₁₋₂; Belg. Congo, Gold Coast; Grassé 1937a, p. 14, sold., Ivory Coast.

Queen, sold.

Congo, Uganda, Gold and Ivory
Coasts, Africa.

Ethiopian.

Glyptotermes pellucidus (Emerson).

Kalotermes (*Glyptotermes*) *pellucidus* Emerson 1925, pp. 331-332, fig. 31, a, b, c, im., Brit. Guiana: Kartabo.

Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical.

Glyptotermes perparvus (Emerson).

Kalotermes (*Glyptotermes*) *perparvus* Emerson 1925, pp. 332-334, fig. 32, im., sold., Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Glyptotermes pinangae (Haviland).

Calotermes pinangae Haviland 1898, p. 374, im., sold., Sarawak.

Type: No. 235.

Calotermes (*Lobitermes*) *pinangae* Holmgren 1911a, p. 56, pl. 4, figs. 17-18, sold.; 1913b, p. 59, im., sold., fig. 13, pl. 1, fig. 18, sold.

Winged, sold.

Sarawak.

Indo-Malayan.

Glyptotermes planus (Snyder).

Kalotermes (*Glyptotermes*) *planus* Snyder 1925b, pp. 158-159, winged female, sold., Colombiana, Costa Rica.

Type: sold.; morphotype: wing. female, U.S.N.M. No. 27736.

Winged, sold.

Costa Rica.

Neotropical.

?*Glyptotermes posticus* (Hagen).

Calotermes posticus Hagen 1855, p. 67 (im.), West Indies: St. Thomas; 1858a, p. 10 (im.).

?*Calotermes* (*Cryptotermes*) *posticus* Holmgren 1911a, p. 55, America.

?*Kalotermes posticus*? Banks 1919, p. 477, im. only, Jamaica, Cuba, Haiti, St. Thomas.

?*Kalotermes liberatus* Snyder 1929, p. 81, discus., p. 83, im. only, St. Thomas, Cuba, Haiti.

Winged.

West Indies.

Neotropical.

Glyptotermes pubescens Snyder.

Glyptotermes pubescens Snyder 1924c, pp. 10-11, dealated adult, sold., Porto Rico: Aibonito.

Type: dealated, U.S.N.M. No. 25415.

Dealated, sold.

Puerto Rico.

Neotropical.

Glyptotermes satsumensis (Matsumura).

Termes sp. Matsumura 1904, p. 24, fig. 9.

Termes satsumensis Matsumura 1907, p. 53, fig. 43, winged, Prov. of Satsuma, Formosa.

Calotermes (*Glyptotermes*) *satsumaensis* Holmgren 1912a, p. 116; 1913b, p. 57, im., sold. 1

and 2, fig. 12, pl. 1, fig. 11, sold.; Oshima 1914a, p. 1;

Hozawa 1915, pp. 33-42, pl. 1, figs. 5-6, figs. 6-8,

winged, sold., syn.

Calotermes koshunensis Oshima 1911a, p. 360.

Glyptotermes longicephalus Oshima 1912, p. 64, fig. 4, pl. 1, fig. 2, pl. 2, figs. 6, 26.

Winged, sold.

Formosa.

Indo-Malayan.

Glyptotermes scotti (Holmgren).

Calotermes (*Glyptotermes*) *scotti* Holmgren 1910a, p. 140 (im., sold.); 1911a, p. 56,

Seychelles: Silhouette.

Glyptotermes Scotti Sjöstedt 1926, p. 43, Seychelles.

Winged, sold.

Seychelles.

Malagasy.

Glyptotermes suturis (Snyder).

Kalotermes (*Glyptotermes*) *suturis* Snyder 1925b, pp. 159-60, winged female, sold., La

Carpentera, Costa Rica.

Type: sold.; morphotype: winged female, U.S.N.M. No.

27737.

Winged, sold.

Costa Rica.

Neotropical.

Glyptotermes taveuniensis (Hill).

Calotermes (*Glyptotermes*?) *taveuniensis* Hill 1926c, pp. 20-21, sold., Fiji: Taveuni.

Calotermes (*Glyptotermes*) *taveuniensis* Hill 1942, pp. 94-96, figs. 44-45, winged, sold.

(wing. from Viti Levu, Fiji).

Holotype: sold., So. Austral. Mus.; morphotype;

C.S.I.R. coll.

Sold., winged.

Fiji.

Papuan.

Glyptotermes tuberculatus Froggatt.

Glyptotermes tuberculatus Froggatt 1896, p. 544, pl. 35, figs. 9, 9a, winged, sold., New So. Wales, Uralla.

Calotermes (Glyptotermes) tuberculatus Hill 1942, pp. 96-98, figs. 46-48, winged, sold., New So. Wales, New Zealand: Auckland (introduced).

Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

New So. Wales, Australia, New Zealand.

Australian.

Glyptotermes verrucosus (Hagen).

Calotermes verrucosus Hagen 1858, p. 63 (im.), pl. 2, fig. 7 (wings), Hab.? So. Amer.? Mus. Hallense.

Paratype: Hagen coll., M.C.Z. No. 193.

Calotermes (Glyptotermes) verrucosus Holmgren 1911a, p. 55.

Winged.

So. America?

Neotropical.

Glyptotermes xantholabrum (Hill).

Calotermes (Glyptotermes) xantholabrum Hill 1926d, p. 299, sold., Samoa; 1927a, pp. 14-15, pls. 5 and 8, figs. 153-154, winged, New Britain: Rabaul; 1929, p. 96; 1942, pp. 98-100, fig. 49, im., winged, sold., local.

Holotype: sold.; morphotype: winged, British Mus.; type local., Solomon Isls., Upolu Isl., see Hill 1929.

Kalotermes (Glyptotermes) juddi Light 1932b, pp. 169-170, sold., Marquesas.

Winged, sold.

Solomon Isls.; New Britain;
Marquesas Isls.; Society Isls.;
?New Hebrides.

Papuan.

CALCARITERMES

Genus *Calcaritermes* Snyder.

Generitype: *Calcaritermes imminens* (Snyder).

<Subgenus *Calcaritermes (Kalotermes)* Snyder 1925b, p. 155.

<Subgenus *Lobitermes* Emerson 1925, p. 337.

=Subgenus *Calcaritermes* Snyder 1933b, p. 67; Light 1933, p. 82; Hare 1937, pp. 461, 474.

Calcaritermes brevicollis (Banks).

Cryptotermes brevicollis Banks 1918, p. 661, im., sold., pl. 51, fig. 6 (sold.), Panama.

Kalotermes (Lobitermes) brevicollis Snyder 1925, p. 179.

Kalotermes (Calcaritermes) brevicollis Snyder 1925b, p. 155.

Type: American Mus. Nat. Hist.; paratype: M.C.Z.

Winged, sold.

Middle America: Panama.

Neotropical.

Calcaritermes emarginicollis (Snyder).

Kalotermes (**Glyptotermes**) **emarginicollis** Snyder 1925, pp. 186-187, sold., Panama: Rio Chinilla, C. Z.; 1926a, pp. 12-14, winged, nymph, sold., Costa Rica: Estrella.

Type: sold., U.S.N.M. No. 27268.

Winged, nymph, sold.

Middle America: Panama,
Costa Rica.

Neotropical.

Calcaritermes fairchildi (Snyder).

Kalotermes (**Calcaritermes**) **fairchildi** Snyder 1926b, p. 51, new name for *K. (Calcaritermes) thompsonae* Snyder.

Kalotermes (**Calcaritermes**) **thompsonae** Snyder 1926, pp. 23-24, winged, sold., Costa Rica: Hamburg Farm, S. Clara Prov.

Cotypes: sold., U.S.N.M. No. 28658.

Winged, sold.

Middle America: Costa Rica.

Neotropical.

Calcaritermes guatemalae (Snyder).

Kalotermes (**Calcaritermes**) **guatemalae** Snyder 1926, pp. 22-23, winged, sold., Guatemala: Mixco.

Cotype: sold., U.S.N.M. No. 28657.

Winged, sold.

Middle America: Guatemala.

Neotropical.

Calcaritermes imminens (Snyder).

Kalotermes (**Calcaritermes**) **imminens** Snyder 1925b, pp. 155-156, dealated female, sold., Colombia: Cincinnati.

Type: sold.; morphotype: dealated female, U.S.N.M. No. 27734.

Dealated, sold.

So. America: Colombia.

Neotropical.

Calcaritermes nearcticus (Snyder).

Kalotermes (**Calcaritermes**) **nearcticus** Snyder 1933b, pp. 67-69, fig. 1 (wing), Florida: Clay County.

Holotype: wing. male, U.S.N.M. No. 44835.

Kalotermes (**Calcaritermes**) **nearcticus** Miller 1943, pp. 5-8, fig. 2 (sold., nymph).

Winged, nymph, sold.

U. S. A.: Florida.

Nearctic.

Calcaritermes nigriceps (Emerson).

Kalotermes (**Lobitermes**) **nigriceps** Emerson 1925, pp. 337-339, fig. 35 (im., sold.), Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

So. America: Brit. Guiana.

Neotropical.

Calcaritermes parvnotus (Light).

*Kaloterme*s (*Calcaritermes*) *parvnotus* Light 1933, pp. 101-103, fig. 5 (sold.), W. Mexico:
Colima.

Type: Emerson coll.

Sold.

No. America: W. Mexico.

Neotropical.

Calcaritermes recessifrons (Snyder).

*Kaloterme*s (*Calcaritermes*) *recessifrons* Snyder 1925b, pp. 156-157, winged, sold., Colombia:
Cincinnati.

Type: sold., U.S.N.M. No. 27735.

Winged, sold.

So. America: Colombia.

Neotropical.

Calcaritermes temnocephalus (Silvestri).

*Caloterme*s *temnocephalus* Silvestri 1901, p. 2, sold., Venezuela: Las Trincheras; 1903,
p. 34, pl. 1, figs. 25-26 (sold., nymph).

*Caloterme*s (*Procryptoterme*s?) *temnocephalus* Holmgren 1911a, p. 55.

Sold.

So. America: Venezuela.

Neotropical.

HODOTERMITIDAE

Family HODOTERMITIDAE Snyder.

Type genus: *Hodoterme*s Hagen.

>Family HODOTERMITIDAE Snyder 1925,* p. 158; Sjöstedt 1926, p. 9.

<Family CALOTERMITIDAE Tillyard 1926,* pp. 104-105.

><Tribe HODOTERMITINAE Handlirsch 1930,* p. 856.

><Tribe CALOTERMITINAE Handlirsch 1930,* p. 857.

=Family HODOTERMITIDAE Brues and Melander 1932, p. 95 (includes *Termopsis*);
Emerson 1942, p. 10.

<Family MASTOTERMITIDAE Zeuner 1938,* p. 113 (includes *Ulmeriella*).

<Subfamily CALOTERMITINAE Statz 1939,* p. 35, pl. 4.

><Tribe TERMOPSINI Statz 1939,* p. 13.

<Family CALOTERMITIDAE Hill 1942, pp. 6-7; Kelsey 1944, p. 236.

Subfamily TERMOPSINAE Holmgren.

Genus *Archotermopsis* Desneux.

Genus *Hodotermopsis* Holmgren.

Genus *Zootermopsis* Emerson.

Subfamily STOLOTERMITINAE Holmgren.

Genus *Stoloterme*s Hagen.

Subfamily POROTERMITINAE Emerson.

Genus *Poroterme*s Hagen.

Subfamily HODOTERMITINAE Holmgren.

Genus *Hodoterme*s Hagen.

Genus *Microhodoterme*s Sjöstedt.

Genus *Anacanthoterme*s Jacobson.

* See fossil bibliography.

TERMOPSISINÆ

Subfamily TERMOPSISINÆ Holmgren.

Type genus: *Termopsis* Heer (fossil).

<Family CALOTERMITINÆ Froggatt 1896, p. 516.

=Tribus TERMOPSIS Desneux 1904e, p. 12.

<Subfamily HODOTERMITINÆ Holmgren 1910, p. 285.

=Subfamily TERMOPSISINÆ Holmgren 1911a, pp. 34-35.

=Subfamily TERMOPSISINÆ Emerson 1933, pp. 165, 167.

ARCHOTERMOPSIS

(First)

Genus *Archotermopsis* (Desneux).

Generitype: *Archotermopsis wroughtoni* (Desneux).

=Subgenus *Archotermopsis* Desneux 1904e, p. 13.

<Genus *Termopsis* Desneux 1904e, p. 12.

=Genus *Archotermopsis* Holmgren 1911a, pp. 35-36.

=Genus *Archotermopsis* Emerson 1933, pp. 168, 172-173.

Archotermopsis wroughtoni (Desneux).

Termopsis (*Archotermopsis*) *Wroughteni* Desneux 1904, p. 445, im., sold., Kashmir Valley; 1904e, pp. 13-14, fig. 3, pl. 1, fig. 3, North India; Kashmir.

?*Termopsis Radcliffei* Radcliffe 1904, p. 412.

Archotermopsis Wroughtoni Holmgren 1911a, p. 36, fig. 3 (wing), pl. 1, fig. 6 (sold.), pl. 2, fig. 1 (im.); 1913b, p. 31 (im., sold.), pl. 1, fig. 1 (sold.).

Winged, sold.

No. India.

Indo-Malayan

HODOTERMOPSIS

Genus *Hodotermopsis* Holmgren.

Generitype: *Hodotermopsis sjöstedti* Holmgren.

=Genus *Hodotermopsis* Holmgren 1911a, pp. 36, 38.

=Genus *Hodotermopsis* Emerson 1933, pp. 168, 179.

Hodotermopsis japonicus Holmgren.

Hodotermopsis japonicus Holmgren 1912a, pp. 112-113, sold., work., Amami-Oshima, Formosa; 1913b, p. 33, pl. 1, fig. 4, sold.; Oshima 1914a, p. 1; Hozawa 1915, pp. 14-20, figs. 1-2, pl. 1, figs. 1-2.

Sold.

Formosa.

Indo-Malayan

Hodotermopsis sjöstedti Holmgren.

Hodotermopsis Sjöstedti Holmgren 1911a, p. 39, pl. 1, fig. 5, sold., Tonkin; 1913b, p. 34, sold., work., Tonkin: (Montes Mauson).

Sold.

Indo-China: Tonkin.

Indo-Malayan

ZOOTERMOPSIS

Genus *Zootermopsis* Emerson.

Generitype: *Zootermopsis angusticollis* (Hagen).

Genus *Zootermopsis* Emerson 1933, pp. 182-187, figs. 27-34; 1942, pp. 8, 10, 11.

<Genus *Termopsis* Hagen 1858, p. 74; 1858a, p. 12.

<Genus *Termopsis* Haviland 1898, p. 372.

<Genus *Termopsis* Desneux 1904e, p. 14.

=Subgenus *Termopsis* Desneux 1904e, p. 14.

=Genus *Termopsis* Holmgren 1911a, pp. 37, 35.

=Genus *Termopsis* von Rosen 1913, p. 330 (fossil bibliography).

<Genus *Termopsis* Banks (and Snyder) 1920, pp. 11, 8, 9.

Zootermopsis angusticollis (Hagen).

Termopsis angusticollis Hagen 1858, p. 75 (im.), pl. 2, fig. 1 (wing), pl. 3, figs. 6, 41 (im.), California, near San Francisco; 1874, p. 571, sold.; Desneux 1904e, p. 14, fig. 4 (im.), pl. 1, fig. 2 (im.); Banks (and Snyder) 1920, p. 11, fig. 1 (b), fig. 2 (dist.), im., sold., California, Oregon, Washington, Vancouver Isl., Brit. Columbia.

Termes castaneus Walker 1853, p. 506 (im.).

Type: St. Petersburg Mus.; paratype: M.C.Z. No. 196.

Winged, sold.

Brit. Columbia to Lower California (Mexico).

Nearctic.

Zootermopsis laticeps (Banks).

Termopsis laticeps Banks 1906, p. 37, winged, sold., Florence or Douglas, Ariz.; Banks (and Snyder) 1920, p. 15, fig. 1a, fig. 3 (2), im., sold., dist., Arizona and New Mexico, fig. 6.

Termopsis angusticollis Townsend 1893, pp. 139-140, Las Cruces, N. Mex.

Type: M.C.Z. No. 10547, im., sold., Arizona.

Winged, sold.

Arizona, New Mexico, U. S. A.

Nearctic.

Zootermopsis nevadensis (Hagen).

Termopsis angusticollis var. *nevadensis* Hagen 1874, p. 571, sold., western border Nevada; Banks (and Snyder) 1920, p. 13, fig. 3 (1), fig. 4, im., sold., fig. 5, dist., W. Nevada to Montana, Oregon to British Columbia south to Pacific Grove, Calif. (Desneux 1904e, p. 14, places *nevadensis* in syn. with *angusticollis*.)

Type: M.C.Z. No. 10107.

Winged, sold.

British Columbia to Lower California.

Nearctic.

STOLOTERMITINAE

Subfamily STOLOTERMITINAE Holmgren.

Type genus: *Stolotermes* Hagen.

<Subfamily CALOTERMITINAE Froggatt 1896, p. 516.

<Tribe HODOTERMITINI Desneux 1904e, p. 14.

=Subfamily STOLOTERMITINAE Holmgren 1910, p. 285 (no description).

=Subfamily STOLOTERMITINAE Holmgren 1911a, pp. 34, 35.

=Subfamily STOLOTERMITINAE Emerson 1942, pp. 6-7, 9-11.

STOLOTERMES

Genus *Stolotermes* (Hagen).

Generitype: *Stolotermes brunneicornis* (Hagen).

Subgenus *Stolotermes* Hagen 1858, p. 105.

Genus *Stolotermes* Froggatt 1896, p. 537.

Stolotermes africanus Emerson.

Stolotermes africanus Emerson 1942, pp. 3-4, sold., nymph, figs. 1, 2G, Cape Province;
1947, pp. 127-129, dealated male.

Holotype and paratype series; Amer. Mus. Nat. Hist.;
morphotype: dealated male, Divis. Ent., Pretoria.

Sold., dealated male.

Cape Province.

Ethiopian.

Stolotermes australicus Mjöberg.

Stolotermes australicus Mjöberg 1920, pp. 5, 9, sold., work., pl. 1, fig. 8, figs. 1c, 3, sold.,
work., Queensland: Cedar Creek; Hill 1942, pp. 22-23,
fig. 8, sold., Queensland.

Cotype: sold., Hill coll.

Winged, sold.

Queensland.

Australian.

Stolotermes brunneicornis (Hagen).

Hodotermes (*Stolotermes*) *brunneicornis* Hagen 1858, p. 105, pl. 2, fig. 5, winged, Tasmania.

Stolotermes brunneicornis Hill 1942, pp. 23-26, figs. 7, 9, 10, winged, sold. (Tasmania)
Vandiemansland.

Type: winged, Berlin Mus.; morphotype: sold., C.S.I.R.
coll.; paratype: M.C.Z. No. 198.

?*Termes morio* Erichson.

Winged, sold.

Tasmania.

Australian.

Stolotermes queenslandicus Mjöberg.

Stolotermes queenslandicus Mjöberg 1920, pp. 5-6, pl. 1, figs. 2, 6, figs. 1-2, Queensland:
Cedar Creek, Malanda, Herberton; Hill 1942, pp. 26-
27, figs. 11-12, winged, sold., No. Queensland.

Cotypes: winged, sold., Hill coll.

Winged, sold.

Queensland.

Australian.

Stolotermes ruficeps Brauer.

Stolotermes ruficeps Brauer 1865, p. 977, winged, sold., New Zealand; [Desneux 1904e, p. 18] Froggatt 1896, p. 538, pl. 36, figs. 2-2a, winged, sold.; Mjöberg 1920, p. 5; Holmgren 1911a, p. 46, pls. 2, 3, fig. 5, im., wings; Hill 1942, pp. 27-29, fig. 13, sold.

Holotype. winged, Nat. Hist. Mus., Vienna.

Winged, sold.

New Zealand.

Australian.

Stolotermes victoriensis Hill.

Stolotermes victoriensis Hill 1921a, p. 433, figs. 1-11, winged, sold., Victoria; 1942, pp. 29-32, figs. 1, 14-18, winged, sold.

Holotype: winged; morphotype: sold., Nat. Mus., Melbourne.

Winged, sold.

Victoria, Austral. Capital Terr.,

New So. Wales, Queensland.

Australian.

POROTERMITINAE

Subfamily POROTERMITINAE Emerson.

Type genus: *Porotermes* Hagen.

Subfamily POROTERMITINAE Emerson 1942, pp. 10, 11.

POROTERMES

(Pas-
sage)

Genus *Porotermes* (Hagen).

Generitype: *Porotermes quadricollis* (Rambur).

=Subgenus *Porotermes* Hagen 1858, p. 101.

>Genus *Porotermes* Froggatt 1896, pp. 517, 536.

=Genus *Porotermes* Desneux 1904e, p. 19.

=Genus *Porotermes* Holmgren 1911a, p. 49.

(Flat)

>Subgenus *Planitermes* Holmgren 1911a, p. 50.

>Genus *Planitermes* Sjöstedt 1926, pp. 23, 44.

<Genus *Calotermes* Sjöstedt 1926, p. 23.

=Genus *Porotermes* Emerson 1942, pp. 1, 7-11; Hill 1942, pp. 7, 11, 14, 32.

Porotermes adamsoni (Froggatt).

Calotermes adamsoni Froggatt 1896, p. 532, pl. 35, figs. 2, 2a, 2b, winged, sold., New So. Wales, Uralla.

Porotermes (*Porotermes*) *Adamsoni* Holmgren 1911a, p. 50, syn.

Porotermes adamsoni Hill 1942, pp. 33-36, figs. 19-20, winged, sold., New So. Wales, Austral. Capital Terr., Victoria, Queensland, Tasmania, So. Australia, *froggatti* and *grandis* placed in synonymy.

Hololectotype: winged, and morpholectotype: sold., C.S.I.R. coll.; paratypes: Nat. Mus., Melbourne and Hill coll.; cotype: *froggatti* and *grandis* in Hill coll.

Calotermes convexus Hagen 1858, p. 46, sold. and work. only, Van Dieman's Land only; Froggatt 1896, p. 522, sold. and work. only.

?*Porotermes* (*Porotermes*) *Froggatti* Holmgren 1911a, p. 51, Tasmania, nomen nudum.

?*Porotermes Froggatti* Holmgren 1912c, p. 281, places *Calotermes convexus* (Walker) Froggatt (partim) in synonymy.

?*Porotermes grandis* Holmgren 1912c, p. 281, sold., Victoria.

Winged, sold.

Australia, Tasmania.

Australian.

Porotermes planiceps (Sjöstedt).

Calotermes planiceps Sjöstedt 1904, pp. 10, 17-18, 111, 113, 119, pl. 1, fig. G1-4, sold., So. Africa: "Kapland."

?*Porotermes* (*Planitermes*) *planiceps* Holmgren 1911a, p. 51.

?*Porotermes planiceps* Fuller 1921, p. 31, So. Africa, syn.

?*Planitermes planiceps* Sjöstedt 1926, p. 44, fig. 12, sold.

?*Calotermes anabilis* Sjöstedt 1911d, p. 3, Kapland, may be imago of *planiceps* (Fuller 1921). Sold.

So. Africa.

Ethiopian.

Porotermes quadricollis (Rambur).

Termes quadricollis Rambur 1842, p. 304, im., Chile.

Termes pallidus Walker 1853, p. 504 (only 2d description with locality?).

Hodotermes (*Porotermes*) *quadricollis* Hagen 1858, p. 101, im., sold., Chile.

Porotermes quadricollis Silvestri 1903, pp. 18-20, fig. 1 (wings).

?*Porotermes* (*Porotermes*) *quadricollis* Holmgren 1911a, p. 50, pl. 2, fig. 3 (im.), pl. 3, fig. 4 (wings), pl. 4, fig. 1 (sold.).

?*Porotermes quadricollis* Desneux 1915, p. 5 (type).

Type: Selys Longchamps coll., Brussels.

Winged, sold.

Chile.

Neotropical.

HODOTERMITINAE

Subfamily HODOTERMITINAE Holmgren.

Type genus: *Hodotermes* Hagen.

<Subfamily CALOTERMITINAE Froggatt 1896, p. 516.

<Tribe HODOTERMITINI Desneux 1904e, p. 14.

=Subfamily HODOTERMITINAE (PROTERMITIDAE) Holmgren 1911a, pp. 34, 41-42.

=Family HODOTERMITIDAE Snyder 1925, p. 158 (fossil bibliography).

=Family HODOTERMITIDAE Sjöstedt 1926, pp. 7, 9.

=Subfamily HODOTERMITINAE Emerson 1942, pp. 8-11.

HODOTERMES

Genus *Hodotermes* Hagen.

Generitype: *Hodotermes mossambicus* Hagen.

<Genus *Hodotermes* Hagen 1853, p. 480; 1858, p. 81; 1858a, p. 13.

<Subgenus *Hodotermes* Holmgren 1911a, pp. 42-43.

=Subgenus *Macrohodotermes* Fuller 1921, pp. 32, 41.

=Subgenus *Hodotermes* Sjöstedt 1926, pp. 9, 11.

=Genus *Hodotermes* Emerson 1942, pp. 7-11.

Hodotermes erithreensis Sjöstedt.

Hodotermes erithreensis Sjöstedt 1912, p. 2, sold., work., Erithrea: Assab.

Hodotermes (*Microhodotermes*) *erithreensis* Sjöstedt 1926, p. 19, pl. 1, fig. C (sold.).

Type: Mus. Genova, Stockholm.

Hodotermes erithreensis subsp. *minor* Harris 1946, pp. 67-68, fig. 1 (sold.), sold., work.

British Somaliland: Alabla Balleh.

Sold., work.

Africa: Eritrea, Brit. Somali-
land.

Ethiopian

Hodotermes mossambicus (Hagen).

Termes Mossambicus Hagen 1853, pp. 480-481, im., Mossambique.

Hodotermes Mossambicus Hagen 1858, p. 94, im., sold., Mossambique ("Kaffernland").

Termes (*Hodotermes*) *Mossambicus* Hagen 1862, p. 86, pl. IV, figs. 18-21, wing. female
and work.

?*Termes viator* Walker 1853, p. 508, No. 7, only sold., work., So. Africa.

Hodotermes Havilandi Sharp 1895, p. 384.

Hodotermes Havilandi Haviland 1898, p. 372, sold., work., Natal.

Hodotermes mossambicus Sjöstedt 1900a, p. 24, winged, sold., work., loc.; Silvestri 1908
p. 71, loc.

Hodotermes havilandi Warren 1909, p. 115.

Hodotermes (*Hodotermes*) *mossambicus* Holmgren 1911a, p. 43, pl. 1, fig. 8 (sold.), fig. 9
(work.), loc.; 1913d, p. 322, loc.

Hodotermes mossambicus Fuller 1915, p. 438, loc.; Hegh 1922, p. 139, etc.

Hodotermes Havilandi Fuller 1915, p. 441, loc.; Hegh 1922, p. 228, etc.

Hodotermes mossambicus Desneux 1915, p. 5, loc., loc. type work.

Hodotermes mossambicus Sjöstedt 1926, pp. 11-13, pl. 1, fig. A1, sold., loc.

Macrohodotermes mossambicus Fuller 1921, p. 42.

Macrohodotermes mossambicus s. lat. Fuller 1927, pp. 130-131.

Macrohodotermes mossambicus subsp. *Havilandi* Fuller, 1921, p. 43.

Hodotermes mossambicus subsp. *Havilandi* Sjöstedt 1926, p. 13.

Macrohodotermes mossambicus subsp. *pulcher* Fuller 1921, p. 44, winged, So. Africa.

Hodotermes pulcher Sjöstedt 1926, p. 15.

Macrohodotermes mossambicus subsp. *transvaalensis* Fuller 1921, p. 44, im., sold., So
Africa (*H. braini* Fuller 1915, p. 446, in syn.).

Hodotermes mossambicus subsp. *transvaalensis* Sjöstedt 1926, pp. 13-14.

Macrohodotermes mossambicus subsp. *transvaalensis* forma *pretoriensis* Fuller 1921, pp. 44
45, for *H. pretoriensis* Fuller 1915, p. 429.

Hodotermes mossambicus subsp. *transvaalensis* forma *pretoriensis* Sjöstedt 1926, p. 14.

Macrohodotermes mossambicus subsp. *transvaalensis* forma *warreni* Fuller 1921, pp
44-45, Orange Free State.

Hodotermes mossambicus subsp. *transvaalensis* forma *Warreni* Sjöstedt 1926, p. 14.

Hodotermes bloemfonteinsis Sjöstedt 1926, p. 14, pl. 1, figs. B1-2, sold., Orange Free State

Hodotermes braini Fuller 1915, p. 446, pl. 34, figs. 7, 8a (sold.), pl. 35, fig. 7, sold., Pretoria

Macrohodotermes karroensis Fuller 1921, pp. 41, 45, im., sold., So. Africa.

Hodotermes karroensis Sjöstedt 1926, p. 15.

Hodotermes macrothorax Sjöstedt 1914b, p. 73, sold., work., German W. Africa.

Macrohodotermes pallidus Fuller 1921, p. 45, im., So. Africa.

Hodotermes pallidus Sjöstedt 1926, p. 16.

?*Anacanthotermes tunisiensis* Sjöstedt 1935, pp. 106-107, Tunis.

Type: *mossambicus* im., M.C.Z., coll. Peters, det. Hagen; 5 pins with insects destroyed, labeled by Hagen in Berlin Mus.; type worker in Selys Longchamps coll., Brussels.

Winged, sold., work.

Tunis and Abyssinia to So.

Africa, SW. Africa.

Palaeartic and Ethiopian.

MICROHODOTERMES

Genus *Microhodotermes* Sjöstedt.

Generitype: *Microhodotermes viator* (Latreille).

=Subgenus *Microhodotermes* (*Hodotermes*) Sjöstedt 1926, pp. 9-10, 16.

=Subgenus *Hodotermes* Fuller 1921, p. 32 (designates generitype).

=Genus *Microhodotermes* Emerson 1942, pp. 10-11.

Microhodotermes maroccanus (Sjöstedt).

Hodotermes maroccanus Sjöstedt 1926, pp. 20-21, pl. 1, fig. D (sold.¹⁻², work.¹⁻²), Morocco: Dar Kaid; 1927b, p. 279, wing., fig. (wings), Grand Atlas, Mus. Paris, Stockholm.

Winged, sold., work.

No. Africa: Morocco.

Palaeartic.

Microhodotermes viator (Latreille).

Termes viator Latreille 1804, pp. 49, 62; 1805, p. 70, worker only, Cape Good Hope; Burmeister 1839, p. 765.

Hodotermes viator Hagen 1858, p. 91 (im.), pl. 3, fig. 8 (im.).

Type: work., Selys-Longchamps coll., Brussels (Desneux 1915, p. 5, type); Fuller 1915, pp. 356, 448.

Hodotermes (*Microhodotermes*) *viator* Sjöstedt 1926, pp. 17-18, loc.

Hodotermes viator f. *hageni* Fuller 1921, p. 38, sold., work., So. Africa.

Hodotermes Aurivillii Sjöstedt 1900, p. 278, sold., work.¹⁻², W. Capland, So. Africa; 1900a, p. 28, sold., work., pl. 1, figs. A1-3; Fuller 1921, p. 33, syn.

Hodotermes faurei Fuller 1921, p. 40, im., So. Africa: Victoria W.

Hodotermes peringueyi Fuller 1921, p. 39, im., sold., So. Africa.

Hodotermes silvestrii Fuller 1921, p. 40, im., sold., p. 38, syn., So. Africa, Victoria W.

Hodotermes thompseni Fuller 1921, p. 39, im., sold., So. Africa.

Winged, sold., work.

So. Africa.

Ethiopian.

Microhodotermes wasmanni (Sjöstedt).

Hodotermes Wasmanni Sjöstedt 1900a, p. 33, im., sold., work., key p. 24, No. Africa: Uadi M'bellem.

Hodotermes (*Microhodotermes*) *wasmanni* Sjöstedt 1926, p. 21, No. Africa: Uadi M'bellem; Tunis.

Winged, sold., work.

No. Africa: Tunis.

Palaeartic.

ANACANTHOTERMES

Genus *Anacanthotermes* Jacobson.

Generitype: *Anacanthotermes ochraceus* (Burmeister).

=Subgenus *Anacanthotermes* Jacobson 1904, p. 86; Holmgren 1911a, p. 43.

=Genus *Anacanthotermes* Sjöstedt 1926, pp. 9, 10, 21.

Anacanthotermes ahngerianus (Jacobson).

Hodotermes ahngerianus Jacobson 1904, p. 67, im., Turkestan: Jageyolum on Riv. Atrel.

Hodotermes (*Anacanthotermes*) *ahngerianus* Holmgren 1911a, p. 43 (syn.).

Winged.

Turkestan.

Palaeartic

Anacanthotermes baeckmannianus (Vasiljev).

Hodotermes baeckmannianus Vasiljev 1911, pp. 269-270, winged, sold., work., Middle Asia
Syr-darja region: Dzhulek, Tshiili (near Dzhulek).

Winged, sold., work.

Middle Asia.

Palaeartic

Anacanthotermes macrocephalus (Desneux).

Hodotermes macrocephalus Desneux 1906, p. 344, im., sold., work., India: Sind, Karach.

Hodotermes (*Anacanthotermes*) *macrocephalus* Holmgren 1911a, p. 43, pl. 1, fig. 10, sold.
1913b, p. 35 (im., sold.), pl. 1, fig. 2, sold.

Winged, sold., work.

India.

Indo-Malay

Anacanthotermes murgabicus (Vasiliev).

Hodotermes murgabicus Vasiljev 1911, pp. 268-269, sold., work., Middle Asia: Transcaspi
River Murgab (near Kazyhly-Beut).

Sold., work.

Middle Asia.

Palaeartic

Anacanthotermes ochraceus (Burmeister).

Termes ochraceus Burmeister 1839, p. 765, im., Egypt; Rambur 1842, p. 303, im.; Savign
pl. 2, fig. 11; Joly 1849, pl. 1, fig. 12.

Hodotermes ochraceus Hagen 1858, p. 85, pl. I, fig. 9, pl. II, fig. 3, pl. III, fig. 7 (im., sold
work.), Egypt: Cairo; Desneux 1902, p. 436, Algeria
1904e, p. 17, syn., pl. 1, fig. 4, im., sold., work.; 1911
p. 5 (type).

Hodotermes (*Anacanthotermes*) *ochraceus* Holmgren 1911a, p. 43, syn.

Anacanthotermes ochraceus Sjöstedt 1926, pp. 21-22, loc., Tunis, Algeria; Kemner 193
p. 87, Sinai.

Hodotermes (*Anacantho.*) *ochraceus* Menozzi 1940, p. 248, Tripoli.

Anacanthotermes tunisiensis Sjöstedt 1935, pp. 106-107, im., sold., work. fig. 1 (sold.
Tunis; Bou-Hedma.

Type: sold., Mus. Paris, Stockholm; morphotype: in
same loc. (*tunisiensis*).

anacanthotermes turkestanicus Kirby 1944, p. 239 (protozoa).

Type: im., Selys Longchamps coll., Brussels (*ochraceus*).

Winged, sold., work.

So. Africa: Egypt, Tripoli,
Tunis, Algeria; Palestine:
Sinai.

Palaeartic.

anacanthotermes turkestanicus (Jacobson).

odotermes turkestanicus Jacobson 1904, p. 61, im., sold., work., biol., figs. 1-5, 14-16,
Turkestan (Hungersteppe: Station Golodnaja Stepj).

odotermes (*Anacanthotermes*) *turkestanicus* Holmgren 1911a, p. 14, p. 43, fig. 1, pl. 2,
fig. e (mand., wings).

Winged, sold., work.

Turkestan.

Palaeartic.

anacanthotermes ubachi (Navas).

odotermes Ubachi Navas 1911, pp. 120-121, im., fig. 2a, Cercanias del Mar Muerto (Middle
East), Palestine; Griffin 1940, p. 64.

Winged.

Sinai Minor: Palestine.

Palaeartic.

anacanthotermes vagans (Hagen).

odotermes vagans Hagen 1858, p. 88, im., work., pl. 2, figs. 18-19 (im.), So. Persia:
Schiraz, Isl. Karak (Persian Sea).

Type: Mus. Vienna.

odotermes (*Anacanthotermes*) *vagans* Holmgren 1911a, p. 43 (syn.).

odotermes vagans Silvestri 1923a, p. 261, Ruz, NE. of Bagdad.

Winged, work.

Persia.

Palaeartic.

anacanthotermes vagans, subsp. *septentrionalis* (Jacobson).

odotermes vagans subsp. *septentrionalis* Jacobson 1904, p. 65, im., sold., work., pp. 79,
96-103, biol., No. Persia: Chorassam (between Ker-
rat and Sengum).

odotermes (*Anacanthotermes*) *vagans* subsp. *septentrionalis* Holmgren 1911a, p. 43
(syn.), Transcaspia.

Winged, sold., work.

No. Persia, Transcaspia.

Palaeartic.

anacanthotermes viarum (König).

ermes viarum König 1779, p. 24, work., pl. 1, figs. 12-14 (work.), So. India.

odotermes viarum Hagen 1858, p. 90, work., syn., p. 10, Tranquebar.

odotermes (*Anacanthotermes*) *koenigi* Holmgren, K. and N. 1917, p. 138, im., sold.,
work., So. India: Coimbatore.

Sold., work.

No. India.

Indo-Malayan.

RHINOTERMITIDAE

(Nose)

Family RHINOTERMITIDAE Light.

Type genus: *Rhinotermes* Hagen.

=Family RHINOTERMITIDAE Light 1921a, pp. 25, 48.

>Subfamily RHINOTERMITINAE Froggatt 1896, p. 518.

<Subfamily TERMITINAE Silvestri 1903, p. 37.

<Subfamily TERMITINAE Desneux 1904b, p. 285.

>Tribe RHINOTERMITINI Desneux 1904b, p. 285.

<Subfamily TERMITINAE Desneux 1904e, pp. 9, 25.

<Suborder CRYPTOCLIDOPTERA Enderlein 1909, p. 171.

Family MESOTERMITIDAE Holmgren 1909, p. 100 (no descr.).

>Family MESOTERMITIDAE Holmgren 1910, p. 285.

<Family MESOTERMITIDAE Holmgren 1910a, p. 143, *Serritermes* included.

<Family MESOTERMITIDAE Holmgren 1911a, pp. 61, 13.

<Family TERMITIDAE Banks 1919, pp. 475, 479.

>Subfamily RHINOTERMITINAE (TERMITIDAE) Banks (and Snyder) 1920, p.

<Subfamily TERMITINAE Banks (and Snyder), 1920, p. 54 (part).

Subfamily PSAMMOTERMITINAE Holmgren.

Genus *Psammotermes* Desneux.

Subfamily HETEROTERMITINAE Froggatt.

Genus *Heterotermes* Froggatt.Genus *Reticulitermes* Holmgren.

Subfamily STYLOTERMITINAE Holmgren.

Genus *Stylotermes* Holmgren.

Subfamily COPTOTERMITINAE Holmgren.

Genus *Coptotermes* Wasmann.

Subfamily TERMITOGETONINAE Holmgren.

Genus *Termitogeton* Desneux.

Subfamily RHINOTERMITINAE Froggatt.

Genus *Prorhinotermes* Silvestri.Genus *Parrhinotermes* Holmgren.Genus *Schedorhinotermes* Silvestri.Genus *Rhinotermes* Hagen.Genus *Dolichorhinotermes* Snyder and Emerson, n. gen.Genus *Acorhinotermes* Emerson, n. gen.

PSAMMOTERMITINAE

Subfamily PSAMMOTERMITINAE Holmgren.

Type Genus: *Psammotermes* Desneux.

<Subfamily CALOTERMITINAE (=Appendix) Desneux 1904e, p. 24.

<Subfamily LEUCOTERMITINAE Holmgren 1910, p. 285 (part) (no descr.).

=Subfamily PSAMMOTERMITINAE Holmgren 1911a, pp. 62, 64.

PSAMMOTERMES

(Sand)

Genus *Psammotermes* Desneux.Generitype: *Psammotermes hybostoma* Desneux.=Genus *Psammotermes* Desneux 1902, p. 436.

- >Genus *Psammotermes* Desneux 1904e, p. 24 (*fuscofemoralis* not included).
- ><Genus *Termes* subgen. *Termes* Desneux 1904e, pp. 32, 35.
- ><Genus *Termes* Sjöstedt 1904, p. 47.
- ?Genus *Proleucotermes* Holmgren 1909, p. 28 (no description).
- =Genus *Psammotermes* Fuller 1921, pp. 20, 23, 46.
- =Genus *Psammotermes* Sjöstedt 1926, p. 45.
- =Genus *Psammotermes* Emerson 1928, pp. 406, 423.
- Psammotermes allocerus* Silvestri.
- Psammotermes allocerus* Silvestri 1908, p. 73, sold.¹⁻², work., pl. 8, figs. 1-17, SW. Africa: Nomaland Salsola-Dünen; Sjöstedt 1926, pp. 49-50, fig. 16: 1.
- Psammotermes fuscofemoralis* Holmgren 1913d, p. 323, syn., loc. Zululand: Lake Sibayi, Mseleni.
- Vinged, sold.¹⁻³, work.
Namaland; So. Africa; SW. Africa, Zululand. Ethiopian.
- Psammotermes assuanensis* Sjöstedt.
- Psammotermes assuanensis* Sjöstedt 1912, p. 3, sold., work., biol., Upper Egypt: Assuan.
- Psammotermes hybostoma* Wasmann and Werner 1912, p. 174 (nec Desneux), Assuan.
- Psammotermes assuanensis* Fuller 1921, p. 46, im., sold., Zululand.
- Psammotermes assuanensis* Sjöstedt 1926, pp. 47-48, fig. 14, pl. 2, fig. F¹, F⁴.
Type: Mus. Genova and Stockholm.
- Vinged, sold.¹⁻³, work.
Upper Egypt, Erithrea, Zululand. Ethiopian.
- Psammotermes fuscofemoralis* (Sjöstedt).
- Termes fuscofemoralis* Sjöstedt, 1904, p. 62 (im. and work.), Red Sea.
- Psammotermes fuscofemoralis* Holmgren, 1911a, pp. 65-66, work., pl. 5, fig. 2, sold.; Silvestri 1914-15, p. 8, sold., Senegal.
- Psammotermes fuscofemoralis* Fuller 1921, p. 46, im., sold., So. Africa.
- Psammotermes fuscofemoralis* Sjöstedt 1926, pp. 48-49, pl. 2, fig. E¹-E³, loc.
- Vinged, sold.¹⁻³, work.
Red Sea, Egypt, Nubia, Sudan, Senegal. Ethiopian.
- Psammotermes hybostoma* Desneux.
- Psammotermes hybostoma* Desneux 1902, p. 437, sold.¹⁻², fig. 1, sold.¹, Algiers: Biskra; Sjöstedt 1926, p. 47, fig. 15, sold. ant.
- Sold.¹⁻³, work.¹⁻²
Algeria. Palaearctic.
- Psammotermes senegalensis* Sjöstedt.
- Psammotermes senegalensis* Sjöstedt 1924c, p. 495, sold.¹⁻², Senegal: Dakar; 1926, pp. 50-51, pl. 2, figs. G1-2, fig. 16: 2.
- Sold.¹⁻²
Senegal. Ethiopian.

Psammotermes voeltzkowi Wasmann.

Psammotermes Voeltzkowi Wasmann 1910a, p. 122, sold.¹⁻², figs. 5-7, sold.¹⁻², SW. Madagascar: Tulear; Sjöstedt 1926, p. 50.

Sold.¹⁻²

Madagascar.

Malagas

HETEROTERMITINAE

Subfamily HETEROTERMITINAE Froggatt.

Type genus: *Heterotermes* Froggatt.

- >Subfamily HETEROTERMITINAE Froggatt 1896, p. 550.
- =Subfamily HETEROTERMITINAE Kemner 1934, p. 67.
- =Subfamily LEUCOTERMITINAE Holmgren 1911a, pp. 68, 62.
- ><?Subfamily GLYPTOTERMITINAE Froggatt (part).
- <Subfamily LEUCOTERMITINAE Holmgren 1910, p. 285 (no descr.).
- Subfamily LEUCOTERMITINAE Holmgren 1910a, pp. 142, 143 (no descr.).

HETEROTERMES

Genus *Heterotermes* Froggatt.

Generitype: *Heterotermes platycephalus* Froggatt.

- >Genus *Heterotermes* Froggatt 1896, pp. 518, 550.
- <Genus *Termes* (*Eutermes*) Hagen 1858, pp. 108, 186.
- <Genus *Termes* Froggatt 1897, p. 721.
- =Genus *Termes* Haviland 1898, pp. 378, 398 (section with *tenuis* for type).
- <Genus *Termes* Sjöstedt 1900a, pp. 19-21, 67.
- =Genus *Leucotermes* Silvestri 1901, p. 3, generitype *Leucotermes tenuis* Hagen.
- =Genus *Leucotermes* Silvestri 1903, p. 37.
- <Genus *Leucotermes* Wasmann 1902b, pp. 117, 160.
- <Subgenus *Leucotermes* (*Termes*) Desneux 1904e, pp. 31, 32.
- =Genus *Leucotermes* Holmgren 1906, p. 540.
- >Genus *Psalidotermes* Silvestri 1909, p. 296 (type *L. ferox*).
- =Genus *Leucotermes* Holmgren 1910a, p. 142. (Discussions concerning affinities with *Heterotermes*.)
- <Genus *Leucotermes* Holmgren 1911a, p. 69 (*Reticulitermes* included).
- =Subgenus *Leucotermes* s. str. Holmgren 1913b, pp. 60, 63; 1913-14, p. 235.
- =Genus *Leucotermes* Banks 1919, p. 479.
- =Genus *Leucotermes* Banks (and Snyder) 1920, p. 75.
- =Genus *Leucotermes* Light 1921a, p. 57.
- =Genus *Leucotermes* Snyder 1924c, p. 12; 1926 (fossil bibliography).
- =Genus *Leucotermes* Sjöstedt 1926, p. 59.
- >Genus *Leucotermes* Hill 1927a, p. 40 (?*Heterotermes platycephalus* doubtfully included)
- =Genus *Heterotermes* Light 1930a, p. 18, 19.
- =Genus *Heterotermes* Hill 1942, pp. 8, 11, 14, 120.

Heterotermes aureus (Snyder).

Reticulitermes aureus Snyder 1920, p. 40, dealated adult, Sabino Canyon, Santa Catalina Mts., Ariz.

Leucotermes aureus Snyder 1924c, pp. 19-20, winged from type loc.

Type: dealated, U.S.N.M. No. 22693.

- Peticulitermes humilis* Banks, var. *hoferi* Banks (and Snyder) 1920, p. 53, sold., Sabino Canyon.
- Peticulitermes hoferi* Snyder 1926c, p. 397.
- Heterotermes intermedius* Light 1933, pp. 111-113, pl. 8, figs. 7-12, sold., Maria Madre Isl., Tres Marias Isls. (Mexico).
Winged, sold.
California, Arizona, U. S. A.;
Tres Marias Isls., Mexico. Nearctic, Neotropical.
- Heterotermes cardini* (Snyder).
Leucotermes cardini Snyder 1924c, pp. 17-19, winged, sold., Andros Isl., Bahamas.
Type: winged, U.S.N.M. No. 25084.
Winged, sold.
West Indies. Neotropical.
- Heterotermes ceylonicus* (Holmgren).
Leucotermes ceylonicus Holmgren 1911a, p. 69, pl. 5, fig. 5, sold.; 1911c (*in* Escherich), p. 190, im., sold., Ceylon: Peradeniya.
Leucotermes (*Leucotermes*) *ceylonicus* Holmgren 1913b, p. 65, im., sold.¹⁻², work., pl. 2, fig. 6a (sold.²); 1913-14, p. 235.
Winged, sold.
Ceylon. Indo-Malayan.
- Heterotermes convexinotatus* (Snyder).
Leucotermes convexinotatus Snyder 1924c, pp. 15-17, winged, sold., Colon, Panama.
Type: dealated adult, U.S.N.M. No. 25083.
Heterotermes orthognathus Light 1933, pp. 109, 113-114, pl. 8, figs. 8-13, sold., Colima, W. Mexico.
Heterotermes pallidus Light 1935, p. 247, fig. 5, winged, sold., Puentarenas, Costa Rica.
Type: Calif. Acad. Sci. Ent. 3937.
Winged, sold.
Panama, Mexico, Costa Rica,
West Indies. Neotropical.
- Heterotermes crinitus* (Emerson).
Leucotermes crinitus Emerson 1925, pp. 342-344, fig. 36^{a-d}, im., sold., Kartabo, Brit. Guiana.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.
Winged, sold.
Brit. Guiana. Neotropical.
- Heterotermes ferox* (Froggatt).
Termes ferox Froggatt 1897, p. 724, pl. 34, fig. 1^{a-b}, im., sold., work., Thornleigh near Sydney.
Palidotermes ferox Silvestri 1909, pp. 296, 297, pl. 19, figs. 122-132 (sold., work.)
Australia?
- Leucotermes ferox* Mjöberg 1920, p. 29, loc.; Holmgren 1911, p. 549, syn.
Heterotermes ferox Hill 1942, p. 122, figs. 3, 65-66, im., sold., loc., syn.

Leucotermes occiduus Hill 1927a, pp. 50-53, pl. 2, figs. 46-48, pl. 5, fig. 175, pl. fig. 176, im., sold., work., SW. Australia.

Holotype: (*ferox*) winged; morphotype: sold. work., C.S.I.R. coll.

Winged, sold., work., neotenic.

New So. Wales, Victoria, Austral. Capital Terr., Queensland, So. and W. Australia.

Australia

Heterotermes indicola (Wasmann).

Leucotermes indicola Wasmann 1902b, p. 118, sold., work., pl. 4, fig. 2, sold., p. 160, syn. India: Bombay.

Termes (*Leucotermes*) *indicola* Desneux 1904e, p. 33, syn.

Leucotermes (*Leucotermes*) *indicola* Holmgren 1913b, p. 64, im., sold.¹⁻², work., pl. fig. 4, sold., pl. 2, fig. 6b, sold.²

Leucotermes indicola Holmgren, K. and N. 1917, p. 140, Punjab.

Winged, sold., work.

India.

Indo-Malaya

Heterotermes insularis (Wasmann).

Leucotermes insularis Wasmann 1902b, p. 140, sold., p. 160, syn., Cocos Isl. (between Galapagos and Costa Rica).

Termes (*Leucotermes*) *insularis* Desneux 1904e, p. 33, syn.

Sold.

Cocos Isl.

Neotropica

Heterotermes longiceps (Snyder).

Leucotermes longiceps Snyder 1924c, pp. 20-21, sold., Coxipò, Cuyabà, Brazil.

Type: sold., U.S.N.M. No. 25689. (Silvestri believed material from S. Ana; vial in Silvestri coll. from Coxipò not *longiceps*.)

Sold.

Brazil.

Neotropica

Heterotermes maculatus Light.

Heterotermes maculatus Light 1933, pp. 110-111, pl. 8, figs. 10, 15, wing., Guadalajara (V. Mexico).

Winged.

W. Mexico.

Neotropica

Heterotermes malabaricus Snyder.

Heterotermes malabaricus Snyder 1933a, pp. 4-6, fig. 2, winged, sold., S. Mangalore, Malabar Coast, Madras, India.

Cotypes: winged; comorphotypes: sold., Brit. Museum Forest Research Inst., Dehra Dun, India; and U.S.N.M. No. 44102.

Winged, sold.

India.

Indo-Malaya

Heterotermes pamatatensis Kemner.

Heterotermes pamatatensis Kemner 1934, pp. 68-69, sold., Saleier Isl., south of Celebes.

Sold.

Saleier Isl.

Indo-Malayan.

Heterotermes paradoxus (Froggatt).

Termes paradoxus Froggatt 1897, p. 728, pl. 35, fig. 2, winged, sold., work., Queensland: Mackay.

Termes (*Eutermes*) *paradoxus* Desneux 1904e, p. 44.

Leucotermes (*Leucotermes*) *paradoxus* Holmgren 1913b, p. 60.

Leucotermes paradoxus Hill 1927a, pp. 41-45, pl. 2, figs. 37-40, pl. 5, fig. 169, pl. 8, fig. 170, im., sold., work.

Heterotermes paradoxus paradoxus Hill 1942, pp. 126-128, figs. 67-68, im., sold., loc.

Holotype: winged; morphotype: sold., work., C.S.I.R. coll.

Winged, sold., work.

Queensland, North Terr., ?Tor-

res Strait: Banks Isl.

Australian.

Heterotermes paradoxus, subsp. *intermedius* Hill.

Heterotermes intermedius Hill 1932, pp. 144-146, figs. 9-12, wing., sold., work., W. Australia, near Kalgoorlie.

Heterotermes paradoxus intermedius Hill 1942, pp. 8, 11, 128, im., sold., work., syn., fig. 69, sold., loc.

Holotype: winged; morphotype: sold and work., C.S.I.R. coll.

Winged, sold., work.

W. Australia.

Australian.

Heterotermes paradoxus, subsp. *validus* Hill.

Heterotermes validus Hill 1915, p. 83, wing., sold., work., North. Terr.: Darwin (Koolpinyah).

Leucotermes validus Hill 1927a, p. 49, pl. 2, figs. 41-42, pl. 5, fig. 173, pl. 8, fig. 174.

Heterotermes paradoxus validus Hill 1942, pp. 129-130, fig. 70, sold.

Holotype: wing.; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, sold., work.

North. Territory.

Australian.

Heterotermes paradoxus, subsp. *venustus* Hill.

Leucotermes venustus Hill 1927a, pp. 55-58, pl. 2, figs. 52-56, pl. 5, fig. 177, pl. 8, fig. 178, winged, sold., work., North. Terr.: Stapleton (70 miles so. Darwin).

Heterotermes paradoxus venustus Hill 1942, pp. 8, 11, 131-132, fig. 71 (sold.), im., sold., work., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, sold., work.

North. Territory, W. Australia.

Australian.

Heterotermes perfidus (Silvestri).*Leucotermes perfidus* Silvestri 1936, pp. 203-205, figs. 1-10, sold., St. Helena Isl.

Sold.

St. Helena.

Ethiopian

Heterotermes philippinensis (Light).*Leucotermes philippinensis* Light 1921a, p. 58 (sold., work.), pl. 4, sold., Philippines
Manila; Moutia 1936, p. 17, im., sold., fig. 1c, 4c
Mauritius (introduced).

Winged, sold., work.

Philippines, Mauritius.

Indo-Malayan and Malagasy (introduced)

Heterotermes platycephalus Froggatt.*Heterotermes platycephalus* Froggatt 1896, pp. 550-551, pl. 35, fig. 10, pl. 36, fig. 4, winged
So. Australia: Kangaroo Isl.?Termes (*Leucotermes*) *platycephalus* Desneux 1904e, p. 33, syn.?Leucotermes *platycephalus* Holmgren 1911a, p. 69, syn.*Leucotermes platycephalus* Mjöberg 1920, p. 124.*Leucotermes clarki* Hill 1922, p. 395, figs. 27-29, sold. only, SW. Australia; 1927a, p. 45
pl. 5, fig. 171, pl. 8, fig. 172, wing.*Heterotermes platycephalus* Hill 1942, pp. 132-134, figs. 72-74, im., sold., work., loc.
Holoneotype: wing.; morphoneotype: sold.

Winged, queen, sold., work.

So. and W. Australia.

Australian

Heterotermes tenuior (Haviland).*Termes tenuior* Haviland 1898, p. 399, winged, sold., work., Borneo.

Type: No. 418.

Leucotermes (Leucotermes) tenuior Holmgren 1913b, p. 63, im., sold., work., pl. 2, fig. 5
sold.

Winged, sold., work.

Borneo.

Indo-Malayan

Heterotermes tenuis (Hagen).*Termes tenuis* Hagen 1858, p. 231, pl. 3, fig. 35 (im.), St. Domingo, near Port a
Prince, Colombia, Brazil, Mus. Vienna; Haviland
1898, p. 399, Brazil, W. Indies.*Leucotermes tenuis* Silvestri 1901, p. 3, Paraguay; 1903, p. 38, fig. 7, fig. 35, pl. 1, figs. 33
38, im., sold.¹⁻², work., loc.*Leucotermes tenuis* Holmgren 1906, pp. 540-542, im., sold., work., Bolivia, Peru.*Leucotermes tenuis* Banks 1918, p. 663, loc.; 1919, p. 481, loc.*Leucotermes tenuis* Banks (and Snyder) 1920, p. 76, loc.*Termes corticola* Bates 1854, p. 333 (Snyder 1924c, p. 14), Panama.*Leucotermes flavipes* subsp. *paraensis* Wasmann 1902b, p. 119 (Snyder 1924c, p. 14), Brazi*Leucotermes tenuis* Emerson 1925, pp. 340-341, fig. 36e, f, g, im., sold., loc.*Leucotermes tenuis* Snyder 1926d, p. 12, loc.

Type: Mus. Berol (winged); paratype; M.C.Z. No. 212

Winged, sold., work.

W. Indies, Middle and So.

America.

Neotropica

Leptotermes vagus (Hill).

Leucotermes vagus Hill 1927a, pp. 53-55, pl. 2, figs. 49-51, sold., work., North Territory: Darwin.

Leptotermes vagus Hill 1942, pp. 134-136, figs. 75-76, winged, sold.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne; morphotype: winged, C.S.I.R. coll.

Winged, sold., work.

North Territory.

Australian.

RETICULITERMES

Genus *Reticulitermes* (Holmgren).

Generitype: *Reticulitermes flavipes* (Kollar).

<Genus *Leucotermes* Holmgren 1911a, p. 69.

=Subgenus *Reticulitermes* (*Leucotermes*) Holmgren 1913b, pp. 60-61.

=Subgenus *Reticulotermes* (*Leucotermes*) Holmgren 1913b, p. 15, misspelled.

<Genus *Reticulitermes* Banks (and Snyder) 1920, pp. 42-43.

=Genus *Reticulitermes* Snyder 1923, p. 107.

=Genus *Reticulitermes* Light 1931, pp. 589-590, key.

Reticulitermes aethiopicus (Sjöstedt).

Leucotermes aethiopicus Sjöstedt 1911a, p. 171, sold., Abyssinia: Kottouki Dagaga.

Leucotermes aethiopicus Holmgren 1913b, p. 15.

Leucotermes aethiopicus Sjöstedt 1922, p. 246, sold., work., pl. 1 t¹, fig. 4. sold.

Leucotermes aethiopicus Sjöstedt 1926, pp. 59-60, sold.

Reticulitermes aethiopicus Ghidini 1938, p. 226, biol.

Type: Mus. Paris.

Sold., work.

Abyssinia.

Ethiopian.

Reticulitermes arenicola Goellner.

Reticulitermes arenicola Goellner 1931, pp. 227-234, 6 figs., winged, sold., work., Pine, Indiana (south.).

Reticulitermes lucifugus Dobson 1918, p. 99, biol., loc.

Reticulitermes lucifugus Banks (and Snyder) 1920, pp. 43, 53, im., sold.; (Banks) and Snyder 1920, pp. 174-176, biol. (Massachusetts record only).

Reticulitermes lucifugus Emerson 1936, p. 411, loc.

Reticulitermes lucifugus Wheeler 1936, p. 193, p. 219, biol.

Type: Emerson coll.

Winged, sold., work.

Indiana, Michigan, Massachusetts.

Nearctic.

Reticulitermes chinensis Snyder.

Reticulitermes chinensis Snyder 1923, pp. 107-109, winged, sold., Prov. Szechuan, China; Light 1931, pp. 583-584, 590, loc.

Type: winged, U.S.N.M. No. 26043.

Reticulitermes assamensis Gardner 1944, pp. 105-106, sold., Assam (Sadiya), India.

Winged, sold.

Szechuan, Hunan, Yenping, China; Assam, India.

?Palaeartic and Indo-Malayan.

Reticulitermes flaviceps (Oshima).

Leucotermes flaviceps Oshima 1911a, p. 356, pl. 18, figs. 5, 7; 1912, p. 74, fig. 5, pl. 1, fig. 10, pl. 2, figs. 15-17; 1913, pp. 277-278; 1914a, p. 1.

Leucotermes speratus Oshima 1911-4, Formosa only; Hozawa 1915, pp. 62-63, 82, Formosa only.

Winged, sold., work.

Formosa: Botel-tobago.

Indo-Malayan.

Reticulitermes flavipes (Kollar).

Termes flavipes Kollar 1837, p. 411, winged, greenhouse at Schönbrunn, Vienna, Austria; Burmeister 1839, p. 768; Westwood 1840, p. 14, figs. 58, 12, 14, 15; Hagen 1858, p. 182, im., sold., loc.; Banks 1907, p. 392.

Leucotermes flavipes Holmgren 1911a, p. 48, fig. 5 (mand.), pl. 5, fig. 3 (im.), fig. 4 (sold.), fig. 6 (wings), p. 69; Desneux 1915, p. 6, loc.

Reticulitermes flavipes Banks (and Snyder) 1920, pp. 45-46, fig. 30 (dist.), fig. 35a, gula sold.

Reticulitermes flavipes Feytaud 1925; Snyder 1926 (subspecies or race), France and U. S. (fossil bibliography).

Termes frontale Haldeman 1844, p. 55.

Reticulitermes claripennis Banks (and Snyder) 1920, p. 47, winged, sold., Beaumont, Tex., fig. 32 (dist.).

Paratypes: winged, M.C.Z. No. 10110.

Winged, sold., reproductives, work.

Mediterranean Europe; Ontario, Canada; U. S. (exclusive of far west); No. Mexico; No. Guatemala.

Nearctic, Palaearctic.

Reticulitermes fukiensis Light.

Reticulitermes fukiensis Light 1924, pp. 52-53 (sold. in key), p. 142, Foochow, Fukien, China; 1931, pp. 583, 584, 591, loc.

Winged, king, queen, sold., work.

Fukien: Yenping; Nanking?; China.

Indo-Malayan.

Reticulitermes hageni Banks.

Reticulitermes hageni Banks (and Snyder) 1920, pp. 44-45, im., sold., fig. 29, dist., Falls Church, Va.

Reticulitermes hageni, subspecies or race Snyder 1926, Texas (fossil bibliography).

Type: winged and sold., U.S.N.M. No. 21863; paratype: winged, M.C.Z. No. 10538.

Winged, sold., work.

Eastern United States west to Kansas.

Nearctic.

Reticulitermes hesperus Banks.

Reticulitermes hesperus Banks (and Snyder) 1920, pp. 50-51, winged, sold., fig. 34, 2 (sold.), fig. 37, dist. Little Bear Lake, San Bernardino Mts., Calif.

Reticulitermes hesperus Spencer 1945, p. 21, dist. Vancouver, Brit. Columbia.

Termes flavipes Hagen 1877, p. 73, biol., local. California: Geysers, in Sonoma County. Type: winged, U.S.N.M. No. 21864; paratype: winged, M.C.Z. No. 10541; morphotype: sold., U.S.N.M.

Winged, sold., work.

Vancouver, Brit. Columbia;

Washington; Oregon; Cali-

fornia; Nevada.

Nearctic.

Reticulitermes lucifugus (Rossi).

Termes lucifugus Rossi 1792, p. 107, winged, Shores of Mediterranean Sea; Walker 1853, p. 505 (only No. 3), im.; Hagen 1858, p. 174, im., sold., work., loc.; Grassi and Sandias 1893, Sicily; Jacobson 1904, pp. 68, 57 (loc.).

Termes lucifuge Latreille 1802, p. 62, loc.

Termes lucifugum Latreille 1805, p. 69.

Cucoterme lucifugus Holmgren 1911a, p. 69.

Cucoterme (*Reticulitermes*) *lucifugus* Holmgren 1913b, p. 60.

Cucoterme lucifugus Desneux 1915, p. 6, loc.

Reticulitermes lucifugus, subspecies or race Feytaud 1925; Snyder 1926, France (fossil bibliography).

Cucoterme lucifugus Sjöstedt 1926, p. 59, fig. 20, sold., loc.

Termes pusillus Walker 1853, p. 528, im.

Emerobius raphidiodides Villers p. 56, pl. 7, fig. 8.

Termes arda Forskal, p. 96, pl. 25, fig. A?

Termes arda Fabricius 1787, p. 247?; Linné 1788-93, p. 2913, No. 5?

Termes radicum Latreille 1798, p. 84.

Termes parvulum Illiger, p. 16.

Termes Madeirensis Heer, Mus. Vienna (Hagen).

Type: Mus. Berol.

Winged., sold., work., neo-
teinics.

Shores of Mediterranean, No.

Africa; France, Portugal,

Spain, Italy, Sardinia, Sicily,

Dalmatia, Yugoslavia, Greece,

Turkey, Cyprus, Bessarabia,

Odessa, No. Africa: Algeria.

near Suez.

Palearctic.

Reticulitermes lucifugus (Rossi), subsp.?

Reticulitermes lucifugus subsp. Feytaud 1925, p. 161; Snyder 1926 (fossil bibliography), pp. 1-2, loc., France (Dep. Charente-Inférieure), race or subsp.

Winged.

France.

Palearctic.

Reticulitermes magdalenae (Silvestri).

Leucotermes (*Reticulitermes*) *magdalenae* Silvestri in Bathellier 1927, pp. 132-134, sold., work., Indo-China: Chapa, in mountains of the Tonkino-chinoises frontier, elev. 1,400 meters.

Sold., work.

Indo-China.

Palearctic?

Reticulitermes speratus (Kolbe).

Termes speratus Kolbe 1885, p. 147, pl. 6, Japan.

Leucotermes (*Reticulitermes*) *speratus* Holmgren 1912a, pp. 124-126, im., sold., keys; 1913b, p. 61, im., sold., work., pl. 2, fig. 1 (im.), fig. 3 (sold.), Japan only, Formosa records are *flaviceps* Oshima; Hozawa 1915, pp. 62-83 (im., sold., neoteinics), figs. 14-18, pl. 2, figs. 11-15, syn., loc., p. 81, Korea.

Termes flavipes Oshima 1908, p. 515.

Termes (*Leucotermes*) *flavipes* Oshima 1909, p. 30; 1910, p. 345.

Leucotermes flavipes Shiraki 1909, p. 231; 1910, p. 4; Oshima 1911, p. 3; Nitobe 1911, p. 20; Nawa 1911, p. 14. (Japan only.)

Winged, sold., reproductives,
work.

Japan, Korea.

Palearctic?

Reticulitermes tibialis Banks.

Reticulitermes tibialis Banks (and Snyder) 1920, pp. 47-50 (im., sold.), fig. 33 (wing.), fig. 34, 1 (sold.), fig. 35b (gula sold.), fig. 36 (dist.), Beeville, Tex.; Light 1931a, p. 5, 7, loc.

Type: winged, U.S.N.M. No. 21861; paratype: M.C.Z. No. 10542; morphotype: sold.

Reticulitermes humilis Banks (and Snyder) 1920, pp. 51-53, im., sold., fig. 38, 1 (sold.), fig. 39 (dist.), Arizona.

Reticulitermes tumiceps Banks (and Snyder) 1920, p. 53, sold., fig. 38, 2 (sold.), Stratton, S. Catalina Mts., Ariz.

Winged, sold., reproductives,
work.

Western United States, No.

Mexico, Lower California.

Nearctic.

Reticulitermes virginicus (Banks).

Termes virginicus Banks 1907, p. 392, winged, sold., Virginia (Falls Church or Chain Bridge).

Leucotermes virginicus Holmgren 1911a, p. 69, No. America.

Reticulitermes virginicus Banks (and Snyder) 1920, p. 46, im., sold., fig. 31 (dist.), loc.

Type: M.C.Z. No. 10548.

Winged, sold., reproductives,
work.

SE. United States west to Okla-
homa.

Nearctic.

STYLOTERMITINAE

Subfamily STYLOTERMITINAE Holmgren, K. and N.

Type genus: *Stylotermes* Holmgren.

Subfamily STYLOTERMITINAE Holmgren, K. and N. 1917, p. 141.

STYLOTERMES

Genus *Stylotermes* Holmgren, K. and N.

Generitype: *Stylotermes fletcheri* Holmgren.

Genus *Stylotermes* Holmgren, K. and N. 1917, p. 141.

Stylotermes fletcheri Holmgren, K. and N.

Stylotermes fletcheri Holmgren, K. and N. 1917, p. 142, im., sold., work., So. India: Shevaroy Hills.

Vinged, sold., work.

India.

Indo-Malayan.

COPTOTERMITINAE

Subfamily COPTOTERMITINAE Holmgren.

Type genus: *Coptotermes* Wasmann.

<Subfamily COPTOTERMITINAE Holmgren 1910, p. 285 (no descr.).

<Subfamily COPTOTERMITINAE Holmgren 1910a, p. 143 (no descr.).

<Subfamily COPTOTERMITINAE Holmgren 1911a, pp. 62, 71.

>Subfamily ARRHINOTERMITINAE Sjöstedt 1926, pp. 8, 54.

>Subfamily COPTOTERMITINAE Sjöstedt 1926, pp. 8, 55.

COPTOTERMES

(Cut)

Genus *Coptotermes* Wasmann.

Generitype: *Coptotermes gestroi* Wasmann.

=Subgenus *Coptotermes* (*Termes*) Wasmann 1896, p. 629.

=Subgenus *Coptotermes* Wasmann 1897, p. 151.

=Genus *Coptotermes* Silvestri 1903, p. 46.

=Genus *Coptotermes* Holmgren 1911a, p. 73; 1913b, p. 71.

<Genus *Arrhinotermes* Wasmann 1902b, p. 103 (part with type). Wasmann described the genus *Arrhinotermes* for one species, *A. heimi*, which is now placed as a *Coptotermes*; therefore, *Arrhinotermes* must become synonymous with *Coptotermes* in spite of the fact that "*A.*" *oceanicus* comes also included as a species of *Arrhinotermes oceanicus*. It is therefore left without a generic name, and as it is a *Prorhinotermes* (described later 1909) it must be placed in that genus although not mentioned by Silvestri in his original description.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

<Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 26, 16.

><Subgenus *Arrhinotermes* (*Termes*) Desneux 1904e, pp. 31, 33.

>Subgenus *Coptotermes* (*Termes*) Desneux 1904e, pp. 31, 32, 34.

(= Except *C. heimi* included in subgen. *Arrhinotermes*) and *C. acinaciformis* in *Eutermes*.

><Subgenus *Eutermes* (*Termes*) Desneux 1904e, p. 39.

=Genus *Coptotermes* Banks 1919, p. 479.

=Genus *Coptotermes* Sjöstedt, 1926, pp. 55-56.

>Genus *Vastitermes* Sjöstedt, 1926, pp. 22, 27.

Coptotermes acinaciformis (Froggatt).

Termes acinaciformis Froggatt 1897, p. 740, pl. 34, figs. 7, 7a, winged, sold., work., W Australia.

Termes (Eutermes) acinaciformis Desneux 1904e, p. 40.

Coptotermes acinaciformis Froggatt 1905b, pp. 760, 762; Hill 1942, pp. 141-147, figs. 79-80 pl. 4, fig. 1 wing., sold., loc.

Hololectotype: winged; morpholectotype: sold., Hill coll.; paratypes: from type colony in C.S.I.R. coll.

?*Termes australis* French 1893, p. 137, im. only, figs. 5-6.

Termes lacteus Froggatt 1898, p. 721, im., sold.

Coptotermes lacteus Silvestri 1909, p. 293, im., sold.; Harrow 1943, New Zealand.

Winged, sold., work.

W. Australia, North Territory,
Queensland, New So. Wales,
Victoria, So. Australia, New
Zealand (North Island) intro-
duced.

Australian.

Coptotermes amanii (Sjöstedt).

Eutermes (Coptotermes) amanii Sjöstedt 1911d, p. 17 (sold., work.), Usambara: Amani.

Eutermes (Coptotermes) amanii Sjöstedt 1915, p. 18, sold., Kilimandjaro (New Moschi).

Coptotermes Amanii Sjöstedt 1926, p. 58, fig. 19 (sold.), pl. 2, fig. H¹⁻², loc.

Type: Mus. Stockholm, Zanzibar specimens Mus. Berlin and Stockholm.

Sold.

Tanganyika, Zanzibar.

Ethiopian.

Coptotermes amboinensis Kemner.

Coptotermes amboinensis Kemner 1931, pp. 20-23, sold., work., fig. 6, sold., Ambon; pp. 22-23 winged possibly of this species.

Sold., winged?

Amboina Isl.

Papuan.

Coptotermes boetonensis Kemner.

Coptotermes boetonensis Kemner 1934, p. 66, sold., Boeton Isl., SE. point Celebes.

Sold.

Boeton Isl.

Indo-Malayan.

Coptotermes bornensis Oshima.

Coptotermes bornensis Oshima 1914b, pp. 556-557, sold., work., pl. 9, fig. 2, Balik-Papan, Dutch Borneo; Davis 1929, pp. 53-61.

Sold., work.

Dutch Borneo.

Indo-Malayan.

Coptotermes ceylonicus Holmgren.

Coptotermes ceylonicus Holmgren 1911c (*in* Escherich), p. 192, im., sold., Ceylon; 1913b, p. 75, im., sold., work., pl. 2, fig. 9, sold.

Coptotermes travians Bugnion and Popoff 1910, pp. 107-115, im., sold.

Wing., sold., work.

Ceylon.

Indo-Malayan.

Coptotermes crassus Snyder.

Coptotermes crassus Snyder 1922, pp. 21, 22, fig. 6, sold., Honduras (Span.).

Type: sold. U.S.N.M. No. 24571; Light 1933, pp. 105-107, pl. 8, figs. 3-5, pl. 10, figs. 1-2, wing., sold.

Wing., sold.

Honduras, W. Mexico.

Neotropical.

Coptotermes curvignathus Holmgren.

Coptotermes curvignathus Holmgren 1913b, p. 77, sold., work., pl. 2, fig. 11, sold., Malay Peninsula, Singapore; Borneo, Sarawak; Burma; 1913-14, p. 236, Sumatra; Malacca; John 1925, pp. 381-382, loc.

Coptotermes gestroi Oshima 1913, p. 276, sold.; Richards 1917, p. 338, Malaya.

Coptotermes robustus Holmgren 1913b, p. 78, im., No. Borneo (Pagel) Mus. Berlin; 1913-14, p. 236, Sumatra.

Wing., sold., work.

Malaya, Burma.

Indo-Malayan.

Coptotermes dobonicus Oshima.

Coptotermes dobonicus Oshima 1914b, pp. 554-555, pl. 9, fig. 3, sold., work., Dobo, Arue Isl. (Dutch New Guinea).

Sold., work.

Dutch New Guinea: Arue Isl.

Papuan.

Coptotermes dreghorni Hill.

Coptotermes dreghorni Hill 1942, pp. 170-171, wing., sold., Queensland: Timber Reserve No. 263, Parish of Dirran, about 5 miles east of Ravenshoe.

Holotype: wing.; morphotype: sold., work., C.S.I.R. coll.

Wing., sold.

Queensland.

Australian.

Coptotermes elisae (Desneux).

Coptotermes (Coptotermes) elisae Desneux 1905, p. 368, wing., New Guinea: Simbang (Huon Gulf).

Coptotermes elisae Holmgren 1911b, p. 456, im.

Holotype: wing., Desneux coll.

Wing.

New Guinea.

Papuan.

Coptotermes flavicephalus Oshima.

Coptotermes flavicephalus Oshima 1914b, pp. 558-559, sold., work., pl. 9, fig. 1, Los Banos, Luzon.

Sold.

Philippines.

Indo-Malayan.

Coptotermes formosanus Shiraki.

Coptotermes formosanus Shiraki 1909, pp. 239-240, Formosa; Oshima 1912, p. 75, pl. 1, figs. 8, 28, pl. 2, figs. 3, 21; Holmgren 1913b, p. 76, im., sold., work., pl. 2, fig. 10 (described as a new species from Formosa); Hozawa 1915, pp. 92-105, pl. 3, figs. 18-20, text figs. 22-25, im., sold., work., loc., syn.; Oshima 1920a, p. 491 (also included *travians* Oshima, both are *vastator* Light, Philippines); Light 1921, p. 250, Philippines, Manila excluded, Formosa, China Coast, Japan; 1931, pp. 583, 584, 591-593, China: So. Kwangtung, No. Fukien, Shanghai?

Termes raffrayi Matsumura 1910, p. 1.

Coptotermes gestroi Oshima 1910, p. 376.

Termes gestroi Oshima 1911a, p. 359.

Coptotermes formosae Holmgren 1911c, p. 192, im.; 1912a, pp. 121-122, im., sold., work.; Yano 1911c, p. 62.

Coptotermes hongkonensis Oshima 1914b, pp. 559-560, pl. 9, fig. 5, sold., work., Hongkong.

Coptotermes intrudens Oshima 1920, p. 262, Hawaii; Snyder 1924f, pp. 381-382; Fullaway 1926, p. 69.

Cryptotermes hongkongensis Campbell 1922, p. 82, loc.

Coptotermes remotus Silvestri 1928, p. 93, fig. 2, im., sold., Simonstown, So. Africa.

Coptotermes, n. sp. Fuller 1925, p. 1, So. Africa.

Wing., sold., work.

Formosa, Japan, China Coast,
Hawaii and So. Africa (in-
troduced).

Indo-Malayan, Papuan, Ethiopian.

Coptotermes frenchi Hill.

Coptotermes flavus Hill 1926b (nec Bugnion and Popoff), p. 207, im., sold., work., Victoria, figs. 2-3.

Coptotermes labiosus Hill 1926b, p. 213, im., sold., work., So. Australia: Barton.

Coptotermes flavus Hill 1932, p. 22 (biol.).

Coptotermes frenchi Hill 1932, p. 142; 1942, pp. 149-152, fig. 82, pl. 5, fig. 2, im., sold., work.; Clark 1942, p. 260.

?*Termes australis* French 1893, p. 137, im. only, figs. 5-6, Victoria: Melbourne.

Coptotermes michaelsoni Mjöberg 1920, p. 30, sold. part, So. Australia: Adelaide only.
Holotype: wing.; morphotype: sold. and work., Nat. Mus., Melbourne.

Wing., sold., work.

So. Australia, Victoria.

Australian.

Coptotermes gestroi (Wasmann).

Termes Gestroi Wasmann 1896, p. 628, sold., Bhamò, Burma; Haviland 1898, p. 390, sold., work., Singapore (Malay Peninsula), Sarawak (Borneo), Burma.

Coptotermes Gestroi Holmgren 1911a, p. 73, pl. 5, fig. 9, sold., Burma, Sumatra, Singapore, Borneo; 1911b, p. 457, sold.; 1913b, p. 267, sold., Burma.

Coptotermes gestroi Holmgren, K. and N. 1917, p. 145, India, Assam, Dibrugarh.

Sold.

Malaya, Burma, India.

Indo-Malayan.

Coptotermes grandiceps Snyder.

Coptotermes grandiceps Snyder 1925f, pp. 401-402, sold., Tulagi Isl., Solomon Isls.; Hill 1942, pp. 153-155, fig. 83, sold., wing. (from type loc.), syn.; Lever 1934, p. 10, pl. 1, figs. a, b (biol.).

Holotype: sold., M.C.Z. No. 15287; paratype: U.S.N.M.; morphotype: winged, C.S.I.R. coll.

Coptotermes froggatti Light and Davis 1929, p. 62, figs. 1-8, sold., Banika Isl.

Coptotermes solomonensis Snyder, 1925f, p. 403, sold., Malayta Isl.

Coptotermes solomonensis Hill 1927a, p. 19, Banika Isl.

Wing., sold.

Solomon Isls: Tulagi, Malaita,
Banika Isls. (Russell group),
Vanikoro Isl. (Santa Cruz
group), Savo Isl.

Papuan.

Coptotermes havilandi Holmgren.

Coptotermes Havilandi Holmgren 1911a, p. 74 (not described), Siam; 1911c, p. 192, wing., Hinterindien; 1912c, p. 280, loc. Anping?; 1913b, p. 75, im., Malacca, Saida Mus. Vienna. Siam Hinlap Mus. Berlin. Vienna (possibly wing of *gestroi*?).

Coptotermes javanicus Kemner 1934, p. 59, im., sold., Buitenzorg, Semarang (middle Java).

Coptotermes sp., near *intermedius* Moutia 1936, p. 14, im., sold., Mauritius (introduced).

Coptotermes sp. Adamson 1938, pp. 221-223, Barbados.

Wing., sold.

Siam; Malacca; Java; An-
ping?; Mauritius (intro-
duced); W. Indies: Barba-
dos, Jamaica (introduced).

Indo-Malayan (Malagasy, Neotropical introduced).

Coptotermes heimi (Wasmann).

Arrhinotermes Heimi Wasmann 1902b, p. 104 (im.), pl. 4, fig. 1 a-f (im.), p. 160 (syn.), India: Wallon (Ahmed nagar distr.); Holmgren 1911, pp. 551-552 (im.); 1913b, p. 74 (im., sold., work.), pl. 2, fig. 8, sold., Bombay; Holmgren, K. and N. 1917, p. 144, loc.; Silvestri 1923, p. 225.

Coptotermes travians Bugnion 1910, p. 134 (biol.).

Wing., sold. *

India.

Indo-Malayan.

Coptotermes hyaloapex Holmgren.

Coptotermes hyaloapex Holmgren 1911b, p. 457 (sold.), fig. 3, New Guinea: Bukaua; Hill 1927a, p. 16, Papua (Mambare River); 1942, pp. 155-156.

Sold.

New Guinea, Papua.

Papuan.

Coptotermes intermedius Silvestri.

Coptotermes intermedius Silvestri 1912, pp. 218-219, sold., work., fig. III, 1-9, sold., Portug. Guinea: Rio Cassine; 1914-15, p. 10, fig. 14, Nos. 4, 5 (mand. and antenna sold.); Sjöstedt 1926, p. 57, loc.; Grassé 1937a, p. 28, figs. 16-17 (sold.), Ivory Coast: Diébouyou.

Sold., work.

Portug. Guinea, Senegal, Sierra Leone, Ivory Coast.

Ethiopian.

Coptotermes kalshoveni Kemner.

Coptotermes Kalshoveni Kemner 1934, p. 61, sold., Semarang.

Sold.

Java.

Indo-Malayan.

Coptotermes lacteus (Froggatt).

Termes lacteus Froggatt 1897, p. 721, wing., sold., work., New So. Wales.

Termes (Coptotermes) lacteus Desneux 1904c, p. 34.

Coptotermes lacteus Holmgren 1911a, p. 73, p. 74 (syn.); Mjöberg 1920, p. 29, loc.; Hill 1942, pp. 156-162, figs. 84-85, im., sold., loc., syn.

Coptotermes sedulus Hill 1923, p. 40, figs. 1-7, im., sold., work., Victoria.

Hololectotype: winged; morpholectotype: sold., work., C.S.I.R. coll.

Coptotermes michaelsoni Mjöberg 1920, p. 30, sold., part.

Wing., sold., work.

Victoria, New So. Wales, Queensland, New Zealand (North Isl.) introduced.

Australian.

Coptotermes menadoensis Oshima.

Coptotermes menadoensis Oshima 1914b, pp. 557-558, im., Menado, Celebes.

Winged.

Celebes.

Indo-Malayan.

Coptotermes michaelsoni Silvestri.

Coptotermes Michaelsoni Silvestri 1909, p. 293, pl. 19, figs. 106-121, wing., sold., work., W. Australia.

Coptotermes Michaelsoni Mjöberg 1920, p. 30; Hill 1942, pp. 162-164, fig. 86 (sold.), wing., sold., loc.

Cotypes: Nat. Hist. Mus., Stockholm, W. Austral. Mus., Hill coll.

Wing., sold., work.

W. Australia, So. Australia, Victoria, Queensland.

Australian.

Coptotermes minutissimus Kemner.

Coptotermes minutissimus Kemner 1934, pp. 64-65, sold., Bera Massidi, very small Cocos Isl. between Moena Isl. and SE. point Celebes.

Sold.

Moena Isl.

Indo-Malayan.

Coptotermes niger Snyder.

Coptotermes niger Snyder 1922, pp. 19-21, fig. 5 (sold. gula), wing., sold., Juan Mina, C. Z., Panama; 1925b, p. 162, loc.; 1926, p. 27, loc., sold., work. Bohas Guatemala, Colombiana, Costa Rica.

Coptotermes marabitanas Banks 1918, p. 662, loc.

Termes testaceus Dudley and Beaumont, 1890, pp. 159, 164-165, 168-169, 173, 177-179, biol., Panama.

Type: wing., male, U.S.N.M. No. 24570.

Wing., sold., work.

Panama, Costa Rica, Guatemala,
Colombia.

Neotropical.

Coptotermes obiratus Hill.

Coptotermes obiratus Hill 1927a, pp. 17-19, pl. 1, fig. 16, sold., work., Papua (Mekeo distr.), Waima; New Britain, Rabaul; 1942, pp. 164-165, fig. 87 (sold.), syn., loc.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Papua, New Britain.

Papuan.

Coptotermes oshimae Light and Davis.

Coptotermes oshimae Light and Davis 1929, pp. 66-70, figs. 9-15, sold., Maros, Celebes.
Type: Light coll., now in Emerson coll.

Sold.

Celebes.

Indo-Malayan.

Coptotermes pacificus Light.

Coptotermes pacificus Light 1932a, pp. 84-86, fig. 25 alate, Marquesas.

Wing.

Marquesas.

Papuan.

Coptotermes pamua Snyder.

Coptotermes pamua Snyder 1925f, pp. 402-403, sold., Pamua, San Cristobal Isl., Solomon Isls.; Light and Davis 1929, p. 66.

Sold.

Solomon Isls.

Papuan.

Coptotermes paradoxus (Sjöstedt).

Calotermes paradoxus (Sjöstedt) 1911d, p. 1, im., Togo: Bismarckburg (not renamed because probably imago of named species, although name preoccupied by *Calotermes* (*Procryptotermes*) *paradoxus* Holmg. 1911, p. 550).

Coptotermes paradoxus Emerson 1928, p. 415, syn.

Castitermes paradoxus Sjöstedt 1926, p. 27, fig. 3, wing.

Vinged.

Togo.

Ethiopian.

Coptotermes parvulus Holmgren.

Coptotermes parvulus Holmgren 1913a, p. 104, sold., work., Gujerat: Anand and Vadt

Coptotermes parvulus Holmgren 1913b, p. 73, sold., work., Bombay: Gujerat, Anand
Silvestri 1923, sold., work., Barkuda Isl.

Sold., work.

Bombay, India.

Indo-Malaya

Coptotermes peregrinator Kemner.

Coptotermes peregrinator Kemner 1934, pp. 65-66, sold., Saleier Isl.

Sold.

Saleier Isl.

Indo-Malaya

Coptotermes raffrayi Wasmann.

Coptotermes Raffrayi Wasmann 1900a, p. 244, sold., W. Australia (Swan Riv.); Silves
1909, p. 293, placed in syn. with *lacteus* Frogg.; H
1942, pp. 168-169, fig. 89 (sold.), wing., sold., syn., l
Holotype: sold., Wasmann coll.; morphotype: win
work., Nat. Mus., Melbourne.

Wing., sold., work.

W. Australia.

Australia

Coptotermes reductus Sjöstedt.

Coptotermes truncatus var. *reducta* Sjöstedt 1926c, p. 238, sold., Gold Coast, Kumassi (pro
ably sold. *paradoxus*).

Sold.

Gold Coast.

Ethiopia

Coptotermes remotus Hill.

Coptotermes remotus Hill 1927a, p. 16, pl. 1, fig. 14, sold., New Ireland; Light and Dav
1929, p. 66; Hill 1942, p. 170, loc.

Holotype: sold.; morphotype: work., Nat. Mus., Me
bourne.

Sold., work.

New Ireland: Kaewieng.

Papua

Coptotermes sinabangensis Oshima.

Coptotermes sinabangensis Oshima 1923, pp. 7-8, sold., Sinabang, Simalur, Sumatra.

Sold.

Sumatra.

Indo-Malaya

Coptotermes sjöstedti Holmgren.

Eutermes lateralis Sjöstedt 1900a, p. 165 (sold., work.), pl. 5, fig. E, Kamerun: Bonge.

Eutermes lateralis Sjöstedt 1905, p. 15, Congo.

Coptotermes Sjöstedti Holmgren 1911a, p. 73 (no descr.); Silvestri 1912, p. 220 (sol
work.), Isl. Principe; von Rosen 1912, p. 222 (im
Mosambique; Sjöstedt 1926, pp. 56-57, wing., sol
pl. 2, fig. I (pron. sold.), loc.

Coptotermes sjöstedti Emerson 1928, p. 424, fig. 2, sold.; Grassé 1937a, p. 26, Ivory Coa

Wing., sold., work.

French Guinea, Ivory and Gold
Coasts, Nigeria, Kamerun,
Belgian Congo, Isl. Principe,
D. E. Africa, Mozambique.

Ethiopia

Coptotermes sjöstedti, var. *subintacta* Silvestri.

Coptotermes intermedius var. *subintacta* Silvestri 1914-15, p. 10, fig. 4, 1-3, sold., Senegal: Thiès.

Coptotermes Sjöstedti var. *subintacta* Sjöstedt 1926, p. 57, loc., Senegal, Belgian Congo; 1927, p. 97, loc., Somaliland.

?*Coptotermes Sjöstedti* var. *modica* Silvestri 1914-15, p. 9, fig. 3, 1-2, sold., Gold Coast: Aburi; Cameroon; Sjöstedt 1926, p. 57, syn., loc.

Sold., work.

Senegal, Somaliland, Belgian Congo, Gold Coast, Cameroon.

Ethiopian.

Coptotermes testaceus (Linnaeus).

Hemerobius testaceus Linnaeus 1758, ed. 10, p. 550, ed. 12, p. 912, ed. 13, p. 2641, im., America.

Termes testaceus Burmeister 1839, p. 767.

Termes (Eutermes) testaceus Hagen 1858, p. 198, pl. 2, fig. 12, pl. 3, fig. 28, im., Surinam: Cayenne; Brit. Guiana; Venezuela, Puerto Cabello; Brazil: Para; Chile: Valpariso.

Termes testaceus Hagen 1860, p. 123, sold., Paramaribo.

Coptotermes testaceus Holmgren 1911a, p. 73; Desneux 1915, p. 7, loc.

Perla fusca de Geer 1778, p. 567, ed. Goetze, p. 366, pl. 27, figs. 4-5; Retzius 1783, p. 60.

Termes morio Fabricius 1793, p. 90, No. 3; Rambur 1842, p. 305 (im.); Erichson 1848, p. 583.

Termes nasutus Walker 1853, p. 506 (im.).

Termes (Eutermes) Marabitanas Hagen 1858, p. 191, im., sold., pl. 1, fig. 4 (sold.), pl. 3, fig. 25 (im.), Brazil: St. Jose de Marabitanas (Rio Negro).

Coptotermes marabitanas Silvestri 1901, p. 4; Desneux 1915, p. 7, loc.; Emerson 1925, p. 344, im., sold., fig. 37.

Type: Mus. Vienna; ? Selys Longchamps coll., Brussels; paratypes: wing. and sold., M.C.Z.

Wing., sold., work.

West Indies: Tobago, Trinidad, and So. America.

Neotropical.

Coptotermes travians (Haviland).

Termes travians Haviland 1898, p. 391, pl. 23, figs. 19-22, im., sold., Malay Peninsula, Singapore (type loc.), Sarawak, Borneo.

Coptotermes travians Holmgren 1911, pp. 551-552 (im.); 1913b, p. 72, im., sold., work., pl. 2, fig. 7, sold., Malay Peninsula, Borneo; 1913-14, p. 236, Sumatra, Java, Singapore; Holmgren, K. and N. 1917, p. 145, Bengal, India; Oshima 1914b, pp. 555-556, sold., Dutch Borneo; Light 1921, p. 250 (syn.), loc. but not Philippine records which are *vastator*; John 1925, p. 381, loc.

Type: No. 573, British Museum.

Wing., sold., work.

Malay Peninsula, Singapore; Sumatra; Java; Sarawak; Borneo; Bengal, India.

Indo-Malayan.

Coptotermes truncatus (Wasmann).

Termes (*Coptotermes*) *truncatus* Wasmann 1897, p. 164, figs. 11, 12, 12a, sold., Madagascar: Nossi-Bé; Desneux 1904e, p. 34.

Eutermes truncatus Sjöstedt 1900a, p. 168.

Coptotermes truncatus Holmgren 1909a, p. 2, sold., work., pl. 1, fig. 1, nest, pl. 2, fig. 4 (gen. loc.); 1910a, p. 144 (syn.), Seychelles; Sjöstedt 1926, p. 58, sold., work., loc.

Sold., work.

Madagascar, Seychelles.

Malagasy.

Coptotermes vastator Light.

Coptotermes vastator Light 1929a, pp. 422-440, figs. 1-4, pls. 1-6, im., sold., Philippines: Luzon; Jucci 1936, p. 6.

Coptotermes travians Oshima 1917a, p. 223, sold.; 1920a, p. 491, Philippine loc.

Coptotermes travians Light 1921, p. 250 (Philippines).

Coptotermes formosanus Oshima 1920a, p. 491, Philippine records.

Coptotermes formosanus Light 1921, p. 250.

Wing., sold., work.

Philippines: Luzon, etc.

Indo-Malayan.

TERMITOGETONINAE

Subfamily TERMITOGETONINAE Holmgren.

Type genus: *Termitogeton* Desneux.

=Subfamily TERMITOGETONINAE Holmgren 1910, p. 285 (no. descr.).

Subfamily TERMITOGETONINAE Holmgren 1910a, p. 143 (no. descr.).

=Subfamily TERMITOGETONINAE Holmgren 1911a, pp. 75, 62.

TERMITOGETON

Genus *Termitogeton* Desneux.

Generitype: *Termitogeton umbilicatus* (Hagen).

=Subgenus *Termitogeton* (*Termes*) Desneux 1904d, p. 374; 1904e, p. 46.

=Genus *Termitogeton* Holmgren 1911a, p. 75; 1911c (*in* Escherich), p. 193.

<Genus *Termes* Hagen 1860a, p. 110.

=Genus *Termes* (sect. with *planus* for type) Haviland 1898, pp. 378, 397.

Termitogeton planus (Haviland).

Termes planus Haviland 1898, p. 397, im., queen, sold., Borneo, Sarawak.

Termes (*Termitogeton*) *planus* Desneux 1904e, pp. 46-47 (placed doubtfully in syn. with *umbilicatus*), fig. 9 (im.), fig. 10 (sold.).

Termitogeton planus Holmgren 1911a, pp. 75-76, pl. 6, fig. 9 (im.), fig. 10 (sold.), fig. 12 (wings), syn.; 1913b, p. 89, im., sold., work., pl. 2, fig. 25 (sold.).

Type: No. 164.

Wing., sold.

Borneo.

Indo-Malayan.

Termitogeton umbilicatus (Hagen).

Termes umbilicatus Hagen 1858b, p. 472, No. 4; 1860a, p. 110, im., sold., work., Ceylon: near Rambodde, alt. 4,000 ft.

Termes (*Termitogeton*) *umbilicatus* Desneux 1904e, p. 47 (syn.).

Termitogeton umbilicatus Holmgren 1911a, p. 76, sold., pl. 6, fig. 11 (sold.); 1911c (*in* Escherich), p. 193, sold., Hantana Mt. near Peradeniya; 1913b, p. 90, im., sold., work., pl. 2, fig. 24 (sold.).

Winged, sold.

Ceylon.

Indo-Malayan.

RHINOTERMITINAE

Subfamily RHINOTERMITINAE Froggatt.

Type genus: *Rhinotermes* Hagen.

>Subfamily RHINOTERMITINAE Froggatt 1896, p. 539.

><Subfamily RHINOTERMITINAE Holmgren 1911a, pp. 62, 76.

PRORHINOTERMES

Genus *Prorhinotermes* Silvestri.

Generitype: *Prorhinotermes inopinatus* Silvestri.

=Genus *Prorhinotermes* Silvestri 1909, p. 286.

<Genus *Termes* (*Rhinotermes*) Hagen 1858, pp. 107, 233.

<Genus *Termes* (*Rhinotermes*) Hagen 1858a, pp. 16, 33.

<Genus *Arrhinotermes* Wasmann (part) (not type) 1902b, pp. 103, 139, 160, syn.

Genus? *Termes* (part) Sjöstedt 1904, p. 47, *T. canalifrons*.

><Subgenus *Arrhinotermes* (*Termes*) Desneux 1904e, pp. 31, 32 (includes *Coptotermes heimi*).

<Genus *Termes* Desneux 1904e, pp. 26, 28.

><Subgenus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.

=Genus *Procoptotermes* Holmgren 1909, pp. 28, 110, 169; 1911, p. 549; 1911a, p. 73 (no descr.).

=Genus *Arrhinotermes* Holmgren 1911, pp. 548, 549, syn. with *Prorhinotermes*.

=Genus *Arrhinotermes* Holmgren 1911a, pp. 72, 71.

=Genus *Arrhinotermes* Holmgren 1913b, p. 66.

=Genus *Paratermes* Oshima 1912, p. 69 (type *canalifrons*).

=Genus *Prorhinotermes* Banks 1919, p. 479.

=Genus *Prorhinotermes* Banks (and Snyder) 1920, pp. 39, 145.

=Genus *Prorhinotermes* Light, 1921a, p. 48.

<Genus *Termitogetonella* Oshima 1920a, p. 496, not valid.

=Genus *Prorhinotermes* Light 1930a, p. 15.

(Type species: *Termitogetonella tibiaoensis* Oshima; imago is *Prorhinotermes*, soldier is *Odontotermes*.)

Prorhinotermes canalifrons (Sjöstedt).

Termes ? *canalifrons* Sjöstedt 1904, p. 47, sold., Madagascar: Tamatave.

Termes (*Termes*) *canalifrons* Desneux 1904e, p. 36, syn.

Procoptotermes canalifrons Holmgren 1909, p. 169.

Arrhinotermes canalifrons Wasmann 1910a, p. 123, sold., work., Isl. Comoren.

Arrhinotermes canalifrons Holmgren 1910a, p. 143, neotene, Seychelles, Mahé.

Arrhinotermes canalifrons Holmgren 1911a, p. 72, pl. 5, fig. 12, sold.

Paratermes canalifrons Oshima 1912, p. 69 (type *Paratermes* only), Madagascar only.

Arrhinotermes canalifrons Sjöstedt 1926, p. 55, fig. 18, sold., syn., loc.

Prorhinotermes canalifrons Moutia 1936, p. 20, im. sold., dist., fig. 1e-3e (sold., im. wing), photo. No. 2 (sold.).

Wing., neoteinics, sold., work.

Madagascar, Seychelles group.

Malagasy.

Prorhinotermes flavus (Bugnion, E., and Popoff, N.).

Coptotermes flavus Bugnion and Popoff 1910, pp. 117-120, pl. 2, figs. 14-20, sold., work., Ceylon: border of Lake Ambalangoda; Bugnion and Ferriere 1911, p. 97-106, im.

Arrhinotermes flavus Holmgren 1911, p. 551 (changes from *Coptotermes*).

Arrhinotermes flavus Holmgren 1913b, p. 67, im., sold.¹⁻², work., pl. 2, fig. 26, sold.¹, fig. 27, sold.², Ceylon; 1913-14, p. 235, Seenigoda, Ceylon; John 1925, p. 381.

Wing., sold., work.

Ceylon.

Indo-Malayan.

Prorhinotermes gracilis Light.

Prorhinotermes gracilis Light 1921a, p. 54, im., sold.¹⁻², work., fig. 3, antenna sold., Philippines: Riza Prov. near Rizal-Bulacan boundary on Manila North Road.

Wing., sold., work.

Philippines.

Indo-Malayan.

Prorhinotermes inopinatus Silvestri.

Prorhinotermes inopinatus Silvestri 1909, p. 287, pl. 17, figs. 49-66, wing., sold., work., Samoa: Ninafoon.

Arrhinotermes inopinatus Holmgren 1911a, p. 72.

Prorhinotermes inopinatus Hill 1926, p. 95, Ellice group; 1926c, p. 22, Fiji: Taveuni; 1927, pp. 15-16, apterous and brachypterous reproductives; 1942, pp. 138-139, figs. 77-78, im., sold., syn., loc.; Light 1946, p. 9, Guam.

Prorhinotermes manni Snyder 1925f, pp. 398-400, sold., Santa Cruz Archipelago.

?*Prorhinotermes ponopiensis* Light 1946, p. 9, Carolinas.

Prorhinotermes solomonensis Snyder 1925f, p. 400, sold., Solomon Isls.

Type: Berlin Museum.

Wing., neoteinics, sold., work.

Samoa, Fiji, Ellice Isls., Solomon Isls., Santa Cruz Arch., Marianas, Guam.

Papuan.

Prorhinotermes japonicus (Holmgren).

Arrhinotermes japonicus Holmgren 1912a, p. 122, sold., Formosa; 1913b, p. 69 (sold.¹⁻², work.), pl. 2, fig. 28 (sold.¹), fig. 29 (sold.²), Formosa: Botel-Tobago; Oshima 1914a, p. 2; Hozawa 1915, pp. 83-92, figs. 19-21, pl. 3, figs. 16-17.

Paratermes canalifrons Oshima 1912, p. 69, pl. 1, figs. 13, 23, pl. 2, figs. 9, 12, 22, 27.

Sold.¹⁻², work., ergatoids.

Formosa.

Indo-Malayan.

Prorhinotermes krakataui (Holmgren).

Arrhinotermes Krakataui Holmgren 1913b, p. 69, im., sold., work., Krakatau.

Dealated, sold., work.

Krakatau.

Indo-Malayan.

Prorhinotermes molinoi Snyder.

Prorhinotermes molinoi Snyder 1924a, pp. 43-45, figs. 1-2, wing., sold., Largo Remo Isl., Canal Zone, Panama.

Type: winged male, U.S.N.M. No. 26756; 1926, p. 28, sold., work., Parisiana Ranch, Costa Rica.

Arrhinotermes Wasmanni Holmgren 1911a, p. 72 (not described), Costa Rica.

Wing., sold., work.

Panama, Costa Rica.

Neotropical.

Prorhinotermes oceanicus (Wasmann).

Arrhinotermes oceanicus Wasmann 1902b, p. 103 (im.), p. 139 (im.), p. 160, discus. affinity with *Leucotermes insularis* Wasm., Cocos Isl. between Galapagos and Costa Rica; Holmgren 1911a, p. 72, pl. 5, fig. 11 (im.).

Wing.

Cocos Isl.

Neotropical.

Prorhinotermes ponapiensis (Oshima).

Arrhinotermes ponapiensis Oshima 1917, pp. 196-197, fig. 2, winged.

Wing.

Ponapi Isl. (Caroline Isls.).

Papuan.

Prorhinotermes rugifer Kemner.

Prorhinotermes rugifer Kemner 1931, pp. 15-20 (wing., sold.¹⁻²), fig. 5 (sold.), Amboina Isl.

Wing., sold.

Amboina Isl.

Papuan.

Prorhinotermes simplex (Hagen).

Termes simplex Hagen 1858, p. 238, pl. 3, fig. 23 (im.), Cuba.

(*Rhinotermes*) *simplex* Desneux 1904e, p. 28.

Arrhinotermes simplex Holmgren 1911a, p. 72, pl. 5, fig. 10 (im.).

Prorhinotermes simplex Banks 1919, p. 480, loc., pl. 2, fig. 23, sold., Santiago de las Vegas, Cuba; Jamaica, Kingston; Florida; Banks (and Snyder) 1920, pp. 39-42, figs. 26, 27, 28, sold., work., im., dist., loc.

Type: wing., Hof Mus., Vienna, Austria.

Wing, neoteinics, sold., work.

Florida, Cuba, Jamaica, Puerto

Rico.

Nearctic, Neotropical.

Prorhinotermes tibiaoensis (Oshima).

Termitogetonella tibiaoensis Oshima 1920a, p. 496 (im. only), Philippines, Panay: Tibiac (Antique Prov.).

?*Prorhinotermes luzonensis* Light 1921a, p. 49, im., sold.¹⁻², work., pl. 3, figs. 1-2 (sold., im.)
fig. 2 (sold. antenna), Philippines: Rizal-Bulacan
boundary on Manila North Road.

Wing., sold.¹⁻², work.
Philippines.

Indo-Malayan.

PARRHINOTERMES

Genus *Parrhinotermes* Holmgren.

Generitype: *Parrhinotermes aequalis* (Haviland).

=Genus *Parrhinotermes* Holmgren 1910, p. 285 (no description).

=Genus *Termes*, section with *Termes aequalis* for type, Haviland 1898, pp. 395, 378.

=Genus *Parrhinotermes* Holmgren 1911a, pp. 78, 77; 1913-14, p. 237, pl. 7, figs. 2a, b.

Parrhinotermes aequalis (Haviland).

Termes aequalis Haviland 1898, p. 395, nymphs, sold., work., Borneo, Sarawak.

Parrhinotermes aequalis Holmgren 1911a, p. 78, pl. 5, fig. 13, sold.; 1913b, p. 80, sold.
work.; 1913-14, pp. 237-238, pl. 7, figs. 2a, b; Johr
1925, p. 382, loc.

Type: No. 295.

Dealated adults, neoteinic queens,
sold., work.

Borneo, Sarawak.

Indo-Malayan

Parrhinotermes buttel-reepeni Holmgren.

Parrhinotermes Buttel-Reepeni Holmgren 1913b, p. 79, sold., Malacca; 1913-14, pp. 238-
240, apterous third form queen, sold., pl. 7, fig. 2c.

Apterous queen, sold.

Malacca, Central Sumatra.

Indo-Malayan

Parrhinotermes inaequalis (Haviland).

Termes inaequalis Haviland 1898, p. 396, nymphs, sold., work., Borneo: Sarawak.

Parrhinotermes inaequalis Holmgren 1911a, p. 78, pl. 5, fig. 14, sold.; 1913b, pp. 79-80
sold., work.; Oshima 1914b, pp. 561-562, pl. 10, fig. 1
John 1925, p. 382, loc.

Type: No. 365.

Wing., sold., work.

Borneo: Sarawak, Balik-Papan,
Dutch Borneo.

Indo-Malayan

Parrhinotermes pygmaeus John.

Parrhinotermes pygmaeus John 1925, pp. 382-384, sold., work., neotene and ergatoid queens
Malay Archipelago, Kula Lumpur; East Sumatra
Siak.

Neotene, ergatoid queens, sold.,
work.

Malay Arch., E. Sumatra.

Indo-Malayan

Parrhinotermes queenslandicus Mjöberg 1920, p. 31, sold., work., fig. 12, sold., pp. 109-124, syn. *australicus*, Queensland: Malanda, Herberton, Bellenden Ker; Hill 1942, p. 173, described dealated female, figs. 90--91 (female head and sold.), Raven-shoe.

Parrhinotermes australicus Mjöberg 1920, p. 109.

Parrhinotermes australicus Hill 1921a, p. 449, change of name to *P. queenslandicus*.

Holotype: sold.; morphotype: dealated, C.S.I.R. coll.

Dealated female, sold., work.

N. Queensland.

Australian.

SCHEDORHINOTERMES

Genus *Schedorhinotermes* Silvestri.

Generitype: *Schedorhinotermes intermedius* (Brauer).

<Subgenus *Rhinotermes* (*Termes*) Haviland 1898, p. 392.

=Subgenus *Schedorhinotermes* Silvestri 1909, p. 289.

=Genus *Rhinotermes* Sjöstedt 1900a, pp. 49, 19-21.

=Subgenus *Schedorhinotermes* Holmgren 1911a, pp. 79, 77.

=Subgenus *Schedorhinotermes* Holmgren 1913b, p. 82.

=Subgenus *Schedorhinotermes* Hill 1942, pp. 8, 12, 176.

?Syn. Subgenus *Macrorhinotermes* Holmgren.

Generitype: *Rhinotermes* (*Macrorhinotermes*) *maximus* Holmgren.

Subgenus *Macrorhinotermes* Holmgren 1913b, pp. 80, 81.

Schedorhinotermes bidentatus (Oshima).

Rhinotermes (*Schedorhinotermes*) *bidentatus* Oshima, 1920a, p. 494, sold.¹⁻², work., pl. 2, fig. 1 (sold.¹), fig. 2 (sold.²), pl. 3, figs. 9-10 (sold.²), figs. 13-14 (sold.¹), Philippines: Panay, Culasi (Antique Prov.); Light 1921, p. 250 (syn., loc., etc.).

Sold.¹⁻², work.

Philippines.

Indo-Malayan.

Schedorhinotermes brachyceps Kemner.

Schedorhinotermes brachyceps Kemner 1931, pp. 23-25, sold.¹⁻², work., fig. 7, sold., Ambon.

Schedorhinotermes amboinensis Kemner 1934, p. 24.

Sold.¹⁻², work.

Amboina.

Papuan.

Schedorhinotermes brevialetus (Haviland).

Termes brevialetus Haviland 1898, p. 393, im., sold., work., Borneo, Sarawak.

Rhinotermes (L.) [misprint for S.] *brevialatus* Holmgren 1913b, p. 85, im., sold., work., Borneo, Sarawak, No. Borneo (Mus. Berlin); 1913-14, pp. 240-241, im., Borneo.

Rhinotermes brevialetus Desneux 1904e, p. 28 (syn.); Holmgren 1912, p. 19, fig. 3 (sold. mand.), Borneo, Sarawak.

Rhinotermes (*Schedorhinotermes*) *longirostris* or *translucens* Holmgren 1913-14, pp. 240-241, im., Java: Buitenzorg.

Type: No. 174.

Wing., sold.¹⁻², work.

Borneo, Sarawak, No. Borneo

only.

Indo-Malayan.

Schedorhinotermes butteli (Holmgren).

Rhinotermes (*Schedorhinotermes*) **butteli** Holmgren 1913-14, pp. 241-242, im., Malacca: Maxwells Hill, Taiping, elev. 3,400 ft.

Wing.

Malacca.

Indo-Malayan.

Schedorhinotermes celebensis (Holmgren).

Rhinotermes (*Schedorhinotermes*) **celebensis** Holmgren 1911b, p. 458, im., Sumatra: Indrapure-Estati (Mus. Hamburg), Celebes (Mus. Cambridge) [German New Guinea: Eitape (Mus. Berlin), Guinea records = *dimorphus*]; 1913b, p. 85, im.

Wing.

Sumatra, Celebes.

Indo-Malayan.

Schedorhinotermes dimorphus (Desneux).

Rhinotermes **dimorphus** Desneux 1905, p. 368, sold., work., New Guinea: Friedrich-Wilhelms-hafen.

Rhinotermes (*Schedorhinotermes*) **dimorphus** Holmgren 1911b, p. 458 (loc., remarks).

Rhinotermes (*Schedorhinotermes*) *celebensis* Holmgren 1911b, p. 458; 1913b, p. 85, New Guinea only; Hill 1942, p. 177, im., New Guinea only.

Rhinotermes (*Schedorhinotermes*) *translucens* Holmgren 1913b, p. 83, New Guinea only.

Sold., work.

New Guinea, New Britain

(Emerson Cat. 1936).

Papuan.

Schedorhinotermes dimorphus, subsp. **robustior** Silvestri.

Schedorhinotermes dimorphus subsp. **robustior** Silvestri 1909, p. 292, pl. 18, figs. 94-99, sold., work., Bismarck Arch.

Rhinotermes (*Schedorhinotermes*) **dimorphus robustior** Holmgren 1911a, p. 79; Hill 1942, pp. 178-179, loc.

Rhinotermes dimorphus robustior Hill, 1927a, p. 20, New Ireland: Kaewieng.

Sold., work.

Bismarck Archipelago: Ralum

Louson, type locality about 9

miles SE. of Rabaul, New

Britain; New Ireland: Kae-

wieng; New Guinea: Lae

(Huon Gulf distr.).

Papuan.

Schedorhinotermes holmgreni Emerson, n. sp.

Rhinotermes (*Schedorhinotermes*) *brevialatus* f. *medioobscurus* Holmgren 1913-14, p. 241, im., sold., work., Sumatra only.

Rhinotermes (*Schedorhinotermes*) *longirostris* John 1925, p. 384, Sumatra only.

Rhinotermes (*Schedorhinotermes*) *translucens* or *brevialatus* or *longirostris* Holmgren 1913-14, p. 240, im., sold., work., Sumatra only (two species involved).

Rhinotermes (*Schedorhinotermes*) *longirostris* Kemner 1930, p. 305, biol.

Sold. work.

Sumatra.

Indo-Malayan.

Schedorhinotermes intermedius intermedius (Brauer).

Rhinotermes intermedius Brauer 1865, p. 977, winged, Sydney, New So. Wales; 1866, p. 49; Desneux 1904e, p. 28; Mjöberg 1920, p. 30, loc.

Schedorhinotermes intermedius Silvestri 1909, p. 290, wing., sold., work.

Rhinotermes (*Schedorhinotermes*) *intermedius* Holmgren 1911a, p. 79.

Rhinotermes (*Rhinotermes*) *intermedius* Hill 1933, pp. 2-5, pl. 1, figs. 1-2, wing., sold.¹⁻².

Rhinotermes (*Rhinotermes*) *intermedius intermedius* Hill 1942, pp. 179-182, figs. 92-93, sold.¹⁻², loc.

Holotype: wing., Vienna Mus.; morphotypes: sold., work., C.S.I.R. coll.

Wing., sold.¹⁻², work.

New So. Wales: Coastal and near coastal distr. from Nowra to Casino; Queensland: Brisbane, Mt. Tambourine, etc.

Australian.

Schedorhinotermes intermedius actuosus (Hill).

Rhinotermes reticulatus Hill 1915, p. 109, North. Terr.

Rhinotermes intermedius Froggatt 1896, p. 542, Centr. Australia only; 1905, p. 654, Centr. Australia only.

Rhinotermes intermedius actuosus Hill 1933, pp. 7-8, pl. 2, fig. 5, pl. 3, fig. 6, wing. and soldiers, North. Terr.: Darwin, type locality.

Rhinotermes (*Schedorhinotermes*) *intermedius actuosus* Hill 1942, pp. 183-185, fig. 94, sold., loc.

Holotype: large sold.; morphotype: wing., small sold., and work., Nat. Mus., Melbourne.

Wing., sold.¹⁻², work.

North. Terr., W. Australia, Queensland.

Australian.

Schedorhinotermes intermedius breinli (Hill).

Rhinotermes intermedius Hill 1915, p. 111, North. Terr.

Rhinotermes breinli Hill 1921a, p. 449, figs. 41-50, wing., sold.¹⁻², work., Queensland.

Rhinotermes intermedius breinli Hill 1933, p. 10, pl. 4, figs. 9-10.

Rhinotermes (*Schedorhinotermes*) *intermedius breinli* Hill 1942, pp. 186-188, figs. 95-96, sold.¹⁻², loc.

Holotype: large sold.; morphotype: winged, small sold., work., coll. Nat. Mus., Melbourne.

Wing., sold.¹⁻², work.

Queensland: Rollingsstone (type local.), North. Terr.

Australian.

Schedorhinotermes intermedius derosus (Hill).

Rhinotermes intermedius derosus Hill 1933, pp. 8-10, wing., sold.¹⁻², pl. 3, figs. 7-8, W. Australia: Derby.

Rhinotermes (*Schedorhinotermes*) *intermedius derosus* Hill 1942, pp. 188-189, wing., sold., loc.

Holotype: sold.¹; morphotype: wing., sold.², Nat. Mus., Melbourne.

Wing., sold.¹⁻²

W. Australia: Derby, etc.

Australian.

Schedorhinotermes intermedius seclusus (Hill).

Rhinotermes intermedius seclusus Hill 1933, pp. 5-6, pl. 2, figs. 3-4, wing., soldiers, Queensland.

Rhinotermes (Schedorhinotermes) intermedius seclusus Hill 1942, pp. 189-191, fig. 97 (sold.), wing., soldiers, loc.

Holotype: large sold.; morphotype: wing., small sold., work., Nat. Mus., Melbourne.

Wing., sold.¹⁻², work.

Queensland, New So. Wales.

Australian.

Schedorhinotermes javanicus Kemner.

Schedorhinotermes javanicus Kemner 1934, pp. 51-54, fig. 7/1 (im.), fig. 7/2-3 (sold.), Java.

Rhinotermes (Schedorhinotermes) brevialetus, longirostris, translucens Holmgren 1913-14, p. 240, Java records only.

Rhinotermes (Schedorhinotermes) translucens Hill 1942, pp. 8, 12, 199, Java only.

Wing., sold.

Java.

Indo-Malayan.

Schedorhinotermes lamanianus (Sjöstedt).

Rhinotermes lamanianus Sjöstedt 1911, p. 141, wing., sold.¹⁻², Congo: Mukimbungu (type); 1914a, p. 1, Zambesi: Villa Fontes (Port. E. Africa); 1914c, p. 90, Isl. Annobom; 1915, p. 8.

Schedorhinotermes lamanianus Sjöstedt 1926, pp. 53-54, pl. 2, fig. L, syn., loc., Congo, Usambara, Mombasa, Zanzibar, Zambesi, Zululand, Isl. Annobom.

Rhinotermes (Schedorhinotermes) lamanianus Emerson 1928, pp. 427-428, fig. 4, sold.¹⁻², Belgian Congo: Malela.

Rhinotermes "putorius" Sjöstedt 1905, p. 3; 1907a, p. 13; Wasmann 1911a, p. 171 (exped. Congo), pl. 8, figs. 20-21, queens; Holmgren 1913d, p. 324; Fuller 1920, pp. 77, 86, 99, pl. 10, figs. 155-156, p. 282, fig. 11a-k; 1921, p. 51; Sjöstedt 1926b, p. 142, Belgian Congo: Ituri.

Wing., queens, sold.¹⁻², work.

Uganda, Congo, Kenya (Mombasa), Tanganyika, Zanzibar, Mozambique (Zambesi), So. Africa (Zululand), Isl. Annobon.

Ethiopian.

Schedorhinotermes lamanianus, var. angulatus (Emerson).

Rhinotermes (Schedorhinotermes) lamanianus var. angulatus Emerson 1928, pp. 429-430, fig. 5 (soldiers), pl. 20 (soldiers, work.), Belg. Congo: Niapu.

Holotype: major sold.; morphotype: minor sold., Amer. Mus. Nat. Hist.

Sold.¹⁻², work.

Belg. Congo.

Ethiopian.

Schedorhinotermes lamanianus, var. **australis** (Fuller).*Rhinotermes putorius* Fuller 1915, pp. 360, 453, sold.¹⁻², loc., pl. 34, fig. 10 (sold. mand.).*Schedorhinotermes putorius* subsp. *australis* Fuller 1921, p. 51, im., major sold., work., Portuguese E. Africa, Natal, Congo, etc.**Rhinotermes** (**Schedorhinotermes**) **lamanianus** var. **australis** Emerson 1928, p. 425.Wing., sold.¹

Congo, Portuguese E. Africa

(Mozambique), So. Africa.

Ethiopian.

Schedorhinotermes lamanianus, var. **bequaertianus** (Sjöstedt).**Rhinotermes bequaertianus** Sjöstedt 1913a, p. 357, sold.¹⁻², work., SE. Congo, Katanga: Elizabethville.**Schedorhinotermes bequaertianus** Sjöstedt 1926, p. 54.**Rhinotermes** (**Schedorhinotermes**) **lamanianus** var. **bequaertianus** Emerson 1928, p. 425, loc. Type: Mus. Tervueren and Stockholm.Soldiers¹⁻², work.

SE. Congo.

Ethiopian.

Schedorhinotermes leopoldi Kemner.**Schedorhinotermes longirostris** var. **leopoldi** Kemner 1933, p. 21, wing., pl. 1, Bireun, Sumatra.*Rhinotermes* (*Schedorhinotermes*) *celebensis* Holmgren 1911b, p. 458 (im.), Sumatra only; Hill 1942, pp. 8, 12, 177, Sumatra only.*Rhinotermes* (*Schedorhinotermes*) *sarawakensis* Holmgren 1913-14, p. 242, Sumatra only.

Winged.

Sumatra.

Indo-Malayan.

Schedorhinotermes longirostris (Brauer).**Termes longirostris** Brauer 1865, p. 47, sold., work., Iles Nicobar.**Rhinotermes** (**Schedorhinotermes**) **longirostris** Holmgren 1913b, p. 86, sold.¹⁻², work., pl. 2, fig. 17, sold.¹, fig. 21, sold.², Nicobar, Java, Malacca; Light 1921, p. 250, syn., loc., etc.; John 1925, p. 384, loc.Sold.¹⁻², work.

Nicobar Isles.

Indo-Malayan.

Schedorhinotermes makassarensis Kemner.**Schedorhinotermes makassarensis** Kemner 1934, pp. 54-56, fig. 8/1 (im.), 8/2-3 (sold.), Makassar, Celebes.*Rhinotermes* (*Schedorhinotermes*) *longirostris* Oshima 1914b, p. 562, sold., Celebes: Maros; Light 1921, p. 250, loc.*Rhinotermes* (*Schedorhinotermes*) *translucens* Holmgren 1913b, p. 83, Macassar only; Hill 1942, p. 199, Macassar only.

Wing., sold.

Celebes, Macassar.

Indo-Malayan.

Schedorhinotermes malaccensis (Holmgren).**Rhinotermes** (**Schedorhinotermes**) **malaccensis** Holmgren 1913b, p. 86, sold.¹⁻², work., pl. 2, fig. 12, sold.¹, fig. 19, sold.², Malacca; 1913-14, p. 242.*Rhinotermes* (*Schedorhinotermes*) *sarawakensis* John 1925, p. 384, Malay Peninsula only.Sold.¹⁻², work.

Malacca.

Indo-Malayan.

Schedorhinotermes marjoriae (Snyder).

Rhinotermes (*Schedorhinotermes*) *marjoriae* Snyder 1925f, pp. 404-405, wing., sold.¹⁻², Ugi Isl., Solomon Isls.

Wing., sold.¹⁻²

Solomon Isls., Ugi.

Papuan.

Schedorhinotermes maximus (Holmgren).

Rhinotermes (*Macrorhinotermes*) *maximus* Holmgren 1913b, p. 81, im., pl. 2, fig. 15 (im.), SE. Borneo: Tandjong Mus., Hamburg.

Rhinotermes (*Schedorhinotermes*?) *maximus* Holmgren 1911a, p. 80 (no descr.).

Winged.

SE. Borneo.

Indo-Malayan.

Schedorhinotermes medioobscurus (Holmgren).

Rhinotermes (*Schedorhinotermes*) *brevialatus* f. *medioobscurus* Holmgren 1913-14, p. 241, im., Malacca only.

Rhinotermes (*Schedorhinotermes*) *longirostris* Holmgren 1913b, p. 86, Malacca only; John 1925, p. 384, Malacca only.

Rhinotermes (*Schedorhinotermes*) *brevialatus*, *longirostris*, *translucens* Holmgren 1913-14, p. 240, Malacca only.

Wing., sold.

Malacca.

Indo-Malayan.

Schedorhinotermes provisorius Grassé.

Schedorhinotermes provisorius Grassé 1937a, pp. 20-23, figs. 13-14, sold.¹⁻², Savannah at Béoumi (Ivory Coast).

Sold.¹⁻²

Ivory Coast: Béoumi.

Ethiopian.

Schedorhinotermes putorius (Sjöstedt).

Termes putorius Sjöstedt 1896a, p. 298, im., Camerun: Kitta.

Rhinotermes putorius Sjöstedt 1900a, p. 50, im., sold.¹⁻², work., pl. 1, figs. F₁₋₂, F₄₋₅ (im.), figs. F₆₋₇ (sold.¹), F₈₋₉ (sold.²), fig. F₁₀ (work.), loc.; Wasmann 1911a, p. 171 neoteinic queens, pl. 8, figs. 20-1, loc.

Rhinotermes (*Schedorhinotermes*) *putorius* Holmgren 1911a, p. 79, pl. 6, fig. 4, wings; 1913d, p. 324, loc.; Emerson 1928, pp. 426-427, fig. 3, sold.¹⁻², loc.

Schedorhinotermes putorius Silvestri 1912, p. 220, substitute queen, loc.; Sjöstedt 1926, pp. 52-53, pl. 2, fig. K, text fig. 17, syn., loc.; 1926a, p. 4, loc.; Grassé 1937a, p. 20, loc.

Wing., queens, sold.¹⁻², work.

Portuguese and French Guinea,
Sierra Leone, Gold Coast,
South Nigeria, Camerun,
Gabun (French Equatorial
Africa), Isls. Fernando Po,
Principe, S. Thomé, Annobon,
Brit. E. Africa, Belgian
Congo, So. Africa.

Ethiopian.

Schedorhinotermes putorius, subsp. *insularis* Sjöstedt.

Schedorhinotermes putorius subsp. *insularis* Sjöstedt 1926, p. 53, sold., Fernando Po.

sold.

Fernando Po.

Ethiopian.

Schedorhinotermes reticulatus (Froggatt).

Schedorhinotermes reticulatus Froggatt 1896, p. 540, wing., soldiers, work., W. Australia; Desneux 1904e, p. 28; Mjöberg 1920, p. 30, loc., p. 124 referred to as *queenslandicus*; Hill 1933, p. 12, pl. 4, figs. 11-12.

Schedorhinotermes reticulatus Silvestri 1909, p. 291, pl. 18, figs. 88-93, minor sold., work.

Schedorhinotermes (*Schedorhinotermes*) *reticulatus* Holmgren 1911a, p. 79; Hill 1942, pp. 193-196, figs. 98-100, im., sold.¹⁻², loc.

Cotypes (exclusive of large sold.): in Nat. Mus. Melbourne, C.S.I.R., Hill and Emerson colls.

Wing., sold.¹⁻², work.

W. Australia (Kalgoorlie type

local.) Queensland.

Australian.

Schedorhinotermes sanctae-crucis (Snyder).

Schedorhinotermes (*Schedorhinotermes*) *sanctae-crucis* Snyder 1925f, pp. 405-406, fig. 3b, sold.¹⁻², Santa Cruz Arch.: Graciosa Bay.

Type: major sold., M.C.Z. No. 15291; morphotype: minor sold.

sold.¹⁻²

Santa Cruz.

Papuan.

Schedorhinotermes sarawakensis (Holmgren).

Schedorhinotermes (*Schedorhinotermes*) *sarawakensis* Holmgren 1913b, p. 87, sold.¹⁻², pl. 2, fig. 13, 18, Borneo: Sarawak; 1913-14, p. 242, soldiers, work., Malacca, E. Sumatra; John 1925, p. 384, Singapore, W. Sumatra.

Schedorhinotermes magnificus Silvestri 1914, p. 425, sold., W. side Dawna Hills, Lr. Burma. sold.¹⁻², work.

Borneo, Sumatra, Malacca, Burma.

Indo-Malayan.

Schedorhinotermes solomonensis (Snyder).

Schedorhinotermes (*Schedorhinotermes*) *solomonensis* Snyder 1925f, pp. 406-407, sold.¹⁻², Pamua, San Cristobal Isl., Solomon Isls.

Type: major sold., M.C.Z. No. 15292; morphotype: minor sold. (from Auki, Malayta Isls.); paratypes: in U.S.N.M.

sold.¹⁻²

Solomon Isls.

Papuan.

Schedorhinotermes tarakanensis (Oshima).

Schedorhinotermes (*Schedorhinotermes*) *tarakanensis* Oshima 1914b, p. 564, pl. 10, fig. 2, sold.², work., Tarakan, Dutch Borneo.

Rhinotermes (*Schedorhinotermes*) *tarakensis* Oshima 1920a, p. 492, sold.¹⁻², work., pl. figs. 5, 7, pl. 4, figs. 6, 7 (spelling differs, also Light 1921).

Rhinotermes (*Schedorhinotermes*) *tarakensis* Light 1921, p. 251, syn., loc., etc. Sold.¹⁻², work.

Dutch Borneo, Philippines, Luzon.

Indo-Malay.

Schedorhinotermes translucens (Haviland).

Termes translucens Haviland 1898, p. 394, winged, sold., work., Borneo, Sarawak.

Rhinotermes (*Schedorhinotermes*) *translucens* Holmgren 1911a, p. 79, pl. 6, fig. 1 (im. figs. 2-3 (sold.¹⁻²), Borneo [New Guinea]; 1911b, p. 458, im., Borneo [Germ. N. Guinea: Sattelbe (near Finschhafen)]; 1913b, p. 83, im., sold.¹⁻², pl. fig. 16 (im.), fig. 14 (sold.¹), fig. 20 (sold.²), Borneo (Sarawak), Java (Mus. Vienna), Macassar (Mus. Berlin) [Germ. New Guinea (Mus. Berlin)] [Guinea records = *Sch. dimorphus*]; 1913-14, pp. 240-241, im. E. and Central Sumatra, Java, Borneo, Malacca; Hill 1942, pp. 199-201, loc. [New Guinea excepted].

Type: No. 299.

Wing., sold.¹⁻², work.

Borneo (Sarawak).

Indo-Malay.

Schedorhinotermes umbraticus (Hill).

Rhinotermes umbraticus Hill 1927a, pp. 20-23, pl. 1, figs. 17-18, dealated adult, minor sold., work., New Britain: Bai (near Rabaul).

Rhinotermes (*Schedorhinotermes*) *umbraticus* Hill 1942, pp. 201-202, loc.

Holotype: dealated male; morphotype: minor sold., work., Nat. Mus., Melbourne. •

Dealated, sold.², work.

New Britain.

Papua

RHINOTERMES

Genus *Rhinotermes* Hagen.

Generitype: *Rhinotermes nasutus* (Perty).

<Subgenus *Rhinotermes* (*Termes*) Hagen 1858, p. 233.

><Genus *Termes* (*Rhinotermes*) Hagen 1858a, pp. 16, 33.

<Genus *Rhinotermes* Froggatt 1896, pp. 518, 539.

<Subgenus *Rhinotermes* (*Termes*) Wasmann 1897, pp. 151, 182, designates type, but includes *Schedorhino. intermedius* and *reticulatus*.

<Subgenus *Rhinotermes* (*Termes*) Haviland 1898, p. 392, *nasutus* type, but species list are *Schedorhinotermes*.

><Genus *Termes* subgen. *Termes* Desneux 1904e, pp. 32, 35.

<Genus *Rhinotermes* Desneux 1904e, pp. 27, 26.

=Genus *Rhinotermes* Holmgren 1906, p. 531.

<Genus *Rhinotermes* Holmgren 1911a, pp. 79, 77.

=Subgenus *Rhinotermes* Holmgren 1911a, pp. 77, 80.

=Genus *Rhinotermes* Banks 1919, p. 479.

<Genus *Rhinotermes* Emerson 1925, p. 346; 1928, p. 424.

<Subgenus *Rhinotermes* Emerson 1925, p. 347; 1928, pp. 424-425.

<Genus *Rhinotermes* Snyder 1926d, p. 7.

<Genus *Rhinotermes* Hill 1942, pp. 8, 12, 14, 175.

Rhinotermes hispidus Emerson.

Rhinotermes (*Rhinotermes*) *hispidus* Emerson 1925, pp. 350-352, fig. 40, sold.¹⁻², Kartabo, Brit. Guiana.

Holotype: major sold.; morphotype: minor sold., Emerson coll., N. Y. Zool. Soc.

Sold.¹⁻²

Brit. Guiana.

Neotropical.

Rhinotermes manni Snyder.

Rhinotermes manni Snyder 1926d, p. 9, wing. male, sold.¹⁻², pl. 1, fig. 5, sold.¹, fig. 2, sold.², Rurrenabaque, Bolivia.

Type: sold.¹, U.S.N.M. No. 27647; morphotypes: male winged and sold.²

Wing., sold.¹⁻²

Bolivia: Rurrenabaque, Cachuela, Esperanza (Beni River).

Neotropical.

Rhinotermes marginalis (Linné).

Hemerobius marginalis Linné 1758, ed. 10, p. 550, ed. 12, p. 912, wing., America.

Perla nasuta Degeer 1778, p. 568 (ed. Goetze, p. 367), pl. 27, figs. 6-7; Retzius 1783, p. 60.

Termes nasutum Latreille 1804, p. 61; 1805, p. 69.

Termes nasutus Burmeister 1839, p. 764.

Termes (*Rhinotermes*) *marginalis* Hagen 1858, p. 234 (im.), Surinam.

Termes marginalis Hagen 1858a, p. 33 (im.), Surinam.

Rhinotermes marginalis Holmgren 1906, pp. 537-539, im., sold., work., fig. F (im.), Peru, Chaquimayo (Taldes Rio San Gaban); 1909, p. 93 (anatomy), p. 94, figs. 25-26 (im.); 1911a, p. 80, pl. 6, fig. 5 (im.); Banks 1918, p. 666, Brit. Guiana (Tunkait); 1919, p. 480 sold.¹⁻², pl. 1, fig. 1, 5 sold.¹⁻², Haiti: Grande Riviere, Milot, Sanchez.

Rhinotermes (*Rhinotermes*) *marginalis* Emerson 1925, pp. 348-350, fig. 39, im., sold.¹⁻², syn., loc.; Snyder 1926d, p. 12, dealated, sold.¹⁻², Bolivia.

Wing., sold.¹⁻², work.

Haiti, Martinique, W. I.; So.

America: Peru, Surinam,

Brit. Guiana, Bolivia.

Neotropical.

Rhinotermes nasutus (Perty).

Termes nasutum Perty 1830, p. 127, pl. 25, fig. 10, im., North. Brazil.

Termes (*Rhinotermes*) *nasutus* Hagen 1858, p. 237 (im.), pl. 2, fig. 14, pl. 3, fig. 1 (im.); 1858a, p. 33 (im.), Brazil.

Rhinotermes taurus Desneux 1904a, p. 146, sold., Surinam; Holmgren 1906, pp. 531, 536, im., sold., work., figs. B (im.), C (sold.¹), D (sold.²), E (work.), Peru: Chaquimayo (Prov. Carabaya); 1909, p. 94 (anatomy), p. 95, fig. 27 (work.), fig. 28 (sold.¹), p. 96, figs. 29-30 (sold.²).

Rhinotermes (*Rhinotermes*) *nasutus* Holmgren 1911a, p. 80 (syn.), pl. 6, fig. 6 (sold.¹), fig. 7 (sold.²).

Rhinotermes nasutus Holmgren 1912, p. 19, fig. 2 (sold.¹, mandibles).

Rhinotermes (*Rhinotermes*) *nasutus* Emerson 1925, pp. 347-348, fig. 38 (im.), syn., loc.

Rhinotermes nasutus Snyder 1926d, p. 13, sold.¹⁻², loc. Bolivia.

Type: Mus. Monac.

Wing., sold.¹⁻², work.

So. America: Peru, No. Bra-

zil, Bolivia, Surinam, Brit.

Guiana.

Neotropica

DOLICHORHINOTERMES

Genus *Dolichorhinotermes* Snyder and Emerson n. gen.

Generitype: *Dolichorhinotermes longilabius* (Emerson).

<Genus *Rhinotermes* Emerson 1925, p. 346.

<Subgenus *Rhinotermes* Emerson 1925, p. 347.

<Genus *Rhinotermes* Snyder 1926d, p. 7.

<Genus *Rhinotermes* Emerson 1928 pp. 412, 424.

<Subgenus *Rhinotermes* Emerson 1928, pp. 406, 424.

Dolichorhinotermes latilabrum (Snyder).

Rhinotermes latilabrum Snyder 1926d, p. 7, sold.¹⁻², pl. 1, fig. 6, fig. 9, Rio Ivon, Bolivia.

Type: major sold., U.S.N.M. No. 27646.

Sold.¹⁻²

Bolivia.

Neotropica

Dolichorhinotermes longidens (Snyder).

Rhinotermes longidens Snyder 1924b, pp. 83-86, pl. 10, figs. 1-2, sold.¹⁻², Rio Chinilla, C. Z. Panama.

Type: major sold., U.S.N.M. No. 26533.

Sold.¹⁻²

Panama.

Neotropica

Dolichorhinotermes longilabius (Emerson).

Rhinotermes (*Rhinotermes*) *longilabius* Emerson 1925, pp. 352-354, fig. 41, im., sold.¹ Kartabo, Brit. Guiana.

Holotype: major sold.; morphotype: wing., Emers coll., N. Y. Zool. Soc.

Wing., sold.¹⁻²

Brit. Guiana.

Neotropica

Dolichorhinotermes tenebrosus (Emerson).

Rhinotermes (*Rhinotermes*) *tenebrosus* Emerson 1925, pp. 354-356, fig. 42 im., sold.¹ Kartabo, Brit. Guiana.

Holotype: major sold.; morphotype: winged, Emers coll., N. Y. Zool. Soc.

Wing., sold.¹⁻²

Brit. Guiana.

Neotropica

ACORRHINOTERMES

Genus *Acorrhinotermes* Emerson n. gen.

Generitype: *Acorrhinotermes subfusciceps* (Emerson).

Genus *Rhinotermes* Emerson 1925, p. 346.

Subgenus *Rhinotermes* Emerson 1925, p. 347.

Genus *Rhinotermes* Emerson 1928, pp. 412, 424.

Subgenus *Rhinotermes* Emerson 1928, pp. 406, 424.

acorrhinotermes subfusciceps (Emerson).

rhinotermes (*Rhinotermes*) *subfusciceps* Emerson 1925, pp. 356-357, fig. 43 imago-queen, sold.², Kartabo, Brit. Guiana (no major sold.).

Holotype: queen; morphotype: minor sold., N. Y. Zool. Soc.

imago-queen, sold.²

Brit. Guiana.

Neotropical.

TERMITIDAE

Family TERMITIDAE Westwood.

Type genus: *Termes* Linnaeus.

Family TERMITIDAE Westwood 1840, p. 11.

Subfamily TERMITINAE Froggatt 1896, p. 518.

Subfamily TERMITINAE Silvestri 1903, p. 37.

Subfamily TERMITINAE Desneux 1904b, p. 285.

Tribe TERMITINI Desneux 1904b, p. 286.

Subfamily TERMITINAE Desneux 1904c, pp. 9, 25.

Suborder CRYPTOCLIDOPTERA Enderlein 1909, p. 171.

Family TERMITIDAE Enderlein 1909, p. 172 (composition unknown).

Family METATERMITIDAE Holmgren 1909, p. 99 (no descr.).

Family METATERMITIDAE Holmgren 1910, p. 285 (no descr.).

Subfamily TERMITINAE Holmgren 1910, p. 285 (no descr.).

Family METATERMITIDAE Holmgren 1910a, p. 145.

Family METATERMITIDAE Holmgren 1911a, p. 13.

Family METATERMITIDAE Holmgren 1912, p. 3.

Family TERMITIDAE Banks 1919, pp. 475, 476; Banks (and Snyder) 1920, p. 5.

Family TERMITIDAE Light 1921a, p. 25; 1930a, pp. 15-16.

Family TERMITIDAE Oshima 1923, p. 5.

Family TERMITIDAE Hare 1937, pp. 460-461, 463, 474, 476, 478.

Subfamilies:

SERRITERMITINAE Holmgren.

AMITERMITINAE Kemner.

TERMITINAE Sjöstedt.

MACROTERMITINAE Kemner.

NASUTITERMITINAE Hare.

Foraminitermes Group Holmgren.

SERRITERMITINAE

Subfamily SERRITERMITINAE Holmgren.

Type genus: *Serritermes* Wasmann.

=Subfamily SERRITERMITINAE Holmgren 1910, p. 285 (no descr.).

Subfamily SERRITERMITINAE Holmgren, 1910a, p. 143 (no descr.).

=Subfamily SERRITERMITINAE Holmgren 1911a, pp. 82, 62.

SERRITERMES

(Saw)

Type genus: *Serritermes* (Wasmann).

Generitype: *Serritermes serrifer* (Bates).

<Genus *Calotermes* Hagen 1858, p. 33 (part).

<Genus *Calotermes* Hagen 1858a, p. 5.

=Subgenus *Serritermes* (*Calotermes*) Wasmann 1897, p. 150.

=Genus *Serritermes* Silvestri 1901, p. 3.

=Genus *Serritermes* Silvestri 1903, p. 40.

=Genus *Serritermes* Desneux 1904e, p. 47.

=Genus *Serritermes* Holmgren 1911a, p. 82.

Serritermes serrifer (Bates).

Termes serrifer Bates, in Hagen, 1858, p. 73, Brazil, Santarem.

Calotermes serrifer Hagen 1858, p. 72 (sold., nymph), pl. 1, fig. 6, sold.; 1858a, p. 11, sold. nymph.

Calotermes (*Serritermes*) *serrifer* Wasmann 1897, p. 150.

Serritermes serrifer Silvestri 1901, p. 3, Brazil: Coxipò, Cuyabà; 1903, p. 41, im., sold. work., p. 10 (biol.), pl. 1, figs. 39-40, 43 (im.), figs. 41-42 (sold.); Holmgren 1909, p. 91 (anat.); 1911a, p. 82, fig. 6 (mand. nymph), pl. 6, fig. 8 (sold.).

Wing., sold., work.

Brazil.

Neotropic

AMITERMITINAE

Subfamily AMITERMITINAE Kemner.

Type genus: *Amitermes* Silvestri.

(Hook)

>*Hamitermes*-Reihe Holmgren 1912, pp. 9, 76.

>*Hamitermes*-Reihe Holmgren 1913b, p. 217.

<Subfamily TERMITINAE Sjöstedt 1926, pp. 8, 72.

=Subfamily AMITERMITINAE Kemner 1934, p. 110.

=Subfamily AMITERMITINAE Hare 1937, pp. 463, 475.

>Subfamily MICROCEROTERMITINAE Holmgren 1910a, p. 145 (no description).

>*Microcerotermes*-Reihe Holmgren 1912, pp. 121, 9.

>Subfamily MICROCEROTERMITINAE Kemner 1931, p. 26; 1934, p. 158.

>*Pseudomicrotermes*-Reihe Holmgren 1912, pp. 126, 9.

Genera:

- Protohamitermes Holmgren.
- Prohamitermes Holmgren.
- Eurytermes Wasmann.
- Hoplotermes Light.
- Anoplotermes Fritz Müller.
- Speculitermes Wasmann.
- Cephalotermes Silvestri.
- Labritermes Holmgren.
- Cylindrotermes Holmgren.
- Euhamitermes Holmgren.
- Drepanotermes Silvestri.
- Amphidotermes Sjöstedt.
- Amitermes Silvestri.
- Gnathamitermes Light.
- Synhamitermes Holmgren.
- Globitermes Holmgren.
- Ahamitermes Mjöberg.
- Eremotermes Silvestri.
- Microcerotermes Silvestri.
- Pseudomicrotermes Holmgren.

PROTOHAMITERMES

Genus Protohamitermes Holmgren.

Generitype: Protohamitermes globiceps Holmgren.

Genus Protohamitermes Holmgren 1912, pp. 76, 77.

Protohamitermes globiceps Holmgren.

Protohamitermes globiceps Holmgren 1912, p. 77, fig. 48 (im. mand.) pl. 4, fig. 36 (im.),
Borneo, Sarawak; 1913b, p. 217, im., work., pl. 8,
fig. 13 (im.).

Winged.

Borneo.

Indo-Malayan.

PROHAMITERMES

Genus Prohamitermes Holmgren.

Generitype: Prohamitermes mirabilis (Haviland).

Genus Prohamitermes Holmgren 1912, pp. 76, 78.

Genus Termes (part) Haviland 1898, pp. 406, 378 (sect. with *dentatus* for type).

Genus Termes (part) Desneux.

Prohamitermes hosei (Desneux).

Prohamitermes hosei Desneux 1906, pp. 356-357, im., sold., work., Borneo.

Prohamitermes hosei Holmgren 1912, p. 79, syn., pl. 4, fig. 18 (sold.); 1913b, p. 220, im.,
sold., work., pl. 8, fig. 14 (sold.).

Winged, sold., work.

Borneo.

Indo-Malayan.

Prohamitermes mirabilis (Haviland).

Termes mirabilis Haviland 1898, p. 407, im., sold., work., Malay Peninsula: Singapore
Borneo: Sarawak (Mt. Lumbir).

Type: No. 469.

Termes (Eutermes) mirabilis Desneux 1904e, p. 43, syn.

Prohamitermes mirabilis Holmgren 1912, p. 79, fig. 44 (im. mand.), fig. 50 (sold.), pl.
fig. 19 (sold.); 1913b, p. 219, im., sold., work., pl.
fig. 15 (sold.); John 1925, pp. 406-407, pl. 22, figs. 2
23 (nest), loc. E. Sumatra.

Winged, sold., work.

Malay Penins.; Borneo; Sumatra.

Indo-Malay

EURYTERMES

(Wide)

Genus *Eurytermes* Wasmann.

Generitype: *Eurytermes assmuthi* Wasmann.

=Genus *Eurytermes* Wasmann 1902b, p. 124.

=Genus *Eurytermes* Holmgren 1912, pp. 82, 76.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

=Genus *Eurytermes* Hare 1937, p. 463.

Eurytermes assmuthi Wasmann.

Eurytermes assmuthi Wasmann 1902b, p. 124, im., sold., work., pl. 4, fig. 6 (sold.), Ind.
Khandala (near Bombay).

Termes (Eutermes) Assmuthi Desneux 1904e, p. 40, syn.

Eurytermes Assmuthi Holmgren 1912, p. 82, fig. 51 (im. mand.), fig. 52 (sold. mand.)
1913b, p. 221, im., sold., work.

Eurytermes assmuthi Silvestri 1923, p. 228, nymph, sold., work., Barkuda Isl.

Winged, sold., work.

So. India: Barkuda Isl.

Indo-Malay

Eurytermes assmuthi, var. *modestior* Silvestri.

Eurytermes assmuthi var. *modestior* Silvestri 1923, pp. 228-229, queen, sold., work., Barkuda
Isl.

Queen, sold., work.

Barkuda Isl., India.

Indo-Malay

Eurytermes ceylonicus Holmgren.

Eurytermes Assmuthi Holmgren 1911c, p. 205, im., work., Ceylon: Peradeniya.

Eurytermes ceylonicus Holmgren 1913b, p. 222, im., work., Ceylon; John 1910, p. 407, so
work.

Eutermes ceyloniellus Kemner 1926, p. 389, wing., Ceylon (Badulla), may be *Anoplotermes*
Winged, sold., work.

Ceylon.

Indo-Malay

HOPLOTERMES

Genus *Hoplotermes* Light.

Generitype: *Hoplotermes amplus* Light.

Genus *Hoplotermes* Light 1933, pp. 134-135.

Anoplotermes amplus Light.

Anoplotermes amplus Light 1933, pp. 135-139, sold., figs. DD-FF, pl. 9, figs. 3 and 6, pl. 11, figs. 7, 11, and 14 (sold.).

old.

Mexico: Jala.

Neotropical.

ANOPLOTERMES

(Un-armed)
Genus *Anoplotermes* Fr. Müller.

Generitype: *Anoplotermes pacificus* Fr. Müller.

Genus *Anoplotermes* Fr. Müller 1873, p. 347.

Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 16, 26.

Genus *Anoplotermes* Silvestri 1903, p. 95; 1914, p. 51.

Genus *Termes* Desneux (part) 1904e, pp. 26, 28.

Genus *Termes*, subgen. *Eutermes* Desneux, 1904e, pp. 32, 35.

Genus *Anoplotermes* Holmgren 1906, p. 605; 1912, pp. 73, 46.

Subgenus (*Anoplotermes*) Holmgren 1912, p. 74.

Genus *Anoplotermes* Banks 1919, p. 479.

Genus *Anoplotermes* Banks (and Snyder) 1920, p. 66.

Genus *Anoplotermes* Sjöstedt 1926, p. 287.

Subgenus *Anoplotermes* (*Anoplo.*) Snyder 1926d, pp. 44-46.

Anoplotermes abbreviatus Silvestri.

Anoplotermes cingulatus subsp. *abbreviatus* Silvestri 1901, p. 8, im.

Anoplotermes cingulatus subsp. *abbreviatus* Silvestri 1903, p. 99, im., work., pl. 5, fig. 224 (im.), Argentina: Sunchales (S. Fè).

Termes (*Eutermes*) *cingulatus* subsp. *abbreviatus* Desneux 1904e, p. 41, syn.

Type: Silvestri coll.

wing., work.

Argentina.

Neotropical.

Anoplotermes ater (Hagen).

Termes ater Hagen 1858, p. 195, im., pl. 3, fig. 26 (im.) Brazil: New Freiberg (near Colombia).

Termes ater Wasmann 1897a, p. 278.

Termes morio Walker 1853, p. 514, im., Colombia.

Anoplotermes morio subsp. *ater* Silvestri 1901, p. 8, Paraguay; Matto Grosso.

Anoplotermes morio subsp. *ater* Silvestri 1903, p. 100, im., work., fig. 33 (wings), Brazil: Coxipò, Cuyabà.

Anoplotermes (*A.*) *ater* Holmgren 1912, p. 73-74, fig. 47 im., Brazil, Paraguay, Peru.

Type: Mus. Hall; paratype: winged female, M.C.Z. No. 208.

winged, work.

Colombia, Paraguay, Brazil,

Peru.

Neotropical.

Anoplotermes banksi Emerson.

Anoplotermes (*Anoplo.*) *banksi* Emerson 1925, pp. 423-424, fig. 77 (im.), Brit. Guiana: Kartabo.

Holotype: winged, N. Y. Zool. Soc.

winged.

Brit. Guiana.

Neotropical.

Anoplotermes bequaerti Snyder and Emerson, new name.

Anoplotermes pacificus Silvestri 1901, p. 8, im., Argentine, Paraguay (type locality); 1901, p. 96, im., work., fig. 28 (wings), p. 139 (biol.), pl. 1, figs. 208-212 (im.), fig. 213 (work.), Paraguay Tacurù Pucù, Villa Encarnation, Villa Rica, Argentina: S. Ana (Misiones).

Termes (Eutermes) pacificus Desnoux 1904c, p. 44, syn., part, Argentina.

Im., work.

Paraguay, Argentina.

Neotropical

Anoplotermes bolivianus Snyder.

Anoplotermes (Anoplo.) bolivianus Snyder 1926d, p. 46, wing. female, Bolivia: Tumupasa
Type: wing. female, U.S.N.M. No. 27662.

Winged.

Bolivia.

Neotropical

Anoplotermes brevipilus Emerson.

Anoplotermes (Anoplo.) brevipilus Emerson 1925, pp. 424-425, fig. 78 (im.), Brit. Guiana
Kartabo.

Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical

Anoplotermes cingulatus (Burmeister).

Termes cingulatus Burmeister 1839, p. 767.

Termes cingulatus Walker 1853, p. 515, im., South Brazil.

Termes (Eutermes) cingulatus Hagen 1858, p. 187, im., pl. 3, fig. 24 (part im. only)
Brazil: Porto Allegro, Brit. Guiana.

Anoplotermes cingulatus Silvestri 1901, p. 8, Argentine, Uruguay, Paraguay; 1903, p. 9
im., work., fig. 31 (wings), pl. 5, figs. 220-222 (im.)
fig. 223 (work.).

Type: Mus. Berlin.

Winged.

Brazil, Paraguay, Uruguay, Argentina, Brit. Guiana.

Neotropical

Anoplotermes clypeatus Snyder.

Anoplotermes (Anoplo.) clypeatus Snyder 1926d, p. 47, wing. female, San Gregorio, Ben
Bolivia.

Type: wing. female, U.S.N.M. No. 27669.

Winged.

Bolivia.

Neotropical

Anoplotermes concilians Silvestri.

Anoplotermes concilians Silvestri 1914-15, p. 58, fig. 32, 1-9, im., work., French Guinea
Kindia; Sjöstedt 1926, p. 288.

Winged, work.

Africa: Fr. Guinea.

Ethiopian

Oplotermes distans Snyder.

Oplotermes (*Anoplo.*) *distans* Snyder 1926d, p. 48, queen-dealated, Rosario, Bolivia.

Type: first form queen, U.S.N.M. No. 27663.

queen.

Bolivia.

Neotropical.

Oplotermes distinctus Snyder.

Oplotermes (*Anoplo.*) *distinctus* Snyder 1926d, pp. 46, 49, im., Bolivia: Rurrenabaque.

Type: wing. female, U.S.N.M. No. 27664.

winged.

Bolivia.

Neotropical.

Oplotermes fumosus (Hagen).

Termes fumosus Hagen 1860a, p. 123, im., Mexico: Vera Cruz.

Termes (*Eutermes*) *fumosus* Desneux 1904e, p. 42, syn.

Oplotermes fumosus Banks (and Snyder) 1920, pp. 66-69, fig. 52 (im.), 53 (work.), 51 (dist.), Texas: Harlingen.

Oplotermes fumosus Snyder 1924c, pp. 36, 37, pl. 5, figs. 29-30.

Type: Selys coll.; paratype: im., female, M.C.Z. No. 218.

winged.

Mexico, Texas.

Neotropical, Nearctic.

Oplotermes gracilis Snyder.

Oplotermes gracilis Snyder 1922, pp. 28-29, fig. 22, wing., Ancon, C. Z., Panama.

Type: wing. male, U.S.N.M. No. 24573.

winged.

Panama (C. Z.).

Neotropical.

Oplotermes grandifons Snyder.

Oplotermes (*Anoplo.*) *grandifons* Snyder 1926d, p. 50, dealated female, Bolivia: Rosario.

Type: dealated female, U.S.N.M. No. 27665.

dealated female.

Bolivia.

Neotropical.

Oplotermes hageni Snyder and Emerson, new name.

Oplotermes tenebrosus Silvestri 1901, p. 8, im., Brazil: Coxipò; 1903, p. 97, im., work., p. 142, biol., fig. 30 (wings), pl. 5, figs. 218-219 (im.), also Argentina: Colonia, Bebitez (Chaco); Wheeler 1936, pp. 212, 227, 232, biol., Matto Grosso, Brazil.

Type: Silvestri coll.; cotype: A.M.N.H.

im., work.

Brazil, Argentina.

Neotropical.

Oplotermes hondurensis Snyder.

Oplotermes hondurensis Snyder 1924c, p. 37-38, winged, La Ceiba, Honduras.

Type: wing. female, U.S.N.M. No. 25692.

winged.

Honduras.

Neotropical

Anoplotermes howardi Snyder.

Anoplotermes (*Anoplo.*) *howardi* Snyder 1926d, pp. 51-52, dealated male, Bolivia: Rosar.
Type: dealated male, U.S.N.M. No. 27666.

Dealated male.
Bolivia.

Neotropic

Anoplotermes indistinctus Snyder.

Anoplotermes (*Anoplo.*) *indistinctus* Snyder 1926d, p. 52, wing. male, Bolivia: Tumupasa.
Type: wing. male, U.S.N.M. No. 27667.

Winged.
Bolivia.

Neotropic

Anoplotermes jheringi Holmgren.

Anoplotermes jheringi Holmgren 1906, p. 606, im., work., fig. E₂ (im.), Peru: Chaquima
(Carabaya).

Anoplotermes (*A.*) *jheringi* Holmgren 1912, p. 74.

Winged, work.
Peru.

Neotropic

Anoplotermes kilimandjaricus (Sjöstedt).

Eutermes kilimandjaricus Sjöstedt 1907a, pp. 9, 18, im., Kilimandjaro: Kibonoto.

Mirotermes (*Cubitermes*) ?*Kilimandjaricus* Hegn 1922, pp. 372, 698.

Eutermes kilimandjaricus Sjöstedt 1926, p. 325.

Eutermes kilimandjaricus Harris 1936, p. 368, loc.

Type: Mus. Stockholm.

Winged.

Africa: Tanganyika.

Ethiopia

Anoplotermes lateralis (Walker).

Termes lateralis Walker 1853, p. 523, im., Sierra Leone.

?*Termes fatalis* Walker 1853, p. 509, sold.? Sierra Leone.

Termes lateralis Hagen 1858, p. 215, im., Sierra Leone.

Eutermes lateralis Sjöstedt 1900a, pp. 143, 165, Cameroon: Bongo.

Anoplotermes lateralis Silvestri 1914-15, p. 65, fig. 36 (1-13), French Guinea: Mam
Kakoulima.

Anoplotermes lateralis Sjöstedt 1926, p. 289, syn., loc.

Type: Brit. Mus.

Winged, queen, work.

French Guinea, Sierra Leone,
Cameroon.

Ethiopia

Anoplotermes linearis Snyder.

Anoplotermes (*Anoplo.*) *linearis* Snyder 1926d, p. 53, wing. female, Bolivia: Tumupasa.
Type: wing. female, U.S.N.M. No. 27668.

Winged.
Bolivia.

Neotropic

Anoplotermes manni Snyder.**Anoplotermes manni** Snyder 1922, pp. 29-30, work., Span. Honduras: Lombardia.

Type: work., U.S.N.M. No. 24574.

Work.

Span. Honduras.

Neotropical.

Anoplotermes meridianus Emerson.*?Termes morio* Latreille 1805, p. 69, im., St. Domingo; Burmeister 1839, p. 767, loc. Porto Rico; Hagen 1858, p. 200, pl. 3, fig. 29 (im.), St. Domingo, Porto Rico, Martinique, Port-au-Prince, Venezuela, Brazil: Santarem, Guatemala; 1858a, p. 27, im., also Panama.

Type: Selys coll.

Anoplotermes morio Silvestri 1901, p. 8, im., Argentina, Uruguay, Paraguay; 1903, pp. 99-100, im., work., fig. 32 (wing.), pl. 5, figs. 225-226 (im.), fig. 227 (work.).*Anoplotermes (A.) morio* Holmgren 1912, pp. 73-74, fig. 46 (im. mand.), loc.**Anoplotermes (A.) meridianus** Emerson 1925, p. 421, new name for *morio*.

Wing., work.

W. Indies; Middle and So.

America.

Neotropical.

Anoplotermes nanus (Sjöstedt).**Eutermes nanus** Sjöstedt 1911, p. 161, im., Congo: Mukimbungu.**Mirotermes nanus** Holmgren 1912, p. 109.*?Anoplotermes nanus* Silvestri 1914-15, p. 51.**Anoplotermes nanus** Sjöstedt 1926, p. 290, syn., loc.

Wing.

Congo.

Ethiopian.

Anoplotermes nigripunctatus Emerson.**Anoplotermes (Anoplo.) nigripunctatus** Emerson 1925, pp. 426-427, fig. 8 (im. queen), Brit. Guiana: Kartabo.

Holotype: queen, N. Y. Zool. Soc.

Dealated male, females.

Brit. Guiana.

Neotropical.

Anoplotermes pacatus Silvestri.**Anoplotermes pacatus** Silvestri 1914-15, p. 54, im., fig. 29, 1-10, Fr. Guinea: Kindia; Sjöstedt 1926, p. 288, syn., loc.

Wing., work.

Fr. Guinea.

Ethiopian.

Anoplotermes pacificus Fr. Müller.**Anoplotermes pacificus** Fr. Müller 1873, p. 347, im., work.*Anoplotermes morio* subsp. *ater* Holmgren 1906, p. 605, im., work., fig. D₂, Peru: Chaquimayo (Carabaya).*Anoplotermes (A.) ater* Holmgren 1912, pp. 73-74, fig. 47, im., Peru only.

Wing., work.

Peru.

Neotropical.

Anoplotermes pallidipes (Sjöstedt).*Eutermes pallidipes* Sjöstedt 1900a, p. 172, Sierra Leone, Cameroon: Kribi.*Anoplotermes pallidipes* Sjöstedt 1926, pp. 289-290, syn., loc.

Wing.

Sierra Leone, Cameroon.

Ethiopian.

Anoplotermes parvus Snyder.*Anoplotermes parvus* Snyder 1923b, pp. 130-131, wing. Panama.

Type: winged male, U.S.N.M. No. 26259.

Wing.

Panama.

Neotropical.

Anoplotermes placidus Silvestri.*Anoplotermes placidus* Silvestri 1914-15, p. 63, fig. 35 (im.), im., work, Fr. Guinea: Mamou; Sjöstedt 1926, p. 289, syn., loc.

Wing., work.

Fr. Guinea.

Ethiopian.

Anoplotermes proximus Snyder.*Anoplotermes* (Anoplo.) *proximus* Snyder 1926d, p. 54, wing. female, Bolivia: Tumupasa.

Type: wing. female, U.S.N.M. No. 27670.

Wing.

Bolivia.

Neotropical.

Anoplotermes punctatus Snyder.*Anoplotermes* (Anoplo.) *punctatus* Snyder 1926d, p. 56, dealated male im., queen, Bolivia: Rosario.

Type: dealated male, U.S.N.M. No. 27671; morphotype: queen.

Dealated.

Bolivia.

Neotropical.

Anoplotermes pyriformis Snyder.*Anoplotermes* (Anoplo.) *pyriformis* Snyder 1934, p. 96-97, fig. 2, winged, Hamburg Farm, Costa Rica.

Cotypes: winged, U.S.M.C. No. 50214.

Wing.

Costa Rica.

Neotropical.

Anoplotermes quietus Silvestri.*Anoplotermes quietus* Silvestri 1914-15, p. 61, fig. 34, 1-16, Gold Coast: Aburi; Sjöstedt 1926, p. 289, syn., loc.

Wing., work.

Gold Coast, French Guinea,
Nigeria.

Ethiopian.

Anoplotermes rotundatus Snyder.*Anoplotermes* (Anoplo.) *rotundatus* Snyder 1926d, p. 56, wing. male, Bolivia: Rosario.

Type: wing. male, U.S.N.M. No. 27672.

Wing.

Bolivia.

Neotropical.

Anoplotermes sanctus Silvestri.

Anoplotermes sanctus Silvestri 1914-15, p. 57, im., fig. 31, 1-13, Angola: S. Paulo de Loanda; Sjöstedt 1926, p. 288; syn., loc.

Ving., work.
Angola.

Ethiopian.

Anoplotermes schwarzi Banks.

Anoplotermes schwarzi Banks 1919, p. 481, im., pl. 1, fig. 4 (im. pronotum), Cuba: Cayamas.

Holotype: winged, U.S.N.M. No. 21871.

Ving.
Cuba.

Neotropical.

Anoplotermes sedatus Silvestri.

Anoplotermes sedatus Silvestri 1914-15, p. 55, fig. 30, 1-9, im., work., Fr. Congo: Brazzaville; Sjöstedt 1926, p. 288, syn., loc.

Ving., work.
Fr. Equatorial Africa.

Ethiopian.

Anoplotermes subterraneus Emerson.

Anoplotermes (*Anoplo.*) *subterraneus* Emerson 1925, pp. 424-425, fig. 79 (im.), Br. Guiana: Kartabo.

Holotype: wing., N. Y. Zool. Soc.

Ving.
Brit. Guiana.

Neotropical.

Anoplotermes tenebrosus (Kollar).

Termes tenebrosus Kollar 1837, im., Brazil: near Ypanema (Prov. St. Paulo); Neufreieburg; Hagen 1858, p. 193, im., Brazil.

Type: Mus. Vienna, Hall Mus.

Eutermes tenebrosus Wasmann 1897a, p. 278.

Termes (*Eutermes*) *tenebrosus* Desneux 1915, p. 9 (loc. type).

Anoplotermes tenebrosus Snyder 1924c, pp. 36-37, im. (in key).

Type: im., Selys Longchamps coll.; Mus. Vienna (Hagen); paratype: wing. female, M.C.Z. No. 422.

Ving.
Brazil.

Neotropical.

Anoplotermes tranquilus Silvestri.

Anoplotermes tranquilus Silvestri 1914-15, p. 52, pl. 28, 1-12, im., queen, work., Fr. Guinea: Mamou; Sjöstedt 1926, p. 287, syn., loc.

Ving., queen (substitute), worker.
Fr. Guinea.

Ethiopian.

Anoplotermes turricola Silvestri.

Anoplotermes turricola Silvestri, 1901, p. 8, im., Brazil: Cuyabà; 1903, p. 97, im., fig. 29 (wings), pl. 5, figs. 216-217 (im.).

Termes (*Eutermes*) *turricola* Desneux, 1904e, p. 46, syn.

Winged.
Brazil.

Neotropical.

SPECULITERMES

Genus *Speculitermes* Wasmann.

Generitype: *Speculitermes cyclops* Wasmann.

=Genus *Speculitermes* Wasmann 1902b, p. 161.

=Subgenus *Speculitermes* (*Anoplotermes*) Holmgren 1912, p. 74.

=Subgenus *Speculitermes* Hare 1937, p. 474.

Speculitermes arboreus (Emerson).

Anoplotermes (*Speculi*) *arboreus* Emerson 1925, pp. 427-428, fig. 81 (im.), Brit. Guiana
Kartabo.

Holotype: wing., N. Y. Zool. Soc.

Dealated (queen).

Brit. Guiana.

Neotropical.

Speculitermes cyclops Wasmann.

Speculitermes Cyclops Wasmann 1902b, p. 161, im., work., India: Khandala (near Bombay)

Ceylon: Trincomali; Silvestri 1914, p. 431, Burma.

Anoplotermes (*Speculi*) *cyclops* Holmgren 1911c, p. 202, work., Ceylon: Peradeniya,
1913b, p. 267 im., work., India.

Winged, work.

India, Burma, Ceylon.

Indo-Malayan.

Speculitermes proratus Emerson, n. sp.

Anoplotermes reconditus Holmgren 1906, p. 607, im., work., Bolivia: Mojos.

Anoplotermes reconditus Holmgren 1911c, p. 202, remarks.

Holotype: A.M.N.H.; paratypes: Holmgren coll.

Winged, work.

Bolivia, Peru.

Neotropical.

Speculitermes reconditus (Silvestri).

Anoplotermes reconditus Silvestri 1901, p. 8, im., Argentina; Paraguay; Matto Grosso; 1903,
p. 101, im., work., fig. 34 (wings), Brazil: Coxipò;

Paraguay: Villa Rica; Argentina: S. Ana, Posadas
(Misiones), Salta, Resistencia.

Anoplotermes (*Speculi*) *reconditus* Holmgren 1912, p. 74, Matto Grosso, Paraguay, Ar-
gentina, [Peru, Bolivia].

Winged, work.

Argentina, Paraguay, Brazil.

Neotropical.

Speculitermes silvestrii (Emerson).

Anoplotermes (*Anoplo.*) *silvestrii* Emerson 1925, pp. 421-423, fig. 76 (im.), Brit. Guiana:
Kartabo.

Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical.

CEPHALOTERMES

Genus *Cephalotermes* Silvestri.

Generitype: *Cephalotermes rectangularis* (Sjöstedt).

=Genus *Cephalotermes* Silvestri 1912, p. 232.

<Genus *Termes*, subgen. *Eutermes* Desneux 1904e, pp. 32, 35.

=Genus *Rectangulotermes* Holmgren in litt. 1912, p. 81.

=Genus *Cephalotermes* Holmgren 1912, pp. 84, 76.

=Genus *Cephalotermes* Sjöstedt 1926, p. 191.

Cephalotermes rectangularis (Sjöstedt).

Eutermes rectangularis Sjöstedt 1899, p. 39, sold., work., Cameroon: Mungo.

Termes (*Eutermes*) *rectangularis* Desneux 1904e, p. 44, syn.

Eutermes" (*Cylindrotermes*?) *rectangularis* Wasmann 1911a, p. 145, Belg. Congo: Sankuru.

Cephalotermes rectangularis Silvestri 1912, p. 234, fig. 9 (im., sold., work.), Isl. S. Thomé: Aqualze; Holmgren 1912, p. 84, figs. 53-54 (im., sold.), pl. 4, fig. 20 (sold.); Sjöstedt 1926, pp. 191-192, fig. 40 (sold.), syn., loc.

Vinged, queen, sold., work.

Cameroon, Congo, Dahomey,

Isl. S. Thomé.

Ethiopian.

LABRITERMES

(Lip)

Genus *Labritermes* Holmgren.

Generitype: *Labritermes buttel-reepeni* Holmgren.

Genus *Labritermes* Holmgren 1913-14, pp. 269-270.

Labritermes buttel-reepeni Holmgren.

Labritermes buttel-reepeni Holmgren 1913-14, pp. 270-272, im., sold., work., Sumatra; John 1925, p. 406, queen, sold., work.

Vinged, king, queen, sold., work.

Sumatra.

Indo-Malayan.

CYLINDROTERMES

Genus *Cylindrotermes* Holmgren.

Generitype: *Cylindrotermes nordenskiöldi* Holmgren.

=Genus *Cylindrotermes* Holmgren 1906, p. 542.

=Genus *Cylindrotermes* Holmgren 1912, pp. 86, 77.

Cylindrotermes brevipilosus Snyder.

Cylindrotermes brevipilosus Snyder 1926d, p. 58, pl. 1, fig. 7 (sold.), Bolivia: Ivon.

Type: sold., U.S.N.M. No. 27673.

Sold.

Bolivia.

Neotropical.

Cylindrotermes macrognathus Snyder.

Cylindrotermes macrognathus Snyder 1929, p. 86, sold., Barro Colorado Isl., C. Z., Panama.

Type: sold., U.S.N.M. No. 41745.

Cylindrotermes nordenskiöldi Snyder 1925, pp. 179, 193, Canal Zone, Panama only;

1926d, pp. 58-59, sold., work.

Sold., work.

Panama.

Neotropical.

Cylindrotermes nordenskiöldi Holmgren.

Cylindrotermes nordenskiöldi Holmgren 1906, p. 543, sold., work., figs. G, H., sold., work., Tuiche (Prov. Caupolican), Bolivia; 1912, p. 86, fig. 55, pl. 4, fig. 21 (sold.).

Sold., work.

Bolivia.

Neotropical.

Cylindrotermes parvignathus Emerson, n. sp.

Cylindrotermes nordenskiöldi Emerson 1925, pp. 428-430, fig. 82 (im., sold.), Brit. Guiana: Kartabo; Snyder 1926d, pp. 58-59, sold., work., Brit. Guiana: Kartabo only.

Type: A.M.N.H.

Winged, sold., work.

Brit. Guiana.

Neotropical.

EUHAMITERMES

Genus *Euhamitermes* Holmgren.

Generitype: *Euhamitermes hamatus* (Holmgren).

=Subgenus *Euhamitermes* (*Hamitermes*) Holmgren 1912, pp. 89, 88.

Euhamitermes hamatus (Holmgren).

Hamitermes (*Euhamitermes*) *hamatus* Holmgren 1912, p. 89, fig. 57 (sold.), p. 93, fig. 66 (sold. mandible), pl. 4, fig. 22 (sold.), Singapore; 1913b, p. 223, pl. 8, fig. 18 (sold.), Malacca.

Sold.

Malay Peninsula.

Indo-Malayan.

Euhamitermes indicus (Holmgren, K. and N.).

Hamitermes (*Euhami.*) *indicus* Holmgren, K. and N. 1917, p. 165, sold., work., India: Shevaroy Hills.

Sold., work.

India.

Indo-Malayan.

Euhamitermes lighti (Snyder).

Amitermes (*Euhami.*) *lighti* Snyder 1933, p. 93, sold., India: Dehra Dun.

Holotype: sold., U.S.N.M. No. 44879.

Sold.

India.

Indo-Malayan.

DREPANOTERMES

Genus *Drepanotermes* Silvestri.

Generitype: *Drepanotermes rubriceps* (Froggatt).

=Genus *Drepanotermes* Silvestri 1909, p. 295.

=Subgenus *Drepanotermes* (*Hamitermes*) Holmgren 1912, p. 89; Hill 1942, pp. 9, 13, 310, 367.

Drepanotermes clarki (Hill).

Hamitermes clarki Hill 1935, p. 30, sold., pl. 2, fig. 38, sold., W. Australia: Eradu.

Hamitermes (*Drepano.*) *clarki* Hill 1942, pp. 10, 13, 368, fig. 281 (sold.), syn., loc.

Holotype: sold., C.S.I.R. coll., Canberra.

Sold.

W. Australia.

Australian.

Drepanotermes rubriceps (Froggatt).

Termes rubriceps Froggatt 1897, p. 730, fig. 9, sold., work., Central Australia.

Termes (*Eutermes*) *rubriceps* Desneux 1904e, p. 45, syn., Central Australia.

Hamitermes (*Drepanotermes*) *rubriceps* Mjöberg 1920, p. 67; Hill 1942, pp. 369-377, figs. 282-289, syn., loc.

Topotypes: [winged male as holoneotype; sold. and work., morphoneotype], C.S.I.R. coll.

Drepanotermes daliensis Hill 1922, pp. 373-375, figs. 8-9, sold., No. Terr.

Termes magnificus Mjöberg 1920, p. 63, im., figs. 32-34; N. W. Australia: Lower Le-warynga (Kimberly distr.).

Termes perniger Froggatt 1897, p. 734, pl. 35, fig. 3, sold., work., W. Australia.

Hamitermes (*Drepanotermes*) *perniger* Mjöberg 1920, pp. 66-69, im., sold., pl. 1, fig. 1, text figs. 35-36 (im., sold.), loc.; Holmgren 1912, p. 93, fig. 61 (sold., mand.), pl. 4, fig. 27 (sold.).

Drepanotermes septentrionalis Hill 1922, pp. 372-373, figs. 6-7, im., sold., No. Terr.

Drepanotermes silvestrii Hill 1922, pp. 364, 371, figs. 1-5, im., sold., work., Townsville distr., N. Queensland.

Hamitermes (*Drepanotermes*) *tamminensis* Hill 1929, pp. 88-90, pl. 14, figs. 3-6, im., sold., work., W. Australia: Tammin.

ng., sold., work.

. Terr., Queensland, W. and

S. Australia and New South

Vales.

Australian.

AMPHIDOTERMES

Genus *Amphidotermes* Sjöstedt.

Generitype: *Amphidotermes basidens* (Sjöstedt).

Subgenus *Hamitermes* Holmgren 1912, pp. 88, 90.

Genus *Amphidotermes* Sjöstedt 1924b, p. 256.

Genus *Amphidotermes* Sjöstedt 1926, p. 165.

Amphidotermes basidens (Sjöstedt).

Termes basidens Sjöstedt 1899, p. 36, sold.¹⁻², work., Togo: Bismarckburg; 1900a, p. 133, sold.¹⁻², pl. 2, fig. K₁ (sold.¹).

Hamitermes (H.) *basidens* Holmgren 1912, p. 91.

Amphidotermes basidens Sjöstedt 1926, p. 165, fig. 36 (sold.), syn., loc.

Type: Mus. Berlin and Stockholm.

sd.¹⁻², work.

Togo.

Ethiopian.

AMITERMES

(Hook)

Genus *Amitermes* Silvestri.

Generitype: *Amitermes amifer* Silvestri.

<Genus *Amitermes* Silvestri 1901, p. 4 (includes *brevicorniger*).

=Genus *Dentitermes* Wasmann 1901, p. 744.

<Genus *Amitermes* Wasmann 1902b, p. 122.

<Genus *Amitermes* Silvestri 1903, p. 43.

<Genus *Hamitermes* Silvestri 1903, p. 217.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

<Subgenus *Leucotermes* Desneux 1904e, pp. 31, 32.

<Genus *Termes* subgen. *Termes* Desneux 1904e, pp. 32, 35.

- ><Genus *Leucotermes* Holmgren 1911a, p. 69 (includes *Amitermes vilis* from Persia).
 ><Subgenus *Hamitermes* (*Hamitermes*) Holmgren 1912, pp. 88, 90.
 =Genus *Amitermes* Banks 1919, p. 479.
 <Genus *Amitermes* Banks (and Snyder) 1920, p. 55.
 <Genus *Hamitermes* Mjöberg 1920, pp. 66, 68.
 =Genus *Amitermes* Fuller 1922, p. 122.
 =Genus *Amitermes* Sjöstedt 1926, p. 181.
 >Genus *Monodotermes* Silvestri 1909, p. 299.
 =Subgenus *Monodotermes* (*Hamitermes*) Holmgren 1912, pp. 90, 89.

Amitermes amifer Silvestri.

Amitermes amifer Silvestri 1901, p. 4, im., Argentina, Paraguay, Matto Grosso; 1903, pp. 43-44, im., sold., work., fig. 9 (wings), loc.

Hamitermes hamifer Silvestri 1903, p. 115, biol., p. 217, pl. 2, figs. 59-60 (im.).

Termes (*Eutermes*) *hamifer* Desneux 1904e, p. 40, syn., loc.

Hamitermes (*H.*) *hamifer* Holmgren 1912, p. 91.

Winged, sold., work.

Argentina, Paraguay, Brazil.

Neotropical

Amitermes atlanticus Fuller.

Hamitermes atlanticus Fuller 1922, p. 125, wing., Table Mt. and Camps Bay, near Cape town, So. Africa.

Amitermes atlanticus Sjöstedt 1926, p. 190, syn., loc.

Winged.

So. Africa.

Ethiopian

Amitermes beaumonti Banks.

Amitermes beaumonti Banks 1918, p. 664, pl. 51, fig. 14 (sold.), Panama; Snyder 1924 pp. 34-35, wing., Panama: Trinidad Riv.; 1926, p. 28 sold., work., Mexico, Guatemala.

Type: sold., A.M.N.H.; paratype: sold., M.C.Z.

Termes minimus Dudley and Beaumont 1890, pp. 158, 170-171, 175-177, biol., no description
 Dudley and Beaumont 1890a, p. 107, remarks.

Wing., sold., work.

Panama, Mexico, Guatemala.

Neotropica

Amitermes bechuana Fuller.

Hamitermes bechuana Fuller 1922, p. 125, winged, Greefdale, Barkly, West, So. Africa.

Amitermes bechuana Sjöstedt 1926, p. 190, syn., loc.

Wing.

So. Africa.

Ethiopian

Amitermes belli (Desneux).

Termes Belli Desneux 1906, p. 352, im., sold., work., India: Sind, Karachi.

Hamitermes (*H.*) *Belli* Holmgren 1912, p. 93, fig. 65 (sold. mandible), Asia.

Hamitermes (*H.*) *Belli* Holmgren 1913b, p. 227, im., sold., work., pl. 8, fig. 20 (sold.), Sind
 Karachi (Bell).

Winged, sold., work.

India.

Indo-Malaya

Amitermes braunsi Fuller.**Hamitermes braunsi** Fuller 1922, p. 125, im., sold., work., Willowmore, So. Africa.**Amitermes Braunsi** Sjöstedt 1926, p. 190, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopian.

Amitermes capicola Silvestri.**Hamitermes hastatus** var. **capicola** Silvestri 1914-15, p. 78, fig. 45, 1-9, im., neoteinic queen, sold., work., Cape Colony, Stellenbosch, Wellington, So. Africa.**Hamitermes capicola** Fuller 1922, p. 124.**Amitermes capicola** Sjöstedt 1926, p. 188, syn., loc.Winged, neoteinic reproductives,
sold., work.

So. Africa.

Ethiopian.

Amitermes capito Hill.**Hamitermes capito** Hill 1935, p. 29, fig. 37, sold., work., W. Australia: Mullewa.**Hamitermes (H.) capito** Hill 1942, pp. 311-312, figs. 228-229 (sold.).

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

W. Australia.

Australian.

Amitermes coachellae Light.**Amitermes coachellae** Light 1930c, pp. 200-201, pl. 12, fig. 3, pl. 14, figs. 1, 3, 5, 9, pl. 15 (sold., work.), Upper end Coachella Valley; 1931a, p. 6, alates, queen, Nevada: Boulder City, Las Vegas; 1932, pp. 371-375, figs. J, K. winged.

Winged, queen, sold., work.

California, Nevada, U. S. A.

Nearctic.

Amitermes colonus Hill.**Hamitermes (Hami.) colonus** Hill 1942, pp. 356-357, fig. 269 (sold.), N. S. Wales: Griffith.

Holotype: sold. and assoc. work., C.S.I.R. coll.

Sold., work.

N. S. Wales.

Australian.

Amitermes cryptodon Light.**Amitermes cryptodon** Light 1930d, pp. 222-223, pl. 16, fig. 3, pl. 17, fig. 7, pl. 18, fig. 3 (sold., work.), Mexico: Jala, Madrid near Colima.

Sold., work.

Mexico.

Neotropical.

Amitermes darwini Hill.**Hamitermes darwini** Hill 1922a, pp. 155-157, sold., work., figs. 28-33 (sold.), Darwin, No. Terr.

- Hamitermes (Hamitermes) darwini** Hill 1942, pp. 312-314, figs. 230-231 (im., sold.).
 Holotype: sold.; morphotype: work., Nat. Mus., Melbourne; morphotype: wing., assoc. sold. and work., C.S.I.R. coll.
- Hamitermes willingsi* Hill 1935, pp. 20-22, figs. 16-20 (im., sold.), im., sold., work., No. Terr.
 Winged, sold., work.
 No. Terr. Australian.
- Amitermes dentatus (Haviland).**
Termes dentatus Haviland, 1898, p. 408, figs. 45-48 (im., sold.), im., sold., work., Borneo (Sarawak), Marudi.
 Type: No. 535.
- Termes (Eutermes) dentatus** Desneux 1904e, p. 41, syn.
- Hamitermes (Hamitermes) dentatus** Holmgren 1912, p. 93, fig. 60 (sold. mandible); 1913b, p. 226, im., sold., work., pl. 8, fig. 19 (sold.); 1913-14, p. 272, Sumatra, Malacca; John 1925, p. 408, sold., work., Singapore, E. Sumatra.
 Winged, sold., work.
 Borneo, Malay Penins., Sumatra. Indo-Malayan.
- Amitermes dentosus** Hill.
Hamitermes dentosus Hill 1935, p. 27, pl. 1, figs. 32-36, im., sold., work., W. Australia: Ghooli.
- Hamitermes (Hamitermes) dentosus** Hill 1942, p. 314, figs. 232-233 (im., sold.), syn., loc.
 Holotype: sold.; morphotype: wing. and work., C.S.I.R. coll.
 Winged, sold., work.
 W. Australia, No. Terr. Australian.
- Amitermes desertorum (Desneux).**
Eutermes desertorum Desneux 1902, p. 439, im., work., fig. 2 (hind wing); Algeria: Dans le Souf (between Maouiet-Ferzan and Touquurt).
Eutermes desertorum Sjöstedt 1904, p. 81, Algeria: Sahara.
- Hamitermes (Hamitermes) desertorum** Holmgren 1912, p. 91, Togo (an error?).
 Type: Mus. Stockholm, Desneux coll.
- Hamitermes desertorum* Hegg 1922, pp. 73, 469, 695, ?Togo (an error).
Amitermes desertorum Sjöstedt 1926, p. 187, syn., loc. [may be the imago of *A. santschii*].
 Winged, work.
 Algeria. Palaeartic.
- Amitermes elongatus** Silvestri.
Hamitermes elongatus Silvestri 1914-15, p. 77, sold., work., fig. 44 (sold.), Angola: S. Paulo de Loanda and Quitangonda.
- Amitermes elongatus** Sjöstedt 1926, pp. 183-184, syn., loc.
- Amitermes (Amitermes) elongatus** Emerson 1928, p. 498, fig. 47 (sold.), Belg. Congo.
 Neoteinic queen, sold., work.
 Angola, Belg. Congo. Ethiopian.

Amitermes emersoni Light.

Amitermes emersoni Light 1930c, pp. 187-190, pl. 11, fig. 2, pl. 12, figs. 2, 7, pl. 13, figs. 2, 8, pl. 14, fig. 7, text figs. Q-U (sold., work., dist.); 1932, pp. 375-377, figs. L, M, imago, Coachella, Salton, etc.

Winged, sold., work.

California, U. S. A.

Nearctic.

Amitermes ensifer Light.

Amitermes ensifer Light 1930d, pp. 223-224, pl. 16, fig. 2, pl. 18, fig. 1 (sold., work.), W. Mexico: Jala.

Sold., work.

Mexico.

Neotropical.

Amitermes eucalypti Hill.

Amitermes eucalypti Hill, 1922, pp. 391-395, figs. 23-26, im., sold., work., No. Queensland: Magnetic Isl.

Amitermes (*Hamitermes*) *eucalypti* Hill, 1942, pp. 316-317, fig. 234 (sold.), im., sold., work.

Holotype: sold.; morphotype: wing. and work., Hill coll.

Winged, sold., work.

Queensland.

Australian.

Amitermes evuncifer Silvestri.

Amitermes evuncifer Silvestri 1912, p. 231, fig. 8 (sold., work.), Port. Guinea: Bolma, Rio Cassine.

Amitermes (*Hamitermes*) *evuncifer* Holmgren 1912, p. 91.

Amitermes evuncifer Silvestri 1914-15, p. 73, fig. 41 (neoteinic queen), loc.

Amitermes unidentatus subsp. *evuncifer* Sjöstedt 1926c, p. 243, im., sold., work.

Winged, neoteinic queen, sold.,

work.

Senegal, Port. Guinea, Liberia,

Gold Coast, Togo, Belg.

Congo.

Ethiopian.

Amitermes evuncifer, var. *heterocera* Silvestri.

Termites unidentatus Wasmann 1897, p. 164, Gold Coast.

Amitermes evuncifer var. *heterocera* Silvestri 1914-15, p. 75, sold., work., fig. 42 (sold.), Gold Coast: Aburi, Dahomey: Cotonou.

Amitermes unidentatus subsp. *evuncifer* var. *heterocera* Sjöstedt 1926, p. 186, syn., loc.

Sold., work.

Gold Coast, Dahomey.

Ethiopian.

Amitermes excellens Silvestri.

Amitermes excellens Silvestri 1923b, pp. 309-312, pl. 12, wing., work., Brit. Guiana: Kartabo.

Amitermes (*Amitermes*) *excellens* Emerson 1925, pp. 431-432, fig. 83, im., sold.

Winged, sold.

Brit. Guiana.

Neotropical.

Amitermes exilis Hill.*Hamitermes exilis* Hill 1935, pp. 30-31, sold., work., W. Australia: Mullewa.*Hamitermes (Hamitermes) exilis* Hill 1942, pp. 318-319, fig. 235 (sold.).

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

W. Australia.

Australian.

Amitermes foreli Wasmann.*Amitermes Foreli* Wasmann 1902b, p. 106, sold., work., Colombia.*Dentitermes Foreli* Wasmann 1901, p. 744.*Termes (Eutermes) Foreli* Desneux 1904e, p. 42, syn.*Hamitermes (Hamitermes) Foreli* Holmgren 1912, p. 91.*Termes columnaris* Dudley and Beaumont 1890, pp. 158, 176, biol., no description but nest diagnostic.*Termes columnar* Dudley and Beaumont 1890a, p. 109.*Amitermes medius* Banks 1918, p. 663, sold., im., pl. 41, fig. 5 (sold.), Panama.

Winged, sold., work.

Colombia, Panama.

Neotropical.

Amitermes germanus (Hill).*Termes germana* Hill 1915, p. 88, sold., work., No. Terr.: Darwin.*Hamitermes germanus* Hill 1922a, p. 157, wing.*Hamitermes (Hamitermes) germanus* Hill 1942, p. 319-322, figs. 236-237 (sold.), im., sold., syn., loc.

Holotype: sold.; morphotype: wing., work., Hill coll.

Hamitermes kimberleyensis Mjöberg 1920, p. 75, figs. 38-40, im., sold., work., W. Australia.

Winged, sold., work.

No. Terr., W. Australia.

Australia.

Amitermes gunni Fuller.*Hamitermes gunni* Fuller 1922, p. 124, im., sold., So. Africa: Trappes Valley, Clumber, Bathurst.*Amitermes Gunni* Sjöstedt 1926, p. 189.

Winged, sold.

So. Africa.

Ethiopian.

Amitermes hartmeyer (Silvestri).*Monodontermes Hartmeyer* Silvestri 1909, p. 299, sold., work., pl. 20, figs. 147-153, W. Australia: Darwin.*Hamitermes (Monodontermes) hartmeyer* Holmgren 1912, p. 90.*Hamitermes hartmeyer* Mjöberg 1920, p. 125.*Hamitermes (Hamitermes) hartmeyer* Hill 1942, pp. 322-323, fig. 238 (sold.).

Sold., work.

W. Australia.

Australian.

Amitermes hastatus (Haviland).*Termes hastatus* Haviland 1898, p. 410, im., sold., work., So. Africa: Cape: Port Elizabeth.

Type: No. 21.

Hamitermes (*Hamitermes*) *hastatus* Holmgren 1912, pp. 178-179.

Hamitermes hastatus Fuller 1922, p. 123, im., So. Africa.

Amitermes hastatus Sjöstedt 1926, p. 188, syn., loc.

Type: Mus. Cambridge and Stockholm.

Winged, sold.

So. Africa, Tanganyika.

Ethiopian.

Amitermes herbertensis Mjöberg.

Hamitermes herbertensis Mjöberg 1920, p. 78, figs. 37b, 39a (im.), 36c, 41c (sold.), im., sold., work., N. Queensland: Herberton, Cedar Creek, Atherton.

Hamitermes (*Hamitermes*) *herbertensis* Hill 1942, pp. 323-325, figs. 239-240 (im., sold.), syn., loc.

Hololectotype: sold.; morpholectotype: im., work., Hill coll.

Winged, sold., work.

Queensland.

Australian.

Amitermes heterognathus Silvestri.

Hamitermes (?) *heterognathus* Silvestri 1909, p. 301, pl. 20, fig. 157 (sold.), W. Australia: Day Dawn.

Hamitermes (*Monodontermes*) *heterognathus* Mjöberg 1920, pp. 89, 125, sold.

Hamitermes (*Hamitermes*) *heterognathus* Hill 1942, pp. 325-326, fig. 241 (sold.), syn., loc. Sold.

W. Australia.

Australian.

Amitermes kellyi Fuller.

Hamitermes Kellyi Fuller 1922, p. 124, wing., sold., So. Africa: Grahamtown.

Amitermes Kellyi Sjöstedt 1926, p. 189, syn., loc.

Wing., sold.

So. Africa.

Ethiopian.

Amitermes kenhardti Fuller.

Hamitermes Kenhardti Fuller 1922, p. 125, im., work., So. Africa: Cape Prov., Kenhardt distr.

Amitermes Kenhardti Sjöstedt 1926, p. 190, syn., loc.

Winged, work.

So. Africa.

Ethiopian.

Amitermes lacertosus Ghidini.

Amitermes lacertosus Ghidini 1941, pp. 32-33, sold., work., Ethiopia: Murle.

Sold., work.

Ethiopia.

Ethiopian.

Amitermes latidens Mjöberg.

Hamitermes latidens Mjöberg 1920, p. 88, figs. 43a, 44 (sold.), sold., work., Queensland: Alice River (Cape York Peninsula).

Hamitermes (*Hamitermes*) *latidens* Hill 1942, pp. 327-328, fig. 242 (sold.), syn., loc., nymph im. described.

Hololectotype: sold.; morpholectotype: work., Hill coll.

Sold., work.

Queensland.

Australian.

Amitermes lativentris Mjöberg.

Hamitermes lativentris Mjöberg 1920, p. 86, im., sold., work., fig. 39d (sold.), So. Queensland: Christmas Creek.

Hamitermes (*Hamitermes*) *lativentris* Hill 1942, pp. 328-329, figs. 243-244 (im., sold.), syn., loc.

Wing., sold., work.

Queensland.

Australian.

Amitermes laurensis Mjöberg.

Hamitermes laurensis Mjöberg 1920, pp. 74, 120, sold., work., fig. 38b (sold.), Queensland: Cape York Peninsula, Laura, Coleman River.

Hamitermes (*Hamitermes*) *laurensis* Hill 1942, pp. 330-333, wing., sold., figs. 245-246 (im., sold.), syn., loc.

Cotypes: Natural Hist. Mus., Stockholm.

Hamitermes perplexus Hill 1922, p. 381, figs. 16-18, sold., work., Queensland.

Hamitermes wilsoni Hill 1922a, p. 159 (new name for *perplexus*).

Hamitermes meridionalis Mjöberg 1920, pp. 68, 73, fig. 37a (sold.), part only, Queensland: Cape York Penins., Laura only.

Winged, sold., work.

Queensland.

Australian.

Amitermes libertatis Fuller.

Hamitermes libertatis Fuller 1922, p. 124, im., sold., syn., So. Africa: Orange Free State, Bloemfontein.

Amitermes libertatis Sjöstedt 1926, p. 190, syn., loc.

Winged, sold.

So. Africa.

Ethiopian.

Amitermes limpopoensis Fuller.

Hamitermes limpopoensis Fuller 1922, p. 124, im., sold., So. Africa: No. Transvaal, Zand and Limpopo Rivers.

Amitermes limpopoensis Sjöstedt 1926, p. 190.

Winged, sold.

So. Africa.

Ethiopian.

Amitermes londonensis Fuller.

Hamitermes londonensis Fuller 1922, p. 124, im., sold., work., Cape: East London.

Amitermes londonensis Sjöstedt 1926, p. 189, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopian.

Amitermes lönnbergianus (Sjöstedt).

Eutermes lönnbergianus Sjöstedt 1911c, p. 2, sold., work., Brit. E. Africa: somewhat north of Guaso Nyero.

Amitermes lönnbergianus Sjöstedt 1926, p. 183, pl. 8, fig. B (sold.), syn., loc.

Sold., work.

Brit. E. Africa.

Ethiopian.

Amitermes macrocephalus Ghidini.

Amitermes macrocephalus Ghidini 1941, p. 31, sold., Ethiopia: El Dire.

Sold.

Ethiopia. Ethiopian.

Amitermes meridionalis (Froggatt).

Termes meridionalis Froggatt 1897, p. 726, sold., work., biol., No. Terr.: Palmerston, Port Darwin.

Termes (Eutermes) meridionalis Desneux 1904e, p. 45, syn.

Hamitermes meridionalis Silvestri 1909, p. 303, pl. 20, figs. 172-174.

Hamitermes meridionalis Mjöberg 1920, pp. 68, 73, fig. 37a (sold.), part only—not Cape York Penins. loc.

Hamitermes (Hamitermes) meridionalis Hill 1942, pp. 333-336, im., sold., biol., figs. 247-248 (im., sold.), pl. 17 (nests), syn., loc.

Holoneotype: sold.; morphoneotype: wing. and work. from nest at type local., C.S.I.R. coll.

Winged, sold., work.

No. Terr. Australian.

Amitermes meruensis (Sjöstedt).

Eutermes meruensis Sjöstedt 1911b, p. 177, im., sold., work., Tanganyika: Meru, region of Nyjki, Kilimandjaro, Kibonoto.

Hamitermes (Hamitermes) meruensis Holmgren 1912, p. 93, fig. 59 (sold. mand.).

Amitermes meruensis Sjöstedt 1926, p. 186, pl. 8, fig. A, text fig. 38 (sold.), syn., loc.

Winged, sold., work.

Tanganyika. Ethiopian.

Amitermes messinae Fuller.

Hamitermes messinae Fuller 1922, p. 125, im., sold., work., So. Africa: No. Transvaal, Messina.

Amitermes Messinae Sjöstedt 1926, p. 191, syn., loc.

Winged, sold., work.

So. Africa. Ethiopian.

Amitermes minimus Light.

Amitermes minimus Light 1932, pp. 377-378, pl. 9, figs. 3, 4, 7, figs. N and Q.

Amitermes wheeleri Banks (and Snyder) 1920, p. 59, ex parte sold., Brownsville and San Antonio, Tex.

Amitermes wheeleri Snyder 1924c, p. 33, pl. 1, fig. 9 (winged).

Amitermes wheeleri Light 1930b, p. 455 (in key).

Amitermes wheeleri Light 1930c, p. 195-199, figs. AA-DD (sold., work.), fig. EE, dist.

Amitermes wheeleri Light 1930d, p. 218 (in key).

Winged, sold., work.

Tex., Ariz., Nev., Calif., U. S. A. Nearctic.

Amitermes minor Holmgren.

Hamitermes (Hamitermes) minor Holmgren 1913-14, p. 273, im., sold., work., E. Sumatra: Soengei Bamban.

Winged, sold., work.

Sumatra. Indo-Malayan.

Amitermes modicus Hill.

Hamitermes (*Hamitermes*) *modicus* Hill 1942, pp. 357-358, fig. 270 (sold.), New So. Wales: Griffith, So. Australia: 22 miles north of Hawker.

Holotype: sold. and associated workers, C.S.I.R. coll.

Sold., work.

N. S. Wales, So. Australia.

Australian.

Amitermes murraysburgi Fuller.

Hamitermes murraysburgi Fuller 1922, p. 125, im., work., So. Africa: Cape Prov., Murraysburg.

Amitermes Murraysburgi Sjöstedt 1926, p. 190, syn., loc.

Winged, work.

So. Africa.

Ethiopian.

Amitermes neogermanus Hill.

Hamitermes neogermanus Hill 1922, p. 390, sold., work., fig. 22 (sold.), So. Australia: Mt. Lofty Ranges; 1935, p. 14, figs. 1-6 (imago).

Hamitermes (*Hamitermes*) *neogermanus* Hill 1942, pp. 336-338, figs. 249-250 (im., sold.), syn., loc.

Termes meridionalis Froggatt 1897, p. 726, sold., work., biol., N. S. Wales: Moree only; 1905a, pp. 11, 27, 29, sold., biol., N. So. Wales only.

Hamitermes meridionalis Mjöberg 1920, pp. 68, 73, sold., So. Australia, N. So. Wales only.

Hamitermes perplexus var. *victoriensis* Hill 1922, p. 388, dealated male (king), sold., Victoria: Preston.

Hamitermes wilsoni var. *victoriensis* Hill 1925, p. 91, im., sold.

Holotype: sold.; morphotype: work., South Australian Mus.; morphotype: wing., C.S.I.R. coll.

Winged, sold., work.

So. Australia, West Australia,
Victoria, Austral. Capital
Territory, Canberra, N. So.
Wales, Queensland.

Australian.

Amitermes obeuntis Silvestri.

Hamitermes obeuntis Silvestri 1909, pp. 301-331, pl. 20, figs. 158-171, queen, sold., work., W. Australia: Mundaring, Serpentine, Albany.

Hamitermes obeuntis Mjöberg 1920, pp. 68, 120.

Hamitermes (*Hamitermes*) *obeuntis* Hill 1942, pp. 339-341, figs. 251-252, syn., loc.

Leucotermes clarki Hill 1922 (partim), p. 395, fig. 27, winged.

Morphotype: wing., Hill coll.

Winged, queen, neotein. reprod.,
sold., work.

W. Australia.

Australian.

Amitermes obtusidens Mjöberg.

Hamitermes obtusidens Mjöberg 1920, pp. 67-68, 83, im., sold., work., figs. 40b, 42a (im., sold.), S. Queensland: Colosseum.

- Hamitermes (Hamitermes) obtusidens* Hill 1942, pp. 341-343, figs. 253-254 (im., sold.), syn., loc.
 Holotype: sold.; morphotype: wing., work., Hill coll.
 winged, sold., work.
 Queensland, W. Australia. Australian.
- Hamitermes pallidus* Light.
Hamitermes pallidus Light 1932, pp. 385-387, figs. R and S.
Hamitermes californicus Banks (and Snyder) 1920, p. 62, winged, Arizona: Sabino Canyon.
 winged.
 Arizona, U. S. A. Nearctic.
- Hamitermes parvulus* Light.
Hamitermes parvulus Light 1932, pp. 379-380, figs. Z, AA, and WW.
Hamitermes arizonensis Banks (and Snyder) 1920, p. 56, winged (in part).
 winged, sold.
 Texas, Arizona, U. S. A. Nearctic.
- Hamitermes parvus* Hill.
Hamitermes parvus Hill 1922, pp. 378-381, figs. 13-15, wing., sold., work., No. Queensland: Townsville.
Hamitermes (Hamitermes) parvus Hill 1942, pp. 343-344, figs. 255-256 (im., sold.), syn., loc.
 Holotype: winged; morphotype: sold., work., Hill coll.
 winged, sold., work.
 Queensland. Australian.
- Hamitermes paucinervius* (Silvestri).
Hamitermes paucinervius Silvestri 1908, p. 81, pl. 10, figs. 61-65, im., So. Africa: Kalahari, Khakhea.
Hamitermes (Subulitermes?) paucinervius Holmgren 1912, p. 64.
Hamitermes paucinervius Fuller 1922, pp. 123, 127.
Hamitermes paucinervius Sjöstedt 1926, p. 189, syn., loc.
 winged.
 So. Africa. Ethiopian.
- Hamitermes pavidus* Hill.
Hamitermes (Hami.) pavidus Hill 1942, pp. 358-360, figs. 271-272 (im., sold.), Townsville Town Common.
 Holotype: wing.; morphotype: sold., C.S.I.R. coll.
 winged, sold.
 Queensland. Australian.
- Hamitermes perarmatus* (Silvestri).
Monodontermes perarmatus Silvestri 1909, p. 300, pl. 19, figs. 143-146 (sold.), W. Australia: Yalgoo.
Hamitermes (Monodont.) perarmatus Holmgren 1912, p. 90; Mjöberg 1920, p. 67 (sold.).
Hamitermes (Hami.) perarmatus Hill 1942, pp. 344-345, fig. 257 (sold.), syn., loc.
 sold.
 W. Australia. Australian.

Amitermes perelegans Hill.

Hamitermes perelegans Hill 1935, pp. 25-27, figs. 27-31, im., sold., work., No. Terr. Marrakai.

Hamitermes (Hami.) *perelegans* Hill 1942, pp. 345-347, figs. 258-260 (im., sold.), No. Terr. Holotype: wing.; morphotype: sold., work., C.S.I. coll.

Winged, sold., work.
No. Terr.

Australia

Amitermes ravus Hill.

Hamitermes (Hami.) *ravus* Hill 1942, pp. 360-361, fig. 273 (sold.), Queensland: Rollin stone, etc.

Holotype: sold., and associated work.

Sold., work.
Queensland.

Australia

Amitermes runconifer Silvestri.

Hamitermes runconifer Silvestri 1908, p. 77, pl. 9, figs. 28-40, im., queen., sold., work., Kalahari, Mooa-Sekgoma, So. Africa.

Hamitermes (Hami.) *runconifer* Holmgren 1912, p. 93, fig. 62 (sold. mandible).

Hamitermes runconifer Fuller 1922, p. 123, sold.

Amitermes runconifer Sjöstedt 1926, pp. 186-187, syn., loc.

Winged, queen, sold., work.

So. Africa: Kalahari, ? Zululand, S. W. Africa: Okahandja, Neudanm.

Ethiopia

Amitermes santschi Silvestri.

Hamitermes Santschi Silvestri 1911, p. 105, sold., work., fig. 1 (sold., work.), Tunisia, Kairouan, Cheri-Chera.

Amitermes Santschi Sjöstedt 1926, p. 187, syn., loc.; Menozzi 1940, p. 248, Tripoli.

Sold., work.

Tunis, Tripoli, Africa.

Palaearect.

Amitermes schoombiensis Fuller.

Hamitermes schoombiensis Fuller 1922, p. 124, wing., sold., So. Africa: Schoombia (Middleburg distr.).

Amitermes schoombiensis Sjöstedt 1926, p. 190, syn., loc.

Winged, sold.

So. Africa.

Ethiopia

Amitermes sciangallorum Ghidini.

Amitermes sciangallorum Ghidini 1941, pp. 31-32, sold., work., Ethiopia: Murlè.

Sold., work.

Ethiopia.

Ethiopia

mitermes scopulus Mjöberg.

mitermes scopulus Mjöberg 1920, pp. 68, 81, sold., work., fig. 42b (sold.), N. Queensland: Laura (Cape York Peninsula).

mitermes (Hami.) *scopulus* Hill 1942, pp. 347-348, fig. 261 (sold.), syn., loc.

Cotypes: sold., work., Natural Hist. Mus., Stockholm, and Hill coll.

old., work.
Queensland. Australian.

mitermes seminotus (Silvestri).

mitermes (sens. lat.) *seminotus* Silvestri 1908, p. 80, pl. 10, figs. 54-60 (im.), So. Africa: Kalahari, Kooa.

mitermes seminotus Fuller 1922, pp. 123, 127, winged.

mitermes seminotus Sjöstedt 1926, p. 189, syn., loc.

winged.
So. Africa. Ethiopian.

mitermes silvestrianus Light.

mitermes silvestrianus Light 1930c, pp. 190-191, pl. 14, figs. 2, 4, 6, 8 (sold., work.), California: upper Coachella Valley; 1932, pp. 380-383, pl. 9, figs. 1, 2, 8, 12, 13, figs. O, P, winged.

Winged, sold., work.
California, U. S. A. Nearctic.

mitermes snyderi Light.

mitermes snyderi Light 1930c, pp. 192-195, pl. 11, fig. 14, pl. 12, figs. 4, 9, pl. 13, figs. 4, 10, figs. V-Y (sold., work.), fig. Z (dist.), California: Mojave and Colorado deserts, 1,000-2,000 ft. elev.

old., work.
California, U. S. A. Nearctic.

mitermes somaliensis Sjöstedt.

mitermes somaliensis Sjöstedt 1927, p. 102, sold., work., fig. 4 (sold.), Somaliland: Villagio Duca Abruzzi.

Type: Mus. Stockholm.

mitermes somaliensis Ghidini 1938, p. 231, remarks.

old., work.
Somaliland (Brit. N. E. Africa). Ethiopian.

mitermes spinifer Silvestri.

mitermes spinifer Silvestri 1914-15, p. 75, sold., work., fig. 43 (sold., work.), Senegal: Dakar, Thiès.

mitermes spinifer Sjöstedt 1926, p. 187, syn., loc.

old., work.
Senegal. Ethiopian.

Amitermes unidentatus (Wasmann).*Termes unidentatus* Wasmann 1897, p. 163, pl. 11, fig. 9 (sold.), Bawi, Zanzibar.

Type: Mus. Stockholm, Wasmann coll.

Amitermes unidentatus Sjöstedt 1926, pp. 184-185, syn., loc.; 1926a, p. 5, Gold Coast
1926b, pp. 152-153, wing.

Winged, sold., work.

Zanzibar, Isl. Fundu (near W.
Pemba), Rhodesia, S. E.
Africa (Bangui), Belgian
Congo, Gold Coast.

Ethiopia

Amitermes vilis (Hagen).*Termes vilis* Hagen 1858, p. 185, im., Persia: near Schiraz; Jacobson 1904, p. 71, fig. 11, im.*Termes (Leucotermes) vilis* Desneux 1904e, p. 33, syn.*Leucotermes vilis* Holmgren 1911a, p. 69, Persia and Transcaspia.*Hamitermes (Hami.) vilis* Holmgren 1912, p. 91, syn.

Type: Mus. Vienna.

Hamitermes vilis Silvestri 1923a, p. 261, Jebel Haurin, N. E. of Bagdad.

Winged.

Persia, Transcaspia.

Palaeartic

Amitermes vitiosus Hill.*Hamitermes vitiosus* Hill 1935, p. 23, figs. 21-26, wing., sold., work., No. Terr. an
Queensland.*Hamitermes (Hami.) vitiosus* Hill 1942, pp. 348-352, figs. 262-263 (im., sold.), syn., loc.
Holotype: sold.; morphotype: wing. and work., C.S.I.F.
coll.*Termes meridionalis* Froggatt 1897, p. 726, sold., work., Queensland only; 1905a, pp. 1
27, 29, sold., Queensland only; 1907, p. 26, Queensland
only.*Hamitermes meridionalis* Mjöberg 1920, pp. 68, 73, sold. (part only ?), Queensland
(Cape York Penins., Laura).

Winged, sold., work.

No. Terr., Queensland.

Australia

Amitermes westraliensis Hill.*Hamitermes westraliensis* Hill 1929, pp. 85-87, pl. 14, figs. 1, 2 (wing., sold., work.), Wes
Australia: Darlot.*Hamitermes (Hami.) westraliensis* Hill 1942, pp. 353-354, figs. 264-265 (im., sold.), syn.
loc.Holotype: sold.; morphotype: wing., and work., Hi
coll.

Winged, sold., work.

W. Australia.

Australia

Amitermes wheeleri (Desneux).*Termes wheeleri* Desneux 1906, p. 340, sold., work., Belton, Texas.Type: Mus. Paris ?; paratype: (sold., work.), Texa
A.M.N.H., New York.

ermes wheeleri Banks (and Snyder) 1920, p. 59, sold., fig. 45 (1) (sold.), fig. 46 (map dist.); (Banks) and Snyder 1920, p. 184 (biol.), pl. 7 (damage), pl. 8, fig. 5 (worker leg) [Brownsville and San Antonio records are *Amitermes minimus*] ex type A.M.N.H.

ermes (A.) wheeleri Light 1932, pp. 359, 366-369, 390, figs. E, F, and I, im., sold., Tex., Calif., Mex.; 1934, p. 160, loc., Ariz.

ermes arizonensis Banks (and Snyder) 1920, p. 56, im. only, p. 182, biol., im. only, Arizona.

ermes californicus Banks (and Snyder) 1920, p. 62, sold. only, fig. 47 (map dist.), fig. 45 (2) (sold.), (Banks) and Snyder 1920, p. 185 biol., sold. only, pl. 8, fig. 4 (worker), Calif. [imago is *Amitermes pallidus*]; Light 1930c, p. 184, sold., work., p. 179, sold., p. 187, biol., fig. LO (sold., work.), fig. P (map dist.), pl. 11, fig. 1 (sold.), pl. 12, figs. 1, 6 (sold. and work. mand.), p. 186, dist., Calif.; 1930d, p. 224, biol., pl. 17, figs. 3, 4 (sold.), Mexico.

ermes (A.) californicus Light 1931a, pp. 5, 9, remarks, syn., Nevada.

ermes (A.) parvipunctus Light 1932, p. 359, syst., p. 388, p. 390, im., figs. T and U (im.), Uvalde, Tex.

ermes (A.) parvulus Light 1932, pp. 359, 379-380, 390, im., from Arizona only.

ermes (A.) spadix Light 1932, p. 359, syst., pp. 388-389, p. 390, im., figs. V and W, Uvalde, Tex.

ermes tubiformans Banks (and Snyder) 1920, p. 55, im. only, Uvalde, Tex., fig. 41; (Banks) and Snyder 1920, p. 179, im. only.

ged, sold., work.

N. Mex., Ariz., Nev.,
Calif., U. S. A.; Mexico.

Nearctic and Neotropical.

ermes xylophagus Hill.

itermes xylophagus Hill 1935, pp. 18-20, figs. 11-15, im., sold., work., Australian Capital Terr.: Canberra and vicinity.

itermes (Hami.) xylophagus Hill 1942, pp. 354-356, figs. 266-268 (im., sold.), syn., loc. Holotype: sold.; morphotype: winged and work., C.S.I.R. coll.

ged, sold., work.

ralian Capital Terr., New
Wales, Victoria, ?So.
Australia.

Australian.

ermes zuurbergi Fuller.

itermes zuurbergi Fuller 1922, p. 124, im., sold., So. Africa: Zuurberg (Somerset East).

ermes Zuurbergi Sjöstedt 1926, p. 189, syn., loc.

ged, sold.

Africa.

Ethiopian.

GNATHAMITERMES

Genus *Gnathamitermes* Light.

Generitype: *Gnathamitermes perplexus* (Banks).

Subgenus *Gnathamitermes* Light 1932, pp. 390-394.

Amitermes].

Gnathamitermes grandis (Light).

Amitermes grandis Light 1930d, p. 220-221, pl. 16, figs. 1 and 4, pl. 17, fig. 1, pl. 18, fig. 1 (sold., work.), W. Mexico: 10 kilos no. of Te and La Venta (20 kilos west of Guadalajara).

Sold., work.
W. Mexico.

Neotropi

Gnathamitermes nigriceps (Light).

Amitermes nigriceps Light 1930d, pp. 219-220, pl. 16, fig. 15, pl. 18, fig. 2 (sold., work.), W. Mexico: Jala, 21 kilos w. of Colima.

Sold., work.
W. Mexico.

Neotropi

Gnathamitermes perplexus (Banks).

Amitermes (?) *perplexus* Banks (and Snyder) 1920, p. 63, im. (in part), Texas.

Type: wing., U.S.N.M. No. 21868; paratype: wing.
M.C.Z. No. 10533.

Amitermes perplexus Light 1932, pp. 394-397, figs. BB-FF, OO, and PP, syn.

Amitermes (*G.*) *acrogathus* Light 1932, pp. 359, 391, 393, 398, im., sold., Texas, figs. C HH, and QQ.

Amitermes (*G.*) *acutus* Light 1932, pp. 359, 391, 398, fig. SS (sold.), Cal., Ariz., Nev.

Amitermes arizonensis Banks (and Snyder) 1920, p. 59, sold., in part at least [winged are *A. parvulus* in part], Ariz.; Light 1930c, pp. 184, pls. 10-12, sold., Ariz., Calif.; 1930d, pp. 217-218, Mexico.

Amitermes (?) *confusus* Banks (and Snyder) 1920, p. 65, im., Oracle, Ariz.

Amitermes (*G.*) *fuscus* Light 1932, p. 356, loc., pp. 359, 393, 400-401, figs. KK : LL, im., Calif.: Beaumont.

Amitermes (*G.*) *infumatus* Light 1932, pp. 359, 391, 402-405, fig. RR, sold., Cal 1933, pp. 140-141.

Amitermes (*G.*) *magnoculus* Light 1932, pp. 356, 359, 393, 406-408, figs. MM and N pl. 1, figs. 5, 6, 10, 11, im., Calif.: Calexico.

Winged, sold., work.

Tex., Ariz., Nev., Calif., U. S. A.;
Mexico.

Nearctic and Neotropi

Gnathamitermes tubiformans (Buckley).

Termes tubiformans Buckley 1863, p. 213, sold., work., Texas: Lampasas.

Type: lost.

Amitermes tubiformans Wasmann 1902b, p. 123.

Termes (*Eutermes*) *tubiformans* Desneux 1904e, p. 46, syn.; 1906, p. 338, im., sold., work.

Hamitermes (*Hami.*) *tubiformans* Holmgren 1912, p. 91.

Amitermes tubiformans Banks (and Snyder) 1920, p. 55, sold., work.

Amitermes tubiformans Light 1930c, p. 195, figs. A and B, fig. sold., p. 175; 1932, pp. 409, fig. TT (sold.), syn.

?*Amitermes* (?) *perplexus* Banks (and Snyder), 1920, p. 63, im. in part, Texas (*Termes tubiformans* Desneux 1905).

Winged, sold., work.

Texas, New Mexico; Northern
Mexico.

Nearc

SYNHAMITERMES

genus *Synhamitermes* Holmgren.

Generitype: *Synhamitermes quadriceps* (Wasmann).

Subgenus *Synhamitermes* Holmgren 1912, pp. 91, 89.

Hamitermes brevicorniger (Silvestri).

Hamitermes brevicorniger Silvestri 1901, p. 4, sold., Argentina: Cosquin (Córdoba); 1903, p. 45, sold., Matto Grosso, Corumbá; Argentina: Cernades (Córdoba), S. Luis, Puerto Piramide (Chubut, Patagonia).

Hamitermes brevicorniger Silvestri 1903, p. 115 (biol.), pl. 2, figs. 64-69 (nymph, sold., work.).

Hamitermes (*Eutermes*) *brevicorniger* Desneux 1904e, p. 41, syn., Brazil, Argentina.

Hamitermes (*Synhamitermes*) *brevicorniger* Holmgren 1912, p. 91, fig. 58 (sold.), p. 93, fig. 67 (sold. mand.), pl. 4, fig. 23 (sold.), Chile.

Argentina, Brazil, Chile.

Neotropical.

Hamitermes ceylonicus (Holmgren).

Hamitermes quadriceps Holmgren 1911c, p. 205, pl. 2, fig. T, sold. and work., Ceylon: Peradeniya.

Hamitermes (*Synhamitermes*) *ceylonicus* Holmgren 1913b, p. 225, sold., work., pl. 8, fig. 21 (sold.); John 1925, p. 407, wing., queen.

Kingdom, queen, sold., work.
Ceylon.

Indo-Malayan.

Hamitermes quadriceps (Wasmann).

Hamitermes quadriceps Wasmann 1902b, p. 123, sold., work., nymph, pl. 4, fig. 5 (sold.), India: Khandala (near Bombay).

Hamitermes (*Eutermes*) *quadriceps* Desneux 1904e, p. 44, syn.

Hamitermes (*Synhamitermes*) *quadriceps* Holmgren 1912, p. 91, pl. 25 (sold.); 1913b, p. 224, sold., work.

India, work.
India.

Indo-Malayan.

GLOBITERMES

(Globe)
genus *Globitermes* Holmgren.

Generitype: *Globitermes globosus* (Haviland).

Subgenus *Globitermes* (*Hamitermes*) Holmgren 1912, pp. 92, 88.

Subgenus *Globitermes* Silvestri 1914, p. 432.

Globitermes audax Silvestri.

Globitermes audax Silvestri 1914, p. 432, sold., work., fig. 7, 8₂ (sold.), 8₉ (work.), Burma: Moulmein.

Globitermes (*Globitermes*) *birmanicus* Snyder 1934a, pp. 17-18, fig. 9 (sold.), Burma: Zibyaung, W. Salween.

India, work.
Burma.

Indo-Malayan.

Globitermes globosus (Haviland).

Termes globosus Haviland 1898, p. 409, wing., sold., work., Borneo: Mt. Lambir.

Termes (*Eutermes*) *globosus* Desneux 1904e, p. 42, syn., Sarawak.

Hamitermes (*Globitermes*) *globosus* Holmgren 1912, p. 93, fig. 64 (sold. mandible).

Globitermes globiceps (misspelled) Holmgren 1912, pl. 4, fig. 26 (sold.).

Hamitermes (*Globi.*) *globiceps* Holmgren 1913b, p. 229, im., sold., work., pl. 8, fig. 17 (sold.).
Borneo: Mt. Lambir, Sarawak.

Winged, sold., work.

Borneo.

Indo-Malaya

Globitermes globosus, form *depilis* (Holmgren).

Hamitermes (*Globi.*) *globosus*, forma *depilis* Holmgren 1913b, im., sold., work., Borneo: Mt. Lambir.

Winged, sold., work.

Borneo.

Indo-Malaya

Globitermes sulphureus (Haviland).

Termes sulphureus Haviland 1898, p. 405, winged, sold., work., pl. 24, figs. 42-44, Malay Penins.: Perak, Selangor, Malacca.

Termes (*Eutermes*) *sulphureus* Desneux 1904e, p. 45, syn.

Hamitermes (*Globitermes*) *sulphureus* Holmgren 1912, p. 87, fig. 56 (im. mandibles), p. 88, fig. 63 (sold. mandibles); 1913b, p. 231, im., sold., work.; 1913-14, pp. 273-274, Malacca, Penang; Jönsen 1925, pp. 408-409, pls. 22, 25, wing., neotene, sold., work., loc.

Termes annamensis Desneux 1904a, p. 148, sold., work., Annam.

Hamitermes (*Globi.*) *annamensis* Holmgren 1913b, p. 232, sold., work., pl. 8, fig. 18 (sold.), Annam: Mus. Vienna, Stockholm.

Winged, neotene, sold., work.

Malay Penins., Annam.

Indo-Malaya

Globitermes vadaensis Kemner.

Globitermes vadaensis Kemner 1934, pp. 111-114, figs. 23-24 (sold.), E. Java: (Vada n. Tjandjoer).

Sold.

Java.

Indo-Malaya

AHAMITERMES

Genus *Ahamitermes* Mjöberg.

Generitype: *Ahamitermes nidicola* Mjöberg.

=Genus *Ahamitermes* Mjöberg 1920, p. 89.

=Genus *Ahamitermes* Nicholls 1929, p. 20.

<Subgenus *Ahamitermes* Hill 1942, pp. 10, 14, 310, 361.

Ahamitermes hillii Nicholls.

Ahamitermes hillii Nicholls 1929, pp. 19-22, pl. 3 (im., sold., work.), W. Australia: F. goorlie and Karramindie.

Hamitermes (*Ahami.*) *hillii* Hill 1942, pp. 362-363, figs. 274-275 (im., sold.), syn., loc. Hololectotype: wing.; morpholectotype: sold., work. C.S.I.R. coll.

Winged, sold., work.

W. Australia.

Austral

Hamitermes nidicola Mjöberg.

Hamitermes nidicola Mjöberg 1920, p. 89, sold., figs. 41a, 43b (sold.), Cape York Penins.: Alice Riv., Queensland.

Hamitermes (Ahami.) nidicola Hill 1942, pp. 363-364, figs. 276-278 (im., sold.), syn., loc. Holotype: sold., Natural Hist. Mus., Stockholm; morphotype: wing., C.S.I.R. coll.

Winged, sold.
Queensland.

Australian.

Hamitermes pumilus (Hill).

Hamitermes (Ahami.) pumilus Hill 1942, pp. 366-367, figs. 279-280 (im., sold.), New South Wales: Mt. Lindsay (near Queensland border). Holotype: sold., C.S.I.R. coll.

Winged, sold.
N. S. Wales.

Australian.

PSEUDOMICROTERTMES

Genus *Pseudomicrotermes* Holmgren.

Generitype: *Pseudomicrotermes alboniger* (Wasmann).

=Genus *Pseudomicrotermes* Holmgren 1912, p. 126.

=Genus *Pseudomicrotermes* Sjöstedt 1926, p. 208.

=Genus *Pseudomicrotermes* Emerson 1928, pp. 409, 418.

Pseudomicrotermes alboniger (Wasmann).

Microtermes alboniger Wasmann 1911a, p. 103, im., sold., work., Belg. Congo: Sankuru.

Pseudomicrotermes alboniger Holmgren 1912, p. 126, fig. 88 (sold.), pl. 4, fig. 32 (im.), fig. 33 (sold.); Sjöstedt 1926, pp. 208-209, pl. 7, fig. N (sold.).

Winged, sold., work.
Congo.

Ethiopian.

EREMOTERMES

(Desert)

Genus *Eremotermes* Silvestri.

Generitype: *Eremotermes indicatus* Silvestri.

=Genus *Eremotermes* Silvestri 1911, p. 108.

=Genus *Eremotermes* Holmgren 1912, pp. 95, 77.

=Genus *Pseudomicrotermes* Holmgren 1912, in litt., p. 81.

=Genus *Eremotermes* Holmgren, K. and N. 1917, p. 166.

=Genus *Eremotermes* Sjöstedt 1926, p. 209.

Eremotermes fletcheri Holmgren, K. and N.

Eremotermes fletcheri Holmgren K. and N. 1917, p. 167, im., sold., work., India: Coimbatore.

Winged, sold., work.
India.

Indo-Malayan.

Eremotermes indicatus Silvestri.

Eremotermes indicatus Silvestri 1911, p. 108, fig. 3, nymph, sold., work., Tunis: Kairouan; Sjöstedt 1926, p. 209, fig. 42 (sold.); Menozzi 1940, pp. 248-251, wing., figs. 1-2, Tripoli.

Winged, sold., work.
Tunis, Tripoli.

Palaearctic.

Eremotermes paradoxalis Holmgren.

Eremotermes paradoxalis Holmgren 1912, p. 95, pl. 4, fig. 28 (sold.), So. India: Bangalore

Eremotermes paradoxalis Holmgren 1913a, pp. 115-116, sold., work.¹⁻², Bangalore; 1913b, p. 232, sold., work., pl. 8, fig. 22 (sold.), So. India: Bangalore; Holmgren, K. and N. 1917, p. 166, Coimbatore, Central Provinces: Hoshangabad; Bihar, Pusa

Winged, sold., work.¹⁻²
India.

Indo-Malaya

MICROCEROTERMES

Genus *Microcerotermes* Silvestri.

Generitype: *Microcerotermes strunckii* (Sörensen).

=Genus *Microcerotermes* Silvestri 1901, p. 3; 1903, p. 41.

=Genus *Microcerotermes* Wasmann 1902b, p. 119.

=Genus *Microcerotermes* Holmgren 1910a, pp. 145-146 (no description, list of species).

=Genus *Microcerotermes* Holmgren 1912, p. 121 (misspelled *Microtermes*).

=Genus *Microcerotermes* Fuller 1924, pp. 277-280 (replaces *Eutermes*).

=Genus *Microcerotermes* Sjöstedt 1926, p. 193.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186, 205.

<Genus *Termes* (missp. *Entermes*) Hagen 1858a, pp. 16, 25.

<Genus *Termes* (*Eutermes*) Hagen 1861, pp. 3-4.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

<Subgenus *Eutermes* Desneux 1904e, pp. 32, 35.

=Genus *Eutermes* Banks 1919, p. 479.

=Genus *Eutermes* Banks (and Snyder) 1920, p. 8 (replaces *Microcerotermes*).

=Genus *Microcerotermes* Emerson 1925, p. 453; Snyder 1926d, p. 71.

Microcerotermes acerbus (Sjöstedt).

Eutermes acerbus Sjöstedt 1911b, p. 180, sold., Sierra Leone.

Microcerotermes acerbus Holmgren 1912, p. 122.

Microcerotermes acerbus Sjöstedt 1926, p. 198, syn., loc.

Sold.

Sierra Leone.

Ethiopia

Microcerotermes algoasinensis Fuller.

Microcerotermes algoasinensis Fuller 1925a, pp. 240-241, wing., sold., Port Elizabeth.

Winged, sold.

So. Africa.

Ethiopia

Microcerotermes amboinensis Kemner.

Microcerotermes amboinensis Kemner 1931, pp. 26-33, wing., sold., work., fig. 8 (wing. fig. 9 (sold.)), Amboina.

Microcerotermes distans Oshima, 1914b, p. 584, pl. 10, fig. 5 (sold.), Moluccas: Amboina.

Wing., sold., work.

Amboina.

Papua

Microcerotermes annandalei Silvestri.

Microcerotermes annandalei Silvestri 1923, pp. 225-228, winged female, work.¹⁻², Barkuda I

Winged, work.¹⁻²

India.

Indo-Malaya

Microcerotermes apricitatis Fuller.

Microcerotermes apricitatis Fuller 1925a, p. 224, wing., sold., Pretoria.

Ving., sold.

o. Africa.

Ethiopian.

Microcerotermes arboreus Emerson.

Microcerotermes arboreus Emerson 1925, p. 311, sold., pp. 453-455, fig. 94, im., queen, sold., work., Brit. Guiana, Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

utermes arboreus Snyder 1925, p. 193, loc., Canal Zone: Barro Colorado Isl.; 1925b, p. 162, loc.

Microcerotermes arboreus Snyder 1926d, p. 72, Bolivia.

ermes morio Burmeister 1839, p. 767, Brazil.

ermes (Eutermes) debilis Hagen 1858, p. 205, im., sold., pl. 3, fig. 30, im., Porto Rico, Brazil: Congonhas; 1858a, p. 28, im., Porto Rico, Brazil.

ermes (Eutermes) debilis Desneux 1904e, p. 41, syn., Brazil.

utermes debilis Banks 1918, p. 663, im., sold., pl. 11, fig. 7 (sold.), fig. very poor (probably *Heterotermes tenuis*), Panama; 1919, p. 482, Porto Rico, Panama.

utermes debilis Dietz and Snyder 1924, p. 291, biol., Panama.

utermes debilis Snyder and Zetek 1924, p. 3, loc., Canal Zone: Ancon, Rep. Panama, Taboga Isl.

Nasutitermes (Nasutitermes) aurantiacus Snyder 1926d, p. 27 (queen only).

Termes albidus Dudley and Beaumont 1890, p. 161, biol., Panama.

Ving., queen, sold., work.

rit. Guiana, Brazil, Bolivia,

Panama, Honduras, Puerto

Rico, Trinidad.

Neotropical.

Microcerotermes barbertoni Fuller.

Microcerotermes barbertoni Fuller 1925a, p. 225, sold., Transvaal.

old.

o. Africa.

Ethiopian.

Microcerotermes beelsoni Snyder.

Microcerotermes beelsoni Snyder 1933a, pp. 12-14, fig. 7, winged, India: Haldwani, U. P.

Cotypes: wing., Brit. Mus. and U.S.N.M. No. 44106;

1934a, pp. 20-21, sold., with macropterous queens

from type loc. specimens in U.S.N.M. and For. Res.

Instit., Dehra Dun.

Ving., queen, sold., work.

ndia.

Indo-Malayan.

Microcerotermes bequaertianus (Sjöstedt).

utermes (Microcerotermes) bequaertianus Sjöstd. 1913a, p. 378, sold., work., S.E. Congo:

Elizabethville (Katanga).

Microcerotermes bequaertianus Sjöstd. 1926, pp. 198-199, fig. 41, pl. 8, fig. D (sold.), syn., loc.

Type: Mus. Tervueren and Stockholm.

old., work.

ongo.

Ethiopian.

Microcerotermes biroi (Desneux).

Termes Biroi Desneux 1905, pp. 369-370, fig. 1 (sold.), wing., sold., work., New Guinea: Stephansort.

Microcerotermes Biroi Silvestri 1909, p. 304, remarks, pl. 21, fig. 195.

Microcerotermes Biroi Holmgren 1911b, pp. 459-460, neoteinic queen, former Germ. New Guinea: Stephansort, Gagat Isl., Friederich-Wilhelms-Hafen, Sepik, Dutch New Guinea: Mavaflusa Paurvi?

Microcerotermes biroi Hill 1942, p. 423, imago, sold., work., syn., loc.

Termes biroi subsp. *brevior* Desneux 1905, p. 370, soldier, New Guinea: Stephansort.

Microcerotermes froggatti Hill 1927a, pp. 38-40, im., queen, sold., work., pl. 5, fig. 165, pl. 8, fig. 166, Solomon Isls.: Pepisala and Banaka.

Microcerotermes peraffinis Silvestri 1909, p. 304, im., sold., work., pl. 20, figs. 182-187, pl. 21, figs. 188-194, Samoan Isls.

Microcerotermes piliceps Snyder 1925g, pp. 443-444, sold., Solomon Isls.: Ugi.

Nasutitermes sp. (s. lat.) Snyder 1925g, p. 438, macropterous and neoteinic queens, Solomon Isls.: Guadalcanal.

Microcerotermes umbritarsus Hill 1927a, pp. 33-37, im., sold., work., pl. 1, figs. 30-33, pl. 5, fig. 163, pl. 8, fig. 164, New Britain: Beining distr.

Type: *biroi* ?, Hungarian Nat. Mus.

Winged, macropterous and neoteinic queens, sold., work.

New Guinea, New Britain, New Ireland, Solomon Islands, Samoan Isls., ? New Zealand.

Papuan.

Microcerotermes boreus Hill.

Microcerotermes boreus Hill 1927a, pp. 83-86, im., queen, sold., work., pl. 3, figs. 87-88, pl. 6, fig. 192, pl. 9, fig. 193, pl. 7, fig. 219, No. Terr.: Melville Isl., Darwin.

Microcerotermes boreus Hill 1942, pp. 426-427, fig. 331 (sold.), syn., loc.

Holotype: sold.; morphotype: wing., Nat. Mus., Melbourne.

Winged, queen, sold., work.

No. Terr.

Australian.

Microcerotermes bouvieri (Desneux).

Termes Bouvieri Desneux 1904c, p. 287, im., sold., work., South America: Mariquita.
Type: Mus. Paris.

Termes (*Eutermes*) *Bouvieri* Desneux 1904c, p. 41, syn.

Hamitermes (H.) *Bouvieri* Holmgren 1912, p. 91, So. America.

Microcerotermes Bouvieri Holmgren 1912, p. 122, So. America.

? *Microcerotermes bouvieri* Light 1935, p. 252, fig. 10 (sold.), Mexico: Acapulco.

Winged, sold., work.

So. America, ? Mexico.

Neotropical.

Microcerotermes brachygnathus Silvestri.

Microcerotermes brachygnathus Silvestri 1914-15, p. 70, sold., work.¹⁻², fig. 38 (sold.), Fr. Guinea: Kindia; Sjöstedt 1926, p. 204, syn., loc. Cotype: Mus. Stockholm.

Sold., work.¹⁻²

Fr. Guinea.

Ethiopian.

Microcerotermes bugnioni Holmgren.

Microcerotermes Bugnioni Holmgren 1911c, p. 203, pl. 2, fig. S, sold., work., Seenigoda Est. (Ambalangoda), Ceylon; Holmgren 1913b, p. 258, im., sold., work., pl. 8, fig. 3 (im.), fig. 6 (sold.); 1913-14, p. 285, sold.; Kemner 1926, pp. 390-391, wing., sold., work., Ceylon: (Akkaraipaltu).

Winged, sold., work.

Ceylon.

Indo-Malayan.

Microcerotermes burmanicus Ahmad.

Microcerotermes burmanicus Ahmad 1947, p. 6, fig. 6 (sold.), Burma: Pagan Road, Rangoon.

Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Burma.

Indo-Malayan.

Microcerotermes cameroni Snyder.

Microcerotermes cameroni Snyder 1934a, pp. 21-22, wing., sold., Madras: No. Vellore distr.

Cotypes: winged, Brit. Mus., For. Res. Inst., Dehra Dun, U.S.N.M. No. 50175; comorphotypes: sold. as above.

Winged, sold.

India.

Indo-Malayan.

Microcerotermes cavus Hill.

Microcerotermes cavus Hill 1942, pp. 451-452, im., sold., fig. 351 (sold.), Victoria: near Swan Hill.

Holotype: sold., C.S.I.R., coll.

Microcerotermes boreus Hill 1927a, p. 83, Victoria only.

Microcerotermes leai Hill 1927a, p. 70, Victoria and New So. Wales only.

Winged, sold.

Victoria, N. S. Wales.

Australian.

Microcerotermes celebensis Kemner.

Microcerotermes celebensis Kemner 1934, pp. 163-166, fig. 48 (3-6) (im.), fig. 48 (1-2) (sold.), 2, var. sold. (*unica*, *latus*), Macassar, S. W. Celebes, S. E. Celebes.

Termes distans Haviland 1898, p. 401, part Celebes.

Winged, queen, sold.

Celebes.

Indo-Malayan.

Microcerotermes championi Snyder.

Microcerotermes championi Snyder 1933a, pp. 14-15, winged, sold., fig. 8 (im.), Haldwani, U. P., India.

Cotypes: winged, Brit. Mus. and U.S.N.M. No. 44107;
comorphotypes: sold. as above.

Winged, sold.

India.

Indo-Malayan.

Microcerotermes choanensis Fuller.

Microcerotermes choanensis Fuller 1925a, pp. 231-233, winged, sold., Pretoria.

Microcerotermes zuluensis Silvestri 1914-15, p. 69, sold. work., Transvaal: Pretoria
Senegal: Thiès, French Guinea: Mamou, Gold
Coast: Aburi.

Winged, sold.

So. Africa, Senegal, Fr. Guinea,
Gold Coast.

Ethiopian

Microcerotermes collinsi Fuller.

Microcerotermes collinsi Fuller 1925a, p. 221-222, winged, sold., Zululand.

Winged, sold.

So. Africa.

Ethiopian

Microcerotermes crassus Snyder.

Microcerotermes crassus Snyder 1934a, pp. 22-23, sold., Burma: Meitkyina.

Cotypes: sold., Brit. Mus., For. Res. Inst., Dehra Dur
and U.S.N.M. No. 50176.

Sold.

Burma.

Indo-Malayan

Microcerotermes cylindriceps Wasmann.

Microcerotermes cylindriceps Wasmann 1902b, p. 121, sold., work., pl. 4, fig. 4 (sold.)
Ceylon: Pankulam.

Termes (Eutermes) cylindriceps Desneux 1904e, p. 41, syn.

Microcerotermes cylindriceps Holmgren 1911c, p. 204, work.; 1913b, p. 260, sold., work.
1913-14, p. 286, No. Ceylon: Maha Iluppalama.

Sold., work.

Ceylon.

Indo-Malaya

Microcerotermes debilicornis Holmgren.

Microcerotermes debilicornis Holmgren 1913d, p. 365, sold., work.¹⁻², Zululand: Mteu
etc.; Fuller 1925, p. 233; Sjöstedt 1926, p. 199, syn.
loc.

Type: Mus. Göteborg.

Sold., work.¹⁻²

So. Africa.

Ethiopia

Microcerotermes depokensis Kemner.

Microcerotermes depokensis Kemner 1932a, pp. 140-143, fig. 5 (im., sold.), Java: Depok; 1934, pp. 159-162, fig. 46 (im.), fig. 47/1-2 (sold.).

Microcerotermes distans John 1925, pp. 418-419, pls. 23-4, loc. only.
Winged, sold.

Java, E. Sumatra.

Indo-Malayan.

Microcerotermes distans (Haviland).

Microcerotermes distans Haviland 1898, p. 401, im., sold., work., Borneo, Sulu Isls.

Type: No. 578.

Microcerotermes (*Eutermes*) *distans* Desneux 1904e, p. 41, syn.

Microcerotermes distans Holmgren 1912, p. 21, fig. 87 (sold. mandibles), pl. 4, fig. 29 (im.), fig. 30 (sold.); 1913b, p. 263, im., sold., work., pl. 8, fig. 1 (im.), fig. 11 (sold.).

Microcerotermes dubius Haviland 1898, p. 402, im., sold., work., Borneo.

Microcerotermes dubius Holmgren 1913b, p. 265, im., sold., work., Borneo; 1913-14, p. 286, loc., Malacca: Penang.

Microcerotermes (*Eutermes*) *duplex* Desneux 1904e, p. 42, syn., Borneo.

Winged, sold., work.

Borneo, Sulu Isls., Malacca.

Indo-Malayan.

Microcerotermes distinctus Silvestri.

Microcerotermes distinctus Silvestri 1909, p. 303, pl. 20, figs. 175-181 (sold., work.), W. Australia: Coolgardie.

Microcerotermes distinctus Mjöberg 1920, pp. 101-102, sold., N. W. Australia: Derby, W. and S. W. Australia.

Microcerotermes distinctus Hill 1927a, pp. 64-67, pl. 2, figs. 64-66, pl. 5, fig. 181, pl. 8, fig. 162, im., sold.; 1942, pp. 428-429, imago, sold., syn., loc.

Holotype: sold., Nat. Hist. Mus., Stockholm; morphotype: wing., So. Australian Mus.

Winged, sold.

W. Australia: West. and So. Australia, Victoria, N. S. Wales, Queensland.

Australian.

Microcerotermes diversus Silvestri.

Microcerotermes diversus Silvestri 1920, p. 477, im., sold., work., pl. 20 (im., sold.), Mesopotamia: Amara on Tigris River; 1923a, p. 261, loc., Amara.

Winged, sold., work.

Iraq.

Palearctic.

Microcerotermes dolichognathus Silvestri.

Microcerotermes dolichognathus Silvestri 1912, p. 237, sold., work., fig. 12 (sold., work.), Portug. Guinea: Rio Cassine; de Seabra 1922a, p. 72, figs. 51, 53-56; Sjöstedt 1926, p. 197, syn., loc.

Winged, work.

Port. Guinea, Sierra Leone, Cameroon, Congo, Isl. San Thomé.

Ethiopian.

Microcerotermes dumisae Fuller.

Microcerotermes dumisae Fuller 1925a, pp. 238-240, wing., sold., Natal.

Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes durbanensis Fuller.

Microcerotermes durbanensis Fuller 1925a, p. 231, wing., sold., Durban, Natal.

Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes edentatus Wasmann.

Microcerotermes edentatus Wasmann 1911a, p. 115, sold., work., Congo (Sankuru) : Kondue.

Eutermes intactus Sjöstedt ms. 1911, p. 157.

Microcerotermes edentatus Sjöstedt 1926, p. 208, pl. 8, fig. G (sold.), syn., loc.; Emerson 1928, p. 544, loc.

Microcerotermes edentatus Grassé 1936, p. 17 (loc.).

Microcerotermes edentatus var. *transiens* Emerson 1928, p. 545, sold., Cameroon: Bipindi

Microcerotermes libericus var. *transiens* von Rosen 1912, p. 227, sold.¹⁻², Liberia.

Microcerotermes fuscotibialis subsp. *libericus* Sjöstedt 1926, p. 197, var. *transiens* from same nest as typical form has no teeth on mandible

Sold., work.

Uganda, Congo, Cameroon, Liberia, Ivory Coast.

Ethiopian

Microcerotermes elegans Sjöstedt.

Microcerotermes elegans Sjöstedt 1925, p. 55, sold., Belg. Congo: Luluabourg; 1926, pp. 203-204, im., sold., syn., loc.

Types: Mus. Tervueren and Stockholm.

Wing., sold.

Congo.

Ethiopian

Microcerotermes eugnathus Silvestri.

Microcerotermes eugnathus Silvestri 1911, p. 106, im., sold., work., fig. 2, 1-12 (im., sold.)

Tunis: Cherri-Cherra (Kairouan); Sjöstedt 1926, p. 198, syn., loc.

Wing., sold., work.

Tunis.

Palaeartic

Microcerotermes exiguus (Hagen).

Termes (*Eutermes*) *exiguus* Hagen 1858, p. 208, im., Brazil: Santarem.

?*Termes corticola* Bates in Hagen 1858, pp. 203, 227, im., sold., Brazil: Santarem.

Termes (*Eutermes*) *exiguus* Hagen 1858a, p. 29, im., Brazil: Santarem.

Termes (*Eutermes*) *exiguus* Desneux 1904e, p. 42, syn., Brazil: Amazone.

Microcerotermes exiguus Holmgren 1912, p. 122, Brazil.

Microcerotermes exiguus Snyder 1925b, p. 162, loc.; 1926, p. 28, queen, sold., work., Sant Ana, Colombia.

Paratype: winged, Santarem, Brazil, M.C.Z. No. 210.

Winged, queen, sold., work.

Brazil, Colombia, Panama, Guatemala.

Neotropical

- Microcerotermes fletcheri* Holmgren, K. and N.
Microcerotermes fletcheri Holmgren, K. and N. 1917, p. 170, sold., work., Mysore: Bababudin Hills.
 sold., work.
 India. Indo-Malayan.
- Microcerotermes fuscotibialis* (Sjöstedt).
Microcerotermes fuscotibialis Sjöstedt 1896a, p. 298, im., Cameroon: Bonge, 1900a, p. 177, im., queen, sold., work., pl. 5, figs. A1-A8 (im., sold., work.), Gaboon.
 Type: Mus. Stockholm.
- Microcerotermes fuscotibialis* Silvestri 1914-15, p. 66, Nigeria: Olokomeji; Sjöstedt 1926, p. 196, syn., loc.; 1926a, p. 4, Gold Coast: Kumasi and Aburi; Emerson 1928, p. 547, fig. 77 (wing., sold.).
 Congo, Cameroon.
 winged, queen, sold., work.
 Cameroon, Sierra Leone, Gold Coast, Nigeria, Gaboon, Congo. Ethiopian.
- Microcerotermes fuscotibialis*, subsp. *libericus* v. Rosen.
Microcerotermes libericus v. Rosen 1912, p. 227, sold.¹⁻², work., fig. 5 (sold.), Liberia.
 Type: Zoolog. Staatssammlung, Munich; Sjöstedt 1913a, p. 380, cotype not distinguishable from *fuscotibialis*.
- Microcerotermes fuscotibialis* subsp. *libericus* Silvestri 1914-15, p. 67, sold., Fr. Guinea: Camayenne (Conakry); Sjöstedt 1926, p. 197, syn., loc.
 sold.¹⁻², work.
 Liberia: Fr. Guinea. Ethiopian.
- Microcerotermes fuscotibialis*, subsp. *validior* Silvestri.
Microcerotermes fuscotibialis subsp. *validior* Silvestri 1914-15, p. 68, sold., work.¹⁻², fig. 37 (sold.), Fr. Guinea: Mamou; Sjöstedt 1926, p. 196, syn., loc.
 sold., work.¹⁻²
 Fr. Guinea. Ethiopian.
- Microcerotermes gracilis* Light.
Microcerotermes gracilis Light 1933, p. 142-144, pl. 9, figs. 2 and 5, sold; W. Mexico: Jala, Madrid.
 sold.
 W. Mexico. Neotropical.
- Microcerotermes greeni* (Holmgren).
Microcerotermes (Eutermes) Greeni Holmgren 1912, p. 63, Ceylon.
Microcerotermes Greeni Holmgren 1913, p. 284, sold., work., Ceylon: Ambalangoda (no description).
Microcerotermes Greeni Holmgren 1913b, p. 261, sold., work., pl. 8, fig. 7 (sold.), Ceylon.
Microcerotermes greeni Holmgren 1913-14, p. 285; Kemner 1926, p. 382.
 sold., work.
 Ceylon. Indo-Malayan.

Microcerotermes hamatus (Holmgren).

Eutermes zuluensis form *hamatus* Holmgren 1913d, p. 365, sold., work.¹⁻², Zululand, Somkele.

Type: Zool. Mus., Göteborg.

Microcerotermes hamatus Sjöstedt 1926, p. 205, pl. 8, fig. F (sold.), syn., loc.

Sold., work.¹⁻²

So. Africa, Congo.

Ethiopian.

Microcerotermes havilandi Holmgren.

Microcerotermes Havilandi Holmgren 1913b, p. 265, sold., work., pl. 8, fig. 10 (sold.), Sarawak; 1913-14, p. 286, Sumatra.

Microcerotermes havilandi John 1925, p. 419, queen, sold., work., loc.

Queen, sold., work.

Borneo, Sumatra.

Indo-Malayan.

Microcerotermes heimi Wasmann.

Microcerotermes heimi Wasmann 1902b, p. 120, im., sold., work., pl. 4, fig. 3 (sold.), Vorderindien.

Microcerotermes Heimi Holmgren 1913b, p. 260, im., sold., work., pl. 8, fig. 5 (im.), fig. 8 (sold.), Bombay; 1913-14, p. 285, im., sold., work. Ceylon: Seenigoda.

Microcerotermes heimi Holmgren, K. and N. 1917, p. 171, Mysore: Bababudin Hills; John 1925, p. 418, Ceylon: Kelanyia.

Wing., sold., work.

So. India, Ceylon.

Indo-Malayan.

Microcerotermes heimi, f. *minor* Holmgren.

Microcerotermes heimi f. *minor* Holmgren 1913-14, p. 285, sold., work., Ceylon: Seenigoda.

Sold., work.

Ceylon.

Indo-Malayan.

Microcerotermes hypaenicus Fuller.

Microcerotermes hypaenicus Fuller 1925a, p. 235, wing., sold., Lake Sibayi.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes ilalazonatus Fuller.

Microcerotermes ilalazonatus Fuller 1925a, p. 236, wing., sold., Lake Sibayi, swamp on old route to Gingeles at head Uyange.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes implacidus Hill.

Microcerotermes implacidus Hill 1942, pp. 452-454, figs. 352-353, wing., sold., N. S. Wales 20 miles S. E. of Griffith.

Holotype: sold.; morphotype: wing., C.S.I.R. coll.

Winged, sold.

N. S. Wales.

Australian.

Procerotermes kwazulu Fuller.

Procerotermes kwazulu Fuller 1925a, p. 229, wing., sold., Lake St. Lucia.

aged, sold.

Africa.

Ethiopian.

Procerotermes laticeps Holmgren.

Procerotermes zuluensis forma *laticeps* Holmgren 1913d, p. 364, sold., work.¹⁻², Natal:

Estcourt; Fuller 1925a, p. 230; Sjöstedt 1926, p. 203,

syn., loc.

Type: Zool. Mus., Göteborg.

l., work.¹⁻²

Africa.

Ethiopian.

Procerotermes leai Hill.

Procerotermes leai Hill 1927a, pp. 70-73, pl. 3, figs. 72-76, pl. 6, fig. 186, pl. 9, fig. 187,

im., sold., work., So. Australia: Ooldea, Victoria,

N. S. W.; 1942, p. 430, syn., loc.

Holotype: sold.; morphotype: wing., work., So. Austral.

Mus.

aged, sold., work.

Australia, Victoria, N. S. Wales.

Australian.

Procerotermes limpopoensis Fuller.

Procerotermes limpopoensis Fuller 1925a, pp. 220-221, wing., sold., Transvaal.

aged, sold.

Africa.

Ethiopian.

Procerotermes longimalatus Sjöstedt.

Procerotermes longimalatus Sjöstedt 1925, p. 55, sold., Belg. Congo: Luluabourg; 1926,

p. 202-203, pl. 8, fig. E (sold.), syn., loc.

Type: Mus. Tervueren and Stockholm.

aged, sold.

go.

Ethiopian.

Procerotermes los-banosensis Oshima.

Procerotermes los-banosensis Oshima 1914b, p. 583, sold.¹⁻², work.¹⁻², pl. 10, fig. 6,

Philippines: Los Banos, Luzon; 1920a, p. 508, im.,

ergatoid, sold., work., loc.

aged, neoteinic reproductive,

old.¹⁻², work.¹⁻²

Philippines: Luzon, Panay,

omblon.

Indo-Malayan.

Procerotermes macacoensis Sjöstedt.

Procerotermes macacoensis Sjöstedt 1925, p. 55, sold., Belg. Congo: Macaco; 1926, p. 205,

syn., loc.

Types: Mus. Tervueren and Stockholm.

l.

go.

Ethiopian.

Microcerotermes madurae Kemner.

Microcerotermes madurae Kemner 1934, pp. 162-163, fig. 47 (3-4) (sold.), Isl. Madura near East Java.

Sold.

Isl. Madura near East Java.

Indo-Malaya

Microcerotermes malmesburyi Fuller.

Microcerotermes malmesburyi Fuller 1925a, pp. 241-242, im., sold., Cape Province.

Winged, sold.

So. Africa.

Ethiopia

Microcerotermes mzilikazi Fuller.

Microcerotermes mzilikazi Fuller 1925a, pp. 223-224, wing., sold., Pretoria, Transvaal.

Wing., sold.

So. Africa.

Ethiopia

Microcerotermes nanulus Sjöstedt.

Microcerotermes nanulus Sjöstedt 1925, p. 53-54, sold., Dahomey-Agouagon; 1926, p. queen, sold., work.

Types: Mus. Paris and Stockholm.

Queen, sold., work.

Dahomey.

Ethiopia

Microcerotermes nanus (Hill).

Termes nanus Hill 1915, p. 86, sold., work., No. Terr.: Darwin; 1942, p. 431, fig. 1 (sold.) (? small form of *serratus*).

Sold., work.

No. Terr.

Australia

Microcerotermes nervosus Hill.

Microcerotermes nervosus Hill 1927a, pp. 73-78, pl. 3, figs. 77-81, pl. 6, fig. 188, p. fig. 189, pl. 7, fig. 218, im., queen, sold., work., No. Terr.: Darwin; 1942, pp. 432-434, figs. 336-337 (sold.).

Holotype: winged; morphotype: sold. and work., Mus., Melbourne.

Wing., queen (neoteinic), sold., work.

No. Terr.

Australia

Microcerotermes newmani Hill.

Microcerotermes newmani Hill 1927a, pp. 78-81, pl. 3, figs. 82-84, pl. 6, fig. 190, pl. 9, fig. 219, im., sold., work., S. W. Australia: Mundaring; pp. 434-435, figs. 338-339 (im., sold.), syn., loc.

Holotype: wing.; morphotype: sold. and work., Mus., Melbourne.

Wing., sold., work.

Western and So. Australia.

Australia

Microcerotermes novae-caledoniae Holmgren, N. and K.

Microcerotermes novae-caledoniae Holmgren N. and K. 1915, pp. 90-91, sold., work.¹⁻²,
New Caledonia: Coné; Hill 1942, pp. 435-437, figs.
340-341 (wing., sold.).

Types: Basler Naturhist. Mus.; morphotype: wing.
C.S.I.R. coll.

Winged, sold., work.

New Caledonia.

Papuan.

Microcerotermes palaearticus (Sjöstedt).

Eutermes palaearticus Sjöstedt 1904, p. 79, sold., work., pl. 1, figs. H 1-2 (sold.),
Algeria: Laghouat.

Types: Mus. Paris and Stockholm.

Microcerotermes palaearticus Holmgren 1912, p. 122.

Microcerotermes palaearticus Sjöstedt 1926, p. 208, syn., loc.

Sold., work.

No. Africa.

Palaeartic.

Microcerotermes papuanus Holmgren.

Microcerotermes papuanus Holmgren 1911b, p. 460, im., sold., work.¹⁻², fig. 4 (sold.), former
Germ. New Guinea: Tami; Hill 1942, pp. 437-440,
fig. 342 (sold.), syn., loc.

Winged, sold., work.

New Guinea.

Papuan.

Microcerotermes parvulus (Sjöstedt).

Eutermes parvulus Sjöstedt 1911, p. 159, im., sold., work., Congo: Mukimbungu.

Microcerotermes parvulus Silvestri 1914-15, p. 69, sold., Fr. Guinea: Kakoulima, Cama-
yenne; Sjöstedt 1926, pp. 205-206, syn., loc.; 1926c,
p. 243, Gold Coast: Achinota.

Winged, sold., work.

Congo, Fr. Guinea, Senegal, Fr.

Equatorial Africa, Gold Coast.

Ethiopian.

Microcerotermes parvus (Haviland).

Termes parvus Haviland 1898, p. 404, im., sold., work., Natal, type No. 29.

Types: Mus. Cambridge and Stockholm.

Eutermes parvus Sjöstedt 1900a, p. 183, im., sold., work., Gold Coast: Aburi; Natal:
Himbolld, Estcourt.

Microcerotermes parvus Wasmann 1902b, p. 120-121, im., sold.; Fuller 1925a, pp. 225-226,
im., sold., work., Natal; Sjöstedt 1926, pp. 199-201,
pl. 8, fig. C 1-2 (sold.¹⁻²), syn., loc.; 1926c, p. 153,
Congo; Emerson 1928, p. 550, fig. 79 (sold.), Congo:
Garamba.

Winged, queen, sold.¹⁻², work.

So. Africa: Natal, Cape Colony,

Orange Free State; Rhodesia;

Tanganyika; Congo; Uganda;

Cameroon; Gold Coast; Eri-

trea; Sudan.

Ethiopian.

Microcerotermes philippinensis Ahmad.

Microcerotermes philippinensis Ahmad 1947, pp. 6-7, fig. 7 (sold.), Philippines: Leyte, Tarragona.

Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Philippines.

Indo-Malayan.

Microcerotermes pondweniensis Fuller.

Microcerotermes pondweniensis Fuller 1925a, p. 230, wing., sold., Pondweni north of Lake St. Lucia.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes progrediens Silvestri.

Microcerotermes brachygnathus var. *progrediens* Silvestri 1914-15, p. 71, sold., work.¹⁻², fig. 39 (sold.), S. Nigeria: Olokemeji; Sjöstedt 1926, p. 205.

Microcerotermes progrediens Emerson 1928, p. 549, fig. 78 (sold.), Cameroon: Senegambina; Congo: Poke.

Sold., work.¹⁻²

So. Nigeria, Cameroon, Congo.

Ethiopian.

Microcerotermes propinquus Wasmann.

Microcerotermes propinquus Wasmann 1910a, p. 125, im., work., Isl. Europa (near Madagascar).

Winged, work.

Isl. Europa.

Malagasy.

Microcerotermes psammophilus Fuller.

Microcerotermes psammophilus Fuller 1925a, pp. 233-235, wing., sold., Lake Sibayi.

Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes repugnans Hill.

Microcerotermes repugnans Hill 1927a, pp. 37-38, pl. 1, figs. 34-36, sold., work., Papua: 30 mi. SE. Port Moresby; 1942, pp. 440-441, fig. 343 (sold.), syn., loc.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Papua.

Papuan.

Microcerotermes sanctaeluciaae Fuller.

Microcerotermes sanctaeluciaae Fuller 1925a, pp. 237-238, wing., sold., Lake St. Lucia.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes secernens Schmitz.

Microcerotermes secernens Schmitz 1917, p. 225, sold., work., fig. 1 (sold., work.), Congo: region of Stanleyville; Sjöstedt 1926, p. 206, syn., loc. sold., work.
Congo. Ethiopian.

Microcerotermes septentrionalis Light.

Microcerotermes septentrionalis Light 1933, pp. 144-146, pl. 9, figs. 1 and 4 (sold.), W. Mexico: Colima, Jala, Madrid.
sold.
V. Mexico. Neotropical.

Microcerotermes serratus (Froggatt).

Termes serratus Froggatt 1897, p. 731, sold., work., pl. 34, fig. 5 (sold.), Queensland: Torrens Creek.

Microcerotermes serratus Mjöberg 1920, pp. 102, 105, sold., loc.; Hill 1927a, pp. 60-64, pl. 2, figs. 57-63, pl. 5, fig. 179, pl. 8, fig. 180, im., queen, sold., work.; 1942, pp. 411-418, figs. 344-347 (im., sold.), syn., loc.

Hololectotype: sold.; morpholectotype: work., Hill coll.; morpholectotype: wing., Nat. Mus., Melbourne.

Microcerotermes fugax Hill 1927a, pp. 86-88, pl. 3, figs. 89-94, pl. 6, fig. 194, pl. 9, fig. 195, pl. 7, fig. 220, im., sold., work., No. Terr.: Stapleton.

Microcerotermes gladius Hill 1927a, pp. 81-83, pl. 3, figs. 85-87, sold., work., No. Queensland: Meringa (near Cairns).

Microcerotermes mendicus Hill 1927a, pp. 90-92, pl. 3, figs. 98-102, pl. 6, fig. 198, pl. 9, fig. 199, im., sold., work., No. Queensland: El Arish.

Termes nana Hill 1915, p. 86, sold., work., No. Terr.: Darwin.

Microcerotermes nanus Hill 1921, p. 23, biol.; 1927a, p. 67, pl. 2, figs. 67-71, pl. 6, fig. 183, pl. 9, fig. 184, imago.

Microcerotermes parviceps Mjöberg 1920, pp. 101, 103, figs. 53b, 54, 55, im., sold., work., So. Queensland: Colosseum; Hill 1927a, p. 70, remarks, No. Queensland.

Microcerotermes taylori Hill 1927a, p. 89, pl. 3, figs. 95-97, pl. 6, fig. 196, pl. 9, fig. 197, im., sold., work., No. Queensland: Meringa.

Microcerotermes turneri Hill 1915, p. 91, biol., No. Terr.: Stapleton, nec Froggatt.

Winged, neoteinic reproductives,
sold., work.

Queensland, N. S. Wales, No.
Terr., W. Australia. Australian.

Microcerotermes serrula (Desneux).

Termes serratus Haviland 1898, p. 404, wing., sold., work., Borneo (name preoccupied).
Type: No. 364.

Termes (*Eutermes*) *serrula* Desneux 1904c, p. 45, syn., Borneo.

Microcerotermes serrula Holmgren 1913b, p. 262, im., sold., work., pl. 8, fig. 4 (im.), fig. 9 (sold.).

Microcerotermes serrula John 1925, p. 418, not this species.

Winged, sold., work.
Borneo. Indo-Malayan.

Microcerotermes sikorae (Wasmann).

Eutermes Sikorae Wasmann 1893, p. 244, im., sold., work., Madagascar: Andrangoloake.

Microcerotermes Sikorae Holmgren 1909a, p. 9, im., sold., work., fig. 2, pl. 1, fig. 2.

Microcerotermes Sikorae Sjöstedt 1926, pp. 206-207, syn., loc.

Winged, neoteinic queen, sold.,
work.

Madagascar.

Malagasy.

Microcerotermes silvestrianus Emerson.

Microcerotermes silvestrianus Emerson 1928, p. 545, fig. 76 (sold.), Congo: between Lukolela and Basoko.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Microcerotermes solidus Silvestri.

Microcerotermes parvus var. *solidus* Silvestri 1912, p. 235, fig. 10 (sold.), Port. Guinea: Bolama.

Microcerotermes zuluensis var. *solidus* Silvestri 1914-15, p. 70, pl. 1, figs. 10-11, nest, biol., loc., Fr. Guinea: Kakoulima, Camayenne.

Microcerotermes solidus Sjöstedt 1926, pp. 201-202, pl. 8, fig. O 1-2, syn., loc.; 1926a, p. 4 Gold Coast: Keta and Aburi.

Port. and Fr. Guinea, Gold

Coast, Cameroon, Congo.

Ethiopian

Microcerotermes strunckii (Sörensen).

Termes Strunckii Sörensen 1884, p. 18, im., sold., work., Brazil.

Type: im., Hagen coll., M.C.Z.; paratype: sold., M.C.Z. No. 10097.

Microcerotermes Strunckii Silvestri 1901, p. 4, Argentina: Resistencia (Chaco); Brazil: Cuyabá; 1903, p. 41, im., sold., work., fig. 8 (wings) pl. 1, figs. 50-52 (im.), fig. 53 (sold.), pl. 2, figs. 54-58 (work.), loc.

Microcerotermes struncki Wasmann 1902b, p. 119, Brazil: Para.

Microcerotermes Strunckii Holmgren 1909, pp. 87-88, fig. 21 (im.), fig. 22 (work.), fig. 2 (sold.).

Microcerotermes struncki John 1920, p. 234, Matto Grosso, Brazil.

Microcerotermes strunckii Snyder 1926d, pp. 71-72, syn.

Winged, sold., work.

Brazil, Argentina.

Neotropical

Microcerotermes subtilis (Wasmann).

Termes subtilis Wasmann 1897, p. 160, sold., work., pl. 11, fig. 2 (wing), fig. 7 (sold.) Aldabra.

Type: Mus. Stockholm.

Microcerotermes subtilis Holmgren 1910a, p. 145, im., Seychelles: Mahé, Long Island Sjöstedt 1926, p. 199, syn., loc.

Wing., sold., work.

Aldabra, Madagascar, Seychelles.

Malagasy

Microcerotermes taylori Hill.

Microcerotermes taylori Hill 1927a, p. 89, im., sold., work., No. Queensland: Meringa; 1942, pp. 447-448, probably a small form of *serratus*.

Winged, sold., work.

Queensland.

Australian.

Microcerotermes tenuignathus Holmgren.

Microcerotermes tenuignathus Holmgren 1913a, pp. 116-117, sold., work.¹⁻², Gujerat: Vadtal; 1913b, p. 257, sold., work.¹⁻², Bombay, Gujerat: Wartal.

ld., work.¹⁻²

India: Bombay.

Indo-Malayan.

Microcerotermes theobromae (Desneux).

Microcerotermes theobromae Desneux 1906, p. 355, sold., work., Isl. São Thomé.

Microcerotermes parvus subsp. *theobromae* Silvestri 1912, p. 235, im., sold., work.¹⁻², fig. 11, S. Thomé: Ribeira Palma, Isl. Annonom; Banks 1919, p. 482, places in synonymy with *debilis* confusing San Thomé with St. Thomas, W. Indies.

Microcerotermes theobromae Holmgren 1912, p. 122, refers to as an American species from S. Thomas; Sjöstedt 1926, p. 201, syn., loc.

Winged, sold., work.

S. Thomé.

Ethiopian.

Microcerotermes thermarum Fuller.

Microcerotermes thermarum Fuller 1925a, p. 237, sold., Transvaal: Warmbaths.

ld.

Africa.

Ethiopian.

Microcerotermes turneri (Froggatt).

Microcerotermes Turneri Froggatt 1897, p. 736, wing., sold., work., pl. 34, figs. 8, 8a (sold., wing.), Queensland: Mackay.

Microcerotermes turneri Mjöberg 1920, p. 107, im., sold., loc.; Hill 1942, pp. 448-451, figs. 348-350 (im., sold.), syn., loc.

Hololectotype: wing.; morpholectotype: sold., work., C.S.I.R. coll.; paratypes: Hill coll.

Microcerotermes excisus Mjöberg 1920, p. 105, im., sold., work., figs. 53a, 56 (im.), fig. 57 (sold.), pl. 6, fig. 1.

Microcerotermes neglectus v. Rosen 1912, p. 228, im. (queen), sold., work.¹⁻², fig. 6 (sold.), Queensland: Rockhampton.

Winged, brachypterous neoteinic

reproductives, sold., work.

Queensland, N. S. Wales

(coastal districts).

Australian.

Microcerotermes zuluensis Holmgren.

Microcerotermes zuluensis Holmgren 1913d, p. 362, im., sold., work.¹⁻², Zululand: Entendweni, Mkosi, Somkele, Mtewa; Fuller 1925a, pp. 226-228, im., sold., Conjeni on White Mfolozi Riv.; Sjöstedt 1926, p. 203, syn., loc.; 1927, p. 104, loc.

Type: Mus. Göteborg.

Microcerotermes zuluensis forma *grandis* Holmgren 1913d, p. 364, sold., work.¹
Zululand: Somkele.

Wing., sold., work.¹⁻²

Zululand, Orange Free State,
Zanzibar, Tanganyika, Soma-
liland, Fr. Congo (or Equa-
torial Africa); Senegal.

Ethiopia

Microcerotermes zuluensis, form *rubriceps* Holmgren.

Microcerotermes zuluensis forma *rubriceps* Holmgren 1913d, p. 365, sold., work.¹⁻², Zululand: Mkosi; Sjöstedt 1926, p. 203, syn., loc.

Type: Mus. Göteborg.

Sold., work.¹⁻²

So. Africa: Zululand.

Ethiopia

Microcerotermes zuluoides Fuller.

Microcerotermes zuluoides Fuller 1925a, p. 244, im., sold., South Africa.

Winged, sold.

So. Africa.

Ethiopia

TERMITINAE

Subfamily TERMITINAE Sjöstedt.

Type genus: *Termes* Linnaeus.

=Miro-Caprithermes Reihe Holmgren 1912, pp. 8-10, 97.

<Subfamily TERMITINAE Sjöstedt 1926, pp. 8, 72.

=Subfamily MIRO-CAPRITERMITINAE Kemner 1934, p. 166.

=Subfamily TERMITINAE Hare 1937, pp. 460, 462, 474.

Genera:

- Allognathotermes* Silvestri.
- Apicotermes* Holmgren.
- Jugositermes* Emerson.
- Apilitermes* Holmgren.
- Hoplognathotermes* Silvestri.
- Firmitermes* Sjöstedt.
- Trichotermes* Sjöstedt.
- Rostrotermes* Grassé.
- Crenetermes* Silvestri.
- Thoracotermes* Wasmann.
- Euchilotermes* Silvestri.
- Ophiotermes* Sjöstedt.
- Megagnathotermes* Silvestri.
- Cubitermes* Wasmann.
- Procubitermes* Silvestri.
- Fastigitermes* Sjöstedt.
- Proboscitermes* Sjöstedt.
- Basidentitermes* Holmgren.
- Orthotermes* Silvestri.
- Ceratotermes* Silvestri.

Tuberculitermes Holmgren.
Angulitermes Sjöstedt.
Spinitermes Wasmann.
Orthognathotermes Holmgren.
Dentispicotermes Emerson, n. gen.
Crepititermes Emerson.
Termes Linnaeus.
Cavitermes Emerson.
Protocapritermes Holmgren.
Promirotermes Silvestri.
Mirocapritermes Holmgren.
Paracapritermes Hill.
Procapritermes Holmgren.
Homallotermes John.
Pseudocapritermes Kemner.
Capritermes Wasmann.
Pericapritermes Silvestri.
Neocapritermes Holmgren.
Planicapritermes Emerson, n. gen.

ALLOGNATHOTERMES

(Other)

Genus *Allognathotermes* Silvestri.

Generitype: *Allognathotermes hypogaeus* Silvestri.

Genus *Allognathotermes* Silvestri 1914-1915, p. 31.

Genus *Allognathotermes* Sjöstedt 1926, p. 157.

Allognathotermes hypogaeus Silvestri.

Allognathotermes hypogaeus Silvestri 1914-15, p. 32, pl. 18 (1-8) (sold., work.), text fig. 18 (sold., work.), text fig. 19 (sold., work.), French Guinea: Kakoulima; Sjöstedt 1926, p. 157, fig. 33 (sold.), syn., loc.

Id., work.¹⁻²

Guinea.

Ethiopian.

APICOTERMES

Genus *Apicotermes* Holmgren.

Generitype: *Apicotermes trågårdhi* Holmgren.

Genus *Apicotermes* Holmgren 1912, pp. 104, 98.

Genus *Apicotermes* Fuller 1922, p. 107.

Genus *Apicotermes* Sjöstedt 1926, p. 153.

Apicotermes aburiensis Sjöstedt.

Apicotermes aburiensis Sjöstedt 1926a, pp. 3-4, sold., Gold Coast: Aburi.

Type: sold., Imp. Bur. Ent., Mus. Stockholm.

Id.

Gold Coast.

Ethiopian.

Apicotermes angustatus Sjöstedt.

Desneux 1918, p. 307, type III, figs. 6-8, nest from Sankuru (Luanda) (biol.).

Apicotermes occultus (nec Silvestri) Hegg 1922, p. 389, figs. 262 A-C (nest), fig. 460 (nest); p. 696.

Apicotermes occultus Reichensperger 1923, fig. 1, double pl. figs. 2-5, Luxemburg (biol.).

Apicotermes angustatus Sjöstedt 1924b, p. 254 (sold.), Belg. Congo: Kasai, Kongo, Sankuru, Kambambai; 1926, pp. 155-156, pl. 6, B 1-2 (sold.), syn., loc.

Sold., work.

Congo.

Ethiopia

Apicotermes kisantuensis Sjöstedt.

Apicotermes kisantuensis Sjöstedt 1924c, p. 496, sold., Belg. Congo: Kisantu; Mus. Tervuren and Stockholm; 1926, p. 154, pl. 5, fig. L 3 (sold.).

Sold.

Congo.

Ethiopia

Apicotermes lamani (Sjöstedt).

Termes (Odonto.) *Lamani* Sjöstedt 1924, pp. 1-8, figs. 1a-c (sold.¹⁻²), pls. 1-3 (nec Congo: Madzia-Dist.; 1926, p. 155, syn., loc.

Sold.¹⁻²

Congo.

Ethiopia

Apicotermes occultus Silvestri.

Apicotermes occultus Silvestri 1914-15, p. 29, fig. 15, 1-4, fig. 16, 1-6, fig. 17, sold., work. Fr. Guinea: Kakoulima; Sjöstedt 1926, pp. 154-155, pl. 6, fig. A 1-2, text fig. 32 (sold.), pl. 13, 1-2 (nec Congo: Madzia-Dist.; 1926, p. 155, syn., loc., Fr. Guinea: Kakoulima and Konakry (Madagascar); Paris); [highly specialized air-conditioned nest].

Sold., work.¹⁻²

Fr. Guinea.

Ethiopia

Apicotermes trægårdhi Holmgren.

Apicotermes Trægårdhi Holmgren 1912, p. 104, pl. 4, fig. 2 (sold.), text fig. 72 (sold. mand.); 1913d, p. 351, wing, sold., and work. Africa: Zululand, Lake Mkosi, Amatongaland.

Apicotermes trægårdhi Fuller 1922, p. 107.

Apicotermes Trægårdhi Sjöstedt 1926, p. 153, syn., loc.

Wing only, sold., work.

So. Africa.

Ethiopia

JUGOSITERMES

Genus *Jugositermes* Emerson.

Generitype: *Jugositermes tuberculatus* Emerson.

Genus *Jugositermes* Emerson 1928, p. 501.

gsitermes tuberculatus Emerson.

gsitermes tuberculatus Emerson 1928, p. 501, fig. 49 (sold.), Cameroon: Bipindi.
Holotype: sold., Mus. Zool., Ann Arbor, Mich.

ereroon.

Ethiopian.

(With-
out
hair)

APILITERMES

(nus *Apilitermes* Holmgren.

Generitype: *Apilitermes longiceps* (Sjöstedt).

(nus *Apilitermes* Holmgren 1912, pp. 103, 98.

(nus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.

(nus *Apilitermes* Sjöstedt 1926, p. 213.

itermes longiceps (Sjöstedt).

ermes longiceps Sjöstedt 1899, p. 38, sold., work., Cameroon: Victoria.

mes (Eutermes) longiceps Desneux 1904e, p. 43, syn.

itermes longiceps Holmgren 1912, p. 103, fig. 71, sold. mandible, pl. 4, fig. 3 (sold.);
Sjöstedt 1926, p. 213, fig. 46 (sold.), syn., loc.

ph, sold., work.

ereroon.

Ethiopian.

(^{Tool}
Weapon } tooth)

HOPLOGNATHOTERMES

enus *Hoplognathotermes* Silvestri.

Generitype: *Hoplognathotermes subterraneus* Silvestri.

enus *Hoplognathotermes* Silvestri 1914-15, p. 25.

enus *Hoplognathotermes* Sjöstedt 1926, pp. 157-158.

lognathotermes furcatidens Sjöstedt.

lognathotermes furcatidens Sjöstedt 1924c, p. 496, sold., Fr. Congo; 1926, pp. 158-160,
pl. 6, figs. C 1-4 (sold.), winged, sold., work., Middle
Congo: Bania, Mus. Stockholm.

ged, sold., work.

Equatorial Africa.

Ethiopian.

lognathotermes submissus Silvestri.

lognathotermes submissus Silvestri 1914-15, p. 28, work.¹⁻², fig. 14 (work.), Cameroon:
Victoria; Sjöstedt 1926, p. 158, work.

rk.

ereroon.

Ethiopian.

lognathotermes subterraneus Silvestri.

lognathotermes subterraneus Silvestri 1914-15, p. 26, sold., work.¹⁻², fig. 12 (sold.),
fig. 13, 1-9 (sold.), Fr. Guinea: Conakry, Camayenne,
Kakoulima; Sjöstedt 1926, p. 158, fig. 34 (sold.), syn.,
loc.

ph, sold., work.¹⁻²

Guinea.

Ethiopian.

Hoplognathotermes subterraneus, var. *superior* Silvestri.

Hoplognathotermes subterraneus var. *superior* Silvestri 1914-15, p. 28, work., Fr. Guinea
Mamou; Sjöstedt 1926, p. 158, syn., loc.

Work.

Fr. Guinea.

Ethiopia

FIRMITERMES

Genus *Firmitermes* Sjöstedt.

Generitype: *Firmitermes abyssinicus* (Sjöstedt).

Genus *Firmitermes* Sjöstedt 1926, p. 191.

Firmitermes abyssinicus (Sjöstedt).

Eutermes abyssinicus Sjöstedt 1911a, p. 172, sold., Hiéka, Abyssinia; 1926, p. 191, fig. 3
(sold.), syn., loc.

Type: Mus. Paris.

Sold.

Abyssinia.

Ethiopia

TRICHOTERMES

(Hair)

Genus *Trichotermes* Sjöstedt.

Generitype: *Trichotermes villifrons* (Sjöstedt).

= Genus *Trichotermes* Sjöstedt 1924b, p. 257; 1926, pp. 209-210.

Trichotermes ducis (Sjöstedt).

Eutermes ducis Sjöstedt 1914c, p. 91, sold., Belg. Congo: Kimuenza.

Trichotermes ducis Sjöstedt 1926, p. 210, syn., loc.

Sold.

Congo.

Ethiopia

Trichotermes villifrons (Sjöstedt).

Eutermes villifrons Sjöstedt 1911, p. 149, sold., text fig. (sold.), Belg. Congo: Mukim
bungu.

Mirotermes (Cubi.) *villifrons* Holmgren 1912, p. 108.

Trichotermes villifrons Sjöstedt 1926, p. 210, fig. 43 (sold.), pl. 8, figs. H 1-5 (sold.), syn
loc.

Sold.

Congo.

Ethiopia

ROSTROTERMES

Genus *Rostrotermes* Grassé.

Generitype: *Rostrotermes cornutus* Grassé.

Genus *Rostrotermes* Grassé 1943, pp. 71-82.

Rostrotermes cornutus Grassé.

Rostrotermes cornutus Grassé 1943, pp. 71-82, figs. 1-5, king (dealate), sold., work., Danan
Ivory Coast.

King (dealate), sold., work.

Ivory Coast.

Ethiopia

CRENETERMES

(Notched)

Genus *Crenetermes* Silvestri.Generitype: *Crenetermes albotarsalis* (Sjöstedt).Genus *Crenetermes* Silvestri 1912, p. 245.Genus *Sulcitermes* Wasmann *in litt.* Holmgren 1912, p. 112.Genus *Eutermes* Sjöstedt 1900a, pp. 19-21 key, p. 139.Genus *Termes* Desneux (part).Genus *Crenetermes* Holmgren 1912, pp. 101, 97.Genus *Crenetermes* Sjöstedt 1926, p. 212.*renetermes albotarsalis* (Sjöstedt).*termes albotarsalis* Sjöstedt 1897, p. 125, winged, Cameroon: Kribi, Yaunde.*renetermes albotarsalis* Silvestri 1912, p. 247, fig. 16, 1-12 (im., sold.), Fr. Equatorial Africa, Brazzaville; Holmgren 1912, pp. 101-102, fig. 69 (nymph mand.), fig. 70 (sold. mand.), pl. 4, fig. 8 (imago); Sjöstedt 1926, pp. 212-213, fig. 45 (sold.), syn., loc.

winged, queen, sold., work.

Cameroon, Fr. Equatorial

Africa, Belg. Congo.

Ethiopian.

THORACOTERMES

Genus *Thoracotermes* Wasmann.Generitype: *Thoracotermes macrothorax* Wasmann.Genus *Thoracotermes* Wasmann 1911a, p. 146.Genus *Thoracotermes* Holmgren 1912, pp. 98, 97.Genus *Eutermes* Sjöstedt (part).Genus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.Genus *Thoracotermes* Sjöstedt 1926, p. 210.*thoracotermes brevinotus* Silvestri.*thoracotermes brevinotus* Silvestri 1914-15, p. 82, fig. 48, 1-10, queen, sold., work., Fr. Guinea: Mamou; Sjöstedt 1926, p. 212, syn., loc.

queen, sold., work.

Guinea.

Ethiopian.

thoracotermes macrothorax (Sjöstedt).*termes macrothorax* Sjöstedt 1899, p. 38, sold., work., Cameroon: Lolodorf.*thoracotermes* ("Eutermes") *macrothorax* Wasmann 1911a, pp. 146-149, im., queen, sold., work., pl. 7, fig. 14 (wings), Cameroon: Mundame, Congo: Sankuru.*thoracotermes macrothorax* Holmgren 1912, p. 99, fig. 68 (sold. mand.), pl. 4, fig. 1 (sold.); Sjöstedt 1926, pp. 211-212, fig. 44 (sold.), syn., loc.; Emerson 1928, p. 500, fig. 48 (sold.), loc.

winged, queen, sold., work.

Cameroon, Liberia, Gold Coast,

So. Nigeria, Fr. Equatorial

Africa, Belg. Congo.

Ethiopian.

EUCHILOTERMES

(Good
lip)Genus *Euchilotermes* Silvestri.Generitype: *Euchilotermes tensus* Silvestri.=Genus *Euchilotermes* Silvestri 1914-15, p. 85.=Genus *Euchilotermes* Sjöstedt 1926, p. 217.*Euchilotermes acutidens* Silvestri.*Euchilotermes tensus* var. *acutidens* Silvestri 1914-15, p. 89, fig. 52 (sold.), Gold Coast
Aburi; Sjöstedt 1926, p. 217, syn., loc.

Sold.

Gold Coast.

Ethiopi

Euchilotermes quadriceps (Emerson).*Mirotermes* (*Euchilotermes*) *quadriceps* Emerson 1928, p. 503, fig. 50 (sold.), Belg. Congo
New Yakuluku.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopi

Euchilotermes tensus Silvestri.*Euchilotermes tensus* Silvestri 1914-15, p. 86, im., sold., work., fig. 50, 1-9 (im., sold., work.,
Mamou, Fr. Guinea; Sjöstedt 1926, p. 217, fig. 50
(sold.), syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopi

Euchilotermes tensus, var. *arcuata* Silvestri.*Euchilotermes tensus* var. *arcuata* Silvestri 1914-15, p. 88, fig. 51, 1-12 (im., sold., work.,
Fr. Guinea: Conakry, Camayenne, Kakouli
Sjöstedt 1926, p. 217, syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopi

OPHIOTERMES

(Snake)

Genus *Ophiotermes* Sjöstedt.Generitype: *Ophiotermes mandibularis* (Sjöstedt).=Genus *Ophiotermes* Sjöstedt 1924b, p. 257; 1926, p. 265.=Subgenus *Ophiotermes* (*Mirotermes*) Emerson 1928, p. 504.<Subgenus *Cubitermes* (*Mirotermes*) Holmgren 1912, pp. 107-108.*Ophiotermes grandilabius* (Emerson).*Mirotermes* (*Ophiotermes*) *grandilabius* Emerson 1928, p. 505, fig. 52 (sold.), Cameroon
Bipindi.

Holotype: sold., Mus. Zoology, Ann Arbor, Mich.

Sold.

Cameroon.

Ethiopi

Ophioterme *mandibularis* (Sjöstedt).

Terme *mandibularis* Sjöstedt 1905, p. 17, sold., Belg. Congo: Mukimbungu.

Ophioterme (*Cubitermes*) *mandibularis* Holmgren 1912, p. 108.

Ophioterme *mandibularis* Sjöstedt 1926, p. 266, fig. 55, pl. 10, figs. G 1-2 (sold.), syn., loc. old.

Belg. Congo, Fr. Equatorial

Africa.

Ethiopian.

Ophioterme *mirandus* (Sjöstedt).

Terme *mirandus* Sjöstedt 1905, pp. 15, 18, sold., Belg. Congo: Mukimbungu.

Ophioterme (*Cubitermes*) *mirandus* Holmgren 1912, p. 108.

Ophioterme *mirandus* Sjöstedt 1926, pp. 266-267, pl. 10, figs. K 1-2 (sold.), syn., loc.

Vinged, sold., work.

Congo.

Ethiopian.

Ophioterme *ugandaensis* Sjöstedt.

Ophioterme *ugandaensis* Sjöstedt 1925, p. 54, sold., Uganda: Kamozi, Mus. Stockholm; 1926, pp. 266-267, pl. 10, figs. H 1-2 (sold.).

Miroterme (*Ophioterme*) *ugandaensis* Emerson 1928, p. 504, fig. 51 (sold.), Belg. Congo: Garamba.

Sold.

Uganda, Belg. Congo.

Ethiopian.

MEGAGNATHOTERMES

Genus *Megagnathotermes* Silvestri.

Generitype: *Megagnathotermes notandus* Silvestri.

=Genus *Megagnathotermes* Silvestri 1914-15, p. 80.

=Genus *Megagnathotermes* Sjöstedt 1926, p. 215.

=Subgenus *Megagnathotermes* Emerson 1928, p. 408.

Megagnathotermes katangensis Sjöstedt.

Megagnathotermes katangensis Sjöstedt 1927a, p. 169, 1 fig. (sold.), Belg. Congo: Elizabethville, Katanga, Mus. Stockholm.

Sold.

Congo.

Ethiopian.

Megagnathotermes notandus Silvestri.

Megagnathotermes notandus Silvestri 1914-15, p. 81, figs. 16, 1-7, 17 (sold., work.), Fr. Guinea: Mamou; Sjöstedt 1926, p. 215, fig. 47 (sold.), syn., loc.

Sold., work.

Fr. Guinea.

Ethiopian.

CUBITERMES

Genus *Cubitermes* Wasmann.

Generitype: *Cubitermes bilobatus* (Haviland).

=Genus *Cubitermes* Wasmann 1906, p. 573.

Subgenus *Cubitermes* Holmgren 1910, p. 286 (no descr.).

<Genus *Cubitermes* Wasmann 1911a, p. 150.

<Subgenus *Cubitermes* (*Miroterme*) Holmgren 1912, pp. 107, 108.

>Genus *Cubitermes* Sjöstedt 1926, p. 218 (pp. 225-226 groups of species outlined).

>Genus *Isognathotermes* Sjöstedt 1926, p. 216 (for *Cubitermes minitabundus* Sjöstedt).

Cubitermes aemulus Silvestri.

Cubitermes aemulus Silvestri 1914-15, pp. 98-100, fig. 43, 1-8 (im., sold., work.), Fr. Guinea: Camayenne (Conakry); Sjöstedt 1926, pp. 231-232, syn., loc.

Queen (neoteinic), king, sold.,
work.

Fr. Guinea.

Ethiopian.

Cubitermes anatruncatus (Fuller).

Mirotermes (*Cubitermes*) *anatruncatus* Fuller 1925a, pp. 199-201, winged, sold., Zululand.

Winged, sold.

So. Africa.

Ethiopian.

Cubitermes antennalis Sjöstedt.

Cubitermes antennalis Sjöstedt 1924c, p. 493, sold., Belg. Congo: Haut Uélé, Moto, Mus. Tervueren and Stockholm; 1926, pp. 252-253, syn., loc.

Mirotermes (*Cubitermes*) *antennalis* Emerson 1928, p. 513, fig. 57 (winged, sold.), pl. 33 fig. 1 (nest), Congo: Garamba.

Winged, sold., work.

Congo.

Ethiopian.

Cubitermes atrox (Smeathman).

Termes atrox Smeathman 1781, pp. 141, 159-160, im., biol., pl. 9 (nest mushroom-type) Sierra Leone.

Type: Brit. Mus.

Termes (*Eutermes*) *atrox* Hagen 1858, p. 213, im., sold. (im. uncertain), Sierra Leone; 1858a, p. 30, im., Sierra Leone; 1860a, p. 108 Port Natal.

Eutermes atrox Sjöstedt 1900a, p. 152, im., sold., work., Sierra Leone; 1904, p. 28, im.

Termes (*Eutermes*) *atrox* Desneux 1904e, p. 40, syn.

Mirotermes ? *atrox* Holmgren 1912, p. 109.

Termes atrox Sjöstedt 1926, p. 218, type lost, probably *Cubitermes*, not identifiable.

Termes arda Fabricius 1781, p. 397, im., sold., work.; 1787, p. 248; 1793, p. 90, Africa: Gmelin 1800, p. 694, im., sold., work., biol., Sierra Leone.

Winged, sold., work.

Sierra Leone.

Ethiopian.

Cubitermes banksi (Emerson).

Mirotermes (*Cubitermes*) *banksi* Emerson 1928, p. 522, fig. 63, winged, sold., work. Cameroon: Bipindi.

Holotype: sold.; morphotype: winged, Mus. Zoology Ann. Arbor, Mich.

Winged, sold., work.

Cameroon.

Ethiopian.

Cubitermes bilobatodes Silvestri.

Cubitermes bilobatodes Silvestri 1912, p. 247, im., sold.¹⁻², work., fig. 17, 1-12 (queen, king, sold., work.), Port. Guinea: Bissau, Bolama; Sjöstedt 1926, p. 239, syn., loc.

Queen, king, sold.¹⁻², work.

Port. Guinea.

Ethiopian.

Cubitermes bilobatus (Haviland).

Cubitermes bilobatus Haviland 1898, p. 411, im., queen, sold., work., pl. 24, figs. 49-50 (sold.), 51-52 (im.), Natal: Estcourt.

Cubitermes bilobatus Silvestri 1909a, p. 318.

Microtermes (*Cubitermes*) *bilobatus* Holmgren 1912, p. 108; Fuller 1925a, pp. 194-196.

Cubitermes bilobatus Sjöstedt 1926, pp. 226-228, syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Natal, Transvaal, Tanganyika,

Belg. Congo, Fr. Sudan.

Ethiopian.

Cubitermes bilobatus, form *curta* Sjöstedt.

Cubitermes bilobatus forma *curta* Sjöstedt 1926, pp. 221, 228, sold., Natal.

Sold.

So. Africa.

Ethiopian.

Cubitermes bisulcatus (Sjöstedt).

Cubitermes (*Cubitermes*) *bisulcatus* Sjöstedt 1914a, p. 4, im., sold., work., So. Nyassa: Mlanje.

Microtermes (*Cubitermes*) *bisulcatus* Hekh 1922, pp. 491, 699.

Cubitermes bisulcatus Sjöstedt 1926, p. 247, syn., loc.

Queen, sold., work.

So. Nyassa.

Ethiopian.

Cubitermes breviceps (Sjöstedt).

Cubitermes (*Cubitermes*) *breviceps* Sjöstedt 1913a, p. 372, sold., Rhodesia: Salisbury.

Type: Mus. Stockholm.

Microtermes (*Cubitermes*) *breviceps* Hekh 1922, pp. 478, 697.

Cubitermes breviceps Sjöstedt 1926, p. 233, pl. 9, figs. A 1-3, syn., loc.

Sold.

Rhodesia.

Ethiopian.

Cubitermes bulbifrons Sjöstedt.

Cubitermes Zenkeri Sjöstedt 1907, p. 241 (nec. Desneux), Belg. Congo: Mukimbungu.

Cubitermes bulbifrons Sjöstedt 1924b, p. 256, sold.; 1926, pp. 247-248, winged, queen, sold., work.

Type: Mus. Paris, Stockholm.

Winged, queen, sold., work.

Belg. Congo, Fr. Equatorial Africa,

Cameroon.

Ethiopian.

Cubitermes caesareus (Sjöstedt).*Eutermes caesareus* Sjöstedt 1911d, p. 7, im., Congo: Mukimbungu.*Mirotermes caesareus* Holmgren 1912, p. 109.*Cubitermes caesareus* Sjöstedt 1926, pp. 254-255, syn., loc., in doubt as to group relationship.
Winged.

Congo.

Ethiopian.

Cubitermes comstocki (Emerson).*Mirotermes* (*Cubitermes*) *comstocki* Emerson 1928, p. 523, fig. 64 (winged, sold.), Cameroon: Bipindi.Holotype: sold.; morphotype: queen, Mus. Zoology,
Ann Arbor, Mich.

Winged, queen, sold.

Cameroon.

Ethiopian.

Cubitermes congoensis (Emerson).*Mirotermes* (*Cubitermes*) *congoensis* Emerson 1928, p. 519, fig. 61 (sold.), sold., work., Belg. Congo: Bana.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Cubitermes conjenii (Fuller).*Mirotermes* (*Cubitermes*) *conjenii* Fuller 1925a, pp. 210-211, winged, Conjeni, Zululand.

Winged.

So. Africa.

Ethiopian.

Cubitermes cubicephalus (Sjöstedt).*Eutermes* (*Cubitermes*) *cubicephalus* Sjöstedt 1913a, pp. 373, 377, sold., work., Belg. Congo: Luluabourg.

Type: Mus. Tervueren and Stockholm.

Cubitermes cubicephalus Sjöstedt 1926, pp. 230-231, fig. 50, pl. 8, figs. K 1-3 (sold.), syn., loc. King, queen, sold.¹⁻², work.

Congo, Fr. Equatorial Africa.

Ethiopian.

Cubitermes curtatus Silvestri.*Cubitermes curtatus* Silvestri 1914-15, p. 100, im., sold., work., fig. 59, 1-9 (im., sold., work.), pl. 1, figs. 1-2 (nest), Fr. Guinea: Kindia, Mamou.*Mirotermes* (*Cubitermes*) *curtatus* Hekh 1922, p. 177, etc.*Cubitermes curtatus* Sjöstedt 1926, pp. 228-229, syn., loc.

Queen, king, sold., work.

Fr. Guinea.

Ethiopian.

Cubitermes domifaber (Sjöstedt).*Eutermes* (*Cubitermes*) *domifaber* Sjöstedt 1913a, pp. 370, 377, sold., work., Belg. Congo: Elizabethville.*Mirotermes* (*Cubitermes*) *domifaber* Hekh 1922, p. 486, etc.*Cubitermes domifaber* Sjöstedt 1926, p. 236, pl. 9, figs. E 1-3 (sold.), Belg. Congo: Elizabethville, Fr. Equatorial Africa, syn., loc.

Sold., work.

Congo, Fr. Equatorial Africa.

Ethiopian.

Cubitermes duplex (Holmgren).

Cubitermes (Cubitermes) duplex Holmgren 1913d, p. 357, im. (dealated male), sold., work., Zululand: junction of Unflogis, Mfolosi and Mkosi; Fuller 1925a, pp. 203-205, im., sold., No. Transvaal.

Cubitermes duplex Sjöstedt 1926, p. 239, syn., loc.

Kinged, sold., work.

Zululand, Transvaal.

Ethiopian.

Cubitermes duplex, form *nduma* (Fuller).

Cubitermes (Cubitermes) duplex form *nduma* Fuller 1925a, p. 205, im., No. Zululand.

Kinged.

Zululand.

Ethiopian.

Cubitermes finitimus Schmitz.

Cubitermes finitimus Schmitz 1915, p. 120, im., king, queen, sold., work., fig. 1 (pronotum of im.), fig. 2 (sold.), Belg. Congo: Stanleyville; Sjöstedt 1926, p. 237, syn., loc.

Type: P. Kohl coll.

King (dealate), queen, sold.,

work.

Congo.

Ethiopian.

Cubitermes fungifaber (Sjöstedt).

Cubitermes fungifaber Sjöstedt 1896a, p. 297, im., Bonge, Cameroon.

Cubitermes (Cubitermes) fungifaber Holmgren 1912, p. 108, fig. 73 (mand. im.), 77 (mand. sold.), loc.

Cubitermes fungifaber Sjöstedt 1926, pp. 240-242, syn., loc.

Cubitermes (Cubitermes) fungifaber Emerson 1928, p. 517, fig. 60 (im., sold.).

Cubitermes destructor Hagen 1858, p. 130, sold., Fernando Po.

Cubitermes subhyalinus Walker 1853, p. 519, sold., Sierra Leone.

Kinged, queen, sold., work.

Cameroon, Sudan, Sierra Leone,

Ivory Coast, Fernando Po, Fr.

Equatorial Africa, Congo.

Ethiopian.

Cubitermes fungifaber, var. *elongata* Sjöstedt.

Cubitermes fungifaber var. *elongata* Sjöstedt 1924b, p. 256, sold., Congo; 1926, p. 242, syn., loc.

Sold.

Congo, Fr. Equatorial Africa,

Cameroon.

Ethiopian.

Cubitermes gaigei (Emerson).

Cubitermes (Cubitermes) gaigei Emerson 1928, p. 516, fig. 59 (sold.), Cameroon: Bipindi. Holotype: sold., No. 45, Mus. Zool., Ann Arbor, Mich.

Sold.

Cameroon.

Ethiopian.

Cubitermes gibbifrons Sjöstedt.

Cubitermes gibbifrons Sjöstedt 1924b, p. 255, sold., Congo: Mukimbungu; 1926, pp. 249-250, im., sold., work., syn., loc.

Winged, sold., work.

Congo: Mukimbungu, Kasai,
Kondué.

Ethiopia

Cubitermes glebae (Sjöstedt).

Eutermes (*Cubitermes*) *glebae* Sjöstedt 1913a, pp. 369, 377, sold., Kilimanjaro: Kibondo; *Mirotermes* (*Cubitermes*) *glebae* Hegh 1922, pp. 478, 697.

Type: Mus. Stockholm.

Cubitermes glebae Sjöstedt 1926, pp. 237-238, pl. 9, figs. F 1-4 (sold.), queen, sold., work., syn., loc.

Eutermes bilobatus Sjöstedt 1907a, p. 22, Kilimanjaro only.

Queen, sold., work.

Tanganyika.

Ethiopia

Cubitermes hamatus Sjöstedt.

Cubitermes hamatus Sjöstedt 1926, pp. 235-236, pl. 8, fig. P (sold.), Fr. Congo: Brazzaville. Mus. Stockholm.

Sold., work.

Fr. Equatorial Africa.

Ethiopia

Cubitermes heghi Sjöstedt.

Cubitermes heghi Sjöstedt 1924b, p. 255, sold., Congo; 1926, p. 249, sold., work., work., Congo.

Mirotermes (*Cubitermes*) *heghi* Emerson 1928, p. 511, fig. 56 (im., sold.), Cameroon: Bipindi.

Eutermes (*Cubitermes*) *minitabundus* Sjöstedt 1914c, p. 91 (loc.), So. Cameroon: Molundu.

King, sold.

Congo, Cameroon.

Ethiopia

Cubitermes inclitus Silvestri.

Cubitermes bilobatus subspecies *inclitus* Silvestri 1912a, p. 5, fig. 4, 1-5, queen, sold., work., Congo: Banguela, Duches. d'Aosta.

Cubitermes inclitus Sjöstedt 1926, p. 236, syn., loc.

Queen, sold., work.

Duches. d'Aosta, So. Africa.

Ethiopia

Cubitermes intercalatus Silvestri.

Cubitermes intercalatus Silvestri 1914-15, pp. 89-91, fig. 53, 1-11 (wing., sold., work.), Congo: Brazzaville; Sjöstedt 1926, p. 237, pl. 8, fig. 8 (sold.), syn., loc.

Mirotermes (*Cubitermes*) *intercalatus* Hegh 1922, p. 484, etc.

Winged (female), sold., work.

Fr. Equatorial Africa, Belg.

Congo.

Ethiopia

Cubitermes kemneri (Emerson).

Cubitermes (Cubitermes) kemneri Emerson 1928, p. 509, fig. 54 (sold.), Cameroon: Bipindi.
Holotype: sold., Mus. Zoology, Ann Arbor, Mich.

d.
Cameroon. Ethiopian.

Cubitermes loubetsiensis Sjöstedt.

Cubitermes loubetsiensis Sjöstedt 1924c, p. 493, sold., Fr. Congo: Loubetsi, Indo, Mus. Stockholm; 1926, pp. 246-247, winged, queen, sold., work., syn., loc.

Cubitermes (Cubitermes) loubetsiensis Emerson 1928, p. 515, fig. 58 (sold.), pl. 30 (nest).
Belg. Congo: Medje.

Winged, queen, sold., work.

Fr. Equatorial Africa, Belg.

Congo. Ethiopian.

Cubitermes microduplex (Fuller).

Cubitermes (Cubitermes) microduplex Fuller 1925a, pp. 205-206, winged, sold., Zululand.

Winged, sold.

Fr. Africa. Ethiopian.

Cubitermes minitabundus (Sjöstedt).

Cubitermes (Cubitermes) minitabundus Sjöstedt 1913a, pp. 368, 378, sold., Belg. Congo: Katanga, Welgelegen.

Cubitermes minitabundus Schmitz 1915, p. 119 places in syn. with *fungifaber*.

Cognathotermes minitabundus Sjöstedt 1926, pp. 216-217, pl. 10, figs. C 1-4 (sold.), im., queen, sold., work., syn., loc.

Winged, queen, sold., work.

Belg. Congo. Ethiopian.

Cubitermes modestior Silvestri.

Cubitermes severus var. *modestior* Silvestri 1914-15, p. 93, fig. 55, 1-8 (im., sold., work.),
Fr. Guinea: Kindia.

Cotypes: Mus. Stockholm.

Cubitermes modestior Sjöstedt 1926, pp. 238-239, syn., loc.

Queen, king, sold., work.

Fr. Guinea. Ethiopian.

Cubitermes muneris (Sjöstedt).

Cubitermes (Cubitermes) muneris Sjöstedt 1913a, p. 370, sold., Congo: Welgelegen.

Cubitermes muneris Sjöstedt 1926, p. 231, pl. 8, figs. L 1-2, syn., loc., Katanga, Welgelegen.
Sold.

Belg. Congo. Ethiopian.

Cubitermes oculatus Silvestri.

Cubitermes oculatus Silvestri 1914-15, p. 103, fig. 60, 1-6 (im., sold., work.), Fr. Guinea: Camayenne.

Cubitermes (Cubitermes) oculatus Hegh 1922, p. 223, etc.

Cubitermes oculatus Sjöstedt 1926, p. 228, syn., loc.

Queen, king, sold., work.

Fr. Guinea. Ethiopian.

Cubitermes orthognathus (Emerson).

Mirotermes (*Cubitermes*) *orthognathus* Emerson 1928, p. 525, fig. 65 (sold.), pl. 31, fig. (nest), sold., work., Belg. Congo: Faradje.
Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopia

Cubitermes pallidiceps (Sjöstedt).

Eutermes (*Cubitermes*) *pallidiceps* Sjöstedt 1913a, pp. 372, 377, sold., pl. 10, fig. 2 (sold. Congo: Katanga, Elizabethville.

Cubitermes pallidiceps Sjöstedt 1926, p. 235, pl. 9, fig. C (sold.), text fig. 50_a (sold.), syn. loc.; 1926a, p. 4, Gold Coast: Kumasi.

Type: Mus. Tervueren and Stockholm.

Sold.

Congo, Gold Coast.

Ethiopia

Cubitermes planifrons Sjöstedt.

Cubitermes planifrons Sjöstedt 1924b, pp. 255-256, sold., Congo: Mukimbungu; 1926, p. 243-244, im., sold., work., syn., loc.

Eutermes Zenkeri Sjöstedt (nec Desneux) 1911, p. 149, loc., nest. Congo: Mukimbungu. Winged, sold., work.

Congo.

Ethiopia

Cubitermes pretorianus Silvestri.

Cubitermes pretorianus Silvestri 1914-15, p. 105, fig. 61, 1-3 (sold., work.), Transvaal Pretoria.

Mirotermes (*Cubitermes*) *pretorianus* Hegh 1922, p. 484, etc.; Fuller 1925a, pp. 206-207, imago.

Cubitermes pretorianus Sjöstedt 1926, p. 229, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopia

Cubitermes pretorianus, var. *heidelbergi* (Fuller).

Mirotermes (*Cubitermes*) *pretorianus* var. *heidelbergi* Fuller 1925a, p. 208, queen, sold. Transvaal.

Queen, sold.

So. Africa.

Ethiopia

Cubitermes proximatus Silvestri.

Cubitermes proximatus Silvestri 1914-15, pp. 96-98, fig. 57, 1-10 (queen, sold., work. (synon. excl.), French Guinea: Mamou; 1920, p. 26 Sjöstedt 1926, p. 238, syn., loc.

Cotypes: sold., Mus. Stockholm.

Queen, king, sold., work.

Fr. Guinea.

Ethiopia

Cubitermes pseudoduplex (Fuller).

Mirotermes (*Cubitermes*) *pseudoduplex* Fuller 1925a, pp. 196-197, winged, sold., Zululana. *Eutermes bilobatus* (in part) Fuller 1915, p. 400

Winged, sold.

So. Africa.

Ethiopia

Cubitermes sanctaeluciae (Fuller).

Cubitermes (*Cubitermes*) *sanctaeluciae* Fuller 1925a, pp. 208-209, winged, sold., Zululand.
 winged, sold.
 Africa. Ethiopian.

Cubitermes sankurensis Wasmann.

Cubitermes sankurensis Wasmann 1911a, pp. 152, 155-156, im., queen, sold., work., Belg.
 Congo: Sankuru.

Cubitermes (*Cubitermes*) *sankurensis* Holmgren 1912, p. 108, pl. 4, fig. 4 (sold.); Hegh
 1922, p. 330, etc.; Emerson 1928, p. 526, fig. 66 (im.,
 sold.), pls. 31-33, fig. 1 (nests), loc.

Cubitermes bilobatus Sjöstedt 1905, p. 9, nest, Congo: Mukimbungu; 1911, p. 149 (loc.),
 Congo: Mukimbungu.

Cubitermes sibiensis Sjöstedt 1925, p. 54, Ft. Congo: Indo, Sibiti.

Cubitermes sibiensis Sjöstedt 1926, pp. 218, 222, 232-233, pl. 8, fig. M, 1-2 (sold.),
 im., sold., work., syn., loc.

winged, queen, sold., work.

Congo, Fr. Equatorial Africa. Ethiopian.

Cubitermes sankurensis, form *elongata* Sjöstedt.

Cubitermes sankurensis forma *elongata* Sjöstedt 1926, p. 230, sold., Belg. Congo.

ldier.

ngo. Ethiopian.

Cubitermes schereri (von Rosen).

Cubitermes (*Cubitermes*) *schereri* von Rosen 1912, p. 231, part (sold. only), fig. 9 (sold.),
 Cape Mesurado, Liberia.

Type: sold., Zool. Staatssammlung, Munich.

Cubitermes Schereri Sjöstedt 1926, p. 239, syn., loc., winged, sold., work., Liberia and Congo:
 Elizabethville.

Cubitermes (*Cubitermes*) *schereri* Emerson 1928, p. 416 (syn.).

winged, sold., work.

Liberia, Congo. Ethiopian.

Cubitermes schmidti (Emerson).

Cubitermes (*Cubitermes*) *schmidti* Emerson 1928, p. 520, winged, sold., work., fig. 62 (im.,
 sold.), Cameroon: Bipindi.

Holotype: sold., morphotype: queen, Mus. Zool., Ann
 Arbor, Mich.

winged, sold., work.

Cameroon. Ethiopian.

Cubitermes severus Silvestri.

Cubitermes severus Silvestri 1914-15, p. 92, fig. 54, 1-16 (im., sold., work.), Fr. Guinea:
 Camayenne (Conakry); Sjöstedt 1926, pp. 250-251,
 syn., loc. [Kakoulima specimens, see *silvestrii*, n. sp.].

winged, sold., work.

Guinea. Ethiopian.

Cubitermes sierraleonicus (Sjöstedt).*Eutermes sierraleonicus* Sjöstedt 1911b, p. 179, sold., Sierra Leone.*Mirotermes* (*Cubitermes*) *sierraleonicus* Holmgren 1912, p. 108.*Cubitermes sierraleonicus* Sjöstedt 1926, p. 254, fig. 50, 2 (sold.), pl. 4, figs. H 1-2 (sold. syn., loc.

Sold.

Sierra Leone.

Ethiopia

Cubitermes silvestrii Sjöstedt.*Cubitermes severus* Silvestri 1914, p. 91 (ex part; var. from Kakoulima).*Cubitermes Silvestrii* Sjöstedt 1925, p. 54, sold., Fr. Guinea: Kakoulima: 1926, p. 2, pl. 10, figs. A 1-3 (sold.), syn., loc.

Sold.

Fr. Guinea.

Ethiopia

Cubitermes speciosus Sjöstedt.*Cubitermes speciosus* Sjöstedt 1924b, p. 256, sold., Congo: Haut Uélé, Moto; 1926, p. 242-243, pl. 10, fig. M (sold.), im., queen, sold., work. syn., loc.

Winged, queen, sold., work.

Congo.

Ethiopia

Cubitermes subarquatus Sjöstedt.*Cubitermes subarquatus* Sjöstedt 1926, pp. 244-245, pl. 9, figs. G 1-2 (sold.), winged, sold. work., Congo: Stanleyville.*Mirotermes* (*Cubitermes*) *subarquatus* Emerson 1928, p. 510, fig. 55 (im., sold.), pl. (nest), Congo: Lubila River.

Winged, sold., work.

Congo.

Ethiopia

Cubitermes subcrenulatus Silvestri.*Cubitermes subcrenulatus* Silvestri 1914-15, p. 94, im., sold., work., fig. 56, 1-4 (im., sold. pl. 1, figs. 3-5 (nests), Fr. Guinea: Kakoulima a Mamou; Sjöstedt 1926, pp. 239-240, queen, king, sold. work.

Queen, king, sold., work.

Fr. Guinea.

Ethiopia

Cubitermes sulcifrons Wasmann.*Cubitermes sulcifrons* Wasmann 1911a, pp. 153, 156-158, winged, queen, sold., work., pl. fig. 16 (wings), Cameroon: Lolodorf.*Mirotermes* (*Cubitermes*) *sulfifrons* Holmgren 1912, p. 108, Congo.*Cubitermes sulcifrons* Sjöstedt 1926, p. 247, syn., loc.*Mirotermes* (*Cubitermes*) *sulfifrons* Emerson 1928, p. 508, fig. 53 (sold.), Cameroon Senegambina.

Winged, queen, sold., work.

Cameroon, Congo.

Ethiopia

- Cubitermes tenuiceps* (Sjöstedt).
Cubitermes (Cubitermes) tenuiceps Sjöstedt 1913a, pp. 374, 377, sold., work., Congo: Elizabethville.
- Cubitermes (Cubitermes) tenuiceps* Hegh 1922, p. 486, etc.
Cubitermes tenuiceps Sjöstedt 1926, p. 234, pl. 9, figs. D 1-3 (sold.), syn., loc., Mus. Tervueren and Stockholm.
- d., work. Ethiopian.
 ngo.
- Cubitermes transvaalensis* (Fuller).
Cubitermes (Cubitermes) transvaalensis Fuller 1925a, pp. 192-194, winged, sold., Transvaal.
 inged, sold. Ethiopian.
 . Africa.
- Cubitermes truncatoides* (Fuller).
Cubitermes (Cubitermes) truncatoides Fuller 1925a, pp. 201-202, winged, sold., Zululand.
 inged, sold. Ethiopian.
 . Africa.
- Cubitermes truncatoides*, var. *sordwana* (Fuller).
Cubitermes (Cubitermes) truncatoides var. *sordwana* Fuller 1925a, p. 203, winged, sold., Zululand.
 inged, sold. Ethiopian.
 . Africa.
- Cubitermes truncatus* (Holmgren).
Cubitermes (Cubitermes) truncatus Holmgren 1913d, p. 358, im., sold., work., Zululand: Krambonambi, Mhlazinga, Kfolosi; Fuller 1925a, p. 199, im. (possibly two species confused).
Cubitermes truncatus Sjöstedt 1926, p. 254, queen and male, sold., work., syn., loc.
 ueen, male, sold., work. Ethiopian.
 . Africa.
- Cubitermes ugandensis* Fuller.
Cubitermes ugandensis Fuller 1923, p. 191, text fig., im., sold., Uganda: Nkulukuku and Kamozi, Brit. Mus. and Mus. Stockholm; Sjöstedt 1926, pp. 251-252, im., queen, sold., work., syn., loc.; 1926b, p. 153, Congo: Haut Uélé, Mauda.
 inged, queen, sold., work. Ethiopian.
 ganda, Congo.
- Cubitermes undulatus* (Fuller).
Cubitermes (Cubitermes) undulatus Fuller 1925a, pp. 197-198, im. (queen), sold., Pretoria.
 ueen, sold. Ethiopian.
 o. Africa.
- Cubitermes weissi* Silvestri.
Cubitermes Weissi Silvestri 1912, p. 249, fig. 18 (im., sold., work.), Fr. Congo: Brazzaville.
Cubitermes (Cubitermes) Weissi Hegh 1922, pp. 478, 697.
Cubitermes Weissi Sjöstedt 1926, pp. 234-235, syn., loc.
 inged, sold., work. Ethiopian.
 r. Equatorial Africa.

Cubitermes zavataria Ghidini.

Cubitermes Zavataria Ghidini 1937, pp. 141-143, sold., work., Ethiopia: Galla-Bor
(Neghelli).

Sold., work.

Ethiopia.

Ethiopia

Cubitermes zenkeri Desneux.

Cubitermes Zenkeri Desneux 1904a, p. 148, im., sold., work., Cameroon: Yaunda.

Cubitermes (Termes) Zenkeri Wasmann 1911a, p. 158, loc.

Mirotermes (Cubitermes) Zenkeri Holmgren 1912, p. 108.

Cubitermes Zenkeri Sjöstedt 1926, p. 236, syn., loc.

Winged, sold., work.

Cameroon, Congo.

Ethiopia

Cubitermes zulucola Sjöstedt.

Cubitermes zulucola Sjöstedt 1924b, p. 256, sold., Zululand: Mkosi; 1926, p. 234, p.
fig. B, 1-3 (sold.), syn., loc.

Sold.

So. Africa.

Ethiopia

Cubitermes zuluensis (Holmgren).

Mirotermes (Cubitermes) zuluensis Holmgren 1913d, p. 354, im. (queen), E. Zululand.

Cubitermes zuluensis Sjöstedt 1926, p. 254 (described from queen, unidentifiable?).

Queen.

So. Africa.

Ethiopia

LEPIDOTERMES

(Scale)

Genus *Lepidotermes* Sjöstedt.

Generitype: *Lepidotermes pretoriensis* (Sjöstedt).

=Genus *Lepidotermes* Sjöstedt 1924c, p. 497; 1926, p. 255.

<Subgenus *Procubitermes* Emerson 1925, p. 432; 1928, p. 529.

Lepidotermes pretoriensis (Sjöstedt).

Eutermes (Cubitermes) pretoriensis Sjöstedt 1914b, p. 84, pl. 2, fig. 8 and 13 (sold.), s.
work., Transvaal: Pretoria.

Lepidotermes pretoriensis Sjöstedt 1924c, p. 497; 1926, p. 256, fig. 51 (sold.), syn., loc.
Types: Mus. Stockholm and Pretoria.

Sold., work.

So. Africa.

Ethiopia

Lepidotermes simplex (Holmgren).

Mirotermes (Cubitermes) simplex Holmgren 1913d, p. 361, sold., work., Natal: Amanzim.

Procubitermes simplex Fuller 1925a, p. 211.

Lepidotermes simplex Sjöstedt 1926, p. 256, syn., loc.

Sold., work.

South Africa.

Ethiopia

PROCUBITERMES

Genus *Procubitermes* Silvestri.

Generitype: *Procubitermes arboricola* (Sjöstedt).

Genus *Procubitermes* Silvestri 1914-15, p. 106.

Genus *Eutermes* Sjöstedt 1900a, pp. 20, 139.

Genus *Cubitermes* Wasmann 1911a, p. 151.

Subgenus *Cubitermes* (*Mirotermes*) Holmgren 1912, pp. 107, 108.

Genus *Procubitermes* Sjöstedt 1926, p. 256.

Subgenus *Procubitermes* Emerson 1925, p. 432; 1928, pp. 404, 419, 529 (syn.).

Genus *Procubitermes* Hare 1937, p. 478.

Procubitermes arboricola (Sjöstedt).

Termites arboricola Sjöstedt 1897, p. 126, winged, Cameroon: Bonge.

Termites (*Cubitermes*) *arboricola* Holmgren 1912, p. 108, pl. 4, fig. 5 (sold.).

Procubitermes arboricola Sjöstedt 1926, pp. 257-258, fig. 52 (sold., antenna im.), pl. 10, fig. F (sold. labrum), syn., loc.

Winged, queen, sold., work.

(Cameroon, Congo.

Ethiopian.

Procubitermes choanensis (Fuller).

Termites (*Procubitermes*) *choanensis* Fuller 1925a, pp. 184-186, winged, sold., Pretoria.

Winged, sold.

S. Africa.

Ethiopian.

Procubitermes havilandicus (Fuller).

Termites (*Procubitermes*) *havilandicus* Fuller 1925a, pp. 186-187, winged, sold., Natal.

Winged, sold.

S. Africa.

Ethiopian.

Procubitermes heterochilus Silvestri.

Procubitermes heterochilus Silvestri 1914-15, p. 113, sold., work., fig. 66, 1-4 (sold.), Dahomey: Segboroué; Sjöstedt 1926, p. 260, syn., loc.

Sold., work.

Dahomey.

Ethiopian.

Procubitermes lounsburyi Silvestri.

Procubitermes lounsburyi Silvestri 1914-15, p. 112, fig. 65, 1-3 (sold.), sold., work., Transvaal: Pretoria.

Termites (*Procubitermes*) *lounsburyi* Fuller 1925a, pp. 183-184, im., sold.

Procubitermes lounsburyi Sjöstedt 1926, p. 260, syn., loc.

Winged, sold., work.

S. Africa.

Ethiopian.

Procubitermes mbazwanicus (Fuller).

Termites (?*Procubitermes*) *mbazwanicus* Fuller 1925a, pp. 189-190, winged, Zululand.

Winged.

S. Africa.

Ethiopian.

Procubitermes mfolozii (Fuller).

Mirotermes (?*Procubitermes*) *mfolozii* Fuller 1925a, pp. 190-191, winged, so. bank V
Mfolozii Riv., Conjeni. Tsetse fly station.

Winged.

So. Africa.

Ethiopi

Procubitermes mfolozii, form *warreni* (Fuller).

Mirotermes (?*Procubitermes*) *mfolozii* form. *warreni* Fuller 1925a, p. 191, im., Drakensber
(5,000 ft.), Mont Aux Sources.

Winged.

So. Africa.

Ethiopi

Procubitermes moretelae (Fuller).

Mirotermes (?*Procubitermes*) *moretelae* Fuller 1925a, pp. 191-192, winged, Transva
Pienaars Riv. (the Moretele).

Winged.

So. Africa.

Ethiopi

Procubitermes mtwalumi (Fuller).

Mirotermes (*Procubitermes*) *mtwalumi* Fuller 1925a, pp. 187-189, winged, sold., Nat
Mtwalumi Riv.

Winged, sold.

So. Africa.

Ethiopi

Procubitermes natalensis (Holmgren).

Mirotermes (*Cubitermes*) *natalensis* Holmgren 1913d, pp. 355-357, im., work., forma
scurus, im., work., forma *brevior*, im., work. Nat
Amanzimtoti.

Procubitermes natalensis Fuller 1925a, p. 211, syn., forms distinct.

Cubitermes natalensis Sjöstedt 1926, p. 254, syn., loc., in doubt as to group relationship.

Winged, work.

So. Africa.

Ethiopi

Procubitermes natalensis, form *brevior* (Holmgren).

Mirotermes (*Cubitermes*) *natalensis* forma *brevior* Holmgren 1913d, p. 357, im., Zulular
Mkosi.

Cubitermes natalensis forma *brevior* Sjöstedt 1926, p. 254.

Winged.

So. Africa.

Ethiopi

Procubitermes natalensis, form *obscurus* (Holmgren).

Mirotermes (*Cubitermes*) *natalensis* forma *obscurus* Holmgren 1913d, p. 356, im., Nat
Charlestown.

Cubitermes natalensis forma *obscura* Sjöstedt 1926, p. 254.

Winged.

So. Africa.

Ethiopi

Procubitermes niapuensis (Emerson).

Termites (*Cubitermes*) *niapuensis* Emerson 1928, p. 529, fig. 67 (winged, sold.), pl. 32, fig. 2 (nest), winged, sold., work., Belg. Congo: Niapu.

Holotype: sold.; morphotype: queen, A.M.N.H. (remarkable chevron-shaped rain-shedding galleries).

Winged, sold., work.
Congo.

Ethiopian.

Procubitermes sjöstedti (von Rosen).

Termites (*Cubitermes*) *Sjöstedti* von Rosen 1912, p. 230, fig. 8 (sold.), Liberia.

Procubitermes Sjöstedti Silvestri 1914-15, p. 107, queen, sold., work., pl. 62, 1-7 (queen, sold.), Fr. Guinea: Kakoulima, Kindia; Senegambia: Hann (Dakar); Sjöstedt 1926, pp. 259-260, syn., loc. Type: Zoolog. Staatssammlung, Munich.

Queen, sold., work.
Liberia, Fr. Guinea, Senegal.

Ethiopian.

Procubitermes ueleensis Sjöstedt.

Procubitermes ueleensis Sjöstedt 1924c, p. 493, sold., Belg. Congo, Uélé: Moto; 1926, pp. 258-259, pl. 10, fig. E (sold.), im., sold., work., Congo: Haut Uélé, Moto.

Types: Mus. Tervueren and Stockholm.

Winged, sold., work.
Congo.

Ethiopian.

Procubitermes undulans Schmitz.

Procubitermes undulans Schmitz 1917, p. 230, fig. 3 (sold.), Congo: Stanleyville; Sjöstedt 1926, p. 259, queen, sold., work., syn., loc.

Termites (*Procubitermes*) *undulans* Emerson 1928, p. 531, fig. 68 (winged, sold.), Congo: Ngayu (near Stanleyville).

Winged, queen, sold., work.
Congo.

Ethiopian.

Procubitermes wasmanni (Emerson).

Termites (*Procubitermes*) *wasmanni* Emerson 1928, p. 533, fig. 69 (winged, sold.), Cameroon: Bipindi.

Winged, sold.
Cameroon.

Ethiopian.

NODITERMES

Genus *Noditermes* Sjöstedt.

Generitype: *Noditermes lamanianus* (Sjöstedt).

= Genus *Noditermes* Sjöstedt 1924b, p. 257; 1926, p. 260.

< Subgenus *Procubitermes* Emerson 1928, p. 529.

Noditermes aburiensis (Sjöstedt).

Procubitermes aburiensis Sjöstedt 1926a, p. 2, sold., Gold Coast: Aburi; 1926c, p. 243, sold., Aburi.

Procubitermes curvatus var. *sinuosa* Silvestri 1914-15, p. 111, fig. 64 (im., sold., work.,
from Aburi only.

Noditermes sinuosus Sjöstedt 1926, p. 263, var. from Gold Coast: Aburi only.
Queen, sold., work.
Gold Coast.

Ethiopia

Noditermes cristifrons (Wasmann).

Cubitermes cristifrons Wasmann 1911a, pp. 151, 153-154, sold., work., queen, king, Congo
Sankuru.

Mirotermes (*Cubitermes*) *cristifrons* Holmgren 1912, p. 108.

Noditermes cristifrons Sjöstedt 1926, p. 262, wing., queen, king, sold., work., syn., loc.
Winged, queen, king, sold., work.
Congo.

Ethiopia

Noditermes curvatus (Silvestri).

Procubitermes curvatus Silvestri 1914-15, p. 109, fig. 63, 1-11 (im., sold., work.), F
Guinea: Camayenne.

Noditermes curvatus Sjöstedt 1926, p. 263, queen, king, sold., work., syn., loc.
Queen, king, sold., work.
French Guinea.

Ethiopia

Noditermes indoensis Sjöstedt.

Noditermes indoensis Sjöstedt 1926, pp. 262-263, pl. 10, fig. N (sold.), French Congo: In
Sold.

French Equatorial Africa.

Ethiopia

Noditermes lamanianus (Sjöstedt).

Eutermes lamanianus Sjöstedt 1905, p. 15, sold., work., Belg. Congo: Mukimbungu; 19
p. 151, im., queen.

Mirotermes (*Cubitermes*) *lamanianus* Holmgren 1912, p. 108.

Noditermes lamanianus Sjöstedt 1926, p. 261, pl. 10, figs. D 1-2 (sold.), syn., loc.
Winged, queen, sold., work.
Congo.

Ethiopia

Noditermes sinuosus (Silvestri).

Procubitermes curvatus var. *sinuosa* Silvestri 1914-15, pp. 111-112, pl. 64, 1-8 (im., sold,
im., sold., work., Fr. Guinea: Kakoulima, Mame

Noditermes sinuosus Sjöstedt 1926, p. 263, queen, sold., work., syn., loc.
Queen, sold., work.
French Guinea.

Ethiopia

UNGUITERMES

(Nail)

Genus *Unguitermes* Sjöstedt.

Generitype: *Unguitermes bidentatus* (Silvestri).

= Genus *Unguitermes* Sjöstedt 1924b, p. 257; 1926, p. 264.

< Subgenus *Procubitermes* Emerson 1928, p. 529.

Termitomyces acutifrons (Silvestri).

Termitomyces acutifrons Silvestri 1914-15, pp. 115-116, fig. 68, 1-6 (sold., work.), French Guinea: Camayenne (Conakry).

Termitomyces acutifrons Sjöstedt 1926, p. 264-265, fig. 54 (sold.), pl. 10, fig. L (sold. left mandible), syn., loc.

Sold., work.

French Guinea.

Ethiopian.

Termitomyces bidentatus (Silvestri).

Termitomyces bidentatus Silvestri 1914-15, p. 114, fig. 67, 1-8 (sold., work.), Cameroon: Victoria.

Termitomyces bidentatus Sjöstedt 1926, p. 264, syn., loc.

Sold., work.

Cameroon.

Ethiopian.

FASTIGITERMES

Genus *Fastigitermes* Sjöstedt.

Generitype: *Fastigitermes jucundus* (Sjöstedt).

Subgenus *Cubitermes* Holmgren 1912, pp. 107-108.

Genus *Fastigitermes* Sjöstedt 1924b, p. 257; 1926, p. 269.

Subgenus *Fastigitermes* (*Mirotermes*) Emerson 1928, pp. 408, 419, 529.

Fastigitermes jucundus (Sjöstedt).

Termitomyces jucundus Sjöstedt 1907, p. 242, sold., work., Congo: Mukimbungu.

Mirotermes (*Cubitermes*) *jucundus* Holmgren 1912, p. 108.

Fastigitermes jucundus Sjöstedt 1926, p. 269, fig. 56, pl. 11, figs. A, 1-6 (sold.), syn., loc.

Winged, sold., work.

Congo.

Ethiopian.

PROBOSCITERMES

Genus *Proboscitermes* Sjöstedt.

Generitype: *Proboscitermes tubuliferus* (Sjöstedt).

Subgenus *Basidentitermes* Holmgren 1912, pp. 107-108; Silvestri 1914, p. 117.

Genus *Proboscitermes* Sjöstedt 1924b, p. 257; 1926, p. 270.

Subgenus *Proboscitermes* Emerson 1928, pp. 408, 419.

Proboscitermes tubuliferus (Sjöstedt).

Termitomyces tubuliferus Sjöstedt 1907, p. 241, sold., work., Congo: Mukimbungu.

Mirotermes (*Basidentitermes*) *tubuliferus* Holmgren 1912, p. 108, fig. 78 (sold. mandibles), pl. 4, fig. 10 (sold.).

Basidentitermes tubuliferus Silvestri 1914-15, p. 123, loc., Cameroon: Victoria.

Proboscitermes tubuliferus Sjöstedt 1926, p. 270, fig. 57, sold., pl. 11, figs. B 1-3 (sold.), syn., loc.

Sold., work.

Congo, Cameroon.

Ethiopian.

BASIDENTITERMES

(Base
tooth)

Genus *Basidentitermes* Holmgren.

Generitype: *Basidentitermes aurivillii* (Sjöstedt).

Subgenus *Basidentitermes* (*Mirotermes*) Holmgren 1912, pp. 107, 108.

Genus *Basidentitermes* Silvestri 1914-15, p. 117.

Genus *Basidentitermes* Sjöstedt 1926, p. 271.

Basidentitermes amicus Harris.

Basidentitermes amicus Harris 1936, pp. 367-368, fig. 3 (sold.), Tanganyika: Songea.
Type: Brit. Mus.

Sold.

Tanganyika.

Ethiopia

Basidentitermes aurivillii (Sjöstedt).

Eutermes Aurivillii Sjöstedt 1897, p. 125, winged, Mungo River, Cameroon.

Mirotermes (*Basidentitermes*) *aurivillii* Holmgren 1912, p. 108, pl. 4, fig. 11 (sold.).

Basidentitermes aurivillii Sjöstedt 1926, pp. 271-272, fig. 58 (sold.), winged, sold., work.
syn., loc.

Type: Mus. Greifswald and Stockholm.

Winged, sold., work.

Cameroon, Uganda, Congo, S.

Nigeria, Gold Coast, Anglo-

Egyptian Sudan.

Ethiopia

Basidentitermes diversifrons Silvestri.

Basidentitermes diversifrons Silvestri 1914-15, p. 122, fig. 72 (sold.²), sold.¹⁻², work.
Cameroon: Victoria.

Mirotermes (*Basidentitermes*) *diversifrons* Hekh 1922, pp. 499, 700.

Basidentitermes diversifrons Sjöstedt 1926, p. 273, syn., loc.

Sold.¹⁻², work.

Cameroon.

Ethiopia

Basidentitermes mactus (Sjöstedt).

Eutermes mactus Sjöstedt 1911d, p. 11, sold.¹, Guinea: Cameroon.

Type: Mus. Stockholm.

Mirotermes ? (*Eutermes*) *mactris* Hekh 1922, p. 699, loc. Gabon?

Basidentitermes bivalens Silvestri 1914-15, p. 119, fig. 70, 1-7 (sold.¹⁻³), sold.¹⁻³, work.

Basidentitermes mactus Sjöstedt 1926, p. 272, syn., loc.

Sold.¹⁻³, work.

Guinea, Cameroon: Victoria,

Gabon ?

Ethiopia

Basidentitermes mactus, var. *supera* Silvestri.

Basidentitermes bivalens var. *supera* Silvestri 1914-15, p. 121, fig. 71, 1-3 (sold.¹⁻²), sold.¹⁻², work.
Nigeria: Olokemeji.

Basidentitermes mactus var. *supera* Sjöstedt 1926, p. 272, syn., loc.

Sold.¹⁻²

Nigeria.

Ethiopia

Basidentitermes malelaensis (Emerson).

Mirotermes (*Basidentitermes*) *malelaensis* Emerson 1928, p. 535, fig. 70 (sold.), sold., work.
Belg. Congo: Malela.

Holotype: sold., A.M.N.H.

Sold., work.

Congo.

Ethiopia

Basidentitermes potens Silvestri.

Basidentitermes potens Silvestri 1914-15, p. 117, fig. 69, 1-10 (im., sold.¹⁻²), im., sold.¹⁻², work., Fr. Guinea: Mamou, Conakry, Camayenne.

Mirotermes (*Basidentitermes*) *potens* Hegh 1922, p. 499, etc.; Sjöstedt 1926, pp. 272-273, syn., loc.

(Queen, king, sold.¹⁻², work.

Fr. Guinea.

Ethiopian.

ORTHOTERMES

(Straight)

Genus *Orthotermes* Silvestri.

Generitype: *Orthotermes depressifrons* Silvestri.

Subgenus *Basidentitermes* Holmgren 1912, pp. 107-108.

Genus *Orthotermes* Silvestri 1914-15, p. 123; 1914a, p. 595.

Genus *Orthotermes* Sjöstedt 1926, p. 273.

Subgenus *Orthotermes* Emerson 1928, pp. 408, 419.

Orthotermes depressifrons Silvestri.

Orthotermes depressifrons Silvestri 1914-15, p. 124, fig. 73, 1-10 (sold., work.), Gold Coast: Aburi; Sjöstedt 1926, p. 273, fig. 59 (sold.), syn., loc.

(Sold., work.

Gold Coast.

Ethiopian.

Orthotermes mansuetus (Sjöstedt).

Orthotermes mansuetus Sjöstedt 1911, pp. 154-157, fig. (head sold.), im., sold., work., Congo: Mukimbungu.

Mirotermes (*Basidentitermes*) *mansuetus* Holmgren 1912, p. 108.

Orthotermes mansuetus Sjöstedt 1926, pp. 273-274, pl. 11, figs. C 1-2 (sold.), syn., loc.

(Winged, sold., work.

Congo.

Ethiopian.

CERATOTERMES

(Horn)

Genus *Ceratotermes* Silvestri.

Generitype: *Ceratotermes valens* Silvestri.

Subgenus *Labiatermes* (*Cornitermes*) Holmgren 1912, p. 50.

Genus *Ceratotermes* Silvestri 1914-15, p. 125; 1914a, p. 597.

Subgenus *Ceratotermes* Emerson 1925, p. 432.

Subgenus *Labiatermes* Sjöstedt 1926, p. 150.

Subgenus *Ceratotermes* (*Mirotermes*) Emerson 1928, p. 502.

Ceratotermes corniferus (Sjöstedt).

Ceratotermes corniferus Sjöstedt 1905, p. 12, sold., work., Congo: Mukimbungu.

Cornitermes (*Labiatermes*) *corniferus* Holmgren 1912, p. 50.

Labiatermes corniferus Sjöstedt 1926, pp. 150-151, fig. 30 (sold.), pl. 6, figs. H 1-2, K 3, syn., loc.

(Sold., work.

Congo.

Ethiopian.

Ceratotermes rhinoceros (Sjöstedt).

Ceratotermes rhinoceros Sjöstedt 1905, p. 11, sold., Congo: Mukimbungu.

Cornitermes (*Labiatermes*) *rhinoceros* Holmgren 1912, p. 50.

Labiatermes rhinoceros Sjöstedt 1926, p. 150, pl. 6, figs. K 1-2 (sold.), syn., loc.

(Sold.

Congo, Uganda.

Ethiopian.

Ceratotermes valens Silvestri.

Ceratotermes valens Silvestri 1914-15, p. 126, sold., work., pl. 74, 1-8 (sold., work.), Fr. Guinea: Mamou.

Labiotermes valens Sjöstedt 1926, p. 151, syn., loc.

Sold., work.

Fr. Guinea.

Ethiopian

TUBERCULITERMES

Genus *Tuberculitermes* Holmgren.

Generitype: *Tuberculitermes bycanistes* (Sjöstedt).

=Subgenus *Tuberculitermes* (*Mirotermes*) Holmgren 1912, pp. 107-109.

=Genus *Tuberculitermes* Sjöstedt 1926, p. 274.

Tuberculitermes bycanistes (Sjöstedt).

Eutermes bycanistes Sjöstedt 1905, p. 14, sold., Cameroon: Mungo Riv.

Mirotermes (*Tuberculitermes*) *bycanistes* Holmgren 1912, p. 109.

Tuberculitermes bycanistes Sjöstedt 1926, pp. 274-275, fig. 60 (sold.), pl. 11, figs. D 1-2 (sold.), syn., loc.

Winged, sold., work.

Cameroon, Congo, Senegal.

Ethiopian

Tuberculitermes bycanistes, var. *guineensis* Silvestri.

Tuberculitermes bycanistes var. *guineensis* Silvestri 1914-15, p. 129, fig. 77, 1-11, queen king, sold., work., Fr. Guinea: Kindia, Mamou Sjöstedt 1926, pp. 274-275, syn., loc.

Queen, king, sold., work.

Fr. Guinea.

Ethiopian

ANGULITERMES

Genus *Angulitermes* Sjöstedt.

Generitype: *Angulitermes frontalis* (Silvestri).

<Subgenus *Mirotermes* Holmgren 1912, pp. 107-108.

=Genus *Angulitermes* Sjöstedt 1924b, p. 257; 1926, p. 280.

=Subgenus *Angulitermes* Emerson 1928, p. 408.

Angulitermes braunsi (Wasmann).

Mirotermes braunsi Wasmann 1908a, p. 443, sold., work., nymphs. Cape Colony: Port Elizabeth and Willowmore.

Mirotermes (*Mirotermes*) *braunsi* Holmgren 1912, p. 109.

Mirotermes Braunsi Sjöstedt 1926, pp. 276-277, sold., nymph, work., syn., loc.

Mirotermes (*Mirotermes*) *braunsi* Fuller 1925a, p. 180, loc.

Mirotermes (*Angulitermes*) *braunsi* Emerson 1928, p. 537.

Sold., nymph, work.

So. Africa.

Ethiopian

Angulitermes elsenburgi (Fuller).

Mirotermes (*Mirotermes*) *elsenburgi* Fuller 1925a, pp. 181-182, sold., Cape Province
Elsenburg.

Mirotermes (*Angulitermes*) *elsenburgi* Emerson 1928, p. 537.

Sold.

So. Africa.

Ethiopian

Angulitermes frontalis (Silvestri).

Termitodes frontalis Silvestri 1908, p. 78, pl. 9, figs. 43-45 (sold.), S. W. Africa: Kalahari, Kooa pan in desert.

Termitodes (*Mirotermes*) *frontalis* Holmgren 1912, p. 108.

Termitodes (*Mirotermes*) *frontalis* Fuller 1925a, p. 181, loc., Wolftoon, Bushmanland.

Angulitermes frontalis Sjöstedt 1926, p. 281, fig. 63 (sold.), pl. 11, figs. E 1-2 (sold.), syn., loc.

Termitodes (*Angulitermes*) *frontalis* Emerson 1928, p. 537.

d.

Africa.

Ethiopian.

Angulitermes truncatus Sjöstedt.

Angulitermes truncatus Sjöstedt 1926c, pp. 244-246, fig. 2 (sold.), sold., queen, work., Gold Coast: Accra.

Types: Imper. Bur. Ent., London, Mus. Stockholm.

queen, sold., work.

Gold Coast.

Ethiopian.

SPINITERMES

Genus *Spinitermes* Wasmann.

Generitype: *Spinitermes trispinosus* (Bates).

Genus *Spinitermes* Silvestri 1901, p. 6; 1903, p. 71.

Genus *Spinitermes* Holmgren 1906, p. 564.

Subgenus *Termes* (*Eutermes*) Hagen 1858, p. 186.

Subgenus *Spinitermes* (*Termes*) Wasmann 1897, p. 152, designates type.

Subgenus *Spinitermes* Holmgren 1910, p. 286 (no description).

Subgenus *Spinitermes* (*Mirotermes*) Holmgren 1912, pp. 107-109.

Subgenus *Spinitermes* (*Mirotermes*) Emerson 1925, p. 444.

Spinitermes brevicornutus (Desneux).

Termitodes (*Eutermes*) *brevicornutus* Desneux 1904e, p. 41, syn.

Spinitermes brevicornis Silvestri 1901, p. 6, im., Brazil: Coxipò (Cuyabà); 1903, p. 72, pl. 3, fig. 127 (im.), 128 (sold.), 129 (substitute queen).

Type: Silvestri coll.

Spinitermes brevicornis Holmgren 1909, p. 84 (anatomy).

Termitodes (*Spinitermes*) *brevicornutus* Holmgren 1912, p. 106, fig. 76 (im. mand.), p. 111, fig. 79 (sold. mand.), loc.; Snyder 1926d, pp. 61-62, fig. 2b (sold.), Bolivia.

Spinitermes trispinosus Silvestri 1901, p. 6, Brazil: Cuyabà; 1903, p. 71, sold., work., p. 129 biol., pl. 3, fig. 126 (sold.), Brazil: Cuyabà only.

kinged, substitute queen, sold.,

work.

Brazil, Paraguay, Bolivia.

Neotropical.

Spinitermes nigrostomus Holmgren.

Spinitermes nigrostomus Holmgren 1906, p. 564, sold., work., fig. V (sold.), Bolivia: Mojos (Prov. Caupolicán).

Mirotermes (*Spinitermes*) *nigrostomus* Holmgren 1912, p. 109, pl. 4, fig. 7 (sold.).

Spinitermes gracilis Holmgren 1906, p. 565, sold., worker, neoteinic queen, fig. W (sold.), Peru: Chaquimayo (Prov. Carabaya).

Mirotermes (Spinitermes) gracilis Holmgren 1912, p. 109.

Mirotermes (Spinitermes) trispinosus Emerson 1925, pp. 444-445, fig. 89 (sold)
Brazil: Santarem; Snyder 1926d, pp. 61-62, fig.
(sold.), Bolivia: Cachueta Esperanza.

Neoteinic queen, sold., work.

Bolivia, Peru, Brazil.

Neotropic

Spinitermes robustus (Snyder).

Mirotermes (Spinitermes) robustus Snyder 1926d, p. 62, fig. 2a (sold.), Bolivia: Ixiam
Type: sold., U.S.N.M. No. 27678.

Sold.

Bolivia.

Neotropic

Spinitermes trispinosus (Bates).

Termes trispinosus Bates in Hagen 1858, p. 211, Brazil: Santarem (on Amazon).

Paratype: sold., Hagen coll., M.C.Z. No. 424.

Termes trispinosus Hagen 1858, p. 210, sold., pl. 1, fig. 11 (sold.), sold., work.

Termes (Spinitermes) trispinosus Wasmann 1897, p. 152.

Termes (Eutermes) trispinosus Desneux 1904e, p. 46, syn.

Mirotermes (Spinitermes) trispinosus Holmgren 1912, p. 109, loc.

Sold., work.

Brazil: Santarem on Amazon.

Neotropic

ORTHOGNATHOTERMES

Genus *Orthognathotermes* Holmgren.

Generitype: *Orthognathotermes macrocephalus* (Holmgren).

=Genus *Orthognathotermes* Holmgren 1910, p. 286 (no description).

=Genus *Orthognathotermes* Holmgren 1912, pp. 118, 97.

<Genus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.

Orthognathotermes aduncus Emerson, n. sp.

Orthognathotermes macrocephalus Emerson 1925, pp. 451-453, fig. 93 (im., sold.), Boliv

Mojos; Snyder 1926d, p. 71, sold., Bolivia: Rosa

Type: A.M.N.H.

Winged, sold.

Bolivia.

Neotropic

Orthognathotermes brevipilosus Snyder.

Orthognathotermes brevipilosus Snyder 1926d, p. 70, sold., Bolivia: Rosario.

Type: sold., U.S.N.M. No. 27674.

Sold.

Bolivia.

Neotropic

Orthognathotermes macrocephalus (Holmgren).

Mirotermes macrocephalus Holmgren 1906, p. 562, sold., work., fig. T (sold.), fig.
(work.), Bolivia: Mojos (Prov. Caupolican).

Orthognathotermes macrocephalus Holmgren 1912, pp. 119, 118, fig. 84 (nymph man)
fig. 85 (sold.).

Nymph, sold., work.

Bolivia.

Neotropic

Orthognathotermes orthognathus (Silvestri).

Capritermes orthognathus Silvestri 1903, p. 65, nymph, sold., work., pl. 3, fig. 114 (sold.),
p. 128, biol., Paraguay: Tacurù Pucù; Brazil: Coxipò
(Cuyabà), São Leopoldo (Rio Grande do Sul).

Capritermes paradoxus Silvestri 1901, p. 5.

Termites (*Eutermes*) *orthognathus* Desneux 1904e, p. 44, syn.

Orthognathotermes orthognathus Holmgren 1912, p. 119, syn.

d., work., nymph.

Paraguay, Brazil.

Neotropical.

Orthognathotermes wheeleri Snyder.

Orthognathotermes wheeleri Snyder 1923b, pp. 129-130, pl. 1, fig. 1 (sold.), sold., Panama:
C. Z., Barro Colorado Isl.

Type: sold., U.S.N.M. No. 26258.

d.

Panama.

Neotropical.

DENTISPICOTERMES

Genus *Dentispicotermes* Emerson, n. gen.

Generitype: *Dentispicotermes globicephalus* (Silvestri).

Genus *Capritermes* Silvestri 1901, p. 4.

Genus *Mirotermes* Silvestri 1903, p. 66.

Subgenus *Termes* (*Eutermes*) Desneux 1904e, pp. 32, 39.

Dentispicotermes globicephalus (Silvestri).

Capritermes globicephalus Silvestri 1901, p. 6, sold., Brazil.

Capritermes globicephalus Silvestri 1903, p. 70, sold., work., p. 129, biol., pl. 3, fig. 125
(sold.), Brazil: Coxipò (Cuyabà).

Termes (*Eutermes*) *globicephalus* Desneux 1904e, p. 42, syn.

Mirotermes globicephalus Holmgren 1912, p. 109, remarks.

Orthognathotermes globicephalus Holmgren 1912, p. 119, Matto Grosso.

d., work.

Brazil.

Neotropical.

CREPITITERMES

Genus *Crepititermes* Emerson.

Generitype: *Crepititermes verruculosus* (Emerson).

Subgenus *Crepititermes* (*Mirotermes*) Emerson 1925, p. 433.

Crepititermes verruculosus (Emerson).

Mirotermes (*Crepititermes*) *verruculosus* Emerson 1925, pp. 433-435, fig. 84 (im., sold.),
Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.
coll.

queen, sold.

Brit. Guiana.

Neotropical.

TERMES

Genus *Termes* Linné.

Generitype: *Termes fatalis* Linné.

<Genus *Termes* Linné 1758, p. 609.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

<Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 16, 26.

>Subgenus *Mirotermes* Wasmann 1897, p. 152.

Genus *Eutermes* (part) Sjöstedt 1900, p. 278.

<Genus *Mirotermes* Silvestri 1903, p. 66 (does not include *Spinitermes*).

<Genus *Termes* Desneux 1904e, pp. 26, 28, 29.

=Genus *Mirotermes* Holmgren 1910, p. 286 (no description).

=Genus *Mirotermes* Wasmann 1911a, p. 150.

<Genus *Mirotermes* Holmgren 1912, pp. 97, 105.

<Subgenus *Mirotermes* Holmgren 1912, pp. 107-108.

=Genus *Mirotermes* Banks 1919, p. 479.

=Subgenus *Mirotermes* Emerson 1925, p. 435.

=Genus *Mirotermes* Sjöstedt 1926, pp. 275, 268.

=Genus *Termes* Kemner 1934a, pp. 15-53, syn. *Termes* replaces *Mirotermes*.

=Subgenus *Mirotermes* Hill 1942, pp. 9, 13, 379.

Termes amaralii (De Seabra).

Mirotermes amaralii De Seabra 1922a, pp. 50-53, figs. 33-40 (sold., work.), queen, sold.
work., S. Thóme.

Queen, sold., work.

S. Thóme Isl.

Ethiopia

Termes baculi (Sjöstedt).

Eutermes baculi Sjöstedt 1900, p. 278, sold., work., Cameroon: Ekundu; 1900a, p. 19
sold., work., pl. 5, figs. H 1-2 (sold.).

Termes (*Eutermes*) *baculi* Desneux 1904e, p. 40, syn., Cameroon, Sudan.

Mirotermes (*Mirotermes*) *baculi* Holmgren 1912, p. 109.

Mirotermes baculi Sjöstedt 1926, p. 276, syn., loc.

Sold., work.

Cameroon, Sudan, Congo.

Ethiopia,

Termes baculiformis (Holmgren).

Mirotermes baculiformis Holmgren 1909a, p. 12, im., sold., work., biol., fig. 3 (nest), pl.
fig. 2 (general locality), Madagascar: Ste. Marie
Marovoay, Majunga.

Mirotermes (*Mirotermes*) *baculiformis* Hegg 1922, p. 96, etc.

Mirotermes baculiformis Sjöstedt 1926, p. 277, syn., loc.

Winged, sold., work.

Madagascar.

Malagas

Termes bolivianus (Snyder).

Mirotermes (*Mirotermes*) *bolivianus* Snyder 1926d, p. 60, sold., Bolivia: Ivon.

Type: sold., U.S.N.M. No. 27677.

Sold.

Bolivia.

Neotropic

termes brevicornis Haviland.

termes brevicornis Haviland 1898, p. 418, im., sold., work., Borneo: Sarawak.

Type: No. 458.

termes (Mirotermes) brevicornis Holmgren 1913b, p. 238, im., sold., work., pl. 6, figs. 10, 16 (sold.).

inged, sold., work.

neo.

Indo-Malayan.

termes broomensis (Mjöberg).

termes broomensis Mjöberg 1920, p. 99, sold., work., pl. 2, fig. 3, text fig. 50 (sold.), N. W. Australia: Broome.

termes (Mirotermes) broomensis Hill 1942, p. 379, fig. 290 (sold.).

Cotypes: ?Nat. Hist. Mus., Stockholm, and Hill coll.

l., work.

Australia.

Australian.

termes cheeli (Mjöberg).

termes Cheeli Mjöberg 1920, pp. 91, 95, sold., pl. 2, fig. 4, text figs. 46-47 (sold.), No. Queensland: (Cape York Penins.), Laura, Hann Creek.

termes (Mirotermes) cheeli Hill 1942, pp. 381-382, figs. 291-292 (im., sold.), pl. 20, fig. 2 (nest), winged, sold., syn., loc.

Cotypes: ?Nat. Hist. Mus., Stockholm, Hill coll.

termes Alleni Mjöberg 1920, pp. 91, 98, figs. 48-49 (sold.), sold., work., N. Queensland: Cooktown.

termes banksiensis Hill 1927a, pp. 109-110, pl. 4, figs. 139-143, pl. 6, fig. 212, pl. 9, fig. 213, im., sold., work., Islands of Torres Strait.

inged, sold., work.

Queensland, Isls. Torres Strait.

Australian.

termes comis Haviland.

termes comis Haviland 1898, p. 417, im., sold., work., pl. 25, figs. 61-64 (winged, sold.), Borneo: Sarawak; Malay Penins.: Singapore.

Type: No. 305.

termes (Eutermes) comis Desneux 1904e, p. 41, syn.

termes (Mirotermes) comis Holmgren 1912, p. 111, fig. 80 (sold. mand.), pl. 4, figs. 9, 12 (sold.), "Hinterindien"; 1913b, p. 235, pl. 6, figs. 12, 14 (sold.).

termes comis John 1925, p. 409, loc.

inged, sold., work.

neo, Malay Peninsula.

Indo-Malayan.

termes dehraensis (Gardner).

termes dehraensis Gardner 1944, pp. 108-110, winged, sold., figs. 5-6, Dehra Dun, U. P., India.

inged, sold.

ia.

Indo-Malayan.

Termes fatalis Linné.

Termes fatale Linné 1758, p. 609, sold., Surinam: Paramaribo, type lost; 1758a, fig. sold. 1760, fig. sold.; Fabricius 1775, p. 390.

Termes destructor De Geer 1778, p. 50, pl. 37, figs. 1 (?work.), 2, 7, 8 (sold.), Surinam.

Termes fatale Fabricius 1781, p. 395; 1793, p. 87; Gmelin 1788, p. 2911; Linné (Turto 1802, p. 692; Banks (and Snyder) 1920, p. 8 (discussion); Fuller 1924a, p. 356 (discussion).

Termes fatalis Emerson 1925, p. 298 (discussion).

Termes fatale Kemner 1934, p. 84, syn.; 1934a, pp. 19-53, discussion, syn., sold., figs. (sold.) after Linné and De Geer, Surinam: Paramaribo.

Mirotermes (Mirotermes) acutinasus Emerson 1925, p. 310, sold., pp. 439-440, fig. (im., sold.), Brit. Guiana: Kartabo.

Sold.

Dutch and Brit. Guiana.

Neotropic

Termes fletcheri (Holmgren, K. and N.).

Mirotermes fletcheri Holmgren, K. and N. 1917, p. 168, sold., work., Bellary Dist., Hosur Taluq; Hampi Ruins; Hadagalli; India.

Sold., work.

India.

Indo-Malay

Termes froggatti (Hill).

Capritermes froggatti Hill 1915, p. 98, queen, sold., work., No. Terr.

Mirotermes froggatti Hill 1927a, p. 99, pl. 4, fig. 121 (sold.), No. Terr., Darwin.

Mirotermes (Mirotermes) froggatti Hill 1942, pp. 383-384, fig. 293 (sold.), syn., loc. Holotype: queen; morphotype: sold., work., Nat. Mus. Melbourne.

Queen, sold., work.

No. Terr.

Australian

Termes fur (Silvestri).

Capritermes fur Silvestri 1901, p. 5, im., Brazil: Coxipò (Cuyabà).

Mirotermes fur Silvestri 1903, pp. 68-69, im., sold., work., fig. 17 (wings), pl. 3, figs. 1-120 (im.), figs. 121-123 (sold.).

Termes (Eutermes) fur Desneux 1904e, p. 42, syn.

Mirotermes fur John 1920, p. 234, Brazil: Matto Grosso.

Winged, sold., work.

Brazil.

Neotropic

Termes harrisi (Mjöberg).

Mirotermes harrisi Mjöberg 1920, pp. 91-92, im., sold., work., pl. 2, fig. 9, text fig. 45 (im., pl. 2, fig. 2, text fig. 45c (sold.)), No. Queensland: Cedar Creek.

Mirotermes (Mirotermes) harrisi Hill 1942, pp. 384-386, figs. 294-296 (im., sold.), syn., loc. Cotypes: ?Nat. Hist. Mus., Stockholm; cotype: sold., Hill coll.

Mirotermes alicensis Mjöberg 1920, p. 91, sold., No. Queensland: Alice Riv.

Hamitermes alicensis (misspelling) Mjöberg 1920, p. 100, figs. 51-52 (sold.), No. Queensland: York Penins.: Coleman Riv.

Winged, sold., work.

No. Queensland.

Australian

Termes heteraspis (Silvestri).

Termes (s. lat.) *heteraspis* Silvestri 1906, p. 343, figs. 1-4, female im., Eritrea: Adi Ugri.
Mirotermes heteraspis Hegh 1922, pp. 501, 700; Sjöstedt 1926, p. 278.

Winged, work.

Eritrea.

Ethiopian.

Termes hispaniolae (Banks).

Mirotermes hispaniolae Banks 1918, p. 662, im., Panama; 1919, pp. 481-482, pl. 1, figs. 2-3 (sold.), Haiti: Diquini, M.C.Z.; Cuba: 9 km. s. of Pinar del Rio.

Termes hispaniolae Barreto 1923, p. 109, sold., Isle of Pines, loc.

Mirotermes (*Mirotermes*) *hispaniolae* Emerson 1925, pp. 437-439, fig. 85d (sold.), syn., loc. Panama; Brit. Guiana: Kartabo, Georgetown; Trinidad: Port of Spain.

Type: sold., M.C.Z. No. 10,077; paratype: A.M.N.H.

Mirotermes (*Mirotermes*) *panamaensis* Light 1933, p. 141, sold., biol., Mexico.

Termes praelongus Dudley and Beaumont 1890, pp. 160, 168-169, 171-172, 177, biol., Panama.

Termes hispaniolae Adamson 1938, p. 8, Trinidad; 1940, pp. 14-15, biol., Trinidad.

Winged, sold., work.

Panama, Haiti, Cuba, Isle of

Pines, Trinidad, Brit. Guiana.

Neotropical.

Termes hospes (Sjöstedt).

Termes hospes Sjöstedt 1900, p. 278, sold., work., Cameroon: Bonge.

Mirotermes (*Mirotermes*) *hospes* Holmgren 1912, p. 109.

Mirotermes obtectus Silvestri 1914-15, p. 127, fig. 75, 1-7 (sold., work.), Fr. Guinea, Gold Coast; Hegh 1922, p. 499, etc.

Mirotermes hospes Sjöstedt 1926, pp. 277-278, fig. 61 (sold.), im., sold., work., syn., loc.

Winged, sold., work.

Cameroon, Congo, Gold Coast,

Fr. Guinea.

Ethiopian.

Termes infrequens (Hill).

Mirotermes infrequens Hill 1927a, pp. 103-105, im., queen, sold., work., pl. 4, figs. 128-131, pl. 6, fig. 208, pl. 9, fig. 209, S. W. Australia: Wongong.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Mirotermes (*Mirotermes*) *infrequens* Hill 1942, pp. 387-388, fig. 297 (sold.), syn., loc.

Winged, queen, sold., work.

Western Australia.

Australian.

Termes inquilinus (Emerson).

Mirotermes (*Mirotermes*) *inquilinus* Emerson 1925, pp. 440-442, fig. 87 (im., sold.), Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Termes insignitus (Hill).

Mirotermes (*Mirotermes*) *insignitus* Hill 1942, pp. 409-410, figs. 316-317 (im.), No. Ter.
Wauchope Well.

Holotype: winged, C.S.I.R. coll.

Winged.

No. Terr.

Australi

Termes insitivus (Hill).

Mirotermes *insitivus* Hill 1929, pp. 94-96, figs. 9-11, winged, No. Queensland: Townesvi.
Mirotermes (*Mirotermes*) *insitivus* Hill 1942, pp. 388-390, fig. 298 (winged), syn., loc.

Type: winged, Nat. Mus., Melbourne.

Winged.

No. Queensland.

Australi

Termes jarmuranus (Hill).

Mirotermes *jarmuranus* Hill 1929, pp. 93-94, dealated female, W. Australia: 130 mi. s.e. of
Broome.

Mirotermes (*Mirotermes*) *jarmuranus* Hill 1942, pp. 390-391, fig. 299, im., syn., loc.

Holotype: dealated female, Nat. Mus., Melbourne.

Dealated.

W. Australia.

Australi

Termes kalgoorliensis (Hill).

Eutermes tumuli Froggatt (part) 1897, p. 747, pl. 35, fig. 9 (im.), W. Australia: Kalgoorli.

Mirotermes (*Mirotermes*) *kalgoorliensis* Hill 1942, pp. 410-411, figs. 318-319 (im.), syn.,
loc.

Holotype: winged, C.S.I.R. coll.

Winged.

W. Australia.

Australi

Termes kraepelinii (Silvestri).

Mirotermes *Kraepelinii* Silvestri 1909, p. 298, pl. 19, figs. 133-142 (sold., work.), S.
Australia: Mundaring.

Mirotermes (*Mirotermes*) *kraepelini* Hill 1942, pp. 391-393, figs. 300-302 (im., sold.), s.
loc.

Cotype: sold. and work., ?Nat. Hist. Mus., Stockholm.
morphotypes: winged, associated sold. and work., N.
Mus., Melbourne.

Mirotermes argutus Hill 1929, pp. 92-93, sold., work., fig. 1c, Victoria: Kewell.

Winged, neoteinic queens, sold.,
work.

W. Australia, S. Australia, N. S.

Wales, Victoria.

Australi

Termes langi (Emerson).

Mirotermes (*Mirotermes*) *langi* Emerson 1928, p. 537, fig. 71 (im., sold.), im., sold., wo.
Belg. Congo: region of Stanleyville.

Holotype: sold.; morphotype: im., A.M.N.H.

Winged, sold., work.

Congo.

Ethiopi

Termes laticornis Haviland.

Termes laticornis Haviland 1898, p. 418, sold., work., Borneo (Sarawak).

Type: No. 231.

Mirotermes (Mirotermes) laticornis Holmgren 1913b, p. 237, neoteinic male, female, sold., work., pl. 6, figs. 11, 15 (sold.).

Termes laticornis John 1925, p. 411, im., sold., work., Sumatra.

Winged, neoteinic reproductives,

sold., work.

Borneo, Sumatra.

Indo-Malayan.

Termes lighti Snyder and Emerson, new name.

Mirotermes (Mirotermes) ceylonicus Holmgren 1913-14, p. 276, sold., work., Ceylon: Mahalluppalama (preoccupied by *Termes ceylonicus* Wasmann 1902b, p. 112, now *Odontotermes* (O.)).

sold., work.

Ceylon.

Indo-Malayan.

Termes maideni (Mjöberg).

Mirotermes Maideni Mjöberg 1920, pp. 91, 94, sold., work., pl. 2, fig. 1 (sold.), No. Queensland: Cooktown.

Mirotermes (Mirotermes) maideni Hill 1942, pp. 393-394, fig. 303 (sold.), syn., loc.

Types: Nat. Hist. Mus., Stockholm.

sold., work.

Queensland.

Australian.

Termes marjoriae (Snyder).

Mirotermes (Mirotermes) marjoriae Snyder 1934a, pp. 18-20, fig. 10 (sold.), winged, sold., Burma: Selen.

Cotypes: winged, Brit. Mus., For. Res. Inst., Dehra Dun, U.S.N.M. No. 50174; comorphotypes: sold., as above.

Winged, sold.

Burma.

Indo-Malayan.

Termes medioculatus Emerson n. sp.

Mirotermes (Mirotermes) nigrinus Emerson 1925, p. 310, sold., pp. 435-437, fig. 85a-c (im., sold.), Brit. Guiana: Kartabo.

Type: A.M.N.H.

Winged, sold.

Brit. Guiana.

Neotropical.

Termes melvillensis (Hill).

Mirotermes melvillensis Hill 1915, p. 94, sold., work., No. Terr.: Melville Isl.

Mirotermes melvillensis Hill 1927a, pp. 97-99, im., sold., pl. 3, figs. 114-119, pl. 6, fig. 204, pl. 9, fig. 205, pl. 7, figs. 221-222.

Mirotermes (Mirotermes) melvillensis Hill 1942, pp. 395-396, figs. 304-306 (im., sold.), syn., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, queen, sold., work.

No. Terr., W. Australia.

Australian.

Termes microcerus (Silvestri).

Capritermes fur subspecies *microcerus* Silvestri 1901, p. 5, im., Brazil: Coxipò (Cuyabà).

Mirotermes fur subspecies *microcerus* Silvestri 1903, p. 70, im., sold., work., p. 129, biol. pl. 3, fig. 124 (im.).

Termes (Eutermes) fur subspecies *microcerus* Desneux 1904e, p. 42, syn.

Mirotermes (Mirotermes) microcerus Holmgren 1912, p. 109, Matto Grosso.

Winged, queen, sold., work.

Brazil.

Neotropica

Termes nigrinus (Silvestri).

Capritermes saltans subspecies *nigrinus* Silvestri 1901, p. 5, female im., Brazil: Coxipò (Cuyabà).

Mirotermes saltans subspecies *nigrinus* Silvestri 1903, p. 68, im., fig. 16 (wings), loc., p. 128 biol.

Termes (Eutermes) saltans subspecies *nigrinus* Desneux 1904e, p. 45, syn.

Mirotermes (Mirotermes) nigrinus Holmgren 1912, p. 106, fig. 75 (im. mand.); Emerso 1925, pp. 435-437, syn. only, winged, queen, king, sold work.

Winged, queen, king, sold., work.

Brazil, Paraguay.

Neotropica

Termes obtusus (Holmgren, K. and N.).

Mirotermes (Mirotermes) obtusus Holmgren, K. and N. 1917, p. 168, sold., work., India Hospet, Bellary Dist.

Sold., work.

India.

Indo-Malaya

Termes ocellaris (Mjöberg).

Eutermes ocellaris Mjöberg 1920, p. 61, im., figs. 20 A, 30-31, N. W. Australia: Osc Range, Kimberley.

Cotypes: winged, Nat. Hist. Mus., Stockholm.

Mirotermes (Mirotermes) ocellaris Hill 1942, pp. 396-398, fig. 307 (im.), syn., loc.

Winged.

W. Australia, No. Terr.: New-castle Waters.

Australia

Termes odontomachus (Desneux).

Termes (Eutermes) odontomachus Desneux 1905, p. 371, winged, sold., work., figs. 2 (sold.), New Guinea: Sattelberg (former German N. Guinea).

Mirotermes odontomachus Holmgren 1911b, p. 462, im., loc.

Mirotermes (Mirotermes) odontomachus Hill 1942, pp. 398-400, fig. 308 (sold.), syn., loc. Types: ?Hungarian Nat. Mus.

Winged, sold., work.

New Guinea: former German and Dutch.

Papua

termes orbis (Hill).

termes orbis Hill 1927a, pp. 110-112, im., sold., work., pl. 4, figs. 144-146, pl. 6, fig. 214, No. Terr.: Stapleton.

termes (*Mirotermes*) *orbis* Hill 1942, pp. 400-402, fig. 309 (im.), syn., loc.

Holotype: winged, Nat. Mus., Melbourne; morphotype: sold., work., Hill coll.

ed, sold., work.
Terr.

Australian.

termes panamaensis (Snyder).

termes panamaensis Snyder 1923b, p. 129, sold., Panama: Canal Zone, Barro Colorado Isl.

Type: sold., U.S.N.M. No. 26257.

termes (*Mirotermes*) *panamaensis* Snyder 1925, pp. 192-193, fig. 9, dealated male, also females, Canal Zone, Largo Remo Isl.

ated male (king) and
eens, sold., work.
ama, W. Mexico.

Neotropical.

termes pelatus (Hill).

termes (*Mirotermes*) *pelatus* Hill 1942, pp. 411-412, figs. 4 and 320 (im.), Queensland: Cunnamulla.

Holotype: winged, C.S.I.R. coll.

ged.
ensland.

Australian.

termes percomis (Hill).

termes (*Mirotermes*) *percomis* Hill 1942, pp. 412-413, fig. 321 (im.), Queensland: Cunnamulla.

Holotype: winged, C.S.I.R. coll.

ged.
ensland.

Australian.

termes propinquus (Holmgren).

termes (*Mirotermes*) *propinquus* Holmgren 1913-14, pp. 274-275, sold., work., Sumatra.

termes (*Mirotermes*) *propinquus* John 1925, pp. 410-411, winged, sold., work., Malay Penins.: Kajang; Sumatra.

winged, queen, sold., work.
Sumatra, Malay Penins.

Indo-Malayan.

termes quadratus (Hill).

termes quadratus Hill 1927a, p. 106, pl. 4, fig. 132 (sold.), No. Terr.: Stapleton.

termes (*Mirotermes*) *quadratus* Hill 1942, pp. 402-404, figs. 310-311 (im., sold.), syn., loc.

Holotype: sold., Nat. Mus., Melbourne; morphotypes: winged, work., C.S.I.R. coll.

Winged, sold., work.
Northern Territory.

Australian.

Termes rostratus Haviland.

Termes rostratus Haviland 1898, p. 416, winged, sold., work., Borneo (Sarawak); Malay Penins.: Singapore.

Type: No. 477.

Mirotermes (Mirotermes) rostratus Holmgren 1913b, p. 236, im., sold., work., pl. 6, fig. (sold.).

Mirotermes (Mirotermes) rostratus John 1925, pp. 409-410, winged, queen, sold., work., 10 Winged, queen, sold., work.

Borneo (Sarawak), Mount

Lambir; Malay Peninsula:

Singapore.

Indo-Malay

Termes saltans (Wasmann).

Mirotermes saltans Wasmann 1897, p. 152, sold., south Brazil, São Leopoldo, Rio Grande do Sul.

Termes uruguayensis Berg 1880, p. 16 (not described), Uruguay.

Termes riograndensis Ihering, v. 1887, p. 3 (not described).

Capritermes saltans Silvestri 1901, p. 5, Uruguay, Argentina, Paraguay.

Mirotermes saltans Silvestri 1903, pp. 66-67, im., sold., work., subst. queen, fig. 15 (winged, pl. 3, figs. 115-116 (im.), 117 (sold.), 118 (subst. queen), loc.

Termes (Eutermes) saltans Desneux 1904e, p. 45, syn., Brazil, Argentina, Paraguay.

Mirotermes (Mirotermes) saltans Holmgren 1912, p. 106, fig. 74 (im. mand.).

Type: *T. riograndensis*, im., Hagen coll., M.C.Z., Brazil.

Winged, neoteinic queen, sold., work.

Uruguay, Argentina, Paraguay,

Brazil.

Neotropic

Termes septentrionalis (Hill).

Mirotermes septentrionalis Hill 1927a, p. 102, pl. 4, figs. 125-127, sold., No. Terr.: Darwin.

Mirotermes (Mirotermes) septentrionalis Hill 1942, pp. 404-405, fig. 312 (sold.), syn., 10

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Northern Territory.

Australian

Termes splendens (Sjöstedt).

Mirotermes splendens Sjöstedt 1926a, p. 1, sold., Gold Coast: Kedje Keta.

Type: sold., Imper. Bur. Ent., Mus. Stockholm.

Sold.

Gold Coast.

Ethiopian

Termes sunteri (Hill).

Mirotermes sunteri Hill 1927a, pp. 106-109, im., sold., work., pl. 4, figs. 133-138, pl. 6, 10 210, pl. 9, fig. 211, pl. 7, figs. 223-224, No. Terr.: Darwin.

Darwin.

termes (*Mirotermes*) *sunteri* Hill 1942, pp. 405-407, figs. 313-314 (im., sold.), syn., loc.
Holotype: winged; morphotype: sold., work., Nat. Mus.,
Melbourne.

ged, queen, sold., work.
thern Territory.

Australian.

nes taylori (Hill).

ritermes taylori Hill 1915, p. 95, dealated, sold., work., No. Terr.: Koolpinyah.

termes taylori Hill 1927a, p. 99, pl. 4, fig. 120 (sold.).

termes (*Mirotermes*) *taylori* Hill 1942, pp. 407-409, fig. 315 (sold.).

Holotype: sold.; morphotype: work., Nat. Mus., Mel-
bourne.

lated male, sold., work.
thern Territory.

Australian.

nes winifredae Snyder and Emerson, new name.

termes capensis Silvestri 1914-15, p. 128, fig. 76, 1-7 (sold., work.), So. Africa:
Stellenbosch (preoccupied by *Termes*, now *Odonto-*
termes (*O.*) *capensis* De Geer 1778, p. 47, Kapland).

termes (*Mirotermes*) *capensis* Fuller 1925a, pp. 182-183, sold., Cape Province: Stellen-
bosch.

termes capensis Sjöstedt 1926, p. 277, syn., loc.

l., work.

Africa.

Ethiopian.

(Hol-
low)

CAVITERMES

genus *Cavitermes* Emerson.

Generitype: *Cavitermes tuberosus* (Emerson).

Subgenus *Cavitermes* (*Mirotermes*) Emerson 1925, p. 442.

genus *Cavitermes* Hare 1937, pp. 463, 478.

itermes tuberosus (Emerson).

termes (*Cavitermes*) *tuberosus* Emerson 1925, pp. 442-444, fig. 88 (im., sold.), Brit.
Guiana: Barakara.

Holotype: sold.; morphotype: queen, N. Y. Zool. Soc.

(queen), sold.

. Guiana, Trinidad.

Neotropical.

itermes simplicinervis (Hagen).

mes simplicinervis Hagen 1858, p. 204, im., Brazil: Santarem, on Amazon.

mes simplicinervis Silvestri 1903, p. 109 (not identifiable).

mes (*Eutermes*) *simplicinervis* Desneux 1904e, p. 45, syn.

Type: im., Hagen coll., M.C.Z., Brazil.

inged.

zil.

Neotropical.

PROTOCAPRITERMES

genus *Protocapritermes* Holmgren.

Generitype: *Protocapritermes krisiformis* (Froggatt).

Subgenus *Protocapritermes* (*Mirotermes*) Holmgren 1912, pp. 107-108.

Protocapritermes krisiformis (Froggatt).

Termes krisiformis Froggatt 1897, p. 732, sold., work., pl. 34, figs. 6, 6a, New South Wales: Sutherland near Sydney.

Termes (*Eutermes*) *krisiformis* Desneux 1904e, p. 43, syn.

Mirotermes (*Protocapritermes*) *krisiformis* Holmgren 1912, p. 109, pl. 4, fig. 6 (sold.)

Mirotermes krisiformis Mjöberg 1920, p. 91, sold.

Mirotermes (*Mirotermes*) *krisiformis* Hill 1942, pp. 414-416, figs. 322-324 (im., sold.), loc.

Lectotype: sold.; morphotype: winged, work., C. coll.

Winged, sold., work.

New South Wales, Queensland.

Aus

PROMIROTERMES

Genus *Promirotermes* Silvestri.

Generitype: *Promirotermes holmgreni* (Silvestri).

Genus *Promirotermes* Silvestri 1914-15, p. 132; Sjöstedt 1926, p. 278.

=Subgenus *Promirotermes* Emerson 1928, pp. 408, 420, 541.

Promirotermes bellicosi (Wasmann).

Mirotermes bellicosi Wasmann 1912, p. 85, sold., work., E. Africa: Kilimandjaro, N.

Promirotermes bellicosi Schmitz 1917, p. 229; Sjöstedt 1926, p. 280, syn., loc.

Sold., work.

Tanganyika.

Eth

Promirotermes dumisae (Fuller).

Mirotermes (*Mirotermes*) *dumisae* Fuller 1925a, pp. 178-179, winged, sold., Dumisa, Transvaal.

Promirotermes dumisae Emerson 1928, p. 537.

Winged, sold.

So. Africa.

Eth

Promirotermes gracilipes Schmitz.

Promirotermes gracilipes Schmitz 1917, pp. 227-228, fig. 11, 1-9, im., sold., work., Stanleyville; Sjöstedt 1926, p. 280, syn., loc.

Winged, sold., work.

Congo.

Eth

Promirotermes holmgreni (Silvestri).

Mirotermes Holmgreni Silvestri 1912, p. 252, im., sold., work., pl. 19, 1-12 (im., sold.) Guinea: Bolama.

Promirotermes Holmgreni Silvestri 1914-15, p. 132, fig. 78, 1-8 (im., sold., work.) kemeji; Sjöstedt 1926, pp. 278, 279, im., sold. (sold.), see *P. redundans*], syn., loc.

Promirotermes gracilipes var. *minor* Sjöstedt 1926c, p. 244, sold., Gold Coast: Imp. Bur. Ent., Mus. Stockholm.

Winged, sold., work.

Port. Guinea, So. Nigeria, Gold Coast.

Eth

Promicrotermes holmgreni, var. *infera* Silvestri.

Promicrotermes Holmgreni var. *infera* Silvestri 1914-15, p. 133, sold., work., Senegal: Thiès; Sjöstedt 1926, p. 279, syn., loc.

sold., work.
Senegal.

Ethiopian.

Promicrotermes massaicus (Sjöstedt).

Promicrotermes massaicus Sjöstedt 1907a, pp. 22-25, im., sold.¹⁻², work., pl. 4, figs. B 1-3 (sold.¹), B 4-6 (sold.²), Kilimandjaro: Kibonoto, Mischwald.

Promicrotermes (*Cubitermes*) *massaicus* Holmgren 1912, p. 108.

Promicrotermes massaicus Sjöstedt 1926, p. 267, syn., loc.; Harris 1936, p. 367, loc.

Type: Mus. Stockholm.

tinged, sold.¹⁻², work.

Tanganyika: Kilimanjaro.

Ethiopian.

Promicrotermes orthocephs (Emerson).

Promicrotermes (*Promicrotermes*) *orthocephs* Emerson 1928, p. 541, fig. 73 (sold.), Belg. Congo: Banana, Malela.

Holotype: sold., A.M.N.H.

sold.
Congo.

Ethiopian.

Promicrotermes redundans Silvestri.

Promicrotermes Holmgreni var. *redundans* Silvestri 1914-15, p. 133, sold., work., pl. 79, 1-3 (sold.), Fr. Guinea: Mamou.

Promicrotermes redundans Sjöstedt 1926, p. 279, syn., loc. [fig. 62 (sold.)].

sold., work.

Fr. Guinea.

Ethiopian.

Promicrotermes rotundifrons (Silvestri).

Promicrotermes rotundifrons Silvestri 1908, p. 78, im., sold., work., pl. 9, figs. 46-47, pl. 10, figs. 48-50 (im.), figs. 51-52 (sold.), fig. 53 (work.), SW. Africa: Kalahari, Kooa.

Promicrotermes (*Mirotermes*) *rotundifrons* Fuller 1925a, pp. 179-180, Kalahari, Wolftoon, Bushmanland, Bechuanaland.

Promicrotermes rotundifrons Sjöstedt 1926, p. 280, syn., loc.

Promicrotermes (*Promicrotermes*) *rotundifrons* Emerson 1928, p. 537, syn.

Mirotermes rotundatus Silvestri 1912a, p. 254.

tinged, sold., work.

So. Africa.

Ethiopian.

MIROCAPRITERMES

Genus *Mirocapritermes* Holmgren.

Generitype: *Mirocapritermes connectens* Holmgren.

Genus *Miro-Capritermes* Holmgren 1913-14, p. 277.

Genus *Mirocapritermes* Emerson 1928, p. 408.

Mirocapritermes connectens Holmgren.

Miro-Capritermes connectens Holmgren 1913-14, pp. 277-278, sold., work., Sumatra.

sold., work.

Sumatra.

Indo-Malayan.

PARACAPRITERMES

Genus *Paracapritermes* Hill.

Generitype: *Paracapritermes primus* (Hill).

=Subgenus *Paracapritermes* (*Mirotermes*) Hill 1942, pp. 10, 13, 379, 416.

Paracapritermes primus (Hill).

Mirotermes (*Paracapritermes*) *primus* Hill 1942, pp. 417-418, figs. 325-327 (dealated and sold.), No. Queensland: Mount Molloy.

Holotype: sold.; morphotype: dealated, C.S.I.R. coll.

Dealated adult, sold.

No. Queensland.

Australia

PROCAPRITERMES

Genus *Procapritermes* Holmgren.

Generitype: *Procapritermes setiger* (Haviland).

<Genus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.

=Genus *Procapritermes* Holmgren 1912, pp. 113, 97.

Procapritermes atypus Holmgren.

Procapritermes atypus Holmgren 1912, p. 241, sold., work., pl. 6, fig. 19 (sold.), Borneo.

Procapritermes atypus Holmgren 1913b, p. 241, sold., work., pl. G, fig. 19 (sold.), Borneo (Sarawak); John 1925, p. 412, sold., West Sumatra.

Sold., work.

Borneo, W. Sumatra.

Indo-Malaya

Procapritermes minutus (Haviland).

Termes minutus Haviland 1898, p. 415, sold., work., Borneo: Sarawak.

Type: No. 570

Termes (*Eutermes*) *minutus* Desneux 1904e, p. 43, syn.

Procapritermes minutus Holmgren 1913b, p. 241, sold., work., pl. 6, fig. 18 (sold.); John 1925, p. 412, sold., work., Malay Archipelago, Borneo.

Sold., work.

Borneo, Malay Archipelago.

Indo-Malaya

Procapritermes mushae Oshima and Maki.

Procapritermes mushae Oshima and Maki 1919, pp. 435-439, fig. (sold.), Musha, N. Central Formosa; Light 1931, p. 597 (remarks).

Sold.

Formosa.

Indo-Malaya

Procapritermes setiger (Haviland).

Termes setiger Haviland 1898, p. 415, im., sold., work., pl. 25, figs. 57-58 (sold.), Borneo (im.), Borneo: Sarawak, Marudi.

Type: No. 343.

Termes (*Eutermes*) *setiger* Desneux 1904e, p. 45, syn.

Procapritermes setiger Holmgren 1912, p. 113, fig. 81 (sold. mandibles); 1913b, p. 239, sold., work., pl. 6, fig. 17 (sold.); 1913-14, p. 113, sold., work., Malacca; John 1925, p. 412, winged, sold., work.

Winged, sold., work.

Borneo, Malacca, East Sumatra.

Indo-Malaya

Capritermes sowerbyi (Light).

Capritermes sowerbyi Light 1924, pp. 52, loc., 53-54, sold., 354, im. (young queen), sold., biol., Hainan, Hong Kong and Baekliang near Foochow, Fukien, Kuliang.

Capritermes sowerbyi Light 1931, pp. 583, 585, 595-598, sold., China: Yenping, Kuliang, No. Fukien.

Capritermes (Capritermes) sowerbyi Snyder [1929] 1931, p. 549.

Capritermes sowerbyi Wu 1935, p. 221, Foochow, Hainan, Hong Kong, Yenping, Kuling, No. Fukien.

related female, sold.¹⁻²

na.

Indo-Malayan.

(Even)

HOMALLOTERMES

genus *Homallotermes* John.

Generitype: *Homallotermes foraminifer* (Haviland).

genus *Termes* (section with *foraminifer* for type) Haviland 1898, pp. 419, 378.

genus *Termes* Desneux 1904e, pp. 26, 28.

genus *Capritermes* Holmgren 1912, pp. 114, 97.

genus *Homallotermes* John 1925, pp. 412-413.

Homallotermes foraminifer (Haviland).

Termes foraminifer Haviland 1898, p. 420, im., sold., work., pl. 25, figs. 65-68 (im., sold.), Borneo: Sarawak.

Termes (Eutermes) foraminifer Desneux 1904e, p. 42, syn. (not Perak).

Capritermes foraminifer Holmgren 1913b, p. 254, im., sold., work., pl. 6, fig. 33 (sold.) (not Perak).

Capritermes (Capritermes) foraminifer Holmgren 1913-14, p. 284, Malacca.

Homallotermes foraminifer John 1925, p. 413, loc.

Type: No. 114.

aged, sold., work.

neo (Sarawak), Malay

peninsula: Kuala Lumpur,

east Sumatra: Siak.

Indo-Malayan.

Homallotermes penangi (Holmgren).

Capritermes (Capritermes) penangi Holmgren 1913-14, pp. 283-284, im., sold., work., Malacca, Penang.

Type: Emerson coll.

Termes foraminifer Haviland 1898, p. 420, im., sold., work., pl. 25, figs. 65-68, Malay Penins.: Perak only.

Termes (Eutermes) foraminifer Desneux 1904e, p. 42, Perak only.

Capritermes foraminifer Holmgren 1913b, p. 254, Perak only.

Homallotermes foraminifer John 1925, p. 413, syn.

aged, sold., work.

Malay Peninsula.

Indo-Malayan.

PSEUDOCAPRITERMES

genus *Pseudocapritermes* Kemner.

Generitype: *Pseudocapritermes silvaticus* Kemner.

genus *Pseudocapritermes* Kemner 1934, pp. 167-168.

Pseudocapritermes angustignathus (Holmgren).

Capritermes (*Capritermes*) *angustignathus* Holmgren 1913-14, pp. 281-283, im., sold., w
pl. 7, fig. 24 (sold.), Malacca, Straits Settlements,
Penang.

Type: Emerson coll.

Winged, sold., work.

Malay Peninsula.

Indo-Mal

Pseudocapritermes silvaticus Kemner.

Pseudocapritermes silvaticus Kemner 1934, pp. 168-171, fig. 49, 4-5 (im.), 1-3 (sold.)
Java: Depok.

Winged, sold.

Java.

Indo-Mal

CAPRITERMES

Genus *Capritermes* Wasmann.

Generitype: *Capritermes capricornis* (Wasmann).

=Subgenus *Capritermes* (*Termes*) Wasmann 1897, p. 151, designates type.

<Genus *Capritermes* Silvestri 1901, pp. 4-5.

=Genus *Capritermes* Wasmann 1902b, p. 125.

<Genus *Capritermes* Silvestri 1903, p. 62.

<Genus *Capritermes* Holmgren 1906, p. 557.

=Genus *Capritermes* Wasmann 1911a, p. 150.

<Genus *Capritermes* Holmgren 1912, pp. 114, 97.

=Genus *Capritermes* Sjöstedt 1926, pp. 281-282.

=Genus *Capritermes* Kemner 1934, p. 171.

<Subgenus *Capritermes* Holmgren 1912, p. 116.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

<Genus *Termes* (*Entermes*) (misspelling) Hagen 1858a, pp. 16, 26.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

Capritermes brachygnathus John.

Capritermes brachygnathus John 1925, pp. 416-417, sold., Malay Arch.: Johore, Seg
E. Sumatra: Siak.

Sold.

Malay Peninsula, E. Sumatra.

Indo-Ma

Capritermes buitenzorgi Holmgren.

Capritermes (*Capritermes*) *buitenzorgi* Holmgren 1913-14, p. 280, sold., work., f
(sold.), Java: Tjibodas; Malacca, Tandjong, S

Capritermes (*Capritermes*) *approximatus* Holmgren 1913-14, p. 283, im., Java: Buite

Winged, sold., work.

Java, Malay Peninsula.

Indo-Ma

Capritermes capricornis (Wasmann).

Eutermes capricornis Wasmann 1893, p. 242, im., sold., work., Madagascar: Andrange

Termes capricornis Wasmann 1897, p. 151, pl. 11, fig. 11 (head sold.).

Termes (*Eutermes*) *capricornis* Desneux 1904e, p. 41, syn.

Capritermes (*Capritermes*) *capricornis* Holmgren 1912, p. 115, fig. 82 (im. mand.).

- termes capricornis* Sjöstedt 1926, p. 282, fig. 64 (sold.), syn., loc.
ed, queen, neoteinic queen,
l., work.
Madagascar. Malagasy.
- termes ceylonicus* (Holmgren).
termes ceylonicus Holmgren 1911c, p. 204, pl. 2, fig. Q (sold.), queen, sold., work.,
Ceylon: Peradeniya; 1913b, p. 244, im., pl. 6, fig. 23
(queen), fig. 29 (sold.), work., Ceylon: Heneratgoda,
Peradeniya (Mus. Vienna).
- termes (Capritermes) ceylonicus* Holmgren 1913-14, pp. 278-279.
termes perparvus Holmgren 1911c, p. 201, im., Ceylon: Heneratgoda, Peradeniya.
termes nemorosus Wasmann 1902b, p. 126, sold., work., p. 127, sold., Ceylon: Ban-
darawella.
- termes perparvus* Green 1913, p. 13, loc.
ed, queen, sold., work.
n. Indo-Malayan.
- termes distinctus* Holmgren.
termes ceylonicus Holmgren 1911c, pp. 204-205 (*part*).
termes distinctus Holmgren 1913b, p. 246, im. (queen), sold., work., pl. 6, fig. 24
(queen), fig. 30 (sold.), Ceylon (Escherich).
n, sold., work.
n. Indo-Malayan.
- termes distortus* Silvestri.
termes distortus Silvestri 1922, pp. 541-543, fig. 5 (winged female, sold., work.),
Kavalai, Cochin State.
ed, sold., work.
in State (India: Kavalai). Indo-Malayan.
- termes dolichocephalus* John.
termes dolichocephalus John 1925, p. 416, sold., work., Malay Arch.: Selangor, Ka-
jang; E. Sumatra: Kota Baroe.
, work.
y Peninsula, E. Sumatra. Indo-Malayan.
- termes fletcheri* Holmgren, K. and N.
termes fletcheri Holmgren, K. and N. 1917, p. 169, sold., work., Malabar: Puthupadi
Forest; Anamalai Hills; Mysore: Bababudin Hills.
, work.
. Indo-Malayan.
- itermes fuscotibialis* Light.
itermes fuscotibialis Light (1929) 1931, pp. 583, 585, 598-599, im. (winged male),
China: Hong Kong.
Holotype: im., Emerson coll.
- itermes fuscotibialis* Wu 1935, p. 22, syst., China.
ed.
a. Indo-Malayan.

Capritermes garthwaitei Gardner.

Capritermes garthwaitei Gardner 1944, pp. 106-108, winged, fig. 2; sold., figs. 3-4, Burma
Maymyo.

Winged, sold.

Burma.

Indo-Mal

Capritermes gravelyi Silvestri.

Capritermes gravelyi Silvestri 1922, pp. 535-537, fig. 1 (sold., work.), Koyna Valley, Sa
Distr.

Sold., work.

India.

Indo-Mal

Capritermes greeni John.

Capritermes greeni John 1925, pp. 414-415, queen, sold., work., Malay Arch.: Sela
Kajang, Kuala Lumpur.

Queen, sold., work.

Malay Peninsula.

Indo-Mal

Capritermes hutsoni Kemner.

Capritermes hutsoni Kemner 1926, pp. 391-392, fig. 5 (sold.), sold., work., Ceylon:
madulla.

Sold., work.

Ceylon.

Indo-Mal

Capritermes incola (Wasmann).

Eutermes incola Wasmann 1893, p. 242, im., Ceylon: Colombo.

Capritermes incola Wasmann 1902b, pp. 126, 128, Ceylon.

Capritermes longicornis Wasmann 1902b, pp. 126-128, im., sold., work., pl. 4, fig. 7 (so
may be separate species, Ceylon: Anuradha
Bandarawella; India: Khandala [near Bombay

Termes (Eutermes) incola Desneux 1904e, p. 43, syn., Ceylon.

Termes (Eutermes) longicornis Desneux 1904e, p. 43, syn., India, Ceylon.

Capritermes incola Holmgren 1911c, p. 204, pl. 2, fig. R (sold.), im., sold., work., Ce
Peradeniya.

Capritermes (Capritermes) incola Holmgren 1912, p. 116, pl. 4, fig. 14 (sold.), 15 (C
Ceylon, So. India.

Capritermes incola Holmgren 1913b, p. 252, im., sold., work., pl. 6, fig. 20 (im.), fi
(sold.), Ceylon; India: Bombay.

Capritermes (Capritermes) incola Holmgren 1913-14, p. 285, Ceylon: Peradeniya.

Capritermes incola Holmgren, K. and N. 1917, p. 170, sold., work., Nilgiri Hills, K
Coorg: Mercara; Mysore: Bababudin Hills, I

Capritermes incola John 1925, p. 418, royal pair, sold., work., Ceylon: Peradeniya.

Winged, royal pair, sold., work.

Ceylon, India.

Indo-Mal

Capritermes incola, var. *cornutella* Silvestri.

Capritermes longirostris var. *cornutella* Silvestri 1922, pp. 537-538, fig. 2 (sold., wo
India: Akalpa, Randal Valley, Ratnagiri Dist.

Sold., work.

India.

Indo-Mal

pritermes jangtsekiangensis Kemner.

pritermes jangtsekiangensis Kemner 1925, pp. 4-5, sold., work., Tschingkiang, Kiangsu, Central China; Light 1931, p. 585, p. 598 spelled *yangtsekiangensis*, syn.

ld., work.
ina. Indo-Malayan.

pritermes laetus Silvestri.

pritermes laetus Silvestri 1914, p. 434, figs. 9-10 (sold.), Lower Burma: Sukli.

ld.
rma. Indo-Malayan.

pritermes latignathus Holmgren.

pritermes (*Capritermes*) *latignathus* Holmgren 1913-14, pp. 280-281, sold., work., Java: Tjibodas.

ld., work.
va. Indo-Malayan.

pritermes modiglianii Silvestri.

pritermes modiglianii Silvestri 1922, pp. 545-546, fig. 7 (sold., work.), Sumatra: Doloc-Tolong.

ld., work.
matra. Indo-Malayan.

pritermes mohri Kemner.

pritermes Mohri Kemner 1934, pp. 178-179, fig. 53, 1-2 (im.), 3-5 (sold.), Java: Buitenzorg.

inged, sold.
ra. Indo-Malayan.

pritermes nemorosus (Haviland).

pritermes nemorosus Haviland 1898, p. 413, im., sold., work., pl. 24, figs. 53-54 (sold.), 55-56 (im.), Borneo: Sarawak.

Type: No. 377.

pritermes nemorosus Wasmann 1902b, p. 126 (no description), loc., p. 127, sold., Ceylon: Bandarawella (ident. doubtful on loc. im.), Borneo.

pritermes (*Eutermes*) *nemorosus* Desneux 1904e, p. 44, syn.

pritermes (*Capritermes*) *nemorosus* Holmgren 1912, p. 115, fig. 83 (sold. mandibles), "Hinterindien."

pritermes (*Capritermes*) *nemorosus* Holmgren 1913b, p. 250, im., sold., work., pl. 6, fig. 21 (im.), 26 (sold.), Borneo: Sarawak, Eulayat Riv.

pritermes (*Capritermes*) *nemorosus* Holmgren 1913-14, pp. 279-280, Sumatra, Malacca, Borneo.

pritermes nemorosus John 1925, p. 417, pl. 21, fig. 20 (nest), winged, queen, sold., work., loc.

pritermes medius Holmgren 1913b, p. 252, sold., work., pl. 6, fig. 27 (sold.), Sarawak.

pritermes (*Capritermes*) *medius* Holmgren 1913-14, p. 279, Malacca.

Capritermes medius John 1925, pp. 417-418, winged, royal pair, sold., work., pl. 2
fig. 32 (nest), Sumatra, loc.

Eutermes (Subulitermes) inaniformis John 1925, p. 301, im., E. Sumatra only.

Capritermes minor Holmgren 1913b, p. 252, sold., work., pl. 6, fig. 28 (sold.), Sarawak.

Capritermes (Capritermes) minor Holmgren 1913-14, p. 279, im.-queen, sold., work.,
Sumatra, Malacca.

Capritermes minor John 1925, p. 417, sold., work., E. Sumatra.

Capritermes nemorosus forma *Rothi* Holmgren 1913b, p. 251, sold., work., Borneo
Mount Lambir.

Winged, royal pair, sold., work.

Borneo, Sumatra, Malay Penin-

sula, ?Ceylon, ?India.

Indo-Malaya

Capritermes nitobei (Shiraki).

Eutermes nitobei Shiraki 1909, p. 238, Formosa: Maruyama; Nitobi 1911, p. 20.

Type: Inst. Sci., Govt. Formosa.

Termes (Eutermes) nitobei Oshima 1909, p. 40.

Termes (Eutermes) longicornis Oshima 1910, p. 411.

Eutermes longicornis Oshima 1910b, p. 516.

Eutermes longicornis Oshima 1911, p. 9; Nawa 1911, p. 14; 1912, p. 18, pl. 1, fig. 6.

Capritermes nitobei Oshima 1912, p. 82, pl. 1, figs. 9, 14, 24-25, pl. 2, figs. 7, 24.

Capritermes watasei Holmgren 1912, p. 116, no description, Formosa.

Capritermes sulcatus Holmgren 1912a, p. 130, im., sold., work., Formosa; 1913b,
247, im., sold., work., pl. 6, figs. 22, 31 (im., sold.)
Formosa.

Capritermes (Capritermes) nitobei Oshima 1913, p. 279, syn., loc., Formosa; 1914,
p. 2; Hozawa 1915, p. 145, im., sold., work., figs. 37-38
(im., sold., work.), pl. 4, figs. 29-30 (im., sold.), syn.
Formosa, Loochoo.

Capritermes nitobei Light 1931, pp. 583, 585, 598, China, loc.; Wu 1935, p. 22, syn.
China.

Winged, sold., work.

Formosa, China (Hainan Isl. to

Yenping (No. Fukien) (to

Kiangsu?).

Indo-Malaya

Capritermes obtusus Silvestri.

Capritermes obtusus Silvestri 1923, pp. 229-231, fig. 7 (winged female), winged, work.,
Barkuda Isl., Chilka Lake.

Winged, work.

India.

Indo-Malaya

Capritermes obtusus, var. *abbreviatus* Silvestri.

Capritermes obtusus var. *abbreviatus* Silvestri 1923, pp. 231-232, soldier, worker, fig. 8
(sold., work.), Barkuda Isl., Chilka Lake.

Sold., work.

India.

Indo-Malaya

- Pritermes padangensis* Kemner.
Pritermes padangensis Kemner 1930, pp. 320-321, sold., work., figs. 20-25 (sold.), west coast Sumatra: Tandjunggadang.
 d., work.
 Sumatra. Indo-Malayan.
- Pritermes paetensis* Oshima.
Pritermes paetensis Oshima 1920a, p. 506, sold., work., pl. 2, figs. 7-8 (sold.), pl. 3, figs. 15-16, pl. 4, figs. 10-11, Paete (Laguna Prov.), Luzon, Philippines.
 d., work.
 Philippines. Indo-Malayan.
- Pritermes punjabensis* Holmgren, K. and N.
Pritermes punjabensis Holmgren, K. and N. 1917, p. 170, dealated, India: Punjab, Lyallpur.
 dealated.
 India. Indo-Malayan.
- Pritermes santschii* Silvestri.
Pritermes santschii Silvestri 1922, pp. 538-541, winged female, fig. 3, Sumatra: Padang-Pandjang.
 winged.
 Sumatra. Indo-Malayan.
- Pritermes schultzei* Holmgren.
Pritermes Schultzei Holmgren 1911b, p. 462, sold., work., fig. 5 (sold.), former German New Guinea: Sepik.
 d., work.
 New Guinea. Papuan.
- Pritermes semarangi* Holmgren.
Pritermes semarangi Holmgren 1913b, p. 247, im., sold., work., Java: Samarang.
 Type: Holmgren coll.
- Pritermes (Capritermes) semarangi* Holmgren 1913-14, p. 279, fig. 27 (sold.), E. Sumatra.
Pritermes javanicus Holmgren 1913b, p. 255, im., sold., work., Java: Samarang.
 winged, sold., work.
 Java, Sumatra. Indo-Malayan.
- Pritermes speciosus* (Haviland).
Pritermes speciosus Haviland 1898, p. 413, winged, sold., work., Borneo: Sarawak.
 Type: No. 294.
- Pritermes (Eutermes) speciosus* Desneux 1904e, p. 45, syn., pl. 2, fig. 10 (sold.).
Pritermes (Capritermes) speciosus Holmgren 1912, p. 116, pl. 4, fig. 17 (sold.), "Hinterindien."
- Pritermes speciosus* Holmgren 1913b, p. 249, im., sold., work., pl. 6, fig. 25 (sold.).
Pritermes speciosus John 1925, p. 414, E. Sumatra.
 winged, sold., work.
 Borneo: Sarawak; Billiton; Sumatra. Indo-Malayan.

Capritermes sumatrensis John.

Capritermes sumatrensis John 1925, pp. 415-416, sold., work., E. Sumatra: Kota Baroe
Sold., work.

Sumatra.

Indo-Malay.

Capritermes tetraphilus Silvestri.

Capritermes tetraphilus Silvestri 1922, pp. 543-545, fig. 6 (sold.), Bengal: Chittagong F.
Tracts.

Sold.

India.

Indo-Malay

PERICAPRITERMES

(Around)

Genus *Pericapritermes* Silvestri.

Generitype: *Pericapritermes urgens* Silvestri.

=Genus *Pericapritermes* Silvestri 1914-15, p. 134.

=Genus *Pericapritermes* Sjöstedt 1926, p. 282.

<Subgenus *Capritermes* Holmgren 1912, p. 116.

Pericapritermes appellans Silvestri.

Pericapritermes appellans Silvestri 1914-15, p. 139, im., sold.¹⁻², work., fig. 82 (im., sold.
Fr. Guinea: Mamou; Sjöstedt 1926, p. 286, syn.,

Queen, sold.¹⁻², work.

Fr. Guinea.

Ethiopi

Pericapritermes appellans, var. *metata* Silvestri.

Pericapritermes appellans var. *metata* Silvestri 1914-15, p. 141, im., sold., work., fig.
(im., sold.), Fr. Guinea: Kindia, Kakoulima, Ca
yenne; Sjöstedt 1926, p. 286, syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopi

Pericapritermes chiasognathus (Sjöstedt).

Capritermes tortuosus Wasmann 1902b, p. 126, Cameroon.

Eutermes chiasognathus Sjöstedt 1904, p. 85, sold., work., pl. 2, fig. F 1-2 (sold.), Ca
eroon: Lolodorf.

Termes (*Eutermes*) *chiasognathus* Desneux 1904e, p. 41, syn.

Capritermes (*Capritermes*) *chiasognathus* Holmgren 1912, p. 116 (no description).

Pericapritermes chiasognathus Sjöstedt 1926, pp. 283-284, pl. 11, fig. Fa, syn., loc.; 19
p. 151, Congo.

Sold., work.

Cameroon, Fr. Equatorial

Africa, Congo.

Ethiopi

Pericapritermes cordatus Sjöstedt.

Pericapritermes cordatus Sjöstedt 1924c, p. 496, sold., Congo: Mukimbungu; 1926, p.
pl. 11, fig. F 1-2, syn., loc.

Sold.

Congo.

Ethiopi

Capritermes heteronotus Silvestri.

Capritermes heteronotus Silvestri 1914-15, p. 137, im., sold.¹⁻², work., fig. 82, 1-4 (im., sold.), Fr. Guinea: Kindia; Sjöstedt 1926, p. 284, syn., loc.

Queen, sold.¹⁻², work.

Guinea, Sierra Leone, Congo.

Ethiopian.

Capritermes magnificus Silvestri.

Capritermes magnificus Silvestri 1912, p. 254, fig. 20 (sold., work.), Fr. Congo: Brazzaville; Sjöstedt 1926, p. 283, syn., loc.

Queen, work.

Equatorial Africa.

Ethiopian.

Capritermes silvestrianus (Emerson).

Capritermes (*Pericapritermes*) *silvestrianus* Emerson 1928, p. 416, new name for *P. schereri* von Rosen, imago.

Capritermes (*Cubitermes*) *scherei* von Rosen 1912, p. 231, im., Liberia: Cape Mesurado.

Type: Zool. Staatssammlung, Munich.

Capritermes Schereri Silvestri 1914-15, p. 142, im.

Queen.

Liberia.

Ethiopian.

Capritermes socialis (Sjöstedt).

Capritermes socialis Sjöstedt 1899, p. 38, im., Cameroon: Mungo and Victoria.

Capritermes socialis Sjöstedt 1900a, p. 191, sold. only, Gold Coast: Aburi; Cameroon: Mungo; 1904, p. 84, sold. only.

Capritermes (*Capritermes*) *socialis* Holmgren 1912, p. 116, Gold Coast, Cameroon.

Capritermes (*Capritermes*) *socialis* Sjöstedt 1914a, p. 6, So. Nigeria: Sapele.

Capritermes socialis Silvestri 1914-15, p. 60, fig. 33, 1-13 (im., work.), Cameroon: Victoria.

Capritermes socialis Sjöstedt 1926, p. 285, syn., loc.

Queen, work.

Gold Coast, Cameroon, So.

Nigeria, Congo.

Ethiopian.

Capritermes urgens Silvestri.

Capritermes urgens Silvestri 1914-15, p. 135, im., queen, sold., work., fig. 80 (im., sold.), Fr. Guinea: Mamou, Gold Coast: Aburi, Cameroon: Victoria; Sjöstedt 1926, p. 285, fig. 65 (sold.), syn., loc.

Capritermes (*Pericapritermes*) *urgens* Emerson 1928, p. 543, fig. 74 (sold.), Cameroon: Bipindi.

Queen, work.

Guinea, Gold Coast, Cam-

eroon.

Ethiopian.

Capritermes urgens, var. *confinis* Silvestri.

Capritermes urgens var. *confinis* Silvestri 1914-15, p. 137, sold., work., Fr. Guinea: Camayenne, Kakoulima; Sjöstedt 1926, p. 285, syn., loc.

Queen, work.

Guinea.

Ethiopian.

Pericaprithermes urgens, var. *nigeriana* Silvestri.

Pericaprithermes urgens var. *nigeriana* Silvestri 1914-15, p. 137, sold., work., So. Nige.
Lagos, Olokemeji, Ibadan; Sjöstedt 1926, p. 285, s.
loc.; 1926a, p. 4, Gold Coast: Kunasi.

Sold., work.

So. Nigeria, Gold Coast.

Ethiopi

NEOCAPRITERMES

Genus *Neocaprithermes* Holmgren.

Generitype: *Neocaprithermes opacus* (Hagen).

=Subgenus *Neocaprithermes* (*Caprithermes*) Holmgren 1912, pp. 115, 97.

=Genus *Neocaprithermes* Sjöstedt 1926, p. 286 (designates *alienus* as type).

Neocaprithermes angusticeps (Emerson).

Caprithermes (*Neocaprithermes*) *angusticeps* Emerson 1925, pp. 447-449, fig. 91, im., s
Brit. Guiana: Kartabo.

?*Caprithermes cingulatus* Banks 1918, p. 666, loc., Brit. Guiana: Kartabo.
Holotype: soldier, N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropi

Neocaprithermes bodkini (Silvestri).

Caprithermes Bodkini Silvestri 1923b, pp. 312-315, pl. 13 (sold., female nymph), s
nymph, work., Brit. Guiana: Potaro Riv.

Caprithermes (*Neocaprithermes*) *bodkini* Emerson 1925, pp. 445-447, fig. 90, im., sold., I
Guiana: Tumatumari.

Caprithermes Bodkini var. *modestior* Silvestri 1923a, p. 315, im., sold., work., pl.
(im., sold., work.), Kartabo.

Winged, sold., work.

Brit. Guiana.

Neotrop

Neocaprithermes braziliensis (Snyder).

Caprithermes (*Neocaprithermes*) *braziliensis* Snyder 1926d, p. 64, sold., fig. 3c, Brazil:
Mautania.

Type: sold., U.S.N.M. No. 27634.

Sold., work.

Brazil.

Neotrop

Neocaprithermes centralis (Snyder).

Caprithermes (*Neocaprithermes*) *centralis* Snyder 1932, p. 100, fig. 1, sold.; Costa R
Hamburg Farm, Santa Clara Prov.

Cotypes: sold., U.S.N.M. No. 44100.

Sold.

Costa Rica, Panama.

Neotrop

Neocaprithermes longinotus (Snyder).

Caprithermes (*Neocaprithermes*) *longinotus* Snyder 1926, p. 27, sold., Colombia: Rio I
Cotypes: sold., U.S.N.M. No. 28661.

Sold.

Colombia.

Neotrop

Neocapritermes opacus (Hagen).

Termites opacus Hagen 1858, p. 196, im., pl. 3, fig. 27 (im. only), Brazil: near Lagoa Santa and Congonhas, Pará, Cassapava.

Type: Mus. Berlin; paratype: Hagen coll., M.C.Z.

Termites cingulatus Hagen 1858, p. 187, pl. 1, fig. 13 (sold. only), loc.?

Termites cingulatus Fr. Müller 1870, p. 206, biol., Brazil (St. Catharina): Itahaty.

Termites saliens Fr. Müller 1873, p. 357, sold., Brazil: St. Catherina; Berg 1880, Argentina (autotype sold., Emerson coll.).

Termites oreusis Sörensen 1884, p. 22, pl. 1, figs. 13-16 (sold.), Brazil.

Termites lacus sancti Sörensen 1884, p. 23, sold., work., Brazil.

Termites (Capritermes) cingulatus Wasmann 1897, p. 151, syn.

Termites (Capritermes) paradoxus Wasmann 1897, p. 152, sold., syn.

Capritermes opacus Silvestri 1901, p. 5, Argentina, Paraguay, Matto Grosso.

Capritermes opacus Silvestri 1903, p. 62, im., sold., work., fig. 14 (wings), pl. 3, figs. 108-111 (im.), fig. 112 (sold.), loc.

Capritermes opacus Wasmann 1902b, p. 126 (no description), syn., So. Amer.

Termites (Eutermes) opacus Desneux 1904e, p. 44, syn., So. America.

Capritermes opacus Holmgren 1906, p. 557, sold.¹⁻², work., fig. Qa (sold.²), Bolivia: Mojos, Charupampa, Yanalomas (Prov. Caupolican); 1909, p. 81, anatomy, p. 82, fig. 17 (im.), fig. 18 (work.).

Capritermes (Neocapritermes) opacus Holmgren 1912, p. 116, So. America.

Capritermes alienus von Rosen 1912, p. 229, fig. 7 (sold.), Gondar, Abyssinia? error in locality.

Type: Zool. Staatssammlung, Munich.

Capritermes (Neocapritermes) alienus Holmgren 1912, p. 116; Hegg 1922, pp. 502, 701.

Neocapritermes alienus Sjöstedt 1926, p. 287, fig. 66 (sold.), pl. 11, fig. G (sold.), syn., loc., Abyssinia.

Capritermes (Neocapritermes) opacus Emerson 1925, p. 449, sold., syn.

Capritermes (Neocapritermes) parallelus Snyder 1926d, p. 67, winged female, sold., Bolivia: Rosario.

Capritermes parallelus Silvestri 1934, fig. 19 (sold.).

Capritermes (Neocapritermes) alienus Jucci 1936, p. 5, remarks ?Abyssinia.

Neocapritermes alienus Ghidini 1938, p. 232, remarks ?Abyssinia.

Winged, sold., work.

Brazil, Paraguay, Argentina,

Bolivia.

Neotropical.

Neocapritermes parvus (Silvestri).

Capritermes opacus subspecies *parvus* Silvestri 1901, p. 5, nymph, sold.; 1903, p. 64, sold., work., pl. 3, fig. 113 (sold.), Paraguay: Villa Rica; Brazil: Coxipò (Cuyabà).

Termites (Eutermes) opacus subspecies *parvus* Desneux 1904e, p. 44, syn.

Capritermes (Neocapritermes) parvus Holmgren 1912, p. 116, So. America.

Nymph, sold., work.

Paraguay, Brazil.

Neotropical.

Neocapritermes talpa (Holmgren).

Capritermes talpa Holmgren 1906, p. 560, sold., work., fig. R (sold.), S (work.), Peru: Chaquimayo (Prov. Carabaya).

Capritermes (*Neocapritermes*) *talpa* Holmgren 1912, p. 116.

Capritermes (*Neocapritermes*) *hopkinsi* Snyder 1926d, p. 66, figs. 3a-b, Bolivia: Ivon. Sold., work.

Peru, Bolivia.

Neotropic

Neocapritermes villosus (Holmgren).

Capritermes opacus subspecies *villosus* Holmgren 1906, p. 558, sold.¹⁻², work., fig. Qb. (sold.¹⁻²), Peru: Llinquipata, Chaquimayo (Tal de Rio San Gaban, Prov. de Carabaya).

Capritermes (*Neocapritermes*) *villosus* Holmgren 1912, p. 116.

Capritermes (*Neocapritermes*) *villosus* Snyder 1926d, pp. 69-70, Brazil: Uniao, Lower Madeira Riv.

Sold.¹⁻², work.

Peru, Brazil.

Neotropic

PLANICAPRITERMES

Genus *Planicapritermes* Emerson, n. gen.

Generitype: *Planicapritermes planiceps* (Emerson).

<Genus *Capritermes* Emerson 1925, p. 445.

<Subgenus *Neocapritermes* Emerson 1925, p. 445.

<Subgenus *Neocapritermes* Snyder 1926d, p. 64.

Planicapritermes planiceps (Emerson).

Capritermes (*Neocapritermes*) *planiceps* Emerson 1925, pp. 310, 449-450, fig. 92 (sold. Brit. Guiana: Kartabo; Snyder 1926d, p. 70, sold. Bolivia: Cavinass, etc.

Holotype: sold., N. Y. Zool. Soc.

Sold.

Brit. Guiana, Bolivia.

Neotropic

MACROTERMITINAE

Subfamily MACROTERMITINAE Kemner.

Type genus: *Macrotermes* Holmgren.

=Subfamily MACROTERMITINAE Kemner 1934, pp. 69, 186.

<Termes-Reihe Holmgren 1912, pp. 8, 11.

>Subfamily ACANTHOTERMITINAE Sjöstedt 1926, pp. 8, 60.

><Subfamily TERMITINAE Sjöstedt 1926, pp. 8, 72.

=Subfamily MACROTERMITINAE Hare 1937, pp. 461, 474-475, 478.

Genera:

Acanthotermes Sjöstedt.

Pseudacanthotermes Sjöstedt.

Synacanthotermes Holmgren.

Allodotermes Silvestri.

Protermes Holmgren.

Sphaerotermes Holmgren.

Macrotermes Holmgren.

Odontotermes Holmgren.

Subgenus *Odontotermes* Holmgren.

Subgenus *Euscaiotermes* Silvestri.

Subgenus *Hypotermes* Holmgren.

Ancistrotermes Silvestri.

Microtermes Wasmann.

Subgenus *Microdontermes* Sarwar ms.?

(Spiny)

ACANTHOTERMES

Genus *Acanthotermes* Sjöstedt.Generitype: *Acanthotermes acanthothorax* Sjöstedt.Genus *Termes* (*Termes*) Hagen 1858, pp. 107, 108.Genus *Termes* (*Termes*) Hagen 1858a, p. 16.Genus *Termes* Sjöstedt 1898a, p. 204.Genus *Acanthotermes* Sjöstedt 1900a, p. 54.Genus *Termes* Desneux (part) 1904e, pp. 28, 26.Genus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.Genus *Acanthotermes* Holmgren 1912, pp. 13, 11.Genus *Acanthotermes* Sjöstedt 1926, p. 60.*Acanthotermes acanthothorax* (Sjöstedt).*Termes acanthothorax* Sjöstedt 1898a, p. 204, sold.¹⁻², work., Camerun, Ekunda, Kitta.*Acanthotermes acanthothorax* Sjöstedt 1900a, pp. 55-56, 59-65, 218, 220, 235, pl. 2, fig. B1-3 (sold.¹), fig. B4-6 (sold.²), Cameroon, Victoria, Mungo; Silvestri 1912, p. 221; 1914-15, p. 10; Sjöstedt 1926, pp. 60-62, pl. 3, figs. A1-5a, text fig. 21, sold.¹⁻² (5 types sold. described), syn., loc.*Acanthotermes* (*Acanthotermes*) *acanthothorax* Emerson 1928, pp. 432-433, fig. 5 (sold.¹⁻²), two other sizes of intermediate sold.; Sjöstedt's "C" type parasitized, "B" type also in probability; loc.; Grassé 1937a, p. 29, figs. 19-20 (sold.¹⁻²), Ivory Coast: Abobo-Baoulé.sold.¹⁻², work.

Portuguese Guinea, Ivory Coast,

Cameroon, Isl. Fernando Po,

French and Belgian Congo,

Uganda.

Ethiopian.

PSEUDACANTHOTERMES

Genus *Pseudacanthotermes* Sjöstedt.Generitype: *Pseudacanthotermes militaris* (Hagen).Genus *Pseudacanthotermes* Sjöstedt 1924b, pp. 253-257 (256) (nom. nud.).Genus *Pseudacanthotermes* Sjöstedt 1926, pp. 60, 62-64.Subgenus *Pseudacanthotermes* Emerson 1928, pp. 406, 418, 432-433.Genus *Pseudacanthotermes* Emerson 1945, p. 441.*Pseudacanthotermes curticeps* Sjöstedt.*Pseudacanthotermes curticeps* Sjöstedt 1924c, p. 497, sold.¹; 1926, p. 67, pl. 3, fig. E (sold.¹), sold.¹⁻², work.¹⁻², Belgian Congo: Tshela.sold.¹⁻², work.¹⁻²

Belgian Congo.

Ethiopian.

Pseudacanthotermes grandiceps (Sjöstedt).*Acanthotermes grandiceps* Sjöstedt 1915, p. 8, sold., work.¹⁻², figs. 1A, 1B (sold.), Brit. E. Africa: Kisumu, etc.*Pseudacanthotermes grandiceps* Sjöstedt 1926, pp. 64-65, sold.¹, work.¹⁻², Brit. E. Africa.sold.¹, work.¹⁻²

Brit. E. Africa.

Ethiopian.

Pseudacanthotermes militaris (Hagen).

Termes militaris Hagen 1858, p. 122, pl. 3, fig. 9 (head and prothorax imago), habitat known.

Acanthotermes militaris Sjöstedt 1900a, p. 56 (im.), pl. 2, fig. A1-3 (queen), fig. 8 (sold. fig. A4-5 (sold.²), fig. A6-7 (work.¹⁻²), Angola, Togo, Congo.

Pseudacanthotermes militaris Sjöstedt 1924a, p. 256.

Pseudacanthotermes militaris Sjöstedt 1926, pp. 65-67, pl. 3, fig. C, text fig. 22 (soldier, syn., loc.

Acanthotermes (*Pseudacanthotermes*) *militaris* Emerson 1928, pp. 437-438, pl. 22, and text fig. 8, wing., sold.¹, loc., syn.

Termes viator Walker 1853, p. 509 (im. only).

Type: Brit. Museum.

Wing., sold.¹⁻², work.¹⁻²

French Guinea, Sierra Leone,
Togo, Cameroon, Isl. Fernando Po,
Uganda, Kenya, Congo, Angola,
Rhodesia, Nyassa, So. Africa.

Ethiopia

Pseudacanthotermes militaris, var. *laticeps* (Sjöstedt).

Acanthotermes laticeps Sjöstedt 1905, p. 4, sold.¹, Sierra Leone.

Pseudacanthotermes laticeps Sjöstedt 1926, p. 64, pl. 3, fig. B1-2, sold.¹, loc.

Type: Mus. London and Stockholm.

Sold.¹⁻², work.¹⁻².

Sierra Leone, French Guinea,
Dahomey.

Ethiopia

Pseudacanthotermes militaris, subsp. *minor* (Sjöstedt).

Acanthotermes militaris minor Sjöstedt 1913a, p. 358, sold., Congo: Sankisia.

Pseudacanthotermes minor Sjöstedt 1926, p. 67, pl. 3, fig. D (sold.¹); syn., loc.

Pseudacanthotermes minor Sjöstedt 1926c, pp. 238-239, sold., Accra.

Sold.¹⁻²

Belg. Congo, Zambesi, So. Africa,
Gold Coast.

Ethiopia

Pseudacanthotermes piceus (Sjöstedt).

Acanthotermes piceus Sjöstedt 1911b, p. 173 (im.), S. Rhodesia: Salisbury.

Pseudacanthotermes piceus Sjöstedt 1926, p. 65 (im.), (syn.).

Winged.

S. Rhodesia, Uganda.

Ethiopia

Pseudacanthotermes spiniger (Sjöstedt).

Termes (*Acanthotermes*) *spiniger* Sjöstedt 1900, p. 278, Congo: Umangi.

Acanthotermes spiniger Sjöstedt 1900a, p. 65, pl. 2, fig. C1-2 (sold.¹), fig. C3-5 (sold.² fig. C6 (work.)).

Pseudacanthotermes spiniger Sjöstedt 1926, pp. 68-69, im., queen, sold.¹⁻², work.¹⁻², syn., loc. 1926b, p. 4, Gold Coast: Aburi; Grassé 1937a, p. 3 figs. 21-22 (sold.¹⁻²), Ivory Coast: Abobo Baoul

- anthotermes* (*Pseudacanthotermes*) *spiniger* Emerson 1928, pp. 433-436, pls. 21, 23, fig. 2, text fig. 7, wing., sold.¹⁻², work., Belg. Congo.
- anthotermes spiniger* subsp. *Köhli* Wasmann 1911a, p. 110, pl. 3, fig. 3 (queen), sold. and im., Congo: Romé (near Stanleyville).
- anthotermes spiniger* subsp. *lujae* Wasmann 1904a, p. 673, wing., sold.¹⁻², work.¹⁻², Congo: Kondué.
- anthotermes spiniger* subsp. *Lujae* Wasmann 1911a, pp. 106-108.
- pseudacanthotermes spiniger* subsp. *Maynei* Sjöstedt 1926, p. 70, pl. 3, fig. F1-5 (queen, sold.¹⁻²), sold.¹⁻², work.¹⁻², Congo: Eala.
- pseudacanthotermes Unsgaardi* Sjöstedt 1926, pp. 71-72, sold.¹⁻², work.¹⁻², Fr. Congo: Indo, Mus. Stockholm.
- ing., queen, sold.¹⁻², work.¹⁻²
 . Guinea, Ivory and Gold
 Coasts, Fr. Equatorial Africa,
 Uganda, Belg. Congo. Ethiopian.

SYNACANTHOTERMES

Genus *Synacanthotermes* Holmgren.

Generitype: *Synacanthotermes heterodon* (Sjöstedt).

Genus *Synacanthotermes* Holmgren 1910, p. 286 (no descr.).

Genus *Synacanthotermes* Holmgren 1912, pp. 21, 12, fig. 5 (sold.).

Genus *Eutermes* Sjöstedt 1899, p. 38 (part).

Genus *Termes*, subgen. *Eutermes* Desneux 1904e, pp. 32, 35.

Genus *Synacanthotermes* Sjöstedt 1926, p. 151.

Synacanthotermes heterodon (Sjöstedt).

utermes heterodon Sjöstedt 1899, p. 38, sold., work., Cameroon: N'dian.

ermes (Eutermes) heterodon Desneux 1904e, p. 42, syn.

Synacanthotermes heterodon Holmgren 1912, p. 21, fig. 5 (sold.), pl. 1, fig. 7 (sold.); Sjöstedt 1926, pp. 151-152, pl. 6, fig. Mu, text fig. 31 (sold.), loc., syn., sold., work.

old., work.

Cameroon. Ethiopian.

Synacanthotermes heterodon, subsp. *trilobata* Sjöstedt.

Synacanthotermes heterodon subsp. *trilobata* Sjöstedt 1926, p. 152, pl. 6, fig. N1-2, pl. 7, fig. A1-2 (sold.), Belg. Congo: Luluabourg, Mus. Tervueren and Stockholm.

old., work.

Belg. Congo. Ethiopian.

Synacanthotermes zanzibarensis (Sjöstedt).

ermes (Synacanthotermes) zanzibarensis Sjöstedt 1915, p. 10, fig. 2, sold., Zanzibar Isl.: Haitajwa Hill, Mus. Paris.

Synacanthotermes zanzibarensis Sjöstedt 1926, pp. 152-153, syn., loc.

old.

Zanzibar. Ethiopian.

PROTERMES

Genus *Protermes* Holmgren.

Generitype: *Protermes prorepens* (Sjöstedt).

Genus *Eutermes* Sjöstedt 1907, p. 244 (part).

Genus *Termes* Sjöstedt 1911, p. 145 (part).

<Genus *Protermes* Holmgren 1910, p. 286 (no descr.).

<Genus *Protermes* Holmgren 1912, pp. 24, 11.

=Subgenus *Protermes* Holmgren 1912, p. 26.

=Genus *Protermes* Sjöstedt 1926, p. 147.

=Genus *Protermes* (*Protermes*) Emerson 1928, p. 438.

Protermes hirticeps Sjöstedt.

Protermes hirticeps Sjöstedt 1924c, p. 495, sold.¹⁻², Belg. Congo: Mukimbungu; 1926, 148-149, pl. 6, fig. F1-2, sold.¹⁻², work.¹⁻² (only 2 species *Protermes*, of which 2 types soldiers know; only 1 type in *Allodontermes* also).

Protermes (*Protermes*) *hirticeps* Emerson 1928, pp. 439-440, fig. 10, sold., Belg. Congo Sold.

Belg. Congo.

Ethiopi

Protermes minutus (Grassé).

Termes minutus Grassé 1937a, p. 62, sold.¹⁻², work., biol., figs. 32-35, pl. 4 (fungus), C d'Ivoire: Forest of Banco near Abidjan, environs of Bingerville.

Sold.¹⁻², work.

Ivory Coast.

Ethiopi

Protermes prorepens (Sjöstedt).

Eutermes prorepens Sjöstedt 1907, p. 244, sold., work.¹, Congo: Mukimbungu.

Termes prorepens Sjöstedt 1911, p. 145, work.²

Protermes (*Protermes*) *prorepens* Holmgren 1912, pp. 25-26, fig. 8, pl. 1, fig. 8, sold., Emerson 1928, p. 439, fig. 9, sold., Congo.

Protermes prorepens Sjöstedt 1926, p. 148, pl. 6, fig. G, text fig. 28, sold., syn., loc.

Sold., work.¹⁻²

Belg. Congo.

Ethiopi

ALLODONTERMES

(Other
tooth)

Genus *Allodontermes* Silvestri.

Generitype: *Allodontermes schultzei* (Silvestri).

=Genus *Allodontermes* Silvestri 1914, p. 15.

=Genus *Allodontermes* Sjöstedt 1926, p. 143.

=Subgenus *Allodontermes* (*Termes*) Silvestri 1912a, p. 2.

=Subgenus *Allodontermes* (*Protermes*) Holmgren 1912, pp. 26, 11; Emerson 1928, p. 4.

Allodontermes giffardi Silvestri.

Allodontermes giffardi Silvestri 1914-15, p. 16, fig. V, 1-2, sold., work.¹⁻², Nigeria Meri: I. Badan; Sjöstedt 1926, p. 147, sold., work.¹⁻², queen, king, loc.

Allodontermes giffardi Grassé 1937a, p. 68, Ivory Coast: Man.

Queen, king, sold., work.¹⁻²

Ivory and Gold Coasts, So.

Nigeria, French Equatorial

Africa.

Ethiopi

Allodontermes infundibuli (Sjöstedt).

Termes infundibuli Sjöstedt 1913a, p. 363, im., sold., work.¹⁻², pl. 10, fig. 1, head sold., SE. Congo: Katanga, Sankisia and Kasenga.

Allodontermes infundibuli Sjöstedt 1926, p. 146, pl. 6, fig. E (sold.), syn., loc., Mus. Ter-
vueren and Stockholm.

Wing., sold., work.¹⁻²
E. Congo.

Ethiopian.

Allodontermes morogorensis Harris.

Allodontermes morogorensis Harris 1936, pp. 364-366, figs. 1-2, wing., sold., work.¹⁻²,
Tanganyika Terr. (close to *infundibuli*).

Type: British Museum.

Wing., sold., work.¹⁻²
Tanganyika: Morogoro, etc.

Ethiopian.

Allodontermes rhodesiensis (Sjöstedt).

Termes (Allodontermes) rhodesiensis Sjöstedt 1914a, p. 3, fig. 2 (sold.), Rhodesia: Salis-
bury.

Protermes (Allodontermes) Schultzei Holmgren 1913d, p. 324 (nec Silvestri), Zululand:
Solkele.

Allodontermes Schultzei Silvestri 1914-15, p. 15; 1914a, p. 487, Zululand: Marzo, Pretoria.
Protermes (Allod.) rhodesiensis Hegh 1922, p. 686, Rhodesia.

Protermes (A.) Schultzei Hegh 1922, pp. 369, 685, Transvaal and Zululand only.

Allodontermes schultzei Fuller 1922, p. 71, im., sold., part, Transvaal.

Termes (Protermes) esuriens Sjöstedt 1924b, p. 255, sold., Transvaal, Pretoria.

Allodontermes rhodesiensis Sjöstedt 1926, pp. 145-146, sold., work.¹⁻², syn., loc.

Sold., work.¹⁻²

Rhodesia, So. Africa (Trans-
vaal, Swaziland, Zululand).

Ethiopian.

Allodontermes schultzei (Silvestri).

Termes Schultzei Silvestri 1908, p. 75, wing., sold., work.¹⁻², pl. 8, figs. 18, 23, pl. 9, figs. 24-
25, Kalahari: Severelela, Kang-Kgokong.

Termes (Allodontermes) Schultzei Silvestri 1912a, p. 2, fig. 1, wing., sold.

Protermes (Allodontermes) Schultzei Holmgren 1912, pp. 25-26 [?fig. 7 (sold.)], pl. 1,
fig. 2 (im.), fig. 9 (sold.) (fig. 7 = *rhodesiensis*).

Allodontermes schultzei Fuller 1922, p. 71, Kalahari.

Protermes (Allodontermes) Schultzei Hegh 1922, pp. 369, 685 (Kalahari only).

Allodontermes Schultzei Sjöstedt 1926, p. 145, pl. 6, fig. D, text fig. 27 (sold.), syn., loc.

Wing., sold., work.¹⁻²

Kalahari (Bechuanaland).

Ethiopian.

Allodontermes schultzei, subsp. *orientalis* Fuller.

Allodontermes schultzei subsp. *orientalis* Fuller 1922, p. 71 (im.), Delagoa Bay, Portuguese
E. Africa.

Winged.

Portuguese E. Africa.

Ethiopian.

Allodoterme tenax (Silvestri).

Termes (*Allodoterme*) *tenax* Silvestri 1912a, p. 3, fig. 2, 1-6 (sold.), S. Congo: Luapul.

Protermes (*Allodoterme*) *tenax* Holmgren 1912, p. 26.

Allodoterme tenax Sjöstedt 1926, pp. 146-147.

Sold.

S. Congo: Luapula.

Ethiopia

SPHAEROTERMES

(Sphere)

Genus *Sphaeroterme* Holmgren.

Generitype: *Sphaeroterme sphaerotherax* (Sjöstedt).

<Genus *Euterme* Sjöstedt 1911, p. 159.

=Genus *Sphaeroterme* Holmgren 1912, pp. 33, 11.

=Genus *Sphaeroterme* Sjöstedt 1926, p. 149.

Sphaeroterme sphaerotherax (Sjöstedt).

Euterme sphaerotherax Sjöstedt 1911, p. 159, sold., work., fig., sold., Congo: Mukimbung

Sphaeroterme sphaerotherax Holmgren 1912, p. 33, pl. 1, fig. 10, sold.; Silvestri 1914-1
p. 17, Victoria.

Termes (*Sphaeroterme*) *sphaerotherax* Sjöstedt 1914c, p. 90.

Sphaeroterme sphaerotherax Sjöstedt 1926, pp. 149-150, fig. 29, sold., pl. 6, fig. L₁₋₂, sold
Emerson 1928, pp. 350-252, fig. 15, im., sold., work., lo

Wing., sold., work.

Congo, Cameroon.

Ethiopia

MACROTERMES

Genus *Macrotermes* Holmgren.

Generitype: *Macrotermes lilljeborgii* (Sjöstedt).

>Subgenus *Macrotermes* (*Macrotermes*) = *lilljeborgii* gruppe Holmgren 1909, p. 193.

Subgenus *Macrotermes* (*Termes*) Holmgren 1910, p. 286 (no descr.).

>Subgenus *Macrotermes* Holmgren 1912, p. 29.

>Genus *Macrotermes* Sjöstedt 1926, p. 72.

=Genus *Macrotermes* Emerson 1928, pp. 440-441.

>Genus *Bellicositermes* Grassé 1937a, p. 34.

(Jaw)

>Subgenus *Gnathoterme* Holmgren 1912, pp. 22, 11.

>Genus *Tumulitermes* Sjöstedt 1924b, pp. 253-256.

>Genus *Hepilitermes* Sjöstedt 1926, p. 79 (replaces *Tumulitermes* 1924b, pp. 253-256, pr
occupied).

>Subgenus *Bellicositermes* Emerson 1925, p. 298.

>Genus *Ampilitermes* Sjöstedt 1926, p. 81.

Macrotermes annandalei (Silvestri).

Termes annandalei Silvestri 1914, p. 427, fig. iii, sold.¹⁻², work.¹⁻², Moulmein, Lower Burma
Sold.¹⁻², work.¹⁻²

Lower Burma; Siam; Yunnan,

China.

Indo-Malaya

acrotermes azarellii (Wasmann).

ermes Azarellii Wasmann 1896, pp. 626-628, sold.¹⁻², work., Palon (Pegù), Burma; 1896a (supl.), p. 152, sold.¹⁻², queen, Pegù, Burma.

ermes (Macrotermes) Azarelli Holmgren 1913b, p. 100, im., sold.¹⁻².

Type: Mus. Civico, Genoa.

old.¹⁻², work., queen.

Burma.

Indo-Malayan.

acrotermes barneyi Light.

acrotermes barneyi Light 1924, pp. 52-53, sold. in key, Hongkong, Amoy near Foochow, China, pp. 242-248, im., sold.¹⁻², work.; 1931, pp. 583-584, 593-594, Hainan Isl., Fukien; Silvestri 1947, pp. 13-40.

Wing., sold.¹⁻², work.

China.

Indo-Malayan.

acrotermes bellicosus (Smeathman).

ermes bellicosus Smeathman 1781, p. 141, im., Sierra Leone.

ermes fatale Fabricius 1781, p. 395; 1787, p. 248; 1793, p. 87; Gmelin 1800, p. 692, im., sold., refers to several species.

ermes capensis Latreille 1804, pp. 49, 59, loc.; 1805, p. 68.

ermes fatalis Burmeister 1839, p. 765 (part); Walker 1853, p. 510, only im. from Congo.

ermes subhyalinus Rambur 1842, p. 307, im., Senegal.

ermes viator Walker 1853, p. 508 (only queen and imago), Cape Coast Castle.

ermes bellicosus Hagen 1858, p. 109, im., sold., work., pl. 1, fig. 3 (sold.), syn., loc.

ermes falciger Gerstacher 1891, p. 186, Ubusini.

ermes bellicosus subsp. *sansibarita* Wasmann 1897, p. 158, Zanzibar.

acrotermes bellicosus Fuller 1922, p. 72, Congo; 1927, pp. 131-141 (along Limpopo to exclusion *natalensis*).

implitermes bellicosus Sjöstedt 1926, pp. 85-87, fig. 25, sold.¹⁻², syn., loc.

bellicositermes bellicosus Sjöstedt 1926, pp. 367, 391; 1926a, p. 4, Gold Coast; Grassé 1937a, p. 34, Ivory Coast, Guinée (range 15° lat. No. to 20° lat. So.).

acrotermes (Belliositermes) bellicosus Emerson 1928, pp. 446-447, fig. 13 (im.), map 7 (dist.).

Type: winged, Brit. Museum and Banks coll., Oxford?

Wing., queens, kings, sold.¹⁻²,

work.¹⁻²

savannah region Africa from

approximately lat. 18° N. to

lat. 28° S.

Ethiopian.

acrotermes bellicosus, form *kunenensis* Fuller.

acrotermes bellicosus form *kunenensis* Fuller 1922, p. 73, wing., sold., Ovamboland.

implitermes bellicosus forma *kunenensis* Sjöstedt 1926, pp. 87-88.

bellicositermes bellicosus forma *kunenensis* Sjöstedt 1926, p. 391.

Wing., sold.

Ovamboland, SW. Africa.

Ethiopian.

Macrotermes bellicosus, form *limpopoensis* Fuller.

Macrotermes bellicosus form *limpopoensis* Fuller 1922, p. 73, winged, Transvaal, Messina.

Amplitermes bellicosus forma *limpopoensis* Sjöstedt 1926, p. 87.

Bellicositermes bellicosus forma *limpopoensis* Sjöstedt 1926, p. 391.

Winged.

Transvaal, So. Africa.

Ethiopia

Macrotermes bellicosus, form *mossambica* (Hagen).

Termes bellicosus var. *Mossambica* Hagen 1858, p. 118, im., sold., etc. Mossambique.

Macrotermes bellicosus form *mossambica* Fuller 1922, p. 73.

Amplitermes bellicosus forma *mossambica* Sjöstedt 1926, p. 87, syn., loc.

Bellicositermes bellicosus forma *mossambica* Sjöstedt 1926, p. 391.

Wing., sold., work.

Mozambique, Zambesi, N.

Transvaal, Zwaziland, Delagoa Bay.

Ethiopia

Macrotermes bellicosus, var. *tonga* Fuller.

Macrotermes bellicosus-tonga Fuller 1927, pp. 137, 140, sold., Zululand.

Sold.

Zululand.

Ethiopia

Macrotermes bellicosus, var. *ukuzii* Fuller.

Macrotermes ukuzii Fuller 1922, p. 80, sold.¹⁻², work., Zululand, Ukuzi Riv., So. Africa.

Macrotermes bellicosus-ukuzii Fuller 1927, pp. 133, 137-141.

Amplitermes Ukuzii Sjöstedt 1926, p. 90.

Bellicositermes Ukuzii Sjöstedt 1926, p. 391.

Sold.¹⁻², work.

Zululand, So. Africa.

Ethiopia

Macrotermes carbonarius (Hagen).

Termes carbonarius Hagen 1858, p. 130, winged, pl. 1, fig. 2 (sold.), pl. 2, fig. 8 (winged,

pl. 3, fig. 12 (head and pronotum imago), Borneo

winged, Mus. Vienna, Pulo Penang, sold., Mus. Berlin.

Haviland 1898, p. 380, wing., sold., work., Singapore.

Malacca, Siam (Borneo?).

Termes (Macrotermes) carbonarius Holmgren 1913b, pp. 93-94, pl. 3, figs. 1-3 (im., sold.¹⁻²

loc.; 1913-14, p. 242, Malacca.

Macrotermes carbonarius John 1925, p. 385, pls. 17, 7-8, 18, 9, 23, 27-28, loc., biol.

Type: Mus. Vienna; paratype: wing. female, M.C.Z.

No. 200, sold.¹

Wing., sold.¹⁻², work.

Borneo, Malay Peninsula, Siam.

Indo-Malaya

Macrotermes carboniceps (Sjöstedt).

Termes carboniceps Sjöstedt 1924a, p. 39, sold.¹, Belg. Congo: Yambata.

Amplitermes carboniceps Sjöstedt 1926, pp. 92-93, pl. 4, fig. A, sold.

Bellicositermes carboniceps Sjöstedt 1926, pp. 367, 391.

Sold.¹

Belgian Congo.

Ethiopia

Macrotermes convexus (Grassé).

Micositermes convexus Grassé 1937a, pp. 35-37, figs. 23-25, sold.¹⁻², fig. 26, Man à Touba, Ivory Coast.

ld.¹⁻²
Ivory Coast.

Ethiopian.

Macrotermes estherae (Desneux).

Termes estherae Desneux 1908, p. 390, im., sold.¹⁻², work., Brit. India, Bijapur Dist., Bombay: Kaladji.

Termes (*Macrotermes*) *estherae* Holmgren 1913b, p. 94, im., sold.¹⁻², work.¹⁻², pl. 3, fig. 4 (im.), fig. 5 (sold.¹), fig. 6 (sold.²), local.

Termes convulsionarius König 1779, p. 24.

Hodotermes convulsionarius Hagen 1858, p. 90 (work.), Tranquebar.

Hodotermes (?) *convulsionarius* Holmgren 1911a, p. 43.

Termes convulsionarius Bugnion, 1913, pp. 136-139, pl. 9, syn.

Termes (*Hodotermes convulsionarius*) Fletcher in Holmgren, K. and N. 1917, pp. 145-146, syn., loc. [Fletcher would make *estherae* syn. of *convulsionarius*; Holmgren disagrees.]

Macrotermes convulsionarius John 1925, p. 385, syn., loc., Ceylon.

ing., sold.¹⁻², work.¹⁻²

Bombay, Madras-India; Ceylon.

Indo-Malayan.

Macrotermes gilvus (Hagen).

Termes gilvus Hagen 1858, p. 148, pl. 3, fig. 14 (im.), im., queen, sold.¹⁻², Java, coll. Selys Longchamps Brussels, Mus. Vienna, Mus. Berlin.

Termes (*Macrotermes*) *gilvus* Holmgren 1913b, pp. 98-100, im., sold.¹⁻², work.¹⁻², pl. 3, fig. 9 (im.), fig. 10 (sold.¹), fig. 11 (sold.²), syn., loc.; 1913-14, p. 243, loc.

Termes dives Hagen 1858, p. 142, Java only (sold.).

Termes taprobanes Walker 1853, p. 522.

Termes fatalis Hagen 1858, p. 144 (sold.), Ceylon.

Termes Taprobanes ? Hagen 1860a, p. 103, sold., Borneo.

Termes malayanus Silvestri 1911c, p. 59 (guests), Java.

Termes gilvus Light 1921, p. 251, syn., loc.

Macrotermes gilvus John 1925, pp. 385-386, loc.; Kemner 1934, pp. 72-77 fig. 9 (im., sold.).

Paratype: wing. male, M.C.Z. No. 203.

ing., sold.¹⁻², work.¹⁻², queens.

Java, Malay Peninsula, Borneo,

Sumatra, Celebes, Philippines.

Indo-Malayan.

Macrotermes gilvus, f. *angusticeps* Kemner.

Macrotermes gilvus f. *angusticeps* Kemner 1934, pp. 77-79, fig. 10 (sold.), im., sold., W. Java, Depok near Buitenzorg.

1., sold.

Java.

Indo-Malayan.

Macrotermes gilvus, var. *borneensis* Kemner.

Macrotermes gilvus var. *borneensis* Kemner 1933, p. 27, fig. 1 (sold.), Borneo, Samarinda.

old.

Borneo.

Indo-Malayan.

Macrotermes gilvus, f. *kalshoveni* Kemner.

Macrotermes gilvus f. *Kalshoveni* Kemner 1934, pp. 80-82, fig. 11 (sold.), Buitenzorg, Java.
Sold.

Java.

Indo-Malaya

Macrotermes gilvus, f. *latinotus* Kemner.

Macrotermes gilvus f. *latinotum* Kemner 1934, pp. 79-80, im., sold., W. Java.

Wing., sold.

W. Java.

Indo-Malaya

Macrotermes gilvus, f. *padangensis* Kemner.

Macrotermes gilvus f. *padangensis* Kemner 1930, pp. 306-307, fig. 9 (sold.²).

Sold.²

Fort de Kock, Sumatra

Indo-Malaya

Macrotermes gilvus, form *philippinensis* (Oshima).

Termes (*Macrotermes*) *philippinensis* Oshima 1914b, p. 566, im., sold.¹⁻², work., figs. 1-3.
Philippines: Los Banos (Laguna Prov.), Luzon.
1920a, p. 498, loc.; Light 1921, p. 252, syn., loc.

Macrotermes (*Macrotermes*) *philippinensis* Kemner 1934, p. 24.

Termes (*Termes*) *copelandi* Oshima 1914b, p. 570, pl. 9, figs. 6, 7, sold.¹⁻², work., figs. 4-5.
Philippines: Los Banos, Luzon.

Termes (*Macrotermes*) *copelandi* Oshima 1920a, p. 498, loc.; Light 1921, pp. 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

Termes (*Macrotermes*) *gilvus* Holmgren 1913b, p. 98, Philippines only.

Termes gilvus Silvestri 1926, p. 3.

Macrotermes gilvus Williams 1928; Light 1931, p. 594; Pangga 1936; 1937.

Termes (*Macrotermes*) *luzonensis* Oshima 1914b, p. 569, pl. 9, figs. 10-11, sold., work., Philippines: Los Banos; 1920a, p. 498, loc.; Light 1921, p. 251, syn., loc.

Macrotermes luzonensis Kemner 1934, p. 24.

Termes (*Macrotermes*) *manilanus* Oshima 1914b, p. 565, im., Philippines, Manila.
1920a, p. 498, loc.; Light 1921, p. 252, syn., loc.

Macrotermes manilanus Kemner 1934, p. 24.

Wing., sold.¹⁻², work.

Philippines.

Indo-Malaya

Macrotermes gilvus, subsp. *madurensis* Kemner.

Macrotermes gilvus subsp. *madurensis* Kemner 1934, pp. 82-83, fig. 12 (sold.), Madura (near E. Java).

Sold.

Madura Isl.

Indo-Malaya

Macrotermes gilvus, subsp. *malayanus* (Haviland).

Termes malayanus Haviland 1898, pp. 381-384, im., sold., work., fig. (nest and fungus garden), Malay Peninsula, Borneo; Pratt 1909a, p. 44, sold.; Escherich 1911, p. 22, 45-46.

Termes gilvus Holmgren 1911, p. 552.

Termes (*Macrotermes*) *gilvus* Holmgren 1912, pp. 29, 31, fig. 9 (sold. mandible ("Hinterindien" and) E. Indies; 1913b, p. 98, Malaya only.

- Macrotermes gilvus* Jolm 1925, p. 385, royal pair, sold., work., loc.
ermes (*Macrotermes*) *gilvus* subsp. *malayanus* Bathelier 1927, pp. 141, 144.
acrotermes gilvus subsp. *malayanus* Kemmer 1934, p. 24.
acrotermes gilvus subsp. *malayanus* Wheeler 1936, pp. 231-232.
 Wing., queen, king, sold., work.
 Malay Peninsula, Borneo. Indo-Malayan.
- Macrotermes goliath* (Sjöstedt).
ermes goliath Sjöstedt 1899a, p. 156, im., sold.¹⁻², work.¹, Kilimandjaro: Brit. E. Africa.
ermes michelli von Rosen 1912, p. 233, fig. 1, sold.¹, Congo: No. Katanga (Munich Mus. Zoolog. Staatssammlung); Holmgren 1912, p. 30, pl. 1, fig. 3 (im.), fig. 12, sold.¹⁻².
implitermes goliath Sjöstedt 1926, pp. 83-85, syn., loc.
ellicositermes goliath Sjöstedt 1926, pp. 366, 391; 1926a, p. 4, Gold Coast.
 Wing., queen, sold.¹⁻², work.¹⁻²
 r. Guinea, Gold Coast, Dahomey, Fr. Equatorial Africa, Uganda, Congo, Tanganyika, Rhodesia, Nyassa, NE. Transvaal. Ethiopian.
- Macrotermes gratus* (Sjöstedt).
ermes gratus Sjöstedt 1900, p. 278, im., Togo: Misahöhe.
acrotermes gratus Sjöstedt 1926, p. 79, pl. 3, fig. K, wing.
 Wing.
 Togo. Ethiopian.
- Macrotermes herus* (Sjöstedt).
ermes herus Sjöstedt 1914b, p. 79, im., pl. 2, fig. 6, Abyssinia: Dirré-Daoua (30 km. from Djibouti).
implitermes herus Sjöstedt 1926, p. 88.
ellicositermes herus Sjöstedt 1926, p. 391.
 Type: Mus. Stockholm.
 Wing., queen.
 Abyssinia. Ethiopian.
- Macrotermes imperator* (Sjöstedt).
ermes imperator Sjöstedt 1913a, p. 359, sold.¹⁻², work.¹, Belg. Congo: Sankisia.
acrotermes imperator Sjöstedt 1926, p. 76, fig. 24 (sold.), pl. 3, fig. G (sold.).
ermes (*Macrotermes*) *imperator* Hegh 1922, p. 139, etc.
 Type: Mus. Tervueren and Stockholm.
 sold.¹⁻², work.¹
 Belgian Congo. Ethiopian.
- Macrotermes ituriensis* Sjöstedt.
acrotermes ituriensis Sjöstedt 1924b, p. 253, wing., Belg. Congo: Ituri, Mus. Stockholm; 1926, pp. 74-75, pl. 3, fig. H, wing.
 Wing.
 Belgian Congo. Ethiopian.

Macrotermes jeanneli (Grassé).

Bellicositermes jeanneli Grassé 1937, pp. 71-73, figs. 7, sold.¹⁻², work., Kalodeka so. of i
Rodolphe [Heigh 1922, figs. 53, 65, nests and loc.]

Sold.¹⁻², work.

E. Abyssinia, Kenya.

Ethiopia

Macrotermes kibonotensis (Sjöstedt).

Tumulitermes kibonotensis Sjöstedt 1924b, p. 253, sold., Tanganyika: Kibonoto
Kilimandjaro.

[*Hepilitermes* for *Tumulitermes* Sjöstedt 1926, p. 70 (nom. praeoc.).]

Sold.

Tanganyika.

Ethiopia

Macrotermes lilljeborgi (Sjöstedt).

Termes Lilljeborgi Sjöstedt 1896, pp. 269-280, pl. 14, sold.¹⁻², work., Cameroon: Ki
Kribi.

Termes (*Macrotermes*) *Lilljeborgi* Sjöstedt 1914c, p. 90, loc.

Macrotermes Lilljeborgi Sjöstedt 1926, p. 75, syn., loc.

Macrotermes (*Macrotermes*) *lilljeborgi* Emerson 1928, pp. 442-443, fig. 11, sold.¹.

Sold.¹⁻², work.

Cameroon, Nigeria (Old Cala-
bar), Congo (Rio San Be-
nito).

Ethiopia

Macrotermes malaccensis (Haviland).

Termes malaccensis Haviland 1898, p. 381, sold.¹⁻², work, Malacca.

Termes (*Macrotermes*) *malaccensis* Holmgren 1913b, p. 96, im., sold.¹⁻², work.¹⁻², Malacca
(Mus. Cambridge), Johore (Mus. Vienna), Bandoeng
off Sumatra (Mus. München).

Macrotermes malaccensis John 1925, p. 385, loc.

Gnathotermes Aurivilli Holmgren 1912, p. 23, fig. 6 (b) sold., pl. 2, fig. 8 (so-
l. (parasitized), Billiton Isl.; Kemner 1925a, pp. 1-15, syn.,
Billiton (Reichsmus., Stockholm), Singapore
(Mus. München).

?*Gnathotermes Havilandi* Holmgren 1912, p. 23, fig. 6 (a), sold., Johore; Kemner
1925a, pp. 1-15, syn., Malacca (parasitized sold.)

Type: No. 503 (Hav.).

Wing., sold.¹⁻², work.¹⁻²

Fed. Malay States, Sumatra,
Billiton.

Indo-Malaya

Macrotermes michaelsoni (Sjöstedt).

Termes (*Termes*) *Michaelsoni* Sjöstedt 1914b, p. 77, im., sold.¹⁻², work., pl. 2, fig. 1 (i-
fig. 10 (sold.)), SW. Africa: Okahandja.

Amplitermes Michaelsoni Sjöstedt 1926, p. 88, wing., sold.¹⁻², work.¹⁻², SW. Africa, Zambesi
Villa Fontes.

Types: Mus. Hamburg, Stockholm.

Bellicositermes Michaelsoni Sjöstedt 1926, p. 391.

Wing., sold.¹⁻², work.¹⁻²

SW. Africa, Zambesi.

Ethiopia

Macrotermes mozambicanus (Sjöstedt).

Amplitermes mozambicanus Sjöstedt 1926, pp. 89-90, wing., Mozambique: Vallée du Revoué, Env. d'Anodraba, Mus. Paris and Stockholm [near *usutu* Fuller].

Bellicositermes mozambicanus Sjöstedt 1926, pp. 367, 391.

Ving.

Mozambique.

Ethiopian.

Macrotermes mülleri (Sjöstedt).

Termites mülleri v. Ihring 1887, p. 3 (near *T. lespesi*) not valid because of description.

Termites Mülleri Sjöstedt 1898a, p. 205, sold.¹⁻², work., French Congo (Gabon): Agoncho.

Macrotermes Mülleri Sjöstedt 1926, pp. 76-78, pl. 3, fig. L (wing.), im., sold.¹⁻², work.¹⁻², syn., loc.

Termites amplus Sjöstedt 1899, p. 35, sold., Congo: Umangi, Kasongi near Stanley Falls; 1900a, p. 89, sold.¹, pl. 3, fig. c.

Termites (Macrotermes) amplus Hegh 1922, pp. 243, 686.

Macrotermes Mülleri var. *ampla* Sjöstedt 1926, p. 78, syn., loc.

Type: Mus. Greifswald and Stockholm.

Termites gabonensis Sjöstedt 1900a, pp. 72-73, 92-94, 218, 222, 235, pl. 3, fig. B₁₋₂, sold.¹⁻², work., Agoncho; Wasmann 1911a, p. 99, queen, Congo: Sankuru.

Termites (Macrotermes) gabonensis Holmgren 1912, p. 29, Congo.

Macrotermes (Macrotermes) gabonensis Emerson 1928, pp. 443-444, fig. 12, wing., sold., Belg. Congo.

Ving., queen, sold.¹⁻², work.¹⁻²

French Equatorial Africa, Bel-

gian Congo.

Ethiopian.

Macrotermes natalensis (Haviland).

Termites bellicosus Hagen 1858, p. 120 (part), im. (nec Smeathman), "Kaffernlande" only; 1860, p. 102 (part), im. from Port Natal only; Sjöstedt 1900a, pp. 96, 102, im., sold., Durban and Uphome only.

Termites natalensis Haviland 1898, p. 383, pl. 23, figs. 7-10, wing., sold.¹, work.¹, Natal.

Termites tumulicola Sjöstedt 1899, p. 34, im., sold.¹⁻², work., Liberia, Togo, Natal.

Termites (Termites) parvus Holmgren 1913d, p. 325, sold.¹⁻², work.¹⁻², Zululand (preoccupied by *Termites parvus* Haviland 1898, p. 404).

Macrotermes parvus Fuller 1922, pp. 73, 80; 1927, p. 137, syn.

Amplitermes parvus Sjöstedt 1926, p. 92, syn., loc.

Bellicositermes parvus Sjöstedt 1926, p. 391.

Macrotermes natalensis Fuller 1922, p. 73, im., sold., So. Africa, syn., loc.

Amplitermes natalensis Sjöstedt 1926, pp. 90-92, syn., loc.

Bellicositermes natalensis Sjöstedt 1926, pp. 367, 391.

Macrotermes (Bellicositermes) natalensis Emerson 1928, pp. 447-450, fig. 14, im., sold., map 8 dist., pl. 23, fig. 1, pls. 24, 25, 26, Belg. Congo.

Bellicositermes natalensis Grassé 1937a, p. 35, loc.

All stages.

Approx. lat. 13° N. to lat. 33° S.,

Africa.

Ethiopian.

Macrotermes natalensis form *natalensis* Fuller 1922, p. 76, Natal, Zululand.

Amplitermes natalensis forma *natalensis* (Haviland s. str.) Sjöstedt 1926, p. 92 (doubtful validity).

Wing., sold.

So. Africa.

Ethiopi

Macrotermes natalensis, var. *durbanensis* Fuller.

Macrotermes natalensis-durbanensis Fuller 1927, p. 136, im., Durban, Natal.

Wing.

So. Africa.

Ethiopi

Macrotermes natalensis, form *intermedius* Fuller.

Macrotermes natalensis form *intermedius* Fuller 1922, p. 76, im., sold., Transvaal.

Amplitermes natalensis forma *intermedia* Sjöstedt 1926, p. 92 (of doubtful validity)

Wing., sold.

So. Africa.

Ethiopi

Macrotermes natalensis, form *transvaalensis* Fuller.

Macrotermes natalensis form *transvaalensis* Fuller 1922, p. 76.

Amplitermes natalensis forma *transvaalensis* Sjöstedt 1926, p. 92 (of doubtful validity).

Wing., sold.

So. Africa.

Ethiopi

Macrotermes niger (Sjöstedt).

Termes niger Sjöstedt 1898, p. 128, im., Cameroon; 1900a, p. 82, pl. 3, fig. A1 (im.).

Termes (*Macrotermes*) *niger* Holmgren 1912, p. 29.

Macrotermes niger Sjöstedt 1926, p. 74.

Wing.

Cameroon.

Ethiopi

Macrotermes nigeriensis (Sjöstedt).

Termes nigeriensis Sjöstedt 1911b, p. 183, im., S. Nigeria; Jaba, Lagos.

Termes (*Termes*) *nigeriensis* Holmgren 1912, p. 30.

Amplitermes nigeriensis Sjöstedt 1926, p. 88, wing., syn., loc.

Bellicositermes nigeriensis Sjöstedt 1926, p. 391.

Wing.

So. Nigeria, Ivory Coast, Da-

homey.

Ethiopi

Macrotermes nobilis (Sjöstedt).

Termes speciosus Sjöstedt 1899, p. 35, Cameroon: Johann-Albrechtshöhe (name pre-occupied).

Termes nobilis Sjöstedt 1900a, p. 90, sold.¹⁻², work.¹

Termes (*Macrotermes*) *nobilis* Holmgren 1912, p. 29, Cameroon, Belg. Congo.

Macrotermes speciosus Sjöstedt 1926, pp. 78-79, syn., loc.

Sold.¹⁻², work.¹

Cameroon, Belg. Congo.

Ethiopi

Macrotermes schoutedeni Sjöstedt.

Macrotermes Schoutedeni Sjöstedt 1924a, p. 39, sold.¹, Belg. Congo: Boma.

Microtermes Schoutedeni Sjöstedt 1924b, p. 256, sold.¹ (type of new genus).

Microtermes Schoutedeni Sjöstedt 1926, pp. 79-81, fig. 24a (sold.¹⁻², work.¹⁻²), pl. 3, fig. M (sold.¹), syn., loc.

Type: Congo Museum.

1-3, work.¹⁻²

g. Congo, Rhodesia.

Ethiopian.

Macrotermes serrulatus Snyder.

Macrotermes (Macrotermes) serrulatus Snyder 1934a, pp. 6-9, fig. 3 (sold.¹⁻²) (wing.?), Mogok, Burma.

Cotypes: sold.¹, British Museum and U.S.N.M. and Forest Research Inst., Dehra Dun; comorphotypes: sold.², as above, U.S.N.M. No. 50163.

(wing.), sold.¹⁻²

Mogok, Burma.

Indo-Malayan.

Macrotermes singaporensis (Oshima).

Macrotermes (Macrotermes) singaporensis Oshima 1913a, p. 284, im., soldiers, Malay Peninsula: Singapore (name preoccupied by *Termes singaporensis* Haviland 1898, p. 429).

g., soldiers.

Malay Peninsula.

Indo-Malayan.

Macrotermes swaziae (Fuller).

Macrotermes swaziae Fuller 1915, p. 462, pl. 34, fig. 11, king, queen, sold.¹⁻², work., Transvaal: Tzaneen, Barberton.

Macrotermes swaziae Fuller 1922, p. 78, wing.

Microtermes Swaziae Sjöstedt 1926, pp. 88-89, syn., loc.

Micrositermes Swaziae Sjöstedt 1926, p. 391.

g., king, queen, sold.¹⁻²,

work.¹

Africa.

Ethiopian.

Macrotermes usutu Fuller.

Macrotermes usutu Fuller 1922, p. 79, queen, sold.¹⁻², work., Usutu Riv., Swaziland.

Microtermes Usutu Sjöstedt 1926, p. 90.

Micrositermes Usutu Sjöstd. 1926, p. 391.

queen, sold.¹⁻², work.

Swaziland.

Ethiopian.

Macrotermes vitrialatus (Sjöstedt).

Macrotermes vitrialatus Sjöstedt 1899, p. 34, im., Congo: Umangi.

Macrotermes (Macrotermes) vitrialatus Holmgren 1912, p. 29, Cameroon.

Macrotermes vitrialatus Sjöstedt 1926, p. 79, syn., loc.

g., queen.

Belg. Congo, Cameroon.

Ethiopian.

Macrotermes waterbergi (Fuller).

Termes waterbergi Fuller 1915, p. 361, 466, sold., work., pl. 28, figs. 1-3, pl. 34, fig. 2
Transvaal; Warmbaths (distr. of the Waterberg), c

Macrotermes waterbergi Fuller 1922, p. 79, im.

Amplitermes Waterbergi Sjöstedt 1926, p. 89, syn., loc.

Bellicositermes Waterbergi Sjöstedt 1926, p. 391.

Wing., sold.¹⁻², work.¹⁻²

Transvaal.

Ethiopia

ODONTOTERMES

Genus *Odontotermes* Holmgren.

Generitype: *Odontotermes vulgaris* (Haviland).

>Genus *Odontotermes* Holmgren 1912, pp. 35, 11 (includes *Euscaiotermes*).

>Subgenus *Odontotermes* Holmgren 1910, p. 286 (*vulgaris* generitype).

>Genus *Termes* Banks (and Snyder) 1920, p. 8 (syn.).

>Genus *Termes* Fuller 1922, p. 82.

>Genus *Termes* Sjöstedt 1926, p. 93 (*capensis* generitype).

>Genus *Termes* Emerson 1928, pp. 452-453 (*capensis* generitype).

>Genus *Odontotermes* Kemner 1934, p. 83.

Subgenus *Odontotermes* (*Odontotermes*) Holmgren.

Subgeneritype: *Odontotermes* (*O.*) *vulgaris* (Haviland).

<Genus *Odontotermes* Holmgren 1912, pp. 35, 11.

=Subgenus *Odontotermes* (*Termes*) Holmgren 1910, p. 286.

>Subgenus *Cyclotermes* (*Termes*) Holmgren 1910, p. 286 (no description).

>Subgenus *Odontotermes* (*Cyclotermes*) Holmgren 1912, p. 38; 1913b, p. 108.

<Genus *Termitogetonella* Oshima 1920a, p. 496.

>Subgenus *Termes* (*Termes*) Fuller 1921, pp. 17-18, 22.

>Subgenus *Termes* (*Odontotermes*) Fuller 1922, pp. 82, 91 (*vulgaris* not included).

<Genus *Termes* Sjöstedt 1926, p. 93.

>Subgenus *Termes* (*Termes*) Emerson 1928, p. 452.

>Subgenus *Termes* (*Termes*) Snyder 1933a; 1934a.

Odontotermes (*Odontotermes*) *agilis* (Sjöstedt).

Termes agilis Sjöstedt 1904, p. 61, im., Liberia: Monrovia.

Odontotermes (*Odontotermes*) *agilis* Holmgren 1912, p. 37.

Termes agilis Sjöstedt 1926, p. 137, syn., loc.

Winged.

Liberia: Monrovia.

Ethiopia

Odontotermes (*Odontotermes*) *akengeensis* (Emerson).

Termes (*Termes*) *akengeensis* Emerson 1928, pp. 464-465, fig. 25, sold.¹⁻², Belg. Congo
Akenge.

Holotype: sold., A.M.N.H.

Sold.¹⁻²

Belgian Congo.

Ethiopia

- odontotermes* (*Odontotermes*) *almorensis* (Snyder).
ermes (*Cyclotermes*) *almorensis* Snyder 1933a, pp. 8-9, fig. 5, winged, W. Almora Forest Div., U. P., India.
 Cotypes: winged, U.S.N.M. No. 44104, and For. Res. Inst., Dehra Dun.
- Winged.
 United Provinces, India. Indo-Malayan.
- odontotermes* (*Odontotermes*) *amanicus* Sjöstedt.
odontotermes amanicus Sjöstedt 1925, p. 54, sold.¹, Usambara: Amani.
ermes amanicus Sjöstedt 1926, pp. 108-109, pl. 4, fig. D (sold.¹), im., sold.¹, work.
 Winged, sold., work.
 Usambara: Amani, Tanganyika. Ethiopian.
- odontotermes* (*Odontotermes*) *anamallensis* Holmgren, K. and N.
odontotermes (*Odontotermes*) *anamallensis* Holmgren, K. and N. 1917, p. 157, sold.¹⁻², work., Anamalai Hills, India.
 Sold.¹⁻², work.
 India. Indo-Malayan.
- odontotermes* (*Odontotermes*) *anceps* (Sjöstedt).
ermes anceps Sjöstedt 1911a, p. 171, sold., Abyssinia and Brit. E. Africa.
odontotermes (*Odontotermes*) *anceps* Holmgren 1912, p. 37.
ermes anceps Sjöstedt 1926, p. 114, pl. 4, fig. E (sold.¹), syn., loc.
 Sold., work.¹⁻²
 Abyssinia, Brit. E. Africa. Ethiopian.
- odontotermes* (*Odontotermes*) *anceps*, var. *amaniensis* Sjöstedt.
odontotermes amaniensis Sjöstedt 1924c, p. 490, sold., Usambara: Amani.
ermes amaniensis Sjöstedt 1926, p. 109, syn., loc.
 Sold.
 Usambara: Amani (Tanganyika). Ethiopian.
- odontotermes* (*Odontotermes*) *angustatus* (Rambur).
ermes angustatus Rambur 1842, p. 306, im., Cape of Good Hope; Walker 1853, p. 519; Hagen 1858, p. 123.
ermes Caffer (Hagen), Mus. Berlin.
- odontotermes* (*Odontotermes*) *angustatus* Holmgren 1912, p. 37.
ermes vulgaris Fuller 1915, in part, nec Haviland, pp. 340-341 (mating swarm), fig. 4, pp. 391-393, p. 481 (descr. mixed with *angustatus* and *vulgaris*, but mating records and nest, sold. and work. characters, especially antennal measurements, are *angustatus*).
- ermes* (*Odontotermes*) *angustatus* Hegn 1922, pp. 214, 269, 313, 317, 382, 688.
ermes angustatus Sjöstedt 1926, pp. 139-140, syn., loc.
 Type: Selys Longchamps coll., Brussels.
- Winged, queen, sold., work.
 Cape Good Hope, Orange Free State, Natal, Kaffraria, Transvaal, So. Africa. Ethiopian.

Odontotermes (*Odontotermes*) *angustipennis* (Sjöstedt).

Termes angustipennis Sjöstedt 1900a, p. 115, pl. 3, fig. R1, im., Congo: Kinchassa.

Odontotermes angustipennis Holmgren 1912, p. 37.

Termes (*Odontotermes*) *angustipennis* Sjöstedt 1914c, p. 90, loc.

Termes angustipennis Sjöstedt 1926, p. 136, syn., loc.

Type: Mus. Brussels and Stockholm.

Winged.

Congo: Kinchassa, Kimuenza;

Fr. Equatorial Africa: Braz-
zaville.

Ethiopia

Odontotermes (*Odontotermes*) *apollo* (Sjöstedt).

Termes apollo Sjöstedt 1905, p. 6, im., Brit. E. Africa.

Odontotermes (*Odontotermes*) *apollo* Holmgren 1912, p. 37.

Termes apollo Sjöstedt 1926, p. 142, syn., loc.

Type: Mus. London and Stockholm.

Winged.

Brit. E. Africa.

Ethiopia

Odontotermes (*Odontotermes*) *aquaticus* (Sjöstedt).

Termes aquaticus Sjöstedt 1897, p. 124, im., Cameroon: Mungo Riv.

Odontotermes (*Cyclotermes*) *aquaticus* Holmgren 1912, p. 38.

Termes aquaticus Sjöstedt 1926, p. 133, syn., loc.

Winged, queen, work.

Cameroon, Togo: Bismarck-
burg.

Ethiopia

Odontotermes (*Odontotermes*) *assamensis* Holmgren.

Odontotermes (*Cyclotermes*) *assamensis* Holmgren 1913b, p. 114, pl. 4, fig. 16, pl. 5, fig. 1
queen, sold., work., Assam.

Odontotermes assamensis Silvestri 1914, p. 428, Abor.

Type: Brit. Mus.

Queen, sold., work.

Assam, Abor.

Indo-Malaya

Odontotermes (*Odontotermes*) *assmuthi* Holmgren.

Odontotermes (*Odontotermes*) *Assmuthi* Holmgren 1913a, pp. 112-113, sold., work.¹⁻², Bor-
bay: Borivili Jungle; 1913b, p. 140, sold., work.¹
Bombay: Borivili.

Odontotermes (*Odontotermes*) *assmuthi* Holmgren, K. and N. 1917, p. 154, loc.

Odontotermes (*Odontotermes*) ? *assmuthi* John 1925, p. 389, Singapore?

Termes ceylonicus Fletcher 1912, pp. 224, 233, fig. 6, sold., loc., Bombay, India.
Sold., work.

Bombay, So. India, Coorg,
Bihar, Punjab.

Indo-Malaya

Odontotermes (*Odontotermes*) *aurora* (Sjöstedt).

Termes aurora Sjöstedt 1904, p. 60, im., Zanzibar.

Odontotermes (Odontotermes) aurora Holmgren 1912, p. 37.

Termes aurora Sjöstedt 1926, p. 138.

Type: Mus. Paris and Stockholm.

Winged.

Amuzibar.

Ethiopian.

Odontotermes (Odontotermes) badius (Haviland).

Termes badius Haviland 1898, p. 385, king, queen, sold.¹⁻², work., Natal; Sjöstedt 1900a, p. 110, im., sold.¹⁻², work.¹⁻², pl. 3, fig. O, queen.

Odontotermes (Odontotermes) badius Holmgren 1912, p. 36, fig. 12 (mand. sold.).

Termes (Odontotermes) badius Sjöstedt 1914b, p. 84, sold.¹⁻², loc.; 1926, pp. 109-113, syn., loc.

Termes latericius Fuller 1915, p. 339, fig. 6, mating and fig. nest.

Odontotermes tragardhi Fuller 1922, p. 84, sold.¹

Type: Mus. Stockholm and Cambridge No. 573.

Winged, king, queen, sold.¹⁻²,
work.¹⁻²

Cameroon, Belg. Congo,
Uganda, Kenya, Tanganyika,
Kalahari, Transvaal, Orange
Free State, Natal, Zululand,
SW. Africa, Cape Province.

Ethiopian.

Odontotermes (Odontotermes) badius, form *littoralis* (Fuller).

Termes badius form *littoralis* Fuller 1922, p. 91, im., Natal-Zululand coast; Sjöstedt 1926, p. 113.

Winged.

Natal-Zululand Coast, So.
Africa.

Ethiopian.

Odontotermes (Odontotermes) bangalorensis Holmgren.

Odontotermes (Odontotermes) bangalorensis Holmgren 1913a, pp. 105-109, im., queen, sold., work.¹⁻², Bangalore; 1913b, p. 112, pl. 4, fig. 15 (im.), im., queen, sold., work.¹⁻², Bangalore.

Odontotermes (Cyclotermes) bangalorensis Holmgren, K. and N. 1917, p. 151, loc.

Types: Brit. Mus., Mus. Berlin.

Odontotermes (Cyclotermes) bengalensis Holmgren 1912, p. 38 (no descr.), "Vorderindien."

Winged, queen, sold., work.¹⁻²

Bangalore, So. India (Coimbatore, Shevaroy Hills, Bellary Distr., Mysore State-Bangalore), Punjab (Lyallpur).

Indo-Malayan.

Odontotermes (Odontotermes) bellahunisensis Holmgren, K. and N.

Odontotermes (Cyclotermes) bellahunisensis Holmgren, K. and N. 1917, pp. 150-151, im., sold., work., Madras; Bellary Distr., Bellahuni; Mysore, Bangalore.

Winged, sold., work.

Madras, Mysore, India.

Indo-Malayan.

Odontotermes (*Odontotermes*) *bequaerti* (Emerson).

Termes (*Termes*) *bequaerti* Emerson 1928, pp. 454-455, fig. 16, sold., Belg. Congo: Thysville.

Termes badius Sjöstedt 1907, p. 239, Belg. Congo: Thysville; 1911, p. 144, Belg. Congo: Mukimbungu.

Holotype: sold., Congo Mus., Mus. Tervueren.

Sold.

Belg. Congo.

Ethiopia

Odontotermes (*Odontotermes*) *billitoni* Holmgren.

Odontotermes (*Odontotermes*) *Billitoni* Holmgren 1913b, p. 138, sold., work., pl. 5, fig. 1, sold., Billiton.

Sold.

Billiton.

Indo-Malaya

Odontotermes (*Odontotermes*) *boetonensis* Kemner.

Odontotermes (*Odontotermes*) *boetonensis* Kemner 1934, pp. 103-104, fig. 20, sold.

Sold.

Boeton Isl. so. of E. Celebes.

Indo-Malaya

Odontotermes (*Odontotermes*) *bomaensis* Sjöstedt.

Odontotermes bomaensis Sjöstedt 1924c, p. 492, sold., Belg. Congo: Boma.

Termes bomaensis Sjöstedt 1926, p. 121, pl. 5, fig. G, sold.², sold., work.¹⁻², syn., loc.

Types: Mus. Tervueren and Stockholm.

Sold., work.¹⁻²

Belg. Congo.

Ethiopia

Odontotermes (*Odontotermes*) *boranicus* (Ghidini).

Termes boranicus Ghidini 1937, pp. 141-143, sold., work.¹⁻², Ethiopia: Galla-Borana (Neghelli) (near *somaliensis*).

Sold., work.

Ethiopia.

Ethiopia

Odontotermes (*Odontotermes*) *borgoriensis* (Kemner).

Termes borgoriensis Kemner 1932a, pp. 139-140, alate, sold., Buitenzorg, Java.

Odontotermes (*Odontotermes*) *borgoriensis* Kemner 1934, pp. 89-91, fig. 13 (sold.), sold., Buitenzorg, W. Java, Bandoeng, middle.

Winged, sold.

Java.

Indo-Malaya

Odontotermes (*Odontotermes*) *bottegoanus* (Sjöstedt).

Termes bottegoanus Sjöstedt 1912, p. 6 (im.), Gallaland: Dai Badditu a Dimé; 1926, p. 1, syn., loc.

Odontotermes (*Odontotermes*) *bottegoanus* Hegh 1922, pp. 313, 688.

Type: Mus. Genoa and Stockholm.

Winged.

Gallaland: Dai Badditu a Dimé

(Ethiopia).

Ethiopia

Odontotermes (Odontotermes) brunneus (Hagen).
Termites brunneus Hagen 1858, p. 133, pl. 3, fig. 13 (im.), im., sold., Bengal; 1858a, p. 19, im., Bengal, Madras.

Odontotermes (Odontotermes) brunneus Holmgren 1912, p. 37, "Vorderindien."

Odontotermes (Cyclotermes) brunneus Holmgren 1913b, p. 121, pl. 4, fig. 5 (im.), pl. 5, fig. 4 (sold.), im., sold., work.¹⁻², Bombay, Bengal, Mus. Berlin; Holmgren, K. and N. 1917, p. 153, loc.

Termites fatalis Burmeister 1839, p. 766, part.

Termites obesus Walker 1853, p. 516, im., No. India.

Type: Mus. Berlin; paratype: winged female, M.C.Z. No. 201.

aged, sold., work.

a.

Indo-Malayan.

Odontotermes (Odontotermes) buchholzi (Sjöstedt).

Termites Buchholzi Sjöstedt 1897, p. 123, im., Gaboon: Ogowe (Fr. Equatorial Africa), Fernando Po, Cameroon; 1900a, p. 115, pl. 2, fig. E 1 (im.), loc.

Odontotermes (Odontotermes) Buchholzi Holmgren 1912, p. 37, loc.

Termites Buchholzi Sjöstedt 1926, p. 136, im., syn., loc.

Type: Mus. Greifswald and Stockholm.

aged.

ria, Ivory Coast, Cameroon, Fernando Po, Fr. Equatorial Africa, Congo.

Ethiopian.

Odontotermes (Odontotermes) butteli Holmgren.

Odontotermes (Odontotermes) butteli Holmgren 1913-14, pp. 246-247, sold., work.¹⁻², E. Sumatra: Lau Boentoe; Malacca: Gap.

l, work.

atra, Malacca.

Indo-Malayan.

Odontotermes (Odontotermes) cafrariae (Sjöstedt).

Termites Cafrariae Sjöstedt 1897, p. 124, im., Caffraria (Zululand); 1900a, p. 126, pl. 3, fig. G₁₋₂ (im.), "Kaffernlande": Natal, Durban.

Termites cafrariae Wasmann 1910a, p. 124, loc.

Odontotermes (Odontotermes) cafrariae Holmgren 1912, p. 37.

Termites cafrariae Fuller 1922, pp. 86, 93-94, im., sold., work., loc., Natal Coast.

Termites Cafrariae Sjöstedt 1926, pp. 134-135, syn., loc.

Termites capensis Hagen 1858, p. 127 (nec DeGeer), Kaffernlande.

Type: Mus. Stockholm.

aged.

iland, Natal, Natal Coast, Is. Pemba and Fundu (off Tanganyika).

Ethiopian.

Odontotermes (Odontotermes) capensis (DeGeer).

Termites capensis DeGeer 1778, p. 47, pl. 38, figs. 1-3, im., sold., descr. not valid; ed. Goetze 1778-83, p. 24, pl. 38, figs. 1-3, "Kapland"; Hagen 1858, p. 125, im.; Fuller 1922, pp. 85, 94.

Termes fatalis Burmeister 1839, p. 765 (part), Cap.; Walker 1853, p. 510 (part, Gambia).

Odontotermes (Odontotermes) capensis Holmgren 1912, p. 37.

Termes capensis Sjöstedt 1926, pp. 135-136, im., sold., loc., Gambia and "Kaffer" should be eliminated.

Type: Mus. Stockholm. Type *fatalis* Burm. Mus.

Winged, sold.

Cape of Good Hope.

Eth.

Odontotermes (Odontotermes) celebensis Oshima.

Odontotermes (Odontotermes) celebensis Oshima 1914b, pp. 572-573, sold., work., fig. 12 (sold.), Maros, Celebes; Menado, C. Talisay Isl.

Odontotermes (Odontotermes) menadoensis Kemner 1934, p. 87, new name.

Sold., work.

Celebes.

Indo-M

Odontotermes (Odontotermes) ceylonicus (Wasmann).

Termes ceylonicus Wasmann 1902b, p. 113, sold., work., Ceylon: Nalanda, Bentotta darawella.

Odontotermes (Odontotermes) ceylonicus Holmgren 1913b, p. 124, im., sold., work.¹⁻² fig. 4 (im.), pl. 5, fig. 3 (sold.), Ceylon, "Y indien."

Winged, sold., work.¹⁻²

Ceylon.

Indo-Ma

Odontotermes (Odontotermes) classicus (Sjöstedt).

Termes classicus Sjöstedt 1912, p. 9, winged, sold.¹⁻², work.¹⁻², Erithrea: Bogos, 1926, pp. 120-121.

Type: Mus. Genoa and Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Erithrea, Brit. Somaliland.

Et

Odontotermes (Odontotermes) culturarum Sjöstedt.

Odontotermes culturarum Sjöstedt 1924c, p. 492, sold., Tanganyika Terr.: Myombo

Termes culturarum Sjöstedt 1926, pp. 121-122, pl. 4, fig. M, sold.¹

Termes (Termes) culturarum Emerson 1928, pp. 459-461, fig. 21, queen, sold., work. Gabriel, near Stanleyville, Belg. Congo.

Queen, sold., work.

Belg. Congo, Uganda.

Et

Odontotermes (Odontotermes) dehraduni (Snyder).

Termes (Termes) dehraduni Snyder 1933a, pp. 6-7, fig. 3, winged.

Cotypes: winged, U.S.N.M. No. 44103, and in Research Inst. coll., Dehra Dun, U. P., India.

Winged.

Dehra Dun, India.

Indo-M

- termes* (*Odontotermes*) *denticulatus* Holmgren.
termes (*Cyclotermes*) *denticulatus* Holmgren 1913-14, p. 249, sold., work., E. Sumatra: 1913b, p. 119, sold., work., pl. 5, fig. 10 (sold.), Singapore, Mus. Cambridge, ? Sarawak, Miri Hill, Mus. Cambridge.
 work.
 tra, Singapore, Sarawak. Indo-Malayan.
- termes* (*Odontotermes*) *diana* (Sjöstedt).
es diana Sjöstedt 1911b, p. 184, im., Congo: Mukimbungu; 1926, p. 137.
termes (*Odontotermes*) *diana* Holmgren 1912, p. 37.
 ed.
 Congo. Ethiopian.
- termes* (*Odontotermes*) *distans* Holmgren, K. and N.
termes (*Cyclotermes*) *distans* Holmgren, K. and N. 1917, p. 153, im., Shevaroy Hills, Kadiar Rocks, India.
 ed.
 Indo-Malayan.
- termes* (*Odontotermes*) *dives* (Hagen).
es dives Hagen 1858, p. 139, im., queen, sold., work., pl. 2, fig. 9, pl. 3, fig. 15, Manila, Philippines only.
- termes* (*Termes* part) *dives* Holmgren 1911, p. 546 (relation to *T. nigricans*).
termes (*Odontotermes*) *dives* Holmgren 1913b, p. 130, pl. 4, fig. 9 (im.), Manila (Hof. Mus., Vienna), Malacca (Hof. Mus., Vienna), Moluccas (Hof. Mus., Vienna), Borneo (Hof. Mus., Vienna), Java (Reichsmuseum, Stockholm), Sumatra (Mus. Berlin).
nes nigricans Rambur 1842, p. 308; Hagen 1858, p. 162.
es dives Light 1921, p. 251, syn., loc., Manila, E. Indies.
- termes* (*Odontotermes*) ? *dives* John 1925, pp. 388-389, pls. 23, 29, Malay Arch., Batu Caves.
- itogetonella tibiaocensis* Oshima 1920a, sold. only, p. 496, sold., work., pl. 1, fig. 3, pl. 3, figs. 5-6, sold., Philippines, Panay: Tibiae (Antique Prov.); Light 1921, p. 251, syn. loc.
- termes mediodontatus* Oshima 1920a, p. 499, sold., work., pl. 1, fig. 4, pl. 3, figs. 11-12, pl. 4, figs. 8-9, sold., Philippines, Luzon: Paete (Laguna); Light 1921, p. 252, syn., loc. Manila.
 Type: Mus. Vienna; paratype: winged male, M.C.Z. No. 202.
 ed, queen, sold., work.
 ppines, Malay Arch., Java
 oluccas?), Borneo. Indo-Malayan, Papuan.
- termes* (*Odontotermes*) *djampeensis* Kemner.
termes (*Odontotermes*) *djampeensis* Kemner 1934, pp. 102-103, fig. 19, sold., Djampea Isl., W. Celebes.
 Celebes, Djampea. Indo-Malayan.

Odontotermes (Odontotermes) ebeni (Sjöstedt).

Termes ebeni Sjöstedt 1912, p. 7, im., Abyssinia: Scioa, Mahal-Unoz; 1926, p. 143, Abyssinia and Somaliland: Brava, Dolo.

Type: Mus. Genoa, Stockholm.

Winged.

Abyssinia, Somaliland.

Ethio

Odontotermes (Odontotermes) egregius Sjöstedt.

Odontotermes egregius Sjöstedt 1925, p. 53, winged, Brit. E. Africa: Nairobi.

Termes egregius Sjöstedt 1926, pp. 138-139, pl. 4, fig. N, wing.

Type: Mus. Stockholm.

Winged.

Kenya.

Ethio

Odontotermes (Odontotermes) elgonensis (Sjöstedt).

Termes elgonensis Sjöstedt 1926, pp. 141-142, winged, Brit. E. Africa: Mt. Elgon.

Winged.

Brit. E. Africa: Mt. Elgon

(Kenya).

Ethio

Odontotermes (Odontotermes) erodens (Sjöstedt).

Termes erodens Sjöstedt 1904, p. 66, pl. 2, fig. C, imago, Coast of Red Sea; 1926, p. 143, syn., loc.

Odontotermes (Cyclotermes) erodens Holmgren 1912, p. 38, North Africa.

Types: Mus. Paris and Stockholm.

Winged.

No. Africa.

Ethio

Odontotermes (Odontotermes) escherichi (Holmgren).

Termes Escherichi Holmgren 1911c (*in* Escherich), p. 195, pl. 3, fig. I, sold. Ha (near Peradenya), Ceylon.

Odontotermes (Cyclotermes) Escherichi Holmgren 1913b, p. 112, sold., work., pl. 5, f (sold.); John 1925, p. 386, loc.

Odontotermes escherichi Kemner 1926, pp. 386-387, sold., work., Ceylon, Raltota.

Sold., work.

Ceylon.

Indo-Ma

Odontotermes (Odontotermes) fallax Sjöstedt.

Odontotermes fallax Sjöstedt 1924c, p. 491, sold.¹⁻², Brit. E. Africa: Mt. Meru.

Termes fallax Sjöstedt 1926, pp. 114-115, pl. 5, fig. B₁₋₂, sold.¹⁻², work.¹

Sold.¹⁻², work.

Mt. Meru, Kenya.

Ethio

Odontotermes (Odontotermes) feae (Wasmann).

Termes Feae Wasmann 1896, pp. 625-626, sold., work., Carin Chebà, Burma (Mus Genoa).

Odontotermes (Odontotermes) Feae Holmgren 1913b, p. 129, im., sold., work., pl. 4, (im.), pl. 5, fig. 2 (sold.), Bombay, Burma.

- Odontotermes feae* Silvestri 1914, p. 428, Abor.
Odontotermes (Odontotermes) feae Holmgren, K. and N. 1917, p. 156, So. India, Bombay, Bengal, Burma.
 Sold., work.
 Burma, India, Abor. Indo-Malayan.
- Odontotermes (Odontotermes) feaeoides* Holmgren, K. and N.
Odontotermes (Odontotermes) feaeoides Holmgren, K. and N. 1917, p. 156, sold., work., Coorg, Margalli.
 Sold., work.
 India. Indo-Malayan.
- Odontotermes (Odontotermes) fidens* (Sjöstedt).
Termes fidens Sjöstedt 1904, p. 52, sold.¹, work.¹, pl. 2, fig. D₁₋₂, sold.¹, Gold Coast: Accra.
Odontotermes (Odontotermes) fidens Holmgren 1912, p. 37, pl. 2, fig. 4, sold.
Termes fidens Sjöstedt 1926, pp. 104-106, fig. 26a, winged, queen, syn., loc.
 Type: Mus. Stockholm.
 Winged, queen, sold.¹⁻², work.¹⁻²
 Gold Coast, Nigeria (Lagos), Cameroon, Gaboon (Fr. Equatorial Africa), Congo. Ethiopian.
- Odontotermes (Odontotermes) flammifrons* (Sjöstedt).
Termes flammifrons Sjöstedt 1926b, pp. 148-149, sold., work., Belg. Congo: Haut, Uélé.
Termes flammifrons Sjöstedt 1927, p. 99, fig. 2 (sold.).
 Types: Mus. Tervueren and Stockholm.
 Sold., work.
 Belg. Congo. Ethiopian.
- Odontotermes (Odontotermes) flavomaculatus* Holmgren, K. and N.
Odontotermes (Cyclotermes) flavomaculatus Holmgren, K. and N. 1917, p. 150, im., sold., work., Assam: bet. Lukwa and Sibsagar Road.
 Sold., work.
 Assam. Indo-Malayan.
- Odontotermes (Odontotermes) fockianus* (Sjöstedt).
Termes (Odontotermes) fockianus Sjöstedt 1914b, p. 81, sold.¹⁻², work.¹, pl. 2, figs. 11-12, sold.¹, Okahandja, SW. Africa.
Termes fockianus Sjöstedt 1926, p. 107, syn., loc.
 Types: Mus. Hamburg and Stockholm.
 Sold.¹⁻², work.¹
 W. Africa. Ethiopian.
- Odontotermes (Odontotermes) fontanellus* Kemner.
Odontotermes fontanellus Kemner 1925, pp. 3-4, sold., work., Tschingkiang, Kiangsu, Middle China.
Termes fontanellus Light 1931, pp. 584, 594-595, Chingkiang, Kiangsu, syn.
 Sold., work.
 E. China, Prov. Kiangsu. Indo-Malayan.

Odontotermes (Odontotermes) formosanus (Shiraki).

Termes formosana Shiraki 1909, p. 234, Formosa; Oshima 1912, p. 81, pl. 1, figs. 7, 26-27, pl. 2, figs. 11, 18.

Termes vulgaris Shiraki 1909, p. 233; Oshima 1911, p. 7; Matsumura 1910, p. 1, pl. 1, figs. 2-4, 7, 9; Nawa 1911, p. 14; Nitobe 1911, p. 20.

Termes (Termes) vulgaris Oshima 1909, p. 37, figs. 9-10; 1910, p. 379.

Termes vulgaris ? Nawa 1911a, p. 280, pl. 15.

Termes sp. Yano 1911a, p. 368; Nawa 1912, p. 17, pl. 1, fig. 4.

Odontotermes (Cyclotermes) formosanus Holmgren 1912, p. 38.

Odontotermes formosanus Holmgren 1912a, p. 127, im., sold.

Odontotermes (Cyclotermes) formosanus Holmgren 1913b, p. 116, pl. 4, fig. 1 (im.), pl. 4, fig. 11 (sold.), loc. Formosa, Mus. Vienna, Berlin, Munich; China, Fumui, Mus. Berlin; Siam, Bangkok, Mus. Vienna; Burma, Bhamo, Mus. Civ. Genova; Oshima 1913, p. 278, syn.; 1914a, p. 2; 1915, p. 10, im., sold.; 1919, p. 326; Hozawa 1915, pp. 105-110, figs. 26-28, pl. 3, figs. 21-23, syn., loc.

Odontotermes sinensis Holmgren 1913b, p. 115, im., pl. 4, fig. 12, China: Canton, Futchang, Mus. Hamburg; Siam: Bangkok, Mus. Vienna; Hong Kong, Mus. Vienna?; Avisoville, Mus. Vienna.

Termes formosanus Light 1924, pp. 248-250, im., sold., loc., syn.: 1931, pp. 583-584, 590, Nanking, Yenping, and Hainan Isl.

Winged, king, queen, sold., work.

Formosa, China, Siam, Burma.

Indo-Malaya

Odontotermes (Odontotermes) fulleri (Emerson).

Termes (Termes) fulleri Emerson 1928, pp. 465-466, fig. 26, sold., Niangara, Belg. Congo. Holotype: sold., A.M.N.H.

Sold.

Belg. Congo, Uganda.

Ethiopia

Odontotermes (Odontotermes) grandiceps Holmgren.

Odontotermes (? *Cyclotermes*) *grandiceps* Holmgren 1912, p. 38, Java.

Odontotermes (Odontotermes) grandiceps Holmgren 1913b, p. 134, im., sold., work., pl. 4, fig. 8 (im.), pl. 5, fig. 7 (sold.), Java, Mus. Vienna; Java: Nongkodjadar, 1,200 meters elev.; 1913-14, p. 244, E. Sumatra, Java, Malacca; Kemner 1934, pp. 91-93, fig. 14 (sold.), Java.

Winged, sold., work.

Java, E. Sumatra, Malacca.

Indo-Malaya

Odontotermes (Odontotermes) grassei Snyder and Emerson, new name.

Termes aluco Sjöstedt 1926, p. 96, im., p. 137, im., Ivory Coast (preoccupied by *Eutermes aluco* Sjöstedt 1904, p. 95).

Type: Mus. Paris and Stockholm.

Im.

Africa: Ivory Coast.

Ethiopia

Odontotermes (*Odontotermes*) *graveli* Silvestri.

Odontotermes graveli Silvestri 1914, p. 428, sold., work., fig. IV, sold., Lower Burma: Sukli (E. side Dawna Hills).

d., work.
Burma. Indo-Malayan.

Odontotermes (*Odontotermes*) *hageni* (Holmgren).

Termes fatalis Hagen 1858, p. 143 (part), Borneo only.

Termes Koenigi Desneux 1906, p. 359 (part), Borneo only.

Odontotermes (*Cyclotermes*) *Hageni* Holmgren 1913b, p. 113, im., pl. 4, fig. 20, Borneo, Mus. Vienna.

enged.
Borneo. Indo-Malayan.

Odontotermes (*Odontotermes*) *hainanensis* (Light).

Termes hainanensis Light 1924, pp. 53-54, 251-254, sold. (in key), Hainan, Kachek, pp. 251-254, sold. and work. (major and minor); 1931, pp. 584, 594, Hainan Isl., syn.

d.¹⁻², work.
Hainan, Hainan. Indo-Malayan.

Odontotermes (*Odontotermes*) *holmgreni* Snyder and Emerson, new name.

Odontotermes (*Odontotermes*) *dives* forma *celebensis* Holmgren 1913b, p. 131, pl. 4, fig. 10, dealate, pl. 5, fig. 8, sold., Celebes (preoccupied by *Odontotermes* (*Odontotermes*) *celebensis* Oshima 1914b, p. 572).

Type: Mus. Cambridge.

Odontotermes (*Odontotermes*) *celebensis* Kemner 1934, p. 87, syn., Celebes.

d., work.
Celebes. Indo-Malayan.

Odontotermes (*Odontotermes*) *horni* (Wasmann).

Termes Horni Wasmann 1902b, p. 111, sold., work., Ceylon: Nalanda, p. 119, loc.

Termes peradeniyae Holmgren 1911c (in Escherich), p. 197, im., sold., work.¹⁻², Ceylon: Peradeniya (Mus. Vienna).

Odontotermes (*Odontotermes*) *Horni* Holmgren 1912, p. 36, fig. 15a, pl. 2, fig. 5 (sold.); 1913b, p. 127, pl. 4, fig. 1 (im.), pl. 5, fig. 1 (sold.).

Odontotermes (*Odontotermes*) *horni* Holmgren 1913-14, p. 245; John 1925, p. 387, loc.; Kemner 1926, p. 384.

enged, sold., work.¹⁻²
Ceylon. Indo-Malayan.

Odontotermes (*Odontotermes*) *horni*, var. *hutsoni* Kemner.

Odontotermes horni var. *hutsoni* Kemner 1926, pp. 384-385, fig. 2 (sold.¹), sold.¹, work.¹, Ceylon, Peradeniya, etc.

d.¹, work.¹
Ceylon. Indo-Malayan.

Odontotermes (*Odontotermes*) *horni*, var. *minor* Kemner.

Odontotermes horni var. *minor* Kemner 1926, pp. 385-386, fig. 3 (sold.¹), sold.¹, work.
Ceylon, Raltota, etc.

Sold.¹, work.¹

Ceylon.

Indo-Malaya

Odontotermes (*Odontotermes*) *incisus* Holmgren.

Odontotermes (*Cyclotermes*) *incisus* Holmgren 1913b, p. 121, pl. 4, fig. 19, im., Sumatra;
Deli, Mus. Vienna.

Winged.

Sumatra.

Indo-Malaya

Odontotermes (*Odontotermes*) *indrapurensis* Holmgren.

Odontotermes (*Odontotermes*) *indrapurensis* Holmgren 1913b, p. 138, im., pl. 4, fig. 18 (im.
E. Sumatra, Indrapura Estate—Tandjong, Mus. Hamburg).

Winged.

E. Sumatra.

Indo-Malaya

Odontotermes (*Odontotermes*) *interveniens* Sjöstedt.

Odontotermes interveniens Sjöstedt 1924c, p. 491, sold.¹⁻², Okahandja, SW. Africa.

Termes interveniens Sjöstedt 1926, p. 120, syn., loc.; 1926b, pp. 145-147, winged.

Winged, sold.¹⁻²

SW. Africa, Rhodesia, Congo.

Ethiopia

Odontotermes (*Odontotermes*) *iratus* (Sjöstedt).

Termes iratus Sjöstedt 1926, pp. 133-134, winged, Gaboon: Lam Baréné, Mus. Paris and
Stockholm.

Winged.

Fr. Equatorial Africa.

Ethiopia

Odontotermes (*Odontotermes*) *javanicus* Holmgren.

Odontotermes (*Odontotermes*) *javanicus* Holmgren 1912, p. 36, fig. 14, sold., pl. 2, fig.
(im.); 1913b, p. 132, im., sold., work., pl. 4, fig.
(im.), pl. 5, fig. 6 (sold.). Java: Salak (Mus. Hamburg, type locality), Java: Buitenzorg, Reichmus.
Stockholm: 1913-14, p. 244, E. Sumatra, Java; Jönsen 1925, p. 389, loc.; Kemner 1934, pp. 93-95, fig. 8
(sold.), Java.

Odontotermes dives Holmgren 1913c, p. 20, loc. Java: Banjuwangi, Samarang.

Winged, sold., work.

Java, Sumatra, Malay Arch.

Indo-Malaya

Odontotermes (*Odontotermes*) *javanicus*, form *nymanni* Holmgren.

Odontotermes (*Odontotermes*) *javanicus* forma *Nymanni* Holmgren 1913b, p. 133 (im.
Java? Reichmus. Stockholm).

Winged.

Java?

Indo-Malaya

- Odontotermes* (*Odontotermes*) *karawajevi* John.
Odontotermes (*Odontotermes*) *karawajevi* John 1925, pp. 389-390, sold., work., Java: Depok.
 ld., work.
 va. Indo-Malayan.
- Odontotermes* (*Odontotermes*) *karnyi* Kemner.
Odontotermes (*Odontotermes*) *Karnyi* Kemner 1934, pp. 95-96, fig. 16, sold., Java: Buitenzorg.
 ld.
 va. Indo-Malayan.
- Odontotermes* (*Odontotermes*) *kibarensis* (Fuller).
Termes (*Odontotermes*) *kibarensis* Fuller 1923, p. 192, sold., Uganda: Kibara, Kampala, Brit. Mus., Mus. Stockholm.
Odontotermes ugandanicus Sjöstedt 1924c, p. 491, sold.
Termes kibarensis Sjöstedt 1926, p. 123, pl. 4, fig. L (sold.).
 ld., queen.
 ganda. Ethiopian.
- Odontotermes* (*Odontotermes*) *koenigi* (Desneux).
Termes fatalis Hagen 1858, p. 143, Ceylon (im. only).
Termes Koenigi Desneux 1906, pp. 359-360, syn.
Odontotermes (*Odontotermes*) *fatalis* Holmgren 1913b, p. 135, im., syn.
 winged.
 ylon. Indo-Malayan.
- Odontotermes* (*Odontotermes*) *latericius* (Haviland).
Termes latericius Haviland 1898, p. 386, im., queen, sold.², work., Natal: Himbolton; Sjöstedt 1900a, p. 123, im., sold., work.¹⁻², pl. 3, figs. N 1-4 (im., sold.).
Odontotermes (*Cyclotermes*) *latericius* Holmgren 1912, p. 38.
Odontotermes latericius Holmgren 1913d, p. 328, p. 326 ex. p. sold., and work. (typical form), *Odontotermes destructor* Holmgren nec Smeathman; Silvestri 1914-15, p. 15, Senegal.
Termes latericius Fuller 1915, p. 385, p. 479, pl. 29, figs. 1-8, nest, pl. 31, fig. 6 nest (the high nest in background is *transvaalensis*), pl. 34, fig. 15, mand. sold. [p. 339 mating *badius*], So. Africa; 1922, p. 90; Sjöstedt 1926, pp. 129-132, pl. 5, figs. D 1-2, syn., loc.
 Types: Mus. Stockholm and Cambridge, No. 79.
 winged, queen, sold.¹⁻², work.¹⁻²
 Senegal, Togo, Uganda, Congo, Angola, S.W. Africa, Rhodesia, Mozambique, So. Africa. Ethiopian.
- Odontotermes* (*Odontotermes*) *latericius*, var. *media* (Wasmann).
Termes latericius var. *media* Wasmann and Werner 1912, p. 176, sold., work. No. Africa: Mongalla.
 ld., work.
 Sudan. Ethiopian.

Odontotermes (*Odontotermes*) *latialatus* (Sjöstedt).

Termes latialatus Sjöstedt 1897, p. 124, im., Congo.

Odontotermes latialatus Silvestri 1914-15, p. 14, Congo, Boma.

Termes latialatus Sjöstedt 1926, p. 136, syn., loc.

Types: Mus. Hamburg and Stockholm.

Winged.

Congo.

Ethiopia

Odontotermes (*Odontotermes*) *latigula* (Snyder).

Termes (*Cyclotermes*) *latigula* Snyder 1934a, pp. 9-10, fig. 5 (sold.), Andamans.

Cotypes: sold. in British Museum and U.S.N.M. and Field
Res. Inst., Delira Dun; U.S.N.M. No. 50164.

Sold.

Andaman Isl.

Indo-Malaya

Odontotermes (*Odontotermes*) *latissimus* (Kemner).

Termes latissimus Kemner 1930, pp. 307-309, im., Fort de Kock.

Winged.

Fort de Kock, Sumatra.

Indo-Malaya

Odontotermes (*Odontotermes*) *lautus* (Sjöstedt).

Termes lautus Sjöstedt 1924b, p. 254, im., Transvaal: Pretoria; 1926, pp. 142-143, pl.
fig. O.

Type: Mus. Stockholm.

Winged.

So. Africa (Transvaal: Pre-
toria).

Ethiopia

Odontotermes (*Odontotermes*) *lobintactus* (Sjöstedt).

Termes lobintactus Sjöstedt 1926, pp. 116-117, sold., work.¹⁻², Belg. Congo: Mukimbung

Type: Mus. Stockholm.

Sold., work.¹⁻²

Belg. Congo.

Ethiopia

Odontotermes (*Odontotermes*) *longignathus* Holmgren.

Odontotermes (*Odontotermes*) *longignathus* Holmgren 1913-14, pp. 244-245, sold., work.
Malacca.

Sold., work.¹⁻²

Malacca.

Indo-Malaya

Odontotermes (*Odontotermes*) *makassarensis* Kemner.

Odontotermes (*Odontotermes*) *makassarensis* Kemner 1934, pp. 100-102, fig. 18 (sold.), in
sold., Celebes: Macassar.

Winged, sold., work.

Celebes.

Indo-Malaya

Odontotermes (*Odontotermes*) *malabaricus* Holmgren, K. and N.

Odontotermes (*Odontotermes*) *malabaricus* Holmgren, K. and N. 1917, p. 155, sold., work., Malabar, Poovanur; Shevaroy Hills, Yercaud; Mysore, Babadudin Hill.

Termes (*Termes*) *malabaricus* Snyder 1933a, pp. 7-8, fig. 4, winged, Dehra Dun.
Winged, sold., work.

India. Indo-Malayan.

Odontotermes (*Odontotermes*) *malaccensis* Holmgren.

Odontotermes (*Odontotermes*) *malaccensis* Holmgren 1913-14, pp. 247-248, sold., work.¹⁻², Malacca.

Sold., work.

Malacca. Indo-Malayan.

Odontotermes (*Odontotermes*) *maledictus* (Ghidini).

Termes (*Cyclotermes*) *maledictus* Ghidini 1941, p. 30, sold.¹, work.¹, Ethiopia: Elogo, Caschei, Gongabaino.

Sold., work.

Ethiopia. Ethiopian.

Odontotermes (*Odontotermes*) *malelaensis* (Emerson).

Termes (*Termes*) *malelaensis* Emerson 1928, pp. 463-464, fig. 24 (sold.), sold., work., Malela, Belg. Congo.

Holotype: sold., A.M.N.H.

Sold., work.

Belg. Congo. Ethiopian.

Odontotermes (*Odontotermes*) *maximus* (Kemner).

Termes *maximus* Kemner 1930, p. 309, fig. 10 (sold.), Fort de Kock, Sumatra.

Sold.

Sumatra. Indo-Malayan.

Odontotermes (*Odontotermes*) *mediocris* (Sjöstedt).

Termes *mediocris* Sjöstedt 1911a, p. 171, sold., Abyssinia: Dirré-Daoua; 1926, p. 132, syn., loc.

Odontotermes (*Cyclotermes*) *mediocris* Holmgren 1912, p. 38.

Sold.

Abyssinia. Ethiopian.

Odontotermes (*Odontotermes*) *microps* (Sjöstedt).

Termes *microps* Sjöstedt 1899, p. 35, im., E. Africa: Tanga; 1900a, p. 119, pl. 3, fig. F 1 (im.); 1926, p. 133, syn., loc.

Odontotermes (*Cyclotermes*) *microps* Holmgren 1912, p. 38.

Types: Mus. Hamburg and Stockholm.

Winged, queen.

Tanganyika, Tanga, Kilimanjaro.

Ethiopian.

Odontotermes (*Odontotermes*) *mirganjensis* Holmgren, K. and N.

Odontotermes (*Odontotermes*) *mirganjensis* Holmgren, K. and N. 1917, p. 158, sold., work.²
Bengal, Mirganj, India.

Sold., work.

India.

Indo-Malayan

Odontotermes (*Odontotermes*) *monodon* (Gerstäcker).

Termes monodon Gerstäcker 1891, p. 185, sold., work., Mozambique: Quilimane; Sjöstedt
1900a, p. 109, pl. 3, fig. I 1-3 (sold., work.), sold.¹⁻²,
work.¹⁻², loc.

Odontotermes (*Odontotermes*) *monodon* Holmgren 1912, p. 37.

Termes monodon Fuller 1922, p. 85, syn., So. Africa.

Termes monodon Sjöstedt 1926, pp. 107-108, sold.¹⁻², work.¹⁻², syn., loc.

Type: Mus. Hamburg and Stockholm.

Sold.¹⁻², work.¹⁻²

Mozambique, Transvaal, north
to Tanganyika, Zanzibar,
Uganda and Congo.

Ethiopian

Odontotermes (*Odontotermes*) *monodon*, var. *lujana* (Wasmann).

Termes monodon subsp. *lujanus* Wasmann 1902a, p. 294, sold.¹, work., Zambesi: Morumbale.

Termes monodon var. *lujana* Wasmann 1911a, p. 101, sold.¹⁻², work.

Odontotermes (*Odontotermes*) *monodon* var. *lujana* Holmgren 1912, p. 37.

Termes monodon var. *lujana* Sjöstedt 1926, p. 108, syn., loc.

Sold.¹⁻², work.

Zambesi (Portuguese E. Africa).

Ethiopian

Odontotermes (*Odontotermes*) *mukimbunginis* Sjöstedt.

Odontotermes mukimbunginis Sjöstedt 1924c, p. 491, sold.¹⁻², Belgian Congo: Mukimbungu

Termes Mukimbunginis Sjöstedt 1926, pp. 115-116, pl. 5, fig. A 1-2 (sold.¹⁻²), sold.¹⁻², work

Termes (*Termes*) *mukimbunginis* Emerson 1928, pp. 461-462, fig. 22 (sold.¹⁻²), sold.¹, work

Sold.¹⁻², work.

Belgian Congo.

Ethiopian

Odontotermes (*Odontotermes*) *nilensis* Emerson, n. sp.

Termes affinis Träjårdh 1904, p. 4, sold., p. 5, biol., p. 20, fig. 2, pl. 2, figs. 1-2, pl. 3, figs. 2-3;
nests and fungus, Sudan: Kaka.

Termes vulgaris Sjöstedt 1904, p. 26 (im.), p. 35 (sold.), discusses affinities *vulgaris* and
affinis and places *affinis* in synonymy; Wasmann and
Werner 1912, p. 175, No. Africa.

Odontotermes vulgaris Sjöstedt 1926d, p. 72, Sudan only.

Termes vulgaris Sjöstedt 1926, p. 118, No. African local. only.

Odontotermes (*Odontotermes*) *nilensis* Weber 1943, p. 286, Anglo-Egyptian Sudan: Imatung Mts.

Winged, sold.

Sudan.

Ethiopian

- Odontotermes (Odontotermes) nolaensis* Sjöstedt.
Odontotermes nolaensis Sjöstedt 1924c, p. 492, sold., French Congo, Bania, Nola.
Termites nolaensis Sjöstedt 1926, p. 124, pl. 4, fig. H (sold.), sold., queen, syn., loc.; 1926b, pp. 144-145, winged, Belg. Congo.
 Type: Mus. Stockholm.
 Winged, sold., queen.
 French Equatorial Africa, Belg. Congo, Uganda. Ethiopian.
- Odontotermes (Odontotermes) obesus* (Rambur).
Termites obesus Rambur 1842, p. 304, im., India: Bombay; Hagen 1858, p. 145, im., E. Indies, Bombay.
Termites bellicosus Joly 1849, p. 1, fig. 14 (nec Smeathman).
Odontotermes (Cyclotermes) obesus Holmgren 1912, p. 38, pl. 2, fig. 2 (sold.); 1913b, p. 108, im., sold., work.¹⁻², pl. 4, fig. 13 (im.), pl. 5, fig. 12 (sold.), So. India; Holmgr., K. and N. 1917, p. 146, loc.
 Type: Oxford (Hope Mus.) (Hagen); type: wing. Mus. Vienna.
 Winged, queen, sold., work.¹⁻²
 Bombay, So. India, United and Central Prov., Bengal, Orissa. Indo-Malayan.
- Odontotermes (Odontotermes) obesus*, f. *gurdaspurensis* Holmgren, K. and N.
Odontotermes (Cyclotermes) obesus f. *gurdaspurensis* Holmgren, K. and N. 1917, p. 149, im., sold., work., Gurdaspur, India.
 Sd., work.
 India: Gurdaspur. Indo-Malayan.
- Odontotermes (Odontotermes) obesus*, var. *oculatus* Silvestri.
Odontotermes obesus var. *oculatus* Silvestri 1923, pp. 224-225, im., queen, sold., work. fig. 11, Barkuda Isl. (Chilka Lake), Bay of Bengal—Coast of Orissa.
 Winged, queen, sold., work.
 Chilka Lake (Orissa), India. Indo-Malayan.
- Odontotermes (Odontotermes) oblongatus* Holmgren.
Odontotermes (Odontotermes) oblongatus Holmgren 1913b, p. 139, sold., work., pl. 5, fig. 5, sold.? "Hinterindien" (Haviland), Mus. Cambridge No. 108; Silvestri 1923, Barkuda Isl.; John 1925, p. 139, loc.
 Sd., work.
 India, Malay Arch. Indo-Malayan.
- Odontotermes (Odontotermes) okahandjae* (Fuller).
Termites (Odontotermes) okahandjae Fuller 1922, p. 92, sold.¹⁻³, work., Damaraland: Okahandja and Ovamboland.
Termites Okahandjae Sjöstedt 1926, p. 132.
 Sd.¹⁻²⁻³, work.
 S. Africa. Ethiopian.

Odontotermes (Odontotermes) orissae (Snyder).

Termes (Cyclotermes) orissae Snyder 1934a, pp. 10-11, fig. 6, winged, Goilkera, Porohit, Bihar and Orissa.

Cotypes: winged, Brit., U.S.N.M., and For. Res. Ind. Dehra Dun; U.S.N.M. No. 50165.

Winged.

Bihar and Orissa, India.

Indo-Malay

Odontotermes (Odontotermes) ostentans (Silvestri).

Termes ostentans Silvestri 1912, p. 221, fig. 4, im., sold., work.¹⁻², Isl. of St. Thomé: Agoué Izé and Ribeira Palma.

Odontotermes ostentans Hegh 1922, p. 688.

Termes ostentans Sjöstedt 1926, pp. 117-118.

Winged, sold., work.¹⁻²

St. Thomé Isl.

Ethiopia

Odontotermes (Odontotermes) palmquisti (Sjöstedt).

Termes Palmquisti Sjöstedt 1907a, p. 16, pl. 4, fig. A (im.), Kilimandjaro, Kibondo (Tanganyika).

Odontotermes (Odontotermes) Palmquisti Holmgren 1912, p. 37.

Termes Palmquisti Sjöstedt 1926, p. 141, syn., loc.

Winged.

Tanganyika, Kenya (Nairobi).

Ethiopia

Odontotermes (Odontotermes) paradenticulatus Ahmad.

Odontotermes (Cyclotermes) paradenticulatus Ahmad 1947, p. 1, fig. 1 (sold.), Philippine east shore of Lake Bito, west of Tarragona, Leyte

Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Philippines.

Indo-Malay

Odontotermes (Odontotermes) parvidens Holmgren, K. and N.

Odontotermes (Odontotermes) parvidens Holmgren, K. and N. 1917, p. 154, sold., work. So. India: road from Mysore to Mercara, Punjab; Bengal, Assam.

Odontotermes microdens Silvestri 1914, p. 428, loc. Abor: Kobo. (Silvestri specimen from Fletcher labeled *microdens* ms., name later changed by Holmgren.)

Sold., work.

India, Abor.

Indo-Malay

Odontotermes (Odontotermes) patruus (Sjöstedt).

Termes (Odontotermes) patruus Sjöstedt 1913a, pp. 366-368, sold., work.¹⁻², Belg. Congo: Katanga, Sankisia, Mfungwa; 1926, pp. 122-123, pl. fig. K, sold., syn., loc.

Termes patruus Sjöstedt 1926b, p. 147, loc.

Type: Mus. Tervueren and Stockholm.

Sold., work.¹⁻²

SE. Congo: Sankisia, Mfungwa (Katanga).

Ethiopia

Odontotermes (Odontotermes) pauperans (Silvestri).

Termites pauperans Silvestri 1912, p. 224, fig. 5, king, queen, sold.¹, work.¹⁻², Port. Guinea: Bissau, Farim.

Odontotermes pauperans Silvestri 1914-15, p. 15, loc.

Termites pauperans Sjöstedt 1926, pp. 127-128, syn., loc.; 1926c, pp. 239-240, Gold Coast: Accra; Grassé 1937a, p. 60, fig. 29 (sold.), Sénégal: Rufisque.

King, queen, sold.¹, work.¹⁻²

Sénégal: Thiès, Dakar; Port. Guinea: Bissau, Farim; French Guinea: Camayenne, Lamou; Gold Coast: Aburi, Accra.

Ethiopian.

Odontotermes (Odontotermes) planiceps Sjöstedt.

Odontotermes (Odontotermes) planiceps Sjöstedt 1924b, p. 254, sold., Belg. Congo: Kisanantu.

Termites planiceps Sjöstedt 1926, pp. 124-125, pl. 5, fig. E (sold.), sold., work.¹⁻², syn., loc. Sl., work.¹⁻²

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) praevalens (John).

Odontotermes (Odontotermes) robustus John 1925, pp. 387-388, sold., work., Malay Arch.: Johore.

Termites (Odontotermes) praevalens John 1926, p. 143, syn.

Sl., work.

Malay Arch.

Indo-Malayan.

Odontotermes (Odontotermes) preliminaris (Holmgren).

Termites preliminaris Holmgren 1911c (*in* Escherich), p. 196, im., Ceylon: Peradeniya.

Odontotermes (Cyclotermes) preliminaris Holmgren 1913b, p. 120, pl. 4, fig. 17 (im.).

Wiged.

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) pretoriensis Sjöstedt.

Odontotermes (Odontotermes) transvaalensis Holmgren (*nec* Sjöstedt) 1913b, p. 328, sold., Transvaal.

Odontotermes pretoriensis Sjöstedt 1924c, p. 492.

Termites pretoriensis Sjöstedt 1926, p. 116, pl. 4, fig. F., sold., syn., loc.

Sl.

Transvaal: Pretoria, Zululand:

Natal.

Ethiopian.

Odontotermes (Odontotermes) proximus Holmgren.

Odontotermes (Odontotermes) proximus Holmgren 1913-14, pp. 248-249, im., Malacca: Taiping, Maxwells Hill, 3,500 ft.

Wiged.

Malacca.

Indo-Malayan.

Odontotermes (*Odontotermes*) *ramulosus* (Sjöstedt).

Termes ramulosus Sjöstedt 1904, p. 64, im., pl. 2, fig. B 1 (im.), Ger. E. Africa: Kona
(Tanganyika).

Odontotermes (*Odontotermes*) *ramulosus* Holmgren 1912, p. 37.

Termes ramulosus Sjöstedt 1926, p. 135, syn., loc.

Type: Mus. Paris.

Winged.

Tanganyika.

Ethiopi

Odontotermes (*Odontotermes*) *rectanguloides* Sjöstedt.

Odontotermes rectanguloides Sjöstedt 1924c, p. 490, sold.¹, Belg. Congo.

Termes rectanguloides Sjöstedt 1926, pp. 106-107, sold.¹, work.¹⁻²

Sold.¹, work.¹⁻²

Belg. Congo, Uganda.

Ethiopi

Odontotermes (*Odontotermes*) *redemanni* (Wasmann).

Termes Redemanni Wasmann 1893, p. 239, winged, queen, sold., work., Ceylon.

Termes Redemanni Wasmann 1900, pp. 146, 402.

Termes redemanni Wasmann 1902b, p. 106, im., sold., p. 109, loc.

Termes Redemanni Desneux 1904e, p. 43, places sold. and work. in syn. *monoceros*.

Odontotermes (*Cyclotermes*) *Redemanni* Holmgren 1912, p. 36, fig. 16 (sold., mand.).

Odontotermes (*Cyclotermes*) *redemanni* Holmgren 1913-14, p. 249; John 1925, p. 386, l.

Odontotermes Redemanni Holmgren 1913b, p. 110, im., sold., work.¹⁻²

Winged, queen, king, sold., work.

Ceylon.

Indo-Malay

Odontotermes (*Odontotermes*) *rehobothensis* (Sjöstedt).

Termes (*Odontotermes*) *rehobothensis* Sjöstedt 1914b, p. 82, im., pl. 2, fig. 3, S. W. Afri
Rehoboth.

Termes rehobothensis Sjöstedt 1926, p. 142, syn., loc.

Winged, queen.

S. W. Africa: Rehoboth, Oka-
handja.

Ethiopi

Odontotermes (*Odontotermes*) *robustus* Sjöstedt.

Odontotermes robustus Sjöstedt 1924c, p. 490, sold.¹⁻², Fr. Congo: Brazzaville.

Termes robustus Sjöstedt 1926, pp. 103-104, pl. 4, fig. B (sold.).

Sold.¹⁻²

Fr. Equatorial Africa.

Ethiopi

Odontotermes (*Odontotermes*) *rothschildianus* (Sjöstedt).

Termes rothschildianus Sjöstedt 1911a, p. 171, im., Abyssinia: Addis Ababa.

Odontotermes rothschildianus Holmgren 1912, p. 37.

Termes rothschildianus Sjöstedt 1922, p. 242, pl. It¹, fig. 1; 1926, p. 142, syn., loc.

Type: Mus. Paris.

Winged.

Abyssinia.

Ethiopi

Odontotermes (*Odontotermes*) *salebrifrons* (Sjöstedt).

Termes salebrifrons Sjöstedt 1904, p. 65, im., N. E. Africa: Djibouti (Gulf of Aden).

Odontotermes salebrifrons Holmgren 1912, p. 37.

Termes salebrifrons Sjöstedt 1926, p. 135.

Type: Mus. Paris.

Winged.

Fr. Somaliland.

Ethiopian.

Odontotermes (*Odontotermes*) *sarawakensis* Holmgren.

Odontotermes (*Cyclotermes*) *sarawakensis* Holmgren 1913b, p. 118, sold., work., pl. 5, fig. 16 (sold.), Sarawak (Cambridge Mus.).

Odontotermes (*Odontotermes*) *sarawakensis* Holmgren 1913-14, p. 247, Malacca, Penang.

Odontotermes (*Cyclotermes*) *sarawakensis* John 1925, pp. 386-387, pls. 23, 30, loc.

Winged, sold., work.

Sarawak, Malacca.

Indo-Malayan.

Odontotermes (*Odontotermes*) *schmitzi* (Emerson).

Termes (*Termes*) *schmitzi* Emerson 1928, pp. 455-458, figs. 18, 19, im., sold., region of Stanleyville, Belg. Congo, also near Lukolela, Belg. Congo.

Holotype: winged; morphotype: sold., A.M.N.H.

Winged, sold.

Belg. Congo.

Ethiopian.

Odontotermes (*Odontotermes*) *scrutor* (Sjöstedt).

Termes scrutor Sjöstedt 1907, p. 240, winged, sold., work., Congo: Mukimbungu; 1911, p. 144, work.¹⁻²

Odontotermes (*Odontotermes*) *scrutor* Holmgren 1912, p. 37.

Termes scrutor Sjöstedt 1926, p. 128, pl. 5, fig. F (sold.), syn., loc.

Winged, sold., work.¹⁻²

Belg. Congo.

Ethiopian.

Odontotermes (*Odontotermes*) *silvestrii* Sjöstedt.

Odontotermes *Silvestrii* Sjöstedt 1925, p. 53, im., Upper Congo: Uélé (Riv.).

Termes Silvestrii Sjöstedt 1926, pp. 137-138, syn., loc.

Winged.

Congo.

Ethiopian.

Odontotermes (*Odontotermes*) *simalurensis* Oshima.

Odontotermes simalurensis (Oshima) 1923, pp. 8-9, sold., work., fig. 4 (sold.), fig. 5 (work.), Sinabang, Simalur.

Sold., work.

Sumatra: Simalur.

Indo-Malayan.

Odontotermes (*Odontotermes*) *simplicidens* (Sjöstedt).

Termes simplicidens Sjöstedt 1899, p. 36, sold., work., Cameroon: Ekundu; 1900a, p. 107, pl. 3, figs. K 1-3 (sold., work.); 1926, pp. 128-129, syn., loc.

Odontotermes (*Cyclotermes*) *simplicidens* Holmgren 1912, p. 38.

Type: Mus. Stockholm.

Sold.¹⁻², work.

Cameroon.

Ethiopian.

Odontotermes (Odontotermes) sinabangensis Kenner.

Odontotermes celebensis Oshima 1923, p. 10, sold., work., figs. 6-7 (sold., work.), Simalur, Sinabang.

Odontotermes (Odontotermes) sinabangensis Kenner 1934, p. 87, syn.

Sold., work.

Sumatra: Simalur.

Indo-Malayan.

Odontotermes (Odontotermes) sjöstedti (Emerson).

Odontotermes congoensis Sjöstedt 1924b, p. 254, sold., work.¹⁻², Belg. Congo: Ganda Sundi.

Termes congoensis Sjöstedt 1926, p. 127, pl. 5, fig. H (sold.).

Termes (Termes) sjöstedti Emerson 1928, pp. 415-416 (syn.), new name for *Termes congoensis* Sjöstedt 1926 preoccupied by *Microtermes congoensis* Sjöstedt, 1911.

Sold., work.¹⁻²

Congo.

Ethiopian.

Odontotermes (Odontotermes) sjöstedti, var. **evansi** (Emerson).

Termes (Termes) sjöstedti var. **evansi** Emerson 1928, pp. 462-463, fig. 23 (sold.), Senegambina, Cameroon.

Holotype: sold., A.M.N.H.

Sold.

Cameroon.

Ethiopian.

Odontotermes (Odontotermes) smeathmani (Fuller).

Termes Smeathmani Fuller 1924a, p. 363, syn., disc.

Termes destructor Smeathman 1781, p. 141, pl. 10, figs. 19-20, im., Sierra Leone.

Termes flavicollis Walker 1853, p. 504, only imago from west coast Africa.

Termes destructor Hagen 1858, p. 127, pl. 3, fig. 11, im. only, Senegal, Cordofan, Port Natal [*Termes Cordofanus* Kollar, Mus. Vienna, Cordofan]; Sjöstedt 1900a, p. 125, pl. 3, fig. H 1 (im.), loc.; 1904, pp. 24, 68, 126.

Odontotermes (Odontotermes) destructor Holmgren 1912, p. 37; 1913d, p. 326, im. only from Zululand.

Termes destructor Fuller 1922, pp. 83-84, syn., *cordofanus* Kollar, Mus. Vienna, not a syn. of *destructor*; Sjöstedt 1926, p. 134, winged, syn., loc.; Ghidini 1938, p. 230.

Type: *destructor* Smeathman in Banks coll. (Hagen).

Winged.

Senegal, Sierra Leone, Anglo-Egyptian Sudan (Kordofan, Bahr el Abiad); Eritrea (Bogos, Keren), Abyssinia (Dirré-Daoua); Gallaland: (Dai Badditua a Dimé), Zululand (Mkosi, Port Natal?).

Ethiopian.

Odontotermes (Odontotermes) snyderi (Emerson).

Termes (Termes) snyderi Emerson 1928, p. 466, fig. 27, sold., Belg. Congo: Leopoldville. Holotype: sold. A.M.N.H.

Sold.

Congo.

Ethiopian.

- Odontotermes* (*Odontotermes*) *somaliensis* (Sjöstedt).
Termes somaliensis Sjöstedt 1927, pp. 98-99, fig. 1 (sold.), Somaliland: Villaggio Duca
 Abruzzi, Mus. Stockholm.
 Sold.
 Somaliland. Ethiopian
- Odontotermes* (*Odontotermes*) *stanleyvillensis* (Emerson).
Termes (*Termes*) *stanleyvillensis* Emerson 1928, p. 455, fig. 17, sold., region of Stanley-
 ville, Belg. Congo.
 Holotype: sold., A.M.N.H.
 Sold.
 Congo. Ethiopian.
- Odontotermes* (*Odontotermes*) *stercorivorus* (Sjöstedt).
Termes stercorivorus Sjöstedt 1907a, p. 15, pl. 4, fig. D 1-2 (sold.), sold., work., Kili-
 mandjaro: Kibonoto.
- Odontotermes* (*Odontotermes*) *stercorivorus* Holmgren 1912, p. 37.
Termes stercorivorus Sjöstedt 1926, p. 128, syn., loc.
 Sold., work.
 Tanganyika. Ethiopian.
- Odontotermes* (*Odontotermes*) *sundaicus* Kemner.
Odontotermes (*Odontotermes*) *sundaicus* Kemner 1934, pp. 96-98, fig. 17 (sold.), im., sold.,
 Java.
- Termes dives* Hagen 1858a, p. 20, im., Java only.
- Odontotermes* (*Odontotermes*) *dives* Holmgren 1913b, p. 130, pl. 4, fig. 9, im., Java
 only, Reichsmus. Stockholm.
- Odontotermes* (*Odontotermes*) *javanicus* forma *Buitenzorgi* Holmgren 1913b, p. 134,
 pl. 4, fig. 7, im., Java: Buitenzorg, Mus. Hamburg.
 Winged.
 Java. Indo-Malayan.
- Odontotermes* (*Odontotermes*) *sundaicus*, f. *esuriens* Kemner.
Odontotermes (*Odontotermes*) *sundaicus* f. *esuriens* Kemner 1934, pp. 10, 17, 18, 98-100, sold.,
 Java: Buitenzorg.
- Odontotermes billitoni* Holmgren 1913-14, p. 245, Java: Tjiogreh near Buitenzorg.
- Odontotermes* (*Odontotermes*) *billitoni* John 1925, p. 389, loc.
 Sold.
 Java. Indo-Malayan.
- Odontotermes* (*Odontotermes*) *sudanensis* Sjöstedt.
Odontotermes *sudanensis* (Sjöstedt) 1924b, p. 254, sold., Sudan.
Termes sudanensis (Sjöstedt) 1926, pp. 125-126, pl. 5, fig. K 1-2, sold., syn., loc.; 1926a,
 p. 4, Sudan, Gold Coast (Aburi); Grassé 1937a, p. 60,
 figs. 30-31 (sold.), Guinée (Kindia).
 Types: Brit. Mus. and Mus. Stockholm.
 Sold., work.^{1, 2}
 Senegal: Dakar; Egyptian Su-
 dan: Wad Medani; Guinée:
 Kindia; Gold Coast: Aburi. Ethiopian.

Odontotermes (*Odontotermes*) *tanganicus* Sjöstedt.*Termes transvaalensis* Sjöstedt 1907a, p. 14; 1915, p. 12.*Odontotermes tanganicus* Sjöstedt 1924c, p. 492, sold., Tanga (Tanganyika).*Termes tanganicus* Sjöstedt 1926, pp. 126-127, pl. 4, fig. I (sold.), syn., loc. Sold.

Tanganyika: Tanga; Kenya:

Naivasha and Amboni.

Ethiopian

Odontotermes (*Odontotermes*) *taprobanes* (Walker).*Termes Taprobanes* Walker 1853, p. 522, im., Ceylon, E. Indies; Hagen 1858, p. 136, pl. 3 fig. 16 (im.).*Odontotermes* (*Odontotermes*) *Taprobanes* Holmgren 1913b, p. 126, im., pl. 4, fig. 3 (im.) Borneo (Mus. Vienna), ?Sumatra, ?Ceylon (Brit. Mus.), ?E. Indies (Brit. Mus.), Calcutta (Mus. Vienna), Burma (Mus. Berlin), Malacca: Tengol Mts. (Mus. Berlin).*Termes Sumatrense* Blanchard (in Cuvier 1849, pl. 106, fig. 4, queen).

Type: im., Brit. Mus.

Winged.

Ceylon, India, Burma, Malacca,

Sumatra, Borneo.

Indo-Malayan

Odontotermes (*Odontotermes*) *terricola* (Sjöstedt).*Termes terricola* Sjöstedt 1902a, p. 252, sold.¹, work.¹⁻², Cameroon: Johan.-Albrechtshöhe*Odontotermes* (*Odontotermes*) *terricola* Holmgren 1912, p. 37.*Termes terricola* Sjöstedt 1926, p. 122, syn., loc.*Termes* (*Termes*) *terricola* Emerson 1928, pp. 458-459, fig. 20 (queen, sold.), loc.

Types: Mus. Berlin and Stockholm.

Queen, sold.¹, work.¹⁻²

Cameroon, Belg. Congo, Isl.

Fundu (near W. Pemba) off

Tanganyika, Isl. Manda (off

Kenya).

Ethiopian

Odontotermes (*Odontotermes*) *trägårdhi* Holmgren.*Odontotermes* *Trägårdhi* (Holmgren) 1913d, p. 328, king, queen, sold.¹⁻², work.¹⁻², Natal Sweetwater, Stanford Hill, Estcourt.*Odontotermes* *trägårdhi* Fuller 1922, p. 84, im., sold.², work., syn., Pietermaritzburg, Durban Estcourt.*Termes* *Trägårdhi* Sjöstedt 1926, p. 113, syn., loc.King, queen, sold.¹⁻², work.¹⁻²

So. Africa, Belg. Congo: Boma.

Ethiopian

Odontotermes (*Odontotermes*) *transvaalensis* (Sjöstedt).*Termes transvaalensis* Sjöstedt 1902b, p. 302, winged, Transvaal; 1904, pp. 26, 53, pl. fig. A, im., queen, sold., work.*Termes badius* Silvestri 1908, p. 75, sold., work.*Odontotermes* (*Odontotermes*) *transvaalensis* Holmgren 1912, p. 37, fig. 13.*Termes transvaalensis* Fuller 1922, pp. 84, 92, syn., loc.

- Termes* (*Odontotermes*) *transvaalensis* Hegn 1922, pp. 313, 319 (fig. 219), 383, 615 (*Termes tubicola*), 688 *Odontotermes transvaalensis*.
- Termes transvaalensis* Sjöstedt 1926, p. 117, pl. 4, fig. G, syn., loc.
Winged, queen, sold., work.
Transvaal, Mphome; Orange Free State, Bothaville; Uganda, Ruwenzori; Bechuanaland, Vryburg. Ethiopian.
- Odontotermes* (*Odontotermes*) *vulgaris* (Haviland).
Termes vulgaris Haviland 1898, p. 387, pl. 23, figs. 11-14, winged, sold., work., Natal.
Odontotermes vulgaris Holmgren 1912, p. 40.
Odontotermes destructor Holmgren 1913d, p. 326, sold., work., Natal.
Termes vulgaris Fuller 1922, pp. 87, 94, syn., loc.; Sjöstedt 1926, pp. 118-120, sold.², syn., loc.
Type: No. 59, Mus. Cambridge and Stockholm.
Winged, queen, sold.¹⁻², work.¹⁻²
Natal, S. W. Africa, Rhodesia, Senegal. Ethiopian.
- Odontotermes* (*Odontotermes*) *vulgaris*, subsp. *minor* (Fuller).
Termes (*Termes*) *vulgaris* subsp. *minor* Fuller 1922, pp. 87, 94, im., sold., work., Natal Coast (loc. mixed with *T. vulgaris* s. lat.); Emerson 1928, p. 415 (name preoccupied by *Termes* (*Eutermes*) *odontognathus* subsp. *minor* Desneux 1904e, p. 44).
Natal, sold., work.
Natal Coast. Ethiopian.
- Odontotermes* (*Odontotermes*) *wallonensis* (Wasmann).
Termes obsesus subsp. *wallonensis* Wasmann 1902b, p. 106, im., sold., India: Wallon Sangamner (Ahmednagar Distr.).
- Odontotermes* (*Cyclotermes*) *wallonensis* Holmgren 1913b, p. 123, im., sold., So. India: Wallon.
- Odontotermes* (*Cyclotermes*) *wallonensis* Holmgren, K. and N. 1917, p. 152, So. India: Coimbatore, Mysore, etc.
Winged, sold., work.
India, Bombay, Cent. Prov. Indo-Malayan.
- Odontotermes* (*Odontotermes*) *zambesiensis* (Sjöstedt).
Termes (*Odontotermes*) *zambesiensis* Sjöstedt 1914a, p. 2, fig. 1, sold., Zambesi: Villa Fontes (Port. E. Africa).
Termes zambesiensis Sjöstedt 1926, p. 123.
Type: Brit. Mus. and Mus. Stockholm.
Natal, sold.
Port. E. Africa. Ethiopian.
- Odontotermes* (*Odontotermes*) *zulunatalensis* Sjöstedt.
Odontotermes destructor Holmgren 1913d, p. 326 ("grössere stücke") (nec Smeathman).
Odontotermes zulunatalensis Sjöstedt 1924c, p. 491, sold., Zululand; Natal: Estcourt.
Termes zulunatalensis Sjöstedt 1926, p. 120, pl. 5, fig. 1 (sold.), sold., work.¹⁻², syn., loc.
Natal, sold., work.¹⁻²
Zululand; Natal: Estcourt. Ethiopian.

EUSCAIOTERMES

Genus *Odontotermes*, subgenus *Euscaiotermes* Silvestri.

Subgeneritype: *Odontotermes* (*Euscaiotermes*) *primus* Silvestri.

Genus *Odontotermes*, subgenus *Euscaiotermes* Silvestri 1923, p. 221.

Odontotermes (*Euscaiotermes*) *primus* Silvestri.

Odontotermes (*Euscaiotermes*) *primus* Silvestri 1923, pp. 221-223, fig. 1, sold., work., ar
kuda Isl. (Chilka Lake) off Orissa.

Sold., work.

Orissa, India.

Indo-Mal a

HYPOTERMES

(Under)

Genus *Odontotermes*, subgenus *Hypotermes* Holmgren.

Subgeneritype: *Odontotermes* (*Hypotermes*) *xenotermitis* (Wasmann).

=Subgenus *Xenotermes* Holmgren 1912, pp. 36, 39.

=Subgenus *Hypotermes* Holmgren 1913b, p. 141 (*Xenotermes* preoccupied by *Xenote*
Wasmann: Rhysopaussidae).

Odontotermes (*Hypotermes*) *obscuriceps* (Wasmann).

Termes obscuriceps Wasmann 1902b, p. 113, sold., work., Ceylon: Trincomali, Ban
wella.

Odontotermes (*Xenotermes*) *obscuriceps* Holmgren 1912, p. 36, sold., fig. 17, pl. 2, fig.

Odontotermes (*Hypotermes*) *obscuriceps* Holmgren 1913b, p. 141, im., sold., work.¹⁻²,
fig. 21 (im.), pl. 5, fig. 18 (sold.).

Odontotermes (*Hypotermes*) *marshalli* Kemner 1926, pp. 387-388, fig. 4 (sold.),
work., Ceylon.

Im., sold., work.¹⁻²

Ceylon.

Indo-Mala

Odontotermes (*Hypotermes*) *sumatrensis* Holmgren.

Odontotermes (*Hypotermes*) *sumatrensis* Holmgren 1913-14, p. 250, sold., work.¹,
Sumatra.

Sold., work.¹

Sumatra.

Indo-Mala

Odontotermes (*Hypotermes*) *xenotermitis* (Wasmann).

Termes xenotermitis Wasmann 1896, p. 628, sold., work., Palon Pegù, Burma; 1896a, p
(supp.), queen, sold.

Termes (*Eutermes*) *xenotermitis* Desneux 1904c, p. 46, syn.

Odontotermes (*Xenotermes*) *Xenotermitis* Holmgren 1912, p. 39.

Odontotermes (*Hypotermes*) *Xenotermitis* Holmgren 1913b, p. 143, queen, sold. P
Palon, Mus. Civ. Gen.

Odontotermes (*Hypotermes*) *xenotermitis* Holmgren, K. and N. 1917, p. 158, loc. Ind
Queen, sold., work.

Burma; India: Bengal, Assam.

Indo-Mala

ANCISTROTERMES

Genus *Ancistrotermes* Silvestri.

Generitype: *Ancistrotermes crucifer* (Sjöstedt).

Genus *Termes* Sjöstedt 1900a, p. 67.

Subgenus *Ancistrotermes* Silvestri 1912a, p. 4.

Genus *Microtermes* Holmgren 1912, pp. 40, 11.

Genus *Ancistrotermes* Silvestri 1914-15, p. 17.

Genus *Termes* Desneux 1904e, pp. 26, 28.

Subgenus *Termes* Desneux 1904e, pp. 32, 35.

Genus *Ancistrotermes* Sjöstedt 1926, p. 160.

ancistrotermes amphidon Sjöstedt.

ancistrotermes cavithorax Sjöstedt 1926, p. 163 ex p. wing., queen, Aburi; 1926a, p. 4 (loc.).

ancistrotermes amphidon Sjöstedt 1926c, p. 240, sold.¹⁻², fig. 1, Gold Coast: Accra.

Winged, queen, sold.¹⁻²

Gold Coast, Uganda.

Ethiopian.

ancistrotermes cavithorax (Sjöstedt).

termes cavithorax Sjöstedt 1899, p. 37, sold.¹⁻², work., Cameroon: Victoria; 1900a, p. 130, im., sold.¹⁻², work.¹⁻², pl. 3, fig. M 1-3 (sold.¹, work.).

microtermes cavithorax Holmgren 1912, p. 42.

ancistrotermes cavithorax Sjöstedt 1926, p. 163, pl. 7, fig. P (sold.²), syn., loc.; Grassé 1937a, p. 72, figs. 39-42 (winged, sold., work.).

Type: Mus. Greifswald and Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Cameroon, Congo (Sankuru),

S. Nigeria (Agege-Brit.

Mus.), Ivory Coast.

Ethiopian.

ancistrotermes crucifer (Sjöstedt).

termes crucifer Sjöstedt 1897, p. 123, im., Sierra Leone; 1900a, p. 127, im. only, pl. 3, fig. L 1-2 (im.).

microtermes crucifer Holmgren 1912, p. 42.

microtermes camerunensis Holmgren 1913d, p. 332, im.

ancistrotermes crucifer Silvestri 1914-15, p. 18, im., sold.¹⁻², work., fig. V 1, loc.; Sjöstedt 1926, pp. 162-163, fig. 35 (sold.), im., sold.¹⁻², work.¹⁻², syn., loc.; Emerson 1928, pp. 468-469, fig. 28, sold., Congo; Grassé 1937a, p. 70, fig. 37 (sold.¹⁻²).

Types: Mus. Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Senegal: Dakar; Sierra Leone;

Togo: Bismarckburg; Ivory

Coast; Gold Coast: Aburi;

S. Nigeria: Lagos; Cam-

eroon: Abo u. Mungo, Vic-

toria; Congo: Libenge, etc.

Ethiopian.

Ancistrotermes crucifer, var. *diversana* Silvestri.

Ancistrotermes crucifer var. *diversana* Silvestri 1914-15, p. 20, fig. VIII, 1-5 (im., sold.¹⁻², im., sold., work., French Guinea: Camayenne, Kakonima, Kindia; Sjöstedt 1926, p. 163.

Microtermes crucifer, var. *diversana* Hegh 1922, pp. 321, 690.

Winged, sold.¹⁻², work.

Fr. Guinea.

Ethiopia

Ancistrotermes (?) *dubius* Sjöstedt.

Ancistrotermes (?) *dubius* Sjöstedt 1926b, pp. 150-151, winged, Congo: Haut Uélé, Muteru, Tervueren and Stockholm.

Winged.

Congo.

Ethiopia

Ancistrotermes guineensis (Silvestri).

Termes (*Ancistrotermes*) *crucifer* subsp. *guineensis* Silvestri 1912, p. 227, sold.¹⁻², work., fig. VI, Port. Guinea: Rio Cassine.

Microtermes guineensis Holmgren 1913d, p. 333, sold.

Ancistrotermes crucifer var. *guineensis* Silvestri 1914-15, p. 20, Fr. Guinea: Mamou, Sjöstedt 1926, p. 163, syn., loc.

Ancistrotermes guineensis Emerson 1928, p. 468, sold.; Grassé 1937a, p. 68, fig. 36, sold.¹⁻², Ivory Coast: Akakro.

Sold.¹⁻², work.

Port., Fr. Guinea, Ivory Coast.

Ethiopia

Ancistrotermes latinotus (Holmgren).

Termes crucifer Sjöstedt 1900a, p. 127, sold. only, pl. 3, fig. L 3-5, sold., work., Angola: Malanga.

Termes (*Ancistrotermes*) *crucifer* Silvestri 1912a, p. 5, fig. 3, Luapula.

Microtermes latinotus Holmgren 1912, pp. 42, 44, syn. (not described), Luapula; 1913d, pp. 332-333, im., sold.

Ancistrotermes latinotus Silvestri 1914-15, p. 19, fig. VII 1-3, im., sold.¹⁻², work., syn. Angola: Malanga; Sjöstedt 1926, pp. 161-162, pl. 3, fig. O (sold.²), syn., loc. (ascribes species to Silvestri, not Holmgren).

Winged, sold.¹⁻², work.

Angola; Congo-Rhodesia: Luapula; Congo: Libenge; So. Africa.

Ethiopia

Ancistrotermes lebomboensis Fuller.

Ancistrotermes lebomboensis Fuller 1922, p. 103, im., sold.¹⁻², work.¹⁻², Lourenco Marques, Transvaal So. Africa; Sjöstedt 1926, p. 164, loc.

Winged, sold.¹⁻², work.¹⁻²

So. Africa.

Ethiopia

Aistrotermes periphraasis Sjöstedt.

Aistrotermes periphraasis Sjöstedt 1924c, p. 496, sold.², Sudan; 1926, p. 164, pl. 7, fig. Q, sold.², work.¹⁻², Ägypt. Sudan: El Amira-Bir Joghana and Khor El Affin; 1926b, pp. 149-150, wing., Congo; 1926c, pp. 241-242, sold.¹, Accra.

Winged, sold.¹⁻², work.¹⁻²

Sudan, Gold Coast, Congo.

Ethiopian.

Aistrotermes wasmanni Snyder and Emerson, new name.

Termes cavithorax Wasmann 1911a, p. 102, sold.¹⁻², work.¹⁻², Congo: Sankuru.

Sold.¹⁻², work.¹⁻²

Brazzaville, Congo.

Ethiopian.

MICROTERMES

Genus *Microtermes* Wasmann.

< Genus *Termes* Sjöstedt 1900a, p. 67.

= Genus *Microtermes* Wasmann 1902b, p. 115.

< Genus *Termes* Desneux 1904e, pp. 26, 28.

< Subgenus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.

< Genus *Microtermes* Fuller 1922, p. 95.

= Subgenus *Microtermes* Fuller 1922, p. 95 (sensu Silvestri 1914-15).

= Genus *Microtermes* Sjöstedt 1926, p. 165.

Microtermes albinotus Holmgren.

Microtermes albinotus Holmgren 1913d, p. 333, im., Africa (or Madagascar); Sjöstedt 1926, p. 177, affinity.

Winged.

Africa, No. Madagascar.

Ethiopian or Malagasy.

Microtermes albopartitus (Sjöstedt).

Termes albopartitus Sjöstedt 1911d, p. 4, winged, sold.¹⁻², work.¹⁻², Rhodesia: Salisbury.

Microtermes albopartitus Holmgren 1912, p. 42; 1913d, pp. 333-334, im., sold.

Microtermes longiceps Holmgren 1913d, pp. 330, 334, Zululand: Mkosi; Hegh 1922, p. 690; Fuller 1922, p. 101, Lake Kosi, Zululand.

Microtermes albopartitus Sjöstedt 1926, p. 178, pl. 7, fig. L 1-3, sold.¹⁻², syn., loc.

Winged, sold.¹⁻², work.¹⁻²

East Africa.

Ethiopian.

Microtermes alluaudanus (Sjöstedt).

Termes (*Microtermes*) *alluaudanus* Sjöstedt 1915, pp. 13-16, winged, sold., work.¹⁻², fig. 3 (sold.), Brit. E. Africa (Kenya), Likoni, etc., near Mombasa.

Microtermes alluaudanus Sjöstedt 1926, p. 180, syn., loc.

Winged, sold., work.¹⁻²

East Africa: Likoni and

Cheteni (near Mombasa),

Kenya.

Ethiopian.

Microtermes aluco (Sjöstedt).

Eutermes aluco Sjöstedt 1904, pp. 95, 27, im., Fr. Sudan: Sikasso; Hegg, 1922, pp. 75, 9, 694; Sjöstedt 1926, pp. 323, 291, im.

Type: Mus. Paris and Stockholm.

Termes (Eutermes) aluco Desneux 1904c, p. 40, syn.

Ancistrotermes sudanensis Sjöstedt 1924b, p. 255, sold.², work., Fr. Sudan.

Microtermes sudanensis Sjöstedt 1926, pp. 177-178, pl. 7, fig. H 1-2, sold.², Mus. Paris and Stockholm; 1926b, pp. 151-152, winged, sold.², Congo: Haut Uélé, Maude, Mus. Tervueren and Stockholm; 1926c, pp. 242-243, winged, Accra; and Porter 1935, p. 7, Nigeria; Myers 1938, p. 7, Sudan.

Winged, sold.², work.¹⁻²

Sudan, Gold Coast, Nigeria,
Congo.

Ethiopia.

Microtermes calvus Emerson.

Microtermes calvus Emerson 1928, pp. 470-471, fig. 29, sold., Belg. Congo: St. Gabriel and Stanleyville.

Holotype: sold., A.M.N.H.

Sold., work.

Congo.

Ethiopia.

Microtermes congoensis (Sjöstedt).

Termes congoensis Sjöstedt 1911, p. 146, winged, queen, sold.¹⁻², work.¹⁻², Congo: Mubungu.

Microtermes congoensis Holmgren 1912, p. 42.

Termes (Microtermes) congoensis Sjöstedt 1914a, p. 4, loc.

Microtermes congoensis Sjöstedt 1926, pp. 178-179, pl. 7, fig. K 1-2 (sold.¹⁻²), syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Congo; So. Nigeria: Agege;

Cameroon: Victoria; Angola:

S. Paolo de Loanda.

Ethiopia.

Microtermes congoensis, var. *comprehensa* Silvestri.

Microtermes congoensis var. *comprehensa* Silvestri 1914-1915, p. 24, sold., work.¹⁻², fig. (sold.), Fr. Guinea: Kindia; Sjöstedt 1926, p. 17

Sold., work.¹⁻²

Fr. Guinea.

Ethiopia.

Microtermes divellens (Sjöstedt).

Eutermes divellens Sjöstedt 1904, p. 94, im., p. 28, Madagascar: Nossi-Bé.

Termes (Eutermes) divellens Desneux 1904c, p. 41, syn.

Eutermes (Eutermes?) divellens Holmgren 1912, p. 62.

Eutermes divellens Hegg 1922, pp. 432, 691; Sjöstedt 1926, p. 292, im., 324 syn.

Winged.

Madagascar.

Malagasy.

Microtermes dubius Fuller.

Microtermes dubius Fuller 1922, p. 101, winged, Damaraland: Dornweld near Windhoek; Sjöstedt 1926, p. 181.

Winged.
S.W. Africa. Ethiopian.

Microtermes etiolatus Fuller.

Microtermes etiolatus Fuller 1922, p. 102, winged, sold., work.¹⁻², Lourenco Marques, Transvaal; Sjöstedt 1926, p. 181, syn.

Winged, sold., work.¹⁻²
S Africa. Ethiopian.

Microtermes feae Silvestri.

Microtermes feae Silvestri 1912, p. 229, fig. VII, 1-18, im., sold., work.¹⁻², Isl. Fernando Po; Sjöstedt 1926, p. 179, syn.; Emerson 1928, pp. 474-475, fig. 32b, c (sold.¹⁻²), syn., loc.

Winged, sold., work.¹⁻²
I: Fernando Po; Cameroon: Bipindi; Congo: Thysville. Ethiopian.

Microtermes globicola Wasmann.

Microtermes globicola Wasmann 1902b, p. 116, sold., work., Ceylon: Anurhadapura; Holmgren 1913b, p. 146; Holmgren, K. and N. 1917, p. 159, Mysore State, Maddur, India.

Sd., work.
Ceylon, India. Indo-Malayan.

Microtermes havilandi Holmgren.

Termes incertus Haviland (nec Hagen) 1898, p. 388, pl. 23, figs. 15-18, im., sold., work., Natal, Mozambique, So. Africa; Sjöstedt 1900a, p. 135; Warren 1909, p. 124; Holmgren 1912, pp. 42, 48 (ex p.); Fuller 1915, pp. 341, 393, 483, fig. 5 (swarm), pl. 29, figs. 9-10 (nest), pl. 31, figs. 4-5, pl. 34, fig. 17 (mand. sold.); Hegh 1922, p. 139, etc.; Sjöstedt 1926, pp. 170-172, fig. 17 (sold.¹⁻²), pl. 7, fig. D 1-3 (sold.¹⁻²), syn., loc.

Microtermes havilandi Holmgren 1913d, pp. 330 (im.), 332, 334 (sold.), Natal and Zululand.

Microtermes havilandi Fuller 1922, p. 97, im., sold., work., Natal, Zululand, So. Africa.
Types: Mus. Cambridge and Stockholm.

Winged, sold.¹⁻², work.
S Africa. Ethiopian.

Microtermes havilandi, form *intermedius* Fuller.

Microtermes havilandi, form *intermedius* Fuller 1922, p. 98, im., sold., work., Klerksdorp, Transvaal, Bloemfontein, So. Africa.

Acrotermes incertus forma *intermedius* Sjöstedt 1926, p. 172.

Winged, sold., work.
S Africa. Ethiopian.

Microtermes havilandi, form *occidentalis* Fuller.

Microtermes havilandi, form *occidentalis* Fuller 1922, p. 99, im., Graspan, Modder Rivier, Rail and Olivewood, So. Africa.

Microtermes incertus forma *occidentalis* Sjöstedt 1926, p. 172.

Winged.

So. Africa.

Ethiopia

Microtermes hollandi Grassé.

Microtermes hollandi Grassé 1937a, pp. 84-86, sold., fig. 48, Dakar: Senegal.

Sold.

Senegal.

Ethiopia

Microtermes incertoides Holmgren.

Microtermes incertus Wasmann 1902b, p. 117, sold., work. from Wallon.

Microtermes incertoides Holmgren 1913a, pp. 113-114, sold., work.¹⁻², Wallon; 1913b, p. 114, sold., work.¹⁻², Wallon, India.

Sold., work.¹⁻²

India.

Indo-Malaya

Microtermes incertus (Hagen).

Termes incertus Hagen 1853, p. 481, pl. 4, fig. 22, queen, Mozambique.

Termes (Eutermes) incertus Hagen 1858, p. 230, queen.

Termes incertus Hagen 1858a, p. 32 (im.).

Type: Mus. Berlin.

Winged, queen.

Mozambique, Africa.

Ethiopia

Microtermes insperatus Kemner.

Microtermes insperatus Kemner 1934, pp. 106-109, fig. 21/1-3 (im.), 21/4-5 (sold.), E. W. Java.

Microtermes pallidus Holmgren 1913-14, p. 251; John 1925, p. 390, loc.

Winged, sold., work.

Java, Malaya.

Indo-Malaya

Microtermes jacobsoni Holmgren.

Microtermes Jacobsoni Holmgren 1913b, p. 148, im., sold., work., fig. 6 (im.), pl. 6, f. 1 (sold.), Java: Samarang.

Microtermes pallidus jacobsoni Holmgren 1913-14, p. 251, Java, Sumatra, Malacca.

Winged, sold., work.

Java, Sumatra, Malacca.

Indo-Malaya

Microtermes kasaiensis (Sjöstedt).

Eutermes kasaiensis Sjöstedt 1913a, p. 389, im. (queen), sold., work., Congo: Kasa

Microcerotermes kasaiensis Hekh 1922, pp. 445, 702.

Microtermes kasaiensis Hekh 1926, p. 180, syn., loc.

Types: Mus. Tervueren and Stockholm.

Queen, sold., work.

Congo.

Ethiopia

Microtermes kauderni Holmgren.

Microtermes? *Kauderni* Holmgren 1909a, p. 6, sold., work., biol., fig. 1 (nest), pl. 1, fig. 2 (loc.), type loc. Madagascar: Ste. Maria de Marovoay and Majunga; 1912, p. 42, fig. 19 (mand. sold.); Sjöstedt 1926, pp. 169-170, pl. 7, fig. B 1-2 (sold.), syn., loc.

Sold.¹⁻², work.

Madagascar.

Malagasy.

Microtermes lepidus Sjöstedt.

Microtermes lepidus Sjöstedt 1924c, p. 496, sold., Senegal: Dakar; 1926, pp. 172-173, pl. 7, fig. E 1-2 (sold.), sold., work.

Sold., work.

Senegal.

Ethiopian.

Microtermes lounsburyi Fuller.

Microtermes lounsburyi Fuller 1922, p. 99, winged, sold., work.¹⁻², Transvaal: Pienaars Riv., Bushveld.

Microtermes Lounsburyi Sjöstedt 1926, p. 180.

Winged, sold., work.¹⁻²

So. Africa.

Ethiopian.

Microtermes macronotus Holmgren.

Microtermes macronotus Holmgren 1913b, p. 145, pl. 6, fig. 1, im.(?), Ceylon, Mus. Vienna; Green 1913, p. 11, Ceylon.

Winged.

Ceylon.

Indo-Malayan.

Microtermes madagascariensis Holmgren.

Microtermes madagascariensis Holmgren 1913d, p. 332, im., Madagascar; Sjöstedt 1926, p. 180.

Winged.

Madagascar.

Malagasy.

Microtermes magnocellus (Sjöstedt).

Termes (*Microtermes*) *magnocellus* Sjöstedt 1915, pp. 16, 18, winged, Usambara: Tanga. *Microtermes magnocellus* Sjöstedt 1926, p. 176, syn., loc.

Winged.

Tanganyika.

Ethiopian.

Microtermes microthorax Holmgren.

Microtermes microthorax Holmgren 1913d, p. 333 (im.), Africa, or Madagascar; Sjöstedt 1926, p. 177.

Winged.

Africa or Madagascar.

Ethiopian or Malagasy.

Microtermes mokeetsei Fuller.

Microtermes mokeetsei Fuller 1922, p. 100, winged, sold., N. E. Transvaal: Mokeetse, Koedoes Riv.

Microtermes Mokeetsei Sjöstedt 1926, p. 180.

Winged, sold.

So. Africa.

Ethiopian.

Microtermes mycophagus (Desneux).

Termes mycophagus Desneux 1906, p. 348, winged, sold., work., Sind: Karachi, India.

Microtermes mycophagus Holmgren 1913b, p. 150, im., sold., work., pl. 6, fig. 5 (im.)
Holmgren, K. and N. 1917, p. 159, Punjab: Lyallpur

Winged, sold.

India.

Indo-Malaya

Microtermes obesi Holmgren.

Microtermes obesi Holmgren 1913b, p. 150, pl. 6, fig. 4 (im.), Bombay: Khandala; Holmgren, K. and N. 1917, p. 159, im., Mysore: Bangalore
Bihar: Pusa.

Microtermes Anandi Holmgren 1913a, p. 114; 1913b, p. 152, sold., work., Gujerat: Anand.

Microtermes anandi Holmgren 1913-14, pp. 250-251, No. Ceylon.

Microtermes anandi Holmgren, K. and N. 1917, p. 160, So. India (syn. by Fletcher)
Silvestri 1923, p. 225, Barkuda Isl. (Orissa).

Microtermes anandi, forma *curvignathus* Holmgren 1913a, p. 114.

Microtermes Anandi f. *curvignathus* Holmgren 1913b, p. 153, sold., work., pl. 6, fig. (sold.), Bombay.

Winged, sold., work.

So. India, No. Ceylon.

Indo-Malaya

Microtermes osborni Emerson.

Microtermes osborni Emerson 1928, p. 472, fig. 31, winged and sold., St. Gabriel near Stanleyville, Belg. Congo.

Holotype: sold.; morphotype: winged, A.M.N.H.

Winged, sold.

Belg. Congo.

Ethiopia

Microtermes pallidus (Haviland).

Termes pallidus Haviland 1898, p. 389, queen, sold., work., Malay Penins.

Microtermes pallidus Holmgren 1912, p. 42, fig. 20 (sold. mand.), Malacca, Singapore, Java; 1913b, p. 147, im., sold., work., pl. 6, figs. 2, (im., sold.), loc.; 1913-14, p. 251; John 1925, p. 39, loc.

Winged, queen, sold., work.

Malacca, Singapore, Java.

Indo-Malaya

Microtermes problematicus Grassé.

Microtermes problematicus Grassé 1937a, pp. 88-89, im., figs. 50-51, Dakar, Senegal.

Winged.

Senegal.

Ethiopia

Microtermes pusillus Silvestri.

Microtermes Feae var. *pusilla* Silvestri 1914-1915, p. 25, sold.¹, work.¹, Cameroon: Victoria

Microtermes pusillus Sjöstedt 1926, p. 179; Emerson 1928, p. 475, fig. 32a (sold.), Thysville, Belg. Congo.

Sold., work.

Cameroon, Belg. Congo.

Ethiopia

Microtermes redenianus (Sjöstedt).

Microtermes redenianus Sjöstedt 1904, p. 68, im., sold.¹⁻², work.¹⁻², pl. 2, fig. L 1-3, Usambara: Tanga.

Microtermes redenianus Holmgren 1912, p. 11, im.; 1913d, p. 332 (im.), p. 334 (sold.¹⁻²); Sjöstedt 1926, p. 174, pl. 7, fig. F (sold.).

Winged, sold.¹⁻², work.¹⁻²

Tanganyika, Congo.

Ethiopian.

Microtermes sindensis (Desneux).

Microtermes sindensis Desneux 1906, p. 354, im., India.

Microtermes sindensis Holmgren 1913b, p. 149, pl. 6, fig. 3, im., Sind: Karachi.

Winged.

India.

Indo-Malayan.

Microtermes sjöstedti Emerson.

Microtermes sjöstedti Emerson 1928, p. 471, fig. 30, sold., Belg. Congo, region of Stanleyville.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Microtermes somaliensis Sjöstedt.

Microtermes somaliensis Sjöstedt 1927, p. 100, im., sold., work., fig. 3, sold., Somaliland: Villaggio Duca Abruzzi; Ghidini 1938, p. 231.

Winged, sold., work.

Somaliland.

Ethiopian.

Microtermes subhyalinus Silvestri.

Microtermes subhyalinus Silvestri 1914-1915, p. 21, im., sold., work.¹⁻², fig. 9, 1-7 (im., sold.), Fr. Guinea: Kindia (type loc.); Sjöstedt 1926, p. 174, loc.; 1926c, p. 164, Gold Coast.

Winged, sold., work.¹⁻²

Fr. Guinea (Kindia type, Cananienne paratype), Gold Coast.

Ethiopian.

Microtermes subhyalinus, var. *depauperata* Silvestri.

Microtermes subhyalinus var. *depauperata* Silvestri 1914-1915, p. 23, sold., fig. 10, sold., Cameroon: Victoria; Sjöstedt 1926, p. 175.

Sold.

Cameroon.

Ethiopian.

Microtermes subhyalinus, var. *neghelliensis* Ghidini.

Microtermes subhyalinus var. *neghelliensis* Ghidini 1937, pp. 141-143, sold., Ethiopia.

Sold.

Ethiopia: Galla-Borana (Mega).

Ethiopian.

Microtermes tenuis Oshima.

Microtermes tenuis Oshima 1923, pp. 11-13, im., Sinabang, Simalur, Sumatra.

Winged.

Sumatra.

Indo-Malayan.

Microtermes thoracalis Sjöstedt.

Microtermes thoracalis Sjöstedt 1926, p. 176, winged, sold., work., pl. 7, fig. G 1-2 (sold.)
Egyptian Sudan; Wad Medani; Fr. Sudan.

Winged, sold., work.

Egyptian Sudan; Fr. W. Africa:

Fr. Sudan.

Ethiopia

Microtermes toumodiensis Grassé.

Microtermes toumodiensis Grassé 1937a, pp. 80-83, fig. 45 (im.), fig. 46-47 (sold.), Toumou
Ivory Coast.

Winged, sold.

Ivory Coast.

Ethiopia

Microtermes trägårdhi (Sjöstedt).

Termes incertus Trägårdh (nec Haviland) 1904, p. 29, sold., pl. 4 (sold.), Sudan.

Termes Trägårdhi Sjöstedt 1904, p. 71, winged, sold., work., Sudan: Kaka, Kartum.

Microtermes Trägårdhi Holmgren 1913d, p. 333 (im.), p. 334 (sold.); Sjöstedt 1926,
174, pl. 7, fig. M (sold.).

Winged, sold., work.

Sudan.

Ethiopia

Microtermes umfolozii Fuller.

Microtermes umfolozii Fuller 1922, p. 101, im., Umfolozi, Rail, Zululand, So. Africa.

Winged.

So. Africa.

Ethiopia

Microtermes unicolor Snyder.

Microtermes unicolor Snyder 1933, pp. 92-93, king, queen, India: Dehra Dun.

Cotypes: king and queen, male, Brit. Mus., fema

U.S.N.M. No. 44878.

Microtermes pubescens Snyder 1933a, pp. 9-10, sold., Dehra Dun.

Type: Brit. Mus.

King, queen, sold.

India.

Indo-Malaya

Microtermes usambaricus Sjöstedt.

Microtermes usambaricus Sjöstedt 1926, p. 173, sold., Usambara: Mombo.

Sold.

Tanganyika.

Ethiopia

Microtermes vadschaggae (Sjöstedt).

Termes vadschaggae Sjöstedt 1907a, p. 9 (im.), p. 10 (sold.), p. 19, im., sold., work., pl.
fig. E (fungus garden), Kilimandjaro: Kibonoto.

Microtermes vadschaggae Holmgren 1912, p. 41, fig. 5 (im. mand.); Silvestri 1914-15, p. 2
sold., Senegal: Thiès, Dakar.

Termes vadschaggae Sjöstedt 1915, pp. 13, 14, im., Kilimandjaro.

Termes Vadschaggae Sjöstedt 1926, p. 175, pl. 7, fig. C (sold.²), syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Tanganyika, Senegal.

Ethiopia

Microtermes vadschaggae, var. *dubius* Grassé.

Microtermes vadschaggae var. *dubius* Grassé 1937a, pp. 86-87, fig. 49-A (sold.), Akakro, Ivory Coast.

♂ d., work.¹⁻²
Ivory Coast.

Ethiopian.

MICRODONTERMES

(Genus *Microtermes*, subgenus *Microdontermes* Sarwar 1940b, p. 144.

(Subgenus for *Microtermes mukarensis* which species combines characters of both *Odontotermes* and *Microtermes*.)

M. only ?

NASUTITERMITINAE

Subfamily NASUTITERMITINAE Hare.

Type genus: *Nasutitermes* Dudley.

= Subfamily NASUTITERMITINAE Hare 1937, pp. 462, 464, 475.

= Subfamily EUTERMITINAE Holmgren 1910a, p. 146 (no description).

< Syntermes-Reihe Holmgren 1912, p. 45 (*Anoplotermes* included).

= Subfamily EUTERMITINAE Sjöstedt 1926, p. 290.

= Subfamily NASUTITERMITINAE Emerson 1945, p. 441.

Genera :

Syntermes Holmgren.

Procornitermes Emerson, n. gen.

Cornitermes Wasmann.

Triacitermes Emerson, n. gen.

Rhynchotermes Holmgren.

Hirtitermes Holmgren.

Nasutitermes Dudley.

Rotunditermes Holmgren.

Havilanditermes Light.

Tumulitermes Holmgren.

Occasitermes Holmgren.

Parvitermes Emerson, n. gen.

Obtusitermes Snyder.

Diversitermes Holmgren.

Bulbitermes Emerson, n. gen.

Coarctotermes Holmgren.

Velocitermes Holmgren.

Tenuirostritermes Holmgren.

Ceylonitermes Holmgren.

Grallatotermes Holmgren.

Lacessititermes Holmgren.

Longipeditermes Holmgren.

Constrictotermes Holmgren.

Hospitalitermes Holmgren.

Trinervitermes Holmgren.

Paracornitermes Emerson, n. gen.

Labiatermes Holmgren.

Armitermes Wasmann.
Curvitermes Holmgren.
Angularitermes Emerson.
Mimeutermes Silvestri.
Subulitermes Holmgren.
Convexitermes Holmgren.
Eutermellus Silvestri.

SYNTERMES

Genus *Syntermes* Holmgren.

Generitype: *Syntermes dirus* (Burmeister).

<Genus *Termes* Hagen 1858, pp. 107-108; 1858a, p. 16; 1862, p. 59; Silvestri 1903, p. 1.
 Holmgren 1906, p. 544.

=Genus *Syntermes* Holmgren 1910, p. 285; 1911, p. 545; 1912, pp. 46, 11, 45; Snyder 1924,
 p. 21; Emerson 1945; pp. 439-441.

Syntermes aculeosus Emerson.

Syntermes aculeosus Emerson 1945, pp. 443-444, fig. 4 (sold.), sold., work., Oronoque R.,
 Brit. Guiana.

Sold., work.

Brit. Guiana.

Neotropid

Syntermes brevimalus Emerson.

Syntermes brevimalus Emerson 1945, pp. 457-458, fig. 11, sold., Oronoque Riv., Brit. Guiana.
 Sold.

Brit. Guiana.

Neotropid

Syntermes calvus Emerson.

Syntermes calvus Emerson 1945, pp. 463-464, fig. 12, sold., Kartabo: Brit. Guiana.

Sold.

Brit. Guiana.

Neotropid

Syntermes chaquimayensis chaquimayensis (Holmgren).

Termes chaquimayensis Holmgren 1906, p. 547, sold., work.¹⁻², Prov. de Carabaya, Peru.

Syntermes chaquimayensis Holmgren 1911, pp. 546-548, sold.

Syntermes chaquimayensis chaquimayensis Emerson 1945, pp. 447-449, syn., loc.

Types, cotypes: sold., Emerson coll.

Sold., work.¹⁻²

Peru: Llinquipata, Chaquimayo,

Val. Rio San Gaban (Prov.

de Carabaya); Bolivia.

Neotropid

Syntermes chaquimayensis, subsp. *emersoni* Snyder.

Syntermes emersoni Snyder 1924c, pp. 22, 26-27, pl. 4, fig. 20, sold., Iguaripe(?), Brazil.

Syntermes chaquimayensis, subsp. *emersoni* Emerson 1945, p. 449, syn.

Holotype: sold., U.S.N.M. No. 25748.

Sold.

Brazil.

Neotropid

Myrmecha chaquimayensis, subsp. *parvinasus* Emerson.

Myrmecha chaquimayensis, subsp. *parvinasus* Emerson 1945, pp. 450-451, fig. 7, sold., Rio Waupes, Brazil or possibly Colombia.

Paratypes: from Ireng Rio to Roraima, Brazil, M.C.Z. and A.M.N.H.

old.

Brazil.

Neotropical.

Myrmecha dirus (Burmeister).

Termites spinosum Latreille 1804, pp. 62-63, sold.; 1805, p. 70, sold.

Termites fatale Perty 1830, p. 127, pl. 25, fig. 8, im.

Termites flavicolle Perty 1830, p. 128, pl. 25, fig. 11, im., fig. 13, sold., Brazil.

Termites dirus Burmeister 1839, p. 766, im., Brazil.

Termites from Brazil Westwood 1840, p. 12, fig. 58, 1-11, im.

Termites obscurum Blanchard 1840, pl. 47, fig. 1.

Termites costatus Rambur 1842, p. 305, im., Cayenne.

Termites dirus Rambur 1842, p. 307, im.

Termites céphalotes Rambur 1842, p. 309, sold., Brazil.

Termites dirus Walker 1853, p. 510, im., syn.

Termites dubius Walker 1853, p. 521 (im.).

Termites cephalotes Walker 1853, p. 521 (im.).

Termites dirus Hagen 1858, p. 151, im., sold., work., pl. 2, figs. 16-17 (im.), pl. 3, fig. 17, im. (part); 1858a, p. 21, im.; 1862, pp. 83-85, im., sold., work., pl. 4, figs. 1-8 (im.).

Termites spinosus Wasmann 1897, p. 139 (syn.); Desneux 1904e, p. 38 (syn.), pl. 2, figs. 8, 8a, 8b (im., sold., work.).

Myrmecha dirus Holmgren 1911, pp. 545-548, im., sold.

Termites spinosus Desneux 1915, p. 8 (syn.).

Myrmecha dirus Snyder 1924c, p. 21 (im.), p. 22 (sold.), p. 24 (im.), p. 27 (sold.), from Brazil only; Emerson 1945, pp. 459-462, syn., loc., types, p. 462; type locality: Rio, Brazil.

Type: 1 imago (cotype), det. Burmeister and Hagen, No. 2763, Mus. Berlin.

Vinged, sold., work.

Brazil, Dutch Guiana.

Neotropical.

Myrmecha grandis (Rambur).

Termites fuscum Latreille 1804, p. 60, im.; 1805, p. 68, im.

Termites grandis Rambur 1842, p. 306, im.

Termites decumanus Erichson 1848, p. 582, im.

Termites costatus Walker 1853, p. 518, im.

Termites grandis Walker 1853, p. 519, loc.

Termites grandis Hagen 1858, p. 157, im., sold., pl. 2, fig. 10, pl. 3, fig. 18, im.; 1858a, p. 22, im.

Myrmecha grandis Holmgren 1911, pp. 546-548, im., sold.

Termites grandis Desneux 1915, p. 8 (loc. type).

Myrmecha grandis Snyder 1924c, pp. 22, 24, 27 (im., sold.), pl. 4, fig. 23 (sold.); Emerson 1945, pp. 451-453, syn., loc., types pp. 452-453; type loc.: Cayenne.

Morphotype: sold., M.C.Z.

Vinged, sold., work.

r. Guiana, Brit. Guiana, Brazil, Venezuela.

Neotropical.

Syntermes hageni Holmgren.*Syntermes dirus* f. *hageni* Holmgren 1911, pp. 547-548, sold., Brazil.*Syntermes hageni* Snyder 1924c, p. 28, sold., Entre Rios, Rio, Brazil; Emerson 1945, pp. 454-455, fig. 9 (sold.), syn., loc., types.

Sold.

Brazil.

Neotropic

Syntermes insidians Silvestri.*Syntermes insidians* Silvestri 1946, pp. 12-14, fig. 4 (sold.), sold., work.¹⁻², Pitangueira (Paulo), Brazil.Sold., work.¹⁻²

Brazil.

Neotropic

Syntermes lighti Emerson.*Syntermes lighti* Emerson 1945, pp. 453-454, fig. 8 (sold.), syn.*Syntermes peruanus* Snyder 1926d, p. 15, pl. 2, fig. 8 (sold.), Villa Bella, Bolivia.

Holotype and paratypes: 4 sold., Acc. 4043, Carne Mus., A.M.N.H.; paratypes: Vienna Mus., M.C. Caiçara, Brazil.

Sold.

Bolivia, Brazil.

Neotropic

Syntermes magnoculus Snyder.*Syntermes magnoculus* Snyder 1924c, pp. 23-25, winged, sold., "Chapada" (Brazil); Emerson 1945, pp. 445-446, fig. 5, sold. mand., loc., types

Holotype: female, M.C.Z. No. 14510; paratype: male, U.S.N.M.; topotype: sold., M.C.Z.

Winged, sold.

Brazil.

Neotropic

Syntermes molestus (Burmeister).*Termes molestus* Burmeister 1839, p. 766, im.; Walker 1853, p. 513, im.; Hagen 1858, p. 159, pl. 3, fig. 19, im., Bahia, Amazon Riv.; 1858a, p. 22, im.; Silvestri 1901, p. 4 (loc.), Brazil: Corumbá (Cayubà).*Termes molestus* Silvestri 1903, pp. 51, 116, im., sold., work., fig. 10 (wings), pl. 2, figs. 85 (im.), figs. 86-88 (sold.).*Syntermes molestus* Holmgren 1911, pp. 547-548, im., sold.*Syntermes brasiliensis* Holmgren 1911, pp. 547-548, im., sold.*Syntermes molestus* Snyder 1924c, pp. 22, 24, im., p. 23, sold.*Syntermes brasiliensis* Snyder 1924c, p. 23, sold.*Syntermes* sp. Emerson ms. Snyder 1924c, p. 22, im.*Syntermes brasiliensis* Bequaert 1925, p. 294 (biol.).*Syntermes molestus* Snyder 1926d, pp. 14-15, pl. 2, fig. 5 (sold.).*Syntermes brasiliensis* Snyder 1926d, p. 13, pl. 2, fig. 9 (sold.).*Syntermes molestus* Emerson 1945, pp. 467-470, syn., loc., types, pp. 469-470; type locality: Brazil: Bahia.

Type: 1 imago (cotype), No. 2765 Mus. Berlin.

Winged, sold., work.

Brazil, Bolivia, Colombia, Venezuela.

Neotropic

Syntermes obtusus Holmgren.

Termes grandis Silvestri 1901, p. 4, fig. winged, Paraguay: Villa Rica; 1903, p. 49 (im., work.), p. 116, biol., pl. 2, figs. 79-83 (im., work.), Villa Rica.

Syntermes obtusus Holmgren 1911, pp. 546-547 (im., syn.); Snyder 1924c, p. 22, im.; Emerson 1945, pp. 444-445, syn., loc., types.

Type: Silvestri coll., Portici.

Winged, work.

Paraguay.

Neotropical.

Syntermes parallelus Silvestri.

Syntermes parallelus Silvestri 1923b, pp. 318-321, pl. 15 (wing., sold., work.), wing., sold., work.¹⁻²; Cattle Trail Survey, Canister Falls, Brit. Guiana; Snyder 1924c, p. 22, im., p. 23, sold.

Syntermes colombianus Snyder 1924c, pp. 23, 29, pl. 4, fig. 24 (sold.), Colombia.

Type: M.C.Z. No. 14511.

Syntermes parallelus Emerson 1925, pp. 310, 361-363, fig. 46, im., sold., Brit. Guiana; 1945, pp. 466-467, syn., loc., types.

Winged, sold., work.¹⁻²

Colombia, Brit. Guiana.

Neotropical.

Syntermes peruanus Holmgren.

Termes dirus Holmgren 1906, p. 545, im., sold., work.

Syntermes dirus Holmgren 1909, p. 85 (anatomy).

Syntermes peruanus Holmgren 1911, pp. 546-548, im., sold.

Syntermes bolivianus Holmgren 1911, pp. 547-548, sold., Bolivia; 1912, p. 47 (loc.); Snyder 1924c, p. 23 (sold.).

Syntermes peruanus Snyder 1924c, p. 22, im., sold.; Emerson 1945, pp. 458-459, syn., loc., types, cotypes: im., sold., work.; type loc., Peru: Juan del Oro, Tambopata Valley.

Cotypes: 1 sold., workers, Holmgren coll. labeled *S. dirus*.

Winged, sold., work.

Peru, Bolivia.

Neotropical.

Syntermes praecellens Silvestri.

Syntermes praecellens Silvestri 1946, pp. 2-6, fig. 1, female winged, sold., work.¹⁻², possible other type sold.? Jabaquara (S. Paulo), Brazil.

Winged, sold., work.¹⁻²

Brazil.

Neotropical.

Syntermes silvestri Holmgren.

Termes dirus Silvestri 1901, p. 4; 1903, p. 48 (sold., work.), p. 115 (biol.), pl. 2, figs. 75-78 (sold., work.), pl. 6, fig. 298 (biol.).

Syntermes silvestrii Holmgren 1911, pp. 546, 548, sold.; 1912, pp. 19, 47, fig. 4 (sold. mand.), pl. 2, fig. 14 (sold.); Snyder 1924c, p. 23 (sold.); Emerson 1945, pp. 462-463, syn., loc., types; type loc., Brazil: Coxipò, Cuyabà, Matto Grosso.

Cotype: sold., Silvestri coll., Portici.

old., work.

Brazil, Paraguay, Argentina.

Neotropical.

Syntermes snyderi Emerson.

?*Termes dirus* Walker 1853, p. 510, im., sold., work.

Syntermes snyderi Emerson 1925, pp. 294, 310, 358-359, fig. 44, im., sold., Kartabo, Br
Guiana.

Syntermes snyderi Emerson, *in* Snyder 1924c, p. 21 (im.), p. 22, sold. in keys.

Syntermes dirus Snyder 1924c, pp. 27-28, sold., Kartabo, Brit. Guiana.

Syntermes snyderi Snyder 1926d, pl. 2, fig. 7, sold.

Syntermes dirus Wheeler 1936, pp. 174, 176, 221 (biol.), Guiana only.

Syntermes snyderi Emerson 1945, pp. 446-447, syn., loc., types.

Holotype: sold.; morphotype: imago, Emerson coll.

Winged, sold., work.

Brit. Guiana, Dutch Guiana,

Venezuela.

Neotropic

Syntermes solidus Emerson.

Syntermes solidus Emerson 1945, p. 447, sold., fig. 6, Fr. Guiana: St. Jean, Moroni Riv.

Holotype: sold.

Sold.

Fr. Guiana.

Neotropic

Syntermes territus Emerson.

Syntermes territus Emerson 1925, pp. 310, 359-361, fig. 45, im., sold., Kartabo, Brit. Guiana.

Syntermes territus Emerson, *in* Snyder 1924c, p. 22 (im.), p. 23 (sold.).

Syntermes territus Emerson 1945, pp. 464-466, syn., loc., types.

Holotype: sold.; morphotype: im., Emerson coll.

Im., sold.

Brit. Guiana, Brazil.

Neotropic

Syntermes wheeleri Emerson.

Syntermes wheeleri Emerson 1945, pp. 455-457, fig. 10, sold., Brazil: Rio.

Holotype: sold. (det. by Burmeister and Hagen as
dirus); type: M.C.Z. No. 25707.

Sold., work.¹

Brazil.

Neotropic

PROCORNITERMES

Genus *Procornitermes* Emerson, n. gen.

Generitype: *Procornitermes striatus* (Hagen).

<Subgenus *Termes* Hagen 1858, pp. 107, 108; 1858a, p. 23.

<Subgenus *Cornitermes* Wasmann 1897, p. 150.

<Genus *Cornitermes* Silvestri 1901, p. 4; 1903, p. 52.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

<Subgenus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.

<Genus *Cornitermes* Holmgren 1906, p. 549; 1912, pp. 45, 49.

<Subgenus *Cornitermes* Holmgren 1912, p. 50.

<Subgenus *Tubulitermes* Holmgren 1912, pp. 52, 53.

<Genus *Cornitermes* Emerson 1925, p. 363.

<Subgenus *Cornitermes* Emerson 1925, p. 365; 1928, p. 406.

<Genus *Cornitermes* Snyder 1926d, p. 17.

<Subgenus *Cornitermes* Snyder 1926d, p. 17.

<Genus *Cornitermes* Hare 1937, pp. 460, 474.

Termitermes cornutus (Holmgren).

Termitermes (*Cornitermes*) *cornutus* Holmgren 1906, p. 549, sold., work., fig. J (sold.), fig. K (work.), Bolivia: Tuiche (Prov. Caupolican).

Termitermes striatus Snyder 1926d, p. 20, sold. and work., loc. (part), Tumupasa and Covendo, Bolivia.

Sold., work.

Bolivia.

Neotropical.

Termitermes lespesii (Fr. Müller).

Termitermes *lespesii* Fr. Müller 1873, p. 349, Brazil: S. Catharina, Itajahy.

Termitermes *lespesi* Berg. 1880.

Termitermes *lespesii* Silvestri 1903, p. 57, places in syn. with *striatus*, loc.

Termitermes *lespesi* Desneux 1904e, p. 38, places in syn. with *striatus*.

Termitermes (*Cornitermes*) *lespesi* Holmgren 1912, p. 51, fig. 23 (sold. mand.).

Termitermes (*Cornitermes*) *lespesi* Snyder 1926d, p. 20, queen, sold., work., loc., Bolivia.

Termitermes striatus Müller 1871, pp. 205-206 (biol.).

Termitermes (*Cornitermes*) *striatus* Snyder 1926d, p. 20, sold., Bolivia: Asunto, Canamina, Espia only.

Queen, sold., work.

Brazil, Bolivia.

Neotropical.

Termitermes striatus (Hagen).

Termitermes striatus Hagen 1858, p. 171, im., Brazil.

Termitermes striatus Silvestri 1901, p. 4, Argentina, Uruguay, Paraguay; 1903, p. 57, im., sold., work., fig. 12 (wings), pl. 3, fig. 99 (im.), figs. 100-101 (sold.), loc.

Termitermes (*Cornitermes*) *striatus* Holmgren 1912, p. 51, pl. 2, figs. 10, 13 (sold.).

Type: Mus. Berlin; paratype: winged male, M.C.Z. No. 205.

Winged, sold., work.

Brazil, Paraguay, Uruguay, Argentina.

Neotropical.

CORNITERMES

(Horn)

Genus *Cornitermes* Wasmann.

Generitype: *Cornitermes cumulans* (Kollar).

Subgenus *Termes* Hagen 1858, pp. 107, 108; 1858a, p. 23.

Subgenus *Cornitermes* Wasmann 1897, p. 150.

Genus *Cornitermes* Silvestri 1901, p. 4; 1903, p. 52.

Genus *Termes* Desneux 1904e, pp. 26, 28.

Subgenus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.

Genus *Cornitermes* Holmgren 1906, p. 549; 1912, pp. 45, 49.

Subgenus *Cornitermes* Holmgren 1912, pp. 50-51.

Subgenus *Tubulitermes* Holmgren 1912, pp. 52, 53.

Genus *Cornitermes* Emerson 1925, p. 363.

Subgenus *Cornitermes* Emerson 1925, p. 365; 1928, p. 406.

Genus *Cornitermes* Snyder 1926d, p. 17.

Subgenus *Cornitermes* Snyder 1926d, p. 17.

Genus *Cornitermes* Hare 1937, pp. 460, 474.

Cornitermes acignathus Silvestri.

Cornitermes acignathus Silvestri 1901, p. 4, sold., work., Ecuador: Guayaquil; 1903, p. 5
pl. 3, fig. 95, sold.

Termes acignathus Desneux 1904e, p. 35, syn.

Sold., work.

Ecuador.

Neotropica

Cornitermes bolivianus Snyder.

Cornitermes (*Cornitermes*) *bolivianus* Snyder 1926d, p. 17, winged female, sold., Lag
Rogagua, Bolivia, also Cachuela Esperanza (Be
Riv.), Bolivia.

Type: winged female, U.S.N.M. No. 27648.

Winged.

Bolivia.

Neotropica

Cornitermes cumulans (Kollar).

Termes cumulans Kollar 1832, vol. 1, p. 111, fig. 9B; vol. 2, p. 13, fig. 9, im., Brazil.

Termes dubius Rambur 1842, p. 309, sold.

Termes cumulans Hagen 1858, p. 165, pl. 2, fig. 11, pl. 3, fig. 20, im., Brazil: Ypanema
Barra only.

Termes (*Cornitermes*) *cumulans* Wasmann 1897, p. 150, im.

Cornitermes cumulans Silvestri 1903, p. 56, loc., Ypanema only.

Cornitermes similis Silvestri 1901, p. 4, Argentina: Posados; Paraguay: Matto Gross
1903, p. 53, im., sold., work., Brazil, fig. 11 (wings
pl. 2, figs. 89-91 (im.), figs. 92-93 (sold.)), pl. 3, fig. 1
(sold.); Holmgren 1912, p. 51, fig. 25 (sold.), pl.
fig. 9 (im.), Argentina.

?*Termes americanus* Rengger 1895, ? Paraguay.

?*Termes Christiersoni* Sørensen 1884, p. 20, pl. 1, figs. 1-12, Argentina: Gran Cha
Winged, sold., work.

Brazil: Ypanema—São Paulo

Prov., Barra—Rio Negro;

Paraguay; Argentina.

Neotropic

Cornitermes pilosus Holmgren.

Cornitermes pilosus Holmgren 1906, p. 551, sold., work., fig. L (sold.), fig. M (work
Peru.

Cornitermes (*Cornitermes*) *pilosus* Holmgren 1912, p. 51, fig. 24 (sold. mand.).

Cotype: sold., work., M.C.Z. No. 10103.

Sold., work.

Peru: Chaquinayo (Val. des
Rio San Gaban, Prov. Cara-
baya).

Neotropic

Cornitermes pugnax Emerson.

Cornitermes (*Cornitermes*) *pugnax* Emerson 1925, pp. 365-367, fig. 48, im., sold., Karta
Brit. Guiana.

Cornitermes acignathus Banks 1918, p. 666, Brit. Guiana only.

Cornitermes (*Cornitermes*) *similis* Snyder 1926d, p. 20, Bolivia.

Winged, sold.

Brit. and Dutch Guiana; Bra-
zil: Amazonas; Bolivia.

Neotropic

ornitermes silvestrii Emerson, n. sp.

ornitermes cumulans Silvestri 1901, p. 4, loc., Brazil: Cuyabà; 1903, p. 56, im., sold., work., p. 120, biol., figs. 40-41 (nests), pl. 3, figs. 96-98 (im., sold.), Brazil: Coxipò, Cuyabà only.

Winged, sold., work.
Brazil.

Neotropical.

ornitermes similis (Hagen).

ornitermes similis Hagen 1858, p. 167, im. only, pl. 3, fig. 21 (im.), Brazil: Lagoa Santa.

ornitermes (*Cornitermes*) *similis* Wasmann 1897, p. 150.

Types: Mus. Hall, Berlin; paratype: winged female,
M.C.Z. No. 420.

Winged, sold., work.
Brazil.

Neotropical.

ornitermes snyderi Emerson, n. sp.

ornitermes (*Cornitermes*) *cumulans* Snyder 1926d, p. 19, winged, queen, sold., work., Bolivia: Rosario.

Winged, queen, sold., work.
Bolivia.

Neotropical.

ornitermes walkeri Snyder.

ornitermes (*Cornitermes*) *acignathus walkeri* Snyder 1929, p. 84, sold., fig. 1, Rio Tapia, Rep. Panama.

Type: sold., U.S.N.M. No. 41743.

ornitermes (*Cornitermes*) *acignathus costaricensis* Snyder 1929, p. 84, sold., fig. 2, Costa Rica: Hamburg Farm near San Jose.

ornitermes acignathus Banks 1918, p. 662, sold., p. 666, loc. [?Panama: Cabina]; Snyder 1925, p. 187, dealated male and females, Rio Tapia, Panama; 1926, p. 28, sold., work., Colombia: Santa Anna.

ornitermes (*Cornitermes*) *acignathus* Snyder 1929, pp. 83, 86, sold., discus.
dealated male, females, sold.

Panama, Costa Rica, Colombia.

Neotropical.

TRIACITERMES

Genus *Triacitermes* Emerson, n. gen.

Generitype: *Triacitermes triacifer* (Silvestri).

Genus *Cornitermes* Silvestri 1901, p. 4; 1903, p. 52.

Subgenus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.

Subgenus *Cornitermes* (*Cornitermes*) Holmgren 1912, p. 50.

Triacitermes triacifer (Silvestri).

ornitermes triacifer Silvestri 1901, p. 4, sold., work., Brazil: Corumbà; 1903, p. 58, pl. 3, fig. 102, sold., work.

ornitermes (*Termes*) *triacifer* Desneux 1904e, p. 38, syn.

Winged, sold., work.

Brazil.

Neotropical.

RHYNCHOTERMES

(Snout)

Genus *Rhynchotermes* Holmgren.Generitype: *Rhynchotermes nasutissimus* (Silvestri).=Subgenus *Rhynchotermes* (*Armitermes*) Holmgren 1912, p. 55.*Rhynchotermes nasutissimus* (Silvestri).*Armitermes nasutissimus* Silvestri 1901, p. 7, im.; 1903, pp. 79-80, im., sold., work., fig. 2 (wings), pl. 4, figs. 141-142 (im.), figs. 143-147, sold. fig. 148 (work.), Brazil: Coxipò (Cuyabà); Paraguay: Areguà.*Termes* (*Eutermes*) *nasutissimus* Desneux 1904c, p. 44 (syn.), loc.*Armitermes nasutissimus* Holmgren 1906, p. 569, Bolivia: Mojos (Prov. de Caupolicán)*Armitermes* (*Rhynchotermes*) *nasutissimus* Holmgren 1912, p. 53, fig. 29 (im. mand.), p. 55, 57, fig. 36 (sold. mand.), pl. 2, fig. 15 (sold.), loc. Snyder 1926d, p. 25, Bolivia.

Winged, sold., work.

Brazil, Paraguay, Bolivia.

Neotropical

Rhynchotermes perarmatus (Snyder).*Armitermes* (*Rhynchotermes*) *perarmatus* Snyder 1925, pp. 188-190, 193, sold., work., fig. (sold.), Rio Chinilla, C. Z., Panama.

Type: sold., U.S.N.M. No. 27240.

Armitermes (*Rhynchotermes*) *major* Snyder 1925b, pp. 160-161, sold., work., Estrella Costa Rica.

Sold., work.

Panama, Ecuador, Costa Rica.

Neotropical

HIRTITERMES

Genus *Hirtitermes* Holmgren.=Subgenus *Hirtitermes* Holmgren.Generitype: *Hirtitermes hirtiventris* (Holmgren).Subgenus *Eutermes* (*Hirtitermes*) Holmgren 1912, pp. 59, 60, 62.*Hirtitermes hirtiventris* (Holmgren).*Eutermes* (*Hirtitermes*) *hirtiventris* Holmgren 1912, pp. 60, 62, 67, fig. 38 (sold. mand. pl. 3, fig. 1 (sold.)), Sarawak; 1913b, p. 156, sold., work.

Sold., work.

Borneo: Sarawak.

Indo-Malaya

Hirtitermes sinabangensis Oshima.*Hirtitermes sinabangensis* Oshima 1923, pp. 21-22, figs. 19-20, sold., work., Sinabang Simalur, Sumatra.

Sold., work.

Sumatra.

Indo-Malaya

Hirtitermes spinocephalus (Oshima).*Eutermes* (*Hirtitermes*) *spinocephalus* Oshima 1914b, pp. 574-575, pl. 10, fig. 7, sold. Tarakan, Dutch Borneo.

Sold., work.

Dutch Borneo.

Indo-Malaya

NASUTITERMES

Genus *Nasutitermes* Dudley.

Generitype: *Nasutitermes corniger* Motschulsky.

=Genus *Nasutitermes* Dudley (and Beaumont) 1890, p. 158.

∠Subgenus *Eutermes* (*Termes*) Hagen (part), 1858, p. 186; 1858a, pp. 26, 16 (misspelled *Entermes*).

∠Genus *Eutermes* Fr. Müller 1873, p. 343.

∠Genus *Eutermes* Froggatt 1897, p. 741.

=Subgenus *Eutermes* (*Termes*) Wasmann 1897, p. 151, designates type.

∠Genus *Termes* (part) Haviland 1898, p. 377.

∠Genus *Eutermes* Sjöstedt 1900a, p. 139 (part); 1904 (part).

∠Genus *Eutermes* Silvestri 1901; 1903, p. 81.

∠Genus *Eutermes* Wasmann 1902b, p. 128.

∠Genus *Termes*, subgen. *Eutermes* Desneux 1904e, pp. 32, 39.

∠Genus *Eutermes* Holmgren 1910b, p. 209, etc.

=Subgenus *Eutermes* Holmgren 1910b, pp. 206, 216 (except for *longirostratus*).

∠Genus *Eutermes* Holmgren 1912, pp. 58, 45.

=Genus *Nasutitermes* Banks 1919, p. 479; Banks (and Snyder) 1920, pp. 69, 82.

∠Genus *Eutermes* Sjöstedt 1926, pp. 307, 325.

=Subgenus *Nasutitermes* Hare 1937, pp. 462, 477.

Nasutitermes acutus (Holmgren).

Eutermes (*Eutermes*) *acutus* Holmgren 1913b, p. 189, im., Java: Wonosobo.

Type: Holmgren coll.; cotypes in Leydener Mus. [No point on mandibles probably small form *javanicus*.]

subulitermes(?) *acutus* Kemner 1934, p. 122.

Eutermes (*Eutermes*) *buitenzorgi* Holmgren 1913-14, pp. 263-264, fig. 13 (sold.), sold., work.¹⁻², Java: Buitenzorg; E. Sumatra. [No point to mand. sold.]; Oshima 1914b, pp. 575-576, pl. 10, fig. 13, sold., work., Pengaran, Johore; John 1925, p. 295, loc., Java: Depok.

subulitermes buitenzorgi Kemner 1934, p. 122, im., p. 114, im., Java: Wonosobo.

Winged, sold., work.

Java, Sumatra, Malay Pen.

Indo-Malayan.

Nasutitermes aduncus Snyder.

Nasutitermes (*Nasutitermes*) *aduncus* Snyder 1926d, p. 26, pl. 2, figs. 1-2 (sold.), sold., work., Rurrenabaque, Bolivia.

Type: sold., U.S.N.M. No. 27652.

Sold., work.

Bolivia.

Neotropical.

Nasutitermes aethiops (Sjöstedt).

Eutermes (*Eutermes*) *aethiops* Sjöstedt 1924a, p. 41, nasutus, Luebo, Belg. Congo; 1926, p. 318, nasutus, work.

Nasutus, work.

Belg. Congo.

Ethiopian.

Nasutitermes alticola (Holmgren).

Eutermes (*Eutermes*) *alticola* Holmgren 1913b, pp. 159-163, winged, sold., "Malakka," described in key.

Winged, sold.

Malacca.

Indo-Malayan

Nasutitermes amboinensis (Kemner).

Eutermes amboinensis Kemner 1931, pp. 38-43, winged, sold., work., fig. 13 (winged), fig. 14 (sold.), Amboina.

Winged, sold., work.

Amboina.

Papuan

?*Nasutitermes anamalaiensis* Snyder.

Nasutitermes (*Rotunditermes*) *anamalaiensis* Snyder 1933a, pp. 11-12, fig. 6, sold., Anamalai Hills, Madras, India.

Cotypes: sold., Brit. Mus., For. Res. Inst., U.S.N.M. No. 44105.

Sold.

India.

Indo-Malaya

Nasutitermes aquilinus (Holmgren).

Eutermes (*Eutermes*) *aquilinus* Holmgren 1910b, p. 286, im., sold.¹⁻², work., fig. 59a (im. b, c (sold.¹), d, e (sold.²), Brazil: Valley of Itapocu (distr. Jaraguá, S. Catharina), Blumenau, pp. 193-194, variation; John 1920, pp. 230-231, Paraguay.

Winged, sold., work.

Brazil, Paraguay.

Neotropic

Nasutitermes aquilinus, form *rectifrons* (Holmgren).

Eutermes (*Eutermes*) *aquilinus* forma *rectifrons* Holmgren 1910b, p. 289, im., sold., work. Brazil: Rio Grande do Sul.

Type: Reichmus., Stockholm.

Winged, sold., work.

Brazil.

Neotropic

Nasutitermes arboreus (Smeathman).

Termes arborum Smeathman 1781, pp. 141, 161, pl. 10, figs. 21-25 (ed. Meyer), p. 14, fig. 21, im., Sierra Leone; Hagen 1858, p. 212, im. *T. obscurus* (Cape (Mus. Berlin), Senegal (Selys coll.), work. *nasutus*, pl. 1, fig. 23, Cape (Selys coll.) [sold. seen doubtful].

Eutermes (*Eutermes*) *arborum* Holmgren 1912, p. 62.

Termes (*Eutermes*) *arborum* Desneux 1915, p. 9, loc.

Eutermes arborum Sjöstedt 1926, p. 315, fig. 69 (sold.), syn., loc.

Winged, queen, sold., work.

Senegal, Sierra Leone, Gold

Coast, Cameroon, Fernando

Po, Fr. Equatorial Africa,

Congo, Cape.

Ethiopian

Nasutitermes arenarius (Hagen).

Termes arenarius Hagen 1858, p. 222 (Bates ms.), im., sold., work., Brazil: Santarem only.

Eutermes (*Eutermes*) *arenarius* Holmgren 1910b, p. 263, im. only, Brazil: Santarem.
Type: Hagen coll., M.C.Z. (im., sold.).

Winged, sold., work.

Brazil. Neotropical.

Nasutitermes aruensis (John).

Eutermes (*Eutermes*) *aruensis* John 1925, p. 399, sold., Aru Isl., Wammar.

Sold.

Aru Isl. Papuan.

Nasutitermes balintauacensis (Oshima).

Eutermes (*Eutermes*) *balintauacensis* Oshima 1917a, p. 224, sold., Philippines, Balintavac; 1920a, p. 502, loc., pl. 3, fig. 17, pl. 4, fig. 16 (sold.), Philippines: Luzon, Paete (Laguna Prov.).

Nasutitermes (*Nasutitermes*) *balintauacensis* Light and Wilson 1936, pp. 505-506, fig. 19 (sold.), Balintawac: Rizal, type loc.

Sold.

Philippines. Indo-Malayan.

Nasutitermes banksi Emerson.

Nasutitermes holmgreni Banks 1918, p. 667, fig., sold., Tukeit, Brit. Guiana.

Nasutitermes (*Nasutitermes*) *banksi* Emerson 1925, pp. 294, 299, syn., p. 308, sold., p. 392, fig. 61 (im., sold.), Tukeit, Brit. Guiana (new name for *N. holmgreni* Banks).

Type: A.M.N.H.; paratype: M.C.Z.

Nasutitermes banksi Emerson 1929, p. 722, biol.

Nasutitermes (*Convexitermes*) *pulliceps* Snyder 1926d, p. 34, sold., Bolivia: Cachuela Esperanza (Beni Riv.).

Winged, sold.

Brit. Guiana, Bolivia. Neotropical.

Nasutitermes benjamini Snyder.

Eutermes (*Eutermes*) *insularis* Sjöstedt 1924c, p. 494, nasutus, Isl. Mauritius.

Eutermes insularis Sjöstedt 1926, p. 316.

Nasutitermes (*Nasutitermes*) *benjamini* Snyder 1926e, p. 143 (new name for *E. insularis* Sjöstedt).

Nasutus.

Isl. Mauritius. Malagasy.

Nasutitermes bequaerti Emerson.

Eutermes (*Eutermes*) *nanus* Sjöstedt 1924a, p. 41, nasutus, Belg. Congo: Bomba.

Nasutitermes (*Nasutitermes*) *bequaerti* Emerson 1928, p. 416 (new name for *E. nanus* Sjöstedt).

Nasutus.

Congo: Bomba, Stanleyville. Ethiopian.

Nasutitermes bivalens (Holmgren).

Eutermes (*Eutermes*) *bivalens* Holmgren 1910b, p. 221, sold.¹⁻², work., fig. 13 (sold.¹⁻²
Brazil: Cuyabà (Matto Grosso).

Eutermes Rippertii var. *Silvestri* 1903, p. 82, figs. 155-158 (sold.¹⁻²) (Rio Cuyabà, Brazil
Sold.¹⁻²

Brazil.

Neotropic

Nasutitermes boengiensis (Kemner).

Eutermes boengiensis Kemner 1934, pp. 143-145, sold., Boeton Isl., Celebes.

Sold.

Celebes.

Indo-Malaya

Nasutitermes boetoni (Oshima).

Eutermes (*Tumulitermes*) *boetoni* Oshima 1914b, pp. 579-580, pl. 10, fig. 11, sold., work.
Boeton, Celebes.

Sold., work.

Celebes.

Indo-Malaya

Nasutitermes bolivianus (Holmgren).

Eutermes (*Eutermes*) *bolivianus* Holmgren 1910b, p. 233, im., sold., work., Bolivia: Moje
Winged, sold., work.

Bolivia.

Neotropic

Nasutitermes brevicornis Light and Wilson.

Nasutitermes (*Nasutitermes*) *brevicornis* Light and Wilson 1936, pp. 512-513, fig. 24 (sold.
Cotabato Prov., Mindanao.

Sold.

Philippines.

Indo-Malaya

Nasutitermes brevioculatus (Holmgren).

Eutermes (*Eutermes*) *brevioculatus* Holmgren 1910b, p. 220, im., sold., work., fig. 12 (in
sold.), Brazil: Coxipò, Cuyabà, Urucùm, Corumb
Paraguay: Asunción, etc.

Eutermes Rippertii *Silvestri* 1901, p. 7, Paraguay, Matto Grosso.

Eutermes Rippertii *Silvestri* 1903, p. 81, im., sold., work., fig. 21 (wings), figs. 48-
(nest), pl. 4, figs. 149-150 (im.), figs. 151-158 (sold.
Brazil, Paraguay.

Eutermes brevioculatus John 1920, p. 228, loc.

Winged, sold., work.

Brazil, Paraguay, Bolivia.

Neotropic

Nasutitermes brevipilus Emerson.

Nasutitermes (*Nasutitermes*) *brevipilus* Emerson 1925, pp. 395-397, fig. 63, im., sold.
Kartabo: Brit. Guiana.

Holotype: imago; morphotype: sold., N. Y. Zool. Soc.
A.M.N.H.

Winged, sold.

Brit. Guiana.

Neotropic

Nasutitermes brevirostris (Oshima).

Eutermes (*Grallatotermes*) *brevirostris* Oshima 1917, p. 198, im., sold., work., fig. 3 (im.), fig. 4 (sold.), Caroline Isls., Ponapi and Palao Isls.; 1942, p. 387, Palao: Ponape.

Nasutitermes (*Nasutitermes*) *brevirostris* Light and Wilson 1936, p. 476 (syst.).

Winged, sold., work.

Caroline Isls.

Papuan.

Nasutitermes brunneus Snyder.

Nasutitermes (*Nasutitermes*) *fletcheri* Snyder 1933a, p. 10, im., p. 11, sold., pl. 1 (sold., fungous infection), India: Anamalai Hills, Madras.

Nasutitermes (*Nasutitermes*) *fletcheri* Margabandhu 1935, p. 209.

Nasutitermes (*Nasutitermes*) *brunneus* Snyder 1934a, p. 11, discus., winged, sold., India: Anamalai Hills, Madras.

Cotypes: winged, For. Res. Inst., and U.S.N.M. No. 50166; comorphotypes: sold., as above.

Winged, sold.

India.

Indo-Malayan.

Nasutitermes bulbiceps (Holmgren).

Eutermes (*Eutermes*) *bulbiceps* Holmgren 1913b, p. 160, sold.¹, p. 161, sold.², Malacca: Selango (Gap); 1913-14, p. 254, sold., work., pl. 7, fig. 14a, sold.¹, 14b, sold.², Malacca.

Sold.¹⁻², work.

Malacca.

Indo-Malayan.

Nasutitermes busuanga Light and Wilson.

Nasutitermes (*Nasutitermes*) *busuanga* (Light and Wilson) 1936, pp. 511-512, fig. 23, sold., Busuanga Isl., Palawan.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes carnarvonensis (Hill).

Eutermes carnarvonensis Hill 1942, pp. 279-281, figs. 186-188, alate, sold., work., Queensland: Carnarvon Range.

Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold., work.

Australia: Queensland.

Australian.

Nasutitermes castaneus (Oshima).

Eutermes (*Eutermes*) *castaneus* Oshima 1920a, p. 502, sold., work. (comp. with *N. gracilis*), pl. 2, fig. 4 (sold.), pl. 3, fig. 18, pl. 4, fig. 15 (sold.), Philippines: Luzon, Sarai (near Paete), Laguna Prov.

Nasutitermes (*Nasutitermes*) *castaneus* Light and Wilson 1936, pp. 508-509, fig. 21 (sold.).

Sold., work.

Philippines.

Indo-Malayan.

Nasutitermes celebensis (Holmgren).

Eutermes (*Eutermes*) *celebensis* Holmgren 1913b, p. 181, im., sold., work., Celebes; Menado (Mus. Cambridge).

Winged, sold., work.

Celebes.

Indo-Malay.

Nasutitermes centraliensis (Hill).

Eutermes centraliensis Hill 1925a, pp. 221-222, pl. 24, figs. 27-29, sold., work., Central Australia (near Alice Springs); 1942, pp. 207-209, figs. 104-105.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Central Australia, Western Australia, Queensland.

Australia.

Nasutitermes ceylonicus (Holmgren).

Eutermes ceylonicus Holmgren 1911c, p. 197, sold., pl. 3, fig. M, Ceylon: Peradeniya.

Eutermes (*Eutermes*) *ceylonicus* Holmgren 1913b, p. 177, sold., work., pl. 7, fig. 15 (sold.); 1913-14, p. 263.

Sold., work.

Ceylon.

Indo-Malay.

Nasutitermes chapini Emerson.

Nasutitermes (*Nasutitermes*) *chapini* Emerson 1928, p. 480, fig. 35 (sold.), Ngayu, Belg. Congo.

Holotype: sold., A.M.N.H.

Sold.

Belg. Congo.

Ethiopia.

Nasutitermes chapmani Light and Wilson.

Nasutitermes (*Nasutitermes*) *chapmani* Light and Wilson 1936, pp. 502-503, fig. 1 (dealate and sold., Cuenos de Nigros).

Dealate, sold.

Philippines.

Indo-Malay.

Nasutitermes chaquimayensis (Holmgren).

Eutermes chaquimayensis Holmgren 1906, p. 575, im., sold., work., fig. E 1 (im.), fig. I 1 (sold.), fig. G (work.), Bolivia: San Fermin (Provincia de Caupolican); Peru: Llinquipata, Chaquimayo (Provincia de Carabaya).

Eutermes (*Eutermes*) *chaquimayensis* Holmgren 1910b, p. 228, im., sold., work., fig. 1 (im., sold.).

Eutermes chaquimayensis John 1920, p. 228, Bolivia, Brazil.

?*Eutermes* (*Eutermes*) *tuichensis* Holmgren 1910b, p. 232, im., sold., work., Bolivia; Tuich, Bolivia, Peru, Brazil.

Winged, sold., work.

Neotropic.

Nasutitermes chrysopleura (Sjöstedt).

Nasutitermes chrysopleura Sjöstedt 1897, p. 126, im. (dealated), Cameroon: Victoria.

Nasutitermes (Eutermes) chrysopleura Desneux 1904c, p. 41, syn.

Nasutitermes chrysopleura Sjöstedt 1926, p. 324, syn., loc.

dealated.

(Cameroon.

Ethiopian.

Nasutitermes coalescens (Mjöberg).

Nasutitermes coalescens Mjöberg 1920, p. 51, sold., work., figs. 17e, 24, sold., S. W. Australia: Mundaring; Hill 1942, p. 209, loc.

Cotypes: in Nat. Hist. Mus., Stockholm, and Hill coll.

(Id., work.

S. W. Australia.

Australian.

Nasutitermes colimae Light.

Nasutitermes (?) *colimae* Light 1933, p. 129, pl. 8, figs. 1 and 2, figs. AA and CC, winged, Colima.

Winged.

Mexico.

Neotropical.

Nasutitermes columbicus (Holmgren).

Nasutitermes (Eutermes) guayanae forma *columbicus* Holmgren 1910b, p. 250, sold., "Columbia." Type: Mus. Hamburg.

Nasutitermes columbicus Snyder 1924c, pp. 30-31, winged, Frijoles, C. Z., Panama (distinct species).

Nasutitermes (Nasutitermes) columbicus Snyder 1926, p. 28, sold., work., Hamburg Farm, Costa Rica.

Winged, sold., work.

Columbia, Panama, Costa Rica.

Neotropical.

Nasutitermes comorensis (Wasmann).

Nasutitermes comorensis Wasmann 1910a, p. 126, sold., work., Comoro Isls.: Moheli; Sjöstedt 1926, p. 322, syn., loc.

Cotype: *nasutus*, Sjöstedt coll.

Nasutus, work.

Comoro Isls.

Malagasy.

Nasutitermes comstockae Emerson.

Nasutitermes (Nasutitermes) comstockae Emerson 1925, pp. 390-391, fig. 57e, f, sold., Kar-tabo, Brit. Guiana.

Holotype: sold., Emerson coll.

Sold.

Brit. Guiana.

Neotropical.

Nasutitermes constricticeps Light and Wilson.

Nasutitermes (Nasutitermes) constricticeps Light and Wilson 1936, pp. 510-511, fig. 22, sold., Zamboanga Prov., Mindanao.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes corniger (Motschulsky).

Termes cornigera Motschulsky 1855, p. 10, sold., Panama: Obispo; Hagen 1858, p. 100, places in syn. with *Termes morio* Latreille.

Nasutitermes cornigera Banks 1918, p. 665, im., sold., pl. 51, fig. 2 (sold.), Panama: Obispo Trinidad Riv., Las Cascadas.

Nasutitermes (*Nasutitermes*) *cornigera* Snyder 1926d, p. 31, Bolivia.

Type: sold., Hagen coll., M.C.Z.

Eutermes sp. Dudley (and Beaumont) 1889, pp. 85-104, biol., figs. 1-6, 7, 9, im., sold., work., fig. 8, sold., Panama.

Termes morio Hagen 1858a, p. 27, im. (Panama only).

Eutermes (*Eutermes*) *insularis* Holmgren 1910b, p. 239, sold., fig. 26 (sold.), Costa Rica.

Eutermes (*Eutermes*) *costaricensis* Holmgren 1910b, pp. 210, 237, im., sold., work., fig. 24 (sold.), Costa Rica only.

Eutermes (*Eutermes*) *insularis* forma *obscurus* Holmgren 1910b, p. 239, sold., Costa Rica: Port Limon.

Eutermes sp. Dudley and Beaumont 1889a, pp. 56-73, biol., figs. 1-7, 8 (sold.), fig. 9 (1 sold.).

Nasutitermes sp. Dudley and Beaumont 1890, pp. 158, 163.

Winged, sold., work.

(?Texas); Mexico; Guatemala;

Honduras; Costa Rica; Pan-

ama; Bolivia (Continental

Americas).

Nearctic, Neotropical

Nasutitermes corporaali (Wasmann).

Eutermes Corporaali Wasmann 1922, p. 38, sold.¹⁻², work., Java: Preanger, Tijgembon

Eutermes Corporaali Kemner 1934, p. 139, remarks.

Sold.¹⁻², work.

Java.

Indo-Malaya

Nasutitermes costalis (Holmgren).

Eutermes costalis Holmgren 1910b, p. 293, fig. 64 (im.), Trinidad.

Type: Mus. Hamburg.

Nasutitermes (*Nasutitermes*) *costalis* Emerson 1925, pp. 379-381, fig. 55a-d, im., sold., work., loc.

?*Termes morio* Latreille 1805, p. 69, St. Domingo, Selys Longchamps coll., Brussels; imago remains; Burmesiter 1839, p. 767; Hagen 1858a, p. 200, pl. 3, fig. 29 (imago); 1858a, p. 27, im.; 1858a, p. 122, im., sold.

Termes (*Eutermes*) *morio* Desneux 1915, p. 9, loc.

Nasutitermes morio Banks 1919, p. 486.

Eutermes (*Eutermes*) *Cayennae* Holmgren 1910b, p. 232, sold., work., fig. 21 (sold.), Cayenne.

Eutermes (*Eutermes*) *Cayennae* forma *atriceps* Holmgren 1910b, p. 234, fig. 21 (sold.), Surinam: Paramaribo.

Eutermes (*Eutermes*) *Cayennae* forma *brevinasus* Holmgren 1910b, p. 234, sold., work.

Eutermes (*Eutermes*) *Cayennae* forma *lividus* Holmgren 1910b, p. 234, sold., work., Cayenne.

Eutermes (*Eutermes*) *haitiensis* Holmgren 1910b, p. 227, sold., work., fig. 18 (sold.), Haiti, pp. 188-190, variation.

- Eermes (Eutermes) haitiensis* forma *albus* Holmgren 1910b, p. 228, sold., Haiti.
- Eermes (Eutermes) martiniquensis* Holmgren 1910b, p. 238, sold., work., fig. 25 (sold.), Martinique.
- Eermes (Eutermes) Sanchezi* Holmgren 1910b, p. 236, fig. 23 (sold.), Haiti: Sanchez.
- Nutitermes sanchezi* Banks 1919, p. 487, im., 482, im., sold.
- Eermes (Eutermes) Sanctae-Luciae* Holmgren 1910b, p. 226, sold., work., fig. 17 (sold.), St. Lucia.
- Winged, queens, sold., work.
Haiti, Dominican Republic (St. Domingo), St. Kitts, Antigua, Dominica, Martinique, St. Lucia, Grenada, Trinidad, Guiana. Neotropical.
- Nutitermes coxipoensis* (Holmgren).
- Eermes (Eutermes) coxipoensis* Holmgren 1910b, p. 248, im., sold., work., Brazil: Coxipò (Cuyabà).
- Eermes arenarius* subsp. *proximus* var. *b* Silvestri 1903, p. 85, im., sold., work., pl. 4, fig. 164 (sold.).
- Winged, sold., work.
Brazil. Neotropical.
- Nutitermes crassicornis* (Holmgren, K. and N.).
- Eermes (Eutermes) crassicornis* Holmgren, K. and N. 1917, p. 162, sold., work., Anamalai Hills; Coorg (Sidapur), Margalli Estate; Mysore (Bababudin Hills), India.
- Nutitermes (Rotunditermes) crassicornis* Snyder 1933a, p. 12 (remarks).
- Sold., work.
India. Indo-Malayan.
- Nutitermes crassus* Snyder.
- Nutitermes crassus* Snyder 1926d, p. 28, sold., work., Rurrenabaque, Bolivia.
Type: sold., U.S.N.M. No. 27653.
- Sold., work.
Bolivia. Neotropical.
- Nutitermes culasiensis* (Oshima).
- Itermes (Eutermes) gracilis* Oshima 1916, p. 362, sold., pl. 1, fig. 9, pl. 2, figs. 4-5, Philippines: Sarai (preoccupied by *(Eutermes) gracilis* Handlirsch 1908, p. 699, Oligocene: Baltic amber); 1920a, p. 501, Luzon: Paete (Laguna Prov.).
- Itermes (Rotunditermes) culasiensis* Oshima 1920a, p. 504, sold., work., pl. 2, fig. 6 (sold.), pl. 3, fig. 20, pl. 4, fig. 14 (sold.), Panay: Culasi (Antique Prov.).
- Nutitermes (Nasutitermes) gracilis* Light and Wilson 1936, p. 482, fig. 8a (dealate), 8b-k (sold.).
- Itermes minutus* Oshima 1917a, p. 225, Philippines: Luzon.
- Dealate, sold., work.
Philippines. Indo-Malayan.

Nasutitermes dendrophilus (Desneux).

Termes (*Eutermes*) *Rippertii* subsp. *dendrophilus* Desneux 1906, p. 357, im., sold., work., Ecuador; (Mus. Berlin).

Eutermes (*Eutermes*) *dendrophilus* Holmgren 1910b, p. 243, fig. 29, im., sold., work., fig. 29, im., sold., Ecuador: Guayaquil, Santa Domingo de los Colorados.

Winged, sold., work.

Ecuador.

Neotropi

Nasutitermes diabolus (Sjöstedt).

Eutermes diabolus Sjöstedt 1907, p. 250, nasutus, work., Congo: Mukimbungu.

Eutermes (*Eutermes*) *diabolus* Holmgren 1912, p. 62.

Eutermes diabolus Sjöstedt 1926, p. 318, syn., loc.

Nasutitermes (*Nasutitermes*) *diabolus* Emerson 1928, p. 477, fig. 33 (sold.), loc. Sold., work.

Congo, Cameroon (Senegambina).

Ethiopi

Nasutitermes dixonii (Hill).

Eutermes dixonii Hill 1932, pp. 150-154, figs. 13-14 (winged), figs. 15-16 (sold.), Fed. Capital Terr. and Victoria, Australia; 1942, pp. 212, figs. 106-108, winged, sold.

Holotype: winged; morphotype: sold., work., C.S.I.R.

Winged, queen, brachypterous reproductives, sold., work.

Austral. Capital Terr., N. S. Wales, Victoria, So. Australia.

Austra

Nasutitermes doboensis (Oshima).

Eutermes (*Eutermes*) *doboensis* Oshima 1914b, pp. 576-577, pl. 10, fig. 12, sold., work., Dobo, Arue Isl., Dutch New Guinea.

Sold., work.

Arue Isl.

Papua

Nasutitermes dulcis (Sjöstedt).

Eutermes (*Eutermes*) *dulcis* Sjöstedt 1924c, p. 494, nasutus, Belg. Congo: Haut Uvira; Moto; 1926, pp. 321-322.

Nasutus, work.

Congo.

Ethiopi

Nasutitermes ecuadorianus (Holmgren).

Eutermes (*Eutermes*) *peruanus* forma *ecuadorianus* Holmgren 1910b, pp. 240-241, sold., work., Ecuador: Babahoyo.

Type: Mus. Hamburg.

Winged, sold., work.

Ecuador.

Neotropi

Natitermes ehrhardti (Holmgren).

Eurmes (*Eutermes*) *Ripperti* forma *Ehrhardti* Holmgren 1910b, p. 276, im., sold., work., figs. 52a (im.), 52b, c (sold.), Brazil: Blumenau (Mus. Berlin and Greifswald), Valley of Itapocú (distr. Jaraguá, Sta. Catharina) (Mus. Hamburg), Rio Grande do Sul (Wasmann coll.).

Wged, sold.

Bril.

Neotropical.

Natitermes ekunduensis (Sjöstedt).

Eurmes ekunduensis Sjöstedt 1911d, p. 16, sold., Cameroon: Ekundu; 1926, pp. 322-323, fig. 68 (sold.).

Eurmes (*Eutermes*) *arborum* Hegh 1922, p. 691.

Sc.

Caeroon.

Ethiopian.

Natitermes elegantulus (Sjöstedt).

Eurmes elegantulus Sjöstedt 1911d, p. 13, Cameroon: Victoria.

Eurmes (*Subulitermes*?) *elegantulus* Holmgren 1912, p. 64.

Eurmes (s.s.) *elegantulus* Sjöstedt 1926, pp. 309-310, pl. 11, fig. M, text fig. 68(2) (sold.), syn., loc.

Eurmes macrophthalmus Silvestri 1912, p. 240, fig. 13, im., sold., work., Isl. Principe.

Eurmes (*Eutermes*) *macrophthalmus* Holmgren 1912, p. 62.

Eurmes (*Eutermes*) *macrophthalmus* Hegh 1922, pp. 432, 691.

Wged, nasutus, work.

Caeroon; Isl. Principe; Belg.

ongo.

Ethiopian.

Natitermes emersoni Snyder.

Natitermes (*Nasutitermes*) *emersoni* Snyder 1934a, pp. 11-12, sold., Sundarbans, Bengal.

Cotypes: soldiers, British Mus., U.S.N.M. No. 50167, and For. Res. Inst., Dehra Dun.

Sl.

Bgal, India.

Indo-Malayan.

Natitermes ephratae (Holmgren).

Eurmes (*Eutermes*) *Ephratae* Holmgren 1910b, p. 223, im., work., fig. 14 (im.), Surinam: Ephrata.

Natitermes ephratae Banks 1918, p. 665 (im., sold.), p. 666 (loc.), pl. 51, fig. 2 (right), im., fig. 11 (sold.), Panama: Cabima, Brit. Guiana: Tukeit.

Natitermes (*Nasutitermes*) *ephratae* Emerson 1925, pp. 381-383, fig. 55e-h, im., sold., Brit. Guiana, Trinidad.

Natitermes (*Nasutitermes*) *ephratae* Snyder 1926d, p. 32, Bolivia.

Natitermes creolina Banks 1919, p. 485 (im. only), pl. 1, fig. 9, im., Montserrat.

Eurmes (*Eutermes*) *Klinckowstroemi* Holmgren 1910b, p. 225, fig. 16 (sold.), Surinam: Ephrata.

Type: Reichmus, Stockholm.

Wged, queens, sold., work.

Montserrat; Trinidad; Hon-

uras; Costa Rica; Panama;

Dutch and Brit. Guiana;

Bolivia.

Neotropical.

Nasutitermes eucalypti (Mjöberg).

Eutermes eucalypti Mjöberg 1920, p. 54, sold., work., figs. 18c, 26b, c (sold.), N.S.W. Australia: Kimberly distr.; Hill 1942, pp. 212-13, figs. 109-110 (sold.), syn., loc.

Eutermes fieldi Hill 1923 (in part), p. 45, figs. 11-13.

Cotypes: Nat. Hist. Mus., Stockholm, and Hill coll.

Sold., work.

W. Australia, No. Territory.

Australia

Nasutitermes exitiosus (Hill).

Eutermes exitiosus Hill 1925a, pp. 222-226, pl. 25, figs. 30-35, winged, sold., work. S.W. Australia: Ludlow; 1942, pp. 214-217, figs. 111-12, (imago, sold.), syn., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus. Melbourne.

Eutermes fumigatus Silvestri 1909, p. 307, pl. 21, figs. 221-222, sold., Australia: Donnybrook. Winged, sold., work.

W. and So. Australia, Victoria,
N. S. Wales, Austral. Capital
Terr., Queensland.

Australia

Nasutitermes expulsus (Sjöstedt).

Eutermes expulsus Sjöstedt 1926b, pp. 154-155, nasutus, work., Belg. Congo: Bas Uele. Mus. Tervueren and Mus. Stockholm.

Nasutus, work.

Congo.

Ethiopia

Nasutitermes ferranti (Wasmann).

Eutermes Ferranti Wasmann 1911a, p. 167, sold., work., Congo: Sankuru; Sjöstedt 1926b, p. 310, syn.

Sold., work.

Congo.

Ethiopia

Nasutitermes feytaudi (Holmgren).

Eutermes (Eutermes) Feytaudi Holmgren 1910b, p. 280, fig. 54 (im.), im., work., Brazil: Rio de Janeiro, Corcovado.

Winged, work.

Brazil.

Neotropics

Nasutitermes fletcheri (Holmgren, K. and N.).

Eutermes (Eutermes) fletcheri Holmgren, K. and N. 1917, p. 161, sold., work., Shevaroy Hills, India.

Sold., work.

India.

Indo-Malaya

Nasutitermes fulleri Emerson.

Nasutitermes (Nasutitermes) fulleri Emerson 1928, p. 483, fig. 37, sold., Belg. Congo: region of Stanleyville.

Holotype: sold., A.M.N.H.

Sold.

Belg. Congo.

Ethiopia

Nutitermes fulviceps (Silvestri).

Eurmes arenarius subsp. *fulviceps* Silvestri 1901, p. 7, im., Argentina, Uruguay, Paraguay; 1903, p. 87, im., sold., work., fig. 23 (wings), pl. 4, figs. 171-174 (im.), figs. 175-176 (sold.), figs. 178-179 (work.), figs. 180-182 (2d form queen), loc.

Teres (*Eutermes*) *arenarius* subsp. *fulviceps* Desneux 1904e, p. 40 (syn.).

Eurmes (*Eutermes*) *fulviceps* Holmgren 1910b, p. 271, im., sold., work., fig. 49 (im., sold.), Argentina, Uruguay, Paraguay, Brazil; John 1920, p. 229, loc.

Eurmes (*Eutermes*) *brasilensis* Holmgren 1910b, p. 273, im., sold., work., fig. 50a, b, c (im., sold.), Brazil: Rio Grande.

Eurmes ellenriederi von Rosen 1912, p. 224, sold., work., Brazil: Rio Grande.

Eurmes (*Eutermes*) *ellenriederi* Holmgren 1912, p. 62.

In queens, sold., work.

Argentina, Uruguay, Paraguay,
Brazil.

Neotropical.

Nutitermes fumigatus (Brauer).

Eurmes fumigatus Brauer 1865, p. 977, im., N. S. Wales: Sydney, Australia; 1866, p. 48, N. S. Wales; Mjöberg 1920, p. 44, im., sold., fig. 18e (sold.), W. and South Australia, N. S. Wales; Froggatt 1897, p. 755, fig. 5, 5a, im., sold., work., N. S. Wales; Hill 1942, pp. 218-220, figs. 114-116 (im., sold.), syn., loc.

Types: Mus. Vienna, C.S.I.R. and Hill coll.

Winged, sold., work.

NS. Wales, Queensland, Vic-
toria, So. Australia.

Australian.

Nutitermes fumipennis (Walker).

Termites fumipennis Walker 1853, p. 525, im., "New Holland" (Australia); Hagen 1858, p. 209, im., sold.; 1858a, p. 29, im.

Eurmes fumipennis Froggatt 1897, p. 753, pl. 35, figs. 4, 4a, loc.

Eurmes fumipennis Mjöberg 1920, p. 43, pl. 2, fig. 6, text fig. 17b (sold.), So. Australia, N. S. Wales, S. and N. Queensland; Hill 1942, pp. 220-221, syn., loc.

Types: Brit. Mus.

Winged, sold., work.

S. Australia, N. S. Wales, S.
and N. Queensland.

Australian.

Nutitermes fuscipennis (Haviland).

Termites fuscipennis Haviland 1898, p. 422, im., sold., work., Borneo: Sarawak.

Eurmes (*Eutermes*) *fuscipennis* Holmgren 1913b, p. 166, im., sold., work., pl. 7, fig. 9 (sold.).

Type: No. 446.

Winged, sold., work.

Borneo.

Indo-Malayan.

Nasutitermes gaigei Emerson.

Nasutitermes (*Nasutitermes*) *gaigei* Emerson 1925, pp. 394-395, fig. 62, im., sold., Kartabo, Brit. Guiana.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropi.

Nasutitermes gardneri Snyder.

Nasutitermes (*Subulitermes*) *gardneri* Snyder 1933a, p. 12, sold., Rangirum, Darjeeling, Bengal, India; Margabandhu 1935, p. 209.

Cotypes: soldiers, Brit. Mus., and U.S.N.M. No. 449.

Sold.

India.

Indo-Malay

Nasutitermes glabritergus Snyder and Emerson, n. sp.

Nasutitermes rotundatus Snyder 1925b, p. 162, sold., work., Costa Rica: Colombia; differs from *N. rotundatus* by having no hairs on the first tergites.

Cotypes: sold., U.S.N.M. No. 59011.

Sold., work.

Costa Rica.

Neotropi.

Nasutitermes globiceps (Holmgren).

Eutermes (*Eutermes*) *globiceps* Holmgren 1910b, p. 253, sold., work., fig. 35 (sold.), Paraguay: San Bernardino.

Type: Mus. Vienna.

Sold., work.

Paraguay.

Neotropi.

Nasutitermes gracilirostris (Desneux).

Termes (*Eutermes*) *gracilirostris* Desneux 1905, p. 376, sold., work., fig. 5 (sold.), New Guinea: Fried.-Wilh.-Hafen.

Eutermes gracilirostris Hill 1942, pp. 221-223, figs. 117-118 (sold.), syn., loc.

Types: Hungarian Mus.

Sold., work.

New Guinea.

Papu

Nasutitermes graveolus (Hill).

Eutermes graveolus Hill 1925a, pp. 226-228, pl. 25, figs. 36-38, pl. 26, figs. 39-42, winged, sold., work., No. Terr.: Darwin; Hill 1942, pp. 227, figs. 120-122 (im., sold.), syn., loc.

Holotype: sold.; morphotype: winged, work., Nat. M. Melbourne.

Winged, sold., work.

No. Territory, Queensland.

Australi

Nasutitermes guayanae (Holmgren).

Eutermes (*Eutermes*) *Guayanae* Holmgren 1910b, p. 254, sold., work., fig. 36 (sold.), Upper Surinam.

Nasutitermes guayanae Banks 1918, p. 666, Brit. Guiana: Tukeit, etc.

Nasutitermes (*Nasutitermes*) *guayanae* Emerson 1925, pp. 376-378, fig. 54, im., sold.

Sy Eutermes (*Eutermes*) *grandis* Holmgren 1910b, p. 258, sold., work., fig. 39 (sold.),
Peru: Chaquimayo.

Type: Mus. Hamburg and Berlin.

Winged, sold., work.

Dutch and Brit. Guiana.

Neotropical.

Nasutitermes havilandi (Desneux).

Termitis latifrons Haviland 1898, p. 428, im., sold., Borneo: Sarawak.

Termitis *Havilandi* Desneux 1904a, p. 151 (syn.).

Termitis (*Eutermes*) *Havilandi* Desneux 1904e, p. 42 (syn.).

Eutermes (*Eutermes*) *Havilandi* Holmgren 1913b, p. 188, im., sold., work.

Eutermes (*Eutermes*) *havilandi* Holmgren 1913-14, p. 265, Sumatra, Malacca; John 1925,
p. 399, loc.

Type: No. 127.

Winged, sold., work.

Borneo (Sarawak), Sumatra,
Malacca.

Indo-Malayan.

Nasutitermes horni (Wasmann).

Eutermes inanis subsp. *Horni* Wasmann 1902b, p. 137, sold., work., Ceylon: Bandarawella.

Termitis (*Eutermes*) *inanis* subsp. *Horni* Desneux 1904e, p. 42 (syn.).

Eutermes (*Subulitermes*) *Horni* Holmgren 1912, p. 64.

Eutermes (*Eutermes*) *Horni* Holmgren 1913b, p. 176.

Sold., work.

Colon.

Indo-Malayan.

Nasutitermes hubbardi Banks.

Nasutitermes hubbardi Banks 1919, p. 485, pl. 2, figs. 18, 21 (sold.), Jamaica; Cuba:
Cuboda.

Type: M.C.Z. No. 10080, A.M.N.H.

Sold.

Jamaica, Cuba.

Neotropical.

Nasutitermes impetus (Sjöstedt).

Eutermes (*Eutermes*) *impetus* Sjöstedt 1924c, p. 493, nasutus, French Congo: Brazzaville;
1926, p. 308, pl. 11, fig. H 1-2 (nasutus, work.), syn.,
loc.

Nasutus, work.

French Equatorial Africa.

Ethiopian.

Nasutitermes incurvus (Sjöstedt).

Eutermes (*Eutermes*) *incurvus* Sjöstedt 1924a, p. 41, nasutus, Belg. Congo: Kunungu and
Lukula.

Eutermes incurvus Sjöstedt 1926, pp. 320-321, nasutus, work.¹⁻², syn., loc.

Nasutitermes (*Nasutitermes*) *incurvus* Emerson 1928, p. 478, fig. 34 (sold.), Belg. Congo
and Cameroon.

Nasutus, work.¹⁻²

Congo, Cameroon.

Ethiopian.

Nasutitermes indicola (Holmgren, K. and N.).

Eutermes (*Eutermes*) *indicola* Holmgren, K. and N. 1917, p. 161, sold., work., Congo: Mercara, Anamalai Hills, India.

Eutermes (*Eutermes*) *processionarius* (misspelled for *ius*) Schmitz 1924, p. 302, sold., work., fig. II A-B (sold.), "Vorderindien, Western Ghats-Gebirges."

Sold., work.

India.

Indo-Malaya

Nasutitermes indoensis (Sjöstedt).

Eutermes indoensis Sjöstedt 1925, p. 55, nasutus, French Congo: Indo, Sibiti; 1926, pp. 231-234, pl. 11, fig. N 1-4, winged, nasutus¹⁻², work., Stockholm.

Winged, nasutus¹⁻², work.

Fr. Equatorial Africa.

Ethiopia

Nasutitermes infuscatus (Sjöstedt).

Eutermes infuscatus Sjöstedt 1902, p. 40, im., Brit. Central Africa: Nyassaland: Zomba; 1926, pp. 318-319, syn., loc.

Winged, nasutus, work.

Nyassaland.

Ethiopia

Nasutitermes infuscatus, var. *perfusca* (Silvestri).

Eutermes infuscatus var. *perfusca* Silvestri 1914-15, p. 35, im., sold., work., fig. 15 (sold.), Dahomey: Cotonou; Sjöstedt 1926, p. 319.

Winged, sold., work.¹⁻²

Dahomey.

Ethiopia

Nasutitermes intermedius Banks.

Nasutitermes intermedius Banks 1919, p. 485, sold., work., 482, pl. 2, figs. 13, 25 (sold.), Trinidad: Arepo Savanna, Cumuto.

Nasutitermes (*Nasutitermes*) *intermedius* Emerson 1925, pp. 389-390, fig. 59, im., sold., Kartabo, Brit. Guiana.

Type: sold., M.C.Z. No. 10079.

Winged, sold., work.

Trinidad, Brit. Guiana.

Neotropics

Nasutitermes itapocuensis (Holmgren).

Eutermes (*Eutermes*) *itapocuensis* Holmgren 1910b, p. 278, im., sold., work., figs. 1-3 (im.), 53b-c (sold.), Brazil: Valley of the Itajaí (distr. Jaraguá, Sta. Catharina Blumenau, São Paulo).

Winged, sold., work.

Brazil.

Neotropics

Nasutitermes jacobsoni Oshima.

Nasutitermes jacobsoni Oshima 1923, pp. 13-15, figs. 9-10, sold., work., Sinabang, Simat, Sumatra.

Sold., work.

Sumatra.

Indo-Malaya

Nasutitermes jaraguæ (Holmgren).

Eurmes (*Eutermes*) *Jaraguæ* Holmgren 1910b, p. 268, sold., work., fig. 47 (sold.), Brazil: Valley of the Itapocú (distr. Jaraguá, Sta. Catharina, São Paulo).

Eurmes (*Eutermes*) *aurantiacus* Holmgren 1910b, p. 270, sold., work., Brazil: Valley of the Itapocú.

Type: Mus. Hamburg.

[*Nasutitermes* (*Nasutitermes*) *aurantiacus* Snyder 1926d, pp. 27-28, queen, Bolivia: Rosario; not *aurantiacus* = *Microcerotermes arboreus*].

Sc., work.

Bril.

Neotropical.

Nasutitermes javanicus (Holmgren).

Eurmes (*Eutermes*) *javanicus* Holmgren 1913b, p. 175, sold., work., pl. 7, fig. 16 (sold.), Java: Tjompea; 1913-14, p. 262, sold., work., Sumatra.

Eurmes (*Eutermes*) *javanicus* John 1925, p. 394, loc.

Eurmes javanicus Kemner 1934, pp. 130-131, places in *constrictus* group.

Sc., work.

Ja., Sumatra (east).

Indo-Malayan.

Nasutitermes johoricus (John).

Eurmes (*Eutermes*) *johoricus* John 1925, p. 393, sold., work., Malay Archipelago: Johore.

Sci., work.

May Archipelago.

Indo-Malayan.

Nasutitermes kaewiengensis (Hill).

Eurmes kaewiengensis Hill 1927a, pp. 28-31, pl. 1, figs. 27-28, pl. 5, fig. 159, pl. 8, fig. 160, im., sold., work., New Ireland: Kaiwieng; 1942, pp. 231-232, figs. 126-128 (im., sold.), syn., loc.

Holotype: winged; morphotype: sold., Nat. Mus. Melbourne.

Winged, sold., work.

New Ireland, New Hebrides.

Papuan.

Nasutitermes kanehirae (Oshima).

Eurmes (*Subulitermes*) *kanehirae* Oshima 1914b, p. 578, pl. 10, fig. 14, sold., work., Dobo, Arue Isl., Dutch New Guinea.

Sl., work.

Dutch New Guinea.

Papuan.

Nasutitermes kaudernianus (Sjöstedt).

Eurmes kaudernianus Sjöstedt 1914, pp. 13-15, sold., work., Madagascar: Ste. Marie de Marovoay; 1926, p. 322.

Sl., work.

Madagascar.

Malagasy.

Nasutitermes kemneri Snyder and Emerson, new name.

Eutermes arenarius Silvestri 1901, pp. 7, 11, Brazil: Coxipò; 1903, p. 83, im., sold., work., pl. 4, figs. 159-160 (sold.), fig. 161 (work.).

Eutermes (Eutermes) arenarius Holmgren 1910b, p. 263, sold., work. only, fig. 43 (sold.).
Brazil: Coxipò only.

Im., sold., work.

Brazil.

Neotroica

Nasutitermes kimberleyensis (Mjöberg).

Eutermes kimberleyensis Mjöberg 1920, p. 49, sold., work., pl. 2, fig. 5, text fig. 21b (sold.).
N. W. Australia: Derby; Hill 1942, p. 233.

Cotypes: Nat. Hist. Mus., Stockholm, and Hill collection.

Sold., work.

W. Australia.

Australia

Nasutitermes kinoshitae (Hozawa).

Eutermes (Eutermes) kinoshitae Hozawa 1915, p. 133, im., fig. 33 (im.), Formosa
Kappanzan.

Winged.

Formosa.

Indo-Malesia

Nasutitermes kohli Emerson.

Nasutitermes (Nasutitermes) kohli Emerson 1928, p. 484, fig. 38 (sold.), Kandaloué
Stanleyville, Belg. Congo.

Holotype: sold., A.M.N.H.

Sold.

Belg. Congo.

Ethiopia

Nasutitermes konduensis (Sjöstedt).

Eutermes (Eutermes) konduensis Sjöstedt 1924a, p. 40, nasutus, Kasai, Kondué,
Congo.

Eutermes konduensis Sjöstedt 1926, pp. 307-308, nasutus, work.¹⁻²

Sold., work.¹⁻²

Belg. Congo.

Ethiopia

Nasutitermes lacustris (Bugnion).

Eutermes lacustris Bugnion 1912, p. 487, im., sold., work., pl. 7 (sold.), pl. 8 (im.), Ceylon.

Eutermes (Eutermes) lacustris Holmgren 1913b, p. 182, sold., work., Ceylon.

Eutermes (Eutermes) greeni Holmgren 1912, p. 63, Ceylon (not described).

Eutermes greeni John 1913, p. 110.

Winged, sold., work.

Ceylon.

Indo-Malesia

Nasutitermes laticeps (Wasmann).

Eutermes laticeps Wasmann 1897, p. 165, sold., work., pls. 11, 12, Madagascar: Nossi-Bé.

Eutermes (Eutermes) laticeps Desneux 1904e, p. 43 (syn.); Sjöstedt 1926, p. 310, sold., work.

Eutermes canaliculatus Wasmann 1897, p. 168, sold., work., pl. 11, fig. 14 (sold.).

Madagascar: Nossi-Bé, etc.; Holmgren 1909a, p. 110, im., sold., work., loc.

Winged, gynacoid work., sold.,

work.

Madagascar.

Malagasy

Nutitermes latifrons (Sjöstedt).

Ermes latifrons Sjöstedt 1896a, p. 298, im., Gold Coast: Aburi; 1900a, p. 209, im., sold., work., pl. 5, fig. P 1-3 (im.), 4 (nasutus), 5-6 (work.), Cameroon.

Ermes Sjöstedti Wasmann 1902c, p. 717; Desneux 1904a, p. 151 (syn.).

Ermes (*Eutermes*) *latifrons* Holmgren 1912, p. 62.

Ermes latifrons Sjöstedt 1926, pp. 311-312, syn., loc.

Winged, neotenic reproductive,
nasutus, work.

Pt. and Fr. Guinea, Ivory
and Gold Coasts, Togo, S.
Nigeria, Cameroon, Isls. Fer-
nando Po, Principe, Fr. Equa-
torial Africa, Belg. Congo.

Ethiopian.

Nutitermes latus Light and Wilson.

Nutitermes (*Nasutitermes*) *latus* Light and Wilson 1936, p. 494, fig. 12, sold., Philip-
pines: Palawan.

Sl.

Philippines.

Indo-Malayan.

Nutitermes lighti Snyder and Emerson, new name.

Ermes obscurus Holmgren 1906, p. 580, sold., work., part, Peru: Chaquimayo (Cara-
baya) (preoccupied by fossil).

Ermes (*Eutermes*) *obscurus* Holmgren 1910b, p. 247, fig. 31 (sold.) [in 1906 probably
two species involved].

Sl., work.

Pu.

Neotropical.

Nutitermes lividus (Burmeister).

Nutitermes lividus Burmeister 1839, p. 767, im., "St. Domingo, Port aux Princes"; Walker
1853, p. 515.

Nutitermes lividus Hagen 1858, p. 221, pl. 3, fig. 33, im.

Nutitermes lividus Banks 1919, p. 484, im., Haiti, near Port au Prince, Jeremie; Cuba,
Cayamas.

Type: Hagen coll., M.C.Z., from Berlin Mus.

Winged.

Haiti, Cuba.

Neotropical.

Nutitermes llinquipatensis (Holmgren).

Ermes llinquipatensis Holmgren 1906, p. 585, im., sold., work., Peru: Llinquipata (Prov.
de Carabaya).

Ermes (*Eutermes*) *llinquipatensis* Holmgren 1910b, p. 224, im., sold., work., fig. 15
(im., sold.).

Winged, sold., work.

Pu.

Neotropical.

Nasutitermes longiarticulatus (Holmgren).

Eutermes (*Eutermes*) *longiarticulatus* Holmgren 1910b, p. 249, sold., work., Bzi
Coxipò, Cuyabà (Matto Grosso).

Eutermes arenarius subsp. *pluriarticulatus* var. *a* Silvestri 1903, p. 87, sold., work.,
fig. 169 (sold.), Brazil: Coxipò.

Sold., work.

Brazil.

Neotroca

Nasutitermes longinasus (Holmgren).

Eutermes (*Eutermes*) *longinasus* Holmgren 1913b, p. 171, sold., work., pl. 7, fig. 8 (sd
Borneo: Sarawak, Malacca; 1913-14, p. 253.

Eutermes longinasus John 1925, p. 392, loc.

Sold.¹⁻², work.

Borneo, Malay Archipelago.

Indo-Ma

Nasutitermes longipennis (Hill).

Eutermes longipennis Hill 1915, p. 104, wing., sold., work., No. Terr.: Koolpinyah.

Eutermes yarrabahensis Mjöberg 1920, p. 53, fig. 25, sold., work., Queensland; Hill
p. 152, figs. 21-27, winged.

Eutermes longipennis Hill 1942, pp. 234-236, figs. 131-133 (im., sold.), syn., loc.

Winged, sold., work.

No. Terr., Queensland.

Austri

Nasutitermes longirostratus (Holmgren).

Eutermes longirostratus Holmgren 1906, p. 598, sold., work., figs. W 1 (sold.), X 1 (w
Peru: Llinquipata, Chaquimayo; Bolivia: San Fe

Eutermes (*Subulitermes*) *longirostratus* Holmgren 1910b, p. 300, im., sold., fig. 6
(im., sold.).

Eutermes (*Eutermes*) *longirostratus* Holmgren 1912, p. 62 (syn.).

Winged, sold., work.

Peru, Bolivia.

Neotro

Nasutitermes longirostris (Holmgren).

Eutermes longirostris Holmgren 1913b, p. 169, sold., work., pl. 7, fig. 7 (sold.), Bo
Sarawak.

Sold., work.

Borneo.

Indo-Ma

Nasutitermes luzonicus (Oshima).

Eutermes (*Grallatotermes*) *luzonicus* Oshima 1914b, p. 581, pl. 10, figs. 15-16, s
work.¹⁻², Los-Banos, Luzon.

Nasutitermes (*Nasutitermes*) *luzonicus* Light and Wilson, 1936, p. 487, syn.

Eutermes (*Eutermes*) *manilensis* Oshima 1916, p. 363, pl. 1, fig. 6, pl. 2, fi
(sold.), sold.¹, work.¹⁻², Manila.

Eutermes (*Eutermes*) *las-piñasensis* Oshima 1920a, pp. 489-512, pl. 4, sold.,
Sarai near Paete, Laguna Prov., Luzon.

Eermes (Trinervitermes) menadoensis Oshima 1914b, p. 580, pl. 10, figs. 9-10, sold.¹⁻², work., Celebes: Menado; Borneo: Sandakam; 1920a, p. 504, sold., work., Luzon.

Nutitermes menadoensis Light 1930a, pp. 16, 20, syn.

Eermes menadoensis Kemner 1934, p. 146, syn., discus.

Winged, sold., work.

Cebes, Borneo, Philippines:

11 principal islands except

'alawan.

Indo-Malayan.

Nutitermes macrocephalus (Silvestri) [several species involved].

Eermes Rippertii subsp. *macrocephalus* Silvestri 1903, p. 83 [im. (queen)], sold., work., only part [Lungo l' Alto Paranà a Bella Vista], Puerto Bertoni, Paraguay; [Pampa Piray], S. Ignacio, Posadas, Argentina.

Type: Silvestri coll.

Eermes (Eutermes) Rippertii var. *macrocephalus* Desneux 1904e, p. 44, syn.

Eermes (Eutermes) macrocephalus Holmgren 1910b, p. 260, sold., work., fig. 41 (sold.).
Sd., work.

Paraguay, Argentina.

Neotropical.

Nutitermes maculiventris (Sjöstedt).

Eermes maculiventris Sjöstedt 1904, p. 104, im., nasutus, work., Gabun, French Congo.

Eermes (Eutermes) maculiventris Desneux 1904e, p. 43, syn.

Eermes (Eutermes) maculiventris Holmgren 1912, p. 62.

Eermes maculiventris Sjöstedt 1926, pp. 319-320, fig. 70 (sold.), loc., syn.

Eermes Lujae Wasmann 1911a, p. 168, king, queen, sold., work.¹⁻², Congo: Sankuru.

Winged, king, queen, sold.,

work.¹⁻²

Port. and Fr. Guinea, Cameroon,

Central Equatorial Africa, Belg.

Congo, Zanzibar.

Ethiopian.

Nutitermes magnus (Froggatt).

Eermes magnus Froggatt 1897, p. 742, pl. 35, fig. 6 (wing), winged, sold., work., Lollworth, Queensland.

Eermes (Eutermes) magnus Desneux 1904e, p. 43 (syn.), Australia.

Eermes magnus Mjöberg 1920, p. 37, sold., fig. 22 (sold.), N. Queensland; Hill 1942, pp. 237-239, figs. 134-136 (im., sold.), loc., syn.

Holotype: sold.; morphotype: winged, work., Hill coll.

Eermes vernoni Hill 1922a, pp. 142-148, im., queen, sold., work., figs. 1-9, pls. 23, 24, fig. 1, N. E. Queensland: Townsville, Australia.

Eermes (?) vernoni Hill 1927a, p. 31, sold., work., Papua, Yule Isl.

Winged, queen, sold., work.

Queensland, N. S. Wales, Torres

Strait: Banks Isl., Mulgrave

Island.

Australian.

Nasutitermes mahéensis (Holmgren).

Eutermes nigrita, subsp. *mahéensis* Holmgren 1910a, p. 148, sold., work., Seychelles: Mahe
Long Isl.; Sjöstedt 1926, pp. 317-318, loc., syn.

Eutermes (*Eutermes*) *maheensis* Holmgren 1912, p. 63.

Sold., work.

Seychelles.

Malaysia

Nasutitermes major (Holmgren).

Eutermes major Holmgren 1906, p. 578, im., sold., work., fig. H 1 (sold.), fig. J 1 (work.)
Peru: Chaquimayo (Carabaya).

Eutermes (*Eutermes*) *major* Holmgren 1910b, p. 257, fig. 38 (im., sold.), im., sold., work.
p. 180, variation.

Nasutitermes (*Nasutitermes*) *major* Snyder 1926d, p. 32, Bolivia.

Winged, sold., work.

Peru, Bolivia.

Neotropical

Nasutitermes makassarensis (Kemner).

Eutermes makassarensis Kemner 1934, pp. 139-141, fig. 37 (sold.), Makassar, S. Celebes.
Sold.

Celebes (Macassar).

Indo-Malaya

Nasutitermes maniseri (John).

Eutermes maniseri John 1920, pp. 229-230, fig. 1 (sold.), Brazil: Matto Grosso, Naliq.
Sold.

Brazil.

Neotropical

Nasutitermes marivelles (Light and Wilson).

Subulitermes marivelles Light and Wilson 1936, pp. 513-515, fig. 25, alate, sold., Marivelles,
Marivelles, Bataan Prov., Philippines.

Winged, sold.

Philippines.

Indo-Malaya

Nasutitermes matangensiformis (Holmgren).

Eutermes (*Eutermes*) *matangensiformis* Holmgren 1913b, p. 185, im., sold., work., Borneo,
Sarawak, Nicobar Isl.: Naukauri, Mus. Vic.
1913-14, p. 265, Malacca, Borneo.

Nasutitermes matangensiformis Oshima 1923, pp. 16-18, sold., work., Sinabang, Simeulue,
Sumatra.

Eutermes (*Eutermes*) *matangensiformis* John 1925, p. 398, winged, sold., work. (C)
Malay Peninsula.

Eutermes (*Eutermes*) *javanicus* John 1925, p. 394, E. Sumatra.

Eutermes djemberensis Kemner 1934, pp. 128-129, fig. 31 (sold.), Djember (E. Java).

Eutermes (*Eutermes*) *timoriensis* John 1925, p. 398, sold., work., W. Sumatra: Padang.

Winged, sold., work.

Borneo, Java, Sumatra, Malay

Pen., Nicobar Isl.

Indo-Malaya

Isutitermes matangensiformis, form *obscurus* (Holmgren) (form name preoccupied).
Itermes (*Eutermes*) *matangensiformis* forma *obscurus* Holmgren 1913b, p. 186, im., sold.,
 work., Christmas Isl.

Winged, sold., work.
 Christmas Isl.

Indo-Malayan.

Isutitermes matangensis (Haviland).

Itermes *matangensis* Haviland 1898, p. 427, im., sold., work., Borneo: Sarawak.

Itermes (*Eutermes*) *matangensis* Holmgren 1912, p. 63, pl. 3, figs. 3 (im.), 4-5 (sold.);
 1913b, p. 183, im., sold., work., pl. 7, fig. 21 (im.),
 figs. 17, 22 (sold.); 1913-14, pp. 264-265, Java,
 Malacca.

Itermes (*Eutermes*) *matangensis* John 1925, p. 398, pl. 19, fig. 12; pl. 20, fig. 13 (nests),
 queen, sold., work., Sumatra.

Itermes (*Eutermes*) *matangensis* forma *matangensioides* Holmgren 1913b, p. 184,
 im., sold., work., Borneo: Sarawak, Krakatau.

Types: Nos. 358-360.

Winged, sold., work.

Borneo, Java, Krakatau, Su-
 natra, Malay Pen.

Indo-Malayan.

Isutitermes matangensis, subsp. *pyricephalus* (Kemner).

Itermes *matangensis* subsp. *pyricephalus* Kemner 1934, pp. 124-127, fig. 28 (im.), fig. 29
 (sold.), W. Java.

Winged, sold.

Java.

Indo-Malayan.

Isutitermes maximus (Holmgren).

Itermes (*Eutermes*) *maximus* Holmgren 1910b, p. 259, sold., work., fig. 40 (sold.), Peru:
 Chaquimayo.

Nasutitermes (*Nasutitermes*) *maximus* Snyder 1926d, p. 32, Bolivia ? probably a new
 species].

Sold., work.

Peru.

Neotropical.

Isutitermes mcgregori (Oshima).

Itermes (*Ceylonitermes*) *mcgregori* Oshima 1916, p. 361, sold., work., pl. 1, fig. 19, Sarai,
 Luzon, Philippines; 1920a, p. 501, Panay: Tibiao
 (Antique Prov.).

Isutitermes mcgregori Light 1930a, pp. 16, 20 (syn.).

Isutitermes (*Nasutitermes*) *mcgregori* Light and Wilson 1936, pp. 461, 482, 509 (syn.).

Sold., work.

Philippines.

Indo-Malayan.

Isutitermes meinerti (Wasmann).

Itermes *Meinerti* Wasmann 1894, p. 211, work., Venezuela.

Itermes (*Eutermes*) *Meinerti* Desneux 1904e, p. 46, syn.

Itermes (*Eutermes*) *Meinerti* Holmgren 1910b, p. 252, sold., work., fig. 34 (sold.).

Type: Wasmann coll.

Sold., work.

Venezuela.

Neotropical.

Nasutitermes meridianus Light and Wilson.

Nasutitermes (*Nasutitermes*) *meridianus* Light and Wilson 1936, pp. 498-500, fig. 14, etc. sold., Jolo, Palawan.

Winged, sold.

Philippines.

Indo-Malayan

Nasutitermes mexicanus Light.

Nasutitermes (*Subulitermes*) *mexicanus* Light 1933, pp. 123-126, sold., figs. L, O, and N. Colima, Jala, and Madrid (W. Mexico).

Sold.

W. Mexico.

Neotropical

Nasutitermes mindanensis (Light and Wilson).

Subulitermes mindanensis Light and Wilson 1936, pp. 515-517, fig. 26, alate, sold., (Cebato Prov., Mindanao).

Winged, sold.

Philippines.

Indo-Malayan

Nasutitermes minimus (Holmgren).

Eutermes minimus Holmgren 1906, p. 582, im., sold., work., fig. M 1 (sold.), Bolivia: T. Jose, San Fermin (Prov. de Caupolican), In Chaquimayo (Carabaya).

Eutermes (*Eutermes*) *minimus* Holmgren 1910b, p. 234, im., sold., work., fig. 22 (sold.), pp. 186-188, variation.

Nasutitermes (*Nasutitermes*) *minimus* Snyder 1926d, p. 32, Bolivia.

Winged, sold., work.

Bolivia, Peru.

Neotropical

Nasutitermes minor (Holmgren).

Eutermes minor Holmgren 1906, p. 590, sold., work., fig. R 1 (sold.), Bolivia: T. (Caupolican).

Eutermes (*Eutermes*) *minor* Holmgren 1910b, p. 267, sold., work., fig. 46 (sold.).

Nasutitermes (*Nasutitermes*) *minor* Snyder 1926d, pp. 29-30, winged, Rosario.

Nasutitermes (*Nasutitermes*) *aurantiacus* Snyder 1926d, p. 28, sold., work., Rosario.

Winged, sold., work.

Bolivia.

Neotropical

Nasutitermes minusculus (Sjöstedt).

Eutermes (*Eutermes*) *minusculus* Sjöstedt 1924a, p. 40, nasutus, Lukulla, Belg. Congo.

Eutermes minusculus Sjöstedt 1926, pp. 308-309, fig. 67 (sold.), sold., work.

Nasutitermes? (*Nasutitermes*) *minusculus* Emerson 1928, p. 487, fig. 40 (sold.), M. Belg. Congo.

Sold., work.

Belg. Congo.

Ethiopian

Nasutitermes mojosensis (Holmgren).

Nasutitermes (*Eutermes*) *mojosensis* Holmgren 1910b, p. 230, im., sold., work., fig. 63 (im.), Mojos, Bolivia, pp. 192-193, variation.

Nasutitermes rippertii Holmgren 1906, p. 574, Bolivia.

Type: Emerson coll.

Figured, sold., work.

Bolivia.

Neotropical.

Nasutitermes mollis Light and Wilson.

Nasutitermes (*Nasutitermes*) *mollis* Light and Wilson 1936, p. 486, fig. 9 (sold.), Cotabato Prov., Mindanao.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes montanae (Holmgren).

Nasutitermes Montanae Holmgren 1910b, p. 292, fig. 63 (im.), Surinam: Montana.

Figured.

French Guiana.

Neotropical.

Nasutitermes moratus (Silvestri).

Nasutitermes moratus Silvestri 1914, p. 431, sold., work., fig. 6 (sold.), India: Yambung, S. W. Kemp (Abor Expedition).

Sold., work.

India.

Indo-Malayan.

Nasutitermes myersi Snyder.

Nasutitermes (*Nasutitermes*) *myersi* Snyder 1933c, pp. 162-163, fig. 1-2 (sold.), Colinga-Uraricuera, Savannahs, Amazonas, Brazil.

Cotypes: sold., U.S.N.M. No. 49892.

Sold.

Brazil.

Neotropical.

Nasutitermes nigriceps (Haldeman).

Nasutitermes nigriceps Haldeman 1853, p. 365, sold., work., W. Mexico.

Nasutitermes (*Eutermes*) *nigriceps* Hagen 1858, p. 230, sold., W. Mexico.

Nasutitermes nigriceps Hagen 1858a, p. 32, W. Mexico.

Nasutitermes nigriceps Desneux 1904c, p. 46; Banks and Snyder 1920, pp. 4, 193.

Nasutitermes (*Nasutitermes*) *nigriceps* Light 1933, p. 114, im., sold., work., figs. K, N.

Nasutitermes (*Eutermes*) *Acajutlae* Holmgren 1910b, p. 262, im., sold., work., fig. 42 (im.), San Salvador: Acajutla (Mus. Hamburg), St. Thomas (Wasmann coll.).

Nasutitermes creolina Banks 1919, pp. 482, 484-485 (sold. only), pl. 2, fig. 17 (sold.), St. Thomas, Trinidad, Porto Rico.

Nasutitermes (*Eutermes*) *Guatemalae* Holmgren 1910b, p. 294, fig. 65 (im.), Guatemala: San Jose.

Nasutitermes (*Nasutitermes*) *guatemalae* Light 1935, p. 249, im., sold., Mexico: Maria Madre Isl.

Nasutitermes (*Eutermes*) *pacificus* Holmgren 1910b, p. 266, fig. 45 (sold.), W. Coast South or Central America.

Eutermes (Eutermes) pilifrons Holmgren 1910b, p. 265, sold., work., fig. 44 (sold.), Curacao (Mus. Hamburg), Mexico: Sierra u Nayarit, Terr. Jalasco (Mus. Paris), Colombia: Bogotá (Mus. Vienna).

Winged, queen, sold., work.

W. Mexico, Guatemala, Honduras, Costa Rica, Panama, Canal Zone, Colombia, Curacao, British Guiana, Trinidad, St. Thomas, St. Croix, Puerto Rico, Vieques Isl. (near Puerto Rico), San Salvador, Jamaica.

Neotrop.

Nasutitermes nigritus (Wasmann).

Eutermes nigrita Wasmann 1897, p. 171, nasutus, pl. II, figs. 15, 20, 26-27, 34, Madagascar: Fenerive.

Eutermes nigrita Holmgren 1910b, pp. 146-148, sold., work. (im.), Seychelles: Silhouette.

Eutermes nigrita Sjöstedt 1926, pp. 317-318, loc., syn.

Type: Mus. Stockholm.

Eutermes nigrita subsp. *rectirostris* Wasmann 1910a, p. 127, sold., work., Isle de Marie de Madagascar.

?(Imago), sold., work.

Madagascar, Seychelles.

Malag.

Nasutitermes nigritus, subsp. *rectirostris*, var. *pusilla* (Wasmann).

Eutermes nigritus subsp. *rectirostris* var. *pusilla* Wasmann 1910a, p. 127, sold., work. Sjöstedt 1926, p. 317, East Madagascar: Isle de Prun Tamatave [probably not valid].

Sold., work.

Madagascar.

Malag.

Nasutitermes nordenskiöldi (Holmgren).

Eutermes (Eutermes) Nordenskiöldi Holmgren 1910b, p. 284, sold., work., fig. 57 (sold.) South Bolivia: Quinta; Argentina: Chaco de tiago del Estero, Icano, Salado.

Type: Mus. Paris.

Sold., work.

Bolivia, Argentina.

Neotrop.

Nasutitermes novarum hebridarum (Holmgren, N. and K.).

Eutermes (Eutermes) novarum hebridarum Holmgren, N. and K. 1915, pp. 92-93, in New Hebrides: Ambrym.

Eutermes novarum hebridarum Hill 1942, p. 242 (syn.).

Type: Basler Naturhist. Mus.

Nasutitermes (Grallotermes) oceanicum Snyder 1925g, pp. 439-440, sold., Great Bay, Santa Cruz Archipelago.

Etermes yandiniensis Hill 1927a, pp. 25-28, pl. 1, figs. 22-26, pl. 5, fig. 157, pl. 7, fig. 158, im., sold., work., Bougainville Isl. (Solomon Isls.), Yandini, New Britain: Rabaul, New Ireland: Kaiwieng, New Hebrides.

Winged, sold., work.

New Hebrides, Santa Cruz
Archipelago, Solomon Isls.,
New Britain, New Ireland.

Papuan.

Nasutitermes octopilis Banks.

Nasutitermes octopilis Banks 1918, p. 666, fig. (sold.), Tukeit, Brit. Guiana.

Type: A.M.N.H.; paratype: M.C.Z.

Nasutitermes (*Nasutitermes*) *octopilis* Emerson 1925, pp. 383-385, fig. 56, im., sold.

Figure, sold.

Brit. Guiana.

Neotropical.

Nasutitermes oculatus (Holmgren).

Etermes oculatus Holmgren 1911c, p. 200, im., p. 208, Ceylon: Peradeniya.

Type: Mus. Vienna.

Etermes (*Ceylonitermes*?) *oculatus* Holmgren 1913b, p. 190, im.

Etermes (*Eutermes*) *oculatus* Holmgren 1913-14, p. 269.

Etermes oculatus John 1913, p. 109, places *longicornis* in syn.

Etermes (*Eutermes*) *oculatus* John 1925, p. 393.

Etermes (*Eutermes*) *longicornis* Holmgren 1913, p. 283, sold., work., Peradeniya;
1913b, p. 172, sold., work., pl. 7, fig. 5 (sold.), Ceylon:
Peradeniya.

Etermes longicornis Bugnion 1914, p. 184 (biol., syn.).

Winged, sold., work.

Ceylon.

Indo-Malayan.

Nasutitermes olidus (Hill).

Etermes olidus Hill 1926c, pp. 23-24, sold., work., Fiji: Taveuni; 1942, pp. 248-249, sold.,
work., figs. 150-151 (sold.), Fiji.

Holotype: sold.; morphotype: work., South Australian
Mus.; paratype: Nat. Mus., Melbourne.

Sold., work.

Fiji.

Papuan.

Nasutitermes orientis Snyder.

Nasutitermes (*Subulitermes*) *orientis* Snyder 1925g, pp. 440-441, winged, sold., work.,
Auki, Malayta Isl., Solomon Isls.

Etermes orientis Hill 1942, pp. 250-252, fig. 152 (winged), loc., syn.

Type: sold., M.C.Z. No. 15294; morphotype: winged;
paratypes: U.S.N.M.

Winged, sold., work.

Solomon Isls., Malayta Isl.

Papuan.

Nasutitermes orientis, var. *tulagiensis* Snyder.

Nasutitermes (*Subulitermes*) *orientis*, var. *tulagiensis* Snyder 1925g, pp. 441-442, sold.,
work., Tulagi Isl., Solomon Isls.

- Eutermes orientis* var. *tulagiensis* Hill 1942, pp. 252-253, figs. 153-154 (sold.).
Type: sold., M.C.Z. No. 15295; paratypes: U.S.N.M.
Sold., work.
Solomon Isls., Tulagi Isl. Fua
- Nasutitermes oshimae* Light and Wilson.
Nasutitermes (*Nasutitermes*) *oshimae* Light and Wilson 1936, p. 501, fig. 15, sold., 120
Sold.
Philippines: Luzon. Indo-M
- Nasutitermes ovipennis* (Haviland).
Termes ovipennis Haviland 1898, p. 424, im., sold., work., Borneo: Sarawak.
Eutermes (*Eutermes*) *ovipennis* Holmgren 1913b, p. 167, im., sold., work.; 1913-14, 2
Malacca.
Type: No. 348.
Sold., work.
Borneo, Malay Arch. Indo-M
- Nasutitermes palaoensis* (Oshima).
Eutermes (*E.*) *palaoensis* Oshima 1942, pp. 387-389, sold., work.¹⁻², Palao: Korrör.
Sold., work.¹⁻²
Palao, Caroline Isls. Fu
- Nasutitermes panayensis* (Oshima).
Eutermes (*Grallatotermes*) *panayensis* Oshima 1920a, p. 505, sold.¹⁻², work., pl. 2, 1
(sold.), Philippines: Panay (Antique Prov.).
Nasutitermes panayensis Light 1930a, pp. 16, 20 (syn.).
Nasutitermes (*Nasutitermes*) *panayensis* Light and Wilson 1936, p. 476, syn., fig. 1 (1
sold., work.), Philippines: Marinduque Isl., lo
Eutermes (*Ceylonitermes*) *mcgregori* Oshima 1920a, p. 501, loc., Philippines: 1
(Not Oshima 1916!)
Winged, sold., work.
Philippines: Tablas, Romblon,
Panay, Marinduque, Negros,
Cebu, Camasa, Zamboanga,
Leyte. Indo-M
- Nasutitermes parvonasutus* (Nawa).
Eutermes parvonasutus Nawa 1911b, p. 414, pl. 21, figs. 1-4; 1912, p. 18, pl. 1, fig. 1
Eutermes parvonasutus Oshima 1912, p. 83, pl. 1, fig. 16, pl. 2, figs. 14, 28-29, F
Kankao.
Eutermes (*Eutermes*) *parvonasutus* Hozawa 1915, p. 137, im., sold., work., pl. 4, 1
(im.), fig. 28 (sold.), text figs. 34-36, syn., F
Nasutitermes parvonasutus Light 1931, pp. 583-584, 595, China: No. Fukien; W
p. 220.
Eutermes (*Eutermes*) *Watasei* Holmgren 1912a, pp. 134-136, im., sold., work
mosa; 1913b, p. 170, im., sold., work., pl. 7, fig 0
Winged, sold., work.
Formosa, China (coast). Indo-M

Isutitermes parvus Light and Wilson.

Isutitermes (*Nasutitermes*) *parvus* Light and Wilson 1936, pp. 504-505, sold., fig. 17, Jolo Isl.

!d.

Philippines.

Indo-Malayan.

Isutitermes peruanus (Holmgren).

Itermes (*Eutermes*) *peruanus* Holmgren 1910b, p. 240, sold., work., fig. 27 (sold.), Peru: Chaquimayo.

Itermes peruanus John 1920, p. 229, Brazil.

Isutitermes (*Nasutitermes*) *ephratae* Snyder 1926d, p. 32, loc. part, Bolivia.

Itermes (*Eutermes*) *tambopatensis* Holmgren 1910b, p. 242; sold., work., fig. 28 (sold.), Peru: Tambopata (Juan del Oro), pp. 185, 192, variation.

!d., work.

Buru, Bolivia, Brazil.

Neotropical.

Isutitermes pictus Light.

Isutitermes (?) *pictus* Light 1933, pp. 127-129, pl. 10, figs. 3-4, figs. Z and BB winged, Colima.

Winged.

Mexico.

Neotropical.

Isutitermes piliceps (Holmgren).

Itermes (*Eutermes*) *piliceps* Holmgren 1910b, p. 289, sold., work., fig. 60 (sold.), N. Paraguay: Estancia Postillon (on Rio Paraguay).

Type: Mus. Hamburg.

!d., work.

Paraguay.

Neotropical.

Isutitermes pilosus Snyder.

Isutitermes (*Nasutitermes*) *pilosus* Snyder 1926d, p. 30, soldier, Cachuela Esperanza (Beni River), Bolivia.

Type: sold., U.S.N.M. No. 27654.

!d.

Bolivia.

Neotropical.

Isutitermes pluriarticulatus (Silvestri).

Itermes arenarius subsp. *pluriarticulatus* Silvestri 1901, p. 7, im., Brazil: Coxipò; 1903, pp. 86-87, im., sold., work., fig. 22 (wings), pl. 4, figs. 165-166 (im.), figs. 167-168 (sold.), Coxipò, Cuyabà.

Itermes (*Eutermes*) *arenarius* subsp. *pluriarticulatus* Desneux 1904e, p. 40 (syn.); Holmgren 1910b, p. 274, fig. 51 (im., sold.), Brazil (Matto Grosso): Coxipò, Cuyabà.

Winged, sold., work.

Brazil.

Neotropical.

Nasutitermes pluvialis (Mjöberg).

Eutermes pluvialis Mjöberg 1920, p. 45, figs. 19a-b, 20b, winged, sold., work., Queensland: (S. Queensland: Blackal Range, Mount Tambourine, N. Queensland: Herberton, Malanda, Cedar Creek Hill 1942, pp. 259-261, figs. 160-162, im., sold., s. loc.

Cotypes: Nat. Hist. Mus., Stockholm, and Hill coll.

?**Eutermes fumigatus** Jarvis 1916, p. 17, econ.; 1925, p. 17, econ.; 1926, p. 13, econ.; Hill 1942, p. 220.

Winged, sold., work.
Queensland.

Australi

Nasutitermes princeps (Desneux).

Termes (Eutermes) princeps Desneux 1905, p. 375, winged, sold., work., New Guinea: Friedrich-Wilhelms-hafen.

Eutermes princeps Holmgren 1911b, p. 464, im., sold., work., figs. 6-7 (im., sold.), loc.

Eutermes (Eutermes) princeps John 1925, p. 399; Hill 1942, pp. 261-263, figs. 167-169 (im., sold.).

Cotypes: Hill coll.

Winged, sold., work.
Brit. and Dutch New Guinea,
Aru Isl.

Papua

Nasutitermes profestus (Sjöstedt).

Eutermes profestus Sjöstedt 1926b, p. 161.

Coarctotermes contractus Sjöstedt 1926, pp. 355-356, im. only, Belg. Congo: Tumbwe on Type: Mus. Stockholm.

Winged.
Congo.

Ethiopi

Nasutitermes projectus (Hill).

Eutermes projectus Hill 1942, pp. 296-297, figs. 212-213 (sold.), N. S. Wales: Euston. Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.
N. S. Wales.

Australi

Nasutitermes proximus (Silvestri).

Eutermes arenarius subsp. **proximus** Silvestri 1901, p. 7, sold., Uruguay: La Sierra; 1904, p. 84, im., sold., work., pl. 4, figs. 162 (im.), 163 (sold.).

Termes (Eutermes) arenarius subsp. **proximus** Desneux 1904e, p. 40 (syn.).

Eutermes (Eutermes) proximus Holmgren 1910b, p. 245, im., sold., work., fig. 30 (sold.).

Eutermes (Eutermes) aurantiacoides Holmgren 1910b, p. 269, sold., work., fig. 31 (sold.), Brazil: Valley of Itapocú (distr. Jaraguá Sta. Catharina), Mus. Hamburg.

Winged, sold., work.
Uruguay, Brazil.

Neotropi

Nasutitermes putidus (Sjöstedt).

Eutermes (Eutermes) putidus Sjöstedt 1924a, pp. 40-41, nasutus, Congo: Kasai, Kongo.

Eutermes putidus Sjöstedt 1926, p. 314.

Sold., work.
Congo.

Ethiopi

Nasutitermes regularis (Haviland).

Nasutitermes regularis Haviland 1898, p. 425, im., sold., work., Borneo: Sarawak.

Eurmes (*Eutermes*) *regularis* Holmgren 1913b, p. 168, im., sold., work. (ergatoid), pl. 7, fig. 6 (sold.); 1913-14, p. 253, Malacca.

Type: No. 279.

Winged, sold., work., ergatoid.

Borneo, Malacca.

Indo-Malayan.

Nasutitermes retus (Kemner).

Eurmes retus Kemner 1931, pp. 43-45, sold., work., fig. 15 (sold.), Ambon.

Sold., work.

Is. Amboina.

Papuan.

Nasutitermes rippertii (Rambur).

Eurmes rippertii Rambur 1842, p. 308 (im.), Havana, Cuba.

Eurmes destructor Perty 1830, p. 127, pl. 25, fig. 9, Brazil?

Eurmes Rippertii Walker 1853, p. 520, Jamaica.

<*Eurmes* (*Eutermes*) *Rippertii* Hagen 1858, p. 218 (im.), pl. 2, fig. 13, pl. 3, fig. 32 (im.)
(several species included), loc.

<*Eurmes Rippertii* Hagen 1858a, p. 31, im.

Eurmes Rippertii Hagen 1860a, p. 118, im., sold., work., Cuba.

Nasutitermes Ripperti Holmgren 1910b, p. 323.

Nasutitermes ripperti Banks 1919, p. 483, im., p. 482, im., sold., pl. 2, fig. 15 (sold.), loc.,
syn.

Type: Selys Longchamps coll., Brussels.

Eurmes (*Eutermes*) *bahamensis* Holmgren 1910b, p. 290 (sold.), fig. 61, Bahamas,
Isle de Providence.

Eurmes (*Eutermes*) *cubanus* Holmgren 1910b, p. 291 (sold. and work.), fig. 62
(sold.), Cuba.

Winged, sold., work.

Cuba, Jamaica, Bahamas (New

Providence, Dry Key, Andros

Key, Mangrove Key).

Neotropical.

Nasutitermes roboratus (Silvestri).

Eurmes roboratus Silvestri 1914, p. 430, sold., work., fig. v, sold., Lower Burma: Moulmein.

Sold., work.

Burma.

Indo-Malayan.

Nasutitermes robustus (Holmgren).

Eurmes robustus Holmgren 1906, p. 587, sold., work., figs. O¹ (sold.), P¹ (work.), Peru:
Llínquipata, Chaquimayo, Carabaya; 1910b, p. 283,

sold., work., fig. 56 (sold.), Peru: Chaquimayo.

Sold., work.

Peru.

Neotropical.

Nasutitermes rotundatus (Holmgren).

Eurmes rotundatus Holmgren 1906, p. 589, sold., work., fig. Q 1 (sold.), Peru: Llínqui-
pata, Chaquimayo (Prov. de Carabaya; 1910b, p. 285,
sold., work., fig. 58 (sold.), Chaquimayo.

Nasutitermes (*Nasutitermes*) *rotundatus* Snyder 1926, p. 28, sold., work., Rio F., Colombia; 1926d, p. 32, Bolivia (not Snyder 1926), p. 162, Costa Rica: Colombiana).

Sold., work.

Peru; Bolivia; Colombia.

Neotrop.

Nasutitermes rotundus Light and Wilson.

Nasutitermes (*Nasutitermes*) *rotundus* Light and Wilson 1936, pp. 904-905, fig. 18 (sold.), Cotabato Coast, Mindanao.

Sold.

Philippines.

Indo-Malay.

Nasutitermes rufrostris (Hill).

Eutermes rufrostris Hill 1927a, pp. 24-25, pl. 1, figs. 19-21, sold., work., New Britain: near Rabaul; 1942, pp. 265-266, figs. 170-171 (sold.), syn., loc.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

New Britain.

Papua.

Nasutitermes salebrithorax (Sjöstedt).

Eutermes salebrithorax Sjöstedt 1904, pp. 89-90, im., sold., work., Madagascar: Dauphin; 1926, p. 316, loc., syn.

Winged, sold., work.

Madagascar, Seychelles (Isl. Silhouette).

Malag.

Nasutitermes saleierensis (Kemner).

Eutermes saleierensis Kemner 1934, pp. 141-143, figs. 38-39 (im., sold.), Saleier Isl. point of Celebes, also Isl. Djampea southward.

Winged, sold.

Saleier, Djampea Isls., Celebes.

Indo-Malay.

Nasutitermes sanctae-anae (Holmgren).

Eutermes arenarius subsp. *proximus* var. "a" Silvestri 1903, p. 85, sold., work., S. (Misiones), Argentina.

Eutermes (*Eutermes*) *Sanctae-Anae* Holmgren 1910b, p. 246, sold., work.

Sold., work.

Argentina.

Neotrop.

Nasutitermes sanctae-crucis Snyder.

Nasutitermes (*Subulitermes*) *sanctae-crucis* Snyder 1925g, p. 442, winged, sold., Grace Bay, Santa Cruz Arch.

Eutermes sanctae-crucis Hill 1942, pp. 266-268, figs. 172-174 (im., sold.).

Type: sold., M.C.Z., No. 15296; morphotype: winged, paratype: U.S.N.M.

Winged, sold.

Santa Cruz Archipelago.

Papua.

Nsutitermes sandakanensis (Oshima).

Etermes (*Eutermes*) *sandakanensis* Oshima 1914b, p. 577, pl. 10, fig. 8, sold., work., Sandakan, Borneo.

♂ d., work.

Erneo.

Indo-Malayan.

Nsutitermes santschii Emerson.

Nsutitermes (*Nasutitermes*) *santschii* Emerson 1928, p. 484, fig. 39 (im., sold.), Congo: Stanleyville.

Holotype: queen (A.M.N.H.); morphotype: sold. (A.M.N.H.).

Etermes maculiventris var. *pusilla* Sjöstedt 1926, pp. 297, 320, nasutus, Stanleyville (name preoccupied); 1926b, p. 155, sold., Belg. Congo: Mauda (Uélé).

Unaged, sold.

Congo.

Ethiopian.

Nsutitermes schoutedeni (Sjöstedt).

Etermes (*Eutermes*) *Schoutedeni* Sjöstedt 1924a, p. 40, nasutus, Congo: Basongo; 1926, pp. 314-315, pl. 11, figs. K 1-2 (nasutus).

♂ d., work.

Congo.

Ethiopian.

Nsutitermes silvestrii (Holmgren).

Etermes (*Eutermes*) *Silvestrii* Holmgren 1910b, p. 281 (im., sold., work.), fig. 55a (im.), fig. 55b-c (sold.), Paraguay: Paraguari; Argentina: Resistencia (Chaco).

Etermes arenarius subsp. *fulviceps* var. *Silvestrii* 1903, p. 89, im., sold., work., pl. 4, fig. 177 (sold.).

Unaged, sold., work.

Paraguay, Argentina.

Neotropical.

Nsutitermes simaluris Oshima.

Nsutitermes simaluris Oshima 1923, pp. 15-16, figs. 11-12, sold., work., Sinabang, Simalur, Sumatra.

♂ d., work.

Snatra.

Indo-Malayan.

Nsutitermes similis Emerson.

Nsutitermes (*N.*) *guayanae* (in part) Emerson 1925, p. 308 (sold.), p. 376, im., sold., fig. 54 (im., sold.).

Nsutitermes (*Nasutitermes*) *similis* Emerson 1935, pp. 389-390, figs. 10-11, im., sold. Kartabo, Brit. Guiana.

I., sold., work.

Brit. Guiana.

Neotropical.

Nsutitermes simulans Light and Wilson.

Nsutitermes (*Nasutitermes*) *simulans* Light and Wilson 1936, pp. 493-494, fig. 11, sold., Malanipa Isl., Mindanao.

♂ d.

Philippines.

Indo-Malayan.

Nasutitermes smithi (Hill).

Eutermes smithi Hill 1942, pp. 300-302, figs. 218-220 (im., sold.), im., sold., work., North Terr.: Johnston's Lagoon (45 miles north of Newcastle Waters, thence northward along overland telegraph route to Birdum).

Holotype: sold.; morphotype: winged, work., C.S.R. coll.

Winged, sold., work.

No. Terr., Australia.

Australian

Nasutitermes? strelnicovi (John).

Eutermes strelnicovi John 1920, pp. 222-223, fig. 3 (sold.), winged, sold., Brazil: Mato Grosso.

Winged, sold.

Brazil.

Neotropical

Nasutitermes surinamensis (Holmgren).

Eutermes (Eutermes) surinamensis Holmgren 1910b, p. 251, sold., work., fig. 33 (sold.).
Surinam: Ephrata, pp. 183, 190-192, variation.

Nasutitermes ephratae (part) Banks 1918, p. 666 (loc.), Brit. Guiana.

Nasutitermes (Nasutitermes) surinamensis Emerson 1925, pp. 385-386, fig. 57a-d, im., sold.,
Surinam: Ephrata; Snyder 1926d, p. 33, Bolivia.

Winged, sold., work.

Dutch and Brit. Guiana, Bolivia.

Neotropical

Nasutitermes takasagoensis (Oshima).

Eutermes takasagoensis Oshima 1912, p. 86, pl. 1, figs. 4, 12, pl. 2, figs. 1, 23; Nawa 1913, p. 415, pl. 21, figs. 5-8.

Eutermes (Eutermes) takasagoensis Oshima 1913, p. 279, syn., loc., Formosa: Enderb. Tobago Isl., Loochoo Arch., Ishigakijima, Christmas Isl.; Hozawa 1915, p. 120, im., ergatoid queen, fig. 32, syn., Formosa, Christmas Isl.

Nasutitermes takasagoensis Light and Wilson 1936, p. 492 (syst.).

Eutermes (Eutermes) picipes Holmgren 1912a, p. 132, im., sold., work., Formosa 1913b, p. 186, im., sold., work., pl. 7, fig. 20 (sold.).

Winged, ergatoid queen, sold.,
work.

Formosa, Christmas Isl.

Indo-Malayan

Nasutitermes tatarendae (Holmgren).

Eutermes (Eutermes) Tatarendae Holmgren 1910b, p. 250, sold., work., fig. 32 (sold.).
Bolivia: Tatarenda.

Sold., work.

Bolivia.

Neotropical

Nasutitermes taylori Light and Wilson.

Nasutitermes (Nasutitermes) taylori Light and Wilson 1936, pp. 506-508, fig. 20, sold., Catayan Isl., Mindanao.

Winged, sold.

Philippines.

Indo-Malayan

asutitermes timoriensis (Holmgren).

utermes (*Eutermes*) *timoriensis* Holmgren 1913b, p. 187, sold., work., pl. 7, fig. 18 (sold.), Timor.

old., work.

Timor (Dutch E. Indies).

Indo-Malayan.

asutitermes tipuanicus (Holmgren).

utermes (*Eutermes*) *tipuanicus* Holmgren 1910b, p. 281, sold., work., Bolivia: Tipuani. Type: Mus. Hamburg.

old., work.

Bolivia.

Neotropical.

asutitermes torquatus (Sjöstedt).

utermes (*Eutermes*) *torquatus* Sjöstedt 1924c, p. 494, nasutus, Belg. Congo: Stanleyville. *utermes torquatus* Sjöstedt 1926, p. 321, pl. 11, fig. L 1-2 (sold.).

asutitermes (*Nasutitermes*) *torquatus* Emerson 1928, p. 481, fig. 36, winged, sold., region of Stanleyville.

Winged, sold., work.

Belg. Congo.

Ethiopian.

asutitermes torresi (Hill).

utermes torresi Hill 1942, pp. 303-305, figs. 223-225 (im., sold.), im., sold., work., Torres Strait: Thursday Isl.

Holotype: sold.; morphotype: winged, work., C.S.I.R. coll.

Winged, sold., work.

Thursday Isl.

Papuan.

asutitermes 13-articulatus (*tredecimarticulatus*) (Holmgren).

utermes (*Eutermes*) *13-articulatus* Holmgren 1910b, p. 256, queen, sold., work., fig. 37 (queen), Ecuador.

Type: Mus. Berlin.

Queen, sold., work.

Ecuador.

Neotropical.

asutitermes triodiae (Froggatt).

utermes triodiae Froggatt 1897, p. 745, sold., work. (imago is *Termes*), West. Australia (Hall's Creek); Hill 1942, pp. 269-273, figs. 175-176 (sold.), im., sold., work., syn., loc.

utermes pyriformis Froggatt 1897, p. 750, fig. 10, sold., work., No. Terr.

utermes (*Eutermes*) *pyriformis* Desneux 1904e, p. 44.

utermes pyriformis Mjöberg 1920, p. 37, fig. 23 (sold.).

utermes nigerrimus Mjöberg 1920, pp. 37-38, figs. 13-17, pl. 4, fig. 2, im., sold., work., W. Australia.

utermes nigerrimus var. *queenslandicus* Mjöberg 1920, p. 43, Queensland.

utermes palmerstoni Hill 1922a, pp. 148-151, queen, sold., work., No. Terr.

Hololectotype: sold.; morpholectotype: work.; and morphotype: im., C.S.I.R. coll.

Winged, queen, sold., work.

W. Australia, No. Terr.,

Queensland, Torres Strait:

Banks Isl., Mulgrave Isl.

Australian.

Nasutitermes ueleensis (Sjöstedt).

Eutermes (*Eutermes*) *ueleensis* Sjöstedt 1924c, p. 494, nasutus, Belg. Congo, Haut Uél. Moto; 1926, p. 317, nasutus, work.

Sold., work.

Congo.

Ethiopia

Nasutitermes usambarensis (Sjöstedt).

Eutermes usambarensis Sjöstedt 1904, p. 103, nasutus, work., E. Africa: Usambara; 1926, p. 322.

Sold., work.

E. Africa: Usambara.

Ethiopia

Nasutitermes voeltzkowi (Wasmann).

Eutermes mauritianus Wasmann 1910a, p. 125, sold., work., Isl. Mauritius.

Type: Oxford (Hopes coll.).

Eutermes Voeltzkowi Wasmann 1911, p. 128, syn.; 1911a, p. 167, syn.

Eutermes voeltzkovi Holmgren 1911, p. 550, *mauritianus* preoccupied by *mauricianus* Rambur 1842; Sjöstedt 1926, p. 311, syn., loc.

Eutermes mauritianus subsp. *minor* Wasmann 1910a, p. 125, sold., work., Mauritius.

Nasutitermes (*Nasutitermes*) *voeltzkowi* subsp. *wasmanni* Emerson 1928, p. 416.

Sold., work.

Isl. Mauritius.

Malagas

Nasutitermes walkeri (Hill).

Eutermes walkeri Hill 1942, pp. 305-307, figs. 226-227 (sold.), im., sold., work., Sydney, Queensland, New Zealand: Hawks Bay, introduced.

Holotype: sold.; morphotype: winged, work., C.S.I. coll.

Winged, sold., work.

N. S. Wales, Queensland, New Zealand.

Australia

Nasutitermes wheeleri Emerson.

Nasutitermes (*Nasutitermes*) *wheeleri* Emerson 1925, pp. 391-392, fig. 60 (sold.), winged nymph, sold., Kartabo, Brit. Guiana.

Holotype: sold., N. Y. Zool. Soc.; paratypes: A.M.N.H. U.S.N.M.

Winged nymph, sold.

Brit. Guiana.

Neotropics

ROTUNDITERMES

Genus *Rotunditermes* Holmgren.

Generitype: *Rotunditermes rotundiceps* (Holmgren).

=Subgenus *Rotunditermes* (*Eutermes*) Holmgren 1910b, pp. 208, 218; 1912, pp. 59-61, 6

=Genus *Rotunditermes* Light 1930a, p. 16.

Rotunditermes rotundiceps (Holmgren).

Eutermes rotundiceps Holmgren 1906, p. 591, im., sold., work., fig. S 1 (im.), T 1 (sold.). Peru: Chaquimayo (Carabaya).

Termes (*Rotunditermes*) *rotundiceps* Holmgren 1910b, p. 301, im., sold., work., fig. 70a (im.), b, c (sold.); 1912, p. 67, fig. 44 (sold.), pl. 3, fig. 15 (sold.), fig. 16 (im.).

Winged, sold., work.

iru. Neotropical.

HAVILANDITERMES

Genus *Havilanditermes* Light.

Generitype: *Havilanditermes atripennis* (Haviland).

Subgenus *Havilanditermes* (*Nasutitermes*) Light 1930a, pp. 46-49.

Havilanditermes atripennis (Haviland).

Termes atripennis Haviland 1898, p. 423, im., sold., work., Borneo: Sarawak.

Type: No. 427.

Termes atripennis Holmgren 1912, p. 67, fig. 39, pl. 3, fig. 2 (sold.); 1913b, p. 164, im., sold., work.¹⁻², pl. 7, fig. 24 (sold.).

Nasutitermes (*Havilanditermes*) *atripennis* Light 1930a, pp. 46-49, pl. 6, figs. 1-2, pl. 7, figs. 2-3, pl. 8, figs. 2, 10, 13, sold., work. (subgenus based on sold., work.).

Nasutitermes (*Havilanditermes*) *atripennis* Light and Wilson 1936, pp. 479-480, fig. 7 (sold.).

Termes (*Eutermes*) *duplex* Holmgren 1913-14, pp. 254-256, pl. 7, fig. 16, sold.¹⁻², work., Central Sumatra.

Termes duplex John 1925, p. 393, loc., Sumatra.

Winged, sold.¹⁻², work.¹⁻²

iru, Sumatra. Indo-Malayan.

TUMULITERMES

Genus *Tumulitermes* Holmgren.

Generitype: *Tumulitermes tumuli* (Froggatt).

Subgenus *Tumulitermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 64.

Tumulitermes apiocephalus (Silvestri).

Termes apiocephalus Silvestri 1909, p. 306, pl. 21, figs. 196-200, nymph, sold., work., W. Australia.

Termes apiocephalus Hill 1925a, pp. 216-217, pl. 24, figs. 17-20, winged, queen, S. W. Australia; 1942, pp. 205-207, im., sold., work., figs. 101-103 (im., sold.), syn., loc., W. Australia, N. S. Wales.

Morphotype: winged, Nat. Mus., Melbourne.

Termes (*Tumulitermes*) *aagaardi* Mjöberg 1920, p. 55, sold., work., figs. 18a, 27 (sold.), W. Australia.

Winged, queen, sold., work.

W. Australia, Queensland, N. S.

Wales. Australian.

Tumulitermes comatus (Hill).

Termes comatus Hill 1942, pp. 281-282, figs. 189-190, sold., work., Queensland: Magnetic Isl.

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Id., work.

Queensland, W. Australia. Australian.

Tumulitermes curtus (Hill).

Eutermes curtus Hill 1942, pp. 282-284, figs. 191-192 (sold.), sold., work., Queensland: Mareeba.

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

Queensland.

Australian

Tumulitermes dalbiensis (Hill).

Eutermes dalbiensis Hill 1942, pp. 284-285, figs. 193-194 (sold.), sold., work., Queensland: Dalby.

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

Queensland.

Australian

Tumulitermes hastilis (Froggatt).

Eutermes hastilis Froggatt 1897, p. 751, im., sold., work., pl. 35, fig. 7, Queensland: Mackay.
Termes (Eutermes) hastilis Desneux 1904e, p. 42 (syn.).

Eutermes hastilis Mjöberg 1920, pp. 34, 36, sold.; Hill 1942, pp. 227-231, figs. 123-125 (sold.), syn., loc.

Holotype: winged; morpholectotype: sold., work., Hill coll.

Eutermes fieldi Hill 1923 (in part, imago), pp. 43-46, figs. 8-10, Central Australia. Winged, sold., work.

Queensland, No. Terr., W. Australia.

Australian

Tumulitermes kershawi (Hill).

Eutermes kershawi Hill 1942, pp. 288-289, figs. 200-201 (sold.), sold., work., W. Australia: Forrest.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

W. Australia, N. S. Wales.

Australian

Tumulitermes marcidus (Hill).

Eutermes marcidus Hill 1942, pp. 290-291, figs. 202-203 (sold.), queen, sold., work., Torres Strait: Banks Isl., Queensland: Cape York.

Holotype: sold.; morphotype: dealated adult, C.S.I.R. coll.

Queen, sold., work.

Torres Strait; Cape York, Queensland.

Australian

Tumulitermes mareebensis (Hill).

Eutermes (Tumulitermes) apiocephalus Mjöberg 1920, p. 57 (sold.), pl. 2, fig. 8 (sold.), Queensland.

- Termites mareebensis* Hill 1922a, pp. 151-152, figs. 17-20, sold., work., Mareeba, No. Queensland; 1929, pp. 90-92, pl. 14, figs. 7-8, text fig. 1b, winged, N. Queensland; 1942, pp. 239-242, figs. 137-139 (im., sold.), syn., loc.
Holotype: winged; morphotype: sold.¹, work., Nat. Mus., Melbourne; morphotype: sold.², C.S.I.R. coll.
Winged, sold.¹⁻², work.
Queensland. Australian.
- Termitermes nichollsi* (Hill).
Termites nichollsi Hill 1942, pp. 291-293, figs. 204-205 (sold.), sold., work., W. Australia: Yalgoo.
Holotype: sold.; morphotype: work., C.S.I.R. coll.
Sold., work.
Australia. Australian.
- Termitermes pastinator* (Hill).
Termites pastinator Hill 1915, p. 100, pl. 19, figs. 6-7, winged, sold., work., No. Terr.; 1942, pp. 253-257, figs. 155-157 (im., sold.), syn., loc.
Holotype: sold.; morphotype: winged and work., Nat. Mus., Melbourne.
- Termites Tyrici* Mjöberg 1920, p. 59, fig. 29a-b (sold.), pl. 3, fig. 1 (nest), sold., work., Queensland.
- Termites tribulis* Hill (in part) 1923, p. 46, figs. 17-21, queen, sold., work., Central Australia; queen not *pastinator*.
Winged, sold., work.
No. Terr., Queensland, W. Australia. Australian.
- Termitermes peracutus* (Hill).
Termites peracutus Hill 1925a, pp. 219-221, pl. 24, figs. 25-26, sold., work., W. Australia; 1942, pp. 257-259, figs. 158-159 (sold.), syn., loc.
Holotype: sold.¹; morphotype: sold.², work., Nat. Mus., Melbourne.
Sold.¹⁻², work.
Australia, N. S. Wales. Australian.
- Termitermes petilus* (Hill).
Termites petilus Hill 1942, pp. 294-296, figs. 208-211 (sold.¹⁻²), sold.¹⁻², work., W. Australia: Tammin.
Holotype: sold.¹; morphotype: sold.², work., C.S.I.R. coll.
Sold.¹⁻², work.
Australia. Australian.
- Termitermes pulleinei* (Mjöberg).
Termites (Trinervitermes) Pulleinei Mjöberg 1920, p. 57, pl. 2, fig. 10, text figs. 21b, 26a, 28, sold.¹⁻², work., Queensland: Cedar Creek.
Termites pulleinei Hill 1942, pp. 263-265 (sold.¹⁻²), syn., loc.
Cotypes: Nat. Hist. Mus., Stockholm.
Sold.¹⁻², work.
Queensland. Australian.

Tumulitermes recalvus (Hill).

Eutermes recalvus Hill 1942, pp. 297-299, figs. 214-217 (sold.¹⁻²), sold., work., Queensland Homestead, loc.

Holotype: sold.¹; morphotype: sold.², work., C.S.I. coll.

Sold.¹⁻², work.

Queensland, N. S. Wales.

Australia

Tumulitermes subaquilus (Hill).

Eutermes subaquilus Hill 1942, pp. 302-303, figs. 221-222 (sold.), sold., work., W. Australia: Narrogin.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

W. Australia.

Australia

Tumulitermes tumuli (Froggatt).

Eutermes tumuli Froggatt 1897, pp. 747-749, pl. 35, fig. 9, winged, sold., work. (winged *Termes kalgoorliensis* (Hill)), W. and Central Australia, Kalgoorlie (W. Australia).

Termes (*Eutermes*) *tumuli* Desneux 1904e, p. 46, syn.

Eutermes tumuli Silvestri 1909, p. 307, pl. 21, figs. 201-202; Mjöberg 1920, pp. 36, 55, so

Eutermes (*Tumulitermes*) *tumuli* Holmgren 1912, p. 64, pl. 3, fig. 12 (im.), fig. 13 (sold)

Eutermes tumuli Hill 1925a, p. 221, sold.; 1928, p. 45, sold. only; 1942, pp. 273-277, figs. 177-181 (im., sold.¹⁻²), im., sold., work., syn., loc.

Holotype: sold.¹; morphotype: work.; morphotype: winged and sold.², C.S.I.R. coll.

Winged, sold.¹⁻², work.

W., So. and Central Australia.

Australia

Tumulitermes westraliensis (Hill).

Eutermes westraliensis Hill 1921a, p. 454, figs. 51-56, sold., work., W. Australia: Gosnell 1925a, p. 217, pl. 24, figs. 21-24, winged; 1942, pp. 273-279, figs. 182-185 (im., sold.), syn., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, sold., work.

W. Australia.

Australia

OCCASITERMES

Genus *Occasitermes* Holmgren.

Generitype: *Occasitermes occasus* (Silvestri).

=Subgenus *Occasitermes* (*Eutermes*) Holmgren 1912, pp. 59-60, 64.

Occasitermes occasus (Silvestri).

Eutermes occasus Silvestri 1909, p. 307, pl. 21, figs. 203-220, winged, sold., work., W. Australia: Collie.

Eutermes (*Occasitermes*) *occasus* Holmgren 1912, p. 64, pl. 3, fig. 7 (im.), fig. 17 (sold)

Eutermes occasus Mjöberg 1920, p. 36, sold.

Winged, sold., work.

W. Australia.

Australia

PARVITERMES

genus *Parvitermes* Emerson, n. gen.

Generitype: *Parvitermes brooksi* (Snyder).

<ubgenus *Tenuirostritermes* Snyder 1924d, p. 131; 1925e, p. 106; 1926d, p. 43; Hare 1931, pp. 597, 602, 606.

<enus *Constrictotermes* Banks 1919, pp. 489, 487.

<ubgenus *Agnathotermes* Snyder 1926d, pp. 41-42, syn.; Emerson 1928, p. 407.

P.vitermes brooksi (Snyder).

Nutitermes (*Tenuirostritermes*) *brooksi* Snyder 1925e, pp. 105-106, figs. 1-2, sold., Cuba: Soledad (Cienfuegos).

Type: sold., M.C.Z. No. 15067; paratype: sold., U.S.N.M.

S.l.

C.a.

Neotropical.

P.vitermes discolor (Banks).

Constrictotermes discolor Banks 1919, p. 489, pl. 2, figs. 20, 27 (sold.), Porto Rico: Adjuntas.

Type: sold., A.M.N.H.; paratype: sold., M.C.Z. No. 10084.

S.l.

Porto Rico.

Neotropical.

P.vitermes flaveolus (Banks).

Constrictotermes flaveolus Banks 1919, p. 488, pl. 2, figs. 16, 26 (sold.), Haiti: Petionville.

Type: sold., M.C.Z. No. 10083.

S.l.

Hti.

Neotropical.

P.vitermes laticephalus (Snyder).

Nutitermes (*Tenuirostritermes*) *laticephalus* Snyder 1926d, p. 43, pl. 3, figs. 7-8, sold., Bolivia: Covendo.

Type: sold., U.S.N.M. No. 27661.

Nutitermes (*Tenuirostritermes*) *laticeps* Snyder 1926d, pl. 3, figs. 7-8, sold. (misspelling).

S.l.

Bivia.

Neotropical.

P.vitermes pallidiceps (Banks).

Constrictotermes pallidiceps Banks 1919, p. 487, pl. 2, figs. 14, 22 (sold.), Haiti: Port au Prince.

Nutitermes (*Agnathotermes*) *pallidiceps* Snyder 1926d, p. 42, syn.

Type: sold., M.C.Z. No. 10081.

S.l.

Hti.

Neotropical.

P.vitermes wolcotti (Snyder).

Nutitermes (*Tenuirostritermes*) *wolcotti* Snyder 1924d, pp. 131-132, figs. 1-2, sold., Porto Rico: Boqueron.

Type: sold., U.S.N.M. No. 26757.

S.l.

Porto Rico.

Neotropical.

OBTUSITERMES

Genus *Obtusitermes* Snyder.

Generitype: *Obtusitermes panamae* (Snyder).

=Subgenus *Obtusitermes* (*Nasutitermes*) Snyder 1924, p. 20.

><Subgenus *Agnathotermes* Snyder 1926d, pp. 41-42.

Obtusitermes aequalis (Snyder).

Nasutitermes (*Obtusitermes*) *aequalis* Snyder 1924, p. 22, sold.¹, work., Cuba: Camagüey.
Type: sold., U.S.N.M. No. 26489.

Nasutitermes (*Agnathotermes*) *aequalis* Snyder 1926d, p. 42, syn.

Sold.¹

Cuba.

Neotropical

Obtusitermes panamae (Snyder).

Nasutitermes (*Obtusitermes*) *biformis* Snyder 1924, pp. 20-22, pl. 1, figs. 1-4, sold.¹⁻², work., Panama.
Rep. Panama.

Type: sold., U.S.N.M. No. 26369.

Nasutitermes (*Obtusitermes*) *biformis* Snyder 1924e, p. 196; 1925, pp. 190-191, 193, dealated adult, Barro Colorado Isl., C. Z.

Nasutitermes (*Obtusitermes*) *panamae* Snyder 1925d, p. 89 (*biformis* preoccupied, changed to *panamae*); 1926, p. 28, sold., work., Rio de Janeiro, Colombia.

Dealated, sold.¹⁻², work.

Panama; Canal Zone; Colombia.

Neotropical

DIVERSITERMES

Genus *Diversitermes* Holmgren.

Generitype: *Diversitermes diversimilis* (Silvestri).

>Subgenus *Diversitermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 64.

<Subgenus *Constrictotermes* (*Eutermes*) Holmgren 1910b, pp. 208, 216, 218.

>Subgenus *Diversitermes* Snyder 1926d; Emerson 1928, p. 407; Hare 1931, pp. 595, 600, 602, 606.

Diversitermes castaniceps (Holmgren).

Eutermes (*Constrictotermes*) *castaniceps* Holmgren 1910b, p. 306, im., sold.¹⁻³, work., Brazil: Blumenau.

Type: Mus. Berlin.

Eutermes (*Diversitermes*) *castaniceps* Holmgren 1912, p. 64.

Nasutitermes (*Diversitermes*) *castaniceps* Snyder 1926d, p. 39, Bolivia.

Eutermes castaniceps John 1920, p. 231, fig. 2, sold., Paraguay: Alto Parana.

Winged, sold.¹⁻³, work.

Brazil, Bolivia, Paraguay.

Neotropical

Diversitermes diversimilis (Silvestri).

Eutermes diversimilis Silvestri 1901, p. 7, im., Paraguay: Paraguari; 1903, p. 90, sold.¹⁻², work., fig. 24 (wings), pl. 4, figs. 18-19 (im.), figs. 185-186 (sold.¹), figs. 187-188 (sold.¹), fig. 189, work.

- Termites* (*Eutermes*) *diversimilis* Desneux 1904e, p. 42, syn., loc.
Constrictotermes (*Constrictotermes*) *diversimilis* Holmgren 1910b, p. 303, im., sold.¹⁻³, work., fig. 71a (im.), b-g (sold.¹⁻³).
Diversitermes (*Diversitermes*) *diversimilis* Holmgren 1912, p. 64, figs. 18-19, sold.¹⁻², im.
Putitermes (*Diversitermes*) *diversimilis* Snyder 1926d, p. 39, loc. winged, sold.¹⁻³, work.
 Paraguay, Brazil, Bolivia, Argentina. Neotropical.
- Diversitermes melanocephalus* (Snyder).
Putitermes (*Diversitermes*) *melanocephalus* Snyder 1926d, p. 35, queen, sold.¹⁻³, figs. 5-6, Rosario, Bolivia.
 Type: queen, U.S.N.M. No. 27658.
 Queen, sold.¹⁻³, work.
 Bolivia. Neotropical.
- Diversitermes uniformis* (Snyder).
Putitermes (*Velocitermes*) *uniformis* Snyder 1926d, p. 39, winged, sold.¹⁻², pl. 3, figs. 9-10 (sold.¹), 11-12 (sold.²), Rosario, Bolivia.
 Type: winged male, U.S.N.M. No. 27659; morphotype: sold.
 Winged, sold.¹⁻²
 Bolivia. Neotropical.
- Diversitermes velox* (Holmgren).
Termites velox Holmgren 1906, p. 595, sold.¹⁻², work., fig. V 1 (sold.¹), Bolivia: Mojos (Caupolicán) var. Peru: Chaquimayo (Carabaya).
Termites (*Constrictotermes*) *velox* Holmgren 1910b, p. 309, sold.¹⁻², fig. 73a-x (sold.¹⁻²).
Termites (*Velocitermes*) *velox* Holmgren 1912, pp. 65, 67, fig. 42, pl. 3, fig. 27a-b (sold.¹⁻²).
Putitermes (*Diversitermes*) *velox* Hare 1931, p. 594, sold.¹⁻², work., p. 596, pl. 3 (sold.), Urucum de Corumbá, Matto Grosso, Brazil.
 Cotype: sold., work., M.C.Z. No. 19101.
 Sold.¹⁻³, work.
 Bolivia, Peru, Brazil. Neotropical.

BULBITERMES

Genus *Bulbitermes* Emerson, n. gen.

Generitype: *Bulbitermes constrictus* (Haviland).

- Genus *Termes* (section with *T. singaporiensis* for type) Haviland 1898, pp. 379, 426.
 Subgenus *Eutermes* (*Eutermes*) Holmgren 1912, pp. 59, 62; 1913-14, p. 256 (*constrictus* group).
 Genus *Eutermes* Kemner 1934, p. 122.

Bulbitermes borneensis (Haviland).

Termes borneensis Haviland 1898, p. 426, im., sold., work., Borneo: Sarawak.

Type: No. 272.

Termites (*Eutermes*) *borneensis* Holmgren 1913b, p. 175, im., sold., work.

Winged, sold., work.

Borneo.

Indo-Malayan.

Bulbitermes constrictiformis (Holmgren).

Eutermes (*Eutermes*) *constrictiformis* Holmgren 1913-14, pp. 259-260, im., sold., work.¹⁻²
Sumatra, Malacca.

Eutermes (*Eutermes*) *latinasus* Holmgren 1913-14, p. 260, sold., work.¹⁻², pl. 7, fig. 30
(sold.), Bandar Baroe, Central Sumatra.

Winged, sold., work.¹⁻²
Sumatra, Malacca.

Indo-Malaya

Bulbitermes constrictoides (Holmgren).

Eutermes (*Eutermes*) *constrictoides* Holmgren 1913b, p. 164, sold., descr. in key; 1914,
pp. 257-258, sold., work.¹⁻², Sumatra; John 1925, p.
393-394, loc.

Eutermes constrictoides Kemner 1934, p. 131.
Sold.¹⁻², work.
Sumatra, Java.

Indo-Malaya

Bulbitermes constrictus (Haviland).

Termes constrictus Haviland 1898, p. 421, Borneo: Sarawak.
Type: No. 292.

Eutermes (*Eutermes*) *constrictus* Holmgren 1913b, p. 172, im., sold., work., pl. 7, fig. 11
(sold.).

Winged, sold., work.
Borneo.

Indo-Malaya

Bulbitermes flavicans (Holmgren).

Eutermes (*Eutermes*) *flavicans* Holmgren 1913b, p. 173, sold., work., pl. 7, fig. 11 (sold.).
Borneo (Sarawak); 1913-14, pp. 261-262, sold., work.,
Malacca; John 1925, p. 394, loc.

Sold., work.
Borneo, Malacca.

Indo-Malaya

Bulbitermes gedéensis (Kemner).

Eutermes gedéensis Kemner 1934, pp. 135-137, fig. 34, sold., W. Java: Tjibodas.
Sold.

Java.

Indo-Malaya

Bulbitermes germanus (Haviland).

Termes germanus Haviland 1898, p. 430, im., sold., work., Malay Pen.: Singapore, F. M. S.
Timah.

Type: No. 20.

Eutermes (*Eutermes*) *germanus* Holmgren 1913b, p. 180, im., sold., work.; John 1925,
pp. 396-397, pls. 22, 26, queen, sold., work., loc.

Im., queen, sold., work.
Malay Peninsula.

Indo-Malaya

Bulbitermes kraepelini (Holmgren).

Eutermes (*Eutermes*) *kraepelini* Holmgren 1913b, p. 174, sold., work., pl. 7, fig. 14 (sold.).
Singapore, Mus. Hamburg; 1913-14, p. 262, im.,
queen, sold., work., Sumatra; John 1925, p. 394, loc.

Im.-queen, sold., work.
Singapore, Sumatra.

Indo-Malaya

Albitermes nasutus (Holmgren).

Termites (*Eutermes*) *nasutus* Holmgren 1913-14, pp. 258-259, sold., work.¹⁻², Sumatra.
 Sold., work.¹⁻²
 Sumatra. Indo-Malayan.

Albitermes neopusillus Snyder and Emerson, new name.

Termites (*Eutermes*) *pusillus* Holmgren 1913-14, pp. 256-257, sold., work.¹⁻², Java; pre-occupied by *Termites* (*Eutermes*) *pusillus* Heer 1849, p. 35, fossil now *Glyptotermes*; John 1925, p. 393, loc.
Nasutitermes (*Nasutitermes*) *pusillus* ? Light 1937, pp. 23-24, im., sold., Java: Depok.
 Winged, sold., work.¹⁻²
 Java, Sumatra. Indo-Malayan.

Albitermes perpusillus (John).

Termites (*Eutermes*) *pusillus* form *perpusillus* John 1925, p. 393, sold., Singapore, Bukit Timah.
 Sold.
 Malay Peninsula. Indo-Malayan.

Albitermes rosae (Kemner).

Termites *Rosae* Kemner 1934, pp. 137-138, fig. 35 (sold.), Java: near Buitenzorg.
 Sold.
 Java. Indo-Malayan.

Albitermes salakensis (Kemner).

Termites *salakensis* Kemner 1934, pp. 132-133, fig. 32/1 (im.), 32/2-5 (sold.), West Java.
 Winged, sold.
 Java. Indo-Malayan.

Albitermes sarawakensis (Haviland).

Termites *sarawakensis* Haviland 1898, p. 429, im., sold., work., Borneo: Sarawak.
 Type: No. 265.

Eutermes (*Eutermes*) *sarawakensis* Holmgren 1913b, p. 177, im., sold., work., pl. 7, fig. 19 (sold.); 1913-14, p. 264, sold., work., Malacca; John 1925, pp. 385-386, pls. 20, 14-16, winged, queen, sold., work., loc.

Winged, queen, sold., work.
 Borneo, Malacca, Sumatra. Indo-Malayan.

Albitermes singaporiensis (Haviland).

Termites *singaporiensis* Haviland 1898, p. 429, im., sold., work., Malay Pen.: Singapore.
 Type: No. 98.

Eutermes *singaporiensis* Wasmann 1902b, p. 137, loc. ? Ceylon: Trincomali, Kanthalay-See.

Termites (*Eutermes*) *singaporiensis* Holmgren 1913b, p. 179, im., sold., work., loc.; 1913-14, p. 264; John 1925, p. 396, pls. 21, 18, queen, sold., work., loc.

Winged, queen, sold.¹⁻², work.
 Singapore, Sumatra, Borneo,
 Ceylon. Indo-Malayan.

Bulbitermes subulatus (Holmgren).

Eutermes (*Eutermes*) *subulatus* Holmgren 1913-14, p. 261, sold., work.¹⁻², Sumatra; Jol
1925, p. 394, W. and Central Sumatra.

Sold., work.
Sumatra.

Indo-Malaya

Bulbitermes vicinus (Kemner).

Eutermes vicinus Kemner 1934, pp. 133-135, fig. 33 (im.), im., sold., Depok near Buite
zorg, Java.

Winged, sold.
Java.

Indo-Malaya

COARCTOTERMES

Genus *Coarctotermes* Holmgren.

Generitype: *Coarctotermes clepsydra* (Sjöstedt).

>Subgenus *Coarctotermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 65 (p. 61 in key mi
spelled *Coarctatotermes*).

>Genus *Coarctotermes* Fuller 1922, p. 117.

>Genus *Coarctotermes* Sjöstedt 1926, p. 354.

Coarctotermes clepsydra (Sjöstedt).

Eutermes clepsydra Sjöstedt 1904, p. 108, nasutus, work.¹⁻², Madagascar: Fianarantsoa
Bara-Land.

Eutermes (*Coarctotermes*) *clepsydra* Holmgren 1912, p. 65, pl. 3, fig. 11 (sold.).

Coarctotermes clepsydra Sjöstedt 1926, p. 356, fig. 78 (sold.), syn., loc.

Neotenes, sold., work.¹⁻²

Madagascar.

Malagas

Coarctotermes coarctatus (Sjöstedt).

Eutermes coarctatus Sjöstedt 1902b, p. 304, sold., work., Brit. Central Africa: Zomba.
Type: Mus. Cambridge and Stockholm.

Eutermes (*Coarctotermes*) *coarctatus* Holmgren 1912, p. 65.

Coarctotermes coarctatus Fuller 1922, p. 118, imago, Bulawayo, Rhodesia; Sjöstedt 19
pp. 355-356, fig. 79 (sold.), pl. 11, fig. O 1-2 (sold.
syn., loc.

Winged, sold.², work.

Nyassaland: Zomba; S. W.

Africa: Kalkfeld; Rhodesia:

Bulawayo.

Ethiopia

Coarctotermes contractus (Sjöstedt).

Eutermes contractus Sjöstedt 1913a, p. 384, nasutus¹⁻², work., S. E. Congo: Welgeleg
(Katanga).

Type: Mus. Tervueren and Stockholm.

Coarctotermes contractus Fuller 1922, p. 117, im., Transvaal: DeWildt and Warmbath
Bulawayo; Sjöstedt 1926, pp. 356-357, syn., loc.

Winged, queen, nasutus¹⁻², work.

Congo; Transvaal, So. Africa.

Ethiopia

Curctotermes doriae (Silvestri).

Etermes Doriae Silvestri 1912, p. 242, nymph, sold., work., fig. 14 (sold.), Isl. Fernando Po: Basile.

Etermes (*Hospitalitermes*) *Doriae* Holmgren 1912, p. 65.

Curctotermes Doriae Sjöstedt 1926, p. 358, syn., loc.

Fig, sold., work.

Fernando Po; Cameroon: Victoria; Gold Coast: Aburi.

Ethiopian.

Curctotermes mallyi (Fuller).

Truirostritermes mallyi Fuller 1922, p. 115, im., sold., work.¹⁻², Cape: Malmsbury.

Etermes Mallyi Sjöstedt 1926, p. 310, syn., loc.

Winged, sold., work.¹⁻²

South Africa.

Ethiopian.

Curctotermes suffuscus (Emerson).

Nasutitermes (*Coarctotermes*) *suffuscus* Emerson 1928, p. 496, fig. 45 (sold.), Congo: near Yakuluku.

Holotype: sold., A.M.N.H.

Curctotermes coarctatus Sjöstedt 1926b, p. 160, imago, Congo.

Winged, sold., work.

Eg. Congo.

Ethiopian.

Curctotermes tenebricus (Silvestri).

Etermes tenebricus Silvestri 1914-15, p. 44, figs. 241-249, im., sold., work.¹⁻², French Guinea: Kakoulima.

Curctotermes tenebricus Sjöstedt 1926, p. 355, queen, sold., work.¹⁻², syn., loc.

Queen (im.), sold., work.¹⁻²

French Guinea, So. Nigeria: Olo-emeji.

Ethiopian.

VELOCITERMES

Genus *Velocitermes* Holmgren.

Generitype: *Velocitermes heteropterus* (Silvestri).

<Subgenus *Velocitermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 65.

<Subgenus *Constrictotermes* (*Eutermes*) Holmgren 1910b, pp. 208, 218.

<Genus *Constrictotermes* Banks 1919, p. 487.

>Subgenus *Uniformitermes* (*Nasutitermes*) Snyder 1925, pp. 191-192; Emerson 1928, p. 407; Hare 1937, p. 477.

>Subgenus *Velocitermes* Snyder 1926d, p. 39.

><Subgenus *Velocitermes* Emerson 1928, p. 407; Hare 1937, p. 477.

Velocitermes antillarum (Holmgren).

Etermes (*Constrictotermes*) *Antillarum* Holmgren 1910b, p. 310, im., sold., work., fig. 74a, im., b, c (sold.), San Domingo.

Etermes (*Velocitermes*) *Antillarum* Holmgren 1912, p. 65.

Constrictotermes antillarum Banks 1919, p. 487, Haiti: Diquini.

Winged, sold., work.

San Domingo, Haiti.

Neotropical.

Velocitermes barrocoloradensis (Snyder).

Nasutitermes (*Uniformitermes*) *barrocoloradensis* Snyder 1925, pp. 191-192, 193, fig. (sold.¹⁻²), Barro Colorado Isl., C. Z., Panama.

Type: major sold., U.S.N.M. No. 27270; morphotype minor sold.

Sold.¹⁻², work.

Canal Zone.

Neotropic

Velocitermes beebei (Emerson).

Nasutitermes (*Velocitermes*) *beebei* Emerson 1925, pp. 415-416, fig. 73, im., sold.¹⁻², Karta Brit. Guiana.

Holotype: sold.¹; morphotypes: sold.² and winged, N. Zool. Soc.

Winged, sold.¹⁻², work.

Brit. Guiana.

Neotropic

Velocitermes heteropterus (Silvestri).

Eutermes heteropterus Silvestri 1901, p. 7, im., Paraguay: Tacurù Pucù, Villa Rica Coxipò; 1903, p. 93, im., sold.¹⁻², work., fig. 26 (wing pl. 4, figs. 197-198 (im.), figs. 199-200 (sold.¹), 202 (sold.²), 203 (work.), Paraguay, Brazil.

Termes (*Eutermes*) *heteropterus* Desneux 1904e, p. 42 (syn.).

Eutermes (*Constrictotermes*) *heteropterus* Holmgren 1910b, p. 307, im., sold., work., fig. 7 (im.), b, c (sold.).

Eutermes (*Velocitermes*) *heteropterus* Holmgren 1912, p. 65, pl. 3, fig. 26 (im.).

Eutermes heteropterus John 1920, p. 232, Brazil: Matto Grosso.

Winged, sold.¹⁻², work.

Paraguay, Brazil: Coxipò (Cuyabà).

Neotropic

Velocitermes toussainti (Banks).

Constrictotermes toussainti Banks 1919, p. 488 (sold.), pl. 2, figs. 19, 24 (sold.), Haiti Milot.

Type: sold., M.C.Z. No. 10082.

Sold.

Haiti.

Neotropic

TENUIROSTRITERMES

(Thin beak)

Genus *Tenuirostritermes* Holmgren.

Generitype: *Tenuirostritermes tenuirostris* (Desneux).

=Subgenus *Tenuirostritermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 65.

<Subgenus *Constrictotermes* (*Eutermes*) Holmgren 1910b, pp. 208, 218.

<Genus *Constrictotermes* Banks (and Snyder) 1920, pp. 69, 82.

=Genus *Tenuirostritermes* Fuller 1922, p. 115.

?Genus (*Nasmannia auropunctata* Roger).

Tenuirostritermes briciae (Snyder).

Constrictotermes (*Tenuirostritermes*) *briciae* Snyder 1922, pp. 27-28, pl. 3, figs. 12-13, sc Lombardia, Spanish Honduras.

Type: sold., U.S.N.M. No. 24576.

Sold., work.

Spanish Honduras.

Neotropic

Tenuirostritermes cinereus (Buckley).

Termites cinereus Buckley 1863, p. 213, *nasutus*, work., San Saba County, Texas.

Termites (*Constrictotermes*) *cinereus* Holmgren 1910b, p. 315.

Termites (*Tenuirostritermes*) *cinereus* Holmgren 1912, p. 65.

Constrictotermes cinereus Banks (and Snyder) 1920, pp. 73-75, fig. 58, 1, queen, 59 (dist.).

Termites nigriceps Schwarz 1896, p. 40 (biol.).

Type: lost.

Texas.

Nearctic.

Tenuirostritermes incisus (Snyder).

Constrictotermes (*Tenuirostritermes*) *incisus* Snyder 1922, pp. 25-27, pl. 3, figs. 10-11, sold., San Pedro, Spanish Honduras.

Type: sold., U.S.N.M. No. 24575.

Sd.

Spanish Honduras.

Neotropical.

Tenuirostritermes tenuirostris (Desneux).

Termites tenuirostris Desneux 1904c, p. 288, sold., work., Sierra du Nayarit, Etat de Jalisco, Mex.

Termites (*Eutermes*) *tenuirostris* Desneux 1904e, p. 45 (syn.), pl. 2, fig. 11.

Termites tenuirostris Desneux 1906, p. 341, im., Texas, Fort Davis.

Termites (*Constrictotermes*) *tenuirostris* Holmgren 1910b, pp. 219, 312, im., sold., work., fig. 75a (im.), b, c (sold.), Texas and Arizona only.

Termites (*Constrictotermes*) *nigriceps* Holmgren 1910b, p. 211, im., p. 219, sold., p. 313, im., sold., work., fig. 76 (sold.), Arizona.

Termites (*Tenuirostritermes*) *tenuirostris* Holmgren 1912, p. 65, Arizona and Mexico only. Type not extant.

Termites (*Tenuirostritermes*) *nigriceps* Holmgren 1912, p. 65, pl. 3, fig. 25 (sold.), Arizona.

Constrictotermes tenuirostris Banks (and Snyder) 1920, p. 71, im., sold., p. 82, syn., figs. 54-2-3 (sold.), 55 (im.), 56 (dist.), 57 (work.), pl. 1, fig. 6, pl. 8, fig. 6, Ariz., Tex.

Pasutitermes (*Tenuirostritermes*) *tenuirostris* Snyder 1925b, p. 162, Guatemala.

Constrictotermes tenuirostris Handlirsch 1930 (fossil bibliog.), fig. 906, im., winged.

Termites (*Constrictotermes*) *tenuirostris* Handlirsch 1930 (fossil bibliog.), fig. 896, sold.

Pasutitermes (*Tenuirostritermes*) *tenuirostris* Hare 1931, pp. 596-597, sold., pl. 3d, Texas.

Pasutitermes (*Tenuirostritermes*) *tenuirostris* Light 1933, p. 131, im., fig. MP (sold.), Mexico: La Vinta, near Guadalajara.

Pasutitermes (*Tenuirostritermes*) *cinereus* Light 1934, p. 159, sold., Arizona only.

Tenuirostritermes tenuirostris Seevers 1939, pp. 427, 430, termitophiles, Arizona.

Type: sold. and work., Mus. Paris, Mus. Vienna.

Winged, sold., work.

Mexico, Texas, Arizona, [?Guatemala].

Nearctic, ?Neotropical.

CEYLONITERMES

Genus *Ceylonitermes* Holmgren.

Generitype: *Ceylonitermes escherichi* (Holmgren).

= Subgenus *Ceylonitermes* (*Eutermes*) Holmgren 1912, pp. 59-61, '64.

= Genus *Ceylonitermes* Light 1930a, p. 16.

Ceylonitermes escherichi (Holmgren).

Eutermes Escherichi Holmgren 1911c, p. 199, sold., Ceylon: Peradeniya.

Eutermes (Ceylonitermes) Escherichi Holmgren 1912, p. 64, pl. 3, fig. 14 (sold.); 1913, p. 189, sold., work., pl. 7, fig. 10 (sold.).

Sold., work.

Ceylon.

Indo-Malay.

GRALLATOTERMES

Genus *Grallatotermes* Holmgren.

Generitype: *Grallatotermes grallator* (Desneux).

=Subgenus *Grallatotermes (Eutermes)* Holmgren 1912, pp. 59-62, 65.

=Genus *Grallatotermes* Light 1930a, pp. 16-17, 19, 40.

Grallatotermes admirabilis Light.

Grallatotermes admirabilis Light 1930a, pp. 41-46, pl. 6, figs. 3, 4, 7, pl. 7, figs. 5-8, pl. 8, figs. 1, 4, 6, 7, 14, im., sold., work., Horns of Negros, Negros.

Type: Light coll.; paratype: U.S.N.M.

Grallatotermes admirabilis Light and Wilson 1936, pp. 477-478, fig. 5 (sold.).

Winged, sold., work.

Philippines (Negros).

Indo-Malay.

Grallatotermes grallator (Desneux).

Termes (Eutermes) grallator Desneux 1905, p. 374, sold., work., fig. 4 (sold.), New Guinea: Grajet Isl.

Eutermes grallator Holmgren 1911b, p. 463, remarks.

Eutermes (Grallatotermes) grallator Holmgren 1912, p. 65.

Sold., work.

New Guinea.

Papu.

Grallatotermes grallatoriformis (Holmgren, K. and N.).

Eutermes (Grallatotermes) grallatoriformis Holmgren, K. and N. 1917, p. 163, sold., work., Anamalai Hills, etc., South Kanara.

Sold., work.

India.

Indo-Malay.

Grallatotermes splendidus Light and Wilson.

Grallatotermes splendidus Light and Wilson 1936, pp. 478-479, figs. 5-6, sold., near Ilocos Casili, Luzon.

Sold.

Philippines (Luzon).

Indo-Malay.

Grallatotermes weyeri Kemner.

Grallatotermes weyeri Kemner 1931, pp. 46-50, dealated, sold., work., fig. 16 (sold.), Amboina and Saporoea.

Sold., work.

Amboina and Saporoea.

Papu.

LACESSITITERMES

Genus *Lacessititermes* Holmgren.

Generitype: *Lacessititermes lacessitus* (Haviland).

= subgenus *Lacessititermes* (*Eutermes*) Holmgren 1912, pp. 59-62, 65.

= Genus *Lacessititermes* Light 1930a, pp. 16-17, 19, 50.

Lacessititermes albipes (Haviland).

Eutermes albipes Haviland 1898, p. 435, im., sold., work., Borneo: Sarawak.

Type: No. 363.

Eutermes (*Lacessititermes*) *albipes* Holmgren 1913b, p. 203, pl. 7, fig. 41 (sold.).

Wged, sold., work.

Borneo.

Indo-Malayan.

Lacessititermes atrior (Holmgren).

Eutermes (*Lacessititermes*) *atrior* Holmgren 1912, p. 65, pl. 3, fig. 28 (im.), Borneo, Java;

1913b, p. 204, im., sold., work., pl. 7, fig. 41 (sold.),

Borneo: Bukit Timah, Java; 1913-14, p. 266, Malacca.

[Java records probably *batavus* Kemner.]

Wged, sold., work.

Borneo, Malacca.

Indo-Malayan.

Lacessititermes batavus Kemner.

Lacessititermes batavus Kemner 1934, pp. 148-153, fig. 41 (im.), fig. 42, substitute repro-

ductive form [as figured by Snyder in 1924 (biol.)],

fig. 43 (sold.), W. Java: Depok.

Eutermes (*Lacessititermes*) *atrior* Holmgren 1913, p. 204, Java records.

Lacessititermes atrior (misspelled *Lacessititermes*) Snyder 1924 (biol.), pl. 3, figs. 6-10 (reproductive form).

Eutermes (*Lacessititermes*) *sordidus* John 1925, pp. 401-402, im., queen, sold., work., Java.

Wged, substitute reprod., sold.,

work.

Java.

Indo-Malayan.

Lacessititermes breviarticulatus (Holmgren).

Eutermes (*Lacessititermes*) *breviarticulatus* Holmgren 1913b, p. 199, im., sold., Borneo.

Wged, sold.

Borneo.

Indo-Malayan.

Lacessititermes cuphus (Silvestri).

Eutermes (*Lacessititermes*) *cuphus* Silvestri, in Bathellier 1927, pp. 177-179, sold., work.,

Indo-China: Cana region of Nhatrang. [Not de-

scribed by Silvestri.]

So., work.

Indo-China.

Indo-Malayan.

Lacessititermes filicornis (Haviland).

Termes filicornis Haviland 1898, p. 433, im., sold., work., Borneo (Sarawak).

Type: No. 312.

Eutermes (*Lacessititermes*) *filicornis* Holmgren 1913b, p. 202, im., sold., work., pl. 7 (sold.).

Winged, sold., work.

Borneo.

Indo-Malay

Lacessititermes holmgreni Light and Wilson.

Lacessititermes holmgreni Light and Wilson 1936, pp. 469-471, alate, sold., fig. 3, Isl., Surigao Prov.

Winged, sold.

Philippines.

Indo-Malay

Lacessititermes jacobsoni Kemner.

Lacessititermes jacobsoni Kemner 1930, pp. 310-316, figs. 11-16, adult, sold.¹⁻², work. F de Kock, Sumatra.

Winged, sold.¹⁻², work.¹⁻³

Sumatra.

Indo-Malay

Lacessititermes laborator (Haviland).

Termes laborator Haviland 1898, p. 432, im. (dealated), sold., work., Malay Peninsula, Malacca.

Type: No. 535.

Eutermes (*Lacessititermes*) *laborator* Holmgren 1913b, p. 200, im., sold., work., pl. 7 (sold.); 1913-14, p. 266, Sumatra; John 1925, 401, pls. 16, 6, 21, 19-20, winged, queen, sold. loc. (Sumatra).

Winged, queen, sold., work.

Malay Pen. (Malacca), Sumatra.

Indo-Malay

Lacessititermes lacessitiformis (Holmgren).

Eutermes (*Lacessititermes*) *lacessitiformis* Holmgren 1913b, p. 198, im., sold., Borneo: Sarawak.

Winged, sold., work.

Borneo.

Indo-Malay

Lacessititermes lacessitus (Haviland).

Termes lacessitus Haviland 1898, p. 433, im. (queen), sold., work., Malay Pen.: Singapore

Type: No. 102.

Eutermes (*Lacessititermes*) *lacessitus* Holmgren 1912, p. 65, pl. 3, fig. 30 (sold.), 1913b, p. 197, im., sold., work., pl. 7, fig. 28

Winged, sold., work.

Malay Pen.: Singapore, Malacca.

Indo-Malay

Lacessititermes palawanensis (Light).

Lacessititermes (*Lacessititermes*) *palawanensis* Light 1930a, pp. 50-53, pl. 6, figs. 5-6; pl. 7, figs. 1, 4; pl. 8, figs. 3, 8, 9, 11-12, im., sold., work., Iwahig, Palawan.

Type: Light coll.

Lacessititermes palawanensis Light and Wilson 1936, pp. 467-469, fig. 2 (im., sold.).

Kinged, sold., work.

Philippines.

Indo-Malayan.

Lacessititermes piliferus (Holmgren).

Lacessititermes (*Lacessititermes*) *piliferus* Holmgren 1913b, p. 206, sold., work., Borneo.

Sold., work.

Borneo.

Indo-Malayan.

Lacessititermes ransoneti (Holmgren).

Lacessititermes (*Lacessititermes*) *ransoneti* Holmgren 1913b, p. 201, im., sold., work., pl. 7, fig. 32, sold., Malay Pen.: Singapore, Mus. Vienna.

Kinged, sold., work.

Malay Peninsula.

Indo-Malayan.

Lacessititermes sordidus (Haviland).

Lacessititermes *sordidus* Haviland 1898, p. 434, im., sold., work., Borneo: Sarawak.

Type: No. 261.

Lacessititermes (*Lacessititermes*) *sordidus* Holmgren 1913b, p. 205, im., sold., work., pl. 7, fig. 30 (sold.); John 1925, pp. 401-402, pls. 21, 17, loc. (not Java).

Kinged, sold., work.

Borneo.

Indo-Malayan.

LONGIPEDITERMES

Genus *Longipeditermes* Holmgren.

Generitype: *Longipeditermes longipes* (Haviland).

Subgenus *Longipeditermes* (*Eutermes*) Holmgren 1912, pp. 59-62, 65.

Longipeditermes longipes (Haviland).

Lacessititermes longipes Haviland 1898, p. 439, queen, sold.¹⁻², work., Malay Pen.: Perak, Borneo: Sarawak.

Lacessititermes longipes Wasmann 1902b, p. 131, subsp. of *monoceros*.

Lacessititermes (*Longipeditermes*) *longipes* Holmgren 1912, p. 67, fig. 40 (sold.), pl. 3, figs. 31a-b (sold.¹⁻²), loc.; 1913b, p. 215, im., sold., work., pl. 7, figs. 39a-b (sold.¹⁻²); John 1925, p. 406, sold., work., loc. [Wasmann 1902b incorrectly believed this species a subsp. of *Hospitalitermes monoceros*.]

Kinged, sold., work.

Malay Pen.: Perak, Malacca;

Borneo: Sarawak and Marudi.

Indo-Malayan.

CONSTRICOTERMES

Genus *Constrictotermes* Holmgren.

Generitype: *Constrictotermes cyphergaster* (Silvestri).

=Subgenus *Constrictotermes* (*Eutermes*) Holmgren 1910b, pp. 208, 218; 1912, pp. 59-62,
<Genus *Constrictotermes* Snyder 1922, p. 24.

Constrictotermes cavifrons (Holmgren).

Eutermes (*Constrictotermes*) *cavifrons* Holmgren 1910b, p. 318, sold., work., fig. 78 (sold.
Surinam; 1912, pp. 65, 67, fig. 43, sold. mandible.

Type: Holmgren coll.

Nasutitermes (*Constrictotermes*) *cavifrons* Emerson 1925, pp. 417-419, fig. 74 (im.), sc.,
Brit. Guiana; Snyder 1926d, p. 44, Bolivia.

Winged, sold., work.

Dutch and Brit. Guiana, Bolivia.

Neotropid

Constrictotermes cyphergaster (Silvestri).

Eutermes cyphergaster Silvestri 1901, p. 7, im., Brazil: Coxipò, Cuyabà, Urucùm, Corum,
1903, pp. 91-92, im., sold., work., fig. 25 (wings), p.
figs. 190-191 (im.), 192-194 (sold.), 195-196 (wo
[misspelled *cyphergarster*, *cyphergarter*].

Termes (*Eutermes*) *cyphergaster* Desneux 1904e, p. 41 (syn.).

Eutermes (*Constrictotermes*) *cyphergaster* Holmgren 1910b, p. 316, im., sold., work.,
77a (im.), b-c (sold.), loc.; 1912, p. 65, pl. 3, fig.
(sold.), fig. 23 (im.), loc.

Nasutitermes (*Constrictotermes*) *cyphergaster* Snyder 1926d, pp. 44-45 (redescriptio
Brazil.

Termes opacus Hagen 1858, p. 197, "arbeiter-nasutus," pl. 1, fig. 19 (sold.).

Termes reinhardhii Sørensen ms. 1884, Rio Grande, Brazil [winged and nasuti
M.C.Z. with Sørensen's described species under
ms. name *reinhardhii*].

Winged, sold., work.

Brazil, Paraguay, Bolivia.

Neotropid

Constrictotermes latinotus (Holmgren).

Eutermes (*Constrictotermes*) *latinotus* Holmgren 1910b, p. 318, im., work., Ecuador.

Type: Mus. Berlin.

Winged, work.

Ecuador.

Neotropid

HOSPITALITERMES

Genus *Hospitalitermes* Holmgren.

Generitype: *Hospitalitermes hospitalis* (Haviland).

=Subgenus *Hospitalitermes* (*Eutermes*) Holmgren 1912, pp. 59-62, 66.

=Genus *Hospitalitermes* Oshima 1923, p. 18.

=Genus *Hospitalitermes* Kemner 1930, p. 317; Light 1930a, pp. 16, 17, 19.

Hospitalitermes bicolor (Haviland).

Termes bicolor Haviland 1898, p. 439, sold., work., Malay Pen.: Singapore, Pulo Bra

Eurmes (*Hospitalitermes*) *bicolor* Holmgren 1913b, p. 209, sold., work., loc., pl. 7, fig. 42 (sold.) (not Java); John 1925, pp. 402-403, winged, sold., work., loc. E. Sumatra (not Java).

Wged, sold., work.

May Peninsula, Sumatra.

Indo-Malayan.

Hospitalitermes birmanicus (Snyder).

Natitermes (*Hospitalitermes*) *birmanicus* Snyder 1934a, pp. 15-16, fig. 8 (sold.), Hsipaw, Burma.

Cotypes: sold., Brit. Mus., U.S.N.M. No. 50170, and For. Res. Inst., Dehra Dun.

Sc.

Bina.

Indo-Malayan.

Hospitalitermes butteli (Holmgren).

Eurmes (*Hospitalitermes*) *butteli* Holmgren 1913-14, pp. 267-269, sold., work.¹⁻², Sumatra; John 1925, p. 405.

Sc., work.¹⁻²

Suatra.

Indo-Malayan.

Hospitalitermes diurnus Kemner.

Hospitalitermes diurnus Kemner 1934, pp. 154-157, fig. 44 (im.), fig. 45 (sold.), Semarang, middle Java.

Wged, sold.

Ja.

Indo-Malayan.

Hospitalitermes ferrugineus (John).

Eurmes (*Hospitalitermes*) *ferrugineus* John 1925, pp. 404-405, sold., work., E. Sumatra: Siak, Sungei Pinang.

Scl., work.

Suatra.

Indo-Malayan.

Hospitalitermes flaviventris (Wasmann).

Eurmes flaviventris Wasmann 1902b, p. 131, sold., work., pl. 4, fig. 9 (sold.), Malay Pen.: Berhention Tingi (Malacca).

Tones (*Eurmes*) *flaviventris* Desneux 1904e, p. 42 (syn.).

Eurmes (*Hospitalitermes*) *flaviventris* Holmgren 1913b, p. 215, sold., work., pl. 7, fig. 31 (sold.).

Hospitalitermes flaviventris Oshima 1923, pp. 19-21, sold., work., Sinabang, Simalur, Sumatra.

Scl., work.

May Peninsula, Sumatra.

Indo-Malayan.

Hospitalitermes flavoantennaris Oshima.

Hospitalitermes flavoantennaris Oshima 1923, pp. 18-19, figs. 15-16, sold., work., Sinabang, Simalur, Sumatra.

Scl., work.

Suatra.

Indo-Malayan.

Hospitalitermes grassii Ghidini.

Hospitalitermes Grassii Ghidini 1937a, p. 319, figs. 3-4 (sold.), sold., work., Fort de Kijk
Sumatra.

Sold., work.

Sumatra.

Indo-Malaya

Hospitalitermes hospitalis (Haviland).

Termes hospitalis Haviland 1898, p. 437, pl. 25, figs. 83-86, im., sold., work., Borneo: Sa
wak, Malay Pen.: Singapore.

Type: No. 304.

Eutermes monoceros subsp. *hospitalis* Wasmann 1902b, p. 131, sold.

Termes (*Eutermes*) *monoceros* subsp. *hospitalis* Desneux 1904e, p. 43 (syn.).

Eutermes (*Hospitalitermes*) *hospitalis* Holmgren 1912, p. 67, fig. 41, sold. mand., p. 13
fig. 24 (im.), fig. 29 (sold.), Malacca, Borneo; 1913
p. 212, im., sold., work., pl. 7, fig. 38 (sold.); 1914
p. 267, Sumatra, Malacca, Borneo; Oshima 1920
500, sold., work.¹⁻², pl. 3, fig. 9, pl. 4, fig. 12 (sold.)
Philippines: Luzon, San Francisco del Monte (near
Manila); John 1925, pp. 403-404, winged, queen,
work., loc.

Winged, queen, sold., work.¹⁻²

Borneo, Malay Pen., Sumatra,

Philippines.

Indo-Malaya

Hospitalitermes hospitalis, form *hospitaloides* (Holmgren).

Eutermes (*Hospitalitermes*) *hospitalis* forma *Hospitaloides* Holmgren 1913b, p. 213,
work., Borneo: Miri Hills.

Sold., work.

Borneo.

Indo-Malaya

Hospitalitermes jepsoni (Snyder).

Nasutitermes (*Hospitalitermes*) *jepsoni* Snyder 1934a, p. 16, sold., Kaing, R. Pyin
Burma.

Cotypes: sold., Brit. Mus., For. Res. Inst., Dehra
and U.S.N.M. No. 50171.

Sold.

Burma.

Indo-Malaya

Hospitalitermes lividiceps (Holmgren).

Eutermes (*Hospitalitermes*) *lividiceps* Holmgren 1913b, p. 209, sold., work., pl. 7, fi
(sold.), S. E. Borneo: Tandjong, Mus. Hambu

Sold., work.

Borneo.

Indo-Malaya

Hospitalitermes luzonensis (Oshima).

Eutermes (*Hospitalitermes*) *hospitalis* Oshima 1916, p. 360, pl. 2, figs. 12-14, sold., wo
Philippines: Laguna, Sarai, near Paete.

Eutermes (*Hospitalitermes*) *luzonensis* Oshima 1917a, p. 223 (sold.), Luzon, Balir
(near Manila), corrects misidentification; 1920a, 19

Eermes (Hospitalitermes) saraiensis Oshima 1916, p. 359, sold., work., Laguna.

Hpitalitermes luzonensis Light and Wilson 1936, p. 474, fig. 4 (im., sold.).

Winged, sold., work.¹⁻²

Philippines.

Indo-Malayan.

Hpitalitermes madrasi (Snyder).

Nutitermes (Hospitalitermes) madrasi Snyder 1934a, pp. 16-17, sold., North Vellore, Madras, India.

Cotypes: sold., Brit. Mus., For. Res. Inst., Dehra Dun, and U.S.N.M. No. 50172.

Sd.

India.

Indo-Malayan.

Hpitalitermes medioflavus (Holmgren).

Eermes (Hospitalitermes) hospitalis forma *medioflavus* Holmgren 1913b, p. 213, sold., work., pl. 7, fig. 37 (sold.), Malay Pen.; 1913-14, p. 267, Sumatra, Malacca; John 1925, p. 404, sold., work., loc.

Hpitalitermes medioflavus Kemner 1930, pp. 317-320, figs. 17-19 (sold.), sold., work., Harau-Kloof, west coast of Sumatra.

Sd., work.

Sumatra, Malacca, Singapore.

Indo-Malayan.

Hpitalitermes moluccanus Ahmad.

Hpitalitermes moluccanus Ahmad 1947, p. 5, fig. 5 (sold.), Dutch E. Indies: Waigu Isl. Type: A.M.N.H.; paratypes: U.S.N.M.

Sd., work.

Dutch E. Indies.

Indo-Malayan.

Hpitalitermes monoceros (Koenig).

Termites monoceros Koenig 1779, p. 25, pl. 1, figs. 10-11, sold., work., Ceylon; Hagen 1858, p. 229, sold., work., "Tranquebar"; 1858a, p. 32; 1858b, p. 471; 1860a, p. 113, im., sold., work., Ceylon, near Candy.

Termites (Eutermes) monoceros Desneux 1915, p. 9, Ceylon: Nietner.

Eermes monoceros Wasmann 1902b, p. 129, discussion.

Eermes monoceros "i sp." Wasmann 1902b, pp. 129-131, sold., work., pl. 4, fig. 8 (sold.), Ceylon: Anuradhapura, Nalanda, Weligama.

Eermes (Hospitalitermes) monoceros Holmgren 1913b, p. 214, im., sold., work., pl. 7, fig. 40 (sold.), Ceylon; John 1925, p. 405, im., sold., work., Ceylon: Peradeniya.

Type: im., sold., work., Selys Longchamps coll., Brussels.

Winged, sold., work.

Ceylon.

Indo-Malayan.

Hpitalitermes nemorosus Ghidini.

Hpitalitermes nemorosus Ghidini 1937a, p. 324, sold., work., fig. 4 (sold.), Sumatra: Batangpalupulapulz (W. Coast).

Sd., work.

Sumatra.

Indo-Malayan.

Hospitalitermes papuanus Ahmad.

Hospitalitermes papuanus Ahmad 1947, pp. 4-5, fig. 4 (sold.), Papua: Strickland River.
Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Papua.

Papua.

Hospitalitermes rufus (Haviland).

Termes rufus Haviland 1898, p. 438, sold., work., Borneo: Sarawak.

Type: No. 115.

Eutermes (*Hospitalitermes*) *rufus* Holmgren 1913b, p. 208, sold., work., pl. 7, fig. 3 (sold.), Malay Pen.: Perak; John 1925, p. 402, 1. Malay Pen.: Johore, Segamat.

Sold., work.

Borneo, Malay Peninsula.

Indo-Malaya

Hospitalitermes schmidti Ahmad.

Hospitalitermes schmidti Ahmad 1947, pp. 3-4, fig. 3 (sold.), Lembah Isl. north of Celebes.
Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Lembah Isl.

Indo-Malaya

Hospitalitermes umbrinus (Haviland).

Termes umbrinus Haviland 1898, p. 437, im., sold., work., Borneo: Sarawak.

Type: No. 258.

Eutermes (*Hospitalitermes*) *umbrinus* Holmgren 1913b, p. 210, pl. 7, fig. 33 (sold.), sold., work.

Winged, sold., work.

Borneo.

Indo-Malaya

Hospitalitermes umbrinus, form *sharpi* (Holmgren).

Eutermes (*Hospitalitermes*) *umbrinus* forma *Sharpi* Holmgren 1913b, p. 211, sold., work., Malay Pen.

Eutermes umbrinus Wasmann 1902b, p. 131, Malay Pen.: Singapore, Malacca, Sumatra, Ujung, Berhention Tingi.

Eutermes (*Hospitalitermes*) *umbrinus* forma *sharpi* Holmgren 1913-14, p. 267, Sumatra, Malacca; John 1925, p. 403, winged, sold., work., Malay Pen.: Johore, Singapore; E. Sumatra; Java, Depok.

Winged, sold., work.

Malay Pen., Sumatra, Java.

Indo-Malaya

TRINERVITERMES

Genus *Trinervitermes* Holmgren.

Generitype: *Trinervitermes trinervius* (Rambur).

=Subgenus *Trinervitermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 64.

=Genus *Trinervitermes* Fuller 1922, p. 107.

=Genus *Trinervitermes* Sjöstedt 1926, p. 325.

Tnervitermes abassus Fuller.

Tnervitermes abassus Fuller 1922, p. 114, im., Namaqualand: Abassus on Orange Riv., So. Africa.

Tnervitermes Abassus Sjöstedt 1926, p. 354.

Vnged.
S Africa. Ethiopian.

Tnervitermes agricola (Sjöstedt).

Etermes agricola Sjöstedt 1913a, p. 380, sold.¹⁻², work., Belg. Congo: Mufungwa.

Tnervitermes agricola Sjöstedt 1926, pp. 329-330, im., sold.¹ A and B form, sold.², work., syn., loc.

Type: Mus. Tervueren and Stockholm.

Vnged, sold.¹⁻², work.

SE. Congo: Mufungwa (Kanga), Luluabourg.

Ethiopian.

Tnervitermes auriterrae Sjöstedt.

Tnervitermes auriterrae Sjöstedt 1926a, p. 3, sold.¹⁻², Gold Coast: Keta. Imp. Bur. Ent., Brit. Mus. and Mus. Stockholm.

Sd.¹⁻²

Gd Coast.

Ethiopian.

Tnervitermes bettonianus (Sjöstedt).

Eermes bettonianus Sjöstedt 1905, p. 19, im., Brit. E. Africa: Athi Riv.; 1907, p. 246, im., sold.¹⁻², work.¹⁻², Congo: Mukimbugu.

Type: Mus. London and Stockholm.

Eermes (*Trinervitermes*) *bettonianus* Holmgren 1912, p. 64; 1913d, pp. 348, 350, sold.¹⁻².

Tnervitermes bettonianus Sjöstedt 1926, p. 332, syn., loc.

Nutitermes (*Trinervitermes*) *bettonianus* Emerson 1928, p. 492, fig. 44a, b (sold.), Belg. Congo: Thysville.

Eermes brutus Sjöstedt 1911d, p. 12, sold.¹⁻², Congo: Mukimbugu.

Eermes (*Trinervitermes*) *brutus* Holmgren 1912, p. 65.

Tnervitermes brutus Sjöstedt 1926, p. 331.

Vnged, sold.¹⁻², work.¹⁻²

F Equatorial Africa, Belg.

Congo, Angola, Kenya, Tanganyika ("Dutch E. Africa"):

Uthuhui, Rhodesia.

Ethiopian.

Tnervitermes bettonianus, sulciceps (Emerson).

Nutitermes (*Trinervitermes*) *bettonianus sulciceps* Emerson 1928, p. 493, figs. 44c, d (sold.), sold.¹⁻², Garamba, Belg. Congo.

Holotype: sold.¹; morphotype: sold.², A.M.N.H.

Sd.¹⁻²

Congo.

Ethiopian.

Tnervitermes biformis (Wasmann).

Eermes biformis Wasmann 1902b, p. 133, im., sold.¹⁻², work., pl. 4, fig. 10 (sold.¹⁻²), Ceylon: Bandarawella, India: Khandala (near Bombay).

Eutermes (*Trinervitermes*) *biformis* Holmgren 1913b, p. 194; Holmgren, K. and N. 1913, p. 162, loc.

Winged, sold., work.

Ceylon, India.

Indo-Malaya

Trinervitermes bouvieri Sjöstedt.

Trinervitermes Bouvieri Sjöstedt 1926, pp. 331-332, winged, Belg. Congo: Maniema, King of the Belgians. Mus. Paris and Stockholm.

Winged.

Congo.

Ethiopia

Trinervitermes carbo (Sjöstedt).

Eutermes (*Trinervitermes*) *carbo* Sjöstedt 1924a, p. 42, im., Belg. Congo: Luluabourg.

Trinervitermes carbo Sjöstedt 1926, pp. 351-352, im., queen, sold.¹ A, B form, sold.², work. syn., loc.

Winged, sold.¹⁻², work.¹⁻²

Congo.

Ethiopia

Trinervitermes carbonarius Sjöstedt.

Trinervitermes carbonarius Sjöstedt 1926b, pp. 158-160, sold.¹⁻², work., Belg. Congo: Haut-Congo: Uélé, Mauda. Mus. Tervueren and Stockholm.

Nasutitermes (*Trinervitermes*) *carbonarius* Emerson 1928, p. 488, figs. 41-42 (winged and sold.), sold.¹⁻², im., sold.¹⁻², work., Belg. Congo: Faradje.

Winged, sold.¹⁻², work.

Congo.

Ethiopia

Trinervitermes crassinus (Sjöstedt).

Eutermes crassinus Sjöstedt 1914a, p. 6, sold.¹⁻², work.¹⁻², fig. 3 (sold.¹), Zambesi: V. Fontes.

Trinervitermes crassinus Sjöstedt 1926, p. 326.

Sold.¹⁻², work.¹⁻²

Mozambique (Port. E. Africa):

Zambesi.

Ethiopia

Trinervitermes dispar (Sjöstedt).

Eutermes dispar Sjöstedt 1902b, p. 303, sold.¹⁻², work., Nyassaland: Zomba.

Eutermes (*Trinervitermes*) *dispar* Holmgren 1913d, pp. 341, 349, 350, sold.¹⁻².

Trinervitermes dispar Fuller 1922, p. 108, im., sold., work.; Sjöstedt 1926, p. 328, syn.,

Winged, sold.¹⁻², work.

So. Africa: Nyassaland, S. W.

Africa: Okahandja.

Ethiopia

Trinervitermes disparatus (Silvestri), no description by Silvestri.

Eutermes (*Trinervitermes*) *disparatus* Silvestri, in Bathelier 1927, pp. 175-177, sold and work., Indo-China: Canda pris de Nhatrang.

Sold.¹⁻², work.

Indo-China.

Indo-Malaya

Ternivitermes ebenerianus Sjöstedt.

Ternivitermes ebenerianus Sjöstedt 1926d, pp. 73-74, 76, sold.¹⁻², work.¹⁻², Egypt. Sudan: Tanguru; 1926, pp. 339-340, Senegal: Thiès; 1926b, p. 158, fig. 2 (sold.); 1926c, p. 246, winged, Gold Coast: Accra; Congo.

Winged, sold.¹⁻², work.¹⁻²

Egypt, Senegal, Gold Coast,
Congo.

Ethiopian.

Ternivitermes eldirens Ghidini.

Ternivitermes eldirens Ghidini 1941, pp. 33-34, sold.¹⁻², work.¹, Ethiopia: El Dire.

Sl.¹⁻², work.

Eiopia.

Ethiopian.

Ternivitermes erythrae (Holmgren).

Ermes (*Trinivitermes*) *Erythrae* Holmgren 1913d, pp. 345, 348, 360, sold.¹⁻², work., Erythrea, Abyssinia.

Ternivitermes Erythrae Sjöstedt 1926, p. 327.

Sl.¹⁻², work.¹

Ereia, Abyssinia.

Ethiopian.

Ternivitermes fuscus Fuller.

Ternivitermes fuscus Fuller 1922, p. 113, im., sold., So. Africa: Warmbaths, Pienaars River Rail, DeWildt (the Bushveld Basin); Sjöstedt 1926, p. 353.

Winged, sold.

S. Africa.

Ethiopian.

Ternivitermes gemellus (Sjöstedt).

Ermes gemellus Sjöstedt 1902b, p. 303, sold.¹⁻², work.¹⁻², So. Africa.

Ermes (*Trinivitermes*) *gemellus* Holmgren 1913d, pp. 348-350, sold.¹⁻².

Ternivitermes gemellus Fuller 1922, p. 110, im., sold., work., So. Africa; Sjöstedt 1926, p. 327, syn., loc.

Winged, sold.¹⁻², work.

So. Africa, Nyassaland, Tan-
anyika.

Ethiopian.

Ternivitermes gemellus, subsp. *thomseni* Fuller.

Ternivitermes gemellus subsp. *thomseni* Fuller 1922, p. 111, im., So. Africa: Pearston, Somerset West.

Ternivitermes gemellus subsp. *Thomseni* Sjöstedt 1926, p. 327, im., loc.

Winged.

S. Africa.

Ethiopian.

Ternivitermes gemellus, form *kalaharicus* (Holmgren).

Ermes trinervius Silvestri 1908, p. 81, sold.¹⁻², work.¹, Kalahari: Kooa, Sekgoma-Khakhea, Namaqualand: Steinkopf.

Ermes (*Trinivitermes*) *kalaharicus* Holmgren 1913d, pp. 346, 348, 350, sold.¹⁻², work.¹⁻².

- Trinervitermes gemellus* form *kalaharicus* Fuller 1922, p. 110, im., work., So. Africa.
Trinervitermes gemellus forma *kalaharica* Sjöstedt 1926, p. 327, syn., loc.
 Winged, sold.¹⁻², work.¹⁻²
 Kalahari, Namaqualand, So.
 Africa. Ethiopia
- Trinervitermes geminatus* (Wasmann).
Eutermes geminatus Wasmann 1897, p. 170, sold.¹⁻², work., pl. 11, figs. 16, 17, 21, Gold Coast.
Eutermes (*Trinervitermes*) *geminatus* Holmgren 1913d, pp. 349-351, sold.¹⁻².
Trinervitermes geminatus Sjöstedt 1926, p. 343, syn., loc.
 Sold.¹⁻², work.
 Gold Coast, Middle Nigeria,
 Upper Senegal. Ethiopia
- Trinervitermes graciosus* (Sjöstedt).
Eutermes (*Trinervitermes*) *graciosus* Sjöstedt 1924a, p. 42, sold.¹, Belg. Congo: Luluabourg.
Trinervitermes graciosus Sjöstedt 1926, pp. 349-351, fig. 77 (sold.), im., sold.¹⁻², work.¹⁻².
 Winged, sold.¹⁻², work.¹⁻²
 Congo. Ethiopia
- Trinervitermes grootfonteinsis* (Sjöstedt).
Eutermes grootfonteinsis Sjöstedt 1914b, p. 86, sold.¹⁻², work.¹⁻², pl. 2, figs. 2, 5 (sold.).
 S. W. Africa: Grootfontein.
Trinervitermes grootfonteinsis Sjöstedt 1926, p. 330.
 Sold.¹⁻², work.¹⁻²
 S. W. Africa. Ethiopia
- Trinervitermes grossus* (Sjöstedt).
Eutermes (*Trinervitermes*) *grossus* Sjöstedt 1924c, p. 493, sold.¹, Atlantic coast of Sahara.
Trinervitermes grossus Sjöstedt 1926, p. 342, sold.¹⁻², sold.¹ form A, B.
 Sold.¹⁻²
 Atlantic coast of Sahara. Ethiopia
- Trinervitermes havilandi* Fuller.
Termes trinervius Haviland 1898, p. 421, im., queen, sold.¹⁻², Natal.
Eutermes trinervius Fuller 1915, in part, p. 402, Natal, Transvaal, Cape Colony.
Eutermes (*Trinervitermes*) *trinervius* Hegh 1922, p. 67, etc.
Trinervitermes havilandi Fuller 1922, p. 113, Haviland Rail.
Eutermes (*Trinervitermes*) *messor* n. nom. Sjöstedt 1924b, p. 257, female *Eutermes trinervius* Haviland.
Trinervitermes Havilandi Sjöstedt 1926, pp. 344-345, fig. 73, 1-2 (sold.), syn., loc.
Nasutitermes (*Trinervitermes*) *messor* Emerson 1928, p. 416 (syn.).
 Winged, queen, sold.¹⁻², work.
 Cape Colony, Natal, Transvaal,
 Damara: Outjo, Belg. Congo. Ethiopia

Tnervitermes heimi (Wasmann).

Eermes heimi Wasmann 1902b, pp. 133, 135, im., sold.¹⁻², work., India: Wallon (Ahmednager distr.).

Eermes (Trinervitermes) heimi Holmgren 1913b, p. 195, im., sold.¹⁻², work., pl. 7, fig. 25 (im.), figs. 26-27 (sold.¹⁻²); Holmgren, K. and N. 1917, p. 163, loc., So. India.

Vnged, sold.¹⁻², work.

S India.

Indo-Malayan.

Tnervitermes hentschelianus (Sjöstedt).

Eermes hentschelianus Sjöstedt 1914b, p. 88, pl. 2, figs. 4, 7 (sold.¹), sold.¹⁻², work.¹⁻², S. W. Africa: Otjosondyombo; 1926, p. 344.

Types: Mus. Hamburg and Stockholm.

Sd.¹⁻², work.¹⁻²

SW. Africa.

Ethiopian.

Tnervitermes hilli Snyder and Emerson, new name.

Eermes (Trinervitermes) bulbiceps Holmgren 1913d, p. 339, sold.¹, Natal: Pinetown (preoccupied by *Eutermes (Eutermes)*, now *Nasutitermes bulbiceps* Holmgren 1913b, p. 160, Malacca.)

Tnervitermes bulbiceps Sjöstedt 1926, pp. 342-343, sold.¹, work.¹⁻², syn., loc.

Sd.¹, work.¹⁻²

South Africa: Natal, Transvaal.

Ethiopian.

Tnervitermes ibidanicus Sjöstedt.

Tnervitermes ibidanicus Sjöstedt 1926, pp. 347-348, fig. 75 (sold.), sold.¹⁻², work.¹, Nigeria: Ibidan; 1926a, p. 5, sold., Gold Coast (Atititi).

Eermes trinervius Silvestri 1914-15, p. 37 (var. from Nigeria only).

Sd.¹⁻², work.¹

Nigeria, Gold Coast.

Ethiopian.

Tnervitermes indicus (Snyder).

Nutitermes (Trinervitermes) indicus Snyder 1934a, pp. 12-14, sold.¹⁻², fig. 7, C. Kalyanpur, U. P., India.

Cotypes: sold.¹, Brit. Mus., For. Res. Inst., Dehra Dun and U.S.N.M. No. 50168; comorphotypes: sold.², as above.

Sd.¹⁻²

India.

Indo-Malayan.

Tnervitermes katangensis (Sjöstedt).

Eermes katangensis Sjöstedt 1913a, p. 382, sold.¹⁻², work., Belg. Congo: Elizabethville (Katanga), Sankisia, Welgelegen; 1926, pp. 328-329, fig. 72: 2 (sold.).

Sd.¹⁻², work.

Congo.

Ethiopian.

Trinervitermes kulloensis (Sjöstedt).*Eutermes kulloensis* Sjöstedt 1912, p. 13, im., Erithrea: M'Kullo, Maggio.*Trinervitermes kulloensis* Sjöstedt 1926, p. 328, im., sold.¹⁻², work.¹⁻².

Type: Mus. Genoa and Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Eritrea.

Ethiopi

Trinervitermes kurumanensis Fuller.*Trinervitermes kurumanensis* Fuller 1922, p. 113, winged, sold., Bechuanaland: Kuruma
Sjöstedt 1926, p. 353.

Winged, sold.

Bechuanaland, So. Africa.

Ethiopi

Trinervitermes longinotus (Snyder).*Nasutitermes* (*Trinervitermes*) *longinotus* Snyder 1934a, pp. 14-15, Poona, Bombay.
Cotypes: winged, Brit. Mus., For. Res. Inst., Dehra D
and U.S.N.M. No. 50169.

Winged.

India: Bombay.

Indo-Malay

Trinervitermes loubetsiensis (Sjöstedt).*Eutermes* (*Trinervitermes*) *loubetsiensis* Sjöstedt 1924c, p. 496, sold., Fr. Equato
Africa: Loubetsi.*Trinervitermes loubetsiensis* Sjöstedt 1926, pp. 333-334, sold.¹⁻², work.¹⁻².Sold.¹⁻², work.¹⁻²

Fr. Equatorial Africa.

Ethiopi

Trinervitermes lutzi (Emerson).*Nasutitermes* (*Trinervitermes*) *lutzi* Emerson 1928, p. 494, sold.¹⁻², Belg. Congo: Niang
Holotype: sold.¹; morphotype: sold.², A.M.N.H.Sold.¹⁻²

Congo.

Ethiopi

Trinervitermes maudanicus Sjöstedt.*Trinervitermes maudanicus* Sjöstedt 1926b, pp. 156-158, fig. 1 (sold.), sold.¹⁻², work.¹, E
Congo: Haut Uélé.

Types: Mus. Tervueren and Stockholm.

Sold.¹⁻², work.¹

Congo.

Ethiopi

Trinervitermes nigeriensis Sjöstedt.*Trinervitermes nigeriensis* Sjöstedt 1926, pp. 332-333, winged, Bassin du Moyen-Ni
Belia, Mus. Paris and Stockholm.

Winged.

Moyen-Niger Basin.

Ethiopi

Trinervitermes occidentalis (Sjöstedt).*Termites occidentalis* Sjöstedt 1904, p. 93, im., Port. Guinea: Bissau.*Termites (Eutermites) occidentalis* Desneux 1904e, p. 44, Sierra Leone.*Termites (Trinervitermes) occidentalis* Holmgren 1912, p. 64, Sierra Leone.*Trinervitermes occidentalis* Sjöstedt 1926, p. 332.

Winged.

Port. Guinea, Sierra Leone.

Ethiopian.

Trinervitermes oeconomus (Trägårdh).*Termites oeconomus* Trägårdh 1904, p. 23, fig. 3, pl. 1, fig. 3, sold.¹⁻², Sudan: Kaka.*Termites (Trinervitermes) oeconomus* Holmgren 1913d, pp. 349, 351, sold.¹⁻².*Trinervitermes oeconomus* Sjöstedt 1926, p. 349, fig. 76 (sold.), syn., loc.; 1926c, p. 246, queen, Gold Coast: Accra.

Type: Mus. Stockholm.

Sold.¹ A and B form, sold.²,work.¹⁻²

Egypt. Sudan, Belg. Congo,

Gold Coast.

Ethiopian.

Trinervitermes pius (Sjöstedt).*Termites pius* Sjöstedt 1911d, pp. 16-17, sold., Cameroon: Victoria.*Termites (Trinervitermes) pius* Holmgren 1913d, p. 350.*Trinervitermes pius* Sjöstedt 1926, p. 338.Sold.¹

Cameroon.

Ethiopian.

Trinervitermes posselensis (Sjöstedt).*Termites posselensis* Sjöstedt 1914c, p. 94, sold.¹⁻², work., Fr. Equatorial Africa: Fort Possel.*Trinervitermes posselensis* Sjöstedt 1926, p. 348.Sold.¹⁻², work.

Fr. Equatorial Africa.

Ethiopian.

Trinervitermes pretoriensis Fuller.*Trinervitermes pretoriensis* Fuller 1922, im., sold.¹, So. Africa, Pretoria: Meukelneuk Hill; Sjöstedt 1926, pp. 353-354.Winged, sold.¹

S. Africa.

Ethiopian.

Trinervitermes rapulum (Sjöstedt).*Termites rapulum* Sjöstedt 1904, p. 99, sold.¹⁻², work.¹⁻², Usambara: Tanga.*Termites (Trinervitermes) rapulum* Holmgren 1913d, pp. 349, 351.*Trinervitermes rapulum* Sjöstedt 1926, p. 348, syn., loc.Sold.¹⁻², work.¹⁻²

Tanganyika, Abyssinia.

Ethiopian.

Trinervitermes rhodesiensis (Sjöstedt).*Termites rhodesiensis* Sjöstedt 1911b, p. 186, sold.¹⁻², work.¹⁻², Rhodesia: Salisbury.*Termites (Trinervitermes) rhodesiensis* Holmgren 1913d, p. 351.*Trinervitermes rhodesiensis* Sjöstedt 1926, p. 346, fig. 73: 3 (sold.).Sold.¹⁻², work.¹⁻²

Rhodesia.

Ethiopian.

Trinervitermes roseni (Holmgren).

Eutermes (*Trinervitermes*) *Roseni* Holmgren 1913d, pp. 344, 348, 350, sold.¹⁻², work. Rhodesia.

Trinervitermes Roseni Sjöstedt 1926, p. 336 (syn.).

Nasutitermes (*Trinervitermes*) *roseni* Emerson 1928, p. 490, fig. 43 (sold.¹⁻²), syn., Be Congo and St. Antonio, Angola.

Eutermes (*Trinervitermes*) *diplacodes* Sjöstedt 1924a, p. 41, sold.¹, Belg. Cong Boma, Banana and Moanda.

Trinervitermes diplacodes Sjöstedt 1926, pp. 336-338, fig. 71 (sold.¹⁻²), syn., loc. [is a *Termitinae*], sold.¹⁻², work.¹⁻².

Eutermes (*Trinervitermes*) *muneris* Sjöstedt 1924a, p. 42, sold.¹, Belg. Congo: Boma.

Trinervitermes muneris Sjöstedt 1926, pp. 334-336, im., sold.¹⁻², work.¹⁻², syn., loc.

Winged, sold.¹⁻², work.¹⁻²

Rhodesia, Angola, Congo.

Ethiopi

Trinervitermes rubidus (Hagen).

?*Termes ravidus* Hagen 1859, p. 199, sold., work., Ceylon: Colombo.

Termes rubidus Hagen 1860a, p. 117, sold., work., Ceylon: near Colombo.

Eutermes rubidus Holmgren 1911c, p. 201, im., pl. 3, fig. O 1-2, Ceylon: Seenigoda E. Madras (Mus. Cambridge).

Eutermes (*Trinervitermes*) *rubidus* Holmgren 1913b, p. 192, im., sold.¹⁻², work., Ceylon John 1925, p. 400, Peradeniya.

Type: sold.¹, Selys Longchamps coll., Brussels.

Winged, sold.¹⁻², work.

Ceylon, India.

Indo-Malay

Trinervitermes ruficeps (Holmgren).

Eutermes (*Trinervitermes*) *ruficeps* Holmgren 1913d, pp. 343-344, sold.¹⁻², work.¹⁻², pp. 335-350, Amani, Mus. Stuttgart; Sjöstedt 1926, p. 327.

Sold.¹⁻², work.¹⁻²

Tanganyika: Amani.

Ethiopi

Trinervitermes rufonasis (Sjöstedt).

Eutermes rufonasis Sjöstedt 1913a, p. 383, sold.¹⁻², work., Belg. Congo: Katanga, Sakania.

Trinervitermes rufonasis Sjöstedt 1926, p. 334, syn., loc.

Sold.¹⁻², work.

Congo, S. W. Africa: Windhuk and Farm Paulinenhof, south on Auas-Gebirge about 36 km. east of Windhuk.

Ethiopi

Trinervitermes schubotzianus (Sjöstedt).

Eutermes schubotzianus Sjöstedt 1914c, p. 93, sold.¹⁻², work.¹⁻², Fr. Equatorial Africa Fort Crampel.

Trinervitermes schubotzianus Sjöstedt 1926, p. 353.

Sold.¹⁻², work.¹⁻²

Fr. Equatorial Africa.

Ethiopi

Termitermes segelli (Sjöstedt).*Termitermes segelli* Sjöstedt 1907a, p. 26, sold.¹⁻², work.¹⁻², Kilimandjaro-Meru.*Termitermes segelli* Sjöstedt 1926, p. 326, syn., loc. in Tanganyika.Sd.¹⁻², work.¹⁻²

Tanganyika.

Ethiopian.

Termitermes somaliensis (Sjöstedt).*Termitermes somaliensis* Sjöstedt 1912, p. 15, im., South Somaliland: Bardera.*Termitermes somaliensis* Sjöstedt 1926, p. 345, syn., loc.

Type: Mus. Genoa and Stockholm.

Winged.

Somaliland.

Ethiopian.

Termitermes sudanicus (Sjöstedt).*Termitermes sudanicus* Sjöstedt 1904, p. 77, im., French Sudan: Toukoto.*Termitermes sudanicus* Sjöstedt 1926, p. 338.

Winged.

F Sudan.

Ethiopian.

Termitermes suspensus (Silvestri).*Termitermes suspensus* Silvestri 1914-15, p. 41, fig. 22, 1-2, im., sold.¹⁻², work.¹⁻², Fr. Guinea:

Kakoulima, Camayenne, Kindia (Mamou?); Senegal:

Thiès; Dahomey: Cotonou.

Termitermes suspensus Sjöstedt 1926, p. 329, im., queen, sold.¹⁻², work.¹⁻², syn., loc.Winged, queen, sold.¹⁻², work.¹⁻²

F Guinea, Senegal, Dahomey.

Ethiopian.

Termitermes tchadensis (Sjöstedt).*Termitermes tchadensis* Sjöstedt 1911d, p. 14, sold.¹⁻², Tchari-Tchad.*Termitermes (Trinervitermes) tchadensis* Holmgren 1913d, pp. 348, 351.*Termitermes tchadensis* Sjöstedt 1926, p. 353, syn., loc.Sd.¹⁻²

F Equatorial Africa: Lake

Tchad.

Ethiopian.

Termitermes terricola (Trägårdh).*Termitermes terricola* Trägårdh 1904, p. 31, sold.¹, Sudan: Kaka.*Termitermes (Trinervitermes) terricola* Holmgren 1913d, p. 349.*Termitermes terricola* Sjöstedt 1926, pp. 326-327, im., sold.¹⁻², syn., loc.Winged, sold.¹⁻²

E/pt. Sudan; Eritrea.

Ethiopian.

Termitermes thermarum Fuller.*Termitermes thermarum* Fuller 1922, p. 114, im., Transvaal: Warmbaths (Bushveld Basin); Sjöstedt 1926, p. 354.

Winged.

S Africa.

Ethiopian.

Trinervitermes togoensis (Sjöstedt).

Eutermes togoensis Sjöstedt 1899, p. 37, im., Togo: Ho, Bismarckburg.

Eutermes (*Eutermes*) *togoensis* Holmgren 1912, p. 62.

Trinervitermes togoensis Sjöstedt 1926, p. 331, syn., loc.

Winged.

Togo.

Ethiopia.

Trinervitermes trinerviformis (Holmgren).

Eutermes (*Trinervitermes*) *trinerviformis* Holmgren 1913d, pp. 336, 349, 351, sold.¹⁻², work.¹⁻², Natal: Pinetown, Pietermaritzburg, Zululand: "Junction" of Mfolosi.

Trinervitermes trinerviformis Fuller 1922, p. 111, syn., loc. So. Africa (syn. incorrect).

Trinervitermes trinerviformis Sjöstedt 1926, syn., loc.

Eutermes (*Trinervitermes*) *dubius* Holmgren 1913d, pp. 339, 349, 351, sold.¹⁻², work.¹⁻², Natal: Avoca.

Trinervitermes dubius Fuller 1922, p. 111, sold., work., So. Africa, loc. places in synonymy with *Trinervitermes trinerviformis*; Sjöstedt 1926, p. 348, disagrees with Fuller's syn.

Termes trinervius (in part) Fuller 1915.

Sold.¹⁻², work.¹⁻²

So. Africa.

Ethiopia.

Trinervitermes trinervius (Rambur).

Termes trinervius Rambur 1842, p. 308, im., Senegal.

?*Termes trinervius* Walker 1853, p. 520, im., Tripoli.

?*Termes* (*Eutermes*) *trinervius* Hagen 1858a, p. 30.

Eutermes Holmgreni von Rosen 1912, p. 224, sold.¹⁻², work.¹⁻³, Liberia.

Eutermes (*Trinervitermes*) *Holmgreni* Holmgren 1913d, pp. 349, 351, sold.¹⁻², Liberia.

Eutermes trinervius Silvestri 1914-15, p. 37, fig. 21, im., sold.¹⁻², work.¹⁻², syn., loc.

Trinervitermes trinervius Fuller 1922, p. 107, all castes, So. Africa; Sjöstedt 1926, pp. 331, 342, im., sold.¹⁻², work.¹⁻³, syn., loc. (syn. not correct).
Type: im., Selys Longchamps coll., Brussels.

Eutermes mobilis Sjöstedt 1904, p. 91, im., Fr. Sudan: Alahina.

Eutermes (*Trinervitermes*) *mobilis* Holmgren 1912, p. 65; Hegh 1922, pp. 466, 693.

Trinervitermes mobilis Sjöstedt 1926, pp. 292, 353, im.

Winged, sold.¹⁻², work.¹⁻³

Senegal, Fr. Guinea, Liberia,

River Niger: Balandougou,

So. Africa, Fr. Sudan; var.

Dalomey: Cotonou, var. So.

Nigeria: Ibadan.

Ethiopia.

Trinervitermes trinervoides (Sjöstedt).

Eutermes trinervoides Sjöstedt 1911b, p. 187, sold.¹⁻².

Eutermes (*Trinervitermes*) *trinervoides* Holmgren 1912, p. 65.

Eutermes trinervoides Sjöstedt 1913, pp. 720-721, im., sold.¹⁻², work., Kapland: Laingsburg.

Eutermes trinervoides Sjöstedt 1914b, p. 87, S. W. Africa: Neudamm, Okahandja.

Taenervitermes trinervoides Fuller 1922, p. 110, all castes, So. Africa: De Vlakte, Willowmore, Shaw Park, Bathurst; Sjöstedt 1926, pp. 346-347, syn., loc.

Eermes (Trinervitermes) auriceps Holmgren 1913d, pp. 338, 349, 351, sold.¹⁻², work.¹⁻², Natal: Pinetown; Zululand: Lake Sibayi (not same species); Hegh 1922, pp. 466, 470, 693.

Waged, sold.¹⁻², work.¹⁻²
S.N. and So. Africa. Ethiopian.

Taenervitermes umzinduzii Fuller.

Taenervitermes umzinduzii Fuller 1922, p. 114, im., sold.¹, Natal: Pietermaritzburg.

Taenervitermes Umzinduzii Sjöstedt 1926, p. 353.

Waged, sold.
S Africa. Ethiopian.

Taenervitermes zuluensis (Holmgren).

Eermes (Trinervitermes) dispar f. *zuluensis* and *disparioides* Holmgren 1913d, pp. 340-343.

Eermes (Trinervitermes) dispar f. *zuluensis* Holmgren 1913d, pp. 340, 348, 350, im., sold.¹⁻², work.¹⁻², Zululand: Mfolosi Drift, Mkosi.

Taenervitermes zuluensis Fuller 1922, p. 113, all castes, loc. So. Africa.

Eermes (Trinervitermes) dispar f. *disparioides* Holmgren 1913d, pp. 342, 348, 350, sold.¹⁻², work.¹⁻², Zululand: Mhlazinga, Umfolosi Drift, Kosi Bay.

Waged, sold.¹⁻², work.¹⁻²
S Africa. Ethiopian.

PARACORNITERMES

Genus *Paracornitermes* Emerson, n. gen.

Generitype: *Paracornitermes laticephalus* (Silvestri).

<Genus *Cornitermes* Silvestri 1901, p. 4; 1903, p. 52.

<Subgenus *Termes* Desneux 1904e, pp. 32, 35.

<Genus *Cornitermes* Holmgren 1912, pp. 45, 49.

<Subgenus *Labiatermes* Holmgren 1912, p. 50.

Paracornitermes laticephalus (Silvestri).

Cnitermes laticephalus Silvestri 1901, p. 5, sold., work., Brazil: Coxipò (Cuyabà); 1903, p. 61, sold., work., pl. 3, fig. 107 (sold.).

Termes (Termes) laticephalus Desneux 1904e, p. 37, syn.

Cnitermes (Labiatermes) laticephalus Holmgren 1912, p. 50, Matto Grosso.

Sd., work.
Ezil. Neotropical.

Paracornitermes orthocephalus (Silvestri).

Cnitermes orthocephalus Silvestri 1901, p. 5, sold., work., Brazil: Coxipò (Cuyabà); 1903, p. 60, sold., work., pl. 3, fig. 106 (sold.).

Termes (Termes) orthocephalus Desneux 1904e, p. 38.

Cnitermes (Labiatermes) orthocephalus Holmgren 1912, p. 50, Matto Grosso.

Sd., work.
Ezil. Neotropical.

LABIOTERMES

(Lip)

Genus *Labiotermes* Holmgren.Generitype: *Labiotermes labralis* (Holmgren).<Genus *Cornitermes* Silvestri 1901, p. 4.<Genus *Cornitermes* Silvestri 1903, p. 52.<Subgenus *Termes* Desneux 1904e, pp. 32, 35.<Subgenus *Labiotermes* (*Cornitermes*) Holmgren 1912, p. 50.<Genus *Labiotermes* Sjöstedt 1926, p. 150.*Labiotermes labralis* (Holmgren).*Cornitermes labralis* Holmgren 1906, p. 553, im., sold.¹⁻², work., figs. N (im.), O (sold., work.), Peru: Chaquimayo.*Cornitermes* (*Labiotermes*) *labralis* Holmgren 1912, pp. 50-51, fig. 22 (sold. mand.), *labralis* Snyder 1926d, p. 20, Bolivia.Winged, sold.¹⁻², work.

Peru: Chaquimayo (Tal des Rio San Gaban, Prov. de Carabaya), Bolivia.

Neotro

Labiotermes labralis, subsp. *boreus* (Emerson).*Cornitermes* (*Labiotermes*) *labralis boreus* Emerson 1925, p. 311, sold., p. 363, im., fig. 47, Brit. Guiana: Kartabo; Adamson 1937, 12

Holotype: im., A.M.N.H.; morphotype: sold.; para im., sold., A.M.N.H.

Winged, sold.

Brit. Guiana, Trinidad (St. Joseph).

Neotro

Labiotermes longilabius (Silvestri).*Cornitermes longilabius* Silvestri 1901, p. 5, im., Brazil: Coxipò (Cuyabà); 1903, p. 10, im., sold., work., fig. 13 (wings), pl. 3, figs. 103 (104 (sold.), 105 (work.)), Brazil: Coxipò (Cuyabà) Corumbà.*Termes* (*Termes*) *longilabius* Desneux 1904e, p. 37, syn.*Cornitermes* (*Labiotermes*) *longilabius* Holmgren 1912, p. 49, fig. 21 (im. mand.), p. 50, Matto Grosso.

Winged, sold., work.

Brazil.

Neotro

ARMITERMES

Genus *Armitermes* Wasmann.Generitype: *Armitermes armiger* (Motschulsky).<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.<Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 16, 26.=Subgenus *Armitermes* Wasmann 1897, p. 151, designates type.<Genus *Armitermes* Silvestri 1901, p. 6.<Genus *Armitermes* Silvestri 1903, p. 73.<Genus *Termes* Desneux 1904e, pp. 26, 28.<Genus *Armitermes* Holmgren 1906, p. 567.<Genus *Armitermes* Holmgren 1912, pp. 53, 45.=Subgenus *Armitermes* Holmgren 1912, pp. 54, 55-57.<Genus *Armitermes* Banks 1919, p. 479.

Armitermes armiger (Motschulsky).

Armitermes armigera Motschulsky 1855, p. 10, sold., Obispo, Panama.

Armitermes (*Eutermes*) *armiger* Hagen 1858, p. 228 (sold.), pl. 1, fig. 1 (sold.).

Armitermes armiger Hagen 1858a, p. 32, im.

Armitermes armigera Banks 1918, p. 662, pl. 51, fig. 4 (sold. mand.), figs. 10, 13 (sold.), Panama: Obispo; ?im., Paraiso (U.S.N.M.).

Paratype: sold., M.C.Z. (Hagen coll.).

Winged, sold., work.

Panama.

Neotropical.

Armitermes benjamini Snyder.

Armitermes (*Armitermes*) *benjamini* Snyder 1926d, p. 21, sold., Bolivia: Cachuela Esperanza (Beni Riv.).

Type: sold., U.S.N.M. No. 27649.

Sold., work.

Bolivia.

Neotropical.

Armitermes chagresi Snyder.

Armitermes (*Armitermes*) *chagresi* Snyder 1925, pp. 187-188, 193, fig. 6 (sold.), sold., work., Barro Colorado Isl., C. Z., Panama; 1926, p. 28, sold., work., Hamburg Farm, Costa Rica; 1926a, p. 14, winged, sold., work., Barro Colorado Isl., C. Z.

Type: sold., U.S.N.M. No. 27357.

Winged, sold., work.

Panama, Costa Rica.

Neotropical.

Armitermes euamignathus Silvestri.

Armitermes euamignathus Silvestri 1901, p. 6, im., Paraguay, Matto Grosso.

Armitermes euamignathus Silvestri 1903, p. 76, im., sold., work., fig. 19 (wings), pp. 217-218, changes spelling, pl. 3, figs. 133 (im.), 134 (sold.), 135-137 (neoteinic king and queen), Matto Grosso: Coxipò, Cuyabà, Paraguay: Asunciòn, Villa Rica, Tacurù Pucù.

Armitermes (*Eutermes*) *euamignathus* Desneux 1904e, p. 42, Brazil, Paraguay.

Armitermes euamignathus Holmgren 1912, pp. 55, 57, fig. 34 (sold. mand.).

Armitermes euamignathus John 1920, p. 227, Rio Monday, Paraguay.

Armitermes (*Armitermes*) *euamignathus* Emerson 1925, pp. 367-368, syn. incorrect.

Armitermes (*Armitermes*) *euamignathus* Snyder 1926d, p. 24, Bolivia.

Winged, neotenes, sold., work.

Paraguay, Brazil, Bolivia.

Neotropical.

Armitermes festivellus Silvestri.

Armitermes festivellus Silvestri 1903, p. 75, im., sold., work., fig. 18 (wings), pl. 3, fig. 131 (im.), fig. 132 (sold.), Brazil: Cuyabà.

Armitermes (*Eutermes*) *festivellus* Desneux 1904e, p. 42, syn.

Armitermes (*Armitermes*) *festivellus* Holmgren 1912, p. 53, syn., fig. 27 (im. mand.), pp. 55, 57, fig. 31 (sold. mand.); Snyder 1926d, p. 25, Bolivia.

Winged, sold., work.

Brazil, Bolivia.

Neotropical.

Armitermes grandidens Emerson.

Armitermes (*Armitermes*) *grandidens* Emerson 1925, pp. 373-374, fig. 52, sold., B. Guiana: Kartabo.

Holotype: N. Y. Zool. Soc.

Sold.

Brit. Guiana.

Neotropic

Armitermes heterotypus Silvestri.

Armitermes heterotypus Silvestri 1901, p. 6, sold., work., Paraguay: Tacurù Pucù; 1901, p. 74, pl. 3, fig. 130 (sold.).

Termes (*Eutermes*) *heterotypus* Desneux 1904e, p. 42, syn.

Armitermes (*Armitermes*) *heterotypus* Holmgren 1912, pp. 55, 57, fig. 30 (sold. mand.).

Sold., work.

Paraguay.

Neotropic

Armitermes holmgreni Snyder.

Armitermes (*Armitermes*) *holmgreni* Snyder 1926d, p. 22, queen, sold., Ivon, Bolivia.

Type: queen (dealated), U.S.N.M. No. 27650.

Termes albidus Hagen 1858 (in part, sold.), p. 225 [im.], sold., sold. only; Braz. Santarem.

Type: im., Hagen coll., M.C.Z., not identified.

Armitermes (*Armitermes*) *albidus* Emerson 1925, pp. 309, 367-369, fig. 49, im., sold., Santarem, Brazil, syn. incorrect; Snyder 1926d, p. 22, sold., work., Bolivia: Ixiamas.

Armitermes heyeri Wheeler ms. 1936, pp. 210, 233-234, biol., Brazil.

Queen, sold., work.

Bolivia, Brazil, ?Matto Grosso,

Brit. Guiana, Trinidad.

Neotropic

Armitermes intermedius Snyder.

Armitermes intermedius Snyder 1922, pp. 23-24, pl. 1, fig. 3 (sold.), Ceiba, Spanish Honduras.

Type: sold., U.S.N.M. No. 24572.

Sold.

Honduras.

Neotropic

Armitermes manni Snyder.

Armitermes (*Armitermes*) *manni* Snyder 1926d, p. 23, sold., Bolivia: Cachuela Esperanza (Beni River).

Type: sold., U.S.N.M. No. 27651.

Sold.

Bolivia.

Neotropic

Armitermes minutus Emerson.

Armitermes (*Armitermes*) *minutus* Emerson 1925, pp. 374-375, fig. 53, imago (king), sold., Brit. Guiana: Kartabo.

Holotype: sold.; morphotype: king, N. Y. Zool. Soc.

Dealated male (king), sold.

Brit. Guiana.

Neotropic

Anitermes neotenicus Holmgren.

Anitermes neotenicus Holmgren 1906, p. 571, im., sold., work., neoteinic queen, fig. A 1 (im.), fig. B (sold.), fig. C (work.), fig. D (neoteinic queen), Bolivia: San Fermin (Tal des Rio Tambo-pata, Prov. des Caupolican), Peru: Llinquipata, Chaquimayo (Prov. Carabaya).

Anitermes (*Armitermes*) *neotenicus* Holmgren 1912, pp. 55, 57, fig. 33 (sold., mand.).

Cotypes: sold., neoteinic queens, M.C.Z. No. 10105, from Peru.

Anitermes neotenicus Handlirsch 1930 (fossil bibliog.), fig. 886, sect. sold. head.

Anitermes (*Armitermes*) *percutiens* Emerson 1925, pp. 369-371, fig. 50, im., sold., Brit. Guiana: Kartabo.

Winged, neoteinic queen, sold., work.

Bivia, Peru, Brit. Guiana.

Neotropical.

Anitermes peruanus Holmgren.

Anitermes peruanus Holmgren 1906, p. 569, sold., work., fig. 2, Peru: Llinquipata, Chaquimayo; 1912, pl. 2, figs. 11-12 (sold.), pp. 55, 57, fig. 32 (sold. mand.).

Cotype: sold., M.C.Z. No. 10106, from Peru.

Sd., work.

Pu.

Neotropical.

Anitermes silvestrii Emerson, n. sp.

Anitermes albidus Silvestri 1901, p. 7, loc., Brazil: Coxipò, Cuyabà; 1903, p. 79, sold., work., pl. 3, fig. 40 (sold.).

Sd., work.

Bzil.

Neotropical.

Anitermes teevani Emerson.

Anitermes (*Armitermes*) *teevani* Emerson 1925, pp. 371-372, fig. 51, im., sold., Brit. Guiana: Kartabo; Snyder 1926d, p. 25, Bolivia.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

B. Guiana, Bolivia.

Neotropical.

CURVITERMES

genus *Curvitermes* Holmgren.

Generitype: *Curvitermes odontognathus* (Silvestri).

<genus *Armitermes* Silvestri 1901, p. 6.

<genus *Armitermes* Silvestri 1903, p. 73.

<genus *Termes* Desneux 1904e, pp. 26, 28.

=subgenus *Curvitermes* (*Armitermes*) Holmgren 1912, p. 55.

Curvitermes minor (Silvestri).

Anitermes odontognathus subsp. *minor* Silvestri 1901, p. 6, sold., work., Brazil: Coxipò (Cuyabà); 1903, p. 78, sold., work.

Termes (*Eutermes*) *odontognathus* subsp. *minor* Desneux 1904e, p. 44, syn.

Anitermes (*Curvitermes*) *minor* Holmgren 1912, p. 55, Matto Grosso.

Scl., work.

Bzil.

Neotropical.

Curvitermes odontognathus (Silvestri).

Armitermes odontognathus Silvestri 1901, p. 6, sold., work., Brazil: Cuyabá; 1903, p. 7, sold., work., pl. 3, figs. 138-139 (sold.), Coxipò, Cuyabá.

Termes (Eutermes) odontognathus Desneux 1904e, p. 44, syn.

Armitermes odontognathus Holmgren 1906, p. 567, im., sold., work., fig. X (im.), fig. Y (sold.), Bolivia: (Caupolican) Mojos.

Armitermes (Curvitermes) odontognathus Holmgren 1912, p. 53, fig. 28 (im. mand.), p. 55, 57, fig. 35 (sold. mand.), pl. 2, fig. 16 (sold.), Matto Grosso, Bolivia; Snyder 1926d, p. 25, Bolivia.

Winged, sold., work.

Brazil, Bolivia.

Neotrop.

ANGULARITERMES

Genus *Angularitermes* Emerson.

Generitype: *Angularitermes nasutissimus* (Emerson).

=Subgenus *Angularitermes (Nasutitermes)* Emerson 1925, p. 419.

Angularitermes nasutissimus (Emerson).

Nasutitermes (Angularitermes) nasutissimus Emerson 1925, pp. 419-420, fig. 75, im., s. Brit. Guiana: Kartabo.

Winged, sold.

Brit. Guiana.

Neotrop.

MIMEUTERMES

(Mimic)

Genus *Mimeutermes* Silvestri.

Generitype: *Mimeutermes giffardii* (Silvestri).

Genus *Mimeutermes* Silvestri 1914-15, p. 47.

Genus *Mimeutermes* Sjöstedt 1926, p. 359.

Mimeutermes giffardi Silvestri.

Mimeutermes Giffardi Silvestri 1914-15, p. 48, im., sold., work., fig. 25 (im.), fig. 26 (sold., work.), Fr. Guinea: Camayenne, Gold Coast: Abidjan; Sjöstedt 1926, pp. 359-360, fig. 81, 1-2 (sold.), syn.

Winged, sold., work.

Fr. Guinea, Gold Coast.

Ethio.

Mimeutermes sorex Silvestri.

Mimeutermes sorex Silvestri 1914-15, p. 48, sold., work., fig. 27 (sold., work.), Fr. Guinea: Mamou; Sjöstedt 1926, p. 360, fig. 81, 3-4 (sold.), loc.

Sold., work.

Fr. Guinea.

Ethio.

SUBULITERMES

Genus *Subulitermes* Holmgren.

Generitype: *Subulitermes microsoma* (Silvestri).

<Subgenus *Subulitermes (Eutermes)* Holmgren 1910b, pp. 208, 18 (includes *N. laevigatus*).

<Subgenus *Subulitermes (Eutermes)* Holmgren 1912, pp. 59, 64 (includes *N. horni*).

=Genus *Subulitermes* Fuller 1921, pp. 19, 21, 27.

<Genus *Subulitermes* Kemner 1931, p. 33.

<Genus *Eutermes* Hill 1942, pp. 8, 9, 12, 13, 14, 202.

Sulitermes aciculatus (Haviland).

Termites aciculatus Haviland 1898, p. 426, sold., work., Borneo: Sarawak.
Type: No. 447.

Termites (Subulitermes) aciculatus Holmgren 1913b, p. 156, sold., work., Borneo: Sarawak, Marudi; John 1925, p. 392, loc.

Sd., work.

Borneo, Sumatra, Singapore.

Indo-Malayan.

Sulitermes angusticeps (Snyder).

Nutitermes (Subulitermes) angusticeps Snyder 1926, p. 33, sold., Bolivia: Espia.
Type: sold., U.S.N.M. No. 27655.

Sd.

Bivia.

Neotropical.

Sulitermes baileyi (Emerson).

Nutitermes (Subulitermes) baileyi Emerson 1925, pp. 398-399, fig. 64e-h, im., sold., Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Bt. Guiana.

Neotropical.

Sulitermes dilucidus (Hill).

Termites dilucidus Hill 1942, pp. 285-287, figs. 195-198, dealated, sold., work., Queensland: Doongul State Forest near Aramara.

Holotype: dealated; morphotype: sold. and work., C.S.I.R. coll.

Dealated, sold., work.

Queensland.

Australian.

Sulitermes greavesi (Hill).

Termites greavesi Hill 1942, pp. 287-288, p. 199, alate, sold., work., Queensland: Gadgarra (Atherton Tableland).

Holotype: winged, C.S.I.R. coll.

Winged, sold., work.

Queensland.

Australian.

Subulitermes hainesi Fuller.

Sulitermes hainesi Fuller 1922, p. 115, sold., work., Steinkopf, Wolfdoon, Kenhardt, So. Africa.

Termites Hainesi Sjöstedt 1926, p. 310, syn., loc.

Sd., work.

S Africa.

Ethiopian.

Sulitermes hantanae (Holmgren).

Termites hantanae Holmgren 1911c, p. 198, pl. 3, fig. P 1-2 (sold.), Ceylon: Hantana.

Termites (Subulitermes) Hantanae Holmgren 1913b, p. 155, sold., work., pl. 7, fig. 3 (sold.).

Sd., work.

Ceylon.

Indo-Malayan.

Subulitermes inaniformis (Holmgren).

Eutermes (*Subulitermes*) *inaniformis* Holmgren 1912, p. 64, pl. 3, fig. 10 (sold.), *Indies*; 1913b, p. 154, im., sold., work., pl. 7, f. 1 (sold.), "Hinterindien."

Winged, sold., work., queen.

East Indies, "Hinterindien."

Indo-Malaya

Subulitermes inanis (Haviland).

Termes inanis Haviland 1898, p. 425, nymph, sold., work., Malay Pen.: Perak.

Type: No. 121.

Eutermes (*Subulitermes*) *inanis* Holmgren 1913b, p. 154, sold., work., pl. 7, fig. 2 (sold.).

?*Eutermes inanis* Green 1913, p. 14, Ceylon.

Eutermes (*Subulitermes*) *inaniformis* John 1925, p. 391, biol. (im. is *Capritermes medius*).
Sumatra: Siak; Singapore, Bukit, Tinak.

Sold., work.

Malay Peninsula, Sumatra,
[Ceylon?].

Indo-Malaya

Subulitermes javanellus Kemner.

Subulitermes javanellus Kemner 1934, p. 120, fig. 27 (sold.), Java: Buitenzorg.

Sold.

Java.

Indo-Malaya

Subulitermes kirbyi (Snyder).

Nasutitermes (*Subulitermes*) *kirbyi* Snyder 1926a, pp. 14-15, sold., Barro Colorado Island,
C. Z., Panama.

Type: sold., U.S.N.M. No. 28730.

Sold.

Panama (C. Z.).

Neotropics

Subulitermes kotuae (Bugnion).

Eutermes Kotuae Bugnion 1914b, p. 193, im., sold., work., pl. 12 (sold.), pl. 13 (sold., work.),
pl. 14 (im.), Ceylon: Kotua.

Winged, sold., work.

Ceylon.

Indo-Malaya

Subulitermes leucops (Holmgren).

Eutermes (*Subulitermes*) *leucops* Holmgren 1913-14, pp. 252-253, sold., work., Sumatra,
Malacca.

Sold., work.

Sumatra, Malacca.

Indo-Malaya

Subulitermes microsoma (Silvestri).

Eutermes debilis Silvestri 1901, p. 7, Argentina, Paraguay, Matto Grosso.

Eutermes microsoma Silvestri 1903, p. 94, im., sold., work., fig. 27 (wings), pl. 4, figs. 205 (im.), figs. 206-207 (sold.), places *Termes debilis* (Hag.) in syn., Argentina: Posados, Paraguay: Tacurù Pucù, Brazil: Coxipò, Cuyabà, Urubitinga (Corumbà); Desneux 1904e, p. 41, places this species in syn. with *Termes* (*Eutermes*) *debilis* Heer, Bolivia: Argentina; Holmgren 1906, pl. 601, sold., work., Bolivia: Mojós (Caupolicán), Peru: (Carabaya) Chaquimayo.

- Etermes (Subulitermes) microsoma** Holmgren 1910b, p. 298, im., sold., work., fig. 68a (im.), b-c (sold.), in addition to records Silvestri 1903, Brazil: Blumenau (Sta. Catharina), Bolivia: Mojos; 1912, p. 64, pl. 3, fig. 9 (im.).
Winged, sold., work.
Argentina, Paraguay, Brazil,
Bolivia, Peru. Neotropical.
- Sbulitermes occultus** (Hill).
Notermes occultus Hill 1927a, pp. 112-113, pl. 4, figs. 147-149 (im.), pl. 6, fig. 215 (wings).
Etermes occultus Hill 1942, pp. 245-248, figs. 144-149, im., sold., work., No. Terr.: Koolpinyah, Stapleton.
Holotype: winged; morphotype: sold., work., Nat. Mus. Melbourne.
Winged, sold., work.
N. Terr.: Koolpinyah, Stapleton. Australian.
- Sbulitermes oculatissimus** (Emerson).
Nsutitermes (Subulitermes) oculatissimus Emerson 1925, pp. 400-402, fig. 65, im., sold., Brit. Guiana: Kartabo.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.
Winged, sold.
Et. Guiana. Neotropical.
- Sbulitermes osborni** (Emerson).
Nsutitermes (Subulitermes) osborni Emerson 1925, pp. 404-405, fig. 67, queen imago, sold., Brit. Guiana: Cow Isl.
Holotype: queen; morphotype: sold., N. Y. Zool. Soc.
Queen, sold.
Et. Guiana. Neotropical.
- Sbulitermes parvellus** (Silvestri).
Etermes parvellus Silvestri 1923b, pp. 307-309, pl. 11 (winged, sold.), winged, sold., work., Brit. Guiana: Kartabo.
Nsutitermes (Subulitermes) parvellus Emerson 1925, pp. 399-400, fig. 64a-d, im., sold.
Winged, sold., work.
Et. Guiana. Neotropical.
- Sbulitermes perlevis** (Hill).
Etermes perlevis Hill 1942, pp. 293-294, figs. 206-207, sold., No. Terr.: 34 miles south of Port Darwin.
Holotype: sold., C.S.I.R. coll.
Sold.
N. Territory. Australian.

Subulitermes raripilus (Emerson).

Nasutitermes (**Subulitermes**) *raripilus* Emerson 1925, pp. 402-403, fig. 66, queen, s.
Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool.

Queen, sold.

Brit. Guiana.

Neotrop.

Subulitermes snyderi (Emerson).

Nasutitermes (**Subulitermes**) *snyderi* Emerson 1925, pp. 405-407, fig. 68, im., sold., I.
Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool.

Winged, sold.

Brit. Guiana.

Neotrop.

Subulitermes thompsonae (Emerson).

Eutermes (**Subulitermes**) *incola* Holmgren 1910b, p. 299, sold., Peru: Chaquimayo.

Nasutitermes (**Subulitermes**) *thompsonae* Emerson 1925, p. 299.

Sold.

Peru.

Neotrop.

Subulitermes undecimus Kemner.

Subulitermes undecimus Kemner 1931, pp. 33-38, winged, sold., work., fig. 11 (wing
fig. 12 (sold.)), Amboina.

Winged, sold.

Amboina.

Pap.

Subulitermes zeteki (Snyder).

Nasutitermes (**Subulitermes**) *zeteki* Snyder 1924c, p. 32, sold., Summit, C. Z., Panama
Type: sold., U.S.N.M. No. 25766.

Sold.

Panama (C. Z.).

Neotrop.

CONVEXITERMES

Genus **Convexitermes** Holmgren.

Generitype: **Convexitermes convexifrons** (Holmgren).

=Subgenus **Convexitermes** (**Eutermes**) Holmgren 1910b, pp. 208, 18; 1912, pp. 59-60,
><Subgenus **Agnathotermes** (**Nasutitermes**) Snyder 1926d, p. 41.

Convexitermes clevelandi (Snyder).

Nasutitermes (**Convexitermes**) *clevelandi* Snyder 1926a, pp. 15-16, soldier. Panama: C.
Zone, Barro Colorado Island.

Cotypes: soldiers, U.S.N.M. No. 28731.

Sold., work.

Panama.

Neotrop.

Convexitermes convexifrons (Holmgren).

Eutermes convexifrons Holmgren 1906, p. 602, im., sold., work., figs. A 2 (im.), B 2 (sol.
C 2 (work.)), Peru: Chaquimayo (Carabaya); 19
p. 295, im., sold., fig. 66a (im.), b-c (sold.).

Etermes (*Convexitermes*) *convexifrons* Holmgren 1912, p. 64, pl. 3, fig. 8 (im.), fig. 6 (sold.).

Winged, sold., work.

Peru.

Neotropical.

Convexitermes glaber (Snyder).

Nutitermes (*Agnathotermes*) *glaber* Snyder 1926d, p. 42, sold., Bolivia: Cachueta Esperanza (Beni Riv.).

Type: sold., U.S.N.M. No. 27660.

Sold.

Bolivia.

Neotropical.

Convexitermes kartaboensis (Emerson).

Nutitermes (*Convexitermes*) *kartaboensis* Emerson 1925, pp. 409-411, fig. 70 (im., sold.), Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Br. Guiana.

Neotropical.

Convexitermes manni (Emerson).

Nutitermes (*Convexitermes*) *manni* Emerson 1925, pp. 412-414, fig. 72, im., sold., Brit. Guiana: Kartabo.

Holotype: sold.; morphotype: winged, N. Y. Zool. Soc.

Winged, sold.

Br. Guiana.

Neotropical.

Convexitermes mazaruniensis (Emerson).

Nutitermes (*Convexitermes*) *mazaruniensis* Emerson 1925, pp. 411-412, fig. 71, im., sold., Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Br. Guiana.

Neotropical.

Convexitermes nigricornis (Holmgren).

Etermes nigricornis Holmgren 1906, p. 600, sold., work., fig. V 1 (sold.), fig. Z (work.), Peru: Chaquimayo (Carabaya).

Etermes (*Convexitermes*) *nigricornis* Holmgren 1910b, pp. 218, 297, sold., work., fig. 67 (sold.).

Winged, sold.

Peru.

Neotropical.

Convexitermes nigricornis, subsp. *junceus* Emerson, n. subsp.

Nutitermes (*Convexitermes*) *nigricornis* Emerson 1925, p. 309, sold., pp. 407-409, fig. 69 (im., sold.), Brit. Guiana: Kartabo.

Holotype: sold.; morphotype: queen; paratypes; A.M.N.H.

I₁ (queen), sold.

Br. Guiana.

Neotropical.

Convexitermes pallidus (Snyder).

Nasutitermes (*Convexitermes*) *pallidus* Snyder 1926d, p. 34, sold., Ivon, Bolivia.
Type: sold., U.S.N.M. No. 27656.

Sold.

Bolivia.

Neotropical

EUTERMELLUS

Genus *Eutermellus* Silvestri.

Generitype: *Eutermellus convergens* (Silvestri).

=Genus *Eutermellus* Silvestri 1912, p. 243.

=Subgenus *Eutermellus* (*Eutermes*) Holmgren 1912, pp. 59-60, 64.

=Genus *Eutermellus* Sjöstedt 1926, p. 358.

<Subgenus *Coarctotermes* Holmgren 1912, pp. 59-61, 65.

Eutermellus bipartitus (Sjöstedt).

Eutermes bipartitus Sjöstedt 1911, p. 168, im., sold.¹⁻², work., fig. (sold.), Belg. Congo, Mukimbungu.

Eutermes (*Coarctotermes*) *bipartitus* Holmgren 1912, p. 65.

Eutermellus bipartitus Sjöstedt 1926, p. 305 and 358, im., sold.¹⁻², work., fig. 80 (sc. pl. 11, P 1-2 (sold.)), syn., loc. Places *convergens* syn., incorrect.

Winged, sold.¹⁻², work.

Belg. Congo.

Ethiopia

Eutermellus convergens Silvestri.

Eutermellus convergens Silvestri 1912, p. 245, im., sold., work., fig. 15, im., sold., work., Fernando Po: Basile; 1914-15, p. 46, Gold Coast, Aburi.

Eutermes (*Eutermellus*) *convergens* Holmgren 1912, p. 64.

Eutermellus convergens Sjöstedt 1926, pp. 358-359, syn. incorrect.

Subs. (neoteinic) queen, sold., work.

Fernando Po, Gold Coast.

Ethiopia

FORAMINITERMES GROUP

Foraminitermes-Reihe Holmgren 1912, pp. 125, 9.

FORAMINITERMES

(Hole)

Genus *Foraminitermes* Holmgren.

Generitype: *Foraminitermes tubifrons* Holmgren.

=Genus *Foraminitermes* Holmgren 1912, p. 125.

Foraminitermes tubifrons Holmgren.

Foraminitermes tubifrons Holmgren 1912, p. 125, im., pl. 4, figs. 34-35 (im.), Cameroon, Winged.

Cameroon.

Ethiopia

NOT IDENTIFIED AS TO SPECIES

KALOTERMITIDAE

- Kaetermes banksi* Holmgren ms., nom. nudum.
Catermes (*Calotermes*) *Banksi* Holmgren ms. 1911a, p. 53, America.
- Kaetermes californicus* Holmgren ms., nom. nudum.
Catermes (*Calotermes*) *californicus* Holmgren ms. 1911a, p. 53, America.
- Kaetermes equatorianus* Holmgren ms., nom. nudum.
Catermes (*Calotermes*) *equatorianus* Holmgren ms. 1911a, p. 53, America.
- Kaetermes smeathmani* Fr. Müller ms., nom. nudum.
Catermes Smeathmani Fr. Müller ms. 1873, p. 341.
- Neotermes chacoensis* (Holmgren) ms., nom. nudum.
Catermes (*Neotermes*) *chacoensis* Holmgren ms. 1911a, p. 54, America.
- Neotermes haitiensis* (Holmgren) ms., nom. nudum.
Catermes (*Neotermes*) *haitiensis* Holmgren ms. 1911a, p. 54, Haiti.
- Neotermes nigeriae* (Holmgren) ms., nom. nudum.
Catermes (*Neotermes*) *Nigeriae* Holmgren ms. 1911a, p. 54, Africa.
- Ruitermes paranaensis* (Holmgren) ms., nom. nudum.
Catermes (*Rugitermes*) *paranaensis* Holmgren 1911a, p. 54, America.
- Cryptotermes brachygnathus* Kemner ms., nom. nudum.
Catermes (*Cryptotermes*) *brachygnathus* Jepson 1929, 1930 (econ.), Ceylon: Puttalam.
- Cryptotermes ceylonicus* (Kemner) ms., nom. nudum.
Catermes (*Cryptotermes*) *ceylonicus* Jepson 1929, 1930 (econ.), Ceylon: Chilaw, Peradeniya, Kalutara.
- Cryptotermes cubanus* (Holmgren) ms., nom. nudum.
Catermes (*Cryptotermes*) *cubanus* Holmgren ms. 1911, p. 549, inago, Cuba.
- Cryptotermes tectus* (Kemner) ms., nom. nudum.
Catermes (*Cryptotermes*) *tectus* Jepson 1929, 1930 (econ.), Ceylon: Colombo.
- Cryptotermes lignarius* (Kemner) ms., nom. nudum.
Catermes (*Cryptotermes*) *lignarius* Jepson 1929, 1930 (econ.), Ceylon: Hakgala.
- Cryptotermes venezolanus* (Holmgren) ms.
Catermes (*Cryptotermes*) *venezolanus* Holmgren ms. 1911a, p. 55, America.
- Cryptotermes* sp. (Holmgren).
Catermes (*Cryptotermes*) sp. Holmgren 1911, p. 549, sold.

Cryptotermes spp. (Hill).

Calotermes (*Cryptotermes*) spp. Hill 1927, p. 13, winged, Tutuila Isl., Samoa; wind, Vavan Isl., Tonga.

Glyptotermes ceylonicus, var. *cylindricus* (Kemner) ms., nom. nudum.

Calotermes (*Glyptotermes*) *ceylonicus*, var. *cylindricus* Jepson 1929, 1930 (econ.), Ceylon: Elpitiya.

Glyptotermes jepsoni (Kemner) ms., nom. nudum.

Calotermes (*Glyptotermes*) *jepsoni* Jepson 1929, 1930 (econ.), Ceylon: Maskeliya, Indaluoya.

Glyptotermes sp. Kemner.

Glyptotermes sp. Kemner 1930, p. 301, adult, Fort de Kock.

Glyptotermes sp. (Light).

Kalotermes (*Glyptotermes*) sp. Light 1932d, pp. 4-5, im., Society Isls., Moorea.

IIDOTERMITIDAE

Zootermopsis sp. (Light).

Termopsis sp. Light 1933, p. 83, Lower California.

RHINOTERMITIDAE

Coptotermes exiguus Kemner ms.

Coptotermes exiguus Jepson 1929, 1930 (econ.), Ceylon.

Coptotermes sp. (near *acinaciformis* Frogg.) Hill.

Coptotermes sp. (near *acinaciformis* Frogg.) Hill 1925, p. 89, winged, sold., Victoria, Australia.

Schedorhinotermes, n. sp.

Rhinotermes (*Schedorhinotermes*) *translucens* or *brevialatus* or *longirostris* Holm 1913-14, p. 240, im., sold., work., Sumatra only (species involved).

Schedorhinotermes sp. (Oshima).

Rhinotermes (*Schedorhinotermes*) *longirostris* Oshima 1916, p. 352, sold., work., Philippines: Luzon; 1920a, p. 493; Light 1921, p. 250; 1921, p. 20 (syn.).

TERMITIDAE

Anoplotermes, n. sp.

Anoplotermes (*Anoplotermes*) *pacificus* Snyder 1926d, p. 45, im., Bolivia: Rosario.

Anoplotermes sp. Snyder.

Anoplotermes sp. Snyder 1925b, p. 162, workers, Costa Rica: El Coyolar.

Arplotermes spp. Adamson.

Arplotermes spp. Adamson 1940, pp. 14-15, biol., 10 species, Trinidad.

Spulitermes sp. (Snyder).

Arplotermes (*Speculitermes*) sp. Snyder 1925b, p. 162, workers, Colombia: Rio Frio.

Spulitermes sp. (Snyder).

Arplotermes (*Speculitermes*) sp. Snyder 1926d, p. 58, workers, Bolivia: Cachueta Esperanza.

Artermes sp. Holmgren.

Haitemes (*Hamitermes*) sp. Holmgren 1913-14, pp. 272-273, Sumatra.

Hognathotermes sp. Fuller.

Hognathotermes sp. Fuller 1922, p. 106, So. Africa: Vrysburg (only So. African record).

Cutermes ?sp. (Smeathman).

Tenes mordax Smeathman.

Tenes mordax Smeathman 1781, p. 141, pl. 10, figs. 10-13; pl. 9 (im.), biol., Sierra Leone.

Tenes mordax Fabricius 1781, p. 397; 1787, p. 248; 1793, p. 91.

Tenes mordax Hagen 1858, p. 215, im.

Tenes mordax Hagen 1858a, p. 30, im.

Tenes mordax Hagen 1860, p. 110.

Tenes mordax Sjöstedt 1900a, p. 172, im.

Type lost.

Cutermes mordax Sjöstedt 1926, p. 218 (discuss.).

Mitermes (?*Basidentitermes*) ?sp. (Sjöstedt).

Eyrmes gastroanus Sjöstedt 1912, p. 12, im., Abyssinia: Scioa, Gherba.

Type: Mus. Genoa.

?*Eyrmes gastroanus* Sjöstedt 1926, p. 325, *Trinervitermes* (near *Orthotermes manusetus* Sjöstedt).

Mitermes (?*Basidentitermes*) *gastroanus* Emerson 1928, p. 535 (discuss.).

Miotermes sp. Holmgren.

Miotermes sp. Holmgren 1913-14, p. 275, winged, Sumatra.

Sytermes sp. Reichensperger.

Sytermes sp. Reichensperger 1936, p. 230 (biol.), Santa Cruz, Goyaz, Brazil.

Sytermes sp. Emerson.

Sytermes sp. Emerson 1945, p. 470, dealates, Guarany, São Paulo, Brazil.

Syermes sp. Emerson.

Syermes sp. Emerson 1945, p. 470, wings, workers, Urucum, Matto Grosso, Brazil.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, near *grandis*, imagos, Lassance, Minas Geraes, Brazil.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, sold. in M.C.Z., Marucú, probably new, but in poor condition.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, workers only, Villavicencio, Meta, Colombia.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, workers only, Madeira Mamore, Peru.

Nasutitermes n. sp.

Nasutitermes (*Nasutitermes*) *braziliensis* Snyder 1926d, p. 31, sold., work., Bolivia: Ixiá

Nasutitermes n. sp.

Nasutitermes (*Nasutitermes*) *macrocephalus* Snyder 1926d, p. 32, Bolivia and Brazil.

Nasutitermes ?sp. (Holmgren).

Eutermes obscurus Holmgren 1906, p. 580, sold., work., fig. K 1 (sold.), fig. L 1 (worker), part, Peru: Chaquimayo (Carabaya); also see *Nasutitermes lighti* Snyder and Emerson.

Nasutitermes ?sp. (Silvestri).

Eutermes Rippertii Silvestri 1934, fig. 19 (sold.).

Trinervitermes sp. Ghidini.

Trinervitermes sp. Ghidini 1939, p. 193, winged, Ethiopia: Neghelli.

Subulitermes spp. Adamson.

Subulitermes spp. Adamson 1940, p. 14 (biol.), four species, Trinidad.

NOT CLASSIFIED

Listed alphabetically

Termes albidus Hagen 1858, p. 225, im. only, pl. 3, fig. 34 (im.), Brazil: Santarem; 1858, p. 32, im.

?*Termes australis* Walker 1853, p. 525, im. only, Adelaide, So. Australia.

Termes australis Hagen 1858, p. 173, im.; 1858a, p. 23, im.

Termes australis Froggatt 1897, p. 738, im., pl. 35, fig. 1 (wing); 1905a, p. 33, im.

?*Coptotermes australis* Bugnion and Popoff 1910, p. 121, syn.

Coptotermes australis Holmgren 1911a, p. 73.

Termes (*Coptotermes*) *australis* Desneux 1904e, p. 34.

?*Coptotermes australis* Hill 1926b, p. 194, p. 203, discuss., syn.

Termes australis Hill 1942, p. 10, unique type, damaged, not determinable, Brit. Mus.

Locotermes barretti Hill.

Locotermes barretti Hill 1927a, pp. 58-59, im., sold., work., Queensland: Rockhampton.
Types: Nat. Mus. Victoria.

Locotermes barretti Hill 1942, p. 10, indeterminable.

Herotermes barretti Hill 1942, p. 121, type not referable to this genus, now indeterminable.

Cotermes (?*Procryptotermes*) *braueri* Holmgren 1910a, p. 136, Australia (no description but credited to Froggatt).

Ermes Burmeisteri Tscherwinsky 1901, Brazil.

Tmes (*Eutermes*) *Burmeisteri* Desneux 1904e, p. 41, syn.

Ermes camerunensis Sjöstedt.

Ermes camerunensis Sjöstedt 1899, p. 37, im., Cameroon.

?*Itermes camerunensis* Sjöstedt 1926, pp. 324-325 (near *Microcrotermes sikorae*).

Ermes canariensis Tscherwinsky.

Ermes canariensis Tscherwinsky 1901, p. 133, Iles Canaries.

Tmes (*Eutermes*) *canariensis* Desneux, 1904e, p. 41, syn.

Ermes canariensis Grassé 1938, p. 291 (remarks).

Tmes cornutus Hagen 1858, p. 165 (Bates ms.), im., sold., Brazil: Santarem (placed in synonymy with *T. cumulans*).

Tmes destructor Gmelin 1800, p. 693, sold., biol., America, India, Africa.

Tmes devastans Kollar.

Tmes devastans Kollar 1832, p. 13, pl. 1, fig. 8, Brazil.

Tmes devastans Hagen 1858, p. 229, worker, Brazil: Rio de Janeiro.

Tmes devastans Hagen 1858a, p. 32, loc., Brazil.

Tmes devastans Silvestri 1903, p. 108 (not identifiable).

Thervitermes diplacodes Sjöstedt 1926, p. 293, im., p. 336, im., Belg. Congo: Lemba.

Ermes fenerivensis Sjöstedt.

Ermes fenerivensis Sjöstedt 1914, p. 11, im., Madagascar: Fenerive.

?*Itermes fenerivensis* Sjöstedt 1926, p. 324.

Tmes ferruginosus Latreille.

Tmes ferruginosus Latreille 1804, p. 63, im., Indies; 1805, p. 70, imago, East Indies.

Tmes ferruginosus Hagen 1858, p. 138, im. (from Latreille), East Indies.

Tmes ferruginosus Hagen 1858a, p. 20, im., East Indies.

Tmes ferruginosus Hagen 1858b, p. 471 (doubtfully in syn. *T. monoceros*).

Tmes flavicollis Walker.

Tmes flavicollis Walker 1853, p. 502 (only descriptions without localities, not counting 1 or 3), im., sold.

Cotermes flavicollis Dudley 1890a, p. 106, discuss., Panama (suggests introduction from Suez Canal).

Termes flavipes Walker 1853, p. 515.

Coptotermes Hartmanni Holmgren 1911a, p. 74 (not described), So. America.

Eutermes inquilinus Fr. Müller 1873, p. 348, king, queen, sold., work., ?Argentina.

Termes Mauricianus Rambur 1842, p. 305, im., Isle of France; Hagen 1858, p. 220, in
Type: Oxford, Hope coll.

?*Eutermes mauricianus* Sjöstedt 1926, p. 324, syn., Mauritius.

Calotermes milesnasitermes Dudley 1890a, p. 118, Panama (exhibit) (probably a typographical error).

Eutermes mitis Sjöstedt 1902, p. 40, im., Madagascar.

Eutermes mitis Holmgren 1913d, p. 335 ? *Trinervitermes*.

?*Eutermes mitis* Sjöstedt 1926, p. 323, Madagascar [no species *Trinervitermes* present

Termes modestus Hagen 1860a, p. 104, nymph, Borneo.

Termes Mülleri v. Ihering 1887, p. 3. Brazil: Rio Grande (near *T. Lespesii*).

Eutermes Nasonowi Tscherswinsky 1901, Madagascar.

Termes (*Eutermes*) *Nasonowi* Desneux 1904e, p. 43, syn.

Termes nigricans Rambur 1842, pp. 305, 308?, im., Brazil.

Type: im., Selys Longchamps coll., Brussels.

Termes nigricans Walker 1853, p. 519, loc.

Termes nigricans Hagen 1858, p. 162, im., Brazil.

Termes nigricans Hagen 1858a, p. 22, im., Brazil.

Termes nigricans Desneux 1915, p. 9.

?*Termes destructor* Fabricius 1793, p. 89.

?*Termes céphalotes* Rambur 1842, p. 309, sold., Brazil.

Termes trinervius Hagen 1862, p. 85, queen?

Termes pallidipennis Blanchard 1847, p. 216, Névroptères, pl. 28, fig. 1, male im., Boli
Prov. de Santa Cruz de la Sierra; Hagen 1858, p. 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

Termes Perrieri Desneux.

Termes Perrieri Hagh 1922, p. 290 (nest), Madagascar.

Termes Perrieri Emerson 1928, p. 469, discus.

Eutermes receptus Sjöstedt 1913a, p. 387, im., Belg. Congo: Kasai, Kondue.

Type: Mus. Tervueren.

Mirotermes (*Cubitermes*) *receptus* Hagh 1922, pp. 499, 699.

?*Eutermes receptus* Sjöstedt 1926, p. 324, syn.

Eutermes Rippertii var. *Iheringi* Tscherswinsky 1901, Brazil; Desneux 1904e, p. 44 (de
fully refers this var. to *rippertii*).

- Eurmes rippertii* var. *pontis* Holmgren 1906, p. 575 (no adequate characters given), Peru: Puente Progreso (Tal des Rio San Gaban, Prov. Carabaya).
- Eurmes rippertii* var. *tuichensis* Holmgren 1906, p. 575, sold., work., Bolivia: Tuiche (does not conform to *E. tuichensis* Holmgren 1910b, p. 232).
- Tenes saltans* Dudley and Beaumont 1890, p. 172, Panama.
- Calermes?* sp. Hill 1926c, p. 22, nymphs, New Caledonia: Noumea.
- Calermes* (*Cryptotermes*)? sp. Hill 1926c, p. 22, winged, Fiji: Viti Levu.
- Eurmes* sp. (prope *ripperti* Ramb.) Wasmann 1902b, p. 139, sold., work. (no descr.), Cocos Islands (between Galápagos and Costa Rica).
- Eurmes* sp. John 1920, pp. 228-229, winged, Paraguay: Rio Monday.
- Eurmes* sp. Kemner 1930, p. 310, imago, Fort de Kock.
- Tenes strenuus* Hagen 1860a, p. 105, im., Mexico: Vera Cruz.
- Tenes* (*Eutermes*) *strenuus* Desneux 1904e, p. 45 (syn.).
- Constrictotermes strenuus* Banks (and Snyder) 1920, p. 73.
Type: imago, Hagen coll., M.C.Z., Selys Longchamps coll., Brussels.
- Hanitermes subfuscus* Martynov 1937, p. 118, fig. 18 (wings), (fossil bibliography).
- Tenes testaceus* Walker 1853, p. 513, im., sold., Honduras.
- Tenes testaceus?* Hagen 1860a, p. 123, Paramaribo.
- Eurmes tribulis* Hill 1923, pp. 46-48, figs. 17-21, queen, sold., work., Central Australia: Tennant Creek; 1942, pp. 253-254, 257, syn. (sold. is *pastinator*; queen not identifiable).
- Eurmes tripolitanus* Sjöstedt 1912, p. 16, im., Tripoli: Berek.
Types: Mus. Genova and Stockholm.
- ?*Triarvitermes tripolitanus* Sjöstedt 1926, p. 331, im.
- Triarvitermes tripolitanus* Ghidini 1938, p. 223, Libia (does not query genus).
- Tenes viarum* Smeathman 1781, p. 189, Sierra Leone: Kamaranka (Camerankoes Riv.).
- Hoitermes viarum* Hagen 1858, p. 93.
- Hoitermes viarum* Hagen 1858a, p. 14 (larva), No. 6; Sjöstedt 1900a, p. 27.
- Hoitermes viarum* Holmgren 1911a, p. 43.

NOT TERMITES, OR OF DOUBTFUL POSITION

Hodotermes japonicus Hagen 1868, p. 399.
(An earwig.)

Termes fatidicum Linnaeus 1756, p. 610.
(Psocid?)

Termes pulsatorium Linnaeus 1756, p. 610.
(Psocid?)

FOSSIL TERMITES

URALOTERMITIDAE

?Family URALOTERMITIDAE Zalessky.

Type genus: *Uralotermes* Zalessky.

?Family URALOTERMITIDAE Zalessky 1939, pp. 53, 80.

URALOTERMES

Genus *Uralotermes* Zalessky.

Generitype: *Uralotermes permianum* Zalessky.

Genus *Uralotermes* Zalessky 1937, p. 848, fig. 3 (wing).

?*Uralotermes permianus* Zalessky 1937, pp. 847-848, wing, Middle Permian; 1939, pp. 53, 80, fig. 30 (wing), Permian: Oust-Kichen ravine, Zouviero, Valley of River Sylva, Urals, Russia (possibly blattoid?).

MASTOTERMITIDAE

Genus *Mastotermes* Froggatt Eocene, Oligocene, Miocene,
Genus *Pliotermes* Pongrácz Miocene.
Genus *Diatermes* Martynov Oligocene.
Genus *Miotermes* von Rosen Miocene.

Mastotermitid sp.

Termite near *Mastotermes* Lima 1944, pp. 291-292, 1 pl., wings, Tertiary basin of Foz de Iguaçu, Brazil
Oligocene: Brazil (more primitive than *Mastotermes* sp.)

Wings.

MASTOTERMES

Mastotermes anglicus von Rosen.

Mastotermes anglicus von Rosen 1913, pp. 321, 322, pl. 27, figs. 5-8 (wings), Middle Oligocene: Isle of Wight, "Insect Limestone," Gurnard Bay.
Type: Brit. Mus.

Mastotermes anglicus Cockerell 1915, pp. 471, 481, Lower or Middle Oligocene.

Mastotermes anglicus Snyder 1925, chart, Middle Oligocene.

Mastotermes anglicus Martynov 1927, pp. 90, 95, 124.

Mastotermes anglicus Pongrácz 1928, pp. 108, 112.

Mastotermes anglicus Statz 1939, table 4, Middle Oligocene.

Mastotermes anglicus Pongrácz 1931, p. 106, remarks, Oligocene.

Wings.

Mitotermes batheri von Rosen.

Mitotermes Batheri von Rosen 1913, p. 321, pl. 28, fig. 9 (hind wing), Middle Oligocene: Isle of Wight, "Insect Limestone," Gurnard Bay, England.

Type: Brit. Mus.

Mitotermes batheri Snyder 1925, chart.

Mitotermes batheri Pongrácz 1928, p. 108.

Mitotermes batheri Statz 1939, table 4.

Hd wing.

Oligocene.

Mitotermes(?) bournemouthisensis von Rosen.

Mitotermes bournemouthisensis von Rosen 1913, p. 320, pl. 26, figs. 3-4 (wings), Upper Eocene (Bartonian): Bagshot Beds, Bournemouth (Hampshire), England.

Type: Brit. Mus.

Mitotermes bournemouthisensis Snyder 1925, chart.

Mitotermes bournemouthisensis Pongrácz 1926, pl. 3b (wing), pl. 5 (evolutionary tree); 1928, p. 108; 1931, p. 106.

Mitotermes bournemouthisensis Statz 1939, table 4.

Wgs.

Eocene.

Mitotermes croaticus von Rosen.

Mitotermes croaticus von Rosen 1913, p. 324, pl. 28, fig. 10 (hind wing), Lower Miocene: Radoboj, Croatia.

Mitotermes croaticus Snyder 1925, chart.

Mitotermes croaticus Pongrácz 1926, p. 26, pl. 3c (wing), pl. 5 (evolutionary tree); 1928, pp. 101-102, 108, 112-113.

Mitotermes croaticus Handlirsch 1930, fig. 905 (p. 855).

Mitotermes croaticus Pongrácz 1931, p. 106, remarks.

Mitotermes croaticus Statz 1939, table 4.

Hd wing.

Miocene.

Mitotermes haidingeri (Heer).

Tenes (Termopsis) Haidingeri Heer 1849, p. 26, Lower Miocene: Radoboj, Croatia.

Tenes (Termopsis) Haidingeri Goldenberg 1854, pl. 5, fig. 1.

Tenopsis Haidingeri Giebel 1856, p. 293.

Hotermes Haidingeri Hagen 1858, p. 98, imago entire; 1858a, p. 15, im.

(Termopsis) Haidingeri Handlirsch 1908, p. 698, Lower Miocene: Radoboj, Croatia.

Tenes Haidingeri von Rosen 1913, p. 323, Radoboj, Croatia.

Mitotermes Haidingeri Snyder 1925, chart.

Mitotermes Haidingeri Pongrácz 1928, pp. 102-108, figs. 2-3 (winged).

Mitotermes haidingeri Emerson 1933, p. 191.

Mitotermes haidingeri Statz 1939, table 4.

Winged.

Miocene.

Mitotermes heeri (Göppert).

Tenopsis Heerii Göppert 1855, p. 7, wing, Upper Oligocene: Schosnitz in Schlesien.

Tenopsis Heeriana Göppert 1855, pl. 26, fig. 53.

Mitotermes heeri and *heerianus* Snyder 1925, chart.

Mastotermes? heeri Emerson 1933, p. 191.

Termopsis heeri Statz 1939, table 4.

Hodotermes heerianus Assmann 1870, p. 45, pl. 1, fig. 7.

Wing (outer portion).

Oligo e

Mastotermes minor Pongrácz.

Mastotermes minor Pongrácz 1928, pp. 105, 108, figs. 2-4 (wing), Lower Miocene: "A re
Mediterranean Stufe," Radoboj, Croatia.

Mastotermes minor Statz 1939, table 4.

Wing.

Mio e

Mastotermes vetustus Pongrácz.

Mastotermes vetustus Pongrácz 1928, pp. 106, 108, fig. 5 (wings), Lower Miocene: Radoboj
of Croatia.

Mastotermes vetustus Statz 1939, table 4.

Wings.

Mio e

Mastotermes wheeleri Collins.

Mastotermes wheeleri Collins 1925, pp. 406-410, figs. 1-7, fig. 2 (forewing), Lower Eocene
(Middle-Wilcox age), W. Tennessee, U. S. A.

Mastotermes wheeleri Statz 1939, table 4, Upper Eocene.

Type: wing, U.S.N.M.

Wing.

Eo e

PLIOTERMES

Genus *Pliotermes* Pongrácz.

Generitype: *Pliotermes hungaricus* Pongrácz.

Genus *Pliotermes* Pongrácz 1917, p. 28; 1926, p. 26; 1928, pp. 107, 112; 1931, p. 106.

Genus *Pliotermes* Statz 1939, p. 32.

Genus *Pliotermes* Emerson 1942, p. 10.

Pliotermes hungaricus Pongrácz.

Pliotermes hungaricus Pongrácz 1917, p. 28, fig. 1 (wing), fig. 2 (wing), Lower Miocene
Radoboj, Croatia; 1926, p. 27, pl. 3a (wing),
(evolutionary tree Mastotermitidae); 1928, pp.
108, 113; 1931, p. 106.

Pliotermes hungaricus Statz 1939, table 4.

Wing.

Mio e

DIATERMES

Genus *Diatermes* Martynov.

Generitype: *Diatermes sibericus* Martynov.

Genus *Diatermes* Martynov 1929, p. 178, Mastotermitidae.

Genus *Diatermes* Emerson 1942, p. 10.

Diatermes sibericus Martynov.

Diatermes sibericus Martynov 1929, p. 179, fig. 3, pl. 1, fig. 1 (wing), Siberia: Tertiary

Diatermes sibericus Statz 1939, table 4, Upper Oligocene of Siberia: Mount Asan
(Saison district).

Wing.

Oligo e

MIOTERMES

Genus *Miotermes* von Rosen.

Generitype: *Miotermes procerus* (Heer).

Genus *Miotermes* von Rosen 1913, p. 325.

Genus *Miotermes* Pongrácz 1926, p. 25; 1928, p. 101.

Genus *Miotermes* Statz 1939, p. 32, table 4.

Genus *Miotermes* Emerson 1942, p. 10.

=subgenus *Termopsis* Heer 1849, p. 23.

=genus *Hodotermes* Hagen 1858, p. 81; 1858a, p. 13.

=genus *Termopsis* Cockerell 1916, p. 138.

=genus *Termopsis* Banks (and Snyder) 1920, pp. 8, 9, 11, 77.

=genus *Termopsis* Snyder 1925, p. 157.

Mtermes insignis (Heer).

Tmopsis insignis Heer 1849, p. 29, pl. 3, fig. 1, im., Upper Miocene of Baden: Oeningen.

Tmes insignis Giebel 1852, p. 638.

Tmopsis insignis Giebel 1856, p. 293.

Hodotermes insignis Hagen 1858, p. 100, im.; 1858a, p. 15, im.

(*Termopsis*) *insignis* Handlirsch 1908, p. 698.

Mtermes insignis Emerson 1933, p. 191.

Mtermes insignis Statz 1939, table 4.

Ingo.

Miocene.

Mtermes procerus (Heer).

Tmopsis procerus Heer 1849, p. 23, pl. 2, fig. 5, Tertiary beds of Radoboj, Croatia.

Tmes procerus Giebel 1852, p. 638.

Tmopsis procerus Giebel 1856, p. 292.

Hodotermes procerus Hagen 1858, p. 97, im.; 1858a, p. 15, im.

Tmopsis procerus Handlirsch 1908, p. 698, Lower Miocene: Radoboj, Croatia.

Mtermes procerus von Rosen 1913, p. 326, Lower Miocene: Radoboj, Croatia.

Mtermes randeckensis Pongrácz 1926, pl. 4d (winged), pl. 5 (evolutionary tree); 1928, pp. 101, 108; 1931, p. 106.

Mtermes randeckensis Emerson 1933, p. 191.

Ingo.

Miocene.

Mtermes randeckensis von Rosen.

Mtermes randeckensis von Rosen 1913, p. 326, pl. 29, fig. 14 (head and pronotum imago), Upper Miocene of Würtemberg: Randeck.

Mtermes randeckensis Snyder 1925, chart.

Mtermes randeckensis Statz 1939.

Ingo.

Miocene.

Mtermes spectabilis (Heer).

Tmopsis spectabilis Heer 1849, p. 28, pl. 2, fig. 6, im., Upper Miocene: Oeningen in Baden.

Tmes spectabilis Giebel 1852, p. 638.

Tmopsis spectabilis Giebel 1856, p. 293.

Hodotermes spectabilis Hagen 1858, p. 99, im., Oeningen in marl; 1858a, p. 15, im.

(*Termopsis*) *spectabilis* Handlirsch 1908, p. 698, Upper Miocene: Oeningen in Baden.

Miotermes spectabilis von Rosen 1913, p. 327, Upper Miocene.

Miotermes spectabilis Snyder 1925.

Miotermes spectabilis Emerson 1933, p. 191.

Miotermes spectabilis Statz 1939, table 4, Upper Miocene of Baden: Oeningen.

Imago.

Mioc.

KALOTERMITIDAE

Subfamily ELECTROTERMITINAE.

Type genus: *Electrotermes* von Rosen.

=Subfamily ELECTROTERMITINAE Emerson 1942, pp. 9-10.

<Tribe CALOTERMITINI Statz 1939, pl. 4.

Genus *Eotermes* Statz Oligocene

Genus *Proelectrotermes* von Rosen Eocene

Genus *Prokalotermes* Emerson Miocene

Genus *Electrotermes* von Rosen Eocene

Subfamily KALOTERMITINAE Froggatt.

Genus *Kalotermes* Hagen Oligocene, Miocene, Pleistocene, living

Genus *Neotermes* Holmgren Pleistocene, living.

Genus *Cryptotermes* Banks Pleistocene, living.

Genus *Glyptotermes* Froggatt Pleistocene, living.

Subfamily ELECTROTERMITINAE Emerson

EOTERMES

=Genus *Eotermes* Statz 1939, pp. 13-14, in family Termitidae.

Subfamily CALOTERMITINAE, tribe TERMOPSINI.

Generitype: *Eotermes grandaeva* Statz.

=Genus *Eotermes* Emerson 1942, pp. 9-10 (in *Electrotermitinae*?).

Subfamily ELECTROTERMITINAE.

Eotermes grandaeva Statz.

Eotermes grandaeva Statz 1939, p. 13, im., pl. 6, figs. 23-25, p. 35, table 4, Upper Miocene

Oligocene of Germany: Rott on Siebengebirge.

Imago.

Oligoc.

PROELECTROTERMES

Genus *Proelectrotermes* von Rosen.

Generitype: *Proelectrotermes berendtii* (Pictet).

=Subgenus *Proelectrotermes* (*Calotermes*) von Rosen 1913, p. 331.

=Genus *Kalotermes* Hagen 1854, p. 223.

=Gruppe *Kalotermes* Pictet and Hagen 1856, p. 49.

=Genus *Kalotermes* Hagen 1862, p. 58.

=Genus *Kalotermes* Banks (and Snyder) 1920, p. 9.

=Genus *Proelectrotermes* Emerson 1942, pp. 9-10.

Pelectrotermes berendtii (Pictet).

Kotermes Berendtii Pictet *in* Hagen 1854, pp. 222-224, im.

Tmes Berendtii Pictet, *in* Berendt 1856, p. 49, pl. 5, fig. 2, Upper Eocene: Baltic amber of E. Prussia.

Tmes (*Kalotermes*) *Berendtii* Hagen *in* Berendt 1856, p. 49.

Cotermes Berendtii Hagen 1858, p. 50, im.; 1858a, p. 7, im.; 1860a, p. 100, remarks.

(*lotermes*) *Berendtii* Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.

(*lotermes*) sp. Handlirsch 1908, p. 697.

Tmes (*Larva*) Berendt 1856, pl. 5, fig. 1.

Tmes Bremii Hagen, *in* Berendt 1856, p. 53, Lower Oligocene: Baltic amber.

Cotermes (*Proelectrotermes*) *Berendtii* von Rosen 1913, p. 331, pl. 30, fig. 19 (winged adult), Baltic amber, Upper Eocene or Lower Oligocene.

Pelectrotermes berendtii Statz 1939, Upper Eocene or Lower Oligocene.

Type: Berendt's coll. in Danzig.

Winged. Eocene or Oligocene.

PROKALOTERMES

Genus *Prokalotermes* Emerson.

Generitype: *Prokalotermes hageni* (Scudder).

Genus *Prokalotermes* Emerson 1933, p. 189; 1942, pp. 9-10.

Pkalotermes hageni (Scudder).

Potermes hageni Scudder 1890, p. 110, pl. 12, fig. 2, im., Miocene: Florissant, Colo.

Potermes Hageni Handlirsch 1908, p. 698.

Pkalotermes hageni Emerson 1933, p. 189, im.

Cotermes hageni Statz 1939.

Potermes fodinae Scudder 1890, p. 112, pl. 12, figs. 3, 22, im., Miocene: Florissant, Colo.

Potermes Fodinae Handlirsch 1908, p. 698.

Kotermes fodinae Snyder 1925.

Cotermes fodinae Statz 1939, Upper Miocene.

Winged. Miocene.

ELECTROTERMES

Genus *Electrotermes* von Rosen.

Generitype: *Electrotermes affinis* (Hagen).

=subgenus *Electrotermes* (*Calotermes*) von Rosen 1913, p. 331, pl. 28, fig. 12 (forewing).

=genus *Kalotermes* Hagen 1854, p. 223.

=tribe *Kalotermes* Pictet and Hagen 1856, p. 49.

=genus *Kalotermes* Hagen 1862, p. 58.

=genus *Electrotermes* Emerson 1942, pp. 9-10.

Electrotermes affinis (Hagen).

Kotermes affinis Hagen 1854, p. 222, im., East Prussian amber.

Tmes affinis Hagen, *in* Berendt 1856, p. 50, pl. 5, fig. 5.

Tmes obscurus Pictet, *in* Berendt 1856, p. 50.

?*Termopsis Girardi* Giebel 1856, p. 294; Hagen 1858, p. 54, syn.].

Cotermes affinis Hagen 1858, p. 53, im., p. 54, syn.; 1858a, p. 8, im.; 1860a, p. 100.

(*lotermes*) *affinis* Handlirsch 1908, p. 697.

Cotermes (*Electrotermes*) *affinis* von Rosen 1913, p. 331, pl. 28, fig. 12.

Electrotermes affinis Statz 1939, Upper Eocene amber of East Prussia.

Irgo. Eocene or Oligocene.

Electrotermes girardi (Giebel).

Termopsis Girardi Giebel 1856, p. 294, Lower Oligocene: Baltic amber.

Termes Girardi Schlectendal 1888, p. 491.

(*Termopsis*) *Girardi* Handlirsch 1908, p. 697, syn.

Calotermes (Electrotermes) Girardi von Rosen 1913, p. 335, pl. 29, fig. 16 (mid. leg); p. 30
figs. 20-21 (winged).

Electrotermes girardi Snyder 1925.

Electrotermes girardi Emerson 1933, p. 191.

Winged.

Eocene or Oligocene.

Subfamily KALOTERMITINAE Froggatt.

KALOTERMES

Genus *Kalotermes* Hagen, sens. lat.

Kalotermes bosniaskii Handlirsch.

(*Calotermes*) *Bosniaskii* Handlirsch 1908, p. 699, im., Upper Miocene: Gabbro, Italy.

Kalotermes bosniaskii Snyder 1925, chart.

Imago.

Miocene

Kalotermes erythropros von Rosen.

Calotermes (Calotermes) erythropros von Rosen 1913, p. 333, im., no description, gum on
E. Africa.

Imago.

Pleistocene

Kalotermes oeningensis von Rosen.

Calotermes oeningensis von Rosen 1913, p. 326, wing portion, Miocene: Randeck.

Calotermes oeningensis Statz 1939, (Upper Miocene) Germany: Oeningen (Bader
Wing.

Miocene

Kalotermes piacentinii (Piton and Théobald).

Termopsis Piacentinii Piton and Théobald 1937, pp. 80-81, im., fig. 4, im., Eocene of France
Menat (Puy de Dôme); 1940, pp. 144-145.

Termopsis Piacentinii Statz 1939, table 4.

Holotype: Ech. No. 3, Coll. Piacentini.

Imago.

Eocene

Kalotermes resinatus von Rosen.

Calotermes (Calotermes) resinatus von Rosen 1913, p. 333, im., no description, gum on
Gold Coast.

Imago.

Pleistocene

Kalotermes rhenanus Hagen.

Calotermes rhenanus Hagen 1863, p. 250, pl. 44, figs. 1-2 (im.), Rott on Siebenger
Rheinlande.

(*Calotermes*) *rhenanus* Handlirsch 1908, p. 698 (two different species), Upper Oligocene
Rott; von Rosen 1913, p. 323.

Calotermes rhenanus Statz 1939, pp. 3-4, p. 35, im., pl. 8, figs. 34-35; 1941, figs. 5, 6
Upper Middle Oligocene: Rott.

Imago.

Oligocene

Calotermes sp. Scudder.

Calotermes sp. Scudder 1895, p. 119, Oeningen in Baden.

Calotermes sp. Handlirsch 1908, p. 699, Upper Miocene: Oeningen.

Miocene.

Calotermes sp. Handlirsch.

Calotermes sp. Handlirsch 1908, p. 1098, no description, copal, Benin, Guinea.

Type: Naturhist. Mus., Vienna.

Pleistocene.

Calotermes sp. von Rosen.

Calotermes (*Calotermes*) sp. von Rosen 1913, p. 333, im., no description except all tarsi without pulvilli, gum copal, former German E. Africa.

ago.

Pleistocene.

Calotermes sp. Zeuner.

Calotermes sp. Zeuner 1938, p. 117, fig. 6 (hind wing), Lower Miocene Hydrobienkalk of Germany, Biebrich near Mainz.

ing.

Miocene.

NEOTERMES

(*Nus Neotermes* Holmgren, sens. lat.

Neotermes grassei Piton.

Neotermes grassei Piton 1940, pp. 144-145, fig. 21 (wing), Eocene of France: Menat (Puy de Dôme).

Holotype: Ech. No. 807, coll. Piton.

Eocene.

Neotermes sp. (von Rosen).

Neotermes (*Neotermes*) sp. = *Neotermes pallidicollis* Sjöstedt ? von Rosen 1913, p. 333, im., gum copal, E. Africa.

ago.

Pleistocene.

CRYPTOTERMES

(*Nus Cryptotermes* Banks.

Cryptotermes batheri (von Rosen).

Cryptotermes (*Cryptotermes*) *Batheri* von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

ago.

Pleistocene.

GLYPTOTERMES

(*Nus Glyptotermes* Froggatt, sens. lat.

Glyptotermes pusillus (Heer).

Glyptotermes (*Eutermes*) *pusillus* Heer 1849, p. 35, pl. 3, fig. 7, im., ?Baltic amber.

Glyptotermes pusillus Giebel 1852, p. 638.

Glyptotermes (*Eutermes*) *pusillus* Giebel 1856, p. 295.

Termes diaphanus Giebel 1856, p. 296.

Termes punctatus Giebel 1856, p. 296.

Termes punctatus Handlirsch 1908, p. 699 (not *pusillus*).

Calotermes pusillus Hagen 1858, p. 65, im., copal (probably from So. America); 1859, p. 9, im., Gummi Animé, America.

(*Eutermes*) *pusillus* Handlirsch 1908, pp. 699, 1098 ?Baltic amber (subfamily Termitinae, syn.

Calotermes (*Glyptotermes*) *pusillus* von Rosen 1913, p. 333, im., gum copal: Gold Cot. E. Africa, Zanzibar.

?(*Calotermes*) *diaphanus* Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.

Imago. Oligocene.

HODOTERMITIDAE

Subfamily TERMOPSINAE Holmgren.

Genus *Termopsis* Heer Eocene.

Genus *Archotermopsis* Desneux Eocene, living.

Genus *Parotermes* Scudder Miocene.

Genus *Zootermopsis* Emerson Miocene, living.

Subfamily HODOTERMITINAE Holmgren.

Genus *Ulmeriella* Meunier Oligocene, Miocene.

Subfamily TERMOPSINAE Holmgren.

TERMOPSIS

Genus *Termopsis* Heer.

Generitype: *Termopsis breinii* (Heer).

<Subgenus *Termopsis* (*Termes*) Heer 1849, p. 23.

<Genus *Termopsis* Hagen 1853, p. 480, no species; 1854, p. 222; 1858, pp. 74-81; 1874, p. 58; 1874, pp. 571-573.

<Genus *Termopsis* Girard 1879, p. 270.

<Genus *Termopsis* Froggatt 1896, pp. 517, 535.

=Genus *Xestotermopsis* von Rosen 1913, p. 330.

<Genus *Termopsis* Bugnion 1914, p. 174 (biol.).

<Genus *Termopsis* Cockerell 1916, p. 138.

<Genus *Termopsis* Imms 1919, p. 136.

<Genus *Termopsis* Banks (and Snyder) 1920, pp. 8, 9, 11, 77.

<Genus *Termopsis* Snyder 1925, p. 157.

<Genus *Termopsis* Pongrácz 1926, pp. 25, 27, pl. 5.

=Genus *Termopsis* Emerson 1933, p. 169, syn.

=Genus *Xestotermopsis* Statz 1939, pp. 37-38.

Genus? *Termopsis* Statz 1939, pp. 38, 39 (discuss.), pl. 4, Termopsinae.

=Genus *Termopsis* Emerson 1942, p. 10.

Termopsis breinii Heer.

Termopsis Breinii Heer 1849, p. 31, pl. 3, fig. 2, im., E. Prussia Baltic amber.

Termopsis Breinii Hagen, in Berendt 1856, p. 51, pl. 5, fig. 3.

Termes Pictetii Berendt ms. 1856, p. 51, pl. 5, fig. 3.

Termes granulicollis Pictet in Berendt ms. 1856, p. 51.

- Termes Bremii* Giebel 1852, p. 638, Bernstein.
Termopsis Bremii Giebel 1856, p. 294.
Termopsis Bremii Hagen 1858, p. 78, im., work.?; 1858a, p. 12, im.; 1860a, p. 102, remarks.
Termopsis) *Bremii* Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Distotermopsis Bremii von Rosen 1913, p. 330, pl. 29, fig. 13 (forewing), fig. 17 (winged im.), Oligocene: Baltic amber.
Termopsis Bremii Pongrácz 1917, p. 34.
Termopsis bremii Pongrácz 1926, p. 27.
Distotermopsis Bremii Pongrácz 1928, p. 109, fig. 7 (wings).
Termopsis bremii Emerson 1933, pp. 169-171, figs. 1-4 (im.).
Distotermopsis bremii Statz 1939, p. 37, Upper Eocene: amber of E. Prussia.
Termes (Termopsis) deciduus Hagen, in Berendt 1856, p. 52, wings, amber of E. Prussia.
Termopsis? deciduus Hagen 1858, p. 80; 1858a, p. 13.
Termopsis) decida Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Termes gracilicornis Pictet 1854, p. 370, E. Prussian amber.
Termopsis gracilicornis Hagen 1854, p. 222.
Termes (Termopsis) gracilicornis Pictet and Hagen, in Berendt 1856, p. 53, pl. 5, fig. 4.
Termopsis gracilicornis Hagen 1858, p. 80, im.; 1858a, p. 12, im.
Termopsis) gracilicornis Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Palotermes) sp. of Berendt Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Termes (Larva) Berendt 1856, pl. 5, fig. 1.
Termes Bremii Hagen, in Berendt 1856, p. 53.
 winged. Upper Eocene.

- Termopsis gracilipennis* Théobald.
Termopsis gracilipennis Théobald 1937, p. 162, fig., im., Oligocene of France.
 nago. Oligocene.

- Termopsis mallászi* Pongrácz.
Termopsis mallászi Pongrácz 1928, pp. 91-194, fig. 8 (wings).
Termopsis? mallászi Emerson 1933, p. 190.
Termopsis mallászi Statz 1939, Middle Eocene of Hungary, Tomba near Piski.
 wings. Eocene.

- Termopsis transylvanica* Pongrácz.
Termopsis transylvanica Pongrácz 1928, pp. 91-194.
Termopsis? transylvanica Emerson 1933, p. 190.
Termopsis transylvanica Statz 1939, Middle Miocene of Hungary, Tomba near Piski.
 ing. Middle Miocene.

ARCHOTERMOPSIS

Genus *Archotermopsis* Desneux.

Genus *Termopsis* Desneux 1904e, p. 12; Bugnion 1914, p. 174.

Subgenus *Archotermopsis* Desneux 1904e, p. 13.

Genus *Archotermopsis* Holmgren 1911, pp. 35, 36.

Genus *Archotermopsis* von Rosen 1913, p. 330; Imms 1919; Emerson 1926, p. 92; 1928, p. 405; 1933, pp. 168, 172-173; 1942, pp. 4, 7-11; Snyder 1934a, pp. 24, 27; Martynov 1937, pp. 87-116.

Archotermopsis tornquisti von Rosen.

Archotermopsis tornquisti von Rosen 1913, p. 330, pl. 29, fig. 18 (dealated adult), Baltic amber, Upper Eocene or Lower Oligocene.

Archotermopsis tornquisti Snyder 1925, chart.

Archotermopsis tornquisti Emerson 1933, pp. 177-178, im.

Archotermopsis tornquisti Statz 1939, table 4, Upper Eocene: amber of E. Prussia.

Winged.

Oligocene or Eocene.

PAROTERMES

Genus *Parotermes* Scudder.

Generitype: *Parotermes insignis* Scudder.

<Genus *Parotermes* Scudder 1883, p. 135.

Genus *Parotermes* Zittel 1885, p. 773.

Genus *Parotermes* Scudder 1890, p. 106.

Genus *Parotermes* Froggatt 1896, pp. 517, 535.

Genus *Parotermes* Cockerell 1909, p. 78 (generitype designated); 1913, p. 6.

Genus *Parotermes* Holmgren 1911a, pp. 5, 7 (not termites).

=Genus *Parotermes* von Rosen 1913, p. 327.

<Genus *Parotermes* Snyder 1925, p. 159, chart.

Genus *Parotermes* Emerson 1933, p. 171, figs. 5-7 (im.); 1942, p. 11.

Parotermes insignis Scudder.

Parotermes insignis Scudder 1883, p. 137, im., Miocene: Florissant, Colo.

Parotermes insignis Zittel 1885, p. 773, im., fig. 974 (wing).

Parotermes insignis Scudder 1890, p. 108, pl. 12, figs. 13-14.

Parotermes insignis Handlirsch 1908, p. 698, Miocene: Florissant, Colo.

Imago.

Miocene

ZOOTERMOPSIS

Genus *Zootermopsis* Emerson.

Generitype: *Zootermopsis angusticollis* (Hagen).

<Genus *Termopsis* Hagen 1858, p. 74; 1858a, p. 12; 1861; 1874, pp. 571, 573.

<Genus *Termopsis* Girard 1879, p. 270.

Genus *Termopsis* Froggatt 1896, pp. 517, 535.

Genus *Termopsis* Wasmann 1897, p. 149.

Genus *Termopsis* Haviland 1898, pp. 371, 372.

=Subgenus *Termopsis* Desneux 1904c, p. 14.

=Genus *Termopsis* Holmgren 1911a, pp. 35, 37.

=Genus *Termopsis* von Rosen 1913, p. 330.

<Genus *Termopsis* Bugnion 1914, p. 174 (biol.).

Genus *Termopsis* Imms 1919, p. 136.

Genus *Termopsis* Banks (and Snyder) 1920, pp. 8, 9, 11, 77.

Genus *Termopsis* Snyder 1925, p. 157.

Genus *Termopsis* Pongrácz 1926, pl. 5.

=Genus *Termopsis* Emerson 1928, p. 405; 1933, pp. 182-187, figs. 27-39 (im., sold.), s.

Termopsis living.

Zootermopsis? coloradensis (Scudder).

Hodotermes? coloradensis Scudder 1883, p. 142, im., Miocene: Florissant, Colo.; 1890, p. 113, pl. 12, fig. 6.

Type: M.C.Z. No. 281; metatype: forewing, U.S.N.

- (*Idotermes*) *coloradensis* Handlirsch 1908, p. 698.
Hiotermes coloradensis Cockerell 1908, p. 118, text fig.
Piotermes scudderi Cockerell 1913, p. 8.
Mtermes coloradensis von Rosen 1913, p. 325.
Mtermes coloradensis Snyder 1925, p. 155, chart (closer to *Termopsis*).
Piotermes? *scudderi* Snyder 1925, p. 159, chart.
Ztermopsis? *coloradensis* Emerson 1933, pp. 187-188, fig. 40 (forewing).
Mtermes coloradensis Statz 1939, Upper Miocene: Florissant, Colo.
 Wfig. Miocene.

Subfamily HODOTERMITINAE Holmgren.

ULMERIELLA

Genus *Ulmeriella* Meunier.

Generitype: *Ulmeriella bauckhorni* Meunier.

- Ulmeriella* Meunier 1920, pl. 1, fig. 1.
Ulmeriella Cockerell and Snyder 1925, p. 22; 1925a, p. 86.
Ulmeriella Fuller 1925, p. 4.
Ulmeriella Statz 1939, pp. 14, 34-37, pl. 4, Termopsinae.
Ulmeriella Emerson 1942, pp. 9-11.

Ulmeriella bauckhorni Meunier.

Ulmeriella bauckhorni Meunier 1920, p. 728, pl. 1, fig. 1 (wing), described as caddis fly (Trichoptera), Oligocene of Germany: Rott on Siebengebirge.

Ulmeriella bauckhorni Snyder 1925, chart, Upper Oligocene.

Ulmeriella bauckhorni Statz 1930, p. 13, im., fig. 3, Upper Middle Oligocene; 1939, pp. 3-5, pl. 6, fig. 26 (im.), figs. 27-29 (head, prothorax and wings), syn., table 4, Termopsini; 1941, figs. 1, 2 (im.), Calotermitiden.

Cotermes sophiae Statz 1930, p. 13, fig., Tertiary: Rott on Siebengebirge Mts.; 1939, p. 5, syn.

Wfig.

Oligocene.

Ulmeriella cockerelli Martynov.

Ulmeriella cockerelli Martynov 1929, p. 175, fig., Tertiary: Siberia, Ashutar, Saisan district.

Ulmeriella cockerelli Statz 1939, pp. 5, 34, pl. 1, fig. 5 (wing), Upper Oligocene: Mount Ashutar, Irtysch in Saisan distr. of So. Siberia.

Wfig.

Oligocene.

Ulmeriella martynovi Zeuner.

Ulmeriella martynovi Zeuner 1938, p. 113, im., figs. 2-5, Fam. Mastotermitidae, Lower Miocene: Hydrobienkalk of Biebrich near Mainz.

Wigo.

Lower Miocene.

Ulmeriella rottensis (Statz).

Cotermes rottensis Statz 1930, p. 12, fig. 2 (im.), Upper Middle Oligocene of Germany: Rott on Siebengebirge.

Ulmeriella bauckhorni Cockerell and Snyder 1925, p. 21, im., pl. 1, figs. 1-2 (wing), Kalotermitidae, Oligocene (Aquitanian) of Germany: Rott.

Plesiotype: wing, U.S.N.M.

Ulmeriella (?*Macrohodotermes*) *bauckhorni* Cockerell and Snyder 1925a, p. 86.

Ulmeriella rottensis Statz 1939, pp. 3-5, syn., p. 16, im., table 4, Termopsini, pl. 7, figs. 32 (im.), pl. 8, fig. 33; 1941, fig. 3 (head), figs. 4 (im.), wings, Calotermitiden.

"*Phryganiden flügel*" Meunier 1920, p. 893, fig. 1.

Ulmeriella bauckhorni Fuller 1925, p. 4, compared to *Hodotermes*.

Hodotermes bauckhorni Emerson 1933, pp. 190-191.

Imago.

Oligocene

Ulmeriella sp. (von Rosen).

Hodotermes sp. von Rosen 1913, p. 323, head, pronotum, wings, probably *U. bauckhorni* or *rottensis*, Upper Oligocene: Rott on Siebengebirge

Hodotermes sp. Snyder 1925, chart.

Ulmeriella sp. Statz 1939, p. 37, Upper Middle Oligocene of Germany.

Imago.

Oligocene

RHINOTERMITIDAE

Subfamily HETEROTERMITINAE Froggatt.

Genus *Heterotermes* Froggatt Miocene, living.

Genus *Reticulitermes* Holmgren Eocene, ?Oligocene, Miocene, living.

Subfamily STYLOTERMITINAE Holmgren.

Genus *Parastylotermes* Snyder and Emerson, n.

gen. Miocene.

Subfamily COPTOTERMITINAE Holmgren.

Genus *Coptotermes* Wasmann Pleistocene, living.

Subfamily RHINOTERMITINAE Froggatt.

Genus *Rhinotermes* Hagen Pleistocene, living.

Subfamily HETEROTERMITINAE Froggatt.

HETEROTERMES

Genus *Heterotermes* Froggatt, sens. lat.

Heterotermes hartungi (Heer).

Termes Hartungi Heer 1865, p. 368, fig. 230, im., Radoboj and Oeningen.

Termes Hartungi Hagen 1858, p. 181, im.

(*Termes*) *Hartungi* Handlirsch 1908, p. 700, Lower Miocene: Radoboj in Croatia.

Leucotermes Hartungi von Rosen 1913, p. 326, Upper Miocene: Oeningen.

Leucotermes Hartungi Pongrácz 1931, p. 106, Miocene.

Leucotermes Hartungi Statz 1939, Upper Miocene of Croatia.

Imago.

Miocene

RETICULITERMES

Genus Reticulitermes Holmgren, sens. lat.

Riculitermes antiquus (Germar).

Haerobius antiquus Germar 1813, p. 16, im., E. Prussian amber.

Tmes fossile Ouchakoff 1838, p. 37, pl. 1, figs. 1-2; 1840, p. 218, pl. 1, B.

Ermes antiquus Hagen 1854, pp. 222-225, im.

Tmes antiquus Giebel 1856, p. 296.

Messa plebeja Giebel 1856, p. 298.

Tmes (obscurus) moestus Giebel 1856, pp. 297, 497.

Tmes (Eutermes) antiquus Hagen, in Berendt 1856, p. 54, pl. 5, fig. 6 (im.).

Tmes antiquus Hagen 1858, p. 180, Baltic amber; 1858a, p. 24, im.; 1860a, p. 107, nymph.

Tmes gracilis Pictet ms.

Haerobites antiquus Schlechtendal 1888, p. 489.

(*Itermes*) *antiquus* Handlirsch 1908, p. 699, syn., Lower Oligocene: Baltic amber.

(*Itermes*) *gracilis* Handlirsch 1908, p. 699, syn., Lower Oligocene: Baltic amber.

[(*Ermes*) *Giebeli* Handlirsch 1908, p. 700, Lower Oligocene: Baltic amber, remarks.]

Messa fossilis Handlirsch 1908, p. 700, Lower Oligocene: Baltic amber.

Licotermes (Reticulitermes) antiquus von Rosen 1913, p. 331, pl. 30, fig. 22 (im.), Lower Oligocene: Baltic amber.

Ermes gracilis Pongrácz 1926, p. 25, pl. 4 (wing), pl. 5 (evolutionary tree).

C. (probably typographical error) *antiquus* Pongrácz 1931, p. 100 (remarks), Oligocene.

Licotermes antiquus Statz 1939, p. 33, Upper Eocene amber of E. Prussia.

Irgo.

Upper Eocene.

Riculitermes borussicus (von Rosen).

Licotermes (Reticulitermes) borussicus von Rosen 1913, p. 331, im., Lower Oligocene or Upper Eocene: Baltic amber.

Licotermes borussicus Statz 1939, p. 33, Upper Eocene of E. Prussia.

Irgo.

Oligocene or Eocene.

Riculitermes creedei Snyder.

Riculitermes creedei Snyder 1938, pp. 109-110, wing, Miocene: Creede: Colorado.

Type: M.C.Z.

Wig.

Miocene.

Riculitermes fossarum (Scudder).

Ermes fossarum Scudder 1883, p. 143, im., Tertiary: Florissant, Colo.; 1890, p. 115, pl. 12, fig. 20.

(*Itermes*) *fossarum* Handlirsch 1908, p. 700, Miocene: Florissant, Colo.

Nutitermes (Tenuirostritermes) fossarum Snyder 1925, p. 161.

Riculitermes fossarum Emerson 1933, p. 192, syn.; Statz 1939, table 4.

Ermes meadi Scudder 1883, p. 144, im., Tertiary: Florissant, Colo.; 1890, pl. 12, figs. 12 and 17.

(*Itermes*) *meadi* Handlirsch 1908, p. 700, Miocene: Florissant, Colo.

Licotermes? meadi von Rosen 1913, p. 327, near *L. Hartungi*.

? *meadi* Snyder 1925, p. 160, doubtful position.

Riculitermes meadi Emerson 1933, p. 192, syn.; Statz 1939, table 4, Upper Miocene of Colorado: Florissant.

Irgo.

Miocene.

Reticulitermes minimus (Snyder).

Leucotermes (*Reticulitermes*) *minimus* Snyder 1928, pp. 515-517, fig. 1 (winged), Eitic
amber.

Holotype: winged, U.S.N.M. No. 41546.

Reticulitermes minimus Statz 1939, Upper Eocene: amber of E. Prussia.

Winged.

Oligocene or Eocene

Subfamily STYLOTERMITINAE Holmgren.

PARASTYLOTERMES

Genus *Parastylotermes* Snyder and Emerson, n. gen.

Generitype: *Parastylotermes washingtonensis* (Snyder).

Parastylotermes robustus (von Rosen).

Leucotermes (*Reticulotermes*) *robustus* von Rosen 1913, p. 331, im., Baltic amber, Loe
Oligocene or Upper Eocene (subgen. misspelled).

Leucotermes (*Reticulitermes*) *robustus* Snyder 1925 (chart).

Leucotermes robustus Statz 1939, Upper Eocene amber of E. Prussia.

Imago.

Oligocene or Eocene

Parastylotermes washingtonensis (Snyder).

Stylotermes washingtonensis Snyder 1931, in Carpenter 1931, p. 317, pl. 1, fig. 5 (wi
Miocene: Latah of Washington; Statz 1939, U
Miocene of Washington; Zalesky 1939, pp. 58,
wing, fig. 31 II.

Holotype: M.C.Z.

Wing.

Mioc

Subfamily COPTOTERMITINAE Holmgren.

COPTOTERMES

Genus *Coptotermes* Wasmann.

Coptotermes spp. von Rosen.

Coptotermes spp. von Rosen 1913, p. 333, pl. 30, fig. 24, im., no descriptions, 3-4 spp.,
copal, Africa.

Winged.

Pleistoc

Subfamily RHINOTERMITINAE Froggatt.

SCHEDORHINOTERMES

Genus *Schedorhinotermes* Silvestri.

Schedorhinotermes sp. (von Rosen).

Rhinotermes sp. von Rosen 1913, p. 333 (no description), [is *Rhinotermes lamani*
Sjöstedt?], gum copal, Africa: Zanzibar.

Caste?

Pleistoc

TERMITIDAE

Subfamily AMITERMITINAE Kemner.

Genus *Microcerotermes* Silvestri?Oligocene, Pleistocene, living.

Subfamily TERMITINAE Sjöstedt.

Genus *Termes* LinnaeusPleistocene, living.

Subfamily MACROTERMITINAE Kemner.

Genus *Macrotermes* HolmgrenPleistocene, living.

Genus *Odontotermes* HolmgrenPleistocene, living.

Genus *Microtermes* WasmannPleistocene, living.

Subfamily NASUTITERMITINAE Hare.

Genus *Trinervitermes* HolmgrenPleistocene, living.

Subfamily AMITERMITINAE Kemner.

MICROCEROTERMES

Genus *Microcerotermes* Silvestri (sens. lat.).

Microcerotermes debilis (Heer).

Termes (*Eutermes*) *debilis* Heer 1849, p. 35, pl. 3, fig. 6 (winged im.), gum copal, Africa.

Termes debilis Giebel 1852, p. 638; 1856, p. 295.

Termes (*Eutermes*) *debilis* Hagen 1858, p. 205, fossil only, copal.

Eutermes debilis Handlirsch 1908, p. 700, ?Lower Oligocene: Baltic amber; p. 1098, ?copal, Africa.

Microcerotermes debilis Snyder 1925, chart, Pleistocene: gum copal, Africa.

Type: Berlin Mus., Germany.

Winged.

Pleistocene.

Microcerotermes latinotus von Rosen.

Microcerotermes latinotus von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Winged. Lago. Pleistocene.

Microcerotermes sp. von Rosen.

Microcerotermes sp. von Rosen 1913, p. 333, worker, no description, gum copal, E. Africa.

Worker. Lago. Pleistocene.

Subfamily TERMITINAE Sjöstedt.

TERMES

Genus *Termes* Linnaeus.

Termes resinatus (von Rosen).

Macrotermes resinatus von Rosen 1913, p. 333, im., no description but pl. 31, fig. 27, gum copal, E. Africa.

Lago.

Pleistocene.

Termes sp. (von Rosen).

Mirotermes sp. von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago.

Pleistoc

Subfamily MACROTERMITINAE Kemner.

MACROTERMES

Genus *Macrotermes* Holmgren.

Macrotermes amicus (von Rosen).

Termes (*Termes*) *amicus* von Rosen 1913, p. 333, sold.², work., pl. 31, fig. 25 (sold.), description, gum copal, E. Africa.

Sold.², work.

Pleistoc

?*Macrotermes* sp. (von Rosen).

Termes (*Termes*) sp. = *Goliath* Sjöstedt? von Rosen 1913, p. 333, sold.¹, gum copal, Africa.

Sold.¹

Pleistoc

?*Macrotermes pristinus* (Charpentier).

Termes pristinus Charpentier 1843, p. 409, pl. 23, figs. 2-4 (im.), Radoboj, Croatia.

Termes (*Eutermes*) *pristinus* Heer 1849, p. 32, pl. 3, fig. 3.

Termes pristinus Giebel 1856, p. 294.

Termes pristinus Hagen 1858, p. 161, im.; 1858a, p. 22, im.

(*Eutermes*) *pristinus* Handlirsch 1908, p. 701, Lower Miocene: Radoboj in Croatia.

Odontotermes? *pristinus* von Rosen 1913, p. 332, Radoboj.

Imago.

Mioc

ODONTOTERMES

Genus *Odontotermes* Holmgren (sens. lat.).

Odontotermes spp. von Rosen.

Odontotermes spp. von Rosen 1913, p. 333, im., 2 species, no description, gum copal, Coast and former German E. Africa.

Odontotermes spp. Snyder 1925, chart.

Imago.

Pleistoc

MICROTERMES

Genus *Microtermes* Wasmann (sens. lat.).

Microtermes sp.? von Rosen.

Microtermes sp. von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago.

Pleistoc

Subfamily NASUTITERMITINAE Hare.

TRINERVITERMES

genus *Trinervitermes* Holmgren (sens. lat.).

Trinervitermes handlirschi (von Rosen).

Eutermes (*Trinervitermes*) *handlirschi* von Rosen 1913, p. 333, form not given, no description, gum copal, Gold Coast.

Worker? Pleistocene.

Trinervitermes sp. (von Rosen).

Eutermes (*Trinervitermes*) sp. von Rosen 1913, p. 333, pl. 31, fig. 26, worker, no description, gum copal, Zanzibar.

Worker. Pleistocene.

FOSSIL TERMITES OF UNCERTAIN OR DOUBTFUL POSITION

Eutermes" *adustus* Statz 1939, p. 20, im., table 4, Termitini, pl. 10, figs. 47-48 (left forewing), Middle Oligocene, Germany: Rott on Siebengebirge.

Eutermes" *aethiops* Statz 1939, p. 19, im., table 4, Termitini, pl. 9, figs. 39-40 (im.); 1941, fig. 9 (im.), Upper Middle Oligocene: Rott on Siebengebirge, Germany.

Eutermes" *atomus* Statz 1939, p. 21, im., table 4, Termitini, p. 40, pl. 10, figs. 49-50 (left forewing), Upper Oligocene of Germany: Rott on Siebengebirge.

Eutermes" *blandus* Statz 1939, p. 19, im., table 4, Termitini, p. 40, pl. 9, figs. 41-42 (im.), Upper Oligocene of Germany: Rott on Siebengebirge.

Eutermes Buchii Heer 1865, pp. 360, 368, Oeningen in Baden, Germany, Upper Miocene.

Eutermes) *Buchi Handlirsch* 1908, p. 702, loc., syn.

Eutermes Buchii von Rosen 1913, p. 326, im.

Eutermes buchii Snyder 1925, chart in Termitidae.

Eutermes? *büchi* Statz 1939, pl. 4, Upper Miocene.

Eutermes" *cocinnus* Statz 1939, p. 20, im., table 4, Termitini, pl. 10, figs. 43-44 (im. left forewing); 1941, fig. 10 (wing), Upper Oligocene of Germany: Rott on Siebengebirge.

Eutermes" *contractulus* Statz 1939, p. 20, im., Termitini, pl. 10, figs. 45-46 (wings), Upper Oligocene of Germany: Rott on Siebengebirge.

Eutermes (*Eutermes*) *croaticus* Heer 1849, p. 34, pl. 3, fig. 5.

Eutermes croaticus Giebel 1852, p. 638; 1856, p. 295.

Eutermes croaticus Hagen 1858, p. 205 (im.).

Eutermes croaticus Hagen 1858a, p. 28 (im.).

Eutermes) *croaticus* Handlirsch 1908, p. 700, Lower Miocene: Radoboj in Croatia.

Eutermes croaticus von Rosen 1913, p. 326.

Eutermes croaticus von Rosen 1913, p. 332.

Eutermes croaticus Snyder 1925; Statz 1939.

Miocene.

Eutermes (s. l.) *Fraasi* von Rosen 1913, p. 327, wing portion, Upper Miocene of Germany: Randeck, Wurtemberg.

Type: Stuttgart Naturalienkabinett.

Eutermes fraasi Statz 1939, Upper Miocene.
Wing.

Miocene

Termes giganteus Heer, in lit., im., Radoboj (Miocene).

Termes giganteus Hagen 1858, p. 159.

"*Termes*" *holmgreni* Statz 1939, p. 18, im., Termitini, pl. 8, fig. 36 (im.), pl. 9, figs. 37-38 (left mandible, right forewing); 1941, fig. 8 (im.)

Upper Oligocene of Germany: Rott on Siebengebirge
[mandibles indicate Rhinotermitidae].

Imago.

Oligocene

Termes (*Eutermes*) *obscurus* Heer 1849, p. 33, pl. 3, fig. 4, im., Radoboj in Croatia.

Termes obscurus Giebel 1856, p. 295.

Termes obscurus Hagen 1858, p. 204, im.; 1858a, p. 28, im.

(*Eutermes*) *obscurus* Handlirsch 1908, p. 700, Lower Miocene: Radoboj, Croatia.

Termes obscurus von Rosen 1913, p. 326.

Eutermes obscurus von Rosen 1913, p. 332.

Termes obscurus Statz 1939.

Imago.

Miocene

Termes Rutoti Meunier 1900, pp. 76-80, fig. 1, young or nymph, remarkable leg.

(*Termes*) *Rutoti* Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber, Brabant.

Nymph.

Oligocene

Termopsis? *swinhoei* Cockerell 1916, p. 138, im., fig. 4, Miocene: Burma amber ("Burmite")

Type: British Mus.

Termopsis swinhoei Snyder 1925, p. 157, Lower Miocene.

Termopsis? *swinhoei* Emerson 1933, p. 190, Burmese amber.

Hodotermes tristis Cockerell 1917, p. 329, wing only, Burmese amber; Emerson 1933, p. 190

Termes sp. Schlotheim 1820, p. 43.

(*Termes*) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes sp. Guérin 1825, p. 580.

(*Termes*) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes sp. Burmeister 1831, p. 1100.

(*Termes*) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes sp. Smith 1868, p. 184, pl. fig. 9.

(*Termes*) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

- Termes?* sp. Woodward 1879, p. 344.
 (*termes?*) Handlirsch 1908, p. 701, Lower Oligocene: Isle of Wight, Gurnet Bay (Bembridge limestone).
- Itermes?* sp. Scudder 1881, p. 219, Florissant, Colo.
 (*utermes?*) sp. Handlirsch 1908, p. 700, Miocene: Florissant, Colo., No. Amer.
- Termes* (7 species) Schöberlin 1888, p. 51, Oeningen in Baden.
 (*termes*) (7 species) Handlirsch 1908, p. 702, Upper Miocene: Oeningen in Baden.
- Termes* sp. Förster 1888, p. 164, Sundgauer Tertiärs; 1890, p. 103, Brunstatt in Elsass.
 (*termes*) Handlirsch 1908, p. 702, Middle Oligocene: Brunstatt in Elsass.
- Itermes* sp. Scudder 1890, p. 116, worker, Florissant, Colo.
 (*utermes*) sp. Handlirsch 1908, p. 700, Miocene: Florissant, Colo., No. Amer.
- Termes* sp. Scudder 1895, p. 119, Oeningen in Baden.
 (*termes*) sp. Handlirsch 1908, p. 701, Upper Miocene: Oeningen in Baden.
- Termes* sp. Statz 1939, table 4, Middle Eocene of Germany: Geiseltal (Halle).

FOSSILS NOT TERMITES

- Termes contusus* Scudder 1878, p. 300, Carboniferous of Illinois, insect of uncertain position.
- Zanthodictyon decheni* (Goldenberg).
Termes (*Eutermopsis*) *decheni* Goldenberg 1854, p. 29, iron clay stone near Fredrichsthal.
Zanthodictyon decheni Handlirsch 1908, p. 73.
- Dana geinitzi* (Heer).
Clathrotermes geinitzi Heer 1865, p. 85; Geinitz 1883, p. 31, Lias of Mecklenburg, not a termite; in Handlirsch 1906, pp. 413-421, 13 species of *Clathrotermes* Heer 1865-1880 referred to *Elcana* Giebel 1856, Orthoptera, Locustoidea—Lower and Upper Lias.
- Termes?* *grandaevus* Brodie 1845, pp. 33, 119, pl. 2, fig. 5 (wingless imago).
Termes grandaevus Giebel 1856, p. 295.
Termes grandaevus Hagen 1858, pp. 181, 297; 1858a, p. 25, im., syn., England.
 (*termes?* *grandaevus*) Handlirsch 1906, p. 650, Vale of Wardour, England. Purbeck, Malm.
luta Haidingeri Giebel 1856, p. 375, pl. 2, fig. 6; [pl. 9, fig. 9 (winged near *T. antiquus*)].
lilonthus Kneri Giebel 1856, p. 72, pl. 2, fig. 2.
lognathä crassa Giebel 1856, p. 73, pl. 2, fig. 3.
bloë Hoernesii Giebel 1856, p. 106, pl. 2; fig. 12.
- Termes* (*Calotermes*) *Hageni* Goldenberg 1854, p. 37, pl. 6, fig. 8; 1873, p. 12, pl. 2, fig. 7 (nec 7b); Handlirsch 1906, p. 342, Rheinlande, Altenwald (Germany), Mittleres Obercarbon. (An arachnid.)

(Paläodictyopteron) *Hageni* Handlirsch 1906, p. 62, pl. 8, fig. 15, order Palaeodictyoptera.
Termes Hageni pp. Goldenberg 1873, p. 12, pl. 2, fig. 7b (wing), Altenwald, Germany.
 Mittleres Obercarbon.

Termes Hassencampi Heer, in Hassencamp 1860, p. 79.

(*Termes*) *Hassencampi* Handlirsch 1907, p. 702, Middle Oligocene: Sieblos, Bayern (of uncertain position).

Termes Hassencampi von Rosen 1913, p. 323 (Phryganidae?).

Stilbocrocis heeri (Goldenberg).

Termes (Eutermopsis) Heerii Goldenberg 1854, p. 29, pl. 4, fig. 5, coal slates near Altenwald.

Termes (Eutermopsis) affinis Goldenberg 1854, p. 29, coals of Rhine.

Termes (Eutermopsis) formosus Goldenberg 1854, p. 29, iron clay near Altenwald.

Eutermopsis Heeri Giebel 1856, pp. 297-298, coal of Gersweiler.

Calotermes ? Heeri Hagen 1858, p. 73, im., coal slates near Altenwald; 1858a, p. 11, wings.

Stilbocrocis Heeri Handlirsch 1906, p. 74, pl. 9, figs. 24-25 (wings), Palaeodictyoptera, coal slates near Altenwald, Mittleres Obercarbon.

Wings.

Carboniferous.

Termes heros Hagen 1862a, pp. 107, 114, pl. 15, fig. 1.

Mesotermes heros Haase 1890, p. 12.

?*Mesotermes heros* Handlirsch 1906, p. 613, Eichstätt, Solnhofen in Bayern Lithogr. Kalk Malm [not a termite].

Termes laxa Goldenberg 1877, p. 17, Palaeodictyoptera, fam. Dictyoneuridae.

Termes lithophilus Hagen 1862a, p. 115; Haase 1890, p. 2, Lithogr. Kalk. Bayern [not a termite].

Termes longitudinalis Scudder ms., in Lacoe 1883, p. 15, coal measures, Mazon Cr., Grundy County, Ill.

Type: coll. of R. D. Lacoe [not a termite].

Termes (Mixotermes) lugauensis Sterzel 1881, pp. 271-276, wing, figs. 3, 4, 5, Carboniferous of Lugau (allied to *Calotermes*) [not a termite].
 [Genus *Mixotermes* Sterzel 1878-80, Froggatt 1881, p. 517, Holmgren 1911a, pp. 5, 7.]

Elcana maculata (Heer).

Calotermes maculatus Heer 1865, p. 86, pl. 7, fig. 7.

Elcana maculata Handlirsch 1906, p. 418, Lower Lias, Schambelen, Switzerland. Orthoptera: Locustoidea.

Elcana obtecta (Heer).

Calotermes obtectus Heer 1865, p. 86.

Elcana obtecta Handlirsch 1906, p. 413, Lower Lias, Schambelen, Aargau, Switzerland. Orthoptera: Lucustoidea.

ermes Peccanae Massalongo 1856, p. 19, pl. 2, figs. 5, 6.

(ermes) Peccanae Handlirsch 1907, p. 701, Middle Eocene: Monte Bolca, Italy, of uncertain position.

ermes Peccanae von Rosen 1913, p. 319, not a termite.

ermotermopsis pectinata Martynov 1937, pp. 83-150, Permian of Sheimo-Gora, Arkhangelsk distr. Protoblattoidea.

lcana plagiata (Heer).

ermes plagiatus Heer, in lit.

ermes plagiatus Hagen 1858, p. 181, im., Lias of Schambelen.

alotermes plagiatus Heer 1865, p. 86, pl. 7, fig. 6.

lcana plagiata Handlirsch 1906, p. 415, Lower Lias, Schambelen, Aargau, Switzerland. Orthoptera: Locustoidea.

ermotermopsis roseni Martynov 1937, pp. 83-150, Permian of Sheimo-Gora, Arkhangelsk distr. Protoblattoidea.

lcana spp. (Heer).

athrotermes spp. Heer 1865-80, 13 species.

lcana spp. Giebel 1856, p. 258 (Orthoptera, Locustidae, Elcanidae).

lcana spp. Handlirsch 1906, pp. 413-421, Lower and Upper Lias; 13 species referred to Orthoptera: Locustoidea.

lcana troglodytes (Heer).

ermes troglodytes Heer, in lit.

ermes troglodytes Hagen 1858, p. 181, im., Lias of Schambelen.

alotermes troglodytes Heer 1865, p. 86.

lcana troglodytes Handlirsch 1906, p. 419, Lower Lias, Schambelen, Aargau, Switzerland. Orthoptera: Locustoidea.

DESCRIPTIONS OF NEW GENERA

LIVING TERMITES

Genus *DOLICHORHINOTERMES* Snyder and Emerson, new genus

Generitype.—*Rhinotermes* (*Rhinotermes*) *longilabius* Emerson.

Diagnosis.—Imago with the third article of the antenna distinctly shorter than the first article. Major soldier with the labrum narrower than its length. Minor soldier with the opening of the frontal gland at the front of the head but not on a conspicuous prolongation of the head, and the sides of the head straight and convex from above.

Comparisons with closely related genera of the Rhinotermitidae: *Rhinotermes* with the third article of the antenna of the imago longer than, or about as long as the first article; labrum of the major soldier wider than its length; frontal gland opening of the minor soldier similar. *Acorhinotermes* with a similar imago; major soldier presumably absent; minor soldier with the opening of the frontal gland on a forward projection of the head and the sides of the head from above conspicuously concave both in back of and in front of the widest portion.

See page 98 for included species.

Genus *ACORHINOTERMES* Emerson, new genus

Generitype.—*Rhinotermes* (*Rhinotermes*) *subfusciceps* Emerson.

Diagnosis.—Imago with the third article of the antenna distinctly shorter than the first article. Major soldier unknown and presumed to be absent. Minor soldier with the opening of the frontal gland on a forward projection of the head, sides of head from above conspicuously concave both in back of and in front of the widest portion.

Comparisons with closely related genera of the Rhinotermitidae: See comparisons under the genus *Dolichorhinotermes*. Although the *A. subfusciceps* queen is specifically distinct from the imagoes of *Dolichorhinotermes* in its size and proportions of head and pronotum, no distinctions of generic value have been discovered. The worker mandibles are identical in their dentation with those of *Dolichorhinotermes* and *Rhinotermes*. The absence of the major soldier and the shape of the head of the minor soldier together with the position of the opening of the frontal gland seem to be good generic distinctions. This genus represents the most specialized of the genera of the Rhinotermitidae and doubtless arose from stock similar to *Dolichorhinotermes*.

See page 99 for included species.

Genus *DENTISPICOTERMES* Emerson, new genus

Generitype.—*Capritermes globicephalus* Silvestri.

Diagnosis.—Soldier with slender snapping mandibles with a distinct tooth in the middle of the inside edge, a distinct clawlike tip, and a marked angle where

the cutting edge of the tip joins the inside edge of the cylindrical mandible. The soldier head from above is a little longer than wide.

Comparison with a closely related genus of Termitinae (Termitidae): *Termes* with similar soldier mandibles, but without the median tooth on the inner edge. The details of structure cannot be obtained from Silvestri's description (1901) or drawing (1903, fig. 125), but specimens of what appear to be a new species of this genus have a short cone in a vertical position on the front of the head instead of a forward-pointing cone as in *Termes*.

See page 177 for included species.

Genus PLANICAPRITERMES Emerson, new genus

Generitype.—*Capritermes* (*Neocapritermes*) *planiceps* Emerson.

Diagnosis.—Imago-worker mandibles with each apical tooth about the same size as the first marginal tooth and the notch between the first and second marginal teeth of the right mandible is about equal to a right angle. The soldier mandibles are markedly asymmetrical and function for snapping. The soldier head is flat and prolonged posteriorly into two lateral lobes and a small median lobe.

Comparison with a closely related genus of the Termitinae (Termitidae): *Neocapritermes* close in the dentation of the imago-worker mandible. These two genera are distinct from all other genera with asymmetrical soldier mandibles in the proportionate sizes of the apical tooth and the first marginal tooth of each imago-worker mandible. *Neocapritermes* does not have the flattened soldier head with the posterior lobes.

See page 202 for included species.

Genus PROCORNITERMES Emerson, new genus

Generitype.—*Termes striatus* Hagen.

Diagnosis.—Dentation of imago-worker mandible close to that of *Cornitermes* with the apical tooth of each mandible about equal to the first marginal tooth. Apical spurs of imago 3:2:2 or 2:2:2. Soldier close to *Cornitermes* but with each lateral point of labrum, when present, forming an angle of 70° or greater, and 4 to 7 spines on the inner edge of the foretibia, each spine about as long as the apical spurs.

Comparisons with closely related genera of the Nasutitermitinae (Termitidae): *Cornitermes* soldier has a row of more than 10 spines on the inner edge of the foretibia, each spine shorter than the apical spurs. *Triacitermes* soldier close, but the labrum has 3 sharp points, each lateral point forming an angle of about 45° and the median point forming an angle of 90° or a little less.

See page 260 for included species.

Genus **TRIACITERMES** Emerson, new genus

Generitype.—*Cornitermes triacifer* Silvestri.

Diagnosis.—Imago mandibular dentation similar to that of *Procornitermes* and *Cornitermes* with the apical tooth of each mandible about equal in size to the first marginal tooth. Soldier close to *Procornitermes*, but the labrum has 3 sharp points, each lateral point forming an angle of about 45° and the median point forming an angle of 90° or a little less. Each mandible with a small angular notch in an otherwise relatively even and continuous inner cutting edge. Spinose of foretibia similar to those of *Procornitermes*.

Comparisons with closely related genera of Nasutitermitinae (Termitidae). See discussion under *Procornitermes*.

See page 263 for included species

Genus **PARVITERMES** Emerson, new genus

Generitype.—*Nasutitermes (Tenuirostritermes) brooksi* Snyder.

Tentatively included species.—*Nasutitermes (Tenuirostritermes) laticephalus* Snyder 1926d, p. 43, pl. 3, figs. 7, 8 (soldier). Covendo, Bolivia. This species may belong to *Velocitermes*, and further collecting may reveal that the soldier is dimorphic.

Diagnosis.—The imago-worker mandibles each have the apical tooth about the same size as the first marginal tooth. Imago with fontanelle shape like a forked slit. Soldier size very small compared to most nasute genera. Frontal projection (nasus) slender and fairly cylindrical. Soldier mandibles either with or without apical points. Head slightly constricted, lateral margin from above a little concave in back of the antennae bases. Vertex in profile not elevated much above the general line of the frontal projection and the hump at the base of the projection. The soldier is monomorphic or very slightly dimorphic. The soldier's head has numerous hairs. The hind tibia of the soldier is not longer than the head, and the abdominal tergites are hairy.

Comparisons with closely related genera of the Nasutitermitinae (Termitidae). *Velocitermes* imago-worker mandible very close in dentation. *Tenuirostritermes* left imago-worker mandible has a long cutting edge. *Constrictotermes*, *Hospitalitermes*, *Lacessititermes* and *Longipeditermes* with the apical tooth of each imago-worker mandible smaller than the first marginal tooth. *Tumulitermes* imago without a forked fontanelle. *Trinervitermes*, *Longipeditermes*, *Velocitermes*, *Diversitermes* and *Obtusitermes* have markedly dimorphic or trimorphic soldiers. *Rotunditermes*, *Havilanditermes* and *Nasutitermes* have monomorphic soldiers without a constricted head. *Longipeditermes*, *Hospitalitermes*, *Lacessititermes*, *Grallatitermes* and *Constrictotermes* have the hind tibia of the soldier longer than the head. *Bulbitermes* soldiers have no hump at the base of the frontal projection (nasus) and the vertex of the head is elevated above the line of the nasus. *Ceylonitermes* soldiers have a third antennal article about three times as long as wide or longer. *Tumulitermes* soldiers very close. Except for

the lack of the forked fontanelle, this Australian genus has no easily distinguished character to separate it from *Parvitermes*. *Coarctotermes* soldiers are larger and have a more constricted head. *Hirtitermes* has a weakly toothed soldier mandible. *Iversitermes* has bristles on the soldier head and the abdominal tergites.

See page 305 for included species.

Genus **BULBITERMES** Emerson, new genus

Generitype.—*Termes constrictus* Haviland.

Diagnosis.—Imago-worker mandibles closely similar in dentation to *Nasutitermes* and *Grallatotermes*. The apical tooth of each mandible about equal to, or slightly smaller than, the first marginal tooth. Fontanelle of imago forked and rather wide, similar to that in *Havilanditermes*. Wing membrane hairy. Soldier monomorphic with a conical frontal projection. Mandibles reduced as in other minute soldiers, but with points. Head constricted behind the bases of the antennae. Antennal articles not markedly elongated. Anterior tergites of the abdomen with few or no bristles and short hairs practically absent.

Comparisons with closely related genera of the Nasutitermitinae (Termitidae): *Constrictotermes* and *Hospitalitermes* have a conspicuously smaller apical tooth in each imago-worker mandible. *Longipeditermes*, *Lacessititermes* and *Ceylonitermes* have a proportionately smaller apical tooth in each imago-worker mandible. *Tenuirostritermes* has a longer imago-worker mandible. *Coarctotermes* wing membrane is hairy only near the edge. *Grallatotermes* soldier hind tibiae are longer than the head. The antennal articles of the soldiers of *Hospitalitermes*, *Longipeditermes*, and *Constrictotermes* are elongated. *Havilanditermes* soldier is close, but the head is not constricted. The soldier of *Ceylonitermes* has cylindrical frontal projection (nasus). *Coarctotermes* has a stronger constriction in the soldier head. *Parvitermes* soldiers have hairy heads and abdominal tergites, and the head constriction is much less conspicuous.

See page 307 for included species.

Genus **PARACORNITERMES** Emerson, new genus

Generitype.—*Cornitermes laticephalus* Silvestri.

Diagnosis.—Imago-worker mandibles with the apical tooth distinctly larger than the first marginal tooth and with an undulating cutting edge between the marginal teeth of the left mandible. Soldier head with a short frontal tube. Soldier mandibles short and massive with a distinctly double-pointed tooth on the right mandible. Soldier labrum large with rounded sides.

Comparison with closely related genera of the Nasutitermitinae (Termitidae): Imago-worker mandibles similar in dentation to those of *Labiotermes*. The frontal tube of the soldier is larger than that of *Syntermes* and shorter than those of *Procornitermes*, *Triacitermes* and *Cornitermes*. *Labiotermes* is closest to the soldier mandibles have a distinctly different dentation.

See page 333 for included species.

FOSSIL TERMITES

Genus PARASTYLOTERMES Snyder and Emerson, new genus

Generitype.—*Stylotermes washingtonensis* Snyder.

Diagnosis.—Pilosity of wings similar to *Stylotermes*. Wing membrane and veins practically without hairs or bristles except on the scale (1 bristle seen near the scale on the coastal margin of the wing of *P. robustus* (von Rosen)). Media closer to cubitus, and cubitus has about twice as many primary branches (about 20) in *Stylotermes fletcheri* as in *P. robustus*. *P. washingtonensis* has about 3 primary branches in the cubitus. Wing texture similar, but the wing is proportionately shorter and wider in *P. robustus* than in *P. washingtonensis*. Tibial spurs of *P. robustus* 2:2:2 (3:2:2 in *Stylotermes fletcheri*). Measurements of *P. robustus*: head width 1.53 mm., width of pronotum 1.08 mm., length of forewing 9.40 mm., length of forewing from suture 8.27 mm., width of forewing 3.17 mm.

Comparison with other genera of the Rhinotermitidae: *Heterotermes*, *Coptotermes*, and *Termitogeton* have numerous hairs on the wings. *Psammotermes*, *Heterotermes*, and *Reticulitermes* have proportionately smaller eyes. *Psammotermes* sometimes (not always) lacks the media in the forewing. *Heterotermes* has inconspicuous or reduced ocelli. *Reticulitermes* has a proportionately narrower head, smaller ocelli, smaller forewing scales, and no hairs on the wing membrane and veins. *Termitogeton* has a straighter posterior margin of the head, a narrower pronotum with an anterior median point, and the cubitus reduced or practically absent beyond the suture. *Prorhinotermes*, *Parrhinotermes*, *Schedorhinotermes*, *Rhinotermes*, *Dolichorhinotermes*, and *Acorhinotermes* have a prominent or projecting postclypeus and the wing membranes and veins without hairs in the known imagoes.

See page 366 for included species.

INDEX TO SPECIES *

(Listed alphabetically; genera arranged systematically)

- | | |
|--|--|
| <p>agaardi
 Eutermes (T.), see Tumulitermes
 apiocephalus</p> <p>passas
 Trinervitermes</p> <p>obreviatus
 Anoplotermes (A.), cingulatus, subsp.,
 see Anoplotermes
 Termes (Eutermes), cingulatus, subsp.,
 see Anoplotermes
 Anoplotermes
 Capritermes obtusus, var.</p> <p>ouriensis
 Neotermes
 Apicotermes
 Procubitermes, see Noditermes
 Noditermes</p> <p>byssinicus
 Eutermes, see Firmitermes
 Firmitermes</p> <p>cajutlae
 Eutermes (E.), see Nasutitermes nigri-
 ceps</p> <p>canthothorax
 Termes, see Acanthotermes
 Acanthotermes</p> <p>cerbus
 Eutermes, see Microcerotermes
 Microcerotermes</p> <p>miculatus
 Termes, see Subulitermes
 Eutermes (S.), see Subulitermes
 Subulitermes</p> <p>signathus
 Cornitermes
 Termes, see Cornitermes</p> <p>cinaciformis
 Termes, see Coptotermes
 Termes (Eutermes), see Coptotermes
 Coptotermes</p> <p>crognathus
 Amitermes (Gnathamitermes), see
 Gnathamitermes perplexus</p> <p>ctuosus
 Schedorhinotermes intermedius, subsp.</p> | <p>aculeosus
 Syntermes</p> <p>acutidens
 Euchilotermes tensus, var., see Euchilo-
 termes acutidens
 Euchilotermes
 Odontotermes (O.) sudanensis, var.</p> <p>acutifrons
 Procubitermes, see Unguitermes
 Unguitermes</p> <p>acutinasus
 Mirotermes (Mirotermes), see Termes
 fatalis</p> <p>acutus
 Amitermes (Gnathamitermes), see
 Gnathamitermes perplexus
 Eutermes, see Nasutitermes
 Nasutitermes</p> <p>adamsoni
 Calotermes, see Porotermes
 Porotermes (P.), see Porotermes
 Porotermes</p> <p>admirabilis
 Grallatotermes
 Nasutitermes (Grallatotermes), see
 Grallatotermes</p> <p>aduncus
 Orthognathotermes
 Nasutitermes (N.), see Nasutitermes
 Nasutitermes</p> <p>adustus
 Termes (fossil), of doubtful position</p> <p>aemulus
 Cubitermes
 Mirotermes (Cubitermes), see Cubi-
 termes</p> <p>aequalis
 Termes, see Parrhinotermes
 Parrhinotermes
 Nasutitermes (Obtusitermes), see Ob-
 tusitermes
 Nasutitermes (Agnathotermes), see Ob-
 tusitermes
 Obtusitermes</p> |
|--|--|

* Generitypes for new genera are designated in bold-face capitals.

- aethiopicus
 Kaloterme (Epicaloterme), see Kaloterme
 Kaloterme
 Euterme, see Reticuliterme
 Leucoterme, see Reticuliterme
 Heteroterme, see Reticuliterme
 Reticuliterme
- aethiops
 Euterme (Euterme), see Nasutiterme
 Nasutiterme
 Terme (fossil), of doubtful position
- affinis
 Eutermopsis (fossil), see fossil, not a termite
 Kaloterme (fossil), see Electrotermes
 Terme, see Electrotermes
 Electrotermes (fossil)
 Kaloterme (Glyptoterme), see Glyptoterme brevicornis
 Terme, see Odontoterme (O.) nilensis
- africanus
 Stoloterme
- agilis
 Caloterme, see Neoterme
 Neoterme
 Terme, see Odontoterme (O.)
 Odontoterme, see Odontoterme (O.)
 Odontoterme (O.)
- agricola
 Euterme, see Trinerviterme
 Nasutiterme, see Trinerviterme
 Trinerviterme
- ahngerianus
 Hodoterme, see Anacanthoterme
 Hodoterme (Anacanthoterme), see Anacanthoterme
 Anacanthoterme
- akengeensis
 Terme (Terme), see Odontoterme (O.)
 Odontoterme (O.)
- albidus
 Terme, see Microceroterme arboreus
 Terme, see Armiterme holmgreni
 Armiterme (A.), imago not identified, soldier, see Armiterme holmgreni
 Armiterme, see Armiterme silvestrii
 Terme, see not classified
- albinotus
 Microtermes
- albipes
 Caloterme (Cryptoterme), see Cryptoterme
 Cryptoterme
 Terme, see Lacessititerme
 Euterme (L.), see Lacessititerme
 Lacessititerme
- alboniger
 Microtermes, see Pseudomicrotermes
 Pseudomicrotermes
- alboartitus
 Terme, see Microtermes
 Microtermes
- albotarsalis
 Euterme, see Creneterme
 Terme, see Creneterme
 Euterme (Creneterme), see Creneterme
 Creneterme
- albus
 Euterme haitiensis, form, see Nasutiterme costalis
- algoasinensis
 Microceroterme
- alicensis
 Hamiterme, see Terme harrisi
 Microtermes, see Terme harrisi
- alienus
 Capriterme (Neocapriterme), see Neocapriterme opacus
- alleni
 Microtermes, see Terme cheeli
- allocerus
 Psammoterme
- alluaudanus
 Terme (Microtermes), see Microtermes
 Microtermes
- almorensis
 Glyptoterme
 Terme (Cycloterme), see Odontoterme (O.)
 Odontoterme (O.)
- alticola
 Euterme (Euterme), see Nasutiterme
 Nasutiterme
- aluco
 Terme, see Odontoterme (O.) gras
 Euterme, see Microtermes

- Termes (Eutermes), see *Microtermes*
Microtermes
abilis
Calotermes (Porotermes), see *Porotermes planiceps*
Porotermes, see *Porotermes planiceps*
anicus
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
naniensis
Odontotermes, see *Odontotermes* (O.)
anceps, var.
Termes, see *Odontotermes* (O.) *anceps*, var.
nanii
Eutermes (Coptotermes), see *Coptotermes*
Coptotermes
naralii
Mirotermes, see *Termes*
Termes
nboinensis
Coptotermes
Schedorhinotermes, see *Schedorhinotermes brachyceps*
Microcerotermes
Eutermes (E.), see *Nasutitermes*
Nasutitermes
mericanus
Termes, see *Cornitermes cumulans*
nicus von Rosen, fossil
Termes (*Termes*), see *Macrotermes*
Macrotermes
nicus
Basidentitermes
nifer
Hamitermes hamifer, see *Amitermes amifer*
Termes (*Eutermes*), see *Amitermes*
Amitermes
nphidon
Ancistrotermes
npla
Macrotermes mülleri, var., see *Macrotermes mülleri*
nplus
Neotermes
Hoplotermes
Termes, see *Macrotermes mülleri*
Termes (*Macrotermes*), see *Macrotermes mülleri*
anamalaiensis
Nasutitermes (*Rotunditermes*), see *Nasutitermes*
Nasutitermes
anamallensis
Odontotermes (O.)
anandi
Microtermes, see *M. obesi*
anatruncatus
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
anceps
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
andamanensis
Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
angherianus
Hodotermes, see *Anacanthotermes angherianus*
anglicus von Rosen, fossil
Mastotermes
angulatus
Schedorhinotermes lamanianus, var.
angustatus
Apicotermes
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
angusticeps
Capritermes (*Neocapritermes*), see *Neocapritermes*
Neocapritermes
Macrotermes gilvus, form
Nasutitermes (*Subulitermes*), see *Subulitermes*
Subulitermes
angusticollis
Termopsis, see *Zootermopsis*
Zootermopsis
angustignathus
Capritermes (*Capritermes*), see *Pseudocapritermes*
Pseudocapritermes
angustipennis
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)

- angustoculus
 Neoterme, see *Neoterme castaneus*
- angustus
 Kaloterme (Glyptoterme), see *Glyptoterme*
 Glyptoterme
- annamensis
 Terme, see *Globiterme sulphureus*
 Terme (Eutermes), see *Globiterme sulphureus*
 Hamiterme (Globiterme), see *Globiterme sulphureus*
- annandalei
 Microceroterme
 Terme, see *Macroterme*
 Macroterme
- antennalis
 Cubiterme
- anticus
 Terme, see *Neoterme castaneus*
- antillarum
 Eutermes (Constrictoterme), see *Velociterme*
 Eutermes (Velociterme), see *Velociterme*
 Constrictoterme, see *Velociterme*
 Velociterme
- antiquus Germar, fossil
 Hemerobites or Hemerobius, see *Reticuliterme*
 Eutermes, see *Reticuliterme*
 Terme, see *Reticuliterme*
 Terme ((obscurus) moestus, Giebel), see *Reticuliterme*
 Leucoterme (Reticuliterme), see *Reticuliterme*
 Reticuliterme
- antiquus Giebel, fossil
 Terme, see *Reticuliterme*
 Terme (Giebels Handlirsch), see *Reticuliterme*
 Reticuliterme
- antiquus pp. Hagen in Berendt
 Terme, see *Reticuliterme*
 Eutermes (gracilis Pic.), see *Reticuliterme*, fossil
- apiocephalus
 Eutermes, see *Tumuliterme*
 Eutermes (Tumuliterme), see *Tumuliterme*
- Eutermes (Tumuliterme) (Mjöbe, 1920), see *Tumuliterme mareebensis*
- Tumuliterme
- apollo
 Terme, see *Odontoterme (O.)*
 Odontoterme, see *Odontoterme (O.)*
 Odontoterme (O.)
- appellans
 Capriterme (Pericapriterme), see *Pericapriterme*
 Pericapriterme
- approximatus
 Kaloterme
 Capriterme (C.), see *Capriterme buitenzorgi*
- apricitatis
 Microceroterme
- aquaticus
 Terme, see *Odontoterme (O.)*
 Odontoterme (Cycloterme), see *Odontoterme (O.)*
 Odontoterme (O.)
- aquilinus
 Eutermes (E.), see *Nasutiterme*
 Nasutiterme
- arboreus
 Anoplotermes (Speculiterme), see *Speculiterme*
 Speculiterme
 Eutermes, see *Microceroterme*
 Microceroterme
 Nasutiterme
- arboricola
 Eutermes, see *Procutiterme*
 Cubiterme (Eutermes), see *Procutiterme*
 Miroterme (Cubiterme), see *Procutiterme*
 Eutermes (Cubiterme), see *Procutiterme*
 Procutiterme
- arboris (see *Microceroterme arboreus*)
- arborum
 Terme, see *Nasutiterme arboreus*
 Eutermes (Eutermes), see *Nasutiterme arboreus*
 Terme (Eutermes), see *Nasutiterme arboreus*
 Eutermes, see *Nasutiterme arboreus*

- Eutermes, see *Nasutitermes ekunduen-*
sis
 Nasutitermes, see *Nasutitermes arboreus*
canus
 Calotermes (Cryptotermes), see *Crypto-*
termes
 Cryptotermes
caudata
 Euchilotermes *tensus*, var.
clava
 Termes, see *Reticulitermes lucifugus*
 Termes, see *Cubitermes atrox*
canarius
 Termes, see *Nasutitermes*
 Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes
 Eutermes (Silvestri 1901), see *Nasuti-*
termes kemneri
 Eutermes (E.) (Holmgren 1910b), see
Nasutitermes kemneri
caenicola
 Reticulitermes
caput
 Mirotermes, see *Termes kraepelini*
cazonensis
 Kalotermes
 Amitermes (A.) (soldier, in part), see
Gnathamitermes perplexus
 Amitermes (A.) (winged), see *Ami-*
termes wheeleri
 Amitermes (A.) (winged), see *Ami-*
termes parvulus
canigera = *armiger*
 Termes, see *Armitermes armiger*
 Termes (Eutermes), see *Armitermes*
armiger
 Armitermes (A.), see *Armitermes*
armiger
cahuri-muelleri
 Kalotermes (Neotermes), see *Rugi-*
termes
 Rugitermes
carcarpi
 Kalotermes (Neotermes), see *Neotermes*
Neotermes
carporum
 Calotermes, see *Neotermes artocarpi*
caensis
 Eutermes, see *Nasutitermes*
Nasutitermes
- asperatum*
 Kalotermes (*Calcaritermes*), see *Glypto-*
termes asperatus
 Glyptotermes *asperatus*
assamensis
 Reticulitermes, see *R. chinensis*
 Odontotermes (*Cyclotermes*), see *Odon-*
totermes (O.)
 Odontotermes (O.)
assmuthi
 Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
 Eurytermes
 Termes (Eutermes) (*Desneux*), see
Eurytermes
 Eurytermes *assmuthi* (*Holmgren*
 1911c), see *Eurytermes ceylonicus*
Odontotermes (O.)
assuanensis
 Psammotermes
ater
 Termes, see *Anoplotermes*
 Eutermes, see *Anoplotermes*
Anoplotermes morio, subsp., see *Anoplo-*
termes
Anoplotermes (A.), see *Anoplotermes*
Anoplotermes
athertoni
 Kalotermes (*Metaneotermes*), see *Rugi-*
termes
Rugitermes
athii
 Calotermes, see *Neotermes meruensis*
atlanticus
 Hamitermes, see *Amitermes*
Amitermes
atomus
 Termes (fossil), of doubtful position
atratus
 Calotermes (*Cryptotermes*), see *Kalo-*
termes
 Kalotermes
atriceps
 Eutermes *cayennae*, form, see *Nasuti-*
termes costalis
 Nasutitermes (N.) *cayennae*, form, see
Nasutitermes costalis
atrior
 Eutermes (*Lacessititermes*), see *Laces-*
sititermes

- Nasutitermes (Lacessititermes), see
 Lacessititermes
 Lacessititermes
 atripennis
 Termes, see Havilanditermes
 Eutermes (E.), see Havilanditermes
 Nasutitermes (N.), see Havilanditermes
 Havilanditermes
 atrox
 Termes, see Cubitermes
 Termes (Eutermes), see Cubitermes
 Mirotitermes (Tuberculitermes) ?, see
 Cubitermes
 Cubitermes
 atypus
 Procapritermes
 audax
 Globitermes
 aurantiacoides
 Eutermes, see Nasutitermes proximus
 Nasutitermes, see Nasutitermes prox-
 imus
 aurantiacus
 Nasutitermes (N.), see Microcerotermes
 arboreus
 Eutermes, see Nasutitermes jaraguæ
 Nasutitermes, see Nasutitermes jaraguæ
 Nasutitermes (N.), see Nasutitermes
 minor
 aureus
 Leucotermes, see Heterotermes
 Reticulitermes, see Heterotermes
 Heterotermes
 auriceps
 Calotermes, see Neotermes camerunensis
 Eutermes, see Trinervitermes triner-
 voides
 Eutermes (Trinervitermes), see Triner-
 vitermes trinervoides
 auriterræ
 Trinervitermes
 aurivillii
 Hodotermes (H.), see Microhodotermes
 viator
 Eutermes, see Basidentitermes
 Termes (Eutermes), see Basidentitermes
 Mirotitermes (Basidentitermes), see Ba-
 sidentitermes
 Basidentitermes
 Gnathotermes, see Macrotermes mai-
 censis
 auropunctata
 ?Nasmannia, see Tenuirostritermes
 aurora
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
 australicus
 Stolotermes
 Parrhinotermes, see P. queenslandic
 australis
 Termes, see Neotermes insularis
 Termes, see Kalotermes convexus
 Termes, see Neotermes insularis
 Termes, see Coptotermes acinaciformis
 Termes, see Coptotermes flavus
 Termes, see Coptotermes frenchi
 Termes, see not classified
 Coptotermes, see not classified
 Schedorhinotermes lamanianus, var
 Schedorhinotermes putorius, subsp.
 azarelli
 Termes, see Macrotermes
 Macrotermes (M.), see Macroterm
 Macrotermes
 baculi
 Eutermes, see Termes
 Mirotitermes (M.), see Termes
 Termes
 baculiformis
 Mirotitermes, see Termes
 Eutermes (Mirotitermes), see Terme
 Mirotitermes (M.), see Termes
 Termes
 badius
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 Termes, see Odontotermes (O.) bequa
 Termes, see Odontotermes (O.) tra
 vaalensis
 bæckmannianus
 Hodotermes, see Anacanthotermes
 Anacanthotermes
 bahamensis
 Eutermes, see Nasutitermes ripper
 baileyi
 Nasutitermes (Subulitermes), see Su-
 littermes
 Subulitermes

- tiintauacensis*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- tagalorensis*
Odontotermes (*Cyclotermes*), see *Odon-*
totermes (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
- taksi* Holmgren ms.
Calotermes (C.), see *Kalotermes* not
 identified to species
- taksi*
Kalotermes
Anoplotermes (*Anoplotermes*), see *Ano-*
plotermes
Anoplotermes
Mirotermes (*Cubitermes*), see *Cubi-*
termes
Cubitermes
Nasutitermes (*Nasutitermes*), see *Nasu-*
titermes
Nasutitermes
- taksiae*
Calotermes, see *Kalotermes*
Kalotermes
- taksiensis*
Mirotermes, see *Termes cheeli*
Mirotermes (M.), see *Termes cheeli*
- tbertoni*
Microcerotermes
- tbouri*
Kalotermes (*Glyptotermes*), see *Glyp-*
totermes angustus
- tneyi*
Macrotermes
- tretoi*
Calotermes, see *Kalotermes*
Kalotermes
- trettii* Hill
Leucotermes, see not classified
Heterotermes, see not classified
- tricoloradensis*
Nasutitermes (*Uniformitermes*), see
Velocitermes
Velocitermes
- tvidens*
Termes, see *Amphidotermes*
Hamitermes, see *Amphidotermes*
Amphidotermes
- batavus*
Lacessititermes
batheri von Rosen, fossil
Mastotermes
Calotermes (*Cryptotermes*), see *Crypto-*
termes
Cryptotermes
- bauckhorni* Meunier, fossil
Calotermes, see *Ulmeriella*
Hodotermes, see *Ulmeriella*
Ulmeriella, fossil
- beaumonti*
Amitermes (A.), see *Amitermes*
Amitermes
- bechuana*
Hamitermes, see *Amitermes*
Amitermes
- beebei*
Nasutitermes (*Velocitermes*), see *Velo-*
citermes
Velocitermes
- beesoni*
Kalotermes
Microcerotermes
- bellahuniensis*
Odontotermes (*Cyclotermes*), see *Odon-*
totermes (O.)
Odontotermes (O.)
- belli*
Termes, see *Amitermes*
Hamitermes (H.), see *Amitermes*
Amitermes
- bellicosi*
Mirotermes (*Promirotermes*), see *Pro-*
mirotermes
Promirotermes
- bellicosus*
Termes, see *Macrotermes*
Termes (nec. Smeathman, Hagen), see
Macrotermes natalensis
Amplitermes, see *Macrotermes*
Bellicositermes, see *Macrotermes*
Macrotermes (*Bellicositermes*), see
Macrotermes
Macrotermes
Termes (Joly), see *Odontotermes* (O.)
obesus
- bellicosus* (in part Hagen)
Termes, see *Macrotermes*
Macrotermes

- bengalensis
 Kaloterme (Cryptoterme), see Cryptoterme
 Cryptoterme
 Odontoterme (Cycloterme), see Odontoterme (O.) bangalorensis
- benjamini
 Nasutiterme (N.), see Nasutiterme
 Nasutiterme
 Armiterme
- bequaerti
 Kaloterme (Kaloterme), see Kaloterme
 Kaloterme
 Anoploterme
 Termes (Termes), see Odontoterme (O.)
 Odontoterme (O.)
 Nasutiterme (Nasutiterme), see Nasutiterme
 Nasutiterme
- bequaertianus
 Schedorhinoterme lamanianus, var.
 Euterme, see Microceroterme
 Microceroterme
- berendtii
 Termes (Caloterme), fossil, see Proelectroterme
 Termes, see Proelectroterme
 Caloterme, see Proelectroterme
 Proelectroterme, fossil
- beroi
 Microceroterme, see Microceroterme
 biroi
- bettonianus
 Euterme, see Trinerviterme
 Euterme (Trinerviterme), see Trinerviterme
 Nasutiterme (Trinerviterme), see Trinerviterme
 Trinerviterme
- bicolor
 Kaloterme (Rugiterme), see Rugiterme
 Rugiterme
 Termes, see Hospitaliterme
 Termes (Euterme), see Hospitaliterme
 Euterme (Hospitaliterme), see Hospitaliterme
 Hospitaliterme
- bidentatus
 Rhinoterme (Schedorhinoterme), see Schedorhinoterme
 Schedorhinoterme
 Procubiterme, see Unguiterme
 Unguiterme
- biforma
 Nasutiterme (Obtusiterme), see (Obtusiterme panamae
- biformis
 Nasutiterme (Obtusiterme), see (Obtusiterme panamae
 Euterme, see Trinerviterme
 Termes (Euterme), see Trinerviterme
 Euterme (Trinerviterme), see Trinerviterme
 Trinerviterme
- billitoni
 Odontoterme, see Odontoterme (O.) sundaicus, f. esuriens
 Odontoterme (O.), see Odontoterme (O.) sundaicus, f. esuriens
- bilobatodes
 Miroterme (Cubiterme), see Cubiterme
 Cubiterme
- bilobatus
 Kaloterme (Glyptoterme), see Glyptoterme
 Glyptoterme
 Termes, see Cubiterme
 Euterme, see Cubiterme
 Euterme, see Cubiterme glebae, pseudoduplex, C. sankurensis
 Miroterme (Cubiterme), see Cubiterme
 Cubiterme
- bipartitus
 Euterme, see Eutermellus
 Euterme (Coarctoterme), see Eutermellus
 Eutermellus
- birmanicus
 Amiterme (Globiterme), see Globiterme audax
 Nasutiterme (Hospitaliterme), see Hospitaliterme
 Hospitaliterme

- bai**
Termes (*Eutermes*), see *Microcerotermes*
Microcerotermes
- bulcatus**
Eutermes (*Cubitermes*), see *Cubitermes*
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
- balens**
Basidentitermes, see *Basidentitermes mactus*
Mirotermes (*Basidentitermes*), see *Basidentitermes mactus*
Eutermes (*Eutermes*), see *Nasutitermes*
Eutermes rippertii, var., see *Nasutitermes*
Nasutitermes
- biadus**
Termes, fossil of doubtful position
- bamfonteinsis**
Hodotermes, see *Hodotermes mossambicus*
- bkini**
Capritermes (*Neocapritermes*), see *Neocapritermes*
Neocapritermes
Neocapritermes modestior, var., see *Neocapritermes bodkini*
- bangiensis**
Eutermes, see *Nasutitermes* ?
Nasutitermes
- bcconensis**
Coptotermes
Odontotermes (O.)
- bcconi**
Eutermes (*Tumulitermes*), see *Nasutitermes*
Nasutitermes
- boriensis**
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
- bovianus**
Anoplotermes
Mirotermes (*Mirotermes*), see *Termes*
Termes
Syntermes, see *Syntermes peruanus*
Cornitermes
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- bomaensis**
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
- boranicus**
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
- boreus**
Microcerotermes
Microcerotermes, see *Microcerotermes cavus*
Cornitermes labralis, subsp.
- borneensis**
Kalotermes (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
Macrotermes gilvus, var.
Termes, see *Bulbitermes*
Eutermes (*Eutermes*), see *Bulbitermes*
Bulbitermes
- bornensis**
Coptotermes
- borussicus** von Rosen, fossil
Leucotermes (*Reticulitermes*), see *Reticulitermes*
Reticulitermes, fossil
- bosei**
Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
- bosniaskii** Handlirsch, fossil
Calotermes, see *Kalotermes*
Kalotermes, fossil
- bottegoanus**
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
- ournemouthisis** von Rosen, fossil
Mastotermes, fossil
- bouvieri**
Termes, see *Microcerotermes*
Termes (*Eutermes*), see *Microcerotermes*
Hamitermes (*Hamitermes*), see *Microcerotermes*
Microcerotermes
Trinervitermes
- brachycephala**
Calotermes monticola, form, see *Kalotermes monticola*, form
Kalotermes monticola, form

- brachyiceps
Schedorhinotermes
- brachygnathus
Kalotermes (Cryptotermes), see Cryptotermes not identified to species
Cryptotermes
Eutermes, see Microcerotermes
Microcerotermes
Capritermes
- braini
Hodotermes (Hodotermes), see Hodotermes mossambicus
Macrohodotermes, see Hodotermes mossambicus
- brasilia
Termes e Brasilia (Westwood), see Syntermes dirus
- brasiliensis
Syntermes, see Syntermes molestus
Eutermes, see Nasutitermes fulviceps
Nasutitermes (Nasutitermes), see Nasutitermes fulviceps
- braueri
Calotermes (Procryptotermes), see not classified
- braunsi
Calotermes, see Kalotermes durbanensis
Hamitermes, see Amitermes
Amitermes
Mirotermes (Mirotermes), see Angulitermes
Angulitermes
- braziliensis
Capritermes (Neocapritermes), see Neocapritermes
Neocapritermes
Syntermes, see Syntermes molestus
Nasutitermes (Nasutitermes) Snyder, see Nasutitermes, n. sp.
- breinli
Schedorhinotermes intermedius, subsp.
- bremi, Hagen *in* Berendt, fossil
Termes, see Proelectrotermes berendtii
Calotermes, see Proelectrotermes berendtii
- bremii Heer
Termopsis, fossil
Termes, see Termopsis
Xestotermopsis, see Termopsis
- brevialatus
Termes, see Schedorhinotermes
Rhinotermes, see Schedorhinotermes
Rhinotermes (Schedorhinotermes), see Schedorhinotermes
Schedorhinotermes
Schedorhinotermes
Rhinotermes (Schedorhinotermes), see Schedorhinotermes holmgreni
Schedorhinotermes holmgreni
medioobscurus
Rhinotermes (Schedorhinotermes), see Schedorhinotermes javanicus
Schedorhinotermes javanicus
Rhinotermes (Schedorhinotermes) medioobscurus, see Schedorhinotermes medioobscurus
- breviarticulatus
Kalotermes (Cryptotermes), see Cryptotermes
Cryptotermes
Eutermes (Lacessititermes), see Lacessititermes
Lacessititermes
- brevicaudatus
Kalotermes (Glyptotermes), see Glyptotermes
Glyptotermes
- breviceps
Eutermes (Cubitermes), see Cubitermes
Mirotermes (Cubitermes), see Cubitermes
Cubitermes
- brevicollis
Kalotermes (Cryptotermes), see Calcaritermes
Calcaritermes
- brevicorniger
Amitermes, see Synhamitermes
Hamitermes, see Synhamitermes
Termes (Eutermes), see Synhamitermes
Hamitermes (Synhamitermes), see Synhamitermes
Synhamitermes
- brevicornis
Kalotermes (Glyptotermes), see Glyptotermes
Glyptotermes
Nasutitermes (N.), see Nasutitermes
Nasutitermes
Spinitermes, see Spinitermes
cornutus

- Termes (Eutermes)** (Desneux 1904e),
 see **Termes**
Termes
Mirotermes (Mirotermes), see **Termes**
- bivicornutus**
Termes (Eutermes), see **Spinitermes**
Mirotermes (Spinitermes), see **Spinitermes**
Spinitermes
- bivimalatus**
Syntermes
- bivinasus**
Eutermes cayennae, form, see **Nasutitermes costalis**
Nasutitermes (Nasutitermes) cayennae, form, see **Nasutitermes costalis**
- bivinotus**
Kalotermes (Neotermes), see **Neotermes**
Neotermes
Thoracotermes
- biviolatus**
Eutermes (Eutermes), see **Nasutitermes**
Nasutitermes
- bivior**
Termes biroi, subsp., see **Microcerotermes biroi**
Mirotermes (Cubitermes) natalensis, form, see **Procubitermes natalensis**, form
- bripilosus**
Cylindrotermes
Orthognathotermes
- bripilus**
Anoplotermes (Anoplotermes), see **Anoplotermes**
Anoplotermes
Nasutitermes (Nasutitermes), see **Nasutitermes**
Nasutitermes
- bistrostris**
Eutermes (Grallatotermes), see **Nasutitermes**
Nasutitermes
- bis**
Termes, see **Cryptotermes**
Kalotermes (Cryptotermes), see **Cryptotermes**
Cryptotermes
- briciae**
Constrictotermes (Tenuirostritermes), see **Tenuirostritermes**
Tenuirostritermes
- BROOKSI**
Nasutitermes (Tenuirostritermes), see **Parvitermes**
Parvitermes
- broomensis**
Mirotermes (Mirotermes), see **Termes**
Termes
- brouni**
Calotermes, see **Kalotermes**
Kalotermes
- brunneicornis**
Hodotermes (Stolotermes), see **Stolotermes**
Stolotermes
- brunneus**
Termes, see **Odontotermes (O.)**
Odontotermes (Cyclotermes), see **Odontotermes (O.)**
Odontotermes (O.)
Nasutitermes (Nasutitermes), see **Nasutitermes**
Nasutitermes
- brutus**
Eutermes, see **Trinervitermes bettonianus**
Eutermes (Trinervitermes), see **Trinervitermes bettonianus**
- buchholzi**
Termes, see **Odontotermes (O.)**
Odontotermes, see **Odontotermes (O.)**
Odontotermes (O.)
- buchi**
Termes (Calotermes), see fossil not a termite
- buchii** Heer, fossil
Termes, see fossil of doubtful position
- bugnioni**
Eutermes, see **Microcerotermes**
Microcerotermes
- buitenzorgi**
Odontotermes (O.) javanicus, form, see **Odontotermes (O.) sundaicus**
- buitenzorgi**
Cryptotermes, see **C. cyanocephalus**
Capritermes (Capritermes), see **Capritermes**

- Capritermes
 Eutermes (Eutermes), see Nasutitermes acutus
 Subulitermes, see Nasutitermes acutus
 bulbiceps
 Eutermes (Eutermes), see Nasutitermes Nasutitermes
 Eutermes (Trinervitermes), see Trinervitermes hilli
 bulbifrons
 Cubitermes
 burmanicus
 Microcerotermes
 burmeisteri
 Eutermes, see not classified
 Termes (Eutermes), see not classified
 busuangae
 Nasutitermes (N.), see Nasutitermes Nasutitermes
 butteli
 Rhinotermes (Schedorhinotermes), see Schedorhinotermes
 Schedorhinotermes
 Odontotermes (Odontotermes)
 Eutermes (Hospitalitermes), see Hospitalitermes
 Hospitalitermes
 buttel-reepeni
 Calotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 Parrhinotermes
 Labritermes
 buxtoni
 Cryptotermes, see Cryptotermes domesticus
 bycanistes
 Eutermes, see Tuberculitermes
 Mirotermes (Tuberculitermes), see Tuberculitermes
 Tuberculitermes
 caesareus
 Eutermes, see Cubitermes
 Mirotermes, see Cubitermes
 Cubitermes
 caffer
 Termes, see Odontotermes (O.) angustatus
 cafferariae
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
 californicus
 Calotermes (Calotermes), see Kalotermes not identified to species
 Amitermes (Amitermes) (soldier), see Amitermes wheeleri
 Amitermes (Amitermes) (winged), see Amitermes pallidus
 calvus
 Microtermes
 Syntermes
 cameroni
 Microcerotermes
 camerunensis
 Kalotermes (Neotermes), see Neotermes
 Neotermes
 Microtermes, see Ancistrotermes cruentus
 Eutermes, see not classified
 Termes, see not classified
 campbelli
 Kalotermes (Cryptotermes), see Cryptotermes domesticus
 canalensis
 Calotermes (Procryptotermes), see Cryptotermes
 Calotermes (Cryptotermes), see Cryptotermes
 Procryptotermes
 canaliculatus
 Eutermes, see Nasutitermes laticeps
 Eutermes (Eutermes), see Nasutitermes laticeps
 Termes (Eutermes), see Nasutitermes laticeps
 canalifrons
 Termes (?), see Prorhinotermes
 Termes (Termes), see Prorhinotermes
 Procoptotermes, see Prorhinotermes
 Arrhinotermes, see Prorhinotermes
 Prorhinotermes
 Paratermes, see Prorhinotermes
 Paratermes, see Prorhinotermes jamaicensis
 canariensis
 Eutermes, see not classified
 Termes (Eutermes), see not classified
 canellae
 Calotermes, see Glyptotermes
 Glyptotermes

caense, see capensis

Termes (Retzius 1783)

caensis

Mirotermes, see Termes winifredae

Mirotermes (Mirotermes), see Termes winifredae

Termes (Latreille 1805), see Macrotermes bellicosus

Termes (Termes), see Odontotermes (O.)

Odontotermes, see Odontotermes (O.)

Odontotermes (O.)

Termes (nec de Geer, Hagen), see Odontotermes (O.) caffrariae

ca.cola

Hamitermes (Amitermes) hastatus, var., see Amitermes

Hamitermes, see Amitermes

Amitermes

ca.to

Hamitermes, see Amitermes

Amitermes

ca.icornis

Eutermes, see Capritermes

Termes (Eutermes), see Capritermes

Capritermes (Capritermes), see Capritermes

Capritermes

ca.o

Eutermes (Trinervitermes), see Trinervitermes

Trinervitermes

ca.onarius

Termes, see Macrotermes

Termes (Macrotermes), see Macrotermes

Macrotermes

Nasutitermes (Trinervitermes), see Trinervitermes

Trinervitermes

ca.oniceps

Termes, see Macrotermes

Amplitermes, see Macrotermes

Bellicositermes, see Macrotermes

Macrotermes

ca.ini

Leucotermes, see Heterotermes

Heterotermes

ca.arvonensis

Eutermes, see Nasutitermes

Nasutitermes

castaneiceps

Calotermes, see Kalotermes

Neotermes, see Kalotermes

Kalotermes

castaneus

Termes, see Neotermes

Kalotermes (Neotermes), see Neotermes

Neotermes

Termes (Walker), see Zootermopsis angusticollis

Eutermes, see Nasutitermes

Nasutitermes (N.), see Nasutitermes

Nasutitermes

castaniceps

Eutermes (Constrictotermes), see Diversitermes

Eutermes (Diversitermes), see Diversitermes

Nasutitermes (Diversitermes), see Diversitermes

Diversitermes

caudomunitus

Glyptotermes

cavifrons

Cryptotermes

Kalotermes (Cryptotermes), see Cryptotermes

Eutermes (Constrictotermes), see Constrictotermes

Nasutitermes (Constrictotermes), see Constrictotermes

Constrictotermes

cavithorax

Microtermes, see Ancistrotermes

Termes, see Ancistrotermes

Ancistrotermes, see Ancistrotermes amphidon

Ancistrotermes

cavithorax Wasmann

Termes, see Ancistrotermes wasmanni

cavus

Microcerotermes

cayennae

Eutermes, see Nasutitermes costalis

Nasutitermes (Nasutitermes), see Nasutitermes costalis

cayutuensis

Calotermes chilensis, var., see Neotermes chilensis, var.

Neotermes chilensis, var.

- celebensis
 Rhinotermes (Schedorhinotermes), see Schedorhinotermes
 Schedorhinotermes
 Microcerotermes
 Odontotermes (O.) dives, form, see Odontotermes (O.) holmgreni
 Odontotermes (O.)
 Eutermes, see Nasutitermes
 Nasutitermes
- centraliensis
 Eutermes, see Nasutitermes
 Nasutitermes
- centralis
 Capritermes (Neocapritermes), see Neocapritermes
 Neocapritermes
- cephalotes
 Termes, see Syntermes dirus
- cephalotis
 Termes (Rambur), see Termes nigricans, not classified
- ceylonicus
 Calotermes (Cryptotermes), see Cryptotermes not identified to species
 Cryptotermes
 Kalotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 Leucotermes, see Heterotermes
 Heterotermes
 Coptotermes
 Eurytermes
 Hamitermes (Synhamitermes), see Synhamitermes
 Synhamitermes
 Mirotermes (Mirotermes), see Termes lighti
 Capritermes (Capritermes), see Capritermes
 Capritermes
 Capritermes (Holmgren 1911c in Escherich (part)), see Capritermes distinctus
 Termes, see Odontotermes (O.)
 Termes, see Odontotermes (O.) assmuthi
 Odontotermes (O.)
 Eutermes, see Nasutitermes
 Nasutitermes
- ceyloniellus
 Eutermes, see Eurytermes ceylonis
- chacoensis Holmgren ms.
 Calotermes (Neotermes), see Neotermes not identified to species
- chagresi
 Armitermes (Armitermes), see Armitermes
 Armitermes
- championi
 Microcerotermes
- chapini
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
- chapmani
 Kalotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 Nasutitermes (N.), see Nasutitermes
 Nasutitermes
- chaquimayensis
 Termes, see Syntermes chaquimayensis form
 Syntermes chaquimayensis, see Syntermes chaquimayensis, form
 Syntermes chaquimayensis, form
 Eutermes, see Nasutitermes
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
- cheeli
 Mirotermes (Mirotermes), see Mirotermes
 Termes
- chiasognathus
 Eutermes, see Pericapritermes
 Termes (Eutermes), see Pericapritermes
 Capritermes (Capritermes), see Capritermes
 Pericapritermes
- chilensis
 Termes, see Neotermes
 Porotermes, see Neotermes
 Kalotermes (Neotermes), see Neotermes
 Neotermes
- chinensis
 Reticulitermes
- choanensis
 Microcerotermes

- Mirotermes (Procubitermes), see Procubitermes
 Procubitermes
 christiersonii
 Termes, see ? Cornitermes cumulans
 hryseus
 Kalotermes (Kalotermes) oldfieldi, var.,
 see Kalotermes condonensis
 hrysoleura
 Eutermes, see Nasutitermes
 Termes (Eutermes), see Nasutitermes
 Nasutitermes
 inereus
 Termes, see Tenuirostritermes
 Eutermes (Constrictotermes), see
 Tenuirostritermes
 Eutermes (Tenuirostritermes), see
 Tenuirostritermes
 Constrictotermes, see Tenuirostritermes
 Nasutitermes (Tenuirostritermes), see
 Tenuirostritermes tenuirostris
 Tenuirostritermes
 ingulatus
 Termes, see Anoplotermes
 Termes (Eutermes), see Anoplotermes
 Anoplotermes (Anoplotermes), see Anoplotermes
 Anoplotermes
 Capritermes, see Neocapritermes angusticeps
 Termes, see Neocapritermes opacus
 Capritermes, see Neocapritermes opacus
 laripennis
 Calotermes (Glyptotermes), see Glyptotermes brevicornis
 Reticulitermes, see Reticulitermes flavipes
 larki
 Leucotermes, see Heterotermes platycephalus
 Leucotermes (winged), see Amitermes obeuntis
 Hamitermes (Drepanotermes), see Drepanotermes
 Drepanotermes
 lassicus
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
- clearei
 Kalotermes (Neotermes), see Neotermes holmgreni
 clepsydra
 Eutermes, see Coarctotermes
 Eutermes (Coarctotermes), see Coarctotermes
 Termes (Eutermes), see Coarctotermes Coarctotermes
 clevelandi
 Kalotermes (Kalotermes), see Kalotermes immigrans
 Nasutitermes (Convexitermes), see Convexitermes
 Convexitermes
 clypeatus
 Anoplotermes (Anoplotermes), see Anoplotermes
 Anoplotermes
 Anoplotermes
 coachellae
 Amitermes
 coalescens
 Eutermes, see Nasutitermes
 Nasutitermes
 coarctatus
 Eutermes, see Coarctotermes
 Termes (Eutermes), see Coarctotermes
 Eutermes (Coarctotermes), see Coarctotermes
 Coarctotermes
 cocinus, fossil
 Termes (of doubtful position)
 cockerelli
 Ulmeriella, fossil
 colimae
 Nasutitermes
 collinsi
 Microcerotermes
 colombianus
 Syntermes, see Syntermes parallelus
 colonus
 Hamitermes (Hamitermes), see Amitermes
 Amitermes
 Amitermes
 coloradensis Cockerell, fossil
 Hodotermes, see Zootermopsis
 Parotermes, see Zootermopsis
 Miotermes, see Zootermopsis
 Zootermopsis, fossil

- coloradensis Scudder
 Hodotermes (?), see Zootermopsis
 Zootermopsis, fossil
- columbicus
 Eutermes (Eutermes) guayanae, form,
 see Nasutitermes columbicus
 Nasutitermes (Nasutitermes) guayanae,
 form, see Nasutitermes
 Nasutitermes
- columnar
 Termes, see Amitermes foreli
- columnaris
 Termes, see Amitermes foreli
- comatus
 Eutermes, see Tumulitermes
 Tumulitermes
- comis
 Termes
 Termes (Eutermes), see Termes
 Mirotermes (Mirotermes), see Termes
- comorensis
 Eutermes, see Nasutitermes
 Nasutitermes
- comprehensa
 Microtermes congoensis, var.
- comstockae
 Nasutitermes (Nasutitermes), see Na-
 sutitermes
 Nasutitermes
- comstocki
 Mirotermes (Cubitermes), see Cubi-
 termes
 Cubitermes
- concilians
 Anoplotermes (Anoplotermes), see Ano-
 plotermes
 Anoplotermes
- condonensis
 Calotermes (Calotermes), see Kalo-
 termes
 Kalotermes
- confinis
 Pericapritermes urgens, var.
- confusus
 Amitermes (Amitermes), see Gnathami-
 termes perplexus
- congoensis
 Mirotermes (Cubitermes), see Cubi-
 termes
 Cubitermes
- Odontotermes, see Odontotermes (C.
 sjöstedti
 Termes, see Odontotermes (O.) sjöstedt
 Termes, see Microtermes
 Microtermes
- conjenii
 Mirotermes (Cubitermes), see Cubi-
 termes
 Cubitermes
- connectens
 Mirocapritermes
- connexus
 Neotermes
- constricticeps
 Nasutitermes (N.), see Nasutitermes
 Nasutitermes
- constrictiformis
 Eutermes (Eutermes), see Bulbiterm
 Bulbitermes
- constrictoides
 Eutermes (Eutermes), see Bulbiterm
 Bulbitermes
- CONSTRUCTUS**
 Termes, see Bulbitermes
 Eutermes (Eutermes), see Bulbiterm
 Bulbitermes
- contracticornis
 Kalotermes (Kalotermes), see Glypt
 termes
 Kalotermes (Neotermes), see Glypt
 termes
 Kalotermes (Glyptotermes), see Glypt
 termes
 Glyptotermes
- contractulus Statz, fossil
 Termes, fossil of doubtful position
- contractus
 Eutermes, see Coarctotermes
 Eutermes (Eutermes), see Coarct-
 termes
 Coarctotermes, see Nasutitermes pi-
 festus
 Coarctotermes
- contusus Scudder, fossil
 Termes, not a termite
- convergens
 Eutermes (Eutermellus), see Euterm
 lus
 Eutermellus

- C* **vexifrons**
 Eutermes, see *Convexitermes*
 Eutermes (*Convexitermes*), see *Convexitermes*
Convexitermes
- C* **vexinotatus**
 Leucotermes, see *Heterotermes*
Heterotermes
- C* **vexus**
 Termes, see *Kalotermes*
 Calotermes, see *Kalotermes*
 Calotermes, see *Kalotermes hilli*
 Calotermes (*Cryptotermes*), see *Kalotermes hilli*
 Calotermes, see *Porotermes adamsoni*
 Bellicositermes, see *Macrotermes*
Macrotermes
- C* **vulsionarius**
 Termes, see *Macrotermes estherae*
 Hodotermes, see *Macrotermes estherae*
 Termes (*Hodotermes*), see *Macrotermes estherae*
- C* **rgensis**
 Calotermes (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
- C* **celandi**
 Termes (*Termes*), see *Macrotermes gilvus*, form *philippinensis*
 Termes (*Macrotermes*), see *Macrotermes gilvus*, form *philippinensis*
- C* **cdatus**
Pericapritermes
- C* **cdofanus**
 Termes, see *Odontotermes (O.) smeathmani*
- C* **cniceps**
 Kalotermes (*Glyptotermes*), see *Procryptotermes*
 Kalotermes (*Calcaritermes*), see *Procryptotermes*
Procryptotermes
- C* **cniferus**
 Eutermes, see *Ceratotermes*
 Cornitermes (*Labiotermes*), see *Ceratotermes*
Ceratotermes
- C* **cnigera**, see *corniger*
 Termes, see *Nasutitermes corniger*
 Nasutitermes, see *Nasutitermes corniger*
- Nasutitermes (Nasutitermes)*, see *Nasutitermes corniger*
- C* **cornutella**
Capritermes longirostris, var., see *Capritermes incola*, var.
Capritermes incola, var.
- C* **cornutus**
Rostrotermes
 Cornitermes (*Cornitermes*), see *Procornitermes*
 Termes (syn. *Cornitermes cumulans*), see not classified
- C* **corporaali**
 Eutermes, see *Nasutitermes*
Nasutitermes
- C* **corticicola**, see *corticola* Bates ?
 Termes, see *Heterotermes tenuis*
 Termes, see *Microcerotermes exiguus*
- C* **costalis**
 Eutermes (*Eutermes*), see *Nasutitermes*
 Nasutitermes (*Nasutitermes*), see *Nasutitermes*
Nasutitermes
- C* **costaricensis**
 Kalotermes (*Rugitermes*), see *Rugitermes*
Rugitermes
 Cornitermes (*Cornitermes*) *acignathus*, var., see *C. walkeri*
 Eutermes (*Eutermes*), see *Nasutitermes corniger*
 Nasutitermes (*Nasutitermes*), see *Nasutitermes corniger*
- C* **costatus**
 Termes (*Rambur*), see *Syntermes dirus*
 Termes (*Walker 1853*), see *Syntermes grandis*
- C* **coxipoensis**
 Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- C* **crassa**
Prognatha, see *Termes grandaevus*, fossil, not a termite
- C* **crassicornis**
 Calotermes (*Cryptotermes*), see *Cryptotermes*
Cryptotermes
 Eutermes, see *Nasutitermes*
Nasutitermes

- crassinasus
 Eutermes, see Trinervitermes
 Trinervitermes
- crassus
 Coptotermes
 Microcerotermes
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
- creedei Snyder
 Reticulitermes, fossil
- creolina
 Nasutitermes (soldier), see Nasutitermes nigriceps
 Nasutitermes (imago), see Nasutitermes ephratae
- crinitus
 Leucotermes, see Heterotermes
 Heterotermes
- cristifrons
 Cubitermes, see Noditermes
 Mirotermes (Cubitermes), see Noditermes
 Noditermes
- croaticus Heer
 Termes, fossil of doubtful position
 Eutermes, fossil of doubtful position
- croaticus von Rosen
 Mastotermes, fossil
- crucifer
 Termes, see Ancistrotermes
 Microtermes, see Ancistrotermes
 Ancistrotermes
 Termes, see Ancistrotermes latinotus
 Termes (Ancistrotermes), see Ancistrotermes latinotus
 Termes (Microtermes), see Ancistrotermes latinotus
- cryptodon
 Amitermes
- cryptops
 Calotermes
 Calotermes (Neotermes), see Neotermes
 Neotermes
- cubanus
 Kalotermes
 Calotermes (Cryptotermes), see Cryptotermes not identified to species
 Eutermes, see Nasutitermes rippertii
- cubicephalus
 Eutermes (Cubitermes), see Cubitermes
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
- cubicoceps
 Kalotermes (Cryptotermes), see Cryptotermes
 Cryptotermes
- culasiensis
 Eutermes (Rotunditermes), see Nasutitermes
 Nasutitermes
- culturarum
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Termes (Termes), see Odontotermes (O.)
 Odontotermes (O.)
- cumulans
 Termes, see Cornitermes
 Termes (Cornitermes), see Cornitermes
 Cornitermes (Cornitermes), see Cornitermes
 Cornitermes, see Cornitermes sylvaticus
 Cornitermes, see Cornitermes snyderi
 Cornitermes
- cuphus
 Eutermes (Lacessititermes), see Lacessititermes
 Lacessititermes
- curta
 Cubitermes bilobatus, form
- curtatus
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
- curticeps
 Pesudocanthotermes
- curtus
 Eutermes, see Tumulitermes
 Tumulitermes
- curvatus
 Procubitermes, see Noditermes
 Noditermes
- curvignathus
 Coptotermes
 Microtermes anandi, form, see Microtermes
 termes obesi

urvithorax

Calotermes (Calotermes), see Kalotermes immigrans

yclops

Termes (Eutermes), see Speculitermes Anoplotermes (Speculitermes), see Speculitermes

Speculitermes

ylindriceps

Termes (Eutermes), see Microcerotermes

Microcerotermes

ylindricus

Glyptotermes ceylonicus, var., Kemner ms., see Glyptotermes not identified to species

ynocephalus

Kalotermes (Cryptotermes), see Cryptotermes

Cryptotermes

yphergaster

Eutermes, see Constrictotermes

Termes (Eutermes), see Constrictotermes

Eutermes (Constrictotermes), see Constrictotermes

Nasutitermes (Constrictotermes), see Constrictotermes

Constrictotermes

albergiae

Kalotermes (Neotermes), see Neotermes Neotermes

albiensis

Eutermes, see Tumulitermes

Tumulitermes

aliensis

Drepanotermes, see Drepanotermes rubriceps

larwini

Kalotermes (Cryptotermes), see Cryptotermes brevis

Hamitermes, see Amitermes

Amitermes

larwiniensis

Mastotermes

lebilicornis

Eutermes, see Microcerotermes

Microcerotermes

lebilis

Eutermes, see Microcerotermes arboreus

Termes, see Microcerotermes arboreus

Eutermes, see Subulitermes microsoma

debilis Heer, fossil

Termes (Eutermes), see Microcerotermes

Termes, see Microcerotermes

(Eutermes), see Microcerotermes

Microcerotermes, fossil

dechenii

Termes (Eutermopsis), fossil, see fossil not a termite, Acanthodictyon

decidua Hagen, see deciduus, fossil

Termes (Termopsis), see Termopsis breinii

deciduus Hagen, fossil

Termopsis, see Termopsis breinii

decumanus

Termes, see Syntermes grandis

dehraduni

Termes (Termes), see Odontotermes (O.)

Odontotermes (O.)

dehraensis

Mirotermes, see Termes

Termes

dendrophilus

Termes (Eutermes) rippertii, subsp., see Nasutitermes

Eutermes (Eutermes), see Nasutitermes

Nasutitermes

dentatus

Cryptotermes, see Cryptotermes domesticus

Calotermes, see Glyptotermes

Calotermes (Glyptotermes), see Glyptotermes

Termes, see Amitermes

Termes (Eutermes), see Amitermes

Hamitermes (Hamitermes), see Amitermes

Amitermes

denticulatus

Odontotermes (Cyclotermes), see Odontotermes (O.)

Odontotermes (O.)

dentosus

Hamitermes, see Amitermes

Amitermes

depauperata

Microtermes subhyalinus, var.

- depilis
 Hamitermes (Globitermes) globosus,
 form, see Globitermes globosus, form
 Globitermes globosus, form
 depokensis
 Microcerotermes
 depressifrons
 Mirotermes (Orthotermes), see Ortho-
 termes
 Orthotermes
 derosus
 Rhinotermes (Schedorhinotermes) inter-
 medius, subsp., see Schedorhino-
 termes intermedius, subsp.
 Schedorhinotermes intermedius, subsp.
 deschenii Goldenberg
 Eutermopsis, see Mastotermes heerii,
 fossil
 desertorum
 Eutermes, see Amitermes
 Termes (Eutermes), see Amitermes
 Hamitermes (Hamitermes), see Ami-
 termes
 Amitermes
 desneuxi
 Kalotermes (Neotermes), see Neotermes
 Neotermes
 destructor
 Termes (Hagen 1858), see Cubitermes
 fungifaber
 Termes (DeGeer 1778), see Termes
 fatalis
 Odontotermes, see Odontotermes (O.)
 latericius
 Odontotermes, see Odontotermes (O.)
 vulgaris
 Odontotermes, see Odontotermes (O.)
 zulunatalensis
 Termes, see Odontotermes (O.) smeath-
 mani
 Odontotermes, see Odontotermes (O.)
 smeathmani
 Termes (Perty), see Nasutitermes rip-
 pertii
 Termes (Fabricius), see Termes nigri-
 cans, see not classified
 Termes (Gmelin), see not classified
 deuqueti
 Calotermes (Neotermes), see Neotermes
 insularis
- devastans
 Termes, see not classified
 diabolus
 Eutermes, see Nasutitermes
 Nasutitermes
 diana
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
 diaphanus Giebel
 Termes, see Glyptotermes pusillus, foss
 Calotermes, see Glyptotermes pusillu
 fossil
 dilatatus
 Calotermes, see Glyptotermes
 Calotermes (Glyptotermes), see Glypto-
 termes
 Glyptotermes
 dilucidus
 Eutermes, see Subulitermes
 Subulitermes
 dimorphus
 Rhinotermes, see Schedorhinotermes
 Rhinotermes (Schedorhinotermes), se
 Schedorhinotermes
 Schedorhinotermes
 diplacodes
 Eutermes (Trinervitermes), see Trinerv
 vitermes roseni (soldier); Trinervi
 termes, imago, see Trinerviterme:
 not classified
 dirus
 Termes, see Syntermes
 Syntermes
 Termes, see Syntermes peruanus
 Termes, see Syntermes silvestrii
 Termes, see Syntermes snyderi
 Syntermes, see Syntermes snyderi
 discolor
 Constrictotermes, see Parvitermes
 Nasutitermes (Tenuirostritermes), se
 Parvitermes
 Parvitermes
 dispar
 Calotermes, see Kalotermes
 Kalotermes
 Eutermes, see Trinervitermes
 Termes (Eutermes), see Trinerviterme

- Eutermes* (*Trinervitermes*), see *Trinervitermes*
Trinervitermes
disparatus
Eutermes (*Trinervitermes*), see *Trinervitermes*
Trinervitermes
disparoides
Eutermes (*Trinervitermes*) *dispar*, form, see *Trinervitermes zuluensis*
stans
Anoplotermes
Termes, see *Microcerotermes*
Termes (*Eutermes*), see *Microcerotermes*
Termes (*Eutermes*), see *Microcerotermes celebensis*
Microcerotermes
Microcerotermes, see *Microcerotermes amboinensis*
Microcerotermes, see *Microcerotermes celebensis*
Microcerotermes, see *Microcerotermes depokensis*
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (O.)
distinctus
Anoplotermes
Eutermes, see *Microcerotermes*
Microcerotermes
Capritermes (*Capritermes*), see *Capritermes*
Capritermes
stortus
Capritermes
arnus
Hospitalitermes
wellens
Eutermes, see *Microtermes*
Termes (*Eutermes*), see *Microtermes*
Microtermes
versana
Microtermes crucifer, var., see *Ancistrotermes crucifer*, var.
Ancistrotermes crucifer, var.
versifrons
Basidentitermes
versimilis
Eutermes, see *Diversitermes*
Termes (*Eutermes*), see *Diversitermes*
Eutermes (*Constrictotermes*), see *Diversitermes*
Eutermes (*Diversitermes*), see *Diversitermes*
Diversitermes
diversus
Microcerotermes
dives
Termes, see *Macrotermes gilvus*
Termes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.) *sundaicus*
Odontotermes, see *Odontotermes* (O.) *sundaicus*
Odontotermes, see *Odontotermes* (O.) *javanicus*
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
dixoni
Eutermes, see *Nasutitermes*
Nasutitermes
djampeensis
Odontotermes (O.)
djemberensis
Eutermes, see *Nasutitermes matangensisiformis*
doboensis
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
dobonicus
Coptotermes
dolei
Kalotermes (*Cryptotermes*), see *Cryptotermes*
Cryptotermes
dolichocephalus
Capritermes
dolichognathus
Microcerotermes
domesticus
Kalotermes (*Cryptotermes*), see *Cryptotermes*
Cryptotermes
Kalotermes (*Sjöstedt* 1897a), see *Cryptotermes havilandi*
domifaber
Eutermes (*Cubitermes*), see *Cubitermes*
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes

- doriae
 Eutermes, see Coarctotermes
 Eutermes (Hospitalitermes), see Coarctotermes
 Coarctotermes
 dreghorni
 Coptotermes
 dubius
 Calotermes (Glyptotermes), see Glyptotermes brevicornis
 Termes (Haviland), see Microcerotermes
 Microcerotermes, see Microcerotermes distans
 Microtermes
 Microtermes vadschaggae, var.
 Ancistrotermes ?
 Termes, see Syntermes dirus
 Termes, see Cornitermes cumulans
 Eutermes (Trinervitermes), see Trinervitermes trinerviformis
 Trinervitermes, see Trinervitermes trinerviformis
 ducis
 Eutermes, see Trichotermes
 Trichotermes
 dudleyi
 Cryptotermes
 Cryptotermes (Planocryptotermes), see Cryptotermes
 Kalotermes (Cryptotermes), see Cryptotermes
 duicis
 Eutermes, see Nasutitermes
 Nasutitermes
 dumisae
 Microcerotermes
 Mirotermes (Mirotermes), see Promirotermes
 Promirotermes
 duplex
 Termes (Eutermes), see Microcerotermes distans
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
 Eutermes (Eutermes), see Havilanditermes atripennis
 durbanensis
 Calotermes, see Kalotermes
 Kalotermes
 Microcerotermes
 Macrotermes natalensis, form
 ebenerianus
 Trinervitermes
 ebeni
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
 ecuadorianus
 Eutermes (Eutermes) peruanus, form
 see Nasutitermes ecuadorianus
 Nasutitermes (Nasutitermes) peruanus
 form, see Nasutitermes
 Nasutitermes
 edentatus
 Eutermes, see Microcerotermes
 Microcerotermes
 Microcerotermes, var. transiens, see
 Microcerotermes transiens
 egregius
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 ehrhardti
 Eutermes (Eutermes) rippertii, form
 see Nasutitermes
 Nasutitermes
 ekunduensis
 Eutermes, see Nasutitermes
 Nasutitermes
 eldirensis
 Trinervitermes
 elegans
 Microcerotermes
 elegantulus
 Eutermes, see Nasutitermes
 Nasutitermes (Subulitermes), see Nasutitermes
 Nasutitermes
 elevatus
 Kalotermes (Neotermes), see Neotermes
 castaneus
 elgonensis
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 elisae
 Termes, see Coptotermes
 Coptotermes

- ellenriederi
Eutermes, see *Nasutitermes fulviceps*
- elongata
Cubitermes
Cubitermes fungifaber, var.
Cubitermes sankurensis, form
- elongatus
Hamitermes, see *Amitermes*
Amitermes
- elsenburgi
Mirotermes (*Mirotermes*), see *Angulitermes*
Mirotermes (*Angulitermes*), see *Angulitermes*
Angulitermes
- emarginicollis
Kalotermes (*Glyptotermes*), see *Calcaritermes*
Calcaritermes
- emersoni
Kalotermes
Amitermes
Syntermes chaquimayensis, subsp.
Nasutitermes (*Nasutitermes*), see *Nasutitermes*
Nasutitermes
- ensifer
Amitermes
- ephratae
Eutermes, see *Nasutitermes*
Nasutitermes (*Nasutitermes*), see *Nasutitermes*
Nasutitermes, see *Nasutitermes surinamensis*
Nasutitermes
- equatorianus Holmgren ms.
Calotermes (*Calotermes*), see *Kalotermes* not identified to species
- erithreensis
Hodotermes
Hodotermes (*Anacanthotermes*), see *Hodotermes*
- erodens
Termes, see *Odontotermes* (O.)
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (O.)
- errabundus
Termes, see *Mastotermes darwiniensis*
- erythraeus
Neotermes
- erythraea
Eutermes (*Trinervitermes*), see *Trinervitermes*
Trinervitermes
- erythropros von Rosen, fossil
Calotermes (*Calotermes*), see *Kalotermes*
Kalotermes
- escherichi
Termes, see *Odontotermes* (O.)
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
Eutermes (*Ceylonitermes*), see *Ceylonitermes*
Ceylonitermes
- estherae
Termes, see *Macrotermes*
Termes (*Macrotermes*), see *Macrotermes*
Macrotermes
- esuriens
Termes (*Protermes*), see *Allodontermes rhodesiensis*
Odontotermes (O.) *sundaicus*, form
- etiolatus
Microtermes
- euamignathus
Armitermes
Termes (*Eutermes*), see *Armitermes*
Armitermes (*Armitermes*), see *Armitermes*
- eucalypti
Glyptotermes
Calotermes (*Glyptotermes*), see *Glyptotermes*
Hamitermes, see *Amitermes*
Amitermes
Eutermes, see *Nasutitermes*
Nasutitermes
- eugnathus
Eutermes, see *Microcerotermes*
Microcerotermes
- euhamignathus
Armitermes, see *Armitermes euamignathus*

- europae
 Calotermes, see Neotermes
 Neotermes
 evansi
 Termes (T.) sjöstedti, var., see Odontotermes (O.) sjöstedti, var.
 evuncifer
 Hamitermes, see Amitermes
 Hamitermes (Hamitermes), see Amitermes
 Eutermes (Hamitermes), see Amitermes
 Amitermes
 excellens
 Hamitermes, see Amitermes
 Amitermes
 excisus
 Microcerotermes, see Microcerotermes turneri
 exiguus
 Coptotermes Kemner ms., see Coptotermes not identified to species
 Termes (Eutermes), see Microcerotermes Microcerotermes
 exilis
 Hamitermes, see Amitermes
 Amitermes
 exitiosus
 Eutermes, see Nasutitermes
 Nasutitermes
 expulsus
 Eutermes, see Nasutitermes
 Nasutitermes
 fairchildi
 Kalotermes (Calcaritermes), see Calcaritermes
 Calcaritermes
 falciger
 Termes, see Macrotermes bellicosus
 fallax
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 fatale
 Termes, see Termes fatalis
 Termes, see Macrotermes bellicosus
 Termes (Perty), see Syntermes dirus
 fatalis
 Termes, see Anoplotermes lateralis
 Termes
 Termes, see Macrotermes bellicosus
 Termes, see Macrotermes gilvus
 Termes, see Odontotermes (O.) brunneus
 Termes, see Odontotermes (O.) capensis
 Termes, see Odontotermes (O.) hageni
 Termes, see Odontotermes (O.) koenigii
 fatidicum
 Termes (Psocid ?), see not termites
 fatulus
 Kalotermes (Cryptotermes), see Cryptotermes
 Cryptotermes
 faurei
 Hodotermes, see Microhodotermes viator
 feae
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 Microtermes
 feaeoides
 Odontotermes (O.)
 fenerivensis
 Eutermes, see not classified
 ferox
 Termes, see Heterotermes
 Termes (Leucotermes), see Heterotermes
 Psalidotermes, see Heterotermes
 Leucotermes, see Heterotermes
 Heterotermes
 ferranti
 Eutermes, see Nasutitermes
 Nasutitermes
 ferrugineus
 Calotermes (Neotermes), see Neotermes
 Neotermes
 Eutermes (Hospitalitermes), see Hospitalitermes
 Hospitalitermes
 ferruginosum
 Termes, see Termes ferruginosus, see not classified
 ferruginosus
 Termes, see not classified
 festivellus
 Amitermes
 Termes (Eutermes), see Amitermes
 Amitermes (Amitermes), see Amitermes
 feytaudi
 Eutermes (Eutermes), see Nasutitermes

- Nasutitermes (Nasutitermes), see Nasutitermes
- Nasutitermes
- lens
Termes, see Odontotermes (O.)
Odontotermes, see Odontotermes (O.)
Odontotermes (O.)
- eldi
Eutermes (winged), see Tumulitermes hastilis; (soldier), see Nasutitermes eucalypti
- icornis
Termes, see Lacessititermes
Eutermes (Lacessititermes), see Lacessititermes
Lacessititermes
- itimus
Mirotermes (Cubitermes), see Cubitermes
Cubitermes
- mus
Calotermes (Neotermes), see Neotermes
Neotermes
- mmifrons
Termes, see Odontotermes (O.)
Cyclotermes, see Odontotermes (O.)
Odontotermes (O.)
- veolus
Constrictotermes, see Parvitermes
Nasutitermes (Tenuirostritermes), see Parvitermes
Parvitermes
- vescens
Calotermes (Neotermes), see Neotermes
fulvescens
- vicans
Eutermes, see Bulbitermes
Bulbitermes
- vicephalus
Coptotermes
- viceps
Leucotermes, see Reticulitermes
Reticulitermes
- vicinctus
Kalotermes (Rugitermes), see Rugitermes
Rugitermes
- vicolle
Termes, see Kalotermes flavicollis
- flavicollis
Termes, see Kalotermes
Eutermes, see Kalotermes
Calotermes, see Kalotermes
Kalotermes
Calotermes (Dudley), see not classified
Termes, see Odontotermes (O.) smeathmani
Termes (Perty), see Syntermes dirus
Termes (Walker), see not classified
- flavipes
Termes, see Reticulitermes
Termes (Hagen), see Reticulitermes hesperus
Termes, see Reticulitermes speratus
Termes (Leucotermes), see Reticulitermes speratus
Leucotermes, see Reticulitermes
Reticulitermes
Termes (Walker), see not classified
- flaviventris
Eutermes, see Hospitalitermes
Termes (Eutermes), see Hospitalitermes
Eutermes (Hospitalitermes), see Hospitalitermes
Hospitalitermes
- flavoantennaris
Hospitalitermes
- flavomaculatus
Odontotermes (Cyclotermes), see Odontotermes (O.)
Odontotermes (O.)
- flavus
Coptotermes Hill preoccupied, see Coptotermes frenchi
Coptotermes, see Prorhinotermes
Arrhinotermes, see Prorhinotermes
Prorhinotermes
- fletcheri
Neotermes
Stylotermes
Eremotermes
Microcerotermes
Mirotermes, see Termes
Termes
Capritermes
Eutermes (Eutermes), see Nasutitermes
Nasutitermes

- Nasutitermes (N.), see *Nasutitermes brunneus*
- fockianus
Termes (*Odontotermes*), see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
- fodinae Scudder
Parotermes or *Kalotermes*, see *Prokalotermes hageni*, fossil
- fontanellus
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
- foraminifer
Termes, see *Homalotermes*
Termes (*Eutermes*), see *Homalotermes*
Capritermes (*Capritermes*), see *Homalotermes*
Homalotermes
- foreli
Amitermes
Dentitermes, see *Amitermes*
Termes (*Eutermes*), see *Amitermes*
Hamitermes (*Hamitermes*), see *Amitermes*
- formosae
Calotermes (*Cryptotermes*), see *Cryptotermes domesticus*
Coptotermes, see *Coptotermes formosanus*
- formosana
Termes, see *Odontotermes* (O.) *formosanus*
- formosanus
Coptotermes
Coptotermes, see *Coptotermes vastator*
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (O.)
- formosus Goldenberg, fossil
Eutermopsis, see *Mastotermes heerii* (fossil)
- fossarum Scudder
Eutermes, see *Reticulitermes*, fossil
Reticulitermes, fossil
- fossile
Termes, see *Reticulitermes antiquus* fossil
- fossilis Ouchakoff
Maresa (*plebeja*, Giebel) ?, see *Reticulitermes antiquus*, fossil
- fraasi von Rosen, fossil
Eutermes (s. lat.), see fossil of doubtful position
- frenchi
Coptotermes
- froggatti
Porotermes (*Porotermes*), see *Porotermes adamsoni* Froggatt
Coptotermes, see *Coptotermes grandiceps*
Microcerotermes, see *Microcerotermes biroi*
Capritermes, see *Termes*
Mirotermes, see *Termes*
Mirotermes (*Miro.*), see *Termes*
Termes
- frontale
Termes, see *Reticulitermes flavipes*
- frontalis
Mirotermes (*Mirotermes*), see *Angulitermes*
Angulitermes
- fryeri
Calotermes (*Procryptotermes*), see *Procryptotermes*
Procryptotermes
- fugax
Microcerotermes, see *Microcerotermes serratus*
- fukiensis
Reticulitermes
- fulleri
Termes (*Termes*), see *Odontotermes* (O.)
Odontotermes (O.)
Nasutitermes (*Nasutitermes*), see *Nasutitermes*
Nasutitermes
- fulvescens
Calotermes (*Neotermes*), see *Neotermes*
Neotermes
- fulviceps
Eutermes arenarius, subsp., see *Nasutitermes*

- Termes* (*Eutermes*), see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Eutermes arenarius, subsp., var., see
Nasutitermes silvestrii
- fumigatus*
Eutermes, see *Nasutitermes*
Eutermes, see *Nasutitermes exitiosus*
Termes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- fumipennis*
Termes, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Eutermes, see *Nasutitermes*
Nasutitermes
- fumosus*
Termes, see *Anoplotermes*
Termes (*Eutermes*), see *Anoplotermes*
Anoplotermes (*Anoplotermes*), see
Anoplotermes
Anoplotermes
- fungifaber*
Eutermes, see *Cubitermes*
Eutermes (*Cubitermes*), see *Cubitermes*
minitabundus
Termes (*Eutermes*), see *Cubitermes*
Mirotermes (*Cubitermes*), see *Cubi-*
termes
Cubitermes
- fur*
Capritermes, see *Termes*
Mirotermes, see *Termes*
Termes (*Eutermes*), see *Termes*
Mirotermes (*Mirotermes*), see *Termes*
Termes
- furcatidens*
Hoplognathotermes
- fusca*
Perla, see *Coptotermes testaceus*
- fuscipennis*
Termes, see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Termes, see *Syntermes dirus*
- fuscofemoralis*
Termes, see *Psammotermes*
Psammotermes
Psammotermes, see *Psammotermes al-*
locerus
- fuscotibialis*
Eutermes, see *Microcerotermes*
Microcerotermes
Capritermes
- fuscum*
Termes, see *Syntermes grandis*
- fuscus*
Glyptotermes
Amitermes (*Gnathamitermes*), see
Gnathamitermes perplexus
Trinervitermes
- gabonensis*
Termes, see *Macrotermes mülleri*
Termes (*Macrotermes*), see *Macrotermes*
mülleri
Macrotermes (*Macrotermes*), see *Macro-*
termes mülleri
- gaigei*
Mirotermes (*Cubitermes*), see *Cubi-*
termes
Cubitermes
Nasutitermes (*Nasutitermes*), see *Nasu-*
titermes
Nasutitermes
- galapagoensis*
Calotermes, see *Kalotermes*
Kalotermes
- gardneri*
Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
Nasutitermes (*Subulitermes*), see *Nasu-*
titermes
Nasutitermes
- garthwaitei*
Capritermes
- gearyi*
Calotermes (*Cryptotermes*), see *Crypto-*
termes
Cryptotermes
- gedéensis*
Eutermes, see *Bulbitermes*
Bulbitermes
- geinitzi* Heer
Clathrotermes, fossil not a termite
- gemellus*
Eutermes, see *Trinervitermes*
Termes (*Eutermes*), see *Trinervitermes*
Eutermes (*Trinervitermes*), see *Tri-*
nervitermes
Trinervitermes

- geminatus
 Eutermes, see Trinervitermes
 Eutermes (Trinervitermes), see Trinervitermes
 Trinervitermes
- germana
 Termes, see Amitermes germanus
 Termes, see Odontotermes (O.) germanus
- germanus
 Termes, see Amitermes
 Hamitermes, see Amitermes
 Hamitermes (H.), see Amitermes
 Amitermes
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 Termes, see Bulbitermes
 Eutermes (Eutermes), see Bulbitermes
 Bulbitermes
- gestri
 Calotermes (Neotermes), see Neotermes
 Neotermes
- gestroanus
 Eutermes, see Mirotermes (?Basidentitermes) sp. not identified
 Mirotermes (?Basidentitermes), see Mirotermes (?Basidentitermes) sp. not identified
 Trinervitermes, see Mirotermes (?Basidentitermes) sp., see not identified
- gestroi
 Termes, see Coptotermes
 Coptotermes
 Coptotermes, see Coptotermes curvignathus
 Coptotermes, see Coptotermes formosanus
- gibbifrons
 Cubitermes
- giebeli Handlirsch
 (Termes), see Reticulitermes antiquus, fossil
- giffardii
 Allodontermes
 Mimeutermes
- giganteus
 Termes, see fossil of doubtful position
- gilvus
 Termes, see Macrotermes
- Termes (Macrotermes), see Macrotermes
 Macrotermes
- girardi Giebel
 Termopsis, see Electrotermes, fossil
 Electrotermes, fossil
- glaber
 Nasutitermes (Agnathotermes), see Convexitermes
 Convexitermes
- glabritergus
 Nasutitermes
- gladius
 Microcerotermes, see Microcerotermes serratus
- glebae
 Eutermes (Cubitermes), see Cubitermes
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
- GLOBAL CEPHALUS**
- Capritermes, see Dentispicotermes
 Mirotermes, see Dentispicotermes
 Termes (Eutermes), see Dentispicotermes
 Orthognathotermes, see Dentispicotermes
 Dentispicotermes
- globiceps
 Protohamitermes
 Globitermes, see Globitermes globosus
 Eutermes, see Nasutitermes
 Nasutitermes
- globoicola
 Mirotermes
- globosus
 Termes, see Globitermes
 Termes (Eutermes), see Globitermes
 Hamitermes (Globitermes), see Globitermes
 Globitermes
- goliath
 Termes, see Macrotermes
 Amplitermes, see Macrotermes
 Bellicositermes, see Macrotermes
 Macrotermes
- gracilicornis Pictet
 Termes, see Termopsis breinii
 Termes (Termopsis), see Termopsis breinii
 Termopsis, see Termopsis breinii, fossil

- gracilidens*
Neotermes, see *Kalotermes*
Kalotermes
- gracilignathus*
Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
- gracilipennis* Théobald
Termopsis, fossil
- gracilipes*
Mirotermes, see *Promirotermes*
Promirotermes
- gracilirostris*
Termes (*Eutermes*), see *Nasutitermes*
Eutermes, see *Nasutitermes*
Nasutitermes
- gracilis* Pictet
Eutermes, see *Reticulitermes antiquus*, fossil
Termes, see *Reticulitermes antiquus*, fossil
- gracilis*
Prorhinotermes
Anoplotermes
Microcerotermes
Spinitermes, see *Spinitermes nigrostomus*
Mirotermes, see *Spinitermes nigrostomus*
Eutermes (*Eutermes*), see *Nasutitermes culasiensis*
Nasutitermes (N.), see *Nasutitermes culasiensis*
- grallator*
Termes (*Eutermes*), see *Grallatotermes*
Eutermes, see *Grallatotermes*
Eutermes (*Grallatotermes*), see *Grallatotermes*
Grallatotermes
- grallatoriformis*
Eutermes, see *Grallatotermes*
Grallatotermes
- grandaeva* Statz
Eotermes, fossil
- grandaevus* Brodie
Termes, fossil, not a termite
- grandiceps*
Coptotermes
Acanthotermes, see *Pseudacanthotermes*
Pseudacanthotermes
- Odontotermes* (? *Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (O.)
- grandidens*
Armitermes (*Armitermes*), see *Armitermes*
Armitermes
- grandifons*
Anoplotermes (*Anoplotermes*), see *Anoplotermes*
Anoplotermes
- grandilabius*
Mirotermes (*Ophiotermes*), see *Ophiotermes*
Ophiotermes
- grandis*
Neotermes
Porotermes (*Porotermes*), see *Porotermes adamsoni*
Amitermes (*Gnathamitermes*), see *Gnathamitermes*
Gnathamitermes
Eutermes zuluensis, form, see *Microcerotermes zuluensis*, form
Microcerotermes zuluensis, form, see *Microcerotermes zuluensis*
Termes, see *Syntermes*
Syntermes
Termes (*Silvestri* 1903), see *Syntermes obtusus*
Eutermes (*Eutermes*), see *Nasutitermes guayanae*
Nasutitermes, see *Nasutitermes guayanae*
- granulicollis* Pictet, fossil
Termes, see *Termopsis breinii* Heer, fossil
- grassei* Piton
Neotermes, fossil
- grassei*
Odontotermes (O.)
- grassii* Silvestri ms.
Calotermes (*Cryptotermes*), see *Cryptotermes brevis*
- grassii*
Hospitalitermes
- gratiosus*
Eutermes (*Trinervitermes*), see *Trinervitermes*
Trinervitermes

- gratus
 Termes, see *Macrotermes*
 Macrotermes
- gravelyi
 Capritermes
 Odontotermes
- graveolus
 Eutermes, see *Nasutitermes*
 Nasutitermes
- greavesi
 Eutermes, see *Subulitermes*
 Subulitermes
- greeni
 Calotermes, see *Neotermes*
 Calotermes (*Neotermes*), see *Neotermes*
 Neotermes
 Eutermes, see *Microcerotermes*
 Microcerotermes
 Capritermes
 Eutermes (*Eutermes*) (Holmgren 1912),
 see *Nasutitermes lacustris*
- grootfonteinensis
 Eutermes (*Trinervitermes*), see *Trinervitermes*
 Trinervitermes
- grossus
 Trinervitermes
- guatemalae
 Kalotermes (*Calcaritermes*), see *Calcaritermes*
 Calcaritermes
 Eutermes, see *Nasutitermes nigriceps*
 Nasutitermes (*N.*), see *Nasutitermes nigriceps*
- guatimalae
 Termes, see *Neotermes castaneus*
- guayanae
 Eutermes (*Eutermes*), see *Nasutitermes*
 Nasutitermes
 Nasutitermes (*N.*), see *Nasutitermes similis*
- guianensis
 Kalotermes (*Glyptotermes*), see *Glyptotermes*
 Glyptotermes
- guineensis
 Mirotermes (*Tuberculitermes*) *bycanistes*, var., see *Tuberculitermes bycanistes*, var.
- Tuberculitermes bycanistes*, var.
 Termes crucifer, subsp., see *Ancistrotermes guineensis*
 Ancistrotermes crucifer, var., see *Ancistrotermes guineensis*
 Microtermes, see *Ancistrotermes guineensis*
 Ancistrotermes
- gulosus
 Calotermes (*Cryptotermes*), see *Cryptotermes domesticus*
- gunni
 Hamitermes, see *Amitermes*
 Amitermes
- gurdaspurensis
 Odontotermes (*C.*) *obesus*, form, see *Odontotermes* (*O.*) *obesus*, form
 Odontotermes (*O.*) *obesus*, form
- hageni Scudder
 Parotermes, see *Prokalotermes*
 Calotermes, see *Prokalotermes*
 Prokalotermes, fossil
- hageni Goldenberg
 Termes (*Calotermes*), not a termite
 Termes, fossil, not a termite, an arachnid
- hageni Handlirsch
 Palaodictyopteron, fossil, not a termite
- hageni
 Kalotermes (*Eucryptotermes*), see *Eucryptotermes wheeleri*
 Hodotermes viator, form, see *Microhodotermes viator*
 Reticulitermes
 Anoplotermes
 Odontotermes (*Cyclotermes*), see *Odontotermes* (*O.*)
 Odontotermes (*O.*)
 Syntermes dirus, form, see *Syntermes dirus*
- haidingeri Heer
 Termes, see *Mastotermes*
 Termes (*Termopsis*), see *Mastotermes*
 Hodotermes, see *Mastotermes*
 Termopsis, see *Mastotermes*
 Mastotermes, fossil
 Flata, syn. *Termes grandaevus* (fossil), not a termite
- hainanensis
 Termes, see *Odontotermes* (*O.*)

- Odontotermes (*Cyclotermes*), see *Odon-*
totermes (O.)
Odontotermes (O.)
ainesi
Subulitermes
aitiensis
Calotermes (*Neotermes*), see *Neotermes*
 not identified to species
Eutermes (*Eutermes*), see *Nasutitermes*
costalis
Nasutitermes (*Nasutitermes*), see *Na-*
sutitermes costalis
amatus
Hamitermes (*Euhamitermes*), see *Eu-*
hamitermes
Euhamitermes
Microcerotermes zuluensis, form, see
Microcerotermes
Microcerotermes
Cubitermes
amifer
Hamitermes, see *Amitermes amifer*
andlirschi von Rosen
Eutermes (*Trinervitermes*), see *Tri-*
nervitermes, fossil
Trinervitermes, fossil
antanae
Eutermes (*Subulitermes*), see *Subuli-*
termes
Subulitermes
arriasi
Mirotermes (*Mirotermes*), see *Termes*
Termes
artmanni Holmgren ms.
Coptotermes, see not classified
artmeyeri
Monodontermes, see *Amitermes*
Hamitermes (*Monodontermes*), see *Ami-*
termes
Hamitermes, see *Amitermes*
Amitermes
hartungi Heer
Termes, see *Heterotermes*
Leucotermes, see *Heterotermes*
Heterotermes, fossil
massencampi Heer
 (*Termes*), fossil (not a termite, phry-
 ganid)
maastatus
Termes, see *Amitermes*
Eutermes, see *Amitermes*
Hamitermes, see *Amitermes*
Hamitermes (*Hamitermes*), see *Ami-*
termes
Amitermes
Hamitermes capicola, var., see *Ami-*
termes capicola, var.
hastilis
Eutermes, see *Tumulitermes*
Termes (*Eutermes*), see *Tumulitermes*
Tumulitermes
havilandi
Calotermes, see *Cryptotermes*
Calotermes (*Cryptotermes*), see *Crypto-*
termes
Cryptotermes
Calotermes, subsp., see *Cryptotermes*
parasitus
Hodotermes, see *Hodotermes mossambi-*
cus
Macrohodotermes, subsp., see *Hodo-*
termes mossambicus
Coptotermes
Eutermes, see *Microcerotermes*
Microcerotermes
Gnathotermes, see *Macrotermes malac-*
censis
Microtermes
Termes, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Eutermes (*Trinervitermes*), see *Tri-*
nervitermes
Trinervitermes
havilandicus
Mirotermes, see *Procubitermes*
Procubitermes
heeri Goppert
Termopsis, see *Mastotermes*, fossil
Mastotermes, fossil
heerianus Assmann
Hodotermes, see *Mastotermes heeri*,
 fossil
heerii Goldenberg, fossil
Termes (*Eutermopsis*), see fossil not a
 termite
Eutermopsis, see fossil not a termite
Calotermes, see fossil not a termite
Stilbocrocis, see fossil not a termite

- heghi
 Cubitermes
 heidelbergi
 Mirotermes, see *Cubitermes pretorianus*,
 var.
 heimi
 Arrhinotermes, see *Coptotermes*
 Coptotermes
 Termes (*Eutermes*), see *Microcerotermes*
 Microcerotermes
 Eutermes (*Trinervitermes*), see *Tri-*
 nervitermes
 Trinervitermes
 hentschelianus
 Eutermes, see *Trinervitermes*
 Trinervitermes
 herbertensis
 Hamitermes, see *Amitermes*
 Amitermes
 hermsi
 Cryptotermes, see *Cryptotermes domes-*
 ticus
 heros
 Termes, see fossil not a termite
 Mesotermes, see fossil not a termite
 herus
 Termes, see *Macrotermes*
 Amplitermes, see *Macrotermes*
 Bellicositermes, see *Macrotermes*
 Macrotermes
 hesperus
 Reticulitermes
 heteraspis
 Eutermes, see *Termes*
 Mirotermes, see *Termes*
 Termes
 heterocera
 Hamitermes *evuncifer*, var., see *Ami-*
 termes evuncifer, var.
 Amitermes *unidentatus* subsp. *evuncifer*,
 var., see *Amitermes evuncifer*, var.
 Amitermes *evuncifer* var.
 heterochilus
 Mirotermes, see *Procubitermes*
 Procubitermes
 heterodon
 Eutermes, see *Synacanthotermes*
 Termes (*Eutermes*), see *Synacantho-*
 termes
 Synacanthotermes
 heterognathus
 Hamitermes, see *Amitermes*
 Hamitermes (*Monodontermes*), see *Ami-*
 termes
 Amitermes
 heteronotus
 Capritermes (*Pericapritermes*), see
 Pericapritermes
 Pericapritermes
 heteropterus
 Eutermes, see *Velocitermes*
 Termes (*Eutermes*), see *Velocitermes*
 Eutermes (*Constrictotermes*), see *Ve-*
 locitermes
 Eutermes (*Velocitermes*), see *Veloci-*
 termes
 Velocitermes
 heterotypus
 Armitermes
 Termes (*Eutermes*), see *Armitermes*
 Armitermes (*Armitermes*), see *Armi-*
 termes
 heyeri ms.
 Armitermes, see *Armitermes holmgreni*
 hilli
 Kalotermes
 Trinervitermes
 hillii
 Hamitermes, see *Ahamitermes*
 Ahamitermes
 hirtellus
 Neotermes
 hirticeps
 Protermes
 hirtiventris
 Eutermes (*Hirtitermes*), see *Hirtitermes*
 Hirtitermes
 hispaniolae
 Mirotermes (*Mirotermes*), see *Termes*
 Termes
 hispidus
 Rhinotermes (*Rhinotermes*), see *Rhino-*
 termes
 Rhinotermes
 hoernesi Giebel, fossil
 Meloë, see *Termes grandaevus*, fossil not
 a termite

- oferi*
Reticulitermes humilis, var., see *Hetero-
 termes aureus*
Reticulitermes, see *Heterotermes aureus*
- ollandei*
Microtermes
- olmgreni*
Kalotermes (Neotermes), see *Neotermes*
Neotermes
Schedorhinotermes
Mirotermes (Promirotermes), see *Pro-
 mirotermes*
Promirotermes, var., see *Promirotermes*
redundans
Promirotermes
Odontotermes (O.)
Nasutitermes, see *Nasutitermes banksi*
Lacessititermes
Eutermes, see *Trinervitermes trinervius*
Eutermes (Trinervitermes), var., see
Trinervitermes trinervius
Armitermes
- olmgreni* Statz
Termes, fossil of doubtful position
- ondurensis*
Anoplotermes
- ongkonensis*
Coptotermes, see *Coptotermes formo-
 sanus*
- ongkongensis*
Cryptotermes, see *Coptotermes formo-
 sanus*
- opkinsi*
Capritermes (Neocapritermes), see *Neo-
 capritermes talpa*
- orni*
Termes, see *Odontotermes (O.)*
Odontotermes, see *Odontotermes (O.)*
Odontotermes (O.)
Eutermes inanis, subsp., see *Nasuti-
 termes horni*
Termes (Eutermes) inanis, subsp., see
Nasutitermes
Eutermes (Subulitermes) inanis, subsp.
horni Wasmann, see *Nasutitermes*
horni
Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes
- hosei*
Termes, see *Prohamitermes*
Prohamitermes
- hospes*
Eutermes, see *Termes*
Termes (Eutermes), see *Termes*
Mirotermes, see *Termes*
Mirotermes (Mirotermes), see *Termes*
Termes
- hospitalis*
Kalotermes (Glyptotermes), see *Glypto-
 termes*
Glyptotermes
Termes, see *Hospitalitermes*
Termes (Eutermes) monoceros, subsp.,
 see *Hospitalitermes*
Eutermes monoceros, subsp., see *Hospi-
 talitermes*
Eutermes (Hospitalitermes), see *Hospi-
 talitermes*
Hospitalitermes
Eutermes (Hospitalitermes) Oshima, see
Hospitalitermes luzonensis
- hospitaloides*
Eutermes (Hospitalitermes) hospitalis,
 form, see *Hospitalitermes hospi-
 talis*, form
Hospitalitermes hospitalis, form
- howa*
Calotermes (Neotermes), see *Neotermes*
Neotermes
- howardi*
Anoplotermes
- hozawae*
Calotermes (Glyptotermes), see *Glypto-
 termes fuscus*
- hubbardi*
Kalotermes (Kalotermes), see *Procryp-
 totermes*
Procryptotermes
Nasutitermes
- humilis*
Reticulitermes, see *Reticulitermes tibi-
 alis*
- hungaricus* Pongrácz
Pliotermes, fossil
- hutsoni*
Odontotermes horni, var., see *Odonto-
 termes (O.) horni*, var.
Capritermes

- hyaloapex
 Coptotermes
 hybostoma
 Psammotermes
 Psammotermes, see Psammotermes as-
 suanensis
 hypaenicus
 Microcerotermes
 hypogeus
 Allognathotermes
 ibidanicus
 Trinervitermes
 iheringi
 Anoplotermes (Anoplotermes), see An-
 oplotermes jheringi
 Eutermes rippertii, var., see not classi-
 fied
 ilalazonatus
 Microcerotermes
 immigrans
 Kalotermes
 imminens
 Kalotermes (Calcaritermes), see Cal-
 caritermes
 Calcaritermes
 imperator
 Termes, see Macrotermes
 Termes (Macrotermes), see Macro-
 termes
 Macrotermes
 impetus
 Eutermes, see Nasutitermes
 Nasutitermes
 implacidus
 Microcerotermes
 improbus
 Calotermes, see Kalotermes
 Kalotermes
 inaequalis
 Termes, see Parrhinotermes
 Parrhinotermes
 inamurae
 Calotermes, see Kalotermes
 Kalotermes
 inaniformis
 Eutermes (Subulitermes), see Capri-
 termes nemorosus
 Eutermes (Subulitermes), see Subuli-
 termes
 Subulitermes
 inanis
 Termes, see Subulitermes
 Eutermes (Subulitermes), see Subul-
 termes
 Eutermes (Subulitermes), see Subul-
 termes inanis
 Subulitermes
 incertoides
 Microtermes
 incertus
 Termes, see Microtermes
 Termes (Eutermes), see Microtermes
 Microtermes
 Termes, see Microtermes havilandi
 Microtermes (Wasmann), see Micro-
 termes incertoides
 Termes (nec. Hagen, Trägårdh), s
 Microtermes trägårdhi
 incisus
 Kalotermes
 Mirotermes (Cubitermes), see Cub-
 termes
 Cubitermes
 Odontotermes (Cyclotermes), see Odo-
 totermes (O.)
 Odontotermes (O.)
 Constrictotermes (Tenuirostritermes;
 see Tenuirostritermes
 Tenuirostritermes
 inclitus
 Mirotermes (Cubitermes) bilobatus
 subsp., see Cubitermes
 Cubitermes
 incola
 Eutermes, see Capritermes
 Termes (Eutermes), see Capritermes
 Capritermes
 Eutermes (Subulitermes), see Subu-
 termes thompsonae
 incurvus
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
 indecisus
 Termes, see Cryptotermes brevis
 indicatus
 Eremotermes
 indicola
 Leucotermes, see Heterotermes
 Termes (Leucotermes), see Heterotermes
 Heterotermes

- Eutermes, see Nasutitermes
 Nasutitermes
- edicus
 Calotermes (Calotermes), see Kalotermes
 Kalotermes
 Hamitermes (Euhamitermes), see Euhamitermes
 Euhamitermes
 Nasutitermes (Trinervitermes), see Trinervitermes
 Trinervitermes
- edistinctus
 Anoplotermes (A.), see Anoplotermes
 Anoplotermes
- adoensis
 Noditermes
 Eutermes, see Nasutitermes
 Nasutitermes
- endrapurensis
 Odontotermes (O.)
- enfera
 Mirotermes (Promirotermes) holmgreni, var., see Promirotermes holmgreni, var.
 Promirotermes holmgreni, var.
- enfrequens
 Mirotermes, see Termes
 Termes
- enfumatus
 Cryptotermes, see Paraneotermes simplicicornis
 Kalotermes (Cryptotermes), see Paraneotermes simplicicornis
 Amitermes (Gnathamitermes), see Gnathamitermes perplexus
- enfundibuli
 Termes, see Allodontermes
 Allodontermes
- enfuscatus
 Eutermes, see Nasutitermes
 Nasutitermes
- enopinatus
 Arrhinotermes, see Prorhinotermes
 Prorhinotermes
- enquilinus
 Mirotermes, see Termes
 Termes
 Eutermes (Fr. Müller), see not classified
- insidians
 Syntermes
- insignis Heer
 Termopsis, see Miotermes
 Termes, see Miotermes
 Hodotermes, see Miotermes
 Miotermes, fossil
- insignis Scudder
 Parotermes
 Termopsis, see Parotermes, fossil
- insignitus
 Mirotermes, see Termes
 Termes
- insitivus
 Mirotermes, see Termes
 Termes
- insperatus
 Microtermes
- insulanus
 Kalotermes (Glyptotermes) parvulus, subsp., see Glyptotermes
 Glyptotermes
- insularis
 Termes, see Neotermes
 Calotermes, see Neotermes
 Calotermes (Neotermes), see Neotermes
 Neotermes
 Leucotermes, see Heterotermes
 Termes (Leucotermes), see Heterotermes
 Heterotermes
 Schedorhinotermes putorius, subsp.
 Eutermes (Eut.), see Nasutitermes benjamini
 Eutermes (Eutermes), see Nasutitermes corniger
- ?intacta
 Coptotermes
- intactus Sjöstedt ms.
 Eutermes, see Microcerotermes edentatus
- intercalatus
 Mirotermes, see Cubitermes
 Cubitermes
- intermedia or intermedius
 Heterotermes, see Heterotermes aureus
 Heterotermes paradoxus, subsp.
 Heterotermes
 Coptotermes
 Rhinotermes (Schedorhinotermes), see Schedorhinotermes
 Schedorhinotermes

- Amplitermes natalensis, form, see Macrotermes natalensis, form
 Macrotermes natalensis, form
 Microtermes havilandi, form
 Nasutitermes
 Armitermes
 interveniens
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 intrudens
 Coptotermes, see Coptotermes formosanus
 iratus
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 iridipennis
 Calotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 irregularis
 Calotermes, see Neotermes insularis
 isthmi
 Kalotermes (Rugitermes), see Rugitermes panamae
 itapocuensis
 Eutermes, see Nasutitermes
 Nasutitermes
 iturinensis
 Macrotermes
 jacobsoni
 Calotermes (Cryptotermes), see Cryptotermes dudleyi
 Microtermes pallidus, form, see Microtermes jacobsoni
 Microtermes
 Nasutitermes
 Lacessititermes
 jaluiti
 Arrhinotermes, see Prorhinotermes inopinatus
 jangtsekiangensis
 Capritermes
 japonicus
 Hodotermopsis
 Hodotermes (Hagen 1868, 1869), an earwig, see not a termite
 Arrhinotermes, see Prorhinotermes
 Paratermes, see Prorhinotermes
 Prorhinotermes
 jaraguae
 Eutermes, see Nasutitermes
 Nasutitermes
 jarmuranus
 Mirotermes, see Termes
 Termes
 javanellus
 Subulitermes
 javanicus
 Cryptotermes (Planocryptotermes), see Cryptotermes dudleyi
 Coptotermes, see Coptotermes havilandi
 Schedorhinotermes
 Capritermes (Capritermes), see Capritermes semarangi
 Odontotermes (O.)
 Eutermes, see Nasutitermes
 Nasutitermes
 jeannelanus
 Calotermes, see Procryptotermes
 Procryptotermes
 jeanneli
 Bellicositermes, see Macrotermes
 Macrotermes
 jepsoni
 Kalotermes
 Calotermes (Glyptotermes), see Glyptotermes not identified to species
 Nasutitermes (Hospitalitermes), see Hospitalitermes
 Hospitalitermes
 jheringi
 Anoplotermes
 Anoplotermes (Anoplotermes), see Anoplotermes
 johoricus
 Eutermes (Nasutitermes), see Nasutitermes
 Nasutitermes
 jouteli
 Kalotermes
 Kalotermes (Kalotermes), see Kalotermes
 jucundus
 Eutermes, see Fastigitermes
 Mirotermes (Cubitermes), see Fastigitermes
 Fastigitermes

- jldi**
 Kaloterms (Glyptoterms), see Glyptoterms xantholabrum
- jiceus**
 Convexitermes nigricornis, subsp.
- kwangensis**
 Eutermes, see Nasutitermes
 Nasutitermes
- kaharicus**
 Eutermes, see Trinervitermes gemellus, form
 Eutermes (Trinervitermes) gemellus, form, see Trinervitermes gemellus, form
 Trinervitermes gemellus, form
- kgoorliensis**
 Mirotermes (Mirotermes), see Termes Termes
- kshoveni**
 Coptoterms
 Macrotermes gilvus, form
- ktehirae**
 Caloterms (Neoterms), see Neoterms Neoterms
 Eutermes (Subuliterms), see Nasutitermes
 Nasutitermes
- kawajevi**
 Odontoterms (O.)
- kanyi**
 Odontoterms (O.)
- karooensis**
 Hodoterms, see Hodoterms mossambicus
 Macrohodoterms, see Hodoterms mossambicus
- kataboensis**
 Kaloterms (Neoterms), see Neoterms Neoterms
 Nasutitermes (Convexitermes), see Convexitermes
 Convexitermes
- kaaiensis**
 Eutermes, see Microtermes
 Microtermes
 Microcerotermes, see Microtermes
- kaangensis**
 Megagnathotermes
 Eutermes, see Trinervitermes
 Trinervitermes
- kauderni**
 Microtermes
 Termes (Microtermes), see Microtermes
- kaudernianus**
 Eutermes, see Nasutitermes
 Nasutitermes
- kellyi**
 Hamiterms, see Amitermes
 Amitermes
- kemneri**
 Mirotermes, see Cubiterms
 Cubiterms
 Nasutitermes
- kenhardtii**
 Hamiterms, see Amitermes
 Amitermes
- kershawi**
 Eutermes, see Tumuliterms
 Tumuliterms
- ketelensis**
 Neoterms
- kibarensis**
 Termes (Odontoterms), see Odontoterms (O.)
 Termes, see Odontoterms (O.)
 Odontoterms (O.)
- kibonotensis**
 Tumuliterms, see Macrotermes
 Hepiliterms, see Macrotermes
 Macrotermes
- kilimandjaricus**
 Eutermes, see Anoplotermes
 Mirotermes (Cubiterms), see Anoplotermes
 Anoplotermes
- kimberleyensis**
 Hamiterms, see Amitermes germanus
 Eutermes, see Nasutitermes
 Nasutitermes
- kinoshitae**
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
- kirbyi**
 Kaloterms (Rugiterms), see Rugiterms
 Rugiterms
 Nasutitermes (Subuliterms), see Subuliterms
 Subuliterms

- kisantuensis
 Apicotermes
 klinckowstroemi
 Eutermes, see *Nasutitermes ephratae*
 knerii
 Philonthus, see *Termes grandaevus*, fossil not a termite
 koenigi
 Hodotermes (*Anacanthotermes*), see *Anacanthotermes viarum*
 Termes, see *Odontotermes* (O.)
 Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
 Odontotermes (O.)
 Termes, see *Odontotermes* (O.) *hageni*
 kohli
 Acanthotermes *spiniger*, subsp., see *Pseudacanthotermes spiniger*
 Nasutitermes (*Nasutitermes*), see *Nasutitermes*
 Nasutitermes
 konduensis
 Eutermes (*Eutermes*), see *Nasutitermes Nasutitermes*
 koshunensis
 Calotermes (*Neotermes*), see *Neotermes Neotermes*
 Calotermes (*Oshima*), see *Glyptotermes satsumaensis* Holmg.
 kotoensis
 Calotermes (*Cryptotermes*), see *Cryptotermes domesticus*
 kotuae
 Eutermes, see *Subulitermes Subulitermes*
 Subulitermes
 kraepelini
 Mirotermes (*Mirotermes*), see *Termes Termes*
 Eutermes, see *Bulbitermes Bulbitermes*
 Bulbitermes
 krakataui
 Arrhinotermes, see *Prorrhinotermes Prorrhinotermes*
 Prorrhinotermes
 krisiformis
 Termes, see *Protocapritermes Protocapritermes*
 Termes (*Eutermes*), see *Protocapritermes*
 Mirotermes (*Protocapritermes*), see *Protocapritermes*
 Mirotermes, see *Protocapritermes*
 Mirotermes (*Mirotermes*), see *Protocapritermes*
 capritermes
 Protocapritermes
 kulloensis
 Eutermes, see *Trinervitermes Trinervitermes*
 Trinervitermes
 kunenensis
 Macrotermes *bellicosus*, form
 Amplitermes *bellicosus*, form, see
 Macrotermes *bellicosus*, form, see
 Bellicositermes *bellicosus*, form, see
 Macrotermes *bellicosus*, form
 kurumanensis
 Trinervitermes
 kwazulu
 Microcerotermes
 labiosus
 Coptotermes, see *Coptotermes frenchi*
 laborator
 Eutermes (*Lacessititermes*), see *Lacessititermes*
 Termes, see *Lacessititermes Lacessititermes*
 Lacessititermes
 labralis
 Cornitermes, see *Labiotermes Labiotermes*
 Cornitermes (*Labiotermes*), see *Labi-
 termes*
 Labiotermes
 lacertosus
 Amitermes
 lacessitifomis
 Eutermes (*Lacessititermes*), see *Lacessititermes*
 Lacessititermes
 lacessitus
 Termes, see *Lacessititermes Lacessititermes*
 Eutermes (*Lacessititermes*), see *Lacessititermes*
 Lacessititermes
 lacteus
 Termes, see *Coptotermes Coptotermes*
 Coptotermes
 Termes, see *Coptotermes acinaciformis*
 Coptotermes, see *Coptotermes acinaciformis*
 formis
 lactis, see *lacteus*
 lacus sancti
 Termes, see *Neocapritermes opacus*

lastris
 Eutermes, see Nasutitermes
 Nasutitermes

laus
 Capritermes

laminensis
 Calotermes (Neotermes), see Neotermes
 Neotermes

lani
 Termes (Odontotermes), see Apicotermes
 Apicotermes

lanianus
 Calotermes (Cryptotermes), see Cryptotermes havilandi
 Cryptotermes, see Cryptotermes havilandi
 Rhinotermes, see Schedorhinotermes
 Schedorhinotermes
 Rhinotermes (Schedorhinotermes), see Schedorhinotermes
 Eutermes, see Noditermes
 Eutermes (Cubitermes), see Noditermes
 Mirotermes (Cubitermes), see Noditermes
 Noditermes

laninianus Sjöstedt
 Rhinotermes sp., see Schedorhinotermes, fossil

lari
 Mirotermes (Mirotermes), see Termes
 Termes

larni
 Kalotermes (Neotermes), see Neotermes
 Neotermes

laspinasensis
 Eutermes, see Nasutitermes luzonicus
 Nasutitermes (Nasutitermes), see Nasutitermes luzonicus

latalis
 Termes, see Coptotermes sjöstedti
 Eutermes, see Coptotermes sjöstedti
 Termes, see Anoplotermes
 Eutermes, see Anoplotermes
 Anoplotermes

laticius
 Termes, see Odontotermes (O.)
 Termes (Odontotermes), see Odontotermes (O.)

Odontotermes (Cyclotermes), see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)

latericius Fuller in part
 Termes, see Odontotermes (O.) badius

latialatus
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)

LATICEPHALUS
 Cornitermes, see Paracornitermes
 Termes (Termes), see Paracornitermes
 Cornitermes (Labiatermes), see Paracornitermes
 Paracornitermes

laticephalus
 Nasutitermes (Tenuirostritermes), see Parvitermes
 Parvitermes

laticeps
 Termopsis, see Zootermopsis
 Zootermopsis
 Microcerotermes zuluensis, form, see Microcerotermes laticeps
 Microcerotermes
 Acanthotermes, see Pseudacanthotermes militaris, var.
 Protermes
 Termes, see Nasutitermes
 Eutermes, see Nasutitermes
 Nasutitermes (Tenuirostritermes), see Parvitermes laticephalus
 Nasutitermes

laticollis
 Calotermes (Calotermes), see Neotermes
 Calotermes (Neotermes), see Neotermes
 Neotermes

laticornis
 Eutermes, see Termes
 Termes (Eutermes), see Termes
 Mirotermes (Mirotermes), see Termes
 Termes

latidens
 Hamitermes, see Amitermes
 Amitermes

latifrons
 Kalotermes (Neotermes), see Glyptotermes
 Glyptotermes

- Eutermes, see *Nasutitermes*
 Termes (Desneux), see *Nasutitermes*
Nasutitermes
 Termes (Haviland), see *Nasutitermes*
 havilandi
latignathus
 Capritermes (*Capritermes*), see *Capri-*
 termes
 Capritermes
latigula
 Termes (*Cyclotermes*), see *Odontotermes*
 (O.)
 Odontotermes (O.)
latilabrum
 Rhinotermes, see *Dolichorhinotermes*
 Dolichorhinotermes
latinasus
 Eutermes (*Eutermes*), see *Bulbitermes*
 constrictiformis
latinotum
 Macrotermes gilvus, form *latinotus*
latinotus
 Macrotermes gilvus, form
 Microtermes, see *Ancistrotermes*
 Ancistrotermes
 Eutermes (*Constrictotermes*), see *Con-*
 strictotermes
 Constrictotermes
latinotus von Rosen
 Microcerotermes, fossil
latissimus
 Termes, see *Odontotermes* (O.)
 Odontotermes (O.)
lativentris
 Hamitermes, see *Amitermes*
 Amitermes
latus
 Microcerotermes celebensis, var.
 Nasutitermes (N.), see *Nasutitermes*
 Nasutitermes
laurensis
 Hamitermes, see *Amitermes*
 Amitermes
lautus
 Termes, see *Odontotermes* (O.)
 Odontotermes (O.)
laxa Goldenberg
 Termes, fossil not a termite
leai
 Microcerotermes
 Microcerotermes, see *Microcerotermes*
 cavus
lebomboensis
 Ancistrotermes
leopoldi
 Schedorhinotermes longirostris, var., se
 Schedorhinotermes
 Schedorhinotermes
lepidus
 Microtermes
lespesi or *lespesii*
 Termes, see *Procornitermes*
 Cornitermes (*Cornitermes*), see *Procorni-*
 termes
 Procornitermes
leucops
 Eutermes (*Subulitermes*), see *Subuli-*
 termes
 Subulitermes
liberatus
 Kalotermes (*Kalotermes*), see *Glypto-*
 termes
 Glyptotermes
libericus
 Microcerotermes fuscotibialis, subsp.
libertatis
 Hamitermes, see *Amitermes*
 Amitermes
lighti
 Kalotermes (*Kalotermes*), see *Kaloter-*
 mes banksi
 Amitermes (*Euhamitermes*), see *Eu-*
 hamitermes
 Euhamitermes
 Termes
 Syntermes
 Nasutitermes
lignarius Kemmer ms.
 Cryptotermes, see *Cryptotermes* no
 identified to species
liljeborgi
 Termes, see *Macrotermes*
 Termes (*Macrotermes*), see *Macroterme-*
 Macrotermes
limpopoensis
 Hamitermes, see *Amitermes*
 Amitermes
 Microcerotermes
 Macrotermes bellicosus, form

- Amplitermes bellicosus*, form, see *Macrotermes bellicosus*, form
Bellicositermes bellicosus, form, see *Macrotermes bellicosus*, form
learis
Anoplotermes
leophilus
Termes, fossil not a termite
leoralis
Termes badius, form, see *Odontotermes* (O.) *badius*, form
Odontotermes (O.) *badius*, form
leidiceps
Eutermes (*Hospitalitermes*), see *Hospitalitermes*
Hospitalitermes
lelidus
Eutermes cayennae, form, see *Nasutitermes costalis*
Nasutitermes (*Nasutitermes*) *cayennae*, form, see *Nasutitermes costalis*
Termes Burmeister, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Nasutitermes
lelquipatensis
Eutermes, see *Nasutitermes*
Nasutitermes
lelicephalus
Kalotermes (*Lobitermes*), see *Glyptotermes canellae*
lelontactus
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
lelonensis
Hamitermes, see *Amitermes*
Amitermes
lelogiarticulatus
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
lelogicephalus
Glyptotermes, see *Glyptotermes satsumensis* Matsumura
lelogiceps
Calotermes, see *Neotermes insularis*
Leucotermes, see *Heterotermes*
Heterotermes
Eutermes, see *Apilitermes*
Termes (*Eutermes*), see *Apilitermes*
Apilitermes
Microtermes, see *Microtermes albopartitus*
longicollis
Cryptotermes
Kalotermes (*Lobitermes*), see *Cryptotermes*
longicornis
Termes (*Eutermes*) (*imago*), see *Capritermes incola*
Capritermes (*imago*), see *Capritermes incola*
Termes (*Eutermes*), see *Capritermes nitobei*
Eutermes, see *Capritermes nitobei*
Eutermes (*Eutermes*), see *Nasutitermes oculatus*
Eutermes, see *Nasutitermes oculatus*
longidens
Rhinotermes, see *Dolichorhinotermes*
Dolichorhinotermes
longignathus
Odontotermes (*Odontotermes*)
LONGILABIUS
Rhinotermes (*Rhinotermes*), see *Dolichorhinotermes*
Dolichorhinotermes
longilabius
Cornitermes, see *Labiatermes*
Termes (*Termes*), see *Labiatermes*
Cornitermes (*Labiatermes*), see *Labiatermes*
Labiatermes
longimalatus
Microcerotermes
longinasus
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
longinotus
Capritermes (*Neocapritermes*), see *Neocapritermes*
Neocapritermes
Nasutitermes (*Trinervitermes*), see *Trinervitermes*
Trinervitermes
longipennis
Neotermes
Eutermes, see *Nasutitermes*
Nasutitermes
longipes
Termes, see *Longipeditermes*

- Eutermes, see Longipeditermes
 Eutermes (Longipeditermes), see Longi-
 peditermes
 Longipeditermes
 longirostratus
 Eutermes, see Nasutitermes
 Eutermes (Subulitermes), see Nasuti-
 termes
 Nasutitermes
 longirostris
 Termes, see Schedorhinotermes
 Rhinotermes (Schedorhinotermes), see
 Schedorhinotermes
 Rhinotermes (Schedorhinotermes), see
 Schedorhinotermes javanicus
 Rhinotermes (Schedorhinotermes), see
 Schedorhinotermes makassarensis
 Rhinotermes (Schedorhinotermes), see
 Schedorhinotermes medioobscurus
 Schedorhinotermes
 Capritermes, see Capritermes incola
 Eutermes, see Nasutitermes
 Nasutitermes
 longitudinalis Scudder ms.
 Termes, fossil not a termite
 longus
 Calotermes (Glyptotermes), see Kalo-
 termes
 Glyptotermes, see Kalotermes
 Kalotermes
 lönnbergianus
 Eutermes, see Amitermes
 Amitermes
 los-banosensis
 Eutermes, see Microcerotermes
 Microcerotermes
 loubetsiensis
 Cubitermes
 Eutermes, see Trinervitermes
 Trinervitermes
 lounsburyi
 Mirotermes (Procubitermes), see Pro-
 cubitermes
 Procubitermes
 Microtermes
 lucifugum
 Termes, see Reticulitermes lucifugus
 lucifugus
 Termes, see Kalotermes flavicollis
 Termes, see Cryptotermes brevis
 Termes, see Reticulitermes
 Leucotermes, see Reticulitermes
 Leucotermes, see Reticulitermes arenir-
 cola
 Leucotermes, see Reticulitermes tibialis
 Reticulitermes
 lugauensis Sterzel
 Mixotermes, fossil not a termite
 lujae
 Acanthotermes spiniger, subsp., see
 Pseudacanthotermes spiniger
 Eutermes, see Nasutitermes maculiven-
 tris
 lujana
 Termes (Termes) monodon, var., see
 Odontotermes (O.) monodon, var.
 Odontotermes (O.) monodon, var.
 luteus
 Glyptotermes
 lutzi
 Nasutitermes (Trinervitermes), see Tri-
 nervitermes
 Trinervitermes
 luzonensis
 Prorhinotermes, see Prorhinotermes tibi-
 aoensis
 Termes, see Macrotermes gilvus, form
 philippinensis
 Termes (Macrotermes), see Macrotermes
 gilvus, form philippinensis
 Eutermes (Hospitalitermes), see Hospi-
 talitermes
 Hospitalitermes
 luzonicus
 Eutermes (Grallatotermes), see Nasuti-
 termes
 Nasutitermes (Nasutitermes), see Na-
 sutitermes
 Nasutitermes
 macacoensis
 Microcerotermes
 macrocephalus
 Hodotermes, see Anacanthotermes
 Hodotermes (Anacanthotermes), see
 Anacanthotermes
 Anacanthotermes
 Amitermes
 Mirotermes, see Orthognathotermes
 Orthognathotermes

- Eutermes rippertii*, subsp., see *Nasutitermes*
Termes (Eutermes) rippertii, subsp., see *Nasutitermes*
Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes (N.) (Snyder), see *Nasutitermes n. sp.*
- acrognathus*
Cylindrotermes
- acronotus*
Microtermes
- acrophthalmus*
Eutermes, see *Nasutitermes elegantulus*
- acrothorax*
Hodotermes (Hodotermes), see *Hodotermes mossambicus*
Eutermes, see *Thoracotermes*
Termes (Eutermes), see *Thoracotermes*
Eutermes (Thoracotermes), see *Thoracotermes*
Thoracotermes
- actris*, see *mactus*
- mactus*
Eutermes, see *Basidentitermes*
Mirotermes (Basidentitermes), see *Basidentitermes*
Basidentitermes
- maculatus*
Calotermes Heer, fossil not a termite
Heterotermes
- maculiventris*
Eutermes, see *Nasutitermes*
Termes (Eutermes), see *Nasutitermes*
Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes
- madagascariensis*
Calotermes, see *Kalotermes durbanensis*
Kalotermes (Proneotermes), see *Kalotermes*
Kalotermes
Microtermes
- maideirensis*
Termes, see *Reticulitermes lucifugus*
- mandrasi*
Nasutitermes (Hospitalitermes), see *Hospitalitermes*
Hospitalitermes
- mandurae*
Microcerotermes
- madurensis*
Macrotermes gilvus, form
- magdalenae*
Leucotermes (Reticulitermes), see *Reticulitermes*
Reticulitermes
- magnificus*
Schedorhinotermes, see *Schedorhinotermes sarawakensis*
Eutermes, see *Drepanotermes rubriceps*
Capritermes, see *Pericapritermes*
Pericapritermes
- magninotus*
Kalotermes (Rugitermes), see *Rugitermes*
Rugitermes
- magnocellus*
Termes (Microtermes), see *Microtermes*
Microtermes
- magnoculus*
Neotermes
Amitermes (Gnathamitermes), see *Gnathamitermes perplexus*
Syntermes
- magnus*
Eutermes, see *Nasutitermes*
Termes (Eutermes), see *Nasutitermes*
Nasutitermes
- maheensis*
Eutermes nigrita, subsp., see *Nasutitermes*
Eutermes, see *Nasutitermes*
Nasutitermes
- maideni*
Mirotermes (Mirotermes), see *Termes*
Termes
- major*
Kalotermes (Neotermes) connexus, var., see *Neotermes*
Armitermes (Rhynchotermes), see *Rhynchotermes perarmatus*
Eutermes, see *Nasutitermes*
Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes (Nasutitermes), see *Nasutitermes*
Nasutitermes
- makassarensis*
Schedorhinotermes
Odontotermes (O.)

- Euterme, see *Nasutitermes*
Nasutitermes
malabaricus
Heterotermes
Odontotermes (*Odontotermes*)
Termes (*Termes*), see *Odontotermes*
 (O.)
malaccensis
Schedorhinotermes
Termes, see *Macrotermes*
Termes (*Macrotermes*), see *Macrotermes*
Macrotermes
Odontotermes (*Odontotermes*)
malandensis
Calotermes (*Neotermes*), see *Neotermes*
insularis
malatensis
Calotermes (*Neotermes*), see *Neotermes*
Neotermes
malayanus
Termes, see *Macrotermes gilvus*, subsp.
maledictus
Termes (*Cyclotermes*), see *Odontotermes*
 (O.)
Odontotermes (O.)
malelaensis
Mirotermes, see *Basidentitermes*
Basidentitermes
Termes (*Termes*), see *Odontotermes*
 (O.)
Odontotermes (O.)
mallászi Pongrácz
Termopsis, fossil
mallyi
Tenuirostritermes, see *Coarctotermes*
Euterme (*Euterme*), see *Coarctotermes*
Coarctotermes
malmesburyi
Microcerotermes
mandibularis
Euterme, see *Ophiotermes*
Mirotermes (*Cubitermes*), see *Ophiotermes*
Ophiotermes
manilanus
Termes (*Macrotermes*), see *Macrotermes*
gilvus, form *philippinensis*
manilensis
Euterme (*Euterme*), see *Nasutitermes*
luzonicus
- Nasutitermes*, see *Nasutitermes luzonicus*
maniseri
Nasutitermes
manni
Neotermes
Prorhinotermes, see *Prorhinotermes* in
opinatus
Rhinotermes
Anoplotermes
Nasutitermes (*Convexitermes*), see *Convexitermes*
Convexitermes
Armitermes
mansuetus
Euterme, see *Orthotermes*
Mirotermes (*Basidentitermes*), see *Basidentitermes*
Orthotermes
marabitanus
Termes, see *Coptotermes testaceus*
Coptotermes, see *Coptotermes testaceus*
marcidus
Euterme, see *Tumulitermes*
Tumulitermes
mareebensis
Euterme, see *Tumulitermes*
Tumulitermes
marginalis
Hemerobius (*Rossi*), see *Kalotermes*
flavicollis
Calotermes, see *Kalotermes flavicollis*
Hemerobius (*Linné*), see *Rhinotermes*
Termes, see *Rhinotermes*
Rhinotermes (*Rhinotermes*), see *Rhinotermes*
Rhinotermes
marginipenné
Termes, see *Kalotermes marginipennis*
marginipennis
Calotermes, see *Kalotermes*
Kalotermes (*Kalotermes*), see *Kalotermes*
mes
Calotermes, see *Kalotermes immigrans*
Calotermes, see *Kalotermes minor*
Kalotermes, see *Kalotermes snyderi*
Calotermes, see *Kalotermes tabogae*
Kalotermes
Kalotermes, see *Neotermes rainbowi*

- arianus
 - Calotermes, see Kalotermes
 - Kalotermes
- ariveles
 - Nasutitermes (Subulitermes), see Nasutitermes
 - Nasutitermes
- arjoriae
 - Kalotermes (Kalotermes), see Kalotermes
 - Kalotermes
 - Rhinotermes (Schedorhinotermes), see Schedorhinotermes
 - Schedorhinotermes
 - Mirotermes (Mirotermes), see Termes
 - Termes
- arlatti
 - Kalotermes (Glyptotermes), see Glyptotermes
 - Glyptotermes
- aroccanus
 - Hodotermes, see Microhodotermes
 - Microhodotermes
- aroccoensis
 - Calotermes (Neotermes), see Kalotermes
 - Kalotermes
- arshalli
 - Odontotermes (Hypotermes), see Odontotermes (Hypotermes) obscuriceps
- artiniquensis
 - Eutermes (Eutermes), see Nasutitermes costalis
 - Nasutitermes (Nasutitermes), see Nasutitermes costalis
- artynovi Zeuner, fossil
 - Ulmeriella
- arssaicus
 - Eutermes, see Promirotermes
 - Mirotermes (Cubitermes), see Promirotermes
 - Ophiotermes, see Promirotermes
 - Promirotermes
- arutangensiformis
 - Eutermes (Eutermes), see Nasutitermes
 - Nasutitermes
- arutangensioides
 - Eutermes (Eutermes) matangensis, form, see Nasutitermes matangensis
- arutangensis
 - Termes, see Nasutitermes
- Eutermes (Eutermes), see Nasutitermes
- Nasutitermes
- audanicus
 - Trinervitermes
- auricianus
 - Termes (Walker), see Odontotermes (O.) hageni
 - Termes, see not classified
 - Eutermes, see not classified
 - Eutermes, see Nasutitermes voeltzkowi
- auritiana
 - Calotermes (Neotermes) howa, var., see Neotermes howa
- auritianus
 - Eutermes, see Nasutitermes voeltzkowi
- aurimus
 - Rhinotermes (Macrorhinotermes), see Schedorhinotermes
 - Schedorhinotermes
 - Termes, see Odontotermes (O.)
 - Odontotermes (O.)
 - Eutermes, see Nasutitermes
 - Nasutitermes
- aurinei
 - Pseudacanthotermes spiniger, subsp., see Pseudacanthotermes spiniger
- auruniensis
 - Nasutitermes (Convexitermes), see Convexitermes
 - Convexitermes
- aurzwanicus
 - Mirotermes, see ?Procubitermes
 - Procubitermes
- aurgregori
 - Kalotermes
 - Eutermes, see Nasutitermes
 - Eutermes (Ceylonitermes), see Nasutitermes panayensis
 - Nasutitermes (Ceylonitermes), see Nasutitermes
 - Nasutitermes (N.), see Nasutitermes
 - Nasutitermes
- aurmeadii Scudder
 - Eutermes, see Reticulitermes fossarum
 - Leucotermes, see Reticulitermes fossarum, fossil
- aurmedia
 - Termes latericius, var., see Odontotermes (O.) latericius, var.
 - Odontotermes (O.) latericius, var.

- mediocris
 Termes, see *Odontotermes* (O.)
 Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
 Odontotermes (O.)
- medioculatus
 Termes
- mediodontatus
 Odontotermes, see *Odontotermes* (O.)
 dives
- medioflavus
 Eutermes (*Hospitalitermes*) *hospitalis*, form, see *Hospitalitermes*
 Hospitalitermes
- medioobscurus
 Rhinotermes (*Schedorhinotermes*) *brevialatus*, form, see *Schedorhinotermes*
 Schedorhinotermes
- medius
 Neotermes
 Amitermes, see *Amitermes foreli*
 Amitermes (*Amitermes*), see *Amitermes foreli*
 Capritermes (*Capritermes*), see *Capritermes nemorosus*
- meinerti
 Eutermes, see *Nasutitermes*
 Termes (*Eutermes*), see *Nasutitermes*
 Nasutitermes
- melanocephalus
 Nasutitermes (*Diversitermes*), see *Diversitermes*
 Diversitermes
- melvillensis
 Copritermes, see *Termes*
 Mirotermes, see *Termes*
 Termes
- menadoensis
 Coptotermes
 Odontotermes, see *Odontotermes* (O.)
 celebensis
 Eutermes, see *Nasutitermes luzonicus*
 Eutermes (*Trinervitermes*), see *Nasutitermes luzonicus*
 Nasutitermes, see *Nasutitermes luzonicus*
- mendicus
 Microcerotermes, see *Microcerotermes serratus*
- meridianus
 Anoplotermes
 Nasutitermes (N.), see *Nasutitermes*
 Nasutitermes
- meridionalis
 Termes, see *Amitermes*
 Termes (*Eutermes*), see *Amitermes*
 Hamitermes, see *Amitermes*
 Hamitermes (*Hamitermes*), see *Amitermes*
 termes
 Hamitermes, see *Amitermes laurensis*
 Termes, see *Amitermes neogermanus*
 Hamitermes, see *Amitermes neogermanus*
 manus
 Termes, see *Amitermes vitiosus*
 Hamitermes, see *Amitermes vitiosus*
 Amitermes
- meruensis
 Calotermes, see *Neotermes*
 Calotermes (*Neotermes*), see *Neotermes*
 Neotermes
 Eutermes, see *Amitermes*
 Hamitermes (*Hamitermes*), see *Amitermes*
 termes
 Amitermes
- merwei
 Cryptotermes
- messinae
 Hamitermes, see *Amitermes*
 Amitermes
- messor
 Eutermes (*Trinervitermes*), see *Trinervitermes havilandi*
 Nasutitermes (*Trinervitermes*), see *Trinervitermes havilandi*
- metata
 Capritermes (*Pericapritermes*) *appellans*, var., see *Pericapritermes appellans*, var.
 Pericapritermes appellans, var.
- mexicanus
 Termes, see *Kalotermes marginipennis*
 Nasutitermes (*Subulitermes*), see *Nasutitermes*
 Nasutitermes
- mfolozii
 Mirotermes, see *Procubitermes*
 Procubitermes

michaelseni

Calotermes ? (misprint for Coptotermes)

Coptotermes

Coptotermes, see Coptotermes frenchi

Coptotermes, see Coptotermes lacteus

Termes (Termes), see Macrotermes

Amplitermes, see Macrotermes

Bellicositermes, see Macrotermes

Macrotermes

nichelli

Termes, see Macrotermes goliath

microcerus

Capritermes fur, subsp., see Termes

Mirotermes fur, subsp., see Termes

Termes (Eutermes) fur, subsp., see
TermesMirotermes (Mirotermes), see Termes
Termes

microdens

Odontotermes, see Odontotermes (O.)
parvidens

microduplex

Mirotermes, see Cubitermes

Cubitermes

microphthalmus

Kalotermes (Neotermes), see Neotermes
Neotermes

nicrops

Termes, see Odontotermes (O.)

Odontotermes (Cyclotermes), see Odon-
totermes (O.)

Odontotermes (O.)

microsoma

Eutermes, see Subulitermes

Eutermes (Subulitermes), see Subuli-
termesNasutitermes (Subulitermes), see Su-
bulitermes

Subulitermes

microthorax

Microtermes

milesnasitermes

Calotermes, see not classified

militaris

Calotermes, see Neotermes

Calotermes (Neotermes), see Neotermes
Neotermes

Termes, see Pseudacanthotermes

Acanthotermes, see Pseudacanthotermes
Pseudacanthotermes

milleri

Kalotermes

mindanensis

Nasutitermes (Subulitermes), see Na-
sutitermes

Nasutitermes

minimus Snyder

Reticulitermes, fossil

minimus

Amitermes

Termes, see Amitermes beaumonti

Eutermes, see Nasutitermes

Nasutitermes

minitabundus

Eutermes (Cubitermes), see Cubitermes

Isognathotermes, see Cubitermes

Mirotermes (Cubitermes), see Cubi-
termes heghi

Cubitermes

minor

Mastotermes Pongrácz, fossil

Calotermes marginipennis, var., see
Kalotermes

Kalotermes

Hodotermes erithreensis, see Hodo-
termes erithreensis, subsp.Acanthotermes militaris, subsp., see
Pseudacanthotermes militaris, sub-
sp.Hamitermes (Hamitermes), see Ami-
termes

Amitermes

Microcerotermes heimi, form

Promirotermes gracilipes, var., see
Promirotermes holmgreniCapritermes (Capritermes), see Capri-
termes nemorosus

Odontotermes (O.) horni, var.

Termes (Termes) vulgaris, subsp., see
Odontotermes (O.), subsp.

Odontotermes (O.) vulgaris, subsp.

Eutermes, see Nasutitermes

Nasutitermes (Nasutitermes), see Nasu-
titermes

Nasutitermes

Eutermes mauritanus, subsp., see Na-
sutitermes voeltzkowiEutermes voeltzkowi, subsp., see Na-
sutitermes voeltzkowi

- Armitermes odontognathus, subsp., see
 Curvitermes
 Termes (Eutermes) odontognathus,
 subsp., see Curvitermes
 Armitermes (Curvitermes), see Curvi-
 termes
 Curvitermes
 minusculus
 Eutermes (Eutermes), see Nasuti-
 termes
 Nasutitermes
 minutissimus
 Coptotermes
 minutus
 Glyptotermes
 Termes, see Procapritermes
 Termes (Eutermes), see Procapritermes
 Procapritermes
 Protermes
 Termes, see Protermes
 Eutermes, see Nasutitermes culasiensis
 Armitermes (Armitermes), see Armi-
 termes
 Armitermes
 mirabilis
 Termes, see Prohamitermes
 Termes (Eutermes), see Prohamitermes
 Prohamitermes
 mirandus
 Mirotermes (Cubitermes), see Ophio-
 termes
 Eutermes, see Ophiotermes
 Ophiotermes
 mirganjensis
 Odontotermes (O.)
 mitis
 Eutermes, see not classified
 Termes (Eutermes), see not classified
 Trinervitermes, see not classified
 mobilis
 Eutermes, see Trinervitermes trinervius
 Eutermes (Trinervitermes), see Triner-
 vitermes trinervius
 modestior
 Eurytermes assmuthi, var.
 Mirotermes (Cubitermes) severus, var.,
 see Cubitermes
 Cubitermes
 Capritermes (Neocapritermes) bodkin
 var., see Neocapritermes bodkini
 Neocapritermes
 modestus
 Calotermes, see Neotermes
 Neotermes
 Termes, not classified
 modica
 Coptotermes sjöstedti, var., see Copto-
 termes sjöstedti, var. subintacta
 modicus
 Hamitermes (Hamitermes), see Ami-
 termes
 Amitermes
 modiglianii
 Capritermes
 moestus
 Termes, see Reticulitermes antiquu
 fossil
 mohri
 Capritermes
 mojosensis
 Eutermes, see Nasutitermes
 Nasutitermes
 mokeetsi
 Microtermes
 molestus
 Termes, see Syntermes
 Syntermes
 molinoi
 Prorhinotermes
 mollis
 Nasutitermes (N.), see Nasutitermes
 Nasutitermes
 moluccanus
 Hospitalitermes
 mona
 Kalotermes
 monoceros
 Termes, see Hospitalitermes
 Eutermes, see Hospitalitermes
 Termes (Eutermes), see Hospitalitermes
 Eutermes (Hospitalitermes), see Hos-
 pitalitermes
 Hospitalitermes
 monodon
 Termes (Termes), see Odontotermes (O.)
 Odontotermes (O.)

- nontanae
 Eutermes, see *Nasutitermes*
 Nasutitermes
- nontanus
 Kaloterms, see *Kaloterms marginipennis*
 Glyptoterms
- nonticola
 Caloterms, see *Kaloterms*
 Kaloterms
- noratus
 Eutermes, see *Nasutitermes*
 Nasutitermes
- nordax
 Termes, see *Cubiterms* sp., see not identified as to species
 Cubiterms, see not identified as to species
- norretelae
 Mirotermes, see *Procubiterms*
 Procubiterms
- norio
 Termes (Erichson), see *Stoloterms brunneicornis*
 Termes, see *Coptoterms testaceus*
 Termes, see *Anoplotermes ater*
 Termes, see *Anoplotermes meridianus*
 Termes (Walker), see *Anoplotermes meridianus*
 Anoplotermes, see *Anoplotermes meridianus*
 Anoplotermes (*Anoplotermes*), see *Anoplotermes meridianus*
 Termes (Burmeister), see *Microcero-
 termes arboreus*
 Termes, see *Nasutitermes corniger*
 Termes, see *Nasutitermes costalis*
 Termes (Eutermes), see *Nasutitermes
 costalis*
 Nasutitermes (*Nasutitermes*), see *Nasutitermes
 costalis*
- norogorensis
 Allodoterms
- norossambica
 Termes *bellicosus*, form, see *Macro-
 termes bellicosus*, form
 Macrotermes bellicosus, form
 Amplitermes bellicosus, forma, see
 Macrotermes bellicosus, forma
- Bellicositermes bellicosus*, forma, see
 Macrotermes bellicosus, var.
- norossambicus
 Termes, see *Hodoterms*
 Termes (*Hodoterms*) see *Hodoterms*
 Hodoterms
 Hodoterms (*Hodoterms*), see *Hodo-
 termes*
 Macrohodoterms, see *Hodoterms*
- norossambicanus
 Amplitermes, see *Macrotermes*
 Bellicositermes, see *Macrotermes*
 Macrotermes
- norotwalumi
 Mirotermes, see *Procubiterms*
 Procubiterms
- norMUKARENSIS
 Microtermes, see *Microdonoterms*
 Microdonoterms
- noromukimbunginis
 Odontoterms, see *Odontoterms* (O.)
 Termes, see *Odontoterms* (O.)
 Termes (T.), see *Odontoterms* (O.)
 Odontoterms (O.)
- noromülleri
 Termes, see *Macrotermes*
 Macrotermes
 Termes, see not classified
- noromuneris
 Eutermes (*Cubiterms*), see *Cubiterms*
 Cubiterms
 Eutermes (*Trinerviterms*), see *Triner-
 viterms roseni*
- noromurgabicus
 Hodoterms, see *Anacanthoterms*
 Anacanthoterms
- noromurraysburgi
 Hamiterms, see *Amiterms*
 Amiterms
- noromushae
 Procapritherms
- noromutubae
 Caloterms, see *Procryptoterms jeanne-
 lanus*
- noromycophagus
 Termes, see *Microtermes*
 Microtermes

- myersi
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
- mzilikazi
 Microcerotermes
- nana, see nanus
 Termes, see Microcerotermes nanus
 Microcerotermes
- nanulus
 Microcerotermes
- nanus
 Eutermes, see Anoplotermes
 Mirotermes, see Anoplotermes
 Anoplotermes
 Microcerotermes, see Microcerotermes serratus
 Eutermes (Eutermes), see Nasutitermes bequaerti
- nasonowi
 Eutermes, see not classified
 Termes (Eutermes), see Eutermes not classified
- nasuta
 Perla, see Rhinotermes marginalis
- nasutissimus
 Termes (Eutermes), see Rhynchotermes
 Armitermes, see Rhynchotermes
 Armitermes (Rhynchotermes), see Rhynchotermes
 Rhynchotermes
 Nasutitermes (Angularitermes), see Angularitermes
 Angularitermes
- nasutum
 Termes, see Rhinotermes marginalis
- nasutus
 Termes, see Coptotermes testaceus
 Termes, see Rhinotermes
 Termes, see Rhinotermes marginalis
 Rhinotermes (Rhinotermes), see Rhinotermes
 Rhinotermes
 Eutermes (Eutermes), see Bulbitermes
 Bulbitermes
- natalensis
 Mirotermes (Cubitermes), see Procubitermes
 Procubitermes
 Termes, see Macrotermes
- Amplitermes, see Macrotermes
 Bellicositermes, see Macrotermes
 Macrotermes (Bellicositermes), see Macrotermes
 Macrotermes
- nduma
 Mirotermes, see Cubitermes duploform
- nearcticus
 Kalotermes (Calcaritermes), see Calcaritermes
 Calcaritermes
- neghelliensis
 Mirotermes subhyalinus, subsp.
- neglectus
 Microcerotermes, see Microcerotermes turneri
- nemorosus
 Termes, see Capritermes
 Termes (Eutermes), see Capritermes
 Capritermes
 Hospitalitermes
- neogermanus
 Hamitermes, see Amitermes
 Amitermes
- neopusillus
 Bulbitermes
- neotenicus
 Armitermes (Armitermes), see Armitermes
 Armitermes
- neotuberculatus
 Calotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
- nervosus
 Microcerotermes
- nevadensis
 Termopsis, see Zootermopsis
 Termopsis angusticollis, var., see Zootermopsis
 Zootermopsis
- nevermani
 Kalotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
- newmani
 Microcerotermes

- new species
Schedorhinotermes
Anoplotermes
Nasutitermes
- niapuensis**
Mirotermes (*Procubitermes*), see *Procubitermes*
Procubitermes
- nichollsi**
Eutermes, see *Tumulitermes*
Tumulitermes
- nidicola**
Ahamitermes
Hamitermes (*Ahamitermes*), see *Ahamitermes*
- niger**
Glyptotermes
Coptotermes
Termes, see *Macrotermes*
Termes (*Macrotermes*), see *Macrotermes*
Macrotermes
- nigeriae** Holmgren ms.
Calotermes (*Neotermes*), see *Neotermes*
 not identified to species
- nigeriana**
Pericapritermes *urgens*, var.
Capritermes (*Pericapritermes*) *urgens*, var., see *Pericapritermes* *urgens*, var.
- nigeriensis**
Calotermes, see *Neotermes*
Neotermes
Termes, see *Macrotermes*
Amplitermes, see *Macrotermes*
Macrotermes
Trinervitermes
- nigerrimus**
Eutermes, see *Nasutitermes* *triodiae*
- nigricans**
Termes, see *Odontotermes* (*O.*) *dives*
Termes (*Rambur*, 1842), see not classified (*Holmgren*, 1911, p. 546)
Termes (*Walker*, 1853), see not classified (*Hagen*, 1858)
Termes (*Hagen*, 1858), see not classified (*Holmgren*, 1911, p. 546)
- nigriceps**
Kalotermes (*Lobitermes*), see *Calcaritermes*
Calcaritermes
- Amitermes** (*Gnathamitermes*), see *Gnathamitermes*
Gnathamitermes
Termes, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Eutermes, see *Nasutitermes*
Nasutitermes
Eutermes (*Constrictotermes*), see *Tenuirostritermes* *tenuirostris*
Eutermes (*Tenuirostritermes*), see *Tenuirostritermes* *tenuirostris*
- nigricornis**
Eutermes, see *Convexitermes*
Eutermes (*Convexitermes*), see *Convexitermes*
Nasutitermes (*Convexitermes*), see *Convexitermes*
Convexitermes
- nigripunctatus**
Anoplotermes (*Anoplotermes*), see *Anoplotermes*
Anoplotermes
- nigrita**, see *nigritus*
Eutermes, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- nigritus**
Kalotermes
Capritermes *saltans*, subsp., see *Termes*
Mirotermes *saltans*, subsp., see *Termes*
Termes (*Eutermes*) *saltans*, subsp., see *Termes*
Mirotermes (*Mirotermes*), see *Termes*
Termes
Nasutitermes
- nigrolabrum**
Calotermes (*Glyptotermes*), see *Glyptotermes* *brevicornis*
- nigrostomus**
Mirotermes (*Spinitermes*), see *Spinitermes*
Spinitermes
- nilensis** Emerson, n. sp.
Odontotermes (*O.*)
- nitobei**
Termes (*Eutermes*), see *Capritermes*
Capritermes
- nobilis**
Termes, see *Macrotermes*
Termes (*Macrotermes*), see *Macrotermes*
Macrotermes

nocens

Planocryptotermes, see *Cryptotermes dudleyi*

nodulosus

Kalotermes (*Rugitermes*), see *Rugitermes*

Calotermes rugosus, subsp., see *Rugitermes*

Rugitermes

nolaensis

Odontotermes, see *Odontotermes* (O.)

Termes, see *Odontotermes* (O.)

Odontotermes (O.)

nordenskiöldi

Cylindrotermes

Eutermes (*Eutermes*), see *Nasutitermes*

Nasutitermes

notandus

Megagnathotermes

novae-caledoniae

Microcerotermes

novarum-hebridarum

Eutermes (*Eutermes*), see *Nasutitermes*

Nasutitermes

nymanni

Odontotermes (O.) javanicus, form

obesi

Microtermes

obesus

Termes, see *Odontotermes* (O.)

Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)

Odontotermes (O.)

Termes (Walker), see *Odontotermes* (O.) brunneus

obeuntis

Hamitermes (*Hamitermes*), see *Amitermes*

Amitermes

obiratus

Coptotermes

oblongatus

Odontotermes (O.)

obscura, see obscurus

obscuriceps

Termes, see *Odontotermes* (*Hypotermes*)

Odontotermes (*Xenotermes*), see *Odontotermes* (*Hypotermes*)

Odontotermes (*Hypotermes*)

obscurum

Termes, see *Syntermes dirus*

obscurus

Termes, see *Kalotermes affinis* (fossil)

Termes, see *Kalotermes convexus*

Calotermes (C.), see *Kalotermes convexus*

Calotermes (*Glyptotermes*), see *Kalotermes rufinotum*

Calotermes (?), see *Kalotermes hilli*

Mirotermes (*Cubitermes*) natalensis forma, see *Procubitermes natalensis* form

Termes, see *Nasutitermes arborum*

Eutermes, see *Nasutitermes lighti*

Eutermes (*Eutermes*), see *Nasutitermes lighti*

Eutermes, see *Nasutitermes* sp. not identified

Eutermes insularis, form, see *Nasutitermes corniger*

Nasutitermes (*Nasutitermes*) insularis form, see *Nasutitermes corniger*

Eutermes (*Eutermes*) matangensisformis, form, see *Nasutitermes matangensisformis*, form

obscurus Pictet in Berendt

Termes, see *Electrotermes affinis*

Calotermes (*affinis* Hagen), see *Electrotermes affinis* fossil

obscurus Heer

Termes, see fossil of doubtful position

Eutermes, see fossil of doubtful position

Termes (*obscurus*) moestus Giebel, see *Reticulitermes antiquus*, fossil

obtectus

Mirotermes, see *Termes hospes*

Calotermes Heer, fossil not a termite

obtusidens

Hamitermes, see *Amitermes*

Hamitermes (*Hamitermes*), see *Amitermes*

Amitermes

obtusus

Mirotermes, see *Termes*

Termes

Capritermes

Syntermes

occasus

Eutermes (*Occasitermes*), see *Occasitermes*

Occasitermes

occidentalis

Calotermes rugosus, subsp., see *Rugitermes*

Kalotermes (*Rugitermes*), see *Rugitermes*

Rugitermes

Termopsis, see *Kalotermes occidentis*

Kalotermes, see *Kalotermes occidentis*

Kalotermes (*Cryptotermes*), see *Cryptotermes fatulus*

Microtermes incertus, form, see *Microtermes havilandi*, form

Microtermes havilandi, form

Eutermes, see *Trinervitermes*

Termes (*Eutermes*), see *Trinervitermes*

Trinervitermes

occidentis

Termes, see *Kalotermes*

Termopsis, see *Kalotermes*

Pterotermes, see *Kalotermes*

Kalotermes

occiduus

Leucotermes, see *Heterotermes ferox*

occultus

Apicotermes

Mirotermes, see *Subulitermes*

Eutermes, see *Subulitermes*

Subulitermes

oceanicum

Nasutitermes ? (*Grallatotermes*), see

Nasutitermes novarum-hebridarum

oceanicus

Arrhinotermes, see *Prorhinotermes*

Prorhinotermes

cellaris

Eutermes, see *Termes*

Mirotermes (*Mirotermes*), see *Termes*

Termes

chraceus

Termes, see *Cryptotermes solidus*

Termes, see *Anacanthotermes*

Hodotermes, see *Anacanthotermes*

Hodotermes (*Anacanthotermes*), see

Anacanthotermes

Anacanthotermes

octopilis

Nasutitermes (*Nasutitermes*), see *Nasutitermes*

Nasutitermes

oculatissimus

Nasutitermes (*Subulitermes*), see *Subulitermes*

Subulitermes

oculatus

Mirotermes (*Cubitermes*), see *Cubitermes*

Cubitermes

Odontotermes (*Cyclotermes*) *obesus*, var., see *Odontotermes* (*O.*) *obesus*, var.

Odontotermes (*O.*) *obesus*, var.

Eutermes, see *Nasutitermes*

Nasutitermes (*Ceylonitermes*), see *Nasutitermes*

Nasutitermes

oculifer

Calotermes (*Neotermes*), see *Neotermes insularis*

odontognathus

Armitermes, see *Curvitermes*

Termes (*Eutermes*), see *Curvitermes*

Armitermes (*Curvitermes*), see *Curvitermes*

Curvitermes

odontomachus

Termes (*Eutermes*), see *Termes*

Mirotermes, see *Termes*

Termes

oeconomus

Eutermes, see *Trinervitermes*

Termes (*Eutermes*), see *Trinervitermes*

Eutermes (*Trinervitermes*), see *Trinervitermes*

Trinervitermes

oeningensis von Rosen, fossil

Calotermes, see *Kalotermes*

Kalotermes

ogasawarensis

Calotermes (*Cryptotermes*), see *Cryptotermes domesticus*

okahandjae

Termes (*Odontotermes*), see *Odontotermes* (*O.*)

Odontotermes (*O.*)

oldfieldi

Calotermes (Calotermes), see Kalotermes
condonensis

olidus

Eutermes, see Nasutitermes
Nasutitermes

opacus

Termes (imago), see Neocapritermes
Termes (Eutermes), see Neocapritermes
Capritermes (Neocapritermes), see Neocapritermes
Neocapritermes
Termes (soldier), see Constrictotermes
cyphergaster

orbus

Mirotermes, see Termes
Termes

orensis

Termes, see Neocapritermes opacus

orientalis

Allodotermes schultzei, var.

orientis

Nasutitermes (Subulitermes), see Nasutitermes
Eutermes, see Nasutitermes
Nasutitermes

orissae

Termes (Cyclotermes), see Odontotermes
(O.)
Odontotermes (O.)

orthocephalus

Cornitermes, see Paracornitermes
Termes (Termes), see Paracornitermes
Cornitermes (Labiatermes), see Paracornitermes
Paracornitermes

orthoceps

Mirotermes (Promirotermes), see Promirotermes
Promirotermes

orthognathus

Heterotermes, see Heterotermes convexi-
notatus
Mirotermes (Cubitermes), see Cubi-
termes
Cubitermes
Capritermes, see Orthognathotermes
Termes (Eutermes), see Orthognatho-
termes
Orthognathotermes

osborni

Microtermes
Nasutitermes (Subulitermes), see Subulitermes
Subulitermes

oshimai

Coptotermes
Nasutitermes (N.), see Nasutitermes
Nasutitermes

ostentans

Termes, see Odontotermes (O.)
Odontotermes (O.)

ovatus

Kalotermes (Neotermes), see Neotermes
Neotermes

ovipennis

Termes, see Nasutitermes
Eutermes (Eutermes), see Nasutitermes
Nasutitermes

pacatus

Anoplotermes

pacificus

Calotermes, see Kalotermes
Kalotermes
Kalotermes, see Kalotermes tabogae
Coptotermes
Anoplotermes
Anoplotermes (Anoplotermes), see Anoplotermes
Anoplotermes (Anoplotermes) pacificus
(Snyder 1926d), see Anoplotermes
n. sp.
Termes (Eutermes), see Anoplotermes
bequaerti
Anoplotermes, see Anoplotermes be-
quaerti
Eutermes (Eutermes), see Nasutitermes
nigriceps

padangensis

Capritermes
Macrotermes gilvus, form

paetensis

Capritermes

palaearticus

Eutermes, see Microcerotermes
Termes (Eutermes), see Microcerotermes
Microcerotermes

palaoensis

Eutermes, see Nasutitermes
Nasutitermes

- palawanensis
 Nasutitermes (Lacessititermes), see
 Lacessititermes
 Lacessititermes
- pallidiceps
 Eutermes, see Cubitermes
 Mirotitermes (Cubitermes), see Cubi-
 termes
 Cubitermes
 Constrictitermes, see Parvitermes
 Nasutitermes (Agnathotermes), see
 Parvitermes
 Nasutitermes (Tenuirostritermes), see
 Parvitermes
 Parvitermes
- pallidicollis
 Calotermes (Neotermes), see Neotermes
 Calotermes (Neotermes), see Kalotermes
 sp., fossil
 Neotermes
- pallidiotum
 Calotermes (?), see Kalotermes
 Kalotermes
- pallidipennis
 Termes, see not classified
- pallidipes
 Eutermes, see Anoplotermes
 Termes (Eutermes), see Anoplotermes
 Anoplotermes
- pallidus
 Termes, see Cryptotermes
 Calotermes (Cryptotermes), see Crypto-
 termes
 Cryptotermes
 Termes, see Porotermes quadricollis
 Macrohodotermes, see Hodotermes mos-
 sambicus
 Hodotermes, see Hodotermes mossambi-
 cus
 Heterotermes, see Heterotermes convexi-
 notatus
 Amitermes
 Termes, see Microtermes
 Microtermes, see Microtermes insperatus
 Microtermes
 Nasutitermes (Convexitermes), see Con-
 vexitermes
 Convexitermes
- palmerstoni
 Eutermes, see Nasutitermes triodiae
- palmquisti
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
- pamatatensis
 Heterotermes
- pamuae
 Coptotermes
- panamae
 Kalotermes, see Rugitermes
 Kalotermes (Kalotermes), see Rugi-
 termes
 Rugitermes
 Nasutitermes (Obtusitermes), see Ob-
 tusitermes
 Obtusitermes
- panamaensis
 Mirotermes, see Termes
 Termes
- panayensis
 Eutermes (Grallatotermes), see Nasuti-
 termes
 Nasutitermes (N.), see Nasutitermes
 Nasutitermes
- papua
 Calotermes (Neotermes), see Neotermes
 Kalotermes (Neotermes), see Neotermes
 Neotermes
- papuanus
 Microcerotermes
 Hospitalitermes
- paradiculatus
 Odontotermes (Cyclotermes), see Odon-
 totermes (O.)
 Odontotermes (O.)
- paradoxalis
 Eremotermes
- paradoxus
 Allotermes, see Procryptotermes
 Calotermes (Procryptotermes), see Pro-
 cryptotermes
 Procryptotermes
 Termes (Froggatt), see Heterotermes
 Termes (Eutermes) (Desneux), see
 Heterotermes
 Leucotermes, see Heterotermes
 Heterotermes
 Calotermes, see Coptotermes
 Vastitermes, see Coptotermes
 Coptotermes

- Capritermes, see Orthognathotermes
 orthognathus
 Termes (Capritermes), see Neocapri-
 termes opacus
 paraensis
 Neotermes
 Leucotermes flavipes, subsp., see Hetero-
 termes tenuis
 paralleliceps
 Calotermes (Neotermes), see Neotermes
 insularis
 parallelus
 Syntermes
 Capritermes (Neocapritermes), see Neo-
 capritermes opacus
 paranaensis Holmg. ms.
 Calotermes (Rugitermes), see Rugi-
 termes not identified to species
 parasita
 Calotermes havilandi, subsp., see Cryp-
 totermes parasitus
 Calotermes (Cryptotermes), see Crypto-
 termes parasitus
 Cryptotermes, see Cryptotermes para-
 situs
 parasitus
 Kalotermes havilandi, subsp., see Cryp-
 totermes pallidus
 Cryptotermes parasita, see Crypto-
 termes parasitus
 parvellus
 Nasutitermes (Subulitermes), see Su-
 bulitermes
 Subulitermes
 parviceps
 Microcerotermes, see Microcerotermes
 serratus
 parvidens
 Odontotermes (O.)
 parvignathus
 Cylindrotermes
 parvinasus
 Syntermes chaquimayensis, subsp.
 parvinotus
 Kalotermes (Calcaritermes), see Cal-
 caritermes
 Calcaritermes
 parvipunctus
 Amitermes (Amitermes), see Amitermes
 wheeleri
 parviscutatus
 Kalotermes (Neotermes), see Neotermes
 Neotermes
 parvonasutus
 Eutermes, see Nasutitermes
 Nasutitermes
 parvulum
 Termes, see Reticulitermes lucifugus
 parvulus
 Calotermes, see Glyptotermes
 Calotermes (Calotermes), see Glypto-
 termes
 Calotermes (Glyptotermes), see Glypto-
 termes
 Glyptotermes
 Coptotermes
 Amitermes
 Amitermes (imago only, Arizona), see
 Amitermes wheeleri
 Eutermes, see Microcerotermes
 Microcerotermes
 parvus
 Anoplotermes
 Hamitermes, see Amitermes
 Amitermes
 Termes, see Microcerotermes
 Eutermes, see Microcerotermes
 Microcerotermes
 Microcerotermes, var. solidus, see Micro-
 cerotermes secernens
 Termes (Eutermes) opacus, subsp., see
 Neocapritermes
 Capritermes opacus, subsp., see Neo-
 capritermes
 Capritermes (Neocapritermes), see Neo-
 capritermes
 Neocapritermes
 Termes (Termes), see Macrotermes
 natalensis
 Macrotermes, see Macrotermes nata-
 lensis
 Amplitermes, see Macrotermes nata-
 lensis
 Bellicositermes, see Macrotermes nata-
 lensis
 Nasutitermes (N.), see Nasutitermes
 Nasutitermes
 pastinator
 Eutermes, see Tumulitermes
 Tumulitermes

- atrius**
 Termes, see *Odontotermes* (O.) *patruus*
- atruus**
 Termes, see *Odontotermes* (O.)
Odontotermes (O.)
- ucinervius**
Eutermes, see *Amitermes*
Eutermes (*Subulitermes*), see *Amitermes*
Hamitermes, see *Amitermes*
Amitermes
- uperans**
 Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
- avidus**
Hamitermes (*Hamitermes*), see *Amitermes*
Amitermes
- eccanae** Massalongo
 Termes, see fossil not a termite
- ctinata** Martynov
Permotermopsis, see fossil not a termite
- clatus**
Mirotermes (*Mirotermes*), see *Termes*
Termes
- llucidus**
Kalotermes (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
- ngangi**
Capritermes (*Capritermes*), see *Homalotermes*
Homalotermes
- racutus**
Eutermes, see *Tumulitermes*
Tumulitermes
- radenyiae**
 Termes, see *Odontotermes* (O.) *horni*
- raffinis**
Microcerotermes, see *Microcerotermes*
biroi
- rangustus**
Calotermes (*Glyptotermes* ?), see *Glyptotermes*
brevicornis
- rarmatus**
Amitermes (*Monodontermes*), see *Amitermes*
Amitermes
- Armitermes* (*Rhynchotermes*), see *Rhynchotermes*
Rhynchotermes
- percomis**
Mirotermes (*Mirotermes*), see *Termes*
Termes
- percutiens**
Armitermes (*Armitermes*), see *Armitermes*
neotenicus
- peregrinator**
Coptotermes
- perelegans**
Hamitermes, see *Amitermes*
Amitermes
- perezi**
Calotermes (*Proneotermes*), see *Pro-cryptotermes*
Procryptotermes
- perfectus**
Calotermes, see *Neotermes*
Neotermes
- perfidus**
Leucotermes, see *Heterotermes*
Heterotermes
- perforans**
Kalotermes (*Cryptotermes*), see *Cryptotermes*
Cryptotermes
- perfusca**
Eutermes infuscatus, var., see *Nasutitermes infuscatus*, var.
Nasutitermes infuscatus, var.
- peringueyi**
Hodotermes, see *Microhodotermes viator*
- periphrasis**
Ancistrotermes
- perlevis**
Eutermes, see *Subulitermes*
Subulitermes
- permianus** Zalesky
Uralotermes, fossil, possibly not a termite
- perniger**
 Termes, see *Drepanotermes rubriceps*
 Termes (*Eutermes*), see *Drepanotermes*
rubriceps
Hamitermes (*Drepanotermes*), see *Drepanotermes*
rubriceps
- perparvus**
Kalotermes, see *Kalotermes seeversi*

- Kaloterme (Glyptoterme), see Glyptoterme
 Glyptoterme
 Euterme, see Capriterme ceylonicus
 perplexus
 Amiterme, see Gnathamiterme
 Amiterme (Gnathamiterme), see Gnathamiterme
 Amiterme, see Gnathamiterme tubiformans
 Gnathamiterme
 Hamiterme, see Amiterme laurensis
 Hamiterme, var. victoriensis, see Amiterme neogermanus
 perpusillus
 Euterme pusillus, form perpusillus, see Bulbiterme
 Bulbiterme
 perrieri
 Termes, see not classified
 peruanus
 Synterme
 Synterme, see Synterme lighti
 Euterme, see Nasutiterme
 Nasutiterme
 Armiterme (Armiterme), see Armiterme
 Armiterme
 petilus
 Euterme, see Tumuliterme
 Tumuliterme
 philippinensis
 Leucoterme, see Heteroterme
 Heteroterme
 Microceroterme
 Termes (Macroterme), see Macroterme gilvus, form
 Macroterme gilvus, form
 piacentinii Piton and Théobald
 Termopsis, see Kaloterme
 Kaloterme, fossil
 piceatus
 Kaloterme (Cryptoterme), see Cryptoterme brevis
 piceus
 Acanthoterme, see Pseudacanthoterme
 Pseudacanthoterme
 piciceps
 Euterme (Euterme), see Nasutiterme takasagoensis
 Nasutiterme (Nasutiterme), see Nasutiterme takasagoensis
 pictetii Berendt
 Termes, see Termopsis bremsii Heer
 fossil
 pictus
 Nasutiterme
 piliceps
 Microceroterme, see Microceroterme biroi
 Euterme (Euterme), see Nasutiterme
 Nasutiterme
 piliferus
 Euterme (Lacessititerme), see Lacessititerme
 Lacessititerme
 pilifrons
 Euterme (Euterme), see Nasutiterme nigriceps
 Nasutiterme (Nasutiterme), see Nasutiterme nigriceps
 pilosus
 Corniterme
 Corniterme (Corniterme), see Corniterme
 Nasutiterme (Nasutiterme), see Nasutiterme
 Nasutiterme
 pinangae
 Kaloterme (Lobiterme), see Glyptoterme
 Glyptoterme
 pintoii
 Kaloterme
 pius
 Euterme, see Trinerviterme
 Euterme (Trinerviterme), see Trinerviterme
 Trinerviterme
 placidus
 Anoploterme
 plagiatus Heer
 Termes, fossil not a termite
 Kaloterme, fossil not a termite
 planiceps
 Caloterme, see Poroterme
 Poroterme (Planiterme), see Poroterme
 Planiterme, see Poroterme
 Poroterme

- Odontotermes, see *Odontotermes* (O.)
- Termes, see *Odontotermes* (O.)
- Odontotermes* (O.)
- PLANICEPS**
- Capritermes* (*Neocapritermes*), see *Planicapritermes*
- planifrons*
- Cubitermes*
- planus*
- Kalotermes* (*Glyptotermes*), see *Glyptotermes*
- Glyptotermes*
- Termes, see *Termitogeton*
- Termitogeton*
- platycephalus*
- Kalotermes*
- Heterotermes*
- Termes (*Leucotermes*), see *Heterotermes*
- Leucotermes*, see *Heterotermes*
- plebeja* Giebel
- Maresa* (*fossilis* Ouchakoff.), see *Reticulitermes antiquus*, fossil
- plebeja*
- Maresa*, see *Reticulitermes antiquus*, fossil
- pluriarticulatus*
- Eutermes arenarius*, subsp., see *Nasutitermes*
- Termes (*Eutermes*), see *Nasutitermes*
- Eutermes* (*Eutermes*), see *Nasutitermes*
- Nasutitermes*
- Eutermes arenarius*, subsp. var. A, see *Nasutitermes longiarticulatus*
- pluvialis*
- Eutermes*, see *Nasutitermes*
- Nasutitermes*
- ponapiensis*
- Arrhinotermes*, see *Prorrhinotermes*
- Prorrhinotermes*
- pondweniensis*
- Microcerotermes*
- pontis*
- Eutermes rippertii*, var., see not classified
- posselensis*
- Eutermes*, see *Trinervitermes*
- Trinervitermes*
- posticus*
- Calotermes*, see *Glyptotermes*
- Calotermes* (*Cryptotermes*), see *Glyptotermes*
- Kalotermes*, see *Glyptotermes*
- Calotermes* (*Glyptotermes*), see *Glyptotermes*
- Kalotermes*, see *Glyptotermes liberatus*
- Glyptotermes*
- potens*
- Basidentitermes*
- Mirotermes* (*Basidentitermes*), see *Basidentitermes*
- praecellens*
- Syntermes*
- praecox*
- Calotermes*, see *Neotermes*
- Neotermes*
- praelongus*
- Termes, see *Termes hispaniolae*
- praevalens*
- Termes (*Odontotermes*), see *Odontotermes* (O.)
- Odontotermes* (O.)
- preliminaris*
- Termes, see *Odontotermes* (O.)
- Odontotermes* (*Cyclotermes*), see *Odontotermes* (O.)
- Odontotermes* (O.)
- pretorianus*
- Cubitermes*
- Mirotermes* (*Cubitermes*), see *Cubitermes*
- pretoriensis*
- Hodotermes* (*Macrohodotermes*) *mossambicus*, subsp. *transvaalensis*, form, see *Hodotermes mossambicus*
- Hodotermes*, see *Hodotermes mossambicus*
- Macrohodotermes*, see *Hodotermes mossambicus*
- Eutermes* (*Cubitermes*), see *Lepidotermes*
- Mirotermes* (*Cubitermes*), see *Lepidotermes*
- Lepidotermes*
- Odontotermes*, see *Odontotermes* (O.)
- Termes, see *Odontotermes* (O.)
- Odontotermes* (O.)
- Trinervitermes*

- primus
 Calotermes (Cryptotermes), see Cryptotermes
 Cryptotermes
 Planocryptotermes, see Cryptotermes dudleyi
 Mirotermes (Paracapritermes), see Paracapritermes
 Paracapritermes
 Odontotermes (Euscaiotermes)
- princeps
 Termes (Eutermes), see Nasutitermes
 Eutermes, see Nasutitermes
 Nasutitermes
- pristinus Charpentier, fossil
 Termes, see Macrotermes
 Termes (Eutermes), see Macrotermes (Eutermes), see Macrotermes
 Odontotermes, see Macrotermes
 Macrotermes
- problematicus
 Microtermes
- procerus Heer
 Termopsis, see Miotermes
 Termes, see Miotermes
 Hodotermes, see Miotermes
 Miotermes, fossil
- processionarius
 Eutermes (Eutermes), see Nasutitermes indicola
- profestus
 Eutermes, see Nasutitermes
 Nasutitermes
- progrediens
 Microcerotermes brachygnathus, var., see Microcerotermes
 Microcerotermes
- projectus
 Eutermes, see Nasutitermes
 Nasutitermes
- propinquus
 Microcerotermes
 Mirotermes (Mirotermes), see Termes
 Termes
- proratus
 Speculitermes
- prorepens
 Eutermes, see Protermes
 Termes, see Protermes
- Protermes (Protermes), see Protermes
 Protermes
- provisorius
 Schedorhinotermes
- proximatus
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
- proximus
 Anoplotermes
 Odontotermes (Odontotermes)
 Eutermes arenarius, subsp., see Nasutitermes
 Termes (Eutermes) arenarius, see Nasutitermes
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
 Eutermes arenarius, subsp., var. B (Silvestri 1903, Brazil), see Nasutitermes coxipoensis
 Eutermes arenarius, subsp., var. A (Silvestri, 1903, Argentina), see Nasutitermes sanctae-anae
- psammophilus
 Microcerotermes
- pseudobrevis
 Cryptotermes, see Cryptotermes brevis
- pseudoduplex
 Mirotermes (Cubitermes), see Cubitermes bilobates (in part)
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
- pubescens
 Kalotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 Microtermes, see Microtermes unicolor
- pugnax
 Cornitermes (Cornitermes), see Cornitermes
 Cornitermes
- pulcher
 Hodotermes (Macrohodotermes) mossambicus, subsp., see Hodotermes mossambicus
 Hodotermes, see Hodotermes mossambicus

- ulleinei*
Eutermes (*Trinervitermes*), see *Tumulitermes*
Tumulitermes
- ulliceps*
Nasutitermes (*Convexitermes*), see *Nasutitermes banksi*
- ulsatorium*
Termes (*Psocid* ?), see not a termite
- umilus*
Hamitermes (*Ahamitermes*), see *Ahamitermes*
Ahamitermes
- unctatus* Giebel
Termes, see *Glyptotermes pusillus*, fossil
Eutermes, see *Glyptotermes pusillus*, fossil
- unctatus*
Anoplotermes
- injabensis*
Capritermes
- isilla*
Microtermes feae var., see *Microtermes pusillus*
Eutermes nigrita, subsp. *rectirostris*, var., see *Nasutitermes nigritus*, subsp. *rectirostris*, var.
Eutermes maculiventris, var., see *Nasutitermes santschii*
- isillus*
Termes (*Eutermes*), see *Glyptotermes* (fossil)
Termes, see *Glyptotermes* (fossil)
Calotermes, see *Glyptotermes* (fossil)
Calotermes (*Glyptotermes*), see *Glyptotermes* (fossil)
Glyptotermes, fossil
Termes (*Walker*), see *Reticulitermes lucifugus*
Microtermes
Eutermes (*Eutermes*), see *Bulbitermes neopusillus*
Nasutitermes (*N.*), see *Bulbitermes neopusillus*
- itidus*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- itorius*
Termes, see *Schedorhinotermes*
Rhinotermes, see *Schedorhinotermes*
- Rhinotermes* (*Schedorhinotermes*), see *Schedorhinotermes*
Schedorhinotermes
Rhinotermes, see *Schedorhinotermes lamanianus*
Rhinotermes, see *Schedorhinotermes lamanianus*, var. *australis*
Schedorhinotermes, see *Schedorhinotermes lamanianus*, var. *australis*
- pygmaeus*
Parrhinotermes
- pyricephalus*
Eutermes matangensis, subsp., see *Nasutitermes matangensis*, subsp.
- pyriformis*
Anoplotermes (*Anoplotermes*), see *Anoplotermes*
Anoplotermes
Eutermes, see *Nasutitermes triodiae*
- quadratus*
Mirotermes, see *Termes*
Termes
- quadriceps*
Amitermes, see *Synhamitermes*
Termes (*Eutermes*), see *Synhamitermes*
Hamitermes (*Synhamitermes*), see *Synhamitermes*
Synhamitermes
Hamitermes (*Holmgren*, 1911c), see *Synhamitermes ceylonicus*
Mirotermes (*Euchilotermes*), see *Euchilotermes*
Euchilotermes
- quadrifollis*
Termes (*Walker*), see *Neotermes perfectus*
Termes, see *Porotermes*
Hodotermes (*Porotermes*), see *Porotermes*
Porotermes
- queenslandicus*
Stolotermes
Parrhinotermes
Schedorhinotermes, see (misprint for) *Schedorhinotermes reticulatus*
Eutermes nigerrimus, var., see *Nasutitermes triodiae*

- queenslandis
 Calotermes (Cryptotermes), see Pro-
 cryptotermes
 Procryptotermes
 quietus
 Anoplotermes
 rabidus
 Termes (unidentified), see Trinervi-
 termes rubidus
 radcliffei
 Termopsis, see Archotermopsis wrough-
 toni
 radicum
 Termes, see Reticulitermes lucifugus
 raffrayi
 Coptotermes
 Termes (Coptotermes), see Coptotermes
 rainbowi
 Calotermes (Neotermes), see Neotermes
 Neotermes
 ramulosus
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
 randeckensis von Rosen
 Miotermes, fossil
 ransoneti
 Eutermes (Lacessititermes), see Laces-
 sititermes
 Lacessititermes
 rapae
 Kalotermes, see Procryptotermes
 Procryptotermes
 raphidioides
 Hemerobius, see Reticulitermes luci-
 fugus
 rapulum
 Eutermes, see Trinervitermes
 Termes (Eutermes), see Trinervitermes
 Eutermes (Trinervitermes), see Tri-
 nervitermes
 Trinervitermes
 raripilus
 Nasutitermes (Subulitermes), see Subu-
 littermes
 Subulitermes
 ravus
 Hamitermes (Hamitermes), see Ami-
 termes
 Amitermes
 recalvus
 Eutermes, see Tumulitermes
 Tumulitermes
 receptus
 Eutermes, see not classified
 Mirotermes (Cubitermes), see not classi-
 fied
 recessifrons
 Kalotermes (Calcaritermes), see Cal-
 caritermes
 Calcaritermes
 reconditus
 Anoplotermes, see Speculitermes
 Termes (Eutermes), see Speculitermes
 Anoplotermes (Speculitermes), see
 Speculitermes
 Speculitermes
 rectangularis
 Eutermes, see Cephalotermes
 Termes (Eutermes), see Cephalotermes
 Eutermes (Cylindrotermes), see
 Cephalotermes
 Cephalotermes
 rectangularoides
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 rectifrons
 Eutermes aquilinus, form, see Nasuti-
 termes aquilinus, form
 rectirostris
 Eutermes nigrita, subsp., see Nasuti-
 termes nigritus, subsp.
 redemanni
 Termes, see Odontotermes (O.)
 Odontotermes (Cyclotermes), see Odon-
 totermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
 redenianus
 Termes, see Microtermes
 Microtermes
 reducta
 Coptotermes truncatus, var., see Copto-
 termes reductus
 redundans
 Mirotermes (Promirotermes) holmgreni,
 var., see Promirotermes
 Promirotermes

- regularis
 Termes, see Nasutitermes
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
- rhobothensis
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
- reinhardtii Sörensen ms.
 Termes, see Constrictotermes cypher-
 gaster
- remotus Hill
 Coptotermes
- remotus Silvestri
 Coptotermes, see Coptotermes formo-
 sanus
- repandus
 Calotermes, see Kalotermes
 Kalotermes
- repentinus
 Calotermes (Cryptotermes), see Crypto-
 termes domesticus
- repugnans
 Microcerotermes
- resinatus von Rosen
 Calotermes (Calotermes), see Kalo-
 termes
 Kalotermes, fossil
 Mirotermes, see Termes, fossil
 Termes, fossil
- reticulatus
 Rhinotermes, see Schedorhinotermes
 Rhinotermes (Schedorhinotermes), see
 Schedorhinotermes
 Schedorhinotermes
- rufus
 Eutermes, see Nasutitermes
 Nasutitermes
- rufiventris Hagen, fossil
 Calotermes, see Kalotermes
 Kalotermes
- rhinoceros
 Eutermes, see Ceratotermes
 Cornitermes (Labiotermes), see Cerato-
 termes
 Labiotermes, see Ceratotermes
 Ceratotermes
- rodesiensis
 Termes (Allodotermes), see Allodon-
 termes
- Allodotermes
 Eutermes, see Trinervitermes
 Trinervitermes
- rograndensis
 Termes, see Termes saltans
- rippertii
 Termes, see Nasutitermes
 Termes (Eutermes), see Nasutitermes
 Nasutitermes
 Eutermes, var. (Silvestri, 1903), see
 Nasutitermes bivalens
 Eutermes (Silvestri, 1903), see Nasuti-
 termes brevioculatus
 Eutermes (Holmgren, 1906), see Nasu-
 titermes mojosensis
 Eutermes (Silvestri, 1934), see Nasuti-
 termes not identified to species
- roboratus
 Nasutitermes
- robustior
 Rhinotermes (Schedorhinotermes) di-
 morphus, subsp., see Schedorhino-
 termes dimorphus, subsp.
 Schedorhinotermes dimorphus, subsp.
- robustus
 Calotermes (Sjöstedt), see Neotermes
 camerunensis
 Calotermes Froggatt, see Neotermes in-
 sularis (Walker)
 Coptotermes, see Coptotermes curvig-
 nathus
 Mirotermes (Spinitermes), see Spini-
 termes
 Spinitermes
 Odontotermes (Odontotermes) (John),
 see Odontotermes (O.) praevalens
 Odontotermes (Odontotermes)
 Termes, see Odontotermes (O.)
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
- robustus von Rosen
 Leucotermes (Reticulitermes), see Para-
 stylotermes, fossil
 Reticulitermes, see Parastylotermes,
 fossil
 Leucotermes, see Parastylotermes, fossil
 Parastylotermes, fossil
- rosae
 Eutermes, see Bulbitermes
 Bulbitermes

- roseni Martynov
Permotermopsis, see fossil not a termite
- roseni
Eutermes (Trinervitermes), see Trinervitermes
Trinervitermes
- rospigliosi
Kalotermes (Cryptotermes), see Cryptotermes
Cryptotermes
- rostratus
Termes
Termes (Eutermes), see Termes
Mirotermes (Mirotermes), see Termes
- rothi
Capritermes nemorosus, form, see Capritermes nemorosus
- rothschildianus
Termes, see Odontotermes (O.)
Odontotermes, see Odontotermes (O.)
Odontotermes (O.)
- rottensis Statz
Ulmeriella, fossil
- rotundatus
Anoplotermes
Mirotermes, see Promirotermes rotundifrons
Eutermes (Eutermes), see Nasutitermes
Nasutitermes
- rotundiceps
Eutermes, see Rotunditermes
Eutermes (Rotunditermes), see Rotunditermes
Rotunditermes
- rotundifrons
Mirotermes, see Promirotermes
Promirotermes
- rotundus
Anoplotermes
Nasutitermes (N.), see Nasutitermes
Nasutitermes
- rouxi
Calotermes (Neotermes), see Neotermes
Neotermes
- rubidus
Termes, see Trinervitermes
Eutermes (Trinervitermes), see Trinervitermes
Trinervitermes
- rubriceps
Termes, see Drepanotermes
Termes (Eutermes), see Drepanotermes
Hamitermes (Drepanotermes), see Drepanotermes
Drepanotermes
Microcerotermes zuluensis, form
- ruficeps
Stolotermes
Eutermes (Trinervitermes), see Trinervitermes
Trinervitermes
- rufinotum
Calotermes, see Kalotermes
Calotermes (Glyptotermes), see Kalotermes
Kalotermes
- rufirostris
Eutermes, see Nasutitermes
Nasutitermes
- rufonasalis
Eutermes, see Trinervitermes
Eutermes (Eutermes), see Trinervitermes
Trinervitermes
- rufus
Termes, see Hospitalitermes
Eutermes (Hospitalitermes), see Hospitalitermes
Hospitalitermes
- rugifer
Prorhinotermes
- rugosus
Calotermes, see Rugitermes
Calotermes (Rugitermes), see Rugitermes
Rugitermes
- runconifer
Hamitermes, see Amitermes
Hamitermes (Hamitermes), see Amitermes
Amitermes
- rutoti Meunier
Termes, fossil of doubtful position
- salakensis
Eutermes, see Bulbitermes
Bulbitermes
- salebrifrons
Termes, see Odontotermes (O.)

- Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
- salebrithorax*
Eutermes, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- saleierensis*
Neotermes
Eutermes, see *Nasutitermes*
Nasutitermes
- saliens*
Termes, see *Neocapritermes opacus*
- saltans*
Mirotermes, see *Termes*
Capritermes, see *Termes*
Termes (*Eutermes*), see *Termes*
Mirotermes (*Mirotermes*), see *Termes*
Termes
Termes (Dudley and Beaumont), see not classified
- samoanus*
Calotermes, see *Neotermes*
Calotermes (*Neotermes*), see *Neotermes*
Calotermes (*Cryptotermes*), see *Neotermes*
Neotermes
- sanchezi*
Eutermes (*Eutermes*), see *Nasutitermes costalis*
Nasutitermes (*Nasutitermes*), see *Nasutitermes costalis*
- sanctae-anae*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- sanctae-crucis*
Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
Rhinotermes (*Schedorhinotermes*), see *Schedorhinotermes*
Schedorhinotermes
Nasutitermes (*Subulitermes*), see *Nasutitermes*
Nasutitermes
- sanctae-luciae*
Microcerotermes
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
Eutermes, see *Nasutitermes costalis*
- Nasutitermes* (*Nasutitermes*), see *Nasutitermes costalis*
- sanctus*
Anoplotermes
- sandakanensis*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
- sankurensis*
Mirotermes (*Cubitermes*), see *Cubitermes*
Eutermes, see *Cubitermes*
Cubitermes
- sansibarita*
Termes bellicosus, subsp., see *Macrotermes bellicosus*
- santschi*
Hamitermes, see *Amitermes*
Amitermes
- santschii*
Capritermes
Nasutitermes (*Nasutitermes*), see *Nasutitermes*
Nasutitermes
- saraiensis*
Eutermes (*Hospitalitermes*), see *Hospitalitermes luzonensis*
- sarasini*
Calotermes (*Neotermes*), see *Neotermes*
Neotermes
- sarawakensis*
Rhinotermes (*Schedorhinotermes*), see *Schedorhinotermes*
Schedorhinotermes
Rhinotermes (*Schedorhinotermes*), see *Schedorhinotermes malaccensis*
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (*Odontotermes*)
Termes (Haviland), see *Bulbitermes*
Eutermes (*Eutermes*), see *Bulbitermes*
Bulbitermes
- satsumensis*
Termes, see *Glyptotermes*
Calotermes (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
- schereri*
Mirotermes (*Cubitermes*) (soldier), see *Cubitermes*
Cubitermes

- Mirotermes (Cubitermes) (imago), see
 Pericapritermes silvestrianus
 Pericapritermes, see Pericapritermes
 silvestrianus
- schmidti
 Mirotermes (Cubitermes), see Cubi-
 termes
 Cubitermes
 Hospitalitermes
- schmitzi
 Termes (Termes), see Odontotermes
 (O.)
 Odontotermes (O.)
- schoombiensis
 Hamitermes, see Amitermes
 Amitermes
- schoutedeni
 Macrotermes
 Tumulitermes, see Macrotermes
 Hepilatermes, see Macrotermes
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
- schubotzianus
 Eutermes, see Trinervitermes
 Eutermes (Trinervitermes), see Trinervitermes
 Trinervitermes
- schultzei
 Calotermes (Neotermes), see Neotermes
 Neotermes
 Capritermes
 Termes, see Allodotermes
 Termes (Allodotermes), see Allodon-
 termes
 Protermes (Allodotermes), see Allodon-
 termes
 Allodotermes
- schwarzi
 Kalotermes
 Kalotermes (Kalotermes), see Kalo-
 termes
 Anoplotermes
 Anoplotermes (Anoplotermes), see An-
 oplotermes
- sciangallorum
 Amitermes
- scopulus
 Hamitermes, see Amitermes
 Amitermes
- scotti
 Calotermes (Glyptotermes), see Glypto-
 termes
 Glyptotermes
- scrutator
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
- scudderii Cockerell
 Parotermes, see Zootermopsis colora-
 densis, fossil
- secernens
 Eutermes, see Microcerotermes
 Microcerotermes
- seclusus
 Rhinotermes intermedius, see Schedo-
 rhinotermes intermedius seclusus
 Rhinotermes (Schedorhinotermes) inter-
 medius, see Schedorhinotermes in-
 termedius seclusus
 Schedorhinotermes intermedius subsp.
- secundus
 Calotermes (Cryptotermes), see Crypto-
 termes dudleyi
- sedatus
 Anoplotermes
- sedulus
 Coptotermes, see Coptotermes lacteus
- seeverisi
 Kalotermes
- segelli
 Eutermes, see Trinervitermes
 Eutermes (Trinervitermes), see Tri-
 nervitermes
 Trinervitermes
- semarangi
 Capritermes
 Capritermes (Capritermes), see Capri-
 termes
- semilunaris
 Calotermes (Neotermes), see Neotermes
 Neotermes
- seminotus
 Eutermes, see Amitermes
 Hamitermes, see Amitermes
 Amitermes
- senegalensis
 Cryptotermes lamanianus, subsp. see
 Cryptotermes havilandi
 Psammotermes

septentrionalis

Hodotermes vagans, subsp., see Anacanthotermes vagans, subsp.

Hodotermes (Anacanthotermes) vagans, subsp., see Anacanthotermes vagans, subsp.

Anacanthotermes vagans, subsp.

Drepanotermes, see Drepanotermes rubriceps

Microcerotermes

Mirotermes, see Termes

Termes

sepulvillus

Kalotermes (Neotermes), see Neotermes Neotermes

serratus

Termes, see Microcerotermes

Termes (Eutermes), see Microcerotermes

Microcerotermes

Termes (Haviland), see Microcerotermes serrula

serrifer

Calotermes, see Serritermes

Termes, see Serritermes

Serritermes

serrula

Termes (Eutermes), see Microcerotermes Microcerotermes

serrulatus

Macrotermes (Macrotermes), see Macrotermes

Macrotermes

setiger

Termes, see Procapritermes

Termes (Eutermes), see Procapritermes

Procapritermes

severus

Cubitermes

sharpi

Eutermes (Hospitalitermes) umbrinus, form, see Hospitalitermes umbrinus, form

shibericus Martynov

Diatermes, fossil

shibitiensis

Cubitermes, see Cubitermes sankurensis

shikorae

Eutermes, see Microcerotermes shikorae

Termes, see Microcerotermes shikorae

Microcerotermes, see Microcerotermes shikorae

Eutermes (Microcerotermes), see Microcerotermes shikorae

sierraleonicus

Eutermes, see Cubitermes

Mirotermes (Cubitermes), see Cubitermes

Cubitermes

shikorae

Eutermes, see Microcerotermes

Termes, see Microcerotermes

Microcerotermes

silvaticus

Pseudocapritermes

silvestrianus

Amitermes

Microcerotermes

Capritermes (Pericapritermes), see Pericapritermes

Pericapritermes

silvestrii

Hodotermes, see Microhodotermes viator

Anoplotermes (Anoplotermes), see Speculitermes

Speculitermes

Drepanotermes, see Drepanotermes rubriceps

Cubitermes

Odontotermes, see Odontotermes (O.)

Termes, see Odontotermes (O.)

Odontotermes (O.)

Syntermes

Cornitermes

Eutermes (Eutermes), see Nasutitermes

Nasutitermes

Armitermes

simalurensis

Odontotermes, see Odontotermes (O.)

Odontotermes (O.)

simaluris

Nasutitermes

similis

Termes, see Cornitermes

Cornitermes (Cornitermes), see Cornitermes

Cornitermes

Nasutitermes

simplex

- Termes, see *Prorhinotermes*
- Rhinotermes, see *Prorhinotermes*
- Arrhinotermes, see *Prorhinotermes*
- Prorhinotermes
- Mirotermes (*Cubitermes*), see *Lepidotermes*
- Lepidotermes

simplicicornis

- Kalotermes, see *Paraneotermes*
- Kalotermes (*Kalotermes*), see *Paraneotermes*
- Kalotermes (*Neotermes*), see *Paraneotermes*
- Paraneotermes

simplicidens

- Termes, see *Odontotermes* (O.)
- Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
- Odontotermes (O.)

simplicinervis

- Termes, see *Cavitermes*
- Termes (*Eutermes*), see *Cavitermes*
- Cavitermes

simulans

- Nasutitermes (N.), see *Nasutitermes*
- Nasutitermes

sinabangensis

- Coptotermes
- Odontotermes, see *Odontotermes* (O.)
- Odontotermes (O.)
- Hirtitermes

sinaicus

- Kalotermes

sindensis

- Termes, see *Microtermes*
- Microtermes

sinensis

- Kalotermes, see *Neotermes*
- Neotermes
- Odontotermes, see *Odontotermes* (O.)
- formosanus

singaporensis

- Macrotermes

singaporiensis

- Termes, see *Bulbitermes*
- Eutermes, see *Bulbitermes*
- Eutermes (*Eutermes*), see *Bulbitermes*
- Bulbitermes

sinuosa

- Procubitermes curvatus*, var., see *Noditermes sinuosus*

sinuosus

- Noditermes

sjöstedti

- Calotermes, see *Neotermes*
- Calotermes (*Neotermes*), see *Neotermes*

Neotermes

Hodotermopsis

Coptotermes

Mirotermes (*Cubitermes*), see *Procubitermes*Eutermes (*Cubitermes*), see *Procubitermes*

Procubitermes

Termes (*Termes*), see *Odontotermes* (O.)

Odontotermes (O.)

Microtermes

Eutermes, see *Nasutitermes latifrons*

smeathmani

Calotermes, see *Kalotermes* not identified to speciesTermes, see *Odontotermes* (O.)

Odontotermes (O.)

smithi

Eutermes, see *Nasutitermes*

Nasutitermes

snyderi

Kalotermes

Amitermes

Termes (*Termes*), see *Odontotermes* (O.)

Odontotermes (O.)

Syntermes

Cornitermes

Nasutitermes (*Subulitermes*), see *Subulitermes*

Subulitermes

socialis

Eutermes (*Sjöstedt*, soldier), see *Pericapritermes*Termes (*Eutermes*) (*Desneux*), see *Pericapritermes*Eutermes (*Capritermes*), see *Pericapritermes*Capritermes (*Capritermes*), see *Pericapritermes*Anoplotermes, see *Pericapritermes*

Pericapritermes

- solida*, see *solidus*
Microcerotermes
solidus
Calotermes, see *Cryptotermes*
Calotermes (Cryptotermes), see *Cryptotermes*
Cryptotermes
Microcerotermes parvus, var., see *Microcerotermes*
Microcerotermes zuluensis, var., see *Microcerotermes*
Microcerotermes
Syntermes
solomonensis
Coptotermes, see *Coptotermes grandiceps*
Prorhinotermes, see *Prorhinotermes inopinatus*
Rhinotermes (Schedorhinotermes), see *Schedorhinotermes*
Schedorhinotermes
somaliensis
Amitermes
Termes, see *Odontotermes (O.)*
Odontotermes (O.)
Microtermes
Eutermes, see *Trinervitermes*
Eutermes (Trinervitermes), see *Trinervitermes*
Trinervitermes
sonneratiæ
Neotermes
sphaie Statz
Calotermes, see *Ulmeriella bauckhorni*, fossil
stridus
Termes, see *Lacessititermes*
Eutermes (Lacessititermes), see *Lacessititermes*
Lacessititermes
swahana
Mirotermes (Cubitermes) truncatoides, var., see *Cubitermes truncatoides*, var.
Cubitermes truncatoides, var.
strex
Mimeutermes
swerbyi
Capritermes, see *Procapritermes*
Procapritermes
spadix
Amitermes, see *Amitermes wheeleri*
species, new, not described
Schedorhinotermes
Anoplotermes
Nasutitermes
species (living), not identified
Calotermes (Cryptotermes), see *Cryptotermes*
Cryptotermes
Glyptotermes
Termopsis, see *Zootermopsis*
Zootermopsis
Coptotermes
Schedorhinotermes
Anoplotermes
Anoplotermes (Speculitermes), see *Speculitermes*
Speculitermes
Hamitermes (Hamitermes), see *Amitermes*
Amitermes
Hoplognathotermes
Cubitermes
Mirotermes (Basidentitermes)
Microtermes
Syntermes
Eutermes, see *Nasutitermes*
Nasutitermes
Trinervitermes
Subulitermes
species (living), not classified
Calotermes
Calotermes (Cryptotermes)
Eutermes
species (fossil), not identified
Mastotermitid
Calotermes
Hodotermes, see *Ulmeriella*
Ulmeriella
Schedorhinotermes
Microcerotermes
Mirotermes, see *Termes*
Termes
Macrotermes
Odontotermes
Trinervitermes
species (fossil), of doubtful position (not classified)
Termes
Eutermes

species (fossil), not termites

Clathrotermes, see *Elcana* (Orthoptera)

speciosus

Cubitermes

Termes, see *Capritermes*

Capritermes

Termes, see *Macrotermes nobilis*

Macrotermes, see *Macrotermes nobilis*

spectabilis Heer

Termopsis, see *Miotermes*

Termes, see *Miotermes*

Hodotermes, see *Miotermes*

Miotermes, fossil

speiseri

Calotermes (*Procryptotermes*), see *Pro-*
cryptotermes

Procryptotermes

speratus

Termes, see *Reticulitermes*

Leucotermes, see *Reticulitermes*

Reticulitermes

sphaerotherax

Eutermes, see *Sphaerothermes*

Termes (*Sphaerothermes*), see *Sphaero-*
termes

Sphaerothermes

spinicolle

Termes, see *Syntermes dirus*

spinifer

Hamitermes, see *Amitermes*

Amitermes

spiniger

Termes (*Acanthotermes*), see *Pseuda-*
canthotermes

Acanthotermes (*Pseudacanthotermes*),
see *Pseudacanthotermes*

Pseudacanthotermes

spinocephalus

Eutermes (*Hirtitermes*), see *Hirtitermes*

Hirtitermes

spinosum

Termes, see *Syntermes dirus*

spinosus

Termes, see *Syntermes dirus*

splendens

Mirotermes, see *Termes*

Termes

splendidus

Grallatotermes

spoliator

Calotermes, see *Kalotermes*

Kalotermes

stanleyvillensis

Termes (*Termes*), see *Odontotermes*
(O.)

Odontotermes (O.)

stercorivorus

Termes, see *Odontotermes* (O.)

Odontotermes (O.)

strelnicovi

Eutermes, see *Nasutitermes*

Nasutitermes

strenuus

Termes, see not classified

Termes (*Eutermes*), see not classified

Constrictotermes, see not classified

STRIATUS

Termes, see *Procornitermes*

Cornitermes, see *Procornitermes*

Cornitermes (C.), see *Procornitermes*

Procornitermes

strunckii

Termes, see *Microcerotermes*

Termes (*Eutermes*), see *Microcerotermes*

Microcerotermes

subaquilus

Eutermes, see *Tumulitermes*

Tumulitermes

subarquatus

Cubitermes

subcrenulatus

Mirotermes (*Cubitermes*), see *Cubi-*
termes

Cubitermes

SUBFUSCICEPS

Rhinotermes (*Rhinotermes*), see *Aco-*
rhinotermes

Acorhinotermes

subfuscus

Hamitermes, see not classified

subhyalinus

Termes (Walker), see *Cubitermes*
fungifaber

Termes, see *Macrotermes bellicosus*

Microtermes

subintacta

Coptotermes intermedius, var., see *Cop-*
totermes sjöstedti, var.

Coptotermes sjöstedti, var.

- submissus**
 Hoplognathotermes
- subterraneus**
 Anoplotermes (Anoplotermes), see Anoplotermes
 Anoplotermes
 Hoplognathotermes
- subtilis**
 Termes, see Microcerotermes
 Eutermes, see Microcerotermes
 Termes (Eutermes), see Microcerotermes
 Microcerotermes
- subulatus**
 Eutermes (Eutermes), see Bulbitermes
 Bulbitermes
- sudanensis**
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 Ancistrotermes, see Microtermes aluco
 Microtermes, see Microtermes aluco
- sudanicus**
 Eutermes, see Trinervitermes
 Termes (Eutermes), see Trinervitermes
 Trinervitermes
- suffuscus**
 Nasutitermes (Coarctotermes), see Coarctotermes
 Coarctotermes
- sulcatus**
 Capritermes (Capritermes), see Capritermes nitobei
 Capritermes, see Capritermes nitobei
- sulciceps**
 Nasutitermes (Trinervitermes) bettonianus, subsp., see Trinervitermes bettonianus, subsp.
 Trinervitermes bettonianus, subsp.
- ulcifrons**
 Cubitermes
 Mirotermes (Cubitermes), see Cubitermes
 Eutermes (Cubitermes), see Cubitermes
- ulphureus**
 Termes, see Globitermes
 Termes (Eutermes), see Globitermes
 Hamitermes (Globitermes), see Globitermes
 Globitermes
- sumatrense**
 Termes, see Odontotermes (O.) taprobanes
- sumatrensis**
 Cryptotermes
 Capritermes
 Odontotermes (Hypotermes)
- sundaicus**
 Odontotermes (O.)
- sunteri**
 Mirotermes, see Termes
 Termes
- supera**
 Mirotermes (Basidentitermes) bivalens, var., see Basidentitermes mactus, var.
- superans**
 Neotermes
- superior**
 Hoplognathotermes subterraneus, var.
- surinamensis**
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
- suspensus**
 Eutermes, see Trinervitermes
 Eutermes (Trinervitermes), see Trinervitermes
 Trinervitermes
- suturis**
 Kalotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
- swaziae**
 Termes, see Macrotermes
 Macrotermes
 Amplitermes, see Macrotermes
 Bellicositermes, see Macrotermes
- swinhoei** Cockerell, fossil
 Termopsis, see fossil of doubtful position
- tabogae**
 Kalotermes
- takasagoensis**
 Eutermes, see Nasutitermes
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
- talpa**
 Capritermes (Neocapritermes), see Neocapritermes
 Neocapritermes

- tambopatensis
Eutermes (Eutermes), see Nasutitermes peruanus
- tamminensis
Hamitermes (Drepanotermes), see Drepanotermes rubriceps
- tanganicus
Odontotermes, see Odontotermes (O.)
Termes, see Odontotermes (O.)
Odontotermes (O.)
- taprobanes
Termes, see Odontotermes (O.)
Odontotermes (Odontotermes)
Termes (Hagen), see Macrotermes gilvus
- tarakanensis
Schedorhinotermes
- tarakensis
Schedorhinotermes, see Schedorhinotermes tarakanensis
- tatarendae
Eutermes (Eutermes), see Nasutitermes Nasutitermes
- taurocephalus
Calotermes, see Procryptotermes
Calotermes (Procryptotermes), see Procryptotermes
Procryptotermes
- taurus
Rhinotermes, see Rhinotermes nasutus
- taveuniensis
Calotermes (Glyptotermes ?), see Glyptotermes
Glyptotermes
- taylori
Kalotermes
Microcerotermes, see Microcerotermes serratus
Mirotermes, see Termes
Mirotermes (Mirotermes), see Termes
Capritermes, see Termes
Termes
Nasutitermes
- tchadensis
Eutermes, see Trinervitermes
Eutermes (Trinervitermes), see Trinervitermes
Trinervitermes
- tectonae
Calotermes, see Neotermes
- Calotermes (Neotermes), see Neotermes
Neotermes
- tectus Kemner ms.
Cryptotermes, see Cryptotermes not identified to species
- teevani
Armitermes (Armitermes), see Armitermes
Armitermes
- temnocephalus
Calotermes, see Calcaritermes
Calotermes (Procryptotermes), see Calcaritermes
Calcaritermes
- tenax
Protermes (Allodotermes), see Allodotermes
Allodotermes
- tenebricus
Eutermes, see Coarctotermes
Eutermes (Coarctotermes), see Coarctotermes
Coarctotermes
- tenebrosus
Rhinotermes (Rhinotermes), see Dolichorhinotermes
Dolichorhinotermes
Termes, see Anoplotermes
Eutermes, see Anoplotermes
Termes (Eutermes), see Anoplotermes
Anoplotermes
Anoplotermes (Silvestri), see Anoplotermes hageni
Nasutitermes
- tensus
Mirotermes (Euchilotermes), see Euchilotermes
Euchilotermes
- tenuiceps
Eutermes (Cubitermes), see Cubitermes
Cubitermes
- tenuignathus
Eutermes, see Microcerotermes
Microcerotermes
- tenuior
Leucotermes, see Heterotermes
Heterotermes
- tenuirostris
Termes, see Tenuirostritermes

- Termes (Eutermes), see *Tenuirostri-
termes*
 Eutermes (Constrictotermes), see *Tenu-
uirostritermes*
 Eutermes (Tenuirostritermes), see *Tenu-
uirostritermes*
 Constrictotermes, see *Tenuirostritermes*
 Nasutitermes (Tenuirostritermes), see
Tenuirostritermes
Tenuirostritermes
 tenuis
 Termes, see *Heterotermes*
Leucotermes, see *Heterotermes*
Heterotermes
Microtermes
 terrestris
 Termes (Eutermes), see *Trinervitermes*
terricola
 terricola
 Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
 Termes (Termes), see *Odontotermes*
 (O.)
 Eutermes, see *Trinervitermes*
 Eutermes (*Trinervitermes*), see *Triner-
vitermes*
Trinervitermes
 territus
Syntermes
 testaceus
Hemerobius, see *Coptotermes*
 Termes, see *Coptotermes*
 Termes (Eutermes), see *Coptotermes*
Coptotermes
 Termes (Walker), see *Nasutitermes*
arenarius
 Termes, see not classified
 tetraphilus
Capritermes
 texanus
Kalotermes, see *Kalotermes banksi*
 theobromae
 Termes, see *Microcerotermes*
Microcerotermes parvus, subsp., see
Microcerotermes
Microcerotermes
 thymarum
Trinervitermes
Microcerotermes
thompsonae
Kalotermes (*Cryptotermes*), see *Crypto-
termes dudleyi*
Kalotermes (*Calcaritermes*), see *Cal-
caritermes fairchildi*
Nasutitermes (*Subulitermes*), see *Subu-
litermes*
Subulitermes
 thomsoni
Hodotermes, see *Microhodotermes viator*
Trinervitermes gemellus, subsp.
 thoracalis
Microtermes
 tibialis
Reticulitermes
 tibiaoensis
Termitogetonella (imago, see *Prorhino-
termes*; soldier, see *Odontotermes*
 (O.) *dives*)
Prorhinotermes
 tillyardi
Calotermes ?, see *Kalotermes*
Kalotermes
 timoriensis
 Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes
 tipuanicus
 Eutermes, see *Nasutitermes*
Nasutitermes
 togoensis
 Eutermes, see *Trinervitermes*
 Eutermes (Eutermes), see *Trinervi-
termes*
Trinervitermes
 tonga
Macrotermes bellicosus, form
 tornquisti von Rosen
Archotermopsis, fossil
 torquatus
Nasutitermes
 torresi
Calotermes (*Cryptotermes*), see *Crypto-
termes dudleyi*
 Eutermes, see *Nasutitermes*
Nasutitermes
 tortuosus
Capritermes, see *Pericapritermes chia-
sognathus*
 toumodiensis
Microtermes

- toussainti
 Constrictotermes, see *Velocitermes*
Velocitermes
- trälgårdhi
Apicotermes
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
 badius
Odontotermes (O.)
Termes, see *Microtermes*
Microtermes
- tranquillus
Anoplotermes
- transiens
Eutermes fuscotibialis, subsp. *libericus*,
 var., see *Microcerotermes edentatus*
Microcerotermes libericus, var., see
 Microcerotermes edentatus
Microcerotermes edentatus, var., see
 Microcerotermes edentatus
- translucens
Termes, see *Schedorhinotermes*
Rhinotermes (*Schedorhinotermes*), see
 Schedorhinotermes
Schedorhinotermes
Rhinotermes (*Schedorhinotermes*), see
 Schedorhinotermes dimorphus,
 holmgreni, *javanicus*, *makassaren-*
 sis, and *medioobscurus*
- transsylvanica Pongrácz
Termopsis, fossil
- transvaalensis
Hodotermes, see *Hodotermes mossambi-*
 cus
Macrohodotermes, see *Hodotermes mos-*
 sambicus
Mirotermes (*Cubitermes*), see *Cubi-*
 termes
Cubitermes
Amplitermes natalensis, form, see
 Macrotermes natalensis, form
Macrotermes natalensis, form
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
- travians
Termes, see *Coptotermes*
Coptotermes
Coptotermes (*Bugnion* and *Popoff*), see
 Coptotermes ceylonicus
- tredecimarticulatus, or 13-articulatus
Eutermes (*Eutermes*) 13-articulatus,
 see *Nasutitermes*
Nasutitermes
- TRIACIFER
Termes, see *Triacitermes*
Cornitermes (*Cornitermes*), see *Triaci-*
 termes
Triacitermes
- tribulis
Eutermes (*soldier*, see *Tumulitermes*
 pastinator; *queen*, see not classified)
- triceromegas
Calotermes, see *Procryptotermes*
Calotermes (*Procryptotermes*), see *Pro-*
 cryptotermes
Procryptotermes
- trilineatus
Calotermes (*Glyptotermes*), see *Glypto-*
 termes brevicornis
- trilobata
Synacanthotermes heterodon, form
- trinerviformis
Eutermes (*Trinervitermes*), see *Triner-*
 vitermes
Trinervitermes
- trinervius
Termes, see *Trinervitermes*
Termes (*Eutermes*), see *Trinervitermes*
Eutermes (*Trinervitermes*), see *Triner-*
 vitermes
Trinervitermes
Termes (*Hagen*), see *Termes nigricans*,
 not classified
- trinervoides
Eutermes, see *Trinervitermes*
Eutermes (*Trinervitermes*), see *Triner-*
 vitermes
Trinervitermes
- triodiae
Eutermes, see *Nasutitermes*
Nasutitermes
- tripolitanus
Eutermes, see not classified
Trinervitermes, see not classified
- trispinosus
Termes, see *Spinitermes*
Termes (*Spinitermes*), see *Spinitermes*
Spinitermes
Termes (*Eutermes*), see *Spinitermes*

- Mirotermes (Spinitermes), see Spinitermes
 tristis Cockerell
 Hodotermes, fossil, see uncertain position
 troglodytes Heer
 Termes, fossil, not a termite
 truncatoides
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
 truncatus
 Termes (Coptotermes), see Coptotermes
 Eutermes, see Coptotermes
 Coptotermes
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
 Angulitermes
 tshadensis
 Eutermes (Trinervitermes) (Holmgren, 1912, p. 65), see Trinervitermes tshadensis
 tuberculatus
 Kalotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 Jugositermes
 tuberculifrons
 Kalotermes, see Kalotermes marginipennis
 tuberosus
 Mirotermes (Cavitermes), see Cavitermes
 Cavitermes
 tubicola
 Termes, see Odontotermes (O.) transvaalensis
 tubiformans
 Termes, see Gnathamitermes
 Termes (Eutermes), see Gnathamitermes
 Hamitermes (Hamitermes), see Gnathamitermes
 Amitermes (Gnathamitermes), see Gnathamitermes
 Gnathamitermes
 tubifrons
 Foraminitermes
 tubuliferus
 Eutermes, see Proboscitermes
 Mirotermes (Basidentitermes), see Proboscitermes
 Proboscitermes
 tuichensis
 Eutermes (Eutermes)(?), see Nasutitermes chaquimayensis
 Eutermes rippertii, var., see not classified
 tulagiensis
 Nasutitermes (Subulitermes) orientis, var., see Nasutitermes orientis, var.
 Nasutitermes orientis, var.
 tumiceps
 Reticulitermes, see Reticulitermes tibialis
 tumuli
 Eutermes (Froggatt) winged, see Termes kalgoorliensis
 Eutermes, see Tumulitermes
 Termes (Eutermes), see Tumulitermes
 Eutermes (Tumulitermes), see Tumulitermes
 Tumulitermes
 tumulicola
 Termes, see Macrotermes natalensis
 tumulus
 Eutermes, see Tumulitermes
 tunisiensis
 Anacanthotermes, see Anacanthotermes ochraceus
 turkestanicus
 Hodotermes, see Anacanthotermes
 Hodotermes (Anacanthotermes), see Anacanthotermes
 Anacanthotermes
 turneri
 Termes, see Microcerotermes
 Termes (Eutermes), see Microcerotermes
 Microcerotermes
 Termes (Hill), see Microcerotermes serratus
 turricola
 Termes (Eutermes), see Anoplotermes
 Anoplotermes (Anoplotermes), see Anoplotermes
 Anoplotermes
 tyriei
 Eutermes, see Tumulitermes pastinator
 ubachi
 Hodotermes, see Anacanthotermes
 Anacanthotermes

- ueleensis
 Procubitermes
 Nasutitermes
 ugandaensis
 Ophioterme
 ugandanicus
 Odontotermes, see Odontotermes (O.)
 kibarensis
 ugandensis
 Cubitermes
 ukuzii
 Macrotermes, see Macrotermes belli-
 cosus, form
 Macrotermes bellicosus, form
 Amplitermes, see Macrotermes belli-
 cosus, form
 Bellicositermes, see Macrotermes belli-
 cosus, form
 umbilicatus
 Termes, see Termitogeton
 Termitogeton
 umbraticus
 Rhinotermes, see Schedorhinotermes
 Rhinotermes (Schedorhinotermes), see
 Schedorhinotermes
 Schedorhinotermes
 umbrinus
 Termes, see Hospitalitermes
 Eutermes (Hospitalitermes), see Hospi-
 talitermes
 Hospitalitermes
 Eutermes (Wasmann, 1902b), see Hospi-
 talitermes umbrinus, form sharpi
 umbratarsus
 Microcerotermes, see Microcerotermes
 biroi
 umfolozii
 Microtermes
 umzinduzii
 Trinervitermes
 undecimus
 Subulitermes
 undulans
 Procubitermes
 Mirotermes (Procubitermes), see Pro-
 cubitermes
 undulatus
 Mirotermes (Cubitermes), see Cubi-
 termes
 Cubitermes
- unica
 Microcerotermes celebensis, var.
 unicolor
 Microtermes
 unidentatus
 Calotermes (Neotermes) militaris, var.,
 see Neotermes militaris, var.
 Neotermes militaris, var.
 Termes, see Amitermes
 Hamitermes (Hamitermes), see Ami-
 termes
 Amitermes
 uniformis
 Nasutitermes (Velocitermes), see Diver-
 sitermes
 Diversitermes
 unsgaardi
 Pseudacanthotermes, see Pseudacantho-
 termes spiniger
 urgens
 Pericapritermes
 Capritermes (Pericapritermes), see Peri-
 capritermes
 uruguayensis
 Termes, see Termes saltans
 usambarensis
 Eutermes, see Nasutitermes
 Termes (Eutermes), see Nasutitermes
 Nasutitermes
 usambaricus
 Microtermes
 usutu
 Macrotermes
 Amplitermes, see Macrotermes
 Bellicositermes, see Macrotermes
 vadaensis
 Globitermes
 vadschaggae
 Termes, see Microtermes
 Microtermes
 vagans
 Hodotermes, see Anacanthotermes
 Hodotermes (Anacanthotermes), see
 Anacanthotermes
 Anacanthotermes
 vagus
 Leucotermes, see Heterotermes
 Heterotermes

- alens
 Ceratotermes
 Labiotermes, see Ceratotermes
- alidior
 Microcerotermes fuscotibialis, subsp.
- alidus
 Heterotermes, see Heterotermes paradoxus, subsp.
 Heterotermes paradoxus, subsp.
- arius
 Kalotermes minor, form
- astator
 Coptotermes
- elox
 Eutermes, see Diversitermes
 Eutermes (Constrictotermes), see Diversitermes
 Eutermes (Velocitermes), see Diversitermes
 Nasutitermes (Diversitermes), see Diversitermes
 Diversitermes
- enezolanus
 Calotermes (Cryptotermes), see Cryptotermes not identified to species
- enustus
 Leucotermes, see Heterotermes paradoxus, subsp.
 Heterotermes paradoxus, subsp.
- ernoni
 Eutermes, see Nasutitermes magnus
- errucosus
 Calotermes, see Glyptotermes
 Calotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
- erruculosus
 Kalotermes (Cryptotermes), see Cryptotermes
 Cryptotermes
 Mirotermes (Crepititermes), see Crepititermes
 Crepititermes
- etustus Pongrácz
 Mastotermes, fossil
- arum
 Termes (Koenig), see Anacanthotermes
 Hodotermes (Hagen), see Anacanthotermes
 Termes (Smeathman), see not classified
 Hodotermes (Sjöstedt), see not classified
- viator
 Termes (Latr.), see Microhodotermes
 Hodotermes, see Microhodotermes
 Hodotermes (Microhodotermes), see Microhodotermes
 Microhodotermes
 Hodotermes (Silvestri), see Microhodotermes maroccanus
 Termes (Walker, nec Latreille), see Hodotermes mossambicus
 Termes viator (Walker), imago, see Pseudacanthotermes militaris
 Termes, see Macrotermes bellicosus
- vicinus
 Eutermes, see Bulbitermes
 Bulbitermes
- victoriensis
 Stolotermes
 Hamitermes wilsoni, var., see Amitermes neogermanus
 Hamitermes perplexus, var., see Amitermes neogermanus
- vilis
 Termes, see Amitermes
 Termes (Leucotermes), see Amitermes
 Leucotermes, see Amitermes
 Amitermes
- villifrons
 Eutermes, see Trichotermes
 Mirotermes (Cubitermes), see Trichotermes
 Trichotermes
- villosus
 Capritermes opacus, subsp., see Neocapritermes
 Neocapritermes
- virginicus
 Termes, see Reticulitermes
 Leucotermes, see Reticulitermes
 Reticulitermes
- vitiosus
 Hamitermes, see Amitermes
 Amitermes
- vitrialatus
 Termes, see Macrotermes
 Termes (Macrotermes), see Macrotermes
 Macrotermes
- voeltzkowi
 Calotermes, see Neotermes
 Calotermes (Neotermes), see Neotermes
 Neotermes

- Psammotermes
 Eutermes, see Nasutitermes
 Nasutitermes
vulgaris
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Termes (Odontotermes), see Odontotermes (O.)
 Odontotermes (O.)
vulgaris (Fuller, in part)
 Termes, see Odontotermes (O.) angustatus
vulgaris (Shiraki)
 Termes, see Odontotermes (O.) formosanus
wagneri
 Calotermes
 Kalotermes (Neotermes), see Neotermes
 Neotermes
walkeri
 Cornitermes (Cornitermes) acignathus, var., see Cornitermes
 Cornitermes
 Eutermes, see Nasutitermes
 Nasutitermes
wallonensis
 Termes obesus, subsp., see Odontotermes (O.)
 Odontotermes (Cyclotermes), see Odontotermes (O.)
 Odontotermes (O.)
warreni
 Hodotermes, see Hodotermes mossambicus
 Macrohodotermes, see Hodotermes mossambicus
 Mirotermes (Procubitermes) mfolozii, form, see Procubitermes mfolozii, form
 Procubitermes mfolozii, form
WASHINGTONENSIS Snyder
 Stylotermes, see Parastylotermes Snyder and Emerson, n. gen.
 Parastylotermes Snyder and Emerson, n. gen., fossil
wasmanni
 Hodotermes, see Microhodotermes
 Hodotermes (Microhodotermes), see Microhodotermes
 Microhodotermes
 Arrhinotermes, see Prorhinotermes moinoi
 Prorhinotermes, see Prorhinotermes moinoi
 Mirotermes (Procubitermes), see Procubitermes
 Procubitermes
 Ancistrotermes
 Nasutitermes (Nasutitermes) voeltzkowi, subsp., see Nasutitermes voeltzkowi
watasei
 Capritermes (Capritermes), see Capritermes nitobei
 Eutermes, see Nasutitermes parvonasutus
 Nasutitermes (Nasutitermes), see Nasutitermes parvonasutus
waterbergi
 Termes, see Macrotermes
 Macrotermes
 Amplitermes, see Macrotermes
 Bellicositermes, see Macrotermes
weissi
 Cubitermes
westraliensis
 Hamitermes, see Amitermes
 Amitermes
 Eutermes, see Tumulitermes
 Tumulitermes
weyeri
 Grallatotermes
wheeleri Collins
 Mastotermes, fossil
wheeleri
 Eucryptotermes
 Termes, see Amitermes
 Amitermes
 Orthognathotermes
 Syntermes
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
willingsi
 Hamitermes, see Amitermes darwini
wilsoni
 Hamitermes, see Amitermes laurensis
winifredae
 Termes

- volcotti
 Nasutitermes (Tenuirostritermes), see Parvitermes
 Parvitermes
 wroughtoni
 Termopsis, see Archotermopsis
 Archotermopsis
 antholabrum
 Calotermes (Glyptotermes), see Glyptotermes
 Glyptotermes
 enotermitis
 Termes, see Odontotermes (Hypotermes)
 Termes (Eutermes), see Odontotermes (Hypotermes)
 Odontotermes (Xenotermes), see Odontotermes (Hypotermes)
 Odontotermes (Hypotermes)
 ylophagus
 Hamitermes, see Amitermes
 Amitermes
 andiniensis
 Eutermes, see Nasutitermes novarumhebridarum
 angtschiangensis, see jangtsekiangensis
 arrabahensis
 Eutermes, see Nasutitermes longipennis
 umbesiensis
 Termes (Odontotermes), see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 nzibarensis
 Termes, see Synacanthotermes
 Synacanthotermes
 zapallarensis
 Calotermes chilensis, var., see Neotermes chilensis, var.
 Neotermes chilensis, var.
 zavattarii
 Cubitermes
 zenkeri
 Termes, see Cubitermes
 Eutermes, see Cubitermes
 Mirotermes (Cubitermes), see Cubitermes
 Eutermes (Cubitermes), see Cubitermes
 Cubitermes
 zeteki
 Nasutitermes (Subulitermes), see Subulitermes
 Subulitermes
 zulucola
 Cubitermes
 zuluensis
 Calotermes (Neotermes), see Neotermes
 Neotermes
 Microcerotermes
 Mirotermes (Cubitermes), see Cubitermes
 Cubitermes
 Eutermes (Trinervitermes) dispar, form, see Trinervitermes
 Trinervitermes
 zulunatalensis
 Odontotermes, see Odontotermes (O.)
 Termes, see Odontotermes (O.)
 Odontotermes (O.)
 zuluoides
 Microcerotermes
 zuurbergi
 Hamitermes, see Amitermes
 Amitermes

BIBLIOGRAPHY ON THE TAXONOMY OF THE TERMITES OF THE WORLD
ON LIVING TERMITES

ADAMSON, A. M.

1937. Preliminary report on termites and termite damage in Trinidad, West India. Trop. Agr., vol. 14, No. 5, pp. 141-149, 11 figs.

AHMAD, M.

1947. New termites from the Indo-Malayan and Papuan regions. Amer. Mus. Nov. No. 1342, pp. 1-7, 7 figs. April 9.

BANKS, N.

1901. Thysanura and Termitidae. Papers from the Hopkins Stanford Galapagos Expedition 1898-99. Proc. Washington Acad. Sci., vol. 3, pp. 541-546. November 29.

1906. Two new termites. Ent. News, vol. 17, No. 9, pp. 336-337, 1 fig. November.

1907. A new species of *Termes*. Ent. News, vol. 18, No. 9, pp. 392-393. November.

1918. The termites of Panama and British Guiana. Bull. Amer. Mus. Nat. Hist., vol. 38, art. 17, pp. 659-667. November 29.

1919. Antillean Isoptera. Bull. Mus. Comp. Zool., Harvard Coll., vol. 62, No. 10, pp. 475-489, 2 pls. January.

BANKS, N., and SNYDER, T. E.

1920. A revision of the nearctic termites (Banks) with notes on biology and geographical distribution (Snyder). U. S. Nat. Mus. Bull. No. 108, pp. 1-228, 70 figs., 3 pls. April 13.

BATHELLIER, J.

1927. Contribution a l'étude systématique et biologique des termites de l'Indochine. Faune des Colon. Franç., vol. 1, No. 4, pp. 125-365, pl. 13, 113 text figs.

BERG, CARLOS.

1880. La vida y costumbres de los termitos. Conf. Pop. Soc. Cient. Argentina, Buenos Aires, pp. 1-16, 1 pl. September 17.

BILLBERG, G. J.

1820. Enumeratio Insectorum in Museo Billberg, vol. 4, p. 95. Holmiae. Stockholm.

BLANCHARD, E.

1840. Histoire naturelle des insectes. Névroptères, pp. 46-47. Paris. Termiens (Pictet).

1847. Insectes du voyage dans l'Amérique meridionale de M. Alcide d'Orbigny (with M. Brullé), Bertrand, 222 pp., 32 col. pls. Paris.

1851. Insectes, in Gay Historia Fis. y Polit. de Chile, Zool., vol. 6, pp. 87-91, Termiano.

BOLIVAR, I.

1884. Artropodos del viaje al Pacifico, pp. 1-114, Madrid. (*Porotermes chilensis* Blanchard redescribed, p. 3.)

BÖRNER, C.

1904. Zur Systematik des Hexapoden Ordnung 8: Isoptera (Enderlein). Zool. Anz., vol. 27, Nos. 16-17, p. 526, Suborder: Sociala aut., Fam. Termitidae, fig. p. 526, evolut. tree.

BRAUER, F.

1865. Fünfter Bericht über die auf der Weltfahrt der Kais. Fregatte Novara gesammelten Neuropteren. 2. Termiten. Verhandl. Zool.-Bot. Ges. Wien, vol. 1, p. 977.

1866. Reise der Novara, Neur., pp. 45-49. (Four species of termites described from Nicobar Islands.)

1885. Systematisch-zoologische Studien. Sitzungsber. d. Kais. Akad. Wiss. Wien, vol. 91, pp. 237-413. (Considers termites as highly modified forms of a type which departed little from the ancestral simple Orthoptera.)
- BRUES, C. T., and MELANDER, A. L.
1932. Classification of insects. Bull. Mus. Comp. Zool., Harvard Coll., vol. 73. (Isoptera, pp. 93-96.)
- BRULLÉ, A.
1832. Commission scientifique de Morée T. 3. (Zoologie Paris, p. 66.) (Order Isopteres.)
- BUCKLEY, S. B.
1863. Description of two new species of termites from Texas. Proc. Ent. Soc. Philadelphia, vol. 1, pp. 212-215 (1861-63). May.
- BUGNION, E.
1912. *Eutermes lacustris* n. sp. de Ceylan. Rev. Suisse Zool., vol. 20, No. 8, pp. 487-505, pls. 7-8. June.
1913. Le bruissement des termites. Mitt. Schweiz. Ent. Ges., Bull. Soc. Ent. Suisse, vol. 12, No. 4, pp. 125-135. Note additionnelle, pp. 136-139, 1 pl. April.
1913a. Le *Termes Horni* Wasm. de Ceylan. Rev. Suisse Zool., vol. 21, No. 10, pp. 299-330, pls. 11-13. June.
1914. L'imago de l' *Eutermes lacustris* nov. sp. de Ceylan. Spolia Zelanica, vol. 9, pt. 35, pp. 149-154, pls. 22, 23. Colombo. March.
1914a. *Eutermes Hantanac* Holm. de Ceylan. (Description de l'imago.) Spolia Zeylanica, vol. 9, pt. 35, pp. 155-162, pls. 24-25. Colombo. March.
1914b. *Eutermes Kotuae* nov. sp. de Ceylan. Bull. Soc. Ent. Suisse, vol. 12, Nos. 5/6, pp. 193-200, pls. 12-14. July.
- BUGNION, E., and FERRIÈRE, C.
1911. L'imago du *Coptotermes flavus* larves portent des rudiments d'ailes prothoraciques. Mém. Soc. Zool. France, 24e Ann., Nos. 1-2, pp. 97-106, pls. 2-3. August 17.
- BUGNION, E., and POPOFF, N.
1910. Le termite a latex de Ceylan (*Coptotermes travians* Haviland). Avec un appendice comprenant la description des *Coptotermes Gestroi* Wasm. et *flavus* nov. sp. Mém. Soc. Zool. France, vol. 23, No. 8, pp. 107-123, pls. 1 and 2, figs. 1-20.
1910a. Les *Calotermes* de Ceylan. Mém. Soc. Zool. France, vol. 23, No. 9, pp. 124-143, fig. 21, pls. 3, 4 and 5, figs. 1-23. (*C. dilatatus*, n. sp.)
- BURMEISTER, H. C. C.
1839. Handbuch der Entomologie II, pp. 757-1050.
- CAPRA, F.
1935. La vera patria del *Trinervitermes tripolitanus* (Sjöst.) e note su alcuni termiti della Libia (Isoptera). Bol. Soc. Ent. Ital., vol. 67, No. 3, pp. 44-46. March 25. (Author believes *T. tripolitanus* from Abyssinia, not Tripoli.)
- CHERIAN, M. C., and MARGABANDHU, V.
1944. On a new species of *Cryptotermes* from South India. 31st Indian Sci. Congr. Proc. 1944, pt. 3, sec. 6, Zool. and Ent., pp. 80-81 (abstract). (Descriptive note to differentiate new, unnamed species from *C. domesticus* Hav. and *C. bengalensis* Snyder.)
- COMSTOCK, J. H.
1895. Manual for the study of insects (p. 95, Isoptera).
1918. The wings of insects. Chap. VIII, The wings of the Isoptera, pp. 132-144. *Mastotermes*, *Termopsis* and *Leucotermes flavipes*. Comstock Publishing Co., Ithaca, N. Y.

CRAMPTON, G. C.

1938. The interrelationships and lines of descent of living insects. *Psyche*, vol. 45 No. 4, pp. 165-181.

CUVIER, G. C. L. D.

1849. *Le Regne Animal*, ed. Masson 8. (Pl. 106, termites.) Paris.

DAMMERMAN, K. W.

1915. On a new species of *Calotermes* (*C. tectonae*) which attacks living teak trees *Tydschr. Ent.*, vol. 58, supp., pp. 98-100, figs. 1-3, pl. 3.

DAVIS, A. C.

1929. Notes on *Coptotermes bornensis* Oshima (Isoptera). A study in description of the termite soldier. *Proc. Roy. Soc. Victoria*, n. s., vol. 42, pt. 1, pp. 53-61 6 text figs. Melbourne. October 31.

DEGEER, C.

1778. *Mémoires pour servir à l'histoire des insectes*, vol. 7, p. 47, pl. 38, figs. 1-3 (*Termes capensis*.)

DESNEUX, J.

1902. Termites du Sahara Algérien recueillis par M. le professeur Lameere. *Ann. Soc. Ent. Belg.*, vol. 46, No. 10, pp. 436-440, 2 figs. Bruxelles. November 6.
1904. A new termite from India. *Journ. Bombay Nat. Hist. Soc.*, vol. 15, pp. 445-446 February 15.
- 1904a. Notes termitologiques. *Ann. Soc. Ent. Belg.*, vol. 48, No. 3, pp. 146-151. March 29
- 1904b. A propos de la phylogénie des Termitides. *Ann. Soc. Ent. Belg.*, vol. 48, No. 8 pp. 278-286, 3 figs. September 2.
- 1904c. Trois termites nouveaux. *Ann. Soc. Ent. Belg.*, vol. 48, No. 8, pp. 286-289 September 2.
- 1904d. Remarques critiques sur la phylogénie et la division systématique des Termitides (Réponse à M. Wasmann.) *Ann. Soc. Ent. Belg.*, vol. 48, No. 10, p. 372 November 10. (Reply to Wasmann; systematic classification based on winged adults or soldiers.)
- 1904e. Isoptera, family Termitidae. P. Wytsman, *Genera insectorum*, fasc. 25, p. 52 10 figs., 2 pls. Bruxelles. November 15.
1905. Isoptera of New Guinea collected by L. Biró. *Ann. (Hist. Nat.) Mus. Nat. Hungarici*, vol. 3, pp. 367-377, 5 figs. June 1.
1906. Variétés termitologiques. *Ann. Soc. Ent. Belg.*, vol. 49, No. 12, pp. 336-360 January 25.
- 1906a. The Kashmir termite, *Termopsis wroughtoni*. *Journ. Bombay Nat. Hist. Soc.* vol. 17, pt. 2, pp. 293-298, 3 figs. September 20.
1908. Variétés termitologiques. II. *Ann. Soc. Ent. Belg.*, vol. 51 (1907), No. 12 pp. 388-400. January 3.
1915. Isoptera: Collections zoologiques du Baron Edm. de Selys Longchamps, fasc. 3 pt. 3, pp. 1-10.
1918. Un nouveau type de nids de termites. *Rev. Zool. Africaine*, vol. 5, No. 3, p. 307 April 30.

DIETZ, H. F., and SNYDER, T. E.

1924. Biological notes on the termites of the Canal Zone and adjoining parts of the Republic of Panama. *Journ. Agr. Res.*, U. S. Dep. Agr., vol. 26, No. 7, pp. 279-302, 8 pls. November 17, 1923.

DUDLEY, P. H., and BEAUMONT, J.

1889. Observations on the termites or white ants of the Isthmus of Panama. Trans. New York Acad. Sci., vol. 8, 1888-89, pp. 85-114, 1 pl., 9 figs. March.
- 1889a. The termites or so-called "white ants" of the Isthmus of Panama. Journ. New York Micr. Soc., vol. 5, No. 2, pp. 56-70, 111-112, pl. 17. April.
1890. Termites of the Isthmus of Panama. Part II. Trans. New York Acad. Sci., vol. 9, 1898-90, pp. 157-180. June. (On p. 158 the genus *Nasutitermes* was established; notes are given on how to distinguish the genera of termites by the nests and galleries or burrows in wood.)
- 1890a. The termites or so-called "white ants" of the Isthmus of Panama. Journ. New York Micr. Soc., vol. 6, No. 4, pp. 102-118. October. (P. 109: a new genus, synonym of *Eutermes*, "*Milesnasutitermes*.")

EMERSON, A. E.

1924. A new termite from the Juan Fernandez Islands (Swedish Expedition 1916-17). Natural History of Juan Fernandez and Easter Island, vol. 3, pt. 3, pp. 392-394, illus. (Zoology, pt. 3.) (1923.) Uppsala.
1925. The termites of Kartabo, Bartica District, British Guiana. Zoologica, vol. 6, No. 4, pp. 291-459, 1 pl., 94 figs. July 29.
1928. Termites of the Belgian Congo and the Cameroon. Bull. Amer. Mus. Nat. Hist., vol. 57, art. 7, pp. 401-574, 19 pls., 79 figs. New York. September 12. (24 maps of distribution of genera.)
1933. A revision of the genera of fossil and recent Termopsinae (Isoptera). California Univ. Publ., Ent., vol. 6, No. 6, pp. 165-196, 40 figs. March 31.
1935. Termitophile distribution and quantitative characters as indicators of physiological speciation in British Guiana termites (Isoptera). Ann. Ent. Soc. Amer., vol. 28, No. 3, pp. 369-395, 17 figs. September. (*Nasutitermes* (*N.*) *similis*, n. sp.)
1942. The relations of a relict South African termite (Isoptera: Hodotermitidae, *Stolotermes*). Amer. Mus. Nov., No. 1187, Amer. Mus. Nat. Hist., pp. 1-12, figs. 3, table 1, August 18. (*Stolotermes africanus*, n. sp., described; key to species of *Stolotermes* relationships; classification of genera of primitive fossil and living termites.)
1943. *Kalotermes milleri*, a new species of termite from the Florida Keys and Jamaica (Isoptera, Kalotermitidae). Psyche, vol. 50, pp. 18-22. March-June.
- 1943a. A key to the termites of Florida. Ent. News, vol. 54, pp. 184-187. October.
1945. The neotropical genus *Syntermes* (Isoptera: Termitidae). Bull. Amer. Mus. Nat. Hist., vol. 83, art. 7, pp. 427-472, figs. 1-12. New York. August 6.
1947. The imago of *Stolotermes africanus* Emerson. Journ. Ent. Soc. So. Africa, vol. 9, pp. 127-129. February.

ENDERLEIN, G.

1903. Über die Morphologie Gruppierung, und systematische Stellung der Corrodentia. Zool. Anz., vol. 26 (698-699) 423-437. May 8. (Superfamily Termitina.)
1909. Die Klassifikation der Embiidinen nebst morphologischen und physiologischen Bemerkungen besonders über das Spinnen derselben. Zool. Anz., vol. 35, No. 6, pp. 166-191, 3 figs. November 23. (Superorder Aetioptera includes orders Embiidina Enderlein 1903 and pp. 166-191 Isoptera Brullé 1832: the suborder Cryptoclidoptera includes the families Termitidae and Calotermitidae and the suborder Hemiclidoptera includes the family Mastotermitidae in the Isoptera, pp. 171-174.)

RICHSON, W. F.

1848. Insecten. In Schomburgks Reise in Britisch-Guiana, vol. 3, pp. 553-617. Leipzig. (*Termes decumanus* described and *T. morio* recorded, pp. 582-583.)

ESCHERICH, K.

1911. Termitenleben auf Ceylon, pp. 1-179, 60 figs, 1 pl. Jena.

FABRICIUS, J. C.

1775. Systema Entomologiae, vol. 3, item 121, p. 390 (*Termes fatale*).

1781. Species insectorum, vol. 1, No. 1, p. 395, *Termes fatale* = *T. bellicosus* Afr. No. 3, p. 397, *T. arda* = *Eutermes atrox*, Afr.; No. 4, p. 397, *T.* (= *Eutermes*) *mordax* Afr.

1787. Mantissa insectorum, vol. 1, p. 248, No. 1, *T. fatale* = *T. bellicosus*; p. 248, No. 3 *T. arda* = *Eutermes atrox*; No. 4, *T. mordax*.

1793. Ent. Syst., vol. 2. P. 87, No. 1, (sene syn. cit.) *Termes fatale* = *T. bellicosus* Afrika; p. 88, No. 2, *destructor*; p. 90, No. 3, *morio*; No. 4, *T. arda* = *Eutermes atrox* Sierra Leone; p. 91, No. 5, *T. mordax* Sierra Leone; No. 6, *T. flavicollis*

FEYTAUD, J.

1925. Existe-t-il plusieurs races de *Reticulitermes lucifugus* Rossi? Rev. Zool. Agr. Ann. 24, No. 8, pp. 161-169, 4 figs. Aout. Bordeaux, France.

FLETCHER, T. B.

1912. Termites or white ants. Agr. Journ. India, vol. 7, pt. 3, pp. 219-239, pls. 27-29 text figs. (biol., loc.).

FROGGATT, WALTER W.

1895. Australian Termitidae. Part I. Proc. Linn. Soc. New South Wales, ser. 2, vol. 10 pp. 415-438. July 31.

1896. Australian Termitidae. Part II. Proc. Linn. Soc. New South Wales, vol. 21 pp. 510-552, 2 pls. October 28.

1897. Australian Termitidae. Part III. Proc. Linn. Soc. New South Wales, vol. 22 pp. 721-758, 2 pls. November 24.

FULLER, C.

1915. Observations on some South African termites. Ann. Natal Mus., vol. 3, pt. 2 pp. 329-505, pls. 25-35.

1919. The wing venation and respiratory system of certain South African termites. Ann. Natal Mus., vol. 4, pt. 1, pp. 19-102, pls. 3-11. May.

1920. Studies on the post-embryonic development of the antennae of termites. Ann. Natal Mus., vol. 4, pt. 2, pp. 235-295, pl. 15, 14 figs. November.

1921. The termites of South Africa, being a preliminary notice. South African Journ. Nat. Hist., vol. 3, No. 1, pp. 14-52. June.

1922. The termites of South Africa. South African Journ. Nat. Hist., vol. 3, No. 2 pp. 70-131. March.

1923. Two new termites from Uganda. Ann. and Mag. Nat. Hist., ser. 9, vol. 11 pp. 191-192, 1 fig.

1924. A question of synonymy. South African Journ. Nat. Hist., vol. 4, No. 4, pp. 277-280. March. (*Eutermes* vs. *Microcerotermes*.)

1924a. Termite nomenclature. South African Journ. Nat. Hist., vol. 4, No. 5, pp. 356-364. September.

1925. Journ. Union South Africa Dep. Agr., ser. 18, pl. 1. (*Coptotermes*, n. sp., from South Africa, first species recorded from this region.) (= *C. formosanus* introduced.)

1925a. The termites of South Africa. South African Journ. Nat. Hist., vol. 5, pp. 167-246. December. (Descriptions of new *Mirotermes* and *Microcerotermes* with keys.)

1927. A termite complex. South African Journ. Nat. Hist., vol. 6, No. 2, pp. 130-142, 2 figs., 1 pl. February.

GARDNER, J. C. M.

1944. New Termitidae from India and Burma (Isoptera). Indian Journ. Ent., vol. 6, pp. 103-110, 6 figs.

GAY, C.

1851. Insectes in Historia Fis. y Polit. de Chile, Zool., vol. 6, pp. 87-91. (*Termes chilensis* described.) (See Blanchard, E., 1851.) Faun. Chile Atlas Neuropt., vol. 1, figs. 1-3.

GHIDINI, GIAN MARIA.

1937. Missione del Prof. Edoardo Zavattari nel paese dei Borana. Nuove specie di Termitidi. (Diagnosi preventive.) Bol. Soc. Ent. Ital., vol. 69, Nos. 9-10, pp. 141-143. December 30.
- 1937a. Su alcuni Termitidae di Sumatra raccolti da E. Jacobson. Atti Soc. Ital. Sci. Nat., Mus. Civico, Milano, vol. 76, pp. 318-330, 5 figs. (*Hospitalitermes grassii*, *H. nemorensis*.)
- 1937b. Ulteriori risultati negli allevamenti di *Reticulitermes lucifugus* Ros. Bol. Soc. Ital. Biol. Sper., vol. 12, pp. 633-635. Naples.
1938. Le Termiti dell' Africa orientale Italiana e loro importanza economica. Rev. Biol. Colon., vol. 1, pp. 221-235.
1941. Nuove specie di termitidi. Bol. Soc. Ent. Ital., vol. 73, No. 2, pp. 30-34. March 15.

GIRARD, M.

1879. Traite elementaire d' entomologie, vol. 2, pp. 261-294. (Page 270 states of *Termopsis*: "le type est le *T. angusticollis* Hag.")

GMELIN, J. F.

1800. A general system of nature. (Translated by William Turton from Linné's Systema Naturae revised by Gmelin. Vol. III. (Termites pp. 692-695.)

JOELLNER, EUGENE J.

1931. A new species of termite, *Reticulitermes arenicola*, from the sand dunes of Indiana and Michigan, along the shores of Lake Michigan. Proc. Ent. Soc. Washington, vol. 33, No. 9, pp. 227-234, 6 figs. December.

JOETSCH, W.

1933. Die chilenischen Termiten. Zool. Jahrb. (Syst.), vol. 64, No. 2, pp. 225-243, 4 text figs. (Northern var. *Calo. chilensis* Blanchard *zapallarensis* smaller than southern var. *cayutuensis*.)

JOEZE, J. A. E.

- 1778-83. Übersetzung von DeGeers Memoirs. Raspe Tom. 7 in vol. 8, p. 24, figs. 1-3. (*Termes capensis*.) Nürnberg.

RASSÉ, PIERRE P.

1937. Mission de l'Omo Le *Bellicositermes jeanneli*, n. sp. Constructeur de grandes termitières à cheminee. Bull. Soc. Ent. France, vol. 42, No. 5, pp. 71-73, figs. 1-5. March 10.
- 1937a. Recherches sur la systématique et la biologie des termites de l'Afrique occidentale française. Première partie. Protermitidae, Mesotermitidae, Metatermitidae (Termitinae). Ann. Soc. Ent. France, vol. 106, No. 1, pp. 1-100, 4 pls., 53 figs. April 20.
1938. Termite nouveau des îles Canaries. Le polymorphisme des soldats chez les *Calo*-termitides. Bull. Soc. Ent. France, vol. 42 (1937), No. 20, pp. 291-295, figs. 1-10. February 24. (*Calotermes dispar*, n. sp.)
1939. Les termites de l'île de Madère. Bull. Soc. Ent. France, vol. 44, Nos. 13-14, pp. 179-185 (figs. 1-2, im., sold.). (*Calotermes barretoii* n. sp.) September 6.

1943. Description and ethologie de *Rostritermes cornutus*, n. g., n. sp., termite a soldat Hypertelique. Arch. Zool. Exp. et Gen. Notes et Rev., vol. 83, No. 2, pp. 71-82, 5 figs.
- 1945-47. Recherches sur la biologie des termites champignonnistes (Macrotermitinae). Ann. Sci. Nat. Zool., ser. 11, t. 6, f. unique, pp. 97-171, 30 figs., 10 pls., 1944; pp. 109-111 *Microtermes chopardi* n. sp., fig. 7 nest, Odienné, Ivory Coast (not described); t. 7, f. unique, pp. 115-146, 6 figs., 3 pls., 1945; appendix, p. 140 incl. descr. for *Odontotermes (Cyclotermes) erraticus* n. sp. based on soldier and workers, Sahara; *O. sudanensis acutidens* n. var., descr. from soldier, Kouibi, 40 km. east of Man.

GREEN, E. E.

1913. Catalogue of Isoptera (termites) recorded from Ceylon. Spolia Zeylanica, vol. 9, pt. 33, pp. 7-15. June.

GRIFFIN, FRANCIS.

1940. The description of *Hodotermes ubachi* Navas, 1911 (Isoptera). Entomologist, vol. 73, No. 922, p. 64. March. (Reproduced from typewritten copy of the original description from "Revista Montserratina," Barcelona, vol. 5, pp. 120-121, 1911, furnished author by Dr. Bernardino Llorca, S. J., of Barcelona.)

HAGEN, H. A.

1853. Hr. Peters berichtete über die von ihm gesammelten und von Hrn. Dr. Hermann Hagen bearbeiteten Neuropteren aus Mossambique. Bericht Konigl. Preuss. Akad. Wiss. Berlin, pp. 479-481. (Genus *Kalotermes* described.)
1855. Monographie der termiten. Part 1. Linn. Entomol., vol. 10, pp. 1-144, 270-325.
1858. Monographie der Termiten. Part 2. Linn. Entomol., vol. 12, pp. 1-342, 3 pls.
- 1858a. Catalogue of the specimens of neuropterous insects in the collection of British Museum. Part 1, Termitina, pp. 1-34. London.
- 1858b. Synopsis der Neuroptera Ceylons. Verh. Zool.-Bot. Ges. Wien, vol. 8, pp. 471-478.
1859. Synopsis der Neuroptera Ceylons. Verh. Zool.-Bot. Ges. Wien, vol. 9, pp. 199-212.
1860. Monographie der Termiten. Part 3. Linn. Entomol., vol. 14, pp. 73-99.
- 1860a. Monographie der Termiten (Nachtrag.) Linn. Entomol., vol. 14, pp. 100-128.
1861. Synopsis of the Neuroptera of North America. With a list of South American species. Smithsonian Misc. Coll., vol. 4. (Termitina, pp. 1-7.)
1862. In W. C. H. Peters, Naturwissenschaftliche Reise nach Mossambique. 1842-48 Zoologie. V. Neuroptera, Termitina, pp. 57-89. Berlin.
- 1865-1866. (List of species of Pseudo-Neuroptera found in Madeira, including two termites, *Termes lucifugus* (Rossi) and *Calotermes praecox* (Woll., Hag.)) Ent. Month. Mag., vol. 2, pp. 8-9.
1866. Die Neuropteren Spaniens nach Ed Pictets' Synopsis des Neuropters d'Espagne Geneve 1865, 8 tab., 14 col., und Dr. Staudingers Mitteilungen. Stettin Ent Zeit., p. 282. (Regards *Termes flavipes* (Burm.) as an immature *T. lucifugus*.)
1868. (Supposed "wingless termite" from Japan described under name of *Hodotermes japonicus*.) Proc. Boston Soc. Nat. Hist., vol. 11, pp. 399-400. In the following volume (vol. 12, p. 139, 1869), the supposed termite found to be a damaged earwig (*Forficula*). Three families, Termitina, Blattina and Forficulina, coordinated and closely allied (p. 139).
1872. Report on the Pseudoneuroptera and Neuroptera of North America in the collection of the late T. H. Harris. Proc. Boston Soc. Nat. Hist., vol. 15, p. 277
1874. Report on the Pseudo-Neuroptera and Neuroptera collected by Lieut. W. L. Carpenter in 1873 in Colorado. Ann. Rep. U. S. Geol. Surv. Terr. for 1873, by F. V. Hayden, pp. 571-606. (P. 571, *Termopsis angusticollis*, var. *nevadensis* n. var. *T. occidentis* distinct, imago unknown.)

HALDEMAN, S. S.

1844. (*Termes frontale* described.) Proc. Acad. Nat. Sci. Philadelphia, vol. 2, p. 55. April.
1858. (*Termes nigriceps* from "Mexique" described.) Proc. Acad. Nat. Sci. Philadelphia, vol. 6, p. 365. June.

HARE, L.

1931. Polymorphism among the subgenera of *Nasutitermes*. Journ. Morph. and Physiol., vol. 52, No. 2, pp. 593-607, 4 pls. December 5.
1937. Termite phylogeny as evidenced by soldier mandible development. Ann. Ent. Soc. Amer., vol. 30, No. 3, pp. 459-473, 13 pls. September.

HARRIS, W. VICTOR.

1936. A list of the termites of Tanganyika Territory, with descriptions of two new species. Bull. Ent. Res., vol. 27, pt. 3, pp. 361-368, 3 figs. September.
1946. Termites from British Somaliland. Proc. Roy. Ent. Soc. London, ser. B, vol. 15, pts. 5-6, pp. 67-68, fig. 1. June.
1948. Termites of the Uganda Protectorate. Proc. Roy. Ent. Soc. London, ser. B, Taxonomy, vol. 17, Nos. 5-6, pp. 73-83, 1 fig. June 18. (*Calotermes mutubae* n. sp., 25 identified species, and 8 undetermined species.)

HAVILAND, G. D.

1898. Observations on termites: with descriptions of new species. Journ. Linn. Soc. London, vol. 26, No. 169, pp. 358-442, pls. 22-25. (Read June 3, 1897.)
1902. Observations on termites or white ants. Ann. Rep. Smithsonian Inst. for 1901, pp. 667-678, 4 pls. (Reprinted from Journ. Linn. Soc. Zool., vol. 26.)

HILL, GERALD F.

1915. Northern Territory Termitidae. Proc. Linn. Soc. New South Wales, vol. 40, pt. 1, pp. 83-113, pls. 14-23. June 16.
1921. *Coptotermes raffrayi* Wasmann. Proc. Linn. Soc. New South Wales, vol. 46, pt. 2, pp. 263-267, figs. 1-15. August 12.
- 1921a. New and rare Australian termites, with notes on their biology. Proc. Linn. Soc. New South Wales, vol. 46, pt. 4, pp. 433-456, 1 pl., 52 figs. December 23.
1922. On some Australian termites of the genera *Drepanotermes*, *Hamitermes* and *Leucotermes*. Bull. Ent. Res., vol. 12, pt. 4, pp. 363-399, pls. 9-12, 31 figs. (References, pp. 398-399.) February.
- 1922a. Descriptions and biology of some North Australian termites. Proc. Linn. Soc. New South Wales, vol. 47, pt. 2, pp. 142-160, pls. 23, 24, 41 figs. June 16.
- 1922b. A new Australian termite, *Calotermes (Calotermes) condonensis* n. sp. Proc. Linn. Soc. New South Wales, vol. 47, pt. 3, p. 275, figs. 1-4. September 15.
1923. New termites from Central and Southeast Australia. Proc. Linn. Soc. New South Wales, vol. 48, pt. 2, pp. 40-48, 21 figs. June.
1925. The Victorian termites. Victorian Nat., vol. 42, No. 4, pp. 85-91, pl. 3. August.
- 1925a. Termites from the Australian region, descriptions of new species and hitherto undescribed castes. Proc. Roy. Soc. Victoria, n. s., vol. 37, pt. 2, pp. 206-229, 4 pls. November 30.
1926. Termites from the Ellice group. Proc. Roy. Soc. Victoria, n. s., vol. 38, art. 10, pp. 95-99, fig. 1. July 31. (*Neotermes rainbowi*, n. sp.)
- 1926a. The Genus *Porotermes* (Isoptera). Proc. Roy. Soc. Victoria, n. s., vol. 38, pp. 143-149. July 31.
- 1926b. Australian termites (Isoptera). Notes on *Stolotermes*, *Calotermes*, and *Coptotermes*, with description of new species. Proc. Roy. Soc. Victoria, n. s., vol. 38, pp. 192-214, 3 figs. July 31.

- 1926c. Termites (Isoptera), from South Sea and Torres Strait Islands. Proc. Roy. Soc. Victoria, n. s., vol. 39, pt. 1, art. 4, pp. 20-24. November 11.
- 1926d. New termites from Samoan Islands. Entomologist, vol. 59, No. 762, pp. 296-300. November.
1927. Insects of Samoa (Isoptera—Family Termitidae), Part VII. Fasc. 1, pp. 1-18, 14 figs., 1 pl. British Museum (Natural History). May 28.
- 1927a. Termites from the Australian region—Part I. Mem. Nat. Mus. Melbourne, No. 7, pp. 5-120, pls. 1-9. June.
1929. Notes on Australian termites (Isoptera), descriptions of new species. Proc. Roy. Soc. Victoria, n. s., vol. 41, pt. 2, art. 7, pp. 85-96, pl. 14, text fig. 1. April 11.
- 1931-32. Australian termites (Isoptera). Biological notes and descriptions of new species. Proc. Roy. Soc. Victoria, n. s., vol. 44, pts. 1-2, pp. 134-154, 16 figs. April 20, 1932.
1933. Australian *Rhinotermes*. Proc. Roy. Soc. Victoria, n. s., vol. 44, pt. 1, pp. 1-17, pls. 1-4. February 28.
- 1933a. Notes on *Porotermes* and *Calotermes* (Isoptera) from the Australian region, with description of new species. Proc. Roy. Soc. Victoria, n. s., vol. 46, pt. 1, art. 4, pp. 36-54, 2 pls. December 22.
1935. Australian *Hamitermes* (Isoptera), with descriptions of new species and hitherto undescribed castes. Systematic Entomology, Contribution No. 1, Paper No. 2. Australian Council Sci. and Indus. Res., Pamph. No. 52, pp. 13-31, 3 pls. March 4.
1938. The Sir Joseph Banks Islands. 9, Isoptera. Proc. Roy. Soc. Victoria, n. s., vol. 50, pt. 2, pp. 353-355.
1942. Termites (Isoptera) from the Australian region. 473 pp., 24 pls., 353 figs. Australian Council Sci. and Indus. Res. June.

HOLMGREN, KARIN and NILS.

1917. Report on a collection of termites from India. Mem. Dep. Agr. India, vol. 5, No. 3, pp. 138-171, 1 fig. August. (Translated, with notes on synonymy, by T. B. Fletcher.)

HOLMGREN, NILS.

1906. Studien über südamerikanische Termiten. Zool. Jahrb., Abt. Syst., vol. 23, No. 5, pp. 521-676, 81 figs. June 16.
1909. Termitenstudien. 1. Anatomische Untersuchungen. K. Svenska Vetensk. Akad. Handl., vol. 44, No. 3, pp. 1-215, 3 pls., 76 figs. July 15.
- 1909a. Madagassische Termiten gesammelt von Valter Kaudern. Arkiv Zool., vol. 5, No. 13, pp. 1-24, 2 pls., 5 figs. July 21.
1910. Das System der Termiten. Zool. Anz., vol. 35, pp. 284-286. January 4.
- 1910a. Isoptera (von den Seychellen). The Percy Sladen Trust Expedition to the Indian Ocean in 1905. Trans. Linn. Soc. London, Zool., ser. 2, vol. 14, No. 8, pp. 135-148. November.
- 1910b. Versuch einer Monographie der amerikanischen *Eutermes*-Arten. Mitt. Naturhist. Mus. Hamburg, vol. 27, Jahrb. Hamburg. Wiss. Anst., Beih. 2, pp. 171-325, 78 text figs. December 31.
1911. Bemerkungen über einige Termiten-Arten. Zool. Anz., vol. 37, No. 26, pp. 545-553. June 13.
- 1911a. Termitenstudien. 2. Systematik der Termiten. Die Familien Mastotermitidae, Protermitidae and Mesotermitidae. K. Svenska Vetensk. Akad. Handl., vol. 46, No. 6, pp. 1-88, 6 pls. July 26. (Ordnung Isoptera, pp. 10-11.)

- 1911b. Neu-Guinea—Termiten. Mitt. Berlin Zool. Mus., vol. 5, No. 3, pp. 451-464, 1 pl., 7 figs. August.
- 1911c. Ceylon—Termiten. In Escherich, Termitenleben auf Ceylon, pp. 185-212, pls. 2-3. Jena.
1912. Termitenstudien. 3. Systematik der Termiten. Die Familie Metatermitidae. K. Svenska Vetensk. Akad. Handl., vol. 48, No. 4, pp. 1-166, 4 pls. May 20.
- 1912a. Die Termiten Japans. Annot. Zool. Jap., vol. 8, pp. 107-136. July 8.
- 1912b. Termites from British India (Bombay) collected by Dr. J. Assmuth. Journ. Bombay Nat. Hist. Soc., vol. 21, No. 3, pp. 774-793, 4 pls. July 30.
- 1912c. Neue Termiten aus dem Deutschen Entomologischen Museum. Ent. Mitt., vol. 1, No. 9, pp. 280-282. September 1.
1913. On some termites collected by Mr. Green in Ceylon. Spolia Zeylanica, vol. 8, pt. 32, pp. 277-284. January.
- 1913a. Termites from British India (near Bombay in Gujerat and Bangalore) collected by Dr. J. Assmuth, S. J. Journ. Bombay Nat. Hist. Soc., vol. 22, No. 1, pp. 101-117, 3 pls. April 21.
- 1913b. Termitenstudien. 4. Versuch einer systematischen Monographie der Termiten der orientalischen Region. K. Svenska Vetensk. Akad. Handl., vol. 50, No. 2, pp. 1-276, 8 pls., 14 figs. May 23.
- 1913c. Termiten aus Java und Sumatra, gesammelt von Edward Jacobson. Overgedrukt uit het Tijdschr. Ent., vol. 56, pp. 13-28, pls. 3-4. June 30.
- 1913d. Termiten aus Natal und dem Zululande. Gesammelt von Dr. Ivar Trägårdh. Ent. Tidskr., Arg. 34, pp. 321-366. December 14.
- 1913-14. Wissenschaftliche Ergebnisse einer Forschungsreise nach Ostindien, ausgeführt im Auftrage der Kgl. Preuss. Akademie der Wissenschaften zu Berlin von H. v. Buttel-Reepen. III. Termiten aus Sumatra, Java, Malacca und Ceylon. Gesammelt von Herrn Prof. Dr. v. Buttel-Reepen in den Jahren 1911-1912. Zool. Jahrb., Abt. Syst., vol. 36, Nos. 2-3, pp. 229-290, 7 pls., figs. 1-27. February 1914.
- HOLMGREN, NILS and KARIN.
1915. Termiten aus Neu-Caledonien und den benachbarten Inselgruppen. Nova Caledonia, A. Zoologie, vol. 2, pt. 2, No. 6, pp. 85-93.
- HOZAWA, S.
1915. Revision of the Japanese termites. Journ. Coll. Sci. Tokyo Imp. Univ., vol. 35, art. 7, p. 82, 4 pls., 39 figs. April 30. (*L. flavipes* not found in Japan.)
1932. In Iconographia insectorum Japonicum. Tokyo, Hokuryukan, Japan. Insects illus. Termites, pp. 2004-2010 (S. Hozawa ?).
- IUMBOLDT, F. H. A. VON.
1817. Recueil des observations de zoologie. Vol. 2, p. 111. Paris. (*Termes marginipennis* Latr.)
- JUXLEY, JULIAN.
1940. The new systematics. 583 pp., 57 figs. Clarendon Press, Oxford.
- HERING, H. VON.
1887. Generationswechsel bei Termiten. Ent. Nachr., vol. 13, No. 1, pp. 1-4; No. 12, pp. 179-182.
- LLIGER, J. C. W.
- 1790-92. In Rossi's Mantissa Insectorum Etr., vol. 2, p. 16.
- ACOBSON, G.
1904. Zur Kenntnis der Termiten Russlands. Ann. Mus. Zool. Acad. Imp. Sci. St. Petersburg, vol. 9, pp. 57-107, 17 figs. (Published 1905.)

JOHN, O.

1913. Notes on some termites from Ceylon. *Spolia Zeylanica*, vol. 9, pt. 34, pp. 102-111. October.
1920. Additional note to Mr. T. Strelnikov's article on p. 227. II. South America termites. *Bull. Inst. Sci. St. Petersburg, Inst. Leshaft, Petrograd*, vol. 1/17, pp. 227-234 (6 text figs.).
1925. Termiten von Ceylon, der Malayischen Halbinsel, Sumatra, Java und der Ar Inseln. *Treubia (Inst. Sci. de Buitenzorg's Lands Plantent.)*, vol. 6, Nos. 3-4, pp. 360-419, 8 pls. Batavia. December.
1926. *Termes (Odontotermes) praevalens*, a new name for *O. robustus* John. *Proc. Biol. Soc. Wash.*, vol. 39, p. 143. December 27.

KALSHOVEN, L. G. E.

1930. [Biology of *Kalotermes tectonae* Damm. as a base for its control.] (In Dutch. 154 pp. 20 pls., 9 figs., tables and graphs. H. Veenman & Zonen, Wageningen: (*Kalotermes dalbergiae* Kalshoven n. sp. also described.)

KARNY, H. H.

1930. Zur Systematik der Orthopteroiden Insekten. (Division of family names of termites.) *Treubia*, vol. 12, pp. 431-432. (Protermitidae = Termopsidae, Mesotermitidae = Rhinotermitidae, Metatermitidae = Termitidae.)

KELSEY, J. M.

1943. A new termite, *Calotermes (C.) curvithorax* n. sp., from Canton Isl. in the Phoenix Group, Pacific Ocean. *New Zealand Journ. Sci. and Technol.*, sect. I, vol. 25, No. 2, pp. 45-53, figs. 1-3, wing., sold. September.
1944. The identification of termites in New Zealand. *New Zealand Journ. Sci. and Technol.*, sect. B, vol. 25, No. 6, pp. 231-260, 29 figs., keys. May.
1946. A variation of the termite *Coptotermes lacteus* Frogg. from New Zealand. *New Zealand Journ. Sci. and Technol.*, sect. B, vol. 27, No. 6, pp. 458-464, 3 figs. Wellington. May. (If new, name *stellatus* most suitable.)

KEMNER, N. A.

1925. Zwei neue chinesische Termiten aus der Sammelausbeute der Kolthoffschen Expedition nach China. 1921-2. *Arkiv Zool.*, vol. 17A, No. 28, pp. 1-6. March 2.
- 1925a. Larva termitovorax, etc. *Arkiv Zool.*, vol. 17A, No. 29, pp. 1-15. March 31.
1926. Some termites from Ceylon. *Bull. Ent. Res.*, vol. 16, pt. 4, pp. 379-392, 5 text figs. London. March.
1930. Fauna Sumatrensis (Bijdrage No. 66). Termitidae. *Tijdschr. Ent.*, vol. 73, No. 3-4, pp. 298-324, 25 figs. December.
1931. Die Termitenfauna von Amboina. *Lunds Univ. Årsskr.*, N. F. Avd. 2, vol. 2, No. 13; *Fysiogr. Sällsk. Handl.*, N. F., vol. 42, No. 13, pp. 1-53, 2 pls., 16 text figs. (Bibliography.)
1932. Zwei termiten aus Sinai mit beschreibung der neuen art *Kalotermes sinaicus* Ent. *Tidskr.*, vol. 53, Nos. 2-3, pp. 87-92, 1 fig. October 31. (*Kalotermes sinaicus* n. sp. Notes on *Anacanthotermes ochraceus* Burmeister.)
- 1932a. Neue termiten aus der orientalischen region I-II. *Ent. Tidskr.*, vol. 53, Nos. 2-3, pp. 133-155, 8 figs. October 31.
1933. Extrait des Résultats Scientifiques du Voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Leopold de Belgique Isoptera. *Mém. Mus. Roy. Hist. Nat. Belg. Hors ser.*, vol. 4, pt. 8, pp. 19-24. Bruxelles. August 31.

1934. Systematische und biologische Studien über die Termiten Javas und Celebes. K. Svenska Vetensk. Akad. Handl., ser. 3, vol. 13, No. 4, pp. 1-241, 22 pls., 53 text figs. March 6.
- 1934a. Über Linne's *Termes fatale* 1758 und Rolanders springende Termiten aus Surinam. Ent. Tidskr., vol. 55, No. 1, pp. 19-53, 2 figs. April.
- KIRBY, H., JR.
1925. *Cryptotermes hermsi* sp. nov. A termite from Fanning Island. California Univ. Publ., Zool., vol. 26, Nos. 22 and 23, pp. 437-441, 12 figs.
- KOENIG, J. G.
1779. Beschäft. Berlin. Ges. Naturf. Freunde, vol. 4, pp. 1-28, pl. 1, figs. 1-9 (nec Linné 1758).
- KOLBE, H. J.
1885. Zur Naturgeschichte der Termiten Japans. Berlin. Ent. Zeitschr., vol. 29, No. 1, pp. 145-150, pl. 6. (*Termes speratus* sp. n. described.)
- KOLLAR, V.
1832. In Pohl, J. E., Reise nach Brasil; also Pohl, J. E., and Kollar, V., Brasil vorzügl. lästige Insekt. (special separate from Pohl's Reise, Vienna, 2 vols., 20 pp., 1 pl.).
1837. Naturgeschichte der Schädlichen Insekten. Verhandl. Landw. Ges. Wien, n. s., vol. 5, p. 411. (*Termes flavipes* described, North America.)
- LATREILLE, P. A.
1802. Histoire naturelle crustaces et insectes. Vol. 3, p. 293, fam. Termitina.
1804. Nouv. dictionnaire d'histoire naturelle. Vol. 22, p. 49, gen. *Termes*; p. 59, catalogue species; p. 63, order Neuropteres, fam. Termina (typographical error?).
1805. Histoire naturelle, generale et particuliere des crustaces et des insectes. Vol. 13, pp. 51-69. Paris.
1811-1832. Insectes de l'Amérique Equinoxiale. In Humboldt, Rec. Observ. Zool., vol. 2, p. 111, 1832, Paris. *Termes marginipenne*, vol. 1, pl. 39, fig. 8, Mex., Calif. 1811.
1819. Nouv. dictionnaire d'histoire naturelle. Vol. 33, p. 96. (*Termes lucifugus* Rossi, i.e. *Termes lucifuge*, *T. lucifugum*.)
- LEACH, W. E.
1815. Entomology. In Brewster's Edinburgh Encyclopaedia, vol. 9, pt. 1, pp. 57-172; p. 139, Termitides.
- LEVER, R. J. A. W.
1939. Entomological notes. 5. Notes on white ants. Agr. Journ. Fiji, vol. 10, No. 3, p. 87. (*Cryptotermes brevis* may be *C. buxtoni* and record for the former should be considered uncertain until members of soldier caste are collected.)
- LIGHT, S. F.
1921. Notes on Philippine termites, I. Philippine Journ. Sci., vol. 18, No. 3, pp. 243-257. March.
1921a. Notes on Philippine termites, II. Philippine Journ. Sci., vol. 19, No. 1, pp. 23-63, 6 pls., 3 text figs. July.
1924. The termites (white ants) of China, with descriptions of six new species. China Journ. Sci. and Arts, vol. 2, Nos. 1-4, pp. 50-60, 140-142, 242-254, 354-358. January to July. (Key to families based on winged adults and to species based on soldiers.)
1927. A new and more exact method of expressing important specific characters of termites. California Univ. Publ., Ent., vol. 4, No. 5, pp. 75-88, figs. 1-2, 3 tables. September 3.
1929. New termite records for lower California. Pan-Pacific Ent., vol. 6, No. 2, pp. 67-72. October.

- 1929a. Notes on Philippine termites, III. Philippine Journ. Sci., vol. 40, No. 4, pp. 421-452, 8 figs., 9 pls. (*Coptotermes vastator* sp. nov.)
1930. Termites collected by T. T. Craig on Socorro Island. Pan-Pacific Ent., vol. 6, No. 4, pp. 178-180. April.
- 1930a. Notes on Philippine termites, IV. Philippine Journ. Sci., vol. 42, No. 1, pp. 13-58, fig. 1, 8 pls. May.
- 1930b. A practical key to the species of termites found in California. California Dep. Agr., Month. Bull., June, pp. 454-455.
- 1930c. The California species of the Genus *Amitermes* Silvestri (Isoptera). California Univ. Publ., Ent., vol. 5, No. 9, pp. 173-214, pls. 10-15, 31 text figs. October. (Phylogenetic groupings; key.)
- 1930d. The Mexican species of *Amitermes* Silvestri (Isoptera). California Univ. Publ., Ent., vol. 5, No. 10, pp. 215-232, pls. 16-18. November. (Phylogenetic groupings; key.)
1931. Present status of our knowledge of the termites of China. Lingnan Sci. Journ., (1929), vol. 7, pp. 581-600, 2 tables. (Key to adults of Asiatic species of *Reticulitermes* Holmgren.) Appendix. Instructions for preparations of Protozoa of termites for study, p. 600. June. (Issued March 4, 1931.)
- 1931a. The termites of Nevada. Pan-Pacific Ent., vol. 8, No. 1, pp. 5-9. July. (Synonymy.)
1932. Contribution toward a revision of the American species of *Amitermes* Silvestri. California Univ. Publ., Ent., vol. 5, No. 17, pp. 355-414, 10 figs., 2 pls. May 4.
- 1932a. Termites of the Marquesas Islands. (Issued as Pacific Entomological Survey Publication 1, art. 6.) Bernice P. Bishop Mus. Bull. 98, pp. 73-86, pls. 1-3. October 28.
- 1932b. *Kalotermes (Glyptotermes) juddi*: A new species of termite from the Marquesas Islands. (Issued as Pacific Entomological Survey Publication 1, art. 18.) Bernice P. Bishop Mus. Bull. 98, pp. 169-170. November 22.
- 1932c. Key to Marquesan species of termites, with records of host plants and distribution. (Issued as Pacific Entomological Survey Publication 1, art. 19.) Bernice P. Bishop Mus. Bull. 98, pp. 171-176. November 22.
- 1932d. Termites from the Society Islands. (Issued as Pacific Entomological Survey Publication 6, art. 1.) Bernice P. Bishop Mus. Bull. 113, pp. 3-5, 2 figs. December 23.
1933. Termites of western Mexico. California Univ. Publ., Ent., vol. 6, No. 5, pp. 79-164, pls. 7-11, 36 text figs.
1934. A collection of termites from Arizona. Pan-Pacific Ent., vol. 10, No. 4, pp. 159-160. October. (Mailed December 23.)
1935. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 20. The termites. California Acad. Sci. Proc., ser. 4, vol. 21, No. 20, pp. 235-256, 10 figs., 2 pls. April 3.
1936. A tropical termite in California. Pan-Pacific Ent., vol. 12, No. 3, pp. 125-126. July. (*Kalotermes (Cryptotermes) brevis* (Walker) recorded in wood from Lima, Peru.) (Synonymy.)
1937. A collection of termites from Ceylon and Java. Pan-Pacific Ent., vol. 13, Nos. 1 and 2, pp. 15-24. January-April. (Description and synonymy for various species.)
- 1937a. Contributions to the biology and taxonomy of *Kalotermes (Paraneotermes) simplicicornis* Banks (Isoptera). California Univ. Publ., Ent., vol. 6, No. 16, pp. 423-464, 9 tables, 3 pls. September 22. (*Paraneotermes* new subgenus (nearest to *Neotermes*; type is *Kalotermes simplicicornis*.)

LIGHT, S. F., and DAVIS, A. C.

1929. Two new species of *Coptotermes* Wasmann (Isoptera). Proc. Roy. Soc. Victoria, n. s., vol. 42, pt. 1, pp. 62-70. 15 figs. October 31.

LIGHT, S. F., and WILSON, F. J.

1936. The nasute termites of the Philippines. Philippine Journ. Sci., vol. 60, No. 4, pp. 461-520, 26 figs. August.

LIGHT, S. F., and ZIMMERMAN, ELWOOD C.

1936. Termites of southeastern Polynesia. Bernice P. Bishop Mus. Occ. Pap., vol. 12, No. 12, pp. 1-12, fig. 1. September 15. (*Kaloterme* (?) *rapae*, n. sp., sold., imago.)

LIMA, A. DA COSTA.

1937. Insectos do Brasil XVI. O Campo (Rio de Janeiro), ano 8, No. 85, pp. 38-41. January. (Key to families of termites, based on Light, 1935. Bibliography.)

1938. Sobre um *Kaloterme* do Rio de Janeiro (Isoptera: Kalotermitidae). Inst. Oswaldo Cruz Mem., vol. 33, No. 3, pp. 359-362, illus. (*Kaloterme* (*Neoterme*) ? *wagneri* from Rio de Janeiro described and illustrated.)

1941. Sobre cupins brocas da Goiabeira (Isoptera: Kalotermitidae). Soc. Brasil. Agron. Bol., vol. 4, No. 4, pp. 377-387, fig. 11. December.

1942. Sobre *Kaloterme* (*Neoterme*) *wagneri* e espécies afins (Isoptera: Kalotermitidae). Soc. Brasil. Agron. Bol., vol. 5, No. 1, pp. 1-4, illus. March. (*K. paraensis*, n. sp., from Brazil (Ilha de Marajó); description for *K. wagneri* Desneux and for an unnamed species (?new) from Rio de Janeiro.)

LINNAEUS, C. VON.

1758. Systema Naturae, ed. 10, vol. 1, p. 609. (Genus *Termes* described.)

- 1788-1793. Systema Naturae, ed. 13, aucta, reformata cura Joh. Friedr. Gmelin, vol. 1, pt. 5. (P. 2911, No. 1 (sine syn. cit.), *T. fatale* = *T. bellicosum*; p. 2912, No. 4, *T. arboreum* (sine syn. cit.); p. 2913, No. 5, *T. arda* = *Eutermes atrox*. (*T. lucifugus*?); No. 6, *T. mordax*; No. 7 (sine syn. cit.), *T. capense*.)

LUCAS, H.

1849. Exploration scientifique de l'Algerie, Insectes III, p. 110. Paris. (*T.* = (*Caloterme*) *flavicollis*, *Termes lucifugus*.)

MARGABANDHU, V.

1934. An annotated list of Indo-Ceylonese termites. Journ. Bombay Nat. Hist. Soc., vol. 37, No. 3, pp. 700-714. December 15.

1935. An annotated list of Indo-Ceylonese termites. Journ. Bombay Nat. Hist. Soc., vol. 38, No. 1, pp. 208-209. August 15. (Lists species dealt with in paper on Indian termites by Snyder, Proc. U. S. Nat. Mus., vol. 82, art. 16, pp. 1-15, 1933.)

MATSUMURA, S.

1904. [Thousand insects of Japan.] Vol. 1. Tokyo.

1907. [Systematic entomology.] Vol. 1. Tokyo.

1910. Die schädlichen und nützlichen insecten von Zuckerrohr Formosas. Tokyo.

1931. [6,000 illustrated insects of Japan-Empire.] (In Japanese, with index of scientific names in Latin.) 1,496 pp., illus., 10 col. pls. (Isoptera, pp. 1406-1414.) Tokyo.

MENOZZI, C.

1940. Contributo alla fauna della Tripolitania. Bol. Lab. Zool. Gen. e Agr. R. Ist. Super. Agr. Portici, vol. 31 (1939-1941), pp. 244-273, illus. February 22, 1940. (Isoptera, pp. 248-251; first descr. adult *Eremotermes indicatus* Silv.)

MILLER, E. M.

1943. The soldier and nymphal forms of *Kalotermes (Calcaritermes) nearcticus* Snyder. Proc. Florida Acad. Sci., vol. 6, No. 1, pp. 5-8, 2 figs. March.

MJÖBERG, E.

1920. Isoptera: Results of Dr. E. Mjöberg's Swedish scientific expeditions to Australia, 1910-1913. Arkiv Zool., vol. 12, No. 15, pp. 1-128, 8 pls., 64 text figs. July 1 (May 21).

MONTE, OSCAR.

1931. As especies de cupins mais comuns no Brasil. Chacaras e Quintaes (São Paulo), vol. 43, No. 1, pp. 69-70 (photo.). January 15. (Discussion of species of termites occurring in Brazil.)

MOTSCHULSKY, V. DE.

1855. Études Entomologiques, No. 4, p. 10.

MOUTIA, A.

1936. Termites in Mauritius. Bull. Mauritius Dep. Agr. Sci. Ser., vol. 21, 30 pp., 21 pls. Port Louis.

MÜLLER, FRITZ.

1870. Remarks on some white ants. Proc. Boston Soc. Nat. Hist., vol. 13, pp. 205-206.
1873. Beiträge zur Kenntniss der Termiten. I-II. Jenaische Zeitschr. Med. Naturw., vol. 7, No. 3, pp. 333-358, 2 pls.; III. vol. 7, No. 4, pp. 451-463, 3 figs. November 18. (Ref., Amer. Nat., vol. 8, p. 554, 1874. Condensed in Zool. Rec., vol. 10, pp. 433-434, 1873; Arch. Sci. Phys. et Nat. Geneve, n. s., vol. 49, pp. 254-259, 1874.)

NAVAS, R. P. L.

1911. Algunos Ortopteros y Neuropteros de Palestina. Rev. Montserratina, Barcelona, vol. 5, pp. 120-121, fig. 2a. (*Hodotermes ubachi* described in Cercanias del Mar Muerto. Middle East.)

NAWA, U.

1910. [On a termite, *Leucotermes speratus*.] Konchu Sekai (Insect World), vol. 14, pp. 547-552, 6 figs. Gifu, Japan.
1910a. (On a termite, *Coptotermes gestroi* Wasmann.) Konchu Sekai (Insect World), vol. 14, pp. 597-600, 3 figs. Gifu, Japan.
1911. [On the termite.] Konchu Sekai (Insect World), vol. 15, pp. 12-16. Gifu, Japan.
1911a. [On *Termes vulgaris* Haviland ?] Konchu Sekai (Insect World), vol. 15, pp. 280-284, pl. 15. Gifu, Japan.
1911b. [On two Formosan termites, *Eutermes parvonasutus* Shiraki and *Eutermes takasagoensis* Shiraki.] Konchu Sekai (Insect World), vol. 15, pp. 413-417, pl. 21. Gifu, Japan.
1912. [Comparison of the soldiers belonging to eight different species of Japanese termites.] Konchu Sekai (Insect World), vol. 16, pp. 17-19, pl. 1. Gifu, Japan.

NICHOLLS, AUBREY G.

- 1928-1929. A new species of termite from the eastern Goldfields region of Western Australia. Journ. Roy. Soc. West. Australia, vol. 15, pp. 19-22, pl. 3. March 27, 1929. (*Ahamitermes hillii*.)

NICHOLS, E. R.

1929. Termites of southern California. Journ. Ent. and Zool., vol. 21, p. 123.
1931. An attempt to classify species of termites from mandibles of workers and nymphs. Journ. Ent. and Zool., vol. 23, No. 1, pp. 1-2. March.

NITOBI, I.

1911. [Current literature on the termites of Japan, with special reference to those found in Formosa.] Journ. Agr. Soc. Formosa, No. 56, pp. 6-26.

OSHIMA, M.

1908. [Termites found in Japan proper.] Dobutsugaku Zasshi, vol. 20, pp. 512-517.
1909. [The first official report on termites.] Taihoku.
1910. [On Formosan termites.] Dobutsugaku Zasshi, vol. 22, pp. 343-346, 376-382, 411-413.
- 1910a. [On termite *Leucotermes speratus* (Kolbe) from Okayama and Ehime prefectures.] Dobutsugaku Zasshi, vol. 22, pp. 413-416.
- 1910b. [Report on termites.] Dobutsugaku Zasshi, vol. 22, pp. 515-517.
1911. [The second official report on termites.] Taihoku.
- 1911a. [On the difference between *Leucotermes flaviceps* n. sp. *Leucotermes speratus* and the specific name of the termites found in Japan proper.] Konchu Sekai (Insect World), vol. 15, pp. 355-363, pl. 18. Gifu, Japan.
1912. [The third official report on termites.] Taihoku.
- (1913). Notes on the termites of Japan, with description of one new species. Philippine Journ. Sci., Sect. D, vol. 8, No. 4, pp. 271-280, 2 figs. (August.) January 16, 1914. (P. 274, *Calotermes ogasawaraensis* n. sp.)
- (1913a). Two species of termites from Singapore. Philippine Journ. Sci., Sect. D, vol. 8, No. 4, pp. 283-286. January 16, 1914. (*Termes singaporensis* n. sp.)
1914. Zwei neue termiten arten von Japan. Zool. Anz., vol. 44, No. 7, pp. 289-292, 3 figs. May 26.
- 1914a. [The fourth official report on termites.] Vol. 4, pp. 1-5. Taihoku.
- 1914b. Notes on a collection of termites from the East Indian Archipelago. Annot. Zool. Jap., vol. 8, pp. 553-585, 2 pls. December 25.
1916. A collection of termites from the Philippine Islands. Philippine Journ. Sci., Sect. D, vol. 11, No. 6, pp. 351-369. November.
1917. Three new species of termites from Carolina Islands. Annot. Zool. Jap., vol. 9, pt. 3, pp. 195-198. July 9.
- 1917a. Notes on a collection of termites from Luzon obtained by R. C. McGregor. Philippine Journ. Sci., Sect. D, vol. 12, No. 4, pp. 221-225, 1 fig. July.
- 1917b. Two species of termites from Foochow, China, pp. 5-7. In A collection of essays for Mr. Y. Nawa, written in commemoration of his 60th birthday, October 8, 1917. Ed. by K. Nagano, Gifu, Japan. (*Coptotermes formosanus* Shiraki, *Cyclotermes formosanus* Shiraki.)
1920. A new species of immigrant termite from the Hawaiian Islands. Proc. Hawaiian Ent. Soc., vol. 4, No. 2, pp. 261-264, 1 pl. June. (*Coptotermes intrudens* n. sp.)
- 1920a. Philippine termites collected by R. C. McGregor, with descriptions of one new genus and nine new species. Philippine Journ. Sci., vol. 17, No. 5, pp. 489-512. November.
1923. Fauna Simalurensis—Termitidae. Cap. Zool., vol. 2, No. 3, 22 pp., 20 figs. April 14.
1942. Termites from Palao Islands. Palao Trop. Biol. Stat. Stud., vol. 2, No. 3, pp. 381-389, 5 figs. (*Enterme (E.) palaoensis*.)

OSHIMA, M., and MAKI, M.

1919. In Insect World, vol. 23, No. 12, pp. 435-439 (p. 436, fig.). December 15. (In Japanese. New termite described, *Procapritermes mushae*.)

PACKARD, A. S.

1886. A new arrangement of the orders of insects. *Amer. Nat.*, vol. 20, No. 9, p. 808. September.
- 1886a. *Zoology for high school and colleges*. Ed. 5. New York. (Order *Platyptera* restricted to termites and bird lice.)

PERTY, M.

1830. *Delectus Animalium Articulatorum Braziliam Monachii*. (Termites, pp. 127-128.)

PICTET, F. J.

1836. *Memoire sur le genre Sialis de Latreille et Considerations sur la classification de l'ordre des Neuropteres*. *Ann. Sci. Nat.*, ser. 2, vol. 5, pp. 69-80. (Classification of Neuropteroids. Termites placed in family Termitines (p. 75) with Psocids.)

RADCLIFFE, E.

1904. (*Termopsis Radcliffei*.) *Indian Forester Magazine*, June, p. 412.

RAMBUR, J. P.

1842. *Histoire naturelle des insectes. Névroptères*. 534 pp., 12 pls. Paris.

REDTENBACHER, J.

1886. *Vergleichende Studien über das Flügelgeäder*. *Ann. K. K. Nat. Mus.*, vol. 1, pp. 183-184, 12 pls.

RETZIUS, A. J.

1783. *Caroli DeGeer genera et species insectorum et generosissimi auctoris scriptis extraxit, digessit, latine quoad partem reddidit et terminologiam insectorum Linneanam*. Lipsiae. (P. 200, No. 1321, *Termes capensis*.)

ROSEN, KURT VON.

1912. *Neue Termiten aus der zoologischen Staatssammlung in München sowie einigen anderen Sammlungen*. *Zool. Anz.*, vol. 39, pp. 221-232, 9 figs. February 27.

ROSSI, P.

- 1790-92. *In Mantissa Insectorum*. Etr., vol. 1, p. 107 (1792); vol. 2, pl. 5, f. k. (*Termes lucifugus* described, vol. 1, p. 107.)

RUSSO, G.

- 1942-1943. *Entomologia Agraria (Tavole)*, Pisa, Italy. (54 plates of taxonomic figures for many economic insects, including Isoptera.)

SARWAR, M. S.

1940. *New species of termites recorded in the Punjab*. *Proc. 26th Indian Sci. Congr.*, 1939, pt. 3, sec. 6, *Zoology*, p. 144 (abstract only; no indication of where full article is to be published.) (Systematic account of four species and two varieties of *Microtermes* and *Odontotermes* said to be given.)
- 1940a. *Taxonomic value of the structure of mandibles of workers in termites*. *Proc. 26th Indian Sci. Congr.*, 1939, pt. 3, sec. 6, *Zoology*, p. 144 (abstract only; no indication of where full article is to be published). (Attempt said to have been made to differentiate workers of one species from those of another on basis of differences in structure of mandibles.)
- 1940b. *New sub-genus of the genus Microtermes*. *Proc. 26th Indian Sci. Congr.*, 1939, pt. 3, sec. 6, *Zoology*, p. 144 (abstract only; no indication of where full article is to be published). (Sub-genus *Microdontermes* created by author to "replace" a newly recorded species, *Microtermes mukarensis*, which species combines characters of *Odontotermes* and *Microtermes*.)
- 1940c. *New wood-destroying species of termites in the Punjab*. *Proc. 26th Indian Sci. Congr.*, 1939, pt. 3, sect. 6, *Zoology*, p. 144 (abstract only; no indication of where full article is to be published). (*Odontotermes giganticus* sp. n. and *O. domesticus* sp. n. (no description in abstract) said to attack wood after fashion of *O. feae*.)

SCHMITZ, H.

1915. Ein neuer *Cubitermes* vom belgischen Kongo. Tijdschr. Ent., vol. 58, pp. 119-124; suppl., figs. 1-2. (*C. finitimus*.)
1917. Drei neue Termiten vom belgischen Kongo. Tijdschr. Ent., vol. 60, pp. 225-231. (*Microcerotermes secernens*, *Promirotermes gracilipes*, *Procubitermes undulans*.)
1924. Drei neue Platyphorinen (Phoridae, Diptera) und eine neue Wirtstermite. Zool. Anz., vol. 59, Nos. 11-12, pp. 289-304. June 5. (*Eutermes processionarius*.)

SEABRA, A. F. DE.

1922. Sur une nouvelle espece du genre *Mirotermes* appartenant a la faune de S. Thomé. Mém. Soc. Portug. Sci. Nat., Lisbon, ser. Zool., vol. 3, No. 2, pt. 2, pp. 50-53, figs. 33-40.
- 1922a. Sur l'existence du *Microcerotermes dolichognathus* Silv. a San Thomé XIII. Mém. Soc. Portug. Sci. Nat., ser. Zool., vol. 3, No. 2, pt. 2, pp. 72-74, figs. 51, 53-56 (sold., work.), pls. 4-5 (econ. and biol.).

SHIRAKI, T.

1909. [On the Japanese termites.] Trans. Ent. Soc. Japan, vol. 2, pt. 10, pp. 229-242.

SILVESTRI, FILIPPO.

1901. Nota preliminare sui Termitidi sud-americani. Boll. Mus. Zool. Anat. Comp. Torino, vol. 16, No. 389, pp. 1-8.
1903. Contribuzione alla conoscenza dei Termiti e Termitofili dell' America meridionale. Redia, vol. 1, pp. 1-234, 6 pl. Portici.
1905. Elenco dei Miriapodi, Tisanuri, Termitidi ed Embiidi raccolti all' isola d'Elba e di Pianosa. Boll. Mus. Zool. Anat. Comp. Torino, vol. 20, No. 501, 2 pp. June 19.
1906. Contribuzione alla conoscenza dei Termiti e Termitofili dell' Eritrea. Redia (1905), vol. 3, pp. 341-359. (*Eutermes heteraspis*, n. sp.)
1908. Termitidae. In Schultze's Forschungreise im westlichen und zentralen Südafrika ausgeführt in den Jahren 1903-1905, vol. 1, leaf. 2, Denkschr. Mediz. Nat. Ges. Jena, vol. 13, pp. 71-82, pl. 8-10. Jena. January 20.
1909. Isoptera. In Michaelsen, W., and Hartmeyer, R., Die Fauna Südwest-Austral., vol. 2, Lief. 17, pp. 279-314, pls. 16-21. May 12.
- 1909a. Termitidae. Duca degli Abruzzi: In "Il Ruwenzori," Relazioni Scientifiche, vol. 1, pp. 317-318.
1911. Nuove Termiti della Tunisia. Boll. Lab. Zool. Gen. Agr. Portici, vol. 6, pp. 105-109, 3 figs. December 20.
1912. Termiti raccolte da L. Fea alla Guinea Portoghese e alla isole S. Thomé, Annobon, Principe e Fernando Poo [sic!]. Ann. Mus. Civ. Stor. Nat. Genova, ser. 3, vol. 5, pp. 211-255, 20 figs.
- 1912a. Termiti raccolte da S.A.R. la Duchessa d'Aosta nelle regione dei grandi laghi dell' Africa equatoriale. Ann. Mus. Zool. Napoli, n. s., vol. 3, No. 22, pp. 1-5.
1914. Zoological Results of the Abor Expedition, 1911-12. XXXII. Termitidae. Rec. Indian Mus., Calcutta, vol. 8, pt. 5, No. 32, pp. 425-435. July.
- 1914-1915. Contribuzione alla conoscenza dei Termitidi e Termitofili dell' Africa occidentale. I. Termitidi. Boll. Lab. Zool. Gen. Agr. Portici, vol. 9, pp. 1-146, 1 pl., 84 figs. February 20, 1915.
1918. Contribuzione alla conoscenza dei Termitidi e Termitofili dell' Africa occidentale. Boll. Lab. Zool. Gen. Agr. Portici, vol. 12, pp. 287-346. December 22.

- 1918a. Un genere e due nuove specie di Calotermitidi (Insecta Isoptera) dell' Eritrea (Africa Or.). Boll. Lab. Zool. Gen. Agr. Portici, vol. 12, pp. 347-351. December 27.
1920. A new termite from Mesopotamia. Ann. and Mag. Nat. Hist., ser. 9, vol. 6, pp. 477, 479, pl. of 12 figs. November 1. (*Microcerotermes diversus*, sp. n.)
- 1920a. Contribuzione alla conoscenza dei Termitidi e Termitofili dell' Africa occidentale. II. Termitofili. Boll. Lab. Zool. Gen. Agr. Portici, vol. 14, pp. 265-318, 26 figs. December 28.
1922. Descriptions of some Indo-Malayan species of *Capritermes* (Termitidae). Rec. Indian Mus., Calcutta, vol. 24, pt. 4, pp. 535-546, 7 figs. October.
1923. The termites of Barkuda Island. The fauna of an island in the Chilka Lake. Rec. Indian Mus., Calcutta, vol. 25, pt. 2, pp. 221-232, 8 figs. April. (Chilka Lake in Bihar and Orissa Prov.)
- 1923a. Thysanura, Termitidae and Embiididae collected in Mesopotamia and N. W. Persia by Edgar Evans and P. A. Buxton. Trans. Ent. Soc. London, pp. 258-262. August 10. (P. 261, termites.)
- 1923b. Descriptiones Termitum in Anglorum Guiana. Zoologica. Scientific Contributions of the New York Zoological Society, from the Tropical Research Station in British Guiana, vol. 3, Nos. 16-21, pp. 307-321, pls. 11-15, 1 fig. (27). (Tropical Research Station Contributions 136-141.) Published by the Society, The Zoological Park, New York. October 1.
1928. Descrizioni di due nuove specie di Isoptera dell' Africa. Boll. Lab. Zool. Gen. Agr. Portici, vol. 21, pp. 91-95, 2 text figs. December 15. (*Neotermes superans* Abyssinia; *Coptotermes remotus*, South Africa.)
1934. Compendio di entomologia applicata (Agraria—forestale—medica—veterinaria), parte speciale, vol. 1 (fogli 1-28), Portici. Stab. Tip Bellavista. pp. 1-448 (fig.) Isoptera, pp. 27-41.)
1936. Description d'une nouvelle espèce du genre *Leucotermes* Silv. (Isopt.). Bull. Soc. Ent. France, vol. 41, No. 10, pp. 203-205, figs. 1-10 (soldier). June 1. (*L. perfidus* n. sp., St. Helena Isl.)
1946. Nuove concetto di fasi corrispondenti all' età della colonia negli individui di una stessa specie componenti una colonia di termiti e descrizione di due specie nuove di *Syntermes*. Boll. Lab. Ent. Agr. di Portici, vol. 6, pp. 1-14, 4 figs. (December 12, 1945.)
1947. Seconda nota su alcuni termitofili dell' Indocina con una appendice sul *Macrotermes barneyi* Light. Boll. Lab. Ent. Agr. di Portici, vol. 7, pp. 13-40, illus. March 17. (Table of dimensions given for soldiers of *M. barneyi* Light.)
- SJÖSTEDT, YNGVE.
1896. *Termes Lilljeborgi*, eine neue, wahrscheinlich pilzanbauende Tagtermite aus Kamerun. Festschr. für Lilljeborg, pp. 267-280, 1 pl. Uppsala.
- 1896a. Termiten aus Kamerun. Ent. Tidskr., vol. 17, No. 4, pp. 297-298. December 14. (*Eutermes fungifaber* n. s., *E. latifrons*, *E. fuscotibialis*, *Termes putorius* nn. spp.)
1897. Neue Termiten aus West-Afrika. (Vorläufige Mitteilung.) Ent. Tidskr., vol. 18, No. 3, pp. 123-126. January 19. (*Termes Buchholzi*, *T. crucifer*, *T. aquaticus*, *T. latialatus*, *T. Caffrariae*, *Eutermes Aurivillii*, *E. albotarsalis*, *E. arboricola*, *E. chrysopleura*, n. spp.)
- 1897a. Neue Termiten aus Sierra Leone und Guinea. Ent. Tidskr., vol. 18, No. 4, p. 212. January 19.

1898. Eine bisher unbekannte Termite aus Kamerun. Ent. Tidskr., vol. 19, No. 2, p. 128. August 23. (*T. niger*.)
- 1898a. Zwei neue Termiten aus der Westküste Afrikas. (Vorläufige Mitteilung.) Ent. Tidskr., vol. 19, Nos. 3-4, pp. 204-205. December 14.
1899. Neue afrikanische Termiten. (Vorläufige Mitteilung.) Ent. Nachr., Jahrg. 25, Nos. 3-4, pp. 34-39. February.
- 1899a. Eine neue termite aus Ostafrika. Ent. Tidskr., vol. 20, Nos. 2-3, p. 156. September 26. (*T. goliath*.)
1900. Vorläufige Diagnosen einiger afrikanischen Termiten. Ent. Tidskr. (1899), vol. 20, No. 4, p. 278. January 23.
- 1900a. Monographie der Termiten Afrikas. K. Svenska Vetensk. Akad. Handl., vol. 34, No. 4, pp. 1-236, 9 pls. April 11.
1902. Termites novos ex Africa Reportatos. Ent. Tidskr., vol. 23, No. 1, p. 40. March 21. (*Eutermes mitis*, *E. infuscatus*, n. spp.)
- 1902a. Eine neue Termite aus Kamerun. Ent. Tidskr., vol. 23, No. 4, p. 252. December 13. (*T. terricolla*, n. sp.)
- 1902b. Neue afrikanische Termiten. Ent. Tidskr., vol. 23, No. 4, pp. 302-304. December 13.
1903. Eine neue Termite aus Brit. Central Afrika. Ent. Tidskr., vol. 24, No. 1, p. 76. April 18. (*Eutermes usambarensis*, n. sp.)
1904. Monographie der Termiten Afrikas. Nachtr. K. Svenska Vetensk. Akad. Handl., vol. 38, No. 4, pp. 1-120, 4 pls. September 3.
1905. Ueber eine Termitensammlung aus Kongo und anderen Teilen von Afrika. Arkiv Zool., vol. 2, No. 16, pp. 1-20. May 2.
1907. Ueber eine Termitensammlung aus Kongo. Ent. Tidskr., vol. 28, No. 4, pp. 233-250. September 28.
- 1907a. Wissenschaft Ergebn. der Schwed. Zool. Exedit. nach dem Kilimandjaro, dem Meru und den umgebenden Massaistepfen Deutsch-Ostafrika, 1905-'06, unter Leitung von Prof. Dr. Y. Sjöstedt. Schwedisch Akad. Wiss. Uppsala, vol. 3, No. 15, pp. 1-28, 4 pls. (15, Corrodentia. No. 1. Termitidae.)
1911. Zur Termitenfauna Kongos. Ent. Tidskr., vol. 32, Nos. 3-4, pp. 137-170, 8 figs. December 14.
- 1911a. Termitidae novae a Cl. Dom. Maurice de Rothschild ex Aethiopia reportatae. Ent. Tidskr., vol. 32, Nos. 3-4, pp. 171-172. December 14.
- 1911b. Neue Ost- und Westafrikanische Termiten. Ent. Tidskr., vol. 32, Nos. 3-4, pp. 173-188. December 14.
- 1911c. Ueber die von Herrn Professor Einar Lönnberg in British Ostafrika eingesammelten Termiten. Arkiv Zool., vol. 7, No. 18, pp. 1-3. Uppsala. December 23. (*Eutermes lonnbergianus* n. sp.)
- 1911d. Neue afrikanische Termiten im schwedischen Reichsmuseum. Arkiv. Zool., vol. 7, No. 20, pp. 1-18. December 23.
1912. Neue Termiten aus Tripolis, Ober-Aegypten, Äbessinien, Erithrea, dem Galla- und Somalilande. Arkiv Zool., vol. 7, No. 27, pp. 1-17. April 12.
1913. Ergebnisse einer botanischen Forschungsreise nach Deutsch-Ostafrika und Südafrika (Kapland, Natal und Rhodesien) von J. Brunenthaler. Denkschr., Akad. K. Wiss., Math.-Nat. Kl., vol. 88, pp. 720-721, Termiten (*Eutermes trinervoides* n. sp.). Wien.
- 1913a. Über Termiten aus dem inneren Congo, Rhodesia, und Deutsch-Ostafrika. Rev. Zool. Africaine, vol. 2, No. 3, pp. 354-391. Bruxelles. May 30.

1914. Termiten aus Madagaskar eingesammelt von Herrn Dr. W. Kaudern 1911-1912. Arkiv Zool., vol. 8, No. 27, pp. 1-19, 3 pls., 6 figs. Stockholm. May 22.
- 1914a. Termiten aus Zambesi, Rhodesia, Nyassa und Süd-Nigeria. Arkiv Zool., vol. 8, No. 28, pp. 1-9, 3 figs. Stockholm. May 22.
- 1914b. Isoptera. In W. Michaelsen, Beiträge zur Kenntnis der Land und Süßwasserfauna Deutsch-Südwest Afrikas. Lief. 1, pp. 73-92, 1 pl., 2 text figs. Hamburg.
- 1914c. Termiten. Wissenschaftliche ergebnisse der Deutschen Zentral-Afrika Expedition, 2d, 1910-11, vol. 1, pp. 89-95, pls. 1-4. Leipzig. July.
1915. Insectes Pseudonevropteres. 1. Termitidae. Voyage Ch. Alluad et R. Jeannel en Afrique Orientale 1911-12, pp. 1-18, 3 figs. Paris. March 15.
1922. Termites. Extrait du voyage de M. Le Baron Maurice de Rothschild en Ethiopie et en Afrique Orientale Anglaise (1904-1905). (Termites, pp. 241-247, 5 pls.) Paris.
1924. Über das unterirdische Nest einer bisher unbekanntenen Termiten aus Kongo. Arkiv Zool., vol. 15, No. 20, pp. 1-8, 3 pls., 1 text fig. Stockholm. January 9. (*Termes (Odontotermes) Lamani* n. sp.; two types of soldiers and worker.)
- 1924a. Neue Termiten im Kongo-Museum. Rev. Zool. Africaine, vol. 12, No. 1, pp. 39-42. March 1.
- 1924b. Neue Arten und Gattungen Afrikanischer Termiten. Rev. Zool. Africaine, vol. 12, No. 2, pp. 253-257. June 1.
- 1924c. Neue Afrikanische Termiten. Rev. Zool. Africaine, vol. 12, No. 4, pp. 490-494, 495-497. November 1.
1925. Neue Termiten aus Africa und Madagaskar. Konowia, vol. 4, Nos. 1-2, pp. 53-55. February 9.
1926. Revision der Termiten Afrikas. 3. Monographie. K. Svenska Vetensk. Akad. Handl., ser. 3, vol. 3, No. 1, pp. 1-419, 16 pls., 83 text figs. March 13 (April 8).
- 1926a. Neue Termiten aus der Goldküste. Arkiv Zool., vol. 18, No. 12, pp. 1-5. Uppsala. May 18.
- 1926b. Kongo-termiten aus dem Ituri- und Uelegebiet. Rev. Zool. Africaine, vol. 14, No. 1, pp. 140-164, 3 text figs. August 15.
- 1926c. Termiten aus Accra. Ent. Tidskr., vol. 47, No. 4, pp. 238-246, 2 figs. Stockholm. December 31.
- 1926d. Wissenschaftliche Ergebnisse der mit Unterstützung der Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F. Werner Unternommenen Zoologischen Expedition nach dem Anglo-Ägyptischen Sudan (Kordofan) 1914. XXI. Isoptera. Denkschr., Akad. Wiss. Wien, Math.-Nat. Kl., vol. 100, pp. 71-76, 1 pl. und einem Anhang: Einige Beobachtungen an Termitenbauten, von R. Ebner (Wien).
1927. Termiten aus dem Somaliland. Rev. Zool. Africaine, vol. 15, No. 1, pp. 97-104, 4 figs. April 1.
- 1927a. Eine neue termiten aus Katanga, Belg. Congo. Ent. Tidskr., vol. 48, No. 3, p. 169, 1 fig. Stockholm. November 4. (*Megagnathotermes katangensis*, type in Mus. Stockholm.)
- 1927b. Sur l'image ailé d'un Termiten du Maroc. Bull. Soc. Ent. France, No. 18, pp. 279-280. December 28. (Winged adult of *Hodotermes maroccanus*; fig. of wings.)
1935. Eine neue Hodotermite aus Tunis. Rev. Franc. Ent., vol. 2, No. 2, pp. 106-107, 1 fig. August 1. (*Anacanthotermes tunisiensis* n. sp., Tunis.)

SNYDER, THOMAS E.

1920. Two new termites from Arizona. Proc. Ent. Soc. Washington, vol. 22, No. 2, p. 38. February 18.

1922. New termites from Hawaii, Central and South America, and the Antilles. Proc. U. S. Nat. Mus., vol. 61, art. 20, pp. 1-32, pls. 1-5. May 25.
1923. A new *Reticulitermes* from the Orient. Journ. Washington Acad. Sci., vol. 13, No. 6, pp. 107-109. March 19. (*Reticulitermes chinensis* Snyder.)
- 1923a. A new *Glyptotermes* from Porto Rico. Proc. Ent. Soc. Washington, vol. 25, No. 4, pp. 89-94, pl. 8. April.
- 1923b. Three new termites from the Canal Zone, Panama. Proc. Ent. Soc. Washington, vol. 25, Nos. 5-6, pp. 126-131, 1 fig. May-June.
1924. A new subgenus of *Nasutitermes* Banks (Isop.). Proc. Ent. Soc. Washington, vol. 26, No. 1, pp. 20-24, pl. 1. January 1. (*Obtusitermes*.)
- 1924a. Entomology—A new *Prorhinotermes* from Panama. Journ. Washington Acad. Sci., vol. 14, No. 2, pp. 43-45, figs. 1, 2. January 19.
- 1924b. An extraordinary new *Rhinotermes* from Panama. Proc. Biol. Soc. Washington, vol. 37, pp. 83-86, pl. 10, figs. 1, 2. February 21.
- 1924c. Descriptions of new species and hitherto unknown castes of termites from America and Hawaii. Proc. U. S. Nat. Mus., vol. 64, art. 6, pp. 1-40, pls. 1-5. May 10.
- 1924d. Description of a new termite from Porto Rico. Proc. Ent. Soc. Washington, vol. 26, No. 5, pp. 131-132. May 29.
- 1924e. A correction. Proc. Ent. Soc. Washington, vol. 26, No. 7, p. 196. October. (*Nasutitermes* (*Obtusitermes*) *biforma* Sny., changed to *biformis*.)
- 1924f. Whence the termites of Hawaii? Proc. Hawaiian Ent. Soc. for 1923, vol. 5, No. 3, pp. 381-384. December.
1925. New termites and hitherto unknown castes from the Canal Zone, Panama. Journ. Agr. Res., vol. 29, No. 4, pp. 179-193. (August 15, 1924.) January 1925.
- 1925a. Description of winged adult of *Kalotermes approximatus* Snyder. Proc. Ent. Soc. Washington, vol. 27, No. 1, p. 14. (January.) February 10.
- 1925b. New American termites, including a new subgenus. Journ. Washington Acad. Sci., vol. 15, No. 7, pp. 152-162. April 4.
- 1925c. A new *Rugitermes* from Panama. Journ. Washington Acad. Sci., vol. 15, No. 9, pp. 197-200. May 4.
- 1925d. *Biformis* a preoccupied name. General notes. Proc. Biol. Soc. Washington, vol. 38, p. 89. May 26.
- 1925e. A new Cuban termite. Proc. Ent. Soc. Washington, vol. 27, No. 5, pp. 105-106. May 28.
- 1925f. New termites from the Solomon Islands and Santa Cruz Archipelago. I. Journ. Washington Acad. Sci., vol. 15, No. 17, pp. 395-407. October 19.
- 1925g. New termites from the Solomon Islands and Santa Cruz Archipelago. II. Journ. Washington Acad. Sci., vol. 15, No. 19, pp. 438-444. November 19.
1926. New termites from Guatemala, Costa Rica and Colombia. Journ. Washington Acad. Sci., vol. 16, No. 1, pp. 18-28. January 4.
- 1926a. Five new termites from Panama and Costa Rica. Proc. Ent. Soc. Washington, vol. 28, No. 1, pp. 7-16. January 30.
- 1926b. Change of name of Isoptera. Proc. Ent. Soc. Washington, vol. 28, No. 2, p. 51. February. (*Kalotermes* (*Calcaritermes*) *fairchildi* Sny. for *K. (C.) thompsonae* Sny.)
- 1926c. Notes on termites from Arizona with description of two new species. California Univ. Publ., Zool., vol. 28, No. 21, pp. 389-397, 6 text figs. April 5.
- 1926d. Termites collected on the Mulford Biological Exploration to the Amazon Basin, 1921-1922. Proc. U. S. Nat. Mus., vol. 68, art. 14, pp. 1-76, pls. 1-3, 3 text figs. April 26.

- 1926e. *Nasutitermes* (*N.*) *benjamini*, a new name for *Eutermes insularis* Sjöstd. Proc. Biol. Soc. Washington, vol. 39, p. 143. December 27.
1929. New termites from the Antilles and Middle America. Proc. Ent. Soc. Washington, vol. 31, No. 4, pp. 79-87, 2 figs. (April.) May 4.
1931. Termites destroyers of wood and man's fight against them. Lingnan Sci. Journ. (1929), vol. 7, pp. 531-580, figs. A-D, pls. 17-27. June.
1932. Two new termites from Costa Rica. Proc. Ent. Soc. Washington, vol. 34, No. 6, pp. 98-100, fig. 1. July 15.
1933. Two new termites from India. Proc. Biol. Soc. Washington, vol. 46, pp. 91-93. April 27.
- 1933a. New Termites from India. Proc. U. S. Nat. Mus., vol. 82, art. 16, pp. 1-15, pl. 1, 8 text figs. April 28.
- 1933b. *Calcaritermes* in the United States. Proc. Ent. Soc. Washington, vol. 35, No. 5, pp. 67-69, fig. 1. May.
- 1933c. A new species of Brazilian termite featuring an intermediate soldier-worker individual. Proc. Biol. Soc. Washington, vol. 46, pp. 161-166, fig. 2. October 26.
1934. Two new termites from Costa Rica. Proc. Biol. Soc. Washington, vol. 47, pp. 95-98 (figs. 1-2). June 13.
- 1934a. New termites from India. Indian Forest Rec., vol. 20, No. 11, pp. 1-28. Delhi. September 29.
1946. A small dark-colored new *Kalotermes* from Guatemala. Proc. Ent. Soc. Washington, vol. 48, No. 6, pp. 158-160. June 27.
- SNYDER, THOMAS E., and ZETEK, J.
1924. Damage by termites in the Canal Zone and Panama and how to prevent it. U. S. Dep. Agr. Bull. 1232, 26 pp., illus. June 27.
- SÖRENSEN, W.
1884. Traek af nogle sydamerikaniske insecters biologi. Ent. Tidskr., vol. 5, pp. 1-25, pl. 1. (Four species described as new: *Termes strunckii* (queen and soldier)=*Microcerotermes strunckii* (Sor.); *T. christiernsonii* (winged and soldier)=*Cornitermes similis* (Hagen); *T. orencis* (soldier)=*Neocapritermes opacus* (Hagen); *T. lacus sancti* (soldier)=*Neocapritermes opacus* (Hagen).) (NOTE: In the Museum of Comparative Zoology with specimens of these termites are also specimens of *Termes saltans* (Wasmann) and winged and nasuti of "*reinhardtii*" from Rio, Brazil; the latter is Sörensen's MS. name for a *Constrictotermes* which proves to be *cyphergaster* Silvestri.)
- STEPHENS, J. F.
1835. Illustrat. of British Entomology, vol. 6, Mandibulata, p. 97, Termitina. London.
- SUMNER, ETHEL CRAIG.
1933. The species of the termite genus *Zootermopsis* Emerson (= *Termopsis* Hagen). California Univ. Publ., Ent., vol. 6, No. 7, pp. 197-229, 2 pls., 23 figs. November 4.
- TILLYARD, R. J.
1931. The wing-venation of the order Isoptera: I. Introduction and the family Mastotermitidae. Proc. Linn. Soc. New South Wales, vol. 56, pt. 4, No. 236, pp. 371-390, 8 figs., 1 pl. October. (Family Mastotermitidae defined on characters of its wings.)
- TOWNSEND, C. H. T.
1893. Note on *Termopsis angusticollis* Hagen. Zool. vol. 4, No. 2, pp. 139-141. July 22.
- TRÄGÅRDH, IVAR.
1904. Termiten aus dem Sudan. Results Swed. Zool. Exped. Egypt and White Nile, 1901, No. 12, pt. 1, No. 1, 47 pp., 3 pls., 8 figs.

TSCHERWINSKY, K. K.

1901. Verzeichniss und Beschreibung der Termitensammlung. Sammlung Zool. Kab. Kais. Univ., Warschau, VII, 10 pp.; Summary; Zool. Centralbl. 1902, p. 133 (new species listed).

VASILJEV, J. V.

1911. Zwei neue Arten von Termiten aus Mittelasien. Rev. Russ. Ent., vol. 11, pp. 268-270. St. Petersburg. (*Hodotermes baeckmannianus* and *murgabicus*.)

VILLERS, C. J. DE.

1789. Caroli Linn. Ent. . . . Lugduni, vol. 3, p. 56 (Raphidioides).

WALKER, F.

1853. List of the specimens of Neuropterous insects in the collection of the British Museum. Part 3, pp. 501-529, Termitides. London.

WASMANN, E.

1893. Einige neue Termiten aus Ceylon und Madagascar mit Bemerkungen über deren Gäste. Wien. Ent. Zeitg., vol. 12, No. 7, pp. 239-247. September 10.
1894. Kritisches Verzeichnis der myrmekophilen und termitophilen Arthropoden, p. 211, note. Berlin.
1896. Neue Termitophilen und Termiten aus Indien. Viaggio di Leonardo Fea in Birmania e Regioni Vicine. Ann. del. Mus. Civ. di Stor. Nat. Genova, ser. 2, vol. XVI (XXXVI). LXXII, pp. 613-630, pls. 2, text figs. 4-7.
- 1896a. Nachtrag., loc. cit., vol. XVII, pp. 149-152. (Queens of "*Termes*" *azarelli* and *xenotermitis*.)
1897. Termiten von Madagaskar und Ostafrika. (Wiss. Ergeb. der Reisen in Madagaskar und Ostafr. 1889-95 von Dr. A. Voeltzkow.) Abhandl. Senckenb. Naturf. Gesell., Frankfurt a.M., vol. 21, No. 1, pp. 137-182, 2 pls. (1899.)
- 1897a. (*Polybia* predacious on "*Eutermes*" *ater* and *tenebrosus*.) Zool. Anz., vol. 20, No. 538, p. 278. August 16.
1900. Zur Beschreibung von *Termes obesus* Ramb. Deut. Ent. Zeitschr., vol. 43, No. 2, p. 402. February. (*T. obesus* ist grosser als *T. redemanni*. Korrektur zu D. E. Z. p. 146.)
- 1900a. [Description of *Coptotermes Raffrayi* n. sp.] Proc. Linn. Soc. New South Wales, vol. 25, pt. 2, p. 244. September 25.
1901. Beitrag zur Kenntnis der Myrmekophilen und Termitophilen. Biol. Zentralbl., vol. 21, No. 1, p. 744. December 1. (*Dentitermes Foreli*-Colombia.)
1902. Verzeichnis der von Dr. W. Horn auf Ceylon 1899 gesammelten Termiten Termitophilen und Myrmekophilen. Deut. Ent. Zeitschr., vol. 46, No. 1, pp. 79-80. July. (List loc. for species.)
- 1902a. Neues über Nester und Kolonien der Ameisen. Allg. Zeitschr. Ent., vol. 7, No. 16, pp. 293-298. August. (*Termes monodon*, subsp. *lujanus*, p. 294.)
- 1902b. Termiten, Termitophilen und Myrmekophilen. Gesammelt auf Ceylon von Dr. W. Horn. Zool. Jahrb., Abt. Syst., vol. 17, No. 1, pp. 99-164, 2 pls. October. (P. 123, *Amitermes tubiformans* Buckley; p. 154, parasitic termites.)
- 1902c. Einige Bemerkungen zu Sjöstedts' "Monographie der Termiten Afrikas." Biol. Zentralbl., vol. 22, No. 23, pp. 714-717. November 15. (*Eutermes Sjöstedti*.)
1904. Remarques critiques sur la phylogénie et la division systématique des Termitidea. Ann. Soc. Ent. Belg., vol. 48, No. 10, pp. 370-371. November 10. (Reponse a M. Wasmann par J. Desneux, pp. 372-378. See Desneux (criticism of J. Desneux' views of the division of the old genus *Termes*, subdivisions established by soldiers).

- 1904a. Zur Kenntnis der Gäste der Treiber-Ameisen u. ihrer Wirthe am obern Congo, nach den Sammlungen und Beobachtungen von P. Herm. Kohl. Zool. Jahrb., suppl. 7, pp. 611-682, 3 pls. (P. 673.)
1906. Beispiele rezenter Artenbildung bei Ameisen und Termitengästen. Festschrift für F. Rosenthal. Leipzig, pp. 44-58. Biol. Zentralbl., vol. 26, Nos. 17-18, pp. 565-580. August 15. (P. 573, *Cubitermes* n. gen. for *Termes bilobatus* Haviland.)
1908. Zur Kastenbildung und Systematik der Termiten. Biol. Zentralbl., vol. 28, No. 3, pp. 68-73. February 1. (P. 70, remarks on Lomechion-Pseudogenera theory.)
- 1908a. Termitophilen. In Schultze's Forschungsreise im westlichen und zentralen Südafrika ausgeführt in den Jahren 1903-1905, vol. 1, leaf. 2, Denkschr. Mediz. Nat. Ges. Jena, pp. 441-445, pl. 22a.
1909. Escherich's neue Termitenstudie. Biol. Zentralbl., vol. 29, No. 7, pp. 216-224. April 1.
1910. Nils Holmgren's neue Termitenstudien und seine Exsudat Theorie. (Zugleich 175. Beitrag zur Kenntnis der Myrmekophilen und Termitophilen.) Biol. Zentralbl., vol. 30, No. 9, pp. 303-310. May 1.
- 1910a. Termiten von Madagaskar, den Comoren und Inseln Ostafrikas. In Voeltzkow, Reise in Ostafrika. Wiss. Ergeb., vol. 3, No. 2, pp. 115-127, 7 figs. November 29.
1911. Berichtigung. Zool. Anz., vol. 37, No. 5, p. 128. February 14.
- 1911a. Zur Kenntnis der Termiten und Termitengäste von Belgischen Kongo. Rev. Zool. Africaine, vol. 1, Nos. 1-2, pp. 91-117, 145-176, 8 pls. (Pt. 1, pp. 91-117, April 10; pt. 2, pp. 145-176, August 31.)
- 1911b. K. Escherich, Termitenleben auf Ceylon. (Zugleich 189. Beitrag zur Kenntnis der Termitophilen.) Biol. Zentralbl., vol. 31, No. 13, pp. 394-412; vol. 31, No. 14, pp. 423-434. July 1 and 15.
1912. Neue Beiträge zur Kenntnis der Termitophilen und Myrmecophilen (No. 192). Zeitschr. Wiss. Zool., Leipzig, vol. 101, Nos. 1-2, pp. 70-115, pls. 5-7. July 2. (*Mirotermes bellicosi* n. sp. descr.)
- 1912a. Nils Holmgren's "Termitenstudien," Systematik der Termiten. Biol. Zentralbl., vol. 32, No. 9, pp. 586-590. September 20.
1915. Nils Holmgren's "Termitenstudien" IV. Versuch einer systematischen Monographie der Termiten der orientalischen Region. Biol. Zentralbl., vol. 35, Nos. 8-9, pp. 379-385. September 20.
1922. (*Eutermes Corporaali* n. sp. described.) Mitt. Zool. Mus. Hamburg, Jahrg. 39, p. 38.
- WASMANN, E., and WERNER, F.
1912. Ergebnisse der mit Subvention aus der Erbschaft Treitl unternommenen zoologischen Forschungsreise. Dr. Franz Werner's nach dem ägyptischen Sudan und Nord-Uganda XIX und XX. Termiten und Embidaria. Sitzber. K. Akad. Wiss. Wien, vol. 121, Abt. 1, Heft 4-5, pp. 171-179, 7 figs. April and May. (*T. latericius*, var. *media*, n. var., descr.)
- WESTWOOD, J. O.
1840. Introduction to the modern classification of insects. Vol. 2, pp. 5-17. London. (Order Neuroptera. Goes into composition of order from beginning, including the termites, etc., pp. 11-17. Description of termites and their habits.)
- WHEELER, WILLIAM MORTON.
1904. The phylogeny of the termites. Biol. Bull., vol. 8, pp. 29-37.
1936. Ecological relations of Ponerine and other ants to termites. Proc. Amer. Acad. Arts and Sci., vol. 71, No. 3, pp. 159-243. October.

WHITE, ADAM.

1846. Voy. Erebus and Terror. Zool. Pl. ii. (pl. XXXV, fig. 4). Describes *Calotermes insularis*. (See Froggatt 1896, p. 524.)

WU, CHENFU, F.

1935. Catalogus Insectorum Sinensium (Catalogue of Chinese Insects). (Order V. Isoptera) 1, IV + pp. 217-222. Fan. Mem. Inst. Biol., Peiping, China. April 1.

YANO, W.

1911. [The termites found in Japan proper.] Hock. Tomo, vol. 11, pp. 11-15.
 1911a. [On the scientific names of Japanese termites.] Dobutsugaku Zasshi, vol. 23, pp. 364-368.
 1911b. [On the scientific names of Japanese termites, a reply to Mr. Oshima's query.] Konchu Sekai (Insect World), vol. 15, pp. 401-405. Gifu, Japan.
 1911c. [The first official report on termites.] Rep. Forestry Exp. Stat., No. 9, pp. 53-66, pl. 4.

ON FOSSIL TERMITES *

ABEL, O.

1933. Ein fossiles Termitennest aus dem Unterpliozän des Wiener Beckens. Verhandl. Zool.-Bot. Ges. Wien, vol. 83, Nos. 3-4, pp. 38-39.

ASSMANN, A.

1870. Palaeontologie Beiträge zur Insekten-Fauna der Vorwelt. 62 pp., 1 pl. Breslau. Zeit. Ent. Ver. Schles. Insektenkunde, vol. 2, No. 1, p. 45, pl. 1, fig. 7. (*Hodotermes heerianus* Goep. Upper Oligocene, Schosnitz in Schlesien.)

BANKS, N., and SNYDER, T. E.

1920. A revision of Nearctic termites, etc. U. S. Nat. Mus. Bull. 108, pp. 1-228.

BEQUAERT, J. C., and CARPENTER, F. M.

1941. The antiquity of social insects. Psyche, vol. 48, No. 1, pp. 50-55.

BERENDT, GEORG CARL.

- 1854-56. Die im Bernstein befindlichen organischen Reste der Vorwelt. Berlin. (Fol.)
 I. 1854. Aptaera (mit Koch) 124 pp., 17 pls. 1856. Hemipteren und Orthopteren (mit Germar). Neuropteren (mit Pictet u. Hagen) 125 pp., 8 pls.

BRAUER, F.

1886. Ansichten über die Paläozoischen Insecten und deren Deutung. Ann. Naturhist. Mus. Wien, vol. 1, pp. 86-126.

BRODIE, P. B.

1845. A history of fossil insects of the secondary rocks of England. P. 33, pl. 2, fig. 5 (termite *grandaevus*).

BRONGNIAST, C.

1893. Recherchi pour series a l'Histoire des Insectes Fossiles de Temps Primaires, etc. Bull. Soc. Indus. Minerale, vol. 7, No. 3, p. 127.

BURR, M.

1931. On the mineralization of termitaria. Ent. Rec. and Journ. Variation, vol. 43, No. 5, pp. 81-83. (In Angola termite mounds ferruginized or silicified.)

BURR, M., and NAZAROFF, P. S.

1931. Note on the spongy ironstone of Angola. Geol. Mag., London, vol. 68, No. 10, pp. 443-446, 1 pl. (Ironstones represent subfossil remains of termitaria.)

* See bibliography on living termites for references not herein listed.

CHARPENTIER, T.

1843. Über einige fossile Insekten aus Radoboj in Kroatien. Nov. Acta Acad. Leop. Carol, vol. 20, p. 409, pl. 23, figs. 2-3. Wien.

COCKERELL, T. D. A.

1908. Florissant: A Miocene Pompeii. Pop. Sci. Month., vol. 73, p. 118, 1 fig. (*Hodotermes coloradensis*.)
1909. A catalog of the generic names based on American insects and arachnids from the Tertiary rocks with indications of the type species. Bull. Amer. Mus. Nat. Hist., vol. 26, art. 8, pp. 77-86. March 9. (P. 78, Isoptera, *Parotermes* Scudd. 3. *P. insignis* Scudd. D. Florissant.)
1911. Fossil insects from Florissant, Colorado. Bull. Amer. Mus. Nat. Hist., vol. 30, pp. 171-182.
1913. The genera *Parotermes* and *Hodotermes* (Isoptera). Ent. News, vol. 24, No. 1, pp. 6-8. January. (+ *Parotermes scudderi*, n. sp.)
1915. British fossil insects. Proc. U. S. Nat. Mus., vol. 49, No. 2119, pp. 469-500, pls. 60-65.
1916. Insects in Burmese amber. Amer. Journ. Sci., vol. 42, art. 16, p. 138. (+ *Termopsis swinhoei* sp. n.)
1917. Insects in Burmese amber. Ann. Amer. Ent. Soc., vol. 10, p. 329 (p. 323, Isoptera, + *Hodotermes tristis* sp. n.), fig. 10.
1920. Fossil arthropods in the British Museum IV. Ann. and Mag. Nat. Hist., vol. 25, p. 211. August. (Isoptera, Termitidae 2, R. C. J. Swinhoe collect., from amber mines not in Burma proper, but in "unadministered tracts.")
1922. Fossils in Burmese amber. Nature (London), vol. 109, p. 713. June 3.

COCKERELL, T. D. A., and SNYDER, T. E.

1925. A fossil termite from Germany. Proc. Biol. Soc. Wash., vol. 38, pp. 21-22, 1 pl. March 12. (*Ulmeriella bauckhorni* Meunier.)
- 1925a. Termite synonymy—*Ulmeriella bauckhorni* Meunier and *Macrohodotermes* Fuller. Proc. Biol. Soc. Wash., vol. 38, p. 86. May 26. (General notes.)

COLLINS, R. LEE.

1925. Eocene termite from Tennessee. Amer. Journ. Sci., ser. 5, vol. 9, No. 53, pp. 406-410, figs. 1-7.

DAKE, H. C.

1942. Worm bored woods—conifer cones, some rare petrifications. Mineralogist (Portland), vol. 10, No. 1, p. 11, 3 figs. (Miocene wood from Oregon and Washington containing termite borings.)

DE BORRE, PREUDHOMME.

1875. Complement de la note sur des empreintes d'insectes fossiles. C. R. Ann. Soc. Ent. de Belg., vol. 18, pp. 56-66, pl. 5, fig. 3. (Wing from coal formation in Belgium referred doubtfully to Termitidae.)

EMERSON, A. E.

1933. A revision of the genera of fossil and recent Termopsinae (Isoptera). Calif. Univ. Publ., Ent., vol. 6, No. 6, pp. 165-196, 40 text figs. Berkeley, Calif. March 31.
1942. The relations of a relict South African termite (Isoptera, Hodotermitidae, *Stolotermes*). Amer. Mus. Novit., No. 1187, Amer. Mus. Nat. Hist., pp. 1-12, 2 figs., table 1. August 18.
1947. The imago of *Stolotermes africanus* Emerson. Journ. Ent. Soc. South Africa, vol. 9, pp. 127-129. February 28.

FÖRSTER, B.

1888. Die Gliederung des Sundgauer Tertiärs. Mitt. Comm. Geol. Landes-Unters. von Elsass-Lothringen, vol. 1, p. 164. (*Termes* sp. Orthopteren.)
 1890. Vorläufige Mitt. über die Insekten des "Plattigen Steinmergels" von Brunstatt. l.c., vol. 2, p. 103. (*Termes* sp.)

FULLER, C.

1925. A white-ant fossil. Ent. Note, Union South Africa Dep. Agr., ser. 15, p. 4. June. (*Ulmeriella* is a *Hodotermes*.)

GEINITZ, F. E.

1883. *Clathrotermes geinitzi* Heer in the Lias of Mecklenburg. Arch. Ver. Mecklenb., vol. 37, p. 31. (Die Flotzformation Mecklenburg.) (Not a termite.)

GERMAR, E. F.

1813. Insecten in Bernstein eingeschlossen. Mag. Ent., vol. 1, p. 16. (*Hemerobites antiquus*.)
 1856. See in Berendt.

GIEBEL, C. G.

1852. Deutschl. Peterfacten II. 706 pp. Leipzig. (P. 638, *Termes procerus*, etc., fam. Termitina.)
 1856. Fauna der Vorwelt, etc. Tom. 2, p. 1, Insecta: *Termes debilis* beschreiben von Heer. (Title) Die Insecten und Spinnen der Vorwelt mit steter Berücksichtigung der lebenden Insekten und Spinnen; monographisch dargestellt. 8°, 18 and 411 pp.

GOLDENBERG, F.

1854. Palaeontographica von Dunker und von Meyer IV, pp. 29-31. (Fossil genus *Eutermopsis* described.)
 1873. Fauna Saraepontana fossilis, Heft I, p. 12.
 1877. Fauna Saraepontana fossilis, Heft II. (Spp. n. *Termes laxa*, p. 17, *Termitidium* n. g. *amissum*, p. 17, *T. (?) rugosum*.)

GÖPPERT, H. R.

1855. Die Tertiäre Flora von Schossnitz in Schliesen, p. 7, pl. 26, fig. 53.

GUERIN-MENEVILLE, F. E.

1825. In Bory de Saint Vincent, J. B. G. M. von. Dict. Class Hist. Nat., vol. 8, (P. 580, *Termes*.)

HAASE, E.

1890. Bemerkungen zur Palaeontologie der Insecten. Neues Jahrb. Min., vol. 2, pp. 1-33, pl. 1. (P. 2, *Termes lithophilus* Hag.; p. 11, *Termes heros*; p. 12, *Mesotermes heros*.)

HAGEN, H. A.

1853. Hr. Peters berichtete über die von ihm gesammelten und von Hr. Dr. Hermann Hagen bearbeiteten Neuropteren aus Mossambique. Bericht Konigl. Preuss. Akad. Wiss. Berlin, pp. 479-481. (Genus *Kalotermes* described.)
 1854. Über die Neuropteren der Bernstein fauna. Verhandl. Zool.-Bot. Verein Wien, vol. 4, pp. 221-232.
 1855. Monographie der Termiten. Pt. 1. Linnaea Entomologica, vol. 10, pp. 1-144, 270-325.
 1856. See in Berendt.
 1858. Monographie der Termiten. Pt. 2. Linnaea Entomologica, vol. 12, pp. 1-342.
 1858a. Catalogue of the specimens of neuropterous insects in the collection of British Museum. Pt. 1, Termitina, pp. 1-34. London.
 1860. Monographie der Termiten. Part 3. Linnaea Entomologica, vol. 14, pp. 73-99.

- 1860a. Monographie der Termiten (Nachtrag.) *Linnaea Entomologica*, vol. 14, pp. 100-128.
1861. An entomological trip to Oxford. *Ent. Weekly Intell.*, London, vol. 10, pp. 151-168. (Three species of fossil termites in Sicilian amber.)
1862. In W. C. H. Peters: *Naturwissenschaftliche Reise nach Mossambique, 1842-48*, Zoologie, V, Neuroptera, Termitina, pp. 57-89. Berlin.
- 1862a. Über die Neuropteren aus dem lithographischen Schiefer in Bayern. v. Meyer. *Paläontogrica*, vol. 10, No. 2, pp. 96-145, 3 pls. (Pp. 107-114, *Termes heros.*) (P. 115, *Termes lithophilus.*)
1863. Neuropteren aus des Braunkohle von Rott im Siebengebirge. *Paläontogrica*, vol. 10, pp. 248-269, 3 pls. (*Calotermes rhenanus* described, prob. 2 spec., p. 250, pl. 44, figs. 1, 2.)
- 1863a. *Bibliotheka Entomologica*. Pt. 2, pp. 486-487. Leipzig. (Amber and copal insects, etc.)
1874. Report on the Pseudo-Neuroptera and Neuroptera collected by Lieut. W. L. Carpenter in 1873 in Colorado. *Ann. Rep. U. S. Geological Survey of Territories for 1873* by F. V. Hayden, pp. 571-606. (P. 571, *Termopsis angusticollis*, var. *nevadensis*, n. var. *T. occidentis* distinct, imago unknown.)

HANDLIIRSCH, ANTON.

1904. Zur Systematik der Hexapoden. *Zool. Anz.* vol. 27, Nos. 23/24, pp. 733-759. (P. 751, 759, Ordnung Isoptera.)
- 1906-1908. Die Fossilen Insecten und die Phylogenie der rezenten Formen. 4°, 1430 pp., 51 pls., v. 7. Stammbäumen in text, pt. 3, Mesozoische Insekten, pp. 413-421 (*Clathrotermes* Heer, 5 spp. and *Calotermes maculatus*, *plagiatus* and *troglydytes* Heer referred to Orthoptera (Locustoidea)); pt. 4, Tertiäre Insekten, pp. 697-782; pt. 8, Phylogeny, p. 1240.
1921. Palaeontologie. In Schröder's *Handb. Ent.*, vol. 3, ch. 7, pp. 113-368. Jena. (Pp. 223-224—Isoptera. Families Mastotermitidae, Calotermitidae, Termitidae. Text fig. 207, wing of *Mastotermes croaticus* von Rosen, p. 295, table 6, Entwicklung der Blattarienreihe, pp. 287, 294, 295, tables.)
1925. Palaeontologie. In Schröder, C. W. M., *Handb. Ent.*, vol. 3, 1,201 pp., 1,040 figs. Jena. (Termites, pp. 223-224, 502-506, classification.)
1930. Zwölfte Ordnung der Pterygogenea: Isoptera oder Termiten. In Kükenthal's *Handb. Zool.*, vol. 4, No. 8, pp. 840-858, 27 figs. Berlin and Leipzig.

HEER, O.

1848. (On the history of insects.) Translated in *Quart. Journ. Geol. Soc. London*, vol. 6, 1850, pp. 68-76 (pp. 68-69, fossil termites).
1849. Die Insektenfauna der Tertiärgelände von Oeningen und von Radoboj in Croatien, vol. 2, pp. 22-36, pls. 2-3. Leipzig. (Termiten.)
1865. Die Urwelt der Schweiz. Pp. 29, 622, 18 pls., 1 map col., text figs. (pp. 85-96). Zurich. (Genus *Clathrotermes* described from fossil. Also *Calotermes plagiatus* and *maculatus*, pl. 7. Orthoptera, according to Handlirsch, 1908, pt. 3.)

HOPE, F. W.

1836. Observations on succinic insects. *Trans. Ent. Soc. London*, vol. 1, pp. 133-147. (P. 144, termites.)

LACOE, R. D.

1883. List of palaeozoic fossil insects of the United States and Canada. *Publ. No. 5*, Wyoming Hist. and Geol. Soc., pp. 1-21. (P. 15, termites?)

LANCE, JOHN F.

1946. Fossil arthropods of California. 9. Evidence of termites in the Pleistocene asphalt of Carpinteria, California. Bull. South. California Acad. Sci., vol. 45, pt. 1, pp. 21-27, illus. June 10. (Jan./Apr.) (Fossil pellets in pinewood, Santa Barbara County, resemble *Kaloterme*s and *Zootermopsis*.)

LIGHT, S. F.

1930. Fossil termite pellets from the Seminole Pleistocene. California. Univ. Publ., Geol. Sci., vol. 19, No. 3, pp. 75-80, pls. 8, 9. March.

LIMA, COSTA DA.

1944. Sobre dois fósseis da bacia terciária de Fonseca (Alvinópolis Minas Gerais). (On two fossils of the Tertiary basin of Fonseca.) Ann. Acad. Brazil Cienc., vol. 16, No. 4, pp. 291-292, 1 pl. (Anterior over posterior wing of fossil mastotermitid species closer to the Blattidae than living species.)

MARTYNOV, A. V.

1929. Fossil insects from tertiary deposits in Ashutas, Saisan District. (In Russian and English.) Trav. Mus. Geol. Leningrad, Acad. Sci. U.R.S.S., V. 1929, pp. 173-216, 2 pls., 15 figs. (*Diatermes* gen. n. (Mastotermitidae), p. 178, *sibiricus* sp. n., p. 179, Siberia, Tertiary, fig.) (*Ulmeriella cockerelli* sp. n. Tertiary, Siberia, p. 175, fig.)
1937. (Wings of termites and phylogeny of Isoptera and of allied groups of insects.) Acad. Sci. U.S.S.R. N. Y. Nasonov (memorial vol.), pp. 83-150 (fig.). Moscow. (Summary in English.) Protoblattoidea, order Permotermopsidae n. fam. *Permotermopsis roseni*, n. g., n. sp., *P. pectinata*, n. sp. (from Permian of Sheimo-Gora, Arkhangelsk district). (Not termites.) (Discussion of wing-venation in Isoptera, Blattoidea, Protoblattoidea.)

MASSALONGO, A. B.

1856. Studii palaeontologici (Schulpr.). Verona 1855-56. (Insect. 19, pp. 11-23, pls. 1-2, figs. 5, 6.)

MEUNIER, F.

1900. Un insecte névroptère dans une résine du Landénien de Léau (Brabant.). Ann. Soc. Geol. Belg., vol. 27, pp. 76-80, fig. 1. (*Termes rutoti*, n. sp., described from nymph, remarkable leg.)
1920. Palaeontology—Quelques insectes de l'Aquitanién de Rott, Sept.-Monts (Prusse rhénane). K. Akad. Wetensch. Amsterdam, Proc. Sect. Sci., vol. 22, pt. 2, pp. 727-737, 891-898. (Pl. 1, fig. 1, Neuroptera, wing of *Phryganea elegantula* Meun., and another species.)

OUCHAKOFF, N.

1838. Notice sur un *Termes* fossile. Bull. Mosc., vol. 11, pp. 37-42, pl. 1, figs. 1, 2.
1840. Notice sur un *Termes* fossile. Ann. Sci. Nat., ser. 2, vol. 13, p. 219, pl. 1 B.

PICTET, F. J.

1854. Traite element. de Paleontologie ou histoire naturelle des animaux fossiles, ed. 2, vol. 2 (termites, pp. 369-370). Separate Atlas, pl. 40, fig. 23. (*Termes Picteti* Berendt wing. im.)

PICTET, F. J., BARABAN, F. J., and HAGEN, H.

1856. Die in Bernstein befindlichen Neuropterea der Vorwelt. In G. C. Berendt, Die in Bernstein befindlichen organischen Reste der Vorwelt, vol. 2, pp. 41-125. Berlin.

PIERCE, W. D.

1947. Fossil arthropods of California. 13, A progress report on the Rancho La Brea asphaltum studies, p. 136. 14, A progress report on the McKittrick asphalt field. Bull. So. California Acad. Sci. vol. 46, No. 3, pp. 136-143, Sept.-Dec. (Termite droppings, p. 137.)

PITON, L., and THÉOBALD, N.

1937. Les insectes fossiles de Menat. In Marty, P., Piton, L., Théobald, N., Les Lignites et Schistes bitumineux de Menat (Puy-de-Dôme). Rev. Sci. Nat. d'Auvergne, vol. 3, No. 2, pp. 76-78, illustr. (pp. 80-81, fig. 4 (imago), *Termopsis piacentinii*).

PITON, LOUIS-E.

1940. Paleontologie du Gisement Éocène de Menat (Puy-de-Dôme) (Flore et Faune) Lechevalier, Paris, 303 pp., illus. (Isoptera, pp. 144-145: further descr. for *Termopsis piacentinii* P. & T.; *Neotermes grassei* n. sp. descr.)

PONGRÁCZ, A.

1917. Új harmadidőszaki termeszfaj Radobojrol. M. Kir Földtani Intezet Ev Könyve, vol. 25, No. 2, pp. 25-35. (*Pliotermes* n. gen.)
1926. Ueber fossile Termiten Ungarns. Mitt. Jahrb. des Kgl. Ungar. Geol. Anst. Budapest, vol. 25, No. 2, pp. 25-30, pls. 3-5. (Gen. *Pliotermes*, sp. *hungaricus* Pgr., Mastotermitinae from Miocene.) June 24. (Revis. 1917 paper.)
1928. Die fossilen Insekten von Ungarn, mit besonderer Berücksichtigung der Entwicklung der Europäischen Insekten—Fauna. Ann. Hist. Nat. Mus. Nat. Hungarici, vol. 25, pp. 91-194. (*Termopsis transylvanica* and *mallassi*.)
1931. Bemerkungen über die Insektenfauna von Oeningen nebst Revision der Heer'schen Typen. Verh. Nathist.-Med. Ver. Heidelberg, vol. 17, pp. 104-125.

ROGERS, A. F.

1938. Fossil termite pellets in opalized wood from Santa Maria, California. Amer. Journ. Sci., ser. 5, vol. 36, pp. 389-392, 3 figs. (Fossil termite pellets from the Pliocene, Santa Barbara County, Calif. Previous reference: American Mineralogist, vol. 13, p. 86, pl. 5, fig. 20, 1928.)

ROSEN, KURT VON.

1913. Die fossilen Termiten, eine kurze Zusammenfassung der bis jetzt bekannten Funde. Trans. 2d Internat. Congr. Ent. (Oxford), vol. 2, pp. 318-335, 6 pls. October.

SCHLECHTENDAL, H. R. VON.

1888. Mittheilungen über die in der Sammlung aufbewahrten Originale zu Germar's "Insekten in Bernstein eingeschlossen" mit Rücksicht auf Giebel's "Fauna der Vorwelt." Zeitschr. Naturw., vol. 61, pp. 473-491.

SCHLOTHEIM, E. F. VON.

1820. Die Petrefaktenkunde, Entomolithen, part 6, p. 43, *Termes*.

SCHÖBERLIN, E.

1888. Der Oeniger Stinkschiefer und seine Insektenreste. Societas Entomologica, vol. 3, No. 7, p. 51. July 1.

SCUDDER, SAMUEL H.

1878. A carboniferous *Termes* from Illinois (*Termes contusus*, n. sp.). Proc. Boston Soc. Nat. Hist. (1877), vol. 19, pp. 300-301. (Not a termite.)
1883. The fossil white ants of Colorado. Proc. Amer. Acad. Arts and Sci., vol. 19 (n. s. vol. 2), pt. 1, pp. 133-145. (Commences with a sketch of the known and fossil species; six additional fossils are described, three of which form a new genus, *Parotermes*.)

1890. The Tertiary insects of North America. U. S. Geol. Surv. Terr., vol. 13, pp. 102-116, pl. 12.
1895. The Miocene insect fauna of Oeningen, Baden. Geol. Mag. (London), n. ser., vol. 2, pp. 6-122, pl. 6. (Termitina, *Calotermes*, p. 119.)

SMITH, F.

1868. In Zaddach, G., Amber; its origin and history, as illustrated by the geology of Samland. Quart. Journ. Sci., vol. 5, No. 18, p. 184, pl., fig. 9, *Termes* sp.

SNYDER, T. E.

1925. Notes on fossil termites with particular reference to Florissant, Colorado. Proc. Biol. Soc. Washington, vol. 38, pp. 149-166. November 13.
1926. Races or subspecies in *Reticulitermes*. Proc. Biol. Soc. Washington, vol. 39, pp. 1-6. February 23. (Discusses fossils.)
1928. A new *Reticulitermes* from Baltic Sea amber. Journ. Washington Acad. Sci., vol. 18, No. 19, pp. 515-517, 1 text fig. November 19.
1931. IV. Isoptera. In Carpenter, F. M., Insects from the Miocene (Latah) of Washington. Ann. Ent. Soc. Amer., vol. 24, No. 2, p. 317, pl. 1, fig. 5, wing. June. (Fossil *Stylotermes washingtonensis*, n. sp.)
1938. Isoptera, fam. Rhinotermitidae, *Reticulitermes creedei*, n. sp. In Carpenter, F. M., et al., Fossil insects from the Creede formation, Colorado. Psyche, vol. 45, Nos. 2-3, pp. 109-110, pl. 13, fig. 3. September.

STATZ, G.

1930. Drei neue Insektenarten aus dem Tertiär von Rott am Siebengebirge. Wiss. Mitt. Ver. Nat. Heimatkunde Köln, 1, pp. 10-14, 6 figs.
1939. Geradflügler und Wasserkäfer der oligocänen Ablagerungen von Rott. Decheniana 99A, pp. 1-102. Bonn. (Termites, pp. 2-6.)
1941. Termiten aus dem rheinischen Braunkohlwalde. Umschau, vol. 45, No. 1, pp. 7-11, 10 figs. Jan. 5. (Oligocene.)

STERZEL, T.

1881. Über zwei neue Insektenarten aus dem Karbon von Lugau. Ber. Naturwiss. Ges. Chemnitz, 1878-1880, pp. 271-276, figs. 3, 4, 5. (Allied to *Calotermes*.) (One fossil termite, *Mixotermes*, n. g., type *Termes* (*M.*) *lugauensis* sp. n., fossil in the Carboniferous of Lugau based on wings. Not a termite?)

THÉOBALD, N.

1937. Les insectes fossiles des terrains oligocènes de France. 473 pp., 7 maps, 29 pls., 17 figs. Nancy. (*Termopsis gracilipennis* sp. n., France, Oligocene, p. 162, fig.)

TILLYARD, R. J.

1926. Fossil insects in relation to living forms. Nature, vol. 117, p. 828, 5 figs.
1936. Are termites descended from true cockroaches? Nature, vol. 137, No. 3468, p. 655, (fig.). April 18. (Discovery of hindwing of genus *Pycnoblattina* from Kansas Lower Permian and its comparison with *Mastotermes* lead author to conclusion that *Mastotermes* and all Isoptera evolved from a form very little different from *Pycnoblattina*; same type wings, 200-million-year-old roach.)

WOODWARD, H.

1879. (. . . numerous insect remains in the Eocene freshwater (Bembridge) limestone of Gururt Bay, Isle of Wight.) Quart. Journ. Geol. Soc. London, vol. 35, pp. 342-350. (Neuroptera *Termes*?, p. 344.)

ZALESSKY, GEO.

1937. Ancestors of some groups of the present-day insects. *Nature*, vol. 140, No. 3550, pp. 847-848 (fig.). November 13. (*Uralotermes permianus*, n. g., n. sp. (Isoptera) from Middle Permian deposits of Sylva River basin in the Urals.) (Not a termite?)
1939. Études des Insectes permians du bassin de la sylva et problemes del' evolution dans la classe des Insectes. III. Quelques nouveaux representants des Protohymenoptera, Homoptera, Hemipsocoptera, Psocoptera, Protoperlaria, Isoptera et Protoblattoidea. (Russian with French transl.) *Problems of Paleontology*, vol. 5, pp. 33-91.

ZEUNER, F.

1938. Die Insektenfauna des Mainzer Hydrobienkalks. *Palaeontol. Zeitschr.*, vol. 20, pp. 104-159. Berlin 25, VI. (*Ulmeriella martynovi* described.)

ZITTEL, K. A.

1885. *Handbuch der Paleontologie*. Abt. 1, Band II, pp. 772-773.