

Department of the Interior:

U. S. NATIONAL MUSEUM.

— 14 —

# BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 14.

---

PUBLISHED UNDER THE DIRECTION OF THE SMITHSONIAN INSTITUTION.

---

WASHINGTON:  
GOVERNMENT PRINTING OFFICE.  
1879.

## ADVERTISEMENT.

This work is the fourteenth of a series of papers intended to illustrate the collections of Natural History and Ethnology belonging to the United States and constituting the National Museum, of which the Smithsonian Institution was placed in charge by the act of Congress of August 10, 1846.

It has been prepared at the request of the Institution, and printed by authority of the honorable Secretary of the Interior.

SPENCER F. BAIRD,  
*Secretary Smithsonian Institution.*

SMITHSONIAN INSTITUTION,  
*Washington, April 3, 1879.*

INTERNATIONAL EXHIBITION, 1876.

---

---

# CATALOGUE

OF THE

COLLECTION TO ILLUSTRATE

THE

# ANIMAL RESOURCES AND THE FISHERIES

OF THE

# UNITED STATES,

EXHIBITED AT PHILADELPHIA IN 1876 BY THE SMITHSONIAN INSTITUTION  
AND THE UNITED STATES FISH COMMISSION, AND FORMING A  
PART OF THE UNITED STATES NATIONAL MUSEUM.

PREPARED UNDER THE DIRECTION OF

G. BROWN GOODE.



WASHINGTON:  
GOVERNMENT PRINTING OFFICE.  
1879.



## LIST OF PERSONS ENGAGED IN THE PREPARATION OF THE COLLECTION.

---

JOSEPH HENRY,

*Secretary Smithsonian Institution.*

SPENCER F. BAIRD,

*Director of the Exhibition.*

G. BROWN GOODE,

*In charge of Collection.*

---

### CHAIRMEN OF COMMITTEES.

*Committee on Economical Invertebrates.*—WILLIAM H. DALL, Washington, D. C.

*Committee on Fresh and Preserved Fish.*—EUGENE G. BLACKFORD, New York.

*Committee on Fishing Boats and Fittings.*—A. R. CRITTENDEN, Middletown, Conn.

*Committee on Hunting Apparatus and Sportsman's Equipment.*—FOREST AND STREAM PUBLISHING COMPANY, New York.

*Committee on Fishing Nets.*—AMERICAN NET AND TWINE COMPANY, Boston and New York.

*Committee on Anglers' Equipments and Apparatus.*—BRADFORD & ANTHONY, Boston.

*Committee on Alcoholic Collections, &c.*—Dr. T. H. BEAN, Washington, D. C.

*Committee on Furs.*—C. A. HEPBURN & CO., New York.

*Committee on Fish Culture and its Apparatus.*—J. W. MILNER, Washington.

*Committee on Whaling Apparatus.*—E. B. & F. MACY, New Bedford, Mass.

*Committee on Whale and Fish Oils.*—Capt. N. E. ATWOOD, Provincetown, Mass.

*Committee on Chemical Products.*—E. R. SQUIBB, M. D., Brooklyn, N. Y.

*Artist.*—J. H. RICHARD and A. ZENO SHINDLER.

*Modeler.*—JOSEPH PALMER.

*Taxidermist.*—JULIUS STOERZER.

*Photographer.*—T. W. SMILLIE.



# TABLE OF CONTENTS.

---

	Page.
INTRODUCTORY NOTE .....	XV
SECTION A.—LIST OF ANIMALS OF NORTH AMERICA BENEFICIAL OR INJURIOUS TO MAN.	
I. MAMMALS .....	I
1. Ferae (carnivores) .....	1
Fissipedia (land carnivores) .....	1
Pinnipedia (seals, &c.) .....	5
2. Ungulata (hoofed animals) .....	7
3. Sirenia (sea-cows, &c.) .....	9
4. Cete (whales) .....	10
Denticete (sperm whales and dolphins) .....	10
Mysticete (baleen whales) .....	12
5. Insectivora (moles, &c.) .....	13
6. Glires (gnawers) .....	14
7. Marsupialia (marsupiates) .....	20
II. BIRDS .....	20
III. REPTILES .....	21
8. Crocodilia (crocodiles) .....	21
9. Testudinata (tortoises) .....	21
V. FISHES .....	23
10. Pediulati (anglers) .....	23
11. Plectognathi (globe, trunk, and file fishes) .....	23
12. Lophobranchii (pipe-fishes, &c.) .....	25
13. Telecephali .....	26
Heterosomata (flat fishes) .....	26
Anacanthini (cods, &c.) .....	28
Acanthopteri (spiny-finned fishes) .....	31
Percesoces (mullets, &c.) .....	53
Synentognathi (gar-fishes and flying-fishes) .....	54
Haplomi (pikes, &c.) .....	55
Isospondyli (salmon, herring, &c.) .....	56
Eventognathi (carps) .....	61
14. Nematognathi (cat-fishes) .....	62
15. Apodes (eels) .....	63
16. Cycloganoidei (amias) .....	63
17. Rhomboganoidei (gar-pikes) .....	64
18. Selachostomi (paddle-fish) .....	64
19. Chondrostei (sturgeons) .....	64
VI. ELASMOBRANCHIATES .....	65
20. Holocephalii (chimaeras) .....	65
21. Raiae (skates and rays) .....	65
22. Squali (sharks) .....	67

	Page.
VII. MARSIPOBANCHIATES.....	70
23. Hyperoartia (lampreys).....	70
24. Hyperotreti (hags).....	70
VIII. LEPTOCARDIANS .....	70
25. Cirrostomi (lancelets).....	70

## SECTION B.—MEANS OF PURSUIT AND CAPTURE.

†*Apparatus of direct application.*

I. HAND-IMPLEMENT (SIMPLE TOOLS).....	71
---------------------------------------	----

\**For striking.*

1. Clubs .....	71
2. Slung weight.....	71

\*\**For cutting.*

3. Knives .....	71
4. Axes .....	76

\*\*\**For thrusting.*

5. Spears and prods .....	78
II. IMPLEMENTS FOR SEIZURE OF OBJECT.....	79

\**Scooping-instruments.*

6. Scoops .....	79
-----------------	----

\*\**Grasping-hooks.*

7. Hooked implements (used with single motion, that of hooking).....	80
8. Barbed implements (used with two motions, the first that of thrusting).....	82
9. Tongs, &c.....	85

\*\*\**Grasping-lines.*

10. Nooses (lariats and snares).....	86
11. Loaded lines (bolas).....	86

\*\*\*\**Entangling-lines.*

12. Tangles .....	87
-------------------	----

††*Apparatus of indirect application.*

III. MISSILES .....	87
---------------------	----

\**Simple missiles (those propelled by the unaided arm).*

13. Hurled weights.....	87
14. Hurled sticks.....	87
15. Hurled spears, lances.....	88

\*\**Centrifugal missiles (propelling power augmented by artificial lengthening of the arm).*

16. Slings, and spears thrown by straps .....	88
17. Missiles thrown by "throwing-sticks" .....	88

\*\*\**Missiles propelled by a spring.*†*Spring consisting of bent rod.*

18. Bows and arrows .....	88
---------------------------	----

## TABLE OF CONTENTS.

IX

	Page.
<b>III. MISSILES—Continued.</b>	
†† Spring consisting of elastic cord.	
19. India-rubber slings .....	89
††† Spring consisting of metallic helix.	
20. Spring-guns .....	89
***** <i>Missiles propelled by compressed air or water.</i>	
21. Air-guns .....	89
22. Water-guns .....	90
***** <i>Missiles propelled by combustion of gunpowder.</i>	
23. Fire-arms .....	90
24. (Accessory.) Ammunition and its preparation .....	91
25. (Accessory.) Accessories of loading, repairing, and testing fire-arms ..	93
26. (Accessory.) Accessories for carrying fire-arms. (Accoutrements) .....	94
<b>IV. BAITED HOOKS—ANGLING-TACKLE .....</b>	<b>95</b>
27. Hooks with movable lines.—Hand-tackle .....	95
28. Hooks with stationary lines.—Set-tackle .....	97
29. (Accessory.) Parts and accessories to angling-apparatus .....	97
†† <i>Apparatus to a greater or less extent automatic.</i>	
<b>V. NETS .....</b>	<b>122</b>
30. Entangling (meshing) nets .....	122
31. Encircling nets .....	126
††† <i>Apparatus entirely automatic.</i>	
<b>VI. TRAPS .....</b>	<b>131</b>
32. Pen-traps .....	131
33. Clutching-traps .....	134
34. Fall-traps .....	135
35. Missile-traps .....	135
36. Adhesive preparations .....	135
<b>VII. APPARATUS FOR WHOLESALE DESTRUCTION .....</b>	<b>136</b>
37. Poisons .....	136
38. Asphyxiating apparatus .....	136
39. Torpedoes .....	136
†††† <i>Accessories to the chase and fishing.</i>	
<b>VIII. HUNTING-ANIMALS .....</b>	<b>136</b>
40. Hunting-mammals .....	136
41. Accessories to hunting-mammals .....	136
42. Hunting-birds .....	137
43. Accessories to hunting-birds .....	137
44. Hunting-fishes .....	137
<b>IX. DECOYS AND DISGUISES .....</b>	<b>137</b>
45. Baits .....	137
46. Decoys .....	138
47. Covers .....	141
<b>X. PURSUIT—ITS METHODS AND APPLIANCES .....</b>	<b>142</b>
48. Methods of transportation .....	142
49. Camp-outfit .....	162
50. Personal equipments .....	164

## SECTION C.—METHODS OF PREPARATION.

	Page.
I. PREPARATION AND PRESERVATION OF FOODS .....	169
1. Preservation of the living animals (see E, 3) .....	169
2. Preservation of fresh meats .....	169
3. Drying .....	169
4. Canning and pickling .....	169
5. Preparation of baits .....	170
II. MANUFACTURE OF TEXTILE FABRICS, FILTS, AND STUFFINGS .....	170
6. From hair of mammals .....	170
7. From whalebone .....	170
8. From feathers .....	170
9. From silk of insects .....	171
10. From soft parts of other invertebrates .....	171
III. PREPARATION OF THE SKIN AND ITS APPENDAGES .....	171
11. Currying .....	171
12. Tanning .....	172
13. Fur-dressing .....	172
14. Feather-dressing .....	172
15. Manufacture of quill articles .....	172
16. Hair and wool work .....	172
IV. PREPARATION OF THE HARD TISSUES .....	173
17. Ivory cutting and carving .....	173
18. Preparation of horn and hoofs .....	173
19. Preparation of whalebone .....	173
20. Preparation of tortoise-shell .....	174
21. Preparation of fish-scale work, &c .....	174
22. Preparation of naere .....	174
23. Preparation of coral .....	174
24. Preparation of other hard tissues .....	174
V. PREPARATION OF OILS AND GELATINES .....	174
25. Extraction of whale-oils .....	174
26. Extraction of other mammal oils .....	175
27. Extraction of bird and reptile oils .....	175
28. Extraction of fish-oils .....	175
29. Extraction of glue, gelatine, and isinglass .....	175
VI. PREPARATION OF DRUGS, PERFUMES, AND CHEMICAL PRODUCTS .....	175
30. Preparation of perfumes .....	175
31. Manufacture of ivory-black .....	175
32. Manufacture of prussiates .....	175
33. Manufacture of murexides .....	175
34. Manufacture of cochineal colors .....	175
35. Manufacture of inks .....	175
36. Manufacture of albumen .....	175
37. Manufacture of pepsin .....	175
38. Manufacture of phosphorns .....	175
39. Manufacture of sal ammoniac .....	175
40. Manufacture of ammonia .....	175
41. Manufacture of albumen preparations .....	175
42. Manufacture of propylamine .....	175
43. Manufacture of formic acid .....	175
44. Manufacture of carbazotates .....	175
VII. PREPARATION OF FERTILIZERS .....	176
45. Preparation of fertilizers .....	176
VIII. PREPARATION OF LIMES .....	176
46. Burning of lime .....	176

## TABLE OF CONTENTS.

XI

	Page.
<b>IX. PRESERVATION OF THE ANIMAL FOR SCIENTIFIC USES.....</b>	<b>176</b>
47. Preservation of wet preparations .....	176
48. Skeleton-making .....	177
49. Modeling .....	177
50. Taxidermy .....	178
51. (Accessory.) Photographic and other delineating apparatus.....	178

## SECTION D.—ANIMAL PRODUCTS AND THEIR APPLICATIONS.

<b>I. FOODS.....</b>	<b>179</b>
1. Foods in a fresh condition .....	179
2. Foods dried and smoked .....	182
3. Foods salted, canned, and pickled .....	184
4. Gelatines (see 24) .....	187
5. Baits and foods for animals .....	187
<b>II. CLOTHING .....</b>	<b>188</b>
6. Furs .....	188
7. Leathers (see 20) .....	195
8. Textile fabrics .....	195
<b>III. MATERIALS EMPLOYED IN THE ARTS AND MANUFACTURES.....</b>	<b>197</b>

*\* Hard materials.*

9. Ivory and bone .....	197
10. Horn .....	201
11. Hoofs and claws .....	202
12. Baleen .....	203
13. Tortoise-shell .....	205
14. Scales .....	205
15. Pearl .....	206
16. Shells .....	206
17. Coral .....	207
18. Infusorial earth .....	207
19. Other materials derived from invertebrates.....	208

*\*\* Flexible materials.*

20. Leather .....	208
21. Hair and wool (see also 8) .....	217
22. Quills .....	219
23. Feathers .....	219
24. Gelatine and isinglass .....	220
25. Flexible materials from insects and mollusks .....	222
26. Sponges .....	223

*\*\*\* Fluids and soft materials.*

27. Oils and fats .....	223
28. Perfumes .....	227
29. Coloring materials .....	228
30. Chemical products and agents employed in the arts and medicine .....	229
31. Fertilizers .....	231
32. Limes (see under 30) .....	232
33. Other materials .....	232

## SECTION E.—PROTECTION AND CULTURE OF USEFUL ANIMALS.

<b>I. INVESTIGATION .....</b>	<b>233</b>
1. The methods of the United States Fish Commission .....	233

	Page.
<b>II. PROTECTION</b> .....	241
2. Preservation of game and fish.....	241
4. (Accessory.) Enemies of useful animals.....	244
<b>III. PROPAGATION</b> .....	244
5. Propagation of mammals .....	244
6. Propagation of birds .....	244
7. Propagation of reptiles .....	245
8. Propagation of amphibians .....	245
9. Propagation of fishes .....	245
10. Propagation of insects .....	248
11. Propagation of leeches .....	248
12. Propagation of mollusks.....	248
13. Propagation of corals.....	248
14. Propagation of sponges .....	248

CATALOGUE OF ILLUSTRATIONS OF THE ECONOMICAL INVERTEBRATES  
OF THE AMERICAN COASTS. BY W. H. DALL.

MOLLUSCA CEPHALOPODA.—Squids and Cuttles.....	251
MOLLUSCA GASTEROPODA.—Sea-Snails, &c.....	251
A. Useful .....	251
1. Used for food or bait .....	251
2. Useful by producing pearl-shell, &c.....	251
3. Affording cameo and porcelain stock .....	252
4. Used in Indian trade .....	252
5. Affording dyestuffs.....	252
6. Affording bird-lime .....	252
B. Injurious .....	253
1. By destroying food-producing mollusks or shell-fish, such as clams, mussels, oysters, and razor-fish.....	253
2. Injurious by destroying vegetable substances and garden plants.....	253
MOLLUSCA ACHEPHALA.—Bivalve Shellfish .....	253
A. Producing food or used as bait .....	253
1. Series illustrating distribution and geographical varieties .....	253
OSTREA VIRGINICA, Gmelin.—East American Oysters .....	253
OSTREA LURIDA, Cpr.—West Coast Oysters .....	253
1. Extra limital.....	254
2. Series illustrating culture and individual variations.....	255
OSTREA VIRGINICA, Gmelin.—East American Oysters .....	255
a. Growth. 1–20 years old .....	255
b. Peculiarities of form and growth.....	255
c. Enemies and parasites .....	255
*** Other bivalves.	
A. Affording or available for food or bait .....	256
B. Useful or ornamental bivalves other than those affording food .....	256
a. Pearl-producing .....	256
1. River mussels .....	256
2. Marine pearl-shells .....	258
b. Otherwise useful .....	258
C. Injurious bivalves .....	258
a. Destroying submerged timber .....	258
1. Specimens of wood showing ravages .....	258
D. Prepared foods .....	259

## TABLE OF CONTENTS.

XIII

	Page.
<b>CRUSTACEA PHYLOPODA</b> .....	259
A. Useful. Converted into fertilizers. Carapax used as a scoop or boat-bailer.....	259
<b>CRUSTACEA ISOPODA</b> .....	260
A. Useful; by removing wrecks or snags .....	260
B. Injurious; by destroying submerged timber .....	260
<b>CRUSTACEA STOMATOPODA</b> .....	260
<b>CRUSTACEA DECAPODA</b> .—Lobsters, Shrimp, Crawfish, Crabs.....	260
A. Useful; food-supplying.....	260
B. Commensal with other food supplies .....	261
C. Injurious by burrowing into and weakening levees and dams .....	261
D. Prepared foods.....	261
<b>CIRRIPEDIA</b> (injurious).....	262
a. By dulling the edge of knives and spades employed in “cutting in” whale blubber.....	262
b. By obstructing the progression of vessels upon which they affix themselves .....	262
<b>ANNELIDA</b> .—Worms and Leeches.....	262
A. Useful .....	262
1. In surgery and medicine .....	262
2. For bait in fishing.....	262
3. For food.....	262
B. Injurious .....	262
1. By boring into and destroying oyster-shells .....	262
<b>RADIATES</b> .—Sea-Urchins, Starfish, Corals, Medusae, etc .....	262
A. Useful.....	262
1. Food-producing.....	262
B. Injurious .....	263
1. Destroying oysters, clams, &c.....	263
2. By their urticating powers annoying bathers and “fouling” nets and fishing lines with slime—various acalephs .....	263
<b>PROTOZANS</b> .—Sponges, etc .....	263
Useful .....	263
1. For conveyance of fluids requiring an elastic and temporary membrane, and as a detergent.....	263
2. Useful as an elastic medium or absorbent .....	264
Injurious .....	264
1. By destroying oysters .....	264
<b>RHIZOPODS</b> .....	264
 MISCELLANEOUS PRODUCTS OF SEA OR SHORE, NOT OF AN ANIMAL NATURE.	
a. Lichens .....	264
b. Algae .....	265
1. Having economical applications .....	265
2. Ornamental algae .....	265
<b>INORGANIC MATERIALS</b> .....	271

COMMERCIAL STATISTICS OF ANIMAL PRODUCTS IN THE UNITED STATES.  
 A REVIEW OF A PORTION OF THE REPORT OF THE CHIEF OF THE  
 BUREAU OF STATISTICS FOR THE FISCAL YEAR ENDING JUNE 30, 1877.  
 BY G. BROWN GOODE.

	Page.
Living animals.....	272
Food products, except fish.....	274
Fish.....	277
-----	282
Ivory.....	288
Horn .....	289
Whalebone .....	289
Shell .....	289
Coral.....	289
Leather.....	289
Hides and skins.....	290
Bristles.....	294
Quills .....	295
Feathers .....	295
Glue and gelatine.....	295
Sponges .....	295
Oils, fats, and soaps.....	295
Perfumery materials.....	297
Coloring materials .....	297
Chemical preparations, medicines, &c.....	298
Bones .....	298
Guano and other fertilizers .....	299
Specimens of natural history .....	299
Alphabetical index.....	301

## INTRODUCTORY NOTE.

---

On the occasion of the International Exhibition, in 1876, certain appropriations were made by Congress to the Smithsonian Institution and the United States Fish Commission. The former was called upon to prepare an exhibition to illustrate the economical value of the mineral and animal products of the country, while the latter was to perform a similar task for the national fisheries. It was subsequently found desirable for the Smithsonian Institution to unite with the Indian Bureau in displaying the condition of the aboriginal tribes of the United States in prehistoric and modern times. Four distinct departments of work were thus provided for, (1) an ethnological exhibition, (2) an exhibition of minerals, (3) an exhibition of animal resources, and (4) a fishery exhibition. The first and second were arranged on opposite sides of the nave in the Government building, at Philadelphia, and at its north end. The latter, it was found, could not be separated, since the character of the specimens and the methods of arrangement required were the same. They were arranged in one series on the north side of the east transept and to the east of the nave extending north to the beginning of the mineral series.

The following catalogue is a simple enumeration of the objects exhibited in this series, and illustrative of the animal resources and the fisheries of the United States. It is essentially a reproduction of the card-catalogue prepared in 1876 and still in use in the administration of the collection, which, having been greatly augmented by systematic efforts in the United States and by donations from foreign governments, now forms an important section of the United States National Museum. The catalogue has been as far as practicable made complete up to the present time, in so far as it relates to North America. No effort has, however, been made to include the collateral series of specimens from foreign countries.

The plan of arrangement is fully shown in the TABLE OF CONTENTS. Beginning with the Useful and Injurious Animals, it next takes up the MEANS OF PURSUIT AND CAPTURE, then, successively, the METHODS OF PREPARING THEM FOR USE, THE USEFUL PRODUCTS, and, finally,

the MEANS OF PROTECTION AND CULTURE. The preliminary plan of classification is given in full, whether specimens were obtained to illustrate it or not, and indicates wherein the collection is still imperfect.\*

It seems appropriate to remark that a very large number of the specimens included in this catalogue and exhibited in Philadelphia were borrowed from the permanent collections of the National Museum, and have for many years been on exhibition in the Smithsonian building.

G. BROWN GOODE.

WASHINGTON, April 11, 1879.

---

\* For a fuller exposition of this plan see the following pamphlet:

International Exhibition 1876. | Board in Behalf of United States Executive Departments. | \_\_\_\_\_ | Classification | of the | Collection to Illustrate | the Animal Resources of the United States. | A List of Substances derived from the Animal Kingdom, with Synopsis of the Useful and Injurious Animals | and a Classification of the Methods | of Capture and Utilization. | \_\_\_\_\_ | By G. Brown Goode, M. A., | Assistant Curator | U. S. National Museum. | \_\_\_\_\_ | Washington: | Government Printing Office. | 1876. | 8vo. pp. xiii (1) 126. Also published as Bulletin No. 6, Department of the Interior, United States National Museum; and as Article VI in Vol. XII of the Smithsonian Miscellaneous Collections, Washington, 1878.

## SECTION A.

---

### LIST OF ANIMALS OF NORTH AMERICA BENEFICIAL OR INJURIOUS TO MAN.

---

#### \* I. MAMMALS.

##### ORDER FERÆ.

###### SUBORDER FISSIPEDIA.

###### FELIDÆ.

**Lynx rufus**, (Guldenstädt,) Raf.—BAY LYNX or WILD CAT.—North America.

12476. Mounted. Denver, Col. C. E. Aiken. Dec. 14, 1875.  
12477. Mounted. (Young.) Denver, Col. C. E. Aiken.

**Lynx canadensis**, (Geoff. & Desm.,) Raf.—CANADA LYNX.—Northern North America.

12475. Mounted. Houlton, Me. Rev. R. R. McLeod. Dec. 15, 1875.

**Felis eyra**, Desm.—EYRA CAT.—Southwestern North America.

9532. Mounted. Tehuantepec, Mex. F. Sumichrast.

**Felis yaguarundi**, Desm.—YAGUARUNDI CAT.—Southwestern North America.

8480. Mounted. Tabasco, Mex. Col. Sarto.

**Felis concolor**, Linn.—PUMA or COUGAR.—America generally.

11813. Mounted. Central Colorado. James Stevenson. 1874.

**Felis onca**, Linn.—JAGUAR.—Southwestern States, Central and South America.

- 10390  $\div$  12296. Mounted. Died in captivity at Government Insane Asylum, Washington.\*

---

\*The numbers prefixed to the enumeration of specimens are Smithsonian catalogue numbers. When two numbers are given, separated by the mark of division ( $\div$ ), the first mentioned refers to the particular preparation of the animal in question; the second, to some other related part entered in a different series. For example, in 10390  $\div$  12296, the first number belongs to the skin and the second to the skeleton of a specimen of *Felis onca*.

**Felis pardalis**, Linn.—OCELOT or TIGER CAT.—Southwestern North America.

- 12179 + 14179. Mounted. Talamanca, Costa Rica. Talamanca expedition. Prof. W. M. Gabb.  
 12187. Mounted. Talamanca, Costa Rica. Talamanca expedition. Prof. W. M. Gabb.

**CANIDÆ.****Canis lupus**, Linn., var. *griseo-albus*.—GRAY WOLF.—North America generally.

- 3573 + 3520. Mounted. (Winter pelage.) Platte River, Neb. C. Drexler.

**Vulpes fulvus**, (Desm.,) var. *fulvus*, (Desm.)—RED FOX.—Northern North America.

7124. Mounted. (Male.) La Pierre's House, Rocky Mts. R. Kennicott. Dec., 1861.  
 6403. Mounted. (Female.) Yukon River. R. Kennicott. Oct. 21, 1860.

**Vulpes fulvus**, (Desm.,) var. *decussatus*.—CROSS FOX.

6407. Mounted. (Female). Ft. McPherson, Peels River, Hudson's Bay Territory. R. Kennicott. Nov. 28, 1861.  
 "A very fine cross fox, nearly silver, small and apparently young. The Indians told me she would be a silver fox next year."—Kennicott.  
 6408. Mounted. (Female.) Ft. McPherson, Peels River, H. B. T. R. Kennicott. Nov. 30, 1861.  
 "A good typical cross fox; tail rather small."—Kennicott.  
 6404. Mounted. (Male.) Yukon River. R. Kennicott. Oct. 22, 1860.  
 "A rather fine cross fox, approaching more nearly the silver fox than the red."—Kennicott.  
 12466. Mounted. Houlton, Maine. Rev. R. R. McLeod. Dec. 31, 1875.

**Vulpes fulvus**, (Desm.,) var. *argentatus*.—SILVER FOX: BLACK FOX.

6410. Mounted (Male.) Yukon River. R. Kennicott. Nov. 17, 1860.  
 "A fine silver fox."—Kenn.  
 6411. Mounted. (Female.) Ft. McPherson, Peels River, H. B. T. R. Kennicott. Oct. 17, 1861.  
 "Black fox; some had still less silver."—Kenn.

**Vulpes macrurus**, Baird.—PRAIRIE FOX.—Western States.

- . Mounted. Wyoming.

**Vulpes velox**, (Say,) Aud. & Bach.—KIT FOX or SWIFT FOX.—Western States.

12470. Mounted. Colorado. Chas. E. Aiken. Jan. 15, 1876.  
 12469. Mounted. Colorado. Chas. E. Aiken. Jan. 15, 1876.  
 1105. Monnted. Rocky Mountains.

**Vulpes lagopus**, (Linn.,) Gray.—ARCTIC FOX.—Alaska.

- . Skin. St. Paul's Id., Alaska. G. R. Adams.

**Urocyon virginianus**, (Schreber,) Gray.—GRAY FOX.—United States generally.

—. Mounted. Virginia.

**Urocyon virginianus**, (Schreber,) var. **littoralis**.—COAST GRAY FOX.—Islands of the California coast.

12440. Mounted. Santa Cruz, Cal. H. W. Henshaw. U. S. Survey W. of 100 M.

### MUSTELIDÆ.

**Mustela Pennanti**, Erxl.—FISHER.—Northern North America.

12472. Mounted. Houlton, Maine. Rev. R. R. McLeod. Jan. 15, 1876.

3279. Mounted. Olympia, W. T. Geo. Gibbes.

**Mustela americana**, Turton.—PINE MARTIN or AMERICAN SABLE.—Northern United States.

12544. Mounted. Hudson's Bay Territory. R. Kennicott.

379. Mounted. Hudson's Bay Territory. R. Kennicott

—. Mounted. Hudson's Bay Territory. R. Kennicott.

1015. Mounted. Hudson's Bay Territory. R. Kennicott.

6414. Mounted. Yukon River, mouth of Porcupine, Hudson's Bay Territory. R. Kennicott.

6429. Mounted. Yukon River, mouth of Porcupine, Hindson's Bay Territory. R. Kennicott.

**Putorius erminea**, (Linn.,) Cuvier.—WHITE WEASEL: ERMINE.—Northern United States.

9355. Mounted. Kodiak. F. Bischoff. 1868.

6498  $\div$  1029. Mounted. (Male.) Yukon River, mouth of Porcupine R. R. Kennicott.

1427. Mounted. (Male.) Middleboro, Mass. J. W. P. Jenks.

**Putorius longicauda**, Bonaparte.—LONG-TAILED WEASEL.—Western United States.

9350. Mounted. Wyoming Territory. Dr. F. V. Hayden.

**Putorius vison**, Rich.—MINK.—North America generally.

12432. Mounted. (Male.) Moore's Lake, Minn. J. H. Batty.

4396. Mounted. Liard River. R. Kennicott.

1653  $\div$  12309. Mounted. United States.

2392. Mounted. Cape Flattery, W. T. Dr. Suckley.

**Putorius nigripes**, Aud. & Bach.—BLACK-FOOTED FERRET.—Western States (in holes of Prairie dogs).

12409. Mounted. Spotted Tail Agency, Neb. Col. A. Chambers, U. S. A. Oct. 1, 1875.

12462. Mounted. Cheyenne, Wyoming. Capt. Jas. Gilliss, U. S. A. Dec. 27, 1875.

**Gulo luscus**, Sabine.—WOLVERENE or GLUTTON.—Northern North America.

3747. Mounted. Great Salt Lake, Utah. Capt. Stansbury.  
4361. Mounted. Ft. Simpson, H. B. T. B. R. Ross.

**Taxidea americana**, Waterh.—AMERICAN BADGER.—Western United States and Pacific Slope.

12471. Mounted. Colorado. Chas. E. Aiken. Jan. 15, 1876.

**Mephitis mephitica**, (Shaw) Baird.—COMMON SKUNK.—Eastern United States..

4348. Mounted. Washington, D. C. C. Drexler.  
12522. Mounted. Golden, Col. C. E. Aiken.  
1071. Mounted. Middleboro, Mass. J. W. P. Jenks.  
4127. Mounted. Lynn, Mass. George Welch.  
1070. Mounted. (Male.) Middleboro, Mass. J. W. P. Jenks. Dec. 3, 1855.

**Mephitis mexicana**, Gray.—MEXICAN SKUNK.—Mexico.

8566. Mounted. Orizaba, Mex. Mr. Botteni.

**Spilogale zorilla**, (Linn.) Coues.—LITTLE STRIPED SKUNK.—Western United States and Pacific Slope.

1188. Mounted. Santa Clara, Cal. Dr. J. S. Newberry. Nov., 1855.

**Conepatus mapurito**, (Gmelin) Coues.—WHITE-BACKED SKUNK.—Southwestern United States.

- 790—1886. Skin. Western Texas. Capt. J. Pope, U. S. A.

### LUTRINÆ.

**Lutra canadensis**, Sab.—AMERICAN OTTER.—North America generally.

3280. Mounted. Steilacoom, Wash. Ter. George Gibbs.  
5145—4456. Mounted. Washington, D. C. National Institution.

### ENHYDRINÆ.

**Enhydra marina**, Fleming.—SEA OTTER.—Pacific Coast of the United States.

9457. Mounted. (Adult.) Alaska. Dr. T. T. Minor.  
9458. Mounted. Alaska. Dr. T. T. Minor.

### URSIDÆ.

**Ursus horribilis**, Ord.—GRIZZLY BEAR.—Western United States and Pacific Slope.

12308. Mounted. (16 years old.) Laramie, Wyoming. Major Twiss. (Confin'd in the Government Insane Hospital, Washington, from 1855 to 1874.)

**Ursus americanus**, Pallas.—BLACK BEAR.—United States generally.

12380. Mounted. Northern Michigan. John Wallace.

**Thalarctos maritimus**, (Linn.) Gray.—WHITE OR POLAR BEAR.—Northern America, Europe and Asia.

12379. Mounted. Greenland. John Wallace.

## PROCYONIDÆ.

**Procyon lotor**, (Linn.) Storr.—RACCOON.—United States generally.

5148. Mounted. National Institution.

5147. Mounted. National Institution.

26789. Mounted. Wyoming, N. Y. H. A. Ward. Rochester, N. Y.

**Nasua fusca**, .—COATIMUNDI.—Texas.

12757. Mounted. Brownsville, Texas. Dr. J. C. Merrill, U. S. A.

## PINNIPEDIA.

### OTARIIDÆ.

**Callirhinus ursinus**, (Schreber) Gray.—FUR SEAL.—North Pacific Ocean and Bering's Sea.

12918-34. Mounted. (Group of 17.) Prybilov Islands, Alaska. Alaska Commercial Company, San Francisco.

12935. Mounted. Alaska. H. W. Elliott.

**Eumetopias Stelleri**, (Fischer) Gray.—SEA LION.—Pacific Coast.

12489. Mounted. (Female.) Prybilov Islands, Alaska. Alaska Commercial Company, San Francisco.

12488. Mounted. (Male.) Prybilov Islands, Alaska. Alaska Commercial Co., San Francisco.

12936. Mounted. (Young.) North Pacific.

**Zalophus Gilliespii**, (Macbain) Gill.—THE SEA DOG.—Pacific Coast.

12937. Mounted. Southern California. Capt. Baker.

## PHOCIDÆ.

### PHOCINÆ.

**Phoca vitulina**, Linn.—THE COMMON SEAL; HARBOR SEAL.—North Atlantic.

12453. Cast. Provincetown, Mass. 1875.

623. Photograph. (Young.) U. S. Fish Commission.

624. Photograph. U. S. Fish Commission.

**Phoca Richardsii**, (Gray) Gill.—LEOPARD SEAL.—North Pacific.

3742. Mounted. California.  
12494. Mounted. Adakh Id. Alaska. W. H. Dall.

**Pagophilus groenlandicus**, (Müll.,) Gray.—HARP SEAL.—Arctic Seas.

5853. Mounted. Sable Island, N. S. P. W. Dodd.  
8122. Mounted. Franklin Harbor, Arctic Seas. R. McFarlane.  
5851. Mounted. Sable Island, N. S. P. W. Dodd.  
12040. Mounted. St. John's, N. F. Rev. M. Harvey.  
5852. Mounted. Sable Island, N. S. P. W. Dodd.  
12039. Mounted. St. John's, N. F. Rev. M. Harvey.  
12038. Mounted. St. John's, N. F. Rev. M. Harvey.

**Erignathus barbatus**, (O. Fabricius) Gill.—SQUARE-FLIPPER SEAL.—Arctic Seas.

12422. Skin. Newfoundland. Government of Newfoundland.

**Histriophoca equestris**, (Pallas) Gill.—BANDED SEAL.—Pacific Coast, Arctic Seas.

7580. Skin (in collection of Furs). Cape Romanzoff. W. H. Dall.

**Pusa gryphus**, (O. Fabricius) Gill.—GRAY SEAL.—Atlantic Coast.

8691. Mounted. Seeland. Zoological Museum, Copenhagen.

**CYSTOPHORINÆ.****Cystophora cristata**, (Erxl.) Nilsson.—HOODED SEAL.—Atlantic Coast.

12043. Mounted. St. John's, N. F. Rev. M. Harvey.

**Macrorhinus angustirostris**, Gill.—SEA ELEPHANT; ELEPHANT SEAL.—Pacific Coast.

12441. Mounted. (Male.) California. Capt. C. M. Scammon.

**ROSMARIDÆ.****Rosmarus obesus**, (Illig.) Gill.—WALRUS.—North Atlantic.

11870. Mounted. Greenland. Dr. I. I. Hayes.

**Rosmarus Cookii**, (Fremery) Gill.—WALRUS.—Northern Pacific.

12493. Mounted. Prybilev Islands, Alaska. Alaska Commercial Co., San Francisco.

## ORDER, UNGULATA.

## BOVIDÆ.

## BOVINÆ.

**Bison americanus**, (Gmelin) Gray.—AMERICAN BUFFALO.—Plains between Rocky Mountains and Missouri River.

12919. Mounted. Colorado. C. E. Aiken.

**Ovibos moschatus**, Blainville.

12298. Mounted. (Female.) Arctic Coast, H. B. T. W. L. Hardestie. Jan. 23, 1875. Also skeleton of same animal.

12297. Mounted. (Male.) Arctic Coast, H. B. T. W. L. Hardestie. Jan. 23, 1875. Also skeleton of same animal.

6255. Mounted. (Male.) Ft. Good Hope, H. B. T. J. S. Onion.

## ANTILOPINÆ.

**Mazama montana**, (Ord) Gill.—MOUNTAIN GOAT.—Northern Rocky Mountains of the United States and British America.

11894. Mounted. (Male.) Montana. W. F. Wheeler and J. Armitage.

11893. Mounted. Washington Territory. U. S. Northern Boundary Survey.

## OVINÆ.

**Ovis montana**, Cuvier.—BIGHORN; MOUNTAIN SHEEP.—Rocky Mountain regions.

11891. Mounted. (Male.) Ft. Fetterman, Dakota. James Stevenson, U. S. Geol. Survey.

1608. Horns. H. B. Möllhausen.

## ANTILOCAPRIDÆ.

**Antilocapra americana**, Ord.—PRONGHORN ANTELOPE or CABREE.—Plains west of Missouri from Lower Rio Grande to Saskatchewan.

2034. Mounted. (Male.) Yellowstone River. Dr. F. V. Hayden.

2471. Horns. Ft. Chadbourne, Texas. Dr. Swift, U. S. A.

6914. Horns. Ft. Whipple, Arizona Ty. Dr. Elliott Coues, U. S. A.

5084. Horns. Upper Missouri.?

## CERVIDÆ.

**Alces machlisis**, (Linn.) Gray.—MOOSE.—Northwestern United States.

11868. Mounted. (Adult male.) Nova Scotia. Geo. A. Boardman.

12542. Mounted. (Adult male.) Nova Scotia. Mr. Jack.

11861. Mounted. (Young calf.) Nova Scotia. Dr. Bernard Gilpin.

857. Antlers. Maine. General S. Churchill, U. S. A.

—. Antlers. Adirondacks, N. Y. Henry J. Biddle.

**Tarandus rangifer**, J. Brookes, subspecies **caribou**, And. & Bach.—WOODLAND CARIBOU.—Northeastern North America.

- 12473. Mounted. Houlton, Me. Rev. R. R. McLeod.
- 12407. Mounted. Houlton, Me. Rev. R. R. McLeod.
- 11835. Mounted. Lake Superior. J. Barnston.
- 3289. Antlers. (Female.) Nelson River.
- 3290. Antlers. (Female.) Nelson River.

**Tarandus rangifer**, (Br.) subsp. **grænlandicus**, Br.—BARREN GROUND CARIBOU.—Arctic America.

- 6255. Mounted. Arctic America.
- 905. Antlers. North Greenland. S. Sternberg.
- 906. Antlers. North Greenland. S. Sternberg.
- 6782. Antlers. Plover Bay. Capt. C. M. Seaman, U. S. R. M.
- 7539. Antlers. Yukon River. W. H. Dall.
- 4636. Antlers. Port Foulke, N. Greenland. Dr. I. I. Hayes.

**Cervus canadensis**, Erxl.—AMERICAN ELK.—Northern North America.

- 12474. Mounted. Ft. Sanders, Wyoming. Col. A. G. Braekett, U. S. A.
- 4457. Antlers. Elk Co., Penna. Prof. S. S. Haldeman.
- 2911. Antlers. Ft. Berthold, Missouri River. Lt. Warren, U. S. A., Dr. F. V. Hayden.
- 867. Antlers. Utah. Col. O. Cross, U. S. A.
- 2579. Antlers. Platte River. Lt. Bryan, U. S. A.
- 3552. Antlers. Ft. Tejon, Lower Cal. John Xantus.
- 3551. Antlers. Ft. Tejon, Cal. John Xantus.
- 840. Antlers. Ft. Union, Mo. A. Culbertson.
- 761. Antlers. Ft. Union, Mo. A. Culbertson.
- 760. Antlers. Ft. Union, Mo. A. Culbertson.
- 2916. Antlers. Ft. Berthold, Missouri River. Lt. Warren, U. S. A., Dr. F. V. Hayden.
- 2905. Antlers. Ft. Berthold. Dr. F. V. Hayden.
- 2903. Antlers. Ft. Berthold. Dr. F. V. Hayden.
- 2910. Antlers. (Male.) Ft. Berthold. Dr. F. V. Hayden.
- 3486. Antlers. Oregon. U. S. Expl. Exped. Capt. Wilkes, U. S. N.
- 3487. Antlers. Oregon. U. S. Expl. Exped. Capt. Wilkes, U. S. N.

**Cariacus virginianus**, (Boddart) Gray.—VIRGINIA DEER.—United States east of the Missouri.

- 12461. Mounted. Cumberland, Md. D. P. Welpley. Dec. 23, 1875.
- 1589—2587. Mounted. (Young female.) Medicine Bow River, Ark. W. S. Wood. Sept. 6, 1856.
- 12349. Mounted. (Albino.) Peshtigo, Wis. J. H. Leavenworth.
- 2909. Antlers.
- 763. Antlers. (Male.) Lewisburg, Pa. J. C. Barber.
- 4174. Antlers.
- 668. Antlers. (Male.) Cumberland, Md.
- 3386. Antlers. (Male.) Ft. Mason, Tex. Maj. G. H. Thomas.
- 914. Antlers. (Male.) Washington, D. C.
- 961. Antlers. (Male.) Arkansas. J. M. Stanley.

**Cariacus virginianus**, (Boddært) Gray—Continued.

3383. Antlers. (Male.) Ft. Mason, Tex. Maj. G. H. Thomas.  
 3387. Antlers. (Male.) Ft. Mason, Tex. Maj. G. H. Thomas.  
 896. Antlers. St. Louis, Mo. J. S. Bowman.  
 3388. Antlers. (Male.) Ft. Mason, Tex. Maj. G. H. Thomas.  
 667. Antlers. (Male.) Cumberland, Md.  
 3062. Antlers. (Male.) Essex Co., N. Y.  
 895. Antlers. (Male.) St. Louis, Mo. J. S. Bowman.  
 9843. Antlers. Near Denver, Colo. E. Palmer.  
 5077. Antlers. (Male.) Washington, D. C.  
 5083. Antlers. Upper Missouri?

**Cariacus virginianus**, (Bodd.) Gray, var. *mexicanus*.—VIRGINIA DEER.

11859. Mounted. Talamanca, Costa Rica. Prof. W. M. Gabb.

**Cariacus macrotis**, (Say) Gray.—MULE DEER.—Central North America.

11864. Mounted.  
 12583. Mounted. Cheyenne, Wyo. Capt. J. M. Gilliss, U. S. A.  
 6615. Antlers. Prescott, Ariz. Dr. E. Coues.  
 831. Antlers. Big Sioux.? T. Culbertson.  
 4175. Antlers.  
 6918. Antlers. Ft. Laramie. Col. W. O. Collins.  
 3682. Antlers. Mountains of New Mexico. Dr. J. S. Newberry.

**Cariacus columbianus**, (Rich.) Gray.—COLUMBIA BLACK-TAILED DEER.—Pacific Slope.

8154. Antlers. Puget Sound. J. G. Swan.  
 3203. Antlers. Whidby's Island, Puget Sound, W. T. Dr. Geo. Suckley.  
 5080. Antlers. Puget Sound. Dr. C. B. Kennerly.  
 3204. Antlers. Whidby's Island, Puget Sound. Dr. Geo. Suckley.

**Cervus dama**, Linn.—FALLOW DEER (introduced).

1200. Antlers. Park, Clarke Co., Va. Col. J. Fuley.  
 2257. Antlers. Clarke Co., Va. Col. J. Fuley.

**DICOTYLIIDÆ.****Dicotyles torquatus**, Cuv.—PECCARY.—Red River, Arkansas, and South.

12346. Mounted. Talamanca, Costa Rica. Talamanca Exped. Prof. W. M. Gabb.

**ORDER, SIRENIA.****TRICHECHIDÆ.****Trichechus manatus**, Linn.—MANATEE.—Florida, West Indies, and N. E. South America.

12295. Mounted. Florida. P. T. Barnum.  
 16037. Skeleton. Florida. H. A. Ward.

## ORDER, CETE.

**DELPHINIDÆ.****DELPHINAPTERINÆ.**

**Delphinapterus catodon**, (Linn.) Gill.—WHITE-FISH or WHITE WHALE.—Arctic and Subarctic Seas (ascending large rivers).

12490. Cast. Gulf of St. Lawrence. G. R. Renfrew & Co., Quebec.  
 16038. Skeleton. Gulf of St. Lawrence. G. R. Renfrew & Co.  
 389. Photograph. U. S. Fish Commission.

**Monodon monoceros**, Linn.—NARWHAL.—Arctic Seas.

15304. Tusk. Greenland. Purchased from George Y. Nickerson.

**DELPHININÆ.**

**Leucorhamphus borealis**, (Peale) Gill.—RIGHT-WHALE PORPOISE.—Pacific Coast.

—. Skeleton.

**Delphinus Bairdii**, Dall.—BAIRD'S PORPOISE.—California Coast.

16042. Skeleton. California. W. H. Dall.  
 15403. Skull. San Gabriel River, Cal. Lieut. Bergland, U. S. A.

**Delphinus bombifrons**, Cope.—PORPOISE.—Atlantic Coast.

12481. ? Cast. New York Harbor. John Wallace.

**Tursiops cerebellus**, (Cope) Gill.—PORPOISE.—Atlantic Coast.

15786. Skeleton. Rockaway, Long Id. Alfred Lawrence.

**Tursiops Gillii**, Dall.—COW-FISH.—Pacific Coast.

16043. Skeleton. California. W. H. Dall.

**Lagenorhynchus perspicillatus**, Cope.—SKUNK PORPOISE.—Eastern Coast.

12305. Cast. Cape Cod. Vinal N. Edwards.

**Lagenorhynchus obliquidens**, Gill.—STRIPED or COMMON PORPOISE.—Pacific Coast.

14329. Skeleton. California. C. M. Seaman.

**Lagenorhynchus gubernator**, Cope.—Eastern Coast.

—. Cast. Casco Bay, Me. U. S. Fish Commission.

**Lagenorhynchus leucopleurus**, (Raasch) Gray.—COW-FISH.—Eastern Coast.

12939. Cast. Cape Cod, Mass. U. S. Fish Commission.

**Lagenorhynchus thicolea**, Gray.—PORPOISE.—West coast of North America.

**Orca atra**, Cope.—KILLER.—Pacific Coast.

13018. Jaw. California. Capt. C. M. Scammon.

**Orca gladiator**, (Bonnaterre) Gray.—KILLER.—Atlantic Coast.

11918. Skull. South Atlantic. S. F. Baird.

**Phocæna vomerina**, Gill.—BAY PORPOISE.—Pacific Coast.

16044. Skeleton. California. W. H. Dall.

**Phocæna lineata**, Cope.—STRIPED PORPOISE.—Atlantic Coast.

621. Photograph. U. S. F. C.

**Phocæna brachycion**, Cope.—THE SNUFFING PIG OR HERRING HOG.—Atlantic Coast.

12302. Cast. Cape Cod. Vinal N. Edwards.

#### GLOBICEPHALINÆ.

**Globicephalus Scammoni**, Cope.—BLACK-FISH.—Pacific Coast.

9076. Skull. California. Capt. C. M. Scammon.

**Globicephalus intermedius**, (Harlan) Gray.—BLACK-FISH.—Atlantic Coast.

12479. Cast. (Fœtus.) Cape Cod. U. S. Fish Commission.

12480. Plaster cast, (7 feet.) Cape Cod. Edwards. Nov. 14, 1874.

12480. Cast.

12340. Cast 351. Cast of head. South Dennis, Mass. U. S. Fish Commission. 1875.

12341. Cast 352. Cast of head. South Dennis, Mass. U. S. Fish Commission. 1875.

**Grampus griseus**, (Cuv.) Gray.—GRAMPUS; COW-FISH.—North Atlantic.

15771 ÷ 12759, 508. Cast. Dec. 2, 1875.

15772 ÷ 12760, 503. Skulls. Nov. 29, 1875.

15773 ÷ 12761, 506. Cast of head and cast of whole. Nov. 30, 1875.

506 A. Cast. (Over entrance.)

622. Photograph. U. S. Fish Commission.

12940. Cast of head. Cape Cod, Mass. V. N. Edwards.

12941. Cast of head. Cape Cod, Mass. V. N. Edwards.

12942. Cast of head. Cape Cod, Mass. V. N. Edwards.

**Grampus Stearnsii**, Dall.—WHITE-HEADED OR MOTTLED GRAMPUS.—Pacific Coast.

13021. Skeleton. California. W. H. Dall.

**ZIPHIDIÆ.****ZIPHINÆ.**

**Mesoplodon Sowerbiensis**, (Blainv.) Gervais.—SOWERBY'S WHALE.—Atlantic Coast.

**ANARNACINÆ.**

**Anarnacus semijunctus**, (Cope) Gill.—BOTTLE-HEAD WHALE.—Atlantic Coast.

**PHYSETERIDÆ.****PHYSETERINÆ.**

**Physeter macrocephalus**, Linn.—SPERM WHALE.—Tropicopolitan Seas.

25052. Iron model. Made by captain of whaling ship. J. H. Thompson. New Bedford, Mass.

16043. Jaws. U. S. Fish Commission.

16047. Jaws. National Institute.

25004. Wooden model. Capt. Benj. Russell. New Bedford, Mass.

**KOGINÆ.**

**Kogia Floweri**, Gill.—PORPOISE SPERM WHALE.—Pacific Coast.

8016. Lower jaw. Lower California.

**BALENOPTERIDÆ.****AGAPHELINEÆ.**

**Agaphelus gibbosus**, (Cope) Cope.—SCRAGG WHALE.—Atlantic Ocean.

**Rhachianectes glaucus**, Cope.—GRAY WHALE.—Pacific Ocean.

13503. Skull. California. W. H. Dall.

**MEGAPTERINÆ.**

**Megaptera versabilis**, Cope.—HUMPBACK WHALE.—Pacific Coast.

13504. Vertebra. Aleutian Islands. W. H. Dall.

**Megaptera osphyia**, Cope.—HUMPBACK WHALE.—Atlantic Coast.

**Eschrichtius robustus**, Lilljeborg.—GRÄSÖ WHALE.—Atlantic Coast.

**BALENOPTERINÆ.**

**Sibbaldius teutirostris**, Cope.—FINBACK WHALE.—Atlantic Ocean.

16045. Skeleton. Cape Cod. U. S. Fish Commission.

**Sibbaldius tuberosus**, Cope.—FINBACK WHALE.—Atlantic Ocean.

**Sibbaldius borealis**, (Fischer) Geoffroy.—SULPHUR-BOTTOM WHALE.—Atlantic Ocean.

16039. Skeleton. Cape Cod. U. S. Fish Commission.

**Sibbaldius sulfureus**, Cope.—SULPHUR-BOTTOM WHALE.—Pacific Ocean.

**Balaenoptera rostrata**, (Müller) Gray.—GRAMPUS.—Atlantic Coast.

**Balaenoptera velifera**, Cope.—FINBACK WHALE; OREGON FINNER.—Pacific Ocean.

**Balaenoptera Davidsonii**, Seaman.—SHARP-HEADED FINNER WHALE.—Pacific Coast.

16040. Skeleton. California. Capt. C. M. Seaman.

## BALENIDÆ.

**Balaena mysticetus**, Linn.—BOWHEAD WHALE.—Arctic Seas.

12938. Model in plaster. From drawings and measurements of Capt. C. M. Scammon.

16041. Jaws. Arctic Ocean. U. S. Fish Commission.

**Eubalaena Cullamach**, (Chamisso) Cope.—PACIFIC RIGHT WHALE.—North Pacific.

12988. Model in plaster. From drawings and measurements of Capt. C. M. Scammon.

**Eubalaena eisarctica**, Cope.—RIGHT WHALE.—Atlantic Coast.

## ORDER, INSECTIVORA.

### TALPIDÆ.

**Scalops aquaticus**, (Linn.) Cuv.—Eastern United States.

3965. Mounted. (Male.) Washington, D. C. G. Exall.

5830. Mounted. (Female.) Washington, D. C. G. Exall.

3966. Mounted. District of Columbia, 1858. C. Drexler.

3964. Mounted. (Albino.) Virginia, October 30, 1846. D. F. Kent.

**Scalops argentatus**, Aud. & Bach.—SILVERY MOLE.—Western United States.

11351. Alcoholic. Mt. Carmel, Ill. R. Ridgway.

783. Mounted. Tremont, Ill. W. J. Shaw.

**Scapanus Townsendii**, (Bachman) Pomel.—OREGON MOLE.—  
Pacific Slope.

3963. Mounted. Oregon. T. R. Peale. U. S. Exploring Expedition.  
1963. Mounted. Ft. Steilacoom, Wash. Ter. Dr. George Suckley, U. S. A.

**Scapanus Brewerii**, (Bachman) Pomel.—HAIRY-TAILED MOLE.—  
Eastern United States.

823. Mounted. Cleveland, Ohio. Dr. J. P. Kirtland.

**Condylura cristata**, (Linn.) Illiger.—STAR-NOSED MOLE.—North-  
ern cismontane States.

3968. Mounted. Washington, D. C.

## ORDER, GLIRES.

## SCIURIDÆ.

**Sciurus cinereus**, Linn.—FOX SQUIRREL.—Eastern United States.

4143. Mounted. District of Columbia. C. Drexler.  
321—1240. Mounted. Western Missouri. Dr. P. R. Hoy. 1854.  
4044. Mounted. (Male.) District of Columbia. A. R. Jenkins.

**Sciurus carolinensis**, Gmelin.—GRAY SQUIRREL.—United States.

4042. Mounted. District of Columbia. S. F. Baird.  
334—1252. Mounted. Racine, Wis. Rev. A. C. Barry.  
332—1250. Mounted. Racine, Wis. Dr. P. R. Hoy.  
11071. Mounted. New York. J. G. Bell.  
5844. Mounted. Washington, D. C. J. K. Townsend.

**Sciurus fassor**, Peale.—CALIFORNIA GRAY SQUIRREL.—Pacific  
Slope.

4040. Mounted. (Male.) California. Dr. Heerman.

**Sciurus Abertii**, Woodhouse.—TUFT-EARED SQUIRREL.—Southern  
Colorado, New Mexico, &c.

12576. Mounted. (Male.) Colorado Springs, Colo. C. E. Aiken.  
12578. Mounted. (Male.) Colorado Springs, Colo. C. E. Aiken.  
2430. Mounted. San Francisco Mts., N. M. Dr. Woodhouse.

**Sciurus hudsonius**, Pallas.—RED SQUIRREL; CHICKAREE.—  
Cismontane United States and Alaska.

12435. Mounted. (Male.) Hartford, Minn. J. H. Batty.  
9241. Mounted. New Brunswick. G. A. Boardman.  
3264. Mounted. Laramie Peak. J. Hemman.

**Tamias striatus**, (Linn.) Cuv.—CHIPMUNK.—Eastern United  
States.

4013. Mounted. Washington, D. C. A. J. Fulls.

**Tamias quadrivittatus**, (Say) Rich.—MISSOURI STRIPED SQUIRREL.—Pacific Slope, in mountains.

4661. Mounted. Yreka, Cal. W. Vielle.  
4662. Mounted. Yreka, Cal. W. Vielle.

**Tamias lateralis**, (Say) Allen.—SAY'S STRIPED SQUIRREL.—Rocky Mountains, from Mexico northward.

9320. Mounted. Carson City, Nevada. U. S. Survey of Fortieth Parallel. Robert Ridgway. March, 1868.

**Spermophilus grammurus**, (Say) Bach.—CALIFORNIA GROUND SQUIRREL.—Western Texas and New Mexico west to Sierra Nevada Mountains.

- 1046-2215. Mounted. Los Nogales, Sonora. Maj. W. H. Emory, U. S. A.

**Spermophilus grammurus**, (Say) Bach., var. **Beechyi**.—CALIFORNIA GROUND SQUIRREL.—Cala. and Lower Cala., west of Sierra Nevadas.

469. Mounted. Tejon Valley, Cal. Dr. A. L. Heerman.  
470. Mounted. Tejon Valley, Cal. Dr. A. L. Heerman.

**Spermophilus Harrisii**, Aud. & Bach.—HARRIS' GROUND SQUIRREL.—The Great Interior Basin and Lower California.

- 471-1600. Mounted. Mohave Desert. Lient. R. S. Williamson.

**Spermophilus Franklini**, (Sabine) Rich.—GRAY GOPHER.—Northern Illinois, northward to the Saskatchewan.

985. Skin. Racine, Wis. Dr. P. R. Hoy.

**Spermophilus tereticaudis**, Aud. & Bach.—ROUND-TAILED GROUND SQUIRREL.—Arizona.

1584. Skin. Fort Yuma, Cal. Maj. G. H. Thomas.

**Spermophilus tridecem-lineatus**, (Mitchell) Aud. & Bach.—STRIPED GOPHER; PRAIRIE SQUIRREL.—The prairies of the United States.

- 437-1303. Mounted. Head of Arkansas River. Capt. E. G. Beckwith.

**Spermophilus mexicanus**, (Erxleben) Wagner.—MEXICAN GROUND SQUIRREL.—Southwestern Texas and Southern New Mexico, southeastward into Mexico.

3662. Mounted. Eagle Pass, Texas. Dr. W. S. King, U. S. A.

**Spermophilus Parryi**, Rich.—PARRY'S MARMOT.—Northern parts of the Continent, from Hudson's Bay to Behring's Strait.

8736. Mounted. Pelly Lake. R. R. MacFarlane. June 21, 1864.  
5789. Mounted. Lockhart River, H. B. T. B. R. Ross. July 4, 1860.  
9366. Mounted. Kodiak. F. Bischoff. Sept. 13, 1868.

**Spermophilus spilosoma**, Bennett.—SONORA GROUND SQUIRREL.—Eastern base of the Rocky Mountains north to Western Wyoming.

2620. Fort Thorn, N. Mex. Dr. T. C. Henry.

**Spermophilus Richardsoni**, (Sabine) Baird.—YELLOW GOPHER.—Plains of the Saskatchewan southward to the Upper Missouri.

12360. Skin. Fort Saunders, Wyo. Col. A. G. Brackett.

**Spermophilus Townsendi**, Bach.—TOWNSEND'S GROUND SQUIRREL.—Plains of Columbia.

3775. Camp Lloyd, Utah. Capt. J. H. Simpson, U. S. A.

**Spermophilus annulatus**, Aud. & Bach.—RINGED GROUND SQUIRREL.—Plains of Colima, Mexico.

—. Skins.

**Cynomys ludovicianus**, (Ord) Baird.—PRAIRIE DOG.—Great plains east of the Rocky Mountains.

4057. Mounted. (Female.) Platte River, Ark. Dr. Woodhouse.

7770  $\div$  345. Mounted. (Male.) Ft. Larned. Dr. E. Coues. May 31, 1864.

11458. Mounted. Colorado. J. H. Batty.

9559. Mounted. Soda Springs, Colo. Jas. Stevenson.

**Cynomys columbianus**, (Ord) Allen.—SHORT-TAILED PRAIRIE DOG.—The parks and plains within and west of the Rocky Mountains to the plains of Columbia.

5849. Mounted. Fort Bridger, Utah. C. Drexler.

**Arctomys monax**, Linn.—WOODCHUCK.—Eastern North America.

26788. Mounted. Wyoming, N. Y. H. A. Ward, Rochester, N. Y.

**Arctomys caligatus**, Eschscholtz.—NORTHWESTERN MARMOT.—Puget's Sound northward, west of the Rocky Mountains.

9493. Mounted. Ft. Kenag, Alaska. F. Bischoff. May 16, 1869.

12485. Mounted.

**Arctomys flaviventer**, Aud. & Bach.—YELLOW-FOOTED MARMOT.—Rocky Mountains west of the Pacific Coast.

8834. Mounted. Fort Anderson. R. McFarlane.

12753. Mounted. Near Fort Ellis, Montana. W. B. Platt.

## HAPLODONTIDÆ.

**Haplodontia leporina**, Rich.—SEWELLEL; SHOWTL.—Pacific Slope (especially about Puget's Sound).

1966. Mounted. (Male.) Ft. Steilacoom, Wash. Ter. Dr. Geo. Suckley.

4046. Mounted. Puget's Sound. Ex. Ex.

**CASTORIDÆ.**

**Castor canadensis**, Kuhl.—AMERICAN BEAVER.—United States generally.

9724. Mounted. (Young.) Henry Fork, G. R. Dr. F. V. Hayden. Oct., 1870.

**GEOMYIDÆ.**

**Geomys bursarius**, Rich.—POUCHED or POCKET GOPHER.—Missouri to Minnesota and Nebraska.

91. Mounted. Columbia River, Oregon. Acad. Nat. Sci. Phila.

**Geomys tuza**, (Ord,) Coues.—FLORIDA SALAMANDER.—Southeastern States.

11905. Skins. Jacksonville, Fla. G. Brown Goode.

**Geomys castanops**, Baird.—TEXAS POUCHED GOPHER.—Texas and New Mexico.

4007. Mounted. Bent's Fork. Lt. Abert.

**Thomomys talpoides**, (Rich) Baird.—CALIFORNIA GOPHER.—Northern and Western North America.

366-1280. Mounted. Monterey, California. Lt. W. P. Trowbridge.

**Thomomys clusius**, Coues.—SMALL-FOOTED POUCHED GOPHER.—Rocky Mountains.

—. Skins. Ft. Bridger, Utah.

**MURIDÆ.**

**Mus decumanus**, Pallas.—BROWN RAT.—United States generally. (Introduced.)

5847. Mounted. Washington, D. C.

**Mus rattus**, Linn.—BLACK RAT.—United States generally, but rare. (Introduced.)

12-921. Skin. Foxburg, Pa. S. F. Baird.

**Mus musculus**.—COMMON MOUSE.—United States generally. (Introduced.)

4051. Mounted. (Albino.) District of Columbia.

**Hesperomys leucopus**, Wagner.—WHITE-FOOTED MOUSE.—Northern United States west of the Mississippi River.

4358. Mounted. Halifax, N. S. A. Downes.

Bull. N. M. No. 14—2

**Neotoma floridana**, Say & Ord.—FLORIDA RAT; WOOD RAT.—Atlantic Slope northward to New York.

1331. Mounted. Hillsboro, Va. N. Janney.

**Neotoma cinerea**, (Ord) Baird.—ROCKY MOUNTAIN RAT.—Pacific Slope and Upper Missouri.

5665. Mounted. Fort Liard, Hudson's Bay Terr. Ross and Hardesty.

**Fiber zibethicus**, Cuv.—MUSK RAT.—United States generally.

1060. Mounted. (Female.) District of Columbia. R. O. Pollard.

## HYSTRICIDÆ.

**Erethizon dorsatus**, (Linn.) Flem., var. **dorsatus**.—WHITE-HAIRED PORCUPINE.—Northern United States.

11086. Mounted. Maine. John Wallace.

12402. Mounted. (Female.) Mt. Washington, N. H. C. J. King. July 3, 1875.

**Erethizon dorsatus**, (Linn.) F. Cuv., var. **epixanthus**.—YELLOW-HAIRED PORCUPINE.—Pacific Slope and Upper Missouri region.

9745. Mounted. Fort Bridger, Wyoming. Dr. F. V. Hayden, U. S. Geologist. Sept. 29, 1870.

## SUBORDER DUPLICIDENTATA.

### LEPORIDÆ.

**Lepus timidus**, Fab., var. **arcticus**.—POLAR HARE.—Arctic and Subarctic America.

1356. Mounted. (Young.) Newfoundland. John Downes. Summer 1856.

5181. Mounted. Newfoundland. J. R. Willis.

353. Mounted. Newfoundland. J. G. Bell. Winter 1854.

**Lepus americanus**, Erxl., var. **americanus**, Allen.—NORTHERN HARE; WHITE HARE.—Northeastern North America.

12478. Mounted. Cumberland, Md. D. P. Welpley.

**Lepus americanus**, Erxl.—NORTHERN HARE; WHITE RABBIT.—Alaska and British North America east of the Rocky Mountains.

1130. Mounted. (Male.) Ft. Liard, H. B. T. Robert Kennicott.

**Lepus americanus**, var. **virginianus**.—VIRGINIA HARE.—Eastern United States south of Nova Scotia.

11067. Mounted. J. G. Bell.

959. Mounted. Middleboro, Mass. J. W. P. Jenks.

**Lepus americanus**, Erxl., var. **Washingtonii**.—RED HARE.—  
West of Rocky Mountains from Columbia River into British Columbia.

3817. Mounted. Chiloweyuek Depot, Oregon. Dr. C. B. Kennerly, U. S. A. June, 1859.

**Lepus americanus**, Erxl., var. **Bairdii**.—BAIRD'S HARE.—  
Higher parts of Rocky Mountains.

4265. Mounted. (Female.) Wind River Mountains. Dr. F. V. Hayden.  
5882. Mounted. Head of Flathead River, Washington Ty. Dr. C. B. Kennerly, N. W. Boundary Survey. Winter 1860.  
3791. Mounted. Ft. Bridger, Utah. J. H. Simpson.  
303. Mounted. Shoalwater Bay. Dr. J. G. Cooper, Pacific R. R. Survey. March 5, 1854.

**Lepus campestris**, Bach.—PRAIRIE HARE.—Central plains of North America.

1552. Mounted. Upper Missouri. Dr. F. V. Hayden.  
4240. Mounted. (Male.) Deer Creek. Dr. F. V. Hayden. Dec. 18, 1859.  
 $69 \div 972$ . Mounted. Ft. Union, Neb. T. Culbertson.  
12013. Mounted. (Male.) Frenchman's Creek, Montana. Dr. E. Cones, U.S.A., Northern Boundary Survey. July 5, 1874.

**Lepus callotis**, Wagler.—JACKASS HARE; JACK RABBIT.—Southwestern United States.

1170. Mounted. Klamath Lake. Dr. J. S. Newberry.  
8477. Mounted. (Female.) Ft. Whipple, Arizona. Dr. E. Cones, U. S. A. May 17, 1865.  
450. Mounted. Red River, Ark. Capt. Marcy.

**Lepus californicus**, Gray.—CALIFORNIA HARE.—California.

11070. Mounted. California. J. G. Bell.  
1980. Mounted. Petaluma, California. E. Samuels.  
12586. Mounted. Cape St. Lucas. John Xantus.

**Lepus sylvaticus**, Bach.—GRAY RABBIT.—Eastern United States.

12483. Mounted. Fairfax Co., Va. G. Brown Goode.  
11069. Mounted. New York? J. G. Bell.  
11068. Mounted. New York? J. G. Bell.  
4017. Mounted. New York. J. G. Bell.

**Lepus Bachmani**, Waterhouse.—BACHMAN'S HARE.—Texas.

- 231;243. Skins. Brownsville, Texas. Couch and Van Vliet.

**Lepus sylvaticus**, Bach., var. **Audubonii**.—AUDUBON'S HARE.—Southern Arizona and California.

1596. Mounted. San Diego, Cal. Dr. J. F. Hammond. Dec., 1855.  
1594. Mounted. (Female.) San Diego, Cal. Dr. J. F. Hammond. Dec. 26, 1856.

**Lepus sylvaticus**, Bach., var. **Nuttalli**.—SAGE RABBIT.—United States west of 97th meridian.

8896. Mounted. (Female.) Camp Grant, Ariz. Edward Palmer. Feb. 20, 1867.

**Lepus Trowbridgii**, Baird.—TROWBRIDGE'S HARE.—California.

1183. Mounted. Santa Clara, Cal. Dr. J. S. Newberry. Nov., 1855.  
2974—351. Mounted. Petaluma, Cal. E. Samuels.

**Lepus aquaticus**, Bach.—WATER RABBIT.—Gulf States.

2306. Mounted. Prairie Mer Rouge, La. James Fairie.  
2309. Mounted. Prairie Mer Rouge, La. James Fairie.

**Lepus palustris**, Bach.—MARSH RABBIT.—Southeastern United States, on lowlands.

4018. Mounted. St. Simon's Island, Ga. Dr. Wilson. 1860.  
1256.? Mounted. Society Hill, S. C. M. A. Curtis. 1856.  
1621. Mounted. St. Simon's Island, Ga. Dr. S. M. Wilson.

## ORDER, EDENTATA.

### DASYPODIDÆ.

**Tatusia septem-cinctus**, (Linn.) Gray.—ARMADILLO.—Southwestern United States and South.

10197. Mounted. Tobasco, Mexico. C. H. Laszlo.

## ORDER, AMARSUPIALL.

### DIDELPHIDÆ.

**Didelphys virginiana**, Shaw.—Possum.—United States generally.

12951. Stuffed skins. Family group of nine. Washington, D. C. G. Brown Goode.

## II. BIRDS.

From want of space it has not been thought desirable to exhibit a collection of North American birds.

### III. REPTILES.

#### ORDER, CROCODILIA.

##### CROCODYLIDÆ.

**Crocodus americanus**, Seba.—FLORIDA CROCODILE.—Southern Florida.

8354. Mounted. Biscayne Bay, Fla. Purchased from H. A. Ward.

**Alligator mississippiensis**, Daudin.—ALLIGATOR.—Southeastern North America.

9950. Cast. Jacksonville, Fla. F. C. Goode.

8543. Cast. Jacksonville, Fla. G. Brown Goode.

#### ORDER. TESTUDINATA.

##### TESTUDINIDÆ.

**Testudo carolina**, Linn.—FLORIDA GOPHER-TORTOISE.—Southeastern North America.

9627. Cast. Florida. G. Brown Goode.

**Testudo Berlandieri**, Agassiz.—Southwestern United States.

8926. Brownsville, Tex. Dr. J. C. Merrill, U. S. A.

##### EMYDIDÆ.

**Malacoclemmys palustris**, Gmelin.—DIAMOND-BACK TERRAPIN.—Coast from New York to Texas.

8709. Washington Market. J. W. Milner.

9028. Cast. Mandeville, La. G. Kohn.

**Pseudemys rugosa**, Shaw.—RED-BELLIED TERRAPIN.—New Jersey to Virginia.

8910. Cast. Kinston, N. C. J. W. Milner.

**Pseudemys concinna**, Leconte.—FLORIDA TERRAPIN.—Southeastern United States.

8907-8. Cast. Florida. Professor Baird.

**Pseudemys mobiliensis**,

9026. Cast. Mandeville, La. G. Kohn.

**CHELYDRIDE.*****Macrochelys lacertina*, Schw.**—ALLIGATOR TURTLE.

9211. Cast. Greenville, Miss. S. W. Ferguson.

***Chelydra serpentina*, Linn.**—SNAPPING TORTOISE.—Canada to Ecuador.

8916. Cast. Washington, D. C. Joseph Palmer.

**TRIONYCHIDÆ.*****Aspidonectes ferox*, Schw.**—SOFT-SHELL TURTLE.—Georgia to Western Louisiana.

8708. Cast. Milledgeville, Ga. Tarleton H. Bean.

8899. Florida. Professor Baird.

***Aspidonectes spinifer*, Les.**—SOFT-SHELL TURTLE.—Middle and northern tributaries of the Mississippi and the Saint Lawrence.

8309. Mounted. Rising Sun, Ind.

9614. Alcoholic. Mt. Carmel, Ill. R. Ridgway.

**CHELONIIDÆ.*****Chelonia mydas*, Schw.**—GREEN TURTLE.—Atlantic Coast south of Long Island.

8392+15267. Cast in papier-maché. New York market. E. G. Blackford.

***Chelonia virgata*, Schw.**—PACIFIC GREEN TURTLE.—Pacific Coast.

9639. Cast. San Diego, Cal. G. N. Hitchcock.

***Thalassochelys caouana*, Linn.**—LOGGERHEAD TURTLE.

8386+15259. Cast. New York market. E. G. Blackford.

***Eretmochelys imbricata*, Linn.**—HAWK'S BILL TURTLE.—Southern Atlantic Coast.

—. Cast. New York market. E. G. Blackford.

***Eretmochelys squamata*, Linn.**—PACIFIC HAWK'S BILL TURTLE.—Pacific Coast.

12388. Shells. Fiji Island. U. S. Expl. Expedition.

**SPHARGIDÆ.*****Sphargis coriacea*, Rondelet.**—LEATHERBACK TURTLE.—Atlantic Coast to Massachusetts.

8389+15265. Cast. New York market. E. G. Blackford.

## V. FISHES.

### ORDER, PEDICULATI.

#### MALTHEIDÆ.

**Malthe cubifrons**, Rich.—SEA BAT.—West Indian Fauna.

16727. Cast. St. Augustine, Fla. Dr. J. M. Laing, U. S. A.  
800. Photograph. U. S. Fish Commission.

**Malthe vespertilio**, (Linn.) Cuv.—SEA BAT.—West Indian Fauna.

12575. Alcoholic specimen. Amazons. British Museum.

#### LOPHIIDÆ.

**Lophius piscatorius**, Linn.—GOOSE FISH; ANGLER.—Nova Scotia to Cape Hatteras.

15086. Alcoholic specimen. Tompkinsville, N. Y. Copley.  
14910. Cast. Wood's Holl, Mass. U. S. Fish Commission. June 22, 1873.  
16657. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
12, 13, 14, 15. Photographs. U. S. Fish Commission.

#### ANTENNARIIDÆ.

**Pterophryne histrio**, (Linn.) Gill.—MOUSE-FISH.—Pelagic.

20683. Alcoholic specimens. Wood's Holl, Mass. V. N. Edwards.

### ORDER, PLECTOGNATHI.

#### MOLIDÆ.

**Mola rotunda**, Cuv.—SUN-FISH.—Newfoundland to Cape Hatteras.

15832. Cast. Noank, Conn. U. S. Fish Commission. Sept. 16, 1874.  
15833. Cast. Noank, Conn. U. S. Fish Commission. Sept. 16, 1874.  
1. Photograph. U. S. Fish Commission.  
784. Color sketch. (Richard.) U. S. Fish Commission.

#### DIODONTIDÆ.

**Chilomycterus geometricus**, (Linn.) Kaup.—BUR-FISH.—South of Cape Cod; West Indian Fauna, &c.

15572. Cast. New York market. E. G. Blackford. Oct. 7, 1875.  
15883. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 1, 1873.  
523-4-5. Color sketch. (Richard.) U. S. Fish Commission.

***Chilomycterus fuliginosus*, (De Kay.) Gill.**

13938. Alcoholic specimen. Watch Hill, R. I. U. S. Fish Commission. Sept. 18, 1874.

***Trichodiodon pilosus*, (Mitch.) Bleeker.—HAIRY BOX-FISH.—Cape Cod to Cape Hatteras.**

—. Alcoholic specimen. Beesly's Point, N. J. Prof. S. F. Baird. 1854.

**TETRODONTIDÆ.*****Tetronodon laevigatus*, (Linn.) Gill.—RABBIT-FISH.—Cape Cod to Florida.**

14567. Cast. Vineyard Sound, Mass. U. S. Fish Commission. July 13, 1874.  
2, 3. Photographs. U. S. Fish Commission.

***Chilichthys turgidus*, (Mitch.) Gill.—SWELL-FISH.—Cape Cod to Florida.**

10740. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
499. Color sketch. (Richard.) U. S. Fish Commission.  
615-16. Color sketch. Prof. Alex. Agassiz.

**OSTRACIIDÆ.*****Ostracion quadricorne*, Linn.—COW-FISH.—West Indian Fauna.**

10008. Cast. Bermudas. G. Brown Goode. March, 1872.  
664. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Garden June, 1860.

***Ostracion triquetrum*, Linn.—CUCKOLD.—West Indian Fauna.**

579-80. Color sketch. (Burkhardt.) Santa Cruz. Prof. Alex. Agassiz; Dr. Jeffries.

***Lactophrys trigonus*, (Linn.) Poey.—TRUNK-FISH.—West Indian Fauna; occasional in Massachusetts.**

20610. Alcoholic specimens. Wood's Holl, Mass. V. N. Edwards.

**BALISTIDÆ.*****Balistes ringens*, Linn.—SPOTTED FILE-FISH.—West Indian Fauna.**

581. Color sketch. (Burkhardt.) Island of Sombrero, W. I. Prof. Alex. Agassiz. Sept., 1859.

***Balistes vetula*, Linn.—OLDWIFE; FILE-FISH.—West Indian Fauna; accidental on coast.**

14903. Cast. Wood's Holl, Mass. U. S. Fish Commission. Oct. 5, 1873.  
11380. Photograph. U. S. Fish Commission.

**Balistes capriscus,**

15233. Alcoholic specimen. East Coast. John Sutherland.

**Stephanolepis setifer,** (Bennet) Gill.—STORER'S FILE-FISH.—Nova Scotia to Florida.

16519. Alcoholic specimen. Wood's Holl, Mass. U. S. Fish Commission. Sept., 1875.  
 617. Color sketch. (Burkhardt.) Cape Cod. Prof. Alex. Agassiz. Aug., 1859.  
 498. Color sketch. (Richard.) Wood's Holl, Mass. U. S. Fish Commission. Aug., 1875.

**Canthorhinus occidentalis.**—West Indian Fauna, &c.

16746. Alcoholic specimen. Chesapeake Bay. Capt. John Evans. Oct., 1875.

**Aluterus cuspicauda,** De Kay.—LONG-TAILED FILE-FISH.—Cape Cod to Florida.

16341. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 13, 1875.  
 15569. Cast. New York. E. G. Blackford.  
 15827. Cast. New York market. E. G. Blackford.  
 15839. Cast. New York market. E. G. Blackford. Oct. 9, 1875.  
 412-13-14. Color sketches. U. S. Fish Commission.

**Ceratacanthus aurantiacus,** (Mitch.) Gill.—ORANGE FILE-FISH.—Cape Cod to Florida.

14914. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 14, 1873.  
 15870. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 14, 1873.  
 14916. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 14, 1873.  
 5, 6, 7, 8, and 9. Photographs. U. S. Fish Commission.  
 500. Color sketch.

## ORDER, LOPHOBRANCHII.

**HIPPOCAMPIDÆ.****Hippocampus antiquorum,** Leach.—SEA-HORSE; HORSE-FISH.—Cape Cod to Cape Hatteras.

21044. Alcoholic specimen. St. George's Banks. G. Brown Goode.

**SYNGNATHIDÆ.****Syngnathus Peckianus,** Storer.—PIPE-FISH.—Newfoundland to Cape Hatteras.

16492. Alcoholic specimen. Wood's Holl, Mass. U. S. Fish Commission.

## ORDER, TELEOCEPHALI.

## HETEROSOMATA.

## SOLEIDÆ.

**Achirus lineatus**, (Linn.) Cuv.—AMERICAN SOLE; HOG CHOKER.  
—Cape Cod to Florida.

- 15743. Cast, (upper side,) Wood's Holl, Mass. U. S. Fish Commission. Feb. 21, 1874.
- 15743. Cast, (under side,) Wood's Holl, Mass. U. S. Fish Commission. Feb. 21, 1874.
- 380. Photograph. U. S. Fish Commission.
- 448. Photograph. (upper side.)
- 449. Photograph. (under side.)
- 561. Color sketch. Prof. Alex. Agassiz.

**Solea vulgaris**, Quensel.—SOLE.—Coast of Europe.

- 12513. Cast. England.
- 16. Photograph. U. S. Fish Commission.

## PLEURONECTIDÆ.

**Euchalarodus Putnami**, Gill.—PUTNAM'S FLAT-FISH.—Found only in Salem Harbor.

- 5368. Alcoholic specimen. Salem, Mass. F. W. Putnam.

**Pseudopleuronectes americanus**, (Walb.) Gill.—FLAT-FISH; WINTER FLOUNDER.—Nova Scotia to Cape Hatteras.

- 14911. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 22, 1873.
- 15692. Cast. Wood's Holl, Mass. U. S. Fish Commission. Dec., 1873.
- 15709. Cast. Wood's Holl, Mass. U. S. Fish Commission. Feb. 28, 1874.
- 14891. Cast. Wood's Holl, Mass. U. S. Fish Commission. Feb. 20, 1874.
- 14913. Cast. Wood's Holl, Mass. U. S. Fish Commission. Feb. 2, 1874.
- 15934. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 14, 19, 20, 21, 22, 380. Photographs. U. S. Fish Commission.
- 785. Color sketch. (Richard.) U. S. Fish Commission.

**Myzopsetta ferruginea**, (Storer) Gill.—RUSTY FLOUNDER.—Nova Scotia to Cape Cod.

- 15068. Cast. New York market. E. G. Blackford.
- 15067. Cast. New York market. E. G. Blackford. March 22, 1875.
- 23. Photograph. U. S. Fish Commission.
- 786. Color sketch. (Richard.) U. S. Fish Commission.

**Pleuronectes glaber**, (Storer) Gill.—SMOOTH-BACK FLOUNDER.—Northern New England Coast.

- 20873. Cast. Portland, Me. Tarleton H. Bean.

**Glyptocephalus cynoglossus**, (Linn.) Gill.—POLE FLOUNDER.  
—Maine.

24. Photograph. U. S. Fish Commission.  
 12685. Alcoholic specimen. Treat's Island, Eastport, Me. U. S. Fish Commission. Aug., 1872.

**Lophopsetta maculata**, (Mitch.) Gill.—WATERY FLOUNDER;  
SPOTTED TURBOT.—Cape Cod to Cape Hatteras.

15693. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 10632. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 25, 25. Photographs. U. S. Fish Commission.  
 780-1. Color sketch. (Richard.) U. S. Fish Commission.

**Chænopsetta ocellaris**, (De Kay) Gill.—COMMON FLOUNDER.—  
Cape Cod to Cape Hatteras.

15177. Cast. Norfolk, Va. U. S. Fish Commission.  
 10721. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 14899. Cast. Block Island, R. I. U. S. Fish Commission. Sept. 24, 1874.  
 10684. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 15176. Cast. Norfolk, Va. U. S. Fish Commission.  
 27, 28. Photographs. U. S. Fish Commission.  
 533-4. Color sketch. (Richard.) U. S. Fish Commission.

**Chænopsetta oblonga**, (Mitch.) Gill.—FOUR-SPOTTED FLOUNDER.—  
—Cape Cod to Cape Hatteras.

10716. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 10661. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 29, 30. Photographs. U. S. Fish Commission.

**Chænopsetta dentata**, (Linn.) Gill.—SOUTHERN FLOUNDER.—  
Cape Hatteras to Florida.

18048. Alcoholic specimen. St. John's River, Fla. Professor Baird.

**Hippoglossus americanus**, Gill.—HALIBUT.—Newfoundland to  
Cape Hatteras.

15698. Cast. Eastern Mass. U. S. Fish Commission. Feb. 28, 1874.  
 15705. Cast. Eastern Mass. U. S. Fish Commission. Feb. 28, 1874.  
 16587. Cast. Boston, Mass. F. H. Johnson. Sept. 24, 1875.  
 15732. Cast.  
 31, 32. Photographs. U. S. Fish Commission.  
 767. Color sketch. (Richard.) U. S. Fish Commission.

**Hippoglossoides limandoides**, Günther.—SAND DAB.

21037. Alcoholic specimen. Halifax, N. S. U. S. Fish Commission. Sept. 11, 1877.  
 21818. Alcoholic specimen. Gloucester, Mass. U. S. Fish Commission. July 29, 1878.  
 14913. Cast. Wood's Holl, Mass. V. N. Edwards. Feb. 2, 1874.

**Reinhardtius hippoglossoides**, (Walb.) Gill.—GREENLAND TURBOT.—Greenland.

14839. Cast, (upper side,) Newfoundland. E. G. Blackford. Feb., 1874.  
 14839. Cast. Newfoundland. E. G. Blackford. Feb., 1874.  
 33. Photograph. U. S. Fish Commission.  
 21564. Cast. Le Have Bank. U. S. Fish Commission.

**Psettichthys melanostictus**, Girard.—CALIFORNIA “SPOTTED SOLE.”—Coast of California.

16701. Cast. San Francisco, Cal. L. Stone. Jan. 27, 1876.  
 16699. Cast. San Francisco, Cal. L. Stone. Jan. 27, 1876.  
 16700. Cast. San Francisco, Cal. L. Stone. Jan. 27, 1876.  
 16699, 16700, 16701. Alcoholic specimens. San Francisco. U. S. Fish Commission.  
 36, 39. Photographs. U. S. Fish Commission.  
 777. Color sketch. U. S. Fish Commission.  
 754. Color sketch. (Agassiz.) Prof. Alex. Agassiz.

**Platichthys stellatus**, (Pall.) Gill.—ROUGH FLOUNDER.—Coast of California.

16698. Cast. San Francisco, Cal. L. Stone.  
 38. Photograph. U. S. Fish Commission.  
 531-2. Color sketch. (Richard.) U. S. Fish Commission.  
 657. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

**Parophrys vetulus**.—“SOLE.”—Coast of California.

17064. Alcoholic specimen. San Francisco, Cal. U. S. Fish Commission.  
 776. Color sketch. (Richard.) U. S. Fish Commission.

**Ancylosetta quadrocellata**, Gill.

- 17123-4. Alcoholic specimens. Charleston, S. C. Prof. S. F. Baird. March, 1877.  
 17123. Cast. Charleston, S. C. Prof. S. F. Baird. March, 1877.

**Rhombus maximus**, Will.—TURBOT.—Coasts of Europe.

12511. Cast. England. Middleton, Carman & Co.  
 35, 391. Photograph. U. S. Fish Commission.

**Rhombus laevis**, Rondel.—BRILL.—Coasts of Europe.

12512. Cast. England. Middleton, Carman & Co.  
 34. Photograph. U. S. Fish Commission.

## ANACANTHINI.

## MACRURIDÆ.

**Macrurus rupestris**, Bl.—ONION-FISH.—North Atlantic.

15608. Cast. St. George's Banks. E. G. Blackford. Oct. 27, 1875.  
 786. Color sketch. (Richard.) U. S. Fish Commission.

***Macrurus Bairdii*, Goode & Bean.—SPIKE-TAIL.**

21014. Alcoholic specimen. (Type.) Gulf of Maine. U. S. Fish Commission. Aug. 19, 1877.

**GADIDÆ.*****Pollachius carbonarius*, (Linn.) Bon.—POLLACK.—Greenland to Cape Hatteras.**

15971. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 16254. Cast. Martha's Vineyard. U. S. Fish Commission. July 30, 1875.  
 41, 42, 43. Photographs. U. S. Fish Commission.  
 787. Color sketch. (Richard.) U. S. Fish Commission.

***Gadus morrhua*, Linn.—COD-FISH.—Polar Regions to Cape Hatteras.**

16770. Cast. Irish Sea. Liverpool Free Public Museum.  
 14902. Cast. New York market. E. G. Blackford. April 3, 1874.  
 15923. Cast. Portland, Me. U. S. Fish Commission.  
 44, 45, 381, 392. Photographs. U. S. Fish Commission.  
 610. Color sketch. Prof. Alex. Agassiz.

***Microgadus proximus*, (Girard) Gill.—TOM COD.—Coast of California.**

16696. Cast. San Francisco, Cal. L. Stone. June 27, 1876.  
 47. Photograph. U. S. Fish Commission.  
 616. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

***Microgadus tomcodus*, (Walb.) Gill.—TOM COD; FROST-FISH.—Newfoundland to Cape Hatteras.**

14884. Cast. Wood's Holl, Mass. U. S. Fish Commission. June 11, 1873.  
 14885. Cast. Wood's Holl, Mass. U. S. Fish Commission. June 11, 1873.  
 16608. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 27, 1875.  
 46. Photograph. U. S. Fish Commission.  
 632. Color sketch. (Agassiz.) Prof. Alex. Agassiz.

***Melanogrammus aeglefinus*, (Linn.) Gill.—HADDOCK.—Newfoundland to Cape Hatteras.**

14897. Cast. Wood's Holl, Mass. U. S. Fish Commission. June 18, 1873.  
 14896. Cast. Portland, Me. U. S. Fish Commission. Aug. 2, 1873.  
 48, 49, 50. Photograph. U. S. Fish Commission.  
 427. Color sketch. (Richard.) U. S. Fish Commission.

***Phycis chuss*, (Walb.) Gill.—HAKE.—Newfoundland to Cape Hatteras.**

16598. Cast. Boston, Mass. F. H. Johnson.

***Phycis tenuis*, (Mitch.) De Kay.—SQUIRREL HAKE.—Newfoundland to Cape Hatteras.**

15729. Cast. Wood's Holl, Mass. U. S. Fish Commission. June 18, 1873.  
 51. Photograph. U. S. Fish Commission.

***Phycis Chesteri*, Goode & Bean.—LONG-FINNED HAKE.**

21840. Alcoholic specimen. (Type.) Gulf of Maine. U. S. Fish Commission. Aug. 27, 1877.

***Crophycis regius*, (Wall.) Gill.—SPOTTED CODLING.—Cape Cod to Cape Hatteras.**

788. Color sketch. (Emerton.) U. S. Fish Commission. 16545-6. Casts and alcoholic specimens. New York. Fred. Mather.

***Molva vulgaris*, Fleming.—LING.—Polar Seas.**

16775. Cast. Coast of England. Liverpool Free Public Museum. 390. Photograph. U. S. Fish Commission.

***Rhinonemus caudacuta*, (Storer) Gill.—FOUR-BEARDED ROCK-LING.—Nova Scotia to Cape Cod.**

16656. Alcoholic specimen. Wood's Holl, Mass. V. N. Edwards.

***Ciliata argentata*, (Reinb.) Gill.—MACKEREL MIDGE.—Greenland to Cape Hatteras.**

16179. Alcoholic specimen. Vineyard Sound, Mass. U. S. Fish Commission.

***Hypsiptera argentea*, Giinther.**

21831. Alcoholic specimen. Off Cape May, N. J. Capt. R. H. Hurlbert.

***Brosnius americanus*, Gill.—CUSK.—Nova Scotia to Cape Cod.**

16605. Cast. Boston, Mass. Wm. Prior, jr., & Co. Sept. 25, 1875.

15886. Cast. Wood's Holl, Mass. U. S. Fish Commission. Feb. 21, 1874. 52. Photograph. U. S. Fish Commission.

429. Color sketch. (Richard.) U. S. Fish Commission.

***Haloporphyrus viola*, Goode & Bean.—BLUE HAKE.**

21837. Alcoholic specimen. (Type.) Banquereau. Capt. Jos. W. Collins. Aug. 1878.

***Lota maculosa*, (Les.) Rich.—BURBOT.—Fresh waters of Northern North America.**

15640. Cast. New York. E. G. Blackford.

16638. New York. E. G. Blackford.

53, 54, 55. Photographs. U. S. Fish Commission.

428. Color sketch. (Richard.) U. S. Fish Commission.

491. Color sketch. (Rötter.) Prof. Alex. Agassiz.

**MERLUCIDÆ.*****Merluccius bilinearis*, (Mitch.) Gill.—WHITING; SILVER HAKE.—Nova Scotia to Cape Hatteras.**

15747. Cast. U. S. Fish Commission.

15931. Cast. Wood's Holl, Mass. U. S. Fish Commission. Oct. 28, 1873.

56. Photograph. U. S. Fish Commission.

562. Color sketch. Prof. Alex. Agassiz.

**OPHIDIIDÆ.****Ophidium marginatum**, Mitch.—Cape Cod to Cape Hatteras.

10762. Alcoholic specimen. Tompkinsville, N. Y. C. Copley.

**LYCODIDÆ.****Zoarces anguillaris**, (Peck) Storer.—EEL POUT.—Newfoundland to Cape Hatteras.

14888. Cast. New York market. E. G. Blackford. March, 1874.

15694. Cast. Nantucket Shoals. U. S. Fish Commission.

651. Color sketch. Prof. Alex. Agassiz.

**CRYPTACANTHIDÆ.****Cryptacanthodes maculatus**, Storer.—SPOTTED WRY-MOUTH.—Nova Scotia to Cape Cod.

16621. Provincetown, Mass. U. S. Fish Commission.

15889. Cast. Portland, Me. U. S. Fish Commission.

15890. Cast. Portland, Me. U. S. Fish Commission.

423. Color sketch. (Richard.) U. S. Fish Commission.

613. Color sketch. (Burkhardt.) Boston. Prof. Alex. Agassiz. Dec., 1861.

**Cryptacanthodes inornatus**, Gill.—GHOST-FISH.—Coast of Massachusetts.

1761. Alcoholic specimen. Maine. W. Stimpson.

**AMMODYTIDÆ.****Ammodytes americanus**.—SAND EEL.

382. Photograph. U. S. Fish Commission.

422. Color sketch. (Richard.) U. S. Fish Commission.

**STICHLÆIDÆ.****Stichæus punctatus**, (Fabr.) Reinh.—North Atlantic Coast.

590. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

21068. Alcoholic specimen. Halifax, N. S. U. S. Fish Commission. Sept. 4, 1877.

**Eumesogrammus subbifurcatus**, (Storer) Gill.—Nova Scotia to Cape Cod.

21067. Alcoholic specimen. Halifax, N. S. U. S. Fish Commission. Aug. 25, 1877.

**XIPHIDIONTIDÆ.**

**Muraenoides mucronatus**, (Mitch.) Gill.—ROCK EEL.—Nova Scotia to Cape Hatteras.

13847. Alcoholic specimen. Eastport, Me. U. S. Fish Commission.

188. Color sketch. Prof. Alex. Agassiz.

**Muraenoides ornatus**, (Girard) Gill.—PACIFIC ROCK EEL.—Pacific Coast.

639. Color sketch. (Agassiz.) Ft. Roberts, Gulf of Georgia, Wash. Terr. Prof. Alex. Agassiz. July, 1879.

**ANARRHICHADIDÆ.**

**Anarrhichas vomerinus**, (Ag.) Storer.—WOLF-FISH.—Greenland to Cape Hatteras.

16439. Cast. Boston, Mass. F. H. Johnson. Sept. 8, 1875.

14900. Cast. Coxswain's Ledge, R. I. U. S. Fish Commission. July 25, 1875.  
57. Photograph. U. S. Fish Commission.

770. Color sketch. (Richard.) U. S. Fish Commission.

**Anarrhichas lupus**, Linn.

1875. Specimen in brine. Gloucester. U. S. Fish Commission. 1878.

**Batrachidæ.**

**Batrachus tau**, Linn.—TOAD-FISH; OYSTER-FISH.—Nova Scotia to Gulf of Mexico.

10743. Cast. Wood's Hole, Mass. U. S. Fish Commission.

501-2. Color sketch. (Richard.) U. S. Fish Commission.

**Porichthys notatus**.—Pacific Coast.

640. Color sketch. (Agassiz.) Simiahmoo, Wash. Terr. Prof. Alex. Agassiz. June, 1859.

**URANOSCOPIDÆ.**

**Astroscopus anoplus**, (Cuv. & Val.) Brevoort.—NAKED STAR- GAZER.—New York to Florida.

4622. Alcoholic specimen. Norfolk, Va. Prof. Theo. Gill.

574. Color sketch. (Burkhardt.) Pensacola, Fla. Prof. Alex. Agassiz; Dr. Jeffreys. April, 1854.

572. Color sketch. (Burkhardt.) Hampton Roads, Va. Prof. Alex. Agassiz; T. Leib. April, 1854.

584. Color sketch. (Burkhardt.) Jacksonville, Fla. Prof. Alex. Agassiz. 1853.

585. Color sketch. (Burkhardt.) Charleston, S. C. Prof. Alex. Agassiz. 1854.

586. Color sketch. (Burkhardt.) Coney Island, N. Y. Prof. Alex. Agassiz. April, 1854.

**CYCLOPTERIDÆ.*****Cyclopterus lumpus*, Linn.**—LUMP-FISH.—North Atlantic.

15688. Cast. New York. E. G. Blackford. May 15, 1874.  
 15730. Cast. New York. E. G. Blackford. April 18, 1874.  
 16660. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
   58. Photograph. U. S. Fish Commission.  
 788. Color sketch. (Emerton.) Young specimen. Fisher's Island Sound. U. S. Fish Commission. Aug., 1874.

**LIPARIDIDÆ.*****Liparis lineata*, (Lepechin) Kroyer.**—STRIPED LIPARIS.—North Atlantic.

13960. Alcoholie. Watch Hill Reef, R. I. U. S. Fish Commission. Aug., 1874.  
 788. Color sketch. (Emerton.) U. S. Fish Commission.

***Liparis Montagui*, Don.**—SEA SNAIL.—North Atlantic.

20432. Alcoholie. Wood's Holl, Mass. U. S. Fish Commission.

**TRIGLIDÆ.*****Dactylopterus volitans*, (Linn.) Lacep.**—FLYING GURNARD.—Temperate and Tropical Atlantic and Mediterranean.

15873. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 8, 1873.  
 —. Color sketch. (Richard.) U. S. Fish Commission.

***Prionotus carolinus*, (Linn.) Cuv. & Val.**—BROAD-FINGERED SEA ROBIN.—Cape Cod to Florida.

59. Photograph. U. S. Fish Commission.  
 443. Color sketch. (Richard.) U. S. Fish Commission.  
 566. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

***Prionotus evolans*, (Linn.) Gill.**—STRIPED SEA ROBIN.—Cape Cod to Florida.

15735. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 15727. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 16411. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 25, 1875.  
 60, 61, 62. Photographs. U. S. Fish Commission.  
 401, 402. Color sketch. (Richard.) U. S. Fish Commission.

**AGONIDÆ.*****Aspidophoroides monopterygius*, (Bloch.) Storer.**—Polar Seas and south to Connecticut.

21700. Alcoholie. Massachusetts Bay. U. S. Fish Commission.  
 Bull. N. M. No. 14—3

**COTTIDÆ.**

**Cottus octodecemspinosus**, Mitch.—SCULPIN.—Nova Scotia to Cape Hatteras.

16437. Cast. Boston, Mass. F. H. Johnson. Sept. 8, 1875.  
63. Photograph. U. S. Fish Commission.  
537-8. Color sketch. Prof. Alex. Agassiz.

**Cottus grœnlandicus**, Cuv. & Val.—GREENLAND SCULPIN.—Polar Regions to Cape Cod.

16436. Cast. Boston, Mass. F. H. Johnson.  
65. Photograph. U. S. Fish Commission.  
545. Color sketch. Prof. Alex. Agassiz.

**Cottus Mitchilli**, Cuv. & Val.—PIGMY SCULPIN.—New England Coast.

14806. Alcoholic specimens. Wood's Holl, Mass. U. S. Fish Commission.  
62. Photograph. U. S. Fish Commission.  
546. Color sketch. Prof. Alex. Agassiz.

**Uranidea viscosa**, (Hald.) De Kay.—AMERICAN MILLER'S THUMB.

609. Color sketch. (Roetter.) Plymouth, Mass. Prof. Alex. Agassiz. March, 1860.

**HEMITRIPTERIDÆ.**

**Hemitripterus americanus**, (Gmel.) Cuvier.—SEA RAVEN.—Newfoundland to New York; Seas of Japan.

15736. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
16414. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 2, 1875.  
66, 67. Photographs. U. S. Fish Commission.  
471-2. Photographs.  
476. Photograph of young.

**SCORPENIDÆ.**

**Sebastes marinus**, (Linn.) Lütken.—NORWAY HADDOCK; HEM-DURGAN; RED PERCH.—Polar Seas and south to Cape Cod.

- . Alcoholic. Eastport, Me. U. S. Fish Commission.

**Sebastes viviparus**, Kroyer.—ROSE-FISH.—North Atlantic.

15879. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
397. Photograph. U. S. Fish Commission.  
789. Color sketch. Prof. Alex. Agassiz.

**Sebastomus rosaceus**, (Girard) Gill.—ROSY ROCK-FISH.—Coast of California.

16688. Cast. San Francisco, Cal. L. Stone.  
68. Photograph. U. S. Fish Commission.

**Sebastomus auriculatus**, (Girard) Gill.—BLACK-EARED ROCK-FISH.—Coast of California.

612. Color sketch. (Agassiz.) San Francisco, Cal. Prof. Alex. Agassiz. Nov., 1859.

**Sebastomus fasciatus**, (Girard) Gill.—BANDED ROCK-FISH.—Coast of California.

483. Color sketch. (Richard.) San Francisco. Livingston Stone. U. S. Fish Commission. March, 1876.  
 614. Color sketch. (Agassiz.) Deep Bay, Mayne Id., W. T. Prof. Alex. Agassiz. May 20, 1859.

**Sebastomus elongatus**, (Girard) Gill.—Pacific Coast.

643. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

**Sebastosomus melanops**, (Girard) Gill.—BLACK-HEADED ROCK-FISH.—Coast of California.

653. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.  
 16689. Cast. San Francisco, Cal. L. Stone.  
 482. Color sketch. (Richard.) U. S. Fish Commission.

**Sebastodes paucispinis**, (Ayres) Gill.—Coast of California.

637. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

**Chirus constellatus**, (Girard) Gill.—“ROCK TROUT.”—Coast of California.

16697. Cast. San Francisco, Cal. L. Stone.  
 69. Photograph. U. S. Fish Commission.  
 455. Photograph. U. S. Fish Commission.

**Chirus pictus**, Girard.—Pacific Coast.

642. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

**Chirus guttatus**, Girard.—Coast of California.

638. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

### SCARIDÆ.

**Scarus squalidus**, Poey.—TAWNY PARROT-FISH.—West Indian Fauna.

973. Stuffed skin. Havana market. Prof. F. Poey.

**Scarus Abildgaardii**.—PARROT-FISH.—West Indian Fauna.

9738. Stuffed skin. Havana market. Prof. F. Poey.

***Scarus radians*, Val.—SPANISH PORGY.—West Indian Fauna.**

550. Color sketch. (Burkhardt.) New Providence. Prof. Alex. Agassiz; F. S. Shaw, April, 1861.

***Pseudoscarus ceruleus*.—BLUE PARROT-FISH; KILMAGORE.—West Indian Fauna.**

9733. Stuffed skin. Havana market. Prof. F. Poey.

**LABRIDE.*****Tautoga onitis*, (Linn.) Günther.—TAUTOG; BLACK-FISH.—Bay of Fundy to South Carolina.**

- 10598. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 15622. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 14893. Cast. Chesapeake Bay. U. S. Fish Commission. May 12.
- 10599. Cast. Wood's Holl, Mass. U. S. Fish Commission. May 12.
- 10643. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 15959. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 10599. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 70, 71. Photographs. U. S. Fish Commission.
- 450. Color sketch. (Adult.) (Richard.) U. S. Fish Commission.
- 451. Color sketch. (Young.) U. S. Fish Commission.
- 554. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.
- 661. Color sketch. Prof. Alex. Agassiz.

***Tautogolabrus adspersus*, (Walb.) Gill.—CUNNER; CHOGSET.—Newfoundland to Cape Hatteras.**

- 14894. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 10746. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 381. Photograph. U. S. Fish Commission.
- 383. Photograph.
- 645. Color sketch. Prof. Alex. Agassiz.
- 431–433. Color sketch. U. S. Fish Commission.

***Harpe rufus* (Linn.) Gill.—SPANISH LADY-FISH.—West Indian Fauna.**

597. Color sketch. (Burkhardt.) Santa Cruz. Prof. Alex. Agassiz; Dr. Jeffries.

***Chærojulis radiatus*, (Linn.) Goode.—BLUE-FISH.—West Indian Fauna.**

596. Color sketch. (Burkhardt.) New Providence. Prof. Alex. Agassiz; F. S. Shaw, April, 1861.

***Lachnolæmus falcatus*, (Linn.) Val.—West Indian Fauna.**

- 20780. Cast. Key West, Fla. E. G. Blackford.
- 598. Color sketch. Prof. Alex. Agassiz.
- 599. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.
- 600. Color sketch. Prof. Alex. Agassiz.
- 601. Color sketch. Prof. Alex. Agassiz.

## POMACENTRIDÆ.

**Glyphidodon saxatilis**, (Linn.) Cuv.—SERGEANT-MAJOR.—West Indian Fauna.

589. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.  
 591. Color sketch. (Dall.) Bermudas. Alive in Barnum's Aquarium. Prof. Alex. Agassiz. Dec., 1862.

**Pomacentrus leucostictus**, M. & T.—West Indian Fauna.

21703. Aleoholic. Ft. Jefferson, Fla. Thos. Moore.

**Heliastes insolatus**, C. & V.—West Indian Fauna.

21704. Aleoholic. Ft. Jefferson, Fla. Thos. Moore.

## EMBIOTOCIDÆ.

**Embiotoca Webbi**, Girard.—Coast of California.

626. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

**Embiotoca Jacksoni**, Agassiz.—Coast of California.

625. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

**Teniotoca lateralis**, (Ag.) A. Ag.—STRIPED PERCH.—Coast of California.

16691. Cast. San Francisco, Cal. L. Stone.  
 72. Photograph. U. S. Fish Commission.  
 456. Photograph. U. S. Fish Commission.  
 658. Color sketch. (Agassiz.) Crescent City, Cal. Prof. Alex. Agassiz. May, 1859.  
 659. Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.  
 660. Color sketch. San Francisco. Prof. Alex. Agassiz. April, 1860.

**Damalichthys vacca**, Girard.—Coast of California.

627. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. April, 1860.

**Metrogaster aggregatus**, Ag.—Pacific Coast.

641. Color sketch. (Female.) (Agassiz.) San Francisco, Cal. Prof. Alex. Agassiz. Dec., 1859.

**Hypsurus Caryi**, Agass.—PERCH.—Pacific Coast.

606. Color sketch. San Francisco, Cal. Prof. Alex. Agassiz. April 1, 1860.

**Phanerodon furcatus**, Girard.—Coast of California.

636. Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

***Amphistichus argenteus*, Ag.—Coast of California.**

635. Color sketch. (Agassiz.) (Male.) San Francisco. Prof. Alex. Agassiz. April, 1860.

***Amphistichus similis*, Girard.—Coast of California.**

634. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. Nov., 1859.

***Rhachochilus toxotes*, Agassiz.—Coast of California.**

633. Color sketch. (Agassiz.) San Francisco. Prof. Alex. Agassiz. March, 1860.

***Holconotus pulchellus*, A. Ag.—Coast of California.**

632. Color sketch. (Male.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. April, 1860.

***Holconotus rhodoterus*, Girard.—Coast of California.**

641. Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. Dec., 1859.

***Hyperprosopon argenteus*, Gibbon.—Coast of California.**

620. Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. March, 1860.

623. Color sketch. (Female.) (Agassiz.) San Francisco. Prof. Alex. Agassiz. April, 1860.

***Abeona Trowbridgii*, Girard.—Coast of California.**

629. Color sketch. (Female.) (Agassiz.) California. Prof. Alex. Agassiz.

**TENTHIDIDÆ.*****Acanthurus chirurgus*, (Bl.) Schm.—DOCTOR-FISH.—West Indian Fauna.**

569. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Gardens. June, 1860.

570. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Gardens. June, 1860.

***Acanthurus nigricans*, (Linn.) Gill.—BLACK DOCTOR-FISH.—West Indian Fauna and occasional north.**

21367. Alcoholie. Bermudas. G. Brown Goode.

21698. Dried specimen. Key West, Fla. Thomas Moore. Nov., 1878.

**CHAETODONTIDÆ.*****Sarothrodus capistratus*, (Linn.) Poey.—COQUETTE.—West Indian Fauna.**

588. Color sketch. (Burkhardt.) New Providence. Prof. Alex. Agassiz; F. S. Shaw. April, 1861.

592. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

603. Color sketch. Prof. Alex. Agassiz.

**Sarothrodus maculocinetus**, Gill.

16955. Alcoholic specimens. Wood's Holl, Mass. U. S. Fish Commission. 1876.

**Holacanthus tricolor**, (Bl.) Lac.—BLACK ANGEL-FISH.—West Indian Fauna.

593. Color sketch. (Burkhardt.) Santa Cruz. Prof. Alex. Agassiz; Dr. Jeffries.

594. Color sketch. (Burkhardt.) Sombrero Id., W. I. Prof. Alex. Agassiz; S. R. Knox.

**Holacanthus ciliaris**, (Linn.) Lac.—ANGEL-FISH.—West Indian Fauna.

575. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Gardens. June, 1860.

576. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Gardens. June, 1860.

577. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Gardens. June, 1860.

21876. Alcoholic. Bermudas. G. Brown Goode.

583. Color sketch. (Burkhardt.) Bermudas. Prof. Alex. Agassiz. Alive in Barnum's Aquarium. 1862.

**Pomacanthus arcuatus**, (Linn.) Cuv.—PALOMETTA.—West Indian Fauna.

602. Color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Garden. June, 1860.

**XIPHIIDÆ.****Xiphias gladius**, SWORD-FISH.—Atlantic and Mediterranean.

16126. Cast in papier-maché. Off Noman's Land, Mass. U. S. Fish Commission. Aug., 1875.

21699. Sword 1½ inches long. Taken from nostril of *Lamna cornubica*. Gloucester, Mass. U. S. Fish Commission. Sept. 26, 1878.**Tetrapurus albidus**, Poey.—SPIKE-FISH.—Cape Cod to West Indies.

15834. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 23, 1873.

73. Photograph. U. S. Fish Commission.

411. Water-color sketch. U. S. Fish Commission.

**Histiophorus americanus**, Cuv. & Val.—SAIL-FISH.—Atlantic Coast of America.

16664. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug., 1872.

74. Photograph. U. S. Fish Commission.

**TRICHIURIDÆ.****Trichiurus lepturus**, Linn.—HAIR-TAIL; SCABBARD-FISH.—Temperate and Tropical Atlantic.

14874. Cast. Wood's Holl, Mass. U. S. Fish Commission.

559. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

**SCOMBRIDÆ.**

**Scomber scombrus**, Linn.—MACKEREL.—Northern Atlantic.

- 16443. Cast. New York market. E. G. Blackford. Sept. 10, 1875.
- 16604. Cast. (Male.) Washington market. S. F. Baird.
- 16650. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 16650. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 76, 77, 78, 393, 395. Photographs. U. S. Fish Commission.
- 755-6-7. Color sketches. U. S. Fish Commission.
- 654. Color sketch. Prof. Alex. Agassiz.

**Sarda pelamys**, (Linn.) Cuv.—BONITO.—Atlantic and Mediterranean.

- 16325. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 15748. Cast. New York market. E. G. Blackford.
- 79, 80, 81. Photographs. U. S. Fish Commission.
- 467-8. Color sketches. (Richard.) Wood's Holl. U. S. Fish Commission. 1875.
- 558. Color sketch. New York. Prof. Alex. Agassiz. Oct. 20, 1847.

**Orcynus secundi-dorsalis**, (Storer) Gill.—TUNNY; HORSE-MACKEREL.—Newfoundland to Florida.

- 16509. Cast. New York market. E. G. Blackford.
- 82, 83, 84. Photographs. U. S. Fish Commission.
- 436, 37, 96, 513. Color sketches. (Richard.) U. S. Fish Commission.

**Orcynus alliteratus**, (Raf.) Gill.—LITTLE TUNNY; ALBICORE.—Pelagic.

- 15710. Cast. Noank, Conn. U. S. Fish Commission.
- 15683. Cast. Noank, Conn. U. S. Fish Commission.
- 85. Photograph. U. S. Fish Commission.
- 497. Color sketch. (Richard.) U. S. Fish Commission.

**Orcynus pelamys**, (Linn.) Poey.—OCEANIC BONITO.—Temperate and Tropical Seas.

- 21852. Alcoholic. Chilmark, Mass. U. S. Fish Commission.
- 21562-3. Casts. Wood's Holl, Mass. U. S. Fish Commission.
- 21566. Alcoholic. New York market. E. G. Blackford.

**Orcynus alalonga**, (Gmelin) Risso.—LONG-FINNED BONITO.—Atlantic, Mediterranean.

- 21844. Alcoholic. Banquereau. Capt. Wm. Thompson.

**Orcynus argenti-vittatus**, (C. & V.) Goode & Bean?—Atlantic.

- 21702. Skins. Banquereau. Capt. Wm. Thompson.

**Cybium maculatum**, (Mitch.) Cuv.—SPANISH MACKEREL.—Atlantic shores of Tropical and Temperate America.

- 15367. Cast. Norfolk, Va. U. S. Fish Commission.
- 16407. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 15750. Cast. New York. E. G. Blackford.
- 86. Photographs. U. S. Fish Commission.
- 514. Color sketch. (Richard.) U. S. Fish Commission.
- 663. Color sketch. Prof. Alex. Agassiz.

**Cybium regale**, (Bl.) Cuv.—SPOTTED CERO.—West Indian Fauna and north to Cape Cod.

- 16322. Cast. Key West, Fla. E. G. Blackford.
- 87, 88, 89. Photographs. U. S. Fish Commission.
- 405–515. Color sketch. (Richard.) U. S. Fish Commission.
- 21612. Stuffed. Cuba. Prof. Felipe Poey.

**Cybium caballa**, Cuv. & Val.—CERO.—Atlantic Shores of Tropical and Temperate America.

- 16478. Cast. New York market. E. G. Blackford. Sept. 14, 1875.
- 90, 91, 92, 93, 94, and 95. Photographs. U. S. Fish Commission.
- 405–486–7. Color-sketch. (Richard.) U. S. Fish Commission.
- 21611. Stuffed. Cuba. Prof. Felipe Poey.

## CARANGIDÆ.

**Vomer setipinnis**, (Mitch.) Ayres.—SILVER-FISH.—Maine to Florida. West Indian Fauna.

- 16915. Cast. Wood's Holl, Mass. V. N. Edwards. Sept. 7, 1873.
- 16615. Cast. New York. E. G. Blackford.

**Argyreiosus vomer**, Lac.—SILVER-FISH.—Cape Cod to Florida, and West Indian Fauna.

- 16475. Cast. New York. E. G. Blackford.
- 15905. Cast. Wood's Holl, Mass. V. N. Edwards.
- 96. Photograph. U. S. Fish Commission.
- 440, 495. Color sketches. (Richard.) U. S. Fish Commission.

**Paratractus pisquetus**, (Cuv. & Val.) Gill.—YELLOW CREVALLÉ.—Cape Cod to Florida.

- 16471. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 14, 1875.
- 15843. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 15888. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 15887. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 98, 99, 100. Photographs. U. S. Fish Commission.
- 778–9. Color sketches. (Richard.) U. S. Fish Commission.

**Trachurops crumenophthalmus**, (Bloch.) Gill.—BIG-EYED SCAD; GOGGLE-EYE.—Pelagic.

- 16481. Aleoholic. New York market. E. G. Blackford.
- 97. Photograph. U. S. Fish Commission.

**Decapterus punctatus**, (Mitch.) Gill.—ROUND ROBIN.—West Indian Fauna and north to Massachusetts.

18951. Alcoholic. Wood's Holl, Mass. U. S. Fish Commission.  
21365. Alcoholic. Berandas. G. Brown Goode.

**Decapterus macarellus**, (C. & V.) Gill.—MACKEREL SCAD.—West Indian Fauna and north to Massachusetts.

16239. Alcoholic specimen. Wood's Holl, Mass. U. S. Fish Commission.  
21630. Alcoholic. Newport, R. I. Samuel Powel.

**Carangus hippos**, (Linn.) Gill.—HORSE CREVALLÉ.—Atlantic Coasts of Temperate and Tropical America, East Indian and Australian Seas.

14859. Cast. Florida. E. G. Blackford.  
101. Photograph. U. S. Fish Commission.  
21654. Alcoholic. Newport, R. I. Samuel Powel.

**Carangus chrysos**, (Mitch.) Gill.—YELLOW MACKEREL.—West Indian Fauna and north to Cape Cod.

15708. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 15, 1873.  
15746. Cast. Wood's Holl, Mass. U. S. Fish Commission. Oct. 8, 1873.  
15696. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
102, 103. Photographs. U. S. Fish Commission.

**Blepharichthys crinitus**, (Akerly) Gill.—THREAD-FISH.—West Indian Fauna and north to Cape Cod.

16520. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 18, 1875.  
105-105. Photographs. U. S. Fish Commission.  
475. Color sketch. (Richard.) U. S. Fish Commission.

**Zonichthys fasciatus**, (Bloch.) Sw.—BERMUDA BONITO; MEDREGAL.—Cuba, South Carolina, Bermuda.

15828. Cast. New York. E. G. Blackford.  
404. Color sketch. U. S. Fish Commission.

**Trachynotus carolinus**, (Linn.) Gill.—POMPANO.—Atlantic Coasts of America south of Cape Cod.

15904. Cast. Norfolk, Va. U. S. Fish Commission. June 20, 1873.  
15809. Cast. New York market. E. G. Blackford. October 12, 1875.  
106, 107. Photographs. U. S. Fish Commission.  
473-4. Color sketches. (Richard.) U. S. Fish Commission.

**Trachynotus ovatus**, (Linn.) Gthr.—SHORT POMPANO.—Pelagic.

16707. New York. E. G. Blackford.  
400. Color sketch. (Young.) (Richard.) Vineyard Haven, Mass. U. S. Fish Commission.  
547. Color sketch. (Richard.) U. S. Fish Commission.

***Halatractus zonatus*, (Mitch.) Gill.—BANDED RUDDER-FISH.—Cape Cod to Florida.**

16472. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 14, 1875.  
 16532. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 108-9. Photographs. U. S. Fish Commission.  
 477. Color sketch. U. S. Fish Commission.  
 478. Color sketch. U. S. Fish Commission.  
 479. Color sketch. U. S. Fish Commission.

***Seriola Lalandii*, C. & V.?—AMBER-FISH.—Atlantic Ocean; Japan.**

16700. Cast. Florida. E. G. Blackford.  
 110. Photograph. U. S. Fish Commission.

***Oligoplites occidentalis*, (Linn.) Gill.—LEATHER JACKET.—West Indies; occasional on coast.**

16354. Cast. New York market. E. G. Blackford. Aug. 13, 1875.  
 111. Photograph. U. S. Fish Commission.  
 429. Color sketch. (Richard.) U. S. Fish Commission.

**CORYPHÆNIDÆ.*****Coryphaena Sueuri*, Cuv. & Val.—DOLPHIN.—Pelagic; occasional on coast.**

16441. Cast. New York market. E. G. Blackford.  
 —. Color sketch. (Richard.) U. S. Fish Commission.  
 16420. Cast. New York. E. G. Blackford.  
 16482. Cast. New York. E. G. Blackford.

***Coryphaena punctulata*, (Cuv. & Val.) Gthr.—SMALL-SPOTTED DOLPHIN.—Pelagic; occasional on coast.**

16406. Cast. Noank, Conn. J. H. Latham. Aug. 25, 1875.  
 112, 113, and 114. Photographs. U. S. Fish Commission.

**STROMATEIDÆ.*****Palinurichthys perciformis*, (Mitch.) Gill.—BLACK RUDDER-FISH.—Newfoundland to Cape Hatteras.**

16616. Cast. Martha's Vineyard. U. S. Fish Commission. Sept. 25, 1875.  
 15935. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 544. Color sketch. (Richard.) U. S. Fish Commission.

***Poronotus triacanthus*, (Peck.) Gill.—HARVEST-FISH; BUTTER-FISH.—Maine to Cape Hatteras.**

16591. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 115. Photograph. U. S. Fish Commission.  
 359-60-61. Color sketches. (Richard.) U. S. Fish Commission.  
 516-17. Color sketches.

**Peprilus Gardenii**, (Bl., Schm.) Gill.—SHORT HARVEST-FISH.—  
West Indian Fauna and north to New York.

16819. Cast. Chesapeake Bay. Sibley.  
15234. New York market. John Sutherland.

**LATILIDÆ.****Caulolatilus microps**, Goode & Bean.—Gulf of Mexico.

20971. Alcoholic. Pensacola, Fla. Silas Stearns.

**BERYCIDÆ.****Holocentrum sogo**, Bloch.—SQUIRREL.—West Indian Fauna,  
accidental on coast: found at Newport, R. I.

578. Color sketch. (Burkhardt.) Bermudas. Prof. Alex. Agassiz. Alive  
in Barnum's Aquarium. Dec., 1862.  
595. Color sketch. (Burkhardt.) New Providence. Prof. Alex. Agassiz; F.  
S. Shaw. April, 1861.  
21232. Alcoholic. Bermudas. J. M. Jones.

**SCIAENIDÆ.****Cynoscion regalis**, (Bl.) Gill.—SQUETEAGUE; WEAK-FISH.—Cape  
Ann to Florida.

16216. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 27, 1875.  
12216. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 27, 1875.  
116, 117, 118, 119. Photographs. U. S. Fish Commission.  
469-70. Color sketches. (Richard.) U. S. Fish Commission.

**Cynoscion carolinensis**, (Cuv. & Val.) Gill.—SPOTTED SQUE-  
TEAGUE.—Gulf of Mexico and Southern Atlantic States.

15928. Cast.  
15929. Cast.  
120, 121, 122. Photographs. U. S. Fish Commission.  
790. Color sketch. (Richard.) U. S. Fish Commission.

**Cynoscion nothus**, Holbrook.—SILVER SQUETEAGUE.—Southern  
Coast.

21480. Alcoholic. Pensacola, Fla. Silas Stearns.

**Pogonias chromis**, Lacep.—DRUM.—Cape Cod to Florida; Gulf  
of Mexico.

15609. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
15686. Cast. Fisher's Island Sound. Charles Potter. July 10, 1874.  
123, 124, 125. Photographs. U. S. Fish Commission.  
791. Color sketch. (Richard.) U. S. Fish Commission.  
21282. Alcoholic. St. John's River, Fla. G. Brown Goode.

**Haploidonotus grunniens**, Raf.—FRESH-WATER DRUM.—Great Lakes and Mississippi Valley.

15701. Cast. Sandusky, Ohio. J. W. Milner. 1873.  
126-127. Photographs. U. S. Fish Commission.

**Liostomus obliquus**, (Mitch.) De Kay.—SPOT.—Cape Cod to Florida.

15816. Cast. Norfolk, Va. U. S. Fish Commission.  
15817. Cast. June 10, 1873.  
141. Photograph. U. S. Fish Commission.  
567. Color sketch. New York. Prof. Alex. Agassiz. Oct. 26, 1847.

**Liostomus xanthurus**, Lacep.—YELLOW-TAILED SPOT.—Southern Atlantic States.

142. Photograph. U. S. Fish Commission.

**Bairdiella punctata**, (Linn.) Gill.—SILVER-FISH; YELLOW TAIL.—Cape Cod to Florida.

143. Photograph. U. S. Fish Commission.  
19060. Alcoholie. St. John's River, Florida. G. Brown Goode.

**Sciaenops ocellatus**, (Linn.) Gill.—RED BASS; SPOTTED BASS.—Cape Cod to Florida; Gulf of Mexico.

15463. Cast. Washington market. J. W. Milner.  
15739. Cast. New York. E. G. Blackford.  
128, 129, 130. Photographs. U. S. Fish Commission.  
—. Oil painting. (J. H. Richard.)

**Menticirrus alburnus**, (Linn.) Gill.—SOUTHERN KING-FISH.—Cape Hatteras to Florida.

137. Photograph. U. S. Fish Commission.  
19081. Alcoholie. St. John's River, Fla. G. Brown Goode.

**Menticirrus nebulosus**, (Mitch.) Gill.—KING-FISH.—Cape Cod to Florida.

16219. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 27, 1875.  
15579. Cast. New York market. E. G. Blackford. October 14, 1875.  
15579. Cast. New York market. E. G. Blackford. October 14, 1875,  
131, 132, 133, 134, 135, and 136. Photographs. U. S. Fish Commission.  
508-9-10-11-12. Color sketches. (Richard.) U. S. Fish Commission.

**Micropogon undulatus**, (Linn.) Cuv. & Val.—CROAKER.—Atlantic Coasts of America south of Cape Cod.

15845. Cast. Norfolk, Va. U. S. Fish Commission. June 19, 1873.  
15810. Cast. Norfolk, Va. U. S. Fish Commission. July 18, 1873.  
138, 139, 140. Photographs. U. S. Fish Commission.  
19056. Alcoholie. St. John's River, Fla. G. Brown Goode.

**GERRIDÆ.*****Eucinostomus argenteus*, B. & G.**—Cape Cod and southward.

16960. Alcoholic. Wood's Holl, Mass. U. S. Fish Commission.

***Eucinostomus Lefroyi*, Goode.**—BERMUDA SHAD.—West Indian Fauna.

21358. Alcoholic. Bermudas. G. Brown Goode.

**PIMELEPTERIDÆ.*****Pimelepterus Boscii*, Lacep.**—BREAM.—West Indian Fauna and north to Cape Cod.

20544. Alcoholic. Newport, R. I. S. Powell.

20635. Alcoholic. Wood's Holl, Mass. U. S. Fish Commission.

21368. Alcoholic. Bermudas. G. Brown Goode.

**SPARIDÆ.*****Lagodon rhomboides*, (Linn.) Holbrook.**—SAILOR'S CHOICE.—West Indian Fauna and north to Cape Cod.

21280. Alcoholic. St. John's River, Fla. G. Brown Goode.

***Archosargus probatocephalus*, (Walb.) Gill.**—SHEEPSHEAD.—Cape Cod to Florida; Gulf of Mexico.

10685. Cast. Washington market. J. W. Milner.

15825. Cast. New York market. E. G. Blackford. October 20, 1875.

15826. Cast. New York market. E. G. Blackford. October 14, 1875.

14880. Cast. Norfolk, Va. U. S. Fish Commission. July 11, 1872.

15218. Cast. New York. E. G. Blackford.

144, 145. Photographs. U. S. Fish Commission.

548. Color sketch. (Richard.) U. S. Fish Commission.

***Stenotomus argyrops*, (Linn.) Gill.**—SCUPPAUG; SCUP; PORGY.—Cape Ann to Florida.

16035. Cast. Buzzard's Bay. U. S. Fish Commission. July 10, 1875.

10668. Cast. Wood's Holl, Mass. V. N. Edwards.

10209. Cast.

10601. Cast. Wood's Holl, Mass. V. N. Edwards.

146-47. Photographs. U. S. Fish Commission.

439. Color sketch. (Young.) (Richard.) U. S. Fish Commission.

***Sargus Holbrookii*, Bean.**—CHARLESTON BREAM.—Carolinas.

20979. Cast. Charleston, S. C. G. Brown Goode.

***Sparus aculeatus*, (Cuv. & Val.) Gill.**—BASTARD SNAPPER.—Southern Coast.

20951. Cast. Charleston, S. C. G. Brown Goode.

## PRISTIPOMATIDÆ.

**Hæmylum arcuatum**, Cuv. & Val.—BLUE-CHECKED RED-MOUTH.—South Atlantic Coast of United States.

14907. Cast. Florida. E. G. Blackford.

**Hæmylum formosum**, (Linn.) Cuv.—SQUIRREL RED-MOUTH.—South Atlantic Coast of United States.

15846. Cast. Florida. E. G. Blackford.

**Hæmylum**, sp.—South Atlantic Coast of United States.

15840. Cast. Florida. E. G. Blackford.

**Hæmylum chrysopterum**, (Linn.) Cuv.?—YELLOW-FINNED GRUNT.—South Atlantic Coast of United States.

15918. Cast. Florida. E. G. Blackford.

**Hæmylum elegans**, Cuv. & Val.—BLUE-STRIPED RED-MOUTH.—South Atlantic Coast of United States.

15815. Cast. Florida. E. G. Blackford.

573. Color sketch. (Dall.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Garden. June, 1860.

574. Color sketch. (Burkhardt.) Bermudas. Prof. Alex. Agassiz. Alive in Barnum's Aqnarium. Nov. 1862.

**Hæmylum arara**, Poey?—ARARA RED-MOUTH.—West Indian Fauna.

552. Water-color sketch. (Burkhardt.) Florida. Prof. Alex. Agassiz. Alive in Boston Aquarial Garden. June, 1860.

**Orthopristis fulvomaculatus**, (Mitch.) Gill.—SPECKLED GRUNT.—South Atlantic Coast of United States.

15812. Cast. Norfolk, Va. U. S. Fish Commission.

15814. Cast. Norfolk, Va. U. S. Fish Commission.

15908. Cast.

**Anisotremus virginicus**, (Linn.) Gill.—South Atlantic Coast of United States.

15903. Cast. Florida. E. G. Blackford. April 16, 1874.

148. Photograph. U. S. Fish Commission.

551. Color sketch. (Burkhardt.) New Providence. Prof. Alex. Agassiz; F. S. Shaw. April, 1861.

**Lutjanus Blackfordii**, Goode & Bean.—RED SNAPPER.—West Indian Fauna and north to Savannah Bank.

15700. Cast. New York market. E. G. Blackford. May 7, 1874.

12515. Cast. Washington market. J. W. Milner.

149. Photograph. U. S. Fish Commission.

**Lutjanus**, sp.—SNAPPER.—West Indian Fauna and Southern Atlantic States.

15917. Cast. Florida. E. G. Blackford.

**Lutjanus**, sp.—South Atlantic Coast of United States.

16641. Cast. Key West, Fla. E. G. Blackford.

**Lutjanus caxis**, (Bl., Schm.) Gill.—GRAY SNAPPER.—West Indian Fauna and Southern Atlantic States.

18101. Alcoholic. Bermudas. G. Brown Goode.

**Lutjanus Stearnsii**, Goode & Bean.—GULF SNAPPER.—Gulf of Mexico.

21330. Cast. Pensacola, Fla. Silas Stearns.

**Rhomboplites aurorubeus**, (Cuv. & Val.) Gill.—MANGROVE SNAPPER.—West Indian Fauna.

21224. Alcoholic. Charleston, S. C. C. C. Leslie.

21338. Alcoholic. Pensacola, Fla. Silas Stearns.

**Ocyurus chrysurus**, (Bl.) Gill.—GOLDEN TAIL.—West Indian Fauna.

14905. Cast. New York market. Florida. E. G. Blackford. April 16, 1874.

150. Photograph. U. S. Fish Commission.

555. Color sketch. (Burkhardt.) New Providence. Prof. Alex. Agassiz; F. S. Shaw. April, 1861.

## CENTRARCHIDÆ.

**Eupomotis aureus**, (Walb.) Gill & Jordan.—SUN-FISH.—Fresh waters of Eastern North America.

14941. Cast. Washington market. G. Brown Goode. February, 1875.

151, 152. Photograph. U. S. Fish Commission.

505. Color sketch. (Richard.) U. S. Fish Commission.

**Lepiopomus pallidus**, (Mitch.) Gill & Jordan.—BLUE-NOSE BREAM.—Great Lakes and Southeastern United States.

18368. Alcoholic. St. John's River, Fla. G. Brown Goode.

**Pomoxys nigromaculatus**, (Les.) Girard.—GRASS BASS.—Great Lakes, Mississippi Valley, and Southern Atlantic States.

10382. Cast. Norfolk, Va. Dr. H. C. Yarrow.

153, 154. Photograph. U. S. Fish Commission.

**Ambloplites rupestris**, (Raf.) Gill.—ROCK BASS.—Great Lakes and Mississippi Valley.

15958. Cast. U. S. Fish Commission.

151. Photograph. U. S. Fish Commission.

***Micropodus pallidus***, (Raf.) Gill & Jordan.—**LARGE-MOUTH BLACK BASS.**—Great Lakes, Mississippi River and tributaries; Southern States; introduced northward.

- 10380. Cast. Norfolk, Va. Dr. H. C. Yarrow.
- 10668. Cast. Norfolk, Va. U. S. Fish Commission. Nov. 5, 1873.
- 10381. Cast. Norfolk, Va. Dr. H. C. Yarrow.
- 15880. Cast. Carrollton, Ky. J. W. Milner.
- 10380. Cast. Norfolk, Va. Dr. H. C. Yarrow.
- 155, 156. Photographs. U. S. Fish Commission.

***Micropodus salmoides***, (Lac.) Gill.—**SMALL-MOUTHED BLACK BASS.**—Great Lakes and Mississippi Valley; introduced eastward.

- 15297. Cast. Potomac River. Maj. Hobbs.

### PERCIDÆ.

***Perca fluviatilis***, L.—**YELLOW PERCH.**—Fresh waters of Eastern United States and Western Europe.

- 14976. Cast. Washington market. G. Brown Goode. Feb. 27, 1875.
- 167, 168, 169. Photographs. U. S. Fish Commission.
- 792. Color sketch. (Richard.) U. S. Fish Commission.

***Stizostedium vitreum***, (Mitch.) Jordan & Copeland, (Val.) Cope.—**YELLOW PIKE-PERCH.**—Fresh waters of Central United States.

- 15658. Cast. New York market. E. G. Blackford.
- 14862. Cast. Sandusky, Ohio. J. W. Milner. Oct., 1873.
- 611. Color sketch. (Roetter.) Sackett's Harbor, N. Y. Prof. Alex. Agassiz. Nov., 1868.
- 15658. Cast. New York market. E. G. Blackford. Nov. 5, 1875.
- 170, 171, 172, 173, 174. Photographs. U. S. Fish Commission.
- 793. Color sketch. (Richard.) U. S. Fish Commission.

***Stizostedium canadense***, (Smith) Jordan.—**CANADA PIKE-PERCH.**—St. Lawrence River to the Upper Missouri.

- 178. Photograph. U. S. Fish Commission.
- 15752. Cast. Ohio River. J. W. Milner.
- 15837. Cast.
- 175, 176, 177. Photographs. U. S. Fish Commission.

### SERRANIDÆ.

***Epinephelus morio***, (Cuv.) Gill.—**RED-BELLIED SNAPPER.**—West Indian Fauna and Southern Atlantic States.

- 12516. Cast. Washington market. J. W. Milner.
- 165. Photograph. U. S. Fish Commission.

***Epinephelus*, sp.—SNAPPER.**—West Indian Fauna and Southern Atlantic States.

- 14923. Cast. Florida. E. G. Blackford.

***Epinephelus Drummond-Hayi***, Goode & Bean.—STAR SNAPPER; HIND; JOHN PAW.—West Indian Fauna.

16795. Cast. South Florida. E. G. Blackford.  
 21255. Alcoholic. Pensacola, Fla. Silas Stearns.  
 —. Color sketch. Bermuda. Col. H. Drummond-Hay.

***Epinephelus nigritus***, Holbrook.—BLACK GROPER.—Coast of Florida.

21239. Cast. Pensacola, Fla. Silas Stearns.

***Epinephelus striatus***, (Bloch.) Gill.—HAMLET; GROPER.—West Indian Fauna.

18088. Alcoholic. Bermudas. G. Brown Goode.  
 582. Color sketch. (Burkhardt.) Bermudas. Prof. Alex. Agassiz. Alive in Barnum's Aquarium. Nov., 1862.

***Epinephelus guttatus***, (Gmel.) Goode.—BERMUDA HIND.—West Indian Fauna.

18118. Alcoholic. Bermudas. G. Brown Goode.  
 587. Color sketch. (Burkhardt.) Bermudas. Prof. Alex. Agassiz. Alive in Barnum's Aquarium. Nov., 1862.

***Trisotropis undulosus***, (Cuv.) Gill.?—ROCK GROPER.—Cape Hatteras to Florida; West Indian Fauna.

15462. Cast. New York market. E. G. Blackford. June 14, 1875.  
 15881. Cast. New York market. E. G. Blackford. June 14, 1875.  
 794. Color sketch. (Richard.) U. S. Fish Commission.

***Promicrops guasa***, (Poey) Gill.—JEW-FISH; GUASA.—West Indian Fauna.

15305. Cast. Key West. E. G. Blackford.  
 444. Color sketch. (Richard.) U. S. Fish Commission.

***Centropristes atrarius***, (Linn.) Barn.—SEA BASS.—Cape Cod to Florida.

10642. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 10597. Cast. Wood's Holl, Mass. U. S. Fish Commission. May 12, 1874.  
 15084. Cast. (Male.) Noank, Conn. U. S. Fish Commission. August, 1874.  
 15085. Cast. Wood's Holl, Mass. U. S. Fish Commission. September 2, 1875.  
 10667. Cast. (Female.) Wood's Holl, Mass. U. S. Fish Commission.  
 15963. Cast. Hog-fish Rocks, Va. U. S. Fish Commission. July 5, 1873.  
 157, 158, 159, 160, 161, 162, 163, 164, 181. Photographs. U. S. Fish Commission  
 463-4 and 5. Color sketches. (Richard.) U. S. Fish Commission.

***Diplectrum fasciculare***, (Cuv. & Val.) Holb.—SQUIRREL.—Cape Hatteras to Florida; West Indian Fauna.

15844. Cast. New York. E. G. Blackford.  
 166. Photograph. U. S. Fish Commission.

## LABRACIDÆ.

**Roccus lineatus**, (Schn.) Gill.—STRIPED BASS; ROCK-FISH.—St. Lawrence to Florida.

- 10664. Cast. (Female.) Potomac River. Dr. H. C. Yarrow.
- 15737. Cast. Wood's Holl, Mass. U. S. Fish Commission. May 27, 1873.
- 15725. Cast. Washington market. G. Brown Goode.
- 15706. Cast. New York. E. G. Blackford. Nov. 28, 1874.
- 185-186, 187. Photographs. U. S. Fish Commission.
- 782-3. Color sketch. (Richard.) U. S. Fish Commission.

**Roccus chrysops**, (Raf.) Gill.—WHITE BASS.—Great Lakes and Mississippi Valley.

- 15807. Cast. New York market. E. G. Blackford. Oct. 7, 1875.
- 188. Photographs. U. S. Fish Commission.
- 503. Color sketch. (Richard.) U. S. Fish Commission.

**Morone americana**, (Gmel.) Gill.—WHITE PERCH.—Nova Scotia to Florida.

- 10748. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 10729. Cast. (Female.) Wood's Holl, Mass. U. S. Fish Commission.
- 10730. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 16618. Cast. Wood's Holl, Mass. U. S. Fish Commission.
- 179, 180, 181, 182, 183, 184. Photographs. U. S. Fish Commission.
- 766. Color sketch. (Richard.) U. S. Fish Commission.

## EPHIPPIDÆ.

**Parehippus quadratus**, (Gun.) Gill.—MOON-FISH.—Cape Cod to Florida ; West Indian Fauna.

- 14836. Cast. Norfolk, Va. U. S. Fish Commission. July, 1873.
- 14857. Cast. Norfolk, Va. U. S. Fish Commission. July, 1873.
- 15820. Cast. Norfolk, Va. U. S. Fish Commission.
- 196, 197. Photographs. U. S. Fish Commission.

## LOBOTIDÆ.

**Lobotes surinamensis**, Cuv.—TRIPLE-TAIL FLASHER.—Cape Cod to Florida ; West and East Indies.

- 15702. Cast. Wood's Holl, Mass. U. S. Fish Commission. August 28, 1873.
- 16202. Cast. New York market. E. G. Blackford. July 20, 1875.
- 201, 202. Photographs. U. S. Fish Commission.

## POMATOMIDÆ.

**Pomatomus saltatrix**, (Linn.) Gill.—BLUE-FISH.—Pelagic.

- 15871. Cast. Wood's Holl, Mass. V. N. Edwards. June 11, 1873.
- 13166. Cast. Norfolk, Va. G. Brown Goode.
- 15753. Cast.
- 189, 190, 191, 192, 193, 194, 195, 386. Photographs. U. S. Fish Commission.
- 523-2-30. Color sketches. (Richard.) U. S. Fish Commission.

## ELACATIDÆ.

**Elacate canadus**, (Linn.) Gill.—COBIA; CRAB-EATER.—Cape Cod to West Indies.

16250. Cast. New York market. E. G. Blackford. July 30, 1875.

14922. Cast. Point Lookout, Va. J. H. Skidmore. July 9, 1874.

198, 199, 200. Photographs. U. S. Fish Commission.

## PRIACANTHIDÆ.

**Pseudopriacanthus altus**, (Gill) Bleeker.—SHORT BIG-EYE.—Cape Cod to Cape Hatteras.

203. Photograph. U. S. Fish Commission.

441. Color sketch. (Richard.) U. S. Fish Commission.

15583. Alcoholic. Wood's Holl, Mass. U. S. Fish Commission. Sept., 1875.

16954. Alcoholic. Wood's Holl, Mass. U. S. Fish Commission. 1876.

## ECHENEIDIDÆ.

**Leptecheneis naufrageoides**, (Zuiwev.) Gill.—REMORA; SUCKER-FISH.—Coast generally.

16071. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 10, 1875.

16617. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 18, 1875.

16344. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 10, 1875.

206, 207, 208. Photographs. U. S. Fish Commission.

541-2-3. Color sketch. (Richard.) U. S. Fish Commission.

**Remoropsis brachyptera**, (Lowe) Gill.—SWORD-FISH SUCKER.—Parasite of the Sword-fish (*Xiphias gladius*).

21693. Alcoholic. Sable Id Bank. Capt. G. A. Johnson.

**Rhombochirus osteochir**, (Cuv.) Gill.—SPEAR-FISH SUCKER.—Parasites of the Bill-fish (*Tetrapturus albidus*).

15842. Cast. Wood's Holl, Mass. U. S. Fish Commission.

209, 210, 211. Photographs. U. S. Fish Commission.

764-5. Color sketches. (Richard.) U. S. Fish Commission.

## SPHYRÆNIDÆ.

**Sphyraena borealis**, De Kay.—NORTHERN BARRACUDA.—Cape Cod to Florida.

14978. Cast. Florida. E. G. Blackford.

204, 205. Photographs. U. S. Fish Commission.

407. Color sketch. (Richard.) U. S. Fish Commission. Probably identical with *Sphyraena spret* (Hauny) Goode, the common species of the Mediterranean.

**Sphyraena picuda.**—SOUTHERN BARRACUDA.—West Indian Fauna, &c.

21856. Alcoholic. Bermudas. G. Brown Goode.

### PERCESOCES.

#### MUGILIDÆ.

**Mugil lineatus**, Mitch.—STRIPED MULLET.—Cape Cod to Florida; Gulf of Mexico.

15723. Cast.

212, 213, 214, 215, 216. Photographs. U. S. Fish Commission.

421. Color sketch. (Richard.) U. S. Fish Commission.

**Mugil albula**, Linn.—WHITE MULLET.—Cape Cod to Florida (probably young of the preceding species).

420. Color sketch. (Richard.) U. S. Fish Commission.

21302. Alcoholic. Florida. G. Brown Goode.

#### ATHERINIDÆ.

**Chiostoma notatum**, (Mitch.) Gill.—SILVER-SIDES; FRIAR.—Maine to Florida.

14930. Cast.

16612. Cast.

16620. Cast. Wood's Holl, Mass. U. S. Fish Commission.

380, 382. Photographs. U. S. Fish Commission.

518. Color sketch. (Richard.) U. S. Fish Commission.

**Chiostoma californiensis**, (Girard) Gill.—“SMELT.”—Coast of California.

506. Color sketch. (Richard.) U. S. Fish Commission.

16693. Alcoholic. San Francisco. Livingston Stone.

16693. Cast. San Francisco. U. S. Fish Commission.

#### HEMIBRANCHII.

#### GASTEROSTEIDÆ.

**Pygosteus occidentalis**, (Cuv. & Val.) Brevoort.—TEN-SPINED STICKLE-BACK.—Newfoundland to Cape Hatteras.

384. Photograph. U. S. Fish Commission.

644. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

**Gasterosteus noveboracensis**, Cuv. & Val.—NEW YORK STICKLE-BACK.—New Brunswick to Cape Hatteras.

644. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

***Apeltes quadratus*, (Mitch.) Brev.—FOUR-SPINED STICKLE-BACK.  
—New Brunswick to Florida.**

384. Photograph. U. S. Fish Commission.

644. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

Many other species of Gasterosteus are included in the series, which were not of sufficient importance to be enumerated.

**AULOSTOMIDÆ.*****Aulostoma maculatum*, Val.—TRUMPET-FISH.—West Indian Fauna.**

568. Color sketch. (Burkhardt.) Prof. Alex. Agassiz.

**FISTULARIIDÆ.*****Fistularia serrata*, Cuv.—TOBACCO-PIPE-FISH.—Cape Cod to Florida; West Indian Fauna.**

16957. Alcoholic. Wood's Holl, Mass. U. S. Fish Commission. 1876.

**SYNENTOGNATHI.****BELONIIDÆ.*****Belone longirostris*, (Mitch.) Gill.—SILVER GAR-FISH.—Cape Cod to Florida.**

16555. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 21, 1875.

16423. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 6, 1875.

217. Photograph. U. S. Fish Commission.

563. Color sketch. Prof. Alex. Agassiz.

540. Color sketch. (Richard.) U. S. Fish Commission.

***Belone latimanus*, Poey.—SILVER GAR-FISH.—Cape Cod to Florida.**

16121. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 15, 1875.

795. Color sketch. (Richard.) U. S. Fish Commission.

218. Photograph. U. S. Fish Commission.

***Belone hians*, Cuv. & Val.—BOW-MOUTHED GAR-FISH.—West Indian Fauna.**

21810. Alcoholic. New York market. G. Brown Goode.

***Belone Jonesii*, Goode.—HOUND-FISH.—West Indian Fauna.**

21392. Alcoholic. Bermudas. G. Brown Goode.

**SCOMBERESOCIDÆ.*****Exocetus exilens*, Gmel.—BUTTERFLY FLYING-FISH.—West Indian Fauna and north to Cape Cod.**

21110. Alcoholic. Bermudas. G. Brown Goode. Mar., 1872.

**Exocetus noveboracensis**, Mitch.?—BLACK-WINGED FLYING-FISH.—Cape Cod to Florida.

—. Alcoholic. Block Island, R. I. U. S. Fish Commission. Aug., 1874.

**Exocetus Rondeletii**, Cuv. & Val.—Mediterranean and Atlantic. 21409. Alcoholic. Bermudas. G. Brown Goode.

**Cypselurus furcatus**, (Mitch.) Weinland.—BEARDED FLYING-FISH.—Atlantic.

21412. Alcoholic. Bermudas. G. Brown Goode.

**Euleptorhamphus longirostris**, (Cuv. & Val.) Gill.—Cape Cod to Florida.

15648. Alcoholic. Newport, R. I. Mr. Brown.

**Scomberesox scutellatus**, Les.—HALF-BEAK; SKIPPER.—Nova Scotia to Florida.

13164. Cast.

410, 539. Color sketches. (Richard.) U. S. Fish Commission.

### HAPLOMI.

### ESOCIDÆ.

**Esox americanus**, Gmelin.—BROOK PICKEREL.—Massachusetts to Maryland.

17766. Alcoholic. Keeseville, N. Y. H. N. Hewitt.

796. Color sketch. (Richard.) U. S. Fish Commission.

493. Color sketch. Prof. Alex. Agassiz.

**Esox reticulatus**, Lesueur.—PICKEREL.—Atlantic slope, New England to Alabama.

15012. Cast. Washington, D. C. G. Brown Goode.

222. Photograph. U. S. Fish Commission.

758. Color sketch. U. S. Fish Commission.

619. Color sketch. (Roetter.) East Wareham, Mass. Museum of Comp. Zoology. Feb., 1869.

**Esox lucius**, Linn.—PIKE.—Northern America, Asia, and Europe.

14876. Cast. Sandusky, Ohio. J. W. Milner. Oct. 25, 1873.

14875. Cast. Sandusky, Ohio. J. W. Milner. Nov. 3, 1873.

219. Photograph. U. S. Fish Commission.

618. Color sketch. (Roetter.) Museum of Comp. Zoology. Sackett's Harbor. Nov., 1869.

494. Color sketch. Prof. Alex. Agassiz.

**Esox nobilior**, Thompson.—MUSKELLUNGE (weight 37 pounds).—Great Lakes and Southern British Provinces east of Rocky Mountains.

14895. Cast. Sandusky, Ohio. J. W. Milner. Oct., 1873.

220, 221. Photographs. U. S. Fish Commission.

## CYPRINODONTIDÆ.

**Cyprinodon variegatus**, Lac.—SHORT CYPRINODON.—Cape Cod to Florida.

13986. Alcoholic. Noank, Conn. U. S. Fish Commission.

**Fundulus piceolentus**, (Mitch.) Val.—MUMMICHOG.—Nova Scotia to Florida.

13970. Alcoholic. Noank, Conn. U. S. Fish Commission.

434, 797. Color sketches. (Richard.) U. S. Fish Commission.

**Hydrargyra majalis**, (Walb.) Val.—MAY-FISH.—Brackish waters; Cape Ann to Cape Hatteras.

223-353. Photographs. U. S. Fish Commission.

13974. Alcoholic. Noank, Conn. U. S. Fish Commission.

434. Color sketch. (Richard.) U. S. Fish Commission.

## ISOSPONDYLI.

### SYNODONTIDÆ.

**Synodus fætens**, (Linn.) Gill.—SNAKE-FISH.—Cape Cod to Florida.

16583. Cast. New York market. E. G. Blackford. Sept. 24, 1875.

424. Color sketch. (Richard.) U. S. Fish Commission.

## MICROSTOMIDÆ.

**Mallotus villosus**, (Müll.) Cuv.—CAPELIN.—Polar Seas and south to Nova Scotia.

3417. Alcoholic. Gross Water Bay. Dr. E. Cones.

**Osmerus pacificus**, (Rich.)—OULACHAN; CANDLE-FISH.—North Pacific.

20584. Alcoholic. Washington Ter. U. S. Fish Commission.

**Osmerus mordax**, (Mitch.) Gill.—SMELT; FROST-FISH.—Nova Scotia to Cape Hatteras.

385. Photograph. U. S. Fish Commission.

507. Color sketch. (Richard.) U. S. Fish Commission.

13863. Alcoholic. Eastport, Me. U. S. Fish Commission.

**Argentina syrtensium**, Goode & Bean.—WESTERN ARGENTINE.—Deep-sea Fauna of Western Atlantic.

21624. Alcoholic. Sable Island Bank. Capt. J. W. Collins.

## COREGONIDÆ.

**Coregonus clupeiformis**, (Mitch.) Milner.—WHITE-FISH.—Great Lakes and British America.

- 16741. Cast. Michigan.
- 14973. Cast. Ecorse, Mich. George Clark.
- 15741. Cast. Ecorse, Mich. George Clark.
- 14864. Cooperstown, N. Y. Elihu Phinney.
- 224, 225, 226, 227, 228, 229, 230. Photographs. U. S. Fish Commission.

**Coregonus labradoricus**, Rich.—LAKE WHITING.—Northern Lakes.

- 232. Photograph. U. S. Fish Commission.
- 16868. Alcoholic. Lake Winnepisogee, Me. U. S. Fish Commission.

**Prosopium quadrilaterale**, (Rich.) Milner.—“SHAD-WAITER.”—Great Lakes and northward.

- 233. Photograph. U. S. Fish Commission.
- 12360. Alcoholic. Grand Lake, Me. U. S. Fish Commission.

**Prosopium Couesii**, Milner.—CHIEF MOUNTAIN LAKE WHITE-FISH.—Upper Missouri Region.

- 14146. Alcoholic. Chief Mountain Lake. Dr. Elliott Coues, U. S. A.

**Argyrosomus Artedi**, (Les.) Hoy.—HERRING WHITE-FISH.—Great Lakes, etc.

- 235. Photograph. U. S. Fish Commission.
- 752. Color sketch. (Richard.) U. S. Fish Commission.
- 11195. Alcoholic. Au Sable, Michigan. U. S. Fish Commission.

## SALMONIDÆ.

**Salmo salar**, Lim.—SALMON.—Northern America and Europe.

- 14898. Cast. Bucksport, Me. Joseph Palmer. July 1, 1873.
- 16744. Cast. Bucksport, Me. C. G. Atkins. Nov., 1873.
- 16743. Cast. Bucksport, Me. C. G. Atkins. Nov., 1873.
- 10314. Cast. Bucksport, Me. C. G. Atkins. July 1, 1873.
- 239, 240, 241, 242. Photographs. U. S. Fish Commission.
- 415. Water-color sketch. U. S. Fish Commission.

**Salmo salar, var. sebago**, Girard.—SEBAGO SALMON (land-locked).—St. Croix River and Sebago Lake. Introduced into other lakes.

- 15467. Cast. Sysladobsis Lake, Me. “Dobsis Club,” through Judge Harvey Jewell. June, 1875.
- 15977. Cast.
- 15978. Cast.
- 535-6. Color sketches. (Richard.) U. S. Fish Commission.

***Salmo fario*, Linn.**—RIVER TROUT.—Rivers of Europe.

252. Photograph. U. S. Fish Commission.

***Oncorhynchus quinnat*, (Rich.) Giinther.**—QUINNAT or SACRAMENTO SALMON.—Northwest Coast of America; south to California.

10340. Cast. New York market. E. G. Blackford.

10347. Cast. Sacramento River, Cal. L. Stone. March, 1873.

248, 249, 250, 251. Photographs. U. S. Fish Commission.

416. Color sketch. (Richard.) U. S. Fish Commission.

***Cristivomer namaycush*, (Penn.) Gill & Jordan.**—NAMAYCUSH TROUT; LAKE TROUT.—Northern Lakes.

246, 247. Photographs. U. S. Fish Commission.

10312. Cast. Moosehead Lake, Me. E. M. Stillwell.

16670-71. Casts. Lake Winnepisegogee. U. S. Fish Commission.

463, 526-7. Color sketches. (Richard.) U. S. Fish Commission.

***Salvelinus fontinalis*, (Mitch.) Gill & Jordan.**—BROOK TROUT.—Rivers and Lakes of British North America and of the northern parts of the United States and Appalachian Range.

16626. Cast. Wood's Holl, Mass. V. N. Edwards.

15961. Cast. Sysladopsis Lake, Me. "Dobsis Club," through Judge Harvey Jewell. June, 1875.

15728. Cast. New York market. E. G. Blackford. March 22, 1875.

10311. Cast. New York market. E. G. Blackford. March 22, 1875.

15470. Cast. Sysladopsis Lake, Me. "Dobsis Club," through Judge Harvey Jewell. June, 1875.

243, 244. Photographs. U. S. Fish Commission.

751. Color sketch. (Richard.) U. S. Fish Commission.

20792. Mounted. (Male.) Rangely Lake, Me. Geo. Shepard Page. Weight 10 pounds. The largest Brook Trout on record. Taken by Geo. Shepard Page in 1867. Transported alive in a box of water (which also contained a female trout weighing  $\frac{8}{4}$  pounds) to Stanley, Morris Co., New Jersey.***Salvelinus equassa*, (Girard) Gill & Jordan.**—OQUASSA TROUT.—Rangely Lake, Me., and vicinity.

245. Photograph. U. S. Fish Commission.

549. Color sketch. (Richard.) U. S. Fish Commission.

750. Color sketch. (Richard.) U. S. Fish Commission.

***Thymallus tricolor*, Cope.**—MICHIGAN GRAYLING.—Northern portion southern peninsula of Michigan.

15226. Cast. Au Sable River, Mich. Fred. Mather. April 7, 1875.

236, 238. Photographs. U. S. Fish Commission.

**ALBULIDÆ.**

**Albula vulpes**, (Linn.) Goode.—LADY-FISH.—Pelagic; Tropical and Subtropical Seas.

255. Photograph. U. S. Fish Commission.  
21859. Aleoholic. Wood's Holl, Mass. U. S. Fish Commission.

**HYODONTIDÆ.**

**Hyodon tergisus**, Les.—MOON-EYE.—Great Lakes and Mississippi Valley.

15561. Cast. New York market. E. G. Blackford. Nov. 15, 1875.  
14863. Cast. Cincinnati, Ohio. J. W. Milner. Nov., 1873.  
253, 254. Photographs. U. S. Fish Commission.  
753. Color sketch. (Richard.) U. S. Fish Commission.

**ELOPIDÆ.**

**Elops saurus**, Linn.—BIG-EYED HERRING.—Tropical and Subtropical Seas.

15824. Cast. New York market. E. G. Blackford. Oct. 11, 1875.  
15821. Cast. New York market. E. G. Blackford. Oct. 11, 1875.  
15823. Cast. New York market. E. G. Blackford. Oct. 11, 1875.  
15822. Cast. New York market. E. G. Blackford. Oct. 14, 1875.  
15744. Cast. New York market. E. G. Blackford. Oct. 14, 1875.  
15824. Cast. New York market. E. G. Blackford. Oct. 11, 1875.  
256. Photograph. U. S. Fish Commission.  
772. Color sketch. (Richard.) U. S. Fish Commission.

**Megalops thrissooides**, (Sehn.) Günther.—TARPUM.—Cape Cod to Florida.

14924. Cast. New Jersey. E. G. Blackford. July 9, 1874.  
398. Photograph. Newport, R. I. S. Powell. Aug., 1874.

**DUSSUMIERIDÆ.**

**Etrumeus teres**, (DeKay) Brevoort.—ROUND HERRING.—Cape Cod to Cape Hatteras.

20216. Aleoholic. Newport, R. I. S. Powell.

**CLUPEIDÆ.**

**Brevoortia tyrannus**, (Latr.) Goode.—MENHADEN; MOSS-BUNKER; POGIE.—Newfoundland to Gulf of Mexico.

10696. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
16313. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug., 1875.  
257, 258, 259, 260, 386, 387. Photographs. U. S. Fish Commission.  
564. Color sketch. Prof. Alex. Agassiz.

**Brevoortia patronus**, Goode.—GULF MENHADEN.—Gulf of Mexico.

892. Alcoholic. Brazos Santiago, Texas.

**Alosa sapidissima**, (Wilson) Storer.—SHAD.—Newfoundland to Florida.

10641. Cast. Potomac River. J. W. Milner. 1873.

10625. Cast. Potomac River, D. C. J. W. Milner.

11878. Cast. Connecticut River. E. G. Blackford. May 7, 1874.

261, 262, 263, 264, 265. Photographs. U. S. Fish Commission.

**Opisthonema thrissa**, Gill.—THREAD HERRING.—West Indian Fauna and north to Cape Cod.

20218. Alcoholic. Newport, R. I. U. S. Fish Commission.

**Pomolobus pseudoharengus**, (Wilson) Gill.—ALEWIFE; FRESH-WATER HERRING; GASPEREAU.—Newfoundland to Florida.

10622. Cast. (Female.) Wood's Holl, Mass. U. S. Fish Commission.

266, 267, 268, 269, 386. Photographs. U. S. Fish Commission.

457. Color sketch. (Richard.) U. S. Fish Commission.

**Pomolobus mediocris**, (Mitch.) Gill.—MATTAWOCCA; TAILOR HERRING; SEA SHAD.—Newfoundland to Florida.

10657. Cast. Potomac River. J. W. Milner. 1873.

269, 270, 271. Photographs. U. S. Fish Commission.

458, 771. Color sketches. (Richard.) U. S. Fish Commission.

**Clupea harengus**, Linn.—HERRING; SEA HERRING.—North Atlantic.

390. Photograph. U. S. Fish Commission.

13855. Alcoholic. Eastport, Me. U. S. Fish Commission.

**Clupea mirabilis**, Girard.—HERRING.—Coast of California.

605. Color sketch. Gilians Id., Gulf of Georgia, W. T. Prof. Alex. Agassiz. June, 1859.

### DOROSOMIDÆ.

**Dorysoma Cepedianum**, (Lac.) Gill.—MUD SHAD; WINTER SHAD.—Cape Cod to St. John's River, Fla.

11991. Cast. Potomac River. G. Brown Goode. March 1, 1875.

15605. Cast. Washington market. G. Brown Goode. Dec., 1874.

272, 273. Photographs. U. S. Fish Commission.

798. Color sketch. (Richard.) U. S. Fish Commission.

**Dorysoma Cepedianum, var. heterurum**, (Raf.) Jordan.—OHIO GIZZARD SHAD.—Ohio River and Lower Mississippi.

20836. Alcoholic. Sarnia, Lake Huron. S. Wilmot.

**ENGRAULIDIDÆ.**

**Engraulis vittata**, (Mitch.) B. & G.—ANCHOVY.—Cape Cod to Cape Hatteras.

382. Photograph. U. S. Fish Commission.  
14086. Alcoholic. Watch Hill, R. I., &c. U. S. Fish Commission.

**EVENTOGNATHI.****CATOSTOMIDÆ.**

**Catostomus teres**, (Mitchill) Les.—COMMON SUCKER.—Eastern Northern America.

279. Photograph. U. S. Fish Commission.  
18258. Alcoholic. Potomac River. U. S. Fish Commission.

**Myxostoma macrolepidotum**, (Les.) Jordan.—STRIPED SUCKER.—Mississippi Valley and Great Lakes.

15930. Cast. Washington market. J. W. Milner.  
16786. Cast. Washington market. J. W. Milner.  
16785. Cast. Washington market. J. W. Milner.  
278. Photograph. U. S. Fish Commission.

**Cyclopterus elongatus**, (Les.) Ag.—BLACK SUCKER.—Mississippi Valley.

16781. Cast. Ohio River. J. W. Milner. Nov. 5, 1875.  
280. Photograph. U. S. Fish Commission.

**Erimyzon suetta**, (Lac.) Jordan.—CHUB SUCKER.—Eastern United States.

281. Photograph. U. S. Fish Commission.

**Erimyzon Goodei**, Jordan.—GOODE'S SUCKER.—Florida.

19071. Alcoholic. St. John's River, Fla. G. Brown Goode.

**Bubalichthys bubalus**, Ag.—BUFFALO-FISH.—Mississippi Valley.

14883. Cast. Cincinnati, Ohio. J. W. Milner. Nov. 5, 1873.

**Carpiodes cyprinus**, (Les.) Ag.—CARP.—Eastern United States.

10735. Cast. Potomac River, D. C. J. W. Milner.  
16780. Cast. Sandusky, Ohio. J. W. Milner. Nov. 3, 1875.

**CYPRINIDÆ.**

**Ptychocheilus grandis**, (Ayres) Girard.—“PIKE.”—Pacific Slope.

282. Photograph. U. S. Fish Commission.

**Notemigonus americanus.** (Linn.) Jordan.—SHINER.—Southern Rivers.

19063. Alcoholic. St. John's River, Fla. G. Brown Goode.

**Notemigonus chrysoleucus.** (Mitch.) Jordan.—SHINER.—Eastern Atlantic States.

435. Color sketch. (Richard.) U. S. Fish Commission.

**Leuciscus pulchellus.** Storer.

630. Color sketch. (Burkhardt.) New Bedford, Mass. Prof. Alex. Agassiz. 1861.

**Carassius auratus.** (Linn.) Bleeker.—GOLD-FISH.—Domesticated; native of China and Japan.

16667. Cast. Washington, D. C. J. H. Richard.

18290. Alcoholic. Ponds of Maryland. U. S. Fish Commission.

## ORDER NEMATOGNATHI.

### SILURIDÆ.

**Elurichthys marinus.** (Mitch.) B. & G.—FORK-TAILED CAT-FISH.—Cape Cod to Florida; Gulf of Mexico.

15575. Cast. New Bedford, Mass. U. S. Fish Commission. Oct. 11, 1875.

283, 284, 285. Photographs. U. S. Fish Commission.

522. Color sketch. (Richard.) U. S. Fish Commission.

**Amiurus catus.** (Linn.) Gill.—HORN POUT.—Eastern North America.

466. Color sketch. Prof. Alex. Agassiz. Natural size drawing by P. Roetter from a fresh specimen, East Wareham, Mass., Feb., 1869; weight,  $1\frac{1}{2}$  lbs. "S. T. Tisdale says he has seen the young of this species following the mother like a brood of chickens."—*Ms. note.*

**Ichthaelurus furcatus.** (C. & V.) Gill.—CHANNEL CAT-FISH.—Mississippi Valley.

15690. Cast. Carrollton, Ky. J. W. Milner.

15787. Cast. Carrollton, Ky. J. W. Milner. Nov. 5, 1873.

**Pelodichthys olivaris.** (Raf.) Gill & Jordan.—MUD CAT-FISH.—Ohio Valley to Iowa and south.

15689. Cast. Carrollton, Ky. J. W. Milner. Nov. 5, 1875.

## ORDER APÓDES.

## CONGRIDÆ.

**Conger oceanica**, (Mitch.) Gill.—CONGER EEL.—Newfoundland to West Indies.

14873. Cast. Weight 11 lbs. Block Id., R. I. U. S. Fish Commission. Sept. 26, 1874.  
 14872. Cast. Block Island, R. I. U. S. Fish Commission. Sept. 26, 1874.  
 287. Photograph. U. S. Fish Commission.

## ANGUILLIDÆ.

**Anguilla rostrata**, (Les.) DeKay.—COMMON EEL.—Eastern United States.

15731. Cast. New York. E. G. Blackford. Aug. 26, 1874.  
 16392. Cast. New York. E. G. Blackford. Aug. 26, 1874.  
 16729. Cast. Potomac River. J. W. Milner.  
 16416. Cast. Wood's Holl, Mass. Wm. Palmer. Sept. 6, 1875.  
 10749. Cast. Wood's Holl, Mass. V. N. Edwards.  
 286. Photograph. U. S. Fish Commission.  
 480–81. Color sketches. (Richard.) U. S. Fish Commission.  
 773. Color sketch. Prof. Alex. Agassiz.

## NEMICHTHYIDÆ.

**Nemichthys scolopaceus?** Rich.—SNIPE EEL.—Deep waters of the Atlantic.

21195. Alcoholie. George's Bank. U. S. Fish Commission.

## SYNAPHOBRANCHIDÆ.

**Synaphobranchus pinnatus**, (Gronow) Günther.—MADEIRA EEL.—Deep waters of the Atlantic.

21848. Alcoholie. Sable Island Bank. U. S. Fish Commission.

## ORDER CYCLOGANOIDEI.

## AMIIDÆ.

**Amia calva**, Linn.—MUD-FISH.—Central and Southeastern United States.

11134. Cast. Sandusky, Ohio. J. W. Milner.  
 16534. Cast. New York market. E. G. Blackford. Sept. 24, 1875.  
 288,289. Photograph. U. S. Fish Commission.  
 556. Color sketch. (Burkhardt.) Charleston, S. C. Prof. Alex. Agassiz.  
 1853.

## ORDER RHOMBOGANOIDÆ. LEPIDOSTEIDÆ.

**Lepidosteus osseus**, Linn.—GAR PIKE.—Mississippi Valley and Atlantic States south of Delaware River.

- 10736. Cast. Sandusky, Ohio. J. W. Milner.
- 10717. Cast. Sandusky, Ohio. J. W. Milner.
- 15306. Cast. Potomac River. J. W. Milner.
- 290, 291. Photographs. U. S. Fish Commission.

**Lepidosteus platostomus**, Raf.—SHORT-NOSED GAR PIKE.—Great Lakes and streams south and west to the Rocky Mountains.

- 3241. Aleoholic. Cleveland, Ohio. Prof. Baird.

## ORDER SELACHOSTOMI.

### POLYODONTIDÆ.

**Polyodon folium**, Lac.—PADDLE-FISH.—Fresh waters of Mississippi Valley.

- 14871. Cast. Cincinnati, Ohio. J. W. Milner. Nov. 5, 1873.
- 15475. Cast. Madison, Ind. George Spangler. June, 1875.
- 292. Photograph. U. S. Fish Commission.

## ORDER CHONDROSTEI.

### ACIPENSERIDÆ.

**Acipenser sturio**, Linn.—SHARP-NOSED STURGEON.—North Atlantic; ascending rivers.

- 15745. Cast. New York. E. G. Blackford.
- 14856. Cast. Wood's Hole, Mass. U. S. Fish Commission.
- 14877. Potomac River. J. W. Milner.
- 293, 294. Photographs. U. S. Fish Commission.
- 519. Color sketch. (Richard.) U. S. Fish Commission.

**Acipenser brevirostris**, Les.—SHORT-NOSED STURGEON.—Atlantic Coast of United States.

- 295, 296. Photographs. U. S. Fish Commission.
- 520. Color sketch. (Richard.) U. S. Fish Commission.

**Acipenser rubicundus**, Leg.—LAKE STURGEON.—Great Lakes and south.

- 297, 298, 299, 300, and 301. Photographs. U. S. Fish Commission.

**Acipenser maculosus**, Les.—LONG-NOSED STURGEON.—Great Lakes and Western Rivers.

607–8. Color sketch. Huntsville, Ala. Prof. Alex. Agassiz. 1853.

**Scaphyrhynchops platyrhynchus**, (Raf.) Gill.—SHOVEL-NOSED STURGEON.—Mississippi Valley.

15939 $\frac{1}{2}$ . Cast. Ohio River. J. W. Milner.

15939. Cast. Ohio River. J. W. Milner.

15476. Cast. Madison, Ind. George Spangler. June, 1875.

302, 303. Photographs. U. S. Fish Commission.

## VI. ELASMOBRANCHIATES.

### ORDER HOLOCEPHALI.

#### CHIMÆRIDÆ.

**Chimæra plumbea**, Gill.—BROWN CHIMÆRA.—Deep waters of Western Atlantic.

21904. Cast. Banquerean. Capt. Joseph W. Collins.

**Hydrolagus Collici**, (Bennett) Gill.—PACIFIC CHIMÆRA.—Northwest coast of North America.

993. Alcoholic. Puget Sound. Dr. George Suckley.

### ORDER RAIÆ.

#### MYLIOBATIDÆ.

**Myliobatis Freminvillei**, (Les.) Storer.—EAGLE RAY.—Cape Cod to Florida.

16303. Cast. Wood's Holl, Mass. U. S. Fish Commission. Sept. 23, 1875.

14417. Cast. Wood's Holl, Mass. U. S. Fish Commission.

306–319. Photographs. U. S. Fish Commission.

760. Color sketch. U. S. Fish Commission.

**Myliobatis californicus**, Gill.—CALIFORNIA STING RAY.—Coast of California.

16687. Cast. San Francisco, Cal. L. Stone.

320. Photograph. U. S. Fish Commission.

959. Color sketch. U. S. Fish Commission.

**Rhinoptera quadriloba**, (Les.) Cuv.—COW-NOSED RAY.—Cape Cod to Florida.

304, 305. Photographs. U. S. Fish Commission.

Bull. N. M. No. 14—5

## TRYGONIDÆ.

**Trygon centrura**, (Mitch.) Gill.—STING RAY.—Cape Cod to Florida.

14920. Cast. Wood's Holl, Mass. U. S. Fish Commission. June, 1873.  
 14882. Cast. Portland, Me. Skillings.  
 324, 325, 326, 327, 328, 329. Photographs. U. S. Fish Commission.

**Trygon Sabina**, Lesueur.—RIVER STING RAY.—Southern Coast entering rivers.

18068. Alcoholic. Lake Monroe, Fla. Prof. Baird.

**Trygon hastata**, (De Kay) Storer.—SMOOTH STING RAY.—Southern Coast.

21626. Skin. West Florida. Dr. J. W. Velie.

**Pteroplatea macrura**, Mull. & Henle.—BUTTERFLY RAY.—Cape Cod to Florida.

16319. Cast. Wood's Holl, Mass. U. S. Fish Commission. Aug. 5, 1875.  
 321, 322, 323. Photographs. U. S. Fish Commission.

## TORPEDINIDÆ.

**Torpedo occidentalis**, Storer.—TORPEDO; CRAMP-FISH.—Cape Cod to Florida.

14912. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 22, 1873.  
 14919. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 5, 1873.  
 16065. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 5, 1873.  
 330, 331, 332, 333, 334, 335. Photographs. U. S. Fish Commission.

## RAIIDÆ.

**Raia erinacea**, Mitchell.—CLEAR-NOSED SKATE.—Nova Scotia to Florida.

- 343, 344, 345, 346. Photographs. U. S. Fish Commission.  
 14851. Cast. Portland, Me. U. S. Fish Commission.  
 10612. Cast. Wood's Holl, Mass. V. N. Edwards.  
 16508. Cast. Wood's Holl, Mass. V. N. Edwards. May 14, 1873.  
 335, 337, 338, 339, 340, 341, 342. Photographs. U. S. Fish Commission.  
 408, 409. Color sketches. (Richard.) U. S. Fish Commission.  
 761-2-3. Color sketches. U. S. Fish Commission.  
 768-9. Color sketches. U. S. Fish Commission.  
 774-5. Color sketches. Prof. Alex. Agassiz.

**Raia ocellata**, Mitchell.—SPOTTED SKATE.—New England Coast.

19431. Alcoholic. Nahant, Mass. Mus. of Comp. Zoology.

**Raia radiata**, Donovan.—SPINY SKATE.—Northern Atlantic.

19432. Alcoholic. Nahant, Mass. Mus. of Comp. Zoology.

**Raia eglanteria**, Lacep.— EGLANTINE SKATE.—Cape Ann and southward.

19439. Alcoholic. S. New England. Mus. of Comp. Zoology.

**Raja laevis**, Mitch.—SHARP-NOSED SKATE.—Nova Scotia to Florida.

14904. Cast. (Young male.) Montauk Point, N. Y. U. S. Fish Commission.  
Aug. 1, 1874.  
402. Color sketch. U. S. Fish Commission.  
15704. Cast. (Young.) Noank, Conn. U. S. Fish Commission. Aug. 1, 1874.  
15703. Cast. Noank, Conn. U. S. Fish Commission.  
16658. Cast. (Young male.)  
15707. Cast.  
16659. Cast.  
347, 348, 349, 350, 351. Photographs. U. S. Fish Commission.

**RHINOBATIDÆ.****Rhinobatus productus**, Girard.—LONG-NOSED SKATE.—Coast of California.

16704. Cast. San Francisco, Cal. L. Stone.  
352. Photograph. U. S. Fish Commission.

**PRISTIDÆ.****Pristis antiquorum**, (Linn.) Lath.—SAW-FISH.—Cape Cod to Florida; Tropical Seas.

12453. Stuffed skin. Florida. H. A. Ward.

**SQUATINIDÆ.****Squatina Dumerili**, Les.—MONK-FISH; FIDDLE-FISH.—Cape Cod to Florida; Temperate and Tropical Seas.

14890. Cast. Wood's Holl, Mass. V. N. Edwards. Sept. 1, 1873.  
16410. Cast. Menemsha Bight, Mass. Jason Luce. Sept. 1, 1875.  
353, 354, 355. Photographs. U. S. Fish Commission.

## ORDER SQUALI.

**LAMNIDÆ.****Lamna cornubica**, (Gmel.) Fleming.—PORBEAGLE SHARK.—Atlantic, Mediterranean, Japan.

21856. Alcoholic. Gloucester, Mass. U. S. Fish Commission.

**Isuroopsis Dekayi**, Gill. (d. s.)—MACKEREL SHARK.—Newfoundland to Florida.

15949. Cast. Wood's Holl, Mass. V. N. Edwards. Sept. 20, 1873.  
15973. Cast. Wood's Holl, Mass. V. N. Edwards. Dec., 1875.  
446. Color sketch. (Richard.) U. S. Fish Commission.

**Carcharodon Atwoodi**, (Storer) Gill.—ATWOOD'S SHARK; MAN-EATER.—Newfoundland to Florida.

—. Jaws.

**Cynocephalus glaucus**, (Linn.) Gill.—BLUE-HEADED SHARK.—  
Atlantic.

19929. Alcoholic. Wood's Holl, Mass. V. N. Edwards.

**ODONTASPIDIDÆ.****Eugomphodus littoralis**, Gill.—SAND SHARK.—Pelagic.

16347. Cast. Wood's Holl, Mass. U. S. Fish Commission.

16648. Cast. Wood's Holl, Mass. U. S. Fish Commission.

419. Color sketch. (Richard.) U. S. Fish Commission.

445. Color sketch. (Richard.) U. S. Fish Commission.

**ALOPECIDÆ.****Alopias vulpes**, (Linn.) Bon.—THRESHER; SWINGLE-TAIL.—At-  
lantic and Mediterranean.

16256. Cast. Menemsha Bight, Mass. U. S. Fish Commission. July 30, 1875.

15733. Cast. Wood's Holl, Mass. U. S. Fish Commission.

417. Color sketch. (Richard.) U. S. Fish Commission.

**SPHYRNIDÆ.****Sphyraena zygæna**, (Linn.) Mull. & Henle.—HAMMER-HEAD SHARK.  
—Tropical and Subtropical Seas.

15833. Cast. Noank, Conn. U. S. Fish Commission.

360, 361, 362, 363, 364. Photographs. U. S. Fish Commission.

462. Color sketch. (Richard.) U. S. Fish Commission.

**Rhiniceps tiburo**, (Linn.) Gill.—SHOVEL-HEAD SHARK.—Atlantic  
and Western Pacific.

12714. Cast.

—. Alcoholic. Beesley's Point, N. J. S. F. Baird.

**GALEORHINIDÆ.****Eulamia Milberti**, (Mull. & Henle) Gill.—BLUE SHARK.—Cape  
Cod to Florida.

15742. Cast. Wood's Holl, Mass. V. N. Edwards.

305, 337, 368, 369. Photographs. U. S. Fish Commission.

418. Color sketch. (Richard.) U. S. Fish Commission.

**Eulamia obscurus**, (Les.) Gill.—DUSKY SHARK.—Cape Cod to  
Florida.

16070. Cast. Wood's Holl, Mass. U. S. Fish Commission. July 10, 1875.

**Isogomphodon maculipinnis**, Poey.—SPOTTED-FIN SHARK.—  
Tropical and Subtropical Seas.

356, 357, 358, 359. Photographs. U. S. Fish Commission.

425. Color sketch. (Richard.) U. S. Fish Commission.

16491. Cast. Wood's Holl, Mass. U. S. Fish Commission.

**Galeocerdo tigrinus**, Mull. & Henle.—TIGER SHARK.—Atlantic; Indian Ocean.

15740. Cast. Wood's Holl, Mass. V. N. Edwards. July 22, 1873.  
 16069. Cast. Buzzard's Bay, Mass. U. S. Fish Commission. 1875.  
 370, 371. Photographs. U. S. Fish Commission.

**Mustelus canis**, (Mitch.) De Kay.—SMOOTH DOG-FISH.—Cape Cod to Cape Hatteras.

14908. Cast. Norfolk, Va. U. S. Fish Commission. June 25, 1873.  
 14925. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 10734. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 10733. Cast. Wood's Holl, Mass. U. S. Fish Commission.  
 16649. Cast. (Male.) Wood's Holl, Mass. U. S. Fish Commission.  
 372, 373, 374, 375. Photographs. U. S. Fish Commission.  
 —. Color sketches. (Richard.) U. S. Fish Commission.

**GINGLYMOSSTOMATIDÆ.****Ginglymostoma cirratum**, (Gmel.) M. & H.—NURSE SHARK.—Tropical Atlantic.

16909. Alcoholic. Chesapeake Bay. Maryland Academy of Science.

**SPINACIDÆ.****Squalus americanus**, (Storer) Gill.—SPINED DOG-FISH.—Newfoundland to Cape Hatteras.

16255. Cast. Martha's Vineyard. U. S. Fish Commission. July 30, 1875.  
 376, 377. Photographs. U. S. Fish Commission.  
 426. Color sketch. (Richard.) U. S. Fish Commission.

**Centroscyllium Fabricii**, (Reinlh.) M. & H.—GREENLAND DOG-FISH.—Deep waters of Western Atlantic.

21622. Cast. Lat.  $42^{\circ} 52'$  N., Lon.  $63^{\circ} 50'$  W. 220 to 260 fathoms. U. S. Fish Commission.

**SCYMNIDÆ.****Somniosus microcephalus**, (Bloch.) Gill.—SLEEPER SHARK.—North Atlantic.

- 378, 379. Photographs. U. S. Fish Commission.  
 447. Color sketch. (Richard.) U. S. Fish Commission.  
 16630. Cast. Gulf of St. Lawrence. Renfrew & Co. Nov. 20, 1875.

**Centroscymnus coelolepis**, Boeage & Capello.—BLACK DOG-FISH.—Deep waters of North Atlantic.

21621. Cast. Lat.  $42^{\circ} 40'$  N., Lon.  $63^{\circ} 50'$  W. 220 to 260 fathoms. U. S. Fish Commission.

ECHINORHINIDÆ.

**Echinorhinus spinosus**, (Gmel.) Delamotte.—SPINY SHARK.—  
North Atlantic.

21913. Cast. Provincetown, Mass. E. E. Small.

VII. MARSIPOBRANCHIATES.

ORDER HYPEROARTIA.

PETROMYZONTIDÆ.

**Petromyzon americanus**.—LAMPREY EEL.

489-90. Color sketches. Prof. Alex. Agassiz.

ORDER HYPEROTRETI.

MYXINIDÆ.

**Myxine glutinosa**, Linn.—HAG-FISH; SLIME-FISH.—North Atlantic.

21679. Alcoholic. Le Have Bank, N. B. U. S. Fish Commission.

VIII. LEPTOCARDIANS.

ORDER CIRROSTOMI.

BRANCHIOSTOMIDÆ.

**Branchiostoma lubricum**, Costa.—LANCELET.—Cosmopolitan.

21877. Alcoholic. Bermudas. G. Brown Goode.

## SECTION B.

(THE CHASE AND THE FISHERIES.)

### MEANS OF PURSUIT AND CAPTURE.

#### I. HAND IMPLEMENTS OR TOOLS.

\* *For striking.*

##### 1. CLUBS.

###### **Unarmed clubs.<sup>1</sup>**

Salmon-clubs used by the Indians of the Northwest coast.

Hunting-clubs.<sup>1</sup>

Fishermen's clubs.

32717. "Halibut killer and gob-stick." Philip Merchant, Gloucester, Mass.

A heavy club with which the fisherman kills the halibut by a blow upon the head. One end is sharpened for use in detaching hooks from the gullets of fish which have swallowed them.

###### **Armed clubs.<sup>1</sup>**

Stone-headed clubs.<sup>1</sup>

Clubs, armed with teeth or bone points.<sup>1</sup>

Clubs, armed with metal points.<sup>1</sup>

##### 2. SLUNG-WEIGHTS.

###### **Slung-stones.<sup>1</sup>**

###### **Slung-shot.<sup>1</sup>**

\*\* *For cutting.*

##### 3. KNIVES.

###### **Straight knives.**

Hunters' knives.

26152. Hunter's knife.	5½-inch blade.	John Russell Cutlery Co., Turner's
		[Falls, Mass.]
26153. Hunter's knife.	6-inch blade.	"
26154. Hunter's knife.	7-inch blade.	"
26155. Hunter's knife.	8-inch blade.	"
26172. Hunter's knife.	5½-inch blade.	"
26173. Hunter's knife.	6-inch blade.	"
26174. Hunter's knife.	6½-inch blade.	"
26175. Hunter's knife.	8-inch blade.	"
26191. Hunter's knife.	5-inch blade.	"
26192. Hunter's knife.	6-inch blade.	"
26193. Hunter's knife.	7-inch blade.	"
26194. Hunter's knife.	8-inch blade.	"

<sup>1</sup>Displayed in the Ethnological division.

**Straight knives.**

## Hunters' knives.

26220.	Hunter's knife.	5-inch blade.	John Russell Cutlery Co., Turner's Falls, Mass.
26221.	Hunter's knife.	6-inch blade.	"
26222.	Hunter's knife.	7-inch blade.	"
26223.	Hunter's knife.	8-inch blade.	"
26224.	Hunter's knife.	10-inch blade.	"
26145.	Hunter's knife.	5½-inch blade.	"
26146.	Hunter's knife.	6-inch blade.	"
26147.	Hunter's knife.	7-inch blade.	"
26148.	Hunter's knife.	8-inch blade.	"
26160.	Hunter's knife.	5-inch blade.	"
26161.	Hunter's knife.	6-inch blade.	"
26162.	Hunter's knife.	7-inch blade.	"
26163.	Hunter's knife.	8-inch blade.	"
26164.	Hunter's knife.	9-inch blade.	"
26165.	Hunter's knife.	10-inch blade.	"
26166.	Hunter's knife.	11-inch blade.	"
26167.	Hunter's knife.	12-inch blade.	"
26156.	Hunter's knife.	5-inch blade.	"
26157.	Hunter's knife.	5½-inch blade.	"
26158.	Hunter's knife.	7-inch blade.	"
26202.	Hunter's knife.	5-inch blade.	"
26203.	Hunter's knife.	6-inch blade.	"
26204.	Hunter's knife.	7-inch blade.	"
26205.	Hunter's knife.	8-inch blade.	"
26206.	Hunter's knife.	9-inch blade.	"
26207.	Hunter's knife.	10-inch blade.	"
26208.	Hunter's knife.	12-inch blade.	"

## Dudley hunters' knives.

26197.	Hunter's knife.	5-inch blade.	"
26198.	Hunter's knife.	6-inch blade.	"
26199.	Hunter's knife.	7-inch blade.	"
26200.	Hunter's knife.	9-inch blade.	"

## Hunters' dirk-knives.

26225.	Hunter's knife (metal guard).	5-inch blade.	"
26226.	Hunter's knife (metal guard).	6-inch blade.	"
26227.	Hunter's knife (metal guard).	7-inch blade.	"
26228.	Hunter's knife (metal guard).	8-inch blade.	"
26143.	Hunter's knife (metal guard).	7-inch blade.	"
26168.	Hunter's knife (solid guard).	7-inch blade.	"

## Splitting and ripping knives.

29401.	Double-edged throating and ripping knife.	A. McCurdy, Gloucester, Mass.
29403.	Double-edged throating-knife (old style).	G. B. Foster, Beverly, Mass.
29409.	Throating or ripping knife.	A. McCurdy, Gloucester, Mass.
29411.	Throating or ripping knife.	Capt. E. L. Rowe, Gloucester, Mass.

**Straight knives.**

## Splitting and ripping knives.

29416. Double-edged ripping-knife (peculiar to coast of Maine). Wilcox, Crittenden & Co., Middletown, Conn.  
 29402. Mackerel-splitting knife. A. McCurdy, Gloucester, Mass.  
 29408. Mackerel-splitting knife. Capt. Sam. Elwell, Gloucester, Mass.  
 29404. Codfish-splitting knife. A. McCurdy, Gloucester, Mass.  
 29413. Cod or haddock ripping knife (old style). G. P. Foster, Beverly, Mass.  
 29414. Hake or haddock splitting knife. A. McCurdy, Gloucester, Mass.  
 29415. Haddock-ripping knife. " "

Flaying-knives, aboriginal and recent.<sup>1</sup>

26169. Flaying-knife. 5-inch blade. John Russell Cutlery Co., Turner's [Falls, Mass.  
 26170. Flaying-knife. 6-inch blade. " "  
 26171. Flaying-knife. 7-inch blade. " "  
 26179. Flaying-knife. 5-inch blade. " "  
 26180. Flaying-knife. 6-inch blade. " "  
 26181. Flaying-knife. 6½-inch blade. " "  
 26185. Flaying-knife. 5-inch blade. " "  
 26186. Flaying-knife. 6-inch blade. " "  
 26187. Flaying-knife. 7-inch blade. " "  
 26188. Flaying-knife. 5-inch blade. " "  
 26189. Flaying-knife. 6-inch blade. " "  
 26190. Flaying-knife. 7-inch blade. " "  
 23211. Flaying-knife. 5-inch blade. " "  
 26212. Flaying-knife. 6-inch blade. " "  
 26213. Flaying-knife. 6½-inch blade. " "

Blubber-knives, Eskimos.<sup>2</sup>

## Boarding-knives used by whalers.

Used in cutting the blubber into sections from the "blanket piece" or long strip which is peeled from the sides of the whale; for illustration of the manner of use see the model of whaler "cutting in the blubber."

25676. Boarding-knife. W. H. Cook & Co., New Bedford, Mass.  
 "This knife has seen many years of service."—A. R. C.  
 26608. Boarding-knife, with sheath. A. R. Crittenden, Middletown, Conn.

## Whalers' boat-knives.

Used to cut the harpoon-line when it gets tangled in paying out.

- . Boat-knife (model). Capt. L. Howland, New Bedford.  
 This model in its sheath on the bulkhead of the whale-boat, ready for use, is shown in the model of a whale-boat (No. 24880).

## Heading-knives.

32689. Halibut-heading knife. Adolph Voss, Gloucester, Mass.

<sup>1</sup> A full series of Eskimo and Indian flaying-knives is displayed in the Ethnological division.

<sup>2</sup> A series of these implements is exhibited in the Ethnological division.

**Straight knives.**

## Finning-knives.

29400. Halibut-finning knife. Alex. McCurdy, Gloucester, Mass.  
29412. Halibut-finning knife. Capt. E. L. Rowe, Gloucester, Mass.

## Chopping-knives.

29403. Bait-cleaver (used in halibut fishing). Alex. McCurdy, Gloucester, Mass.  
32655. Cod-bait knife. Gloucester, Mass. U. S. Fish Commission.  
32664. Bait-cleaver. " "

## Cheek-knives.

29438. Codfish cheek-knife. Alex. McCurdy, Gloucester, Mass.

## Throating-knives.

22669. Cod-throater (single edge). Gloucester, Mass. U. S. Fish Commission.  
22670. Cod-throater (double edge). " "

## Fish-knives (for general use).

25159. Fish-knife. Heavy. 12-inch blade. John Russell Cutlery Co., Turner's Falls, Mass.  
25196. Fish-knife. Hook handle. 12-inch blade. John Russell Cutlery Co., Turner's Falls, Mass.

## Scaling-knives.

26210. Saw-blade fish-scaling knife. John Russell Cutlery Co., Turner's Falls, Mass.

## Sailors' and fishermen's sheath-knives.

Sailors' sheath-knives. Wilcox, Crittenden & Co., Middletown, Conn.

29428. Sheath and belt, with "law-abiding" sheath-knife. First quality.  
29429. Sheath and belt. Second quality.  
29427. Sheath and belt, with "law-abiding" sheath-knife. Third quality.  
The "law-abiding" sheath-knife is round at the tip of the blade, which is also thick and dull.

## Hunters' sheath-knives.

The hunting-knives enumerated above, manufactured by the John Russell Cutlery Co., and others like them, are usually provided with sheaths before they are used by hunters.

25365. Hunting-knife, sheath, and belt. Forest & Stream Publishing Co. (Property of John A. Nichols, Syracuse, N. Y.)

## Slivering-knives, used by fishermen.

These knives are used to slice the flesh from the sides of the menhaden used for bait. The slices thus prepared are called "slivers," and are salted down in barrels to be used as baits for cod, halibut, and mackerel hooks, or are ground up in the bait-mills, forming "stosh" or "chum," a thick paste which is thrown over the sides of the mackerel-smacks to tole the fish to the surface.

## Straight knives.

Slivering-knives, used by fishermen.

- 29407. Slivering-knife. (Pattern first used by Cape Ann fishermen.) Geo. B. Foster, Beverly, Mass.
- 29399. Slivering-knife. (Cape Ann pattern.) Alex. McCurdy.
- 29405. Slivering-knife. (Nantucket pattern.) Samuel Elwell, jr., Gloucester, Mass.
- 25764. Slivering-knife. Samuel Elwell, jr., Gloucester, Mass.
- 32666. Slivering-blade. Gloucester, Mass. U. S. Fish Commission.

## Flitching-knives.

Used in slicing halibut into steaks or "flitches" in preparation for salting and smoking.

- 32726. Shore flitching-knife. Gloucester, Mass. U. S. Fish Commission.
- 32690. Bank flitching-knife. Adolph Voss, Gloucester, Mass.
- 29410. Flitching-knife. Gloucester, Mass. A. R. Crittenden.

## Clam and oyster knives.

- 26209. Clam-knife. John Russell Cutlery Co., Turner's Falls, Mass.
- . Oyster-knife (model). See model of Chesapeake oyster-canoe (No. 25003).

## Net-makers' knives.

These knives are without handles, and the heel of the short (2 inches long) round-pointed blade is curled so as to fit the finger like a ring.

- 29439. Net-mending knives (right-hand). Alex. McCurdy, Gloucester, Mass.
- 29440. Net-mending knives (left-hand). Alex. McCurdy, Gloucester, Mass.

## Mackerel-rimmers' fatting-knives or ploughs.

Used in creasing the sides of lean mackerel (Nos. 2 and 3) to cause them to resemble fat (No. 1) mackerel.

- 25768. Mackerel-plough. Edwin Blatchford.
- 25769. Mackerel-plough. S. Elwell, jr., Gloucester, Mass.
- 25770. Mackerel-plough. S. Elwell, jr., Gloucester, Mass.
- 25771. Mackerel-plough. S. Elwell, jr., Gloucester, Mass.
- 25773. Mackerel-plough. Edward Davis.
- 25774. Mackerel-plough. Edward Davis.
- 25775. Mackerel-plough. (Used in 1860.) Mrs. Hannah M. Burt.
- 25720. Mackerel-plough. Central Wharf Co., Provincetown, Mass.

## Splitting-knives.

Used in cleaning fish before salting.

- 32673. Mackerel-splitting knife. Gloucester, Mass. U. S. Fish Commission.
- 22667. Cod-splitting knife (curved).      "      "
- 22668. Cod-splitting knife (straight).      "      "

## Stone and bone knives used by Indians and Eskimos.

- 7224. Bone knife. Anderson River Eskimos, Fort Anderson, H. B. T. R. McFarlane.

**Straight knives.**

Stone and bone knives used by Indians and Eskimos.

16115. Bone knife. Magemut Eskimos, Nuniavik Islands, Alaska. W. H. Dall.

2178. Bone knife. Eskimos.

1328. Bone knife. Eskimos.

**Harpoon-knives.**

16348. Harpoon-knife, with sheath. Magemut Eskimos, Nuniavik Islands, Alaska. W. H. Dall.

16110. Harpoon-knife, with sheath. " "

16105. Harpoon-knife, with sheath. " "

16103. Harpoon-knife, with sheath. " "

19382. Harpoon-knife, with slate blade. " "

**Honey-knives.**

The thin blade bent at an angle to the handle.

26145. Honey-knife. John Russell Cutlery Co., Turner's Falls, Mass.

**Skin scrapers and parers, used in preparing leather.**

26144. Tanner's knife. 12-inch blade. John Russell Cutlery Co., Turner's Falls, Mass.

26195. Tanner's knife. 14-inch blade. " "

**4. AXES.****Axes, proper.****Head-axes for whalemen.**

Used in cutting off head of whale.

25913. Head-axe. E. B. & F. Macy, New Bedford, Mass.

**Whalemen's boat-hatchets.**

Used for enting harpoon-line at the bow, when it becomes tangled in "paying out."

24880. Boat-hatchet. (Model.) Capt. L. Howland, New Bedford, Mass.  
This implement in its place in the boat is shown in model of whale-boat.

26839. A boat-hatchet may be seen in its proper place in the bow of the large whale-boat.

**Cutting-spades.****Whale-spades.****Cutting-spades.**

Used in peeling the blubber from the carcass of the dead whale; for illustration see model of "whale-ship cutting in the blubber."

25679. Cutting-spade. E. B. & F. Macy, New Bedford, Mass.

25005. Cutting-spade. J. H. Thomson, New Bedford, Mass.

## Cutting-spades.

Throat-spades, flat and round shank.

Used in cutting off the head of the whale.

25925. Throat-spade. E. B. & F. Macy, New Bedford, Mass.

## Wide spades.

Used in "blubber-room" for cutting blubber before mincing.

25629. Wide spade. E. B. & F. Macy, New Bedford, Mass.

## Half-round spades.

For cutting "blanket" piece, to allow blubber-hook to enter.

25927. Half-round spade. E. B. & F. Macy, New Bedford, Mass.

## Head-spades.

Used in cutting off the head of the whale.

25932. Head-spade. E. B. & F. Macy, New Bedford, Mass.

## Blubber-mincing spades.

For mincing blubber before trying out.

25912. Hand mince-knife. E. B. & F. Macy, New Bedford, Mass.

## Chopping-knives.

Used to chop clams for bait.

29489. Clam-chopper. William H. Hesbolt, Provincetown, Mass.

32676. Clam-chopper. Adolph Voss, Gloucester, Mass.

## Bait-mill knives.

Used on the rollers of bait-mincing machines; for mills see section C. 5.

29417. Bait-mill knife. Provincetown pattern. William H. Hesbolt, Provincetown, Mass.

25715. Bait-mill knife. M. W. Grant, Wellfleet, Mass.

## Ice-choppers.

Used in chopping ice for packing fish or bait.

32685. Ice-chopper. Adolph Voss, Gloucester, Mass.

## Ice-chisels.

Used in cutting holes in the ice for fishing.

25888. Ice-chisel (nickel-plated). Bradford & Anthony, Boston, Mass.

## 5. THRUSTING SPEARS AND PRODS.

**Fishing-lances.**

## Whale-lances.

Used by whalers to give the death-blow to the whale.

25678. Whale-lance with handle, ready for use. E. B. & F. Macy, New Bedford, Mass.  
 25007. Whale-lance with handle, ready for use. J. H. Thomson, New Bedford, Mass.

## Whale-lance, iron.

25611. Whale-lance. (Primitive model) used by New Bedford whalers. W. H. Cook & Co., New Bedford, Mass.

**Seal-lances.**

10140. Head of lance (bone and iron). Eskimos of Northeast coast, southwest of King William's Land. Capt. C. F. Hall.  
 1117. Seal-lance. Eskimos of Arctic coast, Anderson River, H. B. T. R. McFarlane.

## Fish-lances.

29453. Sword-fish lance. Saml. Elwell, jr., Gloucester, Mass.  
 32703. Sword-fish lance. Vinald McCaleb, Gloucester, Mass.  
 25232. Sword-fish lance (with screw to fix folding handles). U. S. Fish Commission.  
 26519. Lance. Indians of the Northwest coast. J. G. Swan.  
 The tip of this lance is made from the horn of the mountain-goat (*Mazama montana*).

**Whaleman's boat-spades (thick and thin).**

Carried in boat to disable the whale by cutting its flukes.

25928. Boat-spade, with handle and warp complete, ready for use. E. B. & F. Macy, New Bedford, Mass.

**Prodding instruments.**

## Snow-probes.

Used by the Eskimos in probing the air-holes in ice and under the snow to detect the presence of seals.

10274. Bone probe. King William's Land. Capt. C. F. Hall.  
 10275. Bone probe. " "  
 10276. Bone probe. " "  
 2000. Bone probe. Northeastern Coast. S. F. Baird.  
 2179. Bone probe. " "  
 2180. Bone probe. " "  
 12181. Bone probe. " "

---

<sup>1</sup>These probes are sometimes supplied with a detachable head.

**Prodding-instruments.**

## Probing-awls.

Used in piercing the base of the brain in killing fish for the table.

29418. Large steel prod, suitable for large fish. A. R. Crittenden, Middle-town, Conn.
- 

**II. IMPLEMENTS FOR SEIZURE OF OBJECT.***\*Scooping-instruments.***6. SCOOPS.***†For hand-use.***Shovels.**

## Clam-shovels.

- . <sup>1</sup>Long-handled shovel. U. S. Fish Commission.  
26716. <sup>1</sup>Short-handled shovel. U. S. Fish Commission.

## Oyster-shovels.

26717. (Model, with Chesapeake oyster-canoe, No. 25003). T. B. Ferguson, Maryland Commissioner of Fisheries.

## Trowels used in taking burrowing shore animals.

- . Collector's trowel (flat). To be supplied.  
—. Collector's trowel (round). “

## Hand-scoops used in collecting mollusks.

- . <sup>1</sup>Spoon-scoop. U. S. Fish Commission.

## Bait-ladles.

32652. "Bait-heaver" (straight). Gloucester, Mass. G. Brown Goode.  
32653. "Bait-heaver" (one-sided). “ “ “

**Hand-dredges** (used in collecting mollusks).

26718. Tin hand-dredge. U. S. Fish Commission.

**Pile-scrappers.**

26719. Frame of pile-scraper. U. S. Fish Commission.

---

<sup>1</sup> It is thought unnecessary to exhibit these familiar implements.

† For use with sounding-lines.<sup>1</sup>

### Armed leads.

Common "deep-sea lead."  
Deep-sea-sounding apparatus.

### Cup-leads.

### Scoop sounding-machine.

\*\* Grasping-hooks.

7. HOOKED INSTRUMENTS. (Those used with a single motion, that of hooking.)

### Single-pointed hooks.

#### Gaff-hooks.

25495. Salmon-gaff hook and staff. Bradford & Anthony, Boston, Mass.  
 2668. Gaff-hook. U. S. Fish Commission.  
 2938. Halibut-gaff. M. W. Grant, Wellfleet, Mass.  
 32678. Halibut hand-gaff. Gloucester, Mass. G. Brown Goode.  
 32683. Halibut deck-gaff. " "  
 25935. Haddock hand-gaff. A. McCurdy, Gloucester, Mass.  
 29390. Haddock-gaff. M. W. Grant, Wellfleet, Mass.  
 25938. Codfish-gaff. Used in George's Bank fisheries. A. McCurdy, Gloucester, Mass.  
 25939. Dory cod-gaff. Used in shore fisheries. A. McCurdy, Gloucester, Mass.  
 27331. Hand-gaff. Used in halibut fisheries. A. McCurdy, Gloucester, Mass.  
 29389. Cod-gaff. M. W. Grant, Wellfleet, Mass.  
 26187. Gaff-hook. Indians of Northwest coast. J. G. Swan.  
 26680. Gaff-hook. Property of J. H. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Co.  
 32713. "Pew." Used in handling fish on wharves and decks. Capt. S. J. Martin, Gloucester, Mass.  
 32685. "Pew-gaff." Used in pitching fish from dories to vessels. Gloucester, Mass. G. Brown Goode.  
 32730. Fish-fork (three tines, short handle). Gloucester, Mass. G. Brown Goode. Used in pitching fish in a dory, or from hold of vessel.  
 32691. Halibut-cutter's hook. Used by the "header" in decapitating halibut. Gloucester, Mass. G. Brown Goode.  
 32681. Fish-fork (two tines). Gloucester, Mass. G. Brown Goode.  
 32725. "Nape-boner" hook. Used in the preparation of boneless fish. Gloucester, Mass. G. Brown Goode.

#### Boat-hooks.

Arranged with "Accessories of fishing-boats," B. 48.

#### Rabbit and squirrel hooks, used by Indians.

—. Squirrel-hooks. Pi-Ute Indians. Southern Utah. J. W. Powell.

#### <sup>2</sup>Clam-hooks, hoes, and picks used in gathering shell-fish.

---

<sup>1</sup>See exhibit of Navy Department.

<sup>2</sup>It is thought unnecessary to exhibit these familiar implements.

**Single-pointed hooks.**

<sup>1</sup>Forks used in handling salted and dried fish.

Whalemen's hooks.

Blubber-hooks.

25930. Blubber-hook. For hauling small pieces of blubber. E. B. & F. Macy. New Bedford, Mass.

26133. Blubber-hook. Aleut Eskimo. Nunivak Island, Alaska. W. H. Dall.

Blubber forks and pikes.

25615. Blubber-pike. Used for tossing blubber into try-kettle. Humphrey S. Kirby, New Bedford, Mass.

25617. Blubber-pike. From the storeroom of a returned whaler. Humphrey S. Kirby, New Bedford, Mass.

Junk-hooks, etc.

For hauling heavy pieces of blubber.

25616. Gaff-hook. Used to haul blubber across the deck from chopper to try-kettle. Humphrey S. Kirby, New Bedford, Mass.

25916. Junk-hook. E. B. & F. Macy, New Bedford, Mass.

<sup>2</sup>Lance-hooks.

**Many-pointed hooks.**

<sup>2</sup>Can-hooks.

<sup>3</sup>Grappling-irons.

Lip-hooks or grapnels, used by whalers.

25918. Whaler's grapnel. Used for towing whale to ship. E. B. & F. Macy, New Bedford, Mass.

Line-hooks, used by whalers.

25924. Whaler's line-hook for catching line, &c. E. B. & F. Macy, New Bedford, Mass.

Clam-rakes.

29466. Clam-hoe. Provincectown style. Wm. H. Hesbott, Provincectown, Mass.

29437. Hand-claw. Used for gathering "hen-clams" and "scallops." Wellfleet, Cape Cod, and coast of Maine. M. W. Grant, Wellfleet, Mass.

—. Clam-rake (model). Used in collecting the sea-clam (*Mactra solidissima*) on Nantucket Shoals. These clams are salted down and used as bait for eel, halibut, &c. See with model of Nantucket dory (26257).

<sup>1</sup>It is thought unnecessary to exhibit these familiar implements.

<sup>2</sup>Arranged with boat fittings.

<sup>3</sup>Arranged with the anchors.

**Many-pointed hooks.**

## Many-pointed fish-jigs.

29436. Mackerel-gaff. Used when the mackerel swim close in large shoals.  
M. W. Grant, Wellfleet, Mass.  
29441. Mackerel-bob. Used when the mackerel are close to the vessel and  
in large schools. Wm. H. Hesbott, Provincetown, Mass.

## Oulachan rakes or spears.

Used by Indians of the Northwest coast in the capture of the oulachan or  
candle-fish (*Osmorus pacificus*).

—. Oulachan rake or comb. Flathead Indians. J. G. Swan.

## Squid-jigs.

25848. Squid-jig. George P. Steel, Provincetown, Mass.  
25714. Squid-jig. " "  
25776. Squid-jig. Gloucester style. A. R. Crittenden, Middletown, Conn.  
29443. Squid-jig. Over fifty years old. Lemuel Cook, 2d. Provincetown,  
Mass.  
32721. Squid-jig. Capt. R. H. Hurlbert, Gloucester, Mass.  
32722. Squid-jig. " "  
25683. Squid-line and jig. Used in catching squid for bait. Bradford &  
Anthony, Boston, Mass.  
29447. Molds used in forming squid-jigs. John B. Parsons, Rockport, Mass.

**Twisting-rods** (used in drawing small mammals from their burrows).

—. Twisting-rod. Virginia.

**S. BARBED IMPLEMENTS.** (Those used with two motions, the first that  
of thrusting.)**Spears with fixed heads.**

## Barbed spears (with single point).

25594. Crab-spear, used about Newport, R. I. J. M. K. Southwick, New-  
port, R. I.  
25595. Flounder-spear. J. M. K. Southwick, Newport, R. I.  
—. "Conch" harpoon. Used by Bahamians and fishermen of Key West  
in the capture of large fish. Dr. J. W. Velle, Chicago, Ill.

## Eel-spears.

- . Eel-spear with six prongs for winter fishing. Lent by Bradford & An-  
THONY, Boston, Mass.  
25558. Eel-spear with ten prongs for winter fishing.  
25557. Eel-spear for summer fishing. "  
25556. Nine fish-spears.  
25224. Eel-spear, used in southern New England. U. S. Fish Commission.  
25347. New Bedford eel-spear. H. S. Kirby, New Bedford, Mass.  
25606. Eel-spear, Boston pattern. Used on Cape Cod. J. M. K. South-  
wick, Newport, R. I.

## **Spears with fixed heads.**

### Aboriginal fish-spears.

7420. Head of fish-spear. Eskimos. Fort Anderson, Arctic coast. R. McFarlane.  
 2675. Heads of fish-darts. Eskimos. Mackenzie's River district. R. McFarlane.  
 7514. Head of fish-spear, made of elk-horn. Eskimos. Northwest coast. Geo. Gibbs.  
 2322. Head of salmon-spear. Indians. Fort Crook, Oreg. Lieut. John Feiner, U. S. A.  
 2628. Fish-dart heads. Indians. Columbia River. U. S. Exploring Expedition. Capt. C. Wilkes, U. S. N.  
 1439. Lance-head of bone. Indians. New Mexico. Lieut. A. W. Whipple, U. S. A.  
 18933. Fish-spears. Sitka Indians. Sitka. J. G. Swan.  
 11429. Salmon-spears. Passamaquoddy Indians. Eastport, Me. E. Palmer.  
 10283. Salmon-spear. Eskimos. Igloolik. Capt. C. F. Hall.  
 2543. Fish-spear. Tschutsehi Indians. South Pacific Exploring Expedition. Capt. John Rodgers, U. S. N.  
 23518. Three-pronged spear. Northwest coast. J. G. Swan.

### Aboriginal bird and fish spears.

19517. Bird-spear. Eskimos. Greenland. Geo. Y. Nickerson.  
 10267. Bird-spear with throwing-stick. Arctic America. Smithsonian Institution.  
 15950. Fish-spear. Magemut Eskimos. Nunivak, Alaska. W. H. Dall.  
 11358. Fish or bird spear. Eskimos. Bristol Bay, Alaska. Vincent Colyer.  
 15689-90-91-93-94-95-96. Bird-spears. Eskimos. Nuvivak Islands, Alaska, W. H. Dall.  
 7973-7997. Fish and bird spears. Mushegay Indians. Alaska. Smithsonian Institution.

## **Spears with detachable heads.**

### Lily-irons.

25230. Sword-fish lily-iron. Capt. John B. Smith. U. S. Fish Commission.  
 25645. Sword-fish dart and socket, peculiar to New Bedford. A. R. Crittenden, Middletown, Conn.  
 32714. Sword-fish lily-iron. Adolph Voss, Gloucester, Mass.  
 32715. Sword-fish lily-iron. " "  
 25208. Swordfish-dart head. Wilcox, Crittenden & Co., Middletown, Conn.  
 —. "Turtle-peg" harpoon. Key West, Fla. Dr. J. W. Velie, Chicago, Ill.

### Eskimo harpoons of stone, bone, and iron.

14255. Iron harpoon-head, with line of walrus hide. Eskimos. Smith Sound. Capt. C. F. Hall.  
 10120. Harpoon-head, brass and iron. Eskimos. Victoria Harbor. Capt. C. F. Hall.  
 9838. Harpoon-heads of bone and iron. Eskimos. Northeast coast. S. F. Baird.

**Spears with detachable heads.**

Eskimo harpoons of stone, bone, and iron.

19522. Harpoon-head of stone and bone. Eskimos. Greenland. Geo. Y. Nickerson.
10136. Head of walrus-harpoon. Eskimos. Igloolik. Capt. C. F. Hall.
10400. Head of seal-harpoon. Eskimos. Igloolik. Capt. C. F. Hall.
10407. Bone harpoon-head. Eskimos. King William's Sound. Capt. C. F. Hall.
10404. Part of ancient Innuitt harpoon-head. Repulse Bay. Capt. C. F. Hall.
10273. Handle of whaling-harpoon made of bone and wood. Eskimos. Greenland. Smithsonian Institution.
19519. Handle of whaling-harpoon made of wood and bone. Eskimos. Greenland. Geo. Y. Nickerson.
10265. Whaling-harpoon. Eskimos. Northwest coast. Smithsonian Institution.
19518. Whaling-harpoon of recent manufacture, with head of bone and iron, handle of wood and iron, and seal-skin line. Eskimos. Greenland. Geo. Y. Nickerson.
565. Harpoon-head of bone and iron with walrus-hide line. Eskimos. Port Foulke. Dr. I. I. Hayes.
2186. Seal-harpoon head of bone and iron. Eskimos. Anderson River. R. McFarlane.
13140. Walrus-harpoon head of bone and iron, hide line. Innuitt Eskimos. Greenland. S. F. Baird.
19376. Bone harpoon-head with hide line. Eskimos. Alaska. Rev. James Curley.
11618. Seal-harpoon head of bone. Eskimos. Nnivak Islands, Alaska. W. H. Dall.
15631. Miniature model of seal-harpoon. Eskimos. Alaska. H. W. Elliott.
1678. Miniature model of seal-harpoon. Eskimos. Alaska. W. H. Dall.
- 16120-21-23-25, 5606-7621. Seal-harpoon heads of bone and iron. Eskimos. Nnivak Islands, Alaska. W. H. Dall.
15619. Harpoon-head of bone. Eskimos. Alaska. H. W. Elliott.
2674. Seal-harpoon heads of bone. Anderson River Eskimos. Fort Anderson. R. McFarlane.
- 2092, 2250, 2817, 3975, 5815, 7422, 7440. Seal-harpoon heads of bone and iron. Anderson River Eskimos. Mackenzie's Riverdistrict. R. McFarlane.
- . Indian harpoons of shell and iron. Whaling-harpoon, used by Makah Indians of Vancouver's Island and vicinity.
4131. Four models of whaling-harpoons, lines and throats. Makah Indians. Neah Bay, Wash. J. G. Swan.
1869. Head of whaling-harpoon, with line. Makah Indians. Cape Flattery, Wash. Geo. Suckley.  
This harpoon-head is made from the shell of a large species of *Mytilus*, and illustrates the methods of manufacture employed by Indians of the Northwest coast previous to the introduction of metal by the white man.
- 20896-7. Head of whaling-harpoon and line. Makah Indians. Sitka, Alaska. J. G. Swan.  
This harpoon-head is constructed of sheet-iron and shows the method now employed in the manufacture of the weapons. The rope and covers are made from the bark of *Thuja gigantea*.
828. Head of whaling-harpoon with line. Makah Indians. Neah Bay, Wash. Ter. J. G. Swan.

## **Spears with detachable heads.**

Eskimo harpoons of stone, bone, and iron.

- 1868. Head of whaling-harpoon with line. Makah Indians. Neah Bay, Wash. Ter. J. G. Swan.
- 26875-26825. Handles of whaling-harpoons. Makah Indians. J. G. Swan.
- 2530. Harpoon-darts. Eskimos. Alaska. North Pacific Exploring Expedition. Capt. John Rodgers.
- 16675. Harpoon-dart. Kotzebue Sound. W. H. Dall.
- 5775-6-7-9-80. Harpoon-darts. Sitka, Alaska. W. H. Howard, U. S. R. M.

## **Harpoon-spears.**

- 6564. Head of barbed fish-dart, made of native copper. Eskimos. Sitka, Alaska. Dr. T. T. Minor.
- 9083. Head of barbed fish-dart, made of native copper. Alaska. Lieut. F. W. Ring, U. S. N.
- 20653. Head of barbed fish-dart of native copper with line of twisted sinew. Alaska. Smithsonian Institution.
- 21413. Fish-spear with detachable barb. Hoochmou Indians. South Eel River, California. Stephen Powers.
- Double-pronged spears with detachable heads. McCloud River Indians, Shasta Co., Cal. Livingston Stone. These spears are used in the capture of the *Salmo quinnat*. The handles are thirty feet in length. The barbs are made from the splint bones of deer. See No. 13743, below.
- 19046. Fish-spear with detachable barbs. Cooyunn Pi-Ute Indians. Pyramid Lake, Nevada. Stephen Powers.
- 23522. Two-pronged spear with detachable barbs. Indians of Northwest coast. J. G. Swan.
- 26826. Handle of spear similar to 23522, but longer. J. G. Swan.
- 23520. Spear with many-barbed detachable head and kelp line. Indians of Northwest coast. J. G. Swan.
- 13743. Points for salmon-spear made of the splint bones of the deer. McCloud River Indians. Shasta Co., Cal. Livingston Stone.
- 650. Harpoon-arrows with iron tips. Indians. Cape Flattery, Wash. Ter. Geo. Gibbs.
- 21308. Wooden barbs for fish-harpoon. Indians. Hoopah Valley, Cal. Stephen Powers.
- 2249. Head of fish-harpoon. Eskimos. Anderson River. R. McFarlane.
- 11356. Harpoon-dart with bladder-float. Nashegay Indians. Alaska. Dr. T. T. Minor.

## **9. TONGS, &c.**

† *For hand-use.*

## **Tongs (with two handles).**

### **Oyster-tongs and oyster-rakes.**

- 26110. Oyster-tongs. S. Salisbury, Providence, R. I.
- 26109. Oyster-tongs. " " "
- 25205. Oyster-tongs. Wilcox, Crittenden & Co., Middletown, Conn.
- 29111. Oyster-nippers. S. Salisbury, Providence, R. I.

**"Nippers"** (with cord and handle).

Snake-tongs.  
Sponge-tongs.  
Coral-tongs.

† *For use with sounding-lines.*

**"Clamms"** for deep-sea soundings (forceps closed by a weight).<sup>1</sup>

(Ross' "deep-sea clamms."  
(Bull-dog sounding-machine.)

\*\*\* *Grasping-lines.*

## 10. NOOSES.

† *Stationary nooses.*

**Jerk-snares.**

Bird-snares.  
Fish-snares of wire, gut, hair, &c.

† *Thrown nooses.*

**Lariats and lassos.**

11344. Lariat of hide. Apache Indians. General M. C. Meigs, U. S. A.  
8534. Lariat of hide. Sioux Indians. Nebraska. Dr. S. M. Horton, U. S. A.  
1912. Lariat of hide. Sioux Indians. Upper Missouri River. Lieut. G. K. Warren.  
6920. Lariat of hide. Comanche Indians. Fort Cobb, Ind. T. E. Palmer.  
6921. Lariat of hide. Comanche Indians. Llano Estacado, Texas. E. Palmer.  
5559. Lariat of hide. Apache Indians. E. Palmer.  
7492. Lariat of moose-skin. Mackenzie River Indians. Fort Anderson. R. McFarlane.  
11296. Lariat of rope. Pi-Ute Indians. Southern Utah. Maj. J. W. Powell.  
5558. Lariat of buffalo-hair. Apache Indians. E. Palmer.  
7317. Lariat of buffalo-hair. Apache Indians. Maj. W. H. Mills, U. S. A.  
9034. Lariat of buffalo-hair. Nez Percé Indians. Idaho. Dr. E. Storror.  
6922. Lariat of buffalo-hair. Comanche Indians. Fort Cobb, Ind. Ter. E. Palmer.

## 11. LOADED LINES. (Bolas.)

**Bird-slings** (used by Eskimos).

19507. Bird-sling. Greenland. J. H. Clark. Smithsonian Institution.  
9831. Bird-sling. Greenland. S. P. Baird. " "  
7444. Bird-sling. McKenzie's River. Fort Anderson, H. B. T. R. McFarlane.  
9831. Bird-sling. Greenland. S. P. Baird.  
7537. Bird-sling. Arctic coast. Fort Anderson, H. B. T. B. R. Ross.

<sup>1</sup>See exhibit of Navy Department.

\*\*\*\**Entangling-lines.*

## 12. TANGLES.

The tangles are employed by naturalists for the purpose of gathering small spiny animals, such as sea-urchins and star-fishes, from the bottom at considerable depths. They adhere to the fibers of the spun-yarn in great numbers. It has been thought that this instrument might advantageously be employed in freeing oyster-beds from their worst enemies, the star-fish.

**Swab-tangles.**

Swab-tangles.

26844. Swab-tangle. U. S. Fish Commission.

(Dredge-tangles, used by English collectors.)

**Harrow-tangles.**

Harrow-tangles.

26845. Models of harrow-tangles. U. S. Fish Commission. Formerly used by the Fish Commission, now replaced by the wheel-tangles.

**Wheel-tangles.**

Wheel-tangles.

26846. Model of wheel-tangle. U. S. Fish Commission.

26848. Wheel-tangles. U. S. Fish Commission.

**III. MISSILES.**

\**Simple missiles (those propelled by the unaided arm).*

## 13. HURLED WEIGHTS.

**Stones and disks** (thrown by the hand).

**Weights** (dropped from an elevation, dead-falls, not automatic).

## 14. HURLED STICKS.

**Straight sticks.**

Clubs used as missiles.

**Curved sticks.**

Throw-sticks, used by the Moqui Indians of New Mexico in hunting rabbits.

9543-4. Throw-sticks. Used in rabbit-hunting by Moqui Indians. New Mexico. Dr. Edward Palmer.

## 15. HURLED SPEARS.

**Darts and lances.**

See under "Lances and spears," above enumerated, many of which may be used as missiles.

\* \* *Centrifugal missiles. (Propelling power augmented by an artificial increase of the length of the arm.)*

## 16. SLINGS AND SPEARS THROWN BY STRAPS.

**Slings.**

9532. Sling. Navajo Indians. Smithsonian Institution.

17234. Sling. Indians. " " "

**Spears (with straps).**

## 17. MISSILES PROPELLED BY "THROWING-STICKS."

**Spears (with throwing-sticks, used by Eskimos).**

See above under "Bird and fish spears," particularly No. 10267, a spear with throwing-stick attached.

7899. Throwing-stick. Eskimos. Aleutian Islands. Dr. T. T. Minor.

7933. Throwing-stick. Eskimos. Kodiak. " "

16076. Throwing-stick. Eskimos. Unalashka. W. H. Dall.

2533. Throwing-stick. Eskimos. Alaska. North Pacific Exploring Expedition. Capt. John Rodgers.

11346-47. Throwing-sticks. Yukon River, Alaska. Vincent Colyer.

15643. 1642-16243. Throwing-sticks. Eskimos. Nuvivak Islands. W. H. Dall.

2267. Throwing-stick. Eskimos. Smithsonian Institution.

3774. Throwing-stick. Eskimos. Sitka. W. A. Howard, U. S. R. M.

20771. Throwing-stick. Eskimos. Sitka. J. G. Swan.

\* \* \* *Missiles propelled by a spring.—(Spring consisting of bent rod.)*

## 18. BOWS AND ARROWS.

**Bows.**

Simple bows.

(Cross-bows.)

(Ballistus.)

These articles are arranged with the Ethnological series, as are also the arrows, with the exception of a few forms peculiarly adapted to hunting.

**Arrows.**

Hunting-arrows.

11350-54. Bird-arrows. Eskimos. Bristol Bay, Alaska. Vincent Colyer.

16410-11-12. Bird-arrows. Eskimos. Nuvivak Islands, Alaska. W. H. Dall.

**Arrows.**

## Hunting-arrows.

- 8827-28-29-30. Bird-arrows. Eskimos. Alaska? Smithsonian Institution.  
 5602. Bird-arrows. Yukon River, Alaska. W. H. Dall.  
 15654. Hunting-arrows. Kodiak Indians. Alaska. W. H. Dall.  
 16413-14-15. Hunting-arrows with heads of bone and iron. Eskimos. Nuvivak Islands, Alaska. W. H. Dall.  
 ——. Hunting-arrows with bone heads. Eskimos. Nuvivak Islands, Alaska. Vincent Colyer.

## Harpoon-arrows, used in fishing.

- 11348-52. Harpoon-arrows. Eskimos. Bristol Bay, Alaska. Vincent Colyer.  
 15677-15681-82. Harpoon-arrows. Eskimos. Nuvivak Islands, Alaska. W. H. Dall.  
 19379. Harpoon-arrow. Eskimos. Alaska. Rev. J. Curley.  
 8005-6-9. Harpoon-arrows. Eskimos. Nushegay Indians. Dr. T. T. Minor.

**Accessories of bows and arrows.**

- Holders.\*  
 Quivers.\*  
 Arrow-head pouches.\*

**Implements of manufacture.**

- Flint-chipping apparatus.\*  
 Arrow-head sharpeners.\*  
 Shaft-gauges.\*  
 Cord-twisting apparatus.\*  
 Shaft-polishers.\*  
 Glue-sticks, used in fastening head of arrow.\*

Arranged with the Ethnological series.

‡‡ *Spring consisting of elastic cord.*

19. INDIA-RUBBER SLINGS.

**Pea-shooters** (used in killing birds).

††† *Spring consisting of metallic helix.*

20. SPRING-GUNS.

**Spring-guns.**

\*\*\*\* *Missiles propelled by the compression of air or water.*

21. AIR-GUNS.

**Blow-guns** (missile propelled by the breath).

- Blow-guns carrying arrows.  
 Blow-guns carrying balls.

## Piston air-guns. Reservoir air-guns.

Air-guns.

29535. Bedford Eureka air-pistol, with darts, slugs, and gun-rest. (Patented Dec. 21, 1875.) Eureka Manufacturing Company, Boston, Mass.

Air-gun canes.

## 22. WATER-GUNS.

### Syringe-guns.

Humming-bird guns.

\*\*\*\* *Fire-arms.*

## 23. GUNS AND PISTOLS.

### Muzzle-loading arms.

26714. Flint-lock gun (single barrel) old fashion. Smithsonian Institution.

269. Single-barrel shot (?) gun.

Given by Lord Melville to Sir John Franklin, who used it on his unfortunate expeditions in 1820, 1821, and 1822, then given by Sir John to his interpreter, St. Germain, who sold it to Chief Factor Smith, of the Hudson Bay Co., who gave it to his son-in-law, Chief Factor McPherson, from whom it was obtained by B. R. Ross, of the Hudson Bay Co.

### Breech-loading arms.

25894. Six-shooting shot-gun. Colt's Fire-Arms Manufacturing Company, Hartford, Conn.

25895. Double-barreled breech-loading towling-piece. E. Remington & Sons, Ilion, N. Y.

25247. Double-barreled breech-loading towling-piece. Damascus steel. 12 gauge. Parker Bros., Meriden, Conn.

25250. Single-barreled breech-loading shot-gun. (Patented May 26, 1874. Phoenix calibre 12.) Whitney Arms Company, Whitneyville, Conn.

26574. Breech-loading gun. Clark & Schneider, Baltimore, Md.

26573. Breech-loading gun. " "

29533. The Schneider patent double-barrel breech-loading shot-gun. Clark & Schneider, Baltimore, Md.

29534. The Schneider double-barrel breech-loading shot-gun; solid tip grip. (Patented Dec. 22, 1868; April 7, 1874.) Clark & Schneider, Baltimore, Md.

25896. Creedmoor rifle. E. Remington & Sons, Ilion, N. Y.

- . Mid-range rifle. Peabody & Martin pattern (44 cal., 100 grs.), made by Providence Tool Co., Schnyler, Waltham & Graham, New York.

25890. Sporting-rifle. King's improvement. (Patented March 29, 1866; October 16, 1866. Model, 1873. Calibre .44.) Winchester Repeating Arms, New Haven, Conn.

22202. Sharpe's rifle. (Patented April 1, 1866.) Manufacturers.

- 29289-511. Maynard's rifle with appurtenances. (Pistol grip, vernier rear-sight. Front wind-gauge sight and spirit-level; 32 inches, .4 calibre.) Massachusetts Arms Company, Chicopee Falls, Mass.

## Breech-loading arms.

29299. Shot-barrel for Maynard's rifle; 32 inches, .64 calibre. Massachusetts Arms Company, Chicopee Falls, Mass.
25873. Six-shooting rifle; 44-inch calibre. Colt's Fire-Arms Manufacturing Company, Hartford, Conn.
25889. Carbine. King's improvement. (Patented March 29, 1866; October 16, 1860. Model 1873. Calibre .44.) Winchester Repeating Arms, New Haven, Conn.
25248. Breech-loading sporting-rifle. (Patented October 17, 1866. Reissued June 25, 1872; Dec. 26, 1865. Reissued Oct. 1, 1867; May 15, 1866; July 16, 1872.) Whitney Arms Company, Whitneyville, Conn.
25249. Breech-loading sporting-rifle. Phoenix calibre, 44. Whitney Arms Company, Whitneyville, Conn.
25892. Six-shooting revolver. 45 calibre. (Patented Sept. 19, 1871; July 2, 1872.) Colt's Fire-Arms Manufacturing Company, Hartford, Conn.

## Whaling-guns.

24986. C. C. Brand's improved whaling-gun. Patented June 22, 1852. For use with C. C. Brand's improved bomb-lance. 24987. Powder-flask with charger. 24988. Wad-cutter. 24989. Wad-cutter (inside). 24992. Prepared wads. 24990, 24991. Screw-drivers. C. C. Brand, Norwich, Conn.
- 24993-97. C. C. Brand's improved bomb-lance. Patented June 22, 1859. For use with C. C. Brand's improved whaling-gun. 24997. Exploded lance. 24998. Lance-hook (for drawing charge). C. C. Brand, Norwich, Conn.
25251. E. Pierce's harpoon-gun. Patented 1865. U. S. Fish Commission.
26897. Cunningham & Hogan's breech-loading bomb-gun, with explosive lances. William Lewis, New Bedford, Mass.

## 24. (ACCESSORY.) AMMUNITION AND ITS PREPARATION.

### Explosives.

Gunpowder.

Gun-cotton.

Percussion powder:

Caps.

Needle percussion.

Primers.

Wood powder.

Dynamite or giant-powder.

Nitroglycerine.

Dualine.

Lithofraeteur.

Colonia powder.

Other explosives.

For obvious reasons this series could not be exhibited.

**Missiles.**

Bullets.

(Accessory.) Bullet-molds.

29300. Pair of molds for conical and cylindrical bullets. Massachusetts Arms Company, Chicopee Falls, Mass.

Shot.

—. Series of samples of shot, sizes from No. 000 to No. 12. Thomas Sparks, Philadelphia, Pa.

Explosive bullets, shells, &c.:

Bomb-lancee.

**Wadding.**

Bulk wadding.

Prepared wads.

(Accessory.) Wad-cutters.

The articles of this class may be seen in connection with the ammunition series.

**Ammunition-measures.**

Measures.

Shot-measures. } Attached to pouches and separate.  
Powder-measures. }

16190. Powder-charger. Nunivak Islands, Alaska. W. H. Dall.

2689. Gun-charger. Indians of Northwest coast. Captain Wilkes, U. S. N. U. S. Exploring Expedition.

Weighing scales.

**Prepared ammunition.**

Ball, shot, and wire cartridges.

25891. Card of rim-fire cartridges. Winchester Repeating Arms, New Haven, Conn.

29304. Ten metallic cartridge-shells, .4, for rifle. Massachusetts Arms Company, Chicopee Falls, Mass.

29305. Ten metallic cartridge-shells, .64, for shot-guns. Massachusetts Arms Company, Chicopee Falls, Mass.

**Methods of preparing cartridges.**

Loaders, crimpers, and cappers.

29303. Metallic loader for rifle-cartridge. Massachusetts Arms Company, Chicopee Falls, Mass.

**Methods of preparing cartridges.**

Loaders, crimpers, and cappers.

- 29302. Rosewood loader for shot-cartridge. Massachusetts Arms Company, Chicopee Falls, Mass.
- 29308. Two rosewood loading-blocks. Massachusetts Arms Company, Chicopee Falls, Mass.
- 25897. Cartridge-loading machine. E. Remington & Sons, Ilion, N. Y.
- 29306. Cartridge-epper. Massachusetts Arms Company, Chicopee Falls, Mass.

**25. ACCESSORIES OF LOADING, CLEANING, AND REPAIRING, SIGHTING,  
AND TESTING FIRE-ARMS.****Instruments for cleaning, loading, &c.**

Rammers.

Swabs.

Charge-drawers—"worms"—and other loading tools.

These may be seen attached to the various wrappers.

- 29307. Wrench and cap-picker. Massachusetts Arms Company, Chicopee Falls, Mass.
- 29311. Rod and tip for cloth, plain. Massachusetts Arms Company, Chicopee Falls, Mass.
- 29310. Jointed rod and brush. Massachusetts Arms Company, Chicopee Falls, Mass.
- 29309. Screw-driver. Massachusetts Arms Company, Chicopee Falls, Mass.
- 7525. Gun-screw-driver. Apache Indians. Arizona. E. Palmer.
- 26695. Loading-tools. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26696. Closer. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 29251. Oil-bottle, nickel (No. 1). Edwin W. Judge, New Haven, Conn.
- 29252. Oil-bottle, nickel (No. 2). " "
- 26698. Oil-can. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

**Sights, &c.**

Muzzle-sights.

Slit-sights.

Globe-sights.

Peep-sights.

Breech-sights.

Plain-sights.

Graduating-sights.

Telescope-sights.

Levels, attached to guns.

Wind-gauges.

These may be seen attached to the guns.

**Recoil-checks.**

25700. William D. Miller's patent recoil-check for shot-guns and rifles.  
(Patented Nov. 2, 1875, No. 52.) A. J. Norman, New York.  
Advantages claimed for this arrangement are that it repels and neutralizes the recoil, permits steadier aim, and insures increased range and greater penetration.

**26. FOR CARRYING ARMS AND AMMUNITION.****Ammunition-holders.**

Powder-horns:

- Horns.  
Flasks.  
Canisters.

1910. Powder-horn. Sioux Indians. Upper Missouri River. Lieut. G. K. Warren, U. S. A.  
1472. Powder-horn. Comanche Indians. General D. N. Couch, U. S. A.  
16309. Powder-horn. Sitka, Alaska. W. H. Dall.  
1909. Powder-horn and pouch. (Containing bullets, gun-flints, and arrow-points.) Sioux Indians. Upper Missouri River. Lieut. G. K. Warren, U. S. A.  
5520. Powder-horn. Papago and Apache Indians. E. Palmer.  
21672. Powder-horn and pouch. Yankton Sioux. Dakota. Army Medical Museum. Dr. J. T. Bougher.  
26706. Cartridge-box. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.  
26703. Cartridge-flask. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.  
7313. Powder-flask. Apache Indians. Major Mills, U. S. A.  
13035. Powder-flask. Alien Eskimos. Ounalashka. W. H. Dall.  
16099. Powder-flask. Magemut Eskimos. Nunivak Islands, Alaska. W. H. Dall.  
9290. Powder-flask. Alaska. Dr. A. H. Hoff, U. S. A.  
5184. Powder-flask. Porterre Indians. Dr. J. T. Rothrock, U. S. A.  
16292. Powder-flask. Kodiak Eskimos. Chirikoff. W. H. Dall.

**Shot and bullet holders.**

Pouches.

- . Shot-pouch. Found in old house, Saint Regis, N. Y. R. B. Hough.  
20673. Shot-pouch. Indians of the Northwest coast. Fort Simpson, B. C. J. G. Swan.  
9641. Bullet-ponch. Navajo Indians. E. Palmer.  
11077. Bullet-ponch. Navajo Indians. Northwestern New Mexico. Vincent Colyer.  
2112. Bullet-ponch. Indians of Upper Missouri. War Department, U. S. A.  
6199. Bullet-pouch and belt. Delaware Indians. Arizona. E. Palmer.  
2470. Bullet-pouch and belt. Indians of Missouri Valley. War Department, U. S. A.  
5432. Bullet-pouch and belt. J. Varden.  
26699. Ball-box. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.  
1935. Bullet-ponch and belt. Indian.

**Shot and bullet holders.**

Cap-holders.

5525. Cap-case. Apache Indians. Arizona. E. Palmer.

26697. Cap-box. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

Pouches.

Boxes.

Cap-straps, used by Indians.

Cartridge-holders:

Pouches.

Boxes.

Belts.

Vests.

**Weapon-holders.**

Slings for arms:

Shoulder-slings.

Saddle-slings.

Holsters.

Belts:

Pistol-belts.

Racks and cases:

Gun-racks.

Gun-cases.

8546. Gun-case. Indians. Ogalalla, Nebr. Dr. S. M. Horton, U. S. A.

14849. Gun-case. Indian. Colorado. Maj. J. W. Powell.

26705. Gun-case. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest and Stream Publishing Company.

26704. Gun-case. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest and Stream Publishing Company.

**IV. BAITED HOOKS. ANGLING-TACKLE.****27. HOOKS WITH MOVABLE LINES.****Tackle for surface-fishing.**

Fly-fishing tackle.

Salmon-tackle.

Trout-tackle.

Black-bass tackle.

Shad-tackle.

**Tackle for surface-fishing.**

Trolling-tackle:

    Trolling-tackle.

    Whifling-tackle.

    Drailing-tackle.

    Gangs of hooks for minnow-bait.

The parts of these gears may be seen in their proper places, with hooks, lines, &c.

26683. Minnow-gang. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest and Stream Publishing Company.

Surf-tackle for throwing and hauling.

    Striped-bass tackle.

    Red-fish or bass tackle.

    Blue-fish tackle.

    Tide-drailing tackle.

    Pasque and Cuttyhunk bass-tackle.

24808-9. Blue-fish line. Rigged with eel-skin squids. J. M. K. Southwick, Newport, R. I.

24802-7. Blue-fish lines. Rigged with cloth squid. Block Island. J. M. K. Southwick, Newport, R. I.

**Tackle for fishing below the surface.**

Short hand-gear.

25681. Mackerel-lines and cleats. Bradford & Anthony, Boston, Mass.

25940. Mackerel hook and line. A. McCurdy.

29293. "Otter," with line and flies attached. Used in lake and river fishing. William Morris, Lake City, Minn.

19047. Throw-line with minnow-hooks. Cooynwee Pi-Utes. Pyramid Lake, Nevada. Stephen Powers.

Deep-sea gear.

25786. Hand-line gear for halibut and cod. Used in George's Banks fisheries. Alexander McCurdy, East Gloucester, Mass.

25687. Gear, used by American fishermen on George's Banks. Bradford & Anthony, Boston, Mass.

29471. Hand-line gear. Used in George's Banks cod and halibut fisheries. A. McCurdy, East Gloucester, Mass.

29183. Cod-fishing gear. Used from 1812-1830. Lemuel Cook, 2d, Province town, Mass.

25686. Cod hand-line and gear. Used chiefly on Western and Grand Banks of Newfoundland. Bradford & Anthony, Boston, Mass.

25685. Pollock line and gear. Bradford & Anthony, Boston, Mass.

24810-11. Rigged tantog-lines. J. M. K. Southwick, Newport, R. I.

25685. Lines. Rigged for pond-fishing. Wm. M. Young, Philadelphia, Pa.

1140. Halibut-hook, with kelp line. Makah Indians. Puget Sound. W. T. J. G. Swan.

**Tackle for fishing below the surface.**

Deep-sea gear:

Flounder-gear.

Shark-gear.

Other bottom-gear.

Bobs:

Eel-bobs.

## 28. HOOKS, WITH STATIONARY LINES.—SET TACKLE.

**Surface lines.**

Spilliards, or floating-trawl lines.

**Bottom-set lines.**

Trawl-lines, or bull-tows.

25688. Model of codfish-trawl, used by American fishermen on Western and Grand Banks of Newfoundland. Buoys, scale of one-sixth; anchors, scale of one-fifteenth. Bradford & Anthony, Boston, Mass.
29469. Section (one-fifth) of trawl-line. Used in George's Banks codfisheries. A. R. Crittenden, Middletown, Conn.
6560. Trawl-line and hooks. Indians of Vancouver's Island. Dr. T. T. Minor.
32705. One section or "skate" of a halibut trawl-line with (No. 32706) inner buoy with flag, (No. 32707) outer buoy with "black-ball," (No. 32708) buoy-line, and (No. 32709) anchor. Capt. Jos. W. Collins and Philip Merchant, Gloucester, Mass.

## Set-traps.

25562. Pickerel-traps. With lines and flags for fishing through the ice. Bradford & Anthony, Boston, Mass.
25563. Set of implements for smelt-fishing through the ice.
25667. Fishing-bows. W. M. Young, Philadelphia, Pa.

## 29. (ACCESSORY.) PARTS AND ACCESSORIES OF ANGLING-APPARATUS AND OF HARPOON AND SEINE LINES.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## Plain hooks.

25682. The ten processes through which American hand-made fish-hooks pass from the wire to the finished hook. Made entirely by hand-labor in the factory of J. W. Court, Brooklyn, N. Y. Bradford & Anthony, Boston, Mass.
25524. Double-refined, cast-steel, tapered point; Virginia hooks, flattened, Nos. 10 to 1 and 1-0 to 3-0. American Needle and Fish-Hook Company, New Haven, Conn.
25535. Superfine cast-steel blackfish-hooks, japanned, flattened, Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## Plain hooks.

25536. Eel-hooks, No. 6. American Needle and Fish-Hook Company, New Haven, Conn.
25640. Halibut-hooks, ringed; Nos. 1 to 3. American Needle and Fish-Hook Company, New Haven, Conn.
25528. Cast-steel Kirby sea fish-hooks, flattened; Nos. 1 to 12. American Needle and Fish-Hook Company, New Haven, Conn.
25530. Cast-steel Kirby sea fish-hooks, ringed; Nos. 1 to 12.
25529. Superior cast-steel Kirby sea fish-hooks, galvanized, flattened; Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.
25522. Double-refined cast-steel Kirby river and trout fish-hooks, ringed; Nos. 1 to 12 and 1-00 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
25523. Kirby river and trout fish-hooks, flattened, extra superfine; Nos. 1 to 12 and 1-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
25519. Superfine spring steel Kirby salmon, flattened; Nos. 12 to 3-0. American Needle and Fish-Hook Company, New Haven, Conn.
25520. Carlisle trout-hooks, flattened; Nos. 12-20. American Needle and Fish-Hook Company, New Haven, Conn.
25521. Carlisle trout-hooks, ringed; Nos. 8 to 3-0. American Needle and Fish-Hook Company, New Haven, Conn.
25516. Superfine east-steel Limerick salmon, flattened; Nos. 1-0 to 12 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
25517. Superfine east-steel Limerick salmon, ringed; Nos. 1-0 to 9 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
25514. Double-refined east-steel Limerick river and trout fish-hooks (spear-points, flattened); Nos. 1-0 to 12 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
25515. Double-refined east-steel Limerick river and trout fish-hooks (spear-head points, flattened, shanks ringed); Nos. 1-0 to 12 and 2-0 to 10-0. American Needle and Fish-Hook Company, New Haven, Conn.
25518. Extra spring-steel Aberdeen trout-hooks, flattened; Nos. 8 to 4-0. American Needle and Fish-Hook Company, New Haven, Conn.
25525. Superfine spring-steel Kinsey trout-hooks, flattened; Nos. 6 to 16. American Needle and Fish-Hook Company, New Haven, Conn.
25501. Superfine steel Kinsey trout-hooks, ringed; Nos. 10 to 16. American Needle and Fish-Hook Company, New Haven, Conn.
25534. Cast-steel drop-point mackerel-hooks, large and small wire, flattened; Nos. 1 A to 5 A, and 2 B to 4 B. American Needle and Fish-Hook Company, New Haven, Conn.
25527. Superfine east-steel J. P. cod-hooks, ringed; Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.
25526. Superfine east-steel J. P. cod-hooks, flattened; Nos. 1 to 8. American Needle and Fish-Hook Company, New Haven, Conn.
25532. Central-draught codfish-hooks, eyed; Nos. 10 to 17. American Needle and Fish-Hook Company, New Haven, Conn.
25533. Double-refined east-steel, original, central-draught cod or mackerel hooks, ringed; Nos. 12 to 20. American Needle and Fish-Hook Company, New Haven, Conn.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## Plain hooks.

25531. Double-refined east-steel, original, central-draught eel or mackerel hooks, flattened. American Needle and Fish-Hook Company, New Haven, Conn.
25601. Cod-hooks. Used when fish rise to the surface. J. M. K. Southwick, Newport, R. I.
25538. Shark-hooks. Bradford & Anthony, Boston, Mass.
29465. Shark-hooks. M. W. Grant, Wellfleet, Mass.
25648. Shark-hook. (Extraordinary.) A. R. Crittenden, Middletown, Conn.
29464. Ground-shark hook. Style used forty years ago. Elisha Cook, Provincetown, Mass.
25602. Dog-fish hook with chain. Used at Newport, R. I. J. M. K. Southwick, Newport, R. I.
25641. Dog-fish hooks, ringed. American Needle and Fish-Hook Company, New Haven, Conn.
29467. Horse-mackerel hook. John Thomas, Belfast, Me.
29505. Hooks, probably lost by a French fishing-vessel. Found on St. George's Banks on a piece of trawl; fished up by Geo. H. Lewis, Provincetown, Mass.
32732. French cod-hooks; taken from codfish on Jeffries Ledge. Capt. James Tarr, Gloucester, Mass.
32731. French cod-hook; taken from codfish in Salvages' Shoals, Cape Ann, in 1856. Capt. James Tarr, Gloucester, Mass.
20654. Wooden fish-hooks. Indians of Northwest coast. Bella Bella, B. C. J. G. Swan.
- . Fish-hooks. Indians of Northwest coast of America. Straits of Fuca, Puget Sound. U. S. Exploring Expedition.
1051. Fish-hooks. Puget Sound. George Gibbs.
9765. Fish-hook. Wallapai Indians. E. Palmer.
5583. Fish-hook of wood and bone. Gens des Fous Indians. Yukon River, Alaska. W. H. Dall.
9807. Fish-hook and line. Chilkah Indian. Alaska. Lieut. F. W. Ring, U. S. A.
5590. Fish-hooks and sinkers. Premorska Indians. St. Michael's, Alaska. W. H. Dall.
19064. Fish-hooks. Cooyuwee Pi-Ute Indians. Pyramid Lake, Nev. Stephen Powers.
20651. Fish-hook. Bella Bella, B. C. J. G. Swan. Indian make.
9270. Halibut-hook. Alaska. Dr. Hoff, U. S. A. " "
- . Halibut-hook. Sitka, Alaska. J. G. Swan. " "
- 9103-4. Halibut-hooks. Alaska. Lieut. F. W. Ring, U. S. A. " "
1141. Butt-end of hemlock limb for making halibut-hook. Makah Indians. Puget Sound, W. T. J. G. Swan.
16346. Halibut-hooks. Yakutat Eskimo. W. H. Dall.
2630. Fish-hook. Northwest coast of America. Capt. Chas. Wilkes, U. S. N. U. S. Exploring Expedition.
1324. Hooks and lines. Eskimo. Anderson River. C. P. Gaudet.
1989. Fish-hook. Arctic America. B. R. Ross.
5118. Fish-hook. Anderson River Eskimos. Mackenzie's River district. R. Kennicott.
5116. Fish-hook. Fort Anderson Eskimos. Mackenzie's River district. R. MacFarlane.
26822. Fish-line of kelp (*Nereocystis*), fish-hook, and bladder buoy. Makah Indians. Neah Bay. J. G. Swan.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## Plain hooks.

9807. Fishing line and hook. Chilkahit Indians. Alaska. Lent, F. W. Ring, U. S. A.
15630. Bone fish-hook with whalebone snood. Alaska. H. W. Elliott.
16315. Fish-hook. Sitka. W. H. Dall.
652. Halibut-hooks. Indians of Northwest coast of America. George Gibbs.
20356. Halibut-hooks. Indians of Fort Simpson, B. C. J. G. Swan.
15635. Fish-hooks. Eskimos. Poonook, Alaska. H. W. Elliott.
10142. Fish-hooks. Eskimos. Victoria Harbor. Capt. C. F. Hall.
14280. Fish-hooks. Neah Bay, W. T. James G. Swan.
16116. Bone hook. Magemut Eskimos. Numinak, Alaska. W. H. Dall.
16311. Fish-hooks. Numinak Islands, Alaska. W. H. Dall.
1051. Fish-hooks. Capt. Chas. Wilkes, U. S. N. U. S. Exploring Expedition.
10219. Codfish-hook. Eskimos. Coast of Greenland. Capt. C. F. Hall.
- 2191-92. Fish-hooks of stone, bone, and iron. Fort Anderson Eskimos. Mackenzie's River district. R. Kennicott.
- 2093, 2248. Fish-hooks of bone and iron. Anderson River Eskimos. R. MacFarlane.
- 16311-12. Bone hooks and line spreaders. Thlinket Eskimos. Sitka, Alaska. W. H. Dall.
- 5118-7441. Hooks of bone and iron. Mackenzie's River Eskimos. R. MacFarlane.
32660. Smelt-spreader and hooks. Gloucester, Mass. G. Brown Goode.

## Jigs and drails.

29448. Bass and bluefish drail. Elisha Cook, Provincetown, Mass.
29425. Bluefish-drail. Provincetown style. Lemuel Cook, 2d, Provincetown, Mass.
25555. Bluefish-drails. Bradford & Anthony, Boston, Mass.
29485. Bluefish-drail. Used in Wellfleet, Mass., about 1830. Newell B. Rich, Wellfleet, Mass.
25555. Bluefish-drails. Bradford & Anthony, Boston, Mass.
- . Bluefish-hooks. Collected by A. R. Crittenden, Middletown, Conn.
25550. Bluefish-drail. Bradford & Anthony, Boston, Mass.
25771. Bluefish-drails. (Made in the form of a squid and very killing.) Peculiar to Provincetown, Mass. Coleman Cook, Provincetown, Mass.
25553. Bluefish-drail. Wm. H. Young, Brooklyn, N. Y.
25639. Bluefish-drail. Peculiar to Hyannis, Mass. Freeman Hallett, Hyannis, Mass.
25671. Bluefish-drail. Peculiar to Chatham, Mass. Sanford Freeman, Norwichtown, Mass.
- 25671 (?) Bluefish-drail. J. H. Bartlett & Sons, New Bedford, Mass.
25537. Series of hollow bone bluefish-squids. Nos. 1 to 3. American Needle and Fish-Hook Company, New Haven, Conn.
25668. Bluefish-drail. Peculiar to Harwichport, Mass. Sanford Freeman, Norwichtown, Mass.
25708. Bluefish-drail. Central Wharf Company, Provincetown, Mass.
25508. Bluefish-drail. J. M. K. Southwick, Newport, R. I.
25670. Bluefish-drail. Made at sea from jaw-bone of sperm-whale (*Physeter macrocephalus*). J. H. Bartlett & Son, New Bedford, Mass.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

Jigs and drails.

- 25669. Bluefish-drail. Peenliar to Hyannis, Mass. Freeman Hallett, Hyannis, Mass. When used, covered with an eel-skin.
- 25600. Weak-fish jigs. Used in Newport, R. I. J. M. K. Southwick, Newport, R. I.
- 9078. Metallic squid. Indians. Alaska. Lieut. F. W. Ring, U. S. A.
- 32657. Cahoon's improved trolling-hooks. (Patented March 24, 1874.) Thomas J. Gifford & Co., New Bedford, Mass.
- 12496. Mackerel-jigs. Cape Ann. J. P. Nason, Rockport, Mass.
- 32658. Mackerel-jig. Gloucester, Mass. G. Brown Goode.
- 29479. Mackerel-jig. John B. Parsons, Rockport, Mass.
- 32734. Mackerel-jigs. Used thirty years ago. A. McCurdy, Gloucester, Mass.
- 25599. Mackerel-jigs. J. M. K. Southwick, Newport, R. I.
- 25941. Mackerel-jigs. Used about the year 1840. Capt. Edward L. Rowe, Gloucester, Mass.
- 12495. Soapstone "jig" molds, No. 1. (Patented March 15, 1870.) Cape Ann. J. P. Nason, Rockport, Mass.
- 25780. Soapstone mackerel-jig mold. Capt. E. L. Rowe, Gloucester, Mass.
- 25781-2. Wooden, lead-lined, mackerel-jig molds. "
- 25721. Mackerel-jig mold. (Patented March 15, 1870; J. P. Nason, No. 2.) Central Wharf Company, Provincetown, Mass.
- 32656. Mackerel-jig mold. Gloucester, Mass. G. Brown Goode.
- 32654. Mackerel-jig ladle. " " "
- 32661. Mackerel-jig rasp. " " "
- 32662. Mackerel-jig file. " " "
- 32663. Pewter for use in manufacture of jigs. Gloucester, Mass. G. Brown Goode.
- 29461. Codfish "trip" and "fly-jig." Styles used fifty years ago. Lemuel Cook, 2d, Provincetown, Mass.
- 25601. Codfish jig-hook. Used when the fish rise from the bottom. Massachusetts. A. R. Crittenden, Middletown, Conn.

Spoon-baits, plain and fluted.

- 25550. Fluted spoons for pickerel, bass, and trout. Manufactured by G. M. Skinner, Gananoque, Ontario. Patented United States and Canada, 1874. Bradford & Anthony, Boston, Mass.
- 25550. Trolling-spoons. For bass and pickerel. Bradford & Anthony, Boston, Mass.
- 25555. Bluefish-spoons. Bradford & Anthony, Boston, Mass.
- 25550. Spinners. For pickerel, trout, and bass fishing. Bradford & Anthony, Boston, Mass.
- 25549. Spoon-baits. For bass, pickerel, pike, and trout fishing (nickel-plated). John H. Mann, Syracuse, N. Y.
- 25551. Spoon-baits. For bass, pike, pickerel, and trout (silver-plated). J. T. Buel, Whitehall, N. Y.
- 25552. Spoon-baits. For pike, pickerel, bass, trout, and bluefish. Wm. H. James, Brooklyn, N. Y.
- 25553. Spoon-baits. For pike, bass, pickerel, and trout fishing. Wm. H. James, Brooklyn, N. Y.
- 26793. Series of fluted trolling-spoons. D. M. Skinner, Gananoque, Ontario, Canada.
- 26685. Spoon-hooks. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## Spoon-baits, plain and fluted.

26390. Trout-spoon. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest and Stream Publishing Company.  
 25554. Spoon-baits. For pike, pickerel, bass, and trout. W. D. Chapman & Son, Theresa, N. Y.  
 25666. Pearl minnows. W. M. Young, Philadelphia, Pa.  
 25550. MacHarg's pearl spoons. For pickerel, trout, and bass. Bradford & Anthony, Boston, Mass.

## Artificial flies on hooks.

32735. Bass-flies. Sara J. McBride, Mumford, N. Y.  
 32736. Trout-flies. " "  
 26105. Salmon-flies. " "

32737. Artificial flies for salmon, trout, and bass. Bradford & Anthony, Boston, Mass.

NOTE.—For convenience this entire collection is provisionally entered under a single catalogue number.

- a. Peacock, with water-color sketch of original.  
 b. March Brown, with water-color sketch of original.

Body—Fur of the fox-squirrel's face ribbed over with olive silk. Tail—Two strands of brown feather of the wild mallard. Wings—from the side feather of the shoveller duck approaching the tail; the light yeast-colored feather is the best, and if nicely tied must be an excellent fly. Legs—A grizzled cock's hackle, wound twice or thrice at the shoulder. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; New England, hooks Nos. 4 and 5.

- c. Great Red Spinner, with water-color sketch of original.  
 d. Water-ericket, with water-color sketch of original.  
 e. Great Dark Drone, with water-color sketch of original.  
 f. Cow-dung.

Body—Yellow mohair mixed with a little dingy brown fur from the bear. Wings—from the quill-feather of the curlew or whimbrel. Legs—Of a ginger-colored cock's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hook No. 8; for New England, hook No. 6.

- g. Red Fly, with water-color sketch of original.

Body—The red part of squirrel's fur mixed with an equal quantity of claret mohair. Wings—The softest quill-feather of the pea-hen's wing. Legs—Claret-colored hackle; clip some of the upper fibers off that the wings may lie flat. For Pennsylvania, hook No. 6; for New York, hook No. 4; for New England, hook No. 3.

- h. Blue Dun, with water-color sketch of original.

Body—Fur of a gray squirrel spun very thinly on fine yellow silk. Tail—Two fibers of a dun hackle. Wings—from a quill-feather of the blue-jay. Legs—Two or three turns of a ginger-dun hackle at the shoulder helps to keep the wings upright. For Pennsylvania, hook No. 6; for New York, hook No. 5; for New England, hook No. 4.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

## i. Red Spinner, with water-color sketch of original.

Body—Bright brown silk ribbed, with fine gold twist. Tail—Two fibers of red cock's hackle. Wings—Upright from a mottled gray feather of the mallard stained a pale blue, the brighter in color the better. Legs—Plain red cock's hackle. For Pennsylvania, hook No. 6; for New York, hook No. 5; for New England, hook No. 4.

## j. Nicholson.

## k. Black Dog.

## l. Atkinson.

## m. Policeman.

## n. Claret Wasp.

## o. Blue Wasp.

## p. Wren-tail, with water-color sketch of original.

Body—Ginger-colored fur ribbed with gold twist. Wings—Feathers from a wren's tail; if these cannot be procured a small scapular feather of the woodcock makes a good imitation, and may be hackled with the same kind of feather. For Pennsylvania, hook No. 10; for New York, hook No. 8; for New England, hook No. 6.

## q. Red Ant, with water-color sketch of original.

Body—Peacock's herl tied with red-brown silk. Wings—From the quill-feather of the blue-jay. Legs—A small red cock's hackle.

## r. Silver Horns, with water-color sketch of original.

## s. Golden-dun Midge, with water-color sketch of original.

## t. Sand-fly, with water-color sketch of original.

Body—Of the sandy-colored fur from the rabbit's neck or from the fox-squirrel spun on silk of the same color. Wings—From the whimbrel wing made full. Legs—From a light-ginger feather from the neck of a hen. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

## u. Stone-fly, with water-color sketch of original.

Body—Fur of the gray squirrel, when it is shortest is best, mixed with a little yellow mohair, leaving yellow about the tail. Tail—A strand or two of brown mottled feathers, say of mallard. Wings—From the soft inside feather of the pea-hen's wing. Legs—Blue-dun cock's hackle. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

## v. Gravel-bed, with water-color sketch of original.

Body—Dark dun or lead-colored silk floss dressed very fine. Wings—From a covert-feather of the woodcock's wing. Legs—A black cock's hackle, rather long, wound twice only round the body. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

w. Grannum, with water-color sketch of original.

Body—Fur of a rabbit's face with a little fine green mohair worked in at the tail. Wings—From the inside wing-feather of a grouse. Legs—A pale ginger hen's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

x. Yellow Dun, with water-color sketch of original.

Body—Yellow mohair mixed with a little pale blue from a mouse or yellow floss silk with the least blue rabbit fur spun upon it. Wings—Upright, from the inside wing-feather of a mallard or summer duck. For Pennsylvania, hook No. 10; for New York, hook No. 8; for New England, hooks Nos. 5 and 6.

y. Iron-blue Dun, with water-color sketch of original.

z. Hawthorn, with water-color sketch of original.

Body—Black ostrich's head. Wings—From the quill-feather of the English snipe. Legs—A black cock's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

aa. Jenny Spinner, with water-color sketch of original.

ab. Dennison.

Body—Green floss silk ribbed with silver twist. Tail—Orange-tipped fibres of tippet, wood-duck, ibis, and green parrot. Legs—A golden yellow hackle. Wings—Of the following kinds: wood-duck, tippet, brown mallard, bustard, green parrot, blue and yellow macaw, with a few strands of red macaw; black ostrich head. Hooks Nos. 1, 2, and 3.

ac. Deacon.

Body—Bright yellow seal's fur ribbed with silver tinsel backed with gold twist. Tail—Sprigs of gray mallard and ibis. Legs—Bright yellow hackle. Wings—Strips of gray mallard dressed full; black ostrich head. Hooks Nos. 2 and 3.

ad. Montreal.

Body—Claret mohair ribbed with gold tinsel. Tail—Three of four fibres of scarlet ibis. Legs—Claret hackle. Wings—Brown turkey. Hooks Nos. 1, 2, and 3.

ae. Rangely.

Body—Dark claret mohair ribbed with gold tinsel. Tail—Fibres of wood-duck and ibis. Legs—Dark claret hackle. Wing—Strips of wood-duck mixed with sprigs of scarlet ibis. Hooks Nos. 1, 2, and 3.

af. Tinselled Ibis.

Body—Silver tinsel ribbed with gold twist. Tail—A slip of wood-duck mixed with ibis. Legs—A covert wing-feather of the ibis. Wings—Strips from the large covert-feather of the ibis (the wing may be varied, adding a slip of wood-duck on each side); black ostrich head. Hooks Nos. 1, 2, and 3.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## 32737. Artificial flies for salmon, trout, and bass—Continued.

## ag. Lake George.

Body—Gold twist ribbed with silver twist. Tail—A small China topping. Legs—A bright orange hackle with a shoulder of bright claret. Wings—Two tippet feathers mixed with argus pheasant, brown mallard; black ostrich head. Hooks Nos. 1, 2, and 3.

## ah. Chateaugay.

Body—Lemon-yellow floss ribbed with gold twist. Tail—A few fibres of brown mallard. Legs—A ginger-colored cock's hackle. Wings—Strips of shoveller duck mixed with fibres of argus pheasant.

## ai. Yellow Drake.

Body—Yellow mohair ribbed with silver twist. Tail—Three fibres of yellow macaw. Legs—Yellow hackle with two turns of ibis on shoulder. Wings—Strips of gray mallard; black ostrich head. Hook No. 3.

## aj. Richardson.

Body—A light-blue floss silk ribbed with silver twist. Tail—Three strands of brown mallard. Legs—Black cock's hackle. Wings—Strips of English blue-jay mixed with brown mallard. Hooks Nos. 3 and 4.

## ak. Anthony.

## al. Snow-fly.

## am. Captain.

## an. Combination.

Body—First half, yellow seal's fur; second half, red-claret seal ribbed with silver tinsel (the fur to be picked out). Tail—A few fibres of gray mallard mixed with ibis. Legs—A natural red hackle dipped in yellow dye. Wings—A piece of the same kind of hackle with pale ibis strips. On each side a piece of gray mallard sufficiently large to make the wing full; black ostrich head. Hooks Nos. 1, 2, and 3.

## ao. Silver Doctor.

Body—Silver tinsel ribbed with gold twist. Tail—China pheasant topping. Legs—A pale-blue hackle with a small teal or guinea-hen at the shoulder. Wings—Mixed fibres of wood-duck, brown mallard, guinea-hen, green parrot, blue macaw, teal, and bustard; black ostrich head. Hooks Nos. 2 and 3.

## ap. Prouty.

Body—First joint, silver twist; second, black ostrich with three turns of the twist over it. Tail—Orange floss with a turn or two of twist, a topping mixed with fibres of English blue-jay. Legs—A yellow dyed list hackle wound over the ostrich. Wings—Strips of white swan dyed yellow. One each side a rib of teal-feather, red macaw feelers; black ostrich head. Hooks Nos. 2 and 3.

## aq. Black Cricket.

## ar. Grasshopper.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

*as.* Great Blow.*at.* Cadis.*au.* Murray.

Black silk floss ribbed with silver twist. Tail—A small feather from the neck of the scarlet ibis. Legs—A golden yellow hackle. Wings—Dark mottled turkey; black ostrich head. Hooks Nos. 1 and 2.

*av.* Round Lake.*aw.* Nameless.

Body—Brown ostrich herl, ribbed with gold twist, tag orange floss. Tail—Two or three short sprigs of yellow macaw. Legs—A small sooty orange hackle, wound from tag to shoulder. Wings—Alternate strips of brown peacock-wing feather and shoveller duck, with a sprig or two of wood-duck; peacock herl head. Hooks Nos. 1, 2, and 3.

*ax.* Racquette.

Is made in two joints of black orange mohair with gold tinsel. Legs—A dyed black hackle wound from tail to head. Tail—Bright yellow toucan. Wings—A mixture of gold pheasant tail, argus, and teal. Hooks Nos. 1, 2, and 3.

*ay.* Priest.*az.* Francis Sykes.*ba.* Duke.*bb.* Dhoon.*bc.* Dustin.*bd.* Laselettes.*be.* Snitching Sandy.*bf.* Prouty.*bg.* Grace.*bh.* Powells.*bi.* Hawthorne.*bj.* Edmonson.*bk.* Whitcher.*bl.* Carshalton.*bm.* Professor.

Body—Yellow mohair or silk floss ribbed with silver twist or tinsel. Tail—Two or three strands of scarlet ibis-wing feathers. Wings—From the gray.

*bu.* Coughton.*bo.* Alder.*bp.* Channtry.*bq.* Kingdom.*br.* Hollan Fancy.*bs.* Coachman.

Body—Peacock's herl. Wings—From a white hen's wing-feather, or a pigeon-wing feather will answer the purpose. Legs—A red cock's hackle wound twice or thrice at the shoulder. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

*bt.* Willow.

*bu.* Prouty.

*bv.* Notion.

Body—First half gold twist, remainder brown mohair, with three turns of the twist over it. Tail—A topping mixed with blue kingfisher. Legs—Brown hackle. Wings—Two tippet feathers mixed with argus pheasant, brown mallard, teal, China pheasant-tail feathers, blue and yellow macaw, with a blue kingfisher on each side of the wing; black ostrich head. Hooks Nos. 2 and 3.

*bw.* Louise.

Body—Brown mohair ribbed with gold twist. Tail—China feather topping. Legs—Reddish brown hackle, blue-jay on shoulder. Wings—Pheasant tippet feather and tail mixed with sprigs of green parrot, blue macaw, and kingfisher. Head—Orange mohair. Hooks Nos. 1 and 2.

*bx.* Round Lake.

Body—Orange and red claret merging into each other, silver tinselled. Tail—Sprigs of gold pheasant tippet, blue macaw, and green parakeet. Legs—A claret hackle with a turn or two of orange on the shoulder. Wings—Two strips of brown turkey, with a small jungle-cock's feather on each side. Hooks Nos. 1, 2, and 3.

*by.* Nicholson.

*bz.* Our Pattern.

*ca.* Saranac.

Body—Claret floss silk ribbed with gold tinsel, backed with silver twist. Tail—China pheasant crest-feather. Legs—A claret hackle. Wings—Two China pheasant tippet feathers on either side, a strip or two of brown mallard and argus pheasant; black ostrich head. Hooks Nos. 1–0, 2, and 3.

*cb.* Long Tom of Long Lake.

Body—Gray squirrel mixed with a little green mohair ribbed with silver tinsel. Tail—China pheasant crest-feather. Legs—A blue dun cock's hackle; at shoulder two or three turns of bright claret hackle. Wings—Strips of brown mallard mixed with strands of summer duck, peacock-wing, and upper coverts of the wild turkey, red macaw feelers; black plush head. Hooks Nos. 1, 2, and 3.

*cc.* St. Regis.

Body—Cinnamon mohair ribbed with double gold twist. Tail—A strip of China pheasant tippet mixed with a few strands of bustard. Legs—A chestnut hackle with three turns or so of orange-dyed guinea-hen, small and short in the fibres. Wings—Strips of brown mallard, brown turkey, English pheasant tail, and China tippet; black ostrich head. Hooks Nos. 1 and 2.

**Hooks** (including a full series of unmouned hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

*cd.* No. 8.

Body—Three or four turns of mohair, rest of black mohair ribbed with silver tinsel and backed with gold twist. Tail—A small topping. Legs—A dyed black hackle and a shoulder of red claret. Wings—Mixed fibres of mallard, guinea-hen tail-feather over wing, two strips of dark turkey tipped with white. Hooks Nos. 2 and 3.

*cc.* Highlander.

*cf.* Lady of Merton.

Body—Water-rats fur ribbed with silver twist. Tail—A tip of common ostrich or mohair and a gold pheasant topping. Legs—Two or three turns of a small red hackle finished off with a black hackle. Wings—Strips of dark gray mallard. Head—Crimson ostrich or mohair. Hooks Nos. 1-0, 1, and 2.

*cg.* Toppy.

Body—Black mohair ribbed with silver tinsel. Tail—A topping tip crimson. Legs—A turn or two of red hackle, the rest black hackle. Wings—Black or brown turkey tipped with white. Head—Crimson. Hooks Nos. 1-0, 1, and 2.

*ch.* Sapper.

Body—Orange mohair ribbed with gold tinsel. Tail—Fibres of green parrot, guinea-hen, tippet feather, and ibis. Legs—Orange hackle, shoulder a dyed black hackle. Wings—Strips of peacock-wing feather, brown mallard, green parrot, guinea-hen, gold pheasant tail, blue macaw feelers; black ostrich head. Hooks Nos. 1-0 and 1.

*ci.* Stephens.

Body—Brick-colored, silk ribbed with gold twist and blue tip. Tail—Gold pheasant topping. Legs—Hackle, same color as body. Wings—Gold pheasant tippet and slight mixture of mallard; black ostrich head. Hooks No. 1.

*cj.* Jock Scott.

Body—in two joints, gold-colored floss the lowest, and black floss the upper; from the joint are tied two short toncan points, and over the butts of them at the joints two turns of black ostrich. Tail—one gold pheasant topping and one Indian crow feather. Legs—Black hackle over the black joint and speckled guinea-hen at the shoulder. Wings—a white tip turkey, slip in the middle fibres of bustard, teal, brown mallard, yellow, red, and green parrot, one topping over all; blue macaw feelers. A kingfisher on either cheek; black ostrich head. Hooks Nos. 1-0, 1, and 2.

*ck.* Whitcher.

Body—Black mohair ribbed with silver, tip yellow silk. Tail—Gold pheasant topping. Legs—Black hackle. Wings—A mixture of mallard and hooded merganser; black ostrich head. Hooks Nos. 1 and 2.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

## 32737. Artificial flies for salmon, trout, and bass—Continued.

*ct.* Nicholson.

Body—Blood-red mohair ribbed with gold tinsel. Tail—Sprigs of mallard and pheasant tippet feather. Legs—A blood-red and a dark-blue hackle wound on together. Wings—Brown mallard and blue macaw feelers; black ostrich head. Hooks Nos. 1 and 2.

*cm.* Caribou.

Body—Tip gold tinsel, tag golden-yellow silk, next a black silk joint, the rest of gray caribou. Legs—Gray hackle with a claret on the shoulder. Tail—Gold pheasant topping. Wings—Turkey and mallard with sprigs of macaw and pheasant tippet feather; black ostrich head. Hooks Nos. 1-0, and 1.

*cn.* Moose.

Body—Yellow floss ribbed with silver tinsel. Tail—A China pheasant topping. Legs—A yellow hackle; shoulder hackle a guinea-hen. Wings—Two tippet feathers of the China pheasant with fibres of mallard wood-duck on each side; black ostrich head. Hooks Nos. 1, 2, and 3.

*co.* Moosehead.

Body—Deep claret mohair ribbed with gold twist. Tail—A topping. Legs—A claret hackle with three turns of orange hackle at the shoulder. Wings—Strips of brown mallard and tippet feather with red macaw feelers; black ostrich head. Hooks Nos. 1, 2, and 3.

*cp.* Fiery-brown.

Body—Fiery brown mohair ribbed with gold tinsel. Tail—A small topping mixed with wood-duck. Legs—A brown-red hackle. Wings—Brown mallard with a little wood-duck and golden pheasant neck-feather mixed; black head. Hooks Nos. 1, 2, and 3.

*eq.* Parson.*er.* Gold Wing.*es.* Gold Mallard.*et.* Kircudbrightshire.*cu.* Eagle.*cr.* Tartan.*cv.* Last Fly.*cx.* Atkinson.*ey.* Strachan.*ez.* Parson.

Body—Black mohair tipped with orange and ribbed with silver twist. Tail—A small topping. Legs—A black hackle. Wings—Brown turkey-tail; black head. Hooks Nos. 2 and 3.

*da.* Ross.

Body—Cinnamon-colored floss ribbed with gold twist. Tail—Sprigs of green parrot. Legs—A furnace hackle. Wings—Brown mallard mixed with peacock herl; black ostrich head. Hooks Nos. 1-0 and 1.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

- db.* Forsyth.
- dc.* Chamberlin.
- dd.* Green.
- de.* Whiteher.
- df.* Langrin.
- dg.* Emmet.
- dh.* Captain.
- di.* Major.
- dj.* Darling.
- dk.* Durham Ranger.
- dl.* Goldfinch.
- dm.* Britannia.
- dn.* Popham.
- do.* White Tip.
- dp.* White Wing.
- dq.* Drake Wing.
- dr.* Dun Wing.
- ds.* Black and Yellow.
- dt.* Blue Doctor.
- du.* Kate.
- dv.* Ruggles.

*dw.* Little yellow May Dun, with water-color sketch of original.  
*dx.* Oak Fly, with water-color sketch of original.

Body—Orange floss silk ribbed with ash-colored silk thread or a little floss, the ash-color to be shown well at the tail and shoulders. Wings—From a scapular feather of the woodcock. Legs—A furnace hackle or red cock's hackle with a black list up the middle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

*dy.* Black Gnat, with water-color sketch of original.

Body—Black ostrich herl. Wings—From the quill-feather of the rice-bird or grackle. Legs—Black hackle. For Pennsylvania, hooks Nos. 10 to 12; for New York, hooks Nos. 8 to 10; for New England, hook No. 8.

*dz.* Fern Fly, with water-color sketch of original.

Body—Orange floss silk. Wings—From the quill-feather of the summer-duck wing; the smaller-sized hooks can be dressed from the wing-feather of the blue-jay. Legs—A red cock's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

*ea.* Yellow Sally, with water-color sketch of original.

Body—Any yellowish fur ribbed with yellow or apple-green silk. Wings—From a wing-feather of a white hen or white pigeon stained pale yellow. Legs—A white cock's hackle stained in the same dye. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for salmon, trout, and bass—Continued.

*eb.* Alder Fly, with water-color sketch of original.

Body—Peacock's herl. Wings—From a feather of a brown hen's wing. Legs—A red cock's hackle or a black cock's haekle will answer tolerably well. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 5 and 6; for New England, hooks Nos. 4 and 5.

*ee.* Sky Blue, with water-color sketch of original.

*ed.* Little dark Spinner, with water-color sketch of original.

*ee.* Turkey Brown, with water-color sketch of original.

*ef.* Magalloway.

Body—Half black ostrich and half brown mohair ribbed with gold twist.

Tail—Short fibers of yellow macaw. Legs—A furnace hackle of the shoulder. Wings—Strips of brown quill-feathers of the peacock; black ostrich head. Hook No. 3.

*eg.* Bemis Stream.

Body—Chestnut mohair ribbed with gold tinsel. Tail—China pheasant topping. Legs—A chestnut hackle. Wings—Strips of brown peacock mixed with bustard. Hooks Nos. 1 and 2.

*eh.* Moosecloemaguntieck.

Body—About equal parts mixed of gray squirrel's fur and pea-green mohair ribbed with gold twist. Tail—Four strands of argus feathers. Legs—A brown bittern hackle. Wings—Gray speckled turkey, white tipped (dye yellow), with a strip of argus feather on each side; green ostrich head. Hook No. 1.

*ei.* Molechunkemunk.

Body—Orange floss silk ribbed with gold tinsel, backed with silver twist. Tail—China pheasant topping. Legs—A furnace hackle. Wings—Brown mallard; black ostrich head.

*ej.* Willow Finch.

Body—Yellow seal's fur ribbed with silver twist. Tail—Sprigs of tippe feathers mixed with yellow macaw. Legs—A yellow hackle, at the shoulder a small guinea-hen stained yellow. Wings—Strips of swan feather dyed yellow with a spray of guinea-hen (tail-feather) dyed yellow; black ostrich head. Hooks Nos. 1, 2, and 3.

*ek.* Oquassac.

Body—Red claret mohair ribbed with pink floss. Tail—Yellow tag with pieces of argus and tippe feathers. Legs—A claret hackle. Wings—Strips from the quill-feather of the argus pheasant; black ostrich head. Hooks Nos. 1—0 and 1.

*el.* Welokennebago.

Body—Red pig's hair ribbed with broad gold tinsel, backed with silver twist. Tail—A mixture of black turkey tipped with white and scarlet ibis. Legs—Scarlet hackle. Wings—Fibers of red macaw mixed with strips of black and brown turkey tipped with white; black ostrich head.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for trout, salmon, and bass—Continued.

*em.* Capsuptue.

Body—Silver tinsel ribbed with gold twist. Tail—Fibers of China pheasant tail mixed with guinea-hen and red macaw. Legs—A brilliant scarlet hackle. Wings—Mixed and to be made full. Two strips of brown turkey tipped with white-brown mallard, China pheasant tail and guinea-hen; black ostrich head. Hooks Nos. 1-0, 1, and 2.

*en.* Orange Grouse.*eo.* Thunder and Lightning.*ep.* Lough Gill.*cq.* Lillie.*er.* Black Ant.*es.* Blue Blow.*et.* Mare.*eu.* Hare's Ear.*ev.* Ibis.*ew.* Seth Green.*ex.* Red Creeper.*ey.* Turkey Brown.*ez.* Queen of the Waters.*fa.* Governor.*fb.* White Miller.*fc.* Lion.*fd.* Water-witch.*fe.* Atkinson.*ff.* Our Own Pattern.*fg.* Green Drake, with water-color sketch of original.

Body—Pale straw-colored floss silk ribbed with brown silk thread or floss; the extremities are of brown peacock's herl. Tail—Three rabbit's whiskers. Wings—Made from a mottled feather of mallard stained a pale yellowish-green. Legs—A grizzled cock's hackle stained a yellowish-green in the same dye. For Pennsylvania, hooks Nos. 6 to 8; for New York, hooks Nos. 4 to 6; for New England, hooks Nos. 3 and 4.

*fh.* Gray Drake, with water-color sketch of original.

Body—The middle part of white floss silk ribbed with silver twist; the extremities of brown peacock's herl. Tail—Three rabbit's whiskers. Wings—Made from a gray mottled feather of the mallard. Size of hooks same as green drake.

*fi.* Orange Dun, with water-color sketch of original.

This fly is equally attractive to trout, and is a prime favorite in its day—the end of June, July, and August. Body—Dark orange silk. Tail—Two fibers of brown mallard feather. Wings—from the quill-feather of the large red-crowned woodpecker. For Pennsylvania, hooks Nos. 6 to 8; for New York, hook No. 6; for New England, hooks Nos. 5 and 6.

*ff.* Green Mackerel, with water-color sketch of original.*fk.* Brown Mackerel, with water-color sketch of original.*fl.* Marlow Buzz, with water-color sketch of original.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for trout, salmon, and bass—Continued.

*fm.* Pale Evening Dun, with water-color sketch of original.

*fu.* July Dun, with water-color sketch of original.

Body—Mole's fur and pale-yellow mohair mixed and spun on yellow silk.

Tail—Two or three whiskers of a dark dun hackle. Wings—From the quill-feather of a blue-jay. Legs—Dark dun hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hooks Nos. 5 and 6.

*fo.* Gold-eyed Gauge-wing, with water-color sketch of original.

*fp.* Butcher, No. 1.

*fq.* Blue Ranger.

*fr.* Black Ranger.

*fs.* Colonel.

*ft.* Children's Farlow.

*fu.* Candlestick Maker.

*fv.* Baker.

*fw.* Butcher.

*fx.* Namson.

*fy.* Black and Teal.

*fz.* Guinea Hen.

*ga.* Claret.

*gb.* Inquichin.

*gc.* Maxwell Ranger.

*gd.* August Dun, with water-color sketch of original.

Body—Brown floss silk ribbed with yellow silk thread. Tail—Two rabbit's whiskers. Wings—Feather of a brown hen's wing. Legs—A dark red hackle. For Pennsylvania, hook No. 8; for New York, hook No. 6; for New England, hook No. 5.

*ge.* Orange, with water-color sketch of original.

Body—Orange floss silk ribbed with black silk. Wings—Dark part of the blue-jay's wing. Legs—A very dark furnace hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hooks Nos. 6 to 8; for New England, hook No. 6.

*gf.* Cinnamon, with water-color sketch of original.

Body—Fawn-colored floss silk ribbed with red silk thread. Wings—Feather of a yellow-brown hen's wing. Legs—A ginger hackle. For Pennsylvania, hook No. 8; for New York, hook No. 6; for New England, hook No. 6.

*gg.* Blue-bottle, with water-color sketch of original.

Body—Bright blue floss silk with a few turns of brown floss at the shoulder. Wings—From the quill-feather of a water-hen. Legs—Black hackle from a cock wrapped down the principal part of the body. For Pennsylvania, hook No. 8; for New York, hook No. 6; for New England, hook No. 5.

*gh.* Whirling-blue Dun, with water-color sketch of original.

Body—Squirrel's red-brown fur mixed with yellow mohair. Tail—One or two whiskers of a pale ginger hackle. Wings—From the quill-feather of a mallard. For Pennsylvania, hook No. 8; for New York, hook No. 5; for New England, hook No. 6.

**Hooks** (including a full series of unmounted hooks, of recent and aboriginal manufacture).

32737. Artificial flies for trout, salmon, and bass—Continued.

*gi.* Willow, with water-color sketch of original.

Body—Mole's fur mixed with a little fine yellow mohair. Wings—From the quill-feather of a water-hen or coot. Legs—A dark dun hen's hackle. For Pennsylvania, hooks Nos. 8 to 10; for New York, hook No. 8; for New England, hooks Nos. 5 and 6.

*gj.* Snowy.

*gk.* Beauty Snow.

*gl.* Red Palmer, with water-color sketch of original.

Body—Red mohair ribbed with gold twist or tinsel. Legs—A blood-red cock's (saddle) hackle wrapped nicely over it, working the hackle closely together at the shoulder. For Pennsylvania, hooks Nos. 6, 8, and 10; for New York, hooks Nos. 4, 5, and 6; for New England, hooks Nos. 3, 4, and 5.

*gm.* Black and Red Palmer, with water-color sketch of original.

*gn.* Brown Palmer, with water-color sketch of original.

*go.* Furnace.

*gp.* Grizzle.

*gq.* Ginger.

*gr.* List.

*gs.* Soldier.

*gt.* White.

*gu.* Grizzle Peacock.

*gv.* Red.

*gw.* Black Peacock.

*gx.* Black.

*gy.* Brown Peacock.

*gz.* Scarlet.

25548. Salmon fly-book for carrying artificial flies.

25547. Trout fly-book for carrying artificial flies. Loaned by Bradford & Anthony, Boston, Mass. (\$4.50.)

26077. Fly-book. Forest & Stream Publishing Company. Property of J. A. [Nichols, Syracuse, N. Y.]

26078. Fly-book. " "

26079. Fly-book. " "

**Lines (twisted and plaited).**

Silk lines.

25633. Series of braided raw-silk lines. (50 yards; C to G.) G. H. Mansfield & Co., Canton, Mass.

25632. Oiled, braided, raw-silk lines. G. H. Mansfield & Co., Canton, Mass.

25628. XXX silk fish-line. (50 yards.) " "

25629. XX silk fish-line. (50 yards.) " "

25634. Grass lines. Nos. 0, 1, and 3 cable, and 3 strand. Bradford & Anthony, Boston, Mass.

25635. Braided grass lines. Bradford & Anthony, Boston, Mass.

**Lines (twisted and plaited).**

## Linen lines.

25626. Hard-braid linen lines. (1 to 5; 50 yards each.) G. H. Mansfield & Co., Canton, Mass.  
 25631. Series of braided linen fish-lines. (50 yards.) G. H. Mansfield & Co., Canton, Mass.  
 25612. Linen fish-lines. J. & S. Allen, Walpole, Mass.  
 25613. Linen fish-lines. " "  
 25618. Linen fish-lines. "  
 25637. Linen bass-line. (600 feet.) Bradford & Anthony, Boston, Mass.

## Cotton lines.

25619. Cotton fish-lines. (20 feet hank.) L. Crandall & Co., Ashaway, R. I.  
 25620. Cotton fish-lines. (50 feet shroud, laid.) "  
 25621. Cotton fish-lines. (28-fathom hawser.) "  
 25622. Cotton fish-lines. (14-fathom hawser.) "  
 26738. Fishing-line, No. 3. (Sea-Island fly-line.) J. W. Dresser, Castine, Me.  
 26733. Fishing-line, No. 5. " "  
 26743. Fishing-line, No. 5. (Golden mackerel, oiled.) " "  
 26741. Fishing-line, No. 6. (Golden mackerel, oiled.) " "  
 26735. Fishing-line, No. 6. " "  
 26744. Fishing-line, No. 7. (Golden mackerel, white.) " "  
 26739. Fishing-line, No. 7. (White.) " "  
 26742. Fishing-line, No. 8. (Golden mackerel, oiled.) " "  
 26740. Fishing-line, No. 9. (Golden mackerel, oiled.) " "  
 26734. Fishing-line, No. 9. " "  
 26745. Fishing-lines, No. 7, 8, and 9. (Sea-side cotton chalk-line, white.)  
     J. W. Dresser, Castine, Me.  
 26736. Fishing-line, No. 10. (14 fathoms, hawser-laid.) J. W. Dresser,  
     Castine, Me.  
 26732. Fishing-line, No. 11. (Bluefish.) (24 fathoms long, hawser-laid.)  
     J. W. Dresser, Castine, Me.  
 25624. Tarred cotton fishing-lines. (25-fathom shroud.) L. Crandall &  
     Co., Ashaway, R. I.  
 25623. Cotton fishing-lines. (50 feet shroud, laid.) L. Crandall & Co.,  
     Ashaway, R. I.  
 26016. Golden mackerel lines of assorted sizes. Made from pure Sea-Island  
     cotton. J. W. Dresser, Castine, Me.  
 25625. Braided cotton fishing-lines. G. H. Mansfield & Co., Canton, Mass.  
 25636. Sea-Island cotton mackerel-lines. Bradford & Anthony, Boston, Mass.  
 25627. Water-proof braided fish-lines. (B to G.) G. H. Mansfield & Co.,  
     Canton, Mass.  
 660. Fishing-line. Northwest coast of America. G. Gibbs.

## Whalebone lines.

2193. Whalebone fish-line. Anderson River Indians. Anderson River.  
     R. MacFarlane.  
 2197. Whalebone line with hooks. Eskimo. Anderson River. R. Mac-  
     Farlane.  
 2016. Whalebone line. Arctic coast. B. R. Ross.

**Lines (twisted and plaited).**

Hide lines.

8757. Fishing-line made of seal-skin. Mahdeumut Eskimo. W. H. Dall.  
 8755. Fishing-line made of seal-skin. Kaviakemut Eskimo. Grantley Harbor, Alaska. W. H. Dall.  
 8786. Fishing-line made of seal-skin. Unalect Eskimo. St. Michael's, Alaska. W. H. Dall.  
 16314. Harpoon-line. Nuvivak Island, Alaska. W. H. Dall.  
 15617. Harpoon-line. Made of skin of young walrus. Alaska. H. W. Elliott.  
 19376. Harpoon-line made of seal-skin. Rev. James Curly.

Bark lines.

20635. Fishing-line made of cedar bark. Bella Bella, B. C. J. G. Swan.  
 20858. Fishing-line made of spruce root-fibers. Hannegan Indians. Prince of Wales Islands, Alaska. J. G. Swan.  
 26821. Harpoon-line, cedar bark. Makah Indians. J. G. Swan.

Kelp lines.

656. Fishing-lines of sea-weed. (*Nereocystis lutkeana*.) Northwest coast of America. G. Gibbs.  
 6561. Fish-line of kelp. (*Nereocystis lutkeana*.) With halibut-hooks. Haidah Indians. Prince of Wales Archipelago. Dr. T. T. Minor.  
 1052. Fish-line. (*Nereocystis lutkeana*.) Northwest coast. Lieut. J. W. White.  
 26818. Halibut-line of kelp. (*Nereocystis lutkeana*.) Makah Indians. Neah Bay, W. T. J. G. Swan.  
 26819. Fish-line of kelp with halibut-hooks. Clyoquot Indians. Vancouver's Island. J. G. Swan.

## (ACCESSORY.) APPARATUS FOR TWISTING LINES

**Snoods, leaders, and traces.**

"Cat-gut" (sheep) snoods and leaders.

Silkworm-gut snoods.

Flax snoods.

Gimp snoods.

Wire snoods.

Hooks mounted on leaders.

25549. Kinsey trout-hooks. (Tied to gut.) Bradford & Anthony, Boston, Mass.  
 25542. Aberdeen hooks. (Tied to gut.) Bradford & Anthony, Boston, Mass.  
 25543. Hollow-point Limerick hooks. (Tied to double gut.) Bradford & Anthony, Boston, Mass.  
 25544. Hollow-point Limerick hooks. (Tied to twisted gut.) Bradford & Anthony, Boston, Mass.  
 25545. Hollow-point Limerick hooks. (Tied to gimp.) Bradford & Anthony, Boston, Mass.  
 25546. Carlisle hooks. (Tied to gimp.) Bradford & Anthony, Boston, Mass.  
 25539. Hollow-point Limerick trout-hooks. (Tied to gut.) Bradford & Anthony, Boston, Mass.  
 25541. New York bass-hooks. (Tied to gut.) Bradford & Anthony, Boston, Mass.

**Sinkers.**

## Sinkers and swivels.

- . Sinkers and swivels. For fishing-lines. Bradford & Anthony, Boston, Mass.
25605. Series of sinkers used in fishing for cod and tautog. Newport models. J. M. K. Southwick, Newport, R. I.
25607. Hand-line sinkers. Rhode Island and Eastern Connecticut. A. R. Crittenden.
25716. Cod-line sinker. Central Wharf Company, Provincetown, Mass.
29456. Cod-lead mold. Used to make form in molding. John B. Parsons, Rockport, Mass.
15591. Sinker made of walrus ivory. Poroox Eskimos, Alaska. H. W. Elliott.

## Net-sinkers.

- . Net-sinkers. Wilcox, Crittenden & Co., Middletown, Conn.
29393. Net-rings or sinkers. Wilcox, Crittenden & Co., Middletown, Conn.
29474. Primitive net-sinkers. Used in Wellfleet, Mass. Newell B. Rich, Wellfleet, Mass.
25800. Menhaden-net sinkers (old style). Formerly used about Beverly and Salem, Mass. George B. Foster, Beverly, Mass.
25603. Seine-sinkers. Newport model. J. M. K. Southwick, Newport, R. I.

**Spreaders.**

## Chopsticks.

One-armed chopsticks or "revolving booms."

**Floats.**

## Line-floats of wood, cork, and quill.

25661. Egg-shaped floats. Wm. M. Young, Philadelphia, Penn.
25662. Barrel-shaped floats. " "
25663. Snake-head floats. " "
25664. Quill floats. " "

## Seine-floats of cork, wood, glass, and rubber tubing.

25597. Seine-corks. Used at Newport, R. I. J. M. K. Southwick, Newport, R. I.

## Harpoon-floats of bladder, inflated skin, and wood.

20898. Seal-skin buoy. Sitka Alaska. J. G. Swan.
1035. Seal-skin buoy. Makah Indians. Puget Sound. J. G. Swan.
19515. Seal-skin buoy. North Greenland. G. Y. Nickerson.
26824. Seal-skin buoy. (Used in whale fisheries.) Clyoquot Indians, Vancouver's Island. J. G. Swan.
26823. Seal-skin buoy. (Used in whale fisheries.) Clyoquot Indians, Vancouver's Island. J. G. Swan.
20594. Seal's bladder buoy. Bella Bella, B. C. J. G. Swan.
- 827, 4970. Seal-skin buoy with rope. Makah Indians. Neeah Bay, Puget Sound, W. T. J. G. Swan.

## Keg and other floats for lobster-pots, gill-nets, &amp;c.

## Whale-line drag.

## 29. (ACCESSORY.) ANGLING-APPARATUS.

**Reels.**

Simple reels for fly-fishing, with and without check.

- 25590. Brass fishing-reel. Plain, single, with ring. Bradford & Anthony, Boston, Mass.
- 25589. Brass fishing-reel. Plain, single, with plate. Bradford & Anthony, Boston, Mass.
- 25587. Brass fishing-reel. Plain, single, with stop and ring. Bradford & Anthony, Boston, Mass.
- 25588. Brass fishing-reel. Plain, single, with stop and plate. Bradford & Anthony, Boston, Mass.
- 25577. Hard-rubber fishing-reel, German-silver band. Rim very narrow, with leather case. Bradford & Anthony, Boston, Mass.
- 25568. Hard-rubber salmon-fishing reel. German-silver rim. Bradford & Anthony, Boston, Mass.
- 25581. Rubber trout-reel. (Fowler's patent.) Bradford & Anthony, Boston, Mass.
- 25582. Orvis' patent fishing-reel. German silver, nickelized and perforated. Bradford & Anthony, Boston, Mass.
- 25567. Fine click brass fishing-reel. (25 yards.) Bradford & Anthony, Boston, Mass.
- 25586. Brass fishing-reel. Click, with plate. Bradford & Anthony, Boston, Mass.
- 25585. Brass fishing-reel. Click, with ring. Bradford & Anthony, Boston, Mass.
- 25575. German-silver trout-fishing reel. Click, with rim. Bradford & Anthony, Boston, Mass.
- 25565. German-silver trout click fishing-reel. (150 yards.) Bradford & Anthony, Boston, Mass.
- 25569. Hard-rubber trout-fishing reel. Click, German-silver rim.
- 25571. Hard-rubber trout-fishing reel. Click, plain rim. Bradford & Anthony, Boston, Mass.
- 25579. Celluloid trout click fishing-reel. Bradford & Anthony, Boston, Mass.
- 25560. German-silver trout click fishing-reel. (60 yards.) Bradford & Anthony, Boston, Mass.
- 25564. German-silver salmon-fishing reel, click. (4½ inch.) Bradford & Anthony, Boston, Mass.

Multiplying reels for bass-fishing, with and without check.

- 25580. Celluloid fishing-reel. Multiplying and click. Bradford & Anthony, Boston, Mass.
- 25583. Brass fishing-reel. Multiplying, stop and ring. Bradford & Anthony, Boston, Mass.
- 26688. Fowler reel. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26687. Fowler reel. " " "
- 26686. Frankfort reel. " " "
- 26689. Plain reel. " " "
- 26916. Winans reel. J. Ross Winans, Baltimore, Md.
- 23663. Reel for trolling-line. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

**Reels.**

Multiplying reels for bass fishing, with or without check.

- 25574. German-silver fishing-reel. Multiplying; 25 yards. Bradford & Anthony, Boston, Mass.
- 25570. Hard rubber trout-fishing reel. Multiplying; 60 yards. Bradford & Anthony, Boston, Mass.
- 25584. Brass fishing-reel. Multiplying stop and plate. Bradford & Anthony, Boston, Mass.
- 25573. Brass fishing-reel. Multiplying drag; 60 yards. Bradford & Anthony, Boston, Mass.
- 25572. German-silver fishing-reel. Steel pivot, multiplying drag, 300 yards. Bradford & Anthony, Boston, Mass.
- 25578. Celluloid fishing-reel. With multiplying click and extra spool. Bradford & Anthony, Boston, Mass.

Gunwale-winches.

Trawl-line rollers.

- 29432. Trawl-roller or hauler. Provincetown style. Andrew Kennedy, Provincetown, Mass.
- 29434. Trawl-roller or hanler. Cape Ann style. Samuel Elwell, jr., Gloucester, Mass.
- 29488. Trawl-roller and eye-plate. First used by Provincetown fishermen. Amasa Taylor, Provincetown, Mass.
- 29445. Improved trawl-roller and socket. Amasa Taylor, Provincetown, Mass.
- 25767. Trawl-roller. Used to haul in trawls over the sides of dory. Allen L. McDonald, Gloucester, Mass.
- . Trawl-winch. Gloucester, Mass. G. Brown Goode.

Dredge-line rollers.

Seine-windlasses.

**Line-holders.**

Whaleman's line-tub.

- 88 F. C. Soundning-line reel. U. S. Fish Commission.
- 25009. Harpoon-line and tub. Used in whale-boat. J. H. Thomson, New Bedford, Mass.

Tub for trawl-line. (See under Trawl.)

Winders.

Spools.

- 25592. Crab-line reel. Used in Newport, R. I. J. M. K. Southwick, Newport, R. I.

Seine-reels.

**Rods.**

- 25511. Common rod. Three pieces; ash and hornbeam; brass mounting. Bradford & Anthony, Boston, Mass.

**Rods.**

25501. General fishing-rod. Nine pieces; German-silver mounting. Bradford & Anthony, Boston, Mass.
25500. General fishing-rod. Six pieces; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
26890. Trunk-rod of greenheart; five-jointed, with extra fourth piece and tip, seven pieces in all; weight, 8 oz.; length, 11 feet 6 inches. Thaddeus Norris, Philadelphia, Pa.
25512. Gudgeon-rod. Three pieces; ash and hornbeam; brass mounting; common. Bradford & Anthony, Boston, Mass.
25510. Common pickerel-rod. Four pieces. Bradford & Anthony, Boston, Mass.
25509. Bait-rod for trout. Four pieces; common. Bradford & Anthony, Boston, Mass.
25513. Jointed rod. Four joints, extra tips, tie guides; made of Calentta bamboo; full mounted in brass. Bradford & Anthony, Boston, Mass.
25508. Common bass-rod. Four pieces; brass mounted. Bradford & Anthony, Boston, Mass.
25498. Light bass-rod. Four pieces; extra top; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
25497. Bass-rod. Four pieces and extra top for sea-fishing; ash and lancewood; German-silver mounting; jeweled tip. Bradford & Anthony, Boston, Mass.
25496. Sea-bass rod. Ash butt joint, bamboo middle joint, lancewood stock; double guides, jeweled; German-silver mounting; jeweled tips. Bradford & Anthony, Boston, Mass.
25499. Black-bass rod. Four pieces and two extra tops; split bamboo; German-silver mounting. Bradford & Anthony, Boston, Mass.
25502. Fly-rod. Three pieces and extra top; cedar and split bamboo. Bradford & Anthony, Boston, Mass.
25504. Fly-rod. Three pieces and extra top; extra middle joint; bamboo tip case; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
25505. Fly-rod. Four pieces and extra top; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
26887. Salmon-rod of greenheart, four-jointed in cedar case, with extra third piece and tip; weight, 30 oz.; length, 17 feet 3 inches. Thaddens Norris, Philadelphia, Pa.
25503. Fly-rod for trout. Three pieces and extra top; split bamboo; German-silver mounting. Bradford & Anthony, Boston, Mass.
25506. Trout-rod. Four pieces and extra top; ash and lancewood; German-silver mounting; agate-lined tips. Bradford & Anthony, Boston, Mass.
25507. Salmon-rod. Four pieces and extra tops; bamboo top-case; ash and lancewood; German-silver mounting. Bradford & Anthony, Boston, Mass.
25887. The "Cold Brook," hollow, fly-rod. (Patented June 22, 1875.) J. L. Graves, Springfield, Mass.
25886. The "Cold Brook," hollow, salmon, bass, and angling rod. Nickel-plated, with reel showing an attached line working. (Patented June 22, 1875.) J. L. Graves, Springfield, Mass.

## Rods.

The following are the advantages claimed by Mr. Graves for his new rods:

- “1. The line is concealed and cannot be caught in underbrush or branches.
  2. The strain on the rod is equalized through the entire length.
  3. There is no friction through rings or guides except on the tip.
  4. The strength of the rod is greatly increased.
  5. The weight of the rod is diminished.
  6. The wet line is not reeled up to decay.
  7. The rod goes under the brush where the big trout lie.
  8. It adds greatly to the comfort and pleasure of ‘the gentle art.’”
26661. Plain fly-rod. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26662. Bait-rod. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26663. Bait-rod. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26712. English fly-rods. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26707. Rod-ease. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
25882. Split bamboo trout-rod. 11½ feet. H. L. Leonard, Bangor, Me.
26660. Split bamboo rod. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26888. Extra greenheart trout-rod; cedar case; three-jointed, with one extra middle and two extra tips, six pieces in all; weight, 8 oz.; length, 12 feet. Thaddeus Norris, Philadelphia, Pa.
26889. Rent and glued bamboo trout-rod in cedar case, with one extra middle and two extra tips, six pieces in all; weight, 8 oz.; length, 12 feet. Thaddeus Norris, Philadelphia, Pa.
26883. Plain trout-rod of greenheart; three-jointed, with extra middle and tip, five pieces; weight, 8 oz.; length, —. Thaddeus Norris, Philadelphia, Pa.
25881. Split bamboo grilse-rod. 14 feet. H. L. Leonard, Bangor, Me.
25883. Split bamboo salmon-rod. 16 feet. “ “ “
25884. Piece of bamboo. Showing splitting process in construction of rods. H. L. Leonard, Bangor, Me.
25885. Piece of bamboo. Showing gluing process in construction of rods. H. L. Leonard, Bangor, Me.
25491. Chapman's combination trolling-pole. Harpoon-line holder and cane. W. D. Chapman, Theresa, N. Y.

## Swivels.

25798. Horn cod-line swivel. Much used in olden time by Grand and George's Banks fishermen. George B. Foster, Beverly, Mass.
25945. Cod-line swivel. Central Wharf Company, Gloucester, Mass.
26017. Cod-line gange-swivel. A. R. Crittenden, Middletown, Conn.
- 25944-6. Patent gange-swivel. Used in cod-fishing. Central Wharf Company, Gloucester, Mass.
29486. Cod-gange swivel. Showing mode of fastening. Lemuel Cook, 2d, Provincetown, Mass.
29487. Haddoek-gange swivel. Showing mode of fastening. Lemuel Cook, 2d, Provincetown, Mass.
29392. Wood horse-swivel. Used on cod-line. Capt. E. L. Rowe, Gloucester, Mass.

**Swivels.**

25942. Halibut-gange. Showing mode of fastening on the hook. A. R. Crittenden.  
 29457. Shark-hook swivel. Wilcox, Crittenden & Co., Middletown, Conn.  
 25395. Primitive trawl-buoy swivels. George B. Foster, Beverly, Mass.  
 29476. Halibut trawl-buoy swivel. Used by the George's Banks fishermen. Amasa Taylor, Provincetown, Mass.  
 29498. Trawl-buoy swivels. Alex. McCurdy, East Gloucester, Mass.  
 25187. Trawl-buoy rope swivel. Wilcox, Crittenden & Co., Middletown, Conn.  
 25946. Trawl-buoy rope swivel. Central Wharf Company, Provincetown, Mass.

**Clearing-rings.****Disgorgers.**

29435. Trawl-sheave bushing. Samuel Elwell, jr., Gloucester, Mass.  
 —. Halibut "gob-stick." Philip Merchant, Gloucester, Mass.
- 

**V. NETS.**

## ENTANGLING-NETS.

**Meshing-nets** (entangling in meshes).

$\ddagger$  Barrier-nets.

## Rabbit-nets, used by Indians of the Southwest.

14405-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21.	Small rabbit-nets.
Pi-Ute Indians, Southern Utah.	Maj. J. W. Powell.
14500. Small rabbit-net.	Pi-Ute Indians, Southern Utah.
11245. Small rabbit-net.	Maj. J. W. Powell.
12058. Small rabbit-net.	" "
12051, 53. Large rabbit-net.	" "
11247. Large rabbit-net.	" "
14430-31. Large rabbit-net.	" "
14401-2-3. Large bunt net (for rabbits).	" "
19049. Rabbit-net.	Coonywee Pi-Ute Indians, Southern Utah.
	Stephen Powers.

These nets are used largely in the capture of rabbits for food; they are stretched in long lines by means of slender crotched sticks which support the upper edge. The chaparral is then scoured for miles by the Indians on horseback and on foot, and the rabbits, which are very abundant in the sage-brush, are driven into the meshes of the nets. The species thus captured are the sage-hare (*Lepus sylvaticus* var. *artemisia*), and the mule or jackass hare (*Lepus callotis*).

## Bird mesh-nets.

## Gill-net.

## Gill-nets used in Great Lakes.

25751. Model of Lake Michigan gill-net. Scale: Depth, 1 inch to the foot; length,  $\frac{1}{2}$  of inch to the foot. J. W. Milner.

The gill-netting in use on the Great Lakes is knit from linen thread, two and three ply (25-4, 2-cord, and 30-50, 3-cord), from eleven to twenty-

**Meshing-nets** (entangling in meshes).

## Gill-nets used in the Great Lakes.

two meshes in depth,  $3\frac{1}{2}$  to 5 inch mesh. The nets when hung or mounted for use contain from one to three pounds of webbing, and range in length from 60 to 120 yards, and in depth from  $4\frac{1}{2}$  to 6 feet. They are set in gangs of from three to five nets, and three to five gangs are laid out in one setting usually by aid of sailboats or steamers. (See models of Mackinaw boat and lake gill-net steamer.)

For floating the upper line, round or octagonal floats of bark, or wooden pickets about two and one-half feet in length, are used. Sinkers are of lead or stone. The nets are set in from 20 to 100 fathoms of water, the lead-line resting upon the bottom. They are taken out once a week and dried.

They are used principally for the capture of the whitefish (*Coregonus albus*, &c.), and the lake trout (*Salmo namaycush*), though most of the common lake fishes are taken in these meshes. Sea-Island cotton (3, 4, 5, and 6 thread) is being largely substituted for linen in their manufacture.

The weight of the twine preferred by fishermen varies in different localities, that used in Green Bay being the finest, that in Lake Erie next, then Lakes Michigan and Superior, and heaviest in Lake Huron. Lake Ontario consumes about 5,000 pounds of netting annually, Erie 7,500, Huron 6,000, Michigan 20,000, Green Bay 2,500, and Lake Superior 5,000. The aggregate length of this netting is probably about 4,575,000 yards.

## Sisco and herring gill-nets.

Used in the Great Lakes in the capture of the sisco (*Salmo siscouet*) and the lake herring (*Argyrosomus clupeiformis*).

\*These nets are hung and set like the whitefish-nets previously described.

They are knit from linen thread (35-60, 2-cord) 30 to 40 meshes in depth, and  $2\frac{1}{2}$  to 3 inch mesh. About 2,500 pounds are annually consumed, chiefly about Sacket's Harbor, N. Y., and Lakes Huron and Michigan. (E. B. French.)

## Anchored gill-nets.

Used on the coast from Cape Cod to Cape Hatteras in the capture of the bluefish (*Pomatomus saltatrix*).

\*These nets are knit from cotton twines (12-18 thread,  $\frac{1}{2}$  patent), and are 75 to 100 fathoms in length, and 80 to 200 meshes in depth, from  $4\frac{1}{2}$  to 6 inch mesh. They are heavily leaded and anchored with lead-line on the bottom, off-shore, in front 10 to 20 fathoms of water. They are chiefly used by New York fishing vessels; probably 1,000 or more are in use on the coast. In the winter season the fishing vessels follow the bluefish as far south as Cape Hatteras. (E. B. French.)

## Hook or trap gill-nets.

Used on the coast of New Jersey in the capture of the Spanish mackerel (*Cybium maculatum*), &c.

\*These nets are peculiar in shape. They are straight nets, anchored in the form of an L with a hook-like continuation, heavily leaded, and with anchors at the angles. They are knit from cotton twines (9-12 thread,  $\frac{1}{2}$  patent), the outer end being of finer twine. Their length is about 100 fathoms, depth 75-100 meshes,  $3\frac{1}{2}$  to 4 inch mesh. About 100 of these are in use on the coast, mostly between Sandy Hook and Barnegat Light. (E. B. French.)

---

\*The nets belonging to this series are enumerated below, among Nos. 26848-26880.

**Meshing-nets** (entangling in meshes).

Salmon hook-gill-net of the Saint Lawrence.

‡ *Drift-nets.*

† *Those drifting across the tide.*

## Shad gill-nets used in Southern rivers.

26126, 26131-2. Model of shad gill-net. American Net and Twine Company, Boston and New York.

Used in rivers of the Atlantic coast.

These nets are knit of linen thread (22-50, 3-cord, and 20-60, 2-cord). They range in length from 50 to 200 fathoms, and in depth from 25 to 90 meshes, 4 $\frac{1}{2}$  to 5 inch mesh. They are used exclusively as drift-nets.

On the Connecticut River about 4,000 pounds of this netting are used annually. The average weight of a net is 30 to 40 pounds, its depth 45 to 50 meshes, 5 $\frac{1}{2}$  to 5 $\frac{1}{2}$  inches.

On the Hudson River about 7,500 pounds are annually used, fine threads (50-75, 2-cord), 100 to 200 fathoms in length, and from 50 to 90 meshes in depth, 4 $\frac{1}{2}$  to 5 inch, weight from 15 to 30 pounds to the net.

In the Delaware, Potomac, and Chesapeake 20,000 pounds are used, from 30 to 60 meshes in depth, and 7 $\frac{1}{2}$  (30 to 40, 2-cord) length, 75 to 100 fathoms.

In the rivers of North Carolina nets are made from coarse twine (22-35, 3-cord, and 20-35, 2-cord) 25 to 40 meshes in depth, 5-5 $\frac{1}{2}$  gauge. Their length is about 100 yards. About 25,000 pounds are used annually.

In the rivers of South Carolina the twine is slightly finer than in North Carolina (25-35, 3-cord), 25 to 60 meshes deep, the size otherwise about the same. 1,500 pounds are used annually.

In Georgia and Florida about 6,000 pounds are used. This netting is knit from linen thread (30-40, 3-cord, and 25-35, 2-cord) 40 to 60 meshes in depth; 4 $\frac{1}{2}$  to 5 $\frac{1}{2}$  mesh. About 18 to 24 pounds are used in a net; its length 100 yards. (E. B. French.)

## Herring gill-nets.

Used in Hudson and Delaware Rivers in capture of the alewife or herring (*Pomolobus pseudoharengus*).

\* Knit from 30-40, 2-cord, thread, from 45 to 100 meshes in depth, 2 $\frac{1}{2}$  to 3 inch mesh; about 13 pounds to a net on the Hudson and 6 to 7 pounds on the Delaware; the nets on the Hudson, 60 to 100 meshes, on the Delaware from 35 to 60. About 2,500 pounds used annually. (E. B. French.)

## Mullet gill-nets.

Used principally on the Saint John's River, Florida.

Knit from coarse linen thread (16-25, 3-cord) and from 35 to 50 meshes in depth. The size of mesh varies with the season: in July 3 $\frac{1}{2}$ , August 3 $\frac{1}{2}$ , September 4 inch. The average length of the nets is 100 to 150 yards. About 1,500 to 2,000 pounds in use on Saint John's River, and about 1,000 pounds of cotton (1 $\frac{1}{2}$  and 1 $\frac{1}{2}$  to 2 $\frac{1}{2}$ ) nets on the Gulf coast from 30 to 40 meshes in depth, 3 $\frac{1}{2}$  to 3 $\frac{1}{2}$ , not varying with seasons. (E. B. French.)

\* The nets belonging to this series are enumerated below, among Nos. 26848-26880

**Meshing-nets** (entangling in meshes).

Series of samples of gill-netting. American Net and Twine Company, Boston and New York:

26848.	Depth 15 meshes, size of mesh $1\frac{1}{4}$ ineh, No. 20 (3) thread.					
26849.	" 35 "	"	$2\frac{1}{4}$	"	" 40 (2)	"
26850.	" 100 "	"	$2\frac{1}{4}$	"	" 25 (3)	"
26851.	" 35 "	"	$2\frac{1}{2}$	"	" 30 (3)	"
26852.	" 50 "	"	$2\frac{3}{4}$	"	" 25 (3)	"
26853.	" 22 "	"	$2\frac{3}{4}$	"	" 35 (2)	"
26854.	" 50 "	"	$2\frac{3}{4}$	"	" 15 (3)	"
26855.	" 100 "	"	$2\frac{7}{8}$	"	" 25 (3)	"
26856.	" 100 "	"	3	"	" 25 (3)	"
26857.	" 100 "	"	$3\frac{1}{4}$	"	" 25 (3)	"
26858.	" 16 "	"	$3\frac{1}{2}$	"	" 25 (2)	"
26859.	" 16 "	"	$3\frac{1}{2}$	"	" 30 (2)	"
26860.	" 40 "	"	$3\frac{3}{8}$	"	" 18 (3)	"
26861.	" 50 "	"	4	"	" 20 (3)	"
26862.	" 17 "	"	4	"	" 35 (3)	"
26863.	" 35 "	"	4	"	" 40 (3)	"
26864.	" 16 "	"	$4\frac{1}{8}$	"	" 35 (3)	"
26865.	" 45 "	"	$4\frac{1}{8}$	"	" 40 (3)	"
26866.	" 14 "	"	$4\frac{1}{4}$	"	" 35 (3)	"
26867.	" 14 "	"	$4\frac{1}{2}$	"	" 50 (3)	"
26868.	" 14 "	"	$4\frac{1}{2}$	"	" 35 (2)	"
26869.	" 14 "	"	$4\frac{1}{2}$	"	" 35 (2)	"
26870.	" 16 "	"	$4\frac{1}{2}$	"	" 35 (3)	"
26871.	" 16 "	"	$4\frac{1}{2}$	"	" 50 (3)	"
26872.	" 18 "	"	$4\frac{1}{2}$	"	" 50 (3)	"
26873.	" 16 "	"	$4\frac{1}{4}$	"	" 35 (3)	"
26874.	" 45 "	"	5	"	" 30 (2)	"
26875.	" 12 "	"	5	"	" 30 (2)	"
26876.	" 60 "	"	5	"	" 35 (2)	"
26877.	" 65 "	"	5	"	" 40 (2)	"
26878.	" 35 "	/	$5\frac{1}{8}$	"	" 35 (3)	"
26879.	" 75 "	"	$5\frac{1}{4}$	"	" 35 (3)	"
26880.	" 11 "	"	6	"	" 35 (3)	"

† *Drift-nets.*† *Those drifting across the tide.*

26135. One bale of brown gill-netting. American Net and Twine Company, Boston, Mass.  
 26139. One bale of white gill-netting. American Net and Twine Company, Boston, Mass.

†† *Those drifting along the tide.*

Mackerel gill-nets.  
 Herring gill-nets.

- 26124-28-38. Herring gill-net. Used on the coast of New England and the Provinces in the capture of the herring (*Clupea harengus*). American Net and Twine Company, Boston, Mass.

**Meshing-nets** (entangling in meshes).

## Herring gill-nets.

These nets are about 40 yards long and 150 meshes in depth. They are stretched together in big gangs, floated by pieces of wood and weighted by stones. They are made of 45 and 6 thread cotton from 14 to 20 yarn,  $\frac{1}{2}$  inch average mesh. American Net and Twine Company, Boston, Mass. — Model of herring gill-net. American Net and Twine Company, Boston, Mass.

## Other gill-nets.

- 1667. Gill-net. Anderson River Eskimos. Anderson River, H. B. T. R. MacFarlane.
- 7962. Gill-net made of animal fiber. Kawquettle Indians. Vancouver's Island, B. C. Dr. T. T. Minor.
- 19043. Gill-net. Coquyue Pi-Ute Indians. Pyramid Lake, Nev. Stephen Powers.
- 4765. Gill-net made of "Babiche." Anderson River Indians. Maekenzie's River district, H. B. T. MacFarlane.

**Pocket-nets** (entangling in pockets).

## Trammel-nets.

- 25270. Model trammel-net. 10 feet long, 2 feet wide, 2 and 5 inch mesh. William E. Hooper & Sons, Baltimore, Md.
- 26118-29. Trammel-net. American Net and Twine Company.

Used for general fishing in rivers and ponds of Northern Mississippi Valley.

These nets range from 20 to 75 yards in length, 4 to  $6\frac{1}{2}$  feet in depth. The inside netting of finer linen thread (20-25, 3-cord), mesh 2- $2\frac{1}{4}$ ,  $\frac{1}{8}$  deeper than the outside. The outside netting-wall from cotton (15-21 thread), mesh 8 to 10 inches. (E. B. French.)

## 31. ENCIRCLING-NETS.

**Seines.**

## Seines.

- 26134. Seven bales of brown seine-netting. Used for manufacture of pounds, traps, seines, fykes, &c. American Net and Twine Company, Boston, Mass.
- 26139. Eighteen bales of white seine-netting. American Net and Twine Company, Boston, Mass.

## Seal-seines.

- 17270. Seal-net made of sinew. Found wrapped about a mummy. Kagalil Island, Alaska. Alaska Commercial Company, San Francisco, Cal.

## Manatee-seines.

## Shad-seines.

## Mullet-seines.

## Menhaden-seines,

**Seines.**

- Bass-seines.
- Bluefish-seines.
- Capelin-seines.
- Herring-seines.

26119. Model of herring-seine. Used on coasts of New England and the Provinces in capture of herring (*Clupea harengus*), and in the Hudson, Potomac, Delaware, and Chesapeake, and in North Carolina. American Net and Twine Company, Boston, Mass.
26127. Model of herring-seine. American Net and Twine Company, Boston, Mass.

**Shad-seines.**

These are used in the rivers of the Atlantic and Gulf coast.

These seines are knit from cotton thread. On the Connecticut River, the seines are of nine-thread twine, 5- $\frac{1}{2}$  mesh; on the Hudson, the mesh is four inches, knit of six-thread twine in the wings and nine thread in the bunt. In the Delaware, Potomac, and Chesapeake, the mesh is 3 $\frac{1}{2}$  to 4 $\frac{1}{2}$  inches, the twine 12, 15, and 18 thread; in North Carolina, the mesh is 2 $\frac{1}{2}$  to 3 $\frac{1}{2}$  inches, and the cotton twine twelve-thread. (E. B. French.)

**Cod-seines.**

26137. Model of cod-seine. Used in Provinces in capture of cod (*Gadus morrhua*). American Net and Twine Company, Boston and New York. 30 to 40 feet deep. Mesh 5 inches, 18 to 21 thread, cotton.

**Lanee-bunts.****Baird collecting-seines.**

26136. Baird net. Designed by Prof. S. F. Baird. Used by naturalists in collecting small fishes in brooks and ponds and in following behind large seines to secure the small species which escape through the meshes, six-thread coarse cotton. American Net and Twine Company, Boston, Mass.
26126. Model of Baird net. American Net and Twine Company, Boston, Mass.

**Bait-seines.**

- 26123, 26130. Model of minnow-seine. Used by amateurs in capture of minnow-bait.  $\frac{1}{2}$  to  $\frac{5}{8}$  inch mesh, six-thread cotton twine. American Net and Twine Company, Boston, Mass.
26121. Model of minnow-seine, with bag. Used by fishermen to secure bait for eel-pots. American Net and Twine Company, Boston, Mass.
26668. Minnow-seine. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

**Other seines.**

2232. Seine. Anderson River Eskimos. Mackenzie's River district. Robert MacFarlane.
2444. Seine made of "babiche." Tschutchi Indians. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.

**Seines.**

## Other seines.

2445. Seine made of "babiche." Tschutchi Indians. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
2446. Hand-seine made of grass. Tschutchi Indians. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
2447. Hand-seine made of grass. Tschutchi Indians. Capt. John Rodgers, U. S. N., North Pacific Exploring Expedition.
19234. Salmon-net. McCloud River Indians. Shasta County, Cal. Livingston Stone.
20648. Salmon-net. Indians of Northwest coast. Fort Simpson, B. C. J. G. Swan.
2231. Hand-seine. Anderson River Eskimo. Mackenzie's River district, H. B. T. R. Kennicott.
21368. Fishing-net. Made from fiber of milkweed (*Asclepias* sp.). Hoochnore Indians. South Eel River, Cal. Stephen Powers.
7929. Fishing-net. Made from fibers of pineapple (*Tillandsia* sp.). Mirador, Mex. Dr. Sartorius.
897. Fishing-net made of willow bark. Kootchin Indians. Mackenzie's River district, H. B. T. R. Kennicott.
4883. Net made of "silkweed." Fort Crook Indians. Fort Crook, Cal. Capt. J. W. T. Gardiner.

**Hoop-nets.**

## Handle, or dip nets.

Bull-nets (worked with ropes and blocks).

Scoop-nets (herring-nets, pound-scoops, ear-scoops, &amp;c.).

25308. Bow of scoop-net. Used in dipping fish from smack's well. J. M. K. Southwick, Newport, R. I.
25165. Series of scoop-net hoops. Wilcox, Crittenden & Co., Middletown, Conn.
83. F. C. Frame of dip-net. Used in Bay of Fundy herring fisheries. U. S. Fish Commission.
25229. Folding dip-net frame. U. S. Fish Commission.
26141. Dip-nets. American Net and Twine Company, Boston, Mass.
26141. Minnow dip-nets. " "
26141. Crab dip-nets. " "

## Landing-nets.

25494. Jointed staff and folded net-ring. Bradford & Anthony, Boston, Mass.
25492. Nason's patent net-staff and ring. Flexible ring carried inside of staff. C. T. Nason, patent August 31, 1875. Bradford & Anthony, Boston, Mass.
25493. Nason's patent solid net-staff. With flexible ring. C. T. Nason, patent August 3, 1875. Bradford & Anthony, Boston, Mass.
25225. Folding handles for dip-net or lance. U. S. Fish Commission.
27638. Braided linen landing-net (waterproofed). Bradford & Anthony, Boston, Mass.
25639. Braided silk landing-net. Bradford & Anthony, Boston, Mass.
678. Dip-net. Used in the capture of the ocellachan (*Omerus peruviana*) Northeast coast of America. G. Gibbs.
21725. Dip-net. Used by McCloud River Indians in fishing in small streams. Shasta County, Cal. Livingston Stone.

**Hoop-nets.**

## Landing-nets.

26669. Landing-net. Property of J. A Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.  
 26711. Landing-net. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.  
 26664. Landing-net and rod. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

## Eskimo auk-nets.

15616. Bird-net frame. Alienut Eskimos. Alaska. Henry W. Elliott.

## Baited hoop-net:

## Crab-nets.

- 26591-2. Models of lobster-nets. Used on the coast of California. Johnson & Young, Boston, Mass.  
 26801. Crab-nets. American Net and Twine Company, Boston and New York.  
 32710. Open cunner-net. Gloucester, Mass. G. Brown Goode.  
 32711. Folding cunner-net. " "

**Trailing-nets.**

## Trawls:

## Beam-trawl.

(Otter-trawl.)

26882. Model of beam-trawl. American Net and Twine Company, Boston and New York.  
 32720. Model of beam-trawl. Made by J. G. Adam. U. S. Fish Commission.

## Dredges:

Flange, or ordinary dredge.

Rake-dredge.

Oyster-scraper.

(Coral-dredge.)

26140. Four brown dredge-nets. Oyster-dredging, &c. American Net and Twine Company, Boston and New York.

## Towing-nets:

Surface tow-nets.

25228. Towing-net frame. U. S. Fish Commission.

**Folding or jerk nets.**

## Purse-nets:

- Mackerel purse-seines (pursed by weight).  
 Menhaden purse-seines.

29387. Model of mackerel purse-seine. Used on North Atlantic coast in capture of mackerel (*Scomber scombrus*). American Net and Twine Company, Boston, Mass.

## Folding or jerk nets.

Menhaden purse-seines.

26120. Model of mackerel purse-seine. American Net and Twine Company, Boston, Mass.

These purse-seines range in length from 120 to 220 fathoms, and from 750 to 1,000 meshes in depth, reaching the depth of 20 to 30 fathoms of water. The average mesh is  $2\frac{1}{8}$  inches. They are made of fine Sea-Island cotton twine, and cost from \$750 to \$1,500 complete. About 300 are now in use on the coast of North America. The pursing weight varies from 100 to 150 pounds.

26122-26125. Model of purse-seine. American Net and Twine Company, Boston, Mass.

90 to 150 fathoms in length, 300 to 650 meshes in depth,  $1\frac{1}{2}$  to  $2\frac{1}{4}$  fine Sea-Island twine. Wings, 9 to 12; bag, 15 to 21, coarse.

25179. Snatch-block used in pursing-seine. Higgins & Gifford, Gloucester, Mass.

25186. Ring or thimble for pursing-seine. Wilcox, Crittenden & Co., Middletown, Conn.

**Cast-nets:**

Mullet cast-nets.

Pompano cast-nets.

Bait cast-nets.

25046. Casting-net. Diameter  $4\frac{1}{2}$  feet. William E. Hooper & Sons, Baltimore, Md.

26799. Mullet cast-net. Diameter  $5\frac{1}{2}$  feet,  $1\frac{1}{2}$ -inch mesh.

26800. Shrimp cast-net. Diameter  $4\frac{1}{2}$  feet,  $\frac{3}{4}$ -inch mesh.

Clap-nets for birds.

Rabbit spring-nets.

Spring-weirs (St. Lawrence).

Sieve-traps (for birds).

**(Accessory.)** Parts of nets and apparatus for manufacture.

Raw material of nets.

Babiche. (See under D. 20.)

Netting-fiber.

Netting-twine.

659. Netting-twine. Indians. Northwest coast of America. G. Gibbs.

14432. Fiber used for making nets. Pi-Ute Indians. Southern Utah. Maj. J. W. Powell.

29376. 38 bales of white netting-twine. American Net and Twine Company, Boston, Mass.

Samples of netting hung to lines. William E. Hooper & Sons, Baltimore, Md.:

25048. 1 inch mesh, 12 thread, 1 fathom long, 2 feet deep.

25049.  $1\frac{1}{2}$  " " 12 " 1 " " 2 "

25057.  $1\frac{1}{4}$  " " 12 " 1 " " 2 "

25051.  $1\frac{1}{2}$  " " 12 " 1 " " 2 "

25050. 2 " " 12 " 1 " " 2 "

**(Accessory.)** Parts of nets and apparatus for manufacture.

Netting-needles.

Mesh-needles.

Hanging-needles.

Eskimo netting-needles.

25596. Seine-needle (home made). J. M. K. Southwick, Newport, R. I.

25593. Seine-needle. " "

25712. Seine-needle (called hanging-needle). N. H. Payne, Wellfleet, Mass.

—. Knitting-gauge. Used in regulating size of mesh. American Net and Twine Company, Boston and New York.

9839. Seine-needle. Eskimos. Northeastern America. S. F. Baird.

16202. Seine-needle. Magenut Eskimos. Nunivak Island, Alaska. W. H. Dall.

5613. Seine-needle of wood. Yukon River. W. H. Dall.

5614. Needle of bone. Norton Sound Eskimos. "

16170, 16169, 16166, 16167, 16168, 16171, 16196. Seine-needles of bone. Magemut Eskimos. Nunivak Island. W. H. Dall.

1180. Seine-needle of wood. Chirikoff. W. H. Dall.

1315. Netting-needle. Eskimos. Smithsonian Institution.

9839. Seine-needle of bone. Eskimos of Northeastern America. S. F. Baird.

## VI. TRAPS.

### 32. PEN-TRAPS.

#### **Pocket-traps.**

Pitfalls:

Pits, covered.

Barrel-traps.

Jar mole-traps.

"Rabbit-type," used in England.

Salmon-baskets (Columbia River).

Salmon-weirs (Upper Columbia River).

River-weirs, with pockets:

Eel-traps.

Fish-slides:

Shad-slides, used in the rivers of North Carolina.

25830. Fish-slide. Used in James River, Virginia. Scale 1 inch to the foot. J. G. Adam.

25831. Fish-slide (with box). Used in rivers of Virginia. Scale 1 inch to the foot. J. G. Adam.

#### **Labyrinth-traps.**

Corrals.

Turkey-traps.

**Labyrinth-traps.**

## Weirs, or pounds.

12102. Bar-weir. Used in Bay of Fundy herring fisheries. Scale, 1 inch to 15 feet. Capt. W. S. Treat, Eastport, Me.
12101. Fish-weir. Used in Dennis River, Me. Scale,  $\frac{1}{2}$  inch to the foot. Prof. S. F. Baird.
12106. Salmon-weir. Used in rivers of Maine. Dennis River. Scale, 1 inch to  $8\frac{1}{2}$  feet. Prof. S. F. Baird.
26833. Model of heart-weir. American Net and Twine Company.
25750. Model of pound-net. Used in Lake Michigan. Scale,  $3\frac{1}{2}$  feet to 1 inch. Waukegan, Ill. D. D. Parmalee.
- . Model of weir, or heart-net. Used on southern coast of New England. Scale, 1 inch to 8 feet. Spindel's Cove, Wood's Holl, Mass. Prof. S. F. Baird.
- 26731, 26746. Models of brush-weirs. Used in the Bay of Fundy in capture of herring (*Clupea harengus*). W. B. McLaughlin, Grand Manan, N. B.
25829. Model of fish-weir. Used by aborigines of Virginia in the fifteenth century. From figures in De Bry. J. G. Adam.
25820. Model of fish-trap. Valley of Yukon River. Scale, 1 inch to the foot. W. H. Dall.

## Funnel-traps.

## Fish-pots.

1754. Wicker fish-pot (model). Used in West Indies. 5 to 15 fathoms. Scale, 1 inch to the foot. H. O. Claughton, St. Martin's, W. I.
32738. Fish-pot (model). Bermudas. Scale of  $\frac{1}{2}$ . Made from wood of submerged cedar. G. Brown Goode.

## Lobster-pots.

12100. Lobster-pot. Used in Bay of Fundy. 4 to 10 fathoms. Scale,  $\frac{1}{4}$  inch to the foot. Prof. S. F. Baird.
24801. Lobster-pot. Used in Narragansett Bay, in 10 to 15 fathoms. Scale 3 inches to the foot. J. M. K. Southwick, Newport, R. I.
29296. Model of Noank lobster-pot. G. L. Green, Noank, Conn.
29531. Lobster-pot net. Used on coast of New Jersey. American Net and Twine Company, Boston and New York.
- 26586-7-8-9. Models of lobster-pots. Used on the coast of New England. Johnson & Young, Boston, Mass.
29363. Model of lobster-pot. N. C. Smith, Stonington, Conn.

## Eel-weirs, with leaders.

## Eel-pots, without leaders.

- . Eel-pot. Used in Fisher's Island Sound, Conn. Scale, one-half. James H. Latham, Noank, Conn.
- 25015-16. Wicker eel-pot, two funnels, with leaders. Used about Martha's Vineyard, in 3 to 10 fathoms. Capt. Josiah Cleveland, maker, Vineyard Haven, Mass.
25014. Wicker eel-pot (three funnels). Used about Martha's Vineyard. Capt. Josiah Cleveland, maker, Vineyard Haven, Mass.
29530. Eel-pot net. Used on the coast of New Jersey. American Net and Twine Company, Boston and New York.

**Labyrinth-traps.**

Eel-pots, without leaders.

- 25016. Leaders for eel-pot (Nos. 25014-15-16). Used in Martha's Vineyard.  
Capt. Josiah Cleveland, Vineyard Harbor, Mass.
- 26802. Basket eel-pot. American Net and Twine Company.
- 25018. Roots of young pine trees (*Pinus strobus*). Used in manufacture of  
eel-pots. Vineyard Haven, Mass. G. Brown Goode.

Barrel-pots for eels.

Set-nets.

- 32733. C. Set-net. Diameter of largest hoop, 15 inches. U. S. Fish Commission.

Fykes (set-nets with leaders).

- 25045. Fyke-net with wings. Diameter, 3 feet. Wm. E. Hooper & Sons, Baltimore, Md.
- 26113. Model of minnow-fyke. American Net and Twine Company, Boston [and New York.
- 26114. Minnow-fyke. " "
- 26117. Minnow-fyke. " "

Bird-fyke.

- 26115, 26116. Model of bird-net. American Net and Twine Company, Boston and New York.

Bass-traps.

- 25704. Bass-trap. Used in Peconic Bay and Fisher's Island Sound. Scale,  $\frac{1}{2}$  inch to the foot. Charles T. Potter.

**Door-traps.**

† Closed by the falling of a door.

Box-traps (figure 4).

- 25833. Horan's box-trap. Used in Philadelphia Zoological Gardens. Scale, one-half. Henry Horan.
- 25478. Box-trap. Used in capture of hares, possums, etc. Scale, one-half. T. N. Woltz.

Traps with hanging doors.

- . Self-setting trap. Used in capture of muskrats, hares, &c. Scale, one-half. Henry Horan.
- 25703. Self-setting trap. To be set in mouth of rabbit-burrow. Scale, one-half. E. Herron.

Double box-traps.

- 25477. Double box-trap. Used in capture of hares, possums, &c. Scale, one-half. T. N. Woltz.

**Door-traps.**

Spring-door traps.

†† *Closed by falling of whole trap.*

Bowl-traps.

Cob-house bird-traps.

- 25659. Fall-trap. Used for partridges and other birds. Scale, one-half. T. N. Woltz.
- 25705. Fall-trap. Used in capture of partridges, &c. Scale, one-half. Henry Horan.

Pigeon-nets.

††† *Closed by falling of tide.*

Bar-weirs, arranged with the other weirs.

**Sheaf-traps.**

Sheaf-traps (New York Harbor).

## 33. CLUTCHING-TRAPS.

**Noose-traps.**

Snares:

Foot-path and barrier snares.

- 2633. Snare (made of sinew). Used in capture of lynxes, rabbits, &c. Fort Resolution, H. B. T. R. Kennicott.
- 19063. Rabbit-snare. Coowoye Pi-Ute Indians. Pyramid Lake, Nevada. Stephen Powers.
- 25660. Spring-trap (model). Used in capture of hares, grouse, &c. Scale, one-half. E. Herron.
- 25479. Spring-trap (model). Used for capture of hares, grouse, &c. Scale, one-half. T. N. Woltz.
- 25832. Model of grouse-snare. Yukon River, Alaska. W. H. Dall.

Springes.

"Round mouse-traps."

**Jawed traps.**

"Steel traps;"

Newhouse traps.

- 25262. Newhouse trap. No. 0 for rats. Spread of jaws,  $3\frac{1}{2}$  inches; strong enough to hold muskrat. Oneida Community, N. Y.
- 25261. Newhouse trap. No. 1 for muskrats. Spread of jaws, 4 inches; adapted to capturing the smaller fur-bearing animals. Oneida Community, N. Y.
- 25260. Newhouse trap. No. 1 $\frac{1}{2}$  for minks and fishers. Spread of jaws,  $4\frac{1}{2}$  inches; strong enough to hold fox or fisher. Oneida Community, N. Y.
- 25259. Newhouse trap. No. 2, for foxes. With double spring; spread of jaws,  $4\frac{1}{2}$  inches; strong enough to hold an otter. Oneida Community, N. Y.

**Jawed traps.**

"Steel traps:"

Newhouse traps.

- 25258. Newhouse trap. No. 3, for otters. Double spring; spread of jaws,  $5\frac{1}{2}$  inches. Oneida Community, N. Y.
- 25256. Newhouse trap. No. 4, for deer. Double spring; spread of jaws,  $6\frac{1}{2}$  inches. Oneida Community, N. Y.
- 25257. Newhouse trap. No. 4, for beavers. Double spring; spread of jaws,  $6\frac{1}{2}$  inches. Oneida Community, N. Y.
- 25255. Newhouse trap. No. 5, for bears. Spread of jaws,  $11\frac{1}{2}$  inches; weight of each spring, 2 pounds and 10 ounces; weight of trap 17 pounds, suitable for taking the common black bear. Oneida Community, N. Y.
- 25254. Newhouse trap. No. 6, for grizzly bears and moose. Spread of jaws, 16 inches; weight of each spring, 6 pounds and 10 ounces; weight of trap with chain, 42 pounds; made throughout, except the pan, of wrought iron and steel; strong enough to hold the moose or grizzly bear. Oneida Community, N. Y.
- 29250. Spring fish-trap. (Patented Dec. 9, 1856.) Edwin W. Judge, New Haven, Conn.

Spring bird-nets.

(French bird-trap.)

- 13153. Spring bird-trap. Used in France. Dr. H. C. Yarrow, U. S. A.

## 34. FALL-TRAPS.

**Crushing-traps.**

Dead-falls.

Figure-four traps.

- 25749. Log dead-fall (model). Used in Mississippi Valley. Scale, 1 inch to the foot. Henry Moran.
- 15614. Fox-trap. Used by Mahlemut Eskimos. Henry W. Elliott.

**Piercing-traps.**

Spear-falls.

Mole-traps.

Harpoon-traps.

**Spring-hooks.**

Pickerel-hooks, arranged with other hooks.

## 35. MISSILE-TRAPS

**Cross-bow traps.****Spring-guns.**

## 36. ADHESIVE PREPARATIONS.

**Bird-lime, &c.****Hoods, boots, &c.**

## VII. APPARATUS FOR WHOLESALE DESTRUCTION.

## 37. POISONS.

**Food poisons.**

Phosphorus poisons.  
Strychnine.  
Arsenic.  
Corrosive sublimate.  
Cyanide of potassium.  
Opium poisons.

For obvious reasons this series is not exhibited.

**Blood poisons: Woorara.**

## 38. ASPHYXIATORS.

**Apparatus for smoking out.****(Apparatus for suffocating with fumes of sulphur.)****Apparatus for drowning out.**

## 39. TORPEDOES.

## 39½. STOMACH-SPRINGS.

**Eskimo whalebone springs** (used for killing bears).

7442. Stomach-springs. Used by Eskimo in capturing bears, &c. Fort Anderson, Arctic coast. R. McFarlane.

## VIII. HUNTING-ANIMALS.

## 40. HUNTING-MAMMALS.

**Dogs.****Hunting-leopard** (*Cynailurus jubatus*).**Weasels and ferrets.****Otters.**

## 41. ACCESSORIES TO HUNTING-DOGS.

**Dog-whips.****Dog-whistles.**

29255.	Dog-call (double).	Edwin M. Judge, New Haven, Conn.
29256.	Dog-call.	" "
29257.	Dog-call.	" "
29258.	Dog-call.	" "
29259.	Dog-call.	" "

**Dog-whistles.**

29260. Dog-call. Edwin M. Judge, New Haven, Conn.  
 29261. Dog-call. " "  
 29262. Dog-call for whip. " "  
 29254. Police-call. " "  
 29255. Railroad-call. " "

**Dog-collars.****Dog-food.****Dog-carts.****Dog-muzzles.**

## 42. HUNTING-BIRDS.

**Falcons.****Owls.**

**Cormorants** (*Carbo sinensis*). Used in fishing in China.

## 43. ACCESSORY TO HUNTING-BIRDS.

**Hoods.****Perches.****Cormorant-collars.**

## 44. HUNTING-FISHES.

**Remora** (used in West Indies and Australia).

---

## IX. DECOYS AND DISGUISES.

## 45. BAITS.

**Natural baits.**

Flies and other insects. (This should include a collection of those insects which, as the favorite food of fishes, are imitated in making artificial flies.) Arranged with hooks. (See under 29 a.)

Worms.

Mollusks.

Salted baits (prepared).

Menhaden.

Herring.

Squids.

Clams, long.

Clams, hen.

Pea-roe of cod (used in French sardine-fisheries, and largely exported).

Grasshopper paste, used as a substitute for pea-roe.

Tolling baits, "stosh," &c.

These articles, on account of their perishable nature, cannot well be exhibited.

**Natural baits.**

(Accessories.) Methods of preparing baits:—

Bait-cutters.

Bait-mills.

Bait-ladles.

Wheelbarrows for bait-clams (Nantucket).

32740. Beach-cart, Nantucket, Mass. W. H. Chase, 2d.

Bait-boxes and cans.

25530. Five bait-boxes. Bradford &amp; Anthony, Boston, Mass.

26394. Bait-box. Forest &amp; Stream Publishing Company. Property of John [A. Nichols, Syracuse, N. Y.]

26333. Minnow-pail. " "

26392. Crab-can. " "

26391. Grasshopper-can. " "

Bait-needles.

**Artificial baits.<sup>1</sup>**Trolling-spoons.<sup>1</sup>Spinners.<sup>1</sup>Squids and jigs.<sup>1</sup>"Bobs," used in southern waters.<sup>1</sup>Artificial flies.<sup>1</sup>**Accessories to artificial baits.<sup>1</sup>**a. Fly-hooks.<sup>1</sup>b. Raw materials for making artificial flies.<sup>1</sup>c. Tools for making artificial flies.<sup>1</sup>**Pastes.****DECROYS.****Scent-decoys.****Sound-decoys.**

Animal-calls, whistles, &amp;c.

7452, 2149. Deer-call. Eskimos. Mackenzie's River district. R. MacFarlane.

2253. Deer-call. Eskimos. Mackenzie's River district. R. Kennicott.

Bird-calls.

26053. Turkey-call. Used in Illinois. J. W. Milner.

26054. Turkey-call. Used in Maryland. G. W. Woltz.

<sup>1</sup>Arranged with hooks.

## Sight-decoys.

- Living decoy animals and birds.
- Decoy-dogs, used in hunting ducks.
- Stool-pigeons.
- Tame decoy-ducks.
- Tame decoy-brants.
- Imitations of animals and birds.:

### Decoy-waders (carved in wood).

25042. Black-breasted plover (*Squatarola helvetica*). P. Brasher, New York.  
 25041. Long-billed curlew (*Numenius longirostris*). " "  
 25043. Yellow-shanks (*Gambetta flavirostris*). " "

### Decoy-waders (stamped in tin).

25909. Black-breasted plover (*Squatarola helvetica*). Herman Strater & Sons, [Boston, Mass.  
 25908. Golden plover (*Charadrius virginicus*) " "  
 25906-7. Red-breasted snipe (*Macrorhamphus griseus?*). " "  
 25910-11. Monstone (*Strepsilas interpres*). " "

These decoys are made hollow, stamped out in halves, hinged at head and tail to open and nest together. One dozen plover weigh 3 pounds, with box occupying a space of 8½ by 9 inches, 3 inches deep. Patented.

### Decoy swimming-birds (made from the skins of birds).

7127. Skin of canvas-back duck (*Fuligula rallina*) stuffed with dry tulé grass and fitted for decoy with strings and weights. Pi-Ute Indians. Robert Ridgway.  
 7128. Skin of red-head duck (*Fuligula ferina*, var. *americana*), fitted for use as decoy. Pi-Ute Indians. Robert Ridgway.  
 7129. Same. Robert Ridgway.  
 4783. Same. Pi-Ute Indians. Carson Lake, Utah. Capt. J. H. Simpson.  
 19031. Skin of widgeon (*Mareca americana*), fitted for use as decoy. Cooyuwhee Pi-Ute Indians. Pyramid Lake, Nevada. Native name, *Imoodoowee*. Stephen Powers.  
 29532. Skin of a pin-tail duck (*Dafila acuta*), stuffed for use as a decoy. P. Louis Jony, Washington, D. C.

### Decoy swimming-birds (carved in wood).

25040. Brant (*Berwickia brenta*). P. Brasher, New York City.  
 25035. Mallard (*Anas boschas*). Henry A. Stevens, Weedsport, N. Y.  
 25242. " " Male. John Krider, Philadelphia.  
 25241. " " Female. " "  
 29540. Black duck (*Anas obscurus*). Francis Burritt, South Norwalk, Conn.  
 25034. " " A. Stevens, Weedsport, N. Y.  
 26051. Pin-tail duck (*Dafila acuta*). John Krider, Philadelphia.  
 26054. Bald-pate duck (*Mareca americana*). Male. John Krider, Philadelphia.  
 26055. " " Female. "  
 25038. " " P. Brasher, New York City.  
 25031. Blue-wing teal (*Querquedula discors*). Henry A. Stevens, Weedsport, N. Y.

## Sight-decoys.

### Imitations of animals and birds:

### Decoy swimming-birds (carved in wood)

- |        |   |                                    |                            |
|--------|---|------------------------------------|----------------------------|
| 25245. | Blue-wing teal ( <i>Querquedula discors</i> ).                    | Female.                            | John Krider, Philadelphia. |
| 25246. | "   | Male.                              | " "                        |
| 25244. | Green-wing teal ( <i>Nettion carolinensis</i> ).                  | "                                  | " "                        |
| 25243. | "   | Female.                            | " "                        |
| 25039. | Broad-bill duck ( <i>Fuligula marila</i> ).                       | P. Bracher, New York City.         |                            |
| 26058. | "   | Male.                              | John Krider, Philadelphia. |
| 26059. | "   | Female.                            | " "                        |
| 29541. | "   | Francis Burritt, South Norwalk,    | [Conn.]                    |
| 25029. | Scap duck ( <i>Fuligula affinis</i> ).                            | Henry A. Stevens, Weedsport, N. Y. |                            |
| 25032. | Red-head duck ( <i>Fuligula ferina</i> , var. <i>americana</i> ). | Henry A. Stevens,                  | [Weedsport, N. Y.]         |
| 26056. | "   | Male.                              | John Krider, Philadelphia. |
| 26057. | "   | Female.                            | " "                        |
| 25033. | Canvas-back duck ( <i>Fuligula vallisneria</i> ).                 | Henry A. Stevens, Weeds-           | [port, N. Y.]              |
| 25037. | "   | Male.                              | John Krider, Philadelphia. |
| 26053. | "   | Female.                            | " "                        |
| 25036. | Whistle-wing duck ( <i>Bucephala americana</i> ).                 | Henry A. Stevens,                  | Weedsport, N. Y.           |
| 25030. | Butter-ball duck ( <i>Bucephala albeola</i> ).                    | Henry A. Stevens, Weeds-           | port, N. Y.                |

Decoy swimming-birds (stamped in tin, with wooden bottoms and head balance weights).

26047. Mallard (*Anas boschus*). Male. Herman Strater & Sons, Boston.  
 25905. " " Female. " "  
 26048. Black duck (*Anas obscura*). Male. " "  
 26049. " " Female. " "  
 26045. Red-head duck (*Fuligula ferina*, var. *americana*). Male. Herman Strater & Sons, Boston.  
 26046. Read-head duck (*Fuligula ferina*, var. *americana*). Female. Herman Strater & Sons, Boston.  
 26043. Canvas-back duck (*Fuligula rallisneria*). Male. Herman Strater & Sons, Boston.  
 26044. " " Female. " "  
 25901. Whistle-wing duck (*Bucephala americana*). Male. " "  
 25902. " " Female. " "  
 25903. Sheldrake (*Mergus americanus*). Male. " "  
 25904. " " Female. " "  
 25900. Surf duck (*Oidemia perspicillata*). " "  
 26702. Decoys. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

### **Limitations of fishes.**

29366. Lure-fish. D. H. Fitzhugh, Bay City, Mich. Used in fishing through the ice for salmon-trout.

**Sight-decoys.**

Imitations of fishes.

29294. Lure-fishes. William Morris, Lake City, Mich. Used in fishing through the ice for pickerel.

These lure-fishes are used to decoy large fish under holes in the ice so that they may be within reach of the spear.

Blanket decoy (for antelopes).

Lanterns and other apparatus for fire hunting and fishing.

Lanterns for still-hunting.

25238. Centennial dash-lamp. For sportsman's hunting-wagons. White Manufacturing Company, Bridgeport, Conn.

25239. Dash-lamp. Used for hunting and fishing. White Manufacturing Company, Bridgeport, Conn.

25236. Jack-lamp. For night-hunting and general camp uses. White Manufacturing Company, Bridgeport, Conn.

25240. Johnson's jack-lamp support. For night hunting and fishing. White Manufacturing Company, Bridgeport, Conn.

25237. Fishing-lamp. White Manufacturing Company, Bridgeport, Conn.

Lanterns for weequashing, or fire-fishing, for eels.

29365. Boat-lanterns. Used in bow of boat in weequashing or spearing eels by night. Southern New England, James H. Latham, Noank, Conn.

12107. Birch-bark used for torchlight fishing. Passamaquoddy Indians, Eastport, Me. Dr. E. Palmer.

32739. Torch for night fishing. Halifax, N. S. Capt. H. C. Chester.

**47. COVERS.****Movable covers.**

Masks.

Deer heads and antelope heads.

8420. Antelope decoy. Made from head of prong-horn antelope (*Antilocapra americana*). Prescott, Ariz. Dr. E. Coues, U. S. A.

- . Antelope decoy. Arizona. Dr. J. B. White, U. S. A.

5537. Deer decoy. Made from head of mule-deer (*Cervus macrolis*). Apache Indians. Edward Palmer. •

Movable copses.

Covers for hunters.

Covers for boats.

**Stationary covers.**

Hunting-lodges.

## X. PURSUIT, ITS METHODS AND APPLIANCES.

### 48. METHODS OF TRANSPORTATION.

#### Personal aids.

- Snow-shoes.
- Skates.
- Alpenstocks and staves.
- Portable bridges.

#### Animal equipments.

- Harness:<sup>1</sup>

  - Horse-trappings.
  - Dog-harness.
  - Girths, sinches.
  - Bits, cabrestos, spurs.

- Saddles:<sup>1</sup>

  - Riding-saddles.
  - Pack-saddles.
  - Aparejos.
  - Riding-pads (for buffalo hunting).
  - Fur pack-saddle (Hudson's Bay Territory).

- Vehicles:<sup>1</sup>

  - Deer-sledges.
  - Dog-sledges.
  - Wagons.
  - Dog-carts.
  - Fish-carts, used in Nantucket.

#### Boats.

##### Hunting-boats, fishing-boats:

- Birch canoes.
  - Birch-bark canoes.
- Used by Indians in hunting and fishing.

- 
- 26615. Bark canoe. Passamaquoddy Indians. Eastport, Me. E. Palmer.
  - 26614. Bark canoe. Sixteen feet long, thirty-seven inches wide. Montagnard Indians of Besamis. Labrador. R. H. Powell.
  - 7630. Bark canoe. (Model.) Lower Ingalik, Alaska. W. H. Dall.
  - 858. Bark canoe. (Model.) Chippeway Indians, Athabasca and Great Slave Lakes. B. R. Ross.
  - 2358. Bark canoes. (Model; scale, about 1 inch to foot.) Northeastern America. J. Varden.

---

<sup>1</sup> Arranged with Ethnological series.

**Boats.**

## Birch-bark canoes.

859. Bark canoe. (Model.) Slave Indians of Mackenzie's River. Fort Simpson, H. B. T. B. R. Ross.  
 641. Bark canoe. (Model.) Upper Columbia River. G. Gibbs.  
 12107. Birch-bark, used in manufacture of canoes. Passamaquoddy Indians. Eastport, Me. E. Palmer.

## Wooden sea canoes.

Used by Indians of Northwest coast in hunting and fishing.

20592. Wooden canoe. Northwest coast. J. G. Swan.  
 13102. Wooden canoe. (Model.) Queen Charlotte Island. J. G. Swan.  
 2616. Wooden canoe. (Model.) Northwest coast. U. S. Exploring Expedition. Capt. Charles Wilkes, U. S. N.  
 20592. Wooden canoe. (Model.) Bella Bella, B. C. J. G. Swan.  
 2583. Wooden canoe. (Model.) Oregon. U. S. Exploring Expedition. Capt. Charles Wilkes, U. S. N.  
 1785. Wooden canoe. (Model.) Northwest coast. Dr. George Suckley.  
 11082. Wooden canoe. (Model.) Alaska. Lieutenant Ring, U. S. N.  
 20895. Wooden canoe. (Model.) Haidah Indians. Priuce of Wales Island, Alaska. J. G. Swan.

## Wooden canoes.

Used by Indians of the Northwest coast in whaling and sea fisheries.

26785. Wooden canoe. (60 feet long.) British Columbia. J. G. Swan.  
 16269. Wooden canoe. (Model.) Sitka, Alaska. W. H. Dall.  
 21595. Wooden canoe. (Model.) Alaska. Dr. J. B. White.  
 21594. Wooden canoe. (Model.) Alaska. "  
 639. Wooden canoe. (Model.) Northwest coast. George Gibbs.  
 7285. Wooden canoe. (Model.) Neah Bay, Washington Territory. J. G. Swan.  
 16269. Wooden canoe. (Model, painted.) Ihluket Indians. Sitka, Alaska. W. H. Dall.  
 640. Wooden canoe. (Model.) Northwest coast. George Gibbs.  
 1871. Wooden canoe. (Model.) Vancouver's Island. Dr. C. B. Kennerly.  
 811. Wooden canoe. (Model.) " "  
 26761. Wooden canoe. Model of Haidah canoe (with masts and pushing-sticks, for traveling, fishing, &c.). Queen Charlotte Island. J. G. Swan.  
 26760. Wooden canoe. Model of Haidah canoe (for deep sea and war). Queen Charlotte Island. J. G. Swan.  
 26763. Wooden canoe. Model of wooden canoe (with masts, paddles, pushing-sticks, and ivory harpoons). J. G. Swan.  
 26762. Wooden canoe. Model of Cogwell canoe (for deep sea and war). Flathead Indians. J. G. Swan.  
 26787. Wooden canoe. British Columbia. J. G. Swan.  
 26785. Wooden canoe. " "  
 26785. Wooden canoe. Dug-out canoe (60 feet long). British Columbia. J. G. Swan.

**Boats.**

## Kyaks or bidarkas.

Used by Eskimos of Arctic America in hunting and fishing.

26017. Kyak. (13 feet 9 inches long, 30 inches wide.) Northwest coast—  
Sitka, Alaska. William Burling.  
 14971. Kyak. (Model.) Alaska. W. H. Dall.  
 16275. Kyak. (Model.) Kodiak. "  
 14971. Kyak. (Model, one hole.) Alaska. W. H. Dall.  
 21609. Kyak. (Model, one hole.) Alaska. Dr. J. B. White.  
 1127. Kyak. (Model, two-hole.) Koloshes, Aleutian Islands. Capt. J.  
R. Sands.  
 14970. Kyak. (Model.) Aleutian Islands. W. H. Dall.  
 21604. Kyak. (Model, 2-hole.) Alaska. Dr. J. B. White.  
 21605. Kyak. (Model, 3-hole.) Alaska. "  
 21610. Kyak. (Model, 3-hole.) Alaska. "  
 21606. Kyak. (Model, 4-hole.) Alaska. "  
 87±8. Kyak. (Model.) Unabeet Eskimo. Norton Sound, Alaska. W.  
H. Dall.  
 26618. Kyak. Eighteen feet long, 22 inches wide. Greenland. Eskimo Joe.  
 562. Kyak. (Model.) East coast, Upernivik. Dr. Hayes.  
 14750. Kyak. (Model, with bird-spear, harpoon, and seal-skin float.)  
Eskimos, Tusiaek, North Greenland. Prof. S. F. Baird.  
 2230. Kyak. (Model, with bird-spear, lances, and spear-rest.) Anderson  
River Eskimos. Mackenzie's River district. R. MacFarlane.

## Umiaks or bidarras.

Used by Eskimos in whaling and sea fisheries.

1098. Umiak. (Model.) Fort Anderson, H. B. T. Robert MacFarlane.  
 15618. Umiak. (Model of frame.) Saint Lawrence Island, Alaska. H. W.  
Elliott.

## Indian raft-boats.

Used in hunting and fishing.

19028. Raft of tulé grass. (Model.) Pi-Ute Indians. Pyramid Lake, Nev.  
Stephen Powers.

## Dug-out canoes.

Used by Indians of Pacific coast.

21358. Dug-out canoe. (Model.) Hoopah Indians, Trinity River, Cal. S.  
[Powers.  
 21359. Dug-out canoe. (Model.) " "

## Dug-out canoe.

Used in river fisheries of the Southern States.

25728. Dug-out canoe. (Model; scale, inch to foot.) Saint John's River,  
Florida. Francis C. Goode.

## Boats.

### Portable boats.

29506. Hegeman portable folding boat. Length, 10 feet; width, 3 feet.  
Hegeman Portable Folding Boat Company, Ballston Spa, N. Y.

Directions for setting up boat:

1. Unfold the frame.
2. Place the knees and seats in position before fastening the bottom-end section at the ends of the boat.
3. Fasten the bottom-end section to the ends of the boat by the thumb-screws.
4. Place on the canvas with the cords and tie in a single loop (or bow knot).

22218. Model of Colvin portable canvas boat. (Patented Oct. 6, 1874.) R. A. Scott & Co., Albany, N. Y.

"This boat consists of a canvas exterior made thoroughly water-proof by a preparation which preserves the strength of the canvas and prevents decay and oxidation. It is shaped like a canoe, sharp at both ends, and cuts the water handsomely. Along the sides and bottom are leather thongs, by which the boughs and limbs cut for frame can be lashed securely to the canvas, with the assistance of the four leather framing blocks or sockets (two for each end), which connect the stem and stern posts (or prow pieces) with the keelson, and it can be readily put together anywhere in the woods, no tools being required for the purpose, excepting such as are *always carried* by a party of sportsmen, or others, an ax or hatchet only being needed. The whole of it can be packed away in a space 24 inches long, 6 inches wide, and 3 inches thick. The size now made (No. 3), although but 12 feet long, will carry six men, or four men with their necessary baggage, and weighs but 12 pounds when rolled up. It has been tested in a heavy sea with a frame of green boughs cut only two hours before, and carried a weight of 700 pounds safely and easily."

25879-26-112. Model of Fenner's portable boat. With canvas bottom. C. A. Fenner, Mystic River, Connecticut.

One of these models is shown closed up in its case ready for transportation, the other set up for use.

### Canoes.

26619. Paper canoe "Maria Theresa." N. H. Bishop, Lake George, N. Y.

Designed by Rev. Baden Powell, of England; built by E. Waters & Sons, of Troy, N. Y. Dimensions: length, 14 feet; beam, 28 inches; depth (amidship), 9 inches; weight of canoe, 58 pounds; weight of canoeist, 130 pounds; weight of outfit, 90 pounds; total, 278 pounds. Rowed by Mr. N. H. Bishop (from Troy, N. Y., 2,000 miles) while on his first geographical journey from the Gulf of Saint Lawrence to the Gulf of Mexico, 2,500 miles, during 1874 and 1875. Since the completion of the voyage all injuries the hull sustained were remedied by the simple application of a sheet of paper and a coat of shellac varnish to the outside of the boat. When in use a piece of canvas covers the undecked part of the canoe and keeps the interior dry. Water-courses traversed by Mr. Bishop during 1874 and 1875: From Quebec, rivers Saint Lawrence and Richelieu,

**Boats.**

## Canoes.

Lake Champlain, and canal to Albany; the Hudson, Kill Von Kull, and Raritan rivers and canal, and the Delaware to Philadelphia; Delaware River and bay to Cape Henlopen, and interior salt-water passages on coast of Maryland and Virginia to Norfolk; the Elizabeth River and canal to Currituck Sound, Albemarle, Pamlico, Cove, Bogue, Stump, and other sounds, to near Wilmington, N. C.; Waccaman River to Georgetown, S. C.; by salt-water creeks, rivers, bays, and sounds along the coast of the United States to Florida; from Atlantic coast, via Saint Mary's and Suwannee rivers, to Gulf of Mexico.

26628. Rice Lake canoe. William English, Peterborough, Ontario.

## Coracles or skin boats.

9785. Skin boat. Hidatza (*Gros Ventres*) Indians. Fort Buford, Dakota. Dr. W. Mathews, U. S. A.

## Whale boat (used in whale fisheries).

24880. Whale-boat. (Model, with all fittings; scale, 1 inch to foot.) Capt. L. Howland, New Bedford, Mass.

24888. Whale-boat. (Model.) C. H. Shute & Son, Edgartown, Mass.

26839. Whale-boat, 35 feet long. Williams, Haven & Co., New London, Conn.

This boat is mounted with all the gear used in the capture of the whale.

## Seine-boat.

25827. Model of Cape Ann seine-boat. Higgins & Gifford, Gloucester, Mass.

This model shows the fittings manufactured for seine-boats by Wilcox, Crittenden & Co., Middletown, Conn., to wit: cleat, stern-cap, snatch-block for pursing-seine, steering-oarlock with stern socket, socket used on side of stern for steering, davit-iron, tow-iron, tow-link and hook, belaying-pin, oar-holder, davit-guard and step-plate, breast-brace and eye-plate or oar-holder swivels, all of which are shown in their proper places by full-size models.

## Dorys, sharpies, and dingies.

25657. Nantucket dory. (Model; scale, 1 inch to the foot.) William H. Chase.

Used in gathering clams for codfish-bait.

12678. New England dory. (Models; scale, 1 inch to the foot.) Starling & Stevens, Ferryville, Me.

13493. New England dory. (Model; scale, 1 inch to the foot.) Starling & Stevens, Ferryville, Me.

Used in coast fisheries and bank cod fisheries.

24752. Connecticut sharpie. (Scale, 1 inch to the foot.) Capt. H. C. Chester, Noank, Conn.

**Boats.**

## Italian fishing-boats.

Used in harbor fisheries of California.

22213. Italian fishing-boat. (Model; felucca rig.) San Francisco. Livingston Stone.  
 22214. Italian fishing-boat. (Model; felucca rig.) " "  
 22215. Italian fishing-boat. (Model; felucca rig.) " "  
 22217. Italian fishing-boat. (Model.) Chinese fishing-boat. San Francisco. Livingston Stone.

## Pinkies.

25729. Martha's Vineyard pinkie-boat. (Model; scale,  $\frac{1}{2}$  inch to the foot.) William H. Chase.

Used in shore fisheries.

25898. Norman's Land pinkie-boat. (Model; scale, inch to the foot.) Capt. William Cleveland, Vineyard Haven, Mass.

Used in cod and coast fisheries.

## Hunting-skiffs.

Used for hunting and fishing in mountain lakes.

26621. Adirondack boat. Full size. Frederick D. Graves, maker, Boston, Mass.

25681. Adirondack boat. (Model; scale,  $\frac{1}{2}$  inch to the foot.) Frederick D. Graves, maker, Boston, Mass.

Dimensions: 15 feet long, 3 feet 6 inches wide; weight, 75 to 80 pounds. For the use of sportsmen this boat is claimed to excel, on account of its extreme lightness and durability, one man being able by means of a yoke to carry the same to any distance without fatigue. This boat is also adapted for family purposes, the *patent rowlock* enabling the most inexperienced rower of either sex to propel the boat with ease and perfect safety, and without any possible chance of losing the oars.

25899. Ansable boat. (Model.) D. L. Fitzhugh, jr., Bay City, Mich.

Used in trout and grayling fishing, with well for live fish. Length, 16 feet; sides twelve inches high inside, 2 feet 10 inches wide on top, 2 feet 4 inches at bottom.

26624. Saint Lawrence boat. (Length, 19 feet; width, 43 inches.) Henry Sweetman, Clayton, N. Y.

Used in trolling in the Thousand Island region. Length, 19 feet; width, 43 inches.

25053. Alexandria Bay boat. (Model.) Cornwall & Walton, Alexandria, N. Y.

Used for hunting and fishing in the Adirondacks and the Saint Lawrence.

## Sea boats.

24999. New England surf-boat. (Model; scale, 2 inches to the foot.) Cragin & Sheldon, makers, Boston, Mass.

Used in harbor, lake, and river fisheries.

25001. Whitehall boat (18 feet). (Model; scale, 2 inches to the foot.) Cragin & Sheldon, Boston, Mass.

25000. Ship's yawl. (Model; scale, 2 inches to the foot.) Cragin & Sheldon, Boston, Mass.

Carried by coasters and fishing smacks.

**Boats.**

## Sea boats.

22216. San Francisco yawl. (Model.) Livingston Stone.  
Used by Italian fishermen on coast of California.
25028. Nantucket Harbor boat. (Model; scale, 1 inch to the foot.) W. H. Chase.  
Used in harbor fishing.

## Oyster-canoe.

25003. Chesapeake oyster-canoe (made from two logs). (Model; scale, 1 inch to the foot.) Major T. B. Ferguson, Maryland Fish Commission.  
Used for oyster-raking in Chesapeake Bay.
25002. Chesapeake canoe-pungy. (Model; scale, 1 inch to the foot.) Major T. B. Ferguson, Maryland Fish Commission.  
Used in oyster-dredging in Chesapeake Bay.

## Ducking-boats.

25658. Egg Harbor boat. (Model; scale, 1 inch to the foot.) P. Brasher, New York City.  
Used for hunting in marshes and bays.
26620. Cedar duck-boat "Central Republic." Built by Capt. George Bogart, surfman, Mahanawken, Ocean County, New Jersey.  
Dimensions: 12 feet long, beam 3 feet 11 inches, depth 12 inches.  
N. H. Bishop, Lake George, N. Y.  
This is the boat in which Mr. Nathaniel H. Bishop, of Lake George, Warren County, New York State, rowed from Pittsburg, Pa., via Ohio and Mississippi Rivers and the Gulf of Mexico (2,600 miles) to Cedar Keys, Fla., while on his second geographical expedition during 1875-76.
26623. New Jersey sneak-box. (Model; scale, 1 inch to the foot.) John D. Gifford, Tuckerton, N. J.  
These boats are from twelve to fourteen feet in length; the shelving or sideboards on the stern of the boat are used to hold the decoys while the hunter rows to and from the shooting ground. Used by gunners on Barnegat and Little Egg Harbor Bays, New Jersey.
26622. Maryland ducking-sink. (Model; scale, 1 inch to foot.) J. G. Adam.  
Used by gunners on the Potomac River and Chesapeake Bay.

## Cat-rigged fishing-boats.

12099. Bay of Fundy cat-boat. (Model; scale,  $\frac{1}{2}$  inch to the foot.) Captain Hallet, Eastport, Me.  
Used in herring fisheries.
25026. Martha's Vineyard cat-boat. (Model; scale,  $\frac{1}{2}$  inch to the foot.) William H. Chase.  
Used in coast fisheries.
29537. Providence River cat-boat. (Model; scale, 1 inch to the foot.) J. M. K. Southwick, Newport, R. I.  
These boats vary in length from 14 to 19 $\frac{1}{2}$  feet, and cost from \$225 to \$425.  
Used by lobster fisheries and hook and line fisheries. Built by J. U. Stoddard.
26585. Two-masted cat-boat. (Model; scale, about  $\frac{1}{2}$  inch to the foot.) Johnson & Young, Boston, Mass.  
Used in New England lobster fisheries.

**Boats.**

## Schooner-rigged fishing-vessels.

26809. Noank lobster-boat. (Model.) Capt. H. C. Chester, Noank, Conn.  
 25825. Block Island boat. (Model; scale,  $\frac{1}{2}$  inch to the foot.) Capt. H. C. Chester.  
     Used in cod fisheries and shore fisheries.  
 25730. Massachusetts schooner-smack. (Model; scale,  $\frac{1}{8}$  inch to the foot.) William H. Chase, Boston, Mass.  
     Used in mackerel fisheries and winter oyster trade.  
 25731. Maine schooner-smack. (Model; scale,  $\frac{1}{4}$  inch to the foot.) Capt. H. C. Chester.  
     Used in bank cod fisheries and eastern mackerel fisheries.  
 26536. Oyster-schooner. (Model; scale, 1 inch to the foot.) T. B. Ferguson, Maryland Fish Commission.  
     Used in oyster-dredging in Chesapeake Bay.  
 26584. Schooner-smack. (Model; scale, about  $\frac{1}{2}$  inch to the foot.) Johnson & Young, Boston, Mass.  
     Employed in the New England lobster fisheries.  
 25727. Noank well-smack. (Model; scale,  $\frac{1}{2}$  inch to the foot.) H. C. Chester, Noank, Conn.  
     Supplies fresh fish to local markets and New York iced-fish trade.  
 24883. Schooner-yacht. (Model; scale,  $\frac{1}{8}$  inch to the foot.) William H. Chase.  
     Used in pursuit of sword-fish and blue-fishing.  
 22220. Gloucester schooner-smack, style 1835. (Model.) M. M. McFadyn.  
     First form of sharp-bowed schooner, out of which the present Gloucester schooner was developed.  
 22219. Old-fashioned topmast schooner. (Model.) A. R. Crittenden.  
 26584. Schooner-smack. (Model; scale, about  $\frac{1}{2}$  inch to the foot.) Johnson & Young, Boston, Mass.  
     Used in the New England lobster fisheries.

**Ships.**

25726. Whaling-ship. (Model.) C. H. Shute & Son, Edgartown, Mass.  
     Crew engaged in cutting in the blubber.  
 24881. Whaling-bark. (Model; scale,  $\frac{1}{4}$  inch to the foot.) U. S. Fish Commission.  
     Used in northern whale fisheries.  
 24882. Merchant ship. (Model; scale,  $\frac{1}{8}$  inch to the foot.) U. S. Fish Commission.  
     Used in foreign trade.

**Boats of Great Lakes.**

26625. Mackinaw boat. (Model.) J. W. Milner.  
     Used in fisheries of the upper great lakes.  
 26626. "Norwegian boat" (Model.) J. W. Milner.  
     Used in Lake Michigan fisheries.  
 26790. Lake Erie pound boat. (Model.) J. W. Milner.  
 26627. Square-stern boat. (Model.) J. W. Milner.  
     Used in Great Lake fisheries.

**Steamers.**

25824. Menhaden steamer with seine-boats. (Model.) Joseph Lawler, Bristol, Me.  
 ——. Gill-net steamer. (Model.) N. Crooks, Milwaukee, Wis.

**Boats.**

## Steamers.

25027. Gill-net steamer. (Model; scale, 1 inch to 5 feet 5 inches.)  
Used in Lake Michigan fisheries.  
25027. "Camel" floating-dock. (Model; scale, 1 inch to 5 feet 5 inches.)  
William H. Chase.  
26808. "Camel" floating-dock. Model of steamship Cuba. Deposited by  
F. McFadden, Philadelphia.  
Built in 1842 for floating loaded ships over Nantucket bar.

**Apparatus accessory to rigging fishing-vessels.**

## Blocks.

25821. Three single iron-sheaved, plain-hook tackle blocks. Walter Cole-  
man & Sons, Providence, R. I.  
25820. Two double iron-sheaved, plain-hook tackle blocks. Walter Cole-  
man & Sons, Providence, R. I.  
25806. "Dead-eye" block. Used to secure the standing or fixed rigging to  
the hull of the vessel. Walter Coleman & Sons, Providence, R. I.  
25804. "Heart" block. Used to secure the standing or fixed rigging to the  
hull of the vessel. Walter Coleman & Sons, Providence, R. I.  
25805. "Bull's-eye" block. Used to secure the standing or fixed rigging to  
the hull of the vessel. Walter Coleman & Sons, Providence, R. I.  
25819. One single brass-sheaved, sister-hook tackle block. Walter Cole-  
man & Sons, Providence, R. I.  
25152. Series of boat-blocks. Used on small fishing-boats around Cape Cod  
and Newport. Wilcox, Crittenden & Co., Middletown, Conn.  
25817. One single brass-sheaved, sister-hook tackle block. Walter Cole-  
man & Sons, Providence, R. I.  
25818. One double iron-sheaved, sister-hook tackle block. Walter Cole-  
man & Sons, Providence, R. I.  
25812. Round block. For jib-sheets and small craft. Walter Coleman &  
Sons, Providence, R. I.  
25816. Two double brass-sheaved, plain-hook tackle block. Walter Cole-  
man & Sons, Providence, R. I.  
25815. Common iron sheave. Walter Coleman & Sons, Providence, R. I.  
25814. Plain brass sheave. Walter Coleman & Sons, Providence, R. I.  
25813. Patent brass-roller sheave. Walter Coleman & Sons, Providence, R. I.  
29444. Improved swivel-hook. For blocks and general use. Daniel Walker,  
Providence, R. I.

## Clews and hanks.

- |   |         |
|---|---------|
| 25139. Ship's clew for courses. Wilcox, Crittenden & Co., Middletown,   | [Conn.] |
| 25140. Earing-ring. "   | "       |
| 25141. Throat-ring. "   | "       |
| 25221. Sail-clew. "   | "       |
| 25135. Series of spectacle or fore-and-aft clews. With patent clew-thim-<br>bles. Wilcox, Crittenden & Co., Middletown, Conn. |         |
| 25126. Improved heart-clew. Wilcox, Crittenden & Co., Middletown, Conn.   |         |
| 25142. Tack-ring. "   | "       |
| 25137. Series of topsail clew-hows. "   | "       |
| 25138. Series of clew-bars. "   | "       |

**Apparatus accessory to rigging fishing-vessels.**

## Clews and hanks.

29475. Clement's patent self-adjusting jib-hank. Wilcox, Crittenden & Co., Middletown, Conn.  
 25143. Jib-head, with patent clew-thimble, used where the jib has been stretched too much; the jib is shortened at the head; and the jib-head is attached to the sail. Wilcox, Crittenden & Co., Middletown, Conn.  
 25803. Jib-hank. Goes on jib-stay to hold the sail to it. Walter Coleman & Sons, Providence, R. I.  
 25777. Wooden jib-hank. Samuel Elwell, jr., Gloucester, Mass.  
 25156. Series of single-stay jib-hanks. Wilcox, Crittenden & Co., Middle-[town, Conn.  
 25157. Series of double-stay jib-hanks. " "  
 25215. Self-adjusting jib-hank for double stay. Clement's patent. Wilcox, Crittenden & Co., Middletown, Conn.  
 25214. Patent self-adjusting jib-hank. Clement's patent. Wilcox, Crittenden & Co., Middletown, Conn.  
 29460. Jib-sheet block (peculiar to Gloucester fishing-vessels). Samuel Elwell, jr., Gloucester, Mass.  
 25158. Pratt's patent jib-hank or yacht-jib. Wilcox, Crittenden & Co., [Middletown, Conn.  
 25207. Hook-and-eye for bonnet of jib. " "

## Chocks.

29468. Line-chock for whale-boat. Provincetown style. William W. Smith, Provincetown, Mass.  
 25180. Line-chock for whale-boat. Wilcox, Crittenden & Co., Middletown, Conn.  
 25216. Bow-chocks. " "  
 25195. Boat-chocks. " "

## Boat-hooks.

25926. Whaler's large-ring boat-hook. E. B. & T. Maey, New Bedford, Mass.  
 25614. Whale-boat boat-hook (peculiar to New Bedford). Humphrey S. Kirby, New Bedford, Mass.  
 25196. Series of wrought-iron boat-hooks. Wilcox, Crittenden & Co., [Middletown, Conn.  
 25200. Boat-hook for gunboat. " "  
 25226. Boat-hook. U. S. Fish Commission (deposited).  
 25197. Double Navy boat-hooks with ball points. Wilcox, Crittenden & Co., Middletown, Conn.  
 25198. Series of Navy boat-hooks with ball points. " "  
 25199. Series of sharp-pointed boat-hooks. " "

## Belaying-pins.

25161. Series of belaying-pins. Wilcox, Crittenden & Co., Middletown, Conn.  
 25169. Belaying-pin for Cape Ann seine-boat. " "  
 25763. Two belaying-pins. Samuel Elwell, jr., Gloucester, Mass.

**Apparatus accessory to rigging fishing-vessels.**

## Riggers' hooks.

25194. Deck or hammock hook.	Wilcox, Crittenden & Co., Middletown,	
		[Conn.]
25195. Hammock-hook.	"	"
25206. Series of riggers' sister-hooks.	"	"
25145. Wide-mouthed single-hooks, or Cape Ann bonnet-hooks.	Wilcox,	
	[Crittenden & Co., Middletown, Conn.]	
29478. Bonnet-hook and grommet.	"	"
29452. Bonnet-hook-and-eye, for removing the jib.	Wilcox, Crittenden &	
	[Co., Middletown, Conn.]	
25155. Series of hooks and thimbles.	"	"
25943. Purrel hooks.	S. Elwell, jr.	
25144. Sister-hooks.	Wilcox, Crittenden & Co., Middletown, Conn.	
25150. Sailmaker's bench-hook.	"	"
25149. Sailmaker's heaver.	"	"
25207. Hook-and-eye for bonnet of jib.	"	"
25185. Hook-and-eye plate.	"	"

## Grommets.

25116. Series of galvanized-iron sail-grommets (Wilcox's patent).	Wilcox,	
	Crittenden & Co., Middletown, Conn.	
25117. Series of brass sail-grommets (Wilcox's patent).	Wilcox, Crittenden	
	& Co., Middletown, Conn.	
25118. Series of brass grommets. Conical point, rolled rim.	Wilcox, Crit-	
	tenden & Co., Middletown, Conn.	
25119. Series of metallic grommets. First used in America.	Wilcox, Crit-	
	tenden & Co., Middletown, Conn.	
25120. Series of brass grommets. First patented in America.	Wilcox, Crit-	
	tenden & Co., Middletown, Conn.	
25121. Rope-yarn grommets (with worked holes showing mode of use).	Wilcox, Crittenden & Co., Middletown, Conn.	
25128. Series of light, galvanized grommet-rings.	Wilcox, Crittenden &	
	Co., Middletown, Conn.	
25129. Series of heavy galvanized sail-thimbles.	Wilcox, Crittenden &	
	Co., Middletown, Conn.	
25130. Series of heavy iron sail-thimbles (Navy pattern).	Wilcox, Critten-	
	den & Co., Middletown, Conn.	
25122. Galvanized-iron ring grommet, with worked holes showing mode of		
	use.	
Wilcox, Crittenden & Co., Middletown, Conn.		
25123. Series of buntline leaders and earing grommets.	Wilcox, Critten-	
	den & Co., Middletown, Conn.	
25124. Series of eyelet grommets. Used to line worked holes and couplings		
	to Wilcox's patent grommets.	
Wilcox, Crittenden & Co., Middletown, Conn.		
25125. Setting-die. Used for inserting eyelets.	Wilcox, Crittenden & Co.,	
	Middletown, Conn.	
25126. Cutting-punch. Used for cutting grommet-holes.	Wilcox, Critten-	
	den & Co., Middletown, Conn.	
25127. Series of heavy grommet-rings. Used for earings.	Wilcox, Crit-	
	tenden & Co., Middletown, Conn.	
25131. Series of light iron sail-thimbles.	Wilcox, Crittenden & Co., Mid-	
	dletown, Conn.	

**Apparatus accessory to rigging fishing-vessels.**

## Grommets.

25132. Series of throat-thimbles. Gloucester pattern. Wilcox, Crittenden & Co., Middletown, Conn.  
 25133. Series of reef-tackle or saddle-thimbles. Wilcox, Crittenden & Co., Middletown, Conn.  
 25134. Series of brass sail-thimbles. Wilcox, Crittenden & Co., Middle-  
town, Conn.  
 25152. Series of open or riggers' thimbles. " "  
 25153. Series of wire-rope thimbles. " "

## Anchors.

25162. Boat-anchor. Wilcox, Crittenden & Co., Middletown, Conn.  
 25163. Grappling-iron for dory. " "  
 25219. Wooden killick or coast anchor. H. C. Chester, Noank, Conn.  
 29249. Series of sailors' palms (from best to the poorest). Wilcox, Crittenden & Co., Middletown, Conn.  
 29423. Sailor's palm (left hand). Wilcox, Crittenden & Co., Middletown,  
[Conn]  
 29424. Sailor's roping palm, A 1 (right hand). " "  
 29454. Superior east-steel sail-needles. " "

## Mast-gear.

25802. Six "purrel trucks." Used on a rope around the mast to keep the gaff on the mast. Walter Coleman & Sons, Providence, R. I.  
 25807. Mast-hoop. Used to hold the sail to the mast. Walter Coleman & Sons, Providence, R. I.  
 25808. Lace trucks. Used on the foot of sail to attach it to the boom. Walter Coleman & Sons, Providence, R. I.  
 25159. Series of boat-mast hoops. Wilcox, Crittenden & Co., Middletown, Conn.  
 25810. Mast-head truck. Used on top of mast to display bunting and signals. Walter Coleman & Sons, Providence, R. I.  
 25811. Mast-head ball. Used on top of the topmast to display bunting and signals. Walter Coleman & Sons, Providence, R. I.  
 29480. Mast-head gear for dory. Amasa Taylor, Provincetown, Mass.  
 29481. Mast and boom attachment for dory. " "  
 29484. Mast and gaff attachment for whale-boat (new style). Used by Provincetown whalers. Wilcox, Crittenden & Co., Middletown,  
[Conn].  
 25181. Mast-hinge for whale-boat. " "

## Leaders and foot-stops.

25604. Series of sail-leashes and boom foot-stops. Used by Newport smack-men. J. M. K. Southwick, Newport, R. I.  
 25193. Boom foot-stops. Wilcox, Crittenden & Co., Middletown, Conn.  
 25181. Mast-hinge for whale-boat. " "  
 29450. Fair-leader. Used on the booms of Gloucester vessels. Samuel Elwell, jr., Gloucester, Mass.  
 29463. Patent topsail travelers. Used on square-rigged vessels. Wilcox, Crittenden & Co., Middletown, Conn.  
 29449. Mast-hook clinch. E. A. Sawyer, Portland, Me.

**Apparatus accessory to rigging fishing-vessels.**

## Boat-builders' materials.

25170. Ring-bolts.	Wilcox, Crittenden & Co., Middletown, Conn.
25201. Series of screw eye-bolts.	" "
25202. Series of screw ring-bolts.	" "
25203. Series of ring-bolts.	" "
25211. Common oval head clinch boat-nail.	Wilcox, Crittenden & Co., [Middletown, Conn.]
25212. Chisel-point clinch boat-nails.	" "
25213. Countersunk clinch boat-nails.	" "
25220. Series of boat-rivets.	" "
25223. Washers or clinch-rings for rivets.	" "
25178. Stem cap for Cape Ann seine-boat.	" "
25173. Davit-guard and step-plate for Cape Ann seine-boat.	" "
25175. Eye-plate or oar-holder swivels for Cape Ann seine-boat.	" "
25176. Gunwale supporter for Cape Ann seine-boat.	" "
25173. Davit-guard and step-plate for Cape Ann seine-boat.	" "
25174. Breast-brace for Cape Ann seine-boat.	" "
25166. Davit-iron for Cape Ann seine-boats.	" "
25167. Tow-iron for Cape Ann seine-boats.	" "
25168. Tow-link and hook for Cape Ann seine-boat.	" "
29482. Boom-rest or crotch-socket.	Used on the taffrail of Cape fishing-vessels when they are "laying to" on George's Banks. Theo. Brown, Wellfleet, Mass.
25204. Water-deck iron.	Wilcox, Crittenden & Co., Middletown, Conn.

## Rudder-fixtures.

29496. "W. N. Clark's rudder-hanger." (Patented September 3, 1867.)  
James B. Clark, Chester, Conn.

"Advantages claimed for this hanger: To ship the rudder one has only to enter the tongue (which has the rudder already attached) in the grooved plate from the top just far enough to get it steady, and then let it down, when it will go to its place without further care. Hence arises the first great advantage which this hanger possesses over the old way, viz, the ease and dispatch with which the rudder can be shipped under all circumstances.

Every boatman knows the trouble he has been to, at times, in trying to ship his rudder, while in a seaway, in the dark, or in muddy water, when the eyes in the boat could not be seen; often being obliged to reach down with his hand to get the lower pintle entered.

From the quickness with which the rudder can be shipped, in any position of the boat, and under any circumstances, and its security when shipped, it must recommend itself for all life-boat purposes, where, in case of an emergency, time is of vital importance.

Another advantage is that with this hanger the rudder cannot of itself unship as has often been the case with the common hanger, when the boat has been left for a short time and the tiller worked out, thereby leaving the rudder free, by striking the bottom or anything sufficient to raise it three or four inches, to unhinge and float away. As will readily be seen, this cannot get away until the rudder has risen the whole length of the tongue, which, of itself, would never happen.

Again, with this hanger the rudder can be shipped and unshipped while under full sail, thus making it very convenient for fishermen or

**Apparatus accessory to rigging fishing-vessels.****Rudder-fixtures.**

any one sailing over a line or seine, as the rudder can be easily raised far enough to pass over and prevent a line getting caught between the rudder and boat, as would otherwise likely ensue, and when over, by simply letting down the rudder, it will go to its place again ready for use.

By this arrangement we are enabled to get the hinges farther down on the rudder, thereby bringing the strain on both of them, while in the old way, the lower eye and pintle are so far from the bottom of the boat, in order to facilitate the shipping of the rudder, that this one has to bear nearly all of the strain." (W. N. Clark.)

25190. Rudder-gudgeons. Wilcox, Crittenden & Co., Middletown, Conn.

25182. Rudder-braces for whale-boat. Wilcox, Crittenden & Co., Middle-  
town, Conn.

25209. Series of common wrought-iron rudder-braces. " "

25189. Series of rudder braces. " "

25210. Rudder-braces for New Orleans cat-boat. " "

25183. Rudder-braces for metallic life-boat. " "

29472. Dory breast-hook and stern braces. " "

**Cleats.**

25779. Stay-sail snatch-cleat. Used by Gloucester fishing-schooners. Al-  
len L. McDonald, Gloucester, Mass.

25809. Wooden cleats. Used to fasten ropes to. William Coleman & Sons,  
Providence, R. I.

25218. Series of small cleats. Wilcox, Crittenden & Co., Middletown, Conn.

25217. Small brass cleats. " "

25177. Cleats for Cape Ann seine-boat. " "

25191. Boat-cleats. " "

**Rowlocks.**

25088. Whale-boat rowlock. Wilcox, Crittenden & Co., Middletown, Conn.

25086. Brass wash-streak rowlock. " "

25113. Steering rowlock with stem socket for Cape Ann seine-boat. Wilcox,  
Crittenden & Co., Middletown, Conn.

25114. Socket used on side of stern for steering. Used on Cape Ann seine-  
boat. Wilcox, Crittenden & Co., Middletown, Conn.

25085. Seine-boat rowlock. Wilcox, Crittenden & Co., Middletown, Conn.

25070-72. Polished brass rowlocks. " "

25076, 25077. Polished brass rowlock used on gunning-skiff. Wilcox, Crit-  
tenden & Co., Middletown, Conn.

25104-5 Galvanized socket rowlocks. Wilcox, Crittenden & Co., Middle-  
town, Conn.

25082-3-4. Brass socket rowlocks. " "

25091-2-3. Plain brass patent swivel rowlock. " "

25094. Galvanized-iron patent swivel rowlock. " "

25101. First patent swivel rowlock put in market. Wilcox, Crittenden &  
Co., Middletown, Conn.

25079-80-81. Plain brass rowlock used on gunning-skiff. Wilcox, Critten-  
den & Co., Middletown, Conn.

25106-7-8. Side-plate rowlock used on gunning-skiff. Wilcox, Crittenden  
& Co., Middletown, Conn.

## Apparatus accessory to rigging fishing-vessels.

### Rowlocks.

25185. Rowlock for dory. Showing new mode of fastening. Wilcox, Crittenden & Co., Middletown, Conn.
25765. Dory thole-pin rowlock. Samuel Elwell, jr., Gloucester, Mass.
25090. Gun-metal dory rowlock with Southwick's patent fastening. Wilcox, Crittenden & Co., Middletown, Conn.
25100. Dory rowlock, showing patent mode of fastening. Wilcox, Crittenden & Co., Middletown, Conn.
26902. "Lyman's patent bow-facing rowing-gear." William Lyman, Middlefield, Conn.

This bow-facing, *i. e.*, front view, rowing-gear is an invention which allows the rower to face forward instead of backward, pulling in the same manner as with the ordinary oars. This reverse movement is obtained by having the oar in two parts, each part having a ball-and-socket joint, which is attached to the wale of the boat by means of a slot and button, and the two parts connected by a rod (with hinged bearings) which crosses the wale of the boat.

The advantages claimed for this rowing-gear over the ordinary oar, are:

- "1. *The oarsman faces the direction in which he goes.*
- 2. The arrangement of the levers is such that the oarsman applies his strength to the best mechanical advantage, enabling him to row faster and more easily than with any other oar.
- 3. During the stroke the bow of the boat is slightly raised by the motion of the rower instead of being lowered by his motion as in ordinary rowing.
- 4. The stroke is longer than with ordinary oars.
- 5. The oars can be closed up out of the way along the side of the boat without detaching them from the gunwale.
- 6. It is better from the fact that the blade of the oar is in front and can be seen at the beginning of the stroke, so that there is no difficulty in avoiding obstacles, and in a rough sea there is little danger of "catching crabs."
- 7. With these oars the boatman makes no more effort in steering than in directing his course while walking, and this advantage lessens greatly the effort of rowing.
- 8. While rowing there is no noise from the bearings.
- 9. A pair of these oars weigh about 5 pounds more than the oars, but this additional weight has this advantage, that at the beginning and end of the stroke it helps to lower and raise the blade owing to the peculiar position of the oar.
- 10. When these oars are detached from the boat, no wood or iron projections are left on the wale of the boat, as in ordinary rowing-gear, and thus a serious inconvenience is obviated.

These oars can be attached to and detached from the boat very quickly and they can be closed up in a convenient form for carrying.

These several advantages, viz, *the front view*, the increased ease and speed in rowing, the raising of the bow instead of depressing it, the closing up of the oar out of the way while on the boat, the increased facility in avoiding obstacles, the diminished effort of hand and eyes in steering, the rowing without noise, the better balance and swing of the oars, have commended this new gear to all who have tried it.

This gear can be attached to almost any boat, and is especially adapted to hunting, fishing, and all kinds of pleasure boating.

**Apparatus accessory to rigging fishing-vessels.**

## Rowlocks.

Almost any one (even if he has never rowed a boat) with an hour's practice can use these front view oars well; it being much easier to learn to use a pair of these oars than a pair of the back view oars." (William Lyman.)

28292. Frederick D. Graves's improved noiseless rowlock. Fred. D. Graves, Boston, Mass.

"The object of this invention is to improve the construction and operation of the class of rowlocks in such manner as, first, to insure the proper inclination of the blade of the oar, and prevent the liability of its catching the water when feathering in recovering, as well as to insure the proper position of the blade of the oar when making the stroke; secondly, to enable the outer end of the oar to be raised when it is being feathered, in order to prevent its contact with the water in rough weather. My improved rowlock, which is composed of an inclosing ring located on a pintle, and an inner ring inclosed by the ring and adapted to be partially rotated therein; the inside of the inclosing ring is provided with a groove which extends almost around it, its continuity being broken only by a stop. The pintle of the rowlock is inserted in a socket attached to the gunwale of the boat, the pintle and rowlock being adapted to turn freely in the socket. From the foregoing it will readily be seen that an oar pivoted in the inner ring is adapted to be partially rotated, in addition to its oscillating movements, so that when its stroke is completed it can be turned, so as to feather the blade in the recover stroke. The stop and shoulders of the inner ring are arranged in such mutual relation that the shoulder abuts against the stop, in feathering the oar, before the blade becomes horizontal in cross-section, so that the cross-section of the oar is necessarily inclined downward from its forward to its rear edge during the feathering stroke, this inclination of the blade preventing its forward edge from engaging with the water and overturning the rorer, or, in other words, causing him to "catch a crab." This limitation of the oar in its rotation prevents awkward accidents in feathering, and enables an unskilled person to row with a considerable degree of certainty." (F. D. Graves.)

25098-9. Galvanized-iron patent swivel rowlock. Wilcox, Crittenden & [Co., Middletown, Conn.

25095. Galvanized-iron patent swivel rowlock.	" "
25097. Galvanized-iron patent swivel rowlock.	" "
25096. Galvanized-iron patent swivel rowlock.	" "
25073-4-5. Polished brass patent swivel rowlock.	" "
25102-3. Galvanized socket rowlock.	" "

25111. Countersunk rowlock. Used on Ohio River flat-boats. Wilcox, Crittenden & Co., Middletown, Conn.

29459. Rowlock. Newport and Providence River style. Wilcox, Crittenden & Co., Middletown, Conn.

25087. North River pattern rowlock.	" "
25089. East River pattern rowlock.	" "

29319. Socket-joint rowlock. Frederick A. Gower, Providence, R. I.

"The socket-joint rowlock is intended to increase the speed and improve the convenience of racing boats. Its advantages have proved so easily apparent to oarsmen that there is little need of detailing its strong points, but the following are among its leading features:

## Apparatus accessory to rigging fishing-vessels.

### Rowlocks.

Wabbling of the oar is wholly avoided. If the oar is a properly good fit, it will have less than  $\frac{1}{4}$  inch of fore-and-aft motion in the lock.

"Catching crabs" is largely avoided by preventing the oar from jamming in the lock at the beginning or end of the stroke. If a "crab" should be caught, the rowlock is not strained, and the oar can be recovered without stopping the boat.

A good grip of the water is assured to even the inexperienced oarsman by the shape of the back of the rowlock, which corresponds to that of the oar. The oar settles itself into the proper position on beginning the stroke.

Any length of reach may be taken by long-built men in going forward, avoiding an evil often complained of.

A space half as wide admits passage of the boat. Equipped with this rowlock a six or four oared shell passes through an opening the width of the outriggers. Crews rowing on narrow or bridged water will find this advantage worth the price of the rowlocks in a single season.

Uniting the rods at a single point brings the whole strength of the outrigger into play at every part of the stroke, and an outrigger thus made can hardly be demolished while the boat stands.

Any oars may be used if of recent pattern, *i. e.*, without the unsightly "bulge" on the loom. It is only necessary to make a slight change in the button, as described below.

Better time may be made. Experiments thus far indicate that the socket-joint rowlock is perceptibly speedier than the common pattern, by the stoppage of wabbling, and general smoothness of action.

Raising a rowlock with the common outrigger is a half hour's trouble with rusty nuts (one or two of which usually twist the bolt off in starting) and experimenting to get the right thickness of washers. With the socket-joint rowlock the same thing is done in two minutes by slipping half or three-quarters of an inch of washers on the shaft under the top rod.

Superior strength. The ordinary iron thole-pins are strong in one direction only; a backward or sidewise blow is likely to bend them. The supporting shaft of the socket-joint rowlock is equally strong all around and withstands a greater strain than the best oars made can apply to it. The whole rowlock is made of the best bronze-metal, which will not rust nor suddenly snap on a frosty morning. Under great mechanical pressure the lower part of the lock has been bent out nearly straight without breaking.

Minor conveniences continually appear in the use of this improvement. There is no wiring to do; no reaching out-board to ship oars; no wriggling the button through the rowlock; no getting grease on the oar-handle by passing through the rowlock; no "losing the button" outside the outrigger; no jamming the button between the thole-pins. When the outriggers are taken off the boat the rods turn on the shaft as a hinge and fold up into a compact bundle not easily bent out of shape nor injured. The rowlocks can be detached entirely, if desired, and each set of rods made into a package as easily carried as a walking-stick, while the rowlock may be put into the oarsman's coat-pocket. Oarsmen having occasion to travel with boats by rail will appreciate this convenience.

This rowlock cannot pretend to be a cheap contrivance; it is made of the best material, and requires expensive labor. Its first cost is more than that of the common pattern, but considering its advantages it will be found cheaper in the end." (F. A. Grower.)

**Apparatus accessory to rigging fishing-vessels.****Rowlocks.**

25185. Thole-pins for metallic life-boat. Wilcox, Crittenden & Co., Middle-town, Conn.  
 25115. Whitehall pattern rowlock. " "  
 25112. Detroit or Lake Michigan rowlock. " "  
 22227. "Aeme" oarlock. Pattern invented 1876. " "  
 25172. Oar-holder for Cape Ann seine-boat (old model). Higgins & Gifford, Gloucester, Mass.  
 25171. Oar-holder for Cape Ann seine-boat. Wilcox, Crittenden & Co., Middletown, Conn.

**Oars.**

25022. One pair white-ash oars (9 feet). R. T. Dodge, maker, Boston, Mass.  
 25021. One pair white-ash oars (6 feet). " "  
 25041. Pair white-ash oars (12 feet). " "  
 25011. Pair pine oars (8 feet). " "  
 25023. Pair white-ash oars (9 feet). " "  
 25012. Pair spoon oars (10 feet). " "  
 26811. Pair of oars (7 feet 8 inches). Waters & Son, Troy, N. Y., makers; Delong & Sons, Glens Falls, N. Y.

**Paddles.**

25020. White-ash paddles. R. T. Dodge, maker, Boston.  
 643. Indian paddles. Northwestern coast. George Gibbs.  
 644. Indian paddles. " "  
 645. Indian paddles. " Cape Flattery. George Gibbs.  
 646. Indian paddles. " Whaling. "  
 1790. Indian paddles. "  
 1791. Indian paddles. "  
 14284. Indian paddles. "  
 14285. Indian paddles. "  
 11471. Indian paddles. Fort Townsend, W. T. J. G. Swan.  
 11473. Indian paddles. " "  
 11474. Indian paddles. " "  
 11363. Indian paddles (for skin canoe used by Aleutians). Alaska. V. Colyer.  
 11369. Indian paddles (for skin or wooden canoe). " "  
 11366. Indian paddles. " "  
 20902. Indian paddles (used by Trimsein Indians). Fort Simpson, B. C.  
 20903. J. G. Swan  
 11434. Indian paddles. Passamaquoddy Indians, Eastport, Me. E. Palmer.  
 2652. Indian paddles. Northwestern coast. Exploring Expedition.  
 Lient. Wilkes, U. S. N.  
 2652. Indian paddles. Northwestern coast. Exploring Expedition.  
 Lient. Wilkes, U. S. N.  
 26783. Whaling paddle. Makah Indians, Neah Bay. J. G. Swan.  
 26781. Whaling paddle. " "  
 26782. Whaling paddle. " "  
 26780. Whaling paddle. " "  
 26779. Whaling paddle. " "  
 26778. Whaling paddle. " "  
 26777. Whaling paddle. " "  
 26776. Whaling paddle. " "

**Apparatus accessory to rigging fishing-vessels.**

## Paddles.

26775. Whaling paddle. Makah Indians, Neekah Bay. J. G. Swan.  
 26774. Whaling paddle. " "  
 26773. Canoe paddle. " "  
 26772. Canoe paddle. " "  
 26771. Canoe paddle. " "  
 26770. Canoe paddle. " "  
 26769. Canoe paddle. " "  
 26768. Canoe paddle. " "  
 26767. Canoe paddle. " "  
 26766. Canoe paddle. " "  
 26765. Canoe paddle. " "  
 26764. Canoe paddle. " "  
 26810. Double paddle. Made by Waters & Son, Troy, N. Y.; De Long & Sons, Glens Falls, N. Y.

## Poles and pushing sticks.

15653. Bidarka pole. Nunivak, Alaska. W. H. Dall.  
 15653. Bidarka pole. " "  
 17443. Bidarka pole. Cave, Kagamil Island, Alaska. Alaska Commercial Company.

## Candlestick.

Used in hold of vessel while storing fish.

32741. Candlestick. A. McCurdy, Gloucester, Mass.  
 32692. Candlestick or "Sticking Tommy." Gloucester, Mass. G. Brown Goode.

## Fog-horns.

29382. Series of common reed fog-horns, Nos. 1, 2, 3, and 4. Wilcox, Crittenden & Co., Middletown, Conn.  
 25783. Grand Bank fog-horn. Called by the fishermen "lipper" or "ripper." William H. Weston, Provincetown, Mass.  
 25281. The Anderson fog-horn. U. S. Fish Commission. (Deposited.)

## Deck-scrapers.

25160. Series of ships' deck scrapers. Wilcox, Crittenden & Co., Middletown, Conn.

## Dory scoop.

25222. Dory scoop. S. Elwell, jr., Gloucester, Mass.

## Flagging irons, &amp;c.

Used by mackerelmen of Capes Cod and Ann to separate barrel staves for the insertion of stems of flag to stop leakage.

- 29492-94. Flagging iron, hoop-drivers, and adze. M. W. Grant, Wellfleet, Mass.

## Pump-bolt or toggle-pin.

Used on fishing-vessels of Cape Cod and Cape Ann.

29470. Pump-bolt or toggle-pin. Wilcox, Crittenden & Co., Middletown, Conn.

**Apparatus accessory to rigging fishing-vessels.**

Pump box and haft for seine-boat.

29497. Pump box and haft for seine-boat. Andrew Kennedy, Provincetown,

[Mass.]

29499. Pump box and haft for seine-boat. " "

" "

Bung-bucket or "water-thief"

25784. Bung-bucket or "water-thief." Wm. H. H. Weston, Provincetown,  
Mass.

Devil's claw.

Used to stop the chain when the windlass is wanted for other uses.

29442. Devil's claw. W. H. Hesbott, Provincetown, Mass.

Box hook.

Used in closing boxes packed full of fish.

32680. Bilge hooks. Gloucester, Mass. G. Brown Goode.

32695. Box hook or "devil's claw." Gloucester, Mass. G. Brown Goode.

Barrel-lifters.

Used for stowing away mackerel-kegs in holds of vessels.

29291. Barrel-lifters. Wilcox, Crittenden & Co., Middletown, Conn.

32679. Chime barrel-hooks. Gloucester, Mass. G. Brown Goode.

Ice-hooks.

For lifting ice on vessel from wharf.

32674. Ice-hooks. Gloucester, Mass. G. Brown Goode.

Lance-hooks.

Fastened on side of whale-boat to hang lance on.

25919. Lance-hooks. E. B. & F. Macy, New Bedford, Mass.

Grappling gear.

Used to recover lost trawls.

25936. Grappling gear. A. McCurdy, Gloucester, Mass.

Marline spikes.

29418. Marline spike or pricker. Used for splicing trawl-lines. Wilcox,  
Crittenden & Co., Middletown, Conn.

29455. Marline spike. Made from the jawbone of sperm whale. Robert D.  
Baxter, Provincetown, Mass.

29419. Marline spike. Made from the jawbone of whale. Frank O. Blake,  
Portland, Me.

25147. Sailmakers' marline spike. Wilcox, Crittenden & Co., Middletown,  
[Conn.]

25148. Sailmakers' marline pricker. " "

25164. Series of marline spikes. " "

25778. Fishermen's marline spike or trawl-line splicer. Alex. McCurdy,  
East Gloucester, Mass.

**Apparatus accessory to rigging fishing-vessels.**

Marline spikes.

- 25146. Series of hickory hand fids. Wilcox, Crittenden & Co., Middletown, Conn.
- 25672. Copper marline spike. Made at sea by Thomas Freeman. Used for splicing trawl-lines. Sanford Freeman, Norwichport, Mass.
- 32693. Splicer. Gloucester, Mass. G. Brown Goode.

Rest for harpoon, &c.

- 11392. Rest for harpoon and bow and arrow. Aleutian Island. Vincent Colyer.  
Used on deck of kyak.

Stretchers for kyak-line.

- 9336. Stretchers for kyak-line. Eskimos.

Stool.

- 3978. Stool. R. MacFarlane.  
Used by Eskimos to stand on while watching for seal in water.

**49. CAMP-OUTFIT.****Shelter.**

Lodges.

Tents.

Hunting-camps.

Hunters' houses.

Fishing-houses.

**Furniture.**

Hammocks.

Beds, couches, stretchers, and lounges.

Blankets (rubber and mackinaw), and fur robes.

Fuel.

Apparatus for kindling fire.

Lamps and lanterns.

Tools.

**Commissary supplies.**

Cooking apparatus, kettles, and stoves.

Commissary supplies.

- 29295. Portable camp-stove. H. L. Duncklee, Boston, Mass.
- 25689. Portable camp-stove. " "
- Open, showing utensils, viz:
- 25690. Six tin plates.
- 25691. Six tin cups.
- 25692. Six-quart kettle.
- 25693. Eight-quart kettle.
- 25694. Stew-pan.

## Commissary supplies.

### Commissary supplies.

- 25695. Coffee-pot.
- 25696. Dipper.
- 25697. Toast-rack.
- 25698. Frying-pan.
- 25699. Bread-pan.
- F. & S. 60. Camp-stove and utensils. Property of John A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26673. Coffee-heater. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26713. Camp-stove. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26843. Lehmen's patent folding camp-baker. Scoville & Johnson, Marquette, Mich.

### Table-furniture.

### Preserved meats, &c.

### Canned meats.

- 24917. Fresh tomato soup. Wm. Underwood & Co., Boston, Mass.
- 26649. Ox-tail soup (star brand). Portland Packing Company, Portland, Me.
- 24913. Fresh soup and bouilli. Wm. Underwood & Co., Boston, Mass.
- 26648. Soup and bouilli (star brand). Portland Packing Company, Portland, Me.
- 24921. Mock-turtle soup. Wm. Underwood & Co., Boston, Mass.
- 26641. Cumberland potted sausage (star brand). Portland Packing Company, Portland, Me.
- 24927. Ox-tail soup. Wm. Underwood & Co., Boston, Mass.
- 24929. Original deviled ragout. " "
- 24928. Deviled tongue. " "
- 24930. Deviled ham. " "
- 26645. Cumberland roast mutton (star brand). Portland Packing Company, Portland, Me.
- 24920. Fresh chicken. Wm. Underwood & Co., Boston, Mass.
- 26640. Cumberland roast chicken (star brand). Portland Packing Company, Portland, Me.
- 24931. Deviled chicken. Wm. Underwood & Co., Boston, Mass.
- 26646. Cumberland roast veal (star brand). Portland Packing Company, Portland, Me.
- 24916. Fresh mutton. Wm. Underwood & Co., Boston, Mass.
- 26647. Cumberland roast beef (star brand). Portland Packing Company, Portland, Me.
- 24910. Beef à la mode. Wm. Underwood & Co., Boston, Mass.
- 24911. Fresh mince-meat. " "
- 24915. Fresh veal. " "
- 26639. Champion shell-beans (star brand). Portland Packing Company, [Portland, Me.]
- 26638. Portland blueberries (star brand). " "
- 22238. Fresh blueberries. Castine Packing Company, Castine, Me.
- 24919. Fresh beef. Wm. Underwood & Company, Boston, Mass.
- 26637. Yarmouth sugar-corn. (Patented April 8, May 13 and 20, and August 26, 1862.) (Star brand.) Portland Packing Company, Portland, Me.

## Commissary supplies.

### Canned meats.

26652. Yarmouth succotash. Made from Yarmouth sugar-corn and champion shell-beans (star brand). Portland Packing Company, Portland, Me.

## 50. PERSONAL EQUIPMENTS.

### Clothing.

#### Hunting suits.

26655. Canvas hunting-coat. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26658. Fur vest. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26659. Buckskin coat. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26670. Mole-skin pants. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26671. Corduroy hunter's coat. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26675. Corduroy hunter's pants. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26676. Corduroy vest. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26701. Chamois shirt. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
26594. Hunter's water-proof suit, with patent cartridge-holding vest. Geo. C. Henning, Washington, D. C.

This suit includes:

1. Pantaloons so made that they can be folded close to the legs.
  2. Gaiters.
  3. Vest with sleeves.
  4. Reversible shooting-coat, with seventy-six receptacles for shell or cartridges so arranged as to permit them to be carried either end up, and secured from loss or from injury by rain, by means of the flaps which button over them. The coat is of the same shape before and behind, so that when the hunter exhausts his shells in front he can reverse the coat and have a fresh supply. There are eight pockets opening on the outside of the skirt, and two large game pockets on the inside arranged with openings in the bottoms for ventilation and drip.
  5. A double-visoried cap.
26710. Hunting-coat. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

#### Water-proof suits.

26656. Rubber hunting-coat. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

#### Oil-skin suit.

29543. Cape Ann coats. J. F. Carter, Gloucester, Mass.  
29544. Cape Ann pants. " "

**Clothing.**

Boots, moccasins, leggings.

- 26015. Fishermen's red cod boots. Jonathan Buck, Harwich, Mass.
- 26015. Fishermen's red-leather slippers. " " "
- 26014. Fishermen's black boots. " " "
- 25823. Slippers made of sheep-skin, with the wool on the inner surface. Worn by fishermen inside of their boots. A. R. Crittenden, Middletown, Conn.
- 26671. Boot-packings. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26672. Moccasins. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 26708. Rubber boots. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

Hats and caps.

- 25722. Fisherman's cap, called "Russian cap." E. R. Cook, Provincetown, Mass.
- 23651. Hunter's rubber cap. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 29542. Series of sou'westers and oil-cloth hats (Cape Ann pattern). J. F. Carter, Gloucester, Mass.

Clothing for the hands.

- 25788. Pair of mittens. Called "Newfoundland cuffs" by fishermen. Peculiar to Gloucester. A. R. Crittenden, Middletown, Conn.
- 25790. Mackerel cots. Used on the fingers when taking mackerel by hook and line. Capt. Samuel Elwell, Gloucester, Mass.
- 25787. Pair of "hand-haulers." Used by fishermen off the Newfoundland Banks. Joseph Parsons, jr., East Gloucester, Mass.
- 25789. Pair of nippers; peculiar to Gloucester, Mass. Joseph Parsons, East Gloucester, Mass.
- 25718. Pair of nippers. Used by fishermen to protect the fingers while hauling in trawls. David Conwell.
- 25717. Pair of nippers. Central Wharf Company, Provincetown, Mass.
- 26709. Rubber gloves. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

Protection from insects:

Nets for beds and for face.

- 26700. Mosquito-net. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

Ointments (such as tar and sweet-oil).

Smudges (such as pyrethrum powder).

Shields, breastplates, and defensive armor.

**Trappings.**

Belts.

- 23665. Belt for sheath-knife. J. A. Nichols, Syracuse, N. Y.

## Trappings.

Cross-belts.

Game-bags.

- 26607. Game-bag. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.
- 2523. Game-bag. Indians of Northwest coast. U. S. Exploring Expedition.
- 1473. Game-bag. Comanche Indians. Lieut. D. N. Couch, U. S. A.
- 2023. Game-bag of knit leather thongs. Dog-rib Indians. Fort Simpson, B. C. R. R. Ross.
- 2047. Hunting-bag of "babiche." Fort Simpson, H. B. T. R. R. Ross.
- 2020. Hunting-bag made of "babiche." Dog-rib Indians. Fort Simpson, H. B. T. R. R. Ross.
- 2551. Hunting-bag of "babiche." Fort Rae Eskimos. Mackenzie's River district. Stratton Jones.
- 2498. Game-bag. Indians of Northwest coast. U. S. Exploring Expedition.

Wrist-guards.

- 6927. Wrist-guard. Used in shooting with the bow. Kiowa Indians. Fort Cobb, I. T. E. Palmer.
- 5520. Wrist-guard. Apache Indians. Arizona. E. Palmer.

## Optical instruments, &c.

Snow-goggles.

- 1651. Snow-blind. Anderson River Eskimos. R. MacFarlane.
- 10292. Snow-goggles.
- 1650, 2147, 2157. Snow-goggles. Anderson River Eskimos. R. MacFarlane.
- 5589. Ingaleet Eskimos. Yukon River, Alaska. W. H. Dall.
- 5579. Mahlemut Eskimos. Lower Yukon, Alaska. "
- 10200. Snow-goggles.

Telescopes.

Field-glasses, &c.

Water-telescopes.

- 26884. Water-telescope. U. S. Fish Commission.  
Used in examination of submarine objects.

Compasses.

- 2662. Hunter's compass. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

Scales.

- 26624. Scales. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

Game and fish baskets and slings.

Wallets for lines and other tackle.

### **Medical outfit.**

Medicine-chests.

Hunter's and fishermen's flasks.

26684. Flasks. Property of J. A. Nichols, Syracuse, N. Y. Contributed by Forest & Stream Publishing Company.

### **Artificial lights.**

Lanterns for camp and ship use.<sup>1</sup>

Torches.

---

<sup>1</sup> See under *Sight decoys* above, p. 141.

## SECTION C.

# METHODS OF PREPARATION.

## I. PREPARATION AND PRESERVATION OF FOOD.

1. PRESERVATION DURING LIFE (SEE UNDER E, 3).
2. PRESERVATION OF FRESH MEATS.

### **Refrigerators.**

Ice-boxes and refrigerators.

- Allegretti iceberg-refrigerator. Allegretti Refrigerator Company, [New York.  
— Allegretti refrigerator show-case. " "

Banta refrigerator.

Banta horizontal refrigerator.

- Banta refrigerator show-case. Process patented July 1, 1867. G. A. Banta, New York City.  
— Zero refrigerator. Alexander M. Lesley, New York.

Refrigerator-cars.

(Accessory.) The ice-trade:

Ice cutting and handling apparatus.

Methods of manufacturing artificial ice.

Ice-houses.

### **Other accessories of preservation.**

Meat-hooks.

Skewers, &c.

Carving-tools.

## 3. PRESERVATION BY DRYING.

### **Sun-drying apparatus.**

Beach dryers.

Flake-drying:

Newfoundland flakes.

Massachusetts flakes.

12405. Codfish-flake (with covers). Model. Coast of Maine. E. Skillings, Portland, Me.

**Smoke-drying apparatus.**

Herring smoke-houses.

12105. Model of smoke-house used in preparation of herring (*Clupea harengus*). Lubee, Me. U. S. Fish Commission.

12105½. Model of smoke-house used in preparation of salmon (*Salmo salar*). Lubec, Me. U. S. Fish Commission.

Halibut smoke-houses.

Sturgeon smoke-houses.

Aboriginal drying-houses.

Methods of drying haliotis, used by the Indians of California.

#### 4. PRESERVATION BY CANNING AND PICKLING.

**Salting fish.**

Knives (see under B, 2).

Sealing apparatus.

26039. Kelsey & Hosmer's fish-dresser. Sandusky, Ohio. Patented Sept. 15, 1873. Kelsey & Hosmer, Sandusky, Ohio.

Tables, tubs, &c.

Barrels.

25750. Model of D. D. Parmalee's Waukegan fishery. J. W. Milner.

This model shows in miniature all the apparatus employed in cleaning and salting down the lake whitefish.

(Accessory.) Salt:

Specimens of the salts used in preserving fish.

Model of salt-mills used on Cape Cod in former days.

Extensively used in the first half of the present century in obtaining salt by evaporation of sea-water. Their remains are found on Cape Cod and Nantucket.

25706. Model of salt-works. Nantucket, Mass. W. H. Chase, 2d.

**Canning meats.**

Model of salmon-canning establishment.

Model of sardine-factory.

(Accessory.) Cotton-oil, and its manufacture.

Model of lobster-canning factory.

26583. Model of Johnson & Young's lobster-house. Warren bridge, near Fitchburg depot. Johnson & Young, Boston, Mass.

This model shows the factory with its vats for steaming the lobsters, the wharf, and the derricks used in handling the lobsters. It is accompanied by models of lobster-smack, and of the principal forms of lobster-nets; catalogued elsewhere.

Model of oyster-canning factory.

## 5. PREPARATION OF BAITS.

**Bait-mills, knives, choppers, &c.** (see, also, under B, 2 and 3).

26011. Voss' improved bait-mill. (Patented January 17, 1876.) A. Voss, Gloucester, Mass.

**Bait-tubs, vats, &c.****II. MANUFACTURE OF TEXTILE, FABRICS, FELTS, AND STUFFINGS.**

## 6. PREPARATION OF WOOL AND HAIR OF MAMMALS.

**Preparation of wool cloths.**

- Washing.
- Shearing.
- Stapling or assorting.
- Scouring.
- Combing, carding, and plucking.
- Spinning and reeling.
- Weaving.
- Fulling and teazling.
- Cropping.
- Pressing.

**Weaving worsted cloths.****Felting and the hat manufacture.**

- Bowing.
- Pressing.
- Stopping.
- Rolling off.
- Shaping.

**Preparation of curled hair for stuffings.**

## 7. PREPARATION OF WHALEBONE.

**Preparation of stuffings.**

## 8. PREPARATION OF FEATHERS.

**Preparation of down for stuffings.****Preparation of feather fabrics.****Preparation of "brillantine."**

**Preparation of, or flocking for wall-paper, from refuse quills.**

**Preparation of fibers for manufacture of plush carpets.**

#### 9. PREPARATION OF SILK OF INSECTS.

**Preparation of silk of silk-worms.**

Boiling the cocoons.

Reeling.

Spinning.

Dyeing.

Weaving.

#### 10. PREPARATION OF SOFT PARTS OF OTHER INVERTEBRATES.

**Preparation of silk from byssus of Pinna.**

**Preparation of sponge stuffing.**

---

### III. PREPARATION OF THE SKIN AND ITS APPENDAGES.

#### 11. CURRYING OF LEATHER.

**Processes of currying.**

Dipping.

Graining.

Scraping.

Dressing.

**Implements employed by curriers.**

“Head-knives.”

“Pommels.”

“Stretching-irons.”

“Round-knives.”

“Cleaners.”

“Maces.”

“Horses” or trestles.

“Dressers.”

“Treading-hurdles.”

**Eskimo and Indian currying methods and implements.**

**Methods of dressing gut and sinew.**

## 12. LEATHER DRESSING.

**Processes of tanning leather.**

Soaking.  
Liming.  
Tanning.

**Processes of tawing or oil-dressing leather.**

Soaking.  
Liming.  
Oiling.

**Apparatus of leather-dressing, recent and aboriginal.**

## 13. FUR-DRESSING.

**Processes of fur-dressing.**

Currying. (See under 12.)  
Scouring.  
Tanning.  
Lustering.  
Plucking and dyeing.

## 14. FEATHER-DRESSING.

**Method of preparing ornamental feathers.**

Scouring.  
Bleaching.  
Washing.  
Azuring.  
Sulphuring.  
Scraping.  
Dyeing.

**(Art of plumagery.)**

## 15. MANUFACTURE OF QUILL ARTICLES.

**Manufacture of quills for pens.**

Sand-bath drying and steaming.  
Polishing.  
Dyeing.  
Shaping.

**Manufacture of tooth-picks.****Manufacture of floats and other articles.****Manufacture of quill brush-bristles.**

## 16. HAIR AND WOOL WORK.

## VI. PREPARATION OF HARD TISSUES.

### 17. IVORY CUTTING AND CARVING.

#### **Manufacture of handles, trinkets, billiard-balls, &c.**

Turning and sawing.

Polishing.

Bleaching.

#### **Manufacture of organ and piano keys.**

Sawing.

Strip-sawing.

Polishing.

Bleaching, &c.

#### **Other processes.**

### 18. PREPARATION OF HORN AND HOOF.<sup>1</sup>

#### **Steaming.**

#### **Pressing.**

### 19. PREPARATION OF WHALEBONE.<sup>1</sup>

#### **Cutting and other processes.<sup>1</sup>**

#### **Manufacture of whip-makers' stock and whips.**

#### **Manufacture of umbrella-makers' bone.**

#### **Manufacture of ribbon-weavers' bone.**

#### **Manufacture of hat and bonnet makers' bone.**

#### **Manufacture of suspender-makers' bone.**

#### **Manufacture of stock-makers' bone.**

#### **Manufacture of dress and stay makers' bone.**

#### **Manufacture of billiard-table cushions.**

#### **Manufacture of surgical instruments.**

#### **Manufacture of whalebone brushes.**

#### **Manufacture of rosettes, woven work, and trinkets.**

---

<sup>1</sup>These processes are illustrated in part by the specimens, showing the horn, whalebone, and tortoise-shell, in various stages of preparation, exhibited in Section D.

### Other whalebone manufactures.

20. PREPARATION OF TORTOISE-SHELL.<sup>1</sup>
  21. PREPARATION OF FISH-SCALE WORK.
  22. PREPARATION OF NACRE.
  23. PREPARATION OF CORAL.
  24. PREPARATION OF OTHER HARD TISSUES.
- 

### V. OILS AND GELATINES.

25. EXTRACTION OF WHALE-OIL (WITH MODELS OF TRY-WORKS, CLARIFYING-VATS, ETC.).

#### Preparation of body-oil.

Cutting in and stowing  
Leaning and mincing.  
Trying.  
Bailing.  
Cooling.  
Barreling.  
Refining.

#### Preparation of head-oil.

#### Preparation of spermaceti.

#### Instruments and appliances of rendering whale-oil.

Boarding-knives,<sup>2</sup>  
Leaning-knives,<sup>2</sup>  
Mincing-horse and mincing-knives.  
Mincing-tub.  
Mincing-machine.  
Blubber-fork.<sup>3</sup>

<sup>1</sup>These processes are illustrated in part by the specimens, showing the horn, whalebone, and tortoise-shell, in various stages of preparation, exhibited in Section D.

<sup>2</sup>Arranged with the knives.

<sup>3</sup>Arranged with the hooks.

**Instruments and appliances of rendering whale-oil.****Try-pots.**

25013. Model of whaler's try-works. Capt. L. W. Howland, New Bedford, Mass.

This model is accompanied by miniature models of all the implements used in trying out the blubber, viz:

- a. Fire-pike.
- b. Stirring-pole.
- c. Scrap-hopper.
- d. Skimmer.
- e. Bailer.
- f. Cooler.
- g. Deck-pot.
- h. Casks.

**26. EXTRACTION OF OTHER MAMMAL OILS.**

**27. EXTRACTION OF BIRD AND REPTILE OILS.**

**28. EXTRACTION OF FISH-OILS (WITH MODELS OF BOILERS, PRESSES, CLARIFYING-VATS, ETC.).**

26899. Model of menhaden oil factory. Owned by Jos. Church & Co. Joseph Lawler, Bristol, Me.

The factory is the most elaborate of the sixty or more on the coast of New England and the Middle States, and is 160 feet in length by 40 in width.

**29. EXTRACTION OF GLUE, GELATINE, AND ISINGLASS.**

---

**VI. DRUGS, PERFUMES, AND CHEMICAL PRODUCTS.**

**30. MANUFACTURE OF PERFUMES.**

**31. MANUFACTURE OF IVORY-BLACK.**

**32. MANUFACTURE OF PRUSSIATES.**

**33. MANUFACTURE OF MUREXIDES.**

**34. PREPARATION OF COCHINEAL COLORS.**

**35. MANUFACTURE OF INKS FROM ANIMAL SUBSTANCES.**

**36. PREPARATION OF ALBUMEN.**

**37. MANUFACTURE OF PEPSIN.**

**38. MANUFACTURE OF PHOSPHORUS.**

**39. MANUFACTURE OF SAL AMMONIAC.**

**40. MANUFACTURE OF AMMONIA.**

**41. MANUFACTURE OF ALBUMEN PREPARATIONS.**

**42. MANUFACTURE OF PROPYLAMINE.**

**43. MANUFACTURE OF FORMIC ACID.**

**44. MANUFACTURE OF CARBAZOTATES.**

## VII. MANUFACTURE OF FERTILIZERS.

### 45. PREPARATION OF GUANO.

#### **Model of fish-guano works.**

Grinders and pulverizers.

Mixers.

25822. Model of guano-mixer. Patented April 27, 1867. Poole and Hunt, Baltimore, Md.

This mixer is employed in the fish-guano works for the purpose of thoroughly mixing the fish-scrap with the mineral phosphates and sulphuric acid.

Guano in its various stages, with its ingredients, South Carolina phosphates, Navassa phosphates, scrap (crude and dried), sulphuric acid, kainite, screened and unscreened guano, and sea-weed used in preparation: a full series of these is exhibited in the case of Guanos.

---

## VIII. LIMES.

### 46. BURNING OF LIME.

#### **Models of kilns for burning shells.**

---

## IX. PRESERVATION OF THE ANIMAL FOR SCIENTIFIC USES.

### 47. APPARATUS FOR MAKING AND PRESERVING ALCOHOLIC SPECIMENS.

#### **Tanks and jars.**

Agassiz collecting-tank.

Army collecting-tank.

Museum storage-tank, Agassiz model.

Anatomical jars.

Self-sealing jars used in collecting.

Vials.

#### **Syringes for injecting.**

#### **Inflatable bags.**

#### **Preservative mixtures.**

Alcohol.

Glycerine.

### **Preservative mixtures.**

Carbolic acid.  
Chloral hydrate.  
Pierie acid.  
Osmic acid.

### **Labels.**

Metallic labels.  
Parchment labels.  
Indelible ink, pencils, &c.

## 48. APPARATUS FOR PRESERVING AND MAKING SKELETONS.

### **Preparation of the bones.**

Macerating-vats.  
Boiling-vats.  
Cleaning and bleaching preparation.

### **Mounting of the bones.**

Scraping-tools.  
Articulating-tools.

## 49. APPARATUS FOR MAKING CASTS. MODELING.

### **Materials.**

Clays.  
Plasters.  
Glues.  
*Papier-maché* and *carton-pierre*.  
Gelatine.  
Paraffine.  
Collodion.

This apparatus and material is in constant use by the assistants in the National Museum and the Fish Commission. It is thought scarcely necessary to exhibit it.

### **Frames and modeling tools.**

#### **Molds:**

Of plaster.  
Of gelatine.  
Of paper.  
Of paraffine.

50. APPARATUS AND METHODS OF MAKING AND MOUNTING SKINS.  
TAXIDERMY.**Tools.**

Flaying-tools.  
 Scraping-tools.  
 Taxidermists' tools for stuffing :  
     Forceps.  
     Pliers.

**Preservatives and insect-powders.**

Arsenic and arsenical soap.  
 Corrosive sublimate.  
 Salt, alum, &c.  
 Persian insect-powder.  
 Tobacco, snuff, used as preservatives.

**Frames, &c.**

Wooden frames.  
 Wire frames.  
 Plaster model-bodies.

## 51. (ACCESSORY.) PHOTOGRAPHIC AND OTHER DELINEATING APPARATUS.

**Photographic apparatus.**

Lenses.  
 Cameras and fittings.  
 Camera tripods and stands, with model.  
 Fish Commission stands.

—. Model of Fish Commission camera-stand. U. S. Fish Commission.  
 This stand is employed in taking photographs of large fishes. It  
 enabling the photographer to operate his camera vertically.

Plates, and their results:  
 Wet plates.  
 Dry plates.  
 Dark closets.

**Camera-obscuras.****Mechanical delineators.****Methods of heliotyping and engraving illustrations.**

## SECTION D.

---

# ANIMAL PRODUCTS AND THEIR APPLICATIONS.

## I. FOODS.

### 1. FOODS IN A FRESH CONDITION.

This section includes specimens of the marketable animals in a fresh condition in refrigerators.

**The following species of fish** were exhibited in the Allegretti and Banta refrigerators in the Government building from May 10 to November 10, by Mr. E. G. Blackford, of New York City.

#### Fishes (eastern coast):

- Rabbit-fish (*Tetrodon laevigatus*).
- Bur-fish (*Chilomycterus geometricus*).
- File-fish (*Balistes capriscus*).
- Long-tailed file-fish (*Aluterus cuspicauda*).
- Orange file-fish (*Ceratacanthus aurantiacus*).
- American sole (*Achirus lineatus*).
- Flat-fish (*Pseudopleuronectes americanus*).
- Flounder (*Chanopsetta ocellaris*).
- Halibut (*Hippoglossus vulgaris*).
- Pollack (*Pollachius carbonarius*).
- Cod (*Gadus morrhua*).
- Tom-cod or frost-fish (*Microgadus tomcodus*).
- Haddock (*Melanogrammus aeglefinus*).
- Hake (*Phycis chuss*).
- Striped sea-robin (*Prionotus carolinus*).
- Broad-fingered sea-robin (*Prionotus carolinus*).
- Sea-raven (*Hemitripterus americanus*).
- Wolf-fish (*Anarrhichthys lupus*).
- Tautog, or black-fish (*Tautoga onitis*), weight 22½ pounds.
- Chogset or cunner (*Tautogolabrus adspersus*).
- Parrot-fish (*Pseudoscarus* sp.).
- Sergeant-major (*Glypheidodon saxatilis*).
- Lump-fish (*Cyclopterus lumpus*).
- Mackerel (*Scomber scombrus*).

**Fishes** (eastern coast):

- Bonito (*Sarda pelamys*).  
 Spanish mackerel (*Cybium maculatum*).  
 Cero (*Cybium caballa*).  
 Striped cero (*Cybium regale*).  
 Crevalle (*Caranx hippos* and *Paratractus pisquetos*).  
 Pompano (*Trachynotus carolinus*).  
 Big-eyed sead (*Trachurops crumenophthalmus*).  
 South Carolina rudder-fish (*Seriola fasciata*).  
 Silver-fish (*Argyrius vomer*, &c.).  
 Thread-fish (*Blepharis erinitus*).  
 Dolphin (*Coryphaena Sireni* and *C. punctulata*).  
 Black rudder-fish (*Palinurichthys perciformis*).  
 Butter-fish (*Poronotus triacanthus*).  
 Short harvest-fish (*Peprilus Gardenii*).  
 Squirrel (*Holocentrum sogo*).  
 Squeteague (*Cynoscion regalis*).  
 Spotted squeteague or weak-fish (*Cynoscion carolinensis*).  
 Drum (*Pogonias chromis*).  
 Spot (*Liostomus obliquus*).  
 Red-fish, or spotted bass (*Sciaenops ocellatus*).  
 King-fish (*Menticirrhus nebulosus*).  
 Croaker (*Micropogon undulatus*).  
 Sheeps-head (*Archosargus probatocephalus*).  
 Scuppaug, or porgy (*Stenotomus argyrops*).  
 Grunts (*Haemulon arcuatum*, &c.).  
 Red snapper (*Lutjanus Blackfordii*).  
 Grouper (*Epinephelus striatus*, *E. apua*, &c.).  
 Sea bass (*Centropristes atrarius*).  
 Striped bass or rock fish (*Roccus lineatus*).  
 White perch (*Morone americana*).  
 Moon-fish (*Parehippus quadratus*).  
 Triple-tail (*Lobotes surinamensis*).  
 Bluefish (*Pomatomus saltatrix*).  
 Cobia (*Elacate canadus*).  
 Sucker-fish (*Leptecheneis naucratoides*).  
 Striped mullet (*Mugil lineatus*).  
 Silver gar-fish (*Belone longirostris*).  
 Skipper (*Scomberesox scutellatus*).  
 Salmon (*Salmo salar*).  
 Tarpum (*Megalops thrissooides*).  
 Menhaden (*Brevoortia tyrannus*).  
 Shad (*Alosa sapidissima*).  
 Alewife, or gaspereau (*Pomolobus pseudoharengus*).  
 Tailor herring (*Pomolobus mediocris*).  
 Herring (*Clupea harengus*).

**Fishes** (eastern coast):

- Mud shad (*Dorosoma Cepedianum*).
- Sea eat-fish (*Aelurichthys marinus*).
- Eel (*Anguilla bostoniensis*).
- Sturgeon (*Acipenser oxyrhynchus* and *A. brevirostris*).
- Spoonbill (*Polyodon folium*).
- Ray, or skate (*Raia* sp.).
- Spotted-fin shark (*Isogomphodon maculipinnis*).
- Dog-fish (*Mustelus lavis*).

**Fishes** (fresh waters):

- Burbot, or lawyer (*Lota maculosa*).
- Fresh-water drum (*Haploidonotus grunniens*).
- Small-mouthed black bass (*Micropterus salmoides*).
- Large-mouthed black bass (*Micropterus pallidus*).
- Rock bass (*Ambloplites rupestris*).
- Sun-fish (*Pomotis aureus*).
- Yellow perch (*Percu flavescens*).
- Yellow pike-perch (*Stizostedium americanum*).
- White bass, or striped bass (*Roecus chrysops*).
- Lake pike (*Esox lucius*).
- Masquallonge (*Esox nobilior*).
- Pickerel (*Esox reticulatus*).
- Brook trout (of eastern slope), (*Salvelinus fontinalis*).
- Lake trout (*Salmo confinis*).
- Salmon trout, or Mackinaw trout (*Cristivomer namaycush*).
- Atlantic salmon (*Salmo salar*).
- Sebago salmon (*Salmo salar* var. *sebago*).
- White-fish (*Coregonus albus*).
- Lake herring (*Argyrosomus harengus* and *A. clupeiformis*).
- Michigan grayling (*Thymallus tricolor*).
- Moon-eye (*Hyodon tergisus*).
- Suckers (*Catostomus teres* and *Ptychostomus aureolus*).
- Buffalo fish (*Bubalichthys bubalus*).
- Shiner (*Stilbe americana*).
- Catfishes (*Amiurus eatus*, *A. nigricans*, &c.).

**Fishes** (western coast):

- Salmon (*Salmo quinnat*).
- Mussels.
- Clams.
- Crabs.
- Lobsters.
- Squid.

## 2. FOODS: DRIED AND SMOKED.

**Mammal preparations.**

Jerked bear-meat.

Jerked seal and walrus meat (Indian).

11435. Dried (jerked) flesh of harbor seal (*Phoca vitulina*). Prepared by the Passamaquoddy Indians. Eastport, Me. E. Palmer.

Jerked and smoked buffalo-meat.

14281. Dried (jerked) flesh of buffalo (*Bison americanus*), as prepared for hunters' use. Wyoming. F. V. Hayden, U. S. Geologist.

10917. Dried (jerked) flesh of buffalo (*Bison americanus*). Prepared by Sioux Indians. Army Medical Museum.

Dried and smoked beef.

Dried and smoked venison.

Hams of various kinds.

Jerked porpoise-meat (Indian).

11436. Dried (jerked) flesh of harbor porpoise (*Phocena brachycion*). Prepared by the Passamaquoddy Indians of Eastern Maine. Eastport, Me. E. Palmer.

Jerked squirrels and other small mammals.

Pemmican.

12238. Pemmican of dried flesh of buffalo (*Bison americanus*), with buffalo-skin case. Prepared for hunters' use. Western Plains. Army Medical Museum.

Meat-biscuit, desiccated meat, meat extract (*extractum earnis*), desiccated and condensed milk, &c.

29524. Valentine's preparation of meat juice. M. L. Valentine, Richmond, Va.

29525. Valentine's meat juice and glycerine. (Meat juice 1 part, glycerine 3 parts.)

29358. Condensed milk. The Gail Borden Eagle brand (made in 1876). New York Condensed Milk Company, New York.

29360. Borden's pure cocoa (in combination with refined sugar and Borden's condensed milk). New York Condensed Milk Company, New York.

29359. Borden's meat-biscuit (made in 1851). Composed of pure juice or extract of beef combined with wheat-flour. New York Condensed Milk Company.

29361. Borden's extract of beef (made in 1876). Prepared by the Borden Meat Preserving Company, Colorado County, Texas. Concentrated *in vacuo*. New York Condensed Milk Company.

(Borden's extract of beef consists of the juices of lean meat concentrated *in vacuo* at a low degree of heat, by which process it is claimed the burnt taste and smell, objected to in other beef extracts, are avoided.)

4915. Condensed raw beef (pulverized). Prepared by the National Preserving Company, Baltimore.

**Mammal preparations.**

Sausages.

Cheese.

See in exhibition of Agricultural Department.

**Bird preparations.**

Jerked birds (Indian).

**Reptile preparations.**

Dried lizards (Indian).

**Fish preparations.**

Smoked halibut.

Dried cod, haddock, hake, &amp;c.

26750. Alden's vapor-cured, snow-flaked, fresh codfish. E. G. Blackford.

Dried and smoked mullet and roes.

Dried and smoked garfish, flying-fish, &amp;c.

Smoked herring, alewives, &amp;c., and their roes.

12130. Smoked No. 1 herrings (*Clupea harengus*). Eastport, Me. D. T. Odell.12131. Smoked "Magdalena" herrings (*Clupea harengus*). Eastport, Me. D. T. Odell.12129. Smoked "scaled" herrings (*Clupea harengus*). Eastport, Me. D. T. Odell.26552-3-4. Smoked herring (*Clupea harengus*). Eastport, Me. Griffin Bros.

Smoked salmon, oulachan, white-fish, smelt, &amp;c., and their roes.

12121. Smoked white-fish (*Coregonus albus*). Lake Erie. Schacht & Bros., Sandusky, Ohio.11608. Smoked flesh of the quinnat salmon (*Salmo quinnat*). Prepared by the McCloud River Indians. Shasta County, California. Livingston Stone.12122. Smoked sturgeon (*Acipenser rubicundus*). Lake Erie. Schacht & Bros., Sandusky, Ohio.19646. Dried flesh of trout (*Salmo*, sp.). Used as food by the Ahgy Pi-Ute Indians of Walker Lake, Nevada. Stephen Powers.19353. Dried eggs of quinnat salmon (*Salmo quinnat*). Prepared by the McCloud River Indians. Shasta, Cal. Livingston Stone.11049. Dried eggs of quinnat salmon (*Salmo quinnat*). Prepared for food by the Bannack Indians.21716. Flour made from flesh of quinnat salmon (*Salmo quinnat*) by the McCloud River Indians of California. Livingston Stone.21712. Basket of dried salmon (*Salmo quinnat*). Prepared for food by the McCloud River Indians. Shasta County, California. Livingston Stone.25284. Dried flesh of salmon (*Salmo*, sp.). Prepared by the Sitka Indians of Alaska. Alaska. J. G. Swan.12132. Dried flesh of the quinnat salmon (*Salmo quinnat*). Used as food by the McCloud River Indians. California. Livingston Stone.

**Fish preparations.**

13752. Dried eggs of quinnat salmon (*Salmo quinnat*). Used as food by the McCloud River Indians. California. Shasta County, California. Livingston Stone.

21187. Eggs of "herring" (sp. incog.). Used as food by Sitka Indians. Collected by them upon branches of hemlock (*Abies Mertensiana*), planted in shallow water, upon the spawning grounds of the fish. Sitka, Alaska. J. G. Swan.

Smoked sturgeon.

*Veziga*, prepared from the notochord of sturgeon.

**Insects.**

Dried grasshoppers (Indian).

25314. Grasshoppers. Dried for food by the Indians of Southern California. E. Palmer.

**Worms.**

Dried worms (Indian).

**Mollusk preparations.**

Dried abalones (*Haliotis*) prepared by the California Chinese.

Dried siphons of *Schizotharirus* prepared by the Indians of the Northwest coast.

Dried slugs (*Limax*, &c.), used by Indians.

**Radiate preparations.**

(Dried holothurians, "bêches de mer," used by Chinese.)

**Protozoans.**

("Mountain meal," a kind of infusorial earth, mixed with flour, and used as food in Lapland and China.)

3. FOODS: SALTED, CANNED, AND PICKLED.

**Mammal preparations.**

Salted buffalo-meat.

Salted beef.<sup>1</sup>

Salted deer, reindeer, elk.

Salted tongues of beef, buffalo, deer, horse.<sup>1</sup>

Salted pork.<sup>1</sup>

Canned milk of the various brands.

---

<sup>1</sup> See above, p. 163.

**Bird preparations.**

Canned turkey.

Canned meats.

24918. Fresh turkey (*Meleagris gallopavo*). Wm. Underwood & Co., Boston,  
[Mass.]

24932. Deviled turkey (*Meleagris gallopavo*). " "

26644. Cumberland roast turkey (star brand). Portland Packing Company,  
Portland, Me.

Canned chicken.

Canned goose.

**Reptile preparations.**

Salted and canned turtles and turtle soup.

Canned frogs.

26751. Alden fresh green turtle. Prepared by Alden Sea Food Company.

Sold by Lynn Manufacturing Company, New York. Presented by  
E. G. Blackford, New York.

**Fish preparations.**

Salted halibut, halibut fins, &c.

25271. Preserved fresh halibut (*Hippoglossus vulgaris*). Wm. Underwood  
& Co., Boston, Mass.

Salted cod, cod's tongues, sounds, and roe.

24923. Fresh codfish (*Gadus morhua*). Wm. Underwood & Co., Boston, Mass.

25273. Fresh haddock (*Melanogrammus aeglefinus*). " "

Salted mackerel.

Salted Spanish mackerel.

26650. Fresh Seguin mackerel (star brand). Portland Packing Company,  
Portland, Me.

25855-60. Canned mackerel (*Scomber scombrus*). Kemp, Day & Co., New  
York.

24922. Fresh mackerel (*Scomber scombrus*). Wm. Underwood & Co., Boston,  
Mass.

Salted bluefish.

Salted pompano.

Salted sword-fish.

Salted mullets.

Salted salmon.

24924. Fresh salmon (*Salmo salar*). Wm. Underwood & Co., Boston, Mass.

26557. Pickled salmon (*Salmo*).

26755. Fresh Columbia River salmon. Brookfield, Columbia River, W. T.  
J. G. Megler & Co.

—. Canned salmon. A. Booth & Co., Chicago, Ill.

**Fish preparations.**

## Salted salmon.

26756. Fresh Columbia River salmon. Brookfield, W. T. J. G. Megler & Co.  
 26757. Fresh Columbia River salmon. Brookfield, Columbia River, W. T. J. G. Megler & Co.  
 26803. Spring salmon bellies (salted). Oregon Packing Company, Portland, Oreg.  
 26747. Cook's Columbia River fresh salmon. Oregon Packing Company.

## Canned menhaden, in oil, "American sardines."

16609. "Ameriean sardines." Prepared "à l'huile" from the menhaden (*Brevoortia tyrannus*). American Sardine Company, New York.  
 16702. Cornish sardines (à l'huile), first quality. Prepared by Fox & Fryer, Falmouth and Nevagissay, Cornwall, from the pilchard (*Clupea pilcharinus*).  
 16680. "American boneless sardines." Prepared in olive oil from the menhaden (*Brevoortia tyrannus*). Process patented May 21, 1872. American Sardine Company, New York.  
 15516. "Shadines." Prepared from the menhaden (*Brevoortia tyrannus*). Port Monmouth Fishery, New York. Hooper & Coit, New York.

(Spiced lampreys) used in Europe.

Anchovy-sauce and "essence of anchovies."

Canned menhaden, in oil, "American club-fish."

Spiced menhaden, "ocean trout."

—. Ocean trout. Hoope &amp; Coit, Port Monmouth, N. J.

## Salted herring.

26748. Qnody River herring (salted). Griffin Bros., Eastport, Me. Presented by E. G. Blackford, New York.

## Salted anchovies.

- 26565-68 } "Krauter anehovies, Christiania." New York. Eagle Preserved  
 26571-72 } Fish Company.  
 26559. Anchovies.

## Canned herring, in oil, "Russian sardines."

26562. Russian sardines.  
 26563-26570. "Russische Sardinen." Adlerbrand. Prima qualitat. "Reval." New York. Eagle Preserved Fish Company.

## Caviare, prepared from roe of the various sturgeons.

12129. Caviare. Prepared from the eggs of the lake sturgeon (*Acipenser rubicundus*). Lake Erie. Schacht & Bros., Sandusky, Ohio.  
 26558. Caviare.  
 26635. American caviare. Max Ams, New York.  
 26634. Prime Russian caviare. (Patented Nov. 9, 1875.) H. Dittman, Hamburg. Max Ams, New York.

**Fish preparations.**

## Pickled fish preparations.

26555. Pickled eels (*Anguilla bostoniensis*).  
 26633. American eels (pickled eels). Max Ams, New York.  
 26636. "Hamburger aale" (cans) (pickled eels). Max Ams, New York.  
 26630. "Hamburger aale" (pickled eels in jelly). Max Ams, New York.  
 26631. "Hamburger aale" (whole eels rolled and pickled with olives, capers, and mushrooms). Max Ams, New York.  
 26629. Hamburger aale (boxes). Max Ams, New York.  
 26632. Hamburger aale. G. Dittman, Hamburg. Max Ams, New York.

## Extract of fish.

26749. Extract of fish. Made from the juices of the flesh of fishes (menhaden). S. L. Goodale, Saco, Me.

**Preparations of mollusks.**

Canned clams.

Canned Little Neck clams.

Canned scallops.

Cockles (*Cardium edule*), used in Europe as pickles and catsup.

See supplementary catalogue of Invertebrates.

## 4. GELATINES.

**Mammal gelatines** (see, also, under 24)

Gelatines made from tanners refuse and from sinews.

Gelatines made from feet and hoofs.

Gelatines made from bone and ivory shavings.

**Bird gelatines.**

(Nests of esculent swallows (*Calocalia esculenta*, *C. fuciphaga*, *C. indicia*, &c.), exported from Indian Archipelago to China.)

**Fish gelatines or isinglass** (see, also, under 24).**Insect gelatine.**

Gelatine from cocoons of silk-worms.

## 5. BAITS AND FOODS FOR ANIMALS.

**Prepared baits.** (See under B, 45.)**Food for domesticated animals.**

Oil-factory scraps.

Fish-scrap.

Cuttle-fish bone (see under 18).

## II. CLOTHING.

6. FURS (embracing the furs in their rough state (peltries), and in the various stages of preparation; also the manufactured articles, such as robes, rugs, cloaks, sacks, tippets, cuffs, muffs, hats, caps, gloves, trimmings, and linings).

### Mammal furs.

Puma (*Felis concolor*), used for carriage-robcs, rugs, &c.

H. 67. Missouri. C. A. Herpich & Co.

Ocelot (*Felis pardalis*) used for rugs.

12509. Texas. Smithsonian Institution.

Jaguar (*Felis onca*), used for rugs.

—. Texas. Smithsonian Institution.

Cat (*Felis domestica*), used for robes and philosophical apparatus:

Black cat.

White cat.

Maltese cat.

Tortoise-shell cat.

H. 64. Natural. United States. C. A. Herpich & Co.

H. 65. Dyed brown. United States. C. A. Herpich & Co.

Canada lynx (*Lynx canadensis*), used for rugs and trimmings and dyed muffs, boas, &c.

24754. Labrador. G. R. Renfrew & Co., Quebec.

Bay lynx (*Lynx rufus*), used for rugs, and, when dyed, muffs and boas.

H. 61. Natural. Minnesota. C. A. Herpich & Co.

H. 62. Dyed brown. Kansas. " "

H. 63. Dyed black. " "

H. 59. Dyed black. " "

H. 60. Dyed brown. " "

Eskimo dog (*Canis* sp.), used for rugs, &c.

24756. Labrador. G. R. Renfrew & Co., Quebec.

Wolf (*Canis lupus*), used for lining rugs and robes.

12508. Black variety.

H. 75. Gray variety. Kansas. C. A. Herpich & Co.

24753. Labrador. G. R. Renfrew & Co., Quebec.

**Mammal furs.**

Coyote or prairie-wolf (*Canis latrans*), used for rugs and robes.

- H. 75. Colorado. C. A. Herpich & Co.
- 1014. Smithsonian Institution.

Red fox (*Vulpes fulvus*) used for robes.

- 24757. Labrador. G. R. Renfrew & Co., Quebec.
- H. 34. Connecticut. C. A. Herpich & Co.
- H. 35. Indiana. "
- H. 3. Missouri. "

Silver fox (*Vulpes alopec*, var. *argentatus*), used for muffs and trimmings.

- 24759. Labrador. G. R. Renfrew & Co., Quebec.

Cross fox (*Vulpes alopec*, var. *decussatus*), used for robes and trimmings.

- 24758. Labrador. G. R. Renfrew & Co., Quebec.
- H. 30. Montana. C. A. Herpich & Co.

Arctic fox (*Vulpes lagopus*).

- 24760. Labrador. G. R. Renfrew & Co., Quebec.
- H. 29. White Arctic. C. A. Herpich & Co.
- H. 28. Blue Labrador. "

Kit fox (*Vulpes velox*) used for robes, muffs, trimmings.

- H. 37. Nebraska. C. A. Herpich & Co.

Gray fox (*Urocyon virginianus*), used for robes, rugs, and linings.

- H. 32. Michigan. C. A. Herpich & Co.
- H. 33. North Carolina. "

American or Hudson's Bay sable (*Mustela americana*), used for cloaks, muffs, cuffs, boas, linings, &c.

- 4393. Summer Arctic coast. B. R. Ross.
- 10176. Alaska. Lieut. F. M. Ring.
- 4389. Arctic coast, B. R. Ross.
- 460. Fort Boise, M. T. Dr. Geo. Suckley.
- 24764. Orange. Labrador. G. R. Renfrew & Co., Quebec.
- 24763. Silver. " " "
- 24762. Black. " " "
- H. 25. Labrador. Smithsonian Institution.
- H. 25. N. W. coast. " "
- H. 26. Lake Superior. " "
- H. 27. Maine. " "

Fisher or pekan (*Mustela Pennanti*) used for linings; tails used for trimmings.

- 3230. Fort Crook, Oreg. Capt. Gardiner.
- 1008. Fort Dalles, Oreg. Dr. Geo. Suckley.
- 2000. Steilacoom, Wash. "
- 1009. Fort Dalles, Oregon. "
- 24761. Black. Labrador. G. R. Renfrew & Co., Quebec.

**Mammal furs.**

Ermine or weasal (*Putorius erminea*) of northern hemisphere, used for cloaks, linings, &c.

24765. Labrador. G. R. Renfrew & Co., Quebec.  
H. 39. (5 specimens.) United States. C. A. Herpich & Co.

Mink (*Putorius vison*), used for cloaks and muffs.

4395. Arctic coast. B. R. Ross.  
350. California. Lt. Trowbridge.  
3568. Puget Sound. Dr. Kennerly.  
2387. Cape Flattery, Wash. Dr. Geo. Suckley.  
24766. Brown. Labrador. G. R. Renfrew & Co., Quebec.  
H. 18. New York. C. A. Herpich & Co.  
H. 19. Minnesota. "  
H. 20. Ohio. "  
H. 22. Maine. "  
H. 22. Missouri. "  
H. 23. Florida. "

Wolverine (*Gulo luscus*), used for muffs, robes, linings.

24767. Labrador. G. R. Renfrew & Co., Quebec.  
11339. Filmore, Utah. Lieut. Geo. M. Wheeler.  
4379. Fort Simpson, H. B. T. Robt. Kennicott.

American badger (*Taxidea americana*), used for muffs and rugs.

26609. Southern Utah. U. S. Engineer Corps.  
H. 70. United States. C. A. Herpich & Co.

Skunk, Alaska sable (*Mephitis mephitica*), used for muffs, boas, &c.

81. Washington, D. C. S. F. Baird.  
H. 7. Black. Ohio. C. A. Herpich & Co.  
H. 8. Half-striped. Pennsylvania. C. A. Herpich & Co.  
H. 9. Striped. Connecticut. "  
H. 10. White. Missouri. "

Striped skunk (*Spilogale zorilla*).

11136. Marsh Valley. Dr. F. V. Hayden.

Otter (*Lutra canadensis*), with specimens of the plucked and dyed fur, used for muffs, trimmings, &c.

2803. White River. Puget Sound. Dr. George Suckley.  
24768. Labrador. G. R. Renfrew & Co., Quebec.  
25752. Dressed by G. C. Treadwell & Co., Albany, N. Y.  
25753. " " "  
25763. " " "  
H. 41. Natural. Maine. C. A. Herpich & Co.  
H. 42. Natural. Plucked. Canada. C. A. Herpich & Co.  
H. 43. Natural. Plucked and dyed. New York. C. A. Herpich & Co.

**Mammal furs.**

Sea otter (*Enhydra marina*), used for muffs, gloves, collars, cuffs, trimmings.

12262. St. Paul's Island, Alaska. H. W. Elliott.

12265. " " "

12263. " " "

H. 44. California. C. A. Herpich & Co.

H. 45. Silver tipped. California. C. A. Herpich & Co.

Black bear (*Ursus americanus*), used for caps, rugs, muffs, robes, &c.

24769. Labrador. G. R. Renfrew & Co., Quebec.

24770. " " "

H. 75. Minnesota.

H. 76. Kansas.

H. 77. West Virginia.

12510. White bear (*Thalarctos maritimus*), used for rugs, robes; extensively by the Eskimos.

19904-5. Grizzly bear (*Ursus horribilis*), used for rugs, robes, trimmings.

12507. Raccoon (*Procyon lotor*), used for hats, linings:

H. 1. Natural. Northern New York. C. A. Herpich & Co.

H. 2. Natural. Ohio. "

H. 3. Natural. Virginia. "

H. 4. Natural, plucked. Wisconsin. "

H. 5. Dyed black. Michigan. "

H. 6. Dyed black and silver pointed. Michigan. C. A. Herpich & Co.

Fur seal (*Callirhinus ursinus*) used for cloaks, hats, gloves, muffs, linings, trimmings, &c.

12513-14-15-16-17-18. St. Paul's Island, Alaska. H. W. Elliott.

9526. Unplucked. Hutchinson, Kohl & Co., San Francisco, Cal.

9527. Unplucked. Alaska. Hutchinson, Kohl & Co.

25757. Unplucked. Prybilov Islands, Alaska. Hutchinson, Kohl & Co.

25758. London dye. Alaska. C. A. Herpich & Co.

H. 93. " " "

22233. Unplucked. Alaska. G. C. Treadwell & Co., Albany, N. Y.

22234. Plucked. South Sea. " "

26610. Unplucked pelt of fur seal. Alaska.

26611. Plucked " " "

26612. Plucked and dressed pelt of fur seal. Alaska.

26613. Plucked and dyed pelt of fur seal. Alaska. Alaska Commercial Company.

Antarctic fur-seal (*Arctocephalus aucklandicus*), &c.

25762. Dressed by G. C. Treadwell & Co. Islos de Diego Ramires.

25761. " " " South Georgia Islands.

25760. " " " "

25759. " " " Staten Land, South Atlantic.

25756. " " " South Shetland Islands.

25755. " " " "

25754. " " " "

26804-5-6-7. Deposited by Duryea & Hallet, Rahway, N. J.

**Mammal furs.**

Banded seal (*Histriophoca equestris*), used by Eskimos as fur.

7580. (Bag). Cape Romanzoff. W. H. Dall.

Square flipper seal (*Erignathus barbatus*).

12422. Labrador. Governor of Newfoundland.

Pacific hair seal (*Phoca Richardi*?).

H. 89. White coat. Pacific. C. A. Herpich & Co.

H. 90. White coat, silver pointed. Pacific. C. A. Herpich & Co.

Hood or bladder-nose seal (*Cystophora cristata*).

12424. Young. Labrador. Governor of Newfoundland.

12425. Bedlamer (1 year old). Labrador. Governor of Newfoundland.

12423. Labrador. Governor of Newfoundland.

Harp seal (*Pagophilus groenlandicus*), with specimens of the white fur of the unborou cub and the blue fur of the young.

11828. Unborn. Newfoundland. Michael Carroll.

12427. Labrador. Governor of Newfoundland.

12421. Young. Labrador. Governor of Newfoundland.

12426. Bedlamer. " " "

13134. Saek made from white fur. Greenland. S. F. Baird.

Hair seal (*Phoca vitulina*), used for coats, caps, linings for shoes.

24771. Labrador. G. R. Renfrew & Co., Quebec.

H. 91. Dyed black. Halifax. C. A. Herpich & Co.

H. 92. Dyed brown. " "

Bison, or buffalo (*Bison americanus*) used for rugs and robes.

H. 82. Full furred winter.

H. 83. Fall robe. Montana. C. A. Herpich & Co.

H. 84. Summer robe. " "

H. 85. Indian painted. " "

H. 86. Yearling calf. " "

H. 87. Medium calf. " "

H. 88. Small calf. " "

Musk ox (*Oribos moschatus*) used for robes, rugs, and trimmings.

12520. Hudson's Bay Territory.

12549. Calf. Hudson's Bay Territory.

Mountain sheep (*Ovis montana*).

H. 80. Montana. C. A. Herpich & Co.

Antelope (*Antilocapra americana*).

H. 81. Indian Territory. C. A. Herpich & Co.

**Mammal furs**

**Elk (*Cervus canadensis*), used for rugs and robes.**

H. 78. Montana. C. A. Herpich & Co.

**Virginia deer (*Cariacus virginianus*).**

12512. Virginia deer, used for trimmings and robes.

**Black-tailed deer (*Cariacus columbianus*), used for robes and rugs.**

11604-11605. Prepared by McCloud River Indians, California. Livingston Stone.

3565. Puget Sound. Dr. Kennerly.

**Mule deer (*Cariacus macrotis*), used for trimmings, robes.**

H. 99. Montana. C. A. Herpich & Co.

**Woodland caribou (*Tarandus rangifer*, subspecies *caribou*), used for rugs, robes, &c.**

24774. Labrador. G. R. Renfrew & Co., Quebec.

**Barren ground caribou (*Tarandus rangifer*, subspecies *grænlandicus*).**

12363. (Albino.) F. Churchill, Hudson's Bay; W. W. Kirkby.

2050. (Young.) Robe from Mackenzie's River, H. B. T. R. Kennicott.

**Moose (*Alces malchis*), used for rugs and robes.**

24772. Labrador. G. R. Renfrew & Co., Quebec.

**Mole (*Scalops* and *Condylura* sp.), used for robes and garments.**

H. 72. United States. C. A. Herpich & Co.

**Woodchuck or siffleur (*Arctomys monax*) robes, exported to Europe as "white and gray weenusk."**

24776. Labrador. G. R. Renfrew & Co., Quebec.

H. 71. United States. C. A. Herpich & Co.

**Marmot (*Arctomys caligatus*), used for robes and trimmings.**

835. Robe. Indians of Rocky Mountains, west of Fort Good Hope, H. B. T. R. Kennicott.

**Chinchilla (*Chinchilla laniger*) of South America, used for muffs, mantles, boas, cloak-linings, and trimmings.**

H. 103. Real. Bolivia. C. A. Herpich & Co.

H. 104. Bastard. Chili. "

**Parry's marmot (*Spermophilus Parryi*).**

20793. Robe. Sitka, Alaska. J. G. Swan.

835. Robe. Indians of Rocky Mountains, west of Fort Good Hope, H. B. T. R. Kennicott.

**Mammal furs.**

Musquash (*Fiber zibethicus*), used for muffs, capes, caps, and linings and imitations of beaver fur.

- 24779. Labrador. G. R. Renfrew & Co., Quebec.
- 24780. Black variety. Labrador. G. R. Renfrew & Co., Quebec.
- H. 12. Natural brown. Maine. C. A. Herpich & Co.
- H. 13. Natural brown. Indiana. "
- H. 14. Natural black. New Jersey. "
- H. 15. Plucked and dyed. C. A. Herpich & Co.
- H. 16. Plucked and colored. "

Nentria, or coypu (*Myopotamus coypus*), used for linings and muffs, and imitations of beaver.

- H. 105. Plucked. Buenos Ayres. C. A. Herpich & Co.

Beaver (*Castor canadensis*), used for linings and muffs.

- 1230. Spotted albino. Bristol Bay, Alaska.
- 24777. American. Labrador. G. R. Renfrew & Co., Quebec.
- 24778. " " " "
- 12506. White.
- H. 46. Dyed and silver tipped. Hudson's Bay Territory. C. A. Herpich & Co.
- H. 47. Dyed and silver tipped. Canada. C. A. Herpich & Co.
- H. 48. Dyed and plucked. Lake Superior. "
- H. 49. Natural. Lake Superior. "
- H. 50. Natural, in hair. Kansas. "

Hare (*Lepus*, various species).

- H. 58. United States. C. A. Herpich & Co.
- 19615. Fur blanket. Pi-Ute Indians. Walker Lake, Nevada. Stephen Powers.

Rabbit, or cony (*Lepus cuniculus*), used for children's furs, and imitations of seal, beaver, &c., exported largely to China.

- H. 51. Dyed brown, sheared. United States. "
- H. 52. Natural blue. "
- H. 53. Natural white. "
- H. 54. Dyed black. "
- H. 55. Natural blue. "
- H. 56. Natural white. "
- H. 57. Gray. United States. C. A. Herpich & Co.

Possom (*Didelphys virginianus*).

- H. 17. Ohio. C. A. Herpich & Co.

Mountain cat (*Bassaris astuta*).

- H. 66. Montana. C. A. Herpich & Co.
- H. 14. Missouri. "

**Bird furs.**

Loon (*Colymbus torquatus*).

1302. Used by Makah Indians in manufacture of robes. Neva Bay, Washington Territory. J. G. Swan.  
 1296. Robe from down of. Neeah Bay, Washington Territory. J. G. Swan.

Swan's (*Cygnus americanus*) furs and swan's down trimmings.

- H. 101. I. United States. C. A. Herpich & Co.  
 H. 102. II. " " "

Brown pelican (*Pelecanus fuscus*).

9559. Tiburon Islands, Sonora. E. Palmer.

Goose (*Anser* sp.).

- H. 99. United States. C. A. Herpich & Co.  
 H. 100. United States. "

**7. LEATHER.** (See under 20.)

**8. TEXTILE FABRICS.**

**Prepared from hair of mammals.**

Human hair used in manufacture of watch-chains.

Hair of bats used in felting and in plaiting ropes in Central America and tassels in New Caledonia.

Hair of raccoon used in felting (largely exported to Germany for the use of hatters).

Hair of weasels and sables used in felting.

Hair of fur seal woven with silk in the manufacture of shawls.

Moose hair and its fabrics.

Ox and calf hair used in the manufacture of imitation woolen goods.

Sheep's wool, with specimens of fleeces and stapled wools, from various breeds and localities, short-wool fabrics, broadcloths, merinoes, flannels, monselins de laine, serges, tweeds, blankets, carpets, and tartans, worsted fabrics, stuffs, bombazines, camlets, shawls, pluses and velvets, hosiery, and yarns, felts, felt-cloths, and felt-hats.

Goats' wool with specimens of mohairs, cashmeres, pluses, velvet-ees, camlets, and shawls. (For manufactured wigs and perukes, see under 21.)

(Yak (*Poëphagus grunniens*) wool with specimens of yak-lace and other fabrics.)

(Camels' hair with specimens of fabrics, pluses, felts, shawls, &c.)

(Hair of llama, paco, guanaco, and viengna, with specimens of alpaca, guanaco, and other fabrics, and umbrellas and other articles manufactured.)

**Prepared from hair of mammals.**

- Hair of horses used in weaving furniture-covers, crinoline-skirts, and bags for pressing oil.
- Hair of buffalo used in plaiting ropes, lariats, &c.
- Fur of mole used in felting.
- Beaver (castor) fur with specimens of the felt cloths, hats, &c.
- (Neutria-fur used in felting and in the manufacture of hats.)
- Musquash fur used in felting.
- Possom hair with fabrics of Indian and other manufacture.
- Fur of rabbit and hare used in felting, with specimens of hats and cloths.
- Whalebone fiber used in weaving cloth covers for telescopes, &c.

**Prepared from feathers of birds.**

- Cloths woven from feather (China).

**Prepared from silk of insects.** (This collection should include specimens of the cocoons, the raw silk, the spun silk, and of the various fabrics, plain and figured silks, satins and satinettes, shawls, damasks, brocades, crepes, and ribbons.)

- Silk of common silk-worm (*Bombyx mori*).
- Silk of *Samia cecropia*, *Samia polyphemus*, and other native American moths.
- (Silk of exotic moths other than *Bombyx mori*, such as the tussah (*Bombyx pernyi* and *Bombyx mylitta*), the moonga (*Saturnia assamensis*), the joree (*Bombyx religiosa*), the ena or arindy (*Bombyx cynthia*).)
- Fabrics woven by the insects themselves, as *Tinea padilla*.
- Silk of spiders.

**Prepared from byssus of mollusks.**

- (Fabrics woven from byssus of the wing-shell (*Pinna nobilis*) and other mollusks.)

### III. MATERIALS EMPLOYED IN THE ARTS AND MANUFACTURES.

#### *Hard materials.*

##### 9. IVORY AND BONE.

###### Ivory of mammals.

Tusks of walrus used for trinkets, handles, jewelry, buttons, paper-knives, counters, &c.

- 25656. Tusks of walrus (*Rosmarus obesus*). Alaska. C. H. Crandall.
- 15592. Commercial walrus ivory. Poonook, Alaska. H. W. Elliott.
- 16174. Teeth of young walrus (*Rosmarus obesus*). Used in making powder chargers. Numivak Island, Alaska. W. H. Dall.
- 24819. Ivory of walruses in rough state. Joseph Shardlow, New York.
- 24887. Scrimshawed tooth of walrus (*Rosmarus*). (Figure of lady.) Geo. Y. Nickerson, New Bedford, Mass.
- 24886. Scrimshawed tooth of walrus (*Rosmarus*). (Figure of lady and horse.) Geo. Y. Nickerson, New Bedford, Mass.
- 26896. Scrimshawed tooth of walrus (*Rosmarus Cookii*). Repulse Bay. Capt. H. C. Chester, Noank, Conn.
- 25654. Harpoon head made at sea from walrus tusk. J. H. Bartlett & Sons, New Bedford, Mass.
- 2631. Handle of walrus ivory. Northwest coast, America. United States Exploring Expedition. Capt. Chas. Wilkes, U. S. N.
- 24815-6. Cane handles of walrus ivory. Joseph Shardlow, New York.
- 24812. Chain and cross of walrus ivory. " "
- 24814. Knobs of walrus Ivory. " "
- 24813. Scarf-slide of walrus ivory. " "
- 24817-18. Sword handles of walrus ivory. " "
- 24820-21-22. Knife handles of walrus ivory. " "
- 24823. Crochet-needles of walrus ivory. " "
- 24824. Pool-balls of walrus ivory. " "
- 24825-6-7-8-9-30-31-32. Buttons and studs of walrus ivory. Joseph Shardlow, New York.

Teeth of bears, dogs, wolves, foxes, peccaries, and other large mammals, used as implements, arrow-tips, and ornaments, by Indians.

- 6226. Bear teeth (used as ornaments). Bloomfield, N. Y. Col. E. Jewett.

Elk ivory (used by Indians for ornamentation).

- 1874. Ivory of elk (*Cervus canadensis*). Yamp Utah Indians, Utah. Captain Gunnison, U. S. A.

Tusks of mammoth elephant (*Elephas primigenius*) from Northern America and Asia, with Eskimo carvings.<sup>1</sup>

- 15385. Tusk of mammoth. Alaska. J. G. Swan.
- 11041. Comb. Made from the ivory of fossil elephant. Saint Michael's, Alaska. W. H. Dall.

---

<sup>1</sup>An interesting series of aboriginal carvings from mammoth ivory is displayed in the Ethnological division.

**Ivory of mammals.**

Teeth of peccary (*Dicotyles* sp.).<sup>1</sup>

Ivory of narwhal (*Monodon monoceros*), used for canes.

—. Tusks of narwhal. Greenland. U. S. Fish Commission.

13521. Cane made from tusk of narwhal. Eskimos of North Greenland. F. T. Commagere.

Teeth of sperm-whale (*Physeter macrocephalus*) and their application to the manufacture of balls, buttons, and trinkets.

- 25653. Teeth of sperm-whale. J. H. Bartlett & Sons, New Bedford, Mass.
- 25710. Teeth of cow whale. Capt. Joseph Fisher, Provincetown, Mass.
- 25719. Teeth of sperm-whale. Andrew Kennedy, Provincetown, Mass.
- 24906-8. Teeth of sperm-whale, polished. J. H. Clark, Newport, R. I.
- 25709. Teeth of the cow whale (serimshawed). Capt. Joseph Fisher, Provincetown, Mass.
- 7428. Tooth of sperm-whale. Serimshawed with British coat of arms and female figure. J. Varden.
- 24905. Tooth of sperm-whale. Serimshawed and mounted as watch case, figure of American eagle. J. H. Clark, Newport, R. I.
- 24904. Tooth of sperm-whale. Serimshawed with figure of crucifix and flowers. J. H. Clark, Newport, R. I.
- 24901. Tooth of sperm-whale. Serimshawed with figure of whaling-ship. J. H. Clark, Newport, R. I.
- 24902. Tooth of sperm-whale. Serimshawed with figure of America in colors. J. H. Clark, Newport, R. I.
- 24903. Tooth of sperm-whale. Serimshawed with figure of girl dancing. J. H. Clark, Newport, R. I.
- 7659. Tooth of sperm-whale. Serimshawed with this legend: "Taken \* by \* the \* ship \* Montreal \* of \* London \* in \* the \* Pacific \* Ocean \* from \* a \* one \* hundred \* barrel \* whale \*. — \* 1835 \*." Mrs. Dove, Washington, D. C., 1842.
- 24888. Tooth of sperm-whale. Serimshawed with figure of General Washington and American eagle. Geo. Y. Nickerson, New Bedford, Mass.
- 24889. Tooth of sperm-whale. Serimshawed with figure of General Scott and American eagle. Geo. Y. Nickerson, New Bedford, Mass.
- 7660. Tooth of sperm-whale. Serimshawed with figure of pagoda. ~~111~~  
Pacific Ocean. United States Exploring Expedition. Capt. Charles Wilkes, U. S. N.
- 25792. Tooth of sperm-whale (serimshawed). Malcolm McPadlyn, Gloucester, Mass.
- 24836. Balls turned from teeth of sperm-whale. Joseph Shardlow, New York.

Incisors of beaver (*Castor canadensis*) used by Indians for chisels, knives, and ornaments.

2684. Dice. Made from teeth of beaver. Oregon Indians. United States Exploring Expedition. Capt. Charles Wilkes.

<sup>1</sup>Interesting applications of this material may be found in the Ethnological series.

**Ivory of reptiles.**

Teeth of alligator used for jewelry, whistles, cane-handles, buttons, &c.

26895. Jewelry manufactured from teeth of alligator (*Alligator mississippiensis*). E. F. Gilbert, Jacksonville, Fla.

An extensive trade in alligator teeth has sprung up within the last ten years. Ten establishments in Eastern Florida are engaged in their manufacture into fancy articles.

**Ivory of fishes.**

Sharks' teeth used in arming weapons.<sup>1</sup>

Teeth of sharks and other fish used as trinkets.<sup>1</sup>

Jaws of the sleeper-shark (*Semniosus brevipinna*) used for head-dresses by Indians.

—. Coronet of shark's teeth. Gulf of Saint Lawrence. G. R. Renfrew & Sons, Quebec.

**Bone of mammals.**

Parts of splanchno-skeleton of ferae, used as charms.

—. Os penis of raccoon, used as charm.

9476. "Os mirabilis" of walrus. Alaska. Gen. Geo. H. Thomas, U. S. A.

Bones of bear and other large mammals, used by Indians for implements and as tablets for paintings.<sup>1</sup>

Bones of buffalo and of the domestic ruminants, used as substitute for ivory in the manufacture of buttons, handles, combs, &c.

24855. Bone parasol-handle. Joseph Shardlow, New York.

24854. Bone parasol-handle. " "

24853. Bone parasol-handle. " "

24852. Bone counters. Joseph Shardlow, New York.

24851. Bone shields. " "

24850. Bone cribbage-pins. " "

24849. Bone dice. " "

24843-4-5-6-7-8. Bone brush-handles. Joseph Shardlow, New York.

24842. Bone martingale-rings. " "

24837. Bone napkin-rings. " "

24833-4-5-6. Bone parasol-handle. " "

19513. Bow. Made of bone. Greenland Eskimos. Geo. Y. Nickerson.

10280. Bow. Made of bone. Eskimo. King William's Land.

25673. Bone marlin-spike. Made at sea by Thomas Freeman. Used for splicing trawl-lines. Sanford Freeman, Norwich, Conn., Mass.

Sperm-whale jaw-bone, used for harness-rings, martingales, &c.

29233-4-5-6-7-8-9-40. Parasol-handles made from sperm-whale's jaw. Harvey & Ford, Philadelphia.

<sup>1</sup> Displayed in Ethnological division.

**Bone of mammals.**

Sperm-whale jaw-bone, used for harness-rings, martingales, &c.

- 29244. Paper-cutters, made from sperm-whale's jaw. Harvey & Ford, Philadelphia.
- 24909. Chopping-knife. Made from jaw of sperm-whale. Prof. S. F. Baird.
- 25791. Sail-thimble. Made from bone of whale. J. W. Foster, Beverly, Mass.
- 25793. Seam-rubber. Used by sail-makers to rub along seams. Made from jaw-bone of sperm-whale. Frank Westerberger, Beverly, Mass.
- 25650. Sail-maker's hand-fid. Made at sea from jaw-bone of sperm-whale. A. R. Crittenden, Middletown, Conn.
- 25655. Saw-frame. Made at sea from bone of sperm-whale. J. H. Bartlett & Sons, New Bedford, Mass.
- 25801. Pulley. Made from jaw-bone of sperm-whale. E. H. Cook, Provincetown, Mass.
- 25649. Pulley-block. Made at sea from jaw-bone of sperm-whale. A. R. Crittenden, Middletown, Conn.
- 25713. Seine-needle. Made from jaw-bone of sperm-whale. N. H. Payne, Wellfleet, Mass.

Horn-cores of ruminants, used in manufacture of assayers' cupels.

**Bone of birds.**

Bones of birds, used by Indians and Eskimos in making awls, needles, flutes, bird-calls, and dress-trimmings.

- 10.333. Gambling-sticks. Made from bones of white crane. Mojave Indians. Dr. E. Palmer.

**Bone of fishes.**

Fish-bones, used by Indians and Eskimos in making implements.<sup>1</sup>  
Bone of sword-fish.

- 25675. Shoemaker's tool. Made from sword of sword-fish (*Xiphias gladius*). Sanford Freeman, Norwichport, Mass.

Sharks' vertebrae, used for canes.

**Waste bone and ivory.**

- Use in manufacture of bone-black, ivory-black, and bank-note ink (see under 29).
- Use in manufacture of sizes and glues (see under 24).
- Use in manufacture of gelatine for food (see under 4).
- Use in manufacture of phosphorus, carbonate of ammonia (hartshorn), and sal ammoniae (see under 30).
- Use in manufacture of bone-charcoal for filters (see under 30).
- Use in manufacture of paper.
- Use of shavings in case-hardening gun-barrels and other fine steel.

---

<sup>1</sup> Displayed in Ethnological series.

**Waste bone and ivory.**

## 10. HORN.

(Embracing the varieties of horn known to commerce, the split and pressed horns, and the various manufactured articles, such as jewelry, combs, and handles.)

**Horn** (employed as a material).

Horns of ox, sheep, and goat, used for handles, buttons, combs, powder-flasks, cups, boxes, stirrups, spoons, and imitations of tortoise-shell, also "sensitive Chinese leaves," and formerly for transparent plates in lanterns and horn-hooks, for trumpets, and for finger-nails in lay figures.

- 25277. Cow's horns. Philip R. Woodford, Boston, Mass.
- 25274. Steer's horns. " "
- 25276. Bull's horns. " "

**Horn of buffalo**, used like that of ox.

- 25278. Horns of buffalo bull. Philip R. Woodford, Boston, Mass.
- 25280. Horns of buffalo calf. " "
- 25279. Horns of buffalo cow. " "
- 8489. Spoon of buffalo horn. Assinaboin Indians. Fort Buford, Dakota. Dr. J. P. Kimball, U. S. A.
- 11030. Spoon of buffalo horn. Yellowstone Valley, Dakota. Lieutenant Cusick.

**Horn of musk ox (*Ovibos moschatus*).**

- 11648. Arctic regions. Capt. C. F. Hall.
- 10389. Spoon made from horns of musk ox. Igloolik. Capt. C. F. Hall.
- 25275. Ox horns. Philip R. Woodford, Boston, Mass.

Series of articles manufactured from horn. Geo. F. Lincoln, Leominster, Mass.:

- 29507. Horn as it comes from the press, cut out preparatory to making combs.
- 29508. Combs. Cut.
- 29509. Unfinished combs.
- 29510. Horn cut into small pieces for use in manufacture of jewelry.
- 29571. Finished comb.
- 29502. Polished jewelry (uncolored).

**Horn of mountain sheep and mountain goat**, used by Aleutians in making spoons, bowls, and numerous other implements.

- 16809. Horns of mountain goat (*Mazama montana*). Used by Eskimo for making horn spoons. Alaska. W. H. Dall.
- 20623-4. Spoon made from horn of mountain goat. Bella Bella Indians. J. G. Swan.
- 2978. Spoon made from horn of mountain goat. Alaska. A. H. Hoff, U. S. A.

**Horn** (employed as a material).Horns of Rocky Mountain sheep (*Ovis montana*).

704. Spoon made from horn of Rocky Mountain sheep. Northwest coast.  
George Gibbs.
20842. Spoon made from horn of Rocky Mountain sheep. Haidah Indians.  
Prince of Wales Island, Alaska. J. G. Swan.
14455. Spoon made from horn of Rocky Mountain sheep. Pi-Ute Indians.  
Maj. J. W. Powell.

**Antlers.**

Antlers of deer, elk, and moose (stag horn), used in the manufacture of handles for instruments, trinkets, and buttons.

- 26229-24-30. Carving from horn of deer (*Cervus virginianus*). Harvey & Ford, Philadelphia.
21312. Spoon carved from antler of elk (*Cervus canadensis*). Hoopah Indians, California. S. Powers.

Antlers of deer, elk, moose, and nearly all species of ruminants, employed for ornamental purposes. (A series of these antlers is used in the decoration of the columns in the Government building.)

**Chemical and other applications.**Burnt horn (*cornu ustum*) used in dentifrices.Carbonate of ammonia (hartshorn), manufactured from deer horns.  
(See under 30.)

## 11. HOOPS AND CLAWS, &amp;c.

(Embracing the commercial hoof, and the various stages of manufacture represented by specimens.)

**Hoofs.**

Hoofs of ox and bison, used in making buttons, combs, and handles.

23001. Commercial hoof. Philip R. Woodford, Boston, Mass.  
Series of articles made from hoof. Geo. F. Lincoln, Leominster, Mass.:
29516. Dust made from the hoof.  
29517. Belt buckle.  
29518. Martingale rings.  
29519. Breastpin.  
29520. Cross for neck wear.  
29521. Breastpin.

Hoofs of horse, used like those of ox and bison.

Hoofs of musk ox, deer, and antelope, used by Indians in ornamentation.

7443. Hoofs of musk ox. Used for trimming of garments by Eskimos.  
Mackenzie's River. R. MacFarlane.

Feet of deer, used for knife-handles, stool-feet, &amp;c.

**Claws.**

Claws of bear, puma, wolf, &c., used by Indians in ornamentation.  
 (See Ethnological series.)  
 Human nails, used by Indians for ornamental trimming.

**Chemical application of hoofs and claws.**

Use in manufacture of prussiate of potash (see under 30).  
 Use in manufacture of glue (see under 24).

**12. BALEEN.****Whalebone in an unmanufactured state.**

14042. Baleen of humpback whale (*Megaptera versabilis*). Coast of California, 1873. C. M. Scammon.
12311. Bone of humpback whale (*Megaptera versabilis*). Coast of California. C. M. Scammon.
13893. Baleen of humpback whale (*Megaptera versabilis*). Monterey, Cal. 1873. C. M. Scammon.
13019. Baleen of humpback whale (*Megaptera versabilis*). Monterey, Cal. 1872. C. M. Scammon.
12263. Baleen of humpback whale (*Megaptera versabilis*). San Luis, Cal. C. M. Scammon.
13020. Baleen of humpback whale (*Megaptera versabilis*). San Luis, Cal. C. M. Scammon.
13985. Baleen of sulphur-bottom whale (*Sibbaldius sulfureus*). Monterey, Cal. C. M. Scammon.
13981. Baleen of sulphur-bottom whale (*Sibbaldius sulfureus*). Monterey, Cal. C. M. Scammon.
12052. Bone of the California gray whale (*Rhachianectes glaucus*). Monterey, Cal. 1873. C. M. Scammon.
15402. Baleen. North Pacific. Capt. Henderson.
7494. Whalebone. Anderson River Eskimos. Mackenzie's River district. R. MacFarlane.
1108. Whalebone. Prepared by Anderson River Eskimos. Mackenzie's River district. R. MacFarlane.
1116. Whalebone. Anderson River Eskimos. Mackenzie's River district. R. MacFarlane.
2079. Whalebone. Arctic coast. R. MacFarlane.
24976. Whalebone fiber. Curled for bed-stuffing. J. A. Sevey, Boston, Mass.
24930. Whalebone. Prepared for whip-makers' use. J. A. Sevey, Boston, Mass.
24862. Whip with whalebone stock, knotted, inlaid with whale-tooth's ivory, handle wound with thin whalebone. American Whip Co., Westfield, Mass.
24950. Dress-bone. Whalebone prepared for dress-makers' use. J. A. Sevey, Boston, Mass.
24946. Whalebone. Prepared for suspender-makers' use. J. A. Sevey, Boston, Mass.
24945. Whalebone. Prepared for bonnet-makers' use. J. A. Sevey, Boston, Mass.
24941. Whalebone. Prepared for umbrella-makers' use. J. A. Sevey, Boston, Mass.

**Whalebone in an unmanufactured state.**

24940. Whalebone.	Prepared for parasol-makers' use.	J. A. Sevey, Boston, Mass.	"	"
24951. Gross dress-bone.	Whalebone prepared for dress-makers' use.	J. A. Sevey, Boston, Mass.	"	"
24948. White dress-bone.	Whalebone (white) prepared for dress-makers' use.	J. A. Sevey, Boston, Mass.	"	"
24978. Whalebone.	Prepared for brush-makers' use.	J. A. Sevey, Boston,	[Mass.]	
24942. Whalebone.	Prepared for ribbon-weavers' use.	"	"	
24943. Whalebone.	Prepared for hat-makers' use.	"	"	
24944. Whalebone.	Prepared for cap-makers' use.	"	"	
24947. Whalebone.	Prepared for neck-stock-makers' use.	"	"	
24952. Whalebone.	Prepared for corset-makers' use.	"	"	
24949. Round dress-bone.	Whalebone prepared for dress-makers' use.	J. A. Sevey, Boston, Mass.		
24977. Whalebone fiber.	J. A. Sevey, Boston, Mass.			
24938. Whalebone cane.	Black and white, twisted.	J. A. Sevey, Boston,	[Mass.]	
24973. Whalebone boot-shanks.		"	"	
24937. Whalebone tongue-scrappers.		"	"	
24955. Whalebone probang.		"	"	
24935. Whalebone riding-whip,	Made of black and white whalebone, twisted.	J. A. Sevey, Boston, Mass.		
24934. Whalebone riding-whip.	J. A. Sevey, Boston, Mass.			
24937. Whalebone cane.	Plain.	"	"	
24936. Whalebone cane.	Twisted.	"	"	
24972. Whalebone graining-comb.	Used by painters.	J. A. Sevey, Boston,	[Mass.]	
24935. Whalebone probang.		"	"	
24980. Whalebone caterpillar-brush.		"	"	
24981. Whalebone shavings.		"	"	
24933. Whalebone back-supporter.		"	"	
24979. Whalebone flue-brush.		"	"	
24975. Whalebone fiber shoe-brush.		"	"	
24983. Whalebone.	Sample.	"	"	
24959. Whalebone divining-rod.		"	"	
24958. Whalebone angling-rod tip		"	"	
24955. Whalebone rosettes for harness.		"	"	
24932. Whalebone landing-net rod.		"	"	
24954. Whalebone hip busk bone.		"	"	
24984. Whalebone.	Price-list samples.	"	"	
24970. Whalebone penholder.	Black and white, twisted.	"	"	
24961. Whalebone busk.		"	"	
24934. Whalebone fore-arm bones.	Artificial.	"	"	
24968. Whalebone plait-raiser.		"	"	
24939. Whalebone penholder.		"	"	
2495. Manufactured corset, showing use of whalebone.		"	"	
24953. Whalebone corset-clasps.		"	"	
24960. Whalebone drill-how.		"	"	
24957. Whalebone billiard-cushion springs.		"	"	
24971. Whalebone paper-cutter.		"	"	
24985. Whalebone rule.		"	"	

**Whalebone in an unmanufactured state.**

24860. Whalebone and rattan whip-stalk. Finished, ready for covering. American Whip Company, Westfield, Mass.  
 24858. Whalebone. As prepared for use in the whip. American Whip Company, Westfield, Mass.  
 24859. Whalebone and rattan. Fitted ready for sticking together for whip-stalk. American Whip Company, Westfield, Mass.  
 24857. Whalebone. In rough state, as sold to whip manufacturers. American Whip Company, Westfield, Mass.  
 24982. Whalebone. Prepared for whip-makers' use (patent). J. A. Sevey, Boston, Mass.

**13. TORTOISE-SHELL.****Tortoise-shell (*Eretmochelys squamata* Linn.).**

- 12357-8-9-90. Tortoise-shell (*Eretmochelys squamata* Linn.). Pacific hawk's-bill turtle. Pacific coast.  
 24890. Commercial tortoise-shell. George Y. Nickerson, New Bedford, Mass.  
 26891. Tortoise-shell jewelry, &c. Charles W. Kennard & Co., Boston, Mass.:  
 Comb cut and polished.  
 Comb cut before polishing.  
 Brooch and ear-rings.  
 Sleeve-buttons.  
 Necklace and locket.

**14. SCALES.****Scales of fishes** used in ornamental work, with specimens of flowers and other articles manufactured.

Fish-scale jewelry. F. C. Keergaard & Co., Philadelphia, Pa.:

25480. Scales of sheepshead (*Archosargus probatocephalus*).  
 25481. Scales of sheepshead (*Archosargus probatocephalus*). Prepared for use.  
 25482. Brooch and ear-rings. " "  
 25483. Spray of flowers. " "  
 25484. Spray of flowers. " "  
 25485. Spray of flowers. " "  
 25486. Spray of flowers. " "  
 25487. Spray of flowers (dyed). " "  
 25488. Necklace and cross. " "  
 25489. Brooch and ear-rings. " "  
 25490. Brooch and ear-rings (dyed) (*Archosargus probatocephalus*).  
 26892. Jewelry made from scales of mullet, drum, &c. Mrs. C. E. Mott, Jacksonville, Fla.

(Pearl white, or *essence d'Orient*, prepared from scales of *Alburnus lucidus* and other *Cyprinidae* and *Clupeidae*, used in making artificial pearls.) (See under 27.)

26893. Essence d'Orient. (Introduced for comparison.) Gustave Bossange, Paris.

## 15. PEARL.

**Pearls and nacre** (embracing the pearl-yielding shells, with the pearls and the mother-o'-pearl in the rough state, with the manufactured buttons, handles, and jewelry, pearl-powder, inlaid work, and papier-maché, ornamented with mother-o'-pearl).

Top-shells (*Turbidae*), and their application to manufacture of shell-flowers.<sup>1</sup>

Tower-shells (*Trochidae*).<sup>1</sup>

Ear-shells (*Haliotidae*), used in manufacture of buttons, handles, inlaid work, and pearl powder.<sup>1</sup>

Other gasteropods supplying nacre.<sup>1</sup>

Pearl-oysters (*Arcidae*), with pearls and nacre.<sup>1</sup>

River-mussels (*Unionidae*), with pearls and nacre.<sup>1</sup>

Mussels, oysters, and other conchifera supplying pearls and nacre.<sup>1</sup>

Shells of nautilus and argonaut, prepared to exhibit their nacre.<sup>1</sup>

Ornamental pearl-work, imitating sprays of flowers, &c.<sup>1</sup>

Imitation pearls.<sup>1</sup>

## 16. SHELL.

**Cameo shell.<sup>1</sup>**

Shell of conch (*Strombus gigas*), and carvings.<sup>1</sup>

Shell of helmet (*Cassis rufa*, *C. tuberosa*, and *C. madagascariensis*), with carvings.<sup>1</sup>

**Shells used for implements, &c.<sup>1</sup>**

Shells of *Strombus*, *Triton*, *Dolium*, *Fusus*, *Murex*, and *Buccinum*, used for fog-horns, lamps, vases, and ornamental borders in flower-gardens.<sup>1</sup>

Shells of *Buoyem*, *Sycatypus*, *Mactra*, &c., used by Indians in manufacture of implements, with specimens of implements.<sup>1</sup>

Shells of *Mactra*, used for ladles, scoops, and spoons by fishermen.<sup>1</sup>

Shells of *Tridacna*, used for vases, fountains, and in the manufacture of handles and carvings.<sup>1</sup>

Shells of *Peeten*, *Haliotis*, *Dentalium*, *Mercenaria*, &c., used by Indians for trimmings and ornaments.<sup>1</sup>

Shells of *Peeten*, used in making pin-cushions and purses.<sup>1</sup>

Shells of *Mercenaria violacea*, *Purpura lapillus*, and *Buccinum undatum*, used by Indians of eastern coast in manufacture of money, with specimens of wampum (with the modern wampum or shell-beads, manufactured for the Indian trade), and of the hyqua or *Dentalium* shells, employed in a similar manner by the Indians of the Pacific coast.<sup>1</sup>

Specimens of the cowry (*Cypraea moneta*), "live cowry" and dead cowry, used in African trade and for trimmings.<sup>1</sup>

---

<sup>1</sup> See in Part II of the present catalogue.

**Shells used for implements, &c.**

- Shells of *Cypraea*, *Rotella*, *Oliva*, *Turritella*, *Phasianella* (Venetian shells), &c., mounted as buttons and jewelry.<sup>1</sup>
- Composition shell-work for box-covers and frames, made by gluing shells in mosaic.<sup>1</sup>
- Calcined shells, used by dentifrice and porcelain makers.<sup>1</sup> (See, also, under 32.)
- Cuttle-fish bone from *Sepia officinalis*, used as a pounee, as a dentifrice, as polishing powders, for taking fine impressions in counterfeiting, and as food for birds.<sup>1</sup> (See, also, under D 5.)
- Concretions from the stomach of *Astacus*, known as "crab's-eyes" and "crab-stones," and used as antacids.<sup>1</sup>
- Shell of king-crab (*Limulus polyphemus*), used as a boat-bailer.<sup>1</sup>
- Opercula of mollusks, used as "eye-stones."<sup>1</sup>

## 17. CORAL.

**Coral as a material.**

- Red coral (*Corallium nobilis*), with specimens of the five commercial grades (1, froth of blood; 2, flower of blood; 3, 4, 5, blood of first, second, and third qualities) of the white variety, and of the round beads, *négligée* beads, bracelets, pins, coronets, armlets, ear-rings, &c.<sup>1</sup>
- White coral, *Oculina*, sp., used by jewelers.<sup>1</sup>
- Madrepores and other showy corals, used for ornamental purposes.<sup>1</sup>
- Horny axis of black flexible coral (*Plexaura crassa*), used for canes and whips in the Bermudas.<sup>1</sup>
- Axis of fan coral (*Rhipidogorgia*), used for skimmers and strainers in the Bermudas.<sup>1</sup>
- Coral, used for building purposes.<sup>1</sup>
- Coral rock of recent formation (Coquina), used in Florida in manufacture of ornamental vases and carvings.<sup>1</sup>
- Calcined coral, used for dentifrices, as an antacid, &c.<sup>1</sup>
- Imitations of red coral in celluloid, rubber, and other substances.<sup>1</sup>

## 18. INFUSORIAL EARTHS.

**Polishing powders** (used for polishing metals, cabinet-ware, and stone).

- Specimens of polishing slate, tripoli, and other foreign polishing powder.<sup>1</sup>
- Specimens of American infusorial deposits.<sup>1</sup>

<sup>1</sup> See under Part II of this catalogue.

**Infusorial earths employed in manufactures.**

- Infusorial earth, used in making window and plate glass.<sup>1</sup>  
 Infusorial earth, used in making soluble glass.<sup>1</sup>  
 Infusorial earth, used in making mortar.<sup>1</sup>  
 Infusorial earth, used in making molds for metal casting.<sup>1</sup>  
 Infusorial earth, used in making filters.<sup>1</sup>  
 Infusorial earth, used in making dynamite.<sup>1</sup>  
 Infusorial earth, used in making fire-proof packing.<sup>1</sup>  
 Infusorial earth, as an absorbent for oils and liquids.<sup>1</sup>

**19. OTHER MATERIALS FROM INVERTEBRATES.****From insects.**

- Brazilian diamond-beetles, used in jewelry.  
 Wings of beetles, used in embroidery.

**From echinoderms.**

- Spines of echinoids, used for slate-cravons.

*Flexible materials.***20. LEATHERS.** (Embracing the hides in a rough state, in the various stages of dressing, and manufactured into shoe-leather, parchment, vellum, binders' leather, thongs, &c.)**Leather prepared from mammal skins.**

- Leather prepared from human skin.

26070. Boots made from skin of man. H. & A. Mahrenholz, New York.

- Sea-lion leather, used by Eskimos to cover bidarkas, and for garments and beds.

11371. Leather of sea-lion (*Eumelopias stelleri*). Used by Aleutian Islanders for manufacture of canoe. Alaska. Vincent Colyer.

- Walrus leather, used by Eskimos for harness, tables, thongs, seal-nets, and for covering polishing-wheels.

15317. Harpoon-line of walrus leather. Alaska. H. W. Elliott.

- Seal leather, used for fine shoes and in the manufacture of "patent leather," and by Eskimos for numerous purposes.

10486. Seal-skin bleached by hot water. Inuit Eskimos. Arctic Ocean. Capt. C. F. Hall.

1103. Seal-skin leather tanned by Eskimos. Mackenzie's River district. R. MacFarlane.

24785. Indian moccasins made from skin of seal (*Phoca vitulina?*) G. R. Renfrew & Co., Quebec.

---

<sup>1</sup> See under Part II of this catalogue.

**Leather prepared from mammal skins.**

Bison leather (and buffalo leather, buff-leather).

- 25951. Imitation buckskin. Manufactured from skin of American bison (*Bison americanus*). Wilcox Tannery, Elk County, Pennsylvania.
- 25952. Collar leather. Manufactured from skin of American bison (*Bison americanus*). Wilcox Tannery, Elk County, Pennsylvania.
- 25954. Sole leather. Manufactured from skin of American bison (*Bison americanus*). Wilcox Tannery, Elk County, Pennsylvania.
- 25953. Whang leather. Manufactured from skin of American bison (*Bison americanus*). Wilcox Tannery, Elk County, Pennsylvania.

Ox leather, with specimens of sole leather, split leather, grain leather, rawhide thongs, whips, leather belts and saddles, and of calf-skins, prepared for binders' and bootmakers' use, as Russia leather and vellum, and tawed, as parchment.<sup>1</sup>

Sheep leather, with specimens of binders' leather, imitation chamois leather, wash leather, buff leather, roan, imitation morocco and parchment, with vellum made from skins of dead-born lambs, and manufactured gloves, &c.<sup>1</sup>

Goat leather, with specimens of shagreen leather, morocco leather, as used for linings, upholstery, bindings, and pocket-books, parchment, drum-heads, &c., with kid leather, used in manufacture of shoes and gloves, under-clothing, and vellum made from skin of young kids, also skin bottles used in Asia.<sup>1</sup>

Horse and ass leather, used in manufacture of shagreen, sole leather, harness-leather, saddles, trunks, water-hose, pump-valves, military accouterments, ladies' shoe-uppers.<sup>1</sup>

- 8871. Tanned ox-skin, used for sole leather. Cheyenne Indians, Kansas.  
Dr. G. M. Sternberg, U. S. A.

**Rawhide.**

- 29549. Rawhide prepared for belting. Darrow Manufacturing Company.
- 29546. Coil of rope. Made from rawhide. "
- 29548. Basket. " "
- 29547. Doll's head. " "
- 29545. Powder-flasks. " "

Deer leather, dressed as buff leather, chamois-imitation leather, Indian dressed (buckskin), and for the finer moroccos, also manufactured into gloves, gaiters, under-garments, polishers, &c.

- 25282. Buck-tanned skin of mule deer (*Cariacus macrotis*). Indians.
- 6977. Leather from skin of deer (*Cariacus macrotis?*). Tanned by Caddo Indians. E. Palmer.
- 5554. Buck-tanned deer-skin (*Cariacus macrotis*). Apache Indians. E. Palmer.
- 14383. Buck-tanned skin of deer (*Cariacus macrotis*). J. W. Powell.

<sup>1</sup>In view of the extensive exhibition of leathers in the Shoe and Leather Building, no special effort has been made to complete this part of the collection.

**Leather prepared from mammal skins.**

## Deer leather, &amp;c.

6978. Buck-tanned skin of deer (*Cariacus macrotis*). Comanche Indians.  
E. Palmer.
11606. Buckskin (*Cariacus columbianus*). Dressed by McCloud Indians.  
Shasta County, California. Livingston Stone.
11605. Buckskin (*Cariacus columbianus*). Tanned by McCloud Indians.  
Shasta County, California. Livingston Stone.
11604. Buckskin (*Cariacus columbianus*). Tanned by McCloud Indians.  
Shasta County, California. Livingston Stone.
8540. Buckskin for moccasins. Nebraska. Dr. S. M. Horton, U. S. A.
26855. Skin of Virginia deer (*Cariacus virginianus*). Seminole Indians of  
Florida. G. Brown Goode.
24800. Tanned skin of young Virginia deer (*Cariacus virginianus*). J. H.  
Henderson, Big Coon, Ala.

## Moose leather in ordinary and buckskin finish.

24781. Moccasins made from skin of moose (*Alces malchis*). Huron Indians.  
G. R. Renfrew & Co., Quebec.
24787. Rubber-sole moccasins made from skin of moose (dyed). G. R. Renfrew & Co., Quebec.
24782. Indian moccasins made from skin of moose. Iroquois tribe. G. R. Renfrew & Co., Quebec.
24773. Indian buck-tanned skin of moose (*Alces malchis*). Labrador. G. R. Renfrew & Co., Quebec.
24786. Indian moccasins made from skin of moose. "Lady's size." G. R. Renfrew & Co., Quebec.
838. Smoke-tanned skin of moose (*Alces malchis*). Slave (Lake?) Indians.  
R. Kennicott, Fort Liard.

## Caribou leather in ordinary and buckskin finish.

24775. Indian buck-tanned skin of caribou (*Tarandus rangifer*). Labrador.  
G. R. Renfrew & Co., Quebec.
24783. Indian moccasins made from skin of caribou. "Man's size." G. R. Renfrew & Co., Quebec.
24784. Indian moccasins made from skin of caribou. "Woman's size." G. R. Renfrew & Co., Quebec.

Reindeer leather.<sup>1</sup>

836. Smoke-tanned skin of barren-ground caribou (*Tarandus rangifer*, sub-species *grandinus*). Mackenzie's River district. R. Kennicott.

## Elk leather in ordinary and buckskin finish.

8536. Elk-skin tanned with smoke. Nebraska. Dr. S. M. Horton, U. S. A.

## Mountain-sheep leather.

8548. Buck-tanned skin of mountain sheep (*Ovis montana*). Nebraska.  
Dr. S. M. Horton, U. S. A.

---

<sup>1</sup> See garments in Ethnological division.

## Leather prepared from mammal skins.

Series of different leathers illustrating the manufacture of gloves:

- 25286. Raw skin of "Maranhama jack" deer (*Cariacus* sp.) from South America. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25287. Skin of "Maranhama jack" deer, dressed by glove manufacturer, ready for cutting. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25288. Gloves manufactured from skin of "Maranhama jack" deer. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25289. Raw skin of deer (*Cariacus* sp.). From Central America. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25290. Skin of deer dressed by glove manufacturers. Central America. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25291. Raw skin of mule deer (*Cariacus macrotis*). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25292. Skin of mule deer (*Cariacus macrotis*). Fat or liquor dressed. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25293. Skin of mule deer (*Cariacus macrotis*). Oil dressed. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25294. Gloves made from skin of mule deer (*Cariacus macrotis*). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25295. Raw skin of African "blees bok." S. G. Hutchinson & Co., Johnstown, N. Y.
- 25296. Skin of African "blees bok" (dressed). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25297. Gauntlet gloves made from skin of African "blees bok." S. G. Hutchinson & Co., Johnstown, N. Y.
- 25298. Raw skin of prong-horn or antelope (*Antilocapra americana*). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25299. Skin of prong-horn or antelope (*Antilocapra americana*). Dressed and colored. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25300. Gloves made from skin of prong-horn or antelope (*Antilocapra americana*). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25301. Raw skin of south American peccary (*Dicotyles labiatus*). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25303. Gloves made from skin of South American peccary (*Dicotyles labiatus*). S. G. Hutchinson & Co., Johnstown, N. Y.
- 25302. Skin of South American peccary (*Dicotyles labiatus*). Dressed for glove manufacturer. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25304. Buck-tanned skin of sheep. " " "
- 25305. Dressed skin of sheep, tanned like kid leather, but smoked instead of colored. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25306. Sheep-skin made into "kid leather." S. G. Hutchinson & Co., Johnstown, N. Y.
- 25307. Gloves made from "kid-dressed" sheep-skin. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25308. "Kid"-dressed lamb-skin, ready for coloring. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25309. Lamb-skin "kid-dressed," colored. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25310. Gloves made from "kid-dressed" lamb-skin. S. G. Hutchinson & Co., Johnstown, N. Y.
- 25311. Lamb-skin dressed in Germany. S. G. Hutchinson & Co., Johnstown, N. Y.

## Leather prepared from mammal skins.

Series of different leathers illustrating the manufacture of gloves.

The following account of the glove trade in North America is from the pen of Mr. S. G. Hutchinson:

"The manufacture of gloves and mittens from leather was started in Fulton County, New York (according to best information), in the year 1809, by people from Connecticut, who first engaged in the manufacture of tinware and in exchanging their tinware for the products of the country. They thus obtained deer-pelts, which they learned to tan according to the Indian process, and, using paper patterns, cut and made them into rough mittens and gloves. Subsequently they learned a better process of tanning, and also have made great improvements in manufacturing gloves; and from apparently insignificant and accidental beginnings has originated an industry which is estimated to produce over \$4,000,000 worth of manufactured goods, and which business has never as yet been successfully transplanted elsewhere."

"The skins used in the manufacture of gloves and mittens are the different varieties of deer-skins and sheep and lamb skins. The deer-skins are gleaned from the entire United States, Mexico, Central and South America, and Africa, and there is as much difference in the quality of the skins from the different countries as in the climate of the countries or localities from which they come. The heaviest and most valuable skins come from under the equator."

"Sheep-skins are extensively used in the manufacture of gloves as well as deer-skins. It is estimated that over 100,000 dozen are used annually. The quality of these varies as much as deer-skins, and depends as much upon the section of country from which they come, the coarse-wool skins making the best leather. A part of the sheep-skins are dressed in a similar manner to the deer-skins, and are finished to resemble buckskin. Many sheep and lamb skins are by a very different process made into what is called kid leather, the lamb-skins, especially, making a very nice glove; in fact, some of the lined fur-trimmed gloves made from this kid leather excel any of foreign manufacture."

"To give a more definite idea of where the deer-skins come from, I will give a little item of statistics of arrivals of deer-skins at the port of New York in the years 1868 to 1872, inclusive:

Whence.	1868.	1869.	1870.	1871.	1872.
	Pounds.	Pounds.	Pounds.	Pounds.	Pounds.
Central America .....	254,200	249,000	252,900	230,700	249,000
Para .....	288,500	214,900	185,700	150,900	141,800
Angostura .....	100,000	89,600	173,000	157,500	65,000
Puerto, Cal. ....	60,000	210,300	115,000	31,500	154,400
Sisal .....	105,000	62,000	84,000	67,700	125,500
Honduras .....	60,800	52,300	61,500	57,900	62,500
Vera Cruz .....	30,000	26,700	19,000	19,500	21,000
Campeachy .....	24,000	12,500	19,400	21,000	12,500
Total .....	923,000	917,300	909,600	730,700	832,200

"And to give you something of an idea of how these deer-skins are converted into leather ready for cutting into gloves, I will copy a poem written by Horace Sprague in 1859. However, the operation has been somewhat changed and much improved since:

"And be it mine in brief to comprehend,  
From the inception to the final end,  
Through every process, how the routine moves  
From unwrought hides to manufactured gloves.

## Leather prepared from mammal skins.

Series of different leathers illustrating the manufacture of gloves:

First into vats, low sunken in the ground,  
 The rattling skins are thrown with husky sound,  
 And there for days are suffered to remain,  
 Until the water permeates the grain,  
 And their whole yielding form and texture make  
 Pliant and supple, fitting them to break.  
 Prone o'er the slanting beam the breaker plies,  
 With long two-handled knife, his energies  
 All the adhering flesh to clean away.  
 His is the hardest work and poorest pay.  
 Flesh-liming, or the hairing process called,  
 Is next in order and is next installed.  
 Upon the flesh-side of the broken skin  
 Quick-lime is spread and safely folded in ;  
 Then in the soak or water vat with care  
 'T is placed ten days for loosening the hair,  
 And when the beam and knife again are proved  
 The hairy coat is easily removed.  
 In lime-vats next the skins are put to lime ;  
 From one to six weeks is the allotted time.  
 This process, perfected by low degrees,  
 Thickens the skins and smooths the surfaces.  
 Frizing requires the beam and knife again,  
 To shave clean off the cuticle or grain.  
 Parching is used for heavy skins alone.  
 The meaning of the term is drying down ;  
 Not in the fervors of the scorching sun,  
 But in the shade alone, 't is safely done.  
 A soaking then ensues until  
 They're softer made and fitted for the mill.  
 Milling in order next succeeds, of course.  
 Placed in the stock, by steam or water force  
 The skins are briskly run six hours or more  
 To supple them and open every pore,  
 Then taken out to air. With oil imbibed,  
 Replaced again, and milling is renewed.  
 Each half hour afterward alternately  
 They're in the stocks or out to air and dry,  
 Until throughout the substance of the skin  
 The oil commingles with the gelatine  
 Or glue, and leaves the other parts together  
 The true and genuine product we call leather.  
 The beam and scudding-knife again are plied  
 For scudding on the grain or facial side.  
 The mucous substance or reticular  
 Tissue of the skin is shaved off bare.  
 The process then, to perfect and to crown,  
 Requires a day at most for drying down.  
 Next in lye-liquor vats they're placed awhile,  
 In vulgar parlance, 'for to eat the ile' ;  
 But by the chymie law affinity  
 The oil gelatinous and alkali  
 Combine, without a figure or a trope,  
 And form the useful product we call soap.  
 A half hour in the stocks the skins being run,  
 The soap washed out, and thus the scouring's done.  
 To soften, to give shape, and natural size,  
 Duly the stacking process next applies.  
 Fast in the perch the pendent skin being placed,  
 Grasped by the hand and firmly shoulder-braced,  
 The arm-stake then is vigorously applied  
 To supple and extend the leathery hide,  
 While the knee-stake is more suitably found  
 Fitted to stretch and smooth the edges round.  
 Ocher with water mixed, when dried enough  
 And into square blocks fashioned, is called buff,

## Leather prepared from mammal skins.

Series of different leathers illustrating the manufacture of gloves.

Which by the hand is rubbed upon the skin.  
Perch hung until the ocher's well wrought in  
And deeply set, producing a soft, mellow,  
Golden, enduring, incresive yellow.  
This buffing named. The process next to bring  
The manufacture through is finishing.  
A horizontal shaft, firm overlaid  
With emery, and by machinery made  
To turn, elaborates the skin placed on  
To perfect smoothness, and the work is done.'

"The manufacture of the different kinds and styles of gloves is becoming divided up so that many of our leading manufacturers are making a specialty of some particular kind of gloves. Some make exclusively heavy buckskin gloves and mittens; others make exclusively sheep-skin gloves and gauntlets; others, lined kid gloves of various kinds and styles; others, unlined kid and antelope or castor gloves and ladies' gauntlets, thus enabling them to pay strict attention to their particular branch, and reaching the highest degree of perfection attainable at this age and stage of the business.

"Marked progress is yearly made in this industry, and it is predicted that in no distant future the finest gloves made in the world will be made here in the two villages of Johnstown and Gloversville, N. Y."

Porpoise leather.

Beluga leather dressed as kid, sole, harness, velvet, plush, boot, mail-bag, belt, and patent (varnished) leather.

- 26018. Tanned skin of beluga (*Delphinapterus catodon*). G. R. Renfrew & Co., Quebec.
- 26019. Lace leather, "Rivière du Loup en bas." Manufactured from the skin of beluga (*Delphinapterus catodon*), by the Gulf Porpoise Fishing Company.

Beaver leather, used in manufacture of saddles, shoes, gloves, and trunks.

Rat leather, used for thumbs of kid gloves.

Leather trimmings, used as stuffing for balls, &c.

## Prepared from intestines of mammals.

Parchment from viscera of seals, used by Eskimos for clothing, bags, and blankets.

- 6559. Intestine of seal. Used for waterproof clothing. Cook's Inlet. Dr. T. T. Minor.
- 5570. Intestine of seal. Used for waterproof clothing. Yukon River. W. H. Dall.
- 6559. Intestine of seal. Prepared and used for clothing. Dr. T. T. Minor.
- 20502. Prepared seal-gut for waterproof dresses. Sitka, Alaska. J. G. Swan. See also numerous garments of this material displayed in the Ethnological division.

**Prepared from intestines of mammals.**

- Leather from pharynx of seal and walrns, used by Eskimo for boot-soles.
- Parchment from viscera of bears, used in Kamtchatka for masks and window-panes.
- Viscera of ox, used in manufacture of gold-beaters' skin.
- Bladders of animals, used for pouches, parchment, bottle and jar covers, and by Eskimo for oil-bottles.
- Viscera of sheep, used in manufacture of "eat-gnt," with specimens of whip-cord, hatters' cord, for bowstrings, clockmakers' cord, filandre, guitar, violin, and harp strings, angling-lines, &c.
- Viscera of hog, used as envelopes for minced meat, sausages, &c.
- Throat of sea-lion (*Eumetopias Stelleri*), dressed as parchment envelopes to preserve valuable papers.

20803. Sitka Indians, Alaska. J. G. Swan.

Sinews of sheep, deer, goat, buffalo, seal, walrus, and other animals, used in manufacture of threads, lines, nets, and snow-shoes, in strengthening bows, &c.; the babiche of the Eskimos of the Northwest coast.

5185. Babiche. Siccanee Indians. British Columbia. J. T. Rothrock.
2034. Mackenzie's River. R. Kennicott.
849. Mackenzie's River. "
842. Moose sinew. Fort Good Hope. Mackenzie's River. R. Kennicott.
2036. Sinews of moose and caribou. Fort Liard Indians. "
5546. Deer sinew. Apache Indians. Dr. E. Palmer.
2200. Babiche. Undressed skin of mountaijn sheep.
843. Babiche from mountain sheep. Mackenzie's River. R. Kennicott.
1882. Bow covered with sinew of mountain sheep (*Ovis montana*). Digger Indians. California. Captain Gunnison, U. S. A.
24788. Snow-shoes made from sinew of caribou (man's size). G. R. Renfrew & Co., Quebec.
24789. Snow-shoes made from sinew of caribou (woman's size). G. R. Renfrew & Co., Quebec.

**Prepared from bird-skins (Eskimos).**

Eider leather.<sup>1</sup>

Auk leather.<sup>1</sup>

7453. Oil-bag. Made from skin of loon's foot. Fort Anderson. R. MacFarlane.

**Prepared from reptile skins.**

Alligator leather.

16810. Salted skin of alligator (*Alligator mississippiensis*). Upper Saint John's River, Florida. G. Brown Goode.
16810. Tanned skin of alligator. Upper Saint John's River, Florida. G. Brown Goode.

---

<sup>1</sup> See garments in Ethnological series.

**Prepared from reptile skins.**

## Alligator leather.

25283. Tanned skin of alligator (*Alligator mississippiensis*). Upper Saint John's River, Florida. G. Brown Goode.
24791. Tanned skin of alligator (*Alligator mississippiensis*). "Russet finish." Schayer Bros., Boston, Mass.
24796. Cigar-case, made from skin of alligator (*Alligator mississippiensis*). "Russet finish." Schayer Bros., Boston, Mass.
24792. Lady's satchel, made from skin of alligator (*Alligator mississippiensis*). "Russet finish." Schayer Bros., Boston, Mass.
24795. Match-case, made from skin of alligator (*Alligator mississippiensis*). "Russet finish." Schayer Bros., Boston, Mass.
24793. Slippers, made from the skin of alligator (*Alligator mississippiensis*). "Russet finish." Schayer Bros., Boston, Mass.
24794. Slippers, made from skin of alligator (*Alligator mississippiensis*). "Black finish." Schayer Bros., Boston, Mass.
26068. Riding-boots, made from skin of alligator (*Alligator mississippiensis*). H. & A. Mahrenholz, New York City.

## Rattlesnake leather.

24797. Dressed skin of rattlesnake (*Crotalus durissus*). Big Coon, Ala. J. H. Henderson.
24799. Dressed skin of rattlesnake (*Crotalus durissus*). Big Coon, Ala. J. H. Henderson.
24798. Shoes made from skin of rattlesnake (*Crotalus durissus*). Big Coon, Ala. J. H. Henderson.
9043. Bow covered with skin of rattlesnake. Used by Flathead Indians. Fort Colville, W. T. Dr. J. T. Ghisslin, U. S. A.

## Other snake leather.

26069. Boots made from skin of boa (*Boa constrictor*). H. & A. Mahrenholz, New York.

**Prepared from fish-skins.**

## Leather prepared from scaled fish by Indians.

16091. Salmon-skins dressed as leather and used in making waterproof shirts and boots by Magenut Eskimo. Numivak Island, Alaska. W. H. Dall.
10347. Parky, or upper garment, made from the skin of codfish (?). Nuni-vak Island, Alaska. W. H. Dall.

## Eel leather, made for pigtails, quenes, flail-thongs.

Skins of eels (*Anguilla vulgaris*).

25285. Eel-skins. Market, Washington, D. C. G. Brown Goode.  
These eel-skins are highly esteemed by the Virginia negroes as a cure for rheumatism.

## Sturgeon leather.

26013. Tanned skin of sturgeon (*Acipenser rubicundus*). Wernich & Wan-del, Waukegan, Ill.

**Prepared from fish-skins.**

Shark leather (shagreen used for coverings, and by the Alaska Indians for boot-soles).<sup>1</sup>

**Leather waste.**

Paper manufactured from waste.

Glue manufactured from waste. (See under 24.)

Prussian blue made from leather waste. (See under 30.)

**21. HAIR AND WOOL.****Hair used in weaving and felting.** (See under 8.)**Hair used for wigs and ornaments.**

Human hair as an article of commerce, with specimens of switches and wigs, and also of the trade imitations of hair in jute, horse-hair, &c.

Goat's wool as employed in manufacture of wigs and perukes.

Human scalp locks as Indian trophies.<sup>2</sup>

Sealps of animals as trophies.<sup>2</sup>

**Hair and bristles used for brushes** (embracing the commercial hair and bristles, assorted and unassorted, and specimens of the manufactured articles).

Hair of skunk, used for fine brushes.

29340.	Gilders' and varnishers' brushes (black hair; flat).	Miles Bros. & Co.
29341.	" " " "	" "
29342.	" " " "	" "
29343.	" " " "	(round).
29344.	Dusting-brush (white hair; flat).	"

Hair of bear used for varnishing-brushes.

29338. Varnish or dusting brush. Miles Brothers & Co.

29339. "Mottler" brush. "

Hair of American badger used for fine shaving, graining, gilding, and dust brushes.<sup>3</sup>

Hair of American badger (*Taxidea americana*) adapted to the manufacture of brushes.

Hair of squirrel, especially the tail, used in making fine artists' pencils.

29320. "Camel's-hair" varnish-brush. Freneli style. Miles Brothers & Co.

29321. "Camel's-hair" coaeh-painters' color-brush. "

<sup>1</sup> See garments in Ethnological series.

<sup>2</sup> See specimens in the Ethnological division.

<sup>3</sup> The badger-hair brushes sold in America are almost exclusively manufactured from the hair of the European badger. The hair of the American badger is quite as well adapted to the purpose.

### Hair and bristles used for brushes.

Hair of squirrel, especially the tail, used in making fine artists' pencils.

29322. "Camel's-hair" varnish or copying brush. English style. Miles Brothers & Co., New York.

29322. "Camel's-hair" gilders' brush. Miles Brothers & Co., New York.

29324-5. "Camel's-hair" lacquering brush. " "

29326. "Camel's-hair" pencil, quill handles. " "

29353. Series of scrolling and ornamenting brushes. " "

These brushes are made chiefly from the tail of the gray squirrel (*Sciurus carolinensis*), and are known to the trade as "camel's-hair" brushes.

Bristles of hog and peccary used in making coarse brushes for varnishing, scrubbing, &c.

26020. Series of bristles (black). B Nos. 1-12. William Wilkens & Co., Baltimore.

26021. " " " (white). B Nos. 1-13. " "

26026. " " " (yellow). B Nos. 1-12. " "

26027. " " " (red). B Nos. ½-11. " "

26028. " " " (black). D B Nos. ½-12. " "

26022. " " " (black). ("Casings") Nos. 1-12. " "

26023. " " " (natural black). ("Casings") Nos. 1-11. William Wilkens & Co.

26024. Series of bristles (white). ("Casings") Nos. 1-12. William Wilkens [& Co.]

26025. " " " (white). Medium stiff, Nos. 1-12. " "

26029. " " " (union). William Wilkens & Co.

26030. " " " (blue). " "

26031. " " " (unbleached). " "

Brushes made from bristles:

29327. Flat copying-brush, No. 1. Miles Brothers & Co.

29328. " " " No. 3½. " "

29329. " " " No. 2. " "

29330. " " " No. 2½. " "

29331. " " " No. 3. " "

29332. Round paint-brush, No. A ½. " "

29333. " " " No. A ⅔. " "

29334. " " " No. A 1. " "

29335. " " " No. A 2. " "

29336. " " " No. A 3. " "

29337. Shaving-brush. " "

Sheep's wool (on skin) used for blackboard-rubbers.<sup>1</sup>

Hair of deer and antelope (on skin) used by Indians for hair-brushes.<sup>2</sup>

Deer-hair brushes.

Brushes made from white hair in tail of deer (*Cervus macrotis* and *C. virginianus*):

29354. Flat brush. 1 inch Miles Brothers & Co.

29355. " 1½ " " "

29356. " 2 " " "

29357. Round brush. " "

<sup>1</sup>See exhibit in Educational Bureau.

<sup>2</sup>See Ethnological series.

**Hair and bristles used for brushes.**

Hair of horses, used for fly-brushes.

26032. Series of samples of horse-hair (dyed blue). William Wilkens & Co.  
 26033. " " " " (dyed red). "  
 26034. " " " " (dyed white). "

Ox-hair from the inside of cows' ears used for striping and lettering brushes.

- 20345-6-7-8-9-50. Fresco-painters' brushes, 1-6. Miles Brothers & Co.  
 29351. Series of ox-hair striping-pencils, sold as camel's-hair pencils. Miles Brothers & Co.

**Hair used in other manufactures.**

Bristles used in shoemakers' wax ends.

Bristles used in anatomical instruments.

Hair and bristles used in artificial flies. (See under B, 45.)

Hair of cattle used in strengthening mortar and plaster.

**Hair used for stuffing.**

Horse-hair, straight and curled, used for mattresses and cushions.

Refuse hair of beaver and musquash, cut from felting-hair, used for cushions.

(Down of rabbits used for cushions.)

**Wool used as a medium for pigments.**

Wool-flocking used in the manufacture of wall-paper, colored felts, and rubber cloth.

**Chemical products.**

Refuse human and other hair used in manufacture of prussiate of potash, with specimens of manufactured product.

**22. QUILLS.****Quills of mammals.**

Quills of American hedge-hog used by Indians in embroidering.

**Quills of birds.**

Quills of swan and turkey for engrossing-pens.

Quills of goose and eagle for writing-pens.

Quills of crow and duck for fine pens.

Quills used in making tooth-picks, fishing-floats, color-bottles, pencil-handles, needle-holders, &c.

**23. FEATHERS.****Feathers used for clothing.** (See under Furs, D 10.)

**Feathers used for implements** (including manufactured articles).

29525. Fan.  
 26596. Fan made from feathers of roseate spoonbill (*Platalea ajaja*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26597. Fan made from feathers of white tern (*Sterna sp.*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26598. Fan made from feathers of white crane (*Grus candidissima*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26599. Fan made from feathers of blue heron (*Florida caerulea*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26601-26605. Fan made from feathers of water-turkey (*Plotus anhinga*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26602. Fan made from feathers of fish-crow (*Corvus ossifragus*) and blue heron (*Florida caerulea*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26603. Fan made from feathers of wood ibis (*Tantalus loculator*) and parakeet (*Psittacus carolinensis*). Mrs. C. E. Mott, Jacksonville, Fla.  
 26603. Fan from miscellaneous feathers. Mrs. C. E. Mott, Jacksonville, Fla.  
 26812. Domestic turkey-feather dusters. 5 sizes. Chicago Feather-Duster Company. Chicago, Ill.

**Feathers used for plumes and ornaments** (including plumes, head-dresses, cockades, hat and dress trimmings, &c.)

26604. Bouquet made from feathers of Florida birds. Mrs. C. E. Mott, Jacksonville, Fla.  
 29529. Flowers made from feathers of Florida birds.

**Feathers used in other manufactures.**

Feathered arrow-shafts. (See under B, 18.)

Feathers used in making artificial flies.

Feathers used in manufacture of textile fabrics. (See under D, II, C.)

**Down of birds.**

Down of eider-duck used in bed-stuffing, with specimens of balls in which it is packed for transportation.

Down of other ducks.

Down of geese and swans used as stuffing for beds, and as electrical non-conductor in manufacture of philosophical instruments.

**24. GELATINE AND ISINGLASS.****Gelatine.**

Gelatine made from leather-shavings, bones, hoofs, and horns of bison, cattle, sheep, and other domestic animals, used in manufacture of glue, size, court-plaster, *papier glacé* for tracing, imitation glass, artificial flowers, and ornamental work, wrappings for confections, table-jelly (see under D 1), &c.

Glue.

25315. No. 1. Manufactured from horns and hoofs. Wm. H. Brown, Peabody, Mass.  
 25316. No. 2. Manufactured from horns and hoofs. Wm. H. Brown, Peabody, Mass.

**Gelatine.**

Size, or frozen glue.

25317-18. "A. A. E." Manufactured from horns and hoofs. Wm. H. Brown, Peabody, Mass.

Gelatines made from bone and ivory shavings.

**Bird gelatine.**

(Nests of esculent swallows (*Calocalia esculenta*, *C. fuciphaga*, *C. iudifica*, &c.) exported from Indian Archipelago to China.)

**Isinglass.**

Isinglass (ichthyocolla), made from air-bladders and skins of fishes and used in the manufacture of fine glues and sizes, adhesive and court plasters, diamond cement, imitation glass, and table-jelly and confectionery (see under D 1, D), in refining wines and liquors, in adulterating milk, in fixing the luster of artificial pearls, and in lustering silk ribbons (embracing the dried bladders and the manufactured products) in their grades of "lyre," "heart-shaped," "leaf," and "book" isinglass.

Isinglass from sounds of cod and hake.

- 12123. Isinglass. (First quality.) Manufactured from sounds of cod, hake, &c. Cape Ann. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 12124. (Second quality.) Manufactured from sounds of hake, cod, &c. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 12126. Dried sound of cod (*Gadus morrhua*). Used in the manufacture of isinglass. George's Banks. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 12125. Dried sound of hake (*Phycis chuss*). Used in manufacture of isinglass. Bay of Fundy. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 16683. Sound of hake (*Phycis chuss*), used in the manufacture of isinglass. Portland, Me. H. Trefethern.
- 16684. Sound of hake (*Phycis chuss*), used in the manufacture of isinglass. Portland, Me. H. Trefethern.
- 25264. Isinglass. Manufactured from sounds of cod, hake, &c. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 25263. Air-bladder of cod (*Gadus morrhua*), used in manufacture of isinglass. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 25796. Isinglass made from skins of cod (*Gadus morrhua*). By a new method, by the Gloucester Isinglass and Glue Company. Wm. N. Le Patz, agent, Boston, Mass.
- 25268. Air-bladder of "foreign crab" (species unknown), used in manufacture of isinglass. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- . Air-bladder of foreign "sea trout" (an unknown fish), used in the manufacture of isinglass. East Indies. Cape Ann Isinglass and Glue Company, Rockport, Mass.

**Isinglass.**

Isinglass from sounds of cod and hake.

- 25794. Prepared glue made from skins of cod (*Gadus morrhua*). By Gloucester Isinglass and Glue Company. Wm. N. Le Paiz, agent, Boston, Mass.
- 25797. "Court-plaster" glue made from skins of cod (*Gadus morrhua*). By the Gloucester Isinglass and Glue Company. Wm. N. Le Paiz, agent, Boston, Mass.
- 25795. Glue made from skins of cod (*Gadus morrhua*). By Gloucester Isinglass and Glue Company. Wm. N. Le Paiz, agent, Boston, Mass.
- 20744. Dried tongues of fish (probably cod), used by Sitka Indians in making glue. Sitka, Alaska. J. G. Swan.

Isinglass from the squalid family (*Sciænidæ*), principally used by confectioners.

- 25265. Air-bladder of "beluga" (an unknown sciaenoid fish), used in the manufacture of isinglass. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 25269. Air-bladder of hake (*Phycis chuss*), used in manufacture of isinglass. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 25312. Air-bladder of sciaenoid fish, known to the trade as "tongue." East Indies. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 25267. Air-bladder of squalid (*Cynoscion regalis*), used in manufacturing isinglass. Cape Ann Isinglass and Glue Company, Rockport, Mass.
- 12127. Dried sound of squalid (*Cynoscion regalis*), used in the manufacture of isinglass. Long Island Sound. Cape Ann Isinglass and Glue Company, Rockport, Mass.

Isinglass.

- 12120. Isinglass made from sound of lake sturgeon (*Acipenser rubicundus*). Lake Erie. Schacht & Bros., Sandusky, Ohio.

## 25. FLEXIBLE MATERIALS DERIVED FROM INVERTEBRATES.<sup>1</sup>

**Insect productions.**

Silk-worm "gut" used in making leaders for fish-lines.

(Nest of Cayenne-ant (*Formica bispinosa*), used as a mechanical styptic.)

Spiders' web used as a mechanical styptic and for the cross-lines in optical instruments. (See, also, under D, S).

*Papier maché* of hornets' nests used for gun-wadding.

**Mollusk productions.**

Byssus of mollusks (see under D, S).

---

<sup>1</sup> See under Part II of the present catalogue.

26. SPONGES.<sup>1</sup>**Specimens of American commercial sponges** (with the different grades, and bleached sponges).

(Specimens of Mediterranean sponges.)

Surgical apparatus, probangs, aurilaves, "sponge-tents," and other instruments manufactured.

Spongeo-piline used as a substitute for poultices.

Sponges used in stuffing mattresses and cushions.

## 27. OILS AND FATS.

**Mammal oils.**

Bear-oil and bear-fat used as a cosmetic and in the manufacture of pomatum.

Dog-oil used in the manufacture of kid gloves.

Seal-oil, in its various grades, used for lubricating.

25059-60. Oil of seals (*Cystophora*, *Pagophilus*, *Pusa*, and *Phoca*, sp.). Newfoundland. Walter Grieve & Co., St. John's, N. F.25061-3. Oil of seals (*Cystophora*, *Pagophilus*, *Pusa*, and *Phoca*, sp.). J. Munn & Co., Harbor Grace, N. F.25079. Oil of harbor seal (*Phoca vitulina*). Capt. N. E. Atwood, Provincetown, Mass.

Sea-elephant oil.

25057. Oil of sea-elephant (*Macrorhinus*, sp.). Haven, Williams & Co., New London, Conn.25058. Oil of sea-elephant (*Macrorhinus leonina*). South Georgia Island. Haven, Williams & Co., New London, Conn.

Sea-lion oil.

Manatee-oil.

Dugong-oil.

Oil and fat from domestic animals, (tallow, suet, lard, oil used in lamps, for lubricating, and neat's-foot oil used in dressing leather; also, manufactured into various substances (see D, 30), and tallow candles and night-lights.)

Oil from body of whales, grampus, and porpoises used in the arts, for lubricating, painting, &amp;c.

25054. Oil of humpback whale (*Megaptera*, sp.). Atlantic Ocean. Haven, Williams & Co., New London, Conn.

25055. Oil of right-whale. Haven, Williams &amp; Co., New London, Conn.

25056. Oil of sulphur-bottom whale (*Sibbaldius*, sp.). Haven, Williams & Co., New London, Conn.26038. Oil of beluga (*Delphinapterus catodon*). Renfrew & Co., Quebec.

24894. Crude Arctic whale oil. George Delano &amp; Co.

24895. Bleached "winter" sperm-oil, from the sperm-whale (*Physeter macrocephalus*). George Delano & Co., New Bedford, Mass.<sup>1</sup> See under Part II of the present catalogue.

**Mammal oils.**

## Oil from whales and porpoises.

25743. Oil of grampus (*Grampus griseus*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
25067. Oil of grampus (*Grampus griseus*). Extracted by exposure to the sun. Capt. Caleb Cook, New Bedford, Mass.
25067. Double refined oil of grampus (*Grampus griseus*). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.
25737. "Pressed" oil of grampus (*Grampus griseus*). E. E. Small, Provincetown, Mass.
25967. Oil of eowfish. Capt. N. E. Atwood, Provincetown, Mass.
25958. Oil of porpoise. Marvin Brothers & Bartlett, Portsmouth, N. H.
25738. Oil of porpoise (*Lagenorhynchus leucopleurus*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
25974. Oil of porpoise (*Delphinus erubennus?*). Capt. N. E. Atwood, Provincetown, Mass.
12116. Oil of harbor porpoise (*Phocena americana*). Prepared by the Passamaquoddy Indians. Eastport, Me. Dr. E. Palmer.
12115. Oil of harbor porpoise (*Phocena americana*). Eastport, Me. Dr. E. Palmer.
26037. Oil of harbor porpoise (*Phocena americana*). Passamaquoddy Bay, Maine. George H. Peabody, Eastport, Me.
25739. Oil of snuffer (*Phocena americana*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
24893. Crude "body"-oil from sperm-whale (*Physeter macrocephalus*). George Delano & Co., New Bedford, Mass.
26076. Oil of black-fish (*Globicephalus intermedius*). North American Oil Company, Wellfleet, Mass.
25741. Oil of black-fish (*Globicephalus melas*). E. E. Small, Provincetown, Mass.
25064. Refined oil of black-fish (*Globicephalus intermedius*). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.
25065. Double refined oil of black-fish (*Globicephalus intermedius*). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.
25977. Oil from body of black-fish (*Globicephalus melas*). Capt. N. E. Atwood, Provincetown, Mass.

Black-fish and porpoise-jaw oil used in lubricating fine machinery, watches, clocks, and guns, with specimens of blubber.

25742. Oil from head of black-fish (*Globicephalus melas*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
25968. Oil from head of black-fish (*Globicephalus melas*). Sold as "porpoise-jaw oil." Capt. Caleb Cook, Provincetown, Mass.
25984. Oil from head of black-fish (*Globicephalus melas*). Sold as "porpoise-jaw oil." Capt. N. E. Atwood, Provincetown, Mass.
25969. Oil from jaw of porpoise. Capt. N. E. Atwood, Provincetown, Mass.
- 26035-6. Oil from head of harbor-porpoise (*Phocena americana*). Passamaquoddy Bay. Geo. A. Peabody, Eastport, Me.
26075. Head-oil of black-fish (*Globicephalus intermedius*). North American Oil Company, Wellfleet, Mass.
26035. Jaw-oil of porpoise (*Phocena americana*). Passamaquoddy Bay. G. A. Peabody, Eastport, Me.
25066. Jaw-oil of black-fish (*Globicephalus intermedius*). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.

**Mammal oils.**

Black-fish and porpoise jaw oil, &c.

- 26042. "Jaw-marrow" of black-fish (*Globicephalus melas*). E. E. Small, Provincetown, Mass.
- 25040. Blubber of black-fish and grampus (*Globicephalus melas* and *Grampus griseus*). E. E. Small, Provincetown, Mass.
- 26041. "Melon" blubber of black-fish (*Globicephalus melas*). E. E. Small, Provincetown, Mass.
- 25069. "Melon blubber" of black-fish (*Globicephalus intermedius*). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.

Grampus-oil used for lubricating fine machinery.

- 25068. "Melon" blubber of grampus (*Grampus griseus*). Cape Cod. Capt. Caleb Cook, Provincetown, Mass.
- 25733. Oil from head of grampus (*Grampus griseus*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

Sperm-oil used in lamps, for lubricating, as an emollient in medicine, for lip-salves, and in the manufacture of spermaceti.

- 24892. Crude "head" sperm-oil from sperm-whale (*Physeter macrocephalus*). George Delano & Co., New Bedford, Mass.
- 25745. Crude sperm-oil from sperm-whale (*Physeter macrocephalus*). E. E. Small, Provincetown, Mass.

Spermaceti, with specimens of candles.

- 24896. Plain refined spermaceti from sperm-whale (*Physeter macrocephalus*). George Delano & Co., New Bedford, Mass.
- 24897. Spermaceti candles. George Delano & Co., New Bedford, Mass.

Manufactured glycerines, used as a preservative and antiseptic, as a cosmetic, as an emollient, as a substitute for cod-liver oil, in the manufacture of nitro-glycerine, dynamite, dualine, lithofracteur, coloniamite, and other explosives, soap, &c.

- 26798. Pure inodorous glycerine. Manufactured by H. Bower, Philadelphia. John Wyeth & Bro., Philadelphia.

Manufactured stearines, with candles and other manufactured articles.

Soaps manufactured from mammal-oil, soda-soaps (hard, toilet, and resin soaps), potash-soaps (washing, shaving, and soft soaps), diachylon plaster, &c.

Butter made from milk of cows, goats, and horses.

Oleomargarines, with specimens of imitation butter.

Brains of buffalo used in tanning by Indians.

**Bird-oils.**

(Oil of petrels and other sea-birds used by Eskimos and in the Azores for lamp-oil.)

**Bird-oils.**

Goose-oil used by watch-makers, and as an emollient.

Oil of pigeon (*Ectopistes migratorius*), used as food by Indians and frontiersmen.

**Reptile-oils.**

Alligator-oil manufactured in Florida.

24898. Oil of alligator (*Alligator mississippiensis*). Prepared by Col. L. A. Harden, Jacksonville, Fla. Dr. W. H. Babcock.

Turtle-oil made from turtle-eggs, used in dressing leather and in manufacture of soap.

Rattlesnake and other snake oils.

**Fish-oils.**

Sun-fish oil used by fishermen for cure of rheumatism.

- 25724. Oil from liver of sun-fish (*Mola rotunda*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
- 25959. Oil from liver of sun-fish (*Mola rotunda*). Marvin Brothers & Bartlett, Portsmouth, N. H.
- 25966. Oil from liver of sun-fish (*Mola rotunda*). Capt. N. E. Atwood, Provincetown, Mass.

Oil from liver of the cod family.

- 25982. Oil from liver of cod-fish (*Gadus morrhua*), crude. Capt. N. E. Atwood, Provincetown, Mass.
- 25960. Liver-oil of cod-fish (*Gadus morrhua*). Marvin Brothers & Bartlett, Portsmouth, N. H.
- 26550. Oil from liver of cod-fish (*Gadus morrhua*). Herbert M. Rodgers & Co., 11 Fulton Market, New York.
- 26551. Oil from liver of cod-fish (*Gadus morrhua*). Herbert M. Rodgers & Co., New York.
- 26707. Pure cod-liver oil. Prepared for medicinal use only, by Marvin Brothers, Portsmouth, N. H. John Wyeth, Philadelphia.
- 25985. Medicinal oil from livers of cod-fish (*Gadus morrhua*). Capt. N. E. Atwood, Provincetown, Mass.
- 25931. Stearine from liver-oil of cod-fish (*Gadus morrhua*). Marvin Brothers & Bartlett, Portsmouth, N. H.
- 25970. Oil from liver of cusk (*Brosme vulgaris*). Capt. N. E. Atwood, Provincetown, Mass.
- 25736. Oil from liver of hake (*Phycis chuss*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
- 25732. Oil from liver of haddock (*Melanogrammus aeglefinus*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.
- 25978. Oil from liver of haddock (*Melanogrammus aeglefinus*). Capt. N. E. Atwood, Provincetown, Mass.
- 25971. Oil from liver of pollock (*Pollachius carbonarius*). Capt. N. E. Atwood, Provincetown, Mass.
- 25740. Oil from liver of pollock (*Pollachius carbonarius*). Extracted by exposure to the sun. E. E. Small, Provincetown, Mass.

**Fish-oils.**

Herring-oil.  
White-fish oil.  
Sturgeon-oil.

Menhaden-oil used in currying leather, in rope making, for lubricating, for adulterating linseed-oil, as a paint-oil, and exported to Europe for use in the manufacture of soap and for smearing sheep.

26060. Oil of menhaden (*Breroortia tyrannus*). Geo. W. Miles, Milford, Conn.  
 25744. Oil of pogie or menhaden (*Breroortia tyrannus*), kettle-rendered. E. E. Small, Provincetown, Mass.  
 26077. Oil of pogie or menhaden (*Breroortia tyrannus*). North American Oil Company, Wellfleet, Mass.

**Oil of other fishes.**

25973. Oil of horse-mackerel (*Orcynus secundidorsalis*). Capt. N. E. Atwood, Provincetown, Mass.  
 12117. Oil of herring (*Clupea harengus*). Capt. U. S. Treat, Eastport, Me.  
 12118. Oil from lake sturgeon (*Acipenser rubicundus*). Lake Erie. Schacht & Bros., Sandusky, Ohio.  
 25980. Oil from liver of mackerel-shark (*Isuropsis Dekayi*). Capt. N. E. Atwood, Provincetown, Mass.  
 25975. Oil from liver of thresher-shark (*Allopias vulpes*). Capt. N. E. Atwood, Provincetown, Mass.  
 25956. Oil from liver of dog-fish (*Squalus americanus*). Marion Bros. & Bartlett, Portsmouth, N. H.  
 25981. Oil from liver of dog-fish (*Squalus americanus*). Capt. N. E. Atwood, Provincetown, Mass.  
 25957. Oil from liver of skates (*Raja laevis*, &c.). Marion Bros. & Bartlett, Portsmouth, N. H.  
 25975. Oil from liver of cramp-fish (*Torpedo occidentalis*). Capt. N. E. Atwood, Provincetown, Mass.  
 25735. Oil from liver of cramp-fish (*Torpedo occidentalis*). E. E. Small, Provincetown, Mass.  
 26978. Sword-fish oil. Capt. N. E. Atwood, Provincetown, Mass.  
 26979. Mackerel-oil. " "  
 26980. Skate-oil. " "  
 26981. Halibut-oil. " "

Oulachan oil used by Indians of Northwest coast for food and illumination.

Soaps made from fish-oil.

## 28. PERFUMES.

**Mammal perfumes.**

Musk of musk-ox.

Musk of the musquash.

Castoreum of the beaver, including the various commercial grades, the Canadian, Hudson's Bay, and Russian castoreum, and specimens of castorine.

26057. Scent-glands of beaver (*Castor canadensis*). Nebraska. E. R. Squibb, M. D., Brooklyn, N. Y.

**Mammal perfumes.**

Hyraceum of the daman (*Hyrax capensis*).

Ambergris of sperm-whale, with specimens of ambreine.

26894. Ambergris (commercial). Weeks Potter, Boston.

**Reptile perfumes.**

Musk of alligator.

Oil of hawksbill and loggerhead turtles, used in perfumery.

## 29. COLORING MATERIALS.

**Derived from mammals.**

Bone-black.

Ivory-black (*noire d'ivoire*), used in fine painting, and in the manufacture of bank-note ink.

Prussiates, prussian blue, ferrocyanide of potassium, made from hoofs and refuse human and other hair.

26093. Red prussiate of potassa (*Potassium ferrocyanide*). E. R. Squibb, M. D., Brooklyn, N. Y.

26094. Yellow prussiate of potassa (*Potassium ferrocyanide*). E. R. Squibb, M. D., Brooklyn, N. Y.

26794. Yellow prussiate of potash. Manufactured by H. Bower, Philadelphia. John Wyeth, Philadelphia.

Gall of animals used in dyeing.

Dung of animals used in calico-printing.

Hæmatin made from blood, and used in turkey-red dyeworks, and for the red liquor of printers.

Wool-flocking (see under D, 21).

**Derived from birds.**

Shell of eggs used for white pigment.

Series of murexides or purpurate of ammonia dyes, made from guano.

26065. Murexid. Prepared by E. Merck, Darmstadt. E. R. Squibb, M. D., Brooklyn, N. Y.

**Derived from fishes.**

Essence d'Orient, or fish-scale pearl, used as a pigment.

26893. Essence d'Orient. Introduced for comparison. Gustave Bossange, Paris.

(Gall of carp, used in Turkey as a green paint and in staining paper.)

**Derived from insects.**

Cochineal dye, from *Coccus cacti* of Mexico, used in manufacture of rouge, of carmine, and lake pigments, and in coloring tinctures.)

26064. Honduras silver cochineal. E. R. Squibb, Brooklyn, N. Y.

**Derived from insects.**

Canadian cochineal.

(Kermes and other cochineals of commerce, *Coccus ilicis*.)

Lae dye and lae lake, from *Coccus lacca*, *C. polonicus*, *C. uva-ursi*, and *Ophis faba*.

Dye prepared from bed-bug (*Cimex lectularius*).

(Dye prepared from *Trombidium*, in Guinea and Surinam.)

Nut-galls produced by insects, and used in tanning for black dyes, for woolen cloth, silk, and calico, and in manufacture of ink and gallie and pyrogallic acid, employed in photography.

**Derived from mollusks.<sup>1</sup>**

(*Sepia* from *Sepia officinalis*.)

Purple dyes from gasteropods, *Murex*, *Purpura*, &c.

Purple dyes from nudibranch mollusks.

**30. CHEMICAL PRODUCTS AND AGENTS EMPLOYED IN ARTS AND MEDICINES.****Derived from mammals.**

Secretion of skunk.

*Album græcum* of dogs used as a depilatory in tanning hides.

Albumen of blood, employed in sugar-refineries, in certain cements and pigments, and as an antidote and emollient.

Dung, used in calico-printing.

Gall of animals, used in mixing colors, in fixing the lines of crayon and pencil drawings, in preparing the surface of ivory for painting, in removing grease, and in medicine.

Pepsine and pancreatin, prepared from stomach of hogs and calves.

26796. Saccharated pepsin. John Wyeth & Bro., Philadelphia.

26795. Pancreatin, saccharated. " "

25964. Saccharine pepsin. E. Schaffer, Louisville, Ky.

25963. Dry pepsin (concentrated). E. Schaffer, Louisville, Ky.

25962. Pure pepsin. E. Schaffer, Louisville, Ky.

29262. Acid phospho-lactate or milk-phosphate. Prepared directly from milk, by Gail Borden & Co. New York Condensed Milk Company, New York.

**Derived from insects.**

Coccinella, used as remedy for toothache.

(Trehala, made from nests of beetles (*Larinus nitidicollis*), of East Indies, and used for a substitute for tapioca.)

Formic acid.

Carbazotic acid and its derivatives, made from sewing-silk scraps, and used as a substitute for quinine.

<sup>1</sup> See in Part II of the present catalogue.

**Derived from insects.**

Beeswax, used in manufacture of candles, cerates, plasters, and artificial flowers, in modeling and casting, and in medicine.

Honey, used as a preservative, a food, and in medicine as an aperient and demulcent.

19076. Sugar made of cane-lice. Prepared by the Cooynwee Indians, Pyramid Lake, Nevada. Stephen Powers.

(Wax, used in Chinese pharmacy, secreted by the *Coccus pehlah*.)

*a'*. Manna from the *Tamarix mannifera*, used as food, and in medicine as a purgative.

*b'*. Cedar manna from Mount Lebanon, from *Pinus cedr is*.

*c'*. Arabian manna, of *Hedysarum alliagi*.)

(Eye-powder, made by Chinese from the Telini fly (*Mylabris eichorii*) of India.)

**Derived from mammals.**

(Koumiss, a fermented liquor, prepared from mare's and cow's milk, and employed in medicines.)

Phosphorus, prepared from bones, with specimens of matches, vermin poisons, and other products.

Vaccine lymph, derived from cows.

Ammonia, prepared from bones and horn.

Sal ammoniac, prepared from bones and dung.

Prussiates, prepared from hoof, horn, and leather waste, dried blood, hair, and wool, with specimens of blue cyanide of potassium. (See under Coloring Materials.)

Lime from bones and bone phosphates. (See, also, under 32.)

Punk and tinder, made from droppings of camel and bison.

Animal charcoal, used as a decolorizer.

**Derived from birds.**

Albumen of eggs, used in photography, in clarifying liquors, by physicians as emollients and antidotes, and by apothecaries in suspending oils and other liquids in water.

Egg-shells, employed as an antacid.

**Derived from reptiles.**

Crotalin of rattlesnake and copperhead.

(*Scincus officinalis* of Egypt, used by European practitioners as sudorific and stimulant.)

**Derived from fishes.**

Propylamine, made from fish-brine.

26066. Propylamine (manufactured by E. Merck, Darmstadt). E. R. Squibb, M. D., Brooklyn, N. Y.

**Derived from fishes.**

(Intestines of grayling, used by Laplanders as a substitute for rennet,) Skins of eels, used by negroes for rheumatism.

**Derived from insects.**

Vesicatory preparations from American beetles, *Cantharis cinerea* and *C. vittata*.

Vesicatory preparations derived from foreign beetles, cantharides or Spanish flies (*Caontharis vesicatoria*), and other species, and substitutes, *Mylabris eichorii*, *Cercomacra Schaefferi*, *Meloe*, sp., var., &c.

Vesicatory preparations from American spiders, such as *Tegenaria medicinalis*.

Gall-nuts, used in medicine (see under 29).

**Derived from crustacea.**

Salve-bug of fishermen of Banks (*Caligus curtus*), parasite on cod-fish.

Crabs' eyes, or concretions from stomach of astacus, used as an antacid.

**Derived from worms.**

American leech (*Maerobdella decora*), used in surgery.

(European leech (*Hirudo medicinalis*), introduced into America.)

(African leech (*Hirudo trochina*), introduced.)

Leeches used as barometers.

**Derived from mollusks.**

(Cuttle-fish bone of *Sepia officinalis*.) (See under D, III, H.)

Calcined shells, used for building-lime and in manufacture of dentifrices and enamel. (See under D, III, H.)

**Derived from radiates.**

a. Limes, derived from calcining coral and coral rock.

**Derived from protozoans.**

Burnt sponge, formerly used in medicine.

Infusorial earth and its applications. (See above under K.)

## 31. FERTILIZERS.

**Natural guanos.**

Bat guano from caves.

Bird guano from oceanic islands.

## Artificial guanos.

Menhaden guano.

Series of preparations illustrating the manufacture of soluble Pacific guano. Soluble Pacific Guano Company, Wood's Holl, Mass.<sup>1</sup>

- 26104. Crude South Carolina phosphate.
- 25213, 26103. Crushed South Carolina phosphates.
- 26102. Ground South Carolina phosphate.
- 26100. Crude Navassa phosphate. Navassa Island, W. I.
- 26101. Sicily sulphur, used in manufacture of sulphuric acid, used in factory.
- 26099. Stassfurth kainite, used in preservation of scrap.
- 26095. Crude menhaden scrap.
- 26097. Menhaden scrap, dried by the Hogle patent drying-machine.
- 26095. Soluble Pacific guano (unscreened).
- 26098. Soluble Pacific guano (screened).

## Other preparations.<sup>1</sup>

- 26062. Island guano. Geo. W. Miles, Milford, Conn.
- 26061-3. Ammoniated bone superphosphate. Geo. W. Miles, Milford, Conn.
- 22246. Leopoldshall kainite. Winfield S. Dunan, Baltimore, Md.

## Dried meat and blood.

Dried blood.

- 22239. Black dried blood. Contains 16 per cent. ammonia. Winfield S. Dunan, Baltimore, Md.
- 22240. Black blood-dust. Contains 12 per cent. ammonia. Winfield S. Dunan, Baltimore, Md.
- 22241. Red blood-dust. Contains 11 per cent. of ammonia. Winfield S. Dunan, Baltimore, Md.
- 22242. Mixed dried blood. Contains about 13 per cent. of ammonia. Winfield S. Dunan, Baltimore, Md.
- 22243. Blood, bone, and meat tankage. Contains about 9.50 per cent. of ammonia and 24 per cent. bone-phosphate of lime. Winfield S. Dunan, Baltimore, Md.
- 22244. Azotin. Contains about 14 per cent. of ammonia, and is made from what are known as "butcher's cracklings"—the grease having been pressed out, the scrap is dried and ground. Winfield S. Dunan, Baltimore, Md.
- 22245. Sulphate of ammonia. Contains about 25 per cent. of ammonia. Winfield S. Dunan, Baltimore, Md.

Poudrettes.

Other animal fertilizers.

32. LIMES. (See under 30.)

33. OTHER MATERIALS NOT MENTIONED.

---

<sup>1</sup> An elaborate model of the works of the Soluble Pacific Guano Company of Wood's Holl, Mass., and Charleston, S. C., is on exhibition in the grounds of the Exposition.

## SECTION E.

# PROTECTION AND CULTURE.

## I. INVESTIGATION.

### 1. METHODS OF THE UNITED STATES FISH COMMISSION.

#### Methods of work.

Apparatus for collecting specimens. (See under B.)

Apparatus for physical research.

Appliances for working up results.

This should include a model of coast laboratory with all its fittings.

Photographs.<sup>1</sup>

401. Headquarters of the United States Fish Commission, Wood's Holl, Mass.
400. Little Harbor of Wood's Holl, Mass., with headquarters of U. S. Fish Commission.
399. Harbor of Wood's Hole, Mass., from the wharf of the Fish Commission laboratory.
398. Harbor of Wood's Holl, Mass., with U. S. Fish Commission fleet for 1871.
397. Village of Wood's Holl, Mass., with the Pacific Soluble Guano Company's Works.
404. Yacht "Mazeppa," employed in the service of the U. S. Fish Commission.
403. U. S. steamer "Blue Light" at the wharf of the U. S. Fish Commission, Wood's Holl, Mass.
402. Village of Wood's Holl, Mass., showing laboratory of U. S. Fish Commission.

#### Results of work.

##### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART I.—REPORT ON THE CONDITION OF THE SEA-FISHERIES OF THE SOUTH COAST OF NEW ENGLAND IN 1871 AND 1872. By Spencer F. Baird, Commissioner. With supplementary papers. Washington: Government Printing-Office, 1873. Svo, xlvi, 852 pp., 40 pl., with 38 explanatory (to pl. 1-38). 1 folded map.)

I. REPORT OF THE COMMISSIONER (S. F. Baird). pp. viii-xlvii.<sup>2</sup>

II. GENERAL PLAN OF INQUIRIES PROSECUTED. (1. MEMORANDA OF INQUIRY RELATIVE TO THE FOOD-FISHES OF THE UNITED STATES. 2. QUESTIONS RELATIVE TO THE FOOD-FISHES OF THE UNITED STATES.) pp. 1-6.

<sup>1</sup>The photographs here enumerated were on exhibition. Many others are in the possession of the Commission.

<sup>2</sup>This portion, with general title-page (pp. i-xlvii), was issued in advance separately.

## Results of work.

### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART I.)

- III. TESTIMONY IN REGARD TO THE PRESENT CONDITION OF THE FISHERIES, TAKEN IN 1871. pp. 7-72.
- IV. SPECIAL ARGUMENTS IN REGARD TO REGULATING THE SEA-FISHERIES BY LAW. pp. 73-103.
- V. REPORTS OF STATE COMMISSIONS IN REGARD TO REGULATING THE SEA-FISHERIES. pp. 104-124.
- VI. REPORT OF CONFERENCE OF THE UNITED STATES COMMISSIONER WITH THE COMMISSIONERS OF RHODE ISLAND AND MASSACHUSETTS, held October 5, 1871. pp. 125-131.
- VII. DRAUGHT OF LAW PROPOSED FOR THE CONSIDERATION OF, AND ENACTMENT BY, THE LEGISLATURES OF MASSACHUSETTS, RHODE ISLAND, AND CONNECTICUT. pp. 132-134.
- VIII. MISCELLANEOUS CORRESPONDENCE AND COMMUNICATIONS ON THE SUBJECT OF THE SEA-FISHERIES. pp. 134-138.
- IX. EUROPEAN AUTHORITIES ON THE SUBJECT OF REGULATING THE FISHERIES BY LAW. pp. 139-148.
- X. NOTICES IN REGARD TO THE ABUNDANCE OF FISH ON THE NEW ENGLAND COAST IN FORMER TIMES. pp. 149-172.
- XI. STATISTICS OF FISH AND FISHERIES ON THE SOUTH SHORE OF NEW ENGLAND. pp. 173-181.
- XII. SUPPLEMENTARY TESTIMONY AND INFORMATION RELATIVE TO THE CONDITION OF THE FISHERIES OF THE SOUTH SIDE OF NEW ENGLAND, TAKEN IN 1872. pp. 182-195.
- XIII. PLEADINGS BEFORE THE SENATE COMMITTEE ON FISHERIES OF THE RHODE ISLAND LEGISLATURE, AT ITS JANUARY SESSION OF 1872. pp. 196-227.
- XIV. NATURAL HISTORY OF SOME OF THE MORE IMPORTANT FOOD-FISHES OF THE SOUTH SHORE OF NEW ENGLAND, (viz: the Scup (*Stenotomus argyrops*), and the Blue-fish (*Pomatomus saltatrix*)). pp. 228-252.
- XV. DESCRIPTION OF APPARATUS USED IN CAPTURING FISH ON THE SEA-COAST AND LAKES OF THE UNITED STATES. pp. 253-274, with 19 (1-19) figs., and pl. (maps) xxix and xl, and large folded map.
- XVI. LIST OF PATENTS GRANTED BY THE UNITED STATES TO THE END OF 1872 FOR INVENTIONS CONNECTED WITH THE CAPTURE, UTILIZATION, OR CULTIVATION OF FISH AND MARINE ANIMALS. pp. 275-280.
- XVII. LIST OF THE SEA-WEEDS OR MARINE ALGE OF THE SOUTH COAST OF NEW ENGLAND. By W. G. Flallow, M. D. pp. 281-291.
- XVIII. REPORT UPON THE INVERTEBRATE ANIMALS OF VINEYARD SOUND AND THE ADJACENT WATERS, WITH AN ACCOUNT OF THE PHYSICAL CHARACTER OF THE REGION. By A. E. Verrill. pp. 295-778, with pl. i-xxviii.

## Results of work.

### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART I.)

- XIX. CATALOGUE OF THE FISHES OF THE EAST COAST OF NORTH AMERICA. By Theodore Gill. pp. 779-822.
- XX. LIST OF FISHES COLLECTED AT WOOD'S HOLL (between June 20 and October 4). By S. F. Baird. pp. 823-827.
- XXI. TABLE OF TEMPERATURES OF THE LITTLE HARBOR, WOOD'S HOLL, MASS., FROM JANUARY 1, 1873, TO DECEMBER 31, 1873. pp. 828-831.
- XXII. LIST OF ILLUSTRATIONS. p. 833.
- XXIII. GENERAL INDEX. pp. 835-852.

UNITED STATES COMMISSION OF FISH AND FISHERIES. PART II.—REPORT OF THE COMMISSIONER FOR 1872 AND 1873. A.—INQUIRY INTO THE DECREASE OF FOOD-FISHES. B.—THE PROPAGATION OF FOOD-FISHES IN THE WATERS OF THE UNITED STATES. By Spencer F. Baird, Commissioner. With supplementary papers. Washington: Government Printing-Office. 1874.

REPORT OF THE COMMISSIONER. (Table of contents precedes report.)  
APPENDIX A.—THE FISHERIES OF THE GREAT LAKES AND THE SPECIES OF COREGONUS OR WHITEFISH.

- I. REPORTS ON THE FISHERIES OF THE GREAT LAKES; THE RESULT OF INQUIRIES PROSECUTED IN 1871 AND 1872. By James W. Milner. (Table of contents on p. 77.)
- II. MISCELLANEOUS NOTES AND CORRESPONDENCE RELATIVE TO THE WHITEFISH. pp. 79-88.

APPENDIX B.—THE SALMON AND THE TROUT (species of the *Salmo*). p. 89.

- III. ON THE NORTH AMERICAN SPECIES OF SALMON AND TROUT. By George Suckley, Surgeon United States Army (written in 1861). p. 91. Tabulated list of species, pp. 92-159.
- IV. THE SALMON OF THE DANUBE, OR THE HUCHO (*Salmo hucho*), AND ITS INTRODUCTION INTO AMERICAN WATERS. By Rudolph Hessel. p. 161.
- V. IMPROVEMENT IN THE SALMON-FISHERIES OF SWEDEN. (Extract from the report of the Royal Swedish Intendant of Fisheries, 1868.) p. 166.
- VI. REPORT OF OPERATIONS DURING 1872 AT THE UNITED-STATES HATCHING ESTABLISHMENT ON MCLOUD-RIVER, AND ON THE CALIFORNIA SALMONIDÆ GENERALLY, WITH A LIST OF SPECIMENS COLLECTED. By Livingston Stone.
  - A. Introductory remarks. pp. 168-174.
  - B. The Salmonidæ of the Sacramento River. pp. 175-197.
  - C. Catalogue of natural-history specimens collected on the Pacific slope in 1872, by Livingston Stone, for the United States Fish Commission.

- VII. NOTES ON THE SALMON OF THE MIRAMICHI RIVER. By Livingston Stone; p. 216. Fragmentary notes. p. 217.
- VIII. THE SALMONIDÆ OF EASTERN MAINE, NEW BRUNSWICK, AND NOVA SCOTIA. By Charles Lauman. pp. 219-225.
- IX. ON THE SALMON OF EASTERN NORTH AMERICA, AND ITS ARTIFICIAL CULTURE. By Charles G. Atkins. (Table of contents on p. 336.) p. 226.

## Results of work.

### Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART II.)

- X. ON THE SALMON OF MAINE. By A. C. Hamlin. pp. 338-356.
- XI. THE LAKE TROUTS. By A. Leith Adams, M. A., &c. p. 357.
- XII. ON THE SPECKLED TROUT OF UTAH LAKE. By Dr. H. C. Yarrow, U. S. A., Surgeon and Naturalist, &c. pp. 358-363.
- XIII. MISCELLANEOUS NOTES AND CORRESPONDENCE RELATIVE TO SALMON AND TROUT. pp. 364-378.
- XIV. ADDITIONAL REPORTS RELATIVE TO THE HATCHING AND PLANTING OF THE PENOBSCOT SALMON. p. 380.
  - A. New Hampshire. p. 380.
  - B. New Jersey. p. 381.
  - C. Pennsylvania. p. 382.
  - D. Ohio. p. 382.
  - E. Wisconsin. p. 383.
- APPENDIX C.—THE SHAD AND ALEWIFE (species of *Clupeidae*). p. 385.
- XV. LETTERS REFERRING TO EXPERIMENTS OF W. C. DANIELL, M. D., IN INTRODUCING SHAD INTO THE ALABAMA RIVER. pp. 386, 387.
- XVI. LETTERS REFERRING TO SHAD IN THE RIVERS TRIBUTARY TO THE GULF OF MEXICO. pp. 388-391.
- XVII. REPORT OF A RECONNAISSANCE OF THE SHAD-RIVERS SOUTH OF THE POTOMAC. By H. C. Yarrow, M. D. pp. 396-401.
- XVIII. REPORT ON SHAD-HATCHING OPERATIONS. pp. 403-417.
- XIX. REPORT ON THE PROPAGATION OF THE SHAD (*Alosa Sapidissima*), AND ITS INTRODUCTION INTO NEW WATERS BY THE UNITED STATES COMMISSIONER, IN 1873. By James W. Milner. pp. 419-450.
- XX. NOTES ON THE NATURAL HISTORY OF THE SHAD AND ALEWIFE. pp. 452-462.
- APPENDIX D.—FISH CULTURE (THE HISTORY, THEORY, AND PRACTICE OF FISH-CULTURE). pp. 463, 464.
- XXI. THE HISTORY OF FISH-CULTURE. p. 465.
  - A. The history of fish-culture in Europe, from its earlier record to 1854. By Jules Haime. pp. 465-492.
  - B. Report on the progress of pisciculture in Russia. By Theodore Sondakevicz. pp. 493-512.
  - C. Report on the state of pisciculture in France and the neighboring countries. By M. Bouchon-Brandley, assistant secretary of the College of France. pp. 513-522.
  - D. The progress of fish-culture in the United States. By James W. Milner. pp. 523-558.
  - E. Alphabetical list of American fish-culturists and of persons known as being interested in fish-culture. pp. 558-566.

## Results of work.

### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART II.)

#### XXII. PAPERS RELATING TO PRACTICAL FISH-CULTURE.

- A. Method of treating adhesive eggs of certain fishes, especially of the Cyprinidæ, in artificial propagation. By Rudolph Hessel. pp. 567-570.
- B. On the so-called "dry" method of impregnating spawn. By Alexander Stenzel, inspector of fisheries in Silesia, Germany. pp. 571-574.
- C. Fish-culture in salt or brackish waters. By Theodore Lyman, Fish Commissioner of Massachusetts. pp. 575-577.
- D. Descriptions of improved apparatus in fish-hatching. pp. 578-587.

APPENDIX E.—OBSTRUCTIONS TO THE UPWARD MOVEMENT OF FISHES IN STREAMS, AND THE REMEDY. pp. 588, 589.

XXIII. ON FISH-WAYS. By Charles G. Atkins. pp. 591-615.

XXIV. ON OBSTRUCTIONS TO THE ASCENT OF FISH IN CERTAIN RIVERS. p. 617.

- A. Obstructions in the rivers of Maine. By E. M. Stillwell. pp. 617-621.
- B. Obstructions in the tributaries of Lake Champlain. By M. C. Edmunds. pp. 622-627.
- C. Obstructions in some of the rivers of Virginia. By M. McKennie. pp. 628-629.
- D. Character of the streams on the northern shore of Lake Michigan. By J. F. Ingalls. pp. 630-632.
- E. Characters of some of the northern tributaries of Lake Michigan. By James W. Milner. pp. 632-634.

APPENDIX F.—NATURAL HISTORY. pp. 635-636.

XXV. THE CRUSTACEA OF THE FRESH WATERS OF THE UNITED STATES. By Sidney I. Smith.

- A. Synopsis of the higher fresh-water Crustacea of the Northern United States. pp. 637-657.
- B. The crustacean parasites of the fresh-water fishes of the United States. pp. 661-665.

XXVI. SYNOPSIS OF THE NORTH AMERICAN FRESH-WATER LEECHES. By A. E. Verrill. pp. 666-689.

XXVII. SKETCH OF THE INVERTEBRATE FAUNA OF LAKE SUPERIOR. By Sidney I. Smith. pp. 690-706.

XXVIII. FOOD OF FRESH-WATER FISHES. By Sidney I. Smith. pp. 708-709.

XXIX. NATURAL AND ECONOMICAL HISTORY OF THE GOURAMI (*Oosphromenus goramy*). By Theodore Gill. p. 710.

- A. Natural history. pp. 710-717.
- B. The introduction and attempts to introduce the gourami into foreign countries. pp. 718-725.
- C. Rules for transportation and introduction. p. 727.

XXX. NOTES ON THE GRAYLING (*Thymallus*) OF NORTH AMERICA. By James W. Milner. pp. 729-742

APPENDIX G.—MISCELLANEOUS PAPERS. p. 743.

## Results of work.

### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART II.)

XXXI. TEMPERATURE IN THE GULF OF MEXICO, FROM RECORDS OF THE UNITED STATES COAST SURVEY. pp. 745-748.

XXXII. CORRESPONDENCE WITH COMPANIES RELATIVE TO FACILITIES IN TRANSPORTATION, ETC. pp. 749-756.

XXXIII. REPORTS OF SPECIAL CONFERENCES WITH AMERICAN FISH-CULTURISTS' ASSOCIATION AND STATE COMMISSIONERS OF FISHERIES. p. 757.

A. Meeting at Boston, June 13, 1872. pp. 757-762.

B. Meeting at New York, October 17, 1872. pp. 763-773.

XXXIV. BIBLIOGRAPHY OF REPORTS OF FISHERY COMMISSIONS.

By Theodore Gill. pp. 764-773.

A. Names of Commissioners. p. 774.

B. Bibliography of reports. pp. 775-784.

LIST OF ILLUSTRATIONS. pp. 785-790.

GENERAL INDEX. p. 791.

UNITED STATES COMMISSION OF FISH AND FISHERIES. PART III.—REPORT OF THE COMMISSIONER FOR 1873-4 AND 1874-5. A.—INQUIRY INTO THE DECREASE OF THE FOOD-FISHES. B.—THE PROPAGATION OF FOOD-FISHES IN THE WATERS OF THE UNITED STATES. By Spencer F. Baird, Commissioner. Washington: Government Printing-Office. 1876.

APPENDIX A.—SEA-FISHERIES AND THE FISHES AND INVERTEBRATES USED AS FOOD.

I. HISTORICAL OBSERVATIONS ON THE CONDITION OF THE FISHERIES AMONG THE ANCIENT GREEKS AND ROMANS AND THEIR MODE OF SALTING AND PACKING FISH. By J. K. Smidlo. pp. 1, 2.

II. STATISTICS OF THE MOST IMPORTANT FISHERIES OF THE NORTH ATLANTIC. By Carl Dambeck. pp. 3-24.

III. ON THE FISHERIES OF NORWAY. pp. 24-30.

IV. STATISTICAL DATA REGARDING THE SWEDISH FISHERIES. pp. 31-34.

V. ACCOUNT OF THE FISHERIES AND SEAL-HUNTING IN THE WHITE SEA, THE ARCTIC OCEAN, AND THE CASPIAN SEA. By Alexander Schultz. pp. 35, 96.

VI. THE NORWEGIAN HERRING-FISHERIES. By A. J. Breck and A. Fadderlin. pp. 97-122.

VII. PRELIMINARY REPORT FOR 1873-'74 ON THE HERRING AND THE HERRING-FISHERIES ON THE WEST COAST OF SWEDEN. By Axel Vilhelm Springman. pp. 123-168.

VIII. THE HALIBUT FISHERIES OF THE UNITED STATES. By Lient. P. De Broca. pp. 169-172.

IX. THE FISHING VILLAGES SNIKKERSTUN AND SKOLTERUP, AND THE COLLECTION OF FISHING IMPLEMENTS EXHIBITED BY THEM AT ELSINORE, DENMARK, DURING THE SUMMER OF 1872. pp. 173-182.

X. ON THE HERRING AND ITS PREPARATION AS AN ARTICLE OF TRADE. By Hyalmar Widigter. pp. 183-192.

XI. NEW CONTRIBUTIONS TO THE HERRING QUESTION—THE DISPUTE BETWEEN AXEL BRECK AND OSSIAN SARS REGARDING THE NORWEGIAN SUMMER HERRING—SARS' RECENT OBSERVATIONS AND HIS NEW THEORY ON THE MIGRATION OF THE HERRING. pp. 193-194.

## Results of work.

### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART III.)

- XII. ON THE SPAWNING AND DEVELOPMENT OF THE COD-FISH. By Prof. C. O. Sars. pp. 195-222.
- XIII. THE NORWEGIAN LOBSTER FISHERY AND ITS HISTORY. By Axel Broeck. pp. 223-252.
- XIV. TRANSPORTATION OF LOBSTERS TO CALIFORNIA. pp. 253-257.
- XV. ON THE ARTIFICIAL PROPAGATION OF THE LOBSTER. pp. 258-266.
- XVI. ON THE OYSTER INDUSTRIES OF THE UNITED STATES. By Lieut. P. De Broca. pp. 267-320.
- APPENDIX B.—THE RIVER FISHERIES. pp. 321-322.
- XVII. THE PROPAGATION AND DISTRIBUTION OF THE SHAD. pp. 323-350.
- XVIII. REPORT OF THE TRIANA TRIP. By J. W. Milner. pp. 351-362.
- XIX. ON THE TRANSPORTATION OF SHAD FOR LONG DISTANCES. pp. 363-371.
- XX. REPORT OF OPERATIONS IN CALIFORNIA IN 1873. By Livingston Stone. pp. 372-427.
- XXI. HATCHING AND DISTRIBUTION OF CALIFORNIA SALMON pp. 428-436.
- XXII. REPORT OF OPERATIONS DURING 1874 AT THE UNITED STATES SALMON-HATCHING ESTABLISHMENT ON THE McCloud River, California. By Livingston Stone. pp. 437-476.
- XXIII. CORRESPONDENCE RELATING TO THE SAN JOAQUIN RIVER AND ITS FISHES. pp. 477-484.
- XXIV. THE ATLANTIC SALMON (*Salmo Salar*). By A. G. Atkins. pp. 485-539.
- APPENDIX C.—FISH-CULTURE, RELATING MORE ESPECIALLY TO SPECIES OF (*Cyprinidae*). pp. 540.
- XXV. NOTES ON PISCICULTURE IN KIANG SI. By H. Kopsch. pp. 543-548.
- XXVI. ON THE CULTURE OF THE CARP. pp. 549-558.
- XXVII. THE GOLD ORFE (*Cyprinus orfus*). pp. 559-562.
- XXVIII. DIRECTIONS FOR USING TABLES FOR RECORDING THE PROPAGATION AND DISTRIBUTION OF FISH. pp. 563-568.
- APPENDIX D.—THE RESTORATION OF THE INLAND FISHERIES. pp. 569-570.
- XXIX. FISHERIES AND FISHING LAWS IN AUSTRIA AND THE WORLD IN GENERAL. By Carl Peyer. pp. 571-680.
- XXX. HOW CAN OUR LAKES AND PONDS BE STOCKED WITH FISH IN THE SHORTEST POSSIBLE TIME? By Mr. Von dem Borne. pp. 681-684.
- APPENDIX E.—NATURAL HISTORY. pp. 685-686.
- XXXI. PRELIMINARY REPORT ON A SERIES OF DREDGINGS MADE ON THE UNITED STATES COAST SURVEY STEAMER BACHE IN THE GULF OF MAINE. By A. S. Packard, Jr., M. D. pp. 687-690.
- XXXII. LIST OF THE MARINE ALGAE OF THE UNITED STATES. By W. G. Farlow. pp. 691-718.

## Results of work.

### 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART III.)

XXXIII. SECTION ON THE ORGANS OF REPRODUCTION AND THE FECUNDATION OF FISHES AND ESPECIALLY OF EELS.  
By Dr. Syvski. pp. 719-734.

XXXIV. THE FOOD AND MODE OF LIVING OF THE SALMON, THE TROUT, AND THE SHAD. By D. Barfitt. pp. 735-758.

UNITED STATES COMMISSION OF FISH AND FISHERIES. PART IV.—REPORT OF THE COMMISSIONER FOR 1875-1876. A.—INQUIRY INTO THE DECREASE OF THE FOOD-FISHES. B.—THE PROPAGATION OF FOOD-FISHES IN THE WATERS OF THE UNITED STATES. Washington: Government Printing-Office. 1878. 8vo., pp. ix, 50, 1029, plates vi (Hist. of whale fishery).

#### I. REPORT OF THE COMMISSIONER.

##### A.—GENERAL CONSIDERATIONS.

1. INTRODUCTORY REMARKS. p. 1.

##### B.—INQUIRY INTO THE DECREASE OF FOOD-FISHES.

2. INVESTIGATIONS AND OPERATIONS OF 1875. p. 4.

3. INVESTIGATIONS AND OPERATIONS OF 1876. p. 7.

##### C.—THE PROPAGATION OF FOOD-FISHES.

4. GENERAL CONSIDERATIONS. p. 8.

5. ACTUAL WORK OF PROPAGATION OF FOOD-FISHES IN 1875 AND 1876. p. 20.

The shad. p. 20.

The California salmon. p. 21.

The Atlantic salmon. p. 25.

The land-locked salmon. p. 25.

The white-fish. p. 26.

The carp. p. 27.

##### D.—TABLES.

TABLE 7.—HATCHING AND DISTRIBUTION OF FISH BY THE UNITED STATES FISH COMMISSION FROM THE BEGINNING OF ITS WORK IN 1872 TO THE SUMMER OF 1876. p. 28.

### II.—APPENDIX TO REPORT OF COMMISSIONER.

#### APPENDIX A.—THE SEA FISHERIES.

I. HISTORY OF THE AMERICAN WHALE FISHERY FROM ITS EARLIEST INCEPTION TO THE YEAR 1876.  
By Alexander Starbuck.

#### APPENDIX B.—THE INLAND FISHERIES.

II. FISHERIES OF CHICAGO AND VICINITY. By E. W. Nelson. p. 783.

III. THE SALMON FISHERIES OF THE COLUMBIA RIVER.  
By Livingston Stone. p. 801.

IV. NOTES ON SOME FISHERIES OF THE DELAWARE RIVER. By Dr. C. C. Abbott. p. 825.

V. METHOD OF PURIFYING THE RESIDUUM OF GAS-WORKS BEFORE ALLOWING IT TO PASS OFF INTO THE WATER. By J. R. Shotwell. p. 847.

VI. TABLES OF TEMPERATURES OF AIR AND WATER AT SUNDRY STATIONS OF THE UNITED STATES SIGNAL OFFICE, FROM MARCH, 1874, TO FEBRUARY, 1875, AND FROM MARCH, 1876, TO FEBRUARY, 1877, INCLUSIVE. p. 851.

**Results of work.**

## 1. Reports of the Commission.

(UNITED STATES COMMISSION OF FISH AND FISHERIES. PART IV.)

## APPENDIX C.—THE PROPAGATION OF FOOD-FISHES.

- VII. THE CARP AND ITS CULTURE IN RIVERS AND LAKES,  
AND ITS INTRODUCTION INTO AMERICA. By Randolph Hessel. p. 865.
- VIII. THE PROPAGATION AND DISTRIBUTION OF SHAD. Jas. W. Milner. p. 901.
- IX. ON THE COLLECTION OF EGGS OF SCHOODIC SALMON  
IN 1875 AND 1876. By Charles G. Atkins. p. 910.
- X. OPERATIONS ON THE McCLOUD RIVER IN SALMON-BREEDING IN 1875. By Livingston Stone. p. 921.
- XI. OPERATIONS ON THE McCLOUD RIVER IN SALMON-BREEDING IN 1876. By Livingston Stone. p. 935.
- XII. CORRESPONDENCE RELATING TO THE EXPORTATION  
OF FISH-HATCHING APPARATUS TO NEW ZEALAND,  
GERMANY, &c. p. 959.

ALPHABETICAL INDEX. p. 1025.

## 2. COLLECTIONS. (See under A, V to VIII.)

**Photographs.**

See series of photographs and color-sketches of North American fishes.

**Upwards of four hundred casts** of coast and fresh-water species.

(See under A, V to VIII.)

**II. PROTECTION.**

## 2. PRESERVATION OF GAME, FISH, ETC.

\* *From man.***Game laws.**\*\* *From artificial obstructions.***Fish-ways.**

Gap fish-ways.

French, ditch, or "Cape Cod" fish-ways.

Oblique groove fish-ways.

Single groove.

15355. Model of fish-way. James D. Brewer, inventor, Muncey, Lycoming County, Pa.

15356. Model of fish-way. James D. Brewer, Muncey, Pa.

## Fish-ways.

Step fish-ways.

Box or pool fish-ways.

23108. Model of fish-way. Jas. D. Brewer, Minney, Pa. Patented by Daniel Steck.

Steps contrived by arrangement of rocks and bowlders.

25701. Model of Duncanson fish way. J. T. Rothe.

Inclined plane without steps.

29283. Model of old Pennsylvania fish-way. Built at Columbia, on the Susquehanna River, in 1866. Designed by James Worrall. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.  
 29284. Model of old Pennsylvania fish-way. Built at Columbia, on the Susquehanna River, in 1873. Designed by James Worrall. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

With partitions at right angles.

29291. Model of rectangular return fish-way. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

Brackett's patent fish-way.

29285. Brackett's patent fish-way. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

29337. Model of the fish-way at Holyoke, Mass., on the Connecticut River. Scale,  $\frac{1}{8}$  of an inch to the foot ( $\frac{1}{6}$ ). C. G. Atkins.

This fish-way is on the Brackett plan. A submerged piece of cob-work surmounted by a grating serves to turn the fish into the fish-way. It carries a column of water 2 feet wide and 2 feet deep which reaches the bottom with no perceptible increase in velocity, the current being less than 2 miles an hour. Height of the dam, 30 feet; length of the fish-way, 440 feet; the incline, 1 in 15.

With oblique partitions.

29287. An adaptation of Foster's fish-way. Designed by C. G. Atkins, and built at Pembroke, Me. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

29288. Model of Foster's fish-way. Invented by H. H. Foster, E. Machias, Me. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

29288. Model of oblique fish-way. Invented by Alfred Swazey, Bucksport, Me., in 1876. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

29289. Swazey's oblique fish-way. Invented by Alfred Swazey, Bucksport, Me., in 1874. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

29290. Model of Swazey & Atkins's fish-way. Invented by Alfred Swazey and C. G. Atkins, Bucksport, Me., in 1874. Scale,  $\frac{1}{8}$  inch to the foot. C. G. Atkins, Bucksport, Me.

- . Model of the McDonald fish-way. M. McDonald, Lexington, Va.

29339. No. 15. Model of the fish-way at Lawrence, Mass., on the Merrimack River. Scale,  $\frac{1}{8}$  inch to the foot ( $\frac{1}{6}$ ). C. G. Atkins.

**Fish-ways.**

With rectangular compartments.

26937. Model of rectangular compartment fish-way on the inclined-plane system, in an extended arrangement. Scale,  $\frac{1}{2}$  inch to the foot ( $\frac{1}{24}$ ). C. G. Atkins.

**Spiral fish-ways.**

26949. No. 11. Model of rectangular compartment fish-way on the inclined-plane system, in spiral arrangement, devised by Charles G. Atkins, of Bucksport, Me., in imitation of Pike's spiral fish-way. Scale,  $\frac{1}{2}$  inch to the foot ( $\frac{1}{24}$ ). C. G. Atkins.

This model represents a fish-way precisely the same capacity and slope, and adapted to a dam of the same height as No. 10, showing the great economy of space and material effected by the spiral arrangement. Further advantages of the spiral arrangement are the facility with which water can be admitted at different heights of the river, and contiguity of the outlet to the dam secured, so that the fish will readily find it.

26931. Model of Pike's spiral fish-way, devised by Hon. R. G. Pike, of Connecticut. Scale,  $\frac{1}{2}$  inch to the foot ( $\frac{1}{24}$ ). C. G. Atkins.

The advantages of this, the first spiral arrangement invented in America, are the same as those claimed for that arrangement in Pike's spiral fish-way.

**Moving float fish-ways.**

26930. Model of Everleth's fish-way, devised by F. M. Everleth, M. D., of Waldoboro', Me. Scale,  $\frac{1}{4}$  inch to the foot ( $\frac{1}{48}$ ). C. G. Atkins.

The peculiarity of this fish-way is the movable attachment at the upper end, which, by its own buoyancy, rises and falls with the fluctuations of the river, thus insuring that the entrance shall always be at the right height to admit the requisite quantity of water.

\*\*\**From natural enemies.*

**Apparatus for destroying injurious species.**

Oyster-bed tangles. (See under B, 12.)

**Tethers and hopples.****Cages and pens.**

Kennels for dogs, &c.

Cages for animals.

Cages for birds.

Cages for insects.

5631. Cages for fire-flies. West Indies. Miss Septimia Randolph.

**Fish-cars and other floating cages for aquatic animals.**

29529. Model of fish-marketman's car. For preservation of living fish. J. M. K. Southwick, Newport, R. I.  
 29221. Model of Providence River fish-car. These are towed by the smack, and as fast as fish are caught they are put into it, and so kept for Providence market. D. D. Almy.  
 29397. Model of Noank lobster-car. Capt. H. C. Chester.  
 29538. Model of fisherman's car for transporting living fish to market. J. M. K. Southwick, Newport, R. I.  
 26933. Model of a boat used in transporting living salmon at the United States salmon-breeding station at Bucksport, Me. Scale, 1 inch to the foot ( $\frac{1}{12}$ ). C. G. Atkins.  
 When in use the boat is depressed until full of water, a number of salmon, sometimes as many as 30, are placed in it, and it is then towed after another boat, the motion insuring a constant change of water, which passes in at the forward ports and out at the after ports. The net and grating prevent the escape of the salmon, and the cloth shuts out the sight of anything that might frighten them.

**Aquaria.**

- Globes.  
 Aquaria.

**Hives and other cages for insects.****Live-boxes, troughs, &c., for microscopists' use.****Fish-ponds, fish-farms (models).**

29278. Parlor trout-brook. Stone & Hooper, Charlestown, N. H.  
 29380. Rearing-box. Stone & Hooper, Charlestown, N. H.

**4. ENEMIES OF USEFUL ANIMALS.****Intestinal worms and other internal parasites.<sup>1</sup>****Fish-lice, barnacles, and other external parasites.<sup>2</sup>****Predatory animals not elsewhere exhibited.****III. PROPAGATION.****5. PROPAGATION OF MAMMALS.****Methods of mink culture.****Methods of culture of domesticated animals.****6. PROPAGATION OF BIRDS.****Methods of ostrich culture.****Methods of culture of domesticated birds, fowls, &c.**

See in Part II of the present catalogue.

## 7. PROPAGATION OF REPTILES.

**Methods of terrapin culture.**

## 8. PROPAGATION OF AMPHIBIANS.

**Methods of frog culture.**9. PROPAGATION AND CULTURE OF FISHES.<sup>1</sup>**Accessories of obtaining and impregnating ova.**

Pans, pails, &c.

Strait-jackets used in spawning salmon.

Spawning-race (Ainsworth).

Roller spawning-screen (Collins).

Spawning-vat (Bond).

**Hatching-apparatus.**

26940. No. 19. Model of hatching-house at United States salmon-breeding station at Bucksport, Me. Scale,  $\frac{1}{4}$  inch to the foot ( $\frac{1}{8}$ ). C. G. Atkins.

The hatching-troughs are arranged in sets of four across the building, and fitted with Brackett trays. The water enters them from a feed-trough along the side of the room and escapes by pipes through the floor.

Troughs:

Plain.

Gravel-bottomed.

With sieve-bottom trays.

26933. No. 20. Model of hatching-troughs and trays in use at the United States salmon-breeding stations at Bucksport and Grand Lake Stream, Me. Scale, full size. C. G. Atkins.

The eggs to be hatched are placed on the wire-cloth trays.

26935. Model of hatching-frame in use at Grand Lake Stream, adapted to use in a trough or in an open stream. Devised by C. G. Atkins. Scale, full size. C. G. Atkins.

The eggs are placed on all of the trays except the upper one.

The interstices, though too small for the escape of the eggs, permit a change of water, and when the frame is shut it confines the trays securely in place.

26970. Model of hatching-apparatus for black-bass. John Roth, Duncan-  
non, Pa.

Brackett's.

Williamson's.

Clark's.

Vats or cases:

Holton's.

Roth's.

---

<sup>1</sup> Many of these articles cannot conveniently be exhibited.

**Hatching-apparatus.**

Glass-grilled boxes (Coste's).

26995. Coste hatching-tray. Mrs. J. H. Slack, Troutdale, N. Y.

Jars and tin vessels.

- 22247. Shad-hatching can. Invention of Fred. Mather. U. S. Fish Commission.
- 26909. Ferguson aquarium-jar. T. B. Ferguson, Baltimore, Md.
- 22250. Ferguson's fish-hatching can. " "
- 26998. Ferguson's hatching jar. " "

Hatching-boxes (floating).

- 26903. Shad-hatching box. Seth Green's patent. U. S. Fish Commission.
- 26997. Shad-hatching box. Seth Green's patent. Seth Green, Rochester, N. Y.
- 26904. Shad-hatching box. Brackett's patent. U. S. Fish Commission.
- 26962. Shad-hatching box. Brackett's patent. E. A. Brackett, Winchester, Mass.
- 26905. Shad-hatching box (No. 2). Brackett's patent. U. S. Fish Commission.
- 26906. Shad-hatching box. Bryant's patent. U. S. Fish Commission.
- 26907. Shad-hatching box. Stillwell & Atkins's patent. U. S. Fish Commission.
- 26908. Shad-hatching box. Bannister's design. U. S. Fish Commission.
- 26955. Hatching apparatus. N. W. Clark, Clarkston, Mich.  
—. Shad hatching-box (model). J. C. House & O. A. McClain, Washington, D. C.

Adhesive eggs apparatus:

Vertical wire-cloth trays.

Hatching-basket.

26956. Salmon egg hatching-baskets. McCloud River, California. Livingston Stone.

Brook-shanty (Furman's).

(Bay or cove barriers, Professor Rasch's.)

Accessories:

Tanks.

Nests.

Trays.

Grilles.

Gravel-filters.

Flannel screens.

Shallow troughs or tables (for picking eggs).

Egg-nippers.

26915. Wooden nippers. Fred. Mather, Honeye Falls, N. Y.

25955. Brass egg-nippers. Frank N. Clark, Northville, Mich.

Cribbles.

Pipettes.

Skimmer-nets.

**Hatching-apparatus.**

Accessories:

- Feathering quills and brushes.
- Rose-nozzles (for washing eggs).
- Syringes, bulb, &c.
- Shallow pans.
- Aerating-pipe.

**Transporting apparatus.**

Apparatus for transporting eggs:

- Cans.
- Case of cups (Wilmot's).
- Case of cups (Clark's).
- Case of trays (Clark's).
- Moss-crates (Stone's).

25025. Moss-crates for transportation of eggs of Sacramento salmon across the continent. Livingston Stone, Charlestown, N. H.

Apparatus for transporting fish:

- Barrels.
- Cans, plain.
- 26911. Milk-can, used in transportation. U. S. Fish Commission.
- 29377. Conical tank. Stone & Hooper, Charlestown, N. H.
- 26910. Conical can. Livingston Stone, Charlestown, N. H.

Cans with aerating accessories:

- 26914. Tank for ocean transportation. Invention of Fred. Mather. U. S. Fish Commission.
- 29379. Transporting-tank. Stone & Hooper, Charlestown, N. H.
- 26881. Transporting-can. C. W. Rogers, Waukegan, Ill.
- 26932. Model of box used in the transportation of living salmon at the United States salmon-breeding station at Bucksport, Me. Scale, 2 inches to the foot ( $\frac{1}{6}$ ). C. G. Atkins.  
When in use the box is filled with water and from 5 to 7 salmon placed in it and carted a mile.

Slack's.

Clark's.

M. A. Green's.

Tanks, with attachment of band-wheel to car-axle (Stone's).

(Tanks, with Freiburg aerating apparatus.)

Aquarium-car (Stone's).

Live-box (Atkins's).

Accessories:

Air force-pumps.

Siphon-tubes.

26912. Rubber siphon-tube. U. S. Fish Commission.

26913. Aerating-rose, with siphon. U. S. Fish Commission.

**Transporting apparatus.**

Accessories:

Bellows.

Dipping apparatus.

26934. Model of dipping-bag used instead of a dip-net in handling salmon at the United States salmon-breeding station at Bucksport, Me. Scale, 1 inch to the foot ( $\frac{1}{2}$ ). C. G. Atkins.

**10. PROPAGATION OF INSECTS.****Propagation of silk-worm.**

Specimens of plants used for food.

Model of house and its appliances.

**Propagation of cochineal insect.****Propagation of bees.**

For hives see under E, 3.

**11. PROPAGATION OF WORMS.****Propagation of leeches.****12. PROPAGATION OF MOLLUSKS.****Methods of oyster culture.**

Stools for receiving spat, natural and artificial.

Other apparatus.

**13. PROPAGATION OF CORALS.****14. PROPAGATION OF SPONGES.**

---

---

P A R T I I.

---

CATALOGUE OF ILLUSTRATIONS  
OF THE  
ECONOMICAL INVERTEBRATES  
OF  
THE AMERICAN COASTS.  
BY  
W. H. DALL.



# CATALOGUE OF ILLUSTRATIONS OF THE ECONOMICAL INVERTEBRATES OF THE AMERICAN COASTS.

---

## MOLLUSCA.

### **Mollusca cephalopoda**.—SQUIDS AND CUTTLES.

32905. Sepia "bone," or endostenum, in natural condition. East coast of the United States. Uses: Fed to cage-birds requiring lime.  
32905a. Pounce: Powdered sepia-bone; used in rewriting over erasures to prevent blotting, in medicine as an antacid.  
33005. Cuttle-fish (*Octopus punctatus*, Gabb). California to Alaska. Used for bait in the cod-fishery, and by the natives for food. W. H. Dall.  
25972. Oil of squid (*Ommastrephes illecebrosa*). Capt. N. E. Atwood, Provincetown, Mass.

### **Mollusca gasteropoda**.—SEA-SNAILS, &c.

#### A. Useful:

##### 1. Used for food or bait:

32885. Velvet chiton (*Cryptochiton stelleri*). Alaska to California. Indian food. W. H. Dall.  
32886. Coat-of-mail shell (*Katherina tunicata*). Alaska to California. Indian food. W. H. Dall.  
32883. Limpet (*Acmara testudinalis*). Connecticut to Labrador. W. H. Dall.  
32904. Western limpet (*Acmara patina*). Alaska to California. W. H. Dall.  
32880. Rockwinkle (*Litorina subtenebrosa*). Alaska to Oregon. W. H. Dall.  
32882. Periwinkle (*Purpura canaliculata*). Alaska to California. W. H. Dall.  
32884. Periwinkle (*Purpura ostrina*). California. W. H. Dall.  
32903. Periwinkle (*Purpura lapillus*). Cape Cod to Labrador. W. H. Dall.

##### 2. Useful by producing pearl-shell, &c.:

32830. Turban-shell (*Trochiscus norrissii*). California. H. Hemphill.  
32832. Top-shell (*Pomaulax undosum*), in natural state. California. H. Hemphill.  
32831. Top-shell, prepared to show pearly layers. California. H. Hemphill.  
29301. Manufactured state of various kinds of American pearl-shells derived from gasteropods or sea-snails. Furnished by A. B. De Freee & Co., 428 Broadway, New York.  
32833. Sea-ears (*Haliotis Kamchatkana*), affording pearl-shell and food. Alaska. J. G. Swan.

32890. Rough sea-ear (*H. corrugata*). Southern California. Used for pearl-shell and for food. Specimen in natural condition. W. H. Dall.  
 —. Rough sea-ear. Specimen ground and polished to show pearly layers. J. T. Ames.
32900. Red sea-ear or abalone (*H. rufescens*). Monterey, Cal. Used for pearl-shell and for food. Specimens in natural condition. H. Hemphill.  
 —. Red sea-ear. Polished specimen showing pearly layers. J. T. Ames.  
 —. Red sea-ear. Fleshy portion prepared and dried for food by California Chinese. Chinese market, California. H. Hemphill.
32823. White abalone (*H. cracherodii*), producing pearl-shell and food. Natural state. California. Paul Schumacher.
32899. White abalone. Natural state. Monterey, Cal. H. Hemphill.  
 —. White abalone. Polished to show pearly layers. Jas. T. Ames.
4792. White abalone. Polished specimens.
32821. Splendid sea-ear (*H. splendens*) affording food and pearl-shell. California. Paul Schumacher.
32898. Splendid sea-ear. Natural condition. Southern California. H. Hemphill.  
 —. Splendid sea-ear. Polished to show pearly layers. J. T. Ames.  
 —. Splendid sea-ear. Young specimen polished. J. T. Ames.
29302. Manufactures of *Haliotis* shell, showing application in the arts. Furnished by A. B. De Frece & Co., 428 Broadway, New York.
29245. Ditto. Parasol-handles. Furnished by Harvey & Ford, Philadelphia, Pa.

### 3. Affording cameo and porcelain stock:

6968. Cameo-shell (*Cassis rufa*), used for cameo cutting. Florida. Dr. Wm. Stimpson.  
 —. Queen conch (*Strombus gigas*), exported to Liverpool in great numbers and ground up for making porcelain.<sup>1</sup> West Indies.

### 4. Used in Indian trade:

2705. Hyqua shell (*Dentalium indianorum*), used in Indian trade. In this case the shells have been made into a belt by the purchaser. West coast of America. U. S. Exploring Expedition.

### 5. Affording dyestuffs:

32907. Sea-hare (*Aplysia*). Affording purple dye. Florida. F. B. Meek.  
 32896. Sea-hare. Specimen of the purple fluid. F. B. Meek.  
 32911. Purple shells (*Phyllonotus radix*). Ornamental and producing dye. Lower California. W. H. Dall.  
 32912. Purple shells (*Phyllonotus bicolor*). Used for ornaments and affording dye. West coast of America. W. H. Dall.

### 6. Affording bird-lime:

33080. Giant slug (*Ariolimax columbianus*), affords a thick tenacious slime, which is used by the Indians to lime humming-birds. California to Alaska. H. Hemphill.

<sup>1</sup>The sea-ears and queen conchs are also largely used in Indian trade in a manufactured state.

## B. Injurious:

1. By destroying food-producing mollusks or shell fish, such as clams, mussels, oysters, and razor-fish:

32860. Ribbon whelk (*Fulgur carica*). Florida. T. A. Conrad.
32859. Reversed whelk (*Fulgur perversa*). Carolinas. Dr. Wm. Stimpson.
32861. Hairy whelk (*Sycotypus canaliculatus*). Vineyard Sound. Dr. Wm. Stimpson.
32864. Winged conch (*Strombus alatus*). Tampa Bay, Florida. T. A. Conrad.
32863. Thorny drill (*Hemifusus bicoronatus*). Tampa Bay, Florida. T. A. Conrad.
32835. Drill (*Urosalpius cinereus*). Florida to Massachusetts Bay. W. H. Dall.
32975. Drill. South Norwalk, Conn. Hoyt Bros.
32837. Periwinkle (*Purpura floridana*). Barataria Bay, La. Gustav Kohn.
32892. Sea-snail (*Lunatia Levisi*). Monterey, Cal. H. Hemphill.
32913. Sea-snail (*Neverita refulziana*). California. W. H. Dall.
27620. Sea-snail (*Neverita duplicata*). North Carolina. T. D. Kurtz.
32866. Sea-snail (*Lunatia heros*). Massachusetts Bay. C. B. Fuller.

2. Injurious by destroying vegetable substances and garden plants:

33088. Slug (*Limax Heustoki*). Oakland, Cal. H. Hemphill.

**Mollusca acephala.—BIVALVE SHELLFISH.**

## A. Producing food or used as bait.

\* *Oysters.*

1. Series illustrating distribution and geographical varieties:

***Ostrea virginica*, Gmelin.—EAST AMERICAN OYSTERS.**

32784. Northern variety (*O. borealis*, Lam.) Prince Edward's Island. J. W. Dawson.
32813. Nova Scotia. J. H. Willis.
32785. Shediae, New Brunswick. W. H. Dall.
33092. "Pourrier Bed." Shediae, New Brunswick. G. F. Mathew.
33093. "Buetonche." Kent County, New Brunswick. G. F. Mathew.
32783. Miramichi River, New Brunswick. W. H. Dall.
32977. Indigenous oyster, now extinct. Shell-heaps. Damariscotta, Maine. Robert Dixon.
32978. Ditto. Shell-heaps. Sheepscot River, Maine. Robert Dixon.
32810. Indigenous oyster (var. *borealis*). Buzzard's Bay, Mass. Dr. Wm. Stimpson.
32814. Specimens showing color-bands. Rhode Island. General Totten.

NOTE.—The following series of oysters from the vicinity of New York were furnished by Mr. B. J. M. Carley, oyster-dealer, of Fulton Market, New York, through Mr. E. G. Blackford:

32790. "Greenwich." Greenwich, Conn.
32777. "Blue Point." Long Island, New York.
32779. "Lloyd's Harbor." Long Island, New York.

32781. "Cow Bay." Long Island, New York.  
 32791. "Glenwood." Glenwood, Long Island, New York.  
 32812. "Cove." Long Island, New York.  
 32920. "City Island." Long Island Sound, New York.  
 32919. "Mill Pond." Cow Bay, Long Island, New York.  
 32778. "Shrewsburys." Shrewsbury River, New Jersey.  
 32915. "Egg Island." Three years old. Morris Cove, Delaware.  
 32788. "Chesapeake." Cristfield, Md. E. G. Blackford.  
 32976. Pokanoke, Virginia. E. G. Blackford.

NOTE.—The following series from the waters of Virginia and Maryland, all indigenous or "natural growths" as distinguished from "plants," were selected by Mr. G. W. Harvey, and furnished by Harvey & Holden, oyster-dealers of Washington, D. C.:

33096. "St. Jerome River." Maryland.  
 33097. "Deep Creek." Eastern shore of Maryland.  
 33098. "Tangier Sound." Chesapeake Bay.  
 33100. "Little River." Western shore of Maryland.  
 33099. "Point Lookout Creek." Virginia.  
 33101. "Naswaddox." Eastern shore of Virginia.  
 33095. "Rappahannock." Rappahannock River, Virginia.  
 33103. "York River." York River, Virginia.  
 33104. "Cherrystones." Chesapeake Bay.  
 33102. "Presby's Creek." Presby's Creek, Virginia.

The following series from Florida were furnished by Kossuth Niles, U. S. N.:

32805. "Appalachicola Bay." Appalachicola Bay, Florida.  
 32806. "Cat Point." Same locality.  
 32807. ——. Same locality.  
 32808. "Raccoon oysters." Appalachicola Bay, Florida.

The following series from the vicinity of New Orleans were selected by M. Zatarain, and furnished by W. Alex. Gordon, esq., of New Orleans, La.:

32800. "Timbalier Bay." Louisiana.  
 32801. "Southwest Pass." Louisiana.  
 32802. "Bayou Cook." Louisiana.  
 32803. "Four Bayous." Louisiana.  
 32804. "Grand Lake." Louisiana.

### **Ostrea turida, Cpr.—WEST COAST OYSTERS.**

32879. Natives. Crescent City, Cal. W. H. Dall.  
 32809. Natives. Shoalwater Bay, W. T. H. Hemphill.  
 32798. Natives. San Diego, Cal. H. Hemphill.  
 32798. Eastern oyster (*O. virginica*). Taken from Newark Bay, N. J., when a year old and planted in San Francisco Bay: showing two years' growth in California waters.

Extra limital:

32878. Fossil oyster from marine Tertiary beds near Vicksburg, Miss. Closely resembling the present English oyster.  
 32311. Fresh specimen. English oyster (*O. edulis*, Linn.). Introduced for comparison with the American fossil and recent oysters. North Sea. Dr. Wm. Stimpson.

## 2. Series illustrating culture and individual variations:

***Ostrea virginica*, Gmelin.—EAST AMERICAN OYSTERS.**

That portion of the series from South Norwalk, Conn., was furnished by Hoyt Bros. of that place, at the instance of James Richardson, esq. The portion of the series from the vicinity of New York was furnished by Mr. B. J. M. Carley through Mr. E. G. Blackford, of New York.

*a. Growth. 1-20 years old:*

- 32958. Young spat on various stools. South Norwalk, Conn.
- 32957. One year old. South Norwalk, Conn.
- 32967. Two to three years old. Natural growth. South Norwalk, Conn.
- 32968. Three to four years old. Natural growth. South Norwalk, Conn.
- 32965. "Cullers." Three to four years old. South Norwalk, Conn.
- 32962. Three years after transplantation. South Norwalk, Conn.
- 32964. "Box." Four to six years old. South Norwalk, Conn.
- 32916. "Cullers." Three years old. Vicinity of New York.
- 32918. "Single extra." Four years old. Vicinity of New York.
- 32776. "Double extra." Vicinity of New York.
- 32917. "Box." Three years old. Vicinity of New York.

*b. Peculiarities of form and growth:*

- 32959. "Pinched" oyster from muddy bottom. South Norwalk, Conn.
- 32930. Showing effect of transplanting the "pinched" from a muddy to a hard bottom. South Norwalk, Conn.
- 32787. Form caused by growing in a tideway. Vicinity of New York.
- 32786. Form caused by growing in still water. Vicinity of New York.
- 32974. Curious forms of shell. South Norwalk, Conn.
- 32782. Peculiar growth. Vicinity of New York.
- 32795. Specimens of peculiar form. Vicinity of New York.
- 32971. Natural growth on stone. South Norwalk, Conn.
- 32973. Natural growth on part of stone jug. South Norwalk, Conn.
- 32972. Natural growth on shells. South Norwalk, Conn.
- 32970. Natural growth on bottle. South Norwalk, Conn.
- 32969. Natural growth on crab. South Norwalk, Conn.
- 32780. Illustrating methods of attachment. Vicinity of New York.
- 32914. Blue Point "seed." Long Island, New York.
- 32789. Rosette of oysters. Vicinity of New York.
- 32792. Shell growing on *Mactra* shell. Vicinity of New York.
- 32794. "Seed" on old rubber boot. Vicinity of New York.
- 32793. "Seed" growing on stone. Vicinity of New York.
- 32895. "Seed" on rubber shoe. Vicinity of New York.
- 32894. "Seed" on bone. Vicinity of New York.
- 32797. "Seed" on bark. Vicinity of New York.
- 32796. "Seed" on leather shoe. Vicinity of New York.
- 32932. "Seed" on old boot-leg. Vicinity of New York.

*c. Enemies and parasites:*

- 32927. Specimens injured by whelk. South Norwalk, Conn.
- 32929. Specimens injured by hairy whelk. South Norwalk, Conn.

32928. Specimens perforated by "drill." South Norwalk, Conn.  
 32933a. Specimen injured by boring worm (an *Annelid*). South Norwalk, Conn.  
 32935. Specimens killed by star-fish. South Norwalk, Conn.  
 32933. Specimens showing ravages of *Ciona* or boring sponge. South Norwalk, Conn.  
 For commensal crab see Crustacea.  
 33092a. Lime derived from oyster shells. Use in medicine and as a fertilizer. Washington, D. C. W. H. Dall.

\*\*\* *Other bivalves.*

A. Affording or available for food or bait.

32857. Rock oyster (*Placunanaomia macroschisma*, Desh.). Alaska to California. W. H. Dall.  
 32873. Scallops (*Pecten irradians*, Lam.). Long Island Sound. Dr. Wm. Stimpson.  
 32868. Great scallop (*P. tenuicostatus*, Migh.). Coast of Maine. C. B. Fuller.  
 27523. Black mussel (*Mytilus edulis*, L.). Massachusetts Bay. Dr. Wm. Stimpson.  
 32857. Ditto. San Francisco Bay, California. H. Hemphill.  
 32845. Ditto. Monterey, Cal. H. Hemphill.  
 32849. Ditto. San Diego, Cal. H. Hemphill.  
 32875. Grooved mussel (*Modiola plicatula*, Lam.). Nahant, Mass. Dr. Wm. Stimpson.  
 32834. Ditto. (*Modiola*, sp.) Last Island, La. Gustav Kohn.  
 32858. Brown mussel (*M. capax*, Conr.). San Diego, Cal. H. Hemphill.  
 32876. Ditto. (*M. modiolus*, L.) Massachusetts Bay. Dr. Wm. Stimpson.  
 32897. Ditto. Massachusetts Bay. Dr. Wm. Stimpson.  
 —. Ditto. Castine, Me. A. R. Crittenden.  
 32871. Giant cockle (*Cardium magnum*, Birn.). Tampa Bay, Florida. T. A. Conrad.  
 32851. Egg cockle (*C. clatum*, Sby.). Guaymas, west coast Mexico. Dr. Palmer.  
 32853. Nuttall's cockle (*C. nuttallii*, Con.). Baulinas, Cal. H. Hemphill.  
 32891. Ditto. Alaska. W. H. Dall.  
 32872. "Red edge" (*Codakia tigrinna*, L.). Florida. Dr. Wm. Stimpson.  
 32877. Quahog—round clam (*V. mercenaria*, L.). Maine to Florida.  
 32862. Ditto. (Var. *mortoni*.) Maine to Florida. Dr. Stimpson.  
 32893. Ditto. Providence River, Rhode Island. Benj. Davis.  
 32849. Ditto. "Sumbnosed" var. Fire Island. B. J. M. Carley.  
 32817. Ditto. Elongated var. Rockaway, N. J. B. J. M. Carley.  
 32838. Ditto. Barataria Bay, La. Gustav Kohn.  
 32818. Ditto. Deformed specimens. Long Island Sound. B. J. M. Carley.  
 —. Ditto. Specimens of shell polished. Jas. T. Ames.  
 32889. "Hen clam" (*Pachyderma crassatelloides*, Con.). California. W. H. Dall.  
 32843. "Round clams" (*Saxidomus aratus*, Gld.). San Diego, Cal. H. Hemphill.  
 32867. "Painted clam" (*Callista gigantea*, Ch.). South Carolina.  
 32841. "Little Neck clams" (*Chione succinata*, Val.). San Diego, Cal. H. Hemphill.  
 32842. Ditto. (*C. simillima*, Sby.). San Diego, Cal. H. Hemphill.

32846. Ditto. (*Tapes lucinata*, Cpr.). San Diego, Cal. H. Hemphill.  
 32854. Ditto. (*T. staminea*, Conr.). Baulinas, Cal. H. Hemphill.  
 32844. Ditto. Tomales Bay, Cal. H. Hemphill.  
 32859. "Hen clam" (*Mactra solidissima*, Ch.). Massachusetts Bay. W. H. Dall.  
 32870. Ditto. Shells utilized for catch-alls. Newport, R. I. N. C. Peterson.  
 32888. Ditto. (*M. falcata*, Gld.). Alaska to California. W. H. Dall.  
 32826. "Gapers" (*Schizotharvs nuttalli*, Con.). Oregon. J. G. Swan.  
 32852. Ditto. Baulinas, Cal. H. Hemphill.  
 32874. Salmon tellen (*Macoma*, sp.). Florida. T. A. Conrad.  
 32848. "Tellens" (*M. nasuta*, Conr.). San Francisco markets. H. Hemphill.  
 32847. "Flat clam" (*Semele decisa*, Cpr.). San Diego, Cal. H. Hemphill.  
 32909. "Razor-fish" (*Solen ensis*, L.). Cow Bay, New York. B. J. M. Carley.  
 32881. Ditto. (*Siliqua patula*, Dixon.) Alaska to California. W. H. Dall.  
 32955. "Soft-shelled clams" (*Mya arenaria*, L.). Cape Cod, Mass. E. G. Blackford.  
 32829. Ditto. Oyster Bay, L. I. E. G. Blackford.  
 32833. Ditto. Accidentally transplanted with young oysters to San Francisco Bay, where it now abounds greatly. Oakland, Cal. H. Hemphill.  
 33094. Ditto. Bay of Fundy, N. S. G. F. Mathew.  
 32850. Date-fish (*Platyodon cancellatus*, L.). Baulinas Bay, Cal. H. Hemphill.  
 32856. Ditto. (*Zirphava crispata*, L.). Baulinas, Cal. H. Hemphill.

**B. Useful or ornamental bivalves other than those affording food:**

*a. Pearl-producing.*

*1. River mussels:*

- 26092a. River mussel affording pearl-shell, illustrating application of raw material. Cincinnati, Ohio. D. H. Shaffer.  
 26092. Carvings, from pearl-shell afforded by river mussels, for use as studs, buttons, pins, brooches, &c. Cincinnati, Ohio. D. H. Shaffer.  
 26092b. Pearls derived from river mussels. Cincinnati, Ohio. D. H. Shaffer.  
 —. A series of river mussels of various species, one valve polished, the other in its original condition in each case. Chicopee, Mass. Jas. T. Ames.  
 25986 to 26010. Another series, both valves polished, from Dr. C. A. Miller, Cincinnati, Ohio, comprising the following species:

*Unio rugosus*, Barnes.  
*alatus*, Say.  
*ornatus*, Lea.  
*verrucosus*, Barnes.  
*gibbosus*, Barnes.  
*rectus*, Lam.  
*cylindricus*, Say.  
*pyramidatus*, Lea.  
*tuberculatus*, Barnes.  
*siliquoides*, Barnes.  
*circulus*, Lea.  
*anodontoides*, Lea.  
*pustulosus*, Lea.  
*cuncatus*, Barnes, &c., &c.

**2. Marine pearl-shells:**

13507. American pearl-oyster (*M. fimbriata*). Panama. Col. Jewett.  
 3624. Ditto. Illustrating formation of pearls. Panama. Col. Jewett.  
 32536. Ditto. Gulf of California. J. Xantus.  
 —. Ditto. Polished shell. Chicopee, Mass. Jas. T. Ames.  
 32921. Ditto. Made into artificial fish-bait. Boston, Mass. Bradford & Anthony.  
 32922. Ditto. Made into artificial minnow. Boston, Mass. Bradford & Anthony.  
 —. Series of buttons, studs, stopper-caps, &c. Manufactured from, and showing application of American pearl-oyster shell. Furnished by A. B. De Freece & Co., 425 Broadway, New York.

**b. Otherwise useful:**

32869. "Hen clam" (*Mactra solidissima*, Ch.). Shell used for scoops, milk-skimmers, and boat-bailers. Painted inside and used for catch-alls.  
 29527. Basket. Made from Florida shells. E. F. Gilbert, Jacksonville, Fla.  
 22210. Basket. Made from Florida shells. Mrs. C. E. Mott, Jacksonville, Fla.  
 22209. Frame. Made from Florida sea-shells. Mrs. C. E. Mott, Jacksonville, Fla.  
 22211. Easter Cross. Made from Florida shells. Mrs. C. E. Mott, Jacksonville, Fla.  
 29526. Shell flowers. Made from Florida shells. E. F. Gilbert, Jacksonville, Fla.  
 26595. "Coquina." Miscellaneous species broken up and cemented by surf action into a natural conglomerate, used for building stone or for making a superior kind of lime. Saint Augustine, Fla. G. Browne Goode.  
 32839. "Cuneate clam" (*Gnathodon cuneatus*). Used largely for bait. Natural condition. Lake Pontchartrain, La. Gustav Kohn.  
 32840. Ditto. Semi-fossil (in shell-heaps), used for macadamizing roads. Lake Salvador, La. Gustav Kohn.

**C. Injurious bivalves:****a. Destroying submerged timber:****Specimens of wood showing ravages:**

32982. Ship-worm (*Teredo* sp.). Bangor, Me. (Brig H. B. Emory.) C. H. Parker.  
 32908. Ditto. In lignumvitæ wood. Gloucester, Mass. Samuel Elwell, Jr.  
 33106. Ditto. (*Teredo chlorotica*, Gld.) Wood's Holl, Mass. Vinal N. Edwards.  
 33105. Ditto. (*Xylotrya fimbriata*, Jeffr.) Wood's Holl, Mass. Vinal N. Edwards.  
 32984. Ditto. (*Teredo naralis?* L.) New Haven, Conn. A. E. Verrill.  
 32902. Ditto. (*Teredo* sp.) Showing damage effected in white-pine wood in one year. Pier 44, North River, N. Y. W. T. Pelton.  
 32901. Ditto. Showing damage to hard-pine wood effected in one year. Charleston, S. C. W. T. Pelton.  
 32983. Ditto. Schooner Carrie Melvin; done in 6 weeks. Charleston, S. C. A. G. Hunt.

32815. Ship-worm. (*Teredo* sp.). Gulf coast. Dewey.  
 32816. Ditto. Showing lining of tubes. Texas. Dr. Schott.  
 19405. Ditto. (*Xylotrya* sp.) Coast of Oregon. J. G. Swan.

#### D. Prepared foods:

\* Specimens of various brands of canned, preserved, and pickled shell-fish in manufacturers' packages:

26579. Pickled oysters (*Ostrea virginica*). Blue Point. B. J. M. Carley.  
 26581. Pickled oysters (*Ostrea virginica*). Saddle Rocks. B. J. M. Carley, New York.  
 25835. Fresh Cove oysters (*Ostrea virginica*). Kemp, Day & Co., New York.  
 25844-54. Fresh Cove oysters (*Ostrea virginica*). Kemp, Day & Co., New York.  
 25861-3. Spiced Cove oysters (*Ostrea virginica*), hermetically sealed. Kemp, Day & Co., New York.  
 26577. Pickled Little Neck clams (*Mya arenaria*). B. J. M. Carley.  
 26582. Pickled clams (*Venus mercenaria*). "Cow Bay." B. J. M. Carley.  
 26642. The Farmers' Old Orchard Beach clams (Little Necks, star brand). Portland Packing Company, Portland, Me.  
 26575. Pickled scallops (*Pecten irradians*). Oyster Bay. B. J. M. Carley.  
 26580. Pickled mussels (*Mytilus edulis*). East River, N. Y. B. J. M. Carley, New York.  
 25873. Seabrook Beach clams (*Venus mercenaria*). Put up by Burnham & Morrill, Portland, Me. Kemp, Day & Co., New York.  
 25864-6. Orchard Beach clams (*Venus mercenaria*). Kemp, Day & Co., New York.  
 25867-9. Little Neck clams (*Mya arenaria*). Kemp, Day & Co., New York.  
 25870-2. Little Neck clams (*Mya arenaria*). Put up by Bogart & Co., New York. Kemp, Day & Co., New York.  
 24925. Little Neck clams (*Mya arenaria*). Wm. Underwood & Co., Boston, Mass.  
 22235-6. Pickled Little Neck clams (*Mya arenaria*). Penobscot Bay. Castine Packing Company, Castine, Me.  
 26752. Alden's granulated clams. Prepared by Alden Sea-Food Company. Sold by Lyon Manufacturing Company, New York. Presented by E. G. Blackford, New York.  
 26753. Alden's granulated and concentrated clams (paper boxes). Prepared by Alden Sea-Food Company. Sold by Lyon Manufacturing Company, N. Y. Presented by E. G. Blackford, New York.

\*\* Otherwise prepared.

5672. Dried siphons of *Schizothearns Nuttalli*. Prepared by the Puget Sound Indians, Wash. Ter. Dr. J. G. Suckley, U. S. Army.

#### CRUSTACEA.

#### **Crustacea phyllopoda.**

A. Useful; converted into fertilizers; carapax used as a scoop or boat-bailer:

2222. King crab, Horseshoe (*Limulus polyphemus*). Florida. F. B. Meek.  
 2223. Ditto. Male and female. Cape May C. H., New Jersey. Thos. Beesley.  
 2223. Ditto. Product "cancerine," prepared fertilizer. Cape May C. H., New Jersey. Thos. Beesley.

**Crustacea isopoda.**

- A. Useful; by removing wrecks or snags.
- B. Injurious; by destroying submerged timber.

2286. Wood-eater (*Linnoria lignorum*, White). San Diego, Cal. H. Hemphill.

2254. Ditto. New Haven, Conn. A. E. Verrill.

*a.* Wood showing ravages:

2240. Eastport, Me. U. S. Fish Commission.

2290. Wood's Holl, Mass. Vinal N. Edwards.

2221. San Diego, Cal. H. Hemphill.

**Crustacea stomatopoda.**

Available for food:

2253. Squill (*Squilla empusa*, Say). Long Island Sound. U. S. Fish Commission.

2262. Southern squill (*Coronis glabriuscula*, Stm.). Galveston, Texas. M. Wallace.

**Crustacea decapoda.—LOBSTERS, SHRIMP, CRAWFISH, CRABS.**

- A. Useful; food-supplying:

2263. River shrimp (*Palamon* sp.). New Orleans, La. Gustav Kohn.

2264. Ditto. (*Pal. ohionis*, Smith.) New Orleans, La. Gustav Kohn.

2269. Ditto. (*Palmon?*) Isthmus of Panama. Dr. Bransford.

2252. Sea shrimp (*Palamouetes vulgaris*, Stm.). Long Island Sound. U. S. Fish Commission.

2211. Shrimp (*Pandalus Danae*, Stm.), as dried for export by Californian Chinese. San Francisco, Cal. H. Hemphill.

2220. Ditto. (*Hippolyte brevirostris*, Dana.) San Francisco, Cal. H. Hemphill.

2219. Ditto. (*Crangon franciscorum*, Stm.) San Francisco, Cal. H. Hemphill.

2251. Ditto. (*Crangon vulgaris*, Fbr.) New England coast. U. S. Fish Commission.

2267. River crawfish (*Istacus oregonensis*, Nutt.). California. J. R. Scupham.

2261. Ditto. (*Cambarus Clarkii*, Gir.) New Orleans, La. Gustav Kohn.

2265. Ecrevisse (*Cambarus affinis*, Er.). Potomac River, Va. J. W. Milner.

2280. Lobster (*Homarus americanus*, Edw.). New York. E. G. Blackford.

2250. Ditto. Series showing young stages. Vineyard Sound, Mass. U. S. Fish Commission.

2241. Ditto. Young specimens, dry. Massachusetts Bay. U. S. Fish Commission.

2242. Ditto. Claws of extraordinary size. Massachusetts Bay. Amos Lawrence.

2243. Ditto. Remarkably abnormal claws. Newport, R. I. J. H. Clarke.

2244. Ditto. Noank, Conn. T. & E. H. Potter.

—. Pinocchio, showing application of lobster-claws. Wellfleet, Mass. Miss Angelia Stone.

2215. Prawn; sea crawfish (*Panulirus interruptus*, Ran.). Santa Barbara Channel, Cal. H. Hemphill.

2248. Crab (*Platyonichus ocellatus*, Latr.). Vineyard Sound, Mass. U. S. Fish Commission.
2256. Ditto. (*Panopeus Herbstii*, Edw.) New Orleans, La. Gustav Kohn.
2247. Ditto. (*Carcinus manas*, Leach.) New Haven, Conn. A. E. Verrill.
2243. "Soft-shelled" (in certain stages only) crab (*Callinectes hastatus*, Say). Vineyard Sound, Mass. U. S. Fish Commission.
2249. Ditto. Long Island Sound. U. S. Fish Commission.
2218. Kelp-crab (*Epithus productus*, Randall). Monterey, Cal. H. Hemphill.
2244. Crab (*Cancer borealis*, St.). Casco Bay, Maine. U. S. Fish Commission.
2242. Common crab (*Cancer irroratus*, Say). Casco Bay, Maine. U. S. Fish Commission.
2245. Ditto. Vineyard Sound, Mass. U. S. Fish Commission.
2217. Scalloped crab (*Cancer antennarius*, Stm.). San Francisco, Cal. H. Hemphill.
2216. Market crab (*Cancer magister*, Dana). San Francisco, Cal. H. Hemphill.

#### B. Commensal with other food supplies:

2266. Oyster-crab (*Pinnotheres ostreum*, Say). Commensal with all southern oysters and with northern-oysters in northern rivers where the southern oysters have been long planted. New York. E. G. Blackford.
2272. Ditto. Commensal on the western coast with *Pachydesma* and *Mytilus californianus*. San Diego, Cal. H. Hemphill.

#### C. Injurious by burrowing into and weakening levees and dams:

2261. Crawfish (*Cambarus Clarkii*, Gir. and most other species). New Orleans, La. Gustav Kohn.
2259. Fiddler-crab (*Gelasimus pugnax*, Smith). New Orleans, La. Gustav Kohn.

#### D. Prepared foods:

##### Canned lobster and crabs in manufacturers' packages:

- 25836-43. Canned lobster (*Homarus americanus*). Kemp, Day & Co., New York.
22237. Canned lobster (*Homarus americanus*). Castine, Me. Castine Packing Company.
26643. Fresh star-lobster (star brand). Portland Packing Company, Portland, Me.
26651. Fresh star-lobster (star brand). Portland Packing Company, Portland, Me.
24926. Fresh lobster (*Homarus americanus*). Wm. Underwood & Co., Boston, Mass.
25834. Canned lobster (*Homarus americanus*). Kemp, Day & Co., New York.
24933. Original deviled lobster (*Homarus americanus*). Wm. Underwood & Co., Boston, Mass.
26578. Pickled lobsters (*Homarus americanus*). Cape Cod. B. J. M. Carley, New York.
26576. Pickled prawns. Savannah, Ga. B. J. M. Carley.

**Cirripedia.**

## Injurious:

- a. By dulling the edge of knives and spades employed in "cutting in" whale blubber:
3270. Whale barnacle (*Coronula diadema*, Lam.) on dried skin of "hump-back" whale. New England coast. U. S. Fish Commission.
- b. By obstructing the progression of vessels upon which they affix themselves:
3271. Barnacles (*Balanus rugatus*, &c.). California. H. Hemphill.

**ANNULOSA.****Annelida.—WORMS AND LEECHES.**

## A. Useful:

## 1. In surgery and medicine:

3226. Leech (*Macrobdella decora*, Verrill). New Haven, Conn. A. E. Verrill.
3227. Ditto. (*Macrobdella* sp.) Mountain Lake, Cal. H. Hemphill.
2. For bait in fishing:
3228. Earthworm (*Lumbricus terrestris*, L.). Washington, D. C. W. Palmer.
3229. Sea-worm (*Nereis* sp.?). San Francisco, Cal. H. Hemphill.
3. For food:

19713. Dried worms (*Ephydria* sp.). Prepared for food by the Monachee Pi-Ute Indians. Owen's Lake, Cal. Stephen Powers.
19714. Dried worms. Used in making soup by the Monachee Pi-Ute Indians. Owen's Lake, Cal. Stephen Powers.

## B. Injurious:

## 1. By boring into and destroying oyster-shells:

- 32963a. Oyster-shell, showing ravages (of *Heteronereis*?). South Norwalk, Conn. Hoyt Brothers.
- NOTE.—Insects and larvæ, commonly called worms, affecting chiefly agricultural interests, are not here included.

**RADIATA.****Radiates.—SEA-URCHINS, STARFISH, CORALS, MEDUSÆ, ETC.**

N. B. Strictly ornamental corals and gorgonias, having no special useful application, have, for the same reasons which necessitated the exclusion of the solely ornamental shells, been here omitted.

## A. Useful:

## 1. Food-producing:

3226. Trepang; Beeche-de-mer (*Holothuria* sp.?). San Diego, Cal. H. Hemphill.

3212. Sea-urchin (*Strongylocentrotus drabachicus*). New England coast.  
U. S. Fish Commission.
3146. Ditto. (*Toxopneustes* sp.) Southern United States. Dr. William Stimpson.
3145. Ditto. (*T. franciscorum*, Ag.) Alaska to California. F. Bischoff.

### B. Injurious:

#### 1. Destroying oysters, clams, &c.:

3214. Starfish (*Asterias vulgaris*, Stm.). Portland, Me. U. S. Fish Commission.
3149. Ditto. (*Ast. arenicola*, Stm.) Massachusetts Bay. Dr. William Stimpson.
3213. Ditto. Long Island Sound. U. S. Fish Commission.
3150. Ditto. South Norwalk, Conn. Hoyt Brothers.
3151. Ditto. In act of destroying oysters. South Norwalk, Conn. Hoyt Brothers.

#### 2. By their urticating powers annoying bathers and "fouling" nets and fishing lines with slime—various *Aealephs*.

### PROTOZOA.

## Protozoans.—SPONGES, ETC.

### Useful:

1. For conveyance of fluids requiring an elastic and temporary menstruum, and as a detergent:
3210. Sponge (on bougie). Boston, Mass. J. A. Levey.
- 3206-9. Sponge (*Spongia barbara*, D. & M.). Florida Keys and Bahamas. Isaacs & Co., sponge-dealers, New York.
3205. Ditto. (*Spongia graminea*, Hyatt). (Prepared by cleansing for use.) Key West. Boston Soc. Nat. Hist.
- 3203-4. Ditto. (Dried in natural condition.) Key West. Boston Soc. Nat. Hist.
- 3152-3. } 3167. } Ditto. (*S. dura*, var. *densa*, Hyatt.) Florida Keys. Isaacs & Co.
- 3154-66. Ditto. (*S. dura*, var. *gravida*, Hyatt.) Florida Keys. Isaacs & Co.
3172. Ditto. Dried in natural state. (*Aplysina aurea*, Hyatt.) Bahamas. Boston Soc. Nat. Hist.
- 3168-71. Ditto. (Cleansed.) (*S. dura*, var. *punctata*, Hyatt.) Florida Keys. Isaacs & Co.
3177. Ditto. (Dried in natural state.) (*S. cerebriformis*, Hyatt.) Key West. Boston Soc. Nat. Hist.
- 3173-76. Ditto. (Cleansed.) Key West and Bahamas. Isaacs & Co.
- 3178-9. Ditto. (*S. tubulifera*, Lam.). Florida and Bahamas. Isaacs & Co.
- 3180-85. Ditto. (*S. tubulifera*, var. *rotunda*, Hyatt.) Florida Keys and Bahamas. Isaacs & Co.
3186. Ditto. (Dried in natural condition.) Florida Keys. Boston Soc. Nat. Hist.

- 3189-90. Ditto. (Cleansed.) (*S. tabulifera*, var. *disciformis*, Hyatt.) Florida Keys and Bahamas. Isaacs & Co.
- 3192-96. Ditto. (*S. gossypina*, D. & M., var. *hirsuta*.) Florida Keys and Bahamas. Isaacs & Co.
3197. Ditto. (*S. gossypina*, var. *dendritica*.) Florida Keys and Bahamas. Isaacs & Co.
- 3198-3202. Ditto. (*S. gossypina*; var. *porosa*.) Florida Keys and Bahamas. Isaacs & Co.

## 2. Useful as an elastic medium or absorbent:

- 3213a. Sponge prepared for use as lint in surgery. Wm. B. Moses, Washington, D. C.
3211. Ditto. For stuffing cushions and packing. Florida. Jas. Richardson.
- 3212a. Ditto. Prepared for stuffing cushions, mattresses, &c. Florida. Wm. B. Moses, Washington, D. C.

## Injurious:

### 1. By destroying oysters:

3215. Boring sponge (*Cliona sulphurea*, Verrill). Mature form, after oyster-shell has disintegrated. Vineyard Sound, Mass. U. S. Fish Commission.
32979. Boring sponge. Shells of Pecten showing ravages. Castine, Me. A. R. Crittenden.
32980. Ditto. Castine, Me. L. J. Heath.
32820. Ditto. Showing effect on oyster-shell. New York Bay. B. J. M. Carley.
3147. Ditto. Showing various stages in shell. Shrewsbury River, N. J. B. J. M. Carley.

## Rhizopods.

Useful; the fossil forms being largely employed as a polishing powder under the name of "Tripoli" or "infusorial earth"; as a menstruum for nitro-glycerine, in the manufacture of dynamite and other explosives; and also in the manufacture of "stone china" and pottery. The valuable quality in nearly all cases is the contained silica.

## MISCELLANEOUS PRODUCTS OF SEA OR SHORE, NOT OF AN ANIMAL NATURE.

## Plants:

### a. Lichens:

29316. Orchilla (*Roccella tinctoria*), in its natural condition as gathered from rocks and branches of plants. West coast of North America. W. A. Ross & Bro., New York.
29313. "Archil liquor," derived from Orchilla, and extensively used as a dye-stuff. West coast of North America. W. A. Ross & Bro., New York.

29314. "Cudbear." Product of a lichen (*Lecanora*), extensively applied as a dye-stuff. Western coast of North America. W. A. Ross & Bro., New York.

*b. Algæ:*

1. Having economical applications:

\*Available as food.

- . Irish moss (*Chondrus crispus*, L.), affording gelatine. New England coast. Dr. W. G. Farlow.
- . Western dulse (*Schizymenia edulis*, Ag.). West coast United States. Rev. E. Hall.
- . Dulse (*Rhodymenia palmata*, Grev.), used for food. New England coast. Dr. W. G. Farlow.
- . Laver (*Porphyra vulgaris*, Ag.), used for food. New England coast. Dr. W. G. Farlow.
- . Badderlocks (*Alaria esculenta*, Grev.). Available for food. Cape Cod northward.

\*\*Employed in the manufacture of fertilizers, iodine and bromine, or "artificial staghorn" (*Laminaria*) articles.

- . Rockweed (*Fucus vesiculosus*, L. & C.). New England coast. Dr. W. G. Farlow.
- . Bull-head kelp (*Nereocystis Lütkeana*, P. & M.). Stems made by Indians into fishing-lines. Northwest coast of America. W. H. Dall.
- . Specimens of lines made of this material. [See ethnological and fishing-implement series.]
- 29373. Devil's apron (*Laminaria digitata*), dried stems for making "tents." Newfoundland. Dr. E. R. Squibb.
- 29373a. "Sponge tents" used in surgery, made from dried *Laminaria* stems.
- 29373b. Paper-knife, made of "artificial staghorn" or dried *Laminaria (longieruris)*, by J. H. Batchelder, Cambridge, Mass.

2. Ornamental algæ:

The following series, prepared by Dr. W. G. Farlow, comprises specimens collected by Mr. F. W. Hooper and Dr. Palmer, at Key West; by Dr. Farlow on the New England coast; by Prof. D. C. Eaton from various sources; by A. R. Young, at New York; Mrs. A. S. Davis, at Cape Ann; Mrs. Beebe, at Gloucester, Mass.; Mrs. B. D. Halstead, at Swampscott; Mr. H. Averill, at New York; Dr. L. R. Gibbes, in South Carolina; Miss M. A. Booth, at Orient, L. I.; and from California and Oregon by Dr. C. L. Anderson, Capt. I. Stratton, Rev. E. Hall, Mr. H. Hemphill, D. Cleveland, and Mr. W. H. Dall:

AMANSIA MULTIFIDA, Link. Key West.

DASYA GIBBESII, Harv. Key West.

DASYA ELEGANS, Ag. Chenille. Cape Cod.

DASYA RAMOSISSIMA, Harv. Key West.

DASYA HARVEYI, Ashmead. Key West.

DASYA MOLLIS, Harv. Key West.

DASYA MUCRONATA, Harv. Key West.

DASYA WURDEMANNI, Bailey. Key West.

DASYA CALLITHAMNION, Harv. San Diego.

- DASYA TUMANOWICZI, Gatty. Key West.  
 DASYA LOPHOCLADOS, Mont. Key West.  
 DASYA PLUMOSA, Bail. and Harv. Santa Cruz, Cal.  
 BOSTRYCHIA MONTAGNEI, Harv. Key West.  
 BOSTRYCHIA CALAMISTRATA, Mont. Key West.  
 BOSTRYCHIA MORITZIANA, Mont. Florida.  
 POLYSIPHONIA URCEOLOTA, Grev. Nahant, Mass. Var. *formosa*, New England.  
 POLYSIPHONIA HAVANENSIS, Mont. Var. *Binneyi*, Ag., Key West.  
 POLYSIPHONIA FERULACEA, Ag. Key West.  
 POLYSIPHONIA OLNEYI, Harv. *Dough-balls*. Long Island Sound.  
 POLYSIPHONIA HARVEYI, Bail. *Nigger-hair*. Wood's Holl, Mass.  
 POLYSIPHONIA ELONGATA, Grev. *Lobster-claws*. Gay Head, Mass.  
 POLYSIPHONIA VIOLENCEA, Grev. Wood's Holl, Mass.  
 POLYSIPHONIA FIBRILLOSA, Grev. Wood's Holl, Mass.  
 POLYSIPHONIA VARIEGATA, Ag. Wood's Holl, Mass.  
 POLYSIPHONIA PENNATA, Ag. California.  
 POLYSIPHONIA PARASITICA, Grev. California. Var. *dendroidea*, Ag., California.  
 POLYSIPHONIA BAILEYI, Ag. Pacific coast.  
 POLYSIPHONIA PECTEN-VENERIS, Harv. Florida.  
 POLYSIPHONIA ATRORUBESCENS, Grev. Wood's Holl, Mass.  
 POLYSIPHONIA BIPINNATA, Post. and Rupr. West coast.  
 POLYSIPHONIA WOODII, Harv. West coast.  
 POLYSIPHONIA NIGRESCENS, Grev.  
 POLYSIPHONIA FASTIGIATA, Grev. Nahant, Mass.  
 ODONTHALIA ALEUTICA, Ag. Oregon.  
 ODONTHALIA LYALLII, Harv. Necah Bay, W. T.  
 RIHOMELA LARIX, Ag. California.  
 RIHOMELA FLOCCOSA, Ag. Aleutian Islands.  
 RIHOMELA SUBFUSCA, Ag. Gloucester, Mass. Var. *gracilis*, same limits.  
 Var. *Rochei*, Long Island Sound.  
 DIGENIA SIMPLEX, Ag. Key West.  
 BRYOTHAMNION TRIANGULARE, Ag. Key West.  
 BRYOTHAMNION SEAPORTII, Ag. Florida.  
 ALSIDIUM BLODGETTI, Harv. Key West, Fla.  
 ACANTHOPHORA THIERII, Linx. Florida to Brazil; Pacific Ocean.  
 ACANTHOPHORA MUSCOIDES, Ag. Florida.  
 CHONDRIA DASYPHYLLA, Ag. Cape Cod.  
 CHONDRIA STRIOLATA, Ag. (*C. Baileyana*, Mont.) Cape Cod.  
 CHONDRIA TENUISSIMA, Ag. Wood's Holl, Mass.  
 CHONDRIA LITTORALIS, Harv. Wood's Holl, Mass.  
 CHONDRIA ATROPURPUREA, Harv. Key West, Fla.  
 LAURENCIA PINNATIFIDA, Linx. *Pepper-dulse*. California.  
 LAURENCIA VIRGATA, Ag. California.  
 LAURENCIA OBTUSA, Linx. Florida.  
 LAURENCIA IMPLICATA, Ag. Key West.  
 LAURENCIA CERVICORNIS, Harv. Key West; San Diego, Cal.  
 LAURENCIA GEMMIFERA, Harv. Florida.  
 LAURENCIA PAPILLOSA, Grev. Florida.  
 LAURENCIA PANICULATA, Ag. San Diego, Cal.  
 CHYLOCLOADIA OVALIS, Hook. (*Lomentaria*, Endl.) California.  
 GRINNELLIA AMERICANA, Harv. Wood's Holl, Mass.  
 DELPESSERIA SINUOSA, Linx. Gloucester, Mass.  
 DELPESSERIA QUIRCIFOLIA, Bory. California.

- DELESSERIA ALATA, Linx. Gloucester, Mass.  
 DELESSERIA HYPOGLOSSUM, Linx. Chleston, S. C.  
 DELESSERIA TENUIFOLIA, Harv. Key West.  
 DELESERIA INVOLVENS, Harv. Key West.  
 DELESSERIA LEPRIEURII, Mont. New York.  
 DELESSERIA DECIPiens, Ag. West coast. Necah Bay, W. T.  
 NITOPHYLLUM PUNCTATUM, var. *ocellatum*, Grev. Key West.  
 NITOPHYLLUM SPECTABILE, Eaton, mss. California.  
 NITOPHYLLUM LACERATUM, Grev. California.  
 NITOPHYLLUM LATISSIMUM, Ag. California.  
 NITOPHYLLUM AREOLATUM, Eaton, mss. California.  
 NITOPHYLLUM (NEUROGLOSSUM) ANDERSONII, Ag. California.  
 NITOPHYLLUM RUPRECHTIANUM, Ag. West coast.  
 CALLIBLEPHARIS CILIATA, Kütz. Cape Ann, Mass.  
 GRACILARIA MULTIPARTITA, Ag. Var. *angustissima*, Harv. New York.  
 GRACILARIA CERVICORNIS, Ag. Key West.  
 GRACILARIA CONFEROIDES, Grev. Florida; California.  
 GRACILARIA ARMATA, Ag. Key West.  
 CORALLINA OFFICINALIS, L. Cape Ann.  
 CORALLINA SQUAMATA, Ellis and Sol. San Diego, California.  
 JANIA RUBENS, Linx. San Diego, California.  
 JANIA CAPILLACEA, Harv. Key West.  
 AMPHIROA FRAGILLISSIMA, Linx. Florida.  
 AMPHIROA NODULOSA, Kütz. Florida.  
 AMPHIROA DEBILIS, Kütz. Florida.  
 AMPHIROA CALIFORNICA, Decaisne. West coast.  
 MELOBESIA FARINOSA, Linx. East coast.  
 MELOBESIA PUSTULATA, Linx. Wood's Holl, Mass.  
 LITHOTHAMNION POLYMORPHUM, Aresch. Eastport, Me.  
 HILDENBRANDTIA ROSEA, Kütz. Eastport, Me.  
 GELIDIUM CORNEUM, Linx. Florida; New Haven, Conn.  
 GELIDIUM CARTILAGINEUM, Grev. San Diego, Cal.  
 GELIDIUM COULTERI, Harv. California.  
 WURDEMANNIA SETACEA, Harv. Key West.  
 EUCHEUMA ISIFORME, Ag. Key West.  
 EUCHEUMA? ACANTHOCLADUM, Ag. (*Chrysymenia*, Harv.). Key West.  
 HYPNEA MUSCIFORMIS, Linx. Wood's Holl, Mass.  
 HYPNEA CORNUTA, Ag. Key West.  
 RHODYMENIA PALMATA, Grev. Common dulse. Swampscott, Mass.  
 RHODYMENIA PALMETTA, Grev. California.  
 RHODYMENIA CORALLINA, Grev. California.  
 EUTHORA CRISTATA, Ag. Gloucester, Mass.  
 PLOCAMUM COCCINEUM, Lyngb. Var. *flexuosum*. West coast.  
 STENOGRAMMA INTERRUPTA, Mont. California.  
 PIKEA CALIFORNICA, Harv. California.  
 CHAMPIA PARVULA, Harv. Noank, Conn.  
 LOMENTARIA BAILEYANA, Farlow (*Chylocladia*, Harv.). New York Bay.  
 LOMENTARIA ROSEA, Thuret. Gay Head, Mass.  
 RHABDONIA TENERA, Ag. (*Solieria chordalis*, Harv.) Wood's Holl, Mass.  
 RHABDONIA COULTERI, Harv. California.  
 CORDYLOCLADIA CONFERTA, Ag. San Diego, Cal.  
 POLYIDES ROTUNDUS, Ag. Cape Ann, Mass.  
 PEYSSONNELIA ATRO-PURPUREA, Crouan?. Key West.  
 NEMALION MULTIFIDUM, Ag. Watch Hill, R. I.  
 SCINAIA FURCELLATA, Bivon. Gay Head, Mass.

- LIAGORA VALIDA, Harv. Florida.  
 LIAGORA PINNATA, Harv. Florida.  
 LIAGORA PULVERULENTA, Ag. Key West.  
 WRANGELIA PENICILLATA, Ag. Key West.  
 PHYLLOPHORA BRODLEI, Ag. Long Island Sound.  
 PHYLLOPHORA MEMBRANIFOLIA, Ag. Long Island Sound.  
 GYMNOGONGRUS NORVEGICUS, Ag. (inc. *G. Torreyi*, Ag.). Peak's Island, Me.  
 GYMNOGONGRUS TENUIS, Ag. California.  
 GYMNOGONGRUS GRIFFITHSII, Ag. California.  
 GYMNOGONGRUS LINEARIS, Ag. California.  
 AHNFELTIA GIGARTINOIDES, Ag. West coast.  
 AHNFELTIA PLICATA, Fr. Cape Ann, Mass.  
 CYSTOCLONIUM PURPURASCENS, Kütz. Block Island, New York.  
 CALLOPHYLLIS VARIEGATA, Ag. California.  
 CALLOPHYLLIS OBTUSIFOLIA, Ag. San Diego, Cal.  
 CALLOPHYLLIS DISCIGERA, Ag. California.  
 GIGARTINA ACICULARIS, Linx. Florida.  
 GIGARTINA CANALICULATA, Harv. West coast.  
 GIGARTINA MAMILLOSA, Ag. Portland, Me.; Santa Cruz, Cal.  
 GIGARTINA MICROPHYLLA, Harv., and var. *horrida*. California.  
 GIGARTINA RADULA, Ag. West coast.  
 CIONDRUS CRISPUS, Lyngb. Irish moss. Cape Ann, Mass. Very common.  
 CIONDRUS AFFINIS, Harv. California.  
 IRIDEA LAMINARIOIDES, Bory. (including *Iridaea minor* and *Iridaea dichotoma*).  
     West coast.  
 ENDOCLADIA MURICATA, Ag. West coast.  
 CRYPTONEMIA CRENULATA, Ag. Key West.  
 CHIRYSY MENIA HALYMENTOIDES, Harv. Key West.  
 CHIRYSY MENIA UVARIA, Ag. Key West.  
 HALYMENTIA LIGULATA, Ag. Var. *Californica*; Santa Cruz, Cal.  
 HALYMENTIA FLORESIA, Ag. Key West.  
 PRIONITIS LANCEOLATA, Harv. West coast.  
 PRIONITIS ANDERSONII, Eaton, mss. Santa Cruz, Cal.  
 SCHIZY MENIA EDULIS, Ag. Oregon.  
 SCHIZY MENIA? COCCINEA, Harv. Santa Cruz, Cal.  
 GRATELOUPIA GIBBESII, Harv. Charleston, S. C.  
 GRATELOUPIA CUTLERIA, Kütz. California.  
 GRATELOUPIA FILICINA, Ag. Florida.  
 HALOSACCION HYDROPHORA, Ag. West coast.  
 HALOSACCION FUCICOLA, Post. and Rupr. West coast.  
 HALOSACCION RAMENTACEUM, Ag. Eastport, Me.  
 SPYRIDIA ACULEATA, Kütz. Florida.  
 SPYRIDIA FILAMENTOSA, Harv. Wood's Holl, Mass.  
 MICROCLADIA COULTERI, Harv. West coast.  
 MICROCLADIA CALIFORNICA, Farlow. California.  
 MICROCLADIA BOREALIS, Rupr. West coast.  
 CENTROCERAS CLAVULATUM, Ag. Key West.  
 CENTROCERAS EATONIANUM, Farlow. West coast.  
 CERAMUM NITENS, Ag. Key West.  
 CERAMUM RUBRUM, Ag. East coast.  
 CERAMUM DESLONGCHAMPII, Ch. Eastport, Me.  
 CERAMUM DIAPHANUM, Roth. California.  
 CERAMUM STRICTUM, Harv. New England.  
 CERAMUM YOUNGHII, Farlow, mss. Canarsie, L. I.  
 CERAMUM TENUISSIMUM, Lyngb. Key West.

- CERAMIUM FASTIGIATUM, Harv. Southern New England.  
CERAMIUM ——. Key West.  
PTILOTA DENSA, Ag. California.  
PTILOTA HYPNOIDES, Harv. California.  
PTILOTA PLUMOSA, Ag. Var. *filicina*, west coast. Var. *serrata*. Eastport, Me., and Neeah Bay, W. T.  
PTILOTA ELEGANS, Bonnem. New York.  
GLOIOSIPHONIA CAPILLARIS, Carm. Cape Ann, Mass.  
CROUANIA ATTENUATA, J. Ag. Key West.  
GRIFFITHSIA BORNETTHANA, Farl. Wood's Holl, Mass.  
CALLITHAMNION TETRAGONUM, Ag. Orient, L. I.  
CALLITHAMNION BAILEYI, Harv. New York.  
CALLITHAMNION PTILOPHORA, Eaton, miss. California.  
CALLITHAMNION BORREI, Ag. New Haven, Conn.  
CALLITHAMNION BYSSOIDEUM, Arn. Long Island Sound.  
CALLITHAMNION CORYMBOSUM, Ag. Beverly, Mass.  
CALLITHAMNION VERSICOLOR, Ag., var. *seirospermum*, Harv. New York.  
CALLITHAMNION PLUMULA, Lyngb. Gay Head, Mass.  
CALLITHAMNION HETEROMORPHUM, Ag., miss. California.  
CALLITHAMNION AMERICANUM, Harv. New York.  
CALLITHAMNION PYLAISEI, Mont. Gloucester, Mass.  
CALLITHAMNION FLOCCOSUM, Ag. Var. *pacificum*, Harv. Neeah, Bay, W. T.  
CALLITHAMNION CRUCIATUM, Ag. New York.  
CALLITHAMNION LEJOLISIA, Farlow, miss. San Diego, Cal.  
CALLITHAMNION TURNERI, Ag. New York.  
CALLITHAMNION ROTHII, Lyngb. New England coast.  
CALLITHAMNION ROSEUM, Lyng. New York.  
PORPHYRA VULGARIS, Ag. Laver. East coast.  
BANGIA FUSCOPURPUREA, Lyngb. East coast.  
CHANTRANSIA EFFLORESCENS, Thmr. Gay Head, Mass.  
CHANTRANSIA VIRGATULA, Thuret. Portland, Me.  
ERYTHROTRICHLA CERAMICOLA, Aresch. Cape Ann, Mass.  
PADINA PAVONIA, Linx. Peacock's-tail. Key West, Fla.  
ZONARIA LOBATA, Ag. Key West.  
ZONARIA FLAVA, Ag. San Diego, Cal.  
TAONIA SCHROEDERI, Ag. Florida.  
DICTYOTA FASCIOLA, Linx. Florida; Mediterranean Sea.  
DICTYOTA DICHOTOMA, D. C. Charleston.  
DICTYOTA CILIATA, Ag. Key West.  
DICTYOTA KUNTMI, Ag. San Diego, Cal.  
DICTYOTA ACUTILOBA, Ag. Key West.  
SARGASSUM VULGARE, Ag. Atlantic Ocean.  
SARGASSUM BACCIFERUM, Ag. Gulf-weed. Gulf Stream.  
SARGASSUM DENTIFOLIUM, Ag. Key West.  
SARGASSUM AGARDIANUM, Farlow, miss. San Diego, Cal.  
TURBINARIA VULGARIS, Ag. Key West.  
FUCUS FASTIGIATUS, Ag. West coast.  
FUCUS DISTICHUS, L. (*F. filiformis*, Gu.). Swampscott, Mass.  
FUCUS FUICATUS, Ag. Marblehead, Mass.  
FUCUS VESICULOSUS, L. Rock-weed. Swampscott, Mass.  
FUCUS SERRATUS, L. Nova Scotia.  
NEROCYSTIS LÜTKEANA, Post. and Rupr. Great bladder-weed. Monterey, Cal., and northward.  
ALARIA ESCULENTA, Grev. Badderlocks. Hemware. Cape Cod.

- LAMINARIA SACCHARINA, Linx. Devil's apron; Kelp. New York, northward; west coast; Europe; Japan?.
- LAMINARIA LONGICRURIS, De la Pyl. Devil's apron; Kelp. New England.
- LAMINARIA FLEXICAULIS, Le Jolis. Devil's apron; Kelp. New England.
- AGARUM TURNERI, Post, and Rupr. Sea-colander. Nahnut, Mass.
- STILOPHORA RHIZODES, Ag. Vineyard Sound.
- ASPEROCOCCUS SINUOSUS, Bory. Key West.
- ASPEROCOCCUS ECHINATUS, Grey. New England coast.
- HYDROCLATHRUS CANCELLATUS, Bory. Noank, Conn.
- RALFSIA VERRUCOSA, Aresch. Nahant, Mass.
- CHORDA FILUM, Stack. New York.
- CHORDARIA FLAGELLIFORMIS, Ag. Eastport, Me.
- CHORDARIA ABIEGINA, Rupe. Santa Cruz, Cal.
- CHORDARIA DIVARICATA, Ag. Gloucester, Mass.
- CASTAGNEA VIRESSENS, Thuret. Wood's Holl, Mass.
- LEATHESIA TUBERIFORMIS, Gray. Watch Hill, R. I.
- ELACHISTA FUCICOLA, Fr. New England.
- MYRIONEMA STRANGULANS, Grey. Wood's Holl, Mass.
- MYRIONEMA LECLANCHERII, Harv. Gloucester, Mass.
- CLADOSTEPHUS SONGIOSUS, Ag. Newport, R. I.
- CLADOSTEPHUS VERTICILLATUS, Ag. Gay Head, Mass.
- SPHACELARIA FUSCA, Ag. On *Amphiroa California*, San Diego, Cal.
- SPHACELARIA RADICANS, Ag. New England.
- ECTOCARPUS FIRMIUS, Ag. (*E. littoralis*, Harv.). New England.
- ECTOCARPUS FARLOWII, Thuret. Peak's Island, Me.
- ECTOCARPUS SILICULOSUS, Lyngb. Charleston, S. C.
- ECTOCARPUS VIRIDIS, Harv. Orient, L. I.
- ECTOCARPUS FASCICULATUS, Harv. New England coast.
- ECTOCARPUS GRANULOSUS, Ag. Santa Cruz, Cal.
- ECTOCARPUS HOOPERI, Harv. Greenport, L. I.
- DESMARESTIA ACULEATA, Linx. Eastport, Me.
- DESMARESTIA VIRIDIS, Linx. New York.
- DESMARESTIA LIGULATA, Linx. Monterey, Cal.
- PUNCTARIA LATIFOLIA, Grey., and var. *zosteria*, Le Jolis. Eastport, Me.
- PUNCTARIA PLANTAGINEA, Grey. New England.
- PHYLLITIS FASCIA, Kiz. Eastport, Me.
- SCYTOSIPHON LOMENTARIUS, Ag. Eastport, Me.
- CAULERPA PROLIFERA, Linx. Florida.
- CAULERPA CRASSIFOLIA, Ag., var. *Mexicana*. Florida.
- CAULERPA PLUMARIS, Ag. Florida.
- CAULERPA ASHMEADI, Harv. Key West.
- CAULERPA ERICIFOLIA, Ag. Florida.
- CAULERPA CUPRESSOIDES, Ag. Key West.
- CAULERPA LANUGINOSA, Ag. Key West.
- CAULERPA PASPALOIDES, Bory. Florida.
- CAULERPA CLAVIFERA, Ag. Florida.
- HALIMEDA OPUNTIA, Linx. Florida.
- HALIMEDA TUNA, Linx. Florida.
- HALIMEDA TRIDENS, Linx. Key West.
- UDOTEA FLABELLATA, Linx. Key West.
- UDOTEA CONGLUTINATA, Linx. Key West.
- CODIUM TOMENTOSUM, Stack. Florida; var. *damacornis*. West coast.
- CHLORODESMIS? Key West.
- BRYOPSIS PLUMOSA, Linx. Eastern coast.
- BRYOPSIS HYPNOIDES, Linx. Key West.

VAUCHERIA PILOBOLOIDES, Thuret. Wood's Holl, Mass.  
 DASYCLADUS OCCIDENTALIS, Harv. Florida.  
 DASYCLADUS CLAVIFORMIS, Ag. Key West.  
 ACETABULARIA CRENULATA, Linx. Florida.  
 CYMOPOLIA BARBATA, Linx. Key West.  
 CHAMEODORIS ANNULATA, Mont. Key West.  
 PENICILLUS DUMETOSUS, Dne. Florida; West Indies.  
 PENICILLUS CAPITATUS, Linx. *Mermaid's shaving-brush.* Florida.  
 BLODGETTIA? CONFERVEROIDES, Harv. Key West.  
 ANADYOMENE FLABELLATA, Linx. Key West.  
 DICTYOSPILERIA FAVULOSA, Dne. Key West.  
 ASCOTHAMNION INTRICATUM, Kütz. Key West.  
 ENTEROMORPHIA INTESTINALIS, Link. New England.  
 ENTEROMORPHIA COMPRESSA, Grev. New England.  
 ENTEROMORPHIA CLATHRATA, Grev. New England coast.  
 ULVA LATISSIMA, Linn. *Sea-lettuce.* New England coast.  
 ULVA FASCIATA, Delile. California.  
 CLADOPHORA MEMBRANACEA, Ag. Key West.  
 CLADOPHORA RUPESTRIS, L. Cape Ann, Mass.  
 CLADOPHORA ARCTA, Dillw. Cape Ann, Mass.  
 CLADOPHORA LANOSA, Roth. Orient. L. I.  
 CLADOPHORA UNICILIS, Fl. Dan. New England coast.  
 CLADOPHORA LÉTEVIRENS, Dillw. Key West, Fla.  
 CLADOPHORA FRACTA, Fl. Dan. Eastern coast.  
 CHLÆTOMORPHA PICQUOTIANA, Mont. Cape Ann, Mass.  
 CHLÆTOMORPHA MELAGONIUM, Web. and Mohr. Cape Ann, Mass.  
 CHLÆTOMORPHA SUTORIA, Berk. Stonington, Conn.  
 CHLÆTOMORPHA BRACHYGONA, Harv. Key West.  
 CHLÆTOMORPHA TORTUOSA, Dillw. Eastport, Me.  
 HORMOTRICHUM YOUNGANUM, Dillw. New England coast.  
 LYNGBYA MAJUSCULA, Hiltv. Cape Cod.  
 LYNGBYA FERRUGINEA, Ag. New England coast.  
 LYNGBYA KÜTZUNGIANA, Thur. Eastern coast.  
 CALOTHRIX CONFERVICOLA, Ag. East coast.  
 CALOTHRIX SCOPULORUM, Ag. East coast.  
 SPIEROZYGA CARMICHAELII, Harv. Wood's Holl, Mass.  
 PETROCELIS CRUENTA, Ag. Eastport, Me.  
 SPIRULINA TENUISSIMA, Kütz. Eastport, Me.  
 CHNOÖSPORA FASTIGIATA, Ag. San Diego, Cal.  
 HORMACTIS FARLOWI, Bornet. East coast.

### Inorganic materials:

- . Scouring-sand. Impure silex for domestic use. Alameda, Cal. H. Hemphill.
- . Glassmaker's-sand. Pure silex. Isle of Shoals, N. H.

COMMERCIAL STATISTICS OF ANIMAL PRODUCTS IN THE  
UNITED STATES: A REVIEW OF A PORTION OF THE RE-  
PORT OF THE CHIEF OF THE BUREAU OF STATISTICS  
FOR THE FISCAL YEAR ENDING JUNE 30, 1877.

BY G. BROWN GOODE.

The following review of the character and commercial values of animal products used or produced in the United States is intended to supplement and explain in part the preceding "Catalogue of the collection illustrating the animal resources of the United States," made under the direction of the United States National Museum for the International Exhibition of 1876. The statistics have been arranged with a view to a concise exhibition of the extent and location of the trade in all substances of animal origin. The classification is uniform with that employed in the catalogue.

An attempt is made to show—

1. The amount of imports, the countries from which the products are imported, and the ports through which the import entries are chiefly made.
2. The domestic consumption of foreign products. The table of imports entered into consumption is more detailed than any of the others, and from this have been taken many statements which were not elsewhere given, as, for instance, the amounts of coral, whalebone, chemicals, and specimens of natural history.
3. The exports of domestic products, the ports from which they were chiefly shipped, and the countries to which they are sent.
4. The statistics of foreign exports or of the exports of products not directly of domestic origin.

No account has been made of the indirect and transshipment trade.

#### LIVING ANIMALS.

The total value of living animals brought into the United States does not fall far below \$2,200,000.

The value of the miscellaneous importations of living animals is placed at \$1,618,465. Of this amount Quebec, Ontario, &c., supply \$1,452,457, and Mexico \$129,897 (no doubt chiefly sheep), Nova Scotia and New Brunswick send \$30,121, Germany \$13,262, British Columbia \$13,762, England \$6,181. The remainder comes from the British East Indies (\$1,389), Cuba (\$818), Brazil (\$133), Scotland, Honduras, Belgium, Chili, China, France, Guiana, Colombia, and Uruguay. The latter countries probably send chiefly animals for menageries and gardens.

Animals for breeding purposes are imported to the amount of \$419,170. The larger proportion (\$291,960) comes from the British Provinces

through the Lake ports. New York, with its extensive shipments from Europe, receives the next proportionate share (\$111,501), then San Francisco (\$4,708), Boston (\$3,029), Baltimore (\$2,113), Philadelphia (\$519), and New Orleans (\$200).

The teams of emigrants have the right of free entry. The yearly return of entries is placed at \$26,070. The greater proportion (\$23,520) appears to come from the British Provinces through the Lake ports.

The imports of birds are valued at \$109,879. Of this amount, \$71,989 comes to New York, and consists principally, no doubt, of singing birds. The Provinces send \$38,328, probably, for the most part, fowls.

Leeches are imported to the amount of \$4,227. All come through New York, except \$133 worth through New Orleans.

The following table, compiled from the "Statement showing quantities and values of foreign merchandise entered into consumption in the United States during the fiscal year ended June 30, 1877, &c." (No. 20, pp. 446-505), while it necessarily does not tally with the figures already given, is instructive, since it shows in fuller detail the numbers and character of the imports of foreign animals:

Description of animal.	Number.	Value.
Horses .....	9,240	\$602,513
Cattle .....	31,893	314,094
Sheep .....	282,432	674,883
Hogs .....	4,534	9,876
Animals for breeding purposes .....	5,370	416,476
Fowls, land and water .....		36,793
Birds .....		73,187
Leeches .....		4,288
Animals not elsewhere specified .....		27,737
Total.....		2,159,847

The domestic exports of living animals are valued at \$3,306,308, as shown in the following table:

Description of animal.	Number.	Value.
Horses .....	2,042	\$301,134
Mules .....	3,441	478,434
Horned cattle .....	50,001	1,593,080
Sheep .....	179,017	234,489
Hogs .....	65,107	699,189
Total.....		3,306,308

The largest number of horses is shipped from New York (727), next from Brazos de Santiago, Tex. (363), Minnesota (196), San Diego, Cal. (195), Corpus Christi, Tex. (82), Puget Sound, Washington (66), San Francisco (52), and Baltimore (53). The horses shipped from San Francisco are most valuable, being worth \$500 on an average; those from New York \$150; those from Texas \$40.

The principal exports of horses are to Mexico (603) chiefly from Texas, Quebec, Ontario, &c. (391), the British West Indies and Honduras (232), Cuba (157), and the French West Indies and French Guiana (129).

Mules are shipped in the largest numbers from New York (2,058), New Orleans, La. (1,036), Brazos de Santiago, Tex. (116), Saluria, Tex. (92), and Galveston, Tex. (90). They are sent chiefly to the British West Indies and Honduras (1,541), Cuba (1,018), the French West Indies and Guiana (252), the Central American States (210), British Guiana (218), and Mexico (134).

Horned cattle are shipped chiefly from Texas (20,396), Key West, Fla. (9,071), Minnesota (6,615), New York (4,863), Huron, Mich. (4,748), Boston (1,566), Philadelphia (700), Puget Sound, W. T. (611), Detroit, Mich. (543), and San Diego, Cal. (685). They are sent chiefly to Cuba (27,388), Quebec, Ontario, &c. (12,020), England (4,991), Liberia (2,809), and to the British West Indies and Honduras (1,741), the Bermudas taking a large share of the latter.

Sheep are sent principally from Texas (108,747), California (53,438), Washington Territory (9,484), and New York (4,744), and find their way mostly to Mexico (161,549), British Columbia (9,484), British West Indies, (2,299), England (2,692), and Quebec, &c. (4,003). It is sufficiently evident that Texas and California send to Mexico, Washington Territory to British Columbia, and New York and the Atlantic ports to England and the West Indies.

Hogs are exported largely from Detroit, Mich. (34,504), Huron, Mich. (28,508), and Minnesota (339); also, from Puget Sound, W. T., to the British Provinces. Key West, Fla., sends about 230 to Cuba, and Texas 348 to Mexico.

There is a foreign export of living animals to the value of \$22,970, chiefly to England (\$12,136) and the British West Indies (\$8,176). It is chiefly from New York (\$20,722).

#### FOOD PRODUCTS, EXCEPT FISH.

The import entries of food products are placed at \$721,452. New York is the chief receptacle of these imports (\$508,905), followed by the ports on the Canadian border (\$173,007), San Francisco (\$53,760), Philadelphia (\$32,111), New Orleans (\$7,400), Boston (\$5,253), and Key West, Fla. (\$2,336).

The receipts from Canada (\$143,191) correspond nearly to the amount given for the northern border ports, those from China (\$43,331) to the entries of San Francisco, and those from Cuba (\$2,846) to the entries of Florida. New York and Philadelphia receive nearly all the remainder, which is principally sent by Germany (\$325,693), England (\$65,164), France (\$63,419), Belgium (54,537), the Netherlands (\$40,145), Italy (\$11,957), and Mexico (\$2,679).

The total value of the import of honey is \$61,205, of which New York receives the principal share (\$34,693), then New Orleans (\$13,483) and Boston (\$8,019).

Sausages, sausage-skins, and Bologna sausages are imported to the

value of \$83,187, of which New York receives over \$80,000 and New Orleans over \$1,300.

Condensed eggs come only to New York, which imports to the value of \$2,529.

Milk comes to the Lake ports to the value of \$2,062.

The quantities of each article entered into consumption are shown in the following table:

Articles.		Amount.	Value.
Beef . . . . .	pounds	213,909	\$15,540 92
Mutton . . . . .		2,413	80
Pork . . . . .	pounds	42,418	3,111 70
Venison . . . . .		824	66
Poultry . . . . .		33,022	94
Salted tongues . . . . .		112	00
Tripe . . . . .		116	00
Sausage-skins . . . . .		55,928	00
Bologna sausages . . . . .		28,948	40
Bacon and hams . . . . .	pounds	73,773	14,193 35
Prepared meats, game, and poultry, sealed or unsealed, in cans or otherwise . . . . .		28,289	80
Lard . . . . .	pounds	12,524	1,166 74
Extract of meat . . . . .		38,121	00
Eggs . . . . .	dozens	5,048,900	617,643 59
Eggs, condensed . . . . .		1,873	00
Eggs, yolk of . . . . .		203	00
Milk, plain . . . . .		2,614	65
Milk, condensed or preserved . . . . .		2,798	00
Cheese . . . . .	pounds	2,719,451	464,001 23
Butter . . . . .	do...	82,131	17,231 00
Honey . . . . .	gallons	27,017	16,473 50

The following tables show the imports of eggs by countries, and the corresponding entries by customs-districts.

Countries.	Eggs.		Countries.	Eggs.	
	Dozens.	Dollars.		Dozens.	Dollars.
China . . . . .	126,800	8,716	British Columbia . . . . .	100	6
Hong-Kong . . . . .	3,066	183	British West Indies and British Honduras . . . . .	300	69
Nova Scotia, New Brunswick, &c . . . . .	948,703	109,823	Total . . . . .	5,048,271	617,622
Quebec, Ontario, &c . . . . .	3,969,302	498,825			

Districts.	Eggs.		Districts.	Eggs.	
	Dozens.	Dollars.		Dozens.	Dollars.
Aroostook, Me . . . . .	5,000	750	Newport, R. I . . . . .	733,817	86,815
Boston and Charlestown, Mass . . . . .	639,932	75,665	Norfolk and Portsmouth, Va . . . . .	934,127	108,320
Buffalo Creek, N. Y . . . . .	1,325,608	180,222	Oregon, Oreg . . . . .	45,347	4,818
Cape Vincent, N. Y . . . . .	6,718	787	Paulico, N. C . . . . .	321,567	35,489
Champlain, N. Y . . . . .	144,891	19,501	Pensacola, Fla . . . . .	300	69
Cuyahoga, Ohio . . . . .	25,539	2,593	Philadelphia, Pa . . . . .	1,044	133
Detroit, Mich . . . . .	77,019	9,036	Plymouth, Mass . . . . .	3,200	383
Erie, Pa . . . . .	918	107	Portsmouth, N. H . . . . .	100	6
Frenchman's Bay, Me . . . . .	10,269	1,096	Puget Sound, Wash . . . . .	1,045	117
Genesee, N. Y . . . . .	4,372	464	Richmond, Va . . . . .	90	10
Georgetown, D. C . . . . .	979	124	Saco, Me . . . . .	126,800	8,716
Key West, Fla . . . . .	1,665	208	Savannah, Ga . . . . .	612,296	81,751
Michigan, Mich . . . . .	118	24	Superior, Mich . . . . .	100	10
Mobile, Ala . . . . .	150	18	Vermont, Vt . . . . .	3,066	183
Newark, N. J . . . . .	70	8	Total . . . . .	5,048,271	617,622
New Bedford, Mass . . . . .	704	83			
New Orleans, La . . . . .	1,120	109			

The amount of domestic exports is shown in the following table:

Articles.		Amount.	Value.
Beef, fresh	.....	pounds	\$1,552,593
Beef, salted	.....	do	2,950,952
Mutton	.....	do	36,480
Pork	.....	do	6,296,414
Bacon and hams	.....	do	49,512,412
Preserved meats	.....		3,639,977
Lard	.....	pounds	25,562,665
Eggs	.....	dozens	8,429
Condensed milk	.....		123,801
Cheese	.....	pounds	12,700,627
Butter	.....	do	4,424,616
Total	.....		110,108,916

Fresh beef is shipped as follows:

Ports.		Amount.	Value.
New York	.....	pounds	\$3,608,940
Philadelphia	.....	do	9,896,260
Boston	.....	do	81,000
Portland	.....	do	3,330
Total	.....		19,210,960
			1,552,593

All the fresh beef goes to England and Scotland. The former receives 39,906,940 pounds, valued at \$3,614,779, and the latter 9,304,050 pounds, valued at \$937,744.

Salted beef goes principally from New York, Philadelphia, Boston, Baltimore, San Francisco, Portland, and Brazos de Santiago, Tex., and is sent to almost every country, England (19,727,882 pounds), Scotland (5,887,774), the British West Indies (2,774,804), Germany (2,185,990), Nova Scotia and New Brunswick (1,297,662), and British Guiana (1,042,150) receiving the largest proportion.

Mutton goes from New York to England (219,928 pounds) and Scotland (129,440).

Pork goes chiefly from New York (39,239,234 pounds), Boston (10,763,062), Huron, Mich. (7,748,660), Baltimore (3,961,045), Philadelphia (2,144,761), and Portland (2,930,359) to England (19,793,191), the British North American Provinces (17,990,540), the British West Indian Provinces (9,867,490), Scotland (2,847,346), Porto Rico (2,923,975), Germany (1,251,166), and the Dutch West Indies (1,126,169), as well as to all other quarters of the globe.

Bacon and hams go chiefly from New York (253,181,617 pounds), Boston (112,656,701), Philadelphia (72,738,161), Portland (10,541,136), Baltimore (6,146,098), and Huron, Mich. (2,275,004), to England (322,016,729), Scotland (31,193,969), Belgium (30,846,038), Germany (23,745,093), France (23,167,236), Cuba (10,813,912), Sweden and Norway (5,278,228), Netherlands (4,412,709), the British Provinces (3,632,461), the British West

The Journal of the Royal Agricultural Society of England (1877) states the import of fresh beef from New York and Philadelphia in the first four months of 1877 (22,812,128 pounds) to have exceeded the whole import of the preceding year (19,838,895 pounds).

Indies (1,241,484), Spain (1,004,849), and in smaller quantities to almost every other country.

Preserved meats go chiefly from New York (\$3,066,538), Galveston, Tex. (\$359,063), Boston (\$186,013), Oregon (\$115,321), and San Francisco (\$114,531) to England (\$2,189,688), Scotland (\$1,222,285), Germany (\$159,059), France (\$126,619), and the British West Indies (\$46,480).

Lard goes chiefly from New York (166,924,255 pounds), Boston (29,380,349), Philadelphia (11,682,146), Baltimore (11,672,057), Portland (7,744,890), and Huron, Mich. (5,425,731), to England (66,196,750), Scotland (58,038,751), Belgium (23,882,274), France (23,788,669), Cuba (21,665,367), Scotland (8,096,852), British Provinces (6,115,553), Netherlands (5,597,166), United States of Colombia (4,549,995), Brazil (4,267,310), Venezuela, Spanish Africa, Hayti, and numerous other countries.

Eggs go from New York (12,211 dozens), Washington Territory (8,971), and the Canadian boundary (9,359) to the British Provinces (18,895), England (4,200), and Porto Rico (9,021).

Condensed milk goes from New York (\$94,246), San Francisco (\$24,606), and Baltimore (\$4,325) to the British possessions in Australasia (\$37,509), England (\$30,727), Japan (\$12,984), British West Indies (\$8,592), China (\$8,196), Cuba (\$4,746), Brazil (\$2,495), British Columbia (\$2,465), Central America (\$1,754), and Hayti (\$1,248).

Cheese goes chiefly from New York (103,251,661 pounds), Philadelphia (1,456,868), Boston (1,172,522), and Huron, Mich. (1,116,320), to England (95,871,379), Scotland (1,100,099), and the English colonies, with small quantities to other countries.

Butter goes chiefly from New York (16,771,663 pounds), Boston (2,284,619), and Philadelphia (1,141,224) to England (10,504,640), Scotland (4,526,737), the British West Indies (1,277,945), Scotland (1,237,978), the British Provinces, Cuba, Porto Rico, Hayti, the Netherlands, Colombia, Venezuela, and the Danish West Indies.

The foreign exports of provisions amount to \$64,478, chiefly from New York to England, Cuba, Mexico, British Columbia, Central and South America.

#### FISH.

The quantity of fish imported not subject to duty is shown in the following table. The total value is \$1,400,736.

Countries.	Fresh, of all kinds.		Herring, pickled.		Mackerel, pickled.		All other.
	Pounds.	Dollars.	Barrels.	Dollars.	Barrels.	Dollars.	Dollars.
Nova Scotia, New Brunswick, &c .....	4,594,678	128,660	49,033	152,293	43,653	372,127	512,647
Quebec, Ontario, &c .....	2,570,033	94,780	2,218	13,242	13	133	27,357
British Columbia .....	1,270	58					
Newfoundland and Labrador Hayti .....	630,000	12,600	12,029	45,251			180
Mexico .....							532
							294
	7,735,981	236,098	63,280	210,786	43,066	372,260	510,300

The remainder of the import subject to duty is shown in the next table. The total value is \$1,054,748.

Countries.	Sardines and anchovies, preserved in oil or otherwise.		Herring, pickled.		Mackerel, pickled.		All other.
	Pounds.	Dollars.	Pounds.	Dollars.	Pounds.	Dollars.	Dollars.
Belgium.....	20	167	2,368	.....	.....	.....	16
China.....	.....	.....	.....	.....	.....	.....	47,089
Hong-Kong.....	.....	.....	.....	.....	.....	.....	761
France.....	685,164	.....	.....	.....	.....	.....	913
French Possessions.....	.....	.....	.....	.....	.....	.....	4
Germany.....	5,266	4,726	61,676	.....	.....	.....	7,098
England.....	77,317	98	1,277	.....	.....	.....	7,120
Scotland.....	.....	49	698	.....	.....	.....	169
Nova Scotia, New Brunswick, &c.....	.....	84	568	8	105	.....	325
Quebec, Ontario, &c.....	6	24	35	6	43	19,691	2,439
British Columbia.....	.....	.....	.....	.....	.....	.....	.....
British West Indies and Bel- ish Honduras.....	.....	.....	.....	.....	.....	.....	5
Hawaii.....	.....	.....	.....	.....	.....	.....	35
Italy.....	969	.....	.....	.....	.....	.....	176
Japan.....	.....	.....	.....	.....	.....	.....	175
Mexico.....	.....	.....	.....	.....	.....	.....	1,101
Netherlands.....	4,464	9,476	121,254	.....	.....	.....	1,977
Spain.....	42	.....	22	.....	.....	.....	63
Cuba.....	83	2	22	.....	.....	.....	1,356
Sweden and Norway.....	.....	247	1,717	.....	.....	.....	1,134
	753,331	14,873	189,615	14	148	91,654	

The amounts of Canadian fish not liable to duty received in the various customs-districts are shown below:

Districts.	Fish, not of American fisheries.				All other, not elsewhere specified.		
	Fresh, of all kinds.	Herring, pickled.	Mackerel, pickled.				
Pounds.	Dollars.	Barrels.	Dollars.	Barrels.	Dollars.		
Baltimore, Md.....	1,500	85	1,884	7,605	38	314	
Boston and Charlestown, Mass.....	473,556	15,465	46,150	157,108	34,730	300,690	
Buffalo Creek, N. Y.....	378,869	13,154	328	1,862	.....	176,147	
Cape Vincent, N. Y.....	474,798	15,433	.....	.....	.....	.....	
Champlain, N. Y.....	191,033	14,338	84	524	13	133	
Cuyahoga, Ohio.....	12,720	509	.....	.....	.....	1,405	
Detroit, Mich.....	652,703	19,084	.....	.....	.....	.....	
Erie, Pa.....	5,400	227	.....	.....	.....	.....	
Genesee, N. Y.....	36,240	1,443	.....	.....	.....	12,199	
Gloucester, Mass.....	.....	.....	1,010	2,010	.....	735	
Huron, Mich.....	46,813	1,234	1,418	8,054	.....	258	
Key West, Fla.....	.....	.....	.....	.....	.....	116	
Machias, Me.....	.....	.....	6	12	4	15	
Marblehead, Mass.....	.....	.....	.....	.....	.....	99	
Minnesota, Minn.....	200	10	.....	.....	.....	.....	
Newburyport, Mass.....	.....	.....	.....	.....	.....	51	
New York, N. Y.....	2,610,000	52,200	2,115	8,961	1,823	15,656	
Niagara, N. Y.....	159,057	7,561	.....	.....	.....	.....	
Oswegatchie, N. Y.....	6,800	480	.....	.....	.....	19	
Oswego, N. Y.....	184,244	7,471	.....	.....	.....	.....	
Passamaquoddy, Me.....	1,331,353	63,844	6,726	9,985	4,974	44,031	
Philadelphia, Pa.....	.....	.....	.....	.....	.....	2,529	
Portland and Falmouth, Me.....	747,579	9,676	2,661	11,163	1,480	11,405	
Puget Sound, Wash.....	1,270	58	.....	.....	.....	.....	
Richmond, Va.....	.....	.....	510	800	4	10	
Salem and Beverly, Mass.....	.....	.....	.....	.....	.....	811	
Sandusky, Ohio.....	212,540	3,545	.....	.....	.....	.....	
San Francisco, Cal.....	.....	.....	.....	.....	.....	151	
Savannah, Ga.....	.....	.....	.....	.....	.....	70	
Superior, Mich.....	118,614	2,459	.....	.....	.....	830	
Vermont, Vt.....	90,692	7,822	388	2,802	.....	24,308	
Waldoboro, Me.....	.....	.....	.....	.....	.....	90	
Willamette, Oreg.....	.....	.....	.....	.....	.....	681	
Total.....	7,735,981	236,098	63,280	210,786	43,066	372,260	581,592

The entries by customs-districts of fish not from Canada and dutiable are shown below:

Districts.	Fish, not of American fisheries.		Mackerel, pickled.		Sardines and anchovies preserved in oil.	All other, not elsewhere specified.
	Herring, pickled.					
	Barrels.	Dollars.	Barrels.	Dollars.	Dollars.	Dollars.
Baltimore, Md.	338	2,686			309	869
Boston and Charlestown, Mass.	2	28			43,130	39
Brazos de Santiago, Tex.	1	12			417	186
Buffalo Creek, N. Y.	21	21				2,932
Cape Vincent, N. Y.						5
Champlain, N. Y.	1	6				5
Cuyahoga, Ohio						20
Detroit, Mich.						11,383
Galveston, Tex.					1,682	-----
Genesee, N. Y.						6
Huron, Mich.	3	8	6	43	2	5
Key West, Fla.					67	1,118
Michigan, Mich.						52
New Orleans, La.	45	770			65,188	4,554
New York, N. Y.	14,428	185,926			578,923	11,379
Niagara, N. Y.						4,464
Oswegatchie, N. Y.						52
Philadelphia, Pa.	34	158	8	105	1,475	1,083
San Diego, Cal.						864
Sandusky, Ohio						238
San Francisco, Cal.					82,134	51,085
Superior, Mich.					4	310
Vermont, Vt.						200
Willamette, Oreg.						796
Total	14,873	189,615	14	148	773,331	91,054

The next table shows the amount of fish entered into consumption:

Description.	Quantity.	Dollars.
Fish, the product of the sea-fisheries of the Dominion of Canada, Newfoundland, &c., under treaty of May 8, 1871, act of March 1, 1875, and not dutiable:		
Fresh, for immediate consumption	pounds	13,453,033
Herring, pickled	barrels	61,791.50
Herring, dried or smoked	boxes	316,570.50
Mackerel, pickled	barrels	44,169.50
Salmon, pickled	do	21,677
Salmon, dried or smoked	pounds	37,069
Shell-fish and turtles		1,727.55
Other fish, pickled	barrels	16,004.25
Other fish, dried or smoked	pounds	5,645,357
Prepared or preserved in cans, or otherwise than in oil		19,23.76
Fish, dutiable:		
Herrings, pickled or salted	barrels	14,907
Fish, in oil or preserved, except anchovies or sardines		15,996.00
Mackerel	barrels	8 $\frac{1}{2}$
Other fish, pickled	do	383 $\frac{1}{4}$
Other fish, pickled	pounds	690,856
Fish prepared in cans		7,271.60
Pickled salmon	barrels	1 $\frac{1}{2}$
Sardines and anchovies, packed in oil or otherwise in tin boxes:		
Whole boxes, 5 $\times$ 4 $\times$ 3 $\frac{1}{2}$ inches		3,813
Half boxes, 5 $\times$ 4 $\times$ 1 $\frac{1}{2}$ inches		264,285
Quarter boxes, 4 $\frac{1}{2}$ $\times$ 3 $\frac{1}{2}$ $\times$ 1 $\frac{1}{2}$		7,985,401
In any other form		11,018.25
		722,997.50
Oysters, dried		13,447.00

The following table shows the amount of domestic exports of fish:

Description.		Quantity.	Dollars.
Fish, fresh . . . . .			\$114,298
Dried or smoked . . . . .	pounds	15,964,800	791,785
Pickled . . . . .	do.	76,227	486,738
Other, cured . . . . .	do.	231,711,233	25,562,665
Oysters . . . . .			260,660
			27,456,236

The following table shows the amount of exports by districts:

Districts.	Fish, dried or smoked.		Fish, fresh.	Fish, pickled.	Fish, other cured.	Oysters.
	Cwt..	Dollars.	Dollars.	Barrels.	Dollars.	Bush. Dolls.
Alaska, Alaska . . . . .	13	66		2	16	142
Baltimore, Md . . . . .	355	1,395		670	4,745	31,521
Bangor, Me . . . . .	4	20				1,046
Bath, Me . . . . .			361		696	
Belfast, Me . . . . .	6	20	84	42	258	47
Boston and Charlestown, Mass . . . . .	78,815	319,408	222	26,150	171,078	117,225
Brazos de Santiago, Tex . . . . .	31	362	143	3	31	242
Buffalo Creek, N. Y . . . . .						2,239
Cape Vincent, N. Y . . . . .						60
Champlain, N. Y . . . . .			100		1,000	
Corpus Christi, Tex . . . . .	2	21				4
Cuyahoga, Ohio . . . . .	1	15				17
Detroit, Mich . . . . .	312	1,260	2,071			5,021
Duluth, Minn . . . . .				1	7	
Galveston, Tex . . . . .						13
Genesee, N. Y . . . . .		4				467
Gloucester, Mass . . . . .	90	200		11,338	54,016	391
Huron, Mich . . . . .						2,491
Key West, Fla . . . . .			60,200			13,547
Machias, Me . . . . .	98	187				
Minnesota, Minn . . . . .						1,861
New Bedford, Mass . . . . .	67	529				1,921
Newburyport, Mass . . . . .	2,371	9,796				
New Haven, Conn . . . . .	27	78				
New Orleans, La . . . . .	36	195		9	68	2,193
New York, N. Y . . . . .	61,002	368,779		24,357	188,415	313,642
Norfolk, Va . . . . .						19
Oregon, Oreg . . . . .				299	2,769	693,125
Oswegatchie, N. Y . . . . .	12	72				2,582
Oswego, N. Y . . . . .						500
Passamaquoddy, Me . . . . .				2,312	6,000	
Pensacola, Fla . . . . .				9	18	36
Philadelphia, Pa . . . . .				333	2,415	191,442
Plymouth, Mass . . . . .	1,500	6,000				
Portland, Me . . . . .	2,590	10,845		8,650	11,155	25,413
Providence, R. I . . . . .	557	1,942		2	19	
Puget Sound, Wash . . . . .						168
Salem and Beverly, Mass . . . . .	5,643	20,085	27	461	2,960	82
Sabine, Tex . . . . .						1,060
San Francisco, Cal . . . . .	448	3,149		327	2,607	1,060,435
Savannah, Ga . . . . .	1	8	2	51	211	
Vermont, Vt . . . . .	2,667	17,609	51,589	118	621	9,255
Willamette, Oreg . . . . .				632	4,603	6,169
Total . . . . .	159,648	791,785	111,338	76,227	486,738	2,486,225
Additions to Niagara and Vermont, taken from Canadian reports . . . . .		189,151				170,610
Grand total . . . . .		980,936				431,230
						4,623

The following table shows the amounts of domestic exports of fish by countries:

Countries.	Fish, dried or smoked.		Fish, fresh.	Fish, pickled.		Fish, other cured.	Oysters.
	Cwt.	Dollars.	Dollars.	Barrels.	Dollars.	Dollars.	Dollars.
Argentine Republic							812
Belgium			6	60		779	12
Brazil			50	541	309	1,841	
Central American States	195	1,316		121	857	5,039	240
Chili						3,429	2,555
China	45	343				2,572	
Denmark				2,312	6,000		
Danish West Indies	170	624		395	2,302	2,489	402
France						43,367	236
French West Indies and French Guiana	19,939	84,228		27	2,714	18,480	7,286
French Possessions in Africa and adjacent islands						612	
French Possessions, all other	22	163			270	2,197	50
Germany	86	380			170	1,042	72,536
Great Britain: England	242	912			746	4,151	1,587,157
Scotland					1,030	4,700	5,544
Nova Scotia, New Brunswick, and Prince Edward Island	9,592	41,352			2,046	12,137	50
Quebec, Ontario, Rupert's Land, and the Northwest Territory	2,992	18,900	53,600	219	1,028	21,757	56,516
British Columbia	87	696		2	16	2,453	1,849
Newfoundland and Labrador	70	350				220	68
British West Indies and British Honduras	5,084	27,769	86	5,540	33,066	25,289	1,491
British Guiana	940	4,886		222	1,478	9,289	1,090
Hong-Kong	104	689				291,606	38
British Possessions in Africa	815	3,474			81	866	341
British Possessions in Australasia					626	4,652	207,463
Hawaiian Islands	90	644			926	7,352	33,143
Hayti	62,387	372,025		20,737	223,949	31,344	482
Italy	10	60					
Japan	55	406					2,523
Liberia	371	1,238			430	3,117	3,048
Mexico	42	443	113	4	43	5,967	3,494
Netherlands	1	7			6	56	72
Dutch West Indies	24,994	77,818			2,102	11,416	3,435
Peru	72	315					437
Portugal					1	10	20
Azore, Madeira, and Cape Verde Islands	611	3,295			13	141	360
Portuguese Possessions in Africa and adjacent islands	22	90				66	
Russia, Asiatic							27
San Domingo	3,490	19,503			2,112	16,534	6,737
Cuba	18,483	87,687	60,200		588	5,146	65,491
Porto Rico	5,729	24,077			1,258	8,137	8,112
Spanish Possessions in Africa and adjacent islands							384
Sweden and Norway	196	760			20,516	101,492	4,400
United States of Colombia	1,997	12,142			715	5,232	13,980
Uruguay							224
Venezuela	710	5,160			13	129	1,117
All other islands and ports, not elsewhere specified		5	33				2,157
Total	150,648	791,785	114,138	76,227	486,738	2,486,225	260,620
Additions taken from Canadian reports		189,151					170,610
Grand total		980,936					431,230

One thousand nine hundred and three barrels of pickled herring, valued at \$9,088, passed through Boston to Sweden and Norway as a foreign export.

Miscellaneous fish to the value of \$32,120 goes as foreign export to England (\$22,098), Nova Scotia and New Brunswick (\$5,795), the French West Indies (\$3,932), Quebec, Ontario, &c. (\$215), and Australasia (\$80). Of this amount Boston sends the most (\$31,905) and Portland the remainder (\$215).

The following table shows the foreign exports of fish:

Countries,	Fish, not of American fisheries.		
	Herring, pickled.	Sardines and anchovies, preserved in oil.	All other, not elsewhere specified.
	Barrels.	Dollars.	Dollars.
Central American States . . . . .		1,296	48
China . . . . .		805	
France . . . . .		1,811	2,034
French Possessions, all other . . . . .		639	7
Germany . . . . .			636
Great Britain; England . . . . .			33,956
Nova Scotia, New Brunswick, and Prince Edward Island . . . . .		193	666
Quebec, Ontario, Manitoba, Rupert's Land, &c . . . . .		16,930	
British Columbia . . . . .		288	529
British West Indies and Honduras . . . . .		187	
British Possessions; Hong-Kong . . . . .			470
British Possessions in Australasia . . . . .			4,333
Hawaiian Islands . . . . .			95
Mexico . . . . .	2	22	2,366
Peru . . . . .			181
San Domingo . . . . .		521	
Cuba . . . . .		25	91,489
United States of Colombia . . . . .		56	133
Venezuela . . . . .			477
Total . . . . .	2	22	24,780
			135,854

#### FURS.

The value of the import of undressed fur-skins is shown in the next table:

##### *Imports of fur-skins undressed.*

Argentine Republic . . . . .	\$38,026
Belgium . . . . .	2,082
China . . . . .	77
France . . . . .	2,696
French West Indies and French Guiana . . . . .	204
Germany . . . . .	82,044
England . . . . .	359,351
Scotland . . . . .	1,922
Nova Scotia, New Brunswick, &c . . . . .	3,435
Quebec, Ontario, &c . . . . .	789,591
British Columbia . . . . .	162,558
Newfoundland and Labrador . . . . .	72
British West Indies and British Honduras . . . . .	270
British Possessions in Australasia . . . . .	491
Japan . . . . .	114,657
United States of Colombia . . . . .	4,056
Uruguay . . . . .	134
Total . . . . .	1,561,666

The value of the imports of furs and dressed fur-skins is shown in the following table:

England . . . . .	\$1,055,376
France . . . . .	7,1,769
Germany . . . . .	378,643
Quebec, Ontario, &c . . . . .	76,601
Belgium . . . . .	60,7-1
Sweden and Norway . . . . .	8,252
Scotland . . . . .	5,538
Netherlands . . . . .	3,319
United States of Colombia . . . . .	325
Carried forward . . . . .	2,400,717

Brought forward.....	\$2,400,747
Nova Scotia, New Brunswick, &c.....	251
British Possessions in Australasia.....	239
Russia on the Baltic and White Seas.....	178
China .....	115
Spain.....	63
Newfoundland and Labrador.....	52
Austria .....	43
British West Indies and British Honduras.....	38
Hong-Kong .....	17
Cuba .....	14
Total .....	2,401,778

Furs are imported chiefly to New York (\$2,142,947), Philadelphia (\$83,713), Boston (\$72,625), Montana and Idaho (from the Hudson's Bay Territory, of course) (\$69,051), and San Francisco (\$11,874).

The value of fur-skins and furs entered into consumption is shown in the following table:

Fur-skins of all kinds, not dressed in any manner .....	\$1,544,893 89
Furs, and manufactures of:	
Dressed, on the skin.....	1,044,930 23
Dressed, partially on the skin.....	198 10
Dressed, not on the skin, hatters', and others.....	1,229,322 64
Hares', undressed, and not on the skin .....	8,178 00
Hats, caps, muffs, and tippets of fur, and all other manufactures of fur, or of which fur shall be the component of chief value.....	97,942 87
Total .....	3,925,467 73

Sheep and lamb skins tanned with the wool on are imported to the Lake ports to the amount of \$22,232.

The domestic export of furs amounts to \$3,836,579. The amount of this export, by customs-districts, and by countries, is shown in the following table:

Districts.	Furs and fur-skins.		Furs and fur-skins.
	Dollars.	Countries.	
Alaska, Alaska .....	20,900	Belgium .....	605
Baltimore, Md.....	16,300	France .....	8,397
Boston and Charlestown, Mass.....	138,468	Germany .....	1,099,380
Champlain, N. Y.....	28,640	Great Britain: England.....	2,606,253
Detroit, Mich.....	829	Scotland .....	2,200
Duluth, Minn.....	16	Nova Scotia, New Brunswick, and Prince Edward Island .....	1,250
Huron, Mich.....	600	Quebec, Ontario, Rupert's Land, and the Northwest Territory.....	32,044
New York, N. Y.....	2,777,050	British Columbia .....	37,617
Niagara, N. Y.....	210	British Possessions in Australasia .....	200
Oswegatchie, N. Y.....	1,728	Japan .....	437
Philadelphia, Pa.....	757,986	Netherlands .....	200
Puget Sound, Wash.....	16,707	Venezuela .....	219
San Francisco, Cal.....	29,337	Total .....	3,788,802
Vermont, Vt.....	21	Additions taken from Canadian re- ports .....	47,777
Willamette, Oreg.....	10	Grand total .....	3,836,579
Total .....	3,788,802		
Additions to Niagara and Vermont, taken from Canadian reports.....	47,777		
Grand total.....	3,836,579		

Fur-skins, undressed, are sent as foreign exports to the amount of \$118,089: to England \$105,020, Germany \$9,214, France \$3,227, and

Hong-Kong \$625. All passes through New York, except the Hong-Kong shipment, which goes through San Francisco.

There is also a foreign export of furs to the value of \$52,199: to Quebec, &c., \$37,518, England \$8,025, Mexico \$2,667, France \$2,136, and Germany \$1,296. It passes almost entirely through New York.

#### WOOL.

The importation of unmanufactured wool amounts to 42,171,192 pounds, valued at \$7,156,944. The value of manufactures of wool (exclusive of hats) is \$25,601,922. The details of this importation are given below:

Wool, sheep's, and hair of the alpaca, goat, and other like animals, and manufactures of.

The imports of adhesive felt are valued at \$28,273. This substance comes chiefly to New York and San Francisco. The import of roofing felt amounts to \$5,299.

The exports of wool and woolen manufactures, by customs-districts and countries, is shown below:

Districts.	Wool, and manufactures of.				
	Wool, raw and fleece.		Carpets.		Other manu-fac-tures of.
	Pounds.	Dollars.	Yards.	Dollars.	
Alaska, Alaska					\$5
Baltimore, Md.					5
Boston and Charlestown, Mass.	2,505	762			3,922
Brazos de Santiago, Tex.					3,456
Cape Vincent, N. Y.					365
Champlain, N. Y.	6,500	1,900	11,570	9,875	82,327
Corpus Christi, Tex.					2,625
Detroit, Mich.	2,175	870	120	462	490
Duluth, Minn.					455
Machias, Me.			100	125	225
Miami, Ohio	58,219	18,293			
Newburyport, Mass.					1,981
Oregon, Oreg.	10,200	4,621	1,404	1,407	91,310
Portland, Me.					25,982
Richmond, Va.			4,345	3,475	6,982
Salem and Beverly, Mass.			2,480	829	19,255
San Diego, Calif.					6,293
Savannah, Ga.					924
Superior, Mich.			130	74	19,379
Waldoboro', Me.			30	30	8,135
Willamette, Oreg.					23
Wilmington, N. C.					1,241
Total	79,509	26,446	23,179	16,377	275,460
Additions to Niagara and Vermont, taken from Canadian reports		670,008			161,106
Grand total		696,454			436,566

Countries.	Wool, and manufactures of.				
	Wool, raw and fleece.		Carpets.		Other manu-fac-tures of.
	Pounds.	Dollars.	Yards.	Dollars.	
Argentine Republic					336
Brazil					1,063
Central American States					309
China					4,233
France					300
French West Indies and French Guiana					110
Miquelon, Langley, and St. Pierre Islands					950
French Possessions in Africa and ad-jacent islands					22
French Possessions, all other					1,297
Germany			50	75	24,510
Great Britain; England	10,200	4,621	4,345	3,475	51,214
Scotland					108
Nova Scotia, New Brunswick, and Prince Edward Island	2,505	762	2,480	829	45,950
Quebec, Ontario, Rupert's Land, and the Northwest Territory	66,894	21,063	15,120	10,492	93,978
British Columbia					15,897
Newfoundland and Labrador					61
British West Indies and British Honduras			395	495	2,297
British Columbia					1,297
Hong Kong					3,233
Hawaiian Islands					4,432
Hayti			25	25	199

Countries.	Wool, and manufactures of.				
	Wool, raw and fleece.		Carpets.		Other manu-
	Pounds.	Dollars.	Yards.	Dollars.	factures of.
Italy.....					332
Japan.....			100	150	2,940
Liberia.....			138	121	.....
Mexico.....			55	60	11,463
Netherlands.....					170
Dutch West Indies.....					127
Portugal.....					275
Azore, Madeira, and Cape Verde Islands.....					1,214
Portuguese Possessions in Africa and adjacent islands.....					100
Cuba.....			10	21	2,225
United States of Colombia.....			85	96	1,153
Uruguay.....					1,040
Venezuela.....			676	538	1,404
All other islands and ports, not elsewhere specified.....					142
Total.....	79,599	26,446	23,479	16,377	275,460
Additions taken from Canadian reports.....		670,008			161,106
Grand total.....		696,454			436,566

The foreign export of woolen manufactures amounts to \$373,753, that of unmanufactured wool to \$472,519 (3,088,957 pounds), chiefly to Canada (\$445,134), France (\$23,835), and England (\$3,550).

#### SILK.

The imports of raw silk are shown in the following table:

Silk, raw.	Pounds.	Dollars.
China.....	44,281	233,390
France.....	133,168	1,017,339
Germany.....	2,192	18,403
England.....	179,891	1,113,832
Italy.....	2,282	19,979
Japan.....	819,056	4,371,836
Hong-Kong.....	5,360	18,108
	1,186,170	6,792,937

Raw silk comes entirely to San Francisco (861,166 pounds), New York (324,328), and Philadelphia (676).

A foreign export of raw silk (38,515 pounds), valued at (\$209,709), goes to England (37,018 pounds), France (1,000), and Quebec. It passes chiefly through New York.

The import of manufactures of silk is shown below:

Countries.	Silk, manufactures of.		
	Dress and piece goods.	Hosiery.	Otherman- ufactures of.
	Dollars.	Dollars.	Dollars.
Austria .....			9
Belgium .....	9,000	10	44,217
Brazil .....	11		
China .....	672		80,249
France .....	10,608,762	3,060	2,098,170
Germany .....	4,169,604	39,861	1,178,266
England .....	1,667,826	35,559	1,567,508
Scorland .....	9,247	450	5,975
Ireland .....			312
Nova Scotia, New Brunswick, &c.	77		57
Quebec, Ontario, &c	610		2,273
British Columbia .....	6		160
British Guiana .....			237
British East Indies .....			889
Hong-Kong .....	82		
37			4,518
British Possessions in Australasia .....			51
Hayti .....			69
Italy .....	329		411
Japan .....	174		8,925
Mexico .....	4		69
Netherlands .....	284,235		6,551
Russia on the Baltic and White Seas .....			541
Spain .....			127
Cuba .....	68		278
Porto Rico .....			24
Sweden and Norway .....			64
Turkey in Africa .....			539
United States of Colombia .....	82		10
Total .....	16,750,826	78,940	5,000,393

Almost the entire imports of this class come to New York.

The amount of silk and manufactures of silk entered into consumption is shown in the following table:

Description.	Amount.	Dollars.
Silk.		
Cocoons .....		222,633 00
Raw, or as reeled from the cocoons .....	pounds.	6,793,710 00
Waste .....		168,256 00
Worms' eggs .....		1,012,624 00
Manufactures of all kinds .....		16,239,655 70
Manufactures, such as velvet, of which silk is the component of chief value .....		5,510,178 87

The import of silk waste amounts to \$166,646. New York receives \$84,114; San Francisco, \$81,232.

The import of silk-worm eggs and cocoons amounts to \$1,235,283. San Francisco receives \$10,818,147; New York, \$216,836.

The foreign export of silk manufactures amounts to \$199,593.

#### IVORY.

The amount of ivory and manufactures of ivory entered into consumption is shown in the following table:

Ivory, manufactured .....	\$339,863
Ivory, manufactures of, not otherwise provided for .....	34,067
Ivory or bone dice, draughts, chess-men, chess-balls, and bagatelle-balls .....	2,236
Total .....	376,166

The total import of ivory amounts to \$379,402. New York receives \$333,727, Boston \$21,938, Baltimore \$20,043, Philadelphia \$2,749, San Francisco \$965.

#### HORN.

The total value of the importation of horns, horn-tips, and horn-strips is \$285,368, of which \$240,487 comes to New York, \$35,352 to Boston, \$1,720 to the Lake ports, and \$4,119 to Baltimore.

#### WHALEBONE.

Unmanufactured whalebone entered into consumption to the amount of 1,880 pounds, valued at \$1,379. The consumption of manufactured whalebone is valued at \$851.

#### SHELL.

Shells of every description, including, doubtless, both tortoise shell and shells of mollusks, entered into consumption, \$162,768.76.

#### CORAL.

Unmanufactured coral entered into consumption to the amount of \$718.14; coral cut or unmanufactured to the amount of \$28,649.

#### LEATHER.

The following table shows the amounts and values of leather and leather articles entered into consumption:

##### Hides and skins:

Goat-skins, Angora, and sheep-skins, with the wool on (less the value of the wool) .....	\$7,419 15
Goat-skins, raw.....	3,181,072 40
All other hides, raw or uncurled, whether dry, salted, or pickled; and skins, except sheep-skins, with the wool on .....	11,795,029 93
Leather, tanned, not manufactured .....	4,588,491 46
Manufactures of leather.....	3,449,979 76
Parchment.....	8,938 00

##### Preparations of viscera:

Manufactures of bladders.....	106 00
Gold-beaters' molds and skins:	
Entered into consumption .....	14,236 00
Imported (this whole import comes to New York) .....	13,634 00
Sinews, nerves, &c., crude .....	3,798 00
Catgut and whpgut unmanufactured, catgut strings and gut-cord for musical instruments, also gut and wormgut for whip and other cords, entered into consumption .....	163,109 39

The total entry of catgut strings amounts to \$146,210. Of this, New York receives \$117,952, Baltimore \$12,218, San Francisco \$5,635, Boston \$5,411, New Orleans \$2,898, and Philadelphia \$1,644.

Wool pelts, less the value of the wool, are imported to the value of \$8,736. This import is entered entire at Boston.

## HIDES AND SKINS.

The following shows the value of importations of hides and skins:

Argentine Republic .....	\$2,071,161
Austria .....	26,846
Belgium .....	513,677
Brazil .....	1,138,819
Central American States.....	43,716
Chili .....	10,921
China .....	822
France .....	237,777
French West Indies and French Guiana.....	3,543
French Possessions in Africa .....	36,595
All other French Possessions .....	1,972
Germany .....	234,153
England .....	1,988,186
Nova Scotia, New Brunswick, &c .....	14,303
Quebec, Ontario, &c .....	493,530
British Columbia .....	23,288
Newfoundland and Labrador .....	2,327
British West Indies and Honduras .....	17,377
British Guiana .....	808
British East Indies .....	1,272,617
British Possessions in Africa .....	154,746
British Possessions in Australasia .....	627
All other .....	26,361
Hawaii .....	50,861
Hayti .....	7,219
Italy .....	679
Japan .....	121
Mexico .....	1,529,702
Netherlands .....	126,857
Dutch West Indies and Dutch Guiana .....	93,778
Portugal .....	23,467
Azores, Madeira, and Cape Verde Islands .....	48,122
San Domingo .....	19,977
Cuba .....	65,783
Porto Rico .....	13,826
Spanish Possessions elsewhere .....	14,679
Turkey in Africa .....	562
United States of Colombia .....	1,033,079
Uruguay .....	1,790,057
Venezuela .....	703,694
All unnumbered ports in Africa .....	126,853
	14,963,701

The next table shows the ports at which hides and skins are entered by the importers:

Districts.	Hides and skins, other than furs.	Districts.	Hides and skins, other than furs.
Baltimore, Md .....	\$184,422	Niagara, N. Y .....	\$92,891
Boston and Charlestown, Mass .....	3,498,294	Oswegatchie, N. Y .....	80,309
Brazos de Santiago, Tex .....	607,139	Oswego, N. Y .....	5,829
Bullard Creek, N. Y .....	105,482	Panlico, N. C .....	238
Cape Vincent, N. Y .....	22,623	Paso del Norte, Tex .....	9,261
Champlain, N. Y .....	7,129	Pearl River, Miss .....	471,104
Chicago, Ill .....	690	Plymouth, Mass .....	9
Corpus Christi, Tex .....	157,135	Providence, R. I .....	778
Detroit, Mich .....	49,019	Puget Sound, Wash .....	25,897
Fairfield Conn .....	251	Richmond, Va .....	45
Galveston, Tex .....	7,359	San Francisco, Cal .....	26
Gloucester, Mass .....	80	Savannah, Ga .....	86,446
Huron, Mich .....	11,531	Superior, Mich .....	191
Minnesota, Minn .....	4,315	Vermont, Vt .....	68
New Bedford, Mass .....	29,065	Willamette, Oreg .....	111,079
Newburyport, Mass .....	7,337	Wilmington, N. C .....	1,025
New Haven, Conn .....	87	Total .....	14,963,701
New Orleans, La .....	66,870		
New York, N. Y .....	9,326,876		

The next table shows the importation of manufactured leather and articles made therefrom:

Countries.	Leather, and manufactures of.				
	Leather of all kinds.		Gloves of kid, and all other of skin or leather.		Other manu-fac-tures of.
	Pounds.	Dollars.	Doz. prs.	Dollars.	
Austria.....	36	49	55	230	677
Belgium.....	5,374	7,007	6,377	41,024	432
Brazil.....	195	130			104
China.....	623	4.2			7,255
Danish West Indies.....	15	9			15
France.....	4,633,915	3,095,685	231,093	1,356,022	142,501
Germany.....	658,708	442,568	258,870	1,196,109	126,119
England.....	1,199,696	778,065	99,063	543,517	242,549
Scotland.....	382	255	47	319	722
Ireland.....					100
Nova Scotia, New Brunswick, &c.....			2	9	1,088
Quebec, Ontario, &c.....	583,873	82,854	12	105	10,948
British Columbia.....					755
British West Indies and British Honduras.....					5
British East Indies.....	354,143	176,193			750
British Possessions in Africa, &c.....	12	15			50
British Possessions in Australasia.....	480	567			177
Hawaii.....					7
Hayti.....	1,821	1,214			
Italy.....	1,963	1,348	310	1,333	119
Japan.....					496
Mexico.....	2,785	1,264	16	93	1,242
Netherlands.....	1,533	1,022	1	11	
Azores, Madeira, and Cape Verde Islands.....					5
Russia on the Baltic and White Seas.....	400	465			427
Spain.....			16	97	33
Cuba.....	424	233			112
Sweden and Norway.....	60	62			80
Turkey in Africa.....					2
United States of Colombia.....	805	162			264
Uruguay.....	115	12			
Venezuela.....	55	42			31
Total.....	7,447,423	4,589,713	595,862	3,128,919	537,014

The exports of leather are as follows:

		Quantity.	Value.
Leather of all kinds, not elsewhere specified.....	pounds.	23,122,936	\$2,480,427
Morocco and other fine leather.....			6,016,373
Boots and shoes.....	pairs.	300,484	1,280,225
Saddlery and harness and other manufactures.....			414,630
			456,073
Total.....			10,647,728

The foreign exports of hides and skins amount to \$44,415. This export is made from New York and Boston to France (\$13,976), Nova Scotia and New Brunswick (\$12,068), England (\$10,668), and Germany (\$7,515). That of leather amounts to \$106,762 (382,765 pounds), chiefly to England and Canada; of leather gloves \$13,372 (2,286 dozen pairs), chiefly to Canada and France; and other manufactures, \$17,857, to British Columbia, Scotland, Mexico, England, Canada, and France.

The tables below show the amounts of exports by countries and by districts:

Countries.	Leather, and manufactures of.						
	Boots and shoes.		Leather of all kinds, not elsewhere specified.		Morocco, and other fine.		Manufactures of, not elsewhere specified.
	Pairs.	Dollars.	Pounds.	Dollars.	Dollars.	Dollars.	
Argentine Republic.....	144	255	850	246	.....	388	1,419
Austria.....	.....	192,523	40,525	.....	.....	.....	.....
Belgium.....	.....	1,839,757	560,390	26,813	50	1,113	.....
Brazil.....	2,938	3,238	.....	.....	.....	394	6,432
Central American States.....	11,782	16,077	.....	.....	.....	10,136	566
Cuba.....	75	165	19,223	6,744	.....	493	184
China.....	8,961	9,338	7,926	1,766	45	1,133	3,056
Danish West Indies.....	.....	.....	64,909	18,140	1,375	1,930	1,455
France.....	.....	.....	.....	.....	.....	.....	.....
French West Indies and French Guiana.....	.....	.....	.....	.....	.....	367	.....
Miquelon, Langley, and St. Pierre Islands.....	1,357	2,403	4,474	1,079	95	.....	.....
French Possessions in Africa and adjacent islands.....	192	204	1,976	463	.....	556	416
French Possessions, all other.....	4,103	6,723	.....	.....	.....	556	416
Germany.....	18,938	25,797	6,120,639	1,515,938	11,438	256	101,601
Great Britain: England.....	1,153	1,756	15,718,808	3,375,241	1,210,026	573	78,396
Scotland.....	1,104	4,910	184,751	45,312	3,240	12	39,301
Gibraltar.....	.....	.....	.....	.....	.....	.....	152
Nova Scotia, New Brunswick, and Prince Edward Island.....	41,091	48,723	43,402	11,140	5,342	4,009	8,279
Quebec, Ontario, Rupert's Land, and the Northwest Territory.....	18,074	33,890	91,331	26,356	175	6,911	20,620
British Columbia.....	17,896	31,294	12,132	3,253	.....	7,599	6,336
Newfoundland and Labrador.....	240	500	153,261	32,796	1,285	.....	2,501
British West Indies and British Honduras.....	56,693	66,633	28,399	7,740	2,139	3,316	5,302
British Guiana.....	370	462	32,416	8,992	1,125	105	692
Hong-Kong.....	78	179	8,630	2,152	.....	149	977
British Possessions in Africa.....	472	1,313	5,719	4,430	522	96	1,217
British Possessions in Australasia.....	398	702	15,973	4,360	7,953	17,685	8,019
Hawaiian Islands.....	21,188	32,341	9,176	2,428	.....	7,841	5,231
Haiti.....	12,165	13,670	250	127	688	1,095	452
Italy.....	.....	.....	3,310	1,100	.....	.....	.....
Japan.....	638	1,262	325,698	71,953	.....	2,962	7,588
Liberia.....	2,453	4,584	.....	.....	.....	.....	144
Mexico.....	38,793	53,383	4,077	1,675	102	4,446	8,010
Netherlands.....	2,198	2,662	16,291	64,330	2,767	.....	16,766
Dutch West Indies.....	4,473	4,799	16,668	4,253	20	873	1,824
Pern.....	546	948	.....	.....	.....	750	993
Portugal.....	.....	.....	.....	.....	.....	.....	1,007
Azores, Madeira, and Cape Verde Islands.....	2,231	3,061	2,518	572	498	.....	.....
Bissau, Asiatic.....	1,327	2,642	3,100	800	.....	487	513
San Domingo.....	7,712	8,962	.....	.....	181	321	1,033
Cuba.....	3,958	4,785	3,807	1,279	2,075	3,348	19,056
Porto Rico.....	550	622	280	112	378	1,790	949
Spanish Possessions in Africa and adjacent islands.....	.....	.....	519	170	.....	.....	264
Sweden and Norway.....	.....	9,421	2,687	.....	.....	.....	.....
Turkey in Europe.....	.....	.....	.....	.....	.....	.....	5,268
Turkey in Asia.....	.....	.....	.....	.....	.....	.....	80
United States of Colombia.....	15,625	24,914	2,135	608	.....	9,227	2,519
Uruguay.....	.....	.....	.....	.....	771	.....	.....
Venezuela.....	424	532	407	123	1,462	4,630	2,255
All other islands and ports, not elsewhere specified.....	744	898	100	93	.....	.....	.....
Total.....	300,481	114,630	25,122,936	6,016,373	1,280,225*	34,085	361,988
Additions taken from Canadian reports.....	.....	133,842	.....	.....	.....	.....	380,312
Grand total.....	.....	548,472	.....	.....	.....	.....	742,300

## Leather, and manufactures of.

Districts.	Boots and shoes.		Leather of all kinds, not elsewhere specified.		Morocco, and other fine.	Saddlery and harness.	Manufactures of, not elsewhere specified.
	Pairs.	Dollars.	Pounds.	Dollars.	Dollars.	Dollars.	Dollars.
Alaska, Alaska			50	10			
Baltimore, Md.	3,599	6,120	516,145	202,137	441	1,530	1,370
Bangor, Me.	63	60					
Boston and Charlestown, Mass.	25,585	33,433	3,312,403	666,173	1,119,981	5,040	26,841
Brazos de Santiago, Tex.	25,823	32,218	125	27		1,233	153
Buffalo Creek, N. Y.							2,319
Cape Vincent, N. Y.	75	109					1,934
Champlain, N. Y.	1,650	1,658	57,566	16,639		234	3,316
Corpus Christi, Tex.	8,457	14,976	95	90		550	341
Cuyahoga, Ohio			70	21			215
Detroit, Mich.	1,444	3,342				782	4,077
Duluth, Minn.							29
Eric, Pa.			60	16			
Genesee, N. Y.	72	145	905	250		808	
Huron, Mich.							662
Key West, Fla.						65	
Machias, Me.			50	8			44
Minnesota, Minn.	3,286	4,708				4,739	
New Bedford, Mass.			227	62			
New Haven, Conn.							5,268
New London, Conn.			280	112		375	56
New Orleans, La.	4,288	4,068				170	232
New York, N. Y.	129,857	\$167,856	19,020,309	4,499,578	159,506	44,305	274,390
Niagara, N. Y.					175	60	140
Norfolk, Va.							144
Oswegatchie, N. Y.	3,755	3,013	5,065	1,535			4,628
Oswego, N. Y.							32
Passamaquoddy, Me.	26,828	30,021				2,418	5,192
Philadelphia, Pa.	2,116	3,126	1,736,280	518,679	20	522	689
Portland, Me.							895
Puget Sound, Wash.	25	87				264	862
Saluria, Tex.	3,119	4,279	30	15	102	140	24
San Francisco, Cal.	49,515	80,915	445,571	103,103		30,248	24,851
Savannah, Ga.	3,135	3,581	40	23			36
Vermont, Vt.	7,792	20,915	27,665	7,895		368	3,268
Willamette, Oreg.						314	
Total	300,484	414,630	25,122,936	6,016,373	1,280,225	94,085	361,988
Additions to Niagara and Vermont, taken from Canadian reports.		133,842					380,312
Grand total		548,472					742,300

## HAIR.

The amounts of hair and manufactures of hair entered into consumption are shown in the following table:

Hair, and manufactures of.	Pounds.	Value.
Hair, unmanufactured:		
Human hair, cleaned or drawn		\$40,652
Human hair, not cleaned or drawn		41,627
Horse-hair, used for weaving, cleaned or uncleansed, drawn or undrawn	121,588	90,198
Horse-hair, all, and cattle-hair, cleaned or uncleansed, drawn or undrawn, unmanufactured	2,226,692	391,439
Cleaned hair, unmanufactured, not otherwise specified		54,501
Hogs' hair		15,057
Curled hair, other than hogs', for beds or mattresses		16
Hair, manufactured:		
Manufactures of human hair		14,825
Hair-cloth, and other manufactures not otherwise provided for		98,661
Hair bracelets, braids, chains, &c.		1,481
Hair-pencils		3
Total		742,313

The imports of hair, by countries, are as shown below:

Countries.	Hair, and manufac-tures of.		Horse-hair for weav-ing.		Hair of all other-kinds, not man-u-factured.	
	Hair, hu-man, and manufac-tures of.	Hair, other, and manufac-tures of, not else-where spec-i-fied.				
	Dollars.	Dollars.	Pounds.	Dollars.	Pounds.	Dollars..
Argentine Republic .....		596,741	104,240	144,220	26,380	
Belgium .....	57	335		650	413	
Brazil .....		161,715	33,405	420,969	71,943	
China .....	832					
France .....	18,742	6,554	9,278	7,594	31,903	7,981
Germany .....	39,741	26,956	59,126	51,338	45,323	20,490
England .....	13,972	119,442	21,167	17,862	403,786	58,989
Scotland .....		8,610				
Ireland .....						
Nova Scotia, New Brunswick, &c. ....			1,192	224	12,218	454
Quebec, Ontario, &c. ....	2,179				10,337	802
Hong-Kong .....		601				
British Possessions in Australasia .....		37				
Italy .....	1,481					
Japan .....	71					
Mexico .....			3,926	556	178,143	28,741
Cuba .....					2,067	443
Porto Rico .....					138	52
Netherlands .....					6,110	508
United States of Colombia .....					90	20
Uruguay .....		41			235,315	49,112
Turkey in Africa .....						
Total .....	77,075	162,596	853,146	215,239	1,194,324	266,398

The imports are made chiefly to New York, Boston, and Philadelphia. Twenty-one thousand and three pounds of horse-hair for weaving, valued at \$4,201, pass through Boston to England as a foreign export; also manufactures of human hair to the value of \$19,329, chiefly to England, and other hair manufactures (\$3,597) chiefly to Belgium.

#### BRISTLES.

The amount of bristles entered into consumption is placed at 353,287 pounds, valued at \$545,011. The imports of bristles by countries is shown below:

Countries.	Bristles.	
	Pounds.	Dollars.
China .....	1,871	713
France .....	43,332	48,064
Germany .....	193,329	472,149
England .....	11,324	15,534
Total .....	450,056	536,460

Almost the entire import of bristles is entered at New York (449,910 pounds), a small quantity going to Boston (137) and New Orleans (9). There is a foreign export of bristles from New York to Canada amounting to 1,612 pounds (\$3,236).

## QUILLS.

The amount of quills entered into consumption, prepared and unprepared, is valued at \$1,051. The value of toothpicks entered into consumption is \$15,441.

## FEATHERS.

The value of feathers entered into consumption is shown below:

Feathers and down for beds and feather-beds .....	\$12,531.50
Ornamental feathers, ostrich, vulture, cock, &c., crude .....	634.45 20
Feathers, dressed, colored, or manufactured .....	15,352.00

The total entries of feathers amount to \$11,313, of which New York receives \$10,431, and San Francisco \$727, with trifling entries at other ports. There are also feather-beds to the value of \$1,404, coming chiefly to New York and Philadelphia.

## GLUE AND GELATINE.

The import of hide-cuttings for glue-stock amounts in value to \$320,722, of which New York receives \$163,593, Boston \$156,448, and Baltimore \$681. Hoofs and other glue-stock of that description are valued at \$10,650, of which \$10,188 comes to the Lake ports.

The import of common glue amounts to 1,112,527 pounds, valued at \$26,345.60.

The consumption of gelatine and similar products, of which a portion is probably of vegetable origin, is valued at \$90,971.

Isinglass or fish-glue entered into consumption to the value of \$32,236 (75,267 pounds).

The total import of fish sounds and glue is given at \$16,125; \$11,727 comes to Boston, and \$4,398 to other ports.

Glue is exported to the amount of 81,685 pounds, valued at \$16,039.

## SPONGES.

The total import of sponges is valued at \$91,742. New York receives \$74,524, Philadelphia \$2,452, and San Francisco \$1,693.

## OILS, FATS, AND SOAPS.

The following quantities entered into consumption:

Oils.	Amount.	Dollars.
Cod-liver oil, brown or crude, from provinces, not dutiable .....	gallons..	129,263
dutiable.....do.....	do.....	13,732
Total.....		142,995
Cod-liver oil, refined, medicinal .....		17,290.00
Whale or fish oil from provinces, not dutiable .....	gallons..	19,620
dutiable.....do.....	do.....	26,711
Total.....		46,331
Neat's-foot, and all animal, not otherwise provided for.....	gallons..	2,597.50
Seal .....	do.....	410
Tallow.....	pounds..	25,522
Total.....		2,142.03

Oils.		Amount.	Dollars.
Spermaceti and wax.....	pounds..	16,371	6,302.00
Sicarine.....	do...	595	159.00
Tallow, and all other, and tapers.....	do...	1,231	253.00
Glycerine.....	do...	1,936,214	124,923.00
Grease.....	do...	3,110,974	117,074.22
Soap-grease.....	do...	112,587	5,610.00
Common soap.....	do...	3,791,688	219,689.64
Unsaponified soap.....	do...	197,818	75,766.45

The total import of grease amounts to \$116,070; New York receives \$58,340, Boston, \$56,057.

Soap-grease is imported to the value of \$5,384. Boston receives \$2,384, New York \$1,469, the Lake ports \$894, and Philadelphia \$637.

The total import of sperm oil is \$5,590, all coming to San Francisco. The next table shows the exports of oils and fats:

Oils, fats, &c.		Amounts.	Dollars.
Whale and other fish oil.....	gallons..	1,026,038	442,165
Sperm oil.....	do...	634,901	879,865
Spermaceti.....	pounds..	153,552	41,027
Neal's-foot and other animal oils.....	gallons..	19,932	19,729
Lard oil.....	do...	349,129	281,551
Tallow.....	pounds..	91,472,803	7,883,616
Soap.....	do...	1,616,163	253,634
Tallow candles.....	do...		638,952
Total.....			10,820,530

There is a foreign export of whale and other fish oils, apparently from the British Provinces through Boston to Belgium; this amounts to 43,103 gallons, valued at \$26,669. A small foreign export of dutiable oils of this description goes to Quebec, Ontario, &c. (1,459 gallons), the British West Indies (236), and Brazil (10). This whole export amounts to 1,705 gallons, valued at \$794. It passes through Boston (1,365 gallons) and New York (340).

The imports of whale and fish oil by countries and by districts are shown below:

Countries.		Whale oil and fish oil, not of American fisheries.
	Gallons.	Dollars.
	FREIGHT.	
Nova Scotia, New Brunswick, &c.....	130,562	79,403
Quebec, Ontario, &c.....	2,142	1,339
Newfoundland and Labrador.....	6,001	3,316
Total.....	138,708	84,088
	DEUTIABLE.	
Danish West Indies.....	2,745	2,814
Germany.....	4,128	3,672
England.....	11,161	21,664
British Columbia.....	10,915	4,417
Newfoundland and Labrador.....	150	161
British West Indies and British Honduras.....	2,551	837
Hawaii.....	2,609	1,670
Netherlands.....	4,767	5,357
Asiatic Russia.....	12,400	3,941
Sweden and Norway.....	120	92
Total.....	51,882	41,015

Districts.	FREE.		DUTIABLE.	
	Whale and fish, not of American fish- eries.	Gallons.	Dollars.	Whale and fish, not of American fish- eries.
Boston and Charlestown, Mass.	82,007	45,782	2,570	771
Champlain, N. Y.	72	97	—	—
Gloucester, Mass.	1,360	593	—	—
Huron, Mich.	2,070	1,212	—	—
New York, N. Y.	40,680	31,870	23,238	33,694
Passamaquoddy, Me.	10,160	3,480	—	—
Philadelphia, Pa.	—	—	120	92
Portland and Falmouth, Me.	2,090	895	—	—
Puget Sound, Wash.	—	—	4,535	1,851
Salem and Beverly, Mass.	269	129	—	—
San Francisco, Cal.	—	—	18,821	6,483
Willamette, Oreg.	—	—	2,598	1,124
Total	138,708	84,088	51,882	44,015

## PERFUMERY MATERIALS.

The next table shows the quantity entered into consumption of materials used by perfumers:

Description.	Ounces.	Dollars.
Caster or castoreum	—	3,482
Civet	—	1,218
Civet and musk in natural pod	5,991	33,336
Ambergreis	—	694
Total	—	38,710

## COLORING MATERIALS.

The next table shows the quantity entered into consumption of substances used by color-makers:

Description.	Pounds.	Dollars.
Cochineal	1,304,370	648,621
Lac, ernde, seed, button, and stick	47,063	9,592
Lac-dye	454,781	26,243
Total	—	674,456

The total import of cochineal is 1,324,165 pounds, valued at \$649,325.

The next table shows the quantity of cochineal imported, by countries:

*Imports of cochineal.*

Countries.	Pounds.	Dollars.
Belgium	19,881	9,867
Central American States	13,115	5,296
France	11,316	7,065
England	342,109	180,035
British West Indies and British Honduras	11,219	6,500
Australasia, British Possessions	972	467
Mexico	111,763	52,466
Spanish Possessions in Africa	314,290	174,394
United States of Colombia	499,500	213,235
Total	1,324,165	649,325

The next table shows the quantity of imports by customs districts:

Districts.	Pounds.	Dollars.
New York .....	919,870	431,063
New Haven .....	284,133	157,345
Boston .....	60,157	31,303
Philadelphia .....	45,918	23,851
San Francisco .....	14,087	5,763
Total .....	1,324,165	649,325

In addition to the above, we find that 66,986 pounds, valued at \$52,938, pass through New York to England (foreign exports).

#### WAX.

The next table shows the quantity entered into consumption of wax and manufactures thereof.

Description.	Amount.	Dollars.
Wax, and manufactures of:		
Bees-wax .....	pounds.	3,198
Sealing-wax .....	.....	3,688
Manufactures of, not otherwise provided for .....	.....	6,356
Total .....	.....	12,533

The total import of wax amounts to \$16,844, of which New York receives \$11,764 and Philadelphia \$3,330.

The total export of wax amounts to 276,891 pounds, valued at \$22,876.

The total export of bone-black, ivory-black, and lamp-black (the latter not of animal origin), amounts to 515,488 pounds, valued at \$22,876.

#### CHEMICAL PREPARATIONS, MEDICINES, ETC.

The following table shows amounts entered into consumption:

Articles.	Pounds.	Dollars.
Phosphorus .....	56,474	11,295
Ammonia (crude) .....	1,341	131
Sugar of milk .....	14,653	.....
Albumen and lactarine .....	57,985	.....
Animal carbon .....	.....	396
Cuttle-fish bone .....	54,215	9,482
Cantharides .....	14,206	11,843
Rennets, raw and prepared .....	.....	12,016
Total value .....	.....	117,801

The total import of rennets is valued at \$11,944, of which New York receives \$11,470 and San Francisco \$398.

#### BONES.

The value of the import entries of bones, crude, and not manufactured, burned, calcined, ground, or steamed, and bone-dust and bone-ash for

the manufacture of fertilizers," is placed at \$82,882. The amount entered into consumption is \$56,935.

The principal import is through the Lake ports, which enter to the value of \$52,469. Baltimore, the seat of many extensive fertilizer factories, receives to the value of \$23,857, New York \$4,937, and Boston \$1,475.

The total export of bones and bone-dust amounts to 7,072,000 pounds, valued at \$121,493.

#### GUANO AND OTHER FERTILIZERS.

The import entry of guano, except from bonded islands, is placed at 25,482 tons, valued at \$873,790.

The export of guano amounts to 954 tons, valued at \$41,530. 2,757 tons, valued at \$77,190, goes as a foreign export to Ireland (1,537 tons), England (680), and Cuba (535). It passes through Petersburg, Va. (1,437 tons), Beaufort, S. C. (779), and New York (541).

Other fertilizers are imported to the value of \$157,471. Of this amount Baltimore receives \$48,230, New York \$18,897, Philadelphia \$9,613, and other ports \$80,647.

Manures, probably mostly animal, are exported, to the value of \$1,076,602.

#### SPECIMENS OF NATURAL HISTORY.

The following entered into consumption:

Specimens of natural history, botany, and mineralogy for cabinets, &c., and not for sale .....		\$12,191
Skeletons and other preparations of anatomy .....		4,040
Bird-skins .....		11
Stuffed birds .....		1,097
Fossils .....		375
Total .....		17,714

The following table shows the countries from which guano is imported:

Countries.	Guano (except from bonded islands).		Countries.	Guano (except from bonded islands).	
	Tons.	Dollars.		Tons.	Dollars.
Chili.....	1,832	55,139	Mexico.....	18,481	741,124
France.....	16	790	Venezuela .....	4,463	65,276
Scotland.....	4	317	All other countries and ports in South America .....	1	12
British West Indies and Brit- ish Honduras .....	615	7,123	Total .....	25,582	873,390
Hayti.....	100	3,178			
Peru.....	70	143			

Guano is brought chiefly to New York (16,738 tons), Baltimore (7,732), Philadelphia (673), Norfolk (300), San Francisco (122), and New Orleans (16).

The two following tables show the aggregate imports and exports for the years 1875, 1876, and 1877.

*Net imports.*

Articles.	1875.	1876.	1877.
Living animals .....	\$9,062,542	\$1,715,264	\$1,625,495
Fish .....	2,802,395	2,520,258	2,253,620
Hides, skins, furs undressed, hair, &c .....	20,541,768	15,185,194	16,840,299
Furs .....	2,987,865	2,881,323	2,348,380
Wool unmanufactured .....	10,379,438	7,929,139	6,684,425
manufactures of .....	44,216,371	32,607,152	25,328,169
Silk, raw .....	4,471,396	5,405,608	6,583,228
manufactures of .....	24,107,665	23,487,418	21,630,566
Leather and manufactures of .....	10,146,909	8,208,150	8,117,655
Hair manufactures .....	879,419	348,621	216,745
Oils, animal and vegetable .....	1,906,949	1,508,387	1,699,829
Cinamo .....	525,667	704,818	796,200
Provisions not included .....			
	\$125,048,384	\$102,500,718	\$94,124,611

*Net exports.*

Articles.	1875.	1876.	1877.
Living animals .....	\$9,672,505	\$2,436,287	\$3,325,203
Provisions:			
Meats .....	39,217,176	49,592,834	67,288,758
Butter and cheese .....	13,106,599	13,379,579	17,125,243
Eggs and condensed milk .....	132,308	126,849	132,230
Fish .....	3,165,065	3,715,184	4,139,706
Hides, skins, furs, and hair .....	9,555,747	7,615,565	6,607,716
Wool, unmanufactured .....	62,754	13,845	26,446
manufactures of (not including hats and caps) .....	154,401	336,389	291,837
Leather and manufactures of (including trunks) .....	7,438,192	10,142,576	8,298,383
Oils and fats:			
Animal oils, including whale oil .....	1,420,324	1,975,972	1,623,301
Lard .....	22,900,522	22,429,485	25,562,665
Tallow .....	5,692,203	6,734,378	7,883,616
Soap (and starch) .....	1,156,173	1,209,695	1,093,234
Manures .....	616,376	922,221	1,118,132
Total .....	\$100,330,345	\$120,630,859	\$144,516,470
Annual average for three years .....	*		

## INDEX OF OBJECTS.

---

### A.

	Page.		Page.
Abalones.....	184	Albumen, &c., Imports of.....	299
Abena Trowbridgii.....	38	of blood .....	229
Aboriginal bird-spears .....	83	of eggs .....	230
drying-houses .....	169	Preparation of .....	175
fish-spears .....	83	preparations, Manufacture of .....	175
Absorbent, Infusorial earth for.....	208	Album græcum of dogs .....	229
Acanthophora muscoïdes.....	266	Alces malchis .....	7
" Thierii .....	266	Alcohol .....	176
Acanthurus claviger.....	38	Alcoholic specimens.....	176
" nigricans .....	38	Alewife .....	60
Accessories, hatching .....	246-248	Alewives, Smoked .....	183
of bows and arrows .....	89	Algae .....	265
of obtaining and impregnating		for "artificial stag-horn" .....	265
ova .....	245	for fertilizers .....	265
to artificial baits .....	138	as food .....	265
to hunting-birds .....	137	for manufacture of bromine .....	265
to hunting-dogs .....	136	for manufacture of iodine .....	265
Acetabularia crenulata.....	271	Ornamental .....	265
Achirus lineatus .....	26	Alligator .....	21
Acid, Carbazotic .....	229	mississippiensis .....	21
Carbolic .....	177	leather .....	215-216
Formic .....	229	Musk of .....	228
Osmic .....	177	Teeth of .....	199
Picric .....	177	Turtle .....	22
Acipenser brevirostris .....	64	Alligator-oil .....	226
" maculosus .....	65	Alopecidae .....	68
" rubicundus .....	64	Alopia vulpes .....	68
" sturio .....	64	Alosa sapidissima .....	60
Acipenseridae .....	64	Alpenstocks .....	142
Adhesive eggs apparatus .....	246	Alcidium Blodgettii .....	266
preparations .....		Alum, &c .....	178
Ælurichthys marinus .....	135	Alutera cuspidanda .....	25
Aerating-pipe .....	62	Auber-fish .....	43
African leech (Hirudo trochina) .....	247	Ambergris, Imports of .....	298
Agaphelina .....	231	of sperm-whale .....	228
Agaphelus gibbosus .....	12	Ambloplites rupestris .....	48
Agarum Tuneri .....	12	Ambreine .....	228
Agassiz collecting-tank .....	270	American Badger .....	4, 190
Agonidae .....	176	Beaver .....	17
Almofilia gigartinoidea .....	33	Buffalo .....	7
" plicata .....	268	Club-fish .....	186
Aids, Personal .....	142	Elk .....	8
Air force-pumps .....	247	Leech .....	231
Air-gun canes .....	90	Miller's Thumb .....	34
Air-guns .....	89	Sable .....	189
Piston .....	90	Otter .....	4
Reservoir .....	90	Sardines .....	186
Alaria esculenta .....	269	Sole .....	26
Alaska Sable .....	190	Amia calva .....	63
Albicore .....	40	Amiidae .....	63
Albula vulpes .....	59	Amiurus catnus .....	62
Albulidae .....	59	Amansia multifida .....	265
		Ammodytes americanus .....	31

	Page.		Page.
Ammodytidae .....	31	Antelope ( <i>Arctilocapra americana</i> ) .....	192
Ammonia .....	230, 299	Hair of (on skin) .....	218
Carbonate of .....	202	heads, Masks for .....	141
Purpurate of .....	228	Hoofs of .....	202
Manufacture of .....	175	Proghorn .....	7
Ammunition (its preparation) .....	91	Antennariidae .....	23
Prepared .....	92	Antilocapra americana .....	7
holders .....	94	Antilocapridae .....	7
measures .....	92	Antilopina .....	7
Amphibians, Propagation of .....	245	Antlers .....	202
Amphiroa California .....	267	of deer .....	202
" fragillissima .....	267	of elk .....	202
" nebulis .....	267	of moose .....	202
" nodulosa .....	267	Aparejos .....	142
Amphistichus argenteus .....	38	Apeltes quadratus .....	54
" similis .....	38	Apodes .....	63
Anacanthini .....	28	Apparatus accessory to rigging fishing-ve- sels .....	150-162
Anadyomene flabellata .....	271	Adhesive eggs .....	246
Ananacinae .....	12	Angling (accessory) .....	118
Anarnacus semijunctus .....	12	Angling, Parts and accessories of .....	97
Anarrhichadidae .....	32	Cooking .....	162
Anarrhichas lupus .....	32	Cord-twisting .....	89
" vomerinus .....	32	Deep-sea-sounding .....	89
Anatomical instruments, Bristles for .....	219	Dipping .....	248
jars .....	176	Flint-chipping .....	89
Anchored gill-nets .....	123	for collecting specimens .....	233
Anchors .....	153	for destroying injurious species .....	243
Anchovies, Essence of .....	186	for drawing out .....	136
Preserved exports of .....	283	for ice-cutting .....	168
Preserved imports of .....	279	for kindling fire .....	162
Salted .....	186	for making and preserving alco- holic specimens .....	176
Anchovy .....	61	for making and mounting skins .....	178
sauce .....	186	for making carts .....	177
Ancylopus quadrocincta .....	28	for manufacture of nets (ac- cessory) .....	130-131
Angel-fish .....	39	for physical research .....	233
Angel-fish, Black .....	39	for preserving and making skele- tons .....	177
Angler .....	23	for smoking out .....	136
Angling-apparatus, Accessory .....	118	for suffocating with fumes of sul- phur .....	136
Parts and accessories of .....	97	for transporting eggs .....	247
Angling-tackle .....	95	for transporting fish .....	247
Anguilla rostrata .....	63	for twisting lines .....	116
Anguillidae .....	63	for wholesale destruction .....	136
Animal charcoal .....	230	Hatching .....	245-247
equipments .....	142	of leather-dressing, recent and aboriginal .....	172
fertilizers, Other .....	232	Photographic (accessory) .....	178
for scientific uses, Preservation of .....	170-178	Sealing .....	169
products and their applications .....	179-187, 273	Smoke-drying .....	169
scalps .....	217	Sun-drying .....	168
calls, whistles, &c .....	138	Transporting .....	247
Animals and birds, Imitations of .....	139-140	Appliances for working up results .....	233
Bladders of .....	215	of pursuit .....	142
breeding, Foreign imports of .....	274	Applications of animal products .....	179-187
Cages for .....	243	Aquaria .....	244
decoy, Living .....	139	Aquarium-car (Stone so.) .....	247
domesticated, Culture of .....	244	Aquatic animals, Fish-ears for .....	244
Dung of, used in calico-printing .....	228	Floating cages for .....	244
Food for .....	187	Arabian mammals .....	239
Gall of, for dyeing .....	228	Arara, Red-mouth .....	47
Hunting .....	136	Archosargus probatocephalus .....	46
Predatory, not elsewhere exhibited .....	244		
useful, Enemies of .....	244		
Anisotremus virginicus .....	47		
Annida .....	262		
Annulosa .....	262		
Antarctic Fur seal .....	191		

	Page.		Page.
Aretle Fox .....	189	B.	
Arctomys caligatus .....	16	Babiche (see under D 20).	
" flaviventer .....	16	Bacon and hams, imports and exports .....	276-277
" monax .....	16	Bachman's Hare .....	19
Argentina syrtensium .....	56	Badger, American .....	4
Argentine, Western .....	56	Hair of .....	217
Argyreiosus vomer .....	41	Bags, Game .....	166
Argyrosomus Artesi .....	57	Inflatable .....	176
Armadillo .....	20	Bailing .....	174
Armed clubs .....	71	Baird collecting-seines .....	127
leads .....	80	Bairdiella punctata .....	45
Armor, Defensive .....	165	Baird's Hare .....	19
Arms, Breech-loading .....	90	Porpoise .....	10
Fire .....	90	Bait, Sea-snails used for .....	251
Muzzle-loading .....	90	seines .....	127
Army collecting-tank .....	176	boxes .....	138
Arrow-head pouches .....	89	Bivalve shell-fish for .....	253
sharpeners .....	89	cans .....	138
Arrows .....	88, 89	cast-nets .....	130
Arrow-shafts, Feathered .....	220	clams, Wheelbarrows for .....	138
Arrows, Harpoon (used in fishing) .....	89	cutters .....	138
Hunting .....	88, 89	Baited hooks .....	95
Arsenic .....	136, 178	hoop-net .....	129
Arsenical soap .....	178	Bait-ladles .....	79, 138
Articulating-tools .....	177	Bait-mills .....	138
Artificial baits .....	138	Bait-mill knives .....	77
(accessories to) .....	138	Bait-mills, knives, choppers, &c. ....	170
flies .....	138	Bait-needles .....	138
for bass .....	102-114	Baits .....	137, 187
for salmon .....	102-114	Artificial .....	138
Feathers used for .....	220	Methods of preparing (accessories) ...	138
Hair and bristles for (see under .....		Natural .....	137-138
B 45) .....	219	Preparation of .....	170
on hooks .....	102	Prepared (see B. 45) .....	187
Raw material for making .....	138	Salted .....	137
Tools for making .....	138	Tolling .....	137
guanos .....	232	Spoon, plain and fluted .....	101-102
ice, Methods of manufacturing .....	168	Balæna mysticetus .....	13
lights .....	167	Balænidæ .....	13
staghorn, Algae used for .....	265	Balænoptera Davidsonii .....	13
Art of plumagery .....	172	" rostrata .....	13
Arts and manufactures, Materials employed		" velifera .....	13
in .....	197-232	Balænopteridae .....	12
medicines, Chemical products and		Balænopterinae .....	12
agents used in .....	229-231	Baleen .....	203
Ascothamnion intricatum .....	271	Balistes capricornis .....	25
Asperocoecus echinatus .....	270	" ringens .....	24
" sinuosus .....	270	" vetula .....	24
Asphyxiators .....	136	Balistidae .....	24
Aspidonectes ferox .....	22	Ball, shot, and wire cartridges .....	92
" spinifer .....	22	(Ballistas) .....	88
Aspidophoroides monopterygius .....	33	Banded Rock-fish .....	35
Ass leather .....	209	Rudder-fish .....	43
Astacus, Concretions from stomach of .....	207	Seal .....	6, 192
Astroscopus anoplus .....	32	Bangia fuscopurpurea .....	269
Atherinidae .....	53	Bank-note ink .....	200
Atwood's Shark .....	67	Banta refrigerator, Horizontal .....	168
Andubon's Hare .....	19	Barbed implements .....	82
Auk leather .....	215	spears .....	82
Aulostoma maculatum .....	54	Bark lines .....	116
Aulostomidae .....	54	Barnacles .....	244
Anrilaves .....	223	Barraenda, Northern .....	52
Awls, Probing .....	79	Southern .....	53
Axes .....	76	Barreling .....	174
Azuring .....	172	Barrel-lifters .....	161

	Page.		Page.
Barrel pots for eels	133	Belonidae	54
Barrels	169, 247	" longirostris	54
Barrel-traps	131	Belonidae	54
Barren Ground Caribou	8, 193	Belts	95, 166
Barrier-nets	122	Cross	166
Barrier-squares	134	Pistol	95
Barriers, Bay or cove (Rasch's)	246	Beluga leather	214
Bar-weirs	134	Bermuda Bonito	42
Basket-hatching	246	Shad	46
Baskets, Game and fish	167	Berycidae	44
Salmon (Columbia River)	131	Bidapkas	144
Bass, Artificial flies for	102-114	Bidarras	144
Grass	48	Big-eye, Short	52
Red	45	Big-eyed Herring	59
Rock	48	Sead	41
Sea	50	Bighorn	7
Spotted	45	Billiard-table cushions, Manufacture of	173
Striped	51	Birch-bark canoes	142-143
White	51	Birch canoes	142
fishing, multiplying reels for	118-119	Bird furs	195
tackle	96	gelatine	221
traps	133	gelatines	187
Bastard Snapper	46	guano	231
Bat guano	231	mesh-nets	122
Batrachidae	32	oils	225-226
Batrachus tan	32	Extraction of	175
Bat, Sea	23	preparations	184-185
Bats, Hair of	195	Bird-calls	138
Bay or cove barriers (Rasch's)	246	Bird-fyke	133
Lynx ( <i>Lynx rufus</i> )	188	Bird-lime, &c	135-152
Porpoise	11	Birds, Bone of	200
Beach-dryers	168	Cages for	243
Beak, Half	55	Chemical products from	230
Beam-trawl	129	Coloring from	228
Bear, Black	5, 191	domesticated	244
Bones of, &c	199	Down of	220
Claws of	203	Foreign imports of	274
Grizzly	4	Jerked	183
Hair of	217	Propagation of	244
Polar	5	Quills of	219
White	5	Bird-hunting	137
Bearded Flying-fish	55	Bird-skins, Leather prepared from	215-230
Bear-fat	223	Bird-slings (used by Eskimos)	86
meat, Jerked	182	Bird-squares	86
oil	223	Bird-spears, Aboriginal	83
Bears, Teeth of	197	Bison americanus	7, 192
Beaver, American	17, 194	Hoofs of	202
Castoreum of	227	leather	209
Fur of (castor)	196	Bits	142
Inisors of	198	Bivalves, Other, for food	256-257
leather	211	Bivalve shellfish	253
Bed-bug dye	229	for bait	253
Beds	162	for food	253
Nets for	165	Bivalves, Injurious	258-259
Beef, Imports and exports of	276-277	Prepared foods of	259
Dried, smoked, and salted	182-184	Pearl-producing	257
Bees, Propagation of	248	Useful or ornamental, other than	
Beeswax	230, 299	for food	257
Beetles, &c., Vesicatory preparations from	231	useful, Otherwise	258
Wings of	208	Black Angel-fish	39
Belaying pins	151	Bear	5, 191
Bellows	248	Cat	188
Belone hians	54	Doctor-fish	38
" Jonesii	54	Dog fish	69

Page.	Page.
Black Grouper .....	50
Rat .....	17
Rudder-fish .....	43
Sucker .....	61
Bass, Large-mouth .....	49
Small-mouthed .....	49
Black-bass tackle .....	95
Black-cured Rockfish .....	35
Black-fish .....	11, 36
oil .....	224-225
Black-headed Rockfish .....	35
Black-tailed Deer ( <i>Caribœnus columbianus</i> ) ..	193
Black-winged Flying-fish .....	55
Bladders of animals .....	215
Blanket decoy (for antelopes) .....	141
Blankets, Imports of .....	286
(rubber and mackinaw) .....	162
Bleaching .....	172-173
preparation .....	177
Blepharichthys crinitus .....	42
Blocks .....	150
Blodgettia .....	271
Blood, Albumen of .....	229
Hæmatin .....	228
poisons .....	136
Blow-guns (arrows) .....	89
(balls) .....	89
(by the breath) .....	89
Blubber-fork .....	174
Blubber-forks .....	81
Blubber-hooks .....	81
Blubber-knives .....	73
Blubber-nicing spades .....	77
Blubber-pikes .....	81
Blue Hake .....	30
Parrot-fish .....	36
Shark .....	68
Blue-cheeked Red-mouth .....	47
Blue-fish .....	36, 51
Salted .....	185
seines .....	127
tackle .....	96
Blue-headed Shark .....	68
Blue-nose Bream .....	48
Blue-striped Red-mouth .....	47
Boarding-knives .....	73, 174
Boat-builders' materials .....	154
Boat-hooks .....	80, 151
Boats .....	142-150
Covers for .....	141
Ducking .....	148
Boat-seine, Pump-box and haft for .....	146, 161
Boats, Fishing .....	142
fishing, Cat-rigged .....	148
Hunting .....	142
Italian fishing .....	147
of Great Lakes .....	149
Portable .....	145
Sea .....	147-148
Skin .....	146
Whale .....	146
Bobs .....	97, 138
Eel .....	97
Body-oil, Preparation of .....	174
Boiling cocoons .....	171
Boiling-vats .....	177
Bolt, Piomp .....	160
Bomb-lance .....	92
Bone .....	197-201
and ivory waste .....	200-201
of birds .....	200
Cuttle-fish .....	187, 207
of fishes .....	200
Gelatino from .....	187
of mammals .....	199-200
points, Clubs with .....	71
knives .....	75-76
Bone-black .....	200, 228, 299
charcoal for filters .....	200
Bones of buffalo .....	199
Exports of .....	300
and ivory shavings, Gelatines from ..	221
Imports of .....	299-300
of sword-fish .....	200
Fish .....	200
Bonito .....	40
Bermuda .....	42
Long-finned .....	40
Oceanic .....	40
Booms, revolving .....	117
Boots and shoes .....	165, 292-293
Bostrychia calamistrata .....	266
" Montagnoi .....	266
" Moritziana .....	266
Bottle-head Whale .....	12
Bottom-set lines .....	91
Bovidæ .....	7
Bovinæ .....	7
Bowhead Whale .....	13
Bowing .....	170
Bowl-traps .....	134
Bow-mouthed Gar-fish .....	54
Bows and arrows .....	88
Cross .....	88
Simple .....	88
Boxes .....	95
Bait .....	138
Glass-grilled (Coste's) .....	246
Hatching (floating) .....	246
Ice .....	168
Box fish-ways .....	242
Box-hook .....	161
Box, Live (Atkins's) .....	247
Box traps .....	133
Brackett's patent fish-ways .....	242
troughs .....	255
Brains of buffalo used in tanning .....	225
Branchiostoma lubricum .....	70
Branchiostomidae .....	70
Brazilian diamond-beetles .....	208
Bream .....	46
Blue-nose .....	48
Charleston .....	46
Breastplates .....	165
Breech-loading arms .....	90-91
Breech-sights .....	93
Brevoortia patronus .....	60
" tyrannus .....	59
Bridges, Portable .....	142
Brill .....	28

	Page.		Page.
Brillantine, Preparation of .....	170	Calcined coral.....	207
Bristles, Consumption and imports of .....	265	shells .....	207, 231
for aromatic instruments .....	219	California Gopher .....	17
of hog and peccary .....	218	Gray Squirrel .....	14
for shoemakers' wax-ends .....	219	Ground Squirrel .....	15
Broad-fingered Sea robin .....	33	Hare .....	19
Bromino, Alge in manufacture of .....	265	Spotted Sole .....	28
Brook Pickerel .....	55	Sting Ray .....	65
Brook-shanty (Furman's) .....	246	Calliblepharis ciliata .....	267
Brook Trout .....	58	Callirhinus ursinus .....	5
Erosmus americanus .....	30	Callithamnion Americanum .....	269
Brown Chimara .....	65	" Baileyi .....	269
Pelican .....	195	" Borreri .....	269
Rat .....	17	" byssoides .....	269
Brushes, Decr-hair .....	218	" corymbosum .....	269
Feathering .....	247	" cruciatum .....	269
from hair of skunk .....	217	" floccosum .....	269
Hair and bristles for .....	217	" heteromorphum .....	269
Gyopsis hypnoidea .....	270	" Lejolisia .....	269
" plumosa .....	270	" plumula .....	269
Gryothamnion Seaforthii .....	266	" ptilophora .....	269
" triangulare .....	266	" Pylaeisei .....	269
Bubalichthys bubalus .....	61	" roseum .....	269
Buccinum, Shells of .....	206	" Rothii .....	269
Buffalo, American .....	7, 192	" tetragonum .....	269
Bones of .....	199	" Turneri .....	269
Brains of, used in tanning .....	225	" versicolor .....	269
Horn of .....	201	Callophyllis discigera .....	268
Sinews of .....	215	" obtusifolia .....	268
fish .....	61	" variegata .....	268
hair .....	196	Calothrix confervicola .....	271
leather .....	209	" scopulorum .....	271
meat, Salted .....	184	Calls, Animal, whistles, &c .....	138
Balk-wadding .....	92	Bird .....	138
Bull-dog sounding-machine .....	86	Camel's hair .....	195
Bullet-holders .....	94-95	Cameo, Sea-snails for .....	252
Bullet-molds .....	92	shell .....	206
Bullets .....	92	Camera-obscuras .....	178
shells, &c. (explosive) .....	92	Cameras and fittings .....	178
Bull-tows .....	97	Camera tripods and stands .....	178
Bung-buckets .....	161	Camp outfit .....	162
Bunts, Lance .....	127	Camp, Hunting .....	162
Burbot .....	30	Canada Lynx .....	148
Bur-fish .....	23	Pike-perch .....	44
Burning of lime .....	176	Canadian cochineal .....	229
Burning shells, Models of kilns for .....	176	fish .....	279
Burnt horn .....	202	Candle-fish .....	56
sponge .....	231	Candles, tallow, Exports of .....	297
Busycon, Shells of .....	206	Candlestick .....	160
Butter, Exports and imports of .....	276-277	Canes, Air-gun .....	90
fish .....	43	Can-hooks .....	81
from milk of cows .....	225	Canisters .....	94
Butterfly, Flying-fish .....	54	Canned chicken .....	188
Ray .....	66	clams .....	187
Byssus of mollusks .....	222	food .....	184
of mollusks, Fabrics from .....	196	frogs .....	185
of wing-shell ( <i>Pinna nobilis</i> ) .....	196	goose .....	185
C.		herring .....	186
Cabree .....	7	lobster and crabs .....	261
Cabrestos .....	142	Little Neck clams .....	187
Cages .....	243	meats .....	163, 164, 185
for animals .....	243	menhaden .....	186
for birds .....	243	milk .....	184
for insects .....	243-244	scallops .....	187
		turkey .....	185

	Page.		Page.
Canned turtle .....	185	Castagnæa virescens .....	270
Canning factory, Model of lobster .....	169	Cast-net .....	130
Model of oyster .....	169	Castor canadensis .....	17
meats .....	169, 170	Castoreum of beaver .....	227, 298
Preservation by .....	169, 170	Castoriidæ .....	17
salmon, establishment, Model of .....	169	Castorine .....	227
Canoes .....	145, 146	Casts, Apparatus for making .....	177
Birch .....	142	Casts of fishes .....	241
Birch-bark .....	142, 143	Cat ( <i>Felis domestica</i> ) .....	188
Dug-out .....	144	Black .....	188
Oyster .....	148	Maltese .....	188
Wooden .....	143	Tortoise-shell .....	188
Cans .....	247	White .....	188
Clark's .....	247	Catalogue of illustrations of invertebrates of	
Green's .....	247	American coasts .....	251
Plain .....	247	Cat-fish, Fork-tailed .....	62
Slack's .....	247	Mud .....	62
Bait .....	138	"Cat-gut" snoods and leaders .....	116
Cantharides, Imports of .....	299	Catostomidae .....	61
Canthorhinus occidentalis .....	25	Catostomus teres .....	61
"Cape Cod" fish-ways .....	241	Cat-rigged fishing-boats .....	148
Capelin .....	56	Cattle, Foreign imports of .....	274
Capelin-sceines .....	127	Cattle, Hair of .....	219
Cap-holders .....	95	Caulerpa Ashmeadii .....	270
Cappers .....	92, 93	" clavifera .....	270
Caps .....	91, 165	" crassifolia .....	270
Cap straps .....	95	" cupressoides .....	270
Carangidae .....	41	" ericifolia .....	270
Caranxus chrysos .....	42	" lanuginosus .....	270
" hippos .....	42	" paspaloides .....	270
Car-aquarium (Stone's) .....	247	" pluraris .....	270
Carassius auratus .....	62	" prolifera .....	270
Carbazotates, Manufacture of .....	175	Caulolatilus microps .....	44
Carbazotic acid .....	229	Caviare .....	186
Carbolic acid .....	177	Cedar mamma ( <i>Pinus cedrus</i> ) .....	230
Carbonate of ammonia (hartshorn) (see under 39) .....	200, 202	Centrarchidae .....	48
Carbon, animal, Imports of .....	299	Centroceras clavatum .....	262
Carcharodon Atwoodi .....	67	" Eatonianum .....	268
Carding .....	170	Centropristes atrarius .....	50
Cariaeus columbianus .....	9	Centroscyllum Fabricii .....	66
" macrotis .....	9	Centroscymnus ecclipepis .....	69
" virginianus .....	8-9	Ceramium Deslongchampsii .....	268
Caribou, Barren Ground .....	8, 193	" diaphanum .....	268
leather .....	210	" fastigiatum .....	269
Woodland .....	8	" nitens .....	268
Woodland .....	193	" rubrum .....	268
Carp .....	61	" strictum .....	268
Gall of .....	228	" tenuissimum .....	268
Carpets, Imports of .....	286	" Youngii .....	268
Carpioles cyprinus .....	61	Ceratacanthus aurantiacus .....	25
Cars, Refrigerator .....	168	Cero .....	41
Carton-pierre .....	177	Spotted .....	41
Cartridge-holders .....	95	Cervidae .....	7
Cartridges, Ball, shot, and wire .....	92	Cervus canadensis .....	8
Methods of preparing .....	92-93	" dama .....	9
Carts, Dog .....	137, 142	Cete .....	10
Carts, Fish (used in Nantucket) .....	142	Chænopsetta dentata .....	27
Carving, Ivory .....	173	" oblonga .....	27
Carving-tools .....	168	" ocellaris .....	27
Case of cups (Clark's) .....	247	Chaetodontidae .....	38
(Wilmot's) .....	247	Chactomorpha brachygona .....	271
Case of trays (Clark's) .....	247	" melagonium .....	271
Cases .....	95, 245	" Piequotiana .....	271
		" sutoria .....	271

	Page.		Page.
Chaetomorpha tortuosa.....	271	Chondria crispus .....	268
Chamaedoris annulata.....	271	Chopping-knives.....	74-77
Chamisia parvula.....	267	Chopsticks .....	117
Channel Cat-fish .....	62	Chorda filum .....	270
Chantransia efflorescens.....	269	Chordaria abietina .....	270
" virgatula.....	269	" divaricata .....	270
Charcoal, Animal .....	230	" flagelliformis .....	270
Charge-drawers .....	93	Chrysymenia halymenoides.....	268
Charleston Bream .....	46	" uvaria.....	268
Cheeks, Recoil .....	94	Club Sucker .....	61
Cheek-knives .....	74	Chulocladia ovalis.....	266
Cheese.....	183, 277, 276	Ciliata argentata .....	30
Chelonia mydas .....	22	Cirripedia, injurious.....	262
" virgata .....	22	Cirrostromi .....	70
Chelonidae .....	22	Civet, Imports of .....	297
Chelydra serpentina.....	22	Cladophora arcta.....	271
Chelydridæ .....	22	" fracta .....	271
Chemical application of hoofs and claws ..	203-205	" heterairens .....	271
preparations, Consumption of .....	299	" lanosa .....	271
products .....	175, 219	" membranacea .....	271
products and agents in arts and		" rupestris .....	271
medicines .....	229-231	" uncialis .....	271
products from birds .....	230	Cladostrophus spongiosus.....	270
products from crustacea .....	231	" verticillatus .....	270
products from fishes .....	230-231	Clam-hooks, hoes, and picks .....	80
products from insects .....	229-231	Clam-knives .....	75
products derived from mammals ..	229-230	Clam-rakes .....	81
products from mollusks .....	231	Clam-shovels .....	79
products from protozoans .....	231	Clams .....	86
products from radiates .....	231	Canned .....	187
products from reptiles .....	230	Deep-sea .....	86
products from worms .....	231	Hen .....	137
Chests, Medicino .....	167	Little Neck, Canned .....	187
Chickaree .....	14	Long .....	137
Chicken, Canned .....	185	Clap-nets for birds .....	130
Chief Mountain Lake White-fish .....	57	Clark's cans .....	247
Chilichthys turgidus .....	24	troughs .....	245
Chilomycterus fuliginosus .....	24	Claw, Devil's .....	161
" geometricus .....	23	Claws .....	203
Chimæra, Brown .....	65	of bear .....	203
Pacific .....	65	of puma .....	203
plumbea .....	65	of wolf .....	203
Chimæridæ .....	65	Clays .....	177
Chinchilla (Chinchilla laniger) .....	193	Cleaners .....	171
Chipmunk .....	14	Cleaning fire-arms .....	93
Chirostoma californiensis .....	53	preparation .....	177
" notatum .....	53	Clearing-rings .....	122
Chirus constellatus .....	35	Clear-nosed Skate .....	66
guttatus .....	35	Cleats .....	155
pietus .....	35	Clews .....	150, 151
Chloral hydrate .....	177	Closets, Dark .....	178
Chlorodesmus (?) .....	270	Clothing .....	164, 165, 188-196
Chnoëspora fastigiata .....	271	Feathers for .....	219
Cheeks .....	151	for hands .....	165
Choropetalus radiatus .....	36	Cloths woven from feather .....	196
Chogset .....	36	&c., Imports of .....	286
Choice, Sailor's .....	46	Club-fish, American .....	186
Choker, Hog .....	26	Clubs, Armed .....	71
Chondria atropurpurea .....	266	(as missiles) .....	87
" dasypylla .....	266	with bone-points .....	71
" littoralis .....	266	Fishermen's .....	71
" striolata .....	266	Hunting .....	71
" tenuissima .....	266	with metal points .....	71
Condrostei .....	64	Salmon .....	71
Chondrus .....	268	Stone-headed .....	71

	Page.		Page.
Clubs, with teeth points.....	71	Consumption of fish.....	280
Unarmed.....	71	gelatine.....	296
Clupea harengus.....	60	hair.....	294
" mirabilis.....	60	isinglass.....	296
Clupeidae.....	59	ivory and its manufactures.....	289
Clutching-traps.....	134	leather.....	290
Coati-mundi.....	5	medicines, &c.....	299
Cob-house bird-traps.....	134	oils.....	296-297
Cobia.....	52	perfumery materials.....	298
Coccinella.....	229	quills.....	296
Cochineal, Canadian.....	229	shell.....	290
colors, Propagation of.....	175	silk and its manufactures.....	289
dye (Coccus cacti).....	228	soaps.....	296-297
insects, Propagation of.....	218	specimens of natural history.....	300
Imports and exports of.....	298-299	wax and its manufactures.....	299
Cockles (Cardium edule).....	187	whalebone.....	290
Cocoons, Boiling the.....	171	Cooking-apparatus.....	162
Gelatine from.....	187	Cooling.....	174
Codium tomentosum.....	270	Copse, Movable.....	141
Cod, Dried.....	183	Coquette.....	38
Cod-fish.....	29	Coquina.....	207
Codling, Spotted.....	30	Coracles.....	146
Cod-liver oil.....	226, 296-297	Coral.....	207, 262, 290
Cod, Salted.....	185	as a material.....	207
Tom.....	29	Fan.....	207
Cod-scorpines.....	127	for building.....	207
Cods' tongues.....	185	Calcined.....	207
Collars, Cormorant.....	137	Preparation of.....	174
Dog.....	137	Red.....	207
Collecting-tank, Army.....	176	imitations of.....	207
Collections.....	241	White.....	207
Collodion.....	177	Coral-dredge.....	129
Colonia powder.....	91	Coral-rock.....	207
Coloring from birds.....	228	Corallina officinalis.....	267
fishes.....	228	" squamata.....	267
insects.....	228-229	Corals, Propagation of.....	248
mammals.....	228	Coral-tongs.....	86
mollusks.....	229	Cordylocladia conferta.....	267
materials.....	228-229, 298	Cord-twisting apparatus.....	89
Columbia Black-tailed Deer.....	9	Coregonidae.....	57
Combing.....	170	Coregonus clupeiformis.....	57
Commercial statistics of animal products in the United States.....	273	" labradoricus.....	57
Commissary supplies.....	162-164	Cormorant collars.....	137
Common Eel.....	63	Cormorants.....	137
Flounder.....	27	Corrals.....	131
Mouse.....	17	Corrosivo sublimate.....	135, 178
Porpoise.....	10	Coryphena punctulata.....	43
Seal.....	5	" Sueuri.....	43
Silk-worm, Silk of.....	196	Coryphaenidae.....	43
Skunk.....	4	Cotilidae.....	34
Sucker.....	61	Cotton lines.....	115
Compasses.....	166	Cotton-oil and its manufacture (accessory).....	169
Composition shell-work.....	207	Cottus greenlandicus.....	34
Conch shell ( <i>Strombus gigas</i> ).....	206	" Mitchilli.....	34
Condylura cristata.....	14	" octodecimspinosis.....	34
Conepatus mapurito.....	4	Conches.....	162
Conger Eel.....	63	Covers.....	111
Congridæ.....	63	for boats.....	111
Consumption of bristles.....	295	for hunters.....	111
chemical preparations.....	299	Movable.....	141
coral.....	299	Stationary.....	141
coloring materials.....	298	Cow-fish.....	10, 11, 24
fats.....	296-297	Cow-nosed Ray.....	65
leathers.....	296	Cowry, Specimens of ( <i>Cypraea moneta</i> ).....	206
		Coyote.....	189

	Page.		Page.
Crab-eater.....	52	Cyclopterus lumpus.....	33
Crab-nets.....	129	Cymopolia barbata.....	271
Crabs' eyes.....	207, 231	Cynocephalus glaucus.....	68
Crab-stones.....	297	Cynomys columbianus .....	16
Cramp-fish.....	66	" ludovicianus .....	16
Crates, Moss (Stone's) .....	247	Cynoscion carolinensis.....	44
Crevallé, Horse .....	42	" notatus .....	44
Yellow.....	41	" regalis .....	44
Cribbles .....	246	Cypraea, Shells of .....	267
Crimpers.....	92-93	Cyprinidae.....	61
Cristivomer namaycush .....	58	Cyprinodon, Short.....	56
Croaker .....	45	" variegatus .....	56
Crococile, Florida .....	21	Cyprinodontidae.....	56
Crocodilia .....	21	Cypselurus fuscatus .....	55
Crocodilidae .....	21	Cystoclonium purpurascens .....	268
Crocodilus americanus .....	21	Cystophora cristata .....	6
Cromania attenuata .....	269	Cystophorinae .....	6
Cropping .....	170		D.
Cross-belts .....	166	Dactylopterus volitans .....	33
Cross-bows .....	88	Damalichthys vasea .....	37
Cross-haw traps .....	135	Daman, Hyraeum of .....	223
Cross for ( <i>Vulpes alopecoides decussatus</i> ) .....	189	Dark closets .....	178
Crotalin of rattlesnake and copperhead .....	230	Darts and lances .....	88
Crow, Quills of .....	219	Dasya callithamnion .....	265
Crushing-traps .....	135	" elegans .....	265
Crustacea .....	259	" Gibbesii .....	265
Chemical products of .....	231	" Harveyi .....	265
decapoda .....	260	" lophochelos .....	266
decapoda injurious .....	261	" mollis .....	265
isopoda injurious .....	260	" numeronata .....	265
isopoda, useful .....	260	" plumosa .....	266
phyllodopa, useful .....	259	" ramosissima .....	265
stomatopoda for food .....	260	" Tumanowiegi .....	266
Cryptacanthidæ .....	31	" Wurdemani .....	265
Cryptacanthodes inornatus .....	31	Dasyelodus claviformis .....	271
" maculatus .....	31	" occidentalis .....	271
Cryptonemia crenulata .....	268	Dasypodidae .....	20
Cuckold .....	24	Dead-falls .....	135
Culture and protection .....	233	Decapterus macarellus .....	42
Culture of fishes .....	245-247	" punctatus .....	42
Cunner .....	36	Deck-scrappers .....	160
Cup-leads .....	80	Decoy animals and birds, Living .....	139
Cups, Case of (Wilmot's) .....	247	blanket (for antelopes) .....	141
Curriers, Implements employed by .....	171	swimming-birds (carved in wood) .....	139
Currying .....	172	swimming-birds (from bird skins) .....	139
of leather .....	171	swimming-birds (in tin with wooden	
methods of the Eskimo and Indian .....	171	bottoms, &c.) .....	119
Curved sticks .....	87	braunts, Tame .....	139
Cutters, Bait .....	138	dogs used in hunting ducks .....	139
Cutters, Wad .....	92	ducks, Tame .....	139
Cutting and other processes .....	173	Decoys .....	137, 138-141
Cutting in and stowing .....	174	Scent .....	138
Cutting, Ivory .....	173	Sight .....	139-141
Cutting-spades .....	76, 77	Sound .....	138
Cuttle-fish bone .....	187, 231, 207	Decoy-waders (carved in wood) .....	139
Imports of .....	299	(stamped in tin) .....	139
Cuttlets and squids .....	251	" Deep-sea clams," Ross .....	86
Cusk .....	30	gear .....	96-97
Cyanide of potassium .....	136	Deer, Black-tailed ( <i>Odocoileus columbianus</i> ) .....	193
Cybium caballa .....	41	Hair of (on skin) .....	218
" maculatum .....	41	hends, Masks for .....	111
" regale .....	41	Hoofs of .....	202
Cyclopterus elongatus .....	61	Salted .....	184
Cyclognathidae .....	63	Sinews of .....	215
Cyclopidae .....	33		

Page.	Page.
Deer, Virginia ( <i>Cariacus virginianus</i> ) ....	8, 9, 193
Deer-hair brushes .....	218
Deer-leather.....	209-210
Deer-sledges .....	142
Defensive armor.....	165
Delesseria alata .....	267
" decipiens.....	267
" hypoglossum.....	267
" involvens.....	267
" Lepriemii.....	267
" quercifolia.....	266
" tenuifolia.....	267
Delineating apparatus, Other .....	178
Delinicators, Mechanical .....	178
Delphinapterinæ .....	10
Delphinapterus catodon .....	10
Delphinidae.....	10
Delphininae.....	10
Delphinus Bairdii .....	10
" bombifrons.....	10
Dentalium, Shells of'.....	206
Deposits, infusorial, Specimens of.....	207
Desiccated meat .....	182
milk .....	182
Desmarestia aculeata.....	270
" ligulata.....	270
" viridis .....	270
Destroying injurious species, Apparatus for .....	243
Detachable-head spears.....	83-85
Devil's Claw .....	161
Diamond-back Terrapin .....	21
Diamond-beetles, Brazilian .....	208
Dicotyles torquatus .....	9
Dicotylidae .....	9
Dictyasypharia favulosa .....	271
Dictyota acnitiloba .....	269
" ciliata.....	269
" dichotoma .....	269
" fasciola .....	269
" Kunthii.....	269
Didelphidae.....	20
Didelphys virginiana .....	20
Digenia simplex.....	266
Dingies.....	146
Diodontidae .....	23
Diplectrum fasciculare .....	50
Dip-nets.....	128
Dipping .....	171
Dipping apparatus .....	248
Disgorgers .....	122
Disguises .....	137
Disks (thrown by hand) .....	87
Ditch fish-ways .....	241
Doctor-fish .....	38
Dog-carts .....	137, 142
Dog-collars .....	137
Dog, Eskimo .....	188
Black .....	69
Greenland .....	69
Prairie .....	16
Sea .....	5
Short-tailed Prairie .....	16
Smooth .....	69
Spined .....	69
Dog-food .....	137
Dog-harness .....	142
Dog-muzzles .....	137
Dog-oil .....	223
Dog-sledges .....	142
Dog-whips .....	136
Dog-whistles .....	136-137
Dogs .....	136
Album griseum of .....	229
Kennels for, &c .....	243
Teeth of .....	197
Decoy, used in hunting ducks .....	139
Dolium, Shells of .....	206
Dolphin .....	43
Small-spotted .....	43
Domestic animals, Oil and fat from .....	223
Domestic exports .....	277
Domesticated animals, Food for .....	187
Door-traps .....	133-134
Dorosomidae .....	60
Dorys .....	146
Dory scoop .....	160
Dorysoma cepedianum .....	60
Double box-traps .....	133
Down of birds .....	220
of geese .....	220
of eider-duck .....	220
of rabbits .....	219
for stuffings, Preparation of .....	170
of swans .....	220
Drag whale-line .....	117
Drailing-tackle .....	96
Drails .....	100-101
Drawers, Charge .....	93
Dredge, Coral .....	129
Ordinary .....	129
Dredge-line rollers .....	119
Dredge-rake .....	129
Dredges .....	129
Hand .....	79
Dredge-tangles .....	87
Dress-goods, Imports of .....	286
Dress and stay maker's bone, Manufacture of .....	173
Dressers .....	171
Dressing .....	171
Dressing, Feather .....	172
Dressing fur, Process of .....	172
gut and sinew, Methods of .....	171
leather .....	172
Dried abalones ( <i>Haliotis</i> ) .....	184
cod .....	183
grasshoppers .....	184
holothurians .....	184
lizards .....	183
meat and blood, Guano from .....	232
mullet .....	183
siphons ( <i>Schizothelurus</i> ) .....	184
slugs ( <i>Limax</i> , &c.) .....	184
worms .....	184
Dried and smoked beef .....	182
flying-fish .....	183
foods .....	182-184
garfish .....	183
roes .....	183
Drift-nets .....	124-125

	Page.		Page.
Drowning-out apparatus .....	136	Eel traps .....	131
Drugs .....	175	Eel-weirs with leaders .....	132
Drum .....	44	Egg-nippers .....	246
Fresh-water .....	45	Eggs, Albumen of .....	230
Dryers, Beach .....	168	Exports and imports of .....	276-277
Drying and steaming sand-bath .....	172	Egg-shells .....	230
Drying-flake .....	168	Eggs, Shell of .....	228
Drying-houses, Aboriginal .....	169	Yolk of .....	276
Drying, Preservation by .....	168-170	Eglantine Skato .....	96
Dualine .....	91	Ehinooids, Spines of .....	208
Ducking-boats .....	148	Eider-duck, Down of .....	220
Duck, Quills of .....	219	Eider leather .....	215
Dudley hunters' knives .....	72	Elachista fucicola .....	270
Dugong-oil .....	223	Elasmobranchiates .....	65
Dug-out canoes .....	144	Elecate canadus .....	52
Dung .....	229	Elecatidæ .....	52
Dung of animals used in calico-printing .....	228	Elephant, Sea .....	6
Duplicidentata .....	18	Elephant-seal .....	6
Dusky Shark .....	68	Elk, American .....	8, 193
Dussumieridae .....	59	Antlers of .....	202
Dye, Bed-bug .....	229	ivory .....	197
Cochineal .....	228	Leather .....	210
Lac .....	229	Salted .....	184
Dyeing .....	171-172	Elopidae .....	59
Dye-stuffs, Sea-snails for .....	252	Elops saurus .....	59
Dyes from gasteropods (Murex, Purpura, etc.) .....	229	Embiotoca Jacksoni .....	37
Dyes from nudibranch mollusks .....	229	" Webbi .....	37
from tremblegium .....	229	Embiotocidae .....	37
Dynamite .....	91	Emydidae .....	21
Infusorial earth for .....	208	Ena or arindy, Silk of ( <i>Bombyx cynthia</i> ) .....	196
E.		Encircling-nets .....	126
Eagle, Quills of .....	219	Endocladia muricata .....	265
Ray .....	65	Enemies of useful animals .....	244
Ear-shells (Haliotidae) .....	206	and parasites of American oysters .....	255-256
Earth, Infusorial .....	231	Engraulidæ .....	61
Earths, Infusorial .....	207-208	Engraulis vittata .....	61
Father, Crab .....	52	Engraving illustrations, Methods of .....	178
Echeneidæ .....	52	Enhydra marina .....	4
Echimodermæ .....	208	Enhydrina .....	4
Echinorhinidae .....	70	Entangling-lines .....	67
Echinorhinimus spinosus .....	70	nets .....	122
Ectocarpus Farlowii .....	270	Enteromorpha clathrata .....	271
" fasciculatus .....	270	" compressa .....	271
" firmus .....	270	" intestinalis .....	271
" granulosus .....	270	Epiphysiidae .....	51
" Hooperi .....	270	Epinephelus .....	49
" siliculosus .....	270	" Drummond-Hayi .....	50
" viridis .....	270	" guttatus .....	50
Edentata .....	20	" morio .....	49
Eel-bobs .....	97	" nigerius .....	50
Eel, Common .....	63	" striatus .....	50
Conger .....	63	Equipments, Animal .....	142
Lamprey .....	70	Personal .....	164-167
leather .....	216	Erethizon dorsatum (var. <i>epixanthus</i> ) .....	18
Madeira .....	63	" dorsatum (var. <i>dorsatns</i> ) .....	18
Pacific Rock .....	32	Eretmochelys imbricata .....	22
Rock .....	32	" squamata .....	22
Sand .....	31	Erignathus barbatus .....	6
Snipe .....	63	Erimyzon Goodei .....	61
spears .....	82	" suetta .....	61
skins of ( <i>Anguilla vulgaris</i> ) .....	216, 231	Ermine or weasel ( <i>Putorius erminea</i> ) .....	190
Eel-pots without leaders .....	132-133	Erythrotrichia ceramicola .....	269
Eel-pout .....	31	Eschrichtius robustus .....	12
		Eskimo and Indian currying methods .....	171
		auk-nets .....	129

Page.	Page.
Eskimo Dog ( <i>Canis</i> ) ..... 188	Exports, Foreign, of silk manufactures ..... 289
harpoons (stone, bone, iron) ..... 53-55	of fur-skins ..... 284-285
netting-needles ..... 131	of guano and other fertilizers ..... 300
whalebone springs ..... 136	of hides and skins ..... 292
Esocid ..... 55	&c., Net ..... 301
Esox americanus ..... 55	of hogs ..... 274
" <i>lucius</i> ..... 55	of horses ..... 274
" <i>nobilior</i> ..... 55	of lard ..... 277
" <i>reticulatus</i> ..... 55	of leather ..... 292-294
" Essence of anchovies" ..... 186	and its manufactures, by districts ..... 294
Essence d'Orient ..... 228	and its manufactures, by countries ..... 293
Etrumeus teres ..... 59	Net, of leather, &c ..... 301
Eubalæns cisarcticæ ..... 13	of manures ..... 301
" <i>Cullamach</i> ..... 13	of meats, preserved ..... 277
Euchalarodus Putnami ..... 26	of milk, condensed ..... 277
Eucheuma (?) acanthocladum ..... 267	of morocco and other fine leather ..... 292-293
" <i>isoforme</i> ..... 267	of mules ..... 274
Eucinostomus argenteus ..... 46	of mutton ..... 277
" <i>Lefroyi</i> ..... 46	of lard-oil ..... 297
Eugomphodus littoralis ..... 68	of neat's-foot oil, &c ..... 297
Eulamia Milberti ..... 68	of oils and fats ..... 297-298
" <i>obscurus</i> ..... 68	of oysters ..... 281
Euleptorhamphus longirostris ..... 55	of sperm-oil ..... 297
Eumesogrammus subbifurcatus ..... 31	of whale and fish oil ..... 297
Eumetopias Stelleri ..... 5	Net, of oils and fats ..... 301
Empomotis aureus ..... 48	of pork ..... 277
European Leech ( <i>Hirudo medicinalis</i> ) ..... 231	Net, of provisions ..... 301
Euthora cristata ..... 267	of sheep ..... 274
Eventognathus ..... 61	of saddlery, harness, &c ..... 292-293
Exocetus exiliens ..... 54	of silk, raw ..... 289
" <i>noveboracensis</i> ..... 55	of soap ..... 297
" <i>Rondeletii</i> ..... 55	of spermaceti ..... 297
Explosives ..... 91	of tallow ..... 297
Exports, Aggregate net, for 1875-77 ..... 301	of wax ..... 299
of anchovies, preserved, Foreign ..... 283	of woolen manufactures ..... 287-288
of living animals, Domestic ..... 274-275	Net, of wool, &c ..... 301
Net ..... 301	of wools, &c., by districts and countries ..... 287-288
of bacon and hams ..... 277	External parasites ..... 244
of beef, fresh ..... 277	Extra limital oysters ..... 254
salted ..... 277	Extract of fish ..... 187
of bone-black, &c ..... 299	of meat, and imports of ..... 182, 276
of bones, &c ..... 300	Extraction of bird-oils ..... 173
of boots and shoes ..... 292-293	of fish-oils ..... 175
of butter ..... 277	of gelatine ..... 175
of tallow candles ..... 297	of glue ..... 175
of carpets, woolen ..... 287-288	of ismglass ..... 175
of horned cattle ..... 274	of other mammal oils ..... 175
of cheese ..... 277	of reptile-oils ..... 175
Domestic ..... 277	of whale-oil (with models) ..... 174-175
of fish ..... 281-282	Eye goggle ..... 41
by countries ..... 282	Moon ..... 59
of furs, by districts and countries ..... 284	powder ..... 230
of eggs ..... 277	F.
of fish, cured ..... 281	Fabrics, feather, Preparation of ..... 170
dried or smoked ..... 281	Manufacture of ..... 170-171
by districts ..... 281	Textile ..... 195
fresh ..... 281	Face, Nets for ..... 165
pickled ..... 281	Factory, lobster-canning, Model of ..... 169
Net ..... 301	Falcons ..... 137
of food products, except fish ..... 277-278	Fallow Deer ..... 9
Foreign, of fish ..... 283	Falls, Dead ..... 135
of pickled herring ..... 283	
of fish-oils ..... 297	
of sardines, preserved.... 283	

Page.	Page.		
Falls, Spear .....	135	Fish, cured, Exports of .....	281
Fall-traps .....	135	Domestic exports of .....	281-282
Farms, Fish (models) .....	244	Domestic exports, by countries .....	282
Fat, Bear .....	223	dried or smoked, Exports of .....	281
Fats, Consumption of .....	296-297	Exports, by districts .....	281
Imports of .....	296-297	Extract of .....	187
and oils .....	223-227	Foreign exports of .....	283
Feather-dressing .....	172	fresh, Exports of .....	281
Feather-fabrics, Preparation of .....	170	gelatinas (see 24) .....	187
Feathered arrow shafts .....	220	Imports of .....	275-280
Feathering brushes .....	247	Imports of fresh .....	278
quills .....	247	Net exports of .....	301
Feathers .....	219-220	Net imports of .....	301
for artificial flies .....	220	pickled, Exports of .....	281
of birds, Prepared from .....	196	Fish-bones .....	200
Consumption of .....	296	Fish-cars for aquate animals .....	244
for clothing .....	219	Fish-carts (used in Nantucket) .....	142
Implements for .....	220	Fishermen's club .....	71
Imports of .....	296	flasks .....	107
used in other manufactures .....	220	sheath-knives .....	74
ornamental, Method of preparing .....	172	Fisher or pekan ( <i>Mustela Pennanti</i> ) .....	189
for ornaments .....	220	Fishes .....	25
for plumes .....	220	Chemical products from .....	230-231
Preparation of .....	170	Coloring from .....	218
for textile fabrics .....	220	Culture of .....	245-247
Feet of deer .....	202	Hunting .....	157
and hoofs, Gelatine from .....	187	Imitations of .....	140-141
adhesive, Imports of .....	287	Ivory of .....	199
Felting .....	170	Propagation of .....	245-247
Hair used in .....	217	Scales of .....	205
Felts, Manufacture of .....	170-171	Fish-farms (models) .....	244
Ferrets .....	136	Fish-guano works, Model of .....	170
Ferricyanide of potassium .....	228	Fishing-boats .....	142
Fertilizers .....	231, 232	Fishing-houses .....	162
Algae for .....	265	Fishing-lances .....	78
Other animal .....	232	Fish-jigs, Many-pointed .....	80
Manufacture of .....	176	Fish-knives .....	74
Fiber-netting .....	130	Fish-lances .....	78
Fiber, Whalebone .....	196	Fish-lice .....	241
zibethicus .....	18	Fish-oils .....	226-227
Fibers for manufacture of plush carpets .....	171	Extraction of .....	175
Fiddle-fish .....	67	Soaps from .....	227
Field-glasses, &c .....	166	Fish-ponds (models) .....	244
Figure-four traps .....	135	Fish-pots .....	12
File-fish .....	24	Fish-preparations .....	183-187
Long-tailed .....	25	Fish-salting .....	169
Orange .....	25	Fish-scale pearl .....	228
Spotted .....	24	Fish-scale work, Preparation of .....	174
Storer's .....	25	Fish-scrap .....	187
Filters, Infusorial earth for .....	208	Fish-skins, Leather prepared from .....	216-217
gravel .....	246	Fish-slides .....	171
Finback Whale .....	12, 13	Fish-smares (wire, gut, hair, &c.) .....	87
Finner, Oregon .....	13	Fish-spears, Aboriginal .....	83
Fanning-knives .....	74	Fish-spike .....	29
Firearms .....	90	Fish-way, Brackett's patent .....	242
Cleaning (accessories) .....	93	Fish-ways .....	241-24
Loading (accessories) .....	93	Box .....	242
Repairing (accessories) .....	93	" Cape Cod " .....	241
Fire hunting and fishing, Lanterns, &c., for .....	141	Ditch .....	241
Fire proof packing, Infusorial earth for .....	208	French .....	241
Fish, Canadian, not liable to duty .....	279	Gap .....	241
Commission, United States, Methods .....	233	Mooring float .....	243
of .....	233	Pool .....	242
Commission stands .....	178	Oblique groove .....	241
Consumption of .....	280	Single groove .....	241

Page.	Page.		
Fish-ways, Spiral.....	243	Food, for domesticated animals.....	187
Step .....	242	Bivalve shell-fish for.....	253
Fistularia serrata.....	54	Bivalves for .....	256-257
Fistulariidae.....	54	Lobsters, shrimp, crawfish, crabs, for 260-261	
Fixed-head spears.....	82	products, except fish, Exports of .....	277-278
Flagging-irons, &c.....	160	products, except fish, Imports of .....	275-276
Flake-drying.....	163	poisons .....	136
Flakes, Massachusetts.....	168	Preparation of .....	168-170
Newfoundland .....	168	Preservation of .....	168-170
Flange.....	129	Sea-snail used for .....	251
Flannel screens .....	246	Foods.....	179-187
Flasks.....	94	Canned .....	184
Hunter's and fishermen's.....	167	Dried and smoked .....	182-184
Flat-fish.....	26	In a fresh condition .....	179
Putnam's.....	26	Pickled .....	184
Flax snoods .....	116	Salted, canned, and pickled .....	184-187
Flaying-knives.....	73	Foot-path snares .....	134
tools.....	178	Foot-stops.....	183
Flexible materials.....	208	Forceps .....	178
from invertebrates.....	222	Force-pumps, Air .....	247
Flies, Artificial.....	138	Foreign animals, Imports of .....	274
for bass.....	102-114	Fork, Blubber .....	174
on hooks.....	102	Forks .....	81
and other insects .....	137	Fork-tailed Catfish .....	62
Artificial, for salmon .....	102-114	Formic acid .....	229
trout .....	102-114	Manufacture of .....	175
Flint-chipping apparatus.....	89	Fossils .....	300
Flitching-knives .....	75	Four-bearded Rockling .....	30
Floating-cages for aquatic animals.....	244	Four-spined Stickle-back .....	54
Floating trawl-lines .....	97	Four-spotted Flounder .....	27
Floats.....	117	Fowls, foreign, Imports of .....	274
Harpoon .....	117	Fox, Arctic ( <i>Vulpes lagopus</i> ) .....	189
Keg .....	117	Cross ( <i>Vulpes alopecus decessatus</i> ) .....	189
Manufacture of, &c .....	172	Gray ( <i>Urocyon virginianus</i> ) .....	189
Seine .....	117	Kit ( <i>Vulpes velox</i> ) .....	189
Flocking for wall-paper from refuse quills.....	171	Red ( <i>Vulpes fulvus</i> ) .....	189
Flocking-wool .....	228	Silver ( <i>Vulpes alopecus argentatus</i> ) .....	189
Florida Crocodile.....	21	Squirrel .....	14
Gopher-tortoise .....	21	Foxes, Teeth of .....	197
Rat .....	18	Frames .....	177-178
Salamander .....	17	Wire .....	178
Terrapin .....	21	Wooden .....	178
Flounder, Common.....	27	French bird-trap .....	135
Four-spotted .....	27	fish-ways .....	241
Pole .....	27	Fresh-water Drum .....	45
Rough .....	28	Herring .....	60
Rusty .....	26	Friar .....	53
Smooth-back .....	26	Frog culture, Methods of .....	245
Southern .....	27	Frost-fish .....	29, 56
Watery .....	27	Frozen glue .....	221
Winter .....	26	Fucus distichus .....	260
gear .....	97	" fastigiatus .....	269
Flying-fish, Bearded.....	55	" furcatus .....	260
Black-winged .....	55	" serratus .....	269
Butterfly .....	54	" vesiculosus .....	269
Dried and smoked .....	183	Fuel .....	162
Flying Gurnard .....	33	Fulling .....	170
Fly-fishing, Simple reels for .....	118	Fundulus piseulentus .....	56
tackle .....	95	Funnel-trap .....	132
hooks .....	138	Fur of beaver (castor) .....	196
Fog-horns .....	160	Fur of hare .....	196
Folding nets .....	129-130	of mole .....	196
Food, Algae used for .....	265	of musquash .....	196
for animals .....	187	pack-saddle (Hudson's Bay) .....	142

	Page.		Page.
Fur of rabbit .....	196	Gelatines from bones and ivory shavings .....	221
Fur-dressing, Processes of.....	172	of fish (see 24).....	187
Fur-skins, Exports of.....	284-285	Mammal (see 24).....	187
Imports of.....	283-284	from sinews .....	187
Furniture .....	162	from tanner's refuse .....	187
Furniture-table .....	163	Gelidium cartilagineum .....	267
Fur-robes .....	162, 168, 195	" cornicum .....	267
Fur-seal .....	5, 191	" Coulteri .....	267
Antarctic.....	191	Geomyside.....	17
Hair of .....	195	Geomys bursarius .....	17
Furs, Bird .....	195	" castanops .....	17
Domestic exports of, by districts and countries.....	284	" tuza .....	17
Imports of .....	283-284	Gerridae .....	46
Net imports of.....	301	Ghost-fish .....	31
Fusus, Shells of .....	206	Giant-powder .....	91
Fyke-bird .....	133	Gigartina acicularis .....	268
Fykes (set-nets with leaders).....	133	" canaliculata .....	268
	G.	" mamillosa .....	268
Gadidae .....	29	" microphylla .....	268
Gadus morrhua .....	29	" radula .....	268
Gaff-hooks.....	80	Gill-net .....	122
Galeocerdo tigrinus .....	69	Gill-nets used in Great Lakes .....	122-123
Galeorhinidae .....	68	Gimp snoods .....	116
Gall of animals .....	229	Ginglymostoma cirratum .....	69
of animals for dyeing .....	228	Ginglymostomatidae .....	69
of carp .....	228	Girths .....	142
Gall-nuts .....	231	Glass-grilled boxes (Coste's) .....	246
Galls, Nut .....	231	Glasses .....	11
Game-bags .....	229	Globe-sights .....	90
Game and fish baskets .....	166	Globicephalinae .....	11
fish, &c., Preservation of .....	167	Globicephalus intermedius .....	11
laws .....	241	" Scammoni .....	11
Gangs of books for minnow-bait .....	96	Gloiosiphonia capillaris .....	269
Gar-fish, Bow-mouthed .....	54	Gloves, Leather for manufacture of .....	211-214
Dried and smoked .....	183	skin, kid, &c., Imports of .....	292
Silver .....	54	Glue .....	220
Gap-fish-ways .....	241	Exports and imports of .....	296
Gar Pike .....	64	Extraction of .....	175
Short-nosed .....	64	Frozen .....	221
Gaspereau .....	64	made from waste .....	217
Gasteropods, Dyes from (Murex, Purpura, &c.) .....	60	Manufacture of .....	203
Gasterosteidae .....	229	Glues .....	177
Gasterosteus novboracensis .....	53	Glue-sticks .....	89
Gear, Bottom .....	53	Glutton .....	4
Deep-sea .....	97	Glycerine .....	176
Geese, Down of .....	96-97	Imports of .....	297
Gelatine, (Consumption of) .....	22, 177, 296	Glycerines, Manufactured .....	225
Imports of .....	296	Glypidodon saxatilis .....	37
and isinglass .....	220	Glyptocephalus cynoglossus .....	27
Bird .....	221	Goat, Horn of .....	201
Bone .....	187	leather .....	209
from cocoons .....	187	Mountain .....	7
Extraction of .....	187	Sinews of .....	215
for food (see under 4) .....	187	Goat's wool (for wigs, &c.) .....	105, 217
from feet and hoofs .....	187	Goggle-eye .....	41
Insect .....	187	Goggles, Snow .....	166
from ivory shavings .....	187	Golden Tail .....	48
from leather shavings, &c .....	220	Gold-fish .....	62
Molds of .....	177	Goode's Sucker .....	61
Gelatinas .....	187	Goose ( <i>Anser</i> sp.) .....	195
and oils .....	174	Canned .....	185
Bird .....	187	Fish .....	23
		oil .....	226
		Quills of .....	219

	Page.		Page.
Gopher, California .....	17	Guano and other fertilizers, Imports of .....	300
Gray .....	15	Net imports of .....	301
Pocket .....	17	Bat .....	231
Pouched .....	17	Bird .....	231
Small-footed Pouched .....	17	from dried meat and blood .....	232
Striped .....	17	Menhaden .....	232
Texas Ponched .....	17	Pacific, preparations illustrating .....	232
Yellow .....	16	Preparation of .....	176
Gopher-tortoise, Florida .....	21	Guanos, Artificial .....	232
Gracilaria armata .....	267	Natural .....	231
" cervicornis .....	267	Guards, Wrist .....	166
" confervoides .....	267	Guasa .....	50
" multipartita .....	267	Gulf Menhaden .....	60
Graduating-sights .....	93	Snapper .....	48
Graining .....	171	Gulo luscus .....	4
Grampus .....	11, 13	Gun-eases .....	95
" griseus .....	11	Gun-cotton .....	91
" Mottled .....	11	Gunpowder .....	91
" Stearnsii .....	11	Gun-racks .....	95
" White-headed .....	11	Guns, Humming-bird .....	90
Grampus-oil .....	225	Guns and pistols .....	90, 135
Grapnels .....	81	Gunwale winches .....	119
Grappling-gear .....	161	Gurnard, Flying .....	33
irons .....	81	" Gut," Silk-worm .....	222
Gräsö Whale .....	12	Gymnogongrus Griffithsiae .....	268
Grasping-hooks .....	80	" linearis .....	268
Grass Bass .....	48	" Norvegicus .....	268
Grasshopper paste .....	137	" tenuis .....	268
Grasshoppers, Dried .....	184		
Grateloupia Cutlerie .....	268	H.	
" filicina .....	268	Haddock .....	29, 183
" Gibbesii .....	268	Norway .....	34
Gravel-bottomed troughs .....	245	Hæmatin from blood .....	228
filters .....	246	Hæmulum .....	47
Gray Fox ( <i>Urocyon virginianus</i> ) .....	189	" arara .....	47
Gopher .....	15	" arcuatum .....	47
Grayling, Intestines of .....	231	" chrysopterum .....	47
Michigan .....	58	" elegans .....	47
Gray Rabbit .....	19	" formosum .....	47
Seal .....	6	Hag-fish .....	70
Snapper .....	48	Hair of American badger ( <i>Taxidea Ameri-</i>	
Squirrel .....	14	<i>cana</i> ) .....	217
Whale .....	12	of Antelope (on skin) .....	218
Great Lakes, Boats of .....	149	bracelets, &c., Imports of .....	294-295
Grease, Imports of .....	297	and bristles for artificial flies (see un-	
Greenland Dog-fish .....	69	der B 45) .....	219
Sculpin .....	34	and bristles for brushes .....	217-219
Turbot .....	28	of bats .....	195
Green Turtle .....	22	of bear .....	217
Green's cans .....	247	Buffalo .....	196
Griffithsia Bornettiana .....	269	Camel's .....	195
Grilles .....	246	Cattle .....	219
Grinders .....	176	Consumption of .....	294
Grindle .....	63	cloth, Imports of .....	294-295
Grinnellia, Americana .....	266	curled, for mattresses, Imports of .....	294-295
Grizzly Bear .....	4	deer (on skin) .....	218
Grommets .....	152-153	for felting (see under 8) .....	217
Groupers .....	50	Fur-seal .....	195
Black .....	50	Guanaco .....	195
Rock .....	50	hog's, Imports of .....	294-295
Growth of East American oysters .....	255	Horse .....	196-219
Grunt, Speckled .....	47	Human .....	195
Yellow-finmed .....	47	human, Imports of .....	294, 295
Guanaco hair .....	195	Human, for commerce .....	217
Guano and other fertilizers, Exports of .....	300	human, Refuse of, &c .....	219

	Page.		Page.
Hair, Imports of . . . . .	295-301	Haplodontidae . . . . .	16
Llama . . . . .	195	Haplodonotus grunniens . . . . .	45
for manufactures . . . . .	219, 294	Haplomi . . . . .	55
manufactured, Imports of . . . . .	294-295	Harbor Seal . . . . .	5
Moose . . . . .	195	Hard materials . . . . .	197-207
for ornaments . . . . .	217	Hard tissues, Preparation of . . . . .	173-174
Ox and calf . . . . .	195	Hare . . . . .	191
Paco . . . . .	195	Audubon's . . . . .	19
pencils, Imports of . . . . .	294-295	Bachman's . . . . .	19
Possum . . . . .	196	Baird's . . . . .	19
of raccoon . . . . .	195	California . . . . .	19
Refuse . . . . .	219	Fur of . . . . .	196
Sable's . . . . .	195	Jackass . . . . .	19
Seal ( <i>Phoca vitulina</i> ) . . . . .	192	Northern . . . . .	18
of squirrel . . . . .	217-218	Polar . . . . .	18
for stuffing . . . . .	219	Prairie . . . . .	19
Tail . . . . .	39	Red . . . . .	19
unmanufactured, Imports of . . . . .	294-295	Trowbridge's . . . . .	20
Vieugna . . . . .	195	Virginia . . . . .	18
Weasel's . . . . .	195	White . . . . .	18
for weaving . . . . .	217	Harness . . . . .	142
wigs . . . . .	217	Harness, Dog . . . . .	142
and wool . . . . .	217	Harpe rufus . . . . .	36
work . . . . .	172	Harpoon-flots of bladder, skin, and wood . . . . .	117
Hairy Box fish . . . . .	24	Harpoon-lines . . . . .	97
Hairy-tailed Mole . . . . .	14	Harpoon, Rest for, &c . . . . .	162
Hake . . . . .	29, 183	Harpoon-arrows . . . . .	89
Blue . . . . .	30	Harpoon knives . . . . .	76
Long-finned . . . . .	30	Harpoons, Eskimo . . . . .	82
Silver . . . . .	30	Harpoon-spears . . . . .	85
Squirrel . . . . .	29	Harpoon traps . . . . .	125
Halactactus zonatus . . . . .	43	Harp Seal ( <i>Pagophilus groenlandicus</i> ) . . . . .	6, 192
Half beak . . . . .	55	Harris's Ground Squirrel . . . . .	15
Half round spades . . . . .	77	Harrow-tangles . . . . .	87
Halibut . . . . .	27	Hartshorn (see 30) . . . . .	202
tins, &c . . . . .	185	Harvest-fish . . . . .	43
Salted . . . . .	185	Short . . . . .	44
Smoked . . . . .	183	Hat and bonnet makers' bone, Manufacture of . . . . .	173
smoke-houses . . . . .	169	Hatches, Whalers' boat . . . . .	76
Halimeda opuntia . . . . .	270	Hatching accessories . . . . .	246-248
" tridens . . . . .	270	apparatus . . . . .	245-247
" tuna . . . . .	270	Hatching-basket . . . . .	246
Haliotis, Methods of drying . . . . .	169	Hatching-boxes (floating) . . . . .	246
Shells of . . . . .	206	Hat manufacture . . . . .	170
Haloporphyrus viola . . . . .	30	Hats . . . . .	165
Halosaection buenicola . . . . .	268	Hawksbill Turtle, Oil of . . . . .	228
" hydrophora . . . . .	268	Hawksbill Turtle . . . . .	22
" ramentaceum . . . . .	268	Head-axes for whalemen . . . . .	76
Halyenia Floressia . . . . .	268	Heading-knives . . . . .	73
" ligulata . . . . .	268	" Head knives" . . . . .	171
Hammer head Shark . . . . .	68	Head-oil, Preparation of . . . . .	171
Hammocks . . . . .	162	Head-spades . . . . .	77
Hamus, Kinds . . . . .	182	Hedge-hog, American, Quills of . . . . .	219
Hand-dredges . . . . .	79	Heliastes insolitus . . . . .	37
Hand-gear, Short . . . . .	96	Heliotyping illustrations, Methods of . . . . .	178
Hand-implements . . . . .	71	Helmet shell ( <i>Cassis rufa</i> , &c.) . . . . .	206
Handlenets . . . . .	128	Hemidurgan . . . . .	74
Handles, trinkets, billiard-balls, &c., Manufacture of . . . . .	173	Hemibranchii . . . . .	23
Handling apparatus for ice . . . . .	168	Hemipteridae . . . . .	54
Hand-scoops . . . . .	79	Hemitripterus americanus . . . . .	54
Hands, Clothing for . . . . .	165	Herring . . . . .	60, 137
Hanging-needles . . . . .	131	Big-eyed . . . . .	59
Hanks . . . . .	150, 151	Canned . . . . .	185
Haplodontia leporina . . . . .	16	Fresh-water . . . . .	60

Page.	Page.
Herring gill-nets .....	123, 124-126
oil .....	227
pickled, Foreign exports of .....	283
Imports of .....	278-279
Round .....	59
Salted .....	186
Sea .....	60
Smoked .....	183
smoke-houses .....	169
Tailor .....	60
Thread .....	60
White-fish .....	57
Herring-Hog .....	11
Herring-seines .....	127
Hesperomys leucopus .....	17
Heterosomata .....	26
Hide-lines .....	116
Hind .....	50
Hides and skins, Exports of .....	292
Imports of .....	291
skins, &c., Net exports of .....	301
imports of .....	301
Hildenbrandia rosea .....	267
Hippocampidæ .....	25
Hippocampus antiquorum .....	25
Hippoglossoides limandooides .....	27
Hippoglossus americanus .....	27
Histiopterus americanus .....	39
Histiophoca equestris .....	6
Hives (see under E 3) .....	248
for insects .....	244
Hog and peccary, Bristles of .....	218
Choker .....	26
Herring .....	11
Viscera of .....	215
Hogs, Exports of .....	274
Foreign imports of .....	274
Holacanthus ciliaris .....	39
" tricolor .....	39
Holegnotus pulchellus .....	38
" rhodoterus .....	38
Holders .....	89
Holocentrum sogo .....	44
Holocephali .....	65
Holothurians, Dried .....	184
Holsters .....	95
Holton's vats .....	245
Honey .....	230
Imports of .....	276
Honey-knives .....	76
Hooded Seal .....	6
Hood or Bladder-nose Seal ( <i>Cystophora cistata</i> ) .....	192
Hoods .....	137
boots, &c .....	135
Hoofs and claws .....	202-205
of antelope .....	202
of bison .....	202
of deer .....	202
of horse .....	202
of musk ox .....	202
of ox .....	202
Hook-box .....	161
Hook gill-nets .....	123
Hooked instruments .....	80
Hooks with artificial flies .....	102
Baited .....	95
Blubber .....	81
Boat .....	80, 150
Can .....	81
Claw .....	80
Fly .....	138
Gaff .....	80
Grasping .....	80
Ice .....	161
Junk, &c .....	81
Lance .....	81, 161
Lip .....	81
Many-pointed .....	81-82
Meat .....	168
for minnow bait, Gangs of .....	96
mounted on leaders .....	116
with movable lines .....	95
Pickerel .....	135
Plain .....	97-100
Rabbit .....	80
Riggers' .....	152
Single-pointed .....	80-81
Spring .....	135
Squirrel .....	80
with stationary lines .....	97
Unmounted, recent and aboriginal .....	97-114
Whalemen's .....	81
Hoop-nets .....	128-129
Hopplies .....	243
Hormactis Farlowi .....	271
Hormotrichum Youngianum .....	271
Horn .....	201
Burnt .....	202
of buffalo .....	201
of goat .....	201
Imports of .....	290
and hoof, Preparation of .....	173-174
as material .....	202
of mountain goat .....	201
of mountain sheep .....	201
of musk-ox ( <i>Ovibos moschatus</i> ) .....	201
of Rocky Mountain sheep .....	202
Pout .....	62
Horn-cores of ruminants .....	200
Horned cattle, Exports of .....	274
Horns .....	94
of ox .....	201
of sheep .....	201
Horse Crevallé .....	42
Hoofs of .....	202
leather .....	209
Mackerel .....	40
Horse-fish .....	25
Horse-hair .....	219
Horses, hair of .....	196, 219
Imports and exports of .....	274
or trestles .....	171
Horse-trappings .....	142
Hosiery, &c., Imports of .....	286
Hound-fish .....	54
Houses, Fishing .....	162
Hunters' .....	162
smoke, Herring .....	169
Human hair .....	195

	Page.		Page.
Human hair as article of commerce .....	217	Imports of ambergris.....	298
nails .....	203	of ammonia .....	299
scalp-locks .....	217	of anchovies, preserved .....	279
skin, Leather prepared from .....	208	of living animals .....	273
Humming-bird guns .....	90	Net, of living animals .....	301
Humpback Whale .....	12	of bacon and hams .....	276
Hunters, Covers for .....	141	of blankets .....	286
Hunters' dirk-knives .....	72	of beef .....	276
flasks .....	167	of beeswax .....	299
houses .....	162	of cuttle-fish bone .....	299
knives .....	71-72	of bones, &c .....	299-300
sheath-knives .....	74	of bristles, by countries .....	295
Hunting-animals .....	136	of butter .....	276
Hunting-arrows .....	88-89	of Bologna sausages .....	274
Hunting-birds, Accessories to .....	137	of Canadian fish .....	279
Hunting-boats .....	142	of cartharides .....	299
Hunting-camps .....	162	of carbon, animal .....	299
Hunting-clubs .....	71	of carpets .....	266
Hunting-dogs, Accessories to .....	136	of castoreum or castor .....	298
Hunting-fishes .....	127	of cheese .....	276
Hunting-lodges .....	141	of cloths and cassimeres .....	286
Hunting-mammals .....	136	of civet .....	298
Hunting-skirts .....	147	of cochineal .....	298
Hunting-suits .....	164	by countries and districts .....	298-299
Hurled spears .....	88	of foreign animals .....	274
sticks .....	87	Foreign, of breeding animals .....	274
weights .....	87	of animals not specified .....	274
Hydargyre majalis .....	56	of birds .....	274
Hydrate chloral .....	177	of cattle .....	274
Hydrocathrus cancellatus .....	270	of dress-goods .....	286
Hydrolagus Collici .....	65	of eggs .....	276
Hyodon tergisus .....	59	of eggs, condensed .....	276
Hyodontidae .....	59	of eggs, yolk of .....	276
Hyperoartia .....	70	of fats .....	296-297
Hyperprosopon argenteus .....	38	of feathers .....	296
Hyperotreti .....	70	of felt, adhesive .....	287
Hypnea cornuta .....	267	of fish .....	278-280
" musciformis .....	267	of all other fish .....	278-279
Hypsiptera argentea .....	30	Net, of fish .....	301
Hypsurus Caryi .....	37	of food products, except fish .....	275-276
Hyraceum of the daman (Hyrax capensis) .....	228	Foreign, of fowls .....	274
Hystricidae .....	18	Net, of furs .....	301
I.			
Ice-boxes .....	168	of fur-skins .....	283-284
Ice-chisels .....	77	of gelatine .....	296
Ice-choppers .....	77	of gloves of kid skin, or leather .....	292
Ice-cutting apparatus .....	168	of glue .....	296
Ice-handling apparatus .....	168	of glycerine .....	297
Ice hooks .....	161	of grease .....	297
Ice-houses .....	168	Net, of guano .....	301
Ice-trade (accessory) .....	168	of guano and other fertilizers .....	300
Ichthialurus fureatus .....	62	of hair-cloth .....	294-295
Imitation pearls .....	266	of horse hair .....	224-295
Imitations of animals and birds .....	139, 140	of hair, unmanufactured .....	294-295
of fishes .....	140, 141	Foreign, of hogs .....	274
Implements, Barbed .....	82	of horses .....	274
employed by curriers .....	171	of ivory .....	290
Feathers for .....	210	Foreign, of leeches .....	274
Hand .....	71	sheep .....	274
of manufacture .....	89	of hair .....	295
for seizure of object .....	79	Net, of hair, &c .....	301
Shells used for .....	206, 207	of hair, curled, for mattresses .....	294-295
Imports, aggregate, Net, for 1873-1877 .....	301	of hair-pencils .....	294-295
of albumen and lactarine .....	298	of hair, human .....	294-295
		of herring, pickled .....	278-279

Page.	Page.
Imports of hides and skins . . . . .	291
of hair bracelets, &c . . . . .	294-295
Net, of hides, skins, &c . . . . .	301
of hog-hair . . . . .	294-295
of honey . . . . .	276
of horn, &c . . . . .	290
of hosiery, &c . . . . .	286
of lac, &c . . . . .	298
of lac-dye . . . . .	298
of lead . . . . .	276
of leather . . . . .	290
Net, of leather, &c . . . . .	301
of mackerel pickled . . . . .	278-279
of manufactured leather, &c . . . . .	292
of extract of meat . . . . .	276
of prepared meats, game, &c . . . . .	276
of milk, condensed or preserved . . . . .	276
of milk, plain . . . . .	276
of cod-liver oil . . . . .	296-297
of neat's-foot oil, &c . . . . .	296-297
of whale or fish oil . . . . .	296-297
of oils . . . . .	296-297
Net, of oils . . . . .	301
of fish-oils, by countries and districts . . . . .	297-298
of phosphorus . . . . .	299
of pork . . . . .	276
of poultry . . . . .	276
Net, of provisions not specified . . . . .	301
of rennets . . . . .	299
of sardines, preserved . . . . .	279
of sausage-skins . . . . .	276
of seal-oil . . . . .	296-297
of shawls . . . . .	286
of silk hosiery . . . . .	289
of silk dress-goods . . . . .	289
of other silk manufactures . . . . .	289
of silk manufactures by countries . . . . .	289
of silk, raw . . . . .	288-289
Net, of raw silk . . . . .	301
of soap, common . . . . .	297
of soap, fancy . . . . .	297
of soaps . . . . .	296-297
of spermaceti and wax . . . . .	297
of sponges . . . . .	296
of sugar of milk . . . . .	299
of tallow . . . . .	296-297
of tongues, salted . . . . .	276
of tripe . . . . .	276
of venison . . . . .	276
of wax . . . . .	299
of wax manufactures not specified . . . . .	299
of sealing-wax . . . . .	299
Net, of wool . . . . .	301
of woollen manufactures not elsewhere specified . . . . .	286
of woollen rags, shoddy, &c . . . . .	286
of wool pelts . . . . .	290
of wools, &c . . . . .	285-286
of wools unmanufactured . . . . .	286
Incisors of beaver . . . . .	198
Indelible ink, pencils, &c . . . . .	177
India-rubber slings . . . . .	89
Indian raft-boats . . . . .	144
trade, Sea-snails used in . . . . .	252
Inflatable bags . . . . .	176
Infusorial deposits, Specimens of . . . . .	207
earth for absorbents . . . . .	208
earth . . . . .	231
earth for dynamite . . . . .	208
earth for fire-proof packing . . . . .	208
earth for filters . . . . .	208
earth for soluble glass . . . . .	208
earth for molds for metal casting . . . . .	208
earth for making mortar . . . . .	208
earths . . . . .	207-208
earths employed in manufacture . . . . .	208
earths for window and plate glass . . . . .	208
Injecting-syringes . . . . .	176
Injurious bivalves . . . . .	258-259
sea-snails . . . . .	253
Ink, indelible, pencils, &c . . . . .	177
Inks from animal substances, Manufacture of . . . . .	175
Iodine, Algae used in manufacture of . . . . .	265
Inorganic materials . . . . .	271
Insect gelatine . . . . .	187
Insectivora . . . . .	13
Insect productions . . . . .	222
powder . . . . .	178
Insects . . . . .	184, 208
Cages for . . . . .	243-244
Coloring from . . . . .	228-229
Hives for . . . . .	244
Chemical products from . . . . .	229-231
Propagation of . . . . .	248
Protection from . . . . .	165
Instruments for cleaning, loading, &c . . . . .	93
Hooked . . . . .	80
Optical, &c . . . . .	166-167
Prodding . . . . .	78-79
Scooping . . . . .	79
Internal parasites . . . . .	244
Intestinal worms . . . . .	244
Intestines of grayling . . . . .	231
of mammals, Leather prepared from . . . . .	214-215
Invertebrates, Flexible materials from . . . . .	222
Other materials from . . . . .	208
Investigation . . . . .	233
Iridae laminarioides . . . . .	268
Iron, Flagging, &c . . . . .	160
Grappling . . . . .	81
Lily . . . . .	83
Isinglass . . . . .	187, 221-222
from air-bladders, &c. (ichthyo-colla) . . . . .	221
and gelatine . . . . .	220
Consumption of . . . . .	296
Extraction of . . . . .	175
from sounds of cod and hake . . . . .	221-222
from squalenago (Sciænidæ) . . . . .	222
Isogomphodon macniliannis . . . . .	68
Isospordyli . . . . .	56
Isnropsis Dekayi . . . . .	67
Italian fishing-boats . . . . .	147
Ivory . . . . .	197-199
Ivory-carving . . . . .	173
Ivory-cutting . . . . .	173

	Page.		Page.
Ivy, Elk.....	197	Knives, Flitching.....	<b>75</b>
of fishes.....	199	Harpoon.....	76
Imports of.....	290	Heading.....	73
of mammals.....	197-198	Honey.....	76
and its manufactures, Consumption of	289	Hunters'.....	71
narwhal.....	198	Hunters' dirk.....	72
of reptiles.....	199	Hunters' sheath.....	74
shavings, Gelatine from.....	187	Canning.....	174
Ivory-black (noire d'ivoire).....	200, 228	Mackerel-rimmers' fattig.....	75
Manufacturing of.....	175	Mackerel-rimmers' plongha.....	75
	<b>J.</b>	Mincing.....	174
Jackass Hare.....	19	Net-makers'.....	75
Jacket, Leather.....	43	Oyster.....	75
Jack Rabbit.....	19	Ripping.....	72-73
Jania capillacea.....	267	Sailors' sheath.....	74
" rnbens.....	267	Sealing.....	74
Jaguar.....	188	Slivering.....	74-75
Jar mole-traps.....	131	Splitting.....	72-73, 75
Jars.....	176, 246	Stone.....	75-76
Anatomical.....	176	Straight.....	71-76
Self-sealing, used in collecting.....	176	Throating.....	74
Jaw-bone, Sperm-whale.....	199-200	Whalemen's boat.....	73
Jawed traps.....	134-135	Kogia Floweri.....	12
Jaws of sleeper shark.....	199	Koginae.....	12
Jerked bear-meat.....	182	Koumiss.....	230
birds.....	183	Kyaka.....	144
and smoked buffalo-meat.....	182		<b>L.</b>
porpoise-meat.....	182	Labels.....	177
seal and walrus meat.....	182	Metallic.....	177
squirrels and other small mammals.....	182	Parchment.....	177
Jerk-nets.....	129-130	Labracidae.....	51
snares.....	86	Labridae.....	36
Jew-fish.....	50	Labyrinth-traps.....	131-133
Jigs.....	100-101	Lac, &c., Imports of.....	298
Jigs, Squid.....	82, 138	Lac-dye ( <i>Coccus lacca</i> ).....	229, 298
John Paw (fish).....	50	Lachnolammus fulicatus.....	36
Jorce, Silk of.....	196	Lactophrys trigonus.....	21
Junk hooks .....	81	Ladies-bait.....	79, 138
	<b>K.</b>	Lady-fish.....	36, 59
Keg-floats for lobster-pots, gill-nets, &c .....	117	Lagenorhynchus gubernator.....	10
Kelp-lines.....	116	" leucopleurus.....	10
Kennels for dogs, &c.....	243	" obliquidens.....	10
Kermes ( <i>Coccus ilicis</i> ).....	229	" perspicillatus.....	10
Kettles.....	162	" thicolea .....	11
Killer.....	11	Lagodon rhomboides.....	46
Kilimzore.....	36	Lake Sturgeon.....	64
Kindling fire, Apparatus for.....	162	Trout.....	58
King-crab, Shell of ( <i>Limulus polyphemus</i> )	207	Whiting.....	57
King-fish.....	45	Laminaria flexicaulis.....	270
Kit-tox ( <i>Vulpes velox</i> ).....	189	" longioruris.....	270
Knives .....	71, 169	" saccharina .....	270
Bait-mill.....	77	Lamnia cornubica .....	67
Blubber.....	73	Lamnidae.....	67
Boarding.....	73-71	Lamprey Ed.....	70
Bone.....	75-76	Lampreys, Spiced.....	186
Cheek .....	74	Lamps .....	162
Chopping .....	71, 77	Lance, Bomb.....	92
Clam .....	75	Lance-bunts.....	127
Dudley hunters' .....	72	Lance-hooks .....	81, 161
Finning .....	74	Lancelet .....	70
Fish .....	74	Launces, Fish .....	73
Fishermen's sheath .....	74	Fishing .....	73
Flaying .....	73	Seal .....	73
		Whale .....	78

	Page.		Page.
Landing-nets .....	128-129	Leather, Rattlesnake .....	216
Lanterns .....	162	Reindeer .....	210
for camp and ship .....	167	Seal .....	208
for fire hunting and fishing .....	141	Sea-Liou .....	208
for still hunting .....	141	Shark .....	217
for weeqnashing or fire-fishing .....	141	shavings, &c., Gelatine made from .....	220
Lard-oil exports and imports .....	276-277, 297	Sheep .....	209
Large-mouth Black Bass .....	49	Other snake .....	216
Lariats .....	86	trimmings .....	214
Lassos .....	86	Walrus .....	208
Latilidae .....	44	Waste .....	217
Laurencia cervicornis .....	266	Leatherback Turtle .....	22
" gemmifera .....	266	Leathers .....	208
" implicata .....	266	for manufacture of gloves .....	211-214
" obtusa .....	266	Leathesia tuberiformis .....	270
" paniculata .....	266	Leech, African (Hirundo trochima) .....	231
" papillosa .....	266	American (Macrobdella decora) .....	231
" pinnatifida .....	266	European (Hirundo medicinalis) .....	231
" virgata .....	266	Leeches as barometers .....	231
Laws, Game .....	241	Foreign imports of .....	274
Leaders .....	116, 153	Propagation of .....	248
Hooks mounted on .....	116	and worms, Injurious and useful .....	262
Leads, Armed .....	80	Leggings .....	165
Leads, Cup .....	80	Lenses .....	178
Leaning-knives .....	174	Leopard-hunting .....	136
Leaning and mincing .....	174	Leopard Seal .....	6
Leather .....	195	Lepidosteidae .....	64
Alligator .....	215-216	Lepidosteus osseus .....	64
Ass .....	209	" platystomus .....	64
Auk .....	215	Lepiopomus pallidus .....	48
Beaver .....	214	Leporidae .....	18
Beluga .....	214	Leptecheneis naufragoides .....	52
Bison .....	209	Leptocardians .....	70
Buffalo .....	209	Lepus americanus (var. americanus) .....	18
Caribou .....	210	" americanus (var. Bairdii) .....	19
Consumption of .....	290	" americanus (var. virginianus) .....	18
Currying of .....	171	" americanus (var. Washingtonii) .....	19
Deer .....	209-210	" aquaticus .....	20
dressing .....	172	" Bachmani .....	19
dressing apparatus, recent and aboriginal .....	172	" californicus .....	19
Eel .....	216	" callotis .....	19
Eider .....	215	" campestris .....	19
Ell .....	210	" palustris .....	20
Exports of .....	292-294, 301	" sylvaticus .....	19
Goat .....	209	" sylvaticus (var. Audubonii) .....	19
Horse .....	209	" sylvaticus (var. Nuttallii) .....	20
Imports of .....	290, 301	" timidus (var. arcticus) .....	18
Jacket .....	43	" Trowbridgii .....	20
and its manufactures, &c. (exports and imports) .....	292-294	Leuciscus pulchellus .....	62
Mountain-sheep .....	210	Leucorhamphus borealis .....	10
Moose .....	210	Levels (attached to guns) .....	93
Ox .....	209	Liagora pinnata .....	268
from pharynx of seal and walrus .....	215	" pulverulenta .....	268
Porpoise .....	214	" valida .....	268
prepared from bird-skins .....	215	Lice, Fish .....	264
prepared from fish-skins .....	216-217	Lichens .....	264
prepared from human skin .....	208	Lifters, Barrel .....	161
prepared from intestines of mammals .....	214, 215	Lights, Artificial .....	167
prepared from mammal skins .....	208-211	Lily-irons .....	83
prepared from reptile skins .....	215-217	Lime .....	230
prepared from scale-fish .....	216	Bird .....	135
Rat .....	214	Burning of .....	176
		Limes .....	176, 231, 232
		Liming .....	172
		Limp, Vaccine .....	230

	Page.		Page.
Line-boats of wood, cork, and quill.....	117	Lophopsetta maculata.....	27
Line-holders.....	119	Lota maculosa.....	30
Line, kayak, Stretchers for .....	162	Lounges.....	162
Linen lines.....	115	Lump-fish.....	33
Lines, Bark.....	116	Lustering .....	172
Bottom-set.....	97	Lutjanus Blackfordii .....	47
Cotton.....	115	" axis .....	48
Floating-trawl.....	97	" Stearnsii .....	48
Harpoon.....	97	Lutra canadensis .....	4
Hido.....	116	Lutrinae .....	4
Kelp.....	116	Lycoidae .....	31
Linen.....	115	Lynghya ferruginea.....	271
Loaded .....	86	" Küzungiana .....	271
(Plaited).....	114-116	" majuscula .....	271
Seine .....	97	Lynx, Bay (Lynx rufus).....	188
Silk.....	114	Canada (Lynx canadensis) .....	188
Surface .....	97		
Trawl .....	97		
(Twisted).....	114-116	M.	
Twisting apparatus for .....	116	Macerating-vats .....	177
Wallets for, and other tackle.....	167	Maces .....	171
Whalebone .....	115	Machine, Mincing .....	174
Ling.....	30	Mackerel .....	40
Lion, Sea .....	5	gill-nets .....	125
Liostomus obliquus.....	45	Horse .....	40
" xanthurus .....	45	pickled, Imports of .....	278-279
Liparididae .....	33	purse-seines .....	129
Liparis lineata .....	33	Salted .....	185
" Montagui .....	33	Spanish .....	41
" Striped .....	33	Yellow .....	42
Lip-hooks .....	81	Sead .....	42
Lithofracteur .....	91	Shark .....	67
Lithothamnion polymorphum .....	267	Midge .....	30
Little Striped Skunk .....	4	Mackerel-rimmers .....	75
Little Tunny .....	40	Mackinaw blankets .....	162
Live-box (Atkins's) .....	247	Macrochelys lacertina .....	22
Live-boxes, troughs, &c., for microscopists' use .....	244	Macrorhinus angustirostris .....	6
Living animals, Exports of .....	274-275, 301	Macruridae .....	28
Imports of .....	273, 301	Macrurus Bairdii .....	29
decoy animals and birds .....	139	" rupestris .....	28
Lizards, Dried .....	183	Maectra, Shells of .....	206
Llama hair .....	195	Madeira-eel .....	63
Loaded lines .....	86	Madrepores .....	207
Loaders .....	92-93	Malacoclemmys palustris .....	21
Loading fire-arms .....	93	Mallotus villosus .....	56
Lobotes surinamensis .....	51	Maltese Cat .....	188
Lobotidae .....	51	Malthe cubifrons .....	23
Lobsters, crabs, shrimp, &c .....	260-261	" vespertilio .....	23
Lobster-pots .....	132	Maltheidae .....	23
Lodges .....	162	Mammal furs .....	188-194
Hunting .....	141	gelatines .....	187
Loggerhead Turtle .....	22	oils .....	223, 225
turtle oil .....	228	oils, Extraction of other .....	175
Lomentaria Baileyana .....	267	perfumes .....	227-228
" rosea .....	267	preparations .....	182-184
Long-finned Bonito .....	40	skins, Leather prepared from .....	208, 214
Hake .....	30	Mammals, Bone of .....	199-200
Long-nosed Skato .....	67	Coloring from .....	228
Sturgeon .....	65	Hunting .....	136
Long-tailed File-fish .....	25	Ivory of .....	197-198
Loon (Colymbus torquatus) .....	195	Prepared from Hair of .....	195
Lophiidae .....	23	Chemical products derived from .....	229-230
Lophius piscatorius .....	23	Propagation of .....	244
Lophobranchii .....	23	Quills of .....	219
		Mammoth Elephant (Elephas primigenius) .....	197
		Manatee .....	9

Page.	Page.		
Manatee-oil.....	223	Masks for antelope heads.....	141
Manatee-skins.....	126	for deer heads.....	141
Maneater.....	67	Massachusetts flakes.....	163
Mangrove Snapper.....	48	Mast-gear.....	153
Manna ( <i>Tamarix manifera</i> ).....	230	Materials.....	177
Arabian.....	230	Boat-builders'.....	154
Cedar ( <i>Pinus cedrus</i> ).....	230	Coloring.....	238-239
Many-pointed fish-jig.....	82	employed in arts and manufac-	
books.....	81-82	tures.....	197-233
Manufacture of albumen preparations.....	175	Inorganic.....	271
of ammonium.....	175	not mentioned.....	232
of billiard-table cushions.....	173	Mattawocca.....	60
of carbazotates.....	175	Mazama montana.....	7
of dress and stay makers'		May-fish.....	56
bone.....	173	Means of pursuit and capture.....	71
of fabrics.....	170-171	Measures.....	92
of felts.....	170-171	Ammunition.....	92
of floats, &c.....	172	Powder.....	92
fertilizers.....	176	Shot.....	92
of formic acid.....	175	Meat-biscuit.....	182
of handles, trinkets, billiard-		Meat, buffalo, Jerked and smoked.....	182
balls, &c.....	173	Desiccated.....	182
of hat and bonnet makers'		Extract (extractum earnis).....	182
bone.....	173	Jerked seal and walrus.....	182
of hair.....	294	porpoise, Jerked.....	182
of ink from animal substances.....	175	Meat-hooks.....	168
of ivory-black.....	175	Meats, Canned.....	163-164, 185
of murexides.....	175	Canning.....	169-170
of organ and piano keys.....	173	prepared, game, &c., Imports of .....	276
of pepsin.....	175	Preservation of.....	168-170
of perfumes.....	175	Preserved, &c.....	163, 277
of phosphorus.....	175	Mechanical delineators.....	178
of propylamine.....	175	Medical outfit.....	167
of prussiates.....	175	Medicine-chests.....	167
of quill articles.....	172	&c., Consumption of.....	290
of quill brush-bristles.....	172	Medregal.....	42
of quills for pens.....	172	Medusæ.....	262
of ribbon-weavers' bone.....	173	Megalops thrisoides.....	59
of rosacettes, woven work, trin-		Megaptera osphyia.....	12
kets, &c.....	173	" versabilis.....	12
of sal ammoniac.....	173	Megapterinæ.....	12
of stock-makers' bone.....	173	Melanogrammus æglefinus.....	29
of stuffings.....	170-171	Melobesia farinosa.....	267
of surgical instruments.....	173	" pustulata.....	267
of suspender-makers' bone...	173	Menhaden.....	59-137
Textile.....	170-171	Canned.....	186
of toothpicks.....	172	guano.....	232
of umbrella-makers' bone....	173	Gulf.....	60
of whalebone brushes.....	173	oil.....	227
of wool.....	286-288	purse-scines.....	129-130
of whip-makers' stock and		scines.....	126
whips.....	173	Spiced.....	186
Manufactured leather, Exports of.....	293	Menticirrhus alburnus.....	45
glycerines.....	225	" nebulosus.....	45
stearines.....	225	Mephitis mephitis.....	4
Manures, Exports of.....	301	" Mexicana.....	4
Marine pearl-shells.....	258	Merenaria, Shells of.....	206
Marmot ( <i>Aretomys caligatus</i> ).....	193	" violacea, Shells of.....	206
Northwestern.....	16	Merlucciidae.....	30
Parry's.....	15	Merluccius bilinearis.....	30
( <i>Spermophilus Parryi</i> ).....	193	Meshing-nets.....	122-126
Yellow-footed.....	16	Mesh-needles.....	131
Marsh Rabbit.....	20	Mesoplodon Sowerbiensis.....	12
Marsipobranchiates.....	70	Metallie labels.....	177
Masks.....	141	Metal points, Clubs armed with .....	71

	Page.		Page.
Methods of culture of domesticated animals, &c.....	244	Molds for metal-casting, Infusorial earth for	208
of dressing gut and sinew.....	171	of paper .....	177
of United States Fish Commission	233	of paraffine .....	177
of frog culture.....	245	of plaster .....	177
of drying haliotis.....	169	Mole ( <i>Scelops</i> and <i>Condylura</i> sp.) .....	193
of heliotyping and engraving .....	178	Fur of .....	196
of manufacturing artificial ice .....	168	Hairy-tailed .....	11
of mink culture.....	244	Oregon .....	11
of oyster culture .....	248	Silvery .....	13
of ostrich culture.....	244	Star nosed.....	14
of preparing baits (accessories) .....	138	traps .....	135
of preparing cartridges .....	92-93	Molidae .....	23
of preparing ornamental feathers .....	173	Mollusk preparations .....	184
of pursuit and appliances.....	142-167	Mollusca .....	251
of terrapin culture .....	245	" accephala .....	253
of transportation .....	142-162	" cephalopoda .....	251
of work.....	233	" gasteropoda .....	251
Metrogaster aggregatus .....	37	Mollusk productions .....	222
Mexican Ground Squirrel .....	15	Mollusks .....	137
Skunk .....	4	byssus .....	222
Michigan Grayling.....	58	Coloring from .....	229
Microcladus borealis .....	268	Opercula of .....	207
" Californica .....	268	Preparations of .....	187
" Coulteri .....	268	Chemical products from .....	231
Microgadus proximus .....	29	Propagation of .....	248
" tomcodus .....	29	Molva vulgaris .....	30
Micropogon undulatus .....	45	Monk-fish .....	67
Micropterus pallidus .....	49	Monodon monoceros .....	10
" salmoides .....	49	Moon-eye .....	59
Microstomidae .....	56	Moon-fish .....	51
Midge, Mackerel .....	30	Moonga, Silk of ( <i>Saturnia assamensis</i> ) .....	196
Milk, Canned .....	184	Moose .....	7
Desiccated .....	182	(Aleces macchis) .....	193
Exports and imports of .....	276, 277	Antlers of .....	202
Mills, Bait, knives, choppers, &c .....	138, 170	hair .....	195
Mincing and leaning .....	174	leather .....	210
Mincing-horse .....	174	Morocco and other fine leather, &c., Exports	
Mincing-knives .....	174	of .....	292-293
Mincing-machine .....	174	Morone americana .....	51
Mincing-tub .....	174	Mortar, Infusorial earth for .....	208
Mink ( <i>Putorius vison</i> ) .....	190	Mossbunker .....	59
culture, Methods of .....	244	Moss crates (Stone's) .....	247
Missiles propelled by "throwing-sticks" .....	88	Moths, Exotic silk of .....	196
Missiles .....	87, 92	Mottled Grampus .....	11
Missile-traps .....	135	Mountain Cat ( <i>Bassaris astuta</i> ) .....	194
Missouri Striped Squirrel .....	15	Goat .....	7
Mixers .....	176	goat, Horn of .....	201
Mixtures, Preservative .....	176-177	meal .....	184
Moecasins .....	165	Sheep ( <i>Ovis montana</i> ) .....	7, 192
Model-bodies, Plaster .....	178	sheep, Horn of .....	201
Model of fish-guano works .....	176	sheep leather .....	210
of lobster-canning factory .....	169	Mounting of the bones .....	177
of oyster-canning factory .....	169	Mouse, Common .....	17
of propagating-house, &c .....	248	White-footed .....	17
of salmon-canning establishment .....	169	Mouse-fish .....	23
of sardine-factory .....	169	Movable copies .....	141
Modeling .....	177	covers .....	141
tools .....	177	Moving float fish-ways .....	243
Models of kilns for burning shells .....	176	Mud Catfish .....	62
of salt-mills .....	169	Shad .....	60
Mola rotunda .....	23	Mud-fish .....	63
Molds .....	177	Mugil albula .....	53
Bullet .....	92	" lineatus .....	53
of gelatine .....	177	Mugilida .....	53
		Mule Deer ( <i>Cervus macrotis</i> ) .....	9, 193

Page.		Page.	
Mules, Exports of . . . . .	274	Needles, Hanging . . . . .	131
Mullet cast-net . . . . .	130	Mesh . . . . .	131
Dried . . . . .	183	Netting . . . . .	131
gill-nets . . . . .	124	Nemalion multifidum . . . . .	267
seines . . . . .	126	Nematognathi . . . . .	62
Smoked . . . . .	183	Nemichthidae . . . . .	63
Striped . . . . .	53	Nemichthys scalopaceus . . . . .	63
White . . . . .	53	Neotoma cinerea . . . . .	18
Mullets, Salted . . . . .	185	floridana . . . . .	18
Multiplying reels for bass-fishing . . . . .	118-119	Nereocystis Lutkeana . . . . .	269
Mummichog . . . . .	56	Nest of Cayenne ant ( <i>Formica bispinosa</i> ) . . . . .	222
Muraenoides mucronatus . . . . .	32	Nests . . . . .	246
" ornatus . . . . .	32	of esculent swallows . . . . .	187
Murexides . . . . .	228	Net, Gill . . . . .	122
Manufacture of . . . . .	175	gill, Salmon hook . . . . .	124
Murex, Shells of . . . . .	206	hoop, Baited . . . . .	126
Muridae . . . . .	17	Net-makers' knives . . . . .	75
Mus decumanus . . . . .	17	Net-sinkers . . . . .	147
Museum storage-tank, Agassiz model . . . . .	176	Nets . . . . .	122
Musk of alligator . . . . .	228	Barrier . . . . .	122
of musquash . . . . .	227	for beds . . . . .	165
of musk-ox . . . . .	227	Bird spring . . . . .	135
rat . . . . .	18	Cast . . . . .	130
Musk-ox ( <i>Ovibos moschatus</i> ) . . . . .	192	east, Bait . . . . .	130
Hoofs of . . . . .	202	east, Mullet . . . . .	130
Horn of ( <i>Ovibos moschatus</i> ) . . . . .	201	east, Pompano . . . . .	130
Musk of . . . . .	227	Clap, for birds . . . . .	130
Muskellunge . . . . .	55	Crab . . . . .	129
Mus musculus . . . . .	17	Dip . . . . .	128
" ratus . . . . .	17	Drift . . . . .	124-125
Musquash ( <i>Fiber zibethicus</i> ) . . . . .	194	Encircling . . . . .	126
fur . . . . .	196	Entangling . . . . .	122
Musk of . . . . .	227	Eskimo ank . . . . .	129
Mussels, oysters, &c. . . . .	206	Face . . . . .	165
River ( <i>Unionidae</i> ) . . . . .	206, 257	Folding . . . . .	129-130
Mustelus canis . . . . .	69	gill, Anchored . . . . .	122-123
Button, Exports and imports of . . . . .	276-277	gill, Herring . . . . .	123, 125-126
Muzzle-loading arms . . . . .	90	gill, Hook . . . . .	123
Muzzles, Dog . . . . .	137	gill, Mackerel . . . . .	125
Muzzle-sights . . . . .	93	gill, Mullet . . . . .	124
Myliobatidae . . . . .	65	gill, Other . . . . .	126
Myliobatis californicus . . . . .	65	gill, Shad, used in Southern rivers . . . . .	124
" Fremenvillei . . . . .	65	gill, Sisco . . . . .	123
Myriomema Leclancherii . . . . .	270	gill, Trap . . . . .	123
" strangulans . . . . .	270	Handle . . . . .	128
Myxine glutinosa . . . . .	70	Hoop . . . . .	128-129
Myxinidae . . . . .	70	Jerk . . . . .	129-130
Myxostoma macrolepidotum . . . . .	61	Landing . . . . .	128-129
Myzopsetta ferruginea . . . . .	26	mesh, Bird . . . . .	122
N.			
Nacre . . . . .	206	Meshing . . . . .	122-126
Preparation of . . . . .	174	Parts of, for manufacture (accessory) . . . . .	130-131
Nails, Human . . . . .	203	Pigeon . . . . .	134
Naked Stargazer . . . . .	32	Pocket . . . . .	126
Namaycush Trout . . . . .	58	Purse . . . . .	129
Narwhal . . . . .	10	Rabbit . . . . .	122
Ivory of ( <i>Monodon monoceras</i> ) . . . . .	198	Raw material of . . . . .	130
Nasua fuscus . . . . .	5	Skimmer . . . . .	246
Natural baits . . . . .	137-138	Spring rabbit . . . . .	130
guanos . . . . .	231	Set . . . . .	133
Nautilus and argonaut shells . . . . .	206	Towing . . . . .	129
Neat's-foot oil, &c., Exports and imports of . . . . .	296-297	Tow surface . . . . .	129
Needle percussion . . . . .	91	Trailing . . . . .	129
Needles, Bait . . . . .	138	Trammel . . . . .	126
		Netting-fiber . . . . .	130
		Netting, gill, Samples . . . . .	125

Page.		Page.	
Netting hung to lines, Samples of .....	130	Oil, Sea-elephant .....	223
Netting-needles .....	131	Sea lion .....	223
Netting-twino .....	130	Shark-liver .....	227
Nentria, or coypu ( <i>Myopotamus coypus</i> ) .....	194	Skate-liver .....	227
fur .....	196	skin suit .....	165
Newfoundland flakes .....	168	Sperm .....	225
Newhouse traps .....	134-135	Sturgeon .....	227
New York Stickle-back .....	53	Sun-fish .....	226
Nippers .....	86	Oulachan .....	227
Nippers, Egg .....	246	Turtle .....	226
Nitophyllum ( <i>Neuroglossum</i> ) Andersonii .....	267	from whales, &c .....	223-224
" areolatum .....	267	White-fish .....	227
" laceratum .....	267	Oiling .....	172
" latissimum .....	267	Oils, Bird .....	225-226
" punctatum .....	267	Consumption of .....	296-297
" Ruprechtianum .....	267	and fats .....	223-227, 207-298, 301
" spectabile .....	267	Fish .....	226-227, 297-298
Nitroglycerine .....	91	and gelatines .....	174
Nooses .....	86	Imports of .....	296-297, 301
Noose-traps .....	134	Mammal .....	223-225
Northern Barracuda .....	52	Reptile .....	226
Hare .....	18	Ointments (as tar and sweet-oil) .....	165
Northwestern Marmot .....	16	Oldwife .....	24
Norway Haddock .....	24	Oleomargarines .....	225
Notemigonus americanus .....	62	Oligoplites occidentalis .....	43
" chrysolenens .....	62	Oliva, Shells of .....	207
Nozzle-rose (for washing eggs) .....	247	Oncorhynchus quinnat .....	53
Nudibranch mollusks, Dyes from .....	229	One-armed chopsticks .....	117
Nurse Shark .....	69	Onion-fish .....	23
Nut-galls .....	229	Opercula, Mollusks of .....	297
O.			
Oars .....	159	Ophidiidae .....	31
Oblique groove fish-ways .....	241	Ophidium marginatum .....	31
Obscuras, Camera .....	178	Opisthonema thrissa .....	60
" Ocean Trout" .....	186	Opium poisons .....	136
Oceanic Bonito .....	40	Optical instruments, &c .....	166-167
Ocelot ( <i>Felis pardalis</i> ) .....	188	Oqnassa Trout .....	58
Oeariidae .....	5	Orange File-fish .....	25
Oeynurus chrysurus .....	48	Orcet atra .....	11
Odontaspidae .....	68	" gladiator .....	11
Odonthalia aleutica .....	266	Orcynus alalonga .....	40
" Lyallii .....	266	" alliteratus .....	40
Ohio Gizzard Shad .....	60	" argenti vittatus .....	40
Oil, Alligator .....	226	" pelamys .....	40
Bear .....	223	" secundi dorsalis .....	40
Black-fish .....	224-225	Oregon Finney .....	13
Cod-liver .....	226	Mole .....	14
Cotton, and its manufacture .....	169	Organ and piano keys, Manufacture of .....	173
Dog .....	223	Ornamental algae .....	265
Dugong .....	233	pearl-work .....	296
factory scraps .....	187	Ornaments, Feathers for .....	229
and fat from domestic animals .....	223	Hair used for .....	217
Goose .....	226	Orthopristis fulvomaculatus .....	47
Grampus .....	225	Osmerus mordax .....	56
of hawksbill turtle .....	228	" pacificus .....	36
Herring .....	227	Osmic acid .....	177
Loggerhead-turtle .....	228	Ostraciidae .....	14
Manatee .....	223	Ostracion quadrirorno .....	24
Menhaden .....	227	" triquetrum .....	24
of petrel and other sea birds .....	225	Ostrea larida .....	254
of pigeon ( <i>Ectopistes migratorius</i> ) .....	226	" virginica .....	273-275
Porpoise-jaw .....	224-225	Ostrich culture, Methods of .....	244
of rattlesnake, &c .....	226	Other necessities of preservation .....	108
Seal .....	223	apparatus .....	215
		explosives .....	91
		gill-nets .....	124

	Page.		Page.
Other materials not mentioned	232	Pans	245
seines	127-128	Shallow	247
snake leather	216	Paper	200
Otter, American	4	made from waste	217
( <i>Lutra canadensis</i> )	190	Molds of	177
Sea ( <i>Enhydra marina</i> )	41, 91	Papier-mâché	177
trawl	129	for gun-wadding	222
Otters	136	Paraffine	177
Oulachan	56	Molds of	177
oil	227	Parasites, External	244
rakes	82	Internal	244
Smoked	183	Paratractus pisquetus	41
spears	82	Parchment labels	177
Outfit, Camp	162	from viscera of bears	215
Medical	167	from viscera of seals	214
Ova, Accessories of obtaining and impregnating	245	Parephippus quadratus	51
Ovibos moschatus	7	Parophrys vetulus	28
Ovine	7	Parrot-fish	35
Ovis montana	7	Blue	36
Owls	137	Tawny	35
Ox and calf, Hair of	195	Parry's marmot ( <i>Spermophilus Parryi</i> )	193
hair	219	Parts of splanchno-skeleton	199
Hoofs of	202	Pastes	138
Horns of	201	Paw, John	50
leather	209	Pea-roe of cod	137
Viscera of	215	Pea-shooters	89
Ox, Musk (Ovibus moschatus)	192	Pearl	206
Oyster-bed tangles	243	oysters ( <i>Aviculidae</i> )	206
Oyster-canoes	148	producing bivalves	237
Oyster-culture, Methods of	248	shell, Sea-snails for	251
Oyster-fish	32	shells, Marine	258
Oyster-knives	75	White	205
Oyster-rakes	85	work, Ornamental	206
Oyster-scraper	129	Peccaries, Teeth of	197
Oyster-shovels	79	Peccary	9
Oyster-tongs	85	Teeth of	198
Oysters	253-256	Peecten, Shells of	206
East American	253, 254	Peculiarities of form of East American	
Exports of	281	oysters	255
Extra limital	254	Pedieulati	23
Pearl ( <i>Aviculide</i> )	206	Peep-sights	93
West Coast	254	Pelican, Brown ( <i>Pelecanus fuscus</i> )	195
P.	.	Pilime, Sponge	223
Pacific Chimera	65	Pelodichthys olivaris	62
Hair Seal ( <i>Phoca Richardi</i> ?)	192	Pemmican	182
Green Turtle	22	Penicillius capitatus	271
guano, Preparations illustrating	232	" dumctosus	271
Hawksbill Turtle	2	Pens	243
Rock Eel	32	Pen-traps	131
Right Whale	13	Peprius Gardemii	44
Pack-saddle fur (Hudson's Bay Territory)	142	Pepsin, Manufacture of	175
Pack-saddles	142	Pepsiho	229
Paco hair	195	Pereca fluviatilis	49
Paddle-fish	64	Perecesoces	53
Paddles	159-160	Perch	37
Padina pavonia	269	Red	34
Pads, Riding (for buffalo-hunting)	142	Striped	37
Pagonias chromis	44	White	51
Pagophiñus greenlandicus	6	Yellow	49
Pails	245	Perches	137
Palinurichthys perciformis	43	Percidæ	49
Palometta	39	Percussion needle	91
Pancreatin	229	powder	91
		Perfumery materials, Consumption of	298
		Perfumes	173, 227

	Page.		Page.
Perfumes, Mammal.....	227-228	Pipe-fish .....	25
Manufacture of .....	175	Pipettes.....	246
Reptile .....	228	Pistol-belts.....	95
Persian insect powder.....	178	Pistols and guns.....	90
Personal aids.....	142	Piston air-guns .....	90
equipments .....	164-167	Pitfalls.....	131
Petrel, &c., Oil of .....	225	Pits, Covered.....	131
Petrocelis ornata.....	271	Plain hooks .....	97-100
Petromyzon americanus.....	70	sights .....	93
Petromyzontidae.....	70	troughs .....	245
Peyssonnelia atro-purpurea .....	267	Plaited lines.....	114-116
Phanerodon furcatus .....	37	Plants .....	264
Phasianella, Shells of .....	207	for food, Specimens of .....	248
Phocaena brachyion .....	11	Plaster model-bodies .....	178
lineata.....	11	molds .....	177
vomerina .....	11	Plasters .....	177
Phoca Richardsii .....	6	Plates, Wet and dry .....	178
" vitulina .....	5	Platichthys stellatus .....	28
Phocidae.....	5	Plectognathii .....	23
Phocine .....	5	Pleuronectes glaber .....	26
Phosphorus .....	200, 230	Pleuronectidei .....	26
Imports of .....	299	Pliers .....	178
Manufacture of .....	175	Plocamium coccineum .....	267
poisons .....	136	Plucking .....	170, 172
Photographic apparatus (accessory) .....	178	Plumagery, Art of .....	172
Photographs .....	233, 241	Plumes, Feathers for .....	220
Physcis Chesteri .....	30	Pocket Gopher .....	17
" chuss .....	29	Pocket-nets .....	126
" tennis .....	29	Pocket-traps .....	131
Phyllitis fascia .....	270	Pogie .....	59
Phyllophora membranifolia .....	268	Poisons .....	136
" Brodlei .....	267	Blood .....	136
Physeteridae.....	12	Food .....	126
Physeterina .....	12	Phosphorus .....	136
Physeter macrocephalus .....	12	Opium .....	136
Pickerel .....	55	Polar Bear .....	5
Brook .....	55	Hare .....	18
hooks .....	135	Pole Flounder .....	27
Pickled fish, Preparations of .....	187	Poles .....	160
foods .....	184	Polishers, Shaft .....	89
Pickling, Preservation by .....	169-170	Polishing .....	172-173
Pieric acid .....	177	powders .....	207
Piercing-traps .....	135	Pollachius carbonarius .....	29
Pierre-cartou .....	177	Pollack .....	29
Pigeon-nets .....	134	Polyides rotundus .....	267
Pigeon, Oil of .....	226	Polyodon folium .....	64
Pigeons, Stool .....	139	Polyodontidae .....	64
Pigments, Wool used as medium for .....	219	Polysiphonia atrorubescens .....	266
Pigmy Sculpin .....	34	" Baileyi .....	266
Pig, Snuffing .....	11	" bipinnata .....	266
" Pike" .....	55, 61	" elongata .....	266
Pike, Blubber .....	81	" fastigiata .....	266
Pike, Gar .....	64	" fernacea .....	266
Pike-perch, Canada .....	49	" fibrillosa .....	266
Yellow .....	49	" Havamensis .....	266
Pikaea Californica .....	267	" Harveyi .....	266
Pile-scrappers .....	79	" nigrescens .....	266
Pimelepteridae .....	46	" olneyi .....	266
Pimelepterus Bosci .....	46	" parasitica .....	266
Pinkies .....	147	" pecten-veneris .....	266
Pinnipedii .....	5	" pennata .....	266
Pins, Belaying .....	151	" urecolata .....	266
Pin, Toggle .....	161	" variegata .....	266
Pipe, Aerating .....	247	" violacea .....	266

	Page.		Page.
Polysiphonia Woodii .....	266	Prairie Hare .....	19
Pomacanthus arenatus .....	39	Squirrel .....	15
Pomacentridæ .....	37	Wolf .....	189
Pomacentrus leucostictus .....	37	Predatory animals not elsewhere exhibited .....	244
Pomatomiðæ .....	51	Preparation of albumen .....	175
Pomatomus saltatrix .....	51	of baits .....	170
"Pommels" .....	171	of body-oil .....	174
Pomatomus medioreris .....	60	of the bones .....	177
" pseudoharengus .....	60	of " brillantine" .....	170
Pomoxys nigromaculatus .....	48	of coqueline colors .....	175
Pompano .....	42	of coral .....	174
east-nets .....	130	of feathers .....	170
Salted .....	185	of fibers for manufacture of	
Short .....	42	plush carpets .....	171
Ponds, Fish (models) .....	244	of fish-scale work .....	174
Pool fish-ways .....	242	of food .....	168-170
Porbeagle Shark .....	67	of guano .....	176
Porcelain stock, Sea-snails for .....	252	of curled hair for stuffing .....	170
Porcupine, White-haired .....	18	of horn and hoof .....	173-174
Yellow-haired .....	18	of other hard tissues .....	173-174
Porgy .....	46	tortoise shell .....	174
Spanish .....	36	of silk from byssus of pinna ..	171
Porichthys notatus .....	32	of silk of insects .....	171
Pork, Exports of .....	277	of silk of silk-worms .....	171
Imports of .....	276	of the skin and its appendages ..	171-173
Salted .....	184	of nacre .....	174
Poronotus triacanthus .....	43	of spermaceti .....	174
Porphyra vulgaris .....	269	of sponge stuffing .....	171
Porpoise .....	10-11	of soft parts of other invertebrates .....	171
Baird's .....	10	of head oil .....	174
Bay .....	11	of stuffings .....	170
Common .....	10	of whalebone .....	170, 173-174
leather .....	214	of wool-cloths .....	170
Right-whale .....	10	of wool and hair of mammals ..	170
Skunk .....	10	Preparations, Adhesive .....	135
Sperm-whale .....	12	Bird .....	183, 185
Striped .....	10, 11	Fish .....	183, 185, 187
jaw oil .....	294-325	Mammal .....	182, 184
Portable boats .....	145	of mollusks .....	184, 187
bridges .....	142	of pickled fish .....	187
Possum ( <i>Didelphys virginianus</i> ) .....	20, 194	Radiate .....	184
hair .....	196	Reptile .....	183, 185
Potassium, Cyanide of .....	136	Prepared ammunition .....	92
Ferrocyanide of .....	228	wads .....	92
Pots, Barrel for eel .....	133	Preservation, Accessories of .....	168
Eel, without leaders .....	132-133	of the animal for scientific uses .....	176-178
Fish .....	132	by canning .....	169-170
Lobster .....	132	by drying .....	168-170
Try .....	175	of meats .....	168-170
Pouched Gopher .....	17	of food .....	168-170
Pouches, Arrow-head .....	89, 94-95	of game, fishes, &c .....	241
Poudrettes .....	232	by pickling .....	169-170
Poultry, Imports of .....	276	Preservations .....	178
Pout Eel .....	31	Preservative mixtures .....	176-177
Horn .....	62	Preserved meats, &c .....	163
Powder, Colonia .....	91	Preserving fish, Specimens of salts used in .....	169
Giant .....	91	Pressing .....	170-173
Percussion .....	91	Priacanthidae .....	52
Pyrethrum .....	165	Primers .....	91
Wood .....	91	Prionitis Andersonii .....	268
Powder-horns .....	94	" lanceolata .....	268
Powder-measures .....	92	Prionotus carolinus .....	33
Powders, Insect .....	178		
Polishing .....	207		
Prairie Dog .....	16		

	Page.		Page.
Prionotus evolans .....	33	Ptilota elegans .....	269
Pristidae.....	67	" hypnoidea .....	269
Pristipomatidae.....	47	" plumosa .....	269
Pristis antequorun .....	67	Ptychocheilus grandis.....	61
Probangs.....	223	Pulverizers.....	176
Probes, Snow .....	78	Puma ( <i>Felis concolor</i> ) .....	183
Probing-awls .....	79	Claws of .....	203
Processes of currying .....	171	Pump-bolt .....	161
of tanning leather .....	172	Pump box and haft for scine-boat .....	161
of tawing or oil-dressing leather .....	172	Punctaria latifolia .....	270
Procyonidae .....	5	" plantaginea .....	270
Procyon lotor .....	5	Punk .....	230
Prodding-instruments .....	78-79	Purpura lapillus shells .....	266
Prods, Thrusting .....	78	Purpurate of ammonia dyes .....	223
Productions, Insect .....	222	Purse-nets .....	129
Mollusk .....	222	Pursuit, methods and appliances .....	142-167
Products, Chemical .....	219	Pusa grphus .....	6
Proghorn Antelope .....	7	Pushing-sticks .....	160
Promicrops guasaa .....	50	Putnam's Flat-fish .....	26
Propagating-house, Model of, &c .....	248	Pygostes occidentalis .....	53
Propagation .....	244-248	Pyrethrum powder .....	165
of amphibians .....	245		
of bees .....	248		
of birds .....	244	Q.	
of corals .....	248	Quill articles, Manufacture of .....	172
of fishes .....	245-247	brush-bristles, Manufacture of .....	172
of cochineal insect .....	248	Quills .....	219
of insects .....	248	of American hedge-hog .....	219
of leeches .....	248	of birds .....	219
of mammals .....	244	Consumption of .....	296
of mollusks .....	248	of crow .....	219
of reptiles .....	245	of duck .....	219
of silk-worm .....	248	of eagles .....	219
of sponges .....	248	Feathering .....	217
of worus .....	248	of goose .....	219
Propylamine .....	230	of mammals .....	219
Manufacture of .....	175	for pens, Manufacture of .....	172
Prosopium Couesii .....	57	of swan .....	219
" quadrilaterale .....	57	for tooth-picks, &c .....	219
Protection .....	241	of turkey .....	219
and culture .....	233	Quinnat .....	58
from insects .....	165	Quivers .....	89
Protozoans .....	184, 263		
Chemical products from .....	231	R.	
Injurious .....	264	Rabbit or Cony ( <i>Lepus cuniculus</i> ) .....	194
Useful .....	263-264	Fur of .....	196
Provisions, meats, butter, cheese, eggs, &c .....		Gray .....	19
Net exports of .....	301	hooks .....	80
not included, Imports of .....	301	Jaek .....	19
Prussian blue .....	228	Marsh .....	20
blue made from leather waste (see under 30) .....	217	nets .....	122
Prussiate of potash (see under 30) .....	203	Sage .....	20
Prussiates .....	228, 930	spring-nets .....	130
Manufacture of .....	175	tipe used in England .....	181
Psettidichthys nelemastictus .....	28	Water .....	20
Pseudemys concinna .....	21	White .....	18
" mobiliensis .....	21	Rabbit-fish .....	24
" rugosa .....	21	Rabbits, Down of .....	219
Pseudoleucosteus americanus .....	26	Raccoon .....	5
Pseudolacanthus altus .....	52	Hair of .....	135
Pseudoscarus corolens .....	36	Race-spawning (Ainsworth) .....	217
Pterophryne histrio .....	23	Racks .....	95
Pteroplatea maculata .....	66	Gun .....	95
Ptilota densa .....	269	Radiata .....	262
		preparations .....	181
		Radiates .....	262

	Page.		Page.
Radiates, Chemical products from.....	231	Rendering whale-oil, Instruments and appliances of.....	174-175
Injurious.....	263	Reniceps tiburo .....	68
Useful.....	263	Rennets, Imports of.....	299
Raft-boats, Indian .....	144	Repairing, sighting, and testing fire-arms ..	93
Raft of tulé grass.....	144	Reptile oils.....	226
Raia .....	65	Extraction of .....	175
Raia eglanteria.....	66	perfumes .....	228
" crinacea .....	66	preparations .....	183-185
" levii .....	67	skins, Leather prepared from .....	215-216
" ocellata .....	66	Reptiles .....	21
" radiata .....	66	Chemical products from .....	230
Raiidae .....	66	Ivory of .....	198
Rake-dredge.....	129	Propagation of .....	245
Rakes, Clam.....	81	Reports of the U. S. Fish Commission .....	233-237
Oulaahan .....	82	Research, Apparatus for physical .....	233
Oyster .....	85	Reservoir air-guns .....	90
Ralfsia verrucosa.....	270	Rest for harpoon, &c .....	162
Rammers .....	93	Results, Appliances for working up .....	233
Rat, Black.....	17	of work of U. S. Fish Commission .....	233-241
Brown .....	17	" Revolving booms" .....	117
Florida .....	18	Rhabdonis Coulteri .....	267
leather .....	214	" tenera .....	267
Musk .....	18	Rhodymenia corallina .....	267
Rocky Mountain .....	18	" palmata .....	267
Wood .....	18	Rhachianecles glaeus .....	112
Rattlesnake leather .....	216	Rhachochilus toxotes .....	38
Raven, Sea .....	34	Rhinobatidae .....	67
Raw material for making artificial flies .....	133	Rhinobatus productus .....	67
material of nets .....	130	Rhinonemus caudacuta .....	30
Rawhido .....	209	Rhinoptera quadriloba .....	65
Ray, Butterfly .....	66	Rhodomelia floccosa .....	266
Cow-nosed .....	65	" larix .....	266
Eagle .....	65	" subfuscata .....	266
Sting .....	66	Rhombochirius osteochir .....	52
Recoil-checks .....	94	Rhomboganoidei .....	64
Red Bass .....	45	Rhomboplites aurorubens .....	48
coral ( <i>Corallium nobilis</i> ) .....	207	Rhombus levis .....	28
Fox ( <i>Vulpes fulvus</i> ) .....	189	" maximus .....	28
Hare .....	19	Rhyzopods, Useful .....	264
P'creh .....	34	Ribbon-weavers' bone, Manufacture of .....	173
Snapper .....	47	Riding-pads (for buffalo hunting) .....	142
Squirrel .....	14	Riding-saddles .....	142
Red-bellied Snapper .....	49	Rigger's hooks .....	152
Terrapin .....	21	Rigging fishing-vessels, Apparatus accessory to .....	150-162
Red-fish tackle .....	96	Right Whale .....	13
Red-mouth, Arara .....	47	Right-Whale Porpoise .....	10
Blue-checked .....	47	Ringed Ground Squirrel .....	16
Blue-striped .....	47	Rings, Clearing .....	122
Squirrel .....	47	Ripping-knives .....	72-73
Reels.....	118-119	River-mussels ( <i>Unionidae</i> ) .....	206, 257
Multiplying .....	118-119	River-weirs, with pockets .....	131
Seine .....	119	River Sting Ray .....	66
Simple .....	118	Trout .....	58
Reeling .....	170-171	Robes, Fur .....	162
Refining .....	174	Robin, Round .....	42
Refuse hair .....	219	Roccus chrysops .....	51
human and other hair .....	219	" lineatus .....	51
Refrigerator, Banta .....	168	Rock Bass .....	48
Refrigerator-cars .....	168	Eel .....	32
Refrigerators .....	168	Grouper .....	50
Reindeer leather .....	210	Trout .....	35
Salted .....	184	Rock-fish .....	51
Reinhardtius hippoglossoides .....	28	Banded .....	35
Remora .....	52, 137		
Remoropsis brachiptera .....	52		

	Page.		Page.
Rock-fish, Black-eated .....	35	Salmon-tackle .....	95
Black-headed .....	35	Salmon-weirs (Upper Columbia River) .....	113
Rosy .....	31	Salmonidae .....	57
Rockling, Four-bearded .....	30	Salmo salar .....	57
Rocky Mountain Rat .....	18	Salt .....	178
sheep horn .....	202	(accessory) .....	169
Rods .....	119-121	Salted anchovies .....	186
Roels, Twisting .....	82	baits (prepared) .....	137
Rod .....	185	beef .....	184
Roos, Dried and smoked .....	183	bluefish .....	185
Roller, Spawning-screen (Collins) .....	245	buffalo meat .....	184
Rollers, Dredge-line .....	119	cod .....	185
Trawl-line .....	119	deer .....	184
Rosmaride .....	6	elk .....	184
Rosmarinus Cookii .....	6	foods .....	184
" obesus .....	6	halibut .....	185
Rose-fish .....	34	herring .....	186
Rose-nozzles (for washing eggs) .....	247	mackerel .....	185
Rosettes, woven work, and trinkets, Manu-		mullet .....	185
facture of .....	173	pompano .....	185
Rosy Rock-fish .....	34	pork .....	184
Rotella, Shells of .....	207	reindeer .....	184
Roth's vats .....	245	salmon .....	185, 186
Rough Flounder .....	28	Spanish mackerel .....	185
Round Herring .....	59	sword-fish .....	185
mouse-traps .....	134	tongues of buffalo, deer, horse .....	184
Robin .....	42	turtle .....	185
" Round-Knives " .....	171	Salting, Fish .....	169
Round-tailed Ground Squirrel .....	15	Salt-mills, Models of (Cape Cod) .....	169
Rowlocks .....	155-159	Salts, Specimens of, used in preserving fish .....	169
Rubber blankets .....	162	Salve-bug .....	231
Rudder-fish, Banded .....	43	Salvelinus fontinalis .....	58
Black .....	43	" opaussa .....	58
Rudder-fixtures .....	154-155	Samia cecropia, Silk of .....	196
Ruminants, Horn-cores of .....	200	" polyphemus, Silk of .....	196
"Russian sardines" .....	186	Samples gill-netting .....	125
Rusty Flounder .....	26	of netting hung to lines .....	130
		Sand-bath drying and steaming .....	172
		Sand Dah .....	27
		Eel .....	31
		Shark .....	68
Sable, American, or Hudson's Bay (Mustela		Sarda pelamys .....	40
Americana) .....	189	Sardine-factory, Model of .....	169
Sables, Hair of .....	195	Sardines, American .....	186
Sacramento Salmon .....	58	preserved, Foreign exports of .....	283
Saddlery, harness, &c., Reports of .....	292-293	preserved, Imports of .....	279
Saddle-slings .....	95	Sargassum Agardianum .....	269
Saddles .....	142	" baciferum .....	269
Pack .....	142	" dentifolium .....	269
Riding .....	142	" vulgare .....	269
Sage Rabbit .....	20	Sargus Holbrookii .....	46
Sail-fish .....	39	Sarothroodus capistratus .....	38
Sailor's Choice .....	46	" maenobinetus .....	39
Sailors' sheath-knives .....	74	Sauce, Anchovy .....	186
Salamander, Florida .....	17	Sausages .....	183
Sal ammoniac (see under 30) .....	200, 230	Sausages, Bologna, Imports of .....	276
Manufacture of .....	175	Sausage-skins, Imports of .....	276
Salmo fario .....	58	Saw-fish .....	67
Salmon .....	57	Sawing .....	173
Artificial ties for .....	102-114	Strip .....	173
baskets (Columbia River) .....	131	Says, Striped Squirrel .....	15
hook-gill net .....	121	Scalibard fish .....	39
Sacramento .....	58	Sead, Big eyed .....	41
Salted .....	185-186	Mackerel .....	42
Selago .....	57		
Smoked .....	183		
Salmon-clubs .....	71		

	Page.		Page.
Scales .....	166, 205	Sea Lion.....	5
of fishes.....	205	lion, Throat of .....	215
Weighing.....	92	Otter.....	4, 191
Scaled fish, Leather prepared from .....	216	Raven.....	34
Scaling apparatus .....	169	Robin, Broad-fingered .....	33
Scaling-knives.....	74	Robin, Striped.....	33
Scalp-locks, Human.....	217	Shad .....	60
Scalops aquatius.....	13	Snail .....	33
" argentatus.....	13	Sea-boats .....	147-148
Scalps of animals.....	217	Sea-elephant oil .....	223
Seapanus Breweri .....	14	Sea-horse .....	25
" Townsendii .....	14	Sea-lion leather.....	208
Scaphyrhynchops platyrhynchus .....	65	oil .....	223
Searidae.....	35	Sea-snails .....	251
Scarus Albildgaardii.....	35	for bait .....	251
" radians.....	36	for cameo .....	252
" squalidus .....	35	for food .....	251
Scent-decoys .....	138	for dye-stuffs .....	252
Schizymenia (?) coccinea .....	268	injurious .....	253
" edulis .....	268	for pearl-shell, &c. ....	251
Schooner-rigged fishing-vessels.....	149	for porcelain stock .....	252
Sciænidæ .....	44	used in Indian trade .....	252
Sciænops ocellatus .....	45	Sea urchins .....	262
Sciurus hudsonius .....	14	Seal, Banded .....	6, 192
Sciuaia furcellata .....	267	Common .....	5
Scincus officinalis of Egypt .....	230	Elephant .....	6
Sciuridae.....	14	Fur .....	5, 191
Sciurus Aberti .....	14	Gray .....	6
" carolinensis .....	14	hair ( <i>Phoca vitulina</i> ) .....	192
" cinereus .....	14	Harbor .....	5
" fossor .....	14	Harp .....	6, 192
Scollops, Canned .....	187	Hood or Bladder-nose .....	192
Scomberesocidae .....	54	Hooded .....	6
Scomberesox sentellatus .....	55	lances .....	78
Scomber scombrus .....	40	leather .....	208
Scombridae .....	40	Leopard .....	6
Scoop, Dory .....	160	oil .....	223
Sounding-machine .....	80	oil, Imports of .....	296-297
Scooping-instruments .....	79	Pacific Hair .....	192
Scoops .....	70	seines .....	126
Hand .....	79	Sinews of .....	215
Scorpenidae .....	34	Square-flipper .....	6, 192
Scouring .....	170-172	Walrus, leather from pharynx of .....	215
Scrappi Whale .....	12	Sealing-wax, Imports of .....	299
Scraper, Oyster .....	129	Sebago Salmon .....	57
Scrapers, Deck .....	160	Sebastes marinus .....	34
and parers, Skin .....	76	" viviparus .....	34
Pile .....	79	Sebastodes paucicipinis .....	35
Scraping .....	171-172	Sebastomus auriculatus .....	35
Scraping-tools .....	177-178	" elongatus .....	35
Seraps, Fish .....	187	" fasciatus .....	35
Oil-factory .....	187	" rosaceus .....	34
Screens, Flannel .....	246	Sebastosomus melanops .....	35
Sculpii .....	34	Secretion of skunk .....	229
Greenland .....	34	Seine, Boat .....	146
Pigmy .....	34	floats of wood, cork, glass, and rubber .....	117
Scup .....	46	lines .....	97
Scuppaug .....	46	reels .....	119
Scymnidæ .....	69	Seines .....	126-128
Seytospion lomentarius .....	270	Baird collecting .....	127
Sea Bass .....	50	Bait .....	127
Bat .....	23	Bass .....	127
Dog .....	5	Bluefish .....	127
Elephant .....	6	Capelin .....	127
Herring .....	60	Cod .....	127

	Page.		Page.
Semes, Herring.....	127	Shearing .....	170
purse, Mackerel .....	129	Sheep, Foreign imports of .....	274
Manatee .....	126	Horns of .....	201
Menhaden .....	126	Exports of .....	274
purse, Menhaden .....	129-130	leather .....	209
Mullet .....	126	Mountain .....	7
Other .....	127	Mountain ( <i>Ovis montana</i> ) .....	192
Seal .....	126	Sinews of .....	215
Shad .....	126-127	Viscera of .....	215
Seme-windlasses .....	119	Sheep's wool .....	195
Selachostomi .....	64	wool (on skin) .....	218
Self-sealing jars used in collecting .....	176	Sheepshead .....	46
Sepia, from <i>Sepia officinalis</i> .....	229	Shell .....	206
Sergeant Major .....	37	Cameo .....	206
Seriola Lalandii .....	43	Conch ( <i>Strombus gigas</i> ) .....	206
Serranidae .....	49	Consumption of .....	290
Set nets .....	133	of eggs .....	228
Set-tackle .....	97	fish, Bivalve .....	253
Set-traps .....	97	helmet ( <i>Cassis rufa</i> , &c.) .....	206
Swelled .....	16	of king-crab .....	207
shad .....	60	Shells of <i>Buccinum</i> .....	206
Bermuda .....	46	of <i>Buccinum undatum</i> .....	206
gill-nets used in Southern rivers .....	124	of <i>Busycon</i> .....	206
Mud .....	60	Calcined .....	207, 231
Ohio Gizzard .....	60	of <i>Cypraea</i> .....	207
Sea .....	60	of <i>Dentalium</i> .....	206
seines .....	126-127	of <i>Dolium</i> .....	206
slides .....	131	Ear ( <i>Haliotidae</i> ) .....	206
tackle .....	95	Egg .....	230
Winter .....	60	of <i>Fusus</i> .....	206
Shad-waiter" .....	57	Implements used for .....	206-207
Shaft-gauges .....	89	of <i>Haliotis</i> .....	206
Shaft-polishers .....	89	of <i>Mastra</i> .....	206
Shanty, Brook (Furman's) .....	246	of <i>Mercenaria</i> .....	206
Shaping .....	170-172	of <i>Mercenaria violacea</i> .....	206
Shark, Atwood's .....	67	of <i>Murex</i> .....	206
Blue .....	68	of <i>nautilus</i> and <i>argonaut</i> .....	206
Blue-headed .....	68	of <i>Oliva</i> .....	207
Dusky .....	68	of <i>Peeten</i> .....	206
ear .....	97	of <i>Phasianella</i> .....	207
Hammer-head .....	68	of <i>Purpura lapillus</i> .....	206
leather .....	217	of <i>Rotella</i> .....	207
Mackerel .....	67	of <i>Strombus</i> .....	206
Nurse .....	69	of <i>Sycotypus</i> .....	206
Porbeagle .....	67	of <i>Tridacna</i> .....	206
Sand .....	68	of <i>Triton</i> .....	206
shovel-head .....	68	of <i>Turritella</i> .....	207
sleeper .....	69	Shells, Top ( <i>Turbinidae</i> ) .....	206
Sleeper, Jaws of ( <i>Somniosus brevipinnis</i> ) .....	199	Shells, Tower ( <i>Trochidae</i> ) .....	206
Spiny .....	70	Shell, Tortoise ( <i>Eretmochelys squamata</i> ) .....	205
Spotted-fin .....	68	Shell work, Composition .....	207
Teeth of .....	13	Shelter .....	162
Tiger .....	69	Shields .....	165
Shark liver oil .....	227	Shiner .....	62
Shark's vertebrates .....	200	Shoemakers' wax-ends, Bristles for .....	219
Sharp-headed Finner Whale .....	13	Shoes, Snow .....	142
Sharpies .....	146	Shooters, Pea .....	89
Sharp nosed Skate .....	67	Short Big-eye .....	52
Stingon .....	64	Cyprinodon .....	56
Sharpeners, Arrow-head .....	89	hand-gear .....	96
Shavings used in case-hardening gun-barrels, &c. ....	209	Harvest-fish .....	44
Shawls, Imports of .....	286	Pompano .....	42
Sheaf-traps .....	134	Short nosed Gar Pike .....	64
		Sturgeon .....	64
		Short-tailed Prairie Dog .....	16

Page	Page.		
Shot.....	92	Sinews of goat.....	215
Shot-holders .....	94-95	of seal .....	215
Shot-measures .....	92	of sheep.....	215
Shot, Slung .....	71	of walrus.....	215
Shoulder-slings .....	95	Single-groove fish-ways .....	241
Shovel-head Shark .....	68	Single-pointed hooks .....	80-81
Shovel-nosed Sturgeon .....	65	Sinkers.....	117
Shovels.....	79	Sinkers, Net .....	117
Clam .....	79	Siphons, Dried .....	184
Oyster.....	79	Siphon-tubes .....	247
Show'l.....	16	Sirenia .....	19
Sibbaldius borealis .....	13	Sisco gill-nets .....	123
" sulfureus .....	13	Size .....	221
" teetirostris .....	12	Sizes and glues (see under 24) .....	200
" tuberosus .....	13	Skate, Clear-nosed .....	66
Sight-decoys .....	139-141	Eglantine .....	66
Breech .....	93	Long-nosed .....	67
Globe .....	93	Sharp-nosed .....	67
Graduating .....	93	Spring .....	66
Muzzle .....	93	Spotted .....	66
Peep .....	93	Skate-liver oil .....	227
Plain .....	93	Skates .....	142
Slit .....	93	Skeletons, &c .....	300
Telescopo .....	93	Apparatus for making .....	177
Silk from byssus of Pinna, Preparation of .....	171	Skewers, &c .....	168
dress-goods, Imports of .....	289	Skiffs, Hunting .....	147
of ena or arindy .....	196	Skimmer-nets .....	246
Exports of raw .....	289	Skin and its appendages, Preparation of .....	171-173
hosiery, Imports of .....	289	boats .....	146
Imports of raw .....	288-289	of Eels .....	231
of insects, Prepared from .....	196	Skins, Apparatus for making and mounting .....	178
of insects, Preparation of .....	171	of eel ( <i>Anguilla vulgaris</i> ) .....	216
of jorce ( <i>Bombyx religiosa</i> ) .....	196	Skin scrapers and parers .....	76
lines .....	114	Skipper .....	55
and its manufactures, Consumption of .....	289	Skunk, Alaska Sable .....	190
manufactures, Foreign exports of .....	289	Common .....	4
other manufactures of, Imports of .....	289	Hair of, for brushes .....	217-219
other manufactures, Imports of, by		Little Striped .....	4
countries .....	289	Mexican .....	4
of moonga .....	196	Porpoise .....	10
of exotic moths .....	196	Secretion of .....	229
raw, Net imports of .....	301	Striped ( <i>Spilogale zorilla</i> ) .....	190
of Samia cecropia .....	196	White-backed .....	4
of Samia polylemus .....	196	Slack's cans .....	247
of silk-worms, Preparation of .....	171	Slate, Polishing of .....	207
of spiders .....	196	Sledges, Deer .....	142
of tussal ( <i>Bombyx pernyi</i> ) .....	196	Dog .....	142
of common silk-worm ( <i>Bombyx mori</i> ) .....	196	Steeple Shark .....	69
Silk-worm gut .....	222	Slides, Fish .....	131
Silk-worm-gut snoods .....	116	Shad .....	131
Silk-worm, Propagation of .....	248	Slime-fish .....	70
Siluridae .....	62	Slings .....	167
Silver Fox ( <i>Vulpes alopecoides argentatus</i> ) .....	189	for arms .....	95
Fish .....	41, 45	Bird (used by Eskimos) .....	86
Gar-fish .....	54	India-rubber .....	89
Hako .....	30	Saddle .....	95
Squeetequo .....	44	Shoulder .....	95
Silver-sides .....	53	and spears thrown by straps .....	88
Silvery Molo .....	13	Slit-sights .....	93
Simple bows .....	88	Slivering-knives .....	74-75
reels for fly-fishing .....	118	Slugs, Dried ( <i>Limax</i> , &c) .....	184
Sinches .....	142	Slung-shot .....	71
Sinews of buffalo .....	215	stones .....	71
of deer .....	215	weights .....	71
Gelatines from .....	187	Small-footed Pouched Gopher .....	17

	Page.		Page.
Small-mouthed Black Bass .....	49	Solea vulgaris .....	26
Small-spotted Dolphin .....	43	Soleida .....	26
"Smelt" .....	53, 56	Soluble glass, Infusorial earth for .....	208
Smelt, &c .....	183	Somniosus microcephalus .....	69
Smoked alewives .....	183	Sonora Ground Squirrel .....	16
halibut .....	183	Sound-decoys .....	138
herring .....	183	Sounding-machine, Bull-dog .....	86
mullet .....	183	Scoop .....	89
oulachan .....	183	Sounds .....	185
salmon .....	183	of cod and hake, Isinglass from .....	221-222
sturgeon .....	184	Southern Barracuda .....	53
white-fish .....	183	Flounder .....	27
Smoke-drying apparatus .....	169	King-fish .....	25
Smoking-out apparatus .....	136	Sowerby's Whale .....	12
Smoke-houses, Halibut .....	169	Spades, Blubber-mincing .....	77
Sturgeon .....	169	Cutting .....	76-77
Smooth-back Flounder .....	26	Head .....	77
Smooth Dog-fish .....	69	Half-round .....	77
Sting Ray .....	66	Throat .....	77
Smudges .....	165	Whale .....	76
Snail, Sea .....	33	Whaleman's boat .....	78
Snails, Sea .....	251	Wide .....	77
Snake-fish .....	56	Spanish Lady-fish .....	36
Snake-tongz .....	86	Mackerel .....	41
Snapper .....	48-49	mackerel, Salted .....	185
Bastard .....	46	Porgy .....	36
Gray .....	48	Spargis coriacea .....	22
Gulf .....	48	Sparidae .....	46
Mangrove .....	48	Sparus aculeatus .....	46
Red .....	47	Spat, Stools for receiving natural and artifi-	
Red-bellied .....	49	cial .....	248
Star .....	50	Spawning-rae (Ainsworth) .....	245
Snapping Tortoise .....	22	Spawning salmon, Strait-jacket for .....	245
Snares .....	134	Spawning-screen roller (Collins) .....	245
Barrier .....	134	Spawning-vat (Bond) .....	245
Bird .....	86	Spear-falls .....	135
Fish .....	86	Spear-fish Sucker .....	52
Foot-path .....	134	Spears, Barbed .....	82
Jerk .....	86	Detachable-head .....	83-85
Snipe Eel .....	63	Eel .....	82
Snoods .....	116	Fixed-head .....	82
Flax .....	116	Harpoon .....	85
Gimp .....	116	Hurled .....	88
Silkworm-gut .....	116	Oulachan .....	82
Wire .....	116	(with straps) .....	88
Snow-goggles .....	166	(with throwing-sticks) .....	88
probes .....	78	Thrusting .....	78
shoes .....	142	Species of fish exhibited in the Allegrettiand	
Snuffing Pig .....	11	Banta refrigerators in Government build-	
Soaking .....	172	ing, May 10 to November 10 .....	170-181
Soap, Arsenical .....	178	Specimens of American commercial sponges .....	223
common, Imports of .....	297	Apparatus for collecting .....	233
Exports of .....	297	of Cowry (Cypraea moneta) .....	206
fancy, Imports of .....	297	of Mediterranean sponges .....	223
Soaps, Consumption of .....	296-297	of natural history, Consumption .....	
from fish-oil .....	227	of .....	299
Imports of .....	296-297	of plants for food .....	248
from mammal oil .....	225	Speckled Grunt .....	47
Soft parts of other invertebrates, Preparation of .....	171	Sperm Whale .....	12
Softshell Turtle .....	22	Ambergris of .....	228
Sole .....	26, 28	jaw-bone .....	199-200
American .....	26	Teeth of ( <i>Physeter macroceph-</i>	
Spotted California .....	28	<i>alus</i> ) .....	198
		Sperm-oil .....	225

Page.	Page.		
Sperm oil, Exports of.....	297	Spotted Skato .....	66
Spermaceti.....	225	Squeteague .....	44
Exports of.....	297	Turbot.....	27
Preparation of.....	174	Wry-mouth .....	31
and wax, Imports of.....	297	Spotted-fin Shark.....	68
Spermophilus annulatus.....	16	Spreaders .....	117
" Franklini .....	15	Spring bird-nets .....	135
" grammurus (Beechyi) .....	15	Spring-door traps .....	124
" Harrisii .....	15	Springes .....	134
" mexicanus .....	15	Spring-guns .....	89, 135
" Parryi .....	15	Spring-hooks .....	135
" Richardsoni .....	16	Springs, Stomach .....	136
" spilosoma .....	16	Spring-weirs (St. Lawrence) .....	130
" terticaudis .....	15	Spurs .....	142
" Townsendi .....	16	Spyridia aculeata .....	268
" tridcem-lineatus .....	15	" filamentosa .....	268
Sphaerularia fusca.....	270	Squali.....	67
" radicans .....	270	Squalus americanus .....	69
Sphaerozyga Carmichaelii.....	271	Square-flipper Seal ( <i>Erignathus barbatus</i> ) .....	6, 192
Sphargididae .....	22	Squatina Dumerili .....	67
Sphyraena borealis.....	52	Squatiniidae .....	67
" pienda .....	63	Squeteague .....	44
Sphyraenid (?) .....	52	(Sciaenidae), Isinglass from .....	222
Sphyraena zygæna.....	68	Silver .....	44
Sphyrmidae .....	68	Spotted .....	44
Spiced lampreys.....	186	Squids .....	137
menhaden.....	186	and cuttles .....	251
Spiders, Silk of .....	196	and jigs .....	82, 138
web .....	222	Squirrel .....	44, 50
Spike-fish .....	39	California Gray .....	14, 15
Spike-tail .....	29	Fox .....	14
Spikes, Marline .....	161-162	Gray .....	14
Spilliards .....	97	Hair of .....	217-218
Spilogale zorilla .....	4	Harris' Ground .....	15
Spinacidae .....	69	Mexican Ground .....	15
Spined Dog-fish .....	69	Missouri Striped .....	15
Spines of echinoïdes .....	208	Prairie .....	15
Spinners .....	138	Red .....	14
Spinning .....	170-171	Red-mouth .....	47
Spring Shark .....	70	Ringed Ground .....	16
Skate .....	66	Round-tailed Ground .....	15
Spiral fish-ways .....	243	Townsend's Ground .....	16
Spirulina tenuissima .....	271	Taft-eared .....	14
Sponge, Burnt .....	231	Say's Striped .....	15
"Sponge-tents" .....	223	Sonora Ground .....	16
Sponge-tongs .....	86	Squirrel Haiko .....	29
Sponges, &c. ....	263-264	Squirrel-hooks .....	80
American commercial, Specimens of .....	223	Squirrels, Jerked, and other small mammals .....	182
Imports of .....	296	Stands, Fish Commission .....	178
Mediterranean, Specimens of .....	223	Stapling .....	170
Propagation of .....	248	Star-fish .....	262
Spongeo-pilino .....	223	Stargazer, Naked .....	33
Spoon-baits, plain and fluted .....	101-102	Star-nosed Mole .....	14
Spoons, trolling .....	138	Star Snapper .....	50
Spools .....	119	Stationary covers .....	141
Splanchno-skeleton of feræ, Parts of .....	199	Steamers .....	149-150
Splitting-knives .....	72-73, 75	Steaming .....	173
Spot .....	45	Stearine, Imports of .....	297
Yellow-tailed .....	45	Stearines, Manufactured .....	225
Spotted Bass .....	45	"Steel traps" .....	134-135
Cero .....	41	Stenogramma interrupta .....	267
Codling .....	30	Stenotomus argyrops .....	46
File-fish .....	24	Step fish-ways .....	242
Sole, California .....	28	Stephanolepis setifer .....	25

Page.		Page.	
Steps, by arrangement of rock and bowlders	242	Sturgeon, Sharp-nosed .....	64
Stichaeidae .....	31	Short-nosed .....	64
Stichæus punctatus .....	31	Shov-el-nosed .....	65
Stickle-back, Four-spined .....	54	Smoak'd .....	184
• New York .....	53	smoke-houses .....	169
Ten-spined .....	53	Sublimate, Corrosive .....	176, 178
Sticks, Curved .....	87	Sucker, Black .....	61
Glue (for fastening arrow-head) .....	89	Club .....	61
Hurled .....	87	Common .....	61
Pushing .....	160	Goode's .....	61
straight .....	87	Spear-fish .....	52
Throw .....	87	Striped .....	61
Still-hunting, Lanterns for .....	141	Sword-fish .....	52
Sting Ray .....	66	Sucker-fish .....	52
California .....	65	Sugar of milk, Imports of .....	299
River .....	66	Suit, Oil-skin .....	165
Smooth .....	66	Suits, Hunting .....	164
Stizostedium canadense .....	49	Water-proof .....	164
vitreum .....	49	Sulphur-bottom Whale .....	13
Stock-makers' bone, Manufacture of .....	173	Sulphuring .....	172
Stomach-springs .....	136	Sun-drying apparatus .....	168
Stone-headed clubs .....	71	Sun-fish .....	23, 43
Stone knives .....	75-76	oil .....	226
Stones (thrown by hand) .....	87	Supplies, Commissary .....	162-164
Slung .....	71	Surface lines .....	97
Stool .....	162	tow-nets .....	129
Pigeons .....	139	Surf-tackle for throwing and hauling .....	96
Stools for oyster spat .....	218	Surgical apparatus .....	223
Stopping .....	170	instruments, Manufacture of .....	172
Stops, Foot .....	153	Suspender-maker's bone, Manufacture of .....	173
Storage-tank, museum, Agassiz model .....	176	Swabs .....	93
Storer's File-fish .....	25	Swab-tangles .....	87
'Stosh" .....	137	Swallows, esculent, Nests of .....	187
Stoves .....	162	Swan (Cygnus americanus) .....	195
Stowing and cutting in .....	174	Quills of .....	219
Straight knives .....	71-76	Swans, Down of .....	220
sticks .....	87	Swell-fish .....	24
Straight-jacket for spawning salmon .....	245	Swimming-birds, Deeyoy (carved in wood) .....	139
Straps, Cap .....	95	Swingle-tail .....	68
Stretchers .....	162	Swivels .....	117, 121-122
for kyak-line .....	162	Sword-fish .....	39
"Stretching-irons" .....	171	Bone of .....	200
Striped Bass .....	51	Salted .....	185
Gopher .....	15	Sucker .....	52
Liparia .....	33	Sycotypus, Shells of .....	206
Mullet .....	53	Synaphobranchide .....	63
Perch .....	37	Synaphobranchus pinnatus .....	63
Porpoise .....	10, 11	Syngnathida .....	54
Sea Robin .....	33	Syngnathus Peckianus .....	25
Skunk .....	190	Synodontida .....	56
Sneaker .....	61	Synodus fœtens .....	56
Striped bass tackle .....	96	Syringe-guns .....	90
Strip-sawing .....	173	Syringes .....	217
Stromateidae .....	43	for injecting .....	176
Strombus, Shells of .....	206	T.	
Strychnine .....	136	Table-furniture .....	163
Stuffed birds .....	300	Tables .....	169
Stutting, Hair for .....	219	Tackle, Angling .....	95
sponge, Preparation of .....	171	Bass .....	96
Stufflings, Manufacture of .....	170-171	Black-bass .....	95
Preparation of .....	170	Bluefish .....	96
Sturgeon, Lake .....	64	Draulig .....	93
Long-nosed .....	65	Fly-fishing .....	95
leather .....	216		
oil .....	227		

	Page.		Page.
Tackle for fishing below surface.....	96-97	Telescope-sights.....	93
Pasque and Cuttyhunk bass.....	96	Telescopes.....	166
Red-fish.....	96	Water.....	166
Salmon.....	95	Ten-spined Stickle-back.....	53
Shad.....	95	Tenthredidae.....	38
Set.....	97	Tents.....	162
Striped-bass.....	96	Terrapin, Diamond-back.....	21
Surf.....	96	culture, Methods of.....	245
for surface-fishing.....	95-96	Florida.....	21
Tide-drailing.....	96	Red-bellied.....	21
Trolling.....	96	Testudinata.....	21
Trout.....	95	Testudinidae.....	21
Whifing.....	96	Testudo Berlandieri.....	21
Tæniotoca lateralis.....	37	carolina.....	21
Tail, Golden.....	48	Tethers.....	243
Tail, Hair.....	39	Tetrapturns albodus.....	39
Tailor Herring.....	60	Tetrodon levigatus.....	24
Tail-spike.....	29	Tetrodontidae.....	24
Tallow, Exports of.....	297	Texas Pouched Gopher.....	17
Imports of.....	296-297	Textile fabrics.....	195
Talpidae.....	13	fabrics, Feathers for.....	220
Tame decoy-brants.....	139	Manufacture of.....	170-171
decoy-ducks.....	139	Thalactos maritimus.....	5
Tamias quadrivittatus.....	15	Thalassocelys caouana.....	22
" lateralis.....	15	The chase and the fisheries.....	71
" striatus.....	14	The Fish Commissioner, Reports of.....	233-237
Tangles.....	87	Thief, Water.....	161
Dredge.....	87	Thomomys elusius.....	17
Harrow.....	87	" talpoides.....	17
Oyster-bed (see under B 12).....	243	Thread-fish.....	42
Swab.....	87	Herring.....	60
Wheel.....	87	Thresher.....	68
Tanks.....	176, 246	Throating-knives.....	74
with Freiburg aerating apparatus ..	247	Throat of sea-lion.....	215
(Stone's).....	247	Throat-spades.....	77
Tanners' refuse, Gelatines from.....	187	Throw-sticks.....	87
Tanning.....	172	Thrusting prods.....	78
leather, Processes of.....	172	spears.....	78
Taonia Schroederi.....	269	Thumb, American Miller's.....	34
Tarandus rangifer.....	8	Thymallus tricolor.....	58
rangifer (grænländicus).....	8	Tide-drailing tackle.....	96
Tarpum.....	59	Tiger shark.....	69
Tar and sweet-oil ointments.....	165	Tinder.....	230
Tatusia septem-cinctus.....	20	Tin vessels.....	246
Tautog.....	36	Tipe, Rabbit.....	131
Tantoga onitis.....	36	Toad-fish.....	32
Tautogolabrus adspersus.....	36	Tobacco-pipe Fish.....	54
Tawing or oil-dressing leather, Process of..	172	Tobacco, snuff, used as preservatives ..	178
Tawny Parrot-fish.....	35	Toggle-pin.....	161
Taxidea americana.....	4	Tolling-baits.....	137
Taxidermist's tools for stuffing.....	178	Tom Cod.....	29
Taxidermy.....	178	Tonga, &.....	85
Teazling.....	170	Coral.....	86
Teeth of alligator.....	199	Oyster.....	85
of bears.....	197	Snake.....	86
of dogs.....	197	Sponge.....	86
of foxes.....	197	(two handles).....	85
of peccaries.....	197	Tongues, Cod's.....	185
of peccary (Dicotyles sp.).....	198	Salted, of buffalo, deer, horse.....	184
point clubs.....	71	salted, Imports of .....	276
of shark.....	199	Tools.....	162, 178
of sperm-whale ( <i>Physeter macrocephalus</i> ).....	198	Articulating.....	177
of wolves.....	197	Carving.....	168
Teleocephali .....	26	Flaying.....	178
		Hand .....	71

	Page.		Page.
Tools for making artificial ties.....	138	Traps, Spring-door.....	134
Modeling .....	177	Steel .....	134, 135
Scraping.....	177-178	Turkey .....	131
for skinning, Taxidermists' .....	178	Trawl-line rollers .....	119
Tooth-picks, Quills used in making .....	219	Tub for (see under Trawl) .....	
Manufacture of.....	172	Trawl-lines .....	97
Top-shells (Turbinidæ) .....	206	Trawl, Beam .....	129
Torches .....	167	(Trawl, Otter) .....	129
Torpedinidæ .....	66	Trawls .....	129
Torpedo .....	66	Trays .....	246
occidentalis .....	66	Case of (Clark's) .....	247
Torpedoes .....	136	Troughs with sieve-bottom .....	245
Tortoise-shell ( <i>Eretmochelys squamata</i> ) .....	205	Vertical wire-cloth .....	216
Cat .....	188	" Treading hurdles" .....	171
Preparation of .....	174	Trehala .....	220
Tortoise, Snapping .....	22	Trichechidæ .....	9
Tower-shells (Trochidæ) .....	206	Trichechus manatus .....	9
Towing-nets .....	129	Trichiuridae .....	39
Townsend's Ground Squirrel .....	16	Trichiurus lepturus .....	39
Tows, Bull .....	97	Trichodiodon pilosus .....	24
Traces.....	116	Tridacna, Shells of .....	206
Trachinops crumenophthalmus .....	41	Triglidae .....	33
Trachynotus carolinus.....	42	Trimmings, Leather .....	214
ovatus .....	42	Trionychidae .....	22
Trade, Ice (accessory) .....	168	Tripe, Imports of .....	276
Trailing-nets .....	129	Triple-tail Flasher .....	51
Trammel-nets .....	126	Tripods and stand, Camera with model .....	178
Transportation, Methods of .....	142-162	Tripoli, &c .....	207
Transporting apparatus .....	247	Trisotropis undulatus .....	50
eggs, Apparatus for .....	247	Triton, Shells of .....	206
fish, Apparatus for .....	247	Trolling-spoons .....	138
Trap, bird, French .....	135	Trolling-tackle .....	96
Trap gill-nets .....	123	Troubidium dye .....	229
Trap-funnel .....	132	Trongbs .....	245
Trappings.....	166	Brackett's .....	245
Horse .....	142	Clark's .....	245
Traps .....	131	Gravel-bottomed .....	245
Barrel .....	131	Plain .....	245
Bass .....	133	with sieve-bottom trays .....	245
Bowl .....	134	or tables (for picking eggs) .....	246
Box .....	133	Williamson's .....	545
Clutching .....	134	Trout, Artificial ties for .....	102-114
Cob-house bird .....	134	Brook .....	58
Cross-bow .....	135	Lake .....	58
Crushing .....	135	Namayencush .....	58
Door .....	133-134	Ocean .....	186
Double box .....	133	Oquassa .....	58
Eel .....	131	River .....	58
Fall .....	135	Rock .....	35
Figure-four .....	135	tackle .....	95
with hanging doors .....	133	Trowbridge's Hare .....	20
Harpoon .....	135	Trowels .....	79
Jawed .....	134, 135	Trumpet-fish .....	54
Labyrinth .....	131-133	Trunk-fish .....	24
Missile .....	135	Trygon centrura .....	66
Mole .....	135	" hastata .....	66
mole, Jar .....	131	" Sabina .....	66
Newhouse .....	134, 135	Trygonide .....	66
Noose .....	134	Trying .....	174
Pen .....	131	Try-pots .....	175
Piercing .....	135	Tubes, Siphon .....	247
Pocket .....	131	Tub, line, Whaleman's .....	119
Set .....	97	Tubs, &c .....	169
Sheaf .....	134	Tubs, Bait, vats, &c .....	170
Sieve (for birds) .....	130	Tub, Mincing .....	174

	Page.		Page.
Tub for trawl-line (see Trawl) . . . . .	119	Vertebræ, Shark's . . . . .	200
Tuft-eared Squirrel . . . . .	14	Vertical wire-cloth trays . . . . .	246
Tulé grass, Raft of . . . . .	144	Vesicatory preparations from beetles, &c. . . . .	231
Tunny . . . . .	40	Vessels, fishing, Schooner-rigged . . . . .	149
Little . . . . .	40	Tin . . . . .	246
Turbinaria vulgaris . . . . .	269	Vests . . . . .	95
Turbot . . . . .	28	Veziga . . . . .	184
Greenland . . . . .	28	Veals . . . . .	176
Spotted . . . . .	27	Vicugna hair . . . . .	195
Turkey, Canned . . . . .	185	Virginia Deer ( <i>Cariacus virginianus</i> ) . . . . .	8-9, 193
Quills of . . . . .	219	Hare . . . . .	18
traps . . . . .	131	Viscera of bears, Parchment from . . . . .	215
Turning . . . . .	173	of hog . . . . .	215
Turritella, Shells of . . . . .	207	of ox . . . . .	215
Tursiops erebennus . . . . .	10	of seals, Parchment from . . . . .	214
" Gillii . . . . .	10	of sheep . . . . .	215
Turtle, Alligator . . . . .	22	Vomer setipinnis . . . . .	41
Canned . . . . .	185		
Green . . . . .	22		
Hawksbill . . . . .	22		
Leatherback . . . . .	22	Wad-cutters (accessory) . . . . .	92
Loggerhead . . . . .	22	Wadding . . . . .	92
oil . . . . .	226	Bulk . . . . .	92
Pacific, Green . . . . .	22	Waders, Decoy (carved in wood) . . . . .	139
Pacific, Hawksbill . . . . .	22	Decoy (stamped in tin) . . . . .	139
Salted . . . . .	185	Wads, Prepared . . . . .	92
Soft-shell . . . . .	22	Wagons . . . . .	142
soup . . . . .	185	Wallets for lines and other tackle . . . . .	167
Tusks of mammoth elephant ( <i>Elephas primigenius</i> ) . . . . .	197	Walrus . . . . .	6
of walrus . . . . .	197	leather . . . . .	268
Tassah, Silk of ( <i>Bombyx pernyi</i> ) . . . . .	196	Sinews of . . . . .	215
Twine, Netting . . . . .	130	Tusks of . . . . .	197
Twisted lines . . . . .	114-116	Waste, Bone and ivory . . . . .	200-201
Twisting-rods . . . . .	82	Water Rabbit . . . . .	20
		Water-guns . . . . .	90
		Water-telescopes . . . . .	166
		Water-thief . . . . .	161
		Water-proof suits . . . . .	164
		Watery Flounder . . . . .	27
		Wax ( <i>Coccus peltiah</i> ) . . . . .	230
		Exports of . . . . .	299
		Imports of . . . . .	299
		Manufactures of . . . . .	299
Udotea conglutinata . . . . .	270	Ways, Fish . . . . .	241-243
" flabellata . . . . .	270	Weak-fish . . . . .	44
Ulva fasciata . . . . .	271	Weapon-holders . . . . .	95
" latissima . . . . .	271	Weasels . . . . .	136
Umbrella-makers' bone, Manufacture of . . . . .	173	Hair of . . . . .	195
Umiaks . . . . .	144	Weaving . . . . .	170-171
Unarmed clubs . . . . .	71	Hair used in . . . . .	212
Uranidea viscosa . . . . .	34	worsted cloths . . . . .	170
Uranoscopidæ . . . . .	32	Web, Spiders' . . . . .	222
Urgulata . . . . .	7	Weequashing or fire-fishing, Lanterns for . . . . .	141
Urophycis regius . . . . .	30	Weighing-scales . . . . .	92
Ursidae . . . . .	4	Weights (dropped) . . . . .	87
" horribilis . . . . .	4	Hurled . . . . .	87
		Slung . . . . .	71
		Weirs, Bar . . . . .	134
		Ecl, with leaders . . . . .	132
Vaccine limph . . . . .	230	or pounds . . . . .	132
Vat, Spawning (Bond) . . . . .	245	River, with pockets . . . . .	131
Vats . . . . .	245	Salmon (Upper Columbia River) . . . . .	131
Boiling . . . . .	177	Spring (St. Lawrence) . . . . .	130
Holton's . . . . .	245	West coast oysters . . . . .	254
Macerating . . . . .	177	Western Argentine . . . . .	56
Roth's . . . . .	245		
Vaucheria piloboloides . . . . .	271		
Vehicles . . . . .	142		
Venison, Dried and smoked . . . . .	182		
Imports of . . . . .	276		

	Page.		Page.
Whale-boat (whale-fisheries) . . . . .	146	Whitmg. . . . .	30
Whalebone brushes, Manufacture of . . . . .	173	Lake . . . . .	77
Consumption of . . . . .	290	Wholesale destruction apparatus . . . . .	176
fiber . . . . .	196	Wide spades . . . . .	77
lines . . . . .	115	Wigs, Hair used for . . . . .	217
manufactures, Other . . . . .	174	Williamson's troughs . . . . .	245
Preparation of . . . . .	170, 173, 174	Winches, Gunwale . . . . .	119
springs, Eskimo . . . . .	136	Winders . . . . .	119
(in manufactured state) . . . . .	203-205	Wind gauges . . . . .	93
Whale, Bottle-head . . . . .	12	Windlasses, Seine . . . . .	119
Bowhead . . . . .	13	Window and plate glass, Infusorial earths for . . . . .	268
Finback . . . . .	12-13	Wings of beetles . . . . .	268
and fish oil, Exports and imports of . . . . .	296-297	Wing-shell, Byssus of ( <i>Pinna nobilis</i> ) . . . . .	196
Grässö . . . . .	12	Winter Flounder . . . . .	26
Gray . . . . .	12	Shad . . . . .	60
Humpback . . . . .	12	Wire frames . . . . .	178
Pacific Right . . . . .	13	snoods . . . . .	116
Porpoise Sperm . . . . .	12	Wolf (Canis lupus) . . . . .	188
Right . . . . .	13	Claws of . . . . .	203
Seragg . . . . .	12	Wolf-fish . . . . .	32
Sharp-headed Finner . . . . .	13	Wolverine ( <i>Gulo luscus</i> ) . . . . .	4, 190
Sowerby's . . . . .	12	Wolves, Teeth of . . . . .	197
Sperm . . . . .	12	Woodchuck or Siffleur ( <i>Arctomys monax</i> ) . . . . .	16, 197
Sulphur-bottom . . . . .	13	Wooden canoes . . . . .	143
White . . . . .	10	frames . . . . .	178
Whale-lances . . . . .	78	Woodland Caribou ( <i>Tarandus rangifer</i> ) . . . . .	8, 193
Whale-line drag . . . . .	117	Wood-powder . . . . .	91
Whale-oil, Instruments and appliances of rendering . . . . .	174-175	Wood Rat . . . . .	18
Retraction of (with models) . . . . .	174-175	Wool as medium for pigments . . . . .	219
Whale-spades . . . . .	76	cloths, Preparation of . . . . .	170
Whalemen's boat-spades . . . . .	78	Exports of . . . . .	287-288, 301
tub, line . . . . .	119	flocking . . . . .	219, 228
boat-hatchets . . . . .	16	Goat's (for wigs, &c.) . . . . .	195, 217
boat-knives . . . . .	73	and hair . . . . .	217
hooks . . . . .	81	Imports of . . . . .	285-286, 301
Whaling-guns . . . . .	91	and hair of mammals, Preparation of . . . . .	170
Whales, &c., Oil from . . . . .	223-224	pelts, Imports of . . . . .	290
Wheelbarrows for bait-clams . . . . .	138	Sheep's . . . . .	195
Wheel-tangles . . . . .	87	Sheep's (on skin) . . . . .	218
Whiffling-tackle . . . . .	96	work . . . . .	172
Whip-makers' stock and whips, Manufacture of . . . . .	173	Woolen carpets, Exports of . . . . .	287-288
Whips, Dog . . . . .	136	Woorara . . . . .	136
Whistles, Dog . . . . .	136-137	Work, Results of, United States Fish Commission . . . . .	233-241
White-backed Skunk . . . . .	4	Worms . . . . .	137, 184
White Bass . . . . .	51	Dried . . . . .	184
Bear . . . . .	5	Intestinal . . . . .	211
Cat . . . . .	188	and leeches, injurious . . . . .	262
coral ( <i>Oenclina</i> ) . . . . .	207	and leeches, useful . . . . .	262
Hare . . . . .	18	Chemical products from . . . . .	231
Mullet . . . . .	53	Propagation of . . . . .	243
Pearl . . . . .	205	“Worms” and other loading tools . . . . .	93
Perch . . . . .	51	Worsted cloths, Weaving . . . . .	170
Rabbit . . . . .	18	Wrangelia penicillata . . . . .	268
Whale . . . . .	10	Wrist-guards . . . . .	166
White-fish . . . . .	10, 57	Wry-mouth, Spotted . . . . .	31
Chief Mountain Lake . . . . .	57	Wnrdemannia cetacea . . . . .	267
Herring . . . . .	57		
oil . . . . .	227		
Smoked . . . . .	183	X.	
White-footed Mouse . . . . .	17		
White-haired Porcupine . . . . .	18		
White-headed Grampus . . . . .	11		
		Xiphias gladius . . . . .	39
		Xiphidiontidae . . . . .	32
		Xiphidae . . . . .	39

Y.	Page.	Page.	
Tak ( <i>Poecilophagus grunniens</i> ).....	195	Yellow-tailed Spot.....	45
Yellow Crevallé .....	41	Z.	
Gopher .....	16	Zalophus Gilliespii .....	5
Mackerel .....	42	Ziphiidae .....	12
Perch .....	49	Ziphiinæ .....	12
Pike-perch .....	49	Zoarees anguillaris .....	31
Tail .....	45	Zonichthys fasciatus .....	42
Yellow-finned Grunt .....	47	Zonaria flava .....	269
Yellow-footed Marmot .....	16	" lobata.....	269
Yellow-haired Porcupine .....	18		



# INDEX OF CONTRIBUTORS.

A.	Page.	Page.	
Abbott, Dr. C. C.	240	Botteni, Mr.	4
Abert, Lieutenant J. T.	17	Bowchon, Brandy	236
Academy of Natural Sciences	17	Bougher, Dr. J. T.	94
Adam, J. G.	131, 132, 148	Bowman, J. S.	9
Adams, A. Leith	236	Bossange, Gustave	205, 228
Agassiz, Alexander	24, 26, 28, 41, 44, 45, 47, 50 53, 55, 59, 60, 62, 63, 65, 66, 70	Brackett, A. G.	8, 16
Aiken, C. E.	4, 7, 14	Brackett, E. A.	246
Alaska Commercial Company	5-6, 126, 160, 191	Bradford & Anthony	77, 80, 82, 96, 97, 99, 102, 114, 116, 120, 128, 138, 258
Allegretti Refrigerator Company	168	Brand, C. C.	91
Allen, J. & S.	115	Bransford, Dr.	260
Almy, D. D.	244	Brasher, P.	139, 140, 148
Alvord, F. W.	146	Breck, A. J.	238
American Needle and Fish-Hook Company	97, 98, 99, 100	Brewer, James D.	241, 242
American Net and Twine Company	125, 126, 127, 128, 130, 131, 132, 133	Broeck, Axel	239
American Sardine Company	186	Brown, Theo	154
American Whip Company	203, 205	Brown, William H.	220, 221
Ames, James T.	252, 256, 257, 258	British Museum	23
Ams, Max	186, 187	Buck, Jonathan	165
Anderson, Dr. C. L.	265	Buel, J. T.	101
Armitage, J.	7	Burling, William	144
Army Medical Museum	182	Burritt, Francis	139, 140
Atkins, C. G.	57, 235, 237, 239, 241, 242, 243, 244, 245, 247, 248	Burt, Hannah, Mrs.	75
Atwood, Capt. N. E.	223, 224, 226, 227, 251		
Averill, H.	265		
		C.	
B.			
Babcock, Dr. W. H.	226	Carley, B. J. M.	256, 257, 259, 261, 264
Baird, S. F.	11, 14, 17, 21, 22, 24, 27, 28, 40, 64, 66, 68, 78, 83, 84, 86, 131, 132, 144, 190, 192, 200, 235	Castine Packing Company	261
Baker, Captain	5	Central Wharf Company	75, 100, 101, 117, 121, 122, 165
Banta, G. A.	168	Chapman, W. D.	121
Barber, J. C.	8	Chapman, W. D., & Son	102
Barfurth, D.	240	Chase, W. H.	138, 146, 147, 148, 149, 150, 169
Barnston, J.	8	Chester, Capt. H. C.	146, 149, 153, 197, 244
Barnum, P. T.	9	Chicago Feather-Duster Company	220
Barry, Rev. A. C.	14	Churchill, General S.	7
Bartlett, J. H., & Sons	100, 197, 198, 200	Clark, Frank N.	246
Batchelder, J. H.	265	Clark, George	57
Batty, J. H.	14, 16	Clark, James B.	154
Baxter, Robert D.	161	Clark, J. H.	86, 198, 260
Bean, Tarleton H.	22, 26	Clark, N. W.	246
Beckwith, E. G.	15	Clark & Snider	90
Beebe, Mrs.	265	Claughton, H. O.	132
Beesley, Thomas	259	Cleveland, D.	265
Bell, J. G.	14, 18, 19	Cleveland, Capt. Josiah	132, 133
Bergland, Lieutenant	10	Cleveland, William	147
Biddle, Henry J.	7	Coleman, Walter	151, 153
Bischoff, F.	15, 16, 263	Coleman, Walter, & Sons	150
Bishop, N. H.	145, 148	Coleman, William	155
Blackford, E. G.	253, 254, 255, 257, 259, 260	Colt's Fire-Arms Manufacturing Company	90, 91
Boardman, G. A.	7, 14	Collins, Jos. W.	30, 56, 65, 97
Booth, Miss M. A.	265	Collins, W. O.	9
Boston Society Natural History	263	Colyer, Vincent	83, 88, 89, 94, 159, 162, 298
		Commagére, F. T.	198
		Carter, J. F.	165
		Carroll, Michael	192
		Castine Packing Company	164
		Cape Ann Isinglass and Glue Company	221, 222

	Page.		Page.
Conrad, T. A.	253, 256, 257	Evans, John	25
Conwell, David	165	Exall, G	13
Cook, Capt. Caleb	224, 225	Exploring Expedition U. S.	22, 99, 100, 166, 252
Cook, Coleman	100	F.	
Cook, Elisha	99, 100	Fadderdin, A.	228
Cook, E. H.	200	Fairie, James	20
Cook, Lemuel	82, 96, 100, 101, 121	Falls, A. J.	14
Cook, W. H.	73, 78	Farlow, W. G.	234, 239, 265
Cooper, J. G.	19	Feiner, Lieut. John	83
Copley, C.	23, 31	Fenner, C. A.	145
Couch, Lieut. D. N.	10, 94, 147, 166	Ferguson, S. W.	22
Cones, Dr. Elliott	7, 9, 16, 19, 56, 57, 141	Ferguson, Maj. T. B.	79, 148, 149, 246
Cragin & Sheldon	147	Fish Commission, U. S.	5, 10, 13, 23, 37, 39, 49, 51, 70,
Crandall, C. H.	197	74, 75, 78, 80, 82, 83, 87, 91, 119, 128, 129, 133, 141,	
Crandall, L., & Co.	113	149, 151, 160, 166, 169, 178, 198, 246, 247, 260, 264	
Crittenden, A. R.	75, 79, 82, 83, 97, 99, 101, 117, 122, 149, 165, 200, 256, 264	Fisher, Capt. Job	198
Crook, E. R.	165	Fitzhugh, D. H.	110
Crooks, N.	149	Fitzhugh, D. L.	147
Culbertson, T.	9, 19	Forest and Stream Publishing Company	74, 80, 93,
Curley, Rev. James	84, 89, 116	96, 101, 102, 114, 118, 121, 127, 129, 138, 140, 163, 167	
Curtis, M. A.	20	Foster, George B.	72, 73, 75, 117, 121, 122, 200
Cusick, Lieutenant	201	Freeman, Sanford	130, 162, 199, 200
D.		French, E. B.	123, 124, 126, 127
Dall, W. H.	6, 8, 10, 12, 76, 81, 83, 85, 88, 89, 92, 94, 99, 100, 115, 131, 132, 134, 142, 144, 160, 166, 192, 197, 201, 214, 216, 251, 252, 254, 256, 257, 265	Fuller, C. B.	253, 256
Daniell, W. C.	236	Fuley, Col. J.	9
Darrow Manufacturing Company	209	G.	
Davis, Mrs. A. S.	265	Gabb, W. M.	9
Davis, Benjamin	256	Gardiner, Capt. J. W. T.	128, 189
Davis, Edward	75	Gaudet, C. P.	99
Dawson, J. W.	253	Ghisslin, Dr. J. T.	216
De Frece, A. B., & Co	251, 252, 258	Gibbes, Dr. L. R.	265
Delano, George, & Co	223, 224, 225	Gibbs, Theo	4, 83, 85, 99, 100, 115, 128, 130, 143, 202
Delong & Sons	159, 160	Gifford, John D.	148
Dewey	259	Giford, Thomas J.	101
Dixon, Robert	253	Gilbert, E. F.	199, 258
"Dohsia Club," through Judge H. Jewell	58	Gilliss, J. M.	9
Dodd, P. W.	6	Gill, Theo	32, 235, 248
Dodge, R. T.	159	Gilpin, Dr. Bernard	7
Downes, A.	17	Goodale, S. L.	187
Downes, John	18	Goode, F. C.	21, 144
Dove, Mrs.	198	Goode, G. Brown	17, 19, 21, 24, 25, 38, 42, 44, 46, 48, 50, 51, 53, 55, 60, 62, 70, 79, 80, 101, 119, 129, 132, 133, 160, 161, 210, 215, 216, 258, 273
Dresser, J. W.	115	Gordon, W. Alex	234
Drexler, C.	4, 13, 14, 16	Government of Newfoundland	6
Duman, W. S.	232	Governor of Newfoundland	192
Duncklee, H. L.	162	Gower, F. A.	157
E.		Grant, M. W.	77, 80, 81, 82, 99, 160
Eagle Preserved Fish	186	Graves, F. D.	157
Eaton, Prof. D. C.	265	Graves, Frederick	147
Edmunds, M. C.	237	Graves, J. L.	120
Edwards, V. N.	10, 11, 23, 24, 27, 30, 41, 46, 51, 58, 63, 66, 68, 69, 258, 260	Green, G. L.	132
Elliott, H. W.	5, 84, 100, 116, 117, 129, 135, 141, 191, 197, 208	Green, Seth	246
I lwell, Samuel, jr.	73, 75, 78, 119, 122, 151, 153, 156, 160, 165, 258	Grieve, Walter & Co	223
Emory, Maj. W. H.	15	Griffin Bro.	183
Engineer Corps, U. S.	190	Grower, F. A.	159
English, William	146	Gulf Porpoise Fishing Company	214
Eskimo Joe	144	Gunnison, Captain	197, 215
Eureka Manufacturing Company	90	H.	
		Haime, Jules	236
		Haldeman, Prof. S. S.	8
		Hall, Capt. C. F.	78, 83, 84, 100, 201, 263
		Hall, Rev. E.	20.

	Page.		Page.
Hallet, Captain .....	148	Johnson, F. H. ....	27, 29, 32, 34
Hallett, Freeman .....	100, 101	Johnson, Capt. G. A. ....	52
Halstead, Mrs. B. D. ....	265	Johnson & Young. ....	129, 132, 148, 169
Hamlin, A. C. ....	236	Jouy, P. Louis. ....	139
Hammond, J. F. ....	19	Judge, Edwin M. ....	137
Hardestie, W. L. ....	7	Judge, Edwin W. ....	93
Harvey & Ford. ....	199, 202, 252		
Harvey & Holden. ....	254		
Harvey, Rev. M. ....	6		
Haven, Williams & Co. ....	223		
Hay, E. B. & F. ....	77		
Hay, Col. H. D. ....	50		
Hayden, F. V. ....	7, 8, 17, 19, 190		
Hayes, Dr. ....	6, 8, 84, 144		
Heath, L. J. ....	264		
Heerman, Dr. A. L. ....	14, 15		
Hegeman Portable Folding Boat Company. ....	145		
Hemphill, H. ....	251, 254, 256, 257, 260, 262, 263, 271		
Henderson, J. II. ....	203, 210, 216		
Henman, J. ....	14		
Henning, Geo. C. ....	164		
Henry, T. C. ....	16		
Herpich, C. A., & Co. ....	188, 195		
Herron, E. ....	133, 134		
Hesboldt, Wm. H. ....	77, 81, 82, 161		
Hessel, Rudolph. ....	235, 237		
Hessel, Rufus. ....	241		
Hewitt, H. N. ....	55		
Higgins & Gifford. ....	130, 146, 159		
Hitchcock, G. N. ....	22		
Hoff, Dr. A. H. ....	94, 99, 201		
Hooper & Coit. ....	186		
Hooper, F. W. ....	265		
Hooper, Wm. E., & Sons. ....	126, 130, 133		
Horan, Henry. ....	133, 134, 135		
Horton, Dr. S. M. ....	86, 95, 210		
Hough, R. B. ....	94		
House, J. C. ....	246		
Howard, W. A. ....	88		
Howard, W. H. ....	85		
Howland, Capt. L. ....	73, 76, 146, 175		
Hoy, Dr. P. R. ....	14-15		
Hoyt Bros. ....	252, 253, 263		
Hunt, A. G. ....	258		
Hurlburt, Capt. R. H. ....	30, 82		
Hutchinson, S. G., & Co. ....	211		
Hutchinson, Kohl & Co. ....	131		
	<b>I.</b>		
Ingalls, J. F. ....	237		
Isaacs & Co. ....	263, 264		
	<b>J.</b>		
Jack, Mr. ....	7		
James, William H. ....	101		
Janney, N. ....	18		
Jeffries, Dr. ....	32, 36, 39		
Jenkins, A. R. ....	14		
Jenks, J. W. P. ....	4, 18		
Jewell, Judge H. ....	57		
Jewett, Col. E. ....	197, 258		
Jones, J. M. ....	44		
Jones, Stratton. ....	166		
John Russell Cutlery Company. ....	71-76		
	<b>K.</b>		
Keergaard, F. C., & Co. ....	205		
Kelsey & Hosmer. ....	169		
Kenp, Day & Co. ....	185, 259, 261		
Kennedy, Andrew. ....	119, 161, 198		
Kennerly, Dr. ....	9, 19, 143, 190, 193		
Kennicott, R. ....	18, 99, 100, 128, 134, 138, 190, 193, 210, 215		
Kennard, Charles W. ....	205		
Kent, D. F. ....	13		
Kimball, Dr. J. P. ....	201		
C. J. King. ....	18		
King, Lieut. F. W. ....	85		
King, W. S. ....	15		
Kirby, Humphrey S. ....	81, 82, 151		
Kirkby, W. W. ....	193		
Kirtland, Dr. J. P. ....	14		
Knox, S. R. ....	39		
Kohn, Gustav. ....	21, 253, 256, 258, 260, 261		
Kopsch, H. ....	239		
Krider, John. ....	139, 140		
Kurtz, T. D. ....	253		
	<b>L.</b>		
Laing, J. M. ....	23		
Lanman, Charles. ....	235		
Le Paiz, William N. ....	221, 222		
Laszlo, C. H. ....	20		
Latham, James H. ....	43, 132, 141		
Lawler, Joseph. ....	149, 175		
Lawrence, Alfred. ....	10		
Lawrence, Amos. ....	260		
Leavenworth, J. H. ....	8		
Leib, T. ....	32		
Leonard, H. L. ....	121		
Lesley, A. M. ....	168		
Leslie, C. C. ....	48		
Levey, J. A. ....	263		
Lewis, George II. ....	99		
Lewis, William. ....	91		
Lincoln, George F. ....	201, 202		
Liverpool Free Public Museum. ....	29, 30		
Luce, Jason. ....	67		
Lyman, Theodore. ....	237		
Lyman, William. ....	156		
	<b>M.</b>		
Macy, E. B. & F. ....	76, 78, 81, 151, 161		
Mahrenholz. ....	208, 216		
Maun, John H. ....	101		
Mansfield, G. H. & Co. ....	111, 115		
Marcy, Captain. ....	19		
Martin, Capt. S. J. ....	89		
Marvin Bros. & Bartlett. ....	226, 227		
Massachusetts Arms Company. ....	90, 91, 92, 93		
Mather, Fred. ....	30, 58, 246		
Matthew, G. F. ....	253		
Mathews, Dr. W. ....	146		

## INDEX OF CONTRIBUTORS.

	Page.
McBride, Sara J.	102
McCaleb, Vinald	78
McClain, A. O.	246
McCurdy, Alex.	72, 75, 80, 96, 101, 122, 160, 161, 162
McDonald, M.	242
McDonald, Allan L.	119, 155
McFadden, F.	150
McFadyn, Malcolm	149, 198
MacFarlane, R.	6, 16, 75, 83, 86, 99, 100, 115, 126, 127, 136, 138, 144, 162, 166, 202, 203, 208, 215
MacFarlane, R. R.	15
McKennie, M.	237
McLaughlin, W. B.	132
McLeod, Rev. R. R.	8
Maryland Academy of Science	69
Meek, F. B.	252, 259
Megler, J. G., & Co.	185, 186
Meigs, General M. C.	86
Merchant, Philip	71, 97, 122
Merrill, Dr. J. C.	5, 21
Middleton, Carman & Co.	28
Miles, George W.	86, 94, 217, 218, 219, 227, 232
Miller, Dr. C. A.	257
Milner, J. W.	21, 45, 59, 60, 65, 122, 138, 149, 169, 235, 237, 239, 241, 260
Minor, Dr. T. T.	4, 85, 88, 89, 97, 116, 126, 214
Müllhansen, H. B.	7
Moore, Thomas	37, 38
Morris, William	96, 141
Moses, William B.	264
Mott, Mrs. C. E.	205, 220, 238
Munn, J., & Co.	223
Museum of Comparative Zoology	55, 66
N.	
Nason, J. P.	101
National Institution	4, 5, 12
National Preserving Company	182
Nelson, E. W.	240
Newberry, J. S.	4, 9, 19, 20
Nichols, J. A.	94, 95
Nickerson, George Y.	10, 63, 84, 117, 197, 198, 199, 205
Niles, Kossuth	254
Norman, A. J.	91
Norris, Thaddeus	120, 121
North American Oil Company	224, 227
North Pacific Exploring Expedition	127, 128
New York Condensed Milk Company	182, 229
O.	
Odell, D. T.	183
Onion, J. S.	7
P.	
Packard, A. S., jr.	239
Page, G. S.	58
Palmer, E.	9, 20, 57, 63, 83, 86, 87, 93, 95, 99, 141, 143, 159, 160, 182, 184, 195, 200, 206, 210, 215, 224, 236, 265
Palmer, Joseph	22
Palmer, W.	262
Parker Brothers	90
Parker, C. H.	258
Parmalee, D. D.	132
Parsons, Jos., Jr.	82, 101, 117, 165
Payne, N. H.	131, 200
Peabody, George II	224
Peale, T. R.	14
Pelton, W. T.	258
Peterson, N. C.	257
Peyrer, Carl	239
Pollard, R. O.	18
Poole & Hunt	176
Pope, Capt. J.	4
Portland Packing Company	163, 164, 185, 186, 259, 261
Potter, T. & E. II.	260
Potter, Charles T.	44, 133
Potter, Weeks	228
Powell, Maj. J. W.	80, 86, 95, 122, 130, 142, 202, 209
Powell, S.	42, 46, 59
Powers, Stephen	85, 96, 99, 122, 126, 128, 134, 139, 144, 183, 184, 202, 230, 262
Phinney, Elihu	57
Platt, W. B.	16
Prior, William, Jr., & Co.	30
Putnam, F. W.	26
R.	
Randolph, Septimia, Miss.	243
Remington & Sons, E.	90, 93
Renfrew, G. R.	191, 192, 194, 199
Renfrew, G. R., & Co.	10, 69, 188, 189, 190, 193, 208, 210, 214, 215, 223, 229
Rich, Newell B.	100, 117
Richard, J. H.	45, 62
Richardson, James	255, 256, 264
Ridgway, Robert	13, 15, 22, 139
Ring, Lieut. F. M.	99-101, 143, 189
Rodgers, Herbert M., & Co.	226
Rodgers, Capt. John	83, 85, 88
Rogers, C. W.	247
Ross, B. R.	4, 15, 86, 90, 99, 115, 142, 143, 189, 190
Ross & Hardesty	18
Ross, R. R.	166
Ross, W. A., & Bro.	264, 265
Roth, John	245
Rothe, J. T.	242
Rothrock, J. T.	94, 215
Rowe, Capt. E. L.	72, 74, 101, 121
S.	
Salisbury, S.	85
Samuels, E.	19, 20
Sars, Prof. C. O.	239
Sartorius, Dr.	128
Sawyer, E. A.	153
Seaman, Capt. C. M.	6, 8, 10, 11, 13, 202
Schacht & Bros.	183, 186, 222, 227
Schaffer, E.	229
Schayer Bros.	216
Schoff, Dr.	259
Schultz, Alexander	238
Schumacher, Paul	252
Scott, A. R., & Co.	145
Scoville & Johnson	163
Seapham, J. R.	260
Sevey, J. A.	203, 204, 205
Sibley	44
Simpson, Capt. J. H.	16, 19, 139
Shaffer, D. H.	257
Sharlows, Joseph	107, 108, 109

	Page.		Page.
Shaw, F. S.	36, 48	Trowbridge, Lieut. W. P.	17, 190
Shaw, W. J.	13	Twiss, Major	4
Shotwell, J. R.	240		U.
Shute, C. H.	146	Underwood & Co.	163, 164, 185, 250
Shute, C. H., & Son	149	Underwood, William	261
Skidmore, J. H.	52	United States Northern Boundary Survey..	7
Skillings, E.	66, 168		V.
Skinner, D. M.	101	Valentine, M. L.	182
Slack, Mrs. J. H.	246	Varden, J.	94, 142, 198
Small, E. E.	70, 224, 225, 227	Velie, Dr. J. W.	66, 82, 83
Smidlo, J. K.	238	Verrill, A. E.	234, 237, 258, 261, 262
Smith, N. C.	132	Verrill, C. E.	260
Smith, Sidney I.	237	Vielle, W.	15
Smith, W. W.	151	Voss, Adolph	73, 75, 77, 83, 170
Smithsonian Institution	83, 84, 85, 88, 90, 131, 188, 189		W.
Soudakeviev, Theo	236	Walker, Daniel	150
Southwick, J. M. K.	82, 96, 99, 101, 117, 119, 128, 131, 132, 148, 153, 244	Wallace, John	5, 10, 18, 260
Spangler, George	64, 65	Waltham & Graham	90
Sparks, Thomas	92	War Department	94
Springman, A. V.	238	Ward, H. A.	5, 9, 16, 21, 67
Squibb, Dr. E. R.	227, 228, 230, 263	Warren, Lieut. G. K.	8, 86, 94
Stanley, J. M.	8	Welch, George	4
Starling & Stevens	146	Welpley, Dr. P.	8, 18
Stansbury, Captain	4	Wernich & Wandl	216
Stearns, Silas	44, 48, 50	Westerberger, Frank	200
Steel, George P.	82	Weston, William H.	160, 161
Stenzel, Alexander	237	Willis, J. H.	253
Sternberg, Dr. G. M.	209	Wheeler, Lieut. George M.	190
Sternberg, S.	8	Wheeler, W. F.	7
Stevens, Henry A.	139, 140	Whipple, Lieut. A. W.	83
Stevenson & James	7, 16	White Manufacturing Company	141
Stillwell, E. M.	58, 237	White, Dr. J. B.	141, 143, 144
Stimpson, W.	31, 252, 254, 256, 263	White, Lieut. J. W.	116
Stone, Miss Anabel	260	Whitney Arms Company	90, 91
Stone & Hooper	244, 247	Wilcox, Crittenden & Co	73, 74, 83, 85, 117, 122, 128, 130, 150-157, 159-162
Stone, Livingston	28, 34, 35, 37, 53, 58, 65, 67, 85, 128, 147, 148, 183, 184, 193, 210, 235, 239, 240, 241, 246, 247		209
Storror, Dr. E.	86	Wilkins, William, & Co	218, 219
Strater, Herman, & Sons	139, 140	Williamson, Haven & Co	146
Stratton, Dr. I.	265	Williamson, Lieut. R. S.	15
Suckley, Dr. J. G.	259	Willis, J. R.	18
Suckley, Dr. George	9, 14, 16, 65, 84, 143, 189, 190, 235	Wilmot S.	60
Sutherland, John	25, 44	Wilson, Dr.	29
Swan, J. G.	9, 78, 80, 82-85, 88, 94, 96, 99, 100, 116, 117, 128, 143, 150, 160, 183, 184, 193, 195, 197, 201, 202, 214, 215, 222, 251, 257, 259	Winans, J. Ross	118
Sweetman, Henry	147	Winchester Repeating Arms	91, 92
Swift, Dr.	7	Wilkes, Lieutenant	159
Syvski, Dr.	240	Wilkes, Capt. Charles	8, 83, 92, 143, 197, 198
		Woodford, Philip R.	202
T.		Woltz, G. W.	138
Tarr, James	99	Woltz, T. N.	133, 134
Taylor, Amasa	119, 122, 153	Wood, W. F.	8
Thomas, General George H.	8, 9, 15, 199	Woodhouse, Doctor	14, 16
Thomas, John	99	Woodford, Philip R.	201
Thompson, William	40	Wyeth, John, & Bro	225, 226, 228, 229
Thomson, J. H.	12, 76, 78, 119		X.
Totten, General	253	Xantus, John	19, 258
Townsend, J. K.	14		Y.
Treadwell, G. C., & Co.	190, 191	Yarrow, H. C.	48, 49, 51, 135, 236
Trefethen, H.	221	Young, A. R.	265
Treat, Capt. U. S.	227, 132	Young, W. H.	100
		Young, W. M.	96, 97, 102, 117