

## CYPERACEÆ.

*Cyperus confertus* Swartz, fide N. L. Britten. Charles Island. April 2. Chatham Island. March 30.

## GRAMINEÆ.

*Panicum hirticaulon* Presl. Chatham Island. March 30.

*Panicum fuscum* Swartz. Chatham Island. March 30.

*Eleusine indica* Gertn. Chatham Island. March 30.

*Dachyloctenium Ægyptiacum* Willd. Chatham Island. March 30.

*Distichlis*. Chatham Island. March 30.

## HEPATICÆ.

*Plagiochila Anderssonii*.<sup>1</sup> Augstr. in Ofver af Kongl. Vetensk.—Akad Jorbandl, 1873, No. 5, p. 114. On roots of *Parkinsonia aculeata*.

## 3. LIST OF FERNS FROM SOUTHERN PATAGONIA.

By DANIEL C. EATON.

*Lycopodium Magellanicum* Swartz. Mayne Harbor.

*Gleichenia quadripartita* Hook. Borja Bay and Island Harbor.

*Alsophila pruinata* Kaulf. Port Otway.

*Hymenophyllum cruentum* Cav. Island Harbor.

*Hymenophyllum candiculatum* Mart. Port Otway.

*Hymenophyllum secundum* H. and G. Port Otway and Mayne Harbor.

*Hymenophyllum pectinatum* Cav. Island Harbor and Mayne Harbor.

*Hymenophyllum tortuosum* H. and G. Island Harbor and Mayne Harbor.

*Lomaria L'Herminieri* Borg.

*Lomaria procera* Spreng.

*Lomaria Boryana* Willd. Borja Bay and Mayne Harbor.

*Aspidium aculeatum* Swartz.

*Polypodium australe* Mitten. Mayne Harbor.

## 4. LIST OF MOSSES FROM FUEGIA AND PATAGONIA.

By DANIEL C. EATON.

There are only 10 true mosses in this collection, while not less than 152 species are attributed to Fuegia. It is to be hoped that as United States Government vessels pass through the Straits of Magellan some person may be willing to gratify American bryologists by making large collections of these interesting plants.

*Dicranum robustum* Hook. f. et Wils. Fl. Antarct. 406 t. 152, f. 8. Port Charruca, Straits of Magellan. A form with nearly straight leaves. Var. *PUNGENS* Hook. f. Handbook of New Zealand Flora, p. 412, was collected at Island Harbor, Patagonia. It has the leaves more falcate and with even slenderer capillary points.

*Dicranum imponens* Montagne. Ann. d. sc. nat. t. xvi. 241. *D. involutifolium* Sulliv. in Hook. Journ. of Bot. 1850, p. 316. Borja Bay, Straits of Magellan. Two forms were collected, one with stems 6 inches long, the other only 2 inches high and of a darker color.

<sup>1</sup> Determined by A. W. Evans, New Haven, Conn.