

Paleontological Type Specimens In The Santa Barbara Museum Of Natural history

S E Miller

Proceedings of The Biological Society of Washington 102:1-2 (1989)

<http://biostor.org/reference/74618>



Page images from the Biodiversity Heritage Library, <http://www.biodiversitylibrary.org/>, made available under a Creative Commons Attribution-Noncommercial License <http://creativecommons.org/licenses/by-nc/2.5/>

PALEONTOLOGICAL TYPE SPECIMENS IN THE SANTA BARBARA MUSEUM OF NATURAL HISTORY

Scott E. Miller

Abstract.—In accordance with Recommendation 72G of the International Code of Zoological Nomenclature, which recommends that institutions publish lists of the type specimens in their collections, this paper lists primary paleontological type specimens in the Santa Barbara Museum of Natural History, Santa Barbara, California (SBMNH). This list does not include paratypes and plesiotypes, which include those of Bremner (1933), Chaney and Mason (1933), and Orr (1968).

Kingdom Plantae
Family Rosaceae

Pyrus hoffmannii Chaney and Mason, 1933:61, pl. 7, figs. 9, 10, 13; syntypes flower, fruit, and leaf, SBMNH Pal. 277-279 (SBMNH Pal. Bot. Types 26-28); Late Pleistocene, "Carpinteria Formation"; Carpinteria Asphalt Deposit, Santa Barbara County, California. Synonymized under *Amelanchier pallida* Greene by Miller (1979).

Kingdom Animalia
Class Aves

Family Pseudodontornithidae

Osteodontornis orri Howard, 1957:3, figs. 2-8; holotype nearly complete skeleton in 2 shale slabs, SBMNH Pal. 309; Miocene, Monterey Formation; Flagstone quarry of G. Antolini and Sons, west side of Tepusquet Creek, Santa Barbara County, California.

Family Phalacrocoracidae

Phalacrocorax rogersi Howard, 1932:118, fig. 19; holotype coracoid, SBMNH Pal. 131 (SBMNH Pal. Orn. 32.1); Early Pleistocene, Santa Barbara Formation; Veronica Springs

Stone Quarry (depth 50 feet), Santa Barbara, Santa Barbara County, California.

Class Mammalia
Family Otariidae

Imagotaria downsi Mitchell, 1968:1844, figs. 1-14; holotype partial skeleton, SBMNH Pal. 342; Early Pliocene or Late Miocene, Sisquoc Formation; Quarry of Great Lakes Carbon Company, near Lompoc, Santa Barbara County, California.

Literature Cited

- Bremner, C. S. J. 1933. Geology of San Miguel Island, Santa Barbara County, California.—Santa Barbara Museum of Natural History Occasional Paper 2:1-23.
- Chaney, R. W., & H. L. Mason. 1933. A Pleistocene flora from the asphalt deposits at Carpinteria, California.—Carnegie Institute of Washington Publication 415:45-79.
- Howard, H. 1932. A new species of cormorant from Pliocene deposits near Santa Barbara, California.—Condor 34:118-120.
- . 1957. A gigantic "toothed" marine bird from the Miocene of California.—Santa Barbara Museum of Natural History, Department of Geology Bulletin 1:1-23.
- Miller, S. E. 1979. Reevaluation of *Pyrus hoffmannii* (Rosaceae) from the Pleistocene Carpinteria Asphalt Deposit, California.—Madroño 26:190-191.

- Mitchell, E. D., Jr. 1968. The Mio-Pliocene pinniped *Imagotaria*.—*Journal of the Fisheries Research Board of Canada* 25:1843–1900.
- Orr, P. C. 1968. Prehistory of Santa Rosa Island.—*Santa Barbara Museum of Natural History, Santa Barbara, California*. xxi + 253 pp.

Santa Barbara Museum of Natural History, 2559 Puesta Del Sol Road, Santa Barbara, California 93105; Present address: Bishop Museum, Box 19000-A, Honolulu, Hawaii 96817.