

12. LIST OF DIEGO GARCIA VASCULAR PLANTS

F.R. Fosberg and A.A. Bullock

This list does not pretend to be more than an account of the specimens from Diego Garcia Atoll examined by the authors, plus records from the Willis and Gardiner (1931) list, for those species of which they have seen no Diego Garcia specimens. Those from other Chagos atolls, or indicated by Willis and Gardiner as from all islands, or the whole group, without specific Diego Garcia records, have not been included. Except in one or two cases where very recent changes have been made, synonymy has not been included, though frequently earlier published records have been under names not accepted here.

It is planned that such taxonomic and nomenclatural details will be elaborated in a flora of the western Indian Ocean atolls that is being prepared.

A small collection of plant specimens made by Mr. Jack Frazier in 1970 has not been included, as the material is not yet available for determination. These specimens will also be cited in the flora mentioned above.

Fosberg accepts responsibility for the plant names used, as Bullock has not had an opportunity to see the list in its final form.

The symbols US, K and MAU in the specimen citations indicate the herbaria where the specimens are deposited, the U.S. National Herbarium, that of Kew Gardens, and that of the Sugar Research Institute, Mauritius, respectively.

PSILOTACEAE

Psilotum Sw.

Psilotum nudum (L.) Beauv.

East Point, Stoddart 791 (K); near ocean side at North-West Point, Rhyne 432 (US); East Point village near ocean, Rhyne 679 (US); s.l. Morin in 1939 (MAU); Wiehe in 1939 (MAU).

POLYPODIACEAE

Asplenium L.Asplenium longissimum Bl.

East Point Settlement, Stoddart 767 (K); between Observation Point and Barton Point, Stoddart 799 (K); West Rim, Southern Point, Stoddart 851 (K); near ocean side at North-West Point, Rhyne 429 (US); East Point village, ocean side, Rhyne 671 (US). Chemin Long, Wiehe in 1939 (MAU); Carcasse, Wiehe 1617 (MAU).

Asplenium macrophyllum Sw.

s. l. Bourne 7 (K); West rim, south end, Stoddart 850 (K); ocean side North-West Point, Rhyne 436 (US); Chemin Long, Wiehe in 1939 (MAU); Carcasse, Wiehe in 1939 (MAU); Pointe Noroit, Wiehe 1621 (MAU).

Asplenium nidus L.

Between Observatory Point and Barton Point, Stoddart 796 (K); East Island, Stoddart 882 (K); West Island, Stoddart 867 (K); near ocean side at North-West Point, Rhyne 430 (US); Carcasse, Wiehe 1618 (MAU).

Asplenium tenerum Forst. (A. aequabile Baker)

S. l. Lady Barkly 6 (K, type of A. aequabile).

Pteris L.Pteris tripartita Sw.

Carcasse, Wiehe in 1939 (MAU), Wiehe 1619 (MAU).

Pteris biaurita L. (sens. lat.)

Carcasse, Wiehe 1620 (MAU) (a large very open frond, broadly ovate, lobes well-separated, stipes with linear scales below).

Thelypteris Schmid.Thelypteris opulenta (Kaulf.) Fosb.

Minni Minni, Stoddart 832 (K); ocean side at North-West Point, Rhyne 434 (US); East Point village vicinity ocean side, Rhyne 670 (US) (possibly this, but immature).

Thelypteris interrupta (Willd.) Iwatsuki (Dryopteris goggilodus (Schkuhr) O. Ktze.).

Between Observatory Point and Barton Point, Stoddart 801 (K); Pointe Noroit, Wiehe in 1939 (MAU).

ARAUCARIACEAE

Araucaria Juss.Araucaria columnaris (Forst. f.) Hook.?

East Point Settlement, one tree in garden, Stoddart 837 (K, US); East Point village, Rhyne 689 (US).

PANDANACEAE

Pandanus L.

Pandanus sp.

Point Marianne, Rhyne 778 (US) (sterile).

POTAMOGETONACEAE

Thalassodendron den Hart.

Thalassodendron ciliatum (Forsk.) den Hart. (Cymodocea ciliata Ehrenb. ex Aschers.)

1-1/4 mi. south of Leconte Point, on lagoon side, Rhyne 735 (US); lagoon side near North-West Point, Rhyne 385 (US); ocean side near North-West Point, Rhyne 354 (US); southernmost end of lagoon, Rhyne 590 (US).

GRAMINEAE

Bambusa Schreb.

Bambusa vulgaris Wendl.

East Point, cult., Stoddart 888 (K).

Digitaria Fabr.

Digitaria horizontalis Willd.

Between Observatory Point and Barton Point, Stoddart 797 (K); West rim of atoll, South end, Stoddart 846 (K, US).

Digitaria timorensis (Kunth) Bal.?

Minni Minni, Wiehe in 1939 (MAU).

Eleusine Gaertn.

Eleusine indica (L.) Gaertn.

Between Observatory Point and Barton Point, Stoddart 806 (K, US); East Point village, cemetery, Rhyne 678 (US).

Eragrostis Host.

Eragrostis tenella var. insularis Hubb.

Between Observatory Point and Barton Point, Stoddart 798 (K, US); Stoddart 803 (K).

Lepturus R. Br.

Lepturus repens R. Br.

S. l., Wiehe in 1939 (MAU).

Paspalum L.

Paspalum distichum L.

East Point village vicinity, Rhyne 608 (US) (sterile); near

Dumoulon and Barachois Sylvain, Wiehe in 1939 (MAU). (With very short thick spikes).

Pennisetum Rich.

Pennisetum polystachion (L.) Schult.

North-West Point, Stoddart 856 (K, US); Pointe Marianne, Wiehe 1623 (MAU).

Stenotaphrum Trin.

Stenotaphrum dimidiatum (L.) Brongn.

East Point Settlement, Stoddart 818 (K, US); East Point village vicinity, Rhyne 609 (US) ? (sterile).

Stenotaphrum micranthum (Desv.) C. E. Hubb.

East Island, Stoddart 876 (K, US); West Island, Stoddart 869 (K, US). S. 1., Wiehe in 1939 (MAU).

Zea L.

Zea mays L.

Minni Minni, cultivated, recorded by Bourne (Hemsley 1884, p. 334).

CYPERACEAE

Cyperus L.

Cyperus compressus L.

East Point Settlement, Stoddart 820b (K).

Cyperus dubius Rottb.

East Point Settlement, Stoddart 776 (K, US); between Observatory Point and Barton Point, Stoddart 805 (K, US).

Cyperus kyllingia Endl.

S. 1., Willis & Gardiner 35 (K).

Cyperus ligularis L.

S. 1., Bourne 19 (K); East Point Settlement, Stoddart 785 (K, US); East Island, Stoddart 878 (K, US); East Point village vicinity, Rhyne 661 (US).

Cyperus rotundus L.

East Point Settlement, Stoddart 819 (K, US).

Cyperus sphacelatus Rottb.

East Point Settlement, Stoddart 820a (K, US). (Young, atypical, scarcely showing brown on scales, inflorescence compact).

Eleocharis R. Br.

Eleocharis geniculata (L.) R. & S.

Between Observatory Point and Barton Point, Stoddart 800 (K, US).

Fimbristylis Vahl

Fimbristylis cymosa R. Br.

East Point village, Rhyne 658 (US, K); East Point Settlement, seaward coast, Stoddart 781 (K, US) (style branches 3); between Observatory Point and Barton Point, Stoddart 802 (K, US) (nut examined trigonous, smooth).

PALMAE

Cocos L.

Cocos nucifera L.

General on atoll, comprising plantations.

Hyphaene Gaertn.

Hyphaene sp. ?

East Point, Stoddart 897 (K). (This is a juvenile fan palm leaf from beneath a 60 ft. tree, summit of petiole with no spines, leaf must have been about 70 cm diameter.) (This determination made at Kew, not signed.)

Phoenix L.

Phoenix sp. (P. dactylifera ?)

East Point, Stoddart 895 (K, US). (Leaves rather delicate, greyish-green).

ARACEAE

Alocasia G. Don

Alocasia macrorrhiza (L.) Schott

East Point, Stoddart 827 (K, US); vicinity of Minni Minni, Rhyne 745 (US).

Alocasia plumbea van Houtte

East Point village near cemetery, Rhyne 620 (US); East Point, Stoddart 828 (K, US) (young leaves, only, base contracted, sinus narrow, basal lobes wide subtruncate leaves purplish beneath, dark green above, 3-4 ft. tall.).

COMMELINACEAE

Commelina L.

Commelina benghalensis L.

S. l., Wiehe in 1939.

AMARYLLIDACEAE

Crinum L.

Crinum latifolium var. zeylanicum (L.) Hook. f. ex Trim.
East Point Settlement, Stoddart 821 (K).

Haemanthus L.Haemanthus multiflorus Martyn

East Point Settlement, Stoddart 771 (K, US); East Point village
near cemetery, Rhyne 619 (US).

Hymenocallis Salisb.Hymenocallis littoralis (Jacq.) Salisb.

East Point, in garden, Stoddart 855 (K).

Zephyranthes Herb.Zephyranthes rosea (Spr.) Lindl.

East Point village near hospital, Rhyne 613 (US); Stoddart 772 (K,
US).

MUSACEAE

Musa L.Musa sapientum L.

Bananas recorded by Bourne (Hemsley 1884, p. 334).

CASUARINACEAE

Casuarina Adans.Casuarina equisetifolia L.

Lagoon shore south of East Point, Stoddart 814 (K); North West
Point, Rhyne 440 (US).

URTICACEAE

Pilea Lindl.Pilea microphylla (L.) Liebm.

Pointe Marianne, Stoddart 893 (K, US).

Pipturus Wedd.Pipturus argenteus (Forst.) Wedd.

East Island, Stoddart 874 (K, US); East Point Settlement, Stoddart
789 (K, US). S. l., Wiehe in 1939 (MAU); Pointe Noroit, Wiehe 1622
(MAU).

MORACEAE

Artocarpus Forst.

Artocarpus altilis (Park.) Fosb.
Pointe Marianne, Rhyne 770 (US).

Ficus L.

Ficus benghalensis L.
S. l., Willis & Gardiner s.n. (K); East Point village, Rhyne 654
(US); Stoddart 807 (K, US).

Ficus religiosa L.
Vicinity of Minni Minni, Rhyne 744 (US).

Ficus sp.
S. l., Morin in 1937 (MAU). (Leaves only, large, like F. nautarum
Bak.).

NYCTAGINACEAE

Boerhavia L.

Boerhavia repens L.
S. l., Bourne in 1885 (K); Morin in 1937 (MAU); Wiehe in 1939 (MAU).

Boerhavia repens L. (white flowered form)
West Island, Stoddart 870 (K); East Island, Stoddart 879 (K, US);
East Point Settlement, seaward coast, Stoddart 782 (K, US), 777
(K, US); between Observatory Point and Barton Point, Stoddart 804
(K, US).

Pisonia L.

Pisonia grandis R. Br.
S. l., Morin in 1937 (MAU); Wiehe in 1939 (MAU).

AMARANTHACEAE

Achyranthes L.

Achyranthes canescens R. Br.
S. l., Hume in 1883 (K); s.l., Bourne (?) in 1885; East Island,
Stoddart 875 (K, US); East Point Settlement, Stoddart 764 (K, US);
West Island, Stoddart 871 (K, US); East Point village near ocean,
Rhyne 683 (US).

Aerva Forsk.

Aerva lanata Juss.
North-West Point, Stoddart 859 (K, US).

Amaranthus L.Amaranthus viridis L.

Seen by Wiehe in 1939.

PHYTOLACCACEAE

Rivina L.Rivina humilis L.East Point Settlement, Stoddart 769 (K, US), 766 (K); East Island, Stoddart 877 (K, US); west rim of atoll, south end, Stoddart 848 (K, US); Pointe Marianne, Rhyne 775 (US).

PORTULACACEAE

Portulaca L.Portulaca sp. (aff. P. australis Endl.)Pointe Marianne, Stoddart 891 (K, US); East Point Settlement, seaward coast to north of Settlement, Stoddart 787 (K, US); South Point, Stoddart 825 (K, US); East Point village, ocean side, Rhyne 675 (US).Portulaca oleracea L.Pointe Marianne, Stoddart 890 (K, US).

LAURACEAE

Cassytha L.Cassytha filiformis L.East Point Settlement, Stoddart 823 (K).

HERNANDIACEAE

Gyrocarpus Jacq.Gyrocarpus americanus Jacq.

Seen by Wiehe in 1939.

Hernandia L.Hernandia sonora L.East Point, lagoon shore, Stoddart 792 (K, US); Minni Minni, lagoon shore, Stoddart 809 (K, US); East Point village near cemetery, Rhyne 618 (US); East Point village near ocean, Rhyne 688 (US); northwest, Wiehe in 1939 (MAU).

CRASSULACEAE

Kalanchoe AdansKalanchoe pinnata (Lam.) Pers.East Point Settlement, seaward coast, Stoddart 763 (K, US); ocean side North-West Point, Rhyne 439 (US); East Point village vicinity, Rhyne 660 (US).

ROSACEAE

Photinia Lindl.

Photinia japonica Lindl.

Recorded by Willis and Gardiner (1931) but seems rather unlikely.

LEGUMINOSAE

Albizia Durazz.

Albizia lebeck (L.) Benth.

East Point Settlement, Stoddart 831 (K, US) "seed pods also seen at Minni Minni".

Canavalia Adans.

Canavalia cathartica Thou.

East Point, lagoon shore, Stoddart 842 (K, US).

Cassia L.

Cassia occidentalis L.

East Point, Stoddart 844 (K, US); East Point Settlement, Stoddart 824 (K); East Point village, Rhyne 749 (US).

Intsia Thou.

Intsia bijuga (Colebr.) O. Ktze.

S. 1., Bourne 45 (K); East Point village vicinity, Rhyne 655 (US).

Leucaena Benth.

Leucaena leucocephala (Lam.) de Wit

Pointe Marianne, lagoon beach ridge, Stoddart 861 (K, US).

Mimosa L.

Mimosa pudica L.

East Point, Stoddart 884 (K, US), 841 (K, US).

Pithecellobium Mart.

Pithecellobium dulce (Roxb.) Benth.

East Point Settlement, cultivated, Stoddart 817 (K, US).

OXALIDACEAE

Averrhoa L.

Averrhoa bilimbi L.

East Point, Stoddart 887 (K, US); East Point village, ocean side, Rhyne 672 (US); Pointe Marianne, Rhyne 771 (US).

RUTACEAE

Citrus L.Citrus aurantium L.

Bitter oranges recorded by Bourne (Hemsley 1884, p. 334).

Citrus medica L. ?

Pointe Marianne, Rhyne 774 (US) (sterile).

SURIANACEAE

Suriana L.Suriana maritima L.

East Point Settlement, seaward coast, Stoddart 788 (K, US).

ANACARDIACEAE

Mangifera L.Mangifera indica L.

Pointe Marianne, Rhyne 772 (US).

EUPHORBIACEAE

Acalypha L.Acalypha indica L.

S. 1., Bourne 34 (K).

Acalypha sp. ?

North-West Point, Rhyne 437 (US) (seedlings).

Breynia Forst.Breynia nivosa (Bull) Small

East Point village near cemetery, Rhyne 617 (US).

Codiaeum A. Juss.Codiaeum variegatum (L.) Bl.

Pointe Marianne, old cemetery, Stoddart 892 (K, US).

Euphorbia L.Euphorbia cyathophora Murr.

North of East Point village, lagoon side, Stoddart 808 (K, US).

Euphorbia hirta L.

S. 1., Bourne 12 (K); s.1., Rhyne 663 (US).

Euphorbia prostrata Ait.

Seen by Wiehe in 1939.

Phyllanthus L.Phyllanthus amarus Sch. & Th.

S. l., Bourne 42 (K); Pointe Marianne, Stoddart 894 (K); East Point village, ocean side, Rhyne 674 (US).

Phyllanthus maderaspatensis L.

S. l., Herb. Justice Blackburn (K); East Point Settlement, seaward coast, Stoddart 779 (K, US).

Phyllanthus tenellus Roxb.?

S. l., Wiehe s.n. (MAU) (possibly from Diego Garcia, very lax, with large oblong leaves, a pistillate and a smaller staminate flower in an axil).

BALSAMINACEAE

Impatiens L.Impatiens balsamina L.

"Near the old coal dump," recorded by Willis and Gardiner (1931).

TILIACEAE

Triumfetta L.Triumfetta procumbens Forst.

East Point Settlement, seaward coast, Stoddart 780 (K, US); ocean side North-West Point, Rhyne 438 (US); East Point village near hospital, Rhyne 614 (US); s.l., Morin in 1937 (MAU).

MALVACEAE

Abutilon Mill.Abutilon indicum (L.) Sweet

East Point, Wiehe in 1939 (MAU).

Gossypium L.Gossypium hirsutum L. (glabrate form)

East Point Settlement, seaward coast, Stoddart 773 (K).

Hibiscus L.Hibiscus manihot L.

S. l., Justice Blackburn (K) (leaf large, cordate, unlobed, crenate-serrate).

Hibiscus rosa-sinensis L.

East Point village, cultivated, Stoddart 816 (K, US); East Point village vicinity, Rhyne 662 (US)?

Hibiscus tiliaceus L.

East Point Settlement; Stoddart 794 (K, US); East Point village vicinity, Rhyne 664 (US), 665 (US); Pointe Marianne, Rhyne 773 (US).

Malvastrum A. GrayMalvastrum coromandelianum (L.) Garcke

East Point, Wiehe in 1939 (MAU).

Sida L.Sida acuta Burm. f.

Pointe Marianne, village, Stoddart 863 (K, US); Pointe Marianne, Rhyne 776 (US). (Showing some introgression from S. rhombifolia, indicated by rather long, articulate fruiting pedicels. Leaves are typical S. acuta).

Sida parvifolia DC.

West Island, Stoddart 872 (K, US); East Point Settlement, seaward coast, Stoddart 778 (K, US); s.l., Morin in 1937 (MAU).

BOMBACACEAE

Ceiba Mill.Ceiba pentandra (L.) Gaertn.

East Point, cultivated, Stoddart 896 (K).

STERCULIACEAE

Melochia Rottb.Melochia pyramidata L.

East Point Settlement, Stoddart 795 (K, US).

GUTTIFERAE

Calophyllum L.Calophyllum inophyllum L.

East Point, shore line, Stoddart 790 (K, US); East Point village, Rhyne 607 (US); s.l., Morin in 1937 (MAU).

TURNERACEAE

Turnera L.Turnera ulmifolia var. elegans Urb.

Recorded by Willis and Gardiner (1931).

CARICACEAE

Carica L.Carica papaya L.

East Island, Stoddart 873 (K).

PASSIFLORACEAE

Passiflora L.Passiflora suberosa L.

East Point Settlement, seaward coast, Stoddart 768 (K), Stoddart 765 (K); West Island, Stoddart 868 (K, US); East Island, Stoddart 881 (K); ocean side North-West Point, Rhyne 439a (US)? (sterile); west rim of atoll, southern end, Stoddart 847 (K, US).

CUCURBITACEAE

Cucumis L.Cucumis melo L.

West rim of atoll, Stoddart 849 (K, US). (Fruits about 6-7 cm diameter globose).

Cucurbita L.Cucurbita maxima Duch.

Recorded, as cultivated, by Willis and Gardiner (1931).

LYTHRACEAE

Pemphis Forst.Pemphis acidula Forst.

Seen by Wiehe in 1939.

COMBRETACEAE

Terminalia L.Terminalia catappa L.

S. 1., Bourne 32 (K); East Point Settlement, Stoddart 830 (K).

LECYTHIDACEAE

Barringtonia J.R. & G. Forst.Barringtonia asiatica (L.) Kurz

S. 1., Hume in 1883 (K); Minni Minni, Stoddart 812 (K, US); East Point village vicinity, Rhyne 656 (US); s.l., Morin in 1937 (MAU).

MYRTACEAE

Eugenia L.Eugenia javanica Lam.

East Point, Stoddart 886 (K, US).

SAPOTACEAE

Mimusops L.Mimusops bojeri A. DC.

Reported by Lambrecht, m.s. WHO Rept., 1969.

APOCYNACEAE

Catharanthus G. DonCatharanthus roseus (L.) G. Don

East Point Settlement, Stoddart 835 (K, US) (pink flowers); East Point, Stoddart 834 (K) (white flowers); East Point village vicinity, Rhyne 659 (US).

Cerbera L.Cerbera odollam Gaertn.

Reported by Lambrecht, m.s. WHO Rept., 1969.

Ochrosia Juss.Ochrosia oppositifolia (Lam.) K. Schum.

S. l., G. C. Bourne 39 (K); Wiehe in 1939 (MAU); West rim, South end, Stoddart 845 (K, US).

ASCLEPIADACEAE

Asclepias L.Asclepias curassavica L.

Minni Minni, Stoddart 810 (K, US); East Point Settlement, Stoddart 762 (K); East Point village near hospital, Rhyne 612 (US); s.l., Wiehe in 1939 (MAU).

CONVOLVULACEAE

Ipomoea L.Ipomoea batatas (L.) Lam.

Sweet potatoes recorded by Bourne (Hemsley 1884, p. 334).

Ipomoea pes-caprae L. ssp. pes-caprae

East Point Settlement, uncommon elsewhere, Stoddart 829 (K, US); Main island, Bourne 28 (K) (leaf shape better for ssp. brasiliensis); East Point village near hospital, Rhyne 611 (US).

Ipomoea macrantha R. & S (I. tuba (Schlecht.) G. Don)

S. l., Bourne 27 (K); Pointe Marianne and southwards, Stoddart 889 (K, US); East Point Settlement, seaward coast North of Settlement, Stoddart 786 (K, US).

BORAGINACEAE

Cordia L.Cordia subcordata Lam.

S. l., Bourne 23 (K); lagoon shore south of East Point, Stoddart 815 (K, US); East Point village vicinity, Rhyne 666 (US); Pointe Noroit, Wiehe in 1939 (MAU).

Tournefortia L.Tournefortia argentea L. f.

S. l., Bourne 6-(K); beach zone, Rhyne 393 (US); East Point Settlement, seaward side, Stoddart 822 (K); East Point village near ocean, Rhyne 687 (US).

VERBENACEAE

Lippia L.Lippia nodiflora L.

North-West Point, Stoddart 858 (K, US).

Premna L.Premna obtusifolia R. Br.

S. l., Bourne 4 (K) (a form with large oblong leaves with long petioles and unusually broad, complex panicle, flowers with some pubescence in throat, calyx only slightly dentate); Wiehe in 1939 (MAU).

Stachytarpheta VahlStachytarpheta jamaicensis (L.) Vahl

S. l., Bourne 18 (K); s.l., Hume in 1883 (K); East Point Settlement, seaward coast, Stoddart 775 (K, US); East Island, Stoddart 880 (K, US); vicinity of Minni Minni, Rhyne 748 (US).

LABIATAE

Mentha L.Mentha sp.

East Point, garden, Stoddart 843 (K, US) (almost glabrous, leaves abruptly contracted at base, petioles short; sterile).

Ocimum L.Ocimum americanum L.

Pointe "Mardannes", Wiehe in 1939 (MAU).

Ocimum gratissimum L.

Pointe Marianne, in village, Stoddart 964 (K, US).

SOLANACEAE

Capsicum L.Capsicum frutescens L.

S. l., Bourne 13 (K).

Solanum L.Solanum nigrum L.

Seen by Wiehe in 1939.

SCROPHULARIACEAE

Bacopa Aubl.Bacopa monnieri (L.) Wettst.

Pointe Marianne, in water to 2 ft deep, freshwater barachois,
Stoddart 860 (K, US) (fruit 4-4.5 mm long, plant elongate); Pointe
 Marianne, Rhyne 777 (US); Pointe "Ramanne", Wiehe in 1939 (MAU).

Striga Lour.Striga asiatica (L.) Kuntze

East Point, Settlement, seaward coast, Stoddart 784 (K, US).

ACANTHACEAE

Hemigraphis NeesHemigraphis alternata (Burm. f.) T. Anders.

Minni Minni, Stoddart 811 (K, US); Wiehe 1615 (MAU); vicinity Minni
 Minni, Rhyne 746 (US).

RUBIACEAE

Guettarda L.Guettarda speciosa L.

S. I., Hume in 1883 (K); Morin in 1937 (MAU); East Point, Stoddart
770 (K, US); North-West Point, Rhyne 443 (US); East Point village
 near ocean, Rhyne 685 (US).

Morinda L.Morinda citrifolia L.

South of East Point, lagoon side, Stoddart 813 (K, US); East Point
 village near ocean, Rhyne 686 (US).

Pentas Benth.Pentas lanceolata ssp. cymosa (Klotzsch) Verdc.

Pointe Marianne, Stoddart 865 (K, US); East Point village near
 cemetery, Rhyne 622 (US).

Spermacoce L.Spermacoce suffrutescens Jacq.

East Point Settlement, Stoddart 836 (K, US); East Point village near
 hospital, Rhyne 615 (US).

CAMPANULACEAE

Hippobroma G. DonHippobroma longiflora (L.) G. Don

Pointe Marianne, Stoddart 866 (K, US); East Point village, cemetery,
Rhyne 677 (US).

GOODENIACEAE

Scaevola L.Scaevola taccada (Gaertn.) Roxb.

East Point, Stoddart 887 (K), 883 (US) (glabrous form, sterile shoot with very large leaves and very little axillary hair); beach zone, Rhyne 392 (US).

COMPOSITAE

Ageratum L.Ageratum conyzoides L.

Pointe Marianne, Stoddart 862 (K, US); vicinity of Minni Minni, Rhyne 747 (US).

Bidens L.Bidens sulphurea (Cav.) Sch. Bip.

East Point Settlement, Stoddart 833 (K, US).

Cosmos Cav. (see Bidens L.)Eupatorium L.Eupatorium triplinerve Vahl

Recorded, as cultivated, by Willis and Gardiner (1931).

Mikania Willd.Mikania scandens (L.) Willd.

East Point village near hospital, Rhyne 616 (US); East Point Stoddart 885 (K), 793 (K, US).

Synedrella Gaertn.Synedrella nodiflora (L.) Gaertn.

East Point village, ocean side, Rhyne 676 (US).

Tridax L.Tridax procumbens L.

East Point, Stoddart 783 (K, US).

Vernonia Schreb.Vernonia cinerea (L.) Less.

S. 1., Bourne 2 & 3 (K); East Point village, ocean side, Rhyne 673 (US); East Point, Stoddart 774 (K, US); "Pte. N.E.", Wiehe 1616 (MAU).

Wedelia Jacq.

Wedelia biflora (L.) DC (Melanthera biflora (L.) Wild.)
North-West Point, Stoddart 857 (K, US).