


A Field Checklist of the Birds of Guyana

2nd Edition



Michael J. Braun
Davis W. Finch
Mark B. Robbins
and
Brian K. Schmidt

Smithsonian Institution



A Field Checklist of the Birds of Guyana

2nd Edition

by

Michael J. Braun,
Davis W. Finch,
Mark B. Robbins,
and
Brian K. Schmidt

Publication 121 of the
Biological Diversity of the Guiana Shield Program
National Museum of Natural History
Smithsonian Institution
Washington, DC, USA

Produced under the auspices of the
Centre for the Study of Biological Diversity
University of Guyana
Georgetown, Guyana

PREFERRED CITATION:

Braun, M. J., D. W. Finch, M. B. Robbins and B. K. Schmidt.
2007. *A Field Checklist of the Birds of Guyana*, 2nd Ed.
Smithsonian Institution, Washington, D.C.

AUTHORS' ADDRESSES:

Michael J. Braun - Department of Vertebrate Zoology,
National Museum of Natural History, Smithsonian
Institution, 4210 Silver Hill Rd., Suitland, MD, USA
20746 (braunm@si.edu)

Davis W. Finch - WINGS, 1643 North Alvernon Way, Suite
105, Tucson, AZ, USA 85712 (wings@wingsbirds.com)

Mark B. Robbins - Division of Ornithology, Natural History
Museum, University of Kansas, Lawrence, KS, USA
66045 (mrobbins@ku.edu)

Brian K. Schmidt - Smithsonian Institution, Division of
Birds, PO Box 37012, Washington, DC, USA 20013-
7012 (schmidtb@si.edu)

COVER ILLUSTRATION:

Guyana's national bird, the Hoatzin or Canje Pheasant,
Opisthocomus hoazin, by Dan Lane.

INTRODUCTION

This publication presents a comprehensive list of the birds of Guyana with summary information on their habitats, biogeographical affinities, migratory behavior and abundance, in a format suitable for use in the field. It should facilitate field identification, especially when used in conjunction with an illustrated work such as *Birds of Venezuela* (Hilty 2003). It is part of a series of comprehensive lists of the flora and fauna of Guyana being developed by the Smithsonian Institution's Biological Diversity of the Guiana Shield Program and the Centre for the Study of Biological Diversity, University of Guyana (Boggs *et al.* 1997, Hollowell & Reynolds 2005, www.nmnih.si.edu/biodiversity/bdg.htm).

The first edition of this list (Braun *et al.* 2000) included 786 species. The list presently stands at 814 species that have been documented as occurring in Guyana. It builds upon the long out-of-print work of Snyder (1966), who listed 720 species. Her list is largely treated as authoritative, but 10 species are removed for lack of concrete documentation. These are *Tinamus tao*, *Butorides virescens*, *Patagioenas fasciata*, *Crotophaga sulcirostris*, *Pharomachrus fulgidus*, *Iodopleura pipra*, *Tangara peruviana*, *Loxigilla noctis*, *Sporophila hypochroma* and *Gymnomystax mexicanus*. Species included are those whose occurrence in the country is supported by physical evidence (specimen, photograph, sound recording, or band recovery) or written documentation of a sight record by a reliable, experienced observer (see below). The nomenclature follows *A Classification of the Bird Species of South America* (Remsen *et al.* 2007).

DEFINITIONS

Abbreviations and symbols are used for various categories of habitat, endemism, migration and abundance. The endemism and habitat codes follow Stotz *et al.* (1996); some habitat codes are modified to reflect the authors' experience in Guyana. Figure 1 (inside back cover) shows the distribution of principal habitats in Guyana.

HABITAT CODES

- | | |
|----|--|
| LF | Lowland forest, including both <i>terra firme</i> and seasonally flooded forest. |
| MF | Montane forest. |
| RI | Riverine habitats, including the river and their islands, banks, waterfalls, and riparian forests. |
| MA | Marine or salt water habitats, including coastal and pelagic waters. |
| MU | Mudflats and coastal beaches. |

FW	Fresh water habitats, including lakes, impoundments, ponds, oxbows, marshes, and canals.
MN	Mangrove forest.
HU	Habitats altered by humans, such as gardens, towns, roadsides, agricultural lands, disturbed forests and forest edge.
SV	Savanna grasslands.
SC	Scrub or brush habitats, including white sand scrub, bush islands, and dense, low second growth.
PA	Palm trees and forests.

ENDEMISM AND MIGRATION CODES (EN/MI)

GUI	Restricted to the Guianas and adjacent Venezuela and Brazil.
TEP	Restricted to the tepui highlands of Venezuela, Brazil and Guyana. In Guyana, these include the Pacaraima and Merume Mountains.
AMN	Restricted to Amazonian (and Guianan) lowlands north of the Amazon.
NEA	Nearctic migrant; except for shorebirds, these occur September-May and are absent in the northern summer months of June-August.
AUS	Austral migrant; typically present May- September.

ABUNDANCE CODES (ABU)

C	Common; more than 20 individuals encountered daily in prime habitat and season.
F	Fairly common; 5-20 individuals encountered daily in prime habitat and season.
U	Uncommon; present in small numbers (fewer than 5 individuals per day); not encountered daily even in prime habitat and season.
S	Scarce; only occasionally encountered in small numbers even in prime habitat and season.
?	Occurs in Guyana but status unclear due to scarcity of data.
E	Extirpated; no longer occurs, probably as a result of hunting (Horned Screamer).
†	Extinct (Eskimo Curlew).
L	Local; used with other abundance codes to indicate that a species' distribution in the country is patchy and that it is absent from large areas of apparently suitable habitat.
[]	Sight records only (24 species).
*	Reported for Guyana, but needs verification (14 species).

DOCUMENTING NEW RECORDS

While this list contains new information, much remains to be learned. Every effort should be made to document species not on this list, as well as those marked by brackets or asterisks, or with an abundance code of "?". Copies of photographs, tape recordings and/or written details of sight records may be sent to the first author. These should include date, time, specific locality, observers' names and addresses, description of size, shape and color pattern with specific field marks used to eliminate similar species, habitat, behavior, light conditions, optical equipment and previous experience of the observers with the species in question and its relatives.

Documenting new or unusual distributional records of birds is only the beginning. Little is known of the habitat, behavior, migration, breeding and ecology of many Neotropical birds. New and significant discoveries await any keen observer with a pair of binoculars and a field guide! We hope this publication will generate new information on the status and distribution of Guyana's birdlife and result in an increased commitment to its preservation.

ACKNOWLEDGEMENTS

We give special thanks to the Amerindian Peoples of Guyana for their invaluable assistance during all our fieldwork. The assistance of Harold Ameer, Calvin Bernard, John Caesar, Malcolm and Margaret Chan-A-Sue, Phillip DaSilva, Duane, Sandy and Justin deFreitas, Colin Edwards, Laurice Franklin, Vicki Funk, Patricia Gentili-Poole, Ashley Holland, Shirley Humphrys, Carol Kelloff, Ramesh Lilwah, Diane McTurk, Christopher Milensky, Andy Naraine, Dyantie Naraine, Louis Orella, Claudio Perry, Annie Pitamber, Waldyke Prince, Indarjit Ramdass, Nathan Rice, Michael Tamessar, Tony Thorne and Romeo Williams has been indispensable. Mark Adams, David Agro, David Ascanio, Brian Barber, Robb Brumfield, Kim Bostwick, Santiago Claramunt, H. David Clarke, Mario Cohn-Haft, James Dean, Kristine Erskine, Christina Gebhard, Chris Huddleston, Leo Joseph, Judy Karwacki, Jewel Liddell, Elford Liverpool, Gerlof Mees, Naseem Nasir, Brian O'Shea, Javier Piedra, K.P. Raghunath, Robert Ridgely, Greg Schmitt, Douglas Stotz, Graham Watkins, Bret Whitney, Jane Winchell and Kristof Zyskowski also aided us in many ways. The following organizations provided permission, advice and support: National Biodiversity Advisory Committee of the Environmental Protection Agency, Ministry of Amerindian Affairs, Embassy of the United States of America, Georgetown, Guyana, Wilderness Explorers, Iwokrama International Centre for Rain Forest Conservation and Development, National Geographic Society, American Bird Conservancy, National Aviary,

Conservation International, South Rupununi Conservation Society, and American Federation of Aviculturists. This publication is made possible by the support of the American People through the United States Agency for International Development (USAID.) The contents of this publication are the sole responsibility of the authors and do not necessarily reflect the views of USAID or the United States Government.

REFERENCES

- Barnett, A., R. Shapley, P. Benjamin, E. Henry, and M. McGarrell. 2002. Birds of the Potaro Plateau, with eight new species for Guyana. *Cotinga* 18:19-36.
- Boggan, J., V. Funk, C. Kelloff, M. Hoff, G. Cremers, & C. Feuillet. 1997. *Checklist of the Plants of the Guianas*, 2nd Ed. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C. 238 pp.
- Braun, M. J., D. W. Finch, M. B. Robbins and B. K. Schmidt. 2000. *A Field Checklist of the Birds of Guyana*. Smithsonian Institution, Washington, D.C.
- Braun, M. J., M. B. Robbins, C. M. Milensky, B. J. O'Shea, B. R. Barber, W. Hinds and W. S. Prince. 2003. New birds for Guyana from Mts. Roraima and Ayanganna. *Bull. Brit. Orn. Club* 123: 24-33.
- Braun, M. J., M. L. Isler, P. R. Isler, J. M. Bates and M. B. Robbins. 2005. Avian speciation in the Pantepui: The case of the Roraiman Antbird (*Percnostola [Schistocichla] "leucostigma" saturata*). *Condor* 107: 329-343.
- Haverschmidt, F., and G. F. Mees. 1994. *Birds of Suriname*. VACO, N.V., Paramaribo.
- Hilty, S. L. 2003. *Birds of Venezuela*. 2nd Ed. Princeton Univ. Press, Princeton, New Jersey.
- Hollowell, T., and R. P. Reynolds, eds. 2005. Checklist of the Terrestrial Vertebrates of the Guiana Shield. Bulletin of the Biological Society of Washington, no 13.
- Meyer de Schauensee, R., and W. H. Phelps, Jr. 1978. *A Guide to the Birds of Venezuela*. Princeton University Press, Princeton.
- O'Shea, B. J., C. M. Milensky, S. Claramunt, B. K. Schmidt, C. A. Gebhard, C. G. Schmitt, and K. T. Erskine. 2007. New records for Guyana, with description of the voice of Roraiman Nightjar (*Caprimulgus whitelyi*). *Bull. Brit. Ornith. Club*, in press.
- Parker, T. A., III, R. B. Foster, L. H. Emmons, P. Freed, A. B. Forsyth, B. Hoffman, and B. D. Gill. 1993. A biological assessment of the Kanuku Mountain region of southwestern Guyana. Conservation International, RAP Working Papers 5.
- Reimsen, J. V., A. Jaramillo, M. Nores, J. F. Pacheco, M. B. Robbins, T. S.

- Schulenberg, F. G. Stiles, J. M. C. da Silva, D. F. Stotz, & K. J. Zimmer. 2007 (March 12 version). A classification of the bird species of South America. Am. Ornithologists' Union, <http://www.museum.lsu.edu/~Reimsen/SACCBaseline.html>.
- Ridgely, R. S., and G. Tudor. 1989. *The Birds of South America, Volume I: The Oscine Passerines*. University of Texas Press, Austin.
- Ridgely, R. S., and G. Tudor. 1994. *The Birds of South America, Volume II: The Suboscine Passerines*. University of Texas Press, Austin.
- Ridgely, R. S., D. Agro, & L. Joseph. 2005. Birds of Iwokrama Forest. Proc. Academy of Nat. Sci. 154:109-121.
- Robbins, M. B., M. J. Braun and D. W. Finch. 2003. Discovery of a population of the endangered Red Siskin (*Carduelis cucullata*) in Guyana. Auk 120: 291-298.
- Robbins, M. B., M. J. Braun and D. W. Finch. 2004. Avifauna of the Guyana southern Rupununi, with comparisons to other savannas of northern South America. *Ornitología Neotropical* 15:173-200.
- Robbins, M. B., M. J. Braun, Christopher J. Huddleston, Davis W. Finch, & Christopher M. Milensky. 2005. First Guyana records, natural history, and systematics of the White-naped Seedeater (*Dolospingus fringilloides*). Ibis 147: 334-341.
- Robbins, M. B., M. J. Braun, C. M. Milensky, B. K. Schmidt, W. Prince, N. H. Rice, D. W. Finch and B. J. O'Shea. 2007. Avifauna of the Upper Essequibo River and Acary Mountains, Southern Guyana, with comparisons to other Guianan Shield sites. *Ornitología Neotropical* 18.
- Snyder, D. E. 1966. *The Birds of Guyana*. Peabody Museum, Salem.
- Stotz, D. F., J. W. Fitzpatrick, T. A. Parker III, and D. K. Moskovits. 1996. *Neotropical Birds: Ecology and Conservation*. University of Chicago Press, Chicago.
- Tostain, Olivier, J.-L. Dujardin, Ch. Érard and J.-M. Thiollay. 1992. *Oiseaux de Guyane*. Société d'Études Ornithologiques, Brunoy, France.

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

Tinamous

Tinamidae

1	Great Tinamou <i>Tinamus major</i>	LF		F
2	Cinereous Tinamou <i>Crypturellus cinereus</i>	LF, SC		F
3	Little Tinamou <i>Crypturellus soui</i>	SC, LF		F
4	Undulated Tinamou <i>Crypturellus undulatus</i>	LF		F
5	Red-legged Tinamou <i>Crypturellus erythropus</i>	LF, SC		U
6	Variegated Tinamou <i>Crypturellus variegatus</i>	LF		F
7	Rusty Tinamou <i>Crypturellus brevirostris</i>	LF, MF		S

Screamers

Anhimidae

8	Horned Screamer <i>Anhima cornuta</i>	FW		E
---	---------------------------------------	----	--	---

Ducks, Geese

Anatidae

9	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	FW		S
10	White-faced Whistling-Duck <i>Dendrocygna viduata</i>	FW		C
11	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	FW		C
12	Orinoco Goose <i>Neochen jubata</i>	RI, FW		S
13	Muscovy Duck <i>Cairina moschata</i>	FW, RI		C
14	Comb Duck <i>Sarkidiornis melanotos</i>	FW		S
15	Brazilian Teal <i>Amazonetta brasiliensis</i>	FW		C
16	Northern Pintail <i>Anas acuta</i>	FW	NEA	S
17	White-cheeked Pintail <i>Anas bahamensis</i>	FW, MN		S
18	Blue-winged Teal <i>Anas discors</i>	FW	NEA	S
19	Masked Duck <i>Nomonyx dominicus</i>	FW		U

Curassows, Guans

Cracidae

20	Variable Chachalaca <i>Ortalis motmot</i>	LF, SC		C
21	Marail Guan <i>Penelope marail</i>	LF	GUI	U
22	Spix's Guan <i>Penelope jacquacu</i>	LF		F
23	Blue-throated Piping-Guan <i>Pipile cumanensis</i>	LF, MF		FL
24	Crestless Curassow <i>Mitu tomentosum</i>	RI, LF	AMN	UL
25	Black Curassow <i>Crax alector</i>	LF, MF	AMN	F

Quails

Odontophoridae

26	Crested Bobwhite <i>Colinus cristatus</i>	SV, SC, HU		F
27	Marbled Wood-Quail <i>Odontophorus gujanensis</i>	LF		F

Grebes

Podicipedidae

28	Least Grebe <i>Tachybaptus dominicus</i>	FW		F
29	Pied-billed Grebe <i>Podilymbus podiceps</i>	FW		S

Shearwaters

Procellariidae

30	Cory's Shearwater <i>Calonectris diomedea</i>	MA		?
31	Greater Shearwater <i>Puffinus gravis</i> *	MA		?
32	Audubon's Shearwater <i>Puffinus lherminieri</i>	MA		?

Storm-Petrels

Hydrobatidae

33	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	MA		?
34	Leach's Storm-Petrel <i>Oceanodroma leucorhoa</i>	MA		?

Pelicans

Pelecanidae

35	Brown Pelican <i>Pelecanus occidentalis</i>	MA		F
----	---	----	--	---

Boobies

Sulidae

36	Brown Booby <i>Sula leucogaster</i>	MA		?
----	-------------------------------------	----	--	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
---	--------------------------------	---------	-------	-----

Cormorants **Phalacrocoracidae**

37 Neotropic Cormorant <i>Phalacrocorax brasiliensis</i>	FW, RI		C
---	--------	--	---

Anhingas **Anhingidae**

38 Anhinga <i>Anhinga anhinga</i>	FW, RI		C
--	--------	--	---

Frigatebirds **Fregatidae**

39 Magnificent Frigatebird <i>Fregata magnificens</i>	MA, MN		C
--	--------	--	---

Herons **Ardeidae**

40 Rufescent Tiger-Heron <i>Tigrisoma lineatum</i>	FW		F
41 Fasciated Tiger-Heron <i>Tigrisoma fasciatum</i>	RI		S
42 Agami Heron <i>Agamia agami</i>	LF, RI		U
43 Boat-billed Heron <i>Cochlearius cochlearius</i>	FW, MN		F
44 Zigzag Heron <i>Zebrilus undulatus</i>	LF, RI		S
45 Pinnated Bittern <i>Botaurus pinnatus</i>	FW		F
46 Least Bittern <i>Ixobrychus exilis</i>	FW		F
47 Stripe-backed Bittern <i>Ixobrychus involucris</i>	FW		?
48 Black-crowned Night-Heron <i>Nycticorax nycticorax</i>	FW, MU		C
49 Yellow-crowned Night-Heron <i>Nyctanassa violacea</i>	MN, FW, MU		U
50 Striated Heron <i>Butorides striata</i>	FW, MN, RI		C
51 Cattle Egret <i>Bubulcus ibis</i>	HU		C
52 Cocoi Heron <i>Ardea cocoi</i>	FW, RI		C
53 Great Egret <i>Ardea alba</i>	MU, FW		C
54 Capped Heron <i>Pilherodius pileatus</i>	FW, RI		F
55 Tricolored Heron <i>Egretta tricolor</i>	MN, MU		C
56 Snowy Egret <i>Egretta thula</i>	MU, MN, FW		C
57 Little Blue Heron <i>Egretta caerulea</i>	MN, MU, FW		C

Ibis **Threskiornithidae**

58 Scarlet Ibis <i>Eudocimus ruber</i>	FW, MN, HU		C
59 [Glossy Ibis <i>Plegadis falcinellus</i>] *	FW		?
60 Sharp-tailed Ibis <i>Cercibis oxycerca</i>	FW, SV		F
61 Green Ibis <i>Mesembrinibis cayennensis</i>	LF, RI		C
62 Bare-faced Ibis <i>Phimosus infuscatus</i> *	FW		?
63 Buff-necked Ibis <i>Theristicus caudatus</i>	FW, HU, SV		F
64 Roseate Spoonbill <i>Platalea ajaja</i>	MU, FW		F

Storks **Ciconiidae**

65 Maguari Stork <i>Ciconia maguari</i>	SV, HU, FW		F
66 Jabiru <i>Jabiru mycteria</i>	FW, SV		F
67 Wood Stork <i>Mycteria americana</i>	FW		C

Vultures **Cathartidae**

68 Turkey Vulture <i>Cathartes aura</i>	HU, SC, SV		C
69 Lesser Yellow-headed Vulture <i>Cathartes burrovianus</i>	SV,SC, FW		C

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
70 Greater Yellow-headed Vulture <i>Cathartes melambrotus</i>	LF		C
71 Black Vulture <i>Coragyps atratus</i>	SC, HU		C
72 King Vulture <i>Sarcoramphus papa</i>	LF, SV		F
Flamingos		Phoenicopteridae	
73 Greater Flamingo <i>Phoenicopterus ruber</i>	MU, MA		?
Osprey		Pandionidae	
74 Osprey <i>Pandion haliaetus</i>	MA, FW, RI	NEA	F
Hawks, Eagles		Accipitridae	
75 Gray-headed Kite <i>Leptodon cayanensis</i>	LF		U
76 Hook-billed Kite <i>Chondrohierax uncinatus</i>	LF, RI, MF		U
77 Swallow-tailed Kite <i>Elanoides forficatus</i>	LF, MF		F
78 Pearl Kite <i>Gampsonyx swainsonii</i>	SV, SC, HU		U
79 White-tailed Kite <i>Elanus leucurus</i>	HU, SV, SC		F
80 Snail Kite <i>Rostrhamus sociabilis</i>	FW, HU		C
81 Slender-billed Kite <i>Helicolestes hamatus</i>	RI, FW		S
82 Double-toothed Kite <i>Harpagus bidentatus</i>	LF, MF		U
83 Rufous-thighed Kite <i>Harpagus diodon</i>	LF, MF	AUS?	S
84 Plumbeous Kite <i>Ictinia plumbea</i>	LF		F
85 Long-winged Harrier <i>Circus buffoni</i>	SV, SC, FW		U
86 Gray-bellied Hawk <i>Accipiter poliogaster</i>	LF	AUS?	S
87 Tiny Hawk <i>Accipiter superciliosus</i>	LF, MF		S
88 Sharp-shinned Hawk <i>Accipiter striatus</i>	LF, MF		S
89 Bicolored Hawk <i>Accipiter bicolor</i>	LF, SC, SV		U
90 Crane Hawk <i>Geranospiza caerulescens</i>	LF		F
91 Black-faced Hawk <i>Leucopternis melanops</i>	LF		U
92 White Hawk <i>Leucopternis albicollis</i>	LF, MF		F
93 Common Black-Hawk <i>Buteogallus anthracinus</i>	MN, PA		UL
94 Rufous Crab-Hawk <i>Buteogallus aequinoctialis</i>	MN, HU		F
95 Great Black-Hawk <i>Buteogallus urubitinga</i>	LF, RI		F
96 Savanna Hawk <i>Buteogallus meridionalis</i>	SV, SC		C
97 [Solitary Eagle <i>Harpyhaliaeetus solitarius]</i> *	?		?
98 Black-collared Hawk <i>Busarellus nigricollis</i>	FW, RI		F
99 Roadside Hawk <i>Buteo magnirostris</i>	HU, SC		F
100 [Broad-winged Hawk <i>Buteo platypterus]</i>	LF, MF		S
101 Gray Hawk <i>Buteo nitidus</i>	SC, HU		F
102 Short-tailed Hawk <i>Buteo brachyurus</i>	LF		U
103 White-tailed Hawk <i>Buteo albicaudatus</i>	SV, SC		F
104 Zone-tailed Hawk <i>Buteo albonotatus</i>	LF, SC		U
105 Crested Eagle <i>Morphnus guianensis</i>	LF		S
106 Harpy Eagle <i>Harpia harpyja</i>	LF		S
107 Black-and-white Hawk-Eagle <i>Spizaetus melanoleucus</i>	LF, MF		U
108 Black Hawk-Eagle <i>Spizaetus tyrannus</i>	LF, MF, PA		U
109 Ornate Hawk-Eagle <i>Spizaetus ornatus</i>	LF, MF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

Falcons, Caracaras
Falconidae

110	Black Caracara <i>Daptrius ater</i>	RI, LF, SC		F
111	Red-throated Caracara <i>Ibycter americanus</i>	LF		F
112	Southern Caracara <i>Caracara plancus</i>	SV, HU, SC		C
113	Yellow-headed Caracara <i>Milvago chimachima</i>	SV, SC, HU		F
114	Laughing Falcon <i>Herpetotheres cachinnans</i>	LF, SC		U
115	Barred Forest-Falcon <i>Micrastur ruficollis</i>	LF		U
116	Lined Forest-Falcon <i>Micrastur gilvicollis</i>	LF		U
117	Slaty-backed Forest-Falcon <i>Micrastur mirandollei</i>	LF		S
118	Collared Forest-Falcon <i>Micrastur semitorquatus</i>	LF, SC		U
119	American Kestrel <i>Falco sparverius</i>	SV, SC, HU		F
120	[Merlin <i>Falco columbarius</i>]	HU, MU, SV	NEA	S
121	Bat Falcon <i>Falco rufigularis</i>	LF, SC, RI		F
122	Orange-breasted Falcon <i>Falco deiroleucus</i>	LF, MF		S
123	Aplomado Falcon <i>Falco femoralis</i>	SV, SC		U
124	Peregrine Falcon <i>Falco peregrinus</i>	MU, SC, HU	NEA	U

Limpkin
Aramidae

125	Limpkin <i>Aramus guarauna</i>	FW		F
-----	---------------------------------------	----	--	---

Trumpeters
Psophiidae

126	Gray-winged Trumpeter <i>Psophia crepitans</i>	LF		F
-----	---	----	--	---

Rails
Rallidae

127	Speckled Crake <i>Coturnicops notatus</i>	SV		S
128	Ocellated Crake <i>Micropygia schomburgkii</i>	SV		U
129	Clapper Rail <i>Rallus longirostris</i>	MN		F
130	Gray-necked Wood-Rail <i>Aramides cajanea</i>	FW, MN, LF		F
131	Rufous-necked Wood-Rail <i>Aramides axillaris</i>	MN, LF		U
132	Uniform Crake <i>Amaurolimnas concolor</i>	LF		S
133	Russet-crowned Crake <i>Anurolimnas viridis</i>	SV, SC		U
134	Rufous-sided Crake <i>Laterallus melanophaius</i>	FW		F
135	Gray-breasted Crake <i>Laterallus exilis</i>	FW, SV		S
136	Yellow-breasted Crake <i>Porzana flaviventer</i>	FW		U
137	Ash-throated Crake <i>Porzana albicollis</i>	FW		F
138	Sora <i>Porzana carolina</i>	FW	NEA	S
139	Paint-billed Crake <i>Neocrex erythrops</i>	HU, FW		U
140	Common Moorhen <i>Gallinula chloropus</i>	FW		S
141	Purple Gallinule <i>Porphyrio martinica</i>	FW		F
142	Azure Gallinule <i>Porphyrio flavirostris</i>	FW		F

Finfoots
Heliorhithidae

143	Sungrebe <i>Heliorhinus fulica</i>	FW, RI		F
-----	---	--------	--	---

Sunbittern
Eurypygidae

144	Sunbittern <i>Eurypyga helias</i>	RI, LF		F
-----	--	--------	--	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
---	--------------------------------	---------	-------	-----

Plovers

Charadriidae

145 Pied Lapwing <i>Vanellus cayanus</i>	RI		F
146 Southern Lapwing <i>Vanellus chilensis</i>	FW, HU, SV		C
147 American Golden-Plover <i>Pluvialis dominica</i>	SV, HU	NEA	F
148 Black-bellied Plover <i>Pluvialis squatarola</i>	MU	NEA	C
149 Semipalmated Plover <i>Charadrius semipalmatus</i>	MU	NEA	C
150 Wilson's Plover <i>Charadrius wilsonia</i>	MU		U
151 Collared Plover <i>Charadrius collaris</i>	MU, RI		F

Stilts

Recurvirostridae

152 Black-necked Stilt <i>Himantopus mexicanus</i>	FW	NEA?	S
---	----	------	---

Thick-knees

Burhinidae

153 Double-striped Thick-knee <i>Burhinus bistriatus</i>	SV, HU		F
---	--------	--	---

Sandpipers

Scolopacidae

154 Wilson's Snipe <i>Gallinago delicata</i>	FW, SV	NEA	?
155 South American Snipe <i>Gallinago paraguaiae</i>	FW, SV		F
156 Giant Snipe <i>Gallinago undulata</i>	SV, FW		S
157 Short-billed Dowitcher <i>Limnodromus griseus</i>	MU	NEA	C
158 [Hudsonian Godwit <i>Limosa haemastica]</i>	MU, FW	NEA	S
159 Eskimo Curlew <i>Numenius borealis</i> †	SV	NEA	†
160 Whimbrel <i>Numenius phaeopus</i>	MU, MN, HU	NEA	F
161 Upland Sandpiper <i>Bartramia longicauda</i>	SV, HU	NEA	S
162 Willet <i>Tringa semipalmata</i>	MU, MN	NEA	F
163 Greater Yellowlegs <i>Tringa melanoleuca</i>	FW, MU, HU	NEA	C
164 Lesser Yellowlegs <i>Tringa flavipes</i>	FW, MU, HU	NEA	C
165 Solitary Sandpiper <i>Tringa solitaria</i>	FW, RI	NEA	F
166 Spotted Sandpiper <i>Actitis macularius</i>	RI, MN, FW	NEA	C
167 Ruddy Turnstone <i>Arenaria interpres</i>	MU	NEA	C
168 Red Knot <i>Calidris canutus</i>	MU	NEA	C
169 Sanderling <i>Calidris alba</i>	MU	NEA	C
170 Semipalmated Sandpiper <i>Calidris pusilla</i>	MU	NEA	C
171 Western Sandpiper <i>Calidris mauri</i>	MU	NEA	C
172 Least Sandpiper <i>Calidris minutilla</i>	MU, FW	NEA	F
173 White-rumped Sandpiper <i>Calidris fuscicollis</i>	MU, FW	NEA	C
174 Pectoral Sandpiper <i>Calidris melanotos</i>	MU, FW, HU	NEA	F
175 [Stilt Sandpiper <i>Calidris himantopus]</i>	MU, FW	NEA	U
176 [Buff-breasted Sandpiper <i>Tryngites subruficollis]</i>	SV, HU	NEA	S

Jacanas

Jacanidae

177 Wattled Jacana <i>Jacana jacana</i>	FW		C
--	----	--	---

Skuas

Stercorariidae

178 Great Skua <i>Stercorarius skua</i>	MA	NEA	?
179 Pomarine Jaeger <i>Stercorarius pomarinus</i>	MA	NEA	S
180 [Parasitic Jaeger <i>Stercorarius parasiticus]</i>	MA	NEA	?

Gulls, Terns

Laridae

181 [Lesser Black-backed Gull <i>Larus fuscus]</i>	MA, MU	NEA	U
---	--------	-----	---

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
182 Laughing Gull <i>Larus atricilla</i>	MA, MU		C
183 Brown Noddy <i>Anous stolidus</i>	MA		S
184 Sooty Tern <i>Onychoprion fuscatus</i>	MA		S
185 [Bridled Tern <i>Onychoprion anaethetus</i>]	MA		?
186 Least Tern <i>Sternula antillarum</i>	MA, MU	NEA	F
187 Yellow-billed Tern <i>Sternula superciliaris</i>	RI, FW		C
188 Large-billed Tern <i>Phaetusa simplex</i>	RI, FW		F
189 Gull-billed Tern <i>Gelochelidon nilotica</i>	MA, MU, FW		U
190 [Black Tern <i>Chlidonias niger</i>]	MA	NEA	F
191 Common Tern <i>Sterna hirundo</i>	MA, MU	NEA	C
192 Roseate Tern <i>Sterna dougallii</i>	MA, MU	NEA	C
193 [Arctic Tern <i>Sterna paradisaea</i>]	MA	NEA	?
194 Sandwich Tern <i>Thalasseus sandvicensis</i>	MA, MU		C
195 [Royal Tern <i>Thalasseus maximus</i>]	MA, MU		C

Skimmers

Rynchopidae

196 Black Skimmer <i>Rynchops niger</i>	MA, MU, RI		C
--	---------------	--	---

Pigeons, Doves

Columbidae

197 Common Ground-Dove <i>Columbina passerina</i>	SC, HU, SV		C
198 Plain-breasted Ground-Dove <i>Columbina minuta</i>	SV, SC		U
199 Ruddy Ground-Dove <i>Columbina talpacoti</i>	SC, HU		C
200 Blue Ground-Dove <i>Claravis pretiosa</i>	LF, SC		F
201 Rock Pigeon <i>Columba livia</i>	HU		CL
202 Scaled Pigeon <i>Patagioenas speciosa</i>	LF, SC, SV		F
203 Pale-vented Pigeon <i>Patagioenas cayennensis</i>	SC, SV, RI		C
204 Plumbeous Pigeon <i>Patagioenas plumbea</i>	LF, MF		F
205 Ruddy Pigeon <i>Patagioenas subvinacea</i>	LF, MF		F
206 Eared Dove <i>Zenaida auriculata</i>	SC, HU, SV		C
207 White-tipped Dove <i>Leptotila verreauxi</i>	SC		C
208 Gray-fronted Dove <i>Leptotila rufaxilla</i>	LF		F
209 Violaceous Quail-Dove <i>Geotrygon violacea</i>	LF		?
210 Ruddy Quail-Dove <i>Geotrygon montana</i>	LF		U

Parrots

Psittacidae

211 Blue-and-yellow Macaw <i>Ara ararauna</i>	PA, LF, RI		F
212 Scarlet Macaw <i>Ara macao</i>	LF		F
213 Red-and-green Macaw <i>Ara chloropterus</i>	LF		F
214 Chestnut-fronted Macaw <i>Ara severus</i>	LF, SC		SL
215 Red-bellied Macaw <i>Orthopsittaca manilata</i>	PA, SV		C
216 Red-shouldered Macaw <i>Diopsittaca nobilis</i>	PA, SV, SC		C
217 White-eyed Parakeet <i>Aratinga leucophthalma</i>	LF		C
218 Sun Parakeet <i>Aratinga solstitialis</i>	SV, SC	AMN	SL
219 Brown-throated Parakeet <i>Aratinga pertinax</i>	SV, SC		C
220 Painted Parakeet <i>Pyrrhura picta</i>	LF, MF		C
221 Fiery-shouldered Parakeet <i>Pyrrhura egredia</i>	MF	TEP	F
222 Green-rumped Parrotlet <i>Forpus passerinus</i>	LF, HU		C
223 Dusky-billed Parrotlet <i>Forpus sclateri</i>	LF		U

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
224 Golden-winged Parakeet <i>Brotogeris chrysoptera</i>	LF		C
225 Tepui Parrotlet <i>Nannopsittaca panychlora</i>	MF, LF	TEP	C
226 Lilac-tailed Parrotlet <i>Touit batavicus</i>	LF		C
227 Scarlet-shouldered Parrotlet <i>Touit huetii</i>	LF		U
228 Sapphire-rumped Parrotlet <i>Touit purpuratus</i>	LF, MF		U
229 Black-headed Parrot <i>Pionites melanocephalus</i>	LF	AMN	F
230 Caica Parrot <i>Gypopsitta caica</i>	LF	GUI	F
231 Blue-headed Parrot <i>Pionus menstruus</i>	LF		C
232 Dusky Parrot <i>Pionus fuscus</i>	LF		C
233 Blue-cheeked Parrot <i>Amazona dufresniana</i>	LF, RI		U
234 Festive Parrot <i>Amazona festiva</i>	LF		?
235 Yellow-crowned Parrot <i>Amazona ochrocephala</i>	SV, SC		C
236 Orange-winged Parrot <i>Amazona amazonica</i>	LF, SC		C
237 Mealy Parrot <i>Amazona farinosa</i>	LF		C
238 Red-fan Parrot <i>Deroptyus accipitrinus</i>	LF		C

239	Hoatzin	<i>Opisthocomus hoazin</i>	RI, FW	CL
-----	----------------	----------------------------	--------	----

Cuckoos

Cuculidae

240	Yellow-billed Cuckoo	<i>Coccyzus americanus</i>	LF	NEA	U
241	Pearly-breasted Cuckoo	<i>Coccyzus euleri</i>	LF	AUS?	S
242	Mangrove Cuckoo	<i>Coccyzus minor</i>	MN		U
243	Dark-billed Cuckoo	<i>Coccyzus melacoryphus</i>	LF	AUS?	U
244	Squirrel Cuckoo	<i>Piaya cayana</i>	LF		F
245	Black-bellied Cuckoo	<i>Piaya melanogaster</i>	LF		U
246	Little Cuckoo	<i>Piaya minuta</i>	SC, FW		F
247	Greater Ani	<i>Crotophaga major</i>	RI, MN, FW		C
248	Smooth-billed Ani	<i>Crotophaga ani</i>	SC, HU		C
249	Striped Cuckoo	<i>Tapera naevia</i>	SC, SV, HU		F
250	Pavonine Cuckoo	<i>Dromococcyx pavoninus</i>	LF, MF		U
251	Rufous-winged Ground-Cuckoo	<i>Neomorphus rufipennis</i>	LF	GUI	U

Barn Owls

Tytonidae

252	Barn Owl	<i>Tyto alba</i>	SC, HU	U
-----	-----------------	------------------	--------	---

Typical Owls

Strigidae

253	Tropical Screech-Owl	<i>Megascops choliba</i>	SC, LF	F
254	Tawny-bellied Screech-Owl	<i>Megascops watsonii</i>	LF	U
255	Vermiculated Screech-Owl <i>Megascops guatemalae</i>		MF	U
256	Crested Owl	<i>Lophostrix cristata</i>	LF, MF	U
257	Spectacled Owl	<i>Pulsatrix perspicillata</i>	LF	U
258	Great Horned Owl	<i>Bubo virginianus</i>	SC, SV	U
259	Mottled Owl	<i>Ciccaba virgata</i>	LF, MF	?
260	Black-banded Owl	<i>Ciccaba huhula</i>	LF, MF	?
261	Amazonian Pygmy-Owl	<i>Glaucidium hardyi</i>	LF, MF	U
262	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	SC, LF	F
263	Burrowing Owl	<i>Athene cunicularia</i>	SV, SC	F
264	Striped Owl	<i>Pseudoscops clamator</i>	SV, SC	S
265	Stygian Owl	<i>Asio stygius</i>	SC, LF	S
266	Short-eared Owl	<i>Asio flammeus</i>	SV, HU	S

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	---------	-------	-----

Oilbird	Steatornithidae
267 Oilbird <i>Steatornis caripensis</i>	LF, MF

Potoos		Nyctibiidae		
268	Great Potoo <i>Nyctibius grandis</i>	LF		U
269	Long-tailed Potoo <i>Nyctibius aethereus</i>	LF		S
270	Common Potoo <i>Nyctibius griseus</i>	LF, SC, MN		F
271	White-winged Potoo <i>Nyctibius leucopterus</i>	LF		U
272	Rufous Potoo <i>Nyctibius bracteatus</i>	LF		S

Nighthawks, Nightjars		Caprimulgidae		
273	Short-tailed Nighthawk <i>Lurocalis semitorquatus</i>	LF, RI		F
274	Least Nighthawk <i>Chordeiles pusillus</i>	SV		C
275	Lesser Nighthawk <i>Chordeiles acutipennis</i>	SC, SV		C
276	Band-tailed Nighthawk <i>Nyctiprogne leucopyga</i>	RI		C
277	Nacunda Nighthawk <i>Podager nacunda</i>	SV, SC		C
278	Common Pauraque <i>Nyctidromus albicollis</i>	SC, HU		C
279	Rufous Nightjar <i>Caprimulgus rufus</i>	SC, LF		F
280	Band-winged Nightjar <i>Caprimulgus longirostris</i>	SC, SV		?
281	White-tailed Nightjar <i>Caprimulgus cayennensis</i>	SV, SC		F
282	Spot-tailed Nightjar <i>Caprimulgus maculicaudus</i>	SV, FW		F
283	Blackish Nightjar <i>Caprimulgus nigrescens</i>	LF, SC, RI		F
284	Roraiman Nightjar <i>Caprimulgus whitelyi</i>	SC, SV	TEP	UL
285	Ladder-tailed Nightjar <i>Hydropsalis climacocerca</i>	RI		F

Swifts		Apodidae		
286	White-chinned Swift <i>Cypseloides cryptus</i>	MF, RI		CL
287	Black Swift <i>Cypseloides niger</i>	?	NEA?	?
288	Tepui Swift <i>Streptoprocne phelpsi</i>	MF, RI	TEP	CL
289	White-collared Swift <i>Streptoprocne zonaris</i>	MF, LF, SC		C
290	Band-rumped Swift <i>Chaetura spinicaudus</i>	LF, RI		C
291	Gray-rumped Swift <i>Chaetura cinereiventris</i>	LF, MF, RI		C
292	Chapman's Swift <i>Chaetura chapmani</i>	LF, SC, RI		U
293	Short-tailed Swift <i>Chaetura brachyura</i>	LF, SC, HU		C
294	[White-tipped Swift <i>Aeronautes montivagus</i>]	MF		FL
295	Fork-tailed Palm-Swift <i>Tachornis squamata</i>	PA, SV, SC		C
296	Lesser Swallow-tailed Swift <i>Panyptila cayennensis</i>	LF		U

Hummingbirds		Trochilidae		
297	Rufous-breasted Hermit	<i>Glaucis hirsutus</i>	LF	U
298	Pale-tailed Barbthroat	<i>Threnetes leucurus</i>	LF, RI	U
299	Streak-throated Hermit	<i>Phaethornis rupurumii</i>	LF, RI	U
300	Little Hermit	<i>Phaethornis longuemareus</i>	LF	U
301	Reddish Hermit	<i>Phaethornis ruber</i>	LF	F
302	Sooty-capped Hermit	<i>Phaethornis augusti</i>	SC, LF, MF	U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
303	Straight-billed Hermit <i>Phaethornis bourcieri</i>	LF, MF		F
304	Long-tailed Hermit <i>Phaethornis superciliosus</i>	LF, MF		F
305	Blue-fronted Lancebill <i>Doryfera johannae</i>	MF		U
306	Gray-breasted Sabrewing <i>Campylopterus largipennis</i>	LF		F
307	Rufous-breasted Sabrewing <i>Campylopterus hyperythrus</i>	MF	TEP	C
308	White-necked Jacobin <i>Florisuga mellivora</i>	LF, RI		F
309	Brown Violetear <i>Colibri delphinae</i>	MF		U
310	[Sparkling Violetear <i>Colibri coruscans</i>]	MF, SC		FL
311	Green-throated Mango <i>Anthracocephala viridigula</i>	MN, SC		U
312	Black-throated Mango <i>Anthracocephala nigricollis</i>	SC, LF, RI		F
313	Fiery-tailed Awlbill <i>Avocettula recurvirostris</i>	LF		S
314	Crimson Topaz <i>Topaza pella</i>	RI, LF		U
315	Ruby-topaz Hummingbird <i>Chrysolampis mosquitus</i>	SC, SV		F
316	Tufted Coquette <i>Lophornis ornatus</i>	LF		U
317	Peacock Coquette <i>Lophornis pavoninus</i>	MF	TEP	U
318	Racket-tailed Coquette <i>Discosura longicaudus</i>	LF		U
319	Blue-chinned Sapphire <i>Chlorestes notata</i>	LF, SC		F
320	Blue-tailed Emerald <i>Chlorostilbon mellisugus</i>	SC, SV, LF		F
321	Fork-tailed Woodnymph <i>Thalurania furcata</i>	LF, MF		F
322	Rufous-throated Sapphire <i>Hylocharis sapphirina</i>	LF, SC		U
323	White-chinned Sapphire <i>Hylocharis cyanus</i>	LF		F
324	White-tailed Goldenthroat <i>Polytmus guainumbi</i>	SV		F
325	[Tepui Goldenthroat <i>Polytmus milleri</i>] *	?	TEP	?
326	Green-tailed Goldenthroat <i>Polytmus theresiae</i>	FW, SV		F
327	Plain-bellied Emerald <i>Amazilia leucogaster</i>	LF, MN, HU		F
328	Versicolored Emerald <i>Amazilia versicolor</i>	LF, SC		UL
329	White-chested Emerald <i>Amazilia brevirostris</i>	LF, SC		F
330	Glittering-throated Emerald <i>Amazilia fimbriata</i>	SV, SC, LF		C
331	Green-bellied Hummingbird <i>Amazilia viridigaster</i>	MF, SC, RI		U
332	Velvet-browed Brilliant <i>Heliodoxa xanthogonys</i>	MF, SC	TEP	C
333	Black-eared Fairy <i>Heliothryx auritus</i>	LF		U
334	Long-billed Starthroat <i>Heliodoxa longirostris</i>	LF, RI		F
335	Amethyst Woodstar <i>Calliphlox amethystina</i>	SC, LF		U

Trogons

Trogonidae

336	White-tailed Tropicbird <i>Trogon violaceus</i>	LF		F
337	Collared Tropicbird <i>Trogon collaris</i>	MF		F
338	Masked Tropicbird <i>Trogon personatus</i>	MF		U
339	Black-throated Tropicbird <i>Trogon rufus</i>	LF		F
340	Black-tailed Tropicbird <i>Trogon melanurus</i>	LF		F

Kingfishers

Alcedinidae

342	Ringed Kingfisher <i>Megaceryle torquata</i>	RI, FW, MN		F
343	[Belted Kingfisher <i>Megaceryle alcyon</i>]	FW	NEA	S

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
344 Amazon Kingfisher <i>Chloroceryle amazona</i>	RI, FW, MN		F
345 Green Kingfisher <i>Chloroceryle americana</i>	RI, FW, MN		F
346 Green-and-rufous Kingfisher <i>Chloroceryle indica</i>	RI, FW, LF		U
347 American Pygmy Kingfisher <i>Chloroceryle aenea</i>	RI, LF, FW		U

Motmots **Momotidae**

348 Blue-crowned Motmot <i>Momotus momota</i>	LF		F
--	----	--	---

Jacamars **Galbulidae**

349 Brown Jacamar <i>Brachygalba lugubris</i>	RI, SC		CL
350 Yellow-billed Jacamar <i>Galbulia albirostris</i>	LF	AMN	F
351 Rufous-tailed Jacamar <i>Galbulia ruficauda</i>	LF, SC		UL
352 Green-tailed Jacamar <i>Galbulia galbula</i>	LF, SC		F
353 Bronzy Jacamar <i>Galbulia leucogastra</i>	SC, LF		F
354 Paradise Jacamar <i>Galbulia dea</i>	LF, RI		F
355 Great Jacamar <i>Jacamerops aureus</i>	LF		U

Puffbirds **Bucconidae**

356 Guianan Puffbird <i>Notharchus macrorhynchos</i>	LF	GUI	U
357 Pied Puffbird <i>Notharchus tectus</i>	LF		U
358 Spotted Puffbird <i>Bucco tamatia</i>	SC, LF		F
359 Collared Puffbird <i>Bucco capensis</i>	LF		F
360 White-chested Puffbird <i>Malacoptila fusca</i>	LF		U
361 Rusty-breasted Nunlet <i>Nonnula rubecula</i>	LF		U
362 Black Nunbird <i>Monasa atra</i>	LF	AMN	C
363 Swallow-winged Puffbird <i>Chelidoptera tenebrosa</i>	RI, SC, LF		C

New World Barbets **Capitonidae**

364 Black-spotted Barbet <i>Capito niger</i>	LF, MF		U
---	--------	--	---

Toucans **Ramphastidae**

365 Toco Toucan <i>Ramphastos toco</i>	SV, RI		UL
366 White-throated Toucan <i>Ramphastos tucanus</i>	LF		C
367 Channel-billed Toucan <i>Ramphastos vitellinus</i>	LF		C
368 Chestnut-tipped Toucanet <i>Aulacorhynchus derbianus</i>	MF		U
369 Guianan Toucanet <i>Selenidera culik</i>	LF	GUI	F
370 Tawny-tufted Toucanet <i>Selenidera nattereri</i> *	LF		S
371 Green Aracari <i>Pteroglossus viridis</i>	LF	GUI	F
372 Black-necked Aracari <i>Pteroglossus aracari</i>	LF		F

Woodpeckers **Picidae**

373 Golden-spangled Piculet <i>Picumnus exilis</i>	LF		F
374 White-bellied Piculet <i>Picumnus spilogaster</i>	MN, RI, HU		F
375 White-barred Piculet <i>Picumnus cirratus</i>	SC		F
376 [White Woodpecker <i>Melanerpes candidus</i>]	HU		S
377 Yellow-tufted Woodpecker <i>Melanerpes cruentatus</i>	LF, HU		F
378 Red-crowned Woodpecker <i>Melanerpes rubricapillus</i>	LF, MN		?

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
379 Little Woodpecker <i>Veniliornis passerinus</i>	RI, SC		F
380 Blood-colored Woodpecker <i>Veniliornis sanguineus</i>	LF, MN, HU	GUI	F
381 Red-rumped Woodpecker <i>Veniliornis kirkii</i>	MF		U
382 Golden-collared Woodpecker <i>Veniliornis cassini</i>	LF	GUI	F
383 Yellow-throated Woodpecker <i>Piculus flavigula</i>	LF		F
384 Golden-green Woodpecker <i>Piculus chrysochloros</i>	LF		U
385 Golden-olive Woodpecker <i>Piculus rubiginosus</i>	MF, LF		F
386 Spot-breasted Woodpecker <i>Colaptes punctigula</i>	RI, MN, SC		F
387 Waved Woodpecker <i>Celeus undatus</i>	LF		F
388 Chestnut Woodpecker <i>Celeus elegans</i>	LF		F
389 Cream-colored Woodpecker <i>Celeus flavus</i>	LF		F
390 Ringed Woodpecker <i>Celeus torquatus</i>	LF		U
391 Lineated Woodpecker <i>Dryocopus lineatus</i>	LF, SC, HU		F
392 Red-necked Woodpecker <i>Campetherus rubricollis</i>	LF, MF		F
393 Crimson-crested Woodpecker <i>Campetherus melanoleucus</i>	LF, HU		F

Ovenbirds

Furnariidae

394 Pale-legged Hornero <i>Furnarius leucopus</i>	RI, SC		F
395 Pale-breasted Spinetail <i>Synallaxis albescens</i>	SV, HU, SC		F
396 Ruddy Spinetail <i>Synallaxis rutilans</i>	LF		U
397 McConnell's Spinetail <i>Synallaxis macconnelli</i>	LF, MF	GUI	SL
398 Plain-crowned Spinetail <i>Synallaxis gujanensis</i>	SC, HU		F
399 Hoary-throated Spinetail <i>Synallaxis kollari</i>	RI, SC	GUI	FL
400 Rusty-backed Spinetail <i>Cranioleuca vulpina</i> *	RI, SC		?
401 Tepui Spinetail <i>Cranioleuca demissa</i>	MF	TEP	F
402 Yellow-chinned Spinetail <i>Certhiaxis cinnamomeus</i>	FW, SC		C
403 Roraiman Barbtail <i>Roraimia adusta</i>	MF	TEP	F
404 Point-tailed Palmcreeper <i>Berlepschia rikeri</i>	PA		F
405 Rufous-tailed Foliage-gleaner <i>Philydor ruficaudatum</i>	LF, MF		U
406 Rufous-rumped Foliage-gleaner <i>Philydor erythrocercum</i>	LF, MF		F
407 Cinnamon-rumped Foliage-gleaner <i>Philydor pyrrhodes</i>	LF		U
408 Buff-throated Foliage-gleaner <i>Automolus ochrolaemus</i>	LF		F
409 Olive-backed Foliage-gleaner <i>Automolus infuscatus</i>	LF		F
410 White-throated Foliage-gleaner <i>Automolus roraimae</i>	MF	TEP	U
411 Ruddy Foliage-gleaner <i>Automolus rubiginosus</i>	MF, LF		U
412 Chestnut-crowned Foliage-gleaner <i>Automolus rufigularis</i>	RI, LF		F
413 Tawny-throated Leaftosser <i>Sclerurus mexicanus</i>	LF, MF		U
414 Short-billed Leaftosser <i>Sclerurus rufigularis</i>	LF		U
415 Black-tailed Leaftosser <i>Sclerurus caudacutus</i>	LF, MF		U
416 Sharp-tailed Streamcreeper <i>Lochmias nematura</i>	MF, RI		UL
417 Rufous-tailed Xenops <i>Xenops milleri</i>	LF		S

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
418 Slender-billed Xenops <i>Xenops tenuirostris</i>	LF		S
419 Plain Xenops <i>Xenops minutus</i>	LF		F
420 Plain-brown Woodcreeper <i>Dendrocincla fuliginosa</i>	LF		F
421 White-chinned Woodcreeper <i>Dendrocincla merula</i>	LF		U
422 Long-tailed Woodcreeper <i>Deconychura longicauda</i>	LF		U
423 Spot-throated Woodcreeper <i>Deconychura stictolaema</i>	LF		U
424 Olivaceous Woodcreeper <i>Sittasomus griseicapillus</i>	LF, SC		UL
425 Wedge-billed Woodcreeper <i>Glyphorynchus spirurus</i>	LF, MF		F
426 Cinnamon-throated Woodcreeper <i>Dendrexetastes rufigula</i>	RI, LF		UL
427 Red-billed Woodcreeper <i>Hylexetastes perrotii</i>	LF		U
428 Strong-billed Woodcreeper <i>Xiphocolaptes promeropirhynchus</i>	LF, MF		U
429 Amazonian Barred-Woodcreeper <i>Dendrocolaptes certhia</i>	LF		F
430 Black-banded Woodcreeper <i>Dendrocolaptes picumnus</i>	LF, MF		U
431 Straight-billed Woodcreeper <i>Xiphorhynchus picus</i>	MN, RI, SC		F
432 Striped Woodcreeper <i>Xiphorhynchus obsoletus</i>	LF, RI		F
433 Chestnut-rumped Woodcreeper <i>Xiphorhynchus pardalotus</i>	LF, MF		F
434 Buff-throated Woodcreeper <i>Xiphorhynchus guttatus</i>	LF		F
435 Streak-headed Woodcreeper <i>Lepidocolaptes souleyetii</i>	RI, SC		UL
436 Lineated Woodcreeper <i>Lepidocolaptes albolineatus</i>	LF		F
437 Curve-billed Scythebill <i>Campylorhamphus procurvoides</i>	LF		U

Typical Antbirds

Thamnophilidae

438	Fasciated Antshrike	<i>Cymbilaimus lineatus</i>	LF		F
439	Black-throated Antshrike	<i>Frederickena viridis</i>	LF	GUI	U
440	Great Antshrike	<i>Taraba major</i>	HU, SC		F
441	Black-crested Antshrike	<i>Sakesphorus canadensis</i>	SC, MN		F
442	Band-tailed Antshrike	<i>Sakesphorus melanothorax</i>	LF, RI	GUI	SL
443	Barred Antshrike	<i>Thamnophilus doliatus</i>	HU, SC		F
444	Mouse-colored Antshrike	<i>Thamnophilus murinus</i>	LF		F
445	Northern Slaty-Antshrike	<i>Thamnophilus punctatus</i>	LF, SC		F
446	Amazonian Antshrike	<i>Thamnophilus amazonicus</i>	LF, RI		F
447	Streaked-backed Antshrike	<i>Thamnophilus insignis</i>	MF, SC	TEP	U
448	Plain Antvireo	<i>Dysithamnus mentalis</i>	MF		U
449	Dusky-throated Antshrike <i>Thamnomanes ardesiacus</i>		LF		F
450	Cinereous Antshrike	<i>Thamnomanes caesius</i>	LF		F
451	Spot-winged Antshrike	<i>Pygiptila stellaris</i>	LF		U
452	Brown-bellied Antwren	<i>Myrmotherula gutturalis</i>	LF	GUI	F
453	Pygmy Antwren	<i>Myrmotherula brachyura</i>	LF, RI		F
454	Guianan Streaked-Antwren <i>Myrmotherula surinamensis</i>		RI, LF		F
455	Rufous-bellied Antwren	<i>Myrmotherula guttata</i>	LF	GUI	F
456	White-flanked Antwren	<i>Myrmotherula axillaris</i>	LF, SC		F
457	Long-winged Antwren	<i>Myrmotherula longipennis</i>	LF		F

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
458 Plain-winged Antwren <i>Myrmotherula behni</i>	MF		F
459 Gray Antwren <i>Myrmotherula menetriesii</i>	LF		F
460 Spot-tailed Antwren <i>Herpsilochmus sticturus</i>	LF	AMN	F
461 Todd's Antwren <i>Herpsilochmus stictocephalus</i>	LF	GUI	F
462 Roraiman Antwren <i>Herpsilochmus roraimae</i>	MF	TEP	F
463 Rufous-winged Antwren <i>Herpsilochmus rufimarginatus</i>	LF, MF		FL
464 Dot-winged Antwren <i>Microrhopias quixensis</i>	LF		U
465 White-fringed Antwren <i>Formicivora grisea</i>	SC, RI		F
466 Rufous-rumped Antwren <i>Terenura callinota</i>	MF		SL
467 Ash-winged Antwren <i>Terenura spodioptila</i>	LF		F
468 Gray Antbird <i>Cercomacra cinerascens</i>	LF		F
469 Dusky Antbird <i>Cercomacra tyrannina</i>	LF, SC, HU		F
470 Willis's Antbird <i>Cercomacra laeta</i>	SC		FL
471 Blackish Antbird <i>Cercomacra nigrescens</i>	RI, LF		UL
472 Rio Branco Antbird <i>Cercomacra carbonaria</i>	RI	GUI	UL
473 White-browed Antbird <i>Myrmoborus leucophrys</i>	LF, RI, HU		F
474 Warbling Antbird <i>Hypocnemis cantator</i>	LF		F
475 Black-chinned Antbird <i>Hypocnemoides melanopogon</i>	LF, RI		F
476 Silvered Antbird <i>Sclateria naevia</i>	RI, FW, LF		F
477 Black-headed Antbird <i>Percnostola rufifrons</i>	LF	AMN	F
478 Spot-winged Antbird <i>Schistocichla leucostigma</i>	LF, MF		F
479 Roraiman Antbird <i>Schistocichla saturata</i>	MF, RI	TEP	F
480 White-bellied Antbird <i>Myrmeciza longipes</i>	LF, SC		F
481 Ferruginous-backed Antbird <i>Myrmeciza ferruginea</i>	LF		F
482 Black-throated Antbird <i>Myrmeciza atrothorax</i>	LF, SC, HU		F
483 Wing-banded Antbird <i>Myrmornis torquata</i>	LF		U
484 White-plumed Antbird <i>Pithys albifrons</i>	LF		F
485 Rufous-throated Antbird <i>Gymnopithys rufigula</i>	LF	GUI	F
486 Spot-backed Antbird <i>Hylophylax naevius</i>	LF		F
487 Scale-backed Antbird <i>Hylophylax poecilinotus</i>	LF		F

Ground Antbirds

Formicariidae

488 Rufous-capped Antthrush <i>Formicarius colma</i>	LF		F
489 Black-faced Antthrush <i>Formicarius analis</i>	LF		F
490 Short-tailed Antthrush <i>Chamaezza campanisona</i>	MF		S
491 Variegated Antpitta <i>Grallaria varia</i>	LF, MF		U
492 Scaled Antpitta <i>Grallaria guatimalensis</i>	MF		F
493 Spotted Antpitta <i>Hylopezus macularius</i>	LF		U
494 Thrush-like Antpitta <i>Myrmothera campanisona</i>	LF		F
495 Tepui Antpitta <i>Myrmothera simplex</i>	MF	TEP	F
496 Slate-crowned Antpitta <i>Grallaricula nana</i>	MF		U

Gnateaters

Conopophagidae

497 Chestnut-belted Gnateater <i>Conopophaga aurita</i>	LF		S
---	----	--	---

Tyrant Flycatchers

Tyrannidae

498 Sooty-headed Tyrannulet <i>Phyllomyias griseiceps</i>	LF		UL
499 Yellow-crowned Tyrannulet <i>Tyrannulus elatus</i>	LF, SC		F
500 Forest Elaenia <i>Myiopagis gaimardi</i>	LF		F
501 Gray Elaenia <i>Myiopagis caniceps</i>	LF		SL

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
502 Yellow-crowned Elaenia <i>Myiopagis flavivertex</i>	RI, LF		F
503 Greenish Elaenia <i>Myiopagis viridicata</i>	SC		F
504 Yellow-bellied Elaenia <i>Elaenia flavogaster</i>	SC, HU		C
505 Small-billed Elaenia <i>Elaenia parvirostris</i>	SC, LF	AUS	U
506 Plain-crested Elaenia <i>Elaenia cristata</i>	SV, SC		F
507 Lesser Elaenia <i>Elaenia chiriquensis</i>	SV, SC		F
508 Rufous-crowned Elaenia <i>Elaenia ruficeps</i>	SC		U
509 Sierran Elaenia <i>Elaenia pallatangae</i>	MF		F
510 White-lored Tyrannulet <i>Ornithion inerme</i>	LF, RI, SC		F
511 Southern Beardless-Tyrannulet <i>Campstostoma obsoletum</i>	SC, LF		F
512 Mouse-colored Tyrannulet <i>Phaeomyias murina</i>	SC		F
513 Yellow Tyrannulet <i>Capsiempis flaveola</i>	LF, SC		SL
514 Bearded Tachuri <i>Polystictus pectoralis</i>	SV		U
515 Crested Doradito <i>Pseudocolopteryx sclateri</i>	FW	AUS?	?
516 Ringed Antpitta <i>Corythopis torquatus</i>	LF		U
517 Slender-footed Tyrannulet <i>Zimmerius gracilipes</i>	LF		F
518 Chapman's Bristle-Tyrant <i>Phylloscartes chapmani</i>	MF	TEP	F
519 Olive-green Tyrannulet <i>Phylloscartes virescens</i>	LF	GUI	S
520 Black-fronted Tyrannulet <i>Phylloscartes nigrifrons</i>	MF	TEP	U
521 Ochre-bellied Flycatcher <i>Mionectes oleagineus</i>	LF		F
522 McConnell's Flycatcher <i>Mionectes macconnelli</i>	LF, MF		F
523 Sepia-capped Flycatcher <i>Leptopogon amaurocephalus</i>	LF, MF		U
524 Northern Scrub-Flycatcher <i>Sublegatus arenarum</i>	MN, SC		F
525 Amazonian Scrub-Flycatcher <i>Sublegatus obscurior</i>	LF, SC		U
526 Southern Scrub-Flycatcher <i>Sublegatus modestus</i>	SV		F
527 Pale-tipped Tyrannulet <i>Inezia caudata</i>	SC, MN, RI		F
528 Short-tailed Pygmy-Tyrant <i>Myiornis ecaudatus</i>	LF		F
529 Double-banded Pygmy-Tyrant <i>Lophotriccus vitiosus</i>	LF		F
530 Helmeted Pygmy-Tyrant <i>Lophotriccus galeatus</i>	LF, MF		F
531 Pale-eyed Pygmy-Tyrant <i>Atalotriccus pilaris</i>	SC		F
532 Boat-billed Tody-Tyrant <i>Hemitriccus josephinae</i>	LF	GUI	SL
533 White-eyed Tody-Tyrant <i>Hemitriccus zosterops</i>	LF		F
534 Pearly-vented Tody-Tyrant <i>Hemitriccus margaritaceiventer</i>	SC		F
535 Ruddy Tody-Flycatcher <i>Poecilotriccus russatus</i>	MF, SC	TEP	U
536 Slate-headed Tody-Flycatcher <i>Poecilotriccus sylvia</i>	SC		F
537 Spotted Tody-Flycatcher <i>Todirostrum maculatum</i>	MN, SC, RI		C
538 Common Tody-Flycatcher <i>Todirostrum cinereum</i>	SC, HU		F
539 Painted Tody-Flycatcher <i>Todirostrum pictum</i>	LF	GUI	F
540 Olivaceous Flatbill <i>Rhynchocyclus olivaceus</i>	LF		U
541 Yellow-olive Flycatcher <i>Tolmomyias sulphurescens</i>	LF		F
542 Yellow-margined Flycatcher <i>Tolmomyias assimilis</i>	LF		F
543 Gray-crowned Flycatcher <i>Tolmomyias poliocephalus</i>	LF		F
544 Yellow-breasted Flycatcher <i>Tolmomyias flaviventris</i>	SC, MN		F
545 Cinnamon-crested Spadebill <i>Platyrinchus saturatus</i>	LF		U

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
546 White-throated Spadebill <i>Platyrinchus mystaceus</i>	MF		U
547 Golden-crowned Spadebill <i>Platyrinchus coronatus</i>	LF		U
548 White-crested Spadebill <i>Platyrinchus platyrhynchos</i>	LF		U
549 Royal Flycatcher <i>Onychorhynchus coronatus</i>	LF		U
550 Roraiman Flycatcher <i>Myiophobus roraimae</i>	MF, SC		F
551 Bran-colored Flycatcher <i>Myiophobus fasciatus</i>	SC		S
552 Sulphur-rumped Flycatcher <i>Myiobius barbatus</i>	LF		F
553 Ruddy-tailed Flycatcher <i>Terenotriccus erythrurus</i>	LF		F
554 Cinnamon Manakin-Tyrant <i>Neopipo cinnamomea</i>	LF		U
555 Cliff Flycatcher <i>Hirundinea ferruginea</i>	MF		UL
556 Euler's Flycatcher <i>Lathrotriccus euleri</i>	LF		UL
557 Fuscous Flycatcher <i>Cnemotriccus fuscatus</i>	LF, SC		U
558 Olive-sided Flycatcher <i>Contopus cooperi</i>	MF, LF	NEA	S
559 Smoke-colored Pewee <i>Contopus fumigatus</i>	MF		U
560 Tropical Pewee <i>Contopus cinereus</i>	LF		S
561 Blackish Pewee <i>Contopus nigrescens</i>	MF		FL
562 Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	SV, SC	AUS?	F
563 Amazonian Black-Tyrant <i>Knipolegus poecilocercus</i>	RI		UL
564 Rufous-tailed Tyrant <i>Knipolegus poecilurus</i>	MF, SC		UL
565 Drab Water-Tyrant <i>Ochthornis littoralis</i>	RI		CL
566 Pied Water-Tyrant <i>Fluvicola pica</i>	FW		F
567 White-headed Marsh-Tyrant <i>Arundinicola leucocephala</i>	FW		F
568 Long-tailed Tyrant <i>Colonia colonus</i>	LF, MF		F
569 Piratic Flycatcher <i>Legatus leucophaius</i>	LF, HU	AUS	F
570 Rusty-margined Flycatcher <i>Myiozetetes cayanensis</i>	HU, SC, RI		C
571 Dusky-chested Flycatcher <i>Myiozetetes luteiventris</i>	LF, RI		S
572 Great Kiskadee <i>Pitangus sulphuratus</i>	HU, SC, MN		C
573 Lesser Kiskadee <i>Philohydor lictor</i>	FW, RI		F
574 Yellow-throated Flycatcher <i>Conopias parvus</i>	LF	AMN	F
575 Streaked Flycatcher <i>Myiodynastes maculatus</i>	LF	AUS	U
576 Boat-billed Flycatcher <i>Megarynchus pitangua</i>	LF, RI		F
577 Sulphury Flycatcher <i>Tyannopsis sulphurea</i>	PA		F
578 Variegated Flycatcher <i>Empidonax varius</i>	LF, SC	AUS	F
579 Crowned Slaty Flycatcher <i>Empidonax aurantioatrocristatus</i>	SC, SV	AUS	S
580 White-throated Kingbird <i>Tyrannus albogularis</i>	SV, RI	AUS?	U
581 Tropical Kingbird <i>Tyrannus melancholicus</i>	SC, HU, SV	AUS	C
582 Fork-tailed Flycatcher <i>Tyrannus savana</i>	SV, HU, SC	AUS	C
583 Eastern Kingbird <i>Tyrannus tyrannus</i>	SC, HU, LF	NEA	S
584 Gray Kingbird <i>Tyrannus dominicensis</i>	HU, SC, MN	NEA	F
585 Grayish Mourner <i>Rhytipterna simplex</i>	LF		F
586 Pale-bellied Mourner <i>Rhytipterna immunda</i>	SC		SL
587 Sirystes <i>Sirystes sibilator</i>	LF		S
588 Dusky-capped Flycatcher <i>Myiarchus tuberculifer</i>	MF, LF		U
589 Swainson's Flycatcher <i>Myiarchus swainsoni</i>	LF, RI	AUS	U
590 Short-crested Flycatcher <i>Myiarchus ferox</i>	LF, SC		F

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
591 Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	SC, RI, MN		F
592 Large-headed Flatbill <i>Ramphotrigon megacephalum</i>	LF		S
593 Rufous-tailed Flatbill <i>Ramphotrigon ruficauda</i>	LF		U
594 Cinnamon Attila <i>Attila cinnamomeus</i>	LF, SC, RI		F
595 Bright-rumped Attila <i>Attila spadiceus</i>	LF, MF		U
Sharpbill		Oxyruncidae	
596 Sharpbill <i>Oxyruncus cristatus</i>	MF		U
Cotingas		Cotingidae	
597 Red-banded Fruiteater <i>Pipreola whitelyi</i>	MF	TEP	C
598 Guianan Cock-of-the-Rock <i>Rupicola rupicola</i>	MF, LF	AMN	F
599 Guianan Red-Cotinga <i>Phoenicircus carnifex</i>	LF		F
600 Purple-breasted Cotinga <i>Cotinga cotinga</i>	LF		U
601 Spangled Cotinga <i>Cotinga cayana</i>	LF		U
602 White Bellbird <i>Procnias albida</i>	MF, LF		U
603 Bearded Bellbird <i>Procnias averano</i>	MF		FL
604 Screaming Piha <i>Lipaagus vociferans</i>	LF		C
605 Rose-collared Piha <i>Lipaagus streptophorus</i>	MF	TEP	S
606 Pompadour Cotinga <i>Xipholena punicea</i>	LF		U
607 Bare-necked Fruitcrow <i>Gymnoderus foetidus</i>	RI, LF		U
608 Purple-throated Fruitcrow <i>Querula purpurata</i>	LF		F
609 Crimson Fruitcrow <i>Haematoderus militaris</i>	LF		S
610 Red-ruffed Fruitcrow <i>Pyroderus scutatus</i>	?		?
611 Capuchinbird <i>Perissocephalus tricolor</i>	LF	AMN	F
612 Amazonian Umbrellabird <i>Cephalopterus ornatus</i>	LF		S

Manakins		Pipridae	
613 Pale-bellied Tyrant-Manakin <i>Neopelma pallescens</i>	SC		U
614 Saffron-crested Tyrant-Manakin <i>Neopelma chrysocephalum</i>	SC, LF	AMN	F
615 Tiny Tyrant-Manakin <i>Tyranneutes virescens</i>	LF	GUI	F
616 White-throated Manakin <i>Corapipo gutturalis</i>	MF, LF	GUI	F
617 Striped Manakin <i>Machaeropterus regulus</i>	LF, MF		?
618 White-fronted Manakin <i>Lepidothrix serena</i>	LF, MF	GUI	F
619 Orange-bellied Manakin <i>Lepidothrix suavissima</i>	LF, MF	TEP	F
620 White-bearded Manakin <i>Manacus manacus</i>	RI, LF, SC		F
621 Blue-backed Manakin <i>Chiroxiphia pareola</i>	SC, LF		C
622 Olive Manakin <i>Xenopipo uniformis</i>	MF	TEP	S
623 Black Manakin <i>Xenopipo atronitens</i>	SC		F
624 White-crowned Manakin <i>Pipra pipra</i>	LF, MF		F
625 Crimson-hooded Manakin <i>Pipra aureola</i>	LF		U
626 Scarlet-horned Manakin <i>Pipra cornuta</i>	MF	TEP	F
627 Golden-headed Manakin <i>Pipra erythrocephala</i>	LF		F

INCERTAE SEDIS

628 Black-crowned Tityra <i>Tityra inquisitor</i>	LF		UL
629 Black-tailed Tityra <i>Tityra cayana</i>	LF		U
630 Thrush-like Schiffornis <i>Schiffornis turdina</i>	LF, MF		F
631 Cinereous Mourner <i>Laniocera hypopyrra</i>	LF		U
632 Dusky Purpletuft <i>Iodopleura fusca</i>	LF	GUI	U

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
633 White-naped Xenopsaris <i>Xenopsaris albinucha</i>	SV, SC		S
634 Green-backed Becard <i>Pachyramphus viridis</i> *	MF		?
635 Cinereous Becard <i>Pachyramphus rufus</i>	SC, LF		F
636 White-winged Becard <i>Pachyramphus polychropterus</i>	LF, SC		F
637 Black-capped Becard <i>Pachyramphus marginatus</i>	LF		F
638 Glossy-backed Becard <i>Pachyramphus surinamus</i>	LF		SL
639 Pink-throated Becard <i>Pachyramphus minor</i>	LF		F
640 Wing-barred Piprites <i>Piprites chloris</i>	LF		F

Vireos

Vireonidae

641 Rufous-browed Peppershrike <i>Clyclarhis gujanensis</i>	SC, RI, MF		F
642 Slaty-capped Shrike-Vireo <i>Vireolanius leucotis</i>	LF, MF		F
643 Red-eyed Vireo <i>Vireo olivaceus</i>	LF	NEA	F
644 Black-whiskered Vireo <i>Vireo altiloquus</i>	LF, MN	NEA	U
645 Lemon-chested Greenlet <i>Hylophilus thoracicus</i>	LF		F
646 Ashy-headed Greenlet <i>Hylophilus pectoralis</i>	SC, MN		C
647 Tepui Greenlet <i>Hylophilus sclateri</i>	MF	TEP	F
648 Buff-cheeked Greenlet <i>Hylophilus muscicapinus</i>	LF, MF		F
649 Tawny-crowned Greenlet <i>Hylophilus ochraceiceps</i>	LF		F

Jays

Corvidae

650 Violaceous Jay <i>Cyanocorax violaceus</i> *	LF		?L
651 Cayenne Jay <i>Cyanocorax cayanus</i>	LF	GUI	F

Swallows

Hirundinidae

652 Tree Swallow <i>Tachycineta bicolor</i> *	FW	NEA	?
653 White-winged Swallow <i>Tachycineta albiventer</i>	RI, FW		C
654 Brown-chested Martin <i>Progne tapera</i>	SV, SC, RI	AUS	F
655 Purple Martin <i>Progne subis</i>	SC, HU, RI	NEA	S
656 [Caribbean Martin <i>Progne dominicensis</i>] *	SC, HU	NEA	?
657 Gray-breasted Martin <i>Progne chalybea</i>	HU, SC		C
658 Blue-and-white Swallow <i>Pygochelidon cyanoleuca</i>	SC, HU	AUS	U
659 White-banded Swallow <i>Atticora fasciata</i>	RI		C
660 Black-collared Swallow <i>Atticora melanoleuca</i>	RI		FL
661 White-thighed Swallow <i>Neochelidon tibialis</i>	MF, LF		UL
662 Tawny-headed Swallow <i>Alopochelidon fucata</i>	SV		F
663 Southern Rough-winged Swallow <i>Stelgidopteryx ruficollis</i>	FW, RI, SC		C
664 Bank Swallow <i>Riparia riparia</i>	SV, HU, FW	NEA	F
665 Barn Swallow <i>Hirundo rustica</i>	SV, HU, SC	NEA	C
666 [Cliff Swallow <i>Petrochelidon pyrrhonota</i>]	HU, FW	NEA	?

Wrens

Troglodytidae

667 Flutist Wren <i>Microcerculus ustulatus</i>	MF	TEP	F
668 Wing-banded Wren <i>Microcerculus bambla</i>	LF		U
669 House Wren <i>Troglodytes aedon</i>	SC, HU		C
670 Tepui Wren <i>Troglodytes rufulus</i>	MF	TEP	U
671 Sedge Wren <i>Cistothorus platensis</i>	SV		S
672 Bicolored Wren <i>Campylorhynchus griseus</i>	SC, PA		F

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
673 Coraya Wren <i>Thryothorus coraya</i>	LF		F
674 Buff-breasted Wren <i>Thryothorus leucotis</i>	LF, RI, SC		F
675 White-breasted Wood-Wren <i>Henicorhina leucosticta</i>	LF, MF		F
676 Musician Wren <i>Cyphorhinus arada</i>	LF		F

Gnatwrens, Gnatcatchers Polioptilidae

677	Collared Gnatwren	<i>Microbates collaris</i>	LF, MF	AMN	U
678	Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>	LF		F
679	Tropical Gnatcatcher	<i>Polioptila plumbea</i>	SC, LF		F
680	Guianan Gnatcatcher	<i>Polioptila guianensis</i>	LF		U

INCERTAE SEDIS

681	Black-capped Donacobius <i>Donacobius atricapillus</i>	FW	F
-----	--	----	---

Thrushes

Turdidae

Thrushes		Turdidae	
682	Veery <i>Catharus fuscescens</i>	LF	NEA
683	Gray-cheeked Thrush <i>Catharus minimus</i>	LF	NEA
684	Rufous-brown Solitaire <i>Cichlopsis leucogenys</i>	MF	U
685	Yellow-legged Thrush <i>Turdus flavipes</i>	MF	S
686	Pale-eyed Thrush <i>Turdus leucomelas</i>	MF	?
687	Black-hooded Thrush <i>Turdus olivater</i>	MF	F
688	Pale-breasted Thrush <i>Turdus leucomelas</i>	HU, SC	C
689	Black-billed Thrush <i>Turdus ignobilis</i>	LF, MF, SC	CL
690	Cocoa Thrush <i>Turdus fumigatus</i>	LF	F
691	Bare-eyed Robin <i>Turdus nudigenis</i>	SC, HU	F
692	White-necked Robin <i>Turdus albicollis</i>	LF, MF	F

Mockingbirds

Mimidae

693 Tropical Mockingbird <i>Mimus gilvus</i>	SC, HU		C
--	--------	--	---

Pipits

Motacillidae

694	Yellowish Pipit <i>Anthus lutescens</i>	SV, HU		F
-----	--	--------	--	---

Tanagers

Thraupidae

	695 Black-faced Tanager <i>Schistochlamys melanopis</i>	SV, SC, FW	U
696	Magpie Tanager <i>Cissopis leveriana</i>	LF, HU	UL
697	Red-billed Pied Tanager <i>Lamprospiza melanoleuca</i>	LF	U
698	Hooded Tanager <i>Nemosia pileata</i>	SC	F
699	Gray-headed Tanager <i>Eucometis penicillata</i>	LF	S
700	Flame-crested Tanager <i>Tachyphonus cristatus</i>	LF	F
701	Fulvous-crested Tanager <i>Tachyphonus surinamus</i>	LF	F
702	White-shouldered Tanager <i>Tachyphonus luctuosus</i>	LF	U
703	White-lined Tanager <i>Tachyphonus rufus</i>	SC, HU	F
704	Red-shouldered Tanager <i>Tachyphonus phoenicius</i>	SC, SV	F
705	Fulvous Shrike-Tanager <i>Lanius fulvus</i>	LF	AMN U
706	Silver-beaked Tanager <i>Ramphocelus carbo</i>	SC, HU	C
707	Blue-gray Tanager <i>Thraupis episcopus</i>	SC, HU	C
708	Palm Tanager <i>Thraupis palmarum</i>	SC, HU, PA	C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
709	Blue-backed Tanager <i>Cyanicterus cyanicterus</i>	LF	GUI	U
710	Turquoise Tanager <i>Tangara mexicana</i>	LF, HU		F
711	Paradise Tanager <i>Tangara chilensis</i>	LF, MF		F
712	Yellow-bellied Tanager <i>Tangara xanthogastra</i>	MF		F
713	Spotted Tanager <i>Tangara punctata</i>	LF, MF		F
714	Speckled Tanager <i>Tangara guttata</i>	MF		UL
715	Dotted Tanager <i>Tangara varia</i>	MF		S
716	Bay-headed Tanager <i>Tangara gyrolo</i>	MF, LF		F
717	Burnished-buff Tanager <i>Tangara cayana</i>	SC, SV, HU		C
718	Masked Tanager <i>Tangara nigrocincta</i> *	LF		?
719	Black-headed Tanager <i>Tangara cyanoptera</i>	MF, SC		F
720	Opal-rumped Tanager <i>Tangara velia</i>	LF		F
721	Swallow-Tanager <i>Tersina viridis</i>	LF, RI		F
722	Black-faced Dacnis <i>Dacnis lineata</i>	LF, MF		U
723	Blue Dacnis <i>Dacnis cayana</i>	LF, SC		C
724	Short-billed Honeycreeper <i>Cyanerpes nitidus</i>	LF		S
725	Purple Honeycreeper <i>Cyanerpes caeruleus</i>	LF, MF		F
726	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	LF		F
727	Green Honeycreeper <i>Chlorophanes spiza</i>	LF		C
728	Guira Tanager <i>Hemithraupis guira</i>	LF		F
729	Yellow-backed Tanager <i>Hemithraupis flavicollis</i>	LF		F
730	Chestnut-vented Conebill <i>Conirostrum speciosum</i>	SC, LF		F
731	Bicolored Conebill <i>Conirostrum bicolor</i>	MN		F
732	Greater Flowerpiercer <i>Diglossa major</i>	MF	TEP	F

INCERTAE SEDIS

733	Hepatic Tanager <i>Piranga flava</i>	SV, SC, MF		U
734	Summer Tanager <i>Piranga rubra</i>	LF, MF	NEA	S
735	[Scarlet Tanager <i>Piranga olivacea</i>] *	LF	NEA	S
736	White-winged Tanager <i>Piranga leucoptera</i>	MF, SC		S
737	Olive-backed Tanager <i>Mitrospingus oleagineus</i>	MF	TEP	F
738	Bananaquit <i>Coereba flaveola</i>	LF, SC, HU		C
739	Sooty Grassquit <i>Tiaris fuliginosus</i>	MF, SC		?

Emberizine Finches

Emberizidae

740	Rufous-collared Sparrow <i>Zonotrichia capensis</i>	SC, HU		FL
741	Grassland Sparrow <i>Ammodramus humeralis</i>	SV, HU		C
742	Stripe-tailed Yellow-Finch <i>Sicalis citrina</i>	SV, HU		UL
743	Saffron Finch <i>Sicalis flaveola</i>	SC, HU		?
744	Grassland Yellow-Finch <i>Sicalis luteola</i>	SV, HU		F
745	Wedge-tailed Grass-Finch <i>Emberizoides herbicola</i>	SV, SC, FW		F
746	Blue-black Grassquit <i>Volatinia jacarina</i>	HU, FW, SC		C
747	Slate-colored Seedeater <i>Sporophila schistacea</i>	LF, RI		CL
748	Gray Seedeater <i>Sporophila intermedia</i>	SV, SC		F
749	Plumbeous Seedeater <i>Sporophila plumbea</i>	SV		F
750	Wing-barred Seedeater <i>Sporophila americana</i>	SC, HU		F
751	Lesson's Seedeater <i>Sporophila bouvronides</i>	SC		U
752	Lined Seedeater <i>Sporophila lineola</i>	SC	AUS	U
753	Yellow-bellied Seedeater <i>Sporophila nigricollis</i>	SC, HU		CL
754	Ruddy-breasted Seedeater <i>Sporophila minuta</i>	SC, FW, HU		C

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
755 Chestnut-bellied Seedeater <i>Sporophila castaneiventris</i>	SC, HU		F
756 Chestnut-bellied Seed-Finch <i>Oryzoborus angolensis</i>	SC, HU, LF		F
757 Large-billed Seed-Finch <i>Oryzoborus crassirostris</i>	FW, SC		U
758 Great-billed Seed-Finch <i>Oryzoborus maximiliani</i>	FW, SC		?
759 White-naped Seedeater <i>Dolospingus fringilloides</i>	SC, SV	AMN	FL
760 [Paramo Seedeater <i>Catameria homochroa]</i>	SV, SC		CL
761 Pectoral Sparrow <i>Arremon taciturnus</i>	LF		F
762 Tepui Brush-Finch <i>Atlapetes personatus</i>	MF, SC	TEP	U
763 Red-crested Finch <i>Coryphospingus cucullatus</i> *	SC		?
764 Red-capped Cardinal <i>Paroaria gularis</i>	RI, SC		C

Grosbeaks, Saltators

Cardinalidae

765 Yellow-green Grosbeak <i>Caryothraustes canadensis</i>	LF		F
766 Red-and-black Grosbeak <i>Periporphyrus erythromelas</i>	LF		U
767 Slate-colored Grosbeak <i>Saltator grossus</i>	LF		F
768 Buff-throated Saltator <i>Saltator maximus</i>	SC, LF		F
769 Grayish Saltator <i>Saltator coerulescens</i>	SC, HU		F
770 Blue-black Grosbeak <i>Cyanocompsa cyanoides</i>	LF		F
771 Dickcissel <i>Spiza americana</i>	HU, SV	NEA	?

Wood Warblers

Parulidae

772 Tropical Parula <i>Parula pitiayumi</i>	MF, LF		U
773 Yellow Warbler <i>Dendroica petechia</i>	MN, SC, HU	NEA	F
774 Blackpoll Warbler <i>Dendroica striata</i>	LF	NEA	U
775 [Bay-breasted Warbler <i>Dendroica castanea]</i>	LF	NEA	S
776 [Blackburnian Warbler <i>Dendroica fusca]</i>	MF	NEA	S
777 American Redstart <i>Setophaga ruticilla</i>	LF, MF, MN	NEA	U
778 Prothonotary Warbler <i>Protonotaria citrea</i>	MN	NEA	S
779 Northern Waterthrush <i>Seiurus noveboracensis</i>	MN	NEA	C
780 Masked Yellowthroat <i>Geothlypis aequinoctialis</i>	FW, SC		F
781 Slate-throated Redstart <i>Myioborus miniatus</i>	MF		F
782 Tepui Redstart <i>Myioborus castaneocapillus</i>	MF, SC	TEP	F
783 Two-banded Warbler <i>Basileuterus bivittatus</i>	MF, SC		F
784 Golden-crowned Warbler <i>Basileuterus culicivorus</i>	MF, LF		UL
785 Flavescent Warbler <i>Basileuterus flaveolus</i>	SC		FL
786 Riverbank Warbler <i>Phaeothlypis rivularis</i>	LF, RI		F

INCERTAE SEDIS

787 Rose-breasted Chat <i>Granatellus pelzelni</i>	LF		U
---	----	--	---

New World Blackbirds

Icteridae


788 Green Oropendola <i>Psarocolius viridis</i>	LF, MF		C
789 Crested Oropendola <i>Psarocolius decumanus</i>	LF		C
790 Yellow-rumped Cacique <i>Cacicus cela</i>	RI, LF, HU		C
791 Red-rumped Cacique <i>Cacicus haemorrhouss</i>	LF		C
792 Troupial <i>Icterus icterus</i>	SC, SV		F
793 Epaulet Oriole <i>Icterus cayanensis</i>	SC, PA, HU		F
794 Yellow Oriole <i>Icterus nigrogularis</i>	SC, HU, MN		F

 ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
795 Golden-tufted Grackle <i>Macroagelaius imthurni</i>	MF	TEP	F
796 Velvet-fronted Grackle <i>Lampropsar tanagrinus</i>	LF, MN		U
797 Yellow-hooded Blackbird <i>Chrysomus icterocephalus</i>	FW		C
798 Giant Cowbird <i>Molothrus oryzivorus</i>	LF, SC, HU		C
799 Shiny Cowbird <i>Molothrus bonariensis</i>	SC, HU		C
800 Carib Grackle <i>Quiscalus lugubris</i>	SC, HU, MN		C
801 Red-breasted Blackbird <i>Sturnella militaris</i>	HU, FW, SV		C
802 Eastern Meadowlark <i>Sturnella magna</i>	SV, HU		C
803 Bobolink <i>Dolichonyx oryzivorus</i>	HU, FW, SV	NEA	S
Cardueline Finches		Fringillidae	
804 Red Siskin <i>Carduelis cucullata</i>	SC, SV		CL
805 Hooded Siskin <i>Carduelis magellanica</i>	SC, SV	GUI	SL
806 Plumbeous Euphonia <i>Euphonia plumbea</i>	LF, SC, MF		U
807 Purple-throated Euphonia <i>Euphonia chlorotica</i>	LF, MF		U
808 Finsch's Euphonia <i>Euphonia finschi</i>	LF, SC	GUI	F
809 Violaceous Euphonia <i>Euphonia violacea</i>	LF, HU		F
810 Golden-bellied Euphonia <i>Euphonia chrysopasta</i>	LF, RI		F
811 White-vented Euphonia <i>Euphonia minuta</i>	LF		F
812 Orange-bellied Euphonia <i>Euphonia xanthogaster</i>	MF, LF		F
813 Golden-sided Euphonia <i>Euphonia cayennensis</i>	LF		F
814 Blue-naped Chlorophonia <i>Chlorophonia cyanea</i>	MF		U

NOTES

NOTES

NOTES



If found, return to:
