

PLANT DIVERSITY OF THE IWOKRAMA FOREST, GUYANA

H.D. CLARKE, V.A. FUNK AND T. HOLLOWELL

*Using Checklists and
Collecting Data to
Investigate Plant Diversity. I:
A Comparative Checklist of
the Plant Diversity of the
Iwokrama Forest, Guyana*



PLANT DIVERSITY OF THE IWOKRAMA FOREST, GUYANA

H.D. CLARKE, V.A. FUNK AND T. HOLLOWELL



*Using checklists and collections data to investigate
plant diversity. I: A comparative checklist of the*
**PLANT DIVERSITY OF THE
IWOKRAMA FOREST, GUYANA**

H.D. CLARKE, V.A. FUNK AND T. HOLLOWELL



ISSN 0833-1475
ISBN 1-889878-07-3

SIDA, BOTANICAL MISCELLANY NO. 21
FOUNDED BY
WM. F. MAHLER AND BARNEY L. LIPSCOMB, 1987
EDITOR: BARNEY L. LIPSCOMB
BOTANICAL RESEARCH INSTITUTE OF TEXAS
509 PECAN STREET
FORT WORTH, TEXAS 76102-4060 USA
CONTRIBUTING SPANISH EDITOR: FÉLIX LLAMAS
DPT. BIOLOGÍA VEGETAL, UNIVERSIDAD DE LEÓN
CAMPUS DE VEGAZANA S/N, 24071 LEÓN, SPAIN
COVER DESIGN: LINNY HEAGY

*Using Checklists and Collections Data to Investigate Plant Diversity. I:
A Comparative Checklist of the Plant Diversity of the Iwokrama Forest, Guyana*

COVER PHOTOGRAPHS: THE HIGHEST PEAK IN THE IWOKRAMA MOUNTAINS (UNNAMED), ELEVATION 1000 METERS
INSET PHOTOGRAPH: CATTLEYA VIOLacea (KUNTH) POLFE

Plant Diversity of the Iwokrama Forest, Guyana
IS PUBLISHED WITH THE SUPPORT OF:
BOTANICAL RESEARCH INSTITUTE OF TEXAS
AND NATIONAL MUSEUM OF NATURAL HISTORY

DISTRIBUTION OF COPIES BY:
BOTANICAL RESEARCH INSTITUTE OF TEXAS
509 PECAN STREET
FORT WORTH, TEXAS 76102-4060
TELEPHONE: 1 817 332-4441
FAX: 1 817 332-4112
WWW.BRT.ORG/SIDA
EMAIL: SIDA@BRT.ORG



B R I T

SIDA, BOTANICAL MISCELLANY, NO. 21
15 MAY 2001
© COPYRIGHT 2001 BY
BOTANICAL RESEARCH INSTITUTE OF TEXAS
PRINTED IN THE UNITED STATES OF AMERICA

TABLE OF CONTENTS

ABSTRACT / RESUMEN / INTRODUCTION / THE IWOKRAMA FOREST	1
PLANT COLLECTING	4
EXPEDITIONS	6
RESULTS	12
ECOLOGY AND HABITATS	
<i>Regional Context / Mora Forest / Forests Along the Lower Essequibo</i>	15
<i>Forests Along the Upper Essequibo / Iwokrama Mountains</i>	16
<i>Forests North of the Kurupukari–Annai Road</i>	17
<i>Pakutau Hills, Turtle Mountain, and Sandstone / Conclusion</i>	18
ACKNOWLEDGMENTS / REFERENCES	19
APPENDIX 1	
<i>Checklist of Plant Species from Iwokrama and Four Other Sites in Northeast South America</i>	20
APPENDIX 2	
<i>Iwokrama Plant Collections</i>	61
APPENDIX 3	
<i>List of Ranks of Species Richness by Family for Iwokrama, Four Other Sites in NES America, and the Guianas Overall</i>	79
APPENDIX 4	
<i>Specialists Contributing Determinations of Iwokrama Specimens</i>	84



Top photo / Daniel Allicock collecting plants in the Gorge in the Iwokrama Mountains.

Bottom photo / *Victoria amazonica* (Poepp.) Sowerby

USING CHECKLISTS AND COLLECTIONS DATA TO INVESTIGATE PLANT DIVERSITY. I: A COMPARATIVE CHECKLIST OF THE PLANT DIVERSITY OF THE IWOKRAMA FOREST, GUYANA

H.D. CLARKE

Department of Biology
University of North Carolina at Asheville
Asheville, NC 28804, U.S.A.

V.A. FUNK and T. HOLLOWELL

Biological Diversity of the Guianas Program
Department of Botany MRC 166
National Museum of Natural History
Smithsonian Institution
Washington, DC 20560, U.S.A.

ABSTRACT

Results are presented from a floristic inventory of the 360,000-hectare Iwokrama Forest (formally, The Iwokrama International Centre for Rain Forest Conservation and Development) in central Guyana. The collecting efforts, which resulted in 3887 collections, are described as are the ecology and habitats of the study site. Descriptive data extracted from the results are presented regarding patterns of diversity of the 147 families, 579 genera, and 1251 species that constitute the known flora of the Iwokrama Forest in comparison to four other floras of areas of restricted size (10,000–240,000 hectares) in the Guianas and northeastern Brazil. The actual number of species in the flora is estimated to be perhaps 50% greater than the known flora based on comparisons to the other floras in the region and the fact that almost half of the species are known from only single collections. The combined checklist of 4659 species is presented as an appendix.

RESUMEN

Se presentan los resultados de un inventario florístico del Iwokrama Forest de 360.000 Ha (previamente, The Iwokrama International Centre for Rain Forest Conservation and Development) en la Guyana central. Se describen los esfuerzos en el muestreo, que dieron como resultado 3887 muestras, así como la ecología y hábitats del lugar de estudio. Los datos descriptivos extraídos de los resultados se presentan siguiendo los patrones de diversidad en 147 familias, 579 géneros, y 1251 especies que constituyen la flora conocida del Iwokrama Forest en comparación con otras cuatro floras de áreas de pequeño tamaño (10,000–240,000 Ha) en las Guyanas y noreste de Brasil. El número actual de especies en la flora se estima que sea quizás un 50% mayor que la conocida, basándose en comparaciones con otras floras de la región y en el hecho que casi la mitad de las especies se conocen sólo de una colección. El catálogo combinado de 4659 especies se presenta como un apéndice.

INTRODUCTION

Intensive plant collecting by the Smithsonian Institution as part of the inventory of the biological diversity of the Iwokrama Forest in central Guyana affords an opportunity to present floristic data for a diverse, low-elevation rainforest in a very poorly known area. Under the “Basic Rainforest Science” objective of the Iwokrama Site Resource Survey (Hawkes & Wall 1993) the Smithsonian Institution’s Biological Diversity of the Guianas Program was contracted to do a floristic inventory of the 360,000 hectare Iwokrama Forest (formally, the Iwokrama International Centre for Rain Forest Conservation and Development). The present work constitutes a summary of the floristic inventory; the inclusion of associated data from Iwokrama itself as well as comparative data from four other similar floristic inventories in nearby areas of northeastern South America helps to place the study in a more meaningful context. A combined checklist of all five florulas will prove useful for those working with the plant diversity of the Guiana Shield and adjacent Amazonia. A quantitative analysis of the descriptive floristic analysis is presented as a separate paper (Clarke & Funk, submitted).

THE IWOKRAMA FOREST

The Forest is located in central Guyana within administrative Region No. 8 (Potaro-Siparuni; Fig. 1). It lies to the north and east of the Annai Amerindian District with the village of Surama lying immediately southwest of the boundary and is centered around 4° 30'N, 58° 50'W. The exact boundaries are set out in the Iwokrama Rain Forest Programme Synopsis (Guyana Inter-Agency Committee 1992). It is bordered on the northeast by the Essequibo River, on the northwest




FIG. 1. General location and geographic features of the Iwokrama Forest.

by the Siparuni River, on the west by the Sipariparu River and the Burro Burro River, and on the south by the southern border of the Iwokrama Mountains, more or less the Kaiparu River and Ladysmith Creek.

Guyana as a whole has a tropical climate characterized by a relatively high mean annual temperature exceeding 25° C at sea level; a diurnal range of temperature exceeding the annual range; and an annual temperature range of less than 5° C. Guyana has two rainy seasons that correspond to the passage of the intertropical convergence zone as it moves north between May and August and south in December–January. The heaviest rains begin in May and cause extensive flooding of the rivers and areas where slopes are insufficient to provide adequate drainage. The December–January rains are shorter, less intense, and do not penetrate as far inland from the Atlantic Ocean, so that in southern Guyana the passage of the intertropical convergence zone at this time of year brings only a slight increase in the frequency of convection storms that also occur throughout the dry season. These isolated storms do occur, however, with sufficient frequency to maintain closed canopy evergreen tropical moist forest throughout most of southern Guyana. In the north, the dry seasons are also ameliorated by periodic storms and this, combined with the occurrence of two rainy seasons, also maintains evergreen tropical moist forest. Climatic data are for the most part lacking, but most of the country, Iwokrama included, probably receives between two and three meters annual precipitation. Data from the Mabura Hill area immediately north and east of Iwokrama indicate an annual rainfall of 2700 mm (Khan et al. 1980; ter Steege et al. 1996).

The Rupununi Savanna, which borders Iwokrama on the southwest, has formed primarily as a result of edaphic, rather than climatic factors. This region has highly weathered white sands overlying a clay hard pan that is recalcitrant to penetration by tree roots and access to ground water in the dry season and promotes extensive flooding in the May–August rainy season. Fragmentary meteorological data from Annai (Hawkes & Wall 1993) do indicate less precipitation there than Kurupukari, probably due to higher albedo in the savanna which disrupts convection storms and results in slightly less precipitation in savanna proper, particularly in the dry season. This is probably a very local phenomenon, however, as evidenced by the very sharp savanna-forest ecotone so probably only areas of the forest very near the ecotone experience diminished rainfall. Thus, although annual precipitation in the Rupununi is still more than adequate to support the growth of tropical moist forest, forest only occurs in upland areas on granitic or lateritic substrates; along rivers as gallery forest in alluvial sands; and in so-called “bush islands” where the clay pan has been penetrated, allowing for adequate drainage and access to soil moisture and the development of forest (Eden 1964, 1973; Frost 1968; Rutherford & Hills 1979; Sinha 1968). So, despite the lack of climatic data, there is little reason to expect there to be any significant moisture or other climatic gradients within Iwokrama. Where this might be suspected, such as in the *Huniria/Pagamea* scrub forest along the Kurupukari–Annai road in the southwestern part of the Forest, one should instead look for factors related to substrate and drainage as determining the vegetation type.

The prevailing winds are northeasterly and originate from the Atlantic Coast. Within the Forest, the slopes of the mountains which face the incoming trade winds may be expected to have increased rainfall due to orographic precipitation, although, since the Iwokrama Mountains are isolated and no more than 1000 m in elevation, probably neither orographic precipitation nor a rainshadow on the lee side of the mountains are pronounced effects. Collection of more data from the Iwokrama Mountains will be necessary to document more thoroughly how it differs climatically from adjacent lowland areas.

Forest types can be difficult to define on the ground because forests do not occur as the discrete entities seen on vegetation maps. The small-scale habitat heterogeneity (e.g.: *Euterpe* palm swamp) that is invariably found within a forest area frustrates simple definitions over large areas. Davis and Richards (1933, 1934) identified five intergrading types in their classic tropical ecology paper on central Guyana’s lowland rainforests: 1) Mora (*Mora exalsa* Benth.); 2) Morabukea (*Mora gonggrijpii* Sandw.), 3) Mixed (no dominance), 4) Greenheart (*Chlorocardium rodiei* [Schomb.] Rohwer et al.) and 5) Wallaba (*Eperua falata* Aublet). Mixed rain forest (sensu

Davis and Richards) exists in moderate drainage conditions, with a similar set of species in changing ratios of dominance. All of the forest types recognized by Davis and Richards occur within the Forest. Other authors (ter Steege et al. 1993; Ek 1997) considered soil drainage the most important factor in classifying the lowland forest habitats at Mabura Hill, north of the Iwokrama Forest. Huber et al. (1995), in a vegetation map of Guyana, represent the Iwokrama area as having mainly lowland, evergreen mixed forest and wallaba forest and a small area of premontane forest in the Iwokrama Mountains. The work to describe and map vegetation in diverse and complex tropical plant communities is one of successive approximation; none of the above systems will be found to be completely adequate for the Iwokrama Forest, but given the checklist presented here and consideration of soil and drainage a useful delineation of the forest types is possible following further surveys. Discussions of forest types and plant communities for the parts of the forest that were sampled in plant collecting are presented below in the section on the ecology and habitats of the forest and in the individual expedition reports.

PLANT COLLECTING

This report is based on the 3887 collections made in the Iwokrama Forest during the 18 expeditions undertaken by taxonomists associated with the Smithsonian Institution (Fig. 2). The very few historical collections that exist from this area (Ek 1990) were not used because of the poor quality of their locality and other associated data. Since the quality of this product is directly dependent on how these collections are made and identified, a discussion of these methods is appropriate. Tropical plant diversity is such that determination of a plant's identity to the species level is usually only possible following detailed examination of fertile specimens. Identification of sterile material from Iwokrama will be facilitated, however, by reference to the checklist presented here in conjunction with other key references including field guides such as Gentry (1993) which emphasizes vegetative characters, and floristic references such as Boggan et al. (1997), the Flora of the Guianas series (published by Kluwer) and the Flora of the Venezuelan Guayana (published by Timber Press) along with well determined reference collections. Collections for this study were made with the goal of collecting as many of the taxa that occur within the forest as possible, concentrating on the non-weedy species which comprise the vast majority of the diversity of the flora of the Iwokrama Forest.

Factors that affect how thoroughly plants are collected include the methods for sampling of plants of diverse habits and phenology and the sampling of different areas and habitats. Tropical forests differ from temperate forests by having an increased number of plant habit types: In addition to the canopy tree, understory tree and shrub, and herbaceous elements found in temperate forests, tropical forests also have lianas, epiphytes, midstory trees, and canopy emergents. Plant collecting that does not aggressively pursue all of these elements will not accurately reflect the plant diversity of the study area. Collecting of plants of diverse habit types was pursued by using tree climbing spikes and extendible aluminum pole clippers to reach and collect in the canopy. Climbing is particularly important because the tree, epiphyte, and liana forest of Iwokrama is both very diverse and very poorly known. Sampling of different areas and habitat types was carried out by identifying and collecting in as many different areas of the forest and habitats as possible. Unfortunately, neither identifying the different habitats of Iwokrama nor gaining access to them is trivial. Habitats in Iwokrama have been identified as either a set of landsystems (Hawkes & Wall 1993) or in reference to Davis and Richards (1933, 1934) forest types. Although the landsystems of Hawkes and Wall (1993) maintains a useful distinction between forests on granitic- or doleritic-derived soils, application of Davis' and Richards' system allows for a finer scale characterization of the habitats of Iwokrama. Although surveys on the ground in the forest are still inadequate to accurately map the soils and associated vegetation types of Iwokrama, broad scale patterns are apparent that allowed for targeting areas based on topography, drainage, and soils. Access to these areas is gained through the rivers, the Kurupukari–Annai road, and the limited number of transects that have been cut. The transects are particularly important for allowing sampling away from riparian and ruderal roadside habitats and for

All Plant Collections




FIG. 2. Summary of all collections from the Iwokrama Forest.

allowing access to the mountainous areas of the Forest. Collecting was carried out on all of the transects in the forest and additional transects were cut in a number of instances. Transects of lengths from 3–10 kilometers were sampled at different times of the year with the expectation that varying phenologies would allow for sampling of additional fertile taxa.

Because northern South America has the highest plant diversity in the world, even skilled field botanists working in the neotropics generally have an apprehension of this diversity only at the generic level. However, determining local species diversity is possible with knowledge of the genera because species may usually be distinguished, though not determined, by visual inspection. Identification of the collections listed here was carried out by distributing duplicate

specimens to specialists. The Biological Diversity of the Guianas Program has cultivated a long-term relationship with specialists in the groups of plants that occur in Guyana to insure that specimens are determined as accurately as possible (Appendix 4). These specialists produce monographs, revisions, and treatments for floras of these plant groups. Smithsonian benefits by getting the most accurate determinations and the specialists benefit by getting good, well-documented specimens to use in their research. Collecting is an important component of the overall work to produce revisions, monographs, and flora treatments for the Guianas because the plants from the Guianas are in general poorly known and very under-represented in herbaria. Many species, for instance, are only known from the original type collection; this specimen may have inadequate documentation or may not display enough distinguishing features (flowers or fruit, e.g.) and certainly more collections may be needed to understand that plant's morphology, phenology, distribution, ecology, variation, and delimitation with respect to closely related species. There is a major impediment, however, being faced by organizations trying to carry out this type of work, which is the lack of trained systematists to participate in all phases of this work. In developed countries, this situation has been precipitated by the retiring of many botanists with specialized knowledge and experience in specimen-based systematics research and their replacement by systematists oriented towards molecular and phylogenetic research. Developing countries face an even more acute problem since they contain only 6% of the world's systematists yet have 80% of the world's species (Systematics Agenda 2000, 1994). Countries that are as rich in biodiversity as Guyana have never been successful in understanding this diversity by relying on workers in developed countries to carry out this work and this situation is not likely to improve given the trends in systematics research away from floristic and monographic research. Fortunately, however, even a modest investment in Guyana's human resource potential and infrastructure could accomplish a great deal in this area. In contrast to other fields in biology, specimen- and morphology-based plant systematics demands only modest resources including reference materials, dissecting microscopes, and a well-curated herbarium. With these resources and a group of trained botanists, much of the floristic and monographic work on the plants of Guyana now being carried out in North America and Europe could be very adequately done in Guyana.

Efforts to search for Guyanese counterparts to accompany the collectors into the field concentrated on the students and faculty of the University of Guyana. Nearly all of our work has been done with extensive assistance from Guyanese Amerindians in the interior. They have an intimate knowledge and great affinity for the forest. The collaboration with the Amerindians included training in methods of plant collecting, including methods of documentation and plant identification; training with maps, gps, and compasses; and introduction to ecological principles. The training provided is useful both for further work in field botany and for work in related fields including forestry, wildlife management, faunistics and ecology, and ecotourism. Training was provided to members of the Amerindian communities from areas adjoining Iwokrama (B. Allicock, D. Allicock, S. Allicock, C. Captain, M. Captain, M. George, B. James, and A. Rodrigues) as well as those from other parts of the country (R. Williams (Bartica) and Claudius Perry (Maruanawa)). A number of the people listed above as well as several other members of the Amerindian communities surrounding Iwokrama participated in the two Amerindian Parataxonomy Courses offered by the Centre for the Study of Biological Diversity (University of Guyana), in collaboration with the Smithsonian Institution.

EXPEDITIONS

A. Collector: Pedro Acevedo Rodríguez (US)

Date: 19 February–1 March 1990

General Location: Along new road and around Surama Village (Fig. 3).

Number Series: PA 3294–3457

Collected with: C. Feuillet (P), T. McDowell (US), S. Tiwari (BRG)

This was the first recent expedition made into the Iwokrama area. Part of the time was spent following the road crew from the Brazilian gold mining company Paranapanema as it built a road through southwest Guyana that eventually bisected the Iwokrama forest.




FIG. 3. Collecting expeditions 1990–1994.

B. Collector: Tim McDowell (US)

Date: 19 February–1 March 1990

General Location: Surama Village and along new road being built by Paranapanema (Fig. 3).

Number Series: TM 1884–2110

Collected with: P. Acevedo (US), C. Feuillet (P), S. Tiwari (BRG)

Assisted by: Sidney Allicock

Region around Surama. Collectors attempted to follow the road crew but found it very difficult because trees were being pushed down constantly and immediately pushed up to 40 meters to clear the roadway; the road advanced ca. 2 km per day. Trees were quickly broken and intermingled and duplicate specimens were difficult to obtain.

C. Collector: Tim McDowell (US)*Date:* 19–24 September 1990*General Location:* Along the Essequibo River and on islands near Kurupukari Village and along survey line for road (Fig. 3).*Number Series:* TM 3250–3393

McDowell spent only a few days collecting, mostly along the Essequibo River and on the islands near Kurupukari Village with one expedition through the forest along the survey line of the road.

D. Collector: Bruce Hoffman (US)*Date:* 16 April–5 May 1992*General Location:* Kurupukari area, the Siparuni River at Pakutau Falls, the lower slopes of the Iwokrama Mountains, the Surama Village area, and at various locations along the Kurupukari–Annai Road (Fig. 3).*Number Series:* BH 1265–1577*Collected with:* Toby Pennington (K) & G. Gharbaran (BRG)*Field Assistants:* C. Capellaro, D. Allicock, & T. Allicock

This three week botanical collecting expedition was in collaboration with an international team of consultants doing a multi-disciplinary inventory. The mission of the Commonwealth Project was to study the site and develop methods of sustainable natural resource use, with some of the land being set aside as “wilderness.” A variety of soil types and vegetation classes occur within the boundaries including basic doleritic, acidic granitic, white sand, brown sand, sedimentary, mora forest, wallaba forest, commercial quality mixed-forest, acidic bog, and scrub.

E. Collector: Patrice Mutchnick (US)*Date:* 27 November–14 December 1994*General Location:* Essequibo River, Pakutau hill transect, Siparuni River, Kurupukari Falls (Fig. 3).*Number Series:* PM 382–681*Collected with:* Vicki Funk (US)*Field Assistants:* Bertrand Allicock, Erol McBirney, Raymond Edwards, Clive Captain, and Rodrigues Antone

The majority of the collecting took place on the Siparuni River, a major tributary of the Essequibo River. The confluence is approximately 40 kilometers downstream (North) of the base camp at Kurupukari. Collecting was also done along several established transects and on the Essequibo directly north and south of the base camp.

F. Collector: Patrice Mutchnick (US)*Date:* 10 February–3 March 1995*General Location:* Pisham Pisham, Akromukro Falls, Ladysmith Creek, and Mount Daniel transects (Fig. 4).*Number Series:* PM 682–982*Field Assistants:* Bertrand Allicock and Daniel Allicock.

The majority of the collecting took place on the Essequibo River, upstream from Kurupukari base camp to the border of the Forest at Lady Smith Creek. Additionally, a separate expedition was made to one of the two parts of the Iwokrama Mountains surveyed in this work, Mt. Daniel, located about 18 kilometers southwest of the base camp.

G. Collector: David Clarke (US)*Date:* 17 September–9 October 1995*General Location:* Upper Essequibo, Burro Burro River, and transects along Kurupukari–Annai Road (Fig. 4).*Number Series:* 154–400*Assistants:* Daniel Allicock, Milner Captain, Clive Captain, and Baptist James

The work to be done on this expedition was to extend and compliment that done by previous collectors, viz. Bruce Hoffman, Toby Pennington, and Patrice Mutchnick. Collecting was concentrated along rivers and machete cut transect lines with the goal of sampling across a number of different ostensible land systems described in the Iwokrama Phase 1 report. It was also expected that the collecting that would be conducted would help to achieve a better understanding of these land systems and the vegetation they support. During the course of this expedition, Iwokrama personnel abandoned mapping of the Forest on the basis of these land systems in favor of a map delineating more detailed vegetation types based on maps produced by the Guyana Forest Department and Food and Agriculture Organization of the United Nations (1970).




FIG. 4. Collecting expeditions 1995.

H. Collector: David Clarke (US)

Date: 4 November–2 December 1995

General Location: Pakutau Hills along the Siparuni River, the Iwokrama Mountains, and a transect along the lower Burro Burro River (Fig. 4).

Number Series: DC 401–703

Collected with: Bruce Hoffman (US)

Assisted by: Daniel Allicock, Milner Captain, Baptist James, Antone Rodrigues, and Marcus George

Collecting on this expedition concentrated on areas not visited earlier by David Clarke viz., the Pakutau Hills along the Siparuni River, the Iwokrama Mountains, and a new transect along the Burro Burro River. A new vegetation map of the Forest was used to help direct collecting efforts and, in turn, it is hoped that the collection information could help to refine the map by providing information about previously unvisited areas. Throughout this expedition, Bruce Hoffman sampled 0.1 ha plots in an effort to assess alpha- and beta-levels of plant species diversity.

I. Collector: David Clarke (US)

Date: 14 March–6 April 1996

General Location: Akromukro Falls, Ladysmith Creek, Moco Moco II Creek, Iwokrama Mountains, Turtle Pond, Upper Burro Burro River, and southwest border of the Forest (Fig. 5).

Number Series: DC 1275-1604

Collected with: Bruce Hoffman (US)

Assisted by: Daniel Allicock, Baptist James, Milner Captain, and Antone Rodrigues.

This expedition was carried out together with Bruce Hoffman who was doing research on *Heteropsis* and its potential as a non-timber forest product. Collecting on this expedition in part emphasized recollecting in areas previously collected to document phenology. In some cases fruiting samples were collected from individual plants that had previously been collected in flower. Excursions were also made to previously uncollected areas such as an outlier of the Iwokrama Mountains, Sandstone on the upper Burro-Burro River, and floodplain areas adjacent to the Essequibo River near Turtle Pond.

J. Collector: David Clarke (US)

Date: 17 September–5 October 1996

General Location: Iwokrama Mountains, Turtle Mountain, and areas near base camp (Fig. 5).

Number Series: DC 2470-2771

Assisted by: Milner Captain, Baptist James, and Antone Rodrigues

This expedition was carried out to collect in previously uncollected areas near the base camp and Turtle Mountain on the Essequibo River and to collect intensively at higher elevations in the Iwokrama Mountains. Two newly cut transects were sampled, one near the base camp on the Kurupukari–Annai road in mixed forest on undulating terrain and one from the Essequibo River through forest prone to flooding and heavy siltation to an exposed area at the top of a cliff on Turtle Mountain. More effective collecting in the Iwokrama Mountains was carried out by establishing a camp at the top of the drainage in the gorge between the highest peaks in the mountains. Carrying ration and equipment from the road to the base of the mountains and up the gorge is difficult, but the time needed to climb the mountains from the camp at the bottom of the gorge is too long (3 hours each way) to allow for sufficient time to collect on the mountains.

K. Collector: David Clarke (US)

Date: 16–31 March 1997

General Location: Iwokrama Mountains (Mt. Daniel and gorge between the highest peaks in the mountains) and near base camp (Fig. 5).

Number Series: 4080–4351

Collected with: Scott Mori (NY) and Scott Heald (NY)

Assistants: Romeo Williams, Claudio Perry, Baptist James, and Antone Rodrigues

Scott Mori, a senior curator at the New York Botanical Garden, participated in this expedition as did his assistant, Scott Heald. Together, these two provided additional expertise and enhanced intensity of collecting efforts in the areas visited. Scott Mori's contribution was particularly valued as he has nearly completed a flora of Central French Guiana (Mori et al. 1997) and was able to provide important insights into the similarities and differences between that flora and Iwokrama's.

L. Collector: Bruce Hoffman (US)

Date: 15 May–21 May 1995

General Location: Surama area and upper Burro Burro River (Fig. 4).

Number Series: BH 4500–4646

Collected with: C. Ehringhaus (US)

Field Assistant: Daniel Allicock

This expedition was part of an effort to document the flora of the forest in a more quantitative fashion. Two 0.1 hectare transects were established during May, each located within one of the six different "land systems" recognized in the Phase 1, Site Resource Survey (Hawkes & Wall 1993).




FIG. 5. Collecting expeditions 1996–1997.

M. Collector: Bruce Hoffman (US)

Date: 8–29 November 1995

General Location: Pakutau Hills, Burro Burro River, and Iwokrama Mountains (Fig. 4).

Number Series: BH 4700-5049

Collected with: David Clarke (used separate numbers see expedition report for details)

Field Assistants: Daniel Allicock, Milner Captain, Antone Rodrigues and Baptist James

This expedition was part of an effort to document the flora of the Forest in a more quantitative fashion. Four 0.1

hectare transects were established during November, each located within one of the six different “land systems” recognized in the Phase 1, Site Resource Survey (Hawkes & Wall 1993).

N. Collector: Bruce Hoffman (US)

Date: 17–19 March 1996

General Location: Near Ladysmith Creek, SE border of Forest (Fig. 4).

Number Series: BH 5050-5071

Collected with: David Clarke (separate numbers), see Clarke report for details

Field Assistants: Daniel Allicock

The purpose of this expedition was to determine the density of *Heteropsisflexuosa* (Kunth) Bunting, commonly called nibbi. The results indicate that nibbi was as common in some areas of the forest as it is in the Pomeroon area of northern Guyana, the source of most commercial nibbi, but not as extensive.

O. Collector: Christiane Ehringhaus (US)

Date: 13–22 May 1995

General Location: Annai and Surama area (Fig. 4).

Number Series: CE 48-142

Collected with: w/ B. Hoffman beginning on the 17th

Field Assistants: Daniel Allicock

Collecting expedition in and around Annai and Surama Villages and into upper Burro-Burro River area.

P. Collector: Scott Mori (NY)

Date: 3–27 March 1997

General Location: Kurupukari area and Iwokrama Mountains (Fig. 5).

Number Series: SM 24343–24653

Collected with: D. Clarke (used separate numbers) and Scott Heald (NY)

For discussion of expedition see Section K, Clarke March 1997 expedition report.

Q. Collector: Andre Chanderbali (MO)

Date: 13–27 July 1996

General Location: Along the Essequibo River, Iwokrama Mountains and Surama area (Fig. 5).

Number Series: AC 141–184

Collected with: D. Gopaul (BRG)

Assisted by: Antone Rodrigues

This expedition concentrated on documenting the Lauraceae of the Forest. Travel was by road and river to “cut lines” or trails that penetrate the forest for several kilometers. Ten of these trails and the vegetation along the Essequibo River boundary of the Forest were surveyed.

R. Collector: Andre Chanderbali (MO)

Date: 8–16 July 1997

General Location: Base camp at Kurupukari and revisited sites from 1996 expedition (Fig. 5).

Number Series: AC 248–274

Collected with: D. Gopaul (BRG)

Assisted by: Bradford Allicock, Antone Rodrigues and Clive Captain

RESULTS

Since 1992, collectors associated with the Smithsonian Institution have visited the Iwokrama Forest 18 times and made 3887 collections of plants. Examination of the collections’ data shows that 81% of the total number of specimens have been identified to species and 91% of the 3323 fertile collections have been identified. Of the residual 9% of indeterminate specimens, approximately one third are in three large families (Melastomataceae, Bignoniaceae, and Flacourtiaceae) that proved recalcitrant due to the lack of an available specialist. The collections are distributed across 147 families, 579 genera, and 1251 species. This list was compiled together with checklists of four other florulas of areas on and adjacent to the Guiana Shield: Mabura Hill (Ek 1997) and Kaieteur Falls National Park (Kelloff & Funk 1998), both in Guyana; Saül, Central French

Guiana (Mori 1997); and Reserva Ducke near Manaus, Brazil (Ribeiro et al. 1999). The checklists were reconciled with respect to their synonymies using Boggan et al. (1997) and other references. Only native vascular plants were included in the combined checklist and only taxa determined to species level or below are shown here with the exception that taxa determined to genus were included as a unique taxon when there were no fully determined taxa for that genus at a given site. The combined checklist contains 4659 species and is provided in Appendix 1. Appendix 2 lists the plant collections that form the basis of the Iwokrama checklist.

The identified collections show that the five most diverse families at the species level in Iwokrama are the Fabaceae (106 spp.), Rubiaceae (82 spp.), Orchidaceae (51 spp.), Cyperaceae (42 spp.), and the Myrtaceae (37 spp.). A table comparing the rank order of species diversity of families inclusive to the twentieth most diverse family in each of the five florulas as well as the Guianas overall from Boggan et al. (1997) can be found in Appendix 3. These results confirm for Iwokrama what has been observed for other low-elevation rainforests sites, viz. that certain families such as the Fabaceae are over-represented while other families characteristic of either open habitats or higher elevation are under-represented (Lentibulariaceae, Bonnetiaceae, Bromeliaceae, Xyridaceae, and Eriocaulaceae, e.g.).


The level of completeness of this checklist may be evaluated both in comparison to data for species diversity of the other four floras (Table 1) and by considering a histogram that compiles the number of specimens by which each of the 1251 species are represented in the collections made during the course of field work (Table 2). Iwokrama's 1251 species are low compared to Central French Guiana's 2069 or Reserva Ducke's 1922. The lower number for Iwokrama is almost certainly an indication of incomplete collecting rather than lower actual diversity; the flora of Central French Guiana is documented by 12,847 specimens compared to Iwokrama's 3887 and almost all of the collecting at Iwokrama has been carried out over the past several years whereas Reserva Ducke may be the best known area in Amazonia, having benefited from a wealth of historical collections and intensive recent collecting as part of the flora project. Similarly, Kaieteur Falls with an area of 58,000 ha and Mabura Hill with an area of 220,000 ha are probably also undersampled. Table 2 also indicates that over half (640) of the 1251 species from Iwokrama are known from only a single collection, strongly suggesting that continued collecting effort would yield a substantial number of new records. It is difficult to estimate the total plant diversity of Iwokrama with the data at hand, but a figure of approximately 2000 species may be reasonable given that Central French Guiana is a comparable, low elevation area of the Guiana Shield. Iwokrama's plant diversity may even exceed that of Central French Guiana's given its greater size (360,000 vs. 140,000 ha), greater elevational gradient (1000 m vs. 760 m), and higher habitat diversity (soils derived from both sandstone and granitic substrates vs. solely granitic based soils and riparian habitats associated with a major river, the Essequibo, vs. only riparian habitats associated with small- or medium-sized rivers). That Reserva Ducke, with an area of 10,000 ha, is smaller than any other of the four flora areas yet has the second highest diversity has been attributed to its position at the contact point among several Tertiary and Quaternary refugia indicating that its diversity may have been enhanced by the coalescence of the distributions of erstwhile allopatric species in this area (Oliveira & Daly 1999; Oliveira & Mori 1999). This assertion is further substantiated by noting that Reserva Ducke's generic diversity (658) is less than Central French Guiana's 781, comparable to Iwokrama's 579 and Mabura Hill's 573, and only somewhat more than Kaieteur Falls 492 genera, and arguing that, particularly in the case of late Tertiary and Quaternary refugia, most diversity was generated at the species rather than genus level. Inspection of the checklist in Appendix 1 allows for qualitative confirmation of this scenario because Reserva Ducke is seen to be particularly diverse in large, diverse genera such as *Inga*, *Protium*, *Licania*, *Croton*, etc. that may be expected to conform to this scenario.

Data from Table 1 regarding the extent to which the diversity represented by the five checklists is shared among or is unique to each area has implications for both the usefulness of the combined checklist and conservation issues related to patterns of plant distributions. Overlap of

TABLE 1. Species diversity of the five florulas. Diagonal: Number of unique species/total number of species. Off diagonal: Number of uniquely shared species/number of shared species.

Ducke	Total = 4659	Iwokrama	Mabura	Kaieteur	C. Fr.
				Guiana	
Iwokrama	312/1251	116/545	71/383	135/589	40/370
Mabura		255/1240	63/405	132/627	51/422
Kaieteur			438/1134	73/416	41/275
C. Fr. Guiana				835/2069	227/658
Ducke					1047/1922

TABLE 2. Number of collections representing species found in Iwokrama.



species diversity is less than half in the case of Iwokrama and Mabura Hill and in comparisons involving Reserva Ducke is as low as one quarter. The combined checklist contains 4659 species or slightly more than half that of the 8507 species in the checklist of the Guianas (Boggan et al. 1997). So, although the total area of coverage of this checklist is but a small fraction of that of Boggan et al. (1997), because the flora areas encompass a broad expanse of the geographic and floristic gradients of the Guiana Shield and adjacent Amazonia, it still represents a good deal of the plant diversity of the entire region and should prove useful to those working with the plant diversity of a wide area of northeastern South America. That relatively little overlap is observed among the floras is an indication of a high degree of floristic heterogeneity among the areas. Even in the case of Iwokrama and Mabura Hill, which are contiguous and are remarkably similar with regard to climate, soils, geology, and habitats, the fact that they share only half of their floras is an indication of the patchiness of plant distributions which is apparently uncorrelated with ecological factors and perhaps corresponds better to historical factors. This finding has important implications for conservation policy and indicates that policy must be created with an understanding of plant distributions, hopefully on the basis of a good deal more field work,

rather than just a coarse understanding of ecological parameters. Thus the present work gives little assurance that conservation measures in Iwokrama, which has been planned for both development and conservation, would be effective in preserving the plant diversity of Mabura Hill which is being actively logged as part of a logging concession. The overlap of the Iwokrama and Mabura Hill and the other floras is also probably a conservative estimate given that the floras are undersampled and that widespread and common species have been preferentially sampled over uncommon, endemic, or patchily distributed species.

ECOLOGY AND HABITATS

Regional Context.—The Iwokrama Forest is located in central Guyana and the composition of its forest are typical of lowland, evergreen forests found in much of northern and central Guyana. The soils that determine this composition are also characteristic of most lowland sites in northern and central Guyana, dominated by granitic and doleritic brown sands, laterite, and white sands resulting from either in situ erosion of sandstone substrates or deposition of sediments from the sandstones of the Pakaraimas Mountains. Although the Iwokrama Forest is not part of the Pakaraima Mountains, these mountains are found immediately across the Siparuni River from the Forest. Despite the elevational differences, certain affinities between the floras of the two regions are apparent such as between the *Huniria* scrub of Iwokrama and similar scrub areas in the Pakaraimas. Many tree species found in the forest—that are typical of the northern and central lowland forests of Guyana—are at or near the southern limits of their distributions: *Chlorocardium rodiei* (greenheart), *Mora excelsa* (mora), *Peltogyne venosa* (purpleheart), *Caryoar nuciferum* (sauri), and *Heisteria auliflora*. This observation should have some bearing on the conservation plan of the forest, because, for example, the Iwokrama Forest is now the only area in Guyana that has stands of *Chlorocardium* that are not allocated as a timber concession. The forests of southern Guyana, as one moves southward from Iwokrama, experience successive replacement of typical guianan by amazonian elements so that, by the time one reaches the southernmost forests in the Acari Mtns., there are very few species shared between the two areas. This turnover occurs despite the fact that there are very few gradients with regard to soils, climate, topography, elevation, or other abiotic factors. In the absence of such environmental gradients that may be used to explain this variation, historical factors from the Paleocene onwards may need to be invoked to explain how essentially different floras occupied areas that are otherwise so uniform. Observations on the ecology and plant communities within Iwokrama may best be presented by focusing on a number of sites and plant communities within the forest.

Mora Forest.—Areas along the major rivers and many other relatively flat, low lying areas experience a good deal of flooding during the rainy season. These areas are dominated by *Mora excelsa*, a canopy emergent with large buttresses, and a few other associates such as *Eperua falcatia*, *Catostemma* spp., *Aspidosperma excelsa*, *Tovomita* spp., and *Caraipa* spp. These areas very often have basal areas that are strongly dominated by *Mora excelsa* and tend to be lower in overall diversity than upland terra firme forests. Mora forests along the Essequibo River may extend up to two km from the river itself and occupy a low lying area behind levees along the riverbank. Mora forests along the Siparuni and Burro Burro rivers occupy a much narrower strip no more than one km wide that is also usually a low lying area behind levees forming the riverbank. Soils in these forests are alluvial brown sands. Where periodically inundated forests occur away from the major rivers, soils are of varying composition. Mora forest will develop on brown sands in these areas, as at Moco Moco II creek along the Kurupukari–Annai road and may also develop on white sands along blackwater creeks as is found in the first kilometer of the A–B transect. Certain periodically inundated forests on white sand with a clay hard pan near the surface, however, do not have mora, but are dominated by a semi-open forest with *Protium Maximiliana*, *Euterpe*, *Dinorphandra*, *Morondava*, *Pouteria*, and *Catostemma* such as is found in the first two kilometers of the Mt. Daniel transect.

Forests Along the Lower Essequibo.—Above Kurupukari, the Essequibo passes over a number of rapids and has a braided channel with numerous islands. Below Kurupukari, the river takes on

more of the character of a typical lowland river with meanders, oxbow lakes, and a shifting channel with few rapids or significant drops. The forests along the lower Essequibo are dominated by the successional gradient created by the shifting of the river channel. Here, in addition to the flooding found in mora forests, siltation may also be a significant factor and in such conditions a low stature forest dominated by various Myrtaceae, *Sympetrum*, *Coccoloba*, *Bonafousia*, and others occurs as is found along much of the turtle pond transect or the first 0.5 km of the transect that begins on the Essequibo and ends at the top of the cliff at the summit of Turtle Mtn. In areas that remain flooded during most of the year, as along the first 2 km of the Post Arinda Inlet transect, an open *Mauritia/Clusia* forest occurs.

Forests Along the Upper Essequibo.—The four transects along the upper Essequibo River (Kuratoka, Pisham Pisham, Akromukro, and Ladysmith) all begin in mora forest and end in either mixed forest on brown sand or, in the case of Kuratoka transect, *Eperua* (wallaba) forest on white sand. Mora forest and mixed forest intergrade extensively on these transects, with mora forest occurring well away from the river but also having a significant admixture of terra firme elements including *Chlorocardium*, *Eschweilera*, and *Manilkara*. The portion of the Kuratoka transect away from the river is dominated by an oligotrophic *Eperua* (wallaba) forest. This forest occurs on well-drained white sand and has trees of a lower stature (ca. 20 m) and smaller diameter than mixed forest (hence the name “pole forest” occasionally attributed to forests of this type). Here, *Eperua* and other caesalpinioid legumes dominate as does *Protium*, *Clusia*, *Tovomita*, and *Citharexylum*. That caesalpinioid legumes dominate these forests, both in terms of species diversity and numbers of individuals, as well as most forests of Guyana, for that matter, may perhaps be attributed to their mode of mineral nutrition that allows them to dominate highly weathered, nutrient-poor oxisols and ultisols. Unlike most legumes, which form a symbiotic relationship with nitrogen-fixing *Rhizobium* bacteria, these trees instead form an association with ectomycorrhizal fungi that are important in phosphorous uptake, in agreement with the general observation that phosphorous and not nitrogen is the limiting nutrient in many stable forest habitats (Raaijmakers 1994).

Fire also appears to have been an important ecological factor in this area. Anecdotal accounts of a large fire that occurred in the southern part of the Forest are substantiated by areas of semi-disturbed “liana forest” on parts of the Ladysmith and Kuratoka transects. These fires are said to have occurred in the 1940’s. Although naturally caused fires are probably not a natural part of the ecology of Iwokrama and plants in the Forest have not evolved to respond to this type of disturbance, anthropogenic fires are now a very important factor in the Rupununi savanna south of the Forest and in degraded forests north of the Forest. That the forest in Iwokrama is recovering from a large scale fire, albeit slowly, has implications for determining the limits of perturbation from which forests of this type can recover. These limits have clearly been exceeded in forests north of the Iwokrama Forest, as along the Linden–Mabura road, and in the forest-savanna ecotone at the edge of the Rupununi Savanna. Forests north of Iwokrama that were once closed canopy *Eperua* or mixed forest have now more or less permanently been degraded to a *Dimorphandra/Humiria* scrub forest as a result of logging, which opened up the understory and exposed it to drying effects, followed by repeated burning which eliminated all but the remaining fire-tolerant species. The scrub forest is very recalcitrant to reestablishment of the original closed canopy forest probably because of shifting of the microclimate towards hotter and drier conditions out of the range of tolerance for seedling establishment and formation of mycorrhizal symbioses. Because the forests of Iwokrama are very similar to these forests as they occurred originally, any plan for sustainable timber utilization must take into account both the direct effects of logging and the concomitant effect of increased risk of fire resulting from alteration of the microclimate.

Iwokrama Mountains.—Collecting efforts were concentrated in the Iwokrama Mountains because these mountains offer high local and overall diversity and because some plants that occur here are not found elsewhere in the Forest. These mountains offer nearly 1000 m of elevational gradient and a moisture gradient that is determined by slope and exposure as well as elevation.

Collections on the highest peaks of the Iwokrama Mountains and in the gorge separating these peaks were very diverse because of the large number of habitats in this area. The 4.5 km approach to these mountains from the Kurupukari–Annai road begins in *Huniria* scrub forest on poorly drained white sand and quickly passes into periodically inundated mora forest and mixed forest on brown sand. Flooding in this area is probably responsible for a somewhat more open forest with a prominent *Astroarygium Schiedei* palm understory and abundant lianas. From the mouth of the gorge, the mountains rise abruptly and the creek in the gorge has a steep drop through the rocky streambed. *Mora* occurs only along the streambed and becomes progressively less abundant towards the top of the gorge. *Chlorocardium* is also common in the gorge and on the lower slopes of the mountains, but is not found on the upper slopes. The streambed has characteristic rheophytic elements that exploit higher light levels by being able to withstand inundation and the force of rushing water; such plants include *Spigelia multispiata*, *Gonzalagunia dicoccum*, and *Spathiphyllum cuspidatum*. Frequent rockslides and treefalls in the gorge account for the presence of disturbance-associated elements such as *Jaaaratia*, *Cecropia*, *Psychotria poeppigiana*, *Gurania*, and many lianas. Epiphyte diversity and abundance is also high in the gorge perhaps because wetter conditions are caused by reduced exposure to drying in the gorge and its ability to trap moisture. This is certainly the most mesic area of the Forest observed during the course of field work and has a corresponding abundance of epiphytic aroids, ferns, mosses, orchids, and bromeliads. Extensive collections were made on the three peaks that surround the gorge. The composition of the forest on the slopes is similar to that found in mixed forest in the lowland parts of the Forest with several differences in physiognomy (slightly more open forest, more understory palms, lower average diameter of trees) that may be a result of higher frequency of treefalls due to greater exposure to wind action and shallower soils. The summits of these mountains have forest with a relatively low canopy (10 m) and many epiphytes occurring at all levels in the trees. Like the Kanuku and Acarai Mountains in southern Guyana, the Iwokrama Mountains are apparently not high enough to have anything that could be called genuine cloud forest. However, Makarapan Mountain, a 1000 m mountain south and west of the Forest near Annai, was found to have at its summit scrub forest typical of inselbergs (*Erythroxylum*, *Clusia*, and *Myrtaceae*) and an epiphytic element typical of cloud forests (e.g. *Utricularia*), so it is apparent that local weather patterns and edaphic conditions may be sufficient to alter the composition of summit floras in mountains of this kind. More extensive collecting in the Iwokrama Mountains is needed to fully document the distribution and composition of its plant communities. Although the effort expended in the work described here was considerable, collections from these mountains are still inadequate since they had never been botanically surveyed before and were scarcely explored, as evidenced by the discovery of previously unknown petroglyphs in the Iwokrama gorge in the course of carrying out this work.

Forests North of the Kurupukari–Annai Road.—Most of the forests accessible from the Kurupukari–Annai Road, the Burro Burro River, and the Siparuni River are characterized by relatively flat topography. Most of the soils are either brown sands or clays or white sands and are either poorly drained in flat, low lying areas or well drained in areas with even very modest local relief. Transects such as the three mile transect (three miles SW of Kurupukari on the Kurupukari–Annai road) have modest local relief that leads to the formation of *Euterpe* swamp forest in low lying areas and mixed forest in upland areas. Forests in these areas have a relatively high abundance of commercial timber species. This area is particularly valuable for the collection of baseline data concerning the ecology of these species in undisturbed forest. For instance, from what is known of the ecology of *Chlorocardium* and observations in these areas, it is clear that its patchy distribution in small, pure stands ("greenheart reefs") is attributable to medium or long term equilibrium of these microsites. Growth of juveniles of greenheart can occur in the shade of mature individuals, but other mixed forest species are usually dependent on canopy gaps for recruitment to occur (Zagt 1997). *Chlorocardium* would be able to competitively exclude other species in areas that do not experience treefalls for an extended period. Treefalls may occur almost stochastically, but in some places may happen with decreased frequencies due to the

depth of soils, slope or other factors; *Chlorocardium* may be expected to become a local dominant in any area, whether for stochastic reasons or due to microsite conditions, that has not experienced a treefall for an extended period. Any sort of logging, even selective logging, could be expected to favor the recruitment of species other than greenheart indicating that it may be impossible to harvest *Chlorocardium* more than once from these forests and that *Chlorocardium* may soon, at least commercially, be an extinct species.

Pakutau Hills, Turtle Mountain, and Sandstone.—These three areas are grouped together because they are all low or moderate elevation hilly areas with doleritic substrates. They were investigated with the goal of determining whether they differ significantly in terms of floristic composition from forest on granitic substrates found in the Iwokrama Mountains. Although subtle differences do exist, there were no overwhelming differences found in the mixed, terra firme forests between these two areas. Forests in these areas, do however, provide an added measure of diversity over that found in lowland areas and, as in other areas in southern Guyana, the effort expended in cutting trails to gain access to mountains or any upland area is justified by the diversity of collections these areas offer.

CONCLUSION

This work is a critical component of baseline data needed to adequately monitor the effects of development activities on the plant community. Continued work is needed, however, to gain a more complete understanding of the flora of Iwokrama. Floristic work in a given area often proceeds by first producing a preliminary checklist, such as the one presented here, followed by an annotated checklist which would provide additional information about the species, and culminating in the production of a flora, a work which would be a complete treatment of all the plants known from that area along with keys to the species, distributions, descriptions, notes on ecology and other pertinent features, and, often, illustrations. Because of the difficulty in obtaining complete collections and accurate determinations and the complexity of resolving synonomies and other taxonomic problems, the production of a flora of a diverse tropical area such as Iwokrama is necessarily a long term project. The flora of La Selva Biological Station in Costa Rica, which at 1500 hectares is a small fraction of the area of the Iwokrama Forest's 360,000 ha, has been ongoing for twenty years and has still not been completed (Hammel 1990; Wilbur 1994). The flora of Central French Guiana (Mori et al. 1997), which at 140,000 ha is an area more comparable to that of Iwokrama, is nearing completion after nearly fifteen years effort. Despite the concentrated effort needed for such an endeavor, this work is essential since questions concerning the nature and dynamics of the plant community cannot be adequately addressed without a comprehensive understanding of the flora. Thus, a flora is useful not only for the community of plant taxonomists, but also for ecologists, foresters, ethnobotanists, pharmacognosists, anthropologists, zoologists, and land use planners.

To achieve this goal, more collections will be needed. Collecting efforts should be concentrated in areas that have not been adequately sampled. Although all the existing transects were extensively sampled, these transects give access to but a small fraction of the total area of the Forest. Some suggestions include: areas such as the southern side of the Iwokrama Mtns. and the area between there and the Essequibo River; other portions of the Iwokrama massif accessible from the road other than the two areas reached through the Mt. Daniel transect and the gorge; the upper Siparuni River above Pakutau Falls and Ireng Creek which have not been visited by any research team and which show a distinctive vegetation type in satellite photos; and more comprehensive sampling of unique habitats found in the course of collecting such as, the inselberg vegetation on the summit of Turtle Mountain, the xeric and rheophytic vegetation of sand islands in the Essequibo above Kurupukari, the *Mauritia* swamp forest on the Post Arinda transect, and the natural and undisturbed *Huniria* scrub habitat at the terminus of the western extension of the C-D transect.

It is perhaps necessary to justify the not inconsiderable effort expended to date to document the plant diversity of Iwokrama and to substantiate the need for more work of this type. Plant

collecting in Iwokrama is time-consuming, arduous, demanding of a certain level of skill, both in the field and in follow-up herbarium work, expensive, and even dangerous. This work, however, is a prerequisite for any quantitative or qualitative work associated with the plant diversity of the forest. The ability to pursue floristic research in a pristine area such as the Iwokrama Forest is a rare and irreplaceable opportunity to collect baseline data prior to human disturbance.

ACKNOWLEDGMENTS

We wish to thank the Macushi, Wapisiana, and Arawak Amerindians of the communities surrounding Iwokrama, particularly Romeo Williams, Claudius Perry, Milner Captain, Daniel Allicock, and Rodrigues Antone, without whose help the field portion of this work would not have been possible. Staff and faculty of the University of Guyana and the Centre for the Study of Biological Diversity on the campus of the University of Guyana, particularly Marlene Cox, Indarjit Ramdass, John Caesar, Phillip da Silva, and Dyantie Naraine, provided assistance with permits. Special thanks are due to the curators and staff of numerous herbaria for the determination of specimens; without their many years of accumulated effort in working with the Guyana flora this work would not have been possible. Scott Mori gave permission to use the checklist of the Flora of Central French Guiana. Mike Hopkins and Ghillean Prance gave similar permission to use data from the Flora of Reserva Ducke as did Renske Ek for the checklist of the Mabura Hill area. Particular gratitude is extended to Carol Kelloff for many intercessions on behalf of the authors. Vijay Datadin of Iwokrama and Naseem Nasir of the University of Guyana provided GIS coverages for the base maps. Peter Jørgensen and Toby Pennington provided helpful comments on the manuscript. Funding was provided by the United Nations Development Programme through the Iwokrama International Centre for Rainforest Conservation and Development, the Biological Diversity of the Guianas Program of the Smithsonian Institution, and in the form of a postdoctoral fellowship to HDC from the Office of Biodiversity Programs of the Smithsonian Institution. This is publication No. 46 in the Biological Diversity of the Guianas publication series.

REFERENCES

- BOGGAN, J., V. FUNK, C. KELLOFF, M. HOFF, G. CREMERS, and C. FEUILLET. 1997. Checklist of the plants of the Guianas (Guyana, Suriname, French Guiana). 2nd Edition. Biological Diversity of the Guianas Program, Department of Botany, National Museum of Natural History, Smithsonian Institution, Washington, DC.
- CLARKE, H.D. and V. FUNK. Submitted. Using Checklists and Collections Data to Investigate Plant Diversity. II. An analysis of five florulas from northeastern South America. *Ann. Missouri Bot. Gard.*
- DAVIS, T.A.W. and P.W. RICHARDS. 1933. The vegetation of Moraballi Creek, British Guiana. An ecological study of a limited area of tropical rain forest I. *J. Ecol.* 21:350–384.
- DAVIS, T.A.W. and P.W. RICHARDS. 1934. The vegetation of Moraballi Creek, British Guiana. An ecological study of a limited area of tropical rain forest II. *J. Ecol.* 22:106–115.
- EDEN, M.J. 1964. The savanna ecosystem—northern Rupununi, British Guiana. McGill University Savanna Research Project, Savanna Research Series No. 1. Dept. of Geography, McGill University, Montreal, Canada.
- EDEN, M.J. 1973. The savanna environment, Guyana, I. Some aspects of weathering and landforms. II. Savanna vegetation in the northern Rupununi. McGill University Savanna Research Project, Savanna Research Series No. 17. Dept. of Geography, McGill University, Montreal, Canada.
- EK, R.C. 1990. Index of Guyana plant collectors. In: A.R.A. Görts-van Rijn, (ed.). *Flora of the Guianas*. Supplementary series 1. Koeltz Scientific Books, Koenigstein, Germany.
- EK, R.C. and H. TER STEEGE. 1997. The flora of the Mabura Hill area, Guyana. In: R.C. Ek. Botanical diversity in the tropical rainforest of Guyana. *Tropenbos-Guyana Series* 4. Pp. 91–142. Tropenbos-Guyana Programme, Georgetown, Guyana.
- FROST, D.B. 1968. The climate of the rupununi savannas. McGill University Savanna Research Project, Savanna Research Series No. 12 and Climatological Research Series No. 3. Dept. of Geography, McGill University, Montreal, Canada.
- GENTRY, A.H. 1993. A field guide to the families and genera of woody plants of northwest South America (Colombia, Ecuador, Peru) with supplementary notes on herbaceous taxa. University of Chicago Press, Chicago, IL.
- GUYANA FOREST DEPARTMENT AND FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS. 1970. Forest type map of Guyana. Government of Guyana and United Nations Development Programme. Georgetown, Guyana.

- GUYANA INTER-AGENCY COMMITTEE. 1992. Iwokrama Rainforest Programme synopsis. Guyana, Guyana Natural Resources Agency.
- HAMMEL, B. 1990. The distribution of diversity among families, genera, and habit types in the La Selva Flora. In: A. H. Gentry, ed. Four neotropical rainforests. Yale University Press, New Haven, CT.
- HAWKES, M.D. and J.R.D. Wall. 1993. The Commonwealth and Government of Guyana Iwokrama Rain Forest Programme, Phase 1, site resource survey, main report. Natural Resources Institute, Overseas Development Administration, Chatham, UK.
- HUBER, O., G. GHARBARRAN, and V. FUNK. 1995. Vegetation map of Guyana. Centre for the Study of Biological Diversity, University of Guyana, Georgetown, Guyana.
- KELLOFF, C.L. and V.A. Funk. 1998. Preliminary checklist of the plants of Kaieteur Falls National Park, Guyana. Biological Diversity of the Guianas Program, Department of Botany, National Museum of Natural History, Smithsonian Institution, Washington, D.C.
- KHAN, Z., S. PAUL, and D. CUMMINGS. 1980. Mabura Hill, upper Demerara forestry project. Soils investigation report no. 1. National Agricultural Research Institute, Mon Repos, Guyana.
- MORI, S., G. CREMERS, C. GRACIE, J.-J. DE GRANVILLE, M. HOFF, and J.D. MITCHELL. 1997. Guide to the vascular plants of central French Guiana. Pt. 1. pteridophytes, gymnosperms, and monocotyledons. Mem. New York Bot. Gard. 76(1):1–422.
- OLIVEIRA, A.A. DE and D.C. DALY. 1999. Geographic distribution of tree species occurring in the region of Manaus, Brazil: Implications for regional diversity and conservation. Biodiversity and Conservation 8:1245–1259.
- OLIVEIRA, A.A. DE and S.A. MORI. 1999. A central Amazonian terra firme forest. I. High tree species richness on poor soils. Biodiversity and Conservation 8:1219–1244.
- RAAIMAKERS, D. 1994. Growth of tropical rain forest trees as dependent on phosphorous supply. Tropenbos Series 11. The Tropenbos Foundation, Wageningen, The Netherlands.
- RIBEIRO, J.E.L. DA S., M.J.G. HOPKINS, A. VICENTINI, C.A. SOTHERS, M.A. DA S. COSTA, J.M. DE BRITO, M.A.D. DE SOUZA, L.H.P. MARTINS, L.G. LOHMAN, P.A.C.L. ASSUNÇÃO, E. DA C. Pereira, C.F. DA SILVA, M.R. MESQUITA, L.C. Procópio. 1999. Flora da Reserva Ducke: Guia de identificação das plantas vasculares de uma floresta de terra firme na Amazônia Central. Instituto Nacional de Pesquisas da Amazônia, Manaus, Brazil.
- RUTHERFORD, K.G. and T.L. HILLS. 1979. Soils of the Rupununi savanna/forest ecotone—southern Guyana. McGill University Savanna Research Project, Savanna Research Series No. 21. Dept. of Geography, McGill University, Montreal, Canada.
- SINHA, N.K.P. 1968. Geomorphic evolution of the northern Rupununi basin, Guyana. McGill University Savanna Research Project, Savanna Research Series No. 11. Dept. of Geography, McGill University, Montreal, Canada.
- SYSTEMATICS AGENDA 2000. 1994. Systematics Agenda 2000: Charting the biosphere. Technical report. Produced by Systematics Agenda 2000.
- TER STEEGE, H., V.G. JETTEN, M. POLAK, and M.J.A. WERGER. 1993. Tropical rainforest types and soils of a watershed in Guyana. *J. Veg. Sci.* 4:705–716.
- TER STEEGE, H., R.G.A. BOOT, L.C. BROUWER, J.C. CAESAR, R.C. EK, D.S. HAMMOND, P.P. HARIPERSAUD, P. VAN DER HOOT, V.G. JETTEN, A.J. VAN KEKEM, M.A. KELLMAN, Z. KHAN, A.M. POLAK, T.L. PONS, J. PULLES, D. RAAIMAKERS, S.A. ROSE, J.J. VAN DER SANDEN, and R. ZAGT. 1996. Ecology and logging in a tropical rainforest in Guyana: with recommendations for forest management. The Tropenbos Foundation, Wageningen, The Netherlands.
- WILBUR, R. 1994. Vascular plants: an interim checklist. In: L.A. McDade, S.B. Kamaljit, H.A. Hespeneide, and G.S. Hartshorn, eds. *La Selva: Ecology and natural history of a neotropical rainforest*. University of Chicago Press, Chicago.
- ZAGT, R.J. 1997. Tree demography in the tropical rain forest of Guyana. Tropenbos-Guyana Series 3. Tropenbos-Guyana Programme, Georgetown, Guyana.

APPENDIX 1

CHECKLIST OF PLANT SPECIES FROM IWOKRAMA AND FOUR OTHER SITES IN NORTHEAST SOUTH AMERICA

Acanthaceae	
<i>Aphelandra aurantiaca</i> (Schweidw.) Lindl., S	<i>Justicia potanensis</i> (Bremek.) Wassh., S
<i>Beloperone violacea</i> Planch. & Linden, M	<i>Justicia schomburgkiana</i> (Nees) V.A.W. Graham, I
<i>Bleedium pyramidatum</i> (Lam.) Urb., S	<i>Justicia secunda</i> Vahl, S
<i>Chaetodilanus ciliata</i> Lindau, S	<i>Justicia sprucei</i> V.A.W. Graham, S
<i>Gynocariterium guianense</i> Bremek., S	<i>Lepidagathis alopecuroides</i> (Vahl) R. Br. ex Griseb., K, M, S, D
<i>Herpetacanthus rotundifolius</i> (Lindau) Bremek., S	<i>Odontonema schomburgkianum</i> (Nees) Kuntze, K, M
<i>Justicia calycina</i> (Nees) V.A.W. Graham, I	<i>Padystachys axillaris</i> (Aubl.) Nees, S
<i>Justicia ayemensis</i> (Nees) Lindau, S	<i>Polylychnus fulgens</i> Bremek., S
<i>Justicia comata</i> (L.) Lam., D	<i>Pulchranthus congestus</i> (Lindau) V.M. Baum, Reveal & Nowicke, S, D
<i>Justicia pectoralis</i> Jacq., I, S	

1 = Iwokrama, K = Kaieteur Falls, M = Mabura Hills, S = Saül (Central French Guiana), D = Reserva Ducke

- Pulchranthus variegatus* (Aubl.) V.M. Baum, Reveal & Nowicke, S
Rhaedisca sp., S
Ruellia geminiflora Kunth, I
Ruellia rubra Aubl., M, S
Ruellia saulensis Wassh., S
Ruellia sprucei Lindau, D
Tridianthera gigantea (Bonpl.) Nees, I
- Adiantaceae**
- Adiantopsis monticola* (Gardner) T. Moore, K
Adiantopsis radiata (L.) Fée, I, S
Adiantum adiantoides (J. Sm.) C. Chr., I, S
Adiantum amazonicum A.R.Sm., D
Adiantum aijense Willd. ex Klotzsch, I, S, D
Adiantum cordatum Maxon, S
Adiantum dolosum Kunze, S
Adiantum fructuosum Poepp. ex Spreng., S
Adiantum fuliginosum Fée, S
Adiantum glaucens Klotzsch, S
Adiantum latifolium Lam., I, S
Adiantum latifolium x serratifolium, I
Adiantum leprieurii Hook., S
Adiantum lucidum (Cav.) Sw., S
Adiantum macrophyllum Sw., S
Adiantum multifidum A. Samp., D
Adiantum obliquum Willd., S
Adiantum ovatum Baker, I
Adiantum petiolatum Desv., S
Adiantum phyllitidis J. Sm., I
Adiantum pulcherrimum L., S
Adiantum rondonii Samp., I
Adiantum serratifolium Humb. & Bonpl. ex Willd., S
Adiantum terminatum Kunze ex Miq., I, K, S
Adiantum tonentosum Klotzsch, I, S, D
Adiantum sp., M
Doryopteris sagittifolia (Raddi) J. Sm., S
Herionitis rufa (L.) Sw., S
Herionitis sp., S
Pityrogramma calomelanos (L.) Link, I, M, S, D
- Alismataceae**
- Edmundoa subalata* (Mart.) Griseb., M
- Amaranthaceae**
- Alternanthera brasiliensis* (L.) Kuntze, S
Alternanthera sessilis (L.) DC., S, D
Alternanthera tendla Colla, S
Pfafia glomerata (Spreng.) Pedersen, S
- Anacardiaceae**
- Anaardium gigantum* W. Hancock ex Engl., K, M
Anaardium occidentale L., M, S
Anaardium parafidum Ducke, D
Anaardium sprucianum Benth. ex Engl., S, D
Astronium lecontei Ducke, D
Astronium ulci Mattick, S
Camnospasma gummifera (Benth.) Marchand, D
Loxopterygium sagotii Hook.f., M
Spondias mombin L., I, S
Tapirira bethaniensis J.D. Mitch., S
Tapirira guianensis Aubl., I, K, M, S, D
Tapirira obtusa (Benth.) J.D. Mitch., M, S, D
Tapirira retusa Ducke, D
- Thlyrsodium guianense* Sagot ex Marchand, I, S
Thlyrsodium puberulum J.D. Mitch. & Daly, S
Thlyrsodium spruceanum Salzm. ex Benth., S, D
- Anisophylleaceae**
- Anisophyllea manausensis* Pires & W.A.Rodrigues, D
- Annonaceae**
- Annona breipes* Benth., D
Annona dieldioarpa Sprague & Sandwith, I, M, S
Annona manausensis Timmerman, D
Annona phaearpa Mart., D
Annona amazonica R.E. Fr., D
Annona ambotay Aubl., S, D
Annona foetida Mart., D
Annona glabra L., K
Annona haematantha Miq., I, M, S, D
Annona hypoglauca Mart., I
Annona impressiviria Saff. ex R.E. Fr., D
Annona montana Macfad., I
Annona muricata L., S
Annona nitida Mart., D
Annona paludosa Aubl., S
Annona sericea Dunal, I, M
Annona symphyarpa Sandwith, I, K, M
Annona sp. nov. aff. *excellens* R.E. Fr., D
Bocageopsis mittagrossensis (R.E. Fr.) R.E. Fr., D
Bocageopsis multiflora (Mart.) R.E. Fr., I, M, D
Bocageopsis pleiosperma Maas, D
Cardiopetalum surinamense R.E. Fr., S
Cremostisperma brevipes (DC. ex Dunal) R.E. Fr., S
Cymbopetalum brasiliense (Vell.) Benth., I, M, S
Cymbopetalum euneurum N.A.Murray, D
Didinanona calycina (Diels) R.E. Fr., D
Diguetia arenicola Maas, D
Diguetia asterotricha (Diels) R.E. Fr., D
Diguetia adavariensis Huber, M, S
Diguetia calyicina Benoist, I, K, M, S, D
Diguetia eximia Diels, S
Diguetia flagellaris Huber, D
Diguetia inconspecta Sagot, I, M, S
Diguetia insculpta R.E. Fr., D
Diguetia megaloarpa Maas, D
Diguetia neglecta Sandwith, I, M
Diguetia obsoleta R.E. Fr., I
Diguetia paraensis R.E. Fr., I
Diguetia pyrastera Sandwith, K, M, S, D
Diguetia quitarensis Benth., I
Diguetia riparia Huber, S, D
Diguetia stedeantha (Diels) R.E. Fr., D
Diguetia surinamensis R.E. Fr., I, S, D
Diguetia triniflora Maas & A.H. Gentry, D
Diguetia ulei (Diels) R.E. Fr., D
Diguetia sp., S
Ephedranthus amazonicus R.E. Fr., D
Ephedranthus guianensis R.E. Fr., M
Fusca longifolia (Aubl.) Saff., I, M, D
Guatteria atra Sandwith, M
Guatteria blepharophylla Mart., S, D
Guatteria citriodora Ducke, I, D
Guatteria conspicua R.E. Fr., K
Guatteria discolor R.E. Fr., D
Guatteria foliosa Benth., D

- Guatteria guianensis* (Aubl.) R.E. Fr., D
Guatteria megalophylla Diels, D
Guatteria meliodora R.E. Fr., D
Guatteria olivacea R.E. Fr., D
Guatteria procera R.E. Fr., D
Guatteria punctata (Aubl.) R.A. Howard, M, S
Guatteria scandens Ducke, I
Guatteria schomburgkiana Mart., I, M
Guatteria sycophylla Diels, D
Guatteria unicolorata R.E. Fr., K
Guatteriopsis friesiana W.A. Rodrigues, D
Guatteriopsis hispida R.E. Fr., D
Malmea manauensis Maas & Miralha, D
Oxandra asbeckii (Pulle) R.E. Fr., M, S
Oxandra guianensis R.E. Fr., I, M
Oxandra xylopioides Diels, I
Pseudoxandra coriacae R.E. Fr., D
Pseudoxandra cuspidata Maas, S
Pseudoxandra sp., I
Rollinia cuspidata Mart., S
Rollinia elliptica R.E. Fr., S
Rollinia exsiccata (DC. ex Dunal) A. DC., I, K, M, S
Rollinia insignis R.E. Fr., D
Tetrameranthus duckei R.E. Fr., D
Trigyna acutata (R.E. Fr.) R.E. Fr., I, M
Trigyna duckei (R.E. Fr.) R.E. Fr., I, M
Unonopsis duckei R.E. Fr., D
Unonopsis glaucoptala R.E. Fr., M
Unonopsis guatterioides (A. DC.) R.E. Fr., I, M, D
Unonopsis perrottetii (A. DC.) R.E. Fr., M, S
Unonopsis rifescens (Baill.) R.E. Fr., I, M, S
Unonopsis stipitata Diels, I, M, S, D
Xylopia arnoldiana R.E. Fr., D
Xylopia aromatica (Lam.) Mart., I, M
Xylopia benthamii R.E. Fr., I, K, M, D
Xylopia calophylla R.E. Fr., D
Xylopia ayacanensis Maas, S
Xylopia crinita R.E. Fr., D
Xylopia discreta (L.f.) Sprague & Hutch., I
Xylopia emarginata Mart., D
Xylopia frutescens Aubl., S
Xylopia nitida Dunal, I, M, S, D
Xylopia parviflora Spruce, D
Xylopia polyantha R.E. Fr., D
Xylopia pulcherrima Sandwith, M
Xylopia sericea A. St.-Hil., D
Xylopia spruceana Benth. ex Spruce, D
- Apiaceae**
Eryngium foetidum L., S
- Apocynaceae**
Allamanda cathartica L., I, M
Ambelania acida Aubl., I, M, S, D
Ambelania duckei Markgr., D
Aspidosperma album (Vahl) Benoist ex Pichon, M, S
Aspidosperma araraucana Marc. Ferr., D
Aspidosperma arapanauba Pichon, S
Aspidosperma crenatum Woodson, M, S
Aspidosperma desmoothium Benth. ex Müll. Arg., D
Aspidosperma excelsum Benth., I, M, S
Aspidosperma macrophyllum Müll. Arg., S
Aspidosperma marginatum Woodson, S, D
- Aspidosperma nitidum* Benth. ex Müll. Arg., D
Aspidosperma oblongum A. DC., S
Aspidosperma parvifolium A. DC., D
Aspidosperma sandwithianum Markgr., M, S, D
Aspidosperma schultesii Woodson, S, D
Aspidosperma spruceanum Benth. ex Müll. Arg., I, S, D
Aspidosperma turgasi A. DC., I, M
Condylarcarpon amazonicum (Markgr.) Ducke, S
Condylarcarpon pubiflorum Müll. Arg., S
Couma aitingae Ducke, K
Couma guianensis Aubl., I, D
Couma rigida Müll. Arg., K
Couma utilis (Mart.) Müll. Arg., D
Forsteronia acacioides (Aubl.) A. DC., M, S, D
Forsteronia gracilis (Benth.) Müll. Arg., M
Forsteronia guyanensis Müll. Arg., I, K, M, S
Forsteronia schomburgkii (Benth.) Müll. Arg., K, M
Geissospermum argenteum Woodson, S, D
Geissospermum laeve (Thunb.) Miers, S
Geissospermum sericatum Benth. & Hook.f. ex Miers, M, S
Geissospermum ureolatum A.H. Gentry, D
Himatanthus articulatus (Vahl) Woodson, K, M, S
Himatanthus articulatus x *bracteatus*, M
Himatanthus bracteatus (A. DC.) Woodson, K, D
Himatanthus speciosus (Müll. Arg.) Plumel, S
Himatanthus stenophyllum Plumel, D
Himatanthus suaua (Spruce ex Müll. Arg.) Woodson, M, D
- Lacistema aculeata* (Ducke) Monach., I, K, S
Lacistema arboreum (Müll. Arg.) Markgr., D
Lacistema gracilis (Müll. Arg.) Markgr., D
Lacistema utilis (Arn.) Markgr., M
Laxiplumeria badiniana Monach., S
Macoubia guianensis Aubl., M, S
Macoubia sprucei (Müll. Arg.) Markgr., D
Macropharynx spectabilis (Stadelm.) Woodson, S
Malouetia gracilis (Benth.) A. DC., I, M
Malouetia tamuquaria (Aubl.) A. DC., I, M
Mandevilla benthamii (A. DC.) K. Schum., K
Mandevilla lutea (Rich.) K. Schum., I, K
Mandevilla rugellosa (Rich.) L. Allorge, S
Mandevilla saiba (Hoffmanns. ex Roem. & Schult.) K. Schum., I, D
Mandevilla subarrosa (Benth.) Woodson, K
Mandevilla trianae Woodson, K
Mandevilla vinhaeckii (Müll. Arg.) Markgr., K
Mesodites trifida (Jacq.) Müll. Arg., I, K
Olontaderia geninata (Hoffmanns. ex Roem. & Schult.) Müll. Arg., M
Olontaderia macrantha (Roem. & Schult.) Markgr., I
Olontaderia nitida (Vahl) Müll. Arg., I, K
Olontaderia perrottetii (A. DC.) Woodson, M, S, D
Olontaderia pungitulosa (Rich.) Pulle, K, M, S, D
Olontaderia verrucosa (Willd. ex Roem. & Schult.) K. Schum. ex Markgr., M, D
Pacouria guianensis Aubl., S
Parahancornia fasciculata (Poit.) Benoist, K, M, D
Prestonia acatifolia (Benth. ex Müll. Arg.) K. Schum., I, K
Prestonia annularis (L.f.) G. Don, K
Prestonia cayennensis (A. DC.) Pichon, K
Prestonia coerulea (Vell.) Woodson, I, K

I = Iwokrama, K = Kaieteur Fallas, M = Mabura Hills, S = Saül (Central French Guiana), D = Reserva Ducke

- Prestonia lindleyana* Woodson ex Gleason & A.C. Sm., K
Prestonia magniglans (Vell.) Woodson, D
Prestonia perplexa Woodson, K
Prestonia surinamensis Müll. Arg., M
Prestonia torrentosa R. Br., I
Rauwolfia sprucei Müll. Arg., D
Rhigozima quadrangularis (Müll. Arg.) Miers, D
Saccostia duckei Markgr., D
Tabernaemontana angulata Mart. ex Müll. Arg., S, D
Tabernaemontana attenuata (Miers) Urb., M
Tabernaemontana cerat (Woodson) Leeuwenb., K, M
Tabernaemontana disticha A. DC., K, M, S
Tabernaemontana dicariata (L.) R. Br. ex Roem. & Schult., S
Tabernaemontana flavicans Willd. ex Roem. & Schult., S, D
Tabernaemontana heterophylla Vahl, I, D
Tabernaemontana lorifera (Miers) Leeuwenb., I
Tabernaemontana microcalyx Müll. Arg., K, S, D
Tabernaemontana muriata Link ex Roem. & Schult., D
Tabernaemontana riedelii Müll. Arg., D
Tabernaemontana rupestris Benth., K
Tabernaemontana sananho Ruiz & Pav., S
Tabernaemontana siphilitica (L.f.) Leeuwenb., I, S
Tabernaemontana undulata Vahl, I, M, D
- Aquifoliaceae**
- Ilex fanishawei* Edwin, K
Ilex jennmannii Loes., K
Ilex martiniana D. Don, K, M
Ilex saderstromii Edwin, K
Ilex sp. 1, D
- Araceae**
- Anaphyllospis americana* (Engl.) A. Hay, S
Arthurium borchlandii G.S. Bunting, D
Arthurium dacigerum Poepp., S
Arthurium coriaceum Croat, K
Arthurium crassinervium (Jacq.) Schott, K, S
Arthurium crinitum Schott, D
Arthurium expansum Gleason, I, K
Arthurium gracile (Rudge) Schott, I, M, S, D
Arthurium hookeri Kunth, K, M, S
Arthurium jennmannii Engl., K, M, S
Arthurium kurtii Poepp., K
Arthurium pentaphyllum (Aubl.) G. Don, K, S, D
Arthurium rubrinervium (Link) G. Don, S
Arthurium sanders (Aubl.) Engl., S
Arthurium sinuatum Benth. ex Schott, D
Arthurium thriax Madison, I, S
Arthurium trinerve Miq., I, K, M, S, D
Caladium bicolor (Aiton) Vent., I, S
Dieffenbachia elegans A.M.E. Jonker & Jonker, S, D
Dieffenbachia lutea Poopp., S
Dieffenbachia paludicola N.E. Br. ex Gleason, M, S
Dieffenbachia seguine (Jacq.) Schott, S
Dracontium longipes Engl., D
Dracontium polyphyllum L., S
Heteropsis flexuosa (Kunth) G.S. Bunting, I, M, S, D
Heteropsis magniphylla A.C. Sm., D
Heteropsis neltonii (Engl.) A.M.E. Jonker & Jonker, I
Heteropsis riedeliana Schott, D
- Heteropsis sprucana* Schott, I, S, D
Heteropsis steyermarkii G.S. Bunting, D
Heteropsis tenispadix G.S. Bunting, D
Monstera adansonii Schott, I, S
Monstera dubia (Kunth) Engl. & K. Krause, M, S
Monstera obliqua Miq., I, S, D
Monstera sprucana (Schott) Engl., M, S
Monstera sp., S
Montridiandra arborea (L.) Schott, I, K, M, D
Montridiandra linifera (Arruda) Schott, I
Philedendron asplundii Croat ined., D
Philedendron barrocaicum G.S. Bunting, D
Philedendron billietiae Croat, S, D
Philedendron brevispathum Schott, D
Philedendron callousum K. Krause, K, M, S, D
Philedendron ambosportanum G.M. Barroso, I
Philedendron crenatissimum Croat & Grayum, S
Philedendron curvatulum Engl., D
Philedendron deflexum Poepp. ex Schott, I, S, D
Philedendron distantilobum K. Krause, D
Philedendron duckei Croat & Grayum, S
Philedendron cordatum Schott, M
Philedendron elaphoglossoides Schott, D
Philedendron fragrantissimum (Hook.) G. Don, I, K, M, S, D
Philedendron goldii G.M. Barroso, S, D
Philedendron grandifolium (Jacq.) Schott, S
Philedendron guianense Croat & Grayum, S
Philedendron hederaceum (Jacq.) Schott, S
Philedendron hyalaeanum G.S. Bunting, I, D
Philedendron insigne Schott, I, K, M, S, D
Philedendron jennmannii K. Krause, I
Philedendron limaei Kunth, I, K, M, S, D
Philedendron neltonii Brongn. ex Regel, S, D
Philedendron nuriatium Willd. ex Schott, I
Philedendron ornatum Schott, I, K, S, D
Philedendron pedatum (Hook.) Kunth, I, K, M, S, D
Philedendron placidum Schott, I, S
Philedendron platypodium Gleason, D
Philedendron pulchellum Engl., D
Philedendron pulchrum G.M. Barroso, D
Philedendron quinquedentatum K. Krause, D
Philedendron rudgeanum Schott, I, M, S
Philedendron sanders K. Koch & Sello, M, S
Philedendron solimense A.C. Sm., I, M, S
Philedendron sphalerium Schott, S, D
Philedendron squamiferum Poepp., S
Philedendron surinamense (Miq.) Engl., I, M, S, D
Philedendron wittianum Engl., S
Pistia stratiotes L., K
Rhodophaea brachypoda G.S. Bunting, S
Rhodophaea latifolia Poepp., S
Rhodophaea oblongata Poepp., I, S
Rhodophaea venosa Gleason, M, S, D
Schismatoglottis sprucana (Schott) G.S. Bunting, D
Spathiphyllum cuspidatum Schott, I, K, M
Spathiphyllum humboldtii Schott, S
Spathiphyllum maguirei G.S. Bunting, D
Stenospermatium maguirei A.M.E. Jonker & Jonker, I, K, M
Stenospermatium multiorbitalatum (Engl.) N.E. Br., S
Stenospermatium sprucanum Schott, K

- Syngonium padophyllum* Schott, **I, S**
Urospatha sagittifolia (Rudge) Schott, **I, K, M, D**
Xanthosoma gracilie Croat & S.A. Thomps., **S**
Xanthosoma stridatum Mart. ex Schott, **S**
Xanthosoma vidaceum Schott, **S**
- Araliaceae**
Dendropanax sp., **M**
Oreopanax capitatus (Jacq.) Decne. & Planch., **S**
Schafflera decaphylla (Seem.) Harms, **I, M, S**
Schafflera morototoni (Aubl.) Maguire, Steyermark & Frodin, **S, D**
Schafflera umbrosa Frodin ined., **D**
- Arecaceae**
Astroaryum aculeatum G. Mey., **D**
Astroaryum gymnaethium Mart., **I, M, S, D**
Astroaryum murumuru Mart., **S, D**
Astroaryum paranae Mart., **S**
Astroaryum scaphilum (Miq.) Pulle, **I, S, D**
Bactris aauanthoarpa Mart., **M, S, D**
Bactris aauanthoaroides Barb. Rodr., **S, D**
Bactris aubletiana Trail, **S**
Bactris ampestris Poepp. ex Mart., **K**
Bactris constanciae Barb. Rodr., **D**
Bactris corossilla H. Karst., **I, K**
Bactris elegans Barb. Rodr., **I, S, D**
Bactris floccosa Spruce, **S**
Bactris gasipaes Kunth, **S**
Bactris gastriana Barb. Rodr., **S, D**
Bactris hirta Mart., **K, S, D**
Bactris miraia Mart., **S, D**
Bactris oligoarpi Barb. Rodr. & Trail ex Barb. Rodr., **S**
Bactris oligodada Burret, **I, K, M**
Bactris pluviaria Granv. & An. Hend., **S**
Bactris ptariana Steyermark., **I, K, M, D**
Bactris rhiphaeaantha Wess. Boer, **S**
Bactris simplicifrons Mart., **I, K, S, D**
Bactris syagroides Trail, **D**
Bactris tormentosa Mart., **D**
Bactris trailiana Barb. Rodr., **D**
Desmoncus microanthos Mart., **K, M, S**
Desmoncus orthacanthos Mart., **I**
Desmoncus phoeniceaarpus Barb. Rodr., **K**
Desmoncus polyacanthos Mart., **D**
Dictyaryum ptarianum (Steyermark.) H.E. Moore & Steyermark., **K**
Euterpe catina Wallace, **D**
Euterpe edule Mart., **I, M, S**
Euterpe preatoria Mart., **S, D**
Geonoma aspidifolia Spruce, **D**
Geonoma bacilifera (Poit.) Kunth, **I, S**
Geonoma diversa (Poit.) Kunth, **I, S, D**
Geonoma cispatha Burret, **I, S**
Geonoma maxima (Poit.) Kunth, **I, M, S, D**
Geonoma strida (Poit.) Kunth, **S, D**
Geonoma unbraculiformis Wess. Boer, **S**
Geonoma sp., **K**
Hyospathe elegans Mart., **S, D**
Iriartella setigera (Mart.) H. Wendel., **D**
Jessenia-Cenocarpus complex, **K**
Manicaria saccifera Gaertn., **D**
Mauritia flexuosa L.f., **M, D**
- Mauritiella aalata* (Kunth) Burret, **K, D**
Mauritiella martiana (Spruce) Burret, **I**
Maximiliana maripa (Aubl.) Drude, **I, M, D**
Cenocarpus baba Mart., **I, M, S, D**
Cenocarpus batava Mart., **I, M, S, D**
Cenocarpus minor Mart., **D**
Cenocarpus sp., **K**
Obignya sagittii Trail ex Thurn, **I, D**
Schedler sp., **S, D**
Socratea exorrhiza (Mart.) H. Wendel., **I, S, D**
Syagrus inajai (Spruce) Becc., **S, D**
- Aristolochiaceae**
Aristolochia bukuti Poncy, **S**
Aristolochia consinilis Mast., **M**
Aristolochia crenarsii Poncy, **S**
Aristolochia daemorinnoxia Mast., **M**
Aristolochia didyma S. Moore, **S**
Aristolochia iquensis O.C. Schmidt, **I, S**
Aristolochia rugosa Lam., **M**
Aristolochia staheli O.C. Schmidt, **S**
Aristolochia surinamensis Willd., **I**
Aristolochia trilobata L., **S**
Aristolochia waddellii Duch., **M**
Aristolochia sp., **D**
- Asclepiadaceae**
Asclepias curassavica L., **K, S**
Blpharodon nitidus (Vell.) J.F. Macbr., **K, M**
Matdeia badilloi Morillo, **D**
Matdeia graciella Morillo, **S**
Matdeia palustris Aubl., **K, M, S**
Matdeia stenorhynchala Sandwith, **I, K, M**
Metalepis albiloba Urb., **S**
Tassadia guianensis Decne., **I**
Tassadia propinqua Decne., **K, M**
- Aspleniaceae**
Asplenium abscissum Willd., **S**
Asplenium angustum Sw., **I, M, S, D**
Asplenium auriculatum Sw., **I**
Asplenium auritum Sw., **M, S**
Asplenium cristatum Lam., **I**
Asplenium curvatum Lam., **K**
Asplenium hastatum Hieron., **S**
Asplenium juglandifolium Lam., **S, D**
Asplenium laetum Sw., **S**
Asplenium pedicularifolium A. St.-Hil., **S**
Asplenium ritaceum (Willd.) Mett., **S**
Asplenium salicifolium L., **K, D**
Asplenium serratum L., **I, K, M, S, D**
Asplenium zanzibaricum Willd., **K**
- Asteraceae**
Aanthospermum australe (Loefl.) Kuntze, **K, M**
Acndla bradyglossa Cass., **S**
Acndla uliginosa (Sw.) Cass., **S**
Bidens cynapiifolia Kunth, **K, M, S**
Bidens pilosa L., **S**
Calatula acaulescens (DC.) H. Rob., **I, M**
Calatula lucidivenia Gleason & S. F. Blake, **K**
Calatula diveri B.L. Rob. & Greenm., **K**
Calatula solidaginosa Kunth, **I**
Centratherum punctatum Cass., **I**

- Centratherum* sp. I, D
Chromolaena odorata (L.) R.M. King & H. Rob., M, S
Chromolaena squalida (DC.) R.M. King & H. Rob., I
Clibadium surinamense L., I, K
Clibadium sylvestre (Aubl.) Baill., I, M, S
Conyza bonariensis (L.) Cronquist, M
Conyza floribunda Kunth, D
Cyanthillium cinereum (L.) H. Rob., M, S
Edipta prostrata (L.) L., I, S
Elephantopus mollis Kunth, K, S, D
Eclipteranthera ruderale (Sw.) Sch. Bip., I
Emilia fosbergii Nicolson, K
Emilia sonchifolia (L.) DC. ex Wight, K, M, S
Ereditis hieracifolia (L.) Raf. ex DC., K, M, S, D
Eupatorium sp. 1, D
Gnaphalium polyaulon Pers., I
Hebedonium microphyllum (L.) DC., S
Lepidaploa cotonneaster (Willd. ex Spreng.) H. Rob., K
Lepidaploa gracilis (Kunth) H. Rob., I, K, M
Lepidaploa remotiflora (Rich.) H. Rob., K, M
Mikania lanisteriae DC., K
Mikania congesta DC., I
Mikania glauca B.L. Rob., I, M, S
Mikania guaco Bonpl., S
Mikania hookeriana DC., I, K, M
Mikania lindleyana DC., I
Mikania micropelta DC., S
Mikania parviflora (Aubl.) H. Karst., I, K, S
Mikania psilosadiya DC., I, K, M, D
Mikania sprucei Baker, K
Mikania trinitaria DC., I
Piptocephala triflora (Aubl.) Benn. ex Baker, I
Porophyllum ruderale (Jacq.) Cass., M
Pseudelephantopus funkii (Turcz.) Philipson, D
Rolandia fruticosa (L.) Kuntze, I, K, S, D
Sphagneticola trilobata (L.) Pruski, S
Spiranthes acudia (L.) Murray, D
Synedrella nodiflora (L.) Gaertn., S
Trichospora verticillata (L.) S.F. Blake, I
Uhxia amphorae L.f., K, M
Wedelia paludosa DC., D
Wulffia bacata (L.) Kuntze, I, K, M, S
- Balanophoraceae**
Hedysarum ayacensis (Sw.) Spreng., I, K, S
- Begoniaceae**
Begonia fischiieri Schrank, K
Begonia glabra Aubl., S
Begonia guaduensis Kunth, I
Begonia hederacea Brade, I
Begonia humilis Dryand., M, S
Begonia jenmanii Tutin, K
Begonia priaurii DC., K, S
- Bignoniacae**
Adenocalymma impressum (Rusby) Sandwith, D
Adenocalymma inundatum Mart. ex DC., I
Adenocalymma saulense C.C. Berg & Kooy, S
Adenocalymma subinatum Huber, D
Amphilophium paniculatum (L.) Kunth, S
Anemopaegma drysoleucum (Kunth) Sandwith, I
Anemopaegma floridum Mart. ex DC., D
Anemopaegma foetidum Bureau & K. Schum., M, D
- Anemopaegma ionanthum* A.H. Gentry, S, D
Anemopaegma oligoneuron (Sprague & Sandwith) A.H. Gentry, M, S
- Anemopaegma parkeri* Sprague, M
Anemopaegma robustum Bureau & K. Schum., K, D
- Arrabidaea bilabiata* (Sprague) Sandwith, I
Arrabidaea candicans (Rich.) DC., I, K, M, S
Arrabidaea diua (Bonpl.) B. Verl., D
Arrabidaea cinnamonifera (A. DC.) Sandwith, S, D
Arrabidaea egena Bureau & K. Schum., M
Arrabidaea fangshuei Sandwith, M, S, D
Arrabidaea floridula DC., I, S
Arrabidaea inaequalis (DC. ex Splitg.) K. Schum., I, S, D
Arrabidaea japiensis (DC.) Bureau & K. Schum., S
Arrabidaea mollis (Vahl) Bureau ex K. Schum., M, S
Arrabidaea nigrescens Sandwith, S, D
Arrabidaea oligantha Bureau & K. Schum., S
Arrabidaea patellifera (Schltdl.) Sandwith, M, S
Arrabidaea prancei A.H. Gentry, D
Arrabidaea trailii Sprague, M, S, D
Arrabidaea triplinervia (Mart. ex DC.) Baill. ex Bureau, S, D
- Callidium latifolia* (Rich.) K. Schum., M, S, D
Clytostoma binatum (Thunb.) Sandwith, I, K, M, S
Clytostoma sciuripabulum Bureau & K. Schum., M
Cydista aequinoctialis (L.) Miers, I, M, S, D
Digomphia densicornis (Mart. ex DC.) Pilg., K
Distictella elongata (Vahl) Urb., I, K, M, S, D
Distictella magnoliifolia (Kunth) Sandwith, K, M
Distictella parkeri (DC.) Sprague & Sandwith, K, M, D
Distictella pulvularia (Sandwith) A.H. Gentry, D
Jaacaranda apiaia (Aubl.) D. Don, I, K, M, S, D
Jaacaranda obtusifolia Bonpl., I, K
Leucanatha aromatica Barb.Rodr., D
Lundia corymbifera (Vahl) Sandwith, S
Lundia densiflora DC., I, D
Lundia erionema DC., M
Macfadyena unguis-cati (L.) A.H. Gentry, S
Marcosella cordifolia (DC.) A.H. Gentry, D
Marsa alliaean (Lam.) A.H. Gentry, S, D
Marsa standleyi (Steyermark) A.H. Gentry, S
Martinella iquitosensis A. Samp., D
Martinella obovata (Kunth) Bureau & K. Schum., K, M, S, D
- Menora adenophora* Sandwith, D
Menora bracteosa (DC.) Bureau ex K. Schum., M, D
Menora flava (DC.) Bureau & K. Schum., M, S, D
Menora flaviflora (Miq.) Pulle, D
Menora longilinea A. Samp., D
Menora moringifolia (DC.) Sandwith, M, S, D
Menora racemosa A.H. Gentry, I, M, S, D
Menora schomburgkii (DC.) Miers, I, K, M
Menora tanacetifarpa A.H. Gentry, S, D
Mussatia hyacinthina (Standl.) Sandwith, I
Mussatia pterierae (DC.) Bureau ex K. Schum., M
Parabignonia steyermarkii Sandwith, I, M, S
Paragonia pyramidalis (Rich.) Bureau, I, K, M, S
Pteriarabidaea truncata A. Samp., D
Phryganocycla corymbosa (Vent.) Baill., K, M
Pithecellobium crucigerum (L.) A.H. Gentry, S
Platnotomus albiflora (Salzm. ex DC.) A.H. Gentry, M, S, D

- Pleonotoma demitis* (Kunth) Miers, **I, M**
Pleonotoma dendrotridua Sandwith, **S**
Pleonotoma editidea Sprague & Sandwith, **M**
Pleonotoma jasminifolia (Kunth) Miers, **D**
Potamogynus microcalyx (G. Mey.) Sandwith, **M**
Pyrostegia cinerea Bureau ex K. Schum., **D**
Roentgenia sordida (Bureau & K. Schum.) Sprague & Sandwith, **M**
Schlegelia fusata A.H. Gentry, **S**
Schlegelia paraensis Ducke, **M, S, D**
Schlegelia spruceana Bureau & K. Schum., **K, D**
Schlegelia violacea (Aubl.) Griseb., **K, M**
Spathialyx duckei (A. Samp.) A.H. Gentry, **D**
Stizophyllum riparium (Kunth) Sandwith, **S, D**
Tabebuia capitata (Bureau & K. Schum.) Sandwith, **S**
Tabebuia iniana A.H. Gentry, **D**
Tabebuia insignis (Miq.) Sandwith, **I, K, M**
Tabebuia serratifolia (Vahl) G. Nicholson, **M, S, D**
Tabebuia stenoalyx Sprague & Staph., **I**
Tabebuia subtilis Sprague & Sandwith, **K**
Tanaecium jardoi Sw., **I**
Tanaecium nocturnum (Barb. Rodr.) Bureau & K. Schum., **S**
Tympanothrix panurensis (Bureau) K. Schum., **D**
Tympanothrix polyanthus (Bureau) Sandwith, **S**
Tympanothrix pubescens A.H. Gentry, **S**
Tympanothrix sp., **I**
- Bixaceae**
Bixa orellana L., **I, K, S**
Cochlospermum orinocense (Kunth) Steud., **I**
- Blechnaceae**
Bladnium gracile Kaulf., **S**
Bladnium serrulatum Rich., **K, M**
Salpidilaena hookeriana (Kuntze) Alston, **D**
Salpidilaena volubilis (Kaulf.) J. Sm., **S, D**
- Bombacaceae**
Bombacopsis microalyx (Ducke) A. Robyns, **D**
Bombacopsis nervosa (Uittien) A. Robyns, **D**
Carolina minor Sims, **D**
Catostemma albuquerquei Paula, **D**
Catostemma connivue Sandwith, **I, K, M**
Catostemma fragrans Benth., **I, K, M**
Catostemma nilanzeii Paula, **D**
Catostemma sderophyllum Ducke, **D**
Catostemma sp., **S**
Ceiba pentandra (L.) Gaertn., **S**
Eriotheca globosa (Aubl.) A. Robyns, **S, D**
Eriotheca longitubulosa A. Robyns, **D**
Eriotheca microphylla (K. Schum.) A. Robyns, **D**
Huberodendron swietenoides (Gleason) Ducke, **S, D**
Matisia odorata K. Schum., **S**
Padira aquatica Aubl., **I, K**
Padira insignis (Sw.) Sw. ex Savigny, **I, S**
Quararibea duckei Huber, **S**
Quararibea guianensis Aubl., **S**
Quararibea lasiocalyx (K. Schum.) Vischer, **S**
Quararibea spatulata Ducke, **S**
Rhodognaphalopsis duckei A. Robyns, **D**
Rhodognaphalopsis faroensis (Ducke) A. Robyns, **D**
Rhodognaphalopsis flaviflora (Pulle) A. Robyns, **K, M**
Rhodognaphalopsis minor (Sims) A. Robyns, **K, D**
Sderonema micranthum (Ducke) Ducke, **D**
- Bonnetiaceae**
Ardytaea triflora Mart., **K**
Bornetia sessilis Benth., **K**
- Burseraceae**
Cordia alliodora (Ruiz & Pav.) Oken, **I, S**
Cordia bicolor DC., **M, S**
Cordia exaltata Lam., **I, M, S**
Cordia fallax I.M. Johnst., **I, M**
Cordia goeldiana Huber, **S**
Cordia grandiflora (Desv.) Kunth, **I**
Cordia hirta I.M. Johnst., **S**
Cordia lomatoloba I.M. Johnst., **S**
Cordia naidophilla I.M. Johnst., **D**
Cordia nernea Lam., **K, M, S**
Cordia nadosa Lam., **I, K, M, S, D**
Cordia sagotii I.M. Johnst., **I, M, S, D**
Cordia sdomburgkii DC., **I, M, S**
Cordia silvestris Fresen., **D**
Cordia spruci Mez, **D**
Cordia tetrandra Aubl., **I**
Cordia tradiphylla C.Mart., **D**
Heliotropium filiforme Lehm., **I, M**
Heliotropium ternatum Vahl, **I**
Tournefortia bicolor Sw., **S**
Tournefortia cispidata Kunth, **I**
Tournefortia hirsutissima L., **I**
Tournefortia maculata Jacq., **S**
Tournefortia melanodactyla DC., **I**
Tournefortia paniculata Cham., **S**
Tournefortia ulei Vaupel, **I, K, M, S**
- Bromeliaceae**
Aechmea aquilega (Salisb.) Griseb., **K, S**
Aechmea bæriana L.B. Sm. & M.A. Spencer, **D**
Aechmea brassicoides Baker, **K**
Aechmea brondifolia (Rudge) Baker, **I, K, M, S, D**
Aechmea contrada (Mart. ex Schult.f.) Baker, **D**
Aechmea feruandae (E. Morren) Baker, **D**
Aechmea lingulata (L.) Baker, **S**
Aechmea melinorii Hook., **M, S**
Aechmea mertensii (G. Mey.) Schult. & Schult.f., **I, K, M, S, D**
Aechmea nudicaulis (L.) Griseb., **K**
Aechmea rodiguesiana (L.B.Sm.) L.B.Sm., **D**
Aechmea setigera Mart. ex Schult.f., **D**
Aechmea tillandsioides (Mart. ex Schult.f.) Baker, **I, K, M**
Aechmea toantina Baker, **K, S**
Ananas ananassoides (Baker) L.B. Sm., **K**
Ananas pinguinensis L.A. Camargo & L.B. Sm., **I, K**
Ananas sp., **M**
Araucococcus flagelliferius Harms, **S**
Araucococcus micranthus Brongn., **S, D**
Billbergia violacea Beer, **S**
Billbergia sp., **K**
Bractiaria micrantha (Baker) Mez, **K**
Brochinia raduta Baker, **K**
Bromelia plurieri (E. Morren) L.B. Sm., **M**
Bromelia tubulosa L.B. Sm., **D**

- Catopsis berteroiana* (Schult. & Schult.f.) Mez, **K, M, S**
Catopsis sessiliflora (Ruiz & Pav.) Mez, **S**
Disteganthus basi-lateralis Lem., **S**
Disteganthus lateralis (L.B. Sm.) Gouda, **S**
Gravisia rodriquesiana L.B. Sm., **D**
Guzmania altsonii L.B. Sm., **K, S**
Guzmania brasiliensis Ule, **D**
Guzmania lingulata (L.) Mez, **I, K, M, S, D**
Guzmania nelinoris Regel, **S**
Guzmania rozlii (E. Morren) Mez, **I, M**
Guzmania squarrosa (Mez & Sodiro) L.B. Sm. & Pittendr., **K**
Lindmania guianensis (Beer) Mez, **K**
Navia angustifolia (Baker) Mez, **K**
Navia sandwithii L.B. Sm., **K**
Neregelia eleutheropetala (Ule) L.B.Sm., **D**
Pitcairnia caricifolia Mart. ex Schult.f., **K, M**
Pitcairnia geayesii L.B. Sm., **S**
Pitcairnia leprieurii Baker, **S**
Pitcairnia maidifolia (C. Morren) Decne. ex Planch. & Linden, **K**
Pitcairnia nuda Baker, **K**
Pitcairnia sastrei L.B. Sm. & Read, **S**
Pitcairnia sprucei Baker, **I, D**
Streptocarpus longifolius (Rudge) Baker, **M, S, D**
Tillandsia adpressiflora Mez, **K, S**
Tillandsia anaps Lodd., **K, M, S**
Tillandsia bulbosa Hook., **K, M, S**
Tillandsia fasciculata Sw., **M, S**
Tillandsia fendleri Griseb., **K**
Tillandsia jenmanii Baker, **K**
Tillandsia kegeliana Mez, **S**
Tillandsia monadelpha (E. Morren) Baker, **M, S**
Tillandsia paracensis Mez, **S**
Tillandsia spiculosa Griseb., **K, M, S**
Tillandsia terenifolia L., **M, S**
Tillandsia sp., **D**
Vriesea annazoniae (Baker) Mez, **M, S**
Vriesea gladioliflora (H. Wendl.) Antoine, **K, M, S**
Vriesea pleiosticha (Griseb.) Gouda, **K, S**
Vriesea rubra (Ruiz & Pav.) Beer, **M**
Vriesea soderstromii L.B. Sm., **K**
Vriesea splendens (Brongn.) Lem., **K, S**
Vriesea splitgerberi (Mez) L.B. Sm. & Pittendr., **D**
Vriesea viridiflora (Regel) Wittm. ex Mez, **K**
- Burmanniaceae**
Apteris aphylla (Nutt.) Barnhart ex Small, **K, S**
Apteris sp. 1, **D**
Burmannia bialor Mart., **K**
Burmannia capitata (Walter ex J.F. Gmel.) Mart., **K**
Burmannia terrella Benth., **K**
Campylosiphon purpurascens Benth., **I, K, M, S, D**
Cynboarpa refracta Miers, **D**
Cynboarpa sinuata Sandwith, **D**
Dictyostegia orbandoides (Hook.) Miers, **M, S, D**
Gymnosiphon bradycephalus Snelders & Maas, **D**
Gymnosiphon breviflorus Gleason, **I, K, M, S, D**
Gymnosiphon diuariatus (Benth.) Benth. & Hook.f., **I, M, S, D**
Gymnosiphon guianensis Gleason, **K, M**
Gymnosiphon minutus Snelders & Maas, **S, D**
- Gymnosiphon recurvatus* Snelders & Maas, **K**
Gymnosiphon tendlii (Benth.) Urb., **D**
Hexapterella gentianoides Urb., **M, S, D**
Tliersia saulensis H. Maas & Maas, **S**
- Burseraceae**
Bursera gravida (Kunth) Triana & Planch., **D**
Crepidospermum goudotianum (Tul.) Triana & Planch., **I, S**
Crepidospermum rhoifolium (Benth.) Triana & Planch., **I**
Dacryodes cispidata (Cuatrec.) Daly, **D**
Dacryodes nitens Cuatrec., **D**
Dacryodes roraimensis Steyermark & Maguire, **S**
Dacryodes sp. nov., **D**
Protium alstonii Sandwith, **D**
Protium apicalatum Swart, **S, D**
Protium aracochiri (Aubl.) Marchand, **K, M, S, D**
Protium araguense Cuatrec., **S**
Protium crassipetalum Cuatrec., **D**
Protium cuneatum Swart, **S**
Protium decandrum (Aubl.) Marchand, **I, M, S, D**
Protium demerarese Swart, **K, M, S**
Protium dicaricum Engl., **S, D**
Protium elegans Engl., **D**
Protium ferrugineum (Engl.) Engl., **D**
Protium fimbriatum Swart, **D**
Protium galosum Daly, **D**
Protium giganteum Engl., **D**
Protium grandifolium Engl., **D**
Protium guianense (Aubl.) Marchand, **I, M, S**
Protium hebetatum Daly, **D**
Protium heptaphyllum (Aubl.) Marchand, **I, M, S, D**
Protium hostmannii (Miq.) Engl., **D**
Protium insigne (Triana & Planch.) Engl., **D**
Protium klugii J.F. Macbr., **D**
Protium laxiflorum Engl., **D**
Protium morii Daly, **S**
Protium nitidifolium (Cuatrec.) Daly, **D**
Protium nudulosum Swart, **D**
Protium occultum Daly, **S**
Protium opacum Swart, **I, S, D**
Protium pallidum Cuatrec., **S, D**
Protium paniculatum Engl., **D**
Protium pedicellatum Swart, **D**
Protium pilosissimum Engl., **D**
Protium pilosum (Cuatrec.) Daly, **S, D**
Protium plagiocarpum Benoist, **S**
Protium poppigianum Swart, **S**
Protium polybotrys (Turcz.) Engl., **D**
Protium robustum (Swart) D.M. Porter, **S, D**
Protium rubrum Cuatrec., **D**
Protium sagotianum Marchand, **I, S**
Protium spruceanum (Benth.) Engl., **D**
Protium strumosum Daly, **D**
Protium subserratum (Engl.) Engl., **K, S, D**
Protium tenuifolium (Engl.) Engl., **M, S, D**
Protium trifoliolatum Engl., **K, S, D**
Protium unifoliolatum Spruce ex Engl., **D**
Protium sp. nov. ined., **D**
Tetragastris altissima (Aubl.) Swart, **I, M, S**
Tetragastris hostmannii (Engl.) Kuntze, **I**
Tetragastris panamensis (Engl.) Kuntze, **I, S, D**

- Trattinnickia burserifolia* Mart., K, M, D
Trattinnickia demerarae Sandwith, M
Trattinnickia glaziovii Swart, D
Trattinnickia peruviana Loes., D
Trattinnickia rhoifolia Willd., M, S, D
- Cactaceae**
Epiphyllum phyllanthus (L.) Haw., I, S, D
Epiphyllum sp., M
Rhipsalis baccifera (J.S. Mill.) Stearn, S
Rhipsalis sp., M
Selenicereus sp., M
Selenicereus sp., S
- Caesalpiniaceae**
Aldina heterophylla Spruce ex Benth., D
Aldina insignis (Benth.) Endl., K
Batesia floribunda Spruce ex Benth., S, D
Bauhinia alata Ducke, D
Bauhinia capuronitens Ducke, D
Bauhinia guianensis Aubl., I, K, M, S, D
Bauhinia ottawiana Aubl., S
Bauhinia rutilans Spruce ex Benth., D
Bauhinia sala-siriae Sandwith, K, M
Bauhinia siqueiraei Ducke, M, S
Bauhinia stenorhyncha Ducke, D
Bauhinia surinamensis Amshoff, M, S
Bixa alterna (Benth.) R.S. Cowan, D
Bixa viridiiflora (Ducke) R.S. Cowan, S, D
Brownia sp., K
Campsandra comosa Benth., I, M
Campsandra laurifolia Benth., I
Candolleodendron bradystachys (DC.) R.S. Cowan, S
Cassia caerulea H.S. Irwin & Barneby, I, S
Cassia fastuosa Willd. ex Benth., S
Cassia grandis L.f., S
Cassia reticulata Willd., D
Cassia rubriflora Ducke, D
Cassia spruina Benth., S, D
Chamæcrista adiantifolia (Spruce ex Benth.) H.S. Irwin & Barneby, I, K, M, D
Chamæcrista apoucouita (Aubl.) H.S. Irwin & Barneby, I, K, M
Chamæcrista diphylla (L.) Greene, I
Chamæcrista hispidula (Vahl) H.S. Irwin & Barneby, I
Chamæcrista negrensis (H.S. Irwin) H.S. Irwin & Barneby, D
Chamæcrista nictitans (L.) Moench, I
Copaifera guyanensis Desf., K, S
Copaifera multijuga Hayne, D
Copaifera sp., I
Crudia glaberrima (Steud.) J.F. Macbr., I, M
Cynometra bauhiniaefolia Benth., I
Dialium guianense (Aubl.) Sandwith, I, S, D
Diorynia guianensis Amshoff, I, S
Diorynia paraensis Benth., D
Dicymbium altosetum Sandwith, M
Dicymbium jenmanii Sandwith, K
Dicymbium pharangophila R.S. Cowan, K
Dinorphandra axillaris Ducke, D
Dinorphandra conjugata (Splitg.) Sandwith, M
Dinorphandra cuprea Sprague & Sandwith, K
Dinorphandra ignea Ducke, D
- Dinorphandra macrostachya* Benth., I, K, S
Dinorphandra multiflora Ducke, S
Dinorphandra parviflora Spruce ex Benth., D
Dinorphandra peniculata Tul., D
Dinorphandra polyandra Benoist, M
Dinorphandra rifa Sprague & Sandwith, K
Dinizia excelsa Ducke, D
Elizabethia occidentalis M.R. Schomb. ex Benth., I, K, M
Elizabethia durissima Ducke, M
Elizabethia principis M.R. Schomb. ex Benth., I, K, S
Elizabethia speciosa Ducke, D
Eperua dukeana R.S. Cowan, D
Eperua falcata Aubl., I, K, M, S
Eperua glabriflora (Ducke) R.S. Cowan, D
Eperua grandiflora (Aubl.) Benth., K, M, S
Eperua jenmannii Oliv., I, K, M
Eperua rubiginosa Miq., I, K, M
Eperua schomburgkiana Benth., I, K, M
Heterostemon ellipticum Mart. ex Benth., I
Hyptidendron curvaril L., K, M, S
Hyptidendron intermedium Ducke, D
Hyptidendron parvifolium Huber, D
Hymenaea reticulata Ducke, D
Macrolobium acaciifolium (Benth.) Benth., I
Macrolobium angustifolium (Benth.) R.S. Cowan, K
Macrolobium arenarium Ducke, D
Macrolobium bifolium (Aubl.) Pers., I, K, M, S
Macrolobium huberianum Ducke, K
Macrolobium jenmannii (Gleason) Sandwith, M
Macrolobium limbatum Spruce ex Benth., D
Macrolobium microalyx Ducke, D
Macrolobium montanum Ducke, M
Macrolobium pranai R.S. Cowan, D
Macrolobium suaveolens Spruce ex Benth., K, D
Martialiandra excelsa (Benth.) Gleason, I
Martialiandra parviflorum (Amshoff) R. Koeppe, S
Mora excelsa Benth., I, M
Mora gonggrijpii (Kleinboonte) Sandwith, M
Paloue guianensis Aubl., I, M
Paloue riparia Pulle, M
Peltogyne excelsa Ducke, D
Peltogyne paniculata Benth., M, S, D
Peltogyne venosa (Vahl) Benth., I, M
Recordoxylon spicatum (Benoist) Gazel ex Barneby, K, S
Sderolobium diryosphyllum Poepp., D
Sderolobium eriopetalum Ducke, D
Sderolobium guianense Benth., M, D
Sderolobium melanoarpum Ducke, D
Sderolobium indinorii Harms, S
Sderolobium micropetalum Ducke, D
Sderolobium paraense Huber, S
Sderolobium setiferum Ducke, D
Senna alata (L.) Roxb., S
Senna diryosarpa (Desv.) H.S. Irwin & Barneby, S
Senna hirsuta (L.) H.S. Irwin & Barneby, S
Senna latifolia (G. Mey.) H.S. Irwin & Barneby, I, K, M, S
Senna lautiegiana H.S. Irwin & Barneby, S
Senna multiflora (Rich.) H.S. Irwin & Barneby, K
Senna obtusifolia (L.) H.S. Irwin & Barneby, S
Senna occidentalis (L.) Link, K, S

- Senna quinquangulata* (Rich.) H.S. Irwin & Barneby, I, K, M, S, D
Senna reticulata (Willd.) H.S. Irwin & Barneby, I, S
Senna tapajozensis H.S. Irwin & Barneby, D
Senna undulata (Benth.) H.S. Irwin & Barneby, I
Suartzia anshoffiana R.S. Cowan, S
Suartzia arboreana (Aubl.) Pittier, S, D
Suartzia berthamiana Miq., I, M
Suartzia bradyradis Harms, D
Suartzia corrugata Benth., D
Suartzia cuspidata Spruce ex Benth., D
Suartzia eriocarpa Benth., K
Suartzia grandifolia Bong. ex Benth., K, M
Suartzia guianensis (Aubl.) Urb., M
Suartzia ingaeifolia Ducke, D
Suartzia jemmanii Sandwith, M
Suartzia laevicarpa Amshoff, I, K, M
Suartzia lamelata Ducke, I, K, D
Suartzia leioalyxina Benth., M
Suartzia leioyne (Sandwith) R.S. Cowan, K, M
Suartzia longipedicellata Sandwith, M
Suartzia longistipitata Ducke, D
Suartzia ob lanceolata Sandwith, M, D
Suartzia panacea (Aubl.) R.S. Cowan, S, D
Suartzia polyphylla DC., S, D
Suartzia recurva Poepp., I, D
Suartzia reticulata Ducke, D
Suartzia rorainne Sandwith, M
Suartzia schomburgkii Benth., M, D
Suartzia sprucei Benth., M
Suartzia tessmannii Harms, D
Suartzia tillettii R.S. Cowan, I
Suartzia tomentifera (Ducke) Ducke, D
Suartzia ulei Harms, D
Suartzia xanthoptala Sandwith, M
Suartzia sp. nov., M
Tadiugali arripifolia (Ducke) Barneby, S
Tadiugali guianensis (Benth.) Zarucchi & Herend., I, S
Tadiugali myrmecophila (Ducke) Ducke, D
Tadiugali paniculata Aubl., D
Tadiugali plumbea Ducke, D
Tadiugali pubiflora Benth., K, M
Tadiugali rusbyi Harms, M
Vouacapoua americana Aubl., M, S
Vouacapoua micropetala Sandwith, M
Vouacapoua pallidior Ducke, D
- Campanulaceae**
Centropogon cornutus (L.) Druce, I, K, S
- Canellaceae**
Cinnamodendron tenuifolium Uittien, S
- Capparaceae**
Capparis leprieurii Briq., S
Capparis microphylla Kunth, D
Capparis mironiensis Benoist, M
Cleome aculeata L., D
Cleome sp., I
Crataea tapia L., I
- Caricaceae**
Jacaratia spinosa (Aubl.) A. DC., I, S

- Caryocaraceae**
Anthodiscus mizarunensis Gilly, K
Anthodiscus trifoliatus G. Mey., I
Caryocar glabrum (Aubl.) Pers., I, S, D
Caryocar microcarpum Ducke, I, K
Caryocar montanum Prance, I
Caryocar nuciferum L., I, M
Caryocar villosum (Aubl.) Pers., S, D
- Caryophyllaceae**
Drymaria cordata (L.) Willd. ex Schult., K, S, D
- Cecropiaceae**
Cecropia angulata I.W. Bailey, K, M
Cecropia concolor Willd., D
Cecropia disticha Huber, D
Cecropia latiloba Miq., D
Cecropia obtusa Trécul, M, S
Cecropia purpurascens C.C. Berg, D
Cecropia sciadophylla Mart., M, S, D
Coussapoa angustifolia Aubl., S
Coussapoa asperifolia Trécul, I, D
Coussapoa latifolia Aubl., M, S, D
Coussapoa microcephala Trécul, I, K, M
Coussapoa orthoneura Standl., D
Coussapoa sprucei Mildbr., D
Coussapoa trinervia Spruce ex Mildbr., D
Coussapoa viridifolia Cuatrec., I
Pourouma bicolor Mart., S, D
Pourouma acropifolia Mart., D
Pourouma cuama Standl. & Cuatrec., D
Pourouma cuspidata Mildbr., D
Pourouma ferruginea Standl., D
Pourouma guianensis Aubl., M, S, D
Pourouma heterophylla Mart. ex Miq., D
Pourouma melinonii Benoist, S, D
Pourouma minor Benoist, S, D
Pourouma mollis Trécul, D
Pourouma myrmecophyla Ducke, D
Pourouma octata Trécul, D
Pourouma saundersii C.C. Berg & Kooy, S
Pourouma tomentosa Mart. ex Miq., S, D
Pourouma velutina Mart. ex Miq., D
Pourouma villosa Trécul, I, S, D
- Celastraceae**
Gouania glabra Aubl., I, M, S, D
Maytenus ebenifolia Reissek, D
Maytenus floribunda Reissek, S
Maytenus guyanensis Klotzsch ex Reissek, I, K, D
Maytenus myrsinoides Reissek, M, S
Maytenus oblongata Reissek, K, S
- Chrysobalanaceae**
Couepia bracteosa Benth., I, M, D
Couepia anomalis (Mart.) Benth. ex Hook.f., D
Couepia arryphylloides Benoist, S
Couepia cognata (Steud.) Fritsch, K, M
Couepia comosa Benth., I, K, M
Couepia elata Ducke, D
Couepia exalata Ducke, M
Couepia guianensis Aubl., K, S, D
Couepia habrantha Standl., K, S
Couepia joaquiniae Prance, S

- Couepia longipendula* Pilg., D
Couepia magnoliifolia Benth. ex Hook.f., D
Couepia multiflora Benth., I
Couepia obvata Ducke, K, S, D
Couepia paraensis (Mart. & Zucc.) Benth., I
Couepia parillo DC., I, M, S, D
Couepia ramosa Benth. ex Hook.f., D
Couepia robusta Huber, D
Couepia ulai Pilg., D
Hirtella angustissima Sandwith, K
Hirtella biacornis Mart. & Zucc., S, D
Hirtella aidua Fanshawe & Maguire, K
Hirtella davisi Sandwith, M, S
Hirtella duckei Huber, D
Hirtella fasciculata Prance, D
Hirtella glandulosa Spreng., S
Hirtella hispidula Miq., I, K, S
Hirtella myrmecophila Pilg., D
Hirtella paniculata Sw., I, K
Hirtella physophora Mart. & Zucc., S, D
Hirtella piresii Prance, D
Hirtella racemosa Lam., I, K, M, S
Hirtella rodriquesii Prance, D
Hirtella siliqua Griseb., I, K, M, S
Hirtella suffulta Prance, S
Hirtella tenuifolia Prance, S
Licania adolphoduckei Prance, D
Licania affinis Fritsch, K
Licania alba (Bernoulli) Cuatrec., I, K, M, S
Licania albiflora Fanshawe & Maguire, S
Licania amapaensis Prance, S
Licania apetala (E. Mey.) Fritsch, I, S, D
Licania boyanii Tutin, I, M
Licania bracteata Prance, D
Licania buxifolia Sandwith, M
Licania canescens Benoist, I, M, S, D
Licania caudata Prance, M, S, D
Licania coriacea Benth., I, M, D
Licania cupra Sandwith, M
Licania densiflora Kleinhoonte, I, M
Licania discolor Pilg., I, S
Licania divaricata Benth., M
Licania egleri Prance, D
Licania fanshaweae Prance, M, S
Licania gracilipes Taub., D
Licania grantvillei Prance, S
Licania guianensis (Aubl.) Griseb., M, S
Licania heteromorpha Benth., I, K, M, S, D
Licania hirsuta Prance, D
Licania hypoleuca Benth., M, D
Licania impressa Prance, D
Licania incana Aubl., I, K, M
Licania intrapeltolaris Spruce ex Hook.f., I, M
Licania konthiana Hook.f., S
Licania laeigata Prance, M, S, D
Licania lata J.F. Macbr., D
Licania latifolia Benth. ex Hook.f., K, D
Licania laxiflora Fritsch, K, M, S, D
Licania leptostachya Benth., I, K, M
Licania liariiflora (Sagot) S.F. Blake, I
Licania longistyla (Hook.f.) Fritsch, I, D
- Liania microphylla* Benth., D
Liania minuscula Sagot, I, M, S
Liania membranacei Sagot ex Laness., M, S
Liania micrantha Miq., K, M, S, D
Liania microphylla Fanshawe & Maguire, K
Liania niloi Prance, D
Liania oblongifolia Standl., D
Liania octandra (Hoffmanns. ex Roem. & Schult.) Kuntze, S, D
Liania pallida Spruce ex Sagot, D
Liania parvifolia Huber, I
Liania persaudii Fanshawe & Maguire, I, M
Liania piresii Prance, M
Liania polita Spruce ex Hook.f., I
Liania prismatoarpa Spruce ex Hook.f., D
Liania reticulata Prance, D
Liania rodriquesii Prance, D
Liania sandwithii Prance, D
Liania sothersae Prance, D
Liania sprucei (Hook.f.) Fritsch, I, D
Liania unguiculata Prance, D
Parinari ampestris Aubl., I, M
Parinari excisa Sabine, M, S, D
Parinari nunguirei Prance, K
Parinari montana Aubl. emend. Ducke, S
Parinari parvifolia Sandwith, M, D
Parinari rodolphii Huber, I, M

Clusiaceae

- Calophyllum angulare* A.C. Sm., D
Calophyllum brasiliense Cambess., M, D
Calophyllum sp., K
Caripa costata Spruce ex Benth., D
Caripa densifolia Mart., D
Caripa grandifolia Mart., I, D
Caripa heterocarpa Ducke, D
Caripa odorata Ducke, D
Caripa punctulata Ducke, I, D
Caripa rodriquesii Paula, D
Caripa sp., M
Clusia amazonica Planch. & Triana, D
Clusia columnaris Engl., I
Clusia crassifolia Planch. & Triana, K
Clusia cuneata Benth., K, M
Clusia flava (Benth.) Pipoly, I, S
Clusia foetida Miq., I, M
Clusia grandiflora Splitg., I, K, M, S, D
Clusia hammoniana Pipoly, K, M
Clusia insignis Mart., D
Clusia leprantha Mart., S, D
Clusia myriantha Pipoly, K
Clusia meldiorii Gleason, S
Clusia mitia Maguire, K
Clusia myriantha (Benth.) Planch. & Triana, I, K, M
Clusia nemorosa G. Mey., I, K, M, S
Clusia obvata (Spruce ex Planch. & Triana) Pipoly, S, D
Clusia octandra (Poepp.) Pipoly, S, D
Clusia palmiticida Rich. ex Planch. & Triana, I, K, M, S
Clusia panapanari (Aubl.) Choisy, I, K, M, S
Clusia penduliflora Engl., D
Clusia platystigma Eyma, S

- Clusia reggerioides* Planch. & Triana, D
Clusia roeae Jacq., I
Clusia sarramearum Maguire, K
Clusia schomburgkiana (Planch. & Triana) Benth. ex Engl., K, M
Clusia scrobiculata Benoist, K, S, D
Clusia sessilis Klotzsch ex Engl., K
Clusia spathulifolia Engl., D
Clusia viscosa Engl., I
Clusiella axillaris (Engl.) Cuatrec., D
Clusiella elegans Planch. & Triana, M
Dystoxonita brasiliensis D'Arcy, D
Haplodatatum paniculata (Mart.) Benth., D
Havetiopsis flava (Benth.) Planch. & Triana, M, D
Lorostenon bombaciflorum Ducke, D
Lorostenon coelio Paula, D
Mahurea extipulata Benth., K
Moronobea coccinea Aubl., K, S, D
Moronobea jennmannii Engl., K
Moronobea pulchra Ducke, D
Platornia insignis Mart., M, S
Rheedia acuminata (Ruiz & Pav.) Planch. & Triana, K
Rheedia benthamiana Planch. & Triana, I, M
Rheedia microphylla (Mart.) Planch. & Triana, I
Rheedia mndruina (Kunth) Planch. & Triana, I, S, D
Symphonia globulifera L.f., K, M, S, D
Tecomita acutiflora M.S. Barros & G. Mariz, D
Tecomita annaniana Poepp. & Endl. ex Walp., D
Tecomita brasiliensis (Mart.) Walp., S, D
Tecomita brevistaminea Engl., I, M, S
Tecomita caladietos Sandwith, M, S
Tecomita caloneura A.C. Sm., D
Tecomita carinata Eyma, I
Tecomita cephalostigma Vesque, I, M
Tecomita choisyana Planch. & Triana, D
Tecomita eggersii Vesque, I
Tecomita gracilipes Planch. & Triana, D
Tecomita grata Sandwith, D
Tecomita longifolia (Rich.) Hochr., I, S
Tecomita microphylla (Poepp.) Walp., I, S, D
Tecomita muriaria Engl., D
Tecomita obsoleta Engl., S, D
Tecomita pyrifolia Planch. & Triana, I
Tecomita schomburgkii Planch. & Triana, I, D
Tecomita tenuiflora Benth. ex Planch. & Triana, K, M, D
Tecomita umbellata Benth., D
Tecomita waddiana Planch. & Triana, D
Tecomitopsis membranacea (Planch. & Triana) D'Arcy, S
Vismia auliflora A.C. Sm., D
Vismia ayrensis (Jacq.) Pers., I, S, D
Vismia glaziovii Ruhland, S
Vismia gracilis Hieron, D
Vismia guianensis (Aubl.) Choisy, I, K, M, S, D
Vismia japiurensis Reichardt, I, K
Vismia latifolia (Aubl.) Choisy, I, K, S
Vismia macrophylla Kunth, I, K, M, S
Vismia ramuliflora Miq., S
Vismia sandwithii Ewan, S, D
Vismia sessilifolia (Aubl.) Choisy, I, M

Combretaceae

- Buchenavia congesta* Ducke, D
Buchenavia farschaueri Exell & Maguire, K, M
Buchenavia grandis Ducke, M, S, D
Buchenavia guianensis (Aubl.) Alwan & Stace, D
Buchenavia microphylla Eichler, I, D
Buchenavia megalophylla van Heurck & Müll. Arg., I
Buchenavia nitidissima (Rich.) Alwan & Stace, S
Buchenavia odiorrhyncha Eichler, D
Buchenavia parvifolia Ducke, K, S, D
Buchenavia reticulata Eichler, D
Buchenavia sericearpa Ducke, D
Buchenavia tomentosa Eichler, D
Combretum laurifolium Mart., K
Combretum laxum Jacq., I, K, M, S, D
Combretum rotundifolium Rich., I, M, S
Terminalia amazónica (J.E. Gmel.) Exell, I, M
Terminalia dichotoma G. Mey., M
Terminalia guyanensis Eichler, M, S
Terminalia quinalata Maguire, K

Commelinaceae

- Biforrestia candolleana* C.B. Clarke, S
Commelinia diffusa Burm.f., K, S
Commelinia erada L., M
Commelinia rufipes Seub., I, S
Commelinia sp., D
Didhorisandra hexandra (Aubl.) Standl., I, K, S
Didhorisandra sp., D
Floscopa peruviana Hassk. ex C.B. Clarke, S
Tripogandra serrulata (Vahl) Handlos, K

Connaraceae

- Crestidium guianense* (G. Schellenb.) G. Schellenb., I, M, S
Connarus coriacus G. Schellenb., M
Connarus erianthus Benth. ex Baker, M
Connarus fasciculatus (DC.) Planch., S
Connarus lambertii (DC.) Sagot, I
Connarus megacarpus S.F. Blake, I, M
Connarus perrotetii (DC.) Planch., M, S, D
Connarus punctatus Planch., M
Pseudoconnarus microphyllus (Poepp.) Radlk., M, D
Pseudoconnarus rhynchosiodoides (Standl.) Prance, D
Rourea acrensis Forero, D
Rourea cispidata Benth. ex Baker, D
Rourea frutescens Aubl., M
Rourea krukowii Steyermark, D
Rourea ligulata Baker, M
Rourea parvensis Forero, D
Rourea pubescens (DC.) Radlk., M
Rourea surinamensis Miq., S

Convolvulaceae

- Calycolobus glaber* (Kunth) House, I
Dicranostyles ampla Ducke, I, S
Dicranostyles densa Spruce ex Meisn., D
Dicranostyles falconiana (Barroso) Ducke, D
Dicranostyles globostigma D.F. Austin, D
Dicranostyles guianensis Mennega, M, S
Dicranostyles holostyla Ducke, I, D
Dicranostyles integra Ducke, S, D
Dicranostyles laxa Ducke, D

- Dicranostyles longifolia* Ducke, D
Dicranostyles sandersi Benth., D
Evolvulus nummularius (L.) L., D
Ipomoea batatasoides Choisy, S
Ipomoea phillomega (Vell.) House, I, M, S
Ipomoea quamoclit L., S
Ipomoea squamosa Choisy, I, S
Ipomoea tiliacea (Willd.) Choisy, I, M
Jacquenontia tanatifolia (L.) Griseb., M
Lysiostyles sandersi Benth., I, M
Maripa glabra Choisy, M, S, D
Maripa reticulata Ducke, D
Maripa sandersi Aubl., I, M, S, D
Merremia aturense (Kunth) Hallier f., I
Merremia dissecta (Jacq.) Hallier f., S
Merremia microalyx (Ruiz & Pav.) O'Donell, I, K, S
Merremia umbellata (L.) Hallier f., M

Costaceae

- Costus arabicus* L., I, D
Costus davidi Benoist, M, S
Costus congestiflorus Rich. ex Gagnep., S, D
Costus erythrophyllum Loes., S
Costus lancolatus Petersen, S
Costus sauberi Ruiz & Pav., I, S
Costus spiralis (Jacq.) Roscoe, S
Costus sprucei Maas, D

Cucurbitaceae

- Cayaponia botrysarpa* C. Jeffrey, D
Cayaponia jenmanii C. Jeffrey, S
Cayaponia ophthalmica R.E. Schult., I, M, S
Cayaponia racemosa (Mill.) Cogn., M, S
Cayaponia rigida (Cogn.) Cogn., S, D
Cayaponia seysioides C. Jeffrey, M
Cayaponia tessmannii Harms, S
Girmania bigorniacan (Poep. & Endl.) C. Jeffrey, I, M, S, D
Gurania brevipedunculata Cogn., D
Gurania huebneri Harms, D
Gurania lobata (L.) Pruski, I
Gurania reticulata Cogn., S
Gurania spinulosa (Poep. & Endl.) Cogn., I, M, S
Gurania subumbellata (Miq.) Cogn., I, K, M, S
Hedmoria cardiophylla Harms, S
Hedmoria leptantha (Schltrd.) Cogn., M, S, D
Melothria pendula L., S
Psiguria triphylla (Miq.) C. Jeffrey, I, K, M, S
Selysia pruriens (Poep. & Endl.) Cogn., S

Cyatheaceae

- Alsophila aspidata* (Kunze) D.S. Conant, S
Alsophila imrayana (Hook.) D.S. Conant, S
Cnidiaria roraimensis (Domin) R.M. Tryon, K
Cnidiaria spectabilis (Kunze) R.M. Tryon, I
Cyathea andina (H. Karst.) Domin, S
Cyathea cyathoides (Desv.) K.U. Kramer, I, S
Cyathea macrocarpa (C. Presl) Domin, I, K
Cyathea nicordata (Desv.) Domin, I, S
Cyathea pruens (Willd.) Domin, I, K, S
Cyathea spectabilis (Kunze) Domin, S
Cyathea surinamensis (Miq.) Domin, I, M, S, D
Tridipteris microdonta (Desv.) R.M. Tryon, D

Cyclanthaceae

- Asplundia bradynphylla* Harling, S
Asplundia gleasonii Harling, K
Asplundia heteranthera Harling, S
Asplundia niguirensis Harling, I, K
Asplundia taupesiana Harling, D
Asplundia xiphophylla Harling, D
Asplundia sp. nov., D
Cyanthus bipartitus Poit., K, M, S, D
Dicranopygium angustissimum (Sandwith) Harling, K
Dicranopygium pygmaeum (Gleason) Harling, K, S
Evdianthus funifer (Poit.) Lindm., K, M, S, D
Ludoxia lancifolia Brongn., S
Stelostylis stylaris (Gleason) Harling, K
Thraupacarpis biseptatus (Vell.) Harling, I, K, M, S

Cyperaceae

- Baccharidia cynosa* Brongn., I, K, M, S, D
Bisboekelera longifolia (Rudge) Kuntze, K
Bisboekelera microcephala (Boeck.) T. Koyama, K, S
Bulbostylis juncea (Kunth) C.B. Clarke, K
Bulbostylis juncoidea (Vahl) Kük. ex Osten, I
Calyptraea bicolor (H. Pfeiff.) T. Koyama, I, S, D
Calyptraea gloriosa (Brongn.) Urb., I, K, M, S
Calyptraea paupigiana Kunth, I, K, S
Cephaelocarpus rigidus Gilly, K
Cyperus aggregatus (Willd.) Endl., I
Cyperus diffusus Vahl, K, D
Cyperus filiformis Willd. ex Kunth, I
Cyperus guianensis (C.B. Clarke) Kük., K
Cyperus haspan L., I
Cyperus laxus Lam., K, S
Cyperus ligularis L., I, K, M, D
Cyperus luzulae (L.) Rottb. ex Retz., I, M, S, D
Cyperus miliifolius Poepp. & Kunth, I
Cyperus odoratus L., I, S
Cyperus polystachyos Rottb., M
Cyperus simplex Kunth, M, S
Cyperus sphacelatus Rottb., K, M
Cyperus surinamensis Rottb., M, D
Cyperus trailii C.B. Clarke, I
Didymandra stellatum (Boeck.) Gilly, K
Diplacrum capitatum (Willd.) Boeck., I
Diplacrum guianense (Nees) T. Koyama, K
Diplasia karatolia Rich., I, K, M, S, D
Eleocharis debilis Kunth, K
Eleocharis filiformis Kunth, D
Eleocharis geniculata (L.) Roem. & Schult., K
Eleocharis maculosa (Vahl) Roem. & Schult., K
Eleocharis nigrescens (Nees) Steud., D
Eleocharis retroflexa (Poir.) Urb., S
Eleocharis subfoliata C.B. Clarke, I
Exodogyne amazonica C.B. Clarke, K
Finibristyliis annua (All.) Roem. & Schult., K, M
Finibristyliis aspera Boeck., K
Finibristyliis complanata (Retz.) Link, I
Finibristyliis didictoma (L.) Vahl, K, S, D
Finibristyliis miliaea (L.) Vahl, I, M
Finibristyliis tahlii (Lam.) Link, I
Fluarea umbellata Rottb., I, D
Hypolytrum amplum Poepp. & Kunth, M
Hypolytrum jenmanii C.B. Clarke, I, K, M, S

- Hypolytrum longifolium* (Rich.) Nees, I, K
Hypolytrum pulchrum (Rudge) H. Pfeiff., I, K
Hypolytrum schraderianum Nees, S, D
Kyllinga brevifolia Rottb., D
Kyllinga odorata Vahl, M
Kyllinga punica Michx., S, D
Lagenacarpus guianensis Nees, I
Lagenacarpus rigidus (Kunth) Nees, K
Lagenacarpus verticillatus (Spreng.) T. Koyama & Maguire, M
Mapania imerensis (R. Gross) T. Koyama, K
Mapania insignis Sandwith, K
Mapania microphylla (Boeck.) H. Pfeiff., K
Mapania paradoxa J. Raynal, S
Mapania pycnocephala (Benth.) Benth., K, S, D
Mapania surinamensis Uittien, I
Mapania sylvatica Aubl., I, K, M, S, D
Mapaniopsis effusa C.B. Clarke, S
Pleurostachys sparsiflora Kunth, D
Rhynchospora albida (Nees) Boeck., K
Rhynchospora albomarginata Kük., I
Rhynchospora amazonica Poepp. & Kunth, I
Rhynchospora arenicola Uittien, K
Rhynchospora barbata (Vahl) Kunth, I, K
Rhynchospora australotes (L.) Vahl, I, K, M, S
Rhynchospora curvula Griseb., K
Rhynchospora enniata (Nees) Boeck., K
Rhynchospora holoschoenoides (Rich.) Herter, I, K, M
Rhynchospora nervosa (Vahl) Boeck., I
Rhynchospora pilosa (Vahl) Boeck., K, M, S, D
Rhynchospora radicans (Schltrd. & Cham.) H. Pfeiff., S
Rhynchospora reptans (Rich.) Boeck., I
Rhynchospora riparia (Nees) Boeck., K
Rhynchospora spruceana C.B. Clarke, K
Rhynchospora tenella (Nees) Boeck., I, K
Rhynchospora watsontii (Britton) Davidse, M, S
Scleria baldwinii (Torr.) Steudel, D
Scleria bracteata Cav., K
Scleria cyperina Kunth, I, K, D
Scleria flagellum-nigrorum Bergius, I, K
Scleria latifolia Nees, I, S
Scleria microgyne C.B. Clarke, I, K
Scleria malaleuca Rchb. ex Schltrd. & Cham., I, K, D
Scleria microarpa Nees ex Kunth, I, K
Scleria mitis Bergius, S
Scleria pterota J. Presl & C. Presl, K, M
Scleria seans (L.) Urb., S
Scleria stipitata Uittien, I
Scleria stipularis Nees, I, M
Scleria tequensis Core, S
- Cyrtaceae**
Cyrilla racemiflora L., K
- Dennstaedtiaceae**
Dennstaedtia obtusifolia (Willd.) T. Moore, S
Hypolepis parallelogramma (Kunze) C. Presl, S
Lindsaea discariata Klotzsch, I, K, M, S, D
Lindsaea dubia Spreng., S
Lindsaea guianensis (Aubl.) Dryand., I, S, D
Lindsaea lanata (L.) Bedd., I, K, M, S, D
Lindsaea pallida Klotzsch, S
Lindsaea parkeri (Hook.) Kuhn, K
- Lindsaea pendula* Klotzsch, K
Lindsaea portoricensis Desv., K, S
Lindsaea quadrangularis Raddi, I, S
Lindsaea sagittata (Aubl.) Dryand., K, M
Lindsaea schomburgkii Klotzsch, K
Lindsaea stricta (Sw.) Dryand., I, K, D
Lindsaea surinamensis Posth., S
Lindsaea ulci Hieron., M
Pteridium aquilinum (L.) Kuhn, M, S, D
Saccoloma elegans Kaulf., I
Saccoloma inaequale (Kunze) Mett., I, S, D
- Dichapetalaceae**
Dichapetalum padunculatum (DC.) Baill., I, M, S
Dichapetalum rugosum (Vahl) Prance, M, S, D
Dichapetalum sprucianum Baill., D
Tapura amazonica Poepp., S, D
Tapura capitulifera Spruce ex Baill., M
Tapura guianensis Aubl., I, M, S, D
Tapura lancifolia (Ducke) Rizzini, D
- Dilleniaceae**
Curatella americana L., I
Davilla cuspidulata Mart. ex Eichler, D
Davilla kurtii A. St.-Hil., I, K, M, S, D
Davilla nitida (Vahl) Kubitzki, I
Davilla rugosa Poir., S, D
Dolioarpus amazonicus Sleumer, D
Dolioarpus breipadicellatus Garcke, I, M, S, D
Dolioarpus dentatus (Aubl.) Standl., S, D
Dolioarpus guianensis (Aubl.) Gilg, I, K, M, S
Dolioarpus microcarpus Mart. ex Eichler, M, D
Dolioarpus migutias Sleumer, D
Dolioarpus major J.F. Gmel., M
Dolioarpus paraensis Sleumer, M, S
Dolioarpus saimiri Sandwith, K
Dolioarpus spraguei Cheesman, I, K, M, D
Pitcairnia coriacea Mart. & Zucc., K, M, S, D
Tetraera amazonica Kubitzki, D
Tetraera asperula Miq., I, K, M
Tetraera costata Mart. ex Eichler, D
Tetraera tigrea DC., M
Tetraera volubilis L., M
Tetraera willdenowiana Steud., D
- Dioscoreaceae**
Dioscorea alata L., S
Dioscorea antioquiensis Mart. ex Griseb., I, M
Dioscorea cayennensis Lam., S
Dioscorea crotalariaefolia Uline, M
Dioscorea dodecaneura Vell., M
Dioscorea guianensis R. Knuth, K
Dioscorea marginata Griseb., D
Dioscorea megaarpa Gleason, M
Dioscorea pachyarpa Kunth, I
Dioscorea pilosissima Bertero ex Spreng., I, M
Dioscorea potatorum R. Knuth, K
Dioscorea samydei Griseb., M
Dioscorea tridiandra Gleason, K
Dioscorea trifida L.f., S
Dioscorea truncata Miq., I
- Droseraceae**
Drosera capillaris Poir., I

- Drosera anglica* Sagot ex Diels, **K**
Drosera kaieteurensis Brumm.-Ding., **K**
- Dryopteridaceae**
Arachniodes odontopteroides (Baker) Lellinger, **K**
Cyrtodium guianense (Klotzsch) van der Werff ex L.D. Gómez, **K, S**
Cyrtodium inerme (Fée) A.R. Sm., **I, K, M, S**
Cyrtodium meniscioides (Willd.) C. Presl, **I, K, M, S**, **D**
Didymochlaena truncatula (Sw.) J. Sm., **S**
Olfersia cervina (L.) Kunze, **K, S**
Polybotrya caudata Kunze, **S**
Polybotrya fructiserialis (Baker) Sm., **S**
Polybotrya osmundacea Humb. & Bonpl. ex Willd., **D**
Stigmopteris rotundata (Willd.) C. Chr., **K, S**
- Ebenaceae**
Diospyros artantifolia Mart. ex Miq., **S**
Diospyros billata A.C. Sm., **D**
Diospyros apreifolia Mart. ex Hiern, **S, D**
Diospyros carbonaria Benoist, **S, D**
Diospyros didiroa Sandwith, **M, S**
Diospyros duckei Sandwith, **D**
Diospyros guianensis (Aubl.) Gürke, **K, M, S, D**
Diospyros icerensis Britton, **I, K, M, S**
Diospyros lissocarpoides Sandwith, **I**
Diospyros mimaensis Cavalcante, **D**
Diospyros martinii Benoist ex Arnshoff, **S**
Diospyros matheriana A.C. Sm., **S**
Diospyros meliniorii (Hiern) A.C. Sm., **D**
Diospyros praeternissa Sandwith, **D**
Diospyros pseudoxylaria Mildbr., **D**
Diospyros vestita Benoist, **S, D**
- Elaeocarpaceae**
Slmania breipes Benth., **S**
Slmania edinocarpa Uittien, **S, D**
Slmania eidleri K. Schum., **M**
Slmania excisa Ducke, **D**
Slmania fenzleriana Benth., **D**
Slmania floribunda Spruce ex Benth., **D**
Slmania gardiana K. Schum., **I**
Slmania grandiflora Sm., **I, M, S**
Slmania guianensis (Aubl.) Benth., **I, M, S, D**
Slmania latifolia (Rich.) K. Schum., **I, S, D**
Slmania laurifolia (Benth.) Benth., **M, S, D**
Slmania laxiflora Spruce ex Benth., **S, D**
Slmania nitida G. Don, **D**
Slmania parviflora Planch. ex Benth., **I**
Slmania pubescens Benth., **S, D**
Slmania rufa Planch. ex Benth., **S, D**
Slmania schomburgkii Spruce ex Benth., **D**
Slmania sinuariensis Aubl., **S**
Slmania synandra Spruce ex Benth., **D**
Slmania tuerckheimii Donn. Sm., **S**
- Eremolepidaceae**
Antidiaphne amazônica Rizzini, **D**
- Ericaceae**
Bejaria sprucei Meisn., **K**
Camellia callista Donn. Sm., **S**
Notopora schomburgkii Hook.f., **K**
Orthaea apophysata (Griseb.) A.C. Sm., **K**
Orthaea merumensis Maguire, Steyermark & Luteyn, **K**
- Psammitis guianensis* Klotzsch, **K, D**
Satyria acander (Dunal) A.C. Sm., **S**
Satyria pauciflora (Benth. ex Meisn.) Benth. & Hook.f.
 ex Nied., **K**
Sphyrospermum buxifolium Poepp. & Endl., **K, S**
Sphyrospermum cordifolium Benth., **K**
Thibaudia nutans Klotzsch ex Mansf., **K**
Vaccinium pilosulum Klotzsch ex Meisn., **K**
- Eriocaulaceae**
Eriocaulon heterodoxum Moldenke, **M**
Paepalanthus bifidus (Schrad.) Kunth, **I, M**
Paepalanthus didiotorum Klotzsch ex Körn., **K**
Paepalanthus fasciatus (Rottb.) Kunth, **K, D**
Paepalanthus lamurckii Kunth, **M**
Paepalanthus oiapoqueensis Herzog, **K**
Paepalanthus pauper Moldenke, **K**
Paepalanthus polytrichoides Kunth, **K**
Rondonanthus capillaceus (Klotzsch ex Körn.) Hensold
 & Giul., **K**
Syngonanthus gracilis (Bong.) Ruhland, **K**
Syngonanthus jemmanii (Gleason) Giul. & Hensold, **K**
Syngonanthus simplex (Miq.) Ruhland, **K**
Syngonanthus umbellatus (Lam.) Ruhland, **I, K, D**
Syngonanthus xeranthemoides (Bong.) Ruhland, **K**
Torina flacciatilis Aubl., **I, K, S, D**
- Erythroxylaceae**
Erythroxylum citrifolium A. St.-Hil., **K, M, S, D**
Erythroxylum kapplerianum Peyr., **S**
Erythroxylum macrophyllum Cav., **M, S, D**
Erythroxylum mucronatum Benth., **I, S, D**
Erythroxylum squamatum Sw., **M**
- Euphorbiaceae**
Acalypha diversifolia Jacq., **S**
Aldrovanda schomburgkii Klotzsch, **D**
Aldrovanda triplinervia (Spreng.) Müll. Arg., **M, S**
Aldrovanda floribunda (Benth.) Müll. Arg., **M, S, D**
Amanoa gracillima W.J. Hayden, **D**
Amanoa guianensis Aubl., **I, M, D**
Amanoa sinuosa W.J. Hayden, **D**
Anomaloa lyceum (Pax. & K. Hoffm.) Ducke, **D**
Aparisthium cordatum (A. Juss.) Baill., **I, M, S, D**
Chaetocarpus schomburgkianus (Kuntze) Pax & K.
 Hoffm., **K, M**
Chamaesyce hirta (L.) Millsp., **M, S, D**
Chamaesyce hyssopifolia (L.) Small, **S, D**
Chamaesyce prostrata (Aiton) Small, **K, S**
Chamaesyce serpens (Kunth) Small, **M**
Chamaesyce thymifolia (L.) Millsp., **M, S**
Conarea guianensis Aubl., **K, M, S, D**
Conarea martiana Baill., **D**
Croton cuneatus Klotzsch, **K**
Croton draconoides Müll. Arg., **S**
Croton glandulosus L., **D**
Croton hostmanni Miq., **K**
Croton kaietari Jabl., **K**
Croton lobatus L., **D**
Croton mitourensis Aubl., **S, D**
Croton nuntians Croizat, **K**
Croton palanostigma Klotzsch, **S, D**
Croton schiedeanus Schlechl., **S**
Croton trinitatis Millsp., **I, M**

I = Iwokrama, K = Kaieteur Fallas, M = Mabura Hills, S = Saül (Central French Guiana), D = Reserva Ducke

- Croton* sp. nov., **M**
Daledumpia affinis Müll. Arg., **I**
Daledumpia brevicolurina Armbt., **S**
Daledumpia dioscoreifolia Poepp., **S**
Daledumpia fragrans Armbt., **S**
Daledumpia heterobractea Armbt., **S**
Daledumpia pinnibracteata Lanj., **I, M, D**
Daledumpia tiliifolia Lam., **S**
Disocarpus esquiroloensis Klotzsch, **I**
Dodecastigma integrifolium (Lanj.) Lanj. & Sandwith, **S**
Drypetes variabilis Uittien, **S, D**
Euphorbia cyathophora Murray, **S**
Glycydendron amazonicum Ducke, **M, S, D**
Hexa guianensis Aubl., **S, D**
Hexa pauciflora (Spruce ex Benth.) Müll. Arg., **M**
Hexa sp., **K**
Hura crepitans L., **S**
Heronia aldrichioides Allemão, **M, S**
Heronia oblonga (Tul.) Müll. Arg., **I, M, S**
Jatropha gossypiifolia L., **S**
Maba angularis Hollander, **D**
Maba biglandulosa Baill., **I**
Maba montana Müll. Arg., **I**
Maba piriri Aubl., **I, S, D**
Maba rubicunda Jabl., **K**
Maba salicoides Esser, **S**
Maba speciosa Müll. Arg., **I, M, S, D**
Maba subsessilis Pax & K. Hoffm., **S, D**
Maba taquari Aubl., **I, K**
Maba uleana Pax & K. Hoffm., **D**
Manihot sp. nov., **S**
Maprounia guianensis Aubl., **I, K, M, S, D**
Margaritaria nobilis L.f., **I, S**
Micrandra data (Didr.) Müll. Arg., **I, M**
Micrandra siphonoides Benth., **K, D**
Micrandra spruana (Baill.) R.E. Schult., **D**
Nealdorrea japerensis Huber, **D**
Onphalea diandra L., **I, S**
Pausandra fordii Secco, **S**
Pausandra microptala Ducke, **D**
Pausandra martinii Baill., **I**
Pera bicolor (Klotzsch) Müll. Arg., **K, M, D**
Pera glabrata (Schott) Baill., **D**
Phyllanthus amarus Schumach. & Thonn., **S**
Phyllanthus caroliniensis Walter, **I**
Phyllanthus juglandifolius Willd., **I**
Phyllanthus minaensis W.A. Rodrigues, **D**
Phyllanthus ririri L., **D**
Phyllanthus orbiculatus Rich., **D**
Phyllanthus stipulatus (Raf.) G.L. Webster, **M**
Phyllanthus urinaria L., **I, S**
Phyllanthus vaccinifolius (Müll. Arg.) Müll. Arg., **K**
Piranhea trifoliata Baill., **K**
Plukenetia bradybotrys Müll. Arg., **D**
Plukenetia polyantha Müll. Arg., **S**
Plukenetia verrucosa Sm., **I**
Plukenetia volubilis L., **M**
Podocalyx loranthoides Klotzsch, **D**
Pogonophora schomburgkiana Miers ex Benth., **D**
Ridheria dressleri G.L. Webster, **D**
Ridheria grandis Vahl, **S, D**

- Rupreditia bradysepa* Meissn., **I**
Sagotia racemosa Baill., **I, S**
Sandwithia guyanensis Lanj., **I, K, M, D**
Sapium glandulosum (L.) Morong, **S**
Sapium jennuitii Hemsl., **I**
Sapium montanum Lanj., **I, S**
Sapium paucinervium Hemsl., **S, D**
Sebastiana corniculata (Vahl) Müll. Arg., **M, D**
Senefeldera macrophylla Ducke, **D**
Tetrorchidium minor Ducke, **D**
Tragia lessertiana (Baill.) Müll. Arg., **M, S**
Fabaceae
Acoisium nitens (Vogel) Yakovlev, **I, M**
Acoisium praedarium (Sandwith) Yakovlev, **M**
Acridynome rufidis Benth., **I**
Acridynome sensitiva Sw., **I, M**
Alexa imperialis (R.H. Schomb.) Baill., **I, K, M**
Andira coriacae Pulle, **M**
Andira grandistipula Amshoff, **K**
Andira micrantha Ducke, **D**
Andira parviflora Ducke, **D**
Andira serinamensis (Bondt) Splitg. ex Amshoff, **I**
Andira unifoliolata Ducke, **D**
Calopogonium mucunoides Desv., **M**
Centrosema brasiliense (L.) Benth., **D**
Centrosema triquetrum (Hoffmanns. ex Benth.) Benth., **M**
Centrosema oxyllatum Benth., **I, S**
Centrosema sp., **K**
Clathrotropis bradyptala (Tul.) Kleinhoonte, **I, M**
Clathrotropis glaucocephala R.S. Cowan, **I**
Clathrotropis macrocarpa Ducke, **I, K, M**
Clathrotropis paradoxia Sandwith, **K**
Clitoria kaieteurensis Fantz, **K**
Clitoria leptostachya Benth., **M, D**
Clitoria sigotii Fantz, **K, M, S, D**
Dalbergia ecastaphyllum (L.) Taub., **M**
Dalbergia monetaria L.f., **I, D**
Dalbergia multiflora Heyne ex Wall., **D**
Dalbergia riadellii (Benth.) Sandwith, **I, K, M**
Dalbergia sprucana Benth., **D**
Dalbergia sp., **K**
Derris floribunda (Benth.) Ducke, **D**
Desmodium adscendens (Sw.) DC., **I, K, M, S, D**
Desmodium axillare (Sw.) DC., **I, M, S**
Desmodium barbatum (L.) Benth., **K, M, S, D**
Desmodium incanum DC., **S**
Desmodium wyldeianum Urb., **S**
Diodia ariaca Benth., **K**
Diodia elliptica R.H. Maxwell, sp. nov. ined., **M**
Diodia guianensis Benth., **I, K**
Diodia microcarpa Huber, **I, K**
Diodia microcarpa Huber, **K, S**
Diodia milacarpa Ducke, **K**
Diodia megaarpa Rolfe, **I, D**
Diodia reflexa Hook.f., **K**
Diodia sabra (Rich.) R.H. Maxwell, **I, K, M**
Diodia virgata (Rich.) Amshoff, **I, K, S**
Diodia wilsonii Standl., **K**
Diplotropis martinii Benth., **D**
Diplotropis purpurea (Rich.) Amshoff, **K, M, S**

- Diplotropis racemosa* (Hoehne) Amshoff, **K**
Diplotropis rigidocarpa H.C. Lima, **K**
Diplotropis rodriquesii H.C. Lima, **D**
Diplotropis triloba Gleason, **D**
Dipteryx mangifera Ducke, **D**
Dipteryx odorata (Aubl.) Willd., **M, S, D**
Dipteryx polyphylla Huber, **D**
Dipteryx punctata (S.F. Blake) Amshoff, **D**
Dussia discolor (Benth.) Amshoff, **S**
Eriosema simplicifolium (Kunth) G. Don, **I**
Etaballia dubia (Kunth) Rudd, **I**
Galactia sp., **I**
Hymenodobium exadsum Ducke, **D**
Hymenodobium flavum Kleinhoonte, **I, M**
Hymenodobium heteroarpum Ducke, **D**
Hymenodobium nodustum Ducke, **D**
Hymenodobium nitidum Benth., **K, D**
Hymenodobium petraeum Ducke, **M, S**
Hymenodobium pulcherrimum Ducke, **D**
Hymenodobium sericeum Ducke, **D**
Hymenodobium sp., **I**
Hymenodobium sp. nov., **M**
Londioarpus negrensis Benth., **M, D**
Londioarpus saundersii (Aubl.) Ducke, **S**
Londioarpus sp., **I, S**
Madiaerium altisandens Ducke, **S**
Madiaerium aureiflorum Ducke, **M, S, D**
Madiaerium cispidatum Kuhlm. & Hoehne, **D**
Madiaerium ferox (Mart. ex Benth.) Ducke, **I, M, D**
Madiaerium floribundum Benth., **I, K, S**
Madiaerium hadmoranum Ducke, **D**
Madiaerium inundatum (Mart. ex Benth.) Ducke, **I**
Madiaerium kegelii Meissn., **I**
Madiaerium leophyllum (DC.) Benth., **I**
Madiaerium undirens Pittier, **M**
Madiaerium multifoliolatum Ducke, **D**
Madiaerium mutisii Killip ex Rudd, **M**
Madiaerium myrianthum Spruce ex Benth., **K, M**
Madiaerium oblongifolium Vogel, **M**
Madiaerium paraeense Ducke, **S**
Madiaerium quinata (Aubl.) Sandwith, **I, K, M, D**
Macroptilium gracile (Poepp. ex Benth.) Urb., **I**
Monopteryx impae W.A. Rodrigues, **S, D**
Mucuna urens (L.) Medik., **I, S, D**
Mucuna sp., **K**
Ormosia carctata Jacks., **I, M**
Ormosia cocinea (Aubl.) Jacks., **I, M**
Ormosia costulata (Miq.) Kleinhoonte, **M**
Ormosia coutinhoi Ducke, **I, K, M**
Ormosia fastigiata Tul., **I**
Ormosia flava (Ducke) Rudd, **S**
Ormosia grandiflora (Tul.) Rudd, **D**
Ormosia grossa Rudd, **D**
Ormosia paraensis Ducke, **M, D**
Paranandraeum sditionburgkii (Benth.) Ducke, **I**
Platyniscium duckei Huber, **D**
Platyniscium ullei Harms ex Harms, **S**
Poccilanthe effusa (Huber) Ducke, **S**
Poccilanthe hostmannii (Benth.) Amshoff, **K, M, S**
Pterocarpus officinalis Jacq., **D**
Pterocarpus rohrii Vahl, **K, M, S, D**
- Pterocarpus santalinoides* L'Hér. ex DC., **M**
Rhyndodia phascoloides (Sw.) DC., **S**
Taralaa oppositifolia Aubl., **S, D**
Vatairea guianensis Aubl., **M, D**
Vatairea paraensis Ducke, **S, D**
Vatairea sericea (Ducke) Ducke, **D**
Vataireopsis surinamensis H.C. Lima, **I, S**
Vigna lasiocarpa (Mart. ex Benth.) Verdc., **I**
Vigna luteola (Jacq.) Benth., **I, M**
Vigna vexillata (L.) A. Rich., **S**
Zornia latifolia Sm., **K, M, S, D**
Zornia sp., **I**
- Flacourtiaceae**
- Banara guianensis* Aubl., **S**
Carpotroche crispidentata Ducke, **S, D**
Carpotroche surinamensis Uittien, **M**
Carpotroche sp., **I**
Casarria acuminata DC., **S**
Casarria arborai (Rich.) Urb., **D**
Casarria combayensis Tul., **M, S, D**
Casarria commersoniana Cambess., **I, M, S**
Casarria decandra Jacq., **D**
Casarria duckeana Sleumer, **D**
Casarria grandiflora Cambess., **D**
Casarria javitensis Kunth, **M, S, D**
Casarria microphylla Vahl, **D**
Casarria minuensis Sleumer, **D**
Casarria negrensis Eichler, **S, D**
Casarria pitumba Sleumer, **M, S, D**
Casarria resinifera Spruce ex Eichler, **D**
Casarria risbyana Briq., **S**
Casarria singularis Eichler, **I, S**
Casarria sylvestris Sw., **I, S, D**
Casarria ulmifolia Vahl ex Vent., **S, D**
Hasseltia floribunda Kunth, **S**
Hornilium guianense (Aubl.) Oken, **I, M**
Hornilium raeanum Jacq., **I, M**
Laetia proceri (Poepp.) Eichler, **M, S, D**
Mayna odorata Aubl., **S**
Neospruar sp., **I**
Ryania pyrifera (Rich.) Uittien & Sleumer, **M, D**
Ryania speciosa Vahl, **M, S, D**
Xylosma benthamii (Tul.) Triana & Planch., **S**
Xylosma tessmannii Sleumer, **D**
- Gentianaceae**
- Contourea humilis* Sandwith, **K**
Contourea ramosa Aubl., **I, K, M, S**
Contourea spicata Aubl., **S**
Curtisia tenuifolia (Aubl.) Knobl., **K**
Irlbadia alata (Aubl.) Maas, **I, K, M, S, D**
Irlbadia acerulosa (Aubl.) Griseb., **I**
Irlbadia purpurascens (Aubl.) Maas, **I, K, M, S**
Nastrotheca leptocephala (Spruce ex Progel) Baill., **K**
Tadiua grandiflora Maguire & Weaver, **S, D**
Tadiua guianensis Aubl., **K**
Voyria apifylla (Jacq.) Pers., **I, K, M, S, D**
Voyria aurantiaca Splitg., **S, D**
Voyria acerulata Aubl., **I, M, S, D**
Voyria davita Splitg., **M**
Voyria corymbosa Splitg., **I, M, S**

- Voyria flavescens* Griseb., **S**
Voyria rosea Aubl., **I, M, S**
Voyria spruciana Benth., **S, D**
Voyria tenella Hook., **S, D**
Voyria teretiflora Griseb., **M, S**
Voyriella parviflora (Miq.) Miq., **I, M, S, D**
- Gesneriaceae**
Allotrichus savannarum C.V. Morton, **K**
Besleria flavovirens Nees & Mart., **I**
Besleria insolita C.V. Morton, **S**
Besleria laxiflora Benth., **I, M**
Besleria patrisii DC., **S**
Besleria verecunda C.V. Morton, **M**
Chrysotheris pulchella (Donn ex Sims) Decne., **M, S**
Chrysotheris rupestris (Benth.) Leeuwenb., **I**
Codonanthe calcarata (Miq.) Hanst., **I, K, M, S, D**
Codonanthe crassifolia (H. Focke) C.V. Morton, **I, K, M, S, D**
Codonanthopsis dissimilata (H.E. Moore) Wiegler, **D**
Codonanthopsis ulci Mansf., **D**
Columnaria calotrichia Donn. Sm., **S**
Columnaria guianensis C.V. Morton, **K**
Columnaria aeristiana Klotzsch ex Oerst., **S**
Columnaria sanguinea (Pers.) Hanst., **S**
Drymonia acuminata (Aubl.) Wiegler, **S, D**
Drymonia psilocalyx Leeuwenb., **S**
Drymonia serrulata (Jacq.) Mart., **M, S**
Episcia xantha Leeuwenb., **I, S**
Episcia sp., **K**
Gloxinia purpurascens (Rusby) Wiegler, **K**
Kohleria hirsuta (Kunth) Regel, **K**
Napaanthus macrostoma Leeuwenb., **S**
Nautilocalyx adenosiphon (Leeuwenb.) Wiegler, **S**
Nautilocalyx cordatus (Gleason) L.E. Skog, **I, K**
Nautilocalyx mimuloides (Benth.) C.V. Morton, **S**
Nautilocalyx pictus (Hook.) Sprague, **K, M, S, D**
Paradrymonia ampostyla (Leeuwenb.) Wiegler, **S**
Paradrymonia ciliosa (Mart.) Wiegler, **K, D**
Paradrymonia densa (C.H. Wright) Wiegler, **I, K, M**
Paradrymonia maculata (Hook.f.) Wiegler, **K, M**
Rhoeogeton cyathophyllum Leeuwenb., **K**
Rhoeogeton viviparus Leeuwenb., **K**
Tylospasias amatum (Gleason) Leeuwenb., **K**
- Gleicheniaceae**
Dicranopteris flexuosa (Schrad.) Underw., **I, K**
Dicranopteris pectinata (Willd.) Underw., **K, S, D**
Sticherus renatus (Kaulf.) Chrysler, **D**
- Gnetaceae**
Gnetum nodiflorum Brongn., **I, M, D**
Gnetum paniculatum Spruce ex Benth., **I, D**
Gnetum sibiricum Taub. ex Schenk, **D**
Gnetum urens (Aubl.) Blume, **I, M, S, D**
- Grammitidaceae**
Codidium furcatum (Hook. & Grev.) C. Chr., **I, K, M, S**
Codidium linearifolium (Desv.) Maxon ex C. Chr., **I, K, S, D**
Codidium serrulatum (Sw.) L.E. Bishop, **I, K, M, S, D**
Grammitis blandetti (C. Chr.) A.R. Sm., **M, S**
Grammitis bryophila (Maxon) F. Seym., **K**
Grammitis flabelliformis (Poir.) C.V. Morton, **K, M**
- Grammitis kaieteura* (Jenman) C.V. Morton, **K**
Grammitis mollissima (Fée) Proctor, **K**
Grammitis stahliana (Posth.) Lellinget, **S**
Grammitis suspensa (L.) Proctor, **K, S**
Grammitis taenifolia (Jenman) Proctor, **K, S**
Grammitis taxifolia (L.) Proctor, **S**
- Haemodoraceae**
Sdiakia orinocensis (Kunth) Meisn., **S**
Xiphidiumpaerulum Aubl., **I, S**
- Heliconiaceae**
Heliconia acuminata Rich., **I, K, M, S, D**
Heliconia bihai (L.) L., **I, K, M, S**
Heliconia diartaca Lane ex Barreiros, **I, M**
Heliconia densiflora B. Verl., **M, S**
Heliconia hirsuta L.f., **I, S**
Heliconia lourteigiae Emyggio & E. Santos, **I, S**
Heliconia pendula Wawra, **S**
Heliconia psittacorum L.f., **I, S, D**
Heliconia richardiana Miq., **S**
Heliconia spathocranata Aristeg., **I, S**
- Hernandiaceae**
Herriandia guianensis Aubl., **S**
Sparattanthelium acrenum Pilg., **D**
Sparattanthelium guianense Sandwith, **S**
Sparattanthelium tarapotanum Meisn., **D**
Sparattanthelium uncigerum (Meisn.) Kubitzki, **S**
Sparattanthelium wonotoboense Kosterm., **S**
- Hippocrateaceae**
Anthodon decussatum Ruiz & Pav., **D**
Cheilodinium belizense (Standl.) A.C. Sm., **K**
Cheilodinium cognatum (Miers) A.C. Sm., **M, S**
Cheilodinium diffusiflorum (Miers) A.C. Sm., **K, M**
Cheilodinium hippocratoides (Peyr.) A.C. Sm., **K, M, S, D**
Cheilodinium krukoffii (A.C. Sm.) A.C. Sm., **D**
Cuerca kappleriana (Miq.) A.C. Sm., **D**
Elachyptera floribunda (Benth.) A.C. Sm., **S**
Hippocratea volubilis L., **I, K, M, S**
Peritassa compta Miers, **I, M**
Peritassa laevigata (Hoffmanns.) A.C. Sm., **I, M**
Prionostemma aspera (Lam.) Miers, **I, M, S**
Pristimeria nervosa (Miers) A.C. Sm., **S**
Salacia elliptica (Mart. ex Roem. & Schult.) G. Don, **I**
Salacia impressifolia (Miers) A.C. Sm., **I, S, D**
Salacia insignis A.C. Sm., **S**
Salacia juruana Loes., **I, S**
Salacia maburensis Mennega, **I, M**
Salacia multiflora (Lam.) DC., **I, M, S, D**
Tortelai attenuata Miers, **M, S**
Tortelai ariaaa A.C. Sm., **M**
Tortelai cylindroarpa (A.C. Sm.) A.C. Sm., **S**
Tortelai emarginata A.C. Sm., **D**
Tortelai fluminensis (Peyr.) A.C. Sm., **D**
Tortelai laxiflora (Benth.) A.C. Sm., **K, M, S**
Tortelai neotandifolia (A.C. Sm.) A.C. Sm., **M**
Tortelai ovalifolia (Miers) A.C. Sm., **I, M, S, D**
Tortelai sandwithii A.C. Sm., **S**
- Hugoniaceae**
Hebeptalium lumiriifolium (Planch.) Benth., **M, S, D**
Rouheria punctata (Ducke) Ducke, **D**

- Rouheria schomburgkii* Planch., **M**
Rouheria sp., **K**
- Humiriaceae**
Duckesia verrucosa (Ducke) Cuatrec., **D**
Endoplecta udii (Huber) Cuatrec., **D**
Huniria balsamifera Aubl., **I, K, M, D**
Huniria crassifolia Mart. ex Urb., **K**
Huniriastrum exaltatum (Ducke) Cuatrec., **S**
Huniriastrum obocatum (Benth.) Cuatrec., **M**
Saaglottis acatoarpa Ducke, **D**
Saaglottis guianensis Benth., **M, S, D**
Saaglottis mitogrossensis Malme, **D**
Schistostemum dichotomum (Urb.) Cuatrec., **I**
Vantanai guianensis Aubl., **I, S, D**
Vantanai microcarpa Ducke, **D**
Vantanai micrantha Ducke, **D**
Vantanai parviflora Lam., **S, D**
- Hymenophyllaceae**
Hymenophyllum decurrens (Jacq.) Sw., **K, S**
Hymenophyllum larsenii (L.) Sw., **K, S**
Hymenophyllum kaieteurum Jenman, **K**
Hymenophyllum polyanthos (Sw.) Sw., **I, K, S, D**
Hymenophyllum sp., **M**
Trichomanes angustifrons (Fée) Wess. Boer, **K, S**
Trichomanes ankersii C. Parker ex Hook. & Grev., **I, M, S, D**
Trichomanes anomalum Maxon & C.V. Morton, **K**
Trichomanes arbuscula Desv., **I, K, M, D**
Trichomanes bancroftii Hook. & Grev., **K**
Trichomanes botryoides Kaulf., **M**
Trichomanes cellulosum Klotzsch, **K, D**
Trichomanes crispum L., **I, K, S**
Trichomanes cristatum Kaulf., **K, S, D**
Trichomanes diaphanum Kunth, **I, K, M, S**
Trichomanes diversifrons (Bory) Mett. ex Sadeb., **I, S**
Trichomanes ekmanii Wess. Boer, **S**
Trichomanes elegans Rich., **K, S, D**
Trichomanes hostmannianum (Klotzsch) Kunze, **K**
Trichomanes jenmanii Lellinger, **M**
Trichomanes kapplerianum J.W. Sturm, **K, M, S**
Trichomanes krausii Hook. & Grev., **S**
Trichomanes martiusii C. Presl, **I, M, D**
Trichomanes membranaceum L., **S**
Trichomanes mougeotii Bosch, **S**
Trichomanes osmundoides DC. ex Poir., **S**
Trichomanes oxale (E. Fourn.) Wess. Boer, **D**
Trichomanes pedicellatum Desv., **I, K, M, S**
Trichomanes pilosum Radde, **D**
Trichomanes pinnatum Hedw., **I, K, M, S, D**
Trichomanes polypodioides L., **S**
Trichomanes punctatum Poir., **M, S, D**
Trichomanes radicans Sw., **S**
Trichomanes rigidum Sw., **S**
Trichomanes robustum E. Fourn., **S**
Trichomanes trollii Bergdolt, **I, S**
Trichomanes tuerckheimii H. Christ, **S**
Trichomanes vittaria DC. ex Poir., **S**
- Icacinaceae**
Casimiroa rupestris (Ducke) R.A. Howard, **D**
Dendrobaena boliviiana Rusby, **S, D**
- Discophora guianensis* Miers, **M, S, D**
Emnotium acuminatum (Benth.) Miers, **D**
Emnotium fagifolium Ham., **I, M, S**
Emnotium glabrum Benth. ex Miers, **K, D**
Leretia cordata Vell., **M, S**
Platrisanthes emarginata Tiegh., **D**
Platrisanthes flava Sandwith, **K, M**
Platrisanthes parviflora (Ducke) R.A. Howard, **D**
Poraqueiba guianensis Aubl., **S, D**
Poraqueiba sericea Tul., **D**
- Iridaceae**
Eleutherine bulbosa (Mill.) Urb., **S**
- Ixonanthaceae**
Odithosnus barrae Hallier f., **K**
Odithosnus roraimae Benth., **K**
- Lacistemataceae**
Lacistemum aggregatum (Bergius) Rusby, **I, K, M, S, D**
Lacistemum grandifolium W. Schnizl., **S, D**
Lacistemum polystachyum W. Schnizl., **S, D**
- Lamiaceae**
Hyptis atrorubens Poit., **M, S, D**
Hyptis lanigera Poir., **I, S**
Hyptis lanata Poit., **D**
Hyptis mutabilis (Rich.) Briq., **S**
Hyptis paduaphala Epling, **S**
Hyptis parkeri Benth., **I**
Hyptis pectinata (L.) Poit., **K**
Leonotis nepetifolia (L.) W.T. Aiton, **S**
Marsypianthes diannae (Vahl) Kuntze, **S, D**
Oenanthe ampedianum Mill., **I, K, S**
Satellaria uliginosa A. St.-Hil. ex Benth., **S**
- Lauroceae**
Aiouea grandifolia van der Werff, **D**
Aiouea guianensis Aubl., **I, M**
Aiouea laevis (Mart.) Kosterm., **I**
Aiouea longipetiolata van der Werff, **S**
Aiouea maguireana (C.K. Allen) S.S. Renner, **D**
Aiouea myristicoides Mez, **D**
Aiouea opaca van der Werff, **S**
Aniba burdiellii Kosterm., **D**
Aniba cedilla (Kunth) Mez, **M, D**
Aniba citrifolia (Nees) Mez, **I, M, S**
Aniba excisa Kosterm., **I, M**
Aniba ferrai Kubitzki, **D**
Aniba hostmanniana (Nees) Mez, **I, D**
Aniba hypoglauca Sandwith, **I, K, M**
Aniba jenmanii Mez, **D**
Aniba kappleri Mez, **M, S**
Aniba megaphylla Mez, **I, D**
Aniba panurensis (Meisn.) Mez, **I, M, D**
Aniba parviflora (Meisn.) Mez, **S, D**
Aniba pernollii (Nees) Mez, **K**
Aniba riparia (Nees) Mez, **D**
Aniba rosaeodora Ducke, **K, M, D**
Aniba santaladora Ducke, **D**
Aniba terminalis Ducke, **D**
Aniba williamsii O.C. Schmidt, **S, D**
Aniba sp. nov., **S**
Beilschmiedia hexanthera van der Werff, **S**
Cassytha filiformis L., **I, K**

I = Iwokrama, K = Kaieteur Fallas, M = Mabura Hills, S = Saül (Central French Guiana), D = Reserva Ducke

- Chlorocardium radiei* (R.H. Schomb.) Rohwer, H.G.
Richt. & van der Werff, I, M
- Cinnamomum cinnamomifolium* (Kunth) Kosterm., S
- Dicypelium minaense* W.A. Rodrigues, D
- Endlicheria bracteata* Mez, D
- Endlicheria bracteolata* (Meisn.) C.K. Allen, D
- Endlicheria dualis* Chanderbali, I, M, D
- Endlicheria citriodora* van der Werff, D
- Endlicheria longiaudata* (Ducke) Kosterm., D
- Endlicheria macrophylla* (Meisn.) Mez, D
- Endlicheria multiflora* (Miq.) Mez, I, M, S
- Endlicheria punctulata* (Mez) C.K. Allen, M, S
- Endlicheria pyriformis* (Nees) Mez, S, D
- Endlicheria sericea* Nees, S, D
- Endlicheria sprucei* (Meisn.) Mez, D
- Endlicheria szyszlowiczii* Mez, D
- Endlicheria wurdackiana* C.K. Allen, S
- Endlicheria* sp. nov., D
- Kubitzkia nazii* (Kosterm.) van der Werff, S, D
- Liaaria cannella* (Meisn.) Kosterm., I, K, M, S, D
- Liaaria chrysophylla* (Meisn.) Kosterm., S, D
- Liaaria debilis* (Mez) Kosterm., I, K, S
- Liaaria guianensis* Aubl., I, S, D
- Liaaria liursuta* van der Werff ined., D
- Liaaria microphylla* (A.C. Sm.) Kosterm., D
- Liaaria martiniana* (Mez) Kosterm., I, S, D
- Liaaria oppositifolia* (Nees) Kosterm., D
- Liaaria padiyarpa* (Meisn.) Kosterm., D
- Liaaria pudury-nnjor* (Mart.) Kosterm., D
- Liaaria rodriguesii* Kurz, D
- Liaaria subbullata* Kosterm., S, D
- Liaaria vernicosa* (Mez) Kosterm., S
- Mezilaurus duckei* van der Werff, D
- Mezilaurus itaubá* (Meisn.) Taub. ex Mez, I, D
- Mezilaurus synandra* (Mez) Kosterm., D
- Nectandra annizoman* Nees, I, M
- Nectandra cissiflora* Nees, S
- Nectandra cuspidata* Nees, D
- Nectandra globosa* (Aubl.) Mez, I, S
- Nectandra liliata* (Ruiz & Pav.) Rohwer, S
- Nectandra purpurea* (Ruiz & Pav.) Mez, S
- Nectandra reticulata* (Ruiz & Pav.) Mez, S
- Qotea aciphylla* (Nees & Mart. ex Nees) Mez, M, S, D
- Qotea adenotrachellum* (Nees) Mez, D
- Qotea annazonica* (Meisn.) Mez, D
- Qotea argyrophylla* Ducke, D
- Qotea boissieriana* (Meisn.) Mez, D
- Qotea analiculata* (Rich.) Mez, I, K, M, S
- Qotea canothifolia* (Nees) Mez, I, S, D
- Qotea cernua* (Nees) Mez, I, K, M, S, D
- Qotea cinerea* van der Werff, ined., S, D
- Qotea commutata* (Nees) Mez, S
- Qotea cajunari* aff. Mart., D
- Qotea cymbarium* Kunth, M
- Qotea deliciata* Vicentini ined., D
- Qotea discrepans* C.K. Allen, M
- Qotea dissimilis* C.K. Allen, S
- Qotea douradensis* Vattimo-Gil, D
- Qotea fendleri* (Meisn.) Rohwer, S
- Qotea floribunda* (Sw.) Mez, M, S, D
- Qotea glomerata* (Nees) Mez, M, S
- Qotea guianensis* Aubl., I, M, D
- Qotea immersa* van der Werff ined., D
- Qotea indirectinervia* C.K. Allen, S
- Qotea leucoxylon* (Sw.) Laness., I, M, D
- Qotea longifolia* Kunth, S, D
- Qotea mitogrossensis* Vattimo, D
- Qotea minor* Vicentini ined., D
- Qotea myriantha* (Meisn.) Mez, D
- Qotea neblinae* C.K. Allen, D
- Qotea nigra* Benoist, I
- Qotea nigrescens* Vicentini ined., D
- Qotea nitida* (Meisn.) Rohwer, D
- Qotea obliqua* Vicentini ined., D
- Qotea oblonga* (Meisn.) Mez, S, D
- Qotea olivacea* A.C. Sm., D
- Qotea pruiciflora* (Nees) Mez, M, D
- Qotea perarrens* Vicentini ined., D
- Qotea puberula* (Rich.) Nees, M, S, D
- Qotea rhadophylla* Vicentini ined., D
- Qotea rhynchophylla* (Meisn.) Mez, D
- Qotea rubra* Mez, K, S
- Qotea sabrella* van der Werff ined., D
- Qotea sdionburgiana* (Nees) Mez, I, K, M
- Qotea splendens* (Meisn.) Baill., I, S, D
- Qotea subterminalis* van der Werff ined., D
- Qotea tabacifolia* (Meisn.) Rohwer, D
- Qotea tonantella* Sandwith, M, S
- Qotea* sp. nov., M
- Persia jeannmii* Mez, K
- Plaurothyrium visquezii* van der Werff, D
- Rhodostemonodaphne crenatipula* Madriñán, I, D
- Rhodostemonodaphne elephantopus* Madriñán, S
- Rhodostemonodaphne grandis* (Mez) Rohwer, S, D
- Rhodostemonodaphne kurtthiana* (Nees) Rohwer, I, S
- Rhodostemonodaphne leptododa* Madriñán, S
- Rhodostemonodaphne morii* Madriñán, I, S
- Rhodostemonodaphne negrensis* Madriñán, D
- Rhodostemonodaphne parvifolia* Madriñán, D
- Rhodostemonodaphne peneia* Madriñán, D
- Rhodostemonodaphne praedaria* (Sandwith) Madriñán, I
- Rhodostemonodaphne recurva* van der Werff ined., D
- Rhodostemonodaphne rufovirgata* Madriñán, S
- Rhodostemonodaphne saulensis* Madriñán, S
- Rhodostemonodaphne sandensis* Madriñán, D
- Rhodostemonodaphne sordida* Madriñán, D
- Rhodostemonodaphne* sp. nov., I
- Sextoria rubra* (Mez) van der Werff, D
- Lecythidaceae**
- Allantorn lineata* (Mart. ex O. Berg) Miers, D
- Betholletia exaxata* Bonpl., D
- Cariniana deandra* Ducke, D
- Cariniana integrifolia* Ducke, D
- Cariniana micrantha* Ducke, D
- Corythophora alta* R. Knuth, D
- Corythophora amapnensis* Pires ex S.A. Mori & Prance, S
- Corythophora rimosa* W.A. Rodrigues, S, D
- Curatari alycina* Sandwith, K
- Curatari gloriae* Sandwith, M, S
- Curatari guianensis* Aubl., M, S, D
- Curatari longipedicellata* W.A. Rodrigues, D

- Couratari multiflora* (Sm.) Eyma, K, S, D
Couratari oblongifolia Ducke & R. Knuth, S
Couratari oligantha A.C. Sm., K
Couratari riparia Sandwith, K
Couratari stellata A.C. Sm., I, S, D
Couratari tauri O. Berg, D
Esdruwelera alata A.C. Sm., K, M
Esdruwelera annanuiformis S.A. Mori, D
Esdruwelera apiculata (Miers) A.C. Sm., S
Esdruwelera atropetiolata S.A. Mori, D
Esdruwelera bracteosa (Poepp. ex O. Berg) Miers, D
Esdruwelera arrinata S.A. Mori, D
Esdruwelera chartaceifolia S.A. Mori, S
Esdruwelera collina Eyma, S, D
Esdruwelera congestiflora (Benoist) Eyma, I
Esdruwelera coriacaa (DC.) S.A. Mori, I, K, M, S, D
Esdruwelera cyathiformis S.A. Mori, D
Esdruwelera decolorans Sandwith, I, K, M, S
Esdruwelera eperviorum Sandwith, K
Esdruwelera grandiflora (Aubl.) Sandwith, S, D
Esdruwelera laevigarpa S.A. Mori, S
Esdruwelera micrantha (O. Berg) Miers, I, M, S, D
Esdruwelera parviflora (Aubl.) Miers, M, S
Esdruwelera pedicellata (Rich.) S.A. Mori, I, M, S, D
Esdruwelera piresii S.A. Mori, S
Esdruwelera pseudodecolorans S.A. Mori, D
Esdruwelera rhododendrifolia (R. Knuth) A.C. Sm., D
Esdruwelera romae-andoaei S.A. Mori, D
Esdruwelera sagittiana Miers, I, K, M, S
Esdruwelera simiorium (Benoist) Eyma, I, S
Esdruwelera squamata S.A. Mori, S
Esdruwelera subglandulosa (Steud. ex O. Berg) Miers, I, K, M
Esdruwelera tessmannii R. Knuth, D
Esdruwelera truncata A.C. Sm., D
Esdruwelera wiedenheimii (Benoist) Sandwith, I, K, M, D
- Gustavia augusta* L., I, M, S
Gustavia diliptia S.A. Mori, D
Gustavia hexapetala (Aubl.) Sm., I, S, D
Lecythis alataxii (A.C. Sm.) S.A. Mori, I, M
Lecythis amara Aubl., S
Lecythis assuncaioi S.A. Mori ined., D
Lecythis dartaaxii O. Berg, K, S
Lecythis confertiflora (A.C. Sm.) S.A. Mori, I, M, S
Lecythis corrugata Poit., I, K, M, S
Lecythis graciana S.A. Mori, D
Lecythis holoxyne (Sandwith) S.A. Mori, I, M, S
Lecythis idatimon Aubl., K, S
Lecythis parvifructa S.A. Mori, D
Lecythis persistens Sagot, S
Lecythis pisonis Cambess., D
Lecythis poitauii O. Berg, S, D
Lecythis pranaei S.A. Mori, D
Lecythis retusa Spruce ex O. Berg, D
Lecythis zabuajo Aubl., K, M, S, D
- Lentibulariaceae**
- Genlisea filiformis* A. St.-Hil., K
Genlisea pygmaea A. St.-Hil., K
Genlisea repens Benj., K
Utricularia adpressa Salzm. ex A. St.-Hil. & Girard, K
- Utricularia amethystina* Salzm. ex A. St.-Hil. & Girard, K
Utricularia calycifida Benj., K
Utricularia foliosa L., I
Utricularia guyanensis A. DC., K
Utricularia hispida Lam., K
Utricularia humboldtii R.H. Schomb., K
Utricularia janexoriana Oliv., K
Utricularia juncea Vahl, I, K
Utricularia longiciliata A. DC., K
Utricularia nana A. St.-Hil. & Girard, K
Utricularia pubescens Sm., K
Utricularia pusilla Vahl, I, K, M
Utricularia sandwithii P. Taylor, K
Utricularia simulans Pilg., K
Utricularia subulata L., K
Utricularia tenuissima Tutin, K
Utricularia tridiphylla Spruce ex Oliv., K
Utricularia sp., D
- Liliaceae**
- Crinum erubescens* L.f. ex Sol., M
Curaligo scorzonerifolia (Lam.) Baker, I
Hippastrum purpureum (Lam.) Kuntze, M, S
Hymenocallis tubiflora Salisb., I, K, S
- Lissocarpaceae**
- Lissoairpa guianensis* Gleason, M
- Loganiaceae**
- Anthonia oxata* Pohl, M, S
Bombynia aquatica Ducke, D
Mitreda petiolata (J.F. Gmel.) Torr. & A. Gray, S
Potalia amara Aubl., S, D
Spigelia anthelmia L., D
Spigelia humilis Benth., M
Spigelia multispiata Steud., I, M, S
Strychnos amazonica Krukoff, D
Strychnos asperula Sprague & Sandwith, D
Strychnos baderupi (Schult.) Sprague & Sandwith, M
Strychnos ayemensis Krukoff & Barneby, S
Strychnos agena Benth., I, S, D
Strychnos diaboli Sandwith, M
Strychnos eridionii M.R. Schomb. ex Progel, M, S
Strychnos frutescens Ducke, D
Strychnos glabra Sagot ex Progel, S, D
Strychnos guianensis (Aubl.) Mart., I, K, M, S
Strychnos hirsuta Spruce ex Benth., M
Strychnos jobertiana Baill., D
Strychnos medela Sagot ex Progel, S
Strychnos melinoniana Baill., M, S
Strychnos mitscherlidii M.R. Schomb., K, M, D
Strychnos oiapoensis Fróes, S
Strychnos panurensis Sprague & Sandwith, S
Strychnos parviflora Spruce ex Benth., D
Strychnos pacifica B.L. Rob., I, S, D
Strychnos subcordata Spruce ex Benth., M, D
Strychnos tonentosa Benth., M, S
Strychnos toxifera R.H. Schomb. ex Benth., S
- Lomariopsidaceae**
- Bolbitis niatianifolia* (Sw.) Alston, S
Bolbitis senipinnatifida (Fée) Alston, I, K, S
Bolbitis serratifolia (Mert. ex Kaulf.) Schott, S

- Elaphoglossum apodium* (Kaulf.) Schott ex J. Sm., **S**
Elaphoglossum flaccidum (Fée) T. Moore, **S**
Elaphoglossum glabellum J. Sm., **K, M, S, D**
Elaphoglossum herninieri (Bory & Féé ex Fée) T. Moore, **S**
Elaphoglossum laminarioides (Bory ex Fée) T. Moore, **M, S**
Elaphoglossum longiaudatum Mickel, **S**
Elaphoglossum luridum (Fée) H. Christ, **M, S**
Elaphoglossum macrophyllum (Mett. ex Kuhn) H. Christ, **K, D**
Elaphoglossum pteropodum (Sodiro) C. Chr., **S**
Elaphoglossum pteropus C. Chr., **S, D**
Elaphoglossum revolutum (Liebm.) T. Moore, **S**
Elaphoglossum rigidum (Aubl.) Urb., **S, D**
Elaphoglossum schomburgkii (Fée) T. Moore, **D**
Elaphoglossum strictum (Raddi) T. Moore, **S**
Lomagramma guianensis (Aubl.) Ching, **S**
Lomariopsis japoensis (Mart.) J. Sm., **I, S**
Lomariopsis sp., **D**

Loranthaceae

- Cladolea micrantha* (Eichler) Kuijt, **K, D**
Cladolea sandwithii (Maguire) Kuijt, **K**
Oxanthus alveolatus (Kunth) Kuijt, **I, S**
Oxanthus florulentus (Rich.) Tiegh., **I, M, S**
Pthirusa dissectifolia (Rizzini) Kuijt, **M**
Pthirusa guyanensis Eichler, **K, M**
Pthirusa oxata (DC.) Eichler, **D**
Pthirusa pycnostachya Eichler, **S**
Pthirusa pyrifolia (Kunth) Eichler, **S**
Pthirusa retroflexa (Ruiz & Pav.) Kuijt, **M**
Pthirusa rufa (Mart.) Eichler, **I, K, M, D**
Pthirusa stellata (L.) Kuijt, **I, M, S, D**
Pittaanthus cindus Mart., **D**
Pittaanthus corynocephalus Eichler, **S, D**
Pittaanthus lasianthus Sandwith, **K**
Pittaanthus peronopetalus Eichler, **D**
Pittaanthus siphon, vel aff. Eichler, **D**
Struthanthus didotrianthus Eichler, **S**
Struthanthus syringifolius (Mart.) Mart., **S**
Struthanthus sp., **M**

Lycopodiaceae

- Huperzia didiottii* (Jacq.) Trevis., **M, S**
Huperzia funiformis (Cham. ex Spring) Trevis., **K**
Huperzia linearifolia (L.) Trevis., **S**
Huperzia taxifolia (Sw.) Trevis., **S**
Lycopodiella caroliniana (L.) Pic. Serm., **I, K**
Lycopodiella cernua (L.) Pic. Serm., **I, K, M, S, D**
Lycopodium sp., **S**

Lygodiaceae

- Lygodium micans* J.W. Sturm, **I, K**
Lygodium venustum Sw., **K, D**
Lygodium volubile Sw., **I, K, M**
Lygodium sp., **S**

Lythraceae

- Cuphea antisiphilitica* Kunth, **I, D**
Cuphea carthagenerensis (Jacq.) J.F. Macbr., **S**
Cuphea ramulosa Mart. ex Kochne, **D**
Cuphea sp., **K**

Malpighiaceae

- Banisteriopsis aardina* W.R. Anderson, **S**
Banisteriopsis lucida (Rich.) Small, **K**
Banisteriopsis martiniana (A. Juss.) Cuatrec., **I, K, M**
Banisteriopsis pulcherrima (Sandwith) B. Gates, **K**
Banisteriopsis schrammioidea (Griseb.) B. Gates, **S**
Banisteriopsis wurdackii B. Gates, **S**
Banisteriopsis sp., **D**
Bunchosia argentea (Jacq.) DC., **I**
Bunchosia decussiflora W.R. Anderson, **S**
Bunchosia glandulifera (Jacq.) Kunth
Burdachia sphaeroarpa A. Juss., **M**
Byrsinina aerugo Sagot, **I, M, S**
Byrsinina altissima DC., **K**
Byrsinina christiana W.R. Anderson, **K**
Byrsinina dryophylla Kunth, **D**
Byrsinina concava Benth., **K**
Byrsinina crassifolia (L.) Kunth, **I, K, M**
Byrsinina crispa A. Juss., **D**
Byrsinina densa (Poir.) DC., **S**
Byrsinina duckeana W.R. Anderson, **D**
Byrsinina eugenifolia Sandwith, **I, K, M**
Byrsinina gymnoalyxina A. Juss., **K, M**
Byrsinina incarnata Sandwith, **K, D**
Byrsinina poeppigiana A. Juss., **D**
Byrsinina spicata (Cav.) DC., **K**
Byrsinina stipulaea A. Juss., **I, K, M, S**
Glandonia macrocarpa Griseb., **D**
Heteropterys cristata Benth., **I, M**
Heteropterys microdendra (DC.) W.R. Anderson, **M**
Heteropterys microstachya A. Juss., **M**
Heteropterys multiflora (DC.) Hochr., **I, M**
Heteropterys nervosa A. Juss., **I, M**
Heteropterys oligantha W.R. Anderson, **S**
Heteropterys valutina W.R. Anderson, **I**
Heteropterys sp., **D**
Hiraea adenophora Sandwith, **M**
Hiraea affinis Miq., **M, S**
Hiraea fagifolia (DC.) A. Juss., **M, S**
Hiraea faginea (Sw.) Nied., **I, M**
Hiraea gracilis W.R. Anderson, **I, S**
Hiraea norii W.R. Anderson, **S**
Jubelia rosea (Miq.) Nied., **S**
Malpighia emarginata DC., **S**
Masagnia bracteosa Griseb., **D**
Masagnia divaricata (Kunth) Nied., **S**
Masagnia guianensis W.R. Anderson, **M**
Masagnia septim (A. Juss.) Griseb., **I, M**
Mezia inducta (Benth.) Cuatrec., **M, S**
Pterandra arborea Ducke, **D**
Spindia elegans (G. Mey.) A. Juss., **I**
Stigmaphyllo sinuatum (DC.) A. Juss., **I, K, M, S, D**
Tetrapterys acutifolia Cav., **M, S**
Tetrapterys aciphylla A. Juss., **M**
Tetrapterys crispa A. Juss., **I, M, S**
Tetrapterys discolor (G. Mey.) DC., **I, S**
Tetrapterys fimbripetala A. Juss., **I, M**
Tetrapterys glabrifolia (Griseb.) Small, **S**
Tetrapterys megalantha W.R. Anderson, **S**
Tetrapterys micronota Cav., **I, M, S, D**
Tetrapterys styloptera A. Juss., **I, K, M**

Malvaceae

- Hibiscus bifurcatus* Cav., I
Hibiscus furcellatus Desr., I
Hibiscus sororius L.f., I
Pavonia cancellata (L.) Cav., D
Pavonia astanaefolia A. St.-Hil. & Naudin, I, S
Peltaea triervis (C. Presl) Krapov. & Cristóbal, I
Sida cordifolia L., I, K
Sida glomerata Cav., I, M
Sida rhombifolia L., S, D
Sida setosa Mart. ex Colla, S
Urena lobata L., I, M
Wissadula patens (A. St.-Hil.) Garccke, I

Marantaceae

- Calathea altissima* (Poeppe. & Endl.) Körn., D
Calathea cyathophora Baker, K
Calathea cylindrica (Roscoe) K. Schum., S
Calathea elliptica (Roscoe) K. Schum., I, S
Calathea leggeiana (Linden) Regel, I
Calathea lutea (Aubl.) Schult., I
Calathea mnisoria H. Kenn., S
Calathea minonis Körn., S
Calathea micans (Mathieu) Körn., S
Calathea microcephala (Poeppe. & Endl.) Körn., S
Calathea propinqua (Poeppe. & Endl.) Körn., S
Calathea splendida (Verschaff. ex Lem.) Regel, S
Calathea taeniata Joriss., D
Calathea zingiberina Körn., S, D
Calathea sp. nov., D
Hylaeanthe hexantha (Poeppe. & Endl.) A.M.E. Jonker & Jonker, S
Hylaeanthe unilateralis (Poeppe. & Endl.) A.M.E. Jonker & Jonker, S
Isdimosiphon aromati (Aubl.) Körn., I, K, S
Isdimosiphon centricfolius L. Andersson, S
Isdimosiphon enigmatis L. Andersson, S
Isdimosiphon foliosus Gleason, I, K, M
Isdimosiphon gracilis (Rudge) Körn., I, K, M, S, D
Isdimosiphon killipii J.F. Macbr., D
Isdimosiphon martianus Eichler ex Petersen, D
Isdimosiphon obliquus (Rudge) Körn., I, K, M, S
Isdimosiphon petiolatus (Rudge) L. Andersson, K, S
Isdimosiphon puberulus Loes., I, K, M, S, D
Maranta amplifolia K. Schum., S
Maranta friedrichsthaliana Körn., S
Maranta gibba Sm., I
Maranta humilis Aubl., S
Maranta protracta Miq., I
Maranta rupicola L. Andersson, S
Monopodialthe oligophylla K. Schum., S
Monotagma angustissimum Loes., D
Monotagma contractum Huber, S
Monotagma densiflorum (Körn.) K. Schum., D
Monotagma laxum (Poeppe. & Endl.) K. Schum., D
Monotagma plurispicatum (Körn.) K. Schum., S
Monotagma secundum (Petersen) K. Schum., D
Monotagma spicatum (Aubl.) J.F. Macbr., I, K, M, S, D
Monotagma tenuistylum K. Schum. ex. Loes., D
Monotagma vaginatum Hagberg, D
Stromatithe tonkat (Aubl.) Eichler, S
Thalia geniculata L., K
Thymoxarpus amnoideus Steyermark, D

Marattiaceae

- Danata elliptica* Sm., I, S, D
Danata nodosa (L.) Sm., S
Danata simplicifolia Rudge, I, K, S, D

Marcgraviaceae

- Marcgravia coriacae* Vahl, K, M
Marcgravia crenata Poepp. ex Wittm., D
Marcgravia parviflora Rich. ex Wittm., I, M, D
Marcgravia sp., D
Marcgravia sp., S
Marcgraviastrum sp., D
Noranter guianensis Aubl., I, K, M, S
Noranter pendula Lanj. & Heerdt, K
Noranter sp., D
Souroubea guianensis Aubl., I, K, M, S
Souroubea sp., D

Mayacaceae

- Mayna longipes* Mart. ex Seub., K
Mayna sellowiana Kunth, S

Melastomataceae

- Aciotis aequatorialis* Cogn., S, D
Aciotis annua (Mart ex. DC.) Triana, K
Aciotis cirrafolia (Bonpl.) Triana, M, D
Aciotis fragilis (DC.) Cogn., M
Aciotis laxa (DC.) Cogn., I, K, M, S
Aciotis ornata (Miq.) Gleason, M
Aciotis purpurascens (Aubl.) Triana, I, K, M, S, D
Aciotis rubricaulis (Mart. ex DC.) Triana, S
Adelobotrys adscendens (Sw.) Triana, S, D
Adelobotrys marginata Brade, D
Adelobotrys sanders (Aubl.) DC., D
Appendicularia thymifolia (Bonpl.) DC., K
Bellucia didiotomi Cogn., D
Bellucia grossularioides (L.) Triana, I, K, M, S, D
Bellucia pentamera Naudin, I
Blaker rosea (Ruiz & Pav.) D. Don, D
Clidenia anisophylla DC., S
Clidenia bulbosa DC., M, D
Clidenia capitata Benth., K
Clidenia capitellata (Bonpl.) D. Don, K
Clidenia charadrophylla Tutin, K
Clidenia conglomerata DC., I, K, M, S
Clidenia dentata D. Don, S
Clidenia epibacterium DC., K, D
Clidenia hirta (L.) D. Don, I, K, S, D
Clidenia involucrata DC., K, M, S
Clidenia japurensis DC., K, D
Clidenia laevifolia Gleason, S
Clidenia micrantha Sagot, K
Clidenia minutiflora (Triana) Cogn., K, M
Clidenia noemervia (DC.) Triana, K, D
Clidenia octora (Bonpl.) L.O. Williams, S
Clidenia ostentata Wurdack, K
Clidenia pycnaster Tutin, K
Clidenia rubra (Aubl.) Mart., K, S, D
Clidenia saulensis Wurdack, M, S
Clidenia septiplinervia Cogn., S
Clidenia sericea D. Don, I, K
Clidenia silvicola Gleason, K
Clidenia strigillosa (Sw.) DC., K

- Comolia microphylla* Benth., K
Comolia vernicosa (Benth.) Triana, I, K, M
Comolia villosa (Aubl.) Triana, I, K, S
Desmoscelis villosa (Aubl.) Naudin, S
Ernestia antaractae Tutin, K
Ernestia glandulosa Gleason, S
Ernestia granvillei Wurdack, S
Graffenreida caryophyllae Triana, K
Graffenreida irwinii Wurdack, K
Graffenreida weddellii Naudin, K
Henrietta granulata Berg ex Triana, D
Henrietta multiflora Naudin, I, K, M
Henrietta raniflora (Sw.) DC., K, M, S, D
Henrietta stellaris O. Berg ex Triana, I, M
Henrietta succosa (Aubl.) DC., S
Henrietella caudata Gleason, K, S, D
Henrietella duckeana Hoehne, S, D
Laandra agrestis (Aubl.) Raddi, S
Laandra aindelabrum (J.F. Macbr.) Wurdack, D
Laandra didemoides (Naudin) Wurdack, S
Laandra dicaricata (Naudin) Cogn., K, M, S
Laandra micropetala (Naudin) Cogn., K, S, D
Laandra paleana Wurdack, S
Laandra purpurea Gleason, K, M
Laandra rufescens (DC.) Cogn., K, S
Laandra sanguinea Gleason, K
Laandra secunda (D. Don) Cogn., D
Laandra solenifera Cogn., I, K, S
Loreya arborea (Aubl.) DC., S
Loreya mespiloides Miq., M, S
Loreya riparia S.S.Renner, D
Loreya sprucana Benth. ex Triana, D
Loreya subrotundifolia (Wurdack) S.S. Renner, S
Macairea padphylla Benth., I, K
Macairea thyrsiflora DC., K
Macrocentrum cristatum (DC.) Triana, I, K, M, S
Macrocentrum droseroides Triana, K
Macrocentrum fasciatum (Rich. ex DC.) Triana, S
Macrocentrum latifolium Wurdack, S
Macrocentrum repens (Gleason) Wurdack, K
Macrocentrum vestitum Sandwith, K
Maieta guianensis Aubl., S, D
Maieta poeppigii Mart. ex Cogn., I, K, D
Meriania uravolata Triana, K
Miconia acuminata (Steud.) Naudin, S
Miconia affinis DC., S, D
Miconia alata (Aubl.) DC., I, S, D
Miconia aliquantula Wurdack, S
Miconia ampla Triana, D
Miconia aplostadyla (Bonpl.) DC., I
Miconia argyrophylla DC., I, M, S, D
Miconia astroplocaea Donn. Sm., D
Miconia biglandulosa Gleason, D
Miconia bractea (DC.) Triana, I, K, M, S
Miconia crassifolia (Aubl.) S.S. Renner, S
Miconia campylostris (Benth.) Triana, K
Miconia ceratocarpa (DC.) Cogn., I, M, S, D
Miconia dipyrophylla (Rich.) Urb., I, S
Miconia ciliata (Rich.) DC., I, K, S
Miconia cuspidata Mart. ex Naudin, D
Miconia diaphanaea Gleason, S
Miconia dispar Benth., S, D
Miconia dodecandra (Desr.) Cogn., K
Miconia duckei Cogn., D
Miconia egensis Cogn., K, D
Miconia elaeagnoides Cogn., D
Miconia eriodonta DC., S, D
Miconia fallax DC., I
Miconia gratissima Benth. ex Triana, I, K, M, S, D
Miconia holosericae (L.) DC., S, D
Miconia hypoleuca (Benth.) Triana, M
Miconia ibaguensis (Bonpl.) Triana, D
Miconia lateriflora Cogn., S
Miconia lepidota DC., K, D
Miconia longispicata Triana, D
Miconia macrothyrsa Benth., I
Miconia maguirei Gleason, K
Miconia marginata Triana, K
Miconia mariae Wurdack, I, K
Miconia minutiflora (Bonpl.) DC., S, D
Miconia mirabilis (Aubl.) L.O. Williams, M, S
Miconia myrtanthia Benth., I, K, S
Miconia nervosa (Sm.) Triana, M, S, D
Miconia phanerostila Pilg., D
Miconia platypoda Gleason, D
Miconia plukenetii Naudin, K, S
Miconia poeppigii Triana, D
Miconia polita Gleason, K
Miconia prasina (Sw.) DC., I, K, M, S
Miconia pubipetala Miq., D
Miconia punctata (Desr.) D. Don ex DC., M, D
Miconia pyrifolia Naudin, D
Miconia ramosa (Aubl.) DC., K, S
Miconia regelii Cogn., D
Miconia rubiginosa (Bonpl.) DC., M
Miconia rufescens (Aubl.) DC., I
Miconia sanctae Wurdack, S
Miconia schanckei Cogn., D
Miconia serrulata (DC.) Naudin, M
Miconia spidiigeri Wurdack, D
Miconia splendens (Sw.) Griseb., D
Miconia tetrasperma Wurdack, D
Miconia tillettii Wurdack, S
Miconia tomentosa (Rich.) D. Don ex DC., S, D
Miconia triallii Cogn., S, D
Miconia trimera Wurdack, S
Mouriri acutiflora Naudin, M
Mouriri angulicosta Morley, D
Mouriri bradyanthera Ducke, D
Mouriri collocarpa Ducke, S, D
Mouriri crassifolia Sagot, S
Mouriri dimorphandra Morley, D
Mouriri duckeana Morley, S, D
Mouriri duckeoides Morley, D
Mouriri ficioides Morley, D
Mouriri grandiflora DC., I, D
Mouriri huberi Cogn., D
Mouriri lunatanthera Morley, D
Mouriri nervosa Pilg., D
Mouriri nigra (DC.) Morley, D
Mouriri oligantha Pilg., D
Mouriri sagotiana Triana, S

- Mouriri sideroxylon* Sagot ex Triana, **S**
Mouriri trunciflora Ducke, **D**
Mouriri sp., **K**
Myriasporegensis Mart. ex DC., **I, K**
Nepsera aquatica (Aubl.) Naudin, **K, S, D**
Phainanthes laxiflora (Triana) Gleason, **K**
Pterolepis glomerata (Rottb.) Miq., **K**
Rhynchanthera grandiflora (Aubl.) DC., **S**
Siphonthera cordifolia (Benth.) Gleason, **K**
Siphonthera hostmannii Cogn., **K**
Tibouchina aspera Aubl., **I, M, S**
Tibouchina fraterna N.E. Br., **K**
Tibouchina multiflora (Gardner) Cogn., **S**
Toxocarpus aristata Benth., **I, K, M**
Toxocarpus bullifera Mart. & Schrank ex DC., **D**
Toxocarpus caryophyllaea (DC.) S.S. Renner, **D**
Toxocarpus desliens Gleason, **K**
Toxocarpus guianensis Aubl., **M, D**
Toxocarpus nitens (Benth.) Triana, **I, K**
Toxocarpus subcalata (DC.) Triana, **I, M**
Topobea parasitica Aubl., **S**

Meliaceae

- Carapa granensis* Aubl., **I, K, M, D**
Carapa provera A. DC., **I, M, S, D**
Cedrela fissilis Vell., **D**
Cedrela odorata L., **M, S**
Guarea carinata Ducke, **D**
Guarea cinnamomea Harms, **D**
Guarea convergens T.D.Penn., **D**
Guarea gommifera Pulle, **K, S**
Guarea grandifolia A. DC., **S**
Guarea guidonia (L.) Sleumer, **I**
Guarea huanitensis T.D.Penn., **D**
Guarea kunthiana A. Juss., **I, M, S**
Guarea macrophylla Vahl, **K, D**
Guarea nichel-noddei T.D. Penn. & S.A. Mori, **S**
Guarea pubescens (Rich.) A. Juss., **I, M, S, D**
Guarea purissima C. DC., **D**
Guarea sabra A. Juss., **S, D**
Guarea silvatica C. DC., **S, D**
Guarea trinaciflora C. DC., **D**
Trichilia areolata T.D.Penn., **D**
Trichilia cipo (A. Juss.) C. DC., **I, S, D**
Trichilia caerulea C. DC., **S**
Trichilia martiana C. DC., **I**
Trichilia micrantha Benth., **S, D**
Trichilia micropetala T.D. Penn., **D**
Trichilia pallida Sw., **I, S, D**
Trichilia pleiana (A. Juss.) C. DC., **D**
Trichilia quadrijuga Kunth, **I, S**
Trichilia rubra C. DC., **D**
Trichilia sdionburgkii C. DC., **I, S, D**
Trichilia septentrionalis C. DC., **S, D**
Trichilia sp., **M**

Mendonciaceae

- Mendoncia bianvilis* (L.f.) Merr., **S**
Mendoncia glabra (Poep. & Endl.) Nees, **S**
Mendoncia hoffmannseggiana Nees, **I, S, D**
Mendoncia padunculata Leonard, **D**
Mendoncia squamuligera Nees, **I, M, S**

Menispermaceae

- Abuta barbata* Miers, **M**
Abuta bullata Moldenke, **K, M, S**
Abuta candollei Triana & Planch., **M, D**
Abuta grandifolia (Mart.) Sandwith, **M, S, D**
Abuta grisebachii Triana & Planch., **D**
Abuta inerne (Mart.) Eichler, **K, M, S, D**
Abuta oblonga Diels, **M, D**
Abuta palmi (Mart.) Krukoff & Barneby, **D**
Abuta panurensis Eichler, **D**
Abuta rufescens Aubl., **M, S, D**
Abuta sandwithiana Krukoff & Barneby, **M, D**
Abuta solimoesensis Krukoff & Barneby, **D**
Abuta velutina Gleason, **M**
Abuta sp., **I**
Anomospermum diloranthum Diels, **S**
Anomospermum grandifolium Eichler, **M**
Anomospermum solimoesanum (Moldenke) Krukoff & Barneby, **D**
Anomospermum steyermarkii Krukoff & Barneby, **S**
Caryonene diversa Barneby & Krukoff, **S**
Cissampelos andromorpha DC., **I, M, D**
Curarea candicans (Rich. ex DC.) Barneby & Krukoff, **I, M, S**
Disciphania lobata Eichler, **D**
Disciphania moriorum Barneby, sp. nov. ined., **S**
Elephantomyces eburnea Barneby & Krukoff, **S**
Odontocarya annzonum Barneby, **D**
Odontocarya tamoides (DC.) Miers, **M**
Odontocarya wulsdalae (Eichler) Barneby, **D**
Othomene hirsuta (Krukoff & Moldenke) Barneby & Krukoff, **D**
Othomene princei Barneby & Krukoff, **S**
Othomene sdionburgkii (Miers) Barneby & Krukoff, **I**
Sciodoteria ayrenensis Benth., **I, M, S**
Sciodoteria diukci Moldenke, **D**
Sciodoteria sprucei Diels, **D**
Tidtoxicum inopinatum Moldenke, **M, S**
Tidtoxicum krukoffii Moldenke, **M**
Tidtoxicum minutiflorum (Diels) Moldenke, **M, D**
Tidtoxicum radriguesii Krukoff, **D**

Metaxyaceae

- Metaxyxa rostrata* (Kunth) C. Presl, **I, K, M, S, D**

Mimosaceae

- Abarema adenophora* (Ducke) Barneby & J.W. Grimes, **D**
Abarema barbouriana (Standl.) Barneby & J.W. Grimes, **S**
Abarema campestris (Spruce ex Benth.) Barneby & J.W. Grimes, **D**
Abarema codileata (Willd.) Barneby & J.W. Grimes, **D**
Abarema curviaarpa (H.S. Irwin) Barneby & J.W. Grimes, **K, S, D**
Abarema floribunda (Spruce ex Benth.) Barneby & J.W. Grimes, **D**
Abarema jupunba (Willd.) Britton & Killip, **I, K, M, S, D**
Abarema laeta (Benth.) Barneby & J.W. Grimes, **S, D**
Abarema mitaybifolia (Sandwith) Barneby & J.W. Grimes, **I, S, D**
Abarema microalyx (Spruce ex Benth.) Barneby & J.W. Grimes, **D**

- Abarema piresii* Barneby & J.W. Grimes, D
Aacia altisanderi Ducke, D
Aacia multipinnata Ducke, D
Aacia tenuifolia (L.) Willd., I, S
Albizia subdinidiata (Splitg.) Barneby & J.W. Grimes, I
Balizia degans (Ducke) Barneby & J.W. Grimes, D
Balizia patiolaris (DC.) Barneby & J.W. Grimes, I, M, S
Calliandra laxa (Willd.) Benth., K
Calliandra surinamensis Benth., K
Calliandra teneriflora Benth., D
Cedrela catarinensis (Ducke) Ducke, I, S, D
Entada polystyphilla Benth., S, D
Enterolobium barnebianum A.L. Mesquita & M.F. Silva, M
Enterolobium cydoarpum (Jacq.) Griseb., M
Enterolobium schomburgkii (Benth.) Benth., S, D
Hydrochora corymbosa (Rich.) Barneby & J.W. Grimes, I, K
Hydrochora gonggrijpii (Kleinhoonte) Barneby & J.W. Grimes, K
Inga acerina Harms, S
Inga acroaphala Steud., S
Inga alata Benoist, I, S
Inga alba (Sw.) Willd., I, K, M, S, D
Inga albioria Poncy, S
Inga auristellae Harms, I, S
Inga bicoloriflora Ducke, D
Inga bourgonii (Aubl.) DC., S
Inga bradiostachys Ducke, S
Inga bracteosa Benth., S
Inga capitata Desv., I, S, D
Inga cayennensis Sagot ex Benth., D
Inga dirysanthia Ducke, D
Inga cordataalata Ducke, D
Inga distida Benth., I, M
Inga edulis Mart., S, D
Inga fastuosa (Jacq.) Willd., S
Inga gloriosa Ducke, D
Inga graciliflora Benth., S
Inga gracilifolia Ducke, D
Inga grandiflora Ducke, D
Inga huberi Ducke, M, S, D
Inga javanica Pittieri, S
Inga lateriflora Miq., M, D
Inga laurina (Sw.) Willd., D
Inga leioalyxina Benth., I, S, D
Inga longiflora Spruce ex Benth., D
Inga longipedunculata Ducke, S
Inga macrophylla Humb. & Bonpl. ex Willd., D
Inga meissneriana Miq., M
Inga melioris Sagot, D
Inga nobilis Willd., I, K, M, S
Inga nouragensis Poncy, S
Inga rubrum Poncy, S
Inga ruda Salzm. ex Benth., S
Inga obidensis Ducke, D
Inga panurensis Spruce ex Benth., D
Inga paraensis Ducke, S, D
Inga pezizifera Benth., I, S, D
Inga poeppigiana Benth., S
Inga retinocarpa Poncy, S
Inga rhynchosalyx Sandwith, S, D
Inga rubiginosa (Rich.) DC., I, S, D
Inga sarmentosa Glaz. ex Harms, S
Inga semialata (Vell.) Mart., I, S, D
Inga serulifera DC., I, K, M
Inga splendens Willd., S, D
Inga stipularis DC., M, S, D
Inga suberosa T.D.Penn., D
Inga thibaudiana DC., I, K, M, S, D
Inga umbellifera (Vahl) Steud., I, S, D
Inga unbratica Poepp. & Endl., D
Inga virgultosa (Vahl) Desv., S
Macrosaminea discolor (Humb. & Bonpl. ex Willd.) Britton & Rose ex Britton & Killip, M
Macrosaminea pubiramea (Steud.) Barneby & J.W. Grimes, I, M, D
Macrosaminea sp., K
Minosa guilandinae (DC.) Barneby, S, D
Minosa myriadenia (Benth.) Benth., I, K, M, S
Minosa pellita Humb. & Bonpl. ex Willd., I
Minosa pigra L., I
Minosa polydactyla Humb. & Bonpl. ex Willd., S
Minosa pudica L., I, S, D
Parkia decussata Ducke, S, D
Parkia igneflora Ducke, D
Parkia multijuga Benth., D
Parkia nitida Miq., M, S, D
Parkia panurensis Spruce ex H.C.Hopkins, D
Parkia pendula (Willd.) Benth. ex Walp., M, S, D
Parkia reticulata Ducke, S
Parkia ullei (Harms) Kuhlm., M, S
Parkia wulutina Benoist, S, D
Pentadeltira microloba (Willd.) Kuntze, I, K, M
Piptadenia floribunda Kleinhoonte, S
Piptadenia nimbiiflora Ducke, D
Pseudopiptadenia psilospatha (DC.) G.P. Lewis & M.P. Lima, S, D
Pseudopiptadenia suaveolens (Miq.) J.W. Grimes, M, S
Stryphnodendron guianense (Aubl.) Benth., S, D
Stryphnodendron moricolar Barneby & J.W. Grimes, S
Stryphnodendron ochionianum E.M. Martins, D
Stryphnodendron polystachyum (Miq.) Kleinhoonte, S
Stryphnodendron pulcherrimum (Willd.) Hochr., D
Stryphnodendron racemiferum (Ducke) W.A. Rodrigues, D
Zygia basijuga (Ducke) Barneby & J.W. Grimes, K, D
Zygia catarractae (Kunth) L. Rico, I
Zygia latifolia (L.) Fawc. & Rendle, I, M, D
Zygia potaroensis Barneby & J.W. Grimes, K
Zygia raemosa (Ducke) Barneby & J.W. Grimes, M, S, D
Zygia tetragona Barneby & J.W. Grimes, S

Monimiaceae

- Mollinedia graziae* Peixoto, I
Mollinedia laurina Tul., I, K, S
Mollinedia oxata Ruiz & Pav., S, D
Siparuna cristata (Poepp. & Endl.) A. DC., D
Siparuna cuspidata (Tul.) A. DC., I, S, D
Siparuna daepiens (Tul.) A. DC., I, M, S, D

- Siparuna glycypharpa* (Ducke) S.S. Renner, D
Siparuna guianensis Aubl., I, K, M, S, D
Siparuna monogyna Jang., D
Siparuna padyantha A.C. Sm., S
Siparuna paepigii (Tul.) A. DC., S, D
Siparuna reginae (Tul.) A. DC., D
Siparuna sarmientosa Perkins, D
Siparuna sprucei A. DC., S
- Moraceae**
Bagassa guianensis Aubl., M, S
Brosimum acutifolium Huber, S, D
Brosimum guianense (Aubl.) Huber, I, K, M, S, D
Brosimum ladesans (S. Moore) C.C. Berg, I, S, D
Brosimum longifolium Ducke, D
Brosimum parinarioides Ducke, S, D
Brosimum potabile Ducke, D
Brosimum rubescens Taub., M, S, D
Brosimum utile (Kunth) Pittier, I, S, D
Clarisia ilicifolia (Spreng.) Lanj. & Rossberg, I, M, S, D
Clarisia racemosa Ruiz & Pav., D
Ficus albert-smithii Standl., K, D
Ficus annazonica (Miq.) Miq., S, D
Ficus broadwayi Urb., K
Ficus crenervii C.C. Berg, D
Ficus dudiana C.C. Berg, D
Ficus gondleira Kunth & Bouché, M, S, D
Ficus greiffiana Dugand, D
Ficus guianensis Desv., K, M, S, D
Ficus hebetifolia Dugand, D
Ficus insipida Willd., S
Ficus krikocii Standl., D
Ficus leiophylla C.C. Berg, S
Ficus malacocarpa Standl., I, K
Ficus mattheusii (Miq.) Miq., K, D
Ficus maxim Mill., I, S, D
Ficus myriophylloides Mill., S
Ficus obtusifolia Kunth, M, D
Ficus pakkerensis Standl., D
Ficus paludicola Standl., M
Ficus panurensis Standl., K, M, S, D
Ficus paraensis (Miq.) Miq., I, K, M, D
Ficus pertusa L.f., S, D
Ficus piresiana Vazq. Avila & C.C. Berg, D
Ficus schumanderi (Liebm.) Griseb., S
Ficus subapiculata (Miq.) Miq., D
Ficus trigona L.f., I, D
Hediacostylis elegans (Macbr.) C.C. Berg, D
Hediacostylis padunculata Benoit, S, D
Hediacostylis sabra (Macbr.) C.C. Berg, D
Hediacostylis tonentosa (Poepp. & Endl.) Rusby, I, K, M, S, D
Hediacostylis turbinata C.C. Berg, D
Maquira calophylla (Poepp. & Endl.) C.C. Berg, D
Maquira guianensis Aubl., S, D
Maquira sclerophylla (Ducke) C.C. Berg, S, D
Naudaopsis caloneura (Huber) Ducke, D
Naudaopsis guianensis (Mildbr.) C.C. Berg, M, S
Naudaopsis stipularis Ducke, D
Naudaopsis ternstroemiiflora (Mildbr.) C.C. Berg, D
Naudaopsis ulei (Warb.) Ducke, D
- Perebea guianensis* Aubl., S
Perebea mollis (Poepp. & Endl.) Huber, D
Perebea rubra (Trécul) C.C. Berg, S
Pseudolmedia laevigata Trécul, S, D
Pseudolmedia laevis (Ruiz & Pav.) J.F. Macbr., I, S, D
Soroa guillenniana Gaudich., D
Soroa miriculata Miq., D
Soroa pubivera Hemsley, I, D
Trymatococcus amazonicus Poepp. & Endl., S, D
Trymatococcus oligandrus (Benoist) Lanj., S
Trymatococcus paraensis Ducke, M
- Myristicaceae**
Compsoneura ulei Warb., S, D
Iryanthera ariaca Ducke, D
Iryanthera dialyandra Ducke, D
Iryanthera elliptica Ducke, D
Iryanthera juriensis Warb., I, S, D
Iryanthera laevis Markgr., D
Iryanthera lancifolia Ducke, I, M, D
Iryanthera macrophylla (Benth.) Warb., I, D
Iryanthera paradoxia (Schwacke) Warb., D
Iryanthera paraensis Huber, I, D
Iryanthera polynera Ducke, D
Iryanthera sagotiana (Benth.) Warb., M, S, D
Iryanthera tessmannii Markgr., S
Iryanthera ulei Warb., D
Otephilocaum platyspermum (Spruce ex A. DC.) Warb., S, D
Atoba sp., M
Virola aculeifolia W.A. Rodrigues, D
Virola alopophylla (Spruce) Warb., D
Virola divergens Ducke, D
Virola elongata (Benth.) Warb., M
Virola giggerheimii W.A. Rodrigues, D
Virola kuntae Sabatier, S
Virola midilli Heckel, M, S, D
Virola mollissima (Poepp. ex A.DC.) Warb., D
Virola multicostata Ducke, D
Virola multinervia Ducke, D
Virola pruriens (A. DC.) A.C. Sm., D
Virola sebifera Aubl., M, S, D
Virola surinamensis (Rol. ex Rottb.) Warb., I, M, S
Virola venosa (Benth.) Warb., D
- Myrsinaceae**
Ardisia guianensis (Aubl.) Mez, I, S
Cybianthus amplius (Mez) G. Agostini, K
Cybianthus duidae (Gleason & Moldenke) G. Agostini, K
Cybianthus fulvpulverulentus (Mez) G. Agostini, K, M
Cybianthus fusca Mart., S
Cybianthus gracillimus Mez, M
Cybianthus guyanensis (A. DC.) Miq., K, M, S, D
Cybianthus longifolius Miq., D
Cybianthus microbotrys A. DC., I, S
Cybianthus pakarainae Pipoly, sp. nov. ined., K
Cybianthus potiae (Mez) G. Agostini, K, S, D
Cybianthus prietii A. DC., K, M, S
Cybianthus resinosis Mez, K, D
Cybianthus surinamensis (Spreng.) G. Agostini, M, S
Cybianthus venezuelanus Mez, K, M, S
Stylogyne innoxia Pipoly, S

- Stylogyne micrantha* (Kunth) Mez, D
Stylogyne orinocensis Was Ardisia o. !, I
Stylogyne rodriquesiana Pipoly, D
Stylogyne schomburgkiana (A. DC.) Mez, I, M
- Myrtaceae**
- Blepharocalyx eggersii* (Kiaersk.) Landrum, D
Calycolpus goethianus (DC.) O. Berg, M, D
Calycolpus revolutus (Schauer) O. Berg, M, D
Calycolpus sp. I, D
Calycorates bergii Sandwith, I
Calyptranthes anshoffae McVaugh, K, S
Calyptranthes bracteata M.L. Kawas. & B. Holst, S
Calyptranthes crebra McVaugh, D
Calyptranthes cuspisata DC., D
Calyptranthes forsteri O. Berg, M
Calyptranthes microphylla O. Berg, D
Calyptranthes multiflora O. Berg, D
Calyptranthes paniculata Ruiz & Pav., D
Calyptranthes pullei Burret ex Amshoff, I
Eugenia agathopoda Diels, D
Eugenia albicans (O. Berg) Urb., I, S
Eugenia anastomosans DC., I, K, D
Eugenia arauakorum Sandwith, I
Eugenia argyrophylla B. Holst & M.L. Kawas., S
Eugenia armata Sagot, S
Eugenia biflora (L.) DC., I, D
Eugenia citrifolia Poir., D
Eugenia coffeeifolia DC., I, M, S
Eugenia conjuncta Amshoff, M
Eugenia cibraria McVaugh, I
Eugenia cucullata Amshoff, I, K, M
Eugenia capillata Amshoff, D
Eugenia cuspisifolia DC., D
Eugenia diploampta Diels, D
Eugenia egenensis DC., I
Eugenia exalata O. Berg, M
Eugenia feijoi O. Berg, S, D
Eugenia ferreiraiana O. Berg, S, D
Eugenia florida DC., I, D
Eugenia gongloarpa M.L. Kawas. & B. Holst, S
Eugenia illepida McVaugh, D
Eugenia kaieteurensis Amshoff, K
Eugenia lambertiana DC., I
Eugenia latifolia Aubl., I
Eugenia ligustrina (Sw.) Willd., I
Eugenia longiracemosa Kiaersk., D
Eugenia luciae Amshoff, I
Eugenia macrocalyx (Rusby) McVaugh, K, S
Eugenia mlaacensis L., D
Eugenia mirans McVaugh, I, S
Eugenia morii B. Holst & M.L. Kawas., S
Eugenia muriaria DC., S
Eugenia onissa McVaugh, D
Eugenia patrisii Vahl, I, M, S, D
Eugenia prosoneura O. Berg, D
Eugenia protetta McVaugh, D
Eugenia pseudosidium Jacq., S, D
Eugenia puniceifolia (Kunth) DC., K, D
Eugenia raniflora Desv., D
Eugenia stylaris McVaugh, D
Eugenia subterminalis DC., D
- Eugenia tafelbergia* Amshoff, I
Eugenia tapacamensis O. Berg, I, K, M, D
Eugenia tetranera (McVaugh) M.L. Kawas. & B. Holst, S
Eugenia trinervia Vahl, I, M
Eugenia willsduaegediana Amshoff, S
Eugenia sp. nov., D
Marlieria buxifolia Amshoff, K
Marlieria caudata McVaugh, D
Marlieria montana (Aubl.) Amshoff, M
Marlieria salticola Amshoff, K
Marlieria schomburgkiana O. Berg, M
Marlieria umbratilola (Kunth) O. Berg, D
Myrcia albidotomentosa (Amshoff) McVaugh, K
Myrcia aliena McVaugh, D
Myrcia amazonica DC., D
Myrcia bracteata (Rich.) DC., D
Myrcia calyxim Amshoff, I
Myrcia citrifolia (Aubl.) Urb., D
Myrcia cupra (O. Berg) Kiaersk., D
Myrcia decortians DC., I, S
Myrcia extranai McVaugh, K
Myrcia fallax (Rich.) DC., K, M, S, D
Myrcia fenestrata DC., S, D
Myrcia gigas McVaugh, S, D
Myrcia graciliflora Sagot, S
Myrcia grandis McVaugh, D
Myrcia guianensis (Aubl.) DC., I, D
Myrcia huallagae McVaugh, D
Myrcia inaequiloba (DC.) Legrand, I
Myrcia magnolifolia DC., S, D
Myrcia minutiflora Sagot, S, D
Myrcia paucae O. Berg, D
Myrcia platyptada DC., K, S
Myrcia pyrifolia (Desv. ex Ham.) Nied., I
Myrcia quitarensis (Benth.) Sagot, I
Myrcia rotundata (Amshoff) McVaugh, K
Myrcia rufipila McVaugh, D
Myrcia riupta M.L. Kawas. & B. Holst, S
Myrcia saxatilis (Amshoff) McVaugh, S
Myrcia serrata McVaugh, D
Myrcia subobliqua (Benth.) Nied., I, M
Myrcia subsericea A. Gray, D
Myrcia subsessilis O. Berg, S
Myrcia sylvatica (G. Mey.) DC., I, K, M, S, D
Myrciaria amazonica O. Berd., I
Myrciaria dubia (Kunth) McVaugh, I
Myrciaria floribunda (West ex Willd.) O. Berg, I, M, D
Myrciaria visnifolia (Benth.) O. Berg, I, M
Myrciaria sp., K
Plinia pinnata L., I
Psidium acutangulum DC., I
Psidium guineense Sw., I
Psidium personii McVaugh, I, M, S, D
Psidium striatum DC., I, M
- Nyctaginaceae**
- Guapira eggersiana* (Heimerl) Lundell, K, M
Guapira fragrans (Dum.-Cours.) Little, M
Guapira salicifolia (Heimerl) Lundell, S
Near constricta Spruce ex J.A. Schmidt, M, S
Near floribunda Poepp. & Endl., I, M, S, D

- Near laxa* Poepp. & Endl., D
Near madeirina Standl., D
Near mollis Spruce ex J.A. Schmidt, S
Near obsoleta Spruce ex Heimerl, D
Near oppositifolia Ruiz & Pav., D
Near oxalifolia Spruce ex J.A. Schmidt, S, D
Near verticillata Ruiz & Pav., D
Pisonia glabra Heimerl, M
Pisonia tonentosa Casar., D
Pisonia sp., S
- Nymphaeaceae**
Nymphaea glandulifera Rodschied, S
Nymphaea rudgeana G. Mey., K
- Nymphaeaceae**
Victoria amazonica (Poepp.) Sowerby, I
- Ochnaceae**
Cespedesia spathulata (Ruiz & Pav.) Planch., M, D
Elvasia esquibensis Engl., K
Ouratea candollei (Planch.) Tiegh., S
Ouratea cardiosperma (Lam.) Engl., M
Ouratea cernuiflora Sandwith, K
Ouratea cocinea (Mart.) Engl., D
Ouratea discophora Ducke, D
Ouratea erecta Sastré, S
Ouratea ferruginea Engl., D
Ouratea gillyana (Dwyer) Sandwith & Maguire, K
Ouratea guianensis Aubl., M
Ouratea leblondii (Tiegh.) Lemée, M, S
Ouratea nizariensis A.C. Sm. & Dwyer, K
Ouratea odora (Poepp.) Engl., D
Ouratea parviflora Huber, D
Ouratea pendula (Poepp.) Engl., S
Ouratea roraimae Engl., K
Ouratea rupestris (Klotzsch) Engl., I
Ouratea saulensis Sastré, S
Ouratea schomburgkii (Planch.) Engl., I
Ouratea sottii Sastré, S
Ouratea superba Engl., I
Poecilandra retusa Tul., K
Sauvagesia aliciae Sastré, S
Sauvagesia data Benth., D
Sauvagesia erecta L., I, K, M, S, D
Sauvagesia rubiginosa A. St.-Hil., I
Sauvagesia sprengelii A. St.-Hil., K
Sauvagesia tafelbergensis Sastré, S
- Olacaceae**
Aptandra tubicina (Poepp.) Benth. ex Miers, D
Cathdra acuminata (Benth.) Miers, S
Chaenoditon kappleri (Sagot ex Engl.) Ducke, M, S, D
Dulacia candida (Poepp.) Kuntze, D
Dulacia crassa (Monach.) Sleumer, K
Dulacia guianensis (Engl.) Kuntze, I, K, M, S, D
Heisteria barbata Cuatrec., D
Heisteria caulis Sm., I, K, M, S
Heisteria densifrons Engl., I, K, S, D
Heisteria duckei Sleumer, D
Heisteria laxiflora Engl., D
Heisteria niguirei Sleumer, K
Heisteria sandersii Ducke, S
Mabura trinervis Maas, I, M
- Minquartia guianensis* Aubl., M, S, D
Ptychosperma olacoides Benth., D
- Oleandraceae**
Nephrolepis biserrata (Sw.) Schott, M, S, D
Nephrolepis cordifolia (L.) C. Presl, K
Nephrolepis multiflora (Roxb.) F.M. Jarrett ex C.V. Morton, M
Nephrolepis pectinata (Willd.) Schott, D
Nephrolepis ricularis (Vahl) Mett. ex Krug, K, S, D
Cleandra articulata (Sw.) C. Presl, I, K, S, D
Cleandra pilosa Hook., K
- Onagraceae**
Ludwigia affinis (DC.) H. Hara, S
Ludwigia decurrens Walter, M
Ludwigia dodeandra (DC.) Zardini & P.H. Raven, S
Ludwigia erecta (L.) H. Hara, I, K, M, S
Ludwigia hyssopifolia (G. Don) Exell, K, M, D
Ludwigia leptocarpa (Nutt.) H. Hara, I, S
Ludwigia obovalvis (Jacq.) P.H. Raven, K, S, D
Ludwigia rigidula (Miq.) Sandwith, I
Ludwigia sericea (Cambess.) H. Hara, I
- Ophioglossaceae**
Ophioglossum palmatum L., D
- Opiliaceae**
Agonandra silvatica Ducke, M, D
- Orchidaceae**
Aca'allis cyana Lindl., D
Aganisia pulchella Lindl., S
Aspidogyne foliosa (Poepp. & Endl.) Garay, K, S
Aspidogyne multifoliata (C. Schweinf.) Garay, K
Batemania collegii Lindl., K, M, S, D
Beloglottis sp., S
Bifrenaria longicornis Lindl., I, M, D
Bifrenaria rudolfii (Hoehne) Carnevali & Romero, D
Bollea violacea (Lindl.) Rchb.f., I, K
Brassavola martiana Lindl., I, M
Brassia bideri Lindl., K
Brassia caudata (L.) Lindl., S
Brassia diloroleuca Barb. Rodr., S
Brassia luebneri Schltr., S
Brassia lanciana Lindl., S
Brassia lawrenceana Lindl., I
Brassia ungueri Rchb.f., K, M
Bulbophyllum bractedatum Lindl., S
Caluera vulpina Dodson & Determann, S
Campylocaeruleum fasciola (Lindl.) Cogn., I, M, D
Campylocaeruleum micranthum (Lindl.) Rolfe, I, M, S, D
Catasetum barbatum (Lindl.) Lindl., S, D
Catasetum discolor (Lindl.) Lindl., K, M
Catasetum gromii Linden & Rchb.f., D
Catasetum rivularium Barb. Rodr., D
Catasetum tigrinum Rchb.f., D
Cattleya violacea (Kunth) Rolfe, I
Caularthron bicarinatum (Hook.) Raf., M
Caularthron bilamellatum (Rchb.f.) R.E. Schult., I
Cheiradenia cuspidata Lindl., I, M, S
Cleistes rosea Lindl., K, S
Cochleanthes guianensis Lafontaine, G. Gerlach & Senghas, S
Corynthes sp., M

- Cryptarrhena guatemalensis* Schltr., **S**
Cryptarrhena kegellii Rchb.f., **I, S**
Cryptocentrum sp., **K**
Cyclopogon olfertii (Rolfe) Schltr., **S**
Cynorkis haagii Barb. Rodr., **S**
Degravillia dermoptera Determann, **S**
Diduaea anoradabia C. Schweinf., **D**
Diduaea hookeri Garay & Sweet, **K**
Diduaea kegelii Rchb.f., **S**
Diduaea muriata (Sw.) Lindl., **M, S**
Diduaea pendula (Aubl.) Cogn., **S**
Diduaea picta Rchb.f., **M**
Diduaea rendlei Gleason, **K**
Diduaea splitgerberi Rchb.f., **K**
Diduaea tenuis C. Schweinf., **D**
Diduaea trulla Rchb.f., **K, S**
Diduaea sp., **I**
Dinerandra elegans (Focke) Siegerist, **M, S**
Dinerandra sp., **I**
Dryaddella osmiriniana (Braga) Garay & Dunsterv., **D**
Elleanthus caravata (Aubl.) Rchb.f., **I, K, M, S**
Elleanthus graninifolius (Barb. Rodr.) Lojtnant, **K, M, S**
Encydia acuta (Lindl.) Carnevali & I. Ramírez, **M, S, D**
Encydia aliamaria (Lindl.) Pabst, **M**
Encydia dilordetii (Hook.) Neumann, **K**
Encydia diurna (Jacq.) Schltr., **M**
Encydia granitica (Lindl.) Schltr., **I, S**
Encydia latipetala (C. Schweinf.) Pabst, **K**
Encydia pygmaea (Hook.) Dressler, **M, S**
Encydia tarumna Schltr., **D**
Encydia vespa (Vell.) Dressler, **I, K, M**
Epidendrum anaps Jacq., **M, S**
Epidendrum carpophorum Barb. Rodr., **K, M, S**
Epidendrum compressum Griseb., **K, M, D**
Epidendrum difforme Jacq., **M**
Epidendrum diffusum Sw., **M**
Epidendrum costatum Pabst ex Angley, **K, S**
Epidendrum flexuosum G. Mey., **I**
Epidendrum initans Schltr., **K**
Epidendrum longiaolle Lindl., **K**
Epidendrum microcarpum (Rich.) Garay, comb. nov.
 ined., **I, K, M**
Epidendrum microphyllum Lindl., **M, S, D**
Epidendrum miserrimum Rchb.f., **K**
Epidendrum nocturnum Jacq., **I, K, M, S, D**
Epidendrum oldenii Christenson, **S**
Epidendrum ordtidiflorum Salzm. ex Lindl., **I, K**
Epidendrum purpurascens Focke, **I, K, M, S**
Epidendrum ramosum Jacq., **I, K, S**
Epidendrum rigidum Jacq., **I, M, S, D**
Epidendrum schlechterianum Ames, **M, D**
Epidendrum sculptum Rchb.f., **M, D**
Epidendrum smaragdinum Lindl., **K, D**
Epidendrum strobiliferum Rchb.f., **I, K, M, S, D**
Epidendrum strobilooides Garay & Dunst., **S**
Epidendrum tridens Poepp. & Endl., **K**
Epidendrum tumidumincisum (Veyret) Carnevali &
 Romero, **K**
Epidendrum unguiculatum (C. Schweinf.) Garay &
 Dunst., **S**
- Epistephium amplexiaule* (Ruiz. & Pav.) Poepp. & Endl., **K**
Epistephium elipticum R.O. Williams & Summerh., **K**
Epistephium pariflorum Lindl., **K**
Epistephium subrepens Hochne, **K**
Erythrodites stigmatoptera (Rchb.f.) Pabst, **D**
Erythrodites sp., **S**
Erythrodites sp., **D**
Eulophia alta (L.) Fawc. & Rendle, **K, M, D**
Gongora atropurpurea Hook., **M**
Gongora pleiodroma Rchb.f., **S**
Gongora sp., **K**
Habenaria leprieurii Rchb.f., **I, K**
Habenaria longicauda Hook., **K**
Habenaria platyacyla Kraenzl., **K**
Habenaria roderiensis Barb. Rodr., **S**
Habenaria sp., **D**
Ionopsis satyrioides (Sw.) Rchb.f., **S**
Ionopsis utricularioides (Sw.) Lindl., **K**
Isodilus linearis (Jacq.) R. Br., **S**
Jacquinia glabra (Jacq.) Schltr., **K, M, S**
Jacquinia sp., **D**
Kerstenia lafontainei Senghas & G. Gerlach, **S**
Kegledilla houtteana (Rchb.f.) L.O. Williams, **S**
Koellensteinia arracensis Garay & Dunst., **M, S**
Koellensteinia eburnea (Barb. Rodr.) Schltr., **K**
Koellensteinia graminea (Lindl.) Rchb.f., **M, S**
Koellensteinia triplaris (Lindl.) Rchb.f., **K**
Lepanthes heliocephala Rchb.f., **M, S**
Ligophila pterana (Cogn.) Garay, **S**
Ligophila sp., **K**
Lokhartia biserra (Rich.) Christenson & Garay, comb.
 nov. ined., **S**
Lokhartia imbricata (Lam.) Hochne, **I, M, S**
Lyaiste macrophylla (Poepp. & Endl.) Lindl., **S**
Macrodinium mirabile (C. Schweinf.) Dodson, **M**
Macrodinium wulsdilaciatum (Focke) Dodson, **M**
Malaxis miguirea C. Schweinf., **S**
Masdevallia capra Lindl., **S**
Masdevallia minuta Lindl., **I, M, S**
Masdevallia norae Luer, **S**
Masdevallia sp., **D**
Maxillaria acutifolia Lindl., **S**
Maxillaria alba (Hook.) Lindl., **M, S**
Maxillaria amazonica Schltr., **D**
Maxillaria boliviensis C. Schweinf., **K**
Maxillaria bradybulbon Schltr., **I, K, S**
Maxillaria brunnea Linden & Rchb.f., **K**
Maxillaria caespiticia Rchb.f., **K, M, S**
Maxillaria camarijii Rchb.f., **I, K, M, S, D**
Maxillaria crassifolia (Lindl.) Rchb.f., **I, S, D**
Maxillaria desnuxiana Rchb.f., **M, S, D**
Maxillaria discolor (G. Lodd. ex Lindl.) Rchb.f., **I, M, S, D**
Maxillaria hubneri Schltr., **D**
Maxillaria imbricata Barb. Rodr., **M**
Maxillaria miririensis (Kraenzl.) L.O. Williams, **K**
Maxillaria melina Lindl., **K**
Maxillaria parkeri Hook., **I, M, D**
Maxillaria parviflora (Poepp. & Endl.) Garay, **I, K, S**
Maxillaria pauciflora Barb. Rodr., **D**

- Maxillaria pendens* Pabst, D
Maxillaria ponerantha Rchb.f., M, S
Maxillaria porrecta Lindl., S
Maxillaria pterocarpa Barb. Rodr., K
Maxillaria ramosa Ruiz & Pav., K
Maxillaria rufescens Lindl., M, S
Maxillaria splendens Poepp. & Endl., M, S
Maxillaria stenorhyncha Rchb.f., S
Maxillaria superflua Rchb.f., M, S
Maxillaria tenuis C. Schweinf., D
Maxillaria trinitatis Ames, K, M
Maxillaria uncata Lindl., I, K, M, S, D
Maxillaria venezuelana (C. Schweinf.) Carnevali, I
Maxillaria villosa (Barb. Rodr.) Cogn., K, S, D
Maxillaria violacopunctata Rchb.f., K, M, S
Maxillaria xylobiflora Schltr., D
Mormodes buccinator Lindl., S
Myxanthus simpliciaulis (C. Schweinf.) Luer, K
Myxanthus tradymidium (Schltr.) Luer, K
Notylia peruviana (Schltr.) C. Schweinf., S
Notylia sagittifera (Kunth) Link, Klotzsch, & Otto, M
Notylia sp., D
Otomeria amazonica Pabst, D
Otomeria brevifolia Cogn., M, S, D
Otomeria deltophylloides Garay, M
Otomeria erosilabia C. Schweinf., K, D
Otomeria exigua C. Schweinf., K
Otomeria integrilabia C. Schweinf., K
Otomeria minor C. Schweinf., K, M, S
Otomeria sarthouae Luer, S
Otomeria surinamensis Focke, M, S
Otomeria taracuana Schltr., D
Otomeria sp., I
Oncidium lanigerum Lindl., M
Oncidium orthostates Ridl., M
Oncidium sp., S
Orleania amazonica Barb. Rodr., I, M
Orleania sp., D
Ornithocephalus avicula Rchb.f. & Wullschl., D
Ornithocephalus bicolor Lindl., M
Ornithocephalus kruegeri Rchb.f., S
Ornithocephalus sp., K, D
Oreotaxis venusta (Ridl.) Schltr., K
Palmordia pabstii Veyret, S
Palmordia prospectorum Veyret, S
Palmordia pubescens Barb. Rodr., M
Palmordia sobralioides Barb. Rodr., D
Palmordia sp., K
Palmordia sp., I
Paphinia grandiflora Barb. Rodr., D
Paphinia sp., I
Pedxia callifera (C. Schweinf.) Garay, S
Phragmipodium lindleyanum (R.H. Schomb. ex Lindl.) Rolfe, K, S
Platystele ovalifolia (H. Focke) Garay & Dunst., M, S, D
Plectrophora trifolia (Barb. Rodr.) Cogn., S
Plectrophora iridifolia H. Focke, M
Pleurothallis arachnidiaca Ames, S
Pleurothallis aristata Hook., M, S
Pleurothallis barbulata Lindl., M, S
Pleurothallis biglandulosa Schltr., M
Pleurothallis brevispis H. Focke, M, S
Pleurothallis brevisarpa C. Schweinf., M
Pleurothallis ciliolata Schltr., M, S
Pleurothallis consimilis Ames, S
Pleurothallis determinata Luer, M
Pleurothallis discoidata Lindl., S
Pleurothallis ephenera Lindl., M
Pleurothallis erythrogramma Luer & Carnevali, D
Pleurothallis glandulosa Ames, M, S
Pleurothallis grobyi Bateman ex Lindl., K
Pleurothallis lanciana Lodd., I, S
Pleurothallis merota Cogn., D
Pleurothallis mirimma C. Schweinf., M
Pleurothallis miquelianiana (H. Focke) Lindl., M
Pleurothallis monophylla (Hook.) Fawc. & Rendle, M
Pleurothallis ranifolia Foldats, S
Pleurothallis peperomoides Ames, D
Pleurothallis picta Lindl., K, M, S, D
Pleurothallis pluriflora (Barb. Rodr.) Cogn., D
Pleurothallis polygonoides Griseb., M, S
Pleurothallis priunosa Lindl., M, S
Pleurothallis pubescens Lindl., S
Pleurothallis ruscifolia (Jacq.) R. Br., S
Pleurothallis sderophylla Lindl., K, S
Pleurothallis semperflorens Lindl., M, S
Pleurothallis seriata Lindl., M, S
Pleurothallis spiciflora Lindl., M, S, D
Pleurothallis stenocephalum Schltr., K
Pleurothallis suspensa Luer, K, S
Pleurothallis uniflora Lindl., S
Polycaulus surinamensis C. Schweinf., K
Polycaulus vittata (Lindl.) Rchb.f., D
Polystachya concreta (Jacq.) Garay & H.R. Sweet, S
Polystachya foliosa (Hook.) Rchb.f., M, S
Polystachya stenorhyncha Schltr., I, K, M, S, D
Psydopasis papilio (Lindl.) H.G. Jones, S
Psignordia glomerata (Rchb.f.) Dodson & Dressler, S
Psignordia pusilla (L.) Dodson & Dressler, K
Psignordia sp., D
Quckettia microscopica Lindl., I, M, S
Quckettia vernuleniana Determann, M
Reichenbachia reflexa (Lindl.) Brade, I, K, M, S
Rodriguezia candida (Lindl.) Christenson, M
Rodriguezia lanceolata Ruiz & Pav., I, K, M, S, D
Rudolfiella aurantiaca (Lindl.) Hoehne, I, M, D
Sarcoglottis acaulis (Sm.) Schltr., K, S
Sarcoglottis metallica (Rolle) Schltr., K
Saptyglottis amazonica Schltr., D
Saptyglottis fusiformis (Griseb.) Schult., K, S
Saptyglottis graminifolia (Ruiz & Pav.) Poepp. & Endl., K
Saptyglottis grandiflora Ames & C. Schweinf., K
Saptyglottis modesta (Rchb.f.) Schltr., K, M, S
Saptyglottis odroleucia Schltr., D
Saptyglottis prolifera Cogn., K, M, S
Saptyglottis sickii Pabst, I, K, M, D
Saptyglottis stellata Lodd. ex Lindl., K, M, S
Saptyglottis violacea Lindl., K, M
Schomburgkia marginata Lindl., S
Schomburgkia sp., I
Scatiaria stadii Lindl., S

- Selenipedium palmifolium* (Lindl.) Rchb.f., **M, S**
Siebeckia Jeanni Rchb.f., **K**
Sigmatostalix amazonica Schltr., **D**
Sobralia fragrans Lindl., **S, D**
Sobralia liliastriatum Lindl., **K**
Sobralia macrophylla Rchb.f., **D**
Sobralia oliva-estene Carnevali & I. Ramírez, **K**
Sobralia sessilis Lindl., **S**
Sobralia suaveolens Rchb.f., **S**
Sobralia valida Rolfe, **K**
Sobralia yanaperyensis Barb. Rodr., **S**
Stanhopea grandiflora (Lodd.) Lindl., **S**
Stelis argenteata Lindl., **K, M, S**
Stelis endresii Rchb.f., **D**
Stelis guianensis Rolfe, **S**
Stelis intermedia Poepp. & Endl., **K**
Stelis latisepala C. Schweinf., **K**
Stelis santiagonensis Mansf., **S**
Stelis sp., **I**
Trichosalpinx ciliaris (Lindl.) Luer, **S**
Trichosalpinx egeri (Pabst) Luer, **K, S**
Trichosalpinx menor (Rchb.f.) Luer, **M**
Trichosalpinx orbicularis (Lindl.) Luer, **K, M, S, D**
Trigonidium acuminatum Bateman, **K, M, S, D**
Trigonidium obtusum Lindl., **I, K, M, D**
Triphora amazonica Schltr., **D**
Triphora surinamensis (Lindl. ex Benth.) Britton, **S**
Trisetella triglochila (Rchb.f.) Luer, **S**
Trisetella sp., **D**
Uleiordis ulei (Cogn.) Handro, **S, D**
Vanilla bicolor Lindl., **K**
Vanilla cristata-callous Hoehne, **M**
Vanilla grandiflora Lindl., **K, S**
Vanilla mexicana Mill., **S**
Vanilla palmarum Lindl., **D**
Vanilla planifolia Jacks. ex Andrews, **S**
Vanilla sp., **I**
Wullschlaegelia ailaarata Benth., **I, K, M, S, D**
Xerordis trichorhiza (Kraenzl.) Garay, **I**
Xerordis sp., **M**
XYlobium variegatum (Ruiz & Pav.) Garay & Dunst., **S**
- Oxalidaceae**
Oxalis barrelieri L., **S, D**
Oxalis cfticoides C. Mart. ex Zucc., **D**
Oxalis frutescens L., **I, M**
- Passifloraceae**
Dilkeja johannae Barb. Rodr., **S, D**
Dilkeja retusa Mast., **D**
Dilkeja wallisi Mast., **M**
Passiflora acuminata DC., **D**
Passiflora antioquia L.K. Escobar, **I, S**
Passiflora auriculata Kunth, **I, K, M, D**
Passiflora candida (Poepp. & Endl.) Mast., **S, D**
Passiflora apparadifolia Killip, **I**
Passiflora cirriformis Juss., **I, M**
Passiflora axillaris Aubl., **I, M, S, D**
Passiflora edulis Sims, **D**
Passiflora eximia Feuillet, **S**
Passiflora farinosa Harms, **D**
Passiflora foetida L., **K, S**
- Passiflora fudisiflora* Hemsl., **I, M, S**
Passiflora gardiae Mast., **K, M, S**
Passiflora glandulosa Cav., **I, K, M, S**
Passiflora hexagonocarpa Barb. Rodr., **D**
Passiflora laurifolia L., **I, M, D**
Passiflora maguirei Killip, **K**
Passiflora nissenii Kunth, **M**
Passiflora nitida Kunth, **K, D**
Passiflora riparia aff. Mart. ex Mast., **D**
Passiflora rubra L., **S**
Passiflora violacea Poepp. & Endl., **S, D**
Passiflora vespertilio L., **I, K, M, S**
Passiflora sp. nov., **I**
- Peridiscaceae**
Peridiscus lucidus Benth., **D**
- Phytolaccaceae**
Microtaea debilis Sw., **S**
Petiveria alliaea L., **S**
Phytolacca rivinoides Kunth & Bouché, **I, K, M, S**
Phytolacca sp., **D**
- Piperaceae**
Peperomia elongata Kunth, **K, S**
Peperomia emarginata (Sw. ex Wikstr.) C. DC., **S**
Peperomia glabella (Sw.) A. Dietr., **M, S**
Peperomia graciana Görtz, **S**
Peperomia microstachya (Vahl) A. Dietr., **I, K, M, S, D**
Peperomia magnoliifolia (Jacq.) A. Dietr., **K**
Peperomia maguirei Yunck., **M, S**
Peperomia obtusifolia (L.) A. Dietr., **I, K, M, S**
Peperomia ouabiana C. DC., **I, M, S**
Peperomia pellucida (L.) Kunth, **K, M, S**
Peperomia pernambucensis Miq., **S**
Peperomia quadrangularis (J.V. Thomps.) A. Dietr., **I, M**
Peperomia rotundifolia (L.) Kunth, **K, M, S**
Peperomia serpens (Sw.) Loudon, **I, M, S**
Piper adenandrum (Miq.) C. DC., **S**
Piper aduncum L., **K, D**
Piper aequale Vahl, **I, S**
Piper alatabaeanum Trel. & Yunck., **S, D**
Piper amalaque L., **S**
Piper amnipes Yunck., **K, D**
Piper amplexicaule Trel. & Yunck., **S**
Piper augustinum Lam., **S**
Piper ananifolium (Kunth) C. DC., **I, S**
Piper arboreum Aubl., **I, K, M, S, D**
Piper augustum Rudge, **S**
Piper avellananum (Miq.) C. DC., **I, S**
Piper baccans (Miq.) C. DC., **D**
Piper bartlingianum (Miq.) C. DC., **I, M, S, D**
Piper berbiense Miq., **I, K**
Piper bradypteron Yunck., **D**
Piper brownbergense Yunck., **S**
Piper carriornativum C. DC., **D**
Piper cernuum Vell., **S**
Piper consanguineum (Kunth) Trel. & Yunck., **S**
Piper crassinervium Kunth, **S**
Piper cyrtopodon (Miq.) C. DC., **S, D**
Piper dactylostigmarium Yunck., **D**
Piper deeneranum (Miq.) C. DC., **I, M, S, D**

- Piper dilatatum* Rich., I, S
Piper dictyatum G. Mey., M, S
Piper dukei C. DC., D
Piper dumosum Rudge, S
Piper durilignum C. DC., D
Piper eretiolum Yunck., D
Piper eucalyptifolium Rudge, S
Piper frosii Yunck., D
Piper guianense (Klotzsch) C. DC., D
Piper gurupinum Yunck., D
Piper hispidum Sw., I, M, S, D
Piper hostmannianum (Miq.) C. DC., I, K, M, S, D
Piper humatum Yunck., D
Piper humiliinum C. DC., D
Piper lunistratum Görtz & K.U. Kramer, S
Piper insipium Trel. & Yunck., I
Piper kegelianum (Miq.) C. DC., D
Piper liebneri Steyermark, D
Piper mastersianum C. DC., D
Piper negrense C. DC., D
Piper nematanthera (Miq.) C. DC., S
Piper nigrispicum C. DC., M, S
Piper obliquum Ruiz & Pav., I, S
Piper paraense (Miq.) C. DC., D
Piper paramaribense C. DC., S
Piper piscatorum Trel. & Yunck., S
Piper pleniviriosum Trel., D
Piper purusatum Yunck., D
Piper renitens (Miq.) Yuncker, D
Piper reticulatum L., S
Piper tectorifolium Kunth, S
Piper tortivenulosum Yunck., D
Piper trichoneuron (Miq.) C. DC., I, M, S
Pothomorphe peltata (L.) Miq., S
- Poaceae**
- Andropogon bicornis* L., K, M, S, D
Andropogon leucostachys Kunth, K, M, D
Andropogon sellaris (Hack.) Hack., K, M
Arthrostylidium sandersii McClure, K
Arundinella hispida (Humb. & Bonpl. ex Willd.) Kuntze, I
Axonopus capillaris (Lam.) Chase, K, M
Axonopus compressus (Sw.) P. Beauv., S
Axonopus fissifolius non (Raddi) Kuhlm. sensu Amshoff & Henrard, K
Axonopus flabelliformis Swallen, K
Axonopus longispicus (Döll) Kuhlm., I, K
Axonopus purpusii (Mez) Chase, K, S
Cenchrus brasiliensis Roem. & Schult., M
Cenchrus edulis L., M
Cryptothecia capillata (Trin.) Soderstr., S
Cynodon dactylon (L.) Pers., D
Digitaria horizontalis Willd., I, K, D
Digitaria lanuginosa (Nees) Henrard, M
Digitaria violascens Link, K
Eragrostis myrsinoides (Kunth) Steud., K, M, S
Guadua latifolia (Bonpl.) Kunth, S
Gundia sp., I
Gymnopogon foliosus (Willd.) Nees, M
Gynerium sagittatum (Aubl.) P. Beauv., K, M
Homalocladium aturense (Kunth) Chase, S, D
Homalocladium isocalycia (G. Mey.) Chase, K, M
Ichnanthus breviscobs Döll, S
Ichnanthus calvoensis (Nees) Döll, K
Ichnanthus dasycoleus Tutin, K
Ichnanthus leiocarpus (Spreng.) Kunth, I, S
Ichnanthus nemoralis (Schrad.) Hitchc. & Chase, I, K, M, S
Ichnanthus pallens (Sw.) Munro ex Benth., I, K, M, S
Ichnanthus parvoides P. Beauv., I, S, D
Ichnanthus tenue (J. Presl) Hitchc. & Chase, I, K
Ischaemum guianense Kunth ex Hack., K
Ischaemum rugosum Salisb., K
Lasiacis ligulata Hitchc. & Chase, I, K, M, S
Lasiacis procerum (Hack.) Hitchc., K
Lasiacis sorghoides (Desv.) Hitchc. & Chase, S
Mesoxylon loliiforme (Hochst. ex Steud.) Chase, K
Olyra caudata Trin., S
Olyra ciliatifolia Raddi, I
Olyra caudata Doell, S
Olyra latifolia L., I, S, D
Olyra longifolia Kunth, I, K
Olyra micrantha Kunth, I, K, M, D
Olyra ranuncinoides Doell, D
Oplismenus hirtellus (L.) P. Beauv., S
Orthodada laxa (Rich.) P. Beauv., I, M, S
Paricium dinodes Trin., K
Paricium cyanescens Nees, I, K
Paricium granuliferum Kunth, K
Paricium hylaeicum Mez, I
Paricium laxum Sw., I, K, S, D
Paricium merertii Roth, D
Paricium micranthum Kunth, I, K
Paricium parifolium Lam., I, K
Paricium pilosum Sw., I, K, M, S, D
Paricium polycornutum Trin., I, K
Paricium pyriodatoides Tutin, K
Paricium rizale Swallen, I, K, S
Paricium rudgei Roem. & Schult., I, K
Paricium scirrotooides Zuloaga & Morroni, K, S
Paricium stoloniferum Poir., I, K, M, S
Pariana campistris Aubl., S, D
Pariana radiciflora Sagot ex Doell, I, K, S, D
Parodiolyra lateralis (J. Presl ex Nees) Soderstr. & Zuloaga, K
Paspalum altissimum Chase, K
Paspalum arearium Schrad., K
Paspalum bifidifolium Soderstr., K
Paspalum carinatum Humb. & Bonpl. ex Flüggé, I
Paspalum conjugatum Bergius, I, K, S, D
Paspalum convexum Humb. & Bonpl. ex Flüggé, I
Paspalum decumbens Sw., M
Paspalum melanocephalum Desv. ex Poir., I, K, M
Paspalum paniculatum L., S
Paspalum petiolatum Chase, K
Paspalum pilosum Lam., I
Paspalum plicatulum Michx., I
Paspalum virginicum L., I, S
Pharis lappulaceus Aubl., S
Pharis latifolius L., S
Pharis parvifolius Nash, S
Pharis virescens Doell, S
Piresia goldii Swallen, S

- Piresia microphylla* Soderstr., **S**
Raddiella esenbeckii (Steud.) C.E. Calderón & Soderstr., **I, K**
Raddiella kaieteurana Soderstr., **K**
Raddiella potarensis Soderstr., **K**
Sporobolus jacquemontii Kunth, **K, S, D**
Streptogyne americana C.E. Hubb., **S**
Thrasys adlysiophila Soderstr., **K**
Thrasys sandersi (Tutin) Soderstr. ex A.G. Burm., **I, K**
Tripsacum andersonii J.R. Gray, **S**
- Podostemaceae**
Apinagia kochii (Engl.) P. Royen, **S**
Apinagia ridardiana (Tul.) P. Royen, **S**
Jemaniella aerophylla Engl., **K**
Jemaniella isactifolia P. Royen, **K**
Marathrum sp., **I, K**
Mourera fluviatilis Aubl., **I**
Rhynchosciurus apicalata P. Royen, **K**
Rhynchosciurus jemani Engl., **K**
- Polygalaceae**
Barnhartia floribunda Gleason, **S**
Bredeneyera densiflora A.W. Benn., **K, M**
Bredeneyera myrtifolia Spruce ex A.W.Benn., **D**
Moutabia guianensis Aubl., **I, M, S, D**
Polygala adenophora DC., **I, K**
Polygala appressa Benth., **K**
Polygala spectabilis DC., **S, D**
Polygala subtilis Kunth, **I**
Polygala timonifolia Aubl., **I**
Sauridaca diversifolia (L.) S.F. Blake, **M**
Sauridaca longifolia Poepp., **K, D**
Sauridaca marginata Benth., **I**
Sauridaca paniculata Rich., **I, M**
Sauridaca pubescens DC., **S**
Sauridaca pyramidalis Sprague ex Sandwith, **K**
Sauridaca retusa Benth., **K**
Sauridaca rivinæfolia A. St.-Hil., **D**
Sauridaca spinifex Sandwith, **M, S**
Sauridaca uniflora Oort, **K, S, D**
Sauridaca volubilis L., **S, D**
- Polygonaceae**
Coccoloba ascendens Duss ex Lindau, **I, S**
Coccoloba confusa Howard, **D**
Coccoloba densifrons Mart. ex Meisn., **I**
Coccoloba excisa Benth., **S**
Coccoloba gymnorrhadis Sandwith, **I, M**
Coccoloba lucidula Benth., **M**
Coccoloba marginata Benth., **K, M**
Coccoloba oxata Benth., **I**
Coccoloba padiformis Meisn., **I**
Coccoloba parinensis Benth., **M, D**
Coccoloba striata Benth., **M**
Polygonum acuminatum Kunth, **I**
Sympetrum paniculata Benth., **I, M**
- Polypodiaceae**
Campyloneurum fuscoquamulum Lellinger, **S**
Campyloneurum phyllitidis (L.) C. Presl, **I, S**
Campyloneurum repens (Aubl.) C. Presl, **I, S, D**
Campyloneurum sphenodes (Kunze) Fée, **S**
Dicranoglossum desvauxii (Klotzsch) Proctor, **I, M, S, D**
- Dicranoglossum furcatum* (L.) J. Sm., **S**
Microgramma baldwinii Brade, **D**
Microgramma fuscoquadriata (Hook.) Vareschi, **I, K, S**
Microgramma lorenensis? (Maxon), **D**
Microgramma lygodioidea (L.) Copel., **I, K, M, S**
Microgramma persicariifolia (Schrad.) C. Presl, **I, S**
Microgramma reptans (Cav.) A.R. Sm., **I, K, M, S**
Microgramma tecta (Kaulf.) Alston, **I, S**
Microgramma thunbergii (Baker) R.M. Tryon & Stolze, **I, S, D**
Micropolypodium nanum (Fée) A.R. Sm., **D**
Niphidium crassifolium (L.) Lellinger, **I, K, S, D**
Pedum consimilis (Mett.) M.G. Price, **I**
Pedum pectinata (L.) M.G. Price, **S**
Pedum plumula (Humb. & Bonpl. ex Willd.) M.G. Price, **I, S**
Phlebodium aureum (L.) J. Sm., **K**
Phlebodium deamnum (Willd.) J. Sm., **S**
Phlebodium pseudauraeum (Cav.) Lellinger, **K**
Plocaederus perassa (Cav.) Hook. & Grev., **I, M, S**
Polyodium adnatum Kunze ex Klotzsch, **S**
Polyodium caeresii Sodiro, **K, S**
Polyodium dulce Poir., **I, S**
Polyodium lasiopus Klotzsch, **S**
Polyodium loricatum L., **K**
Polyodium panorense C. Chr., **K**
Polyodium polypadioides (L.) Watt, **I, S**
Polyodium triseriale Sw., **K, M, S, D**
- Pontederiaceae**
Eichornia diversifolia (Vahl) Urb., **I, K**
- Portulacaceae**
Talinum fruticosum (L.) A. Juss., **M**
- Proteaceae**
Euplassa pinnata (Lam.) Johnst., **S**
Panopsis rubescens (Pohl) Pittier, **S**
Panopsis sessilifolia (Rich.) Sandwith, **K, M, D**
Roupalia montana Aubl., **K, S**
Roupalia schomburgkii Klotzsch, **I**
- Pteridaceae**
Polytaenium guayanense (Hieron.) Alston, **D**
Pteris altissima Poir., **S**
Pteris deflexa Link, **S**
Pteris podophylla Sw., **D**
Pteris pinguis Willd., **I, S**
- Quiinaceae**
Lacunaria crenata (Tul.) A.C. Sm., **I, S, D**
Lacunaria jemmanii (Oliv.) Ducke, **S, D**
Lacunaria microstachya (Tul.) A.C. Sm., **D**
Quina amazonica A.C. Sm., **D**
Quina guianensis Aubl., **I, M, S**
Quina indigofera Sandwith, **M**
Quina negrensis A.C. Sm., **D**
Quina oblongata Tul., **I, M, S, D**
Quina oiapocensis Pires, **K, S**
Quina pteridophylla (Radlk.) Pires, **D**
Quina rhytidopoda Tul., **I**
Quina sessilis Choisy, **S**
Touroulia guianensis Aubl., **M, S, D**
- Rafflesiaceae**
Apoanthus casariae Poit., **S**
Apoanthus sp., **D**

Rapateaceae

- Potarophyllum riparium* Sandwith, K
Rapatea fanshawei Maguire, K
Rapatea paludosii Aubl., I, K, M, D
Rapatea saundersii B.M. Boom, S
Rapatea ulei Pilg., D
Rapatea xiphoides Sandwith, K
Saxofridericia regalis R.H. Schomb., K
Saxofridericia subcordata Korn., D
Spathanthus unilateralis (Rudge) Desv., I, K, S, D
Stegolepis angustata Gleason, K
Stegolepis ferruginea Baker, K
Windisoria guianensis Gleason, K

Rhabdodendraceae

- Rhabdodendron annzoricanum* (Spruce ex Benth.) Huber, I, M, S, D
Rhabdodendron microphyllum (Spruce ex Benth.) Huber, D

Rhamnaceae

- Ampeloziziphus amazonicus* Ducke, D
Gouania blandetiana Miq., I, M, S
Gouania polygama (Jacq.) Urb., I
Gouania vulturina Reissek, I
Ziziphus cinnamomeum Triana & Planch., S

Rhizophoraceae

- Cassioprea dliptica* (Sw.) Poir., S
Cassioprea guanensis Aubl., I, K, M, S, D
Cassioprea lasiocalyx Alston, I, M
Sterigopterolumbovatum Kuhl., D

Rosaceae

- Prunus myrtifolia* (L.) Urb., M, S, D

Rubiaceae

- Alibertia edulis* (Rich.) A. Rich. ex DC., D
Alibertia hispida Ducke, D
Alibertia myrciifolia K. Schum., I, S, D
Alibertia surinamensis (Bremek.) Steyermark., S
Alseis longifolia Ducke, S
Annona brevidentata Steyermark., I
Annona coriacea Kunth, D
Annona guianensis Aubl., I, M, S, D
Bertiera guianensis Aubl., S
Boroja davidiiflora (K. Schum.) Cuatr., D
Borreria alata (Aubl.) DC., S
Borreria apitita (Ruiz & Pav.) DC., I, M
Borreria latifolia (Aubl.) K. Schum., I, K, S
Borreria prostrata (Aubl.) Miq., I
Borreria verticillata (L.) G. Mey., I, K, S, D
Bothriospora corymbosa (Benth.) Hook.f., S
Botryarrhena pendula Ducke, D
Capirona decorticans Spruce, S, D
Chalephyllum guianense Hook.f., K
Clinorrhiza barbata (Ducke) Bremek., D
Clinorrhiza duckeana Delprete, D
Clinorrhiza microcarpa Standl., I, S
Clinorrhiza turbivata DC., S
Chiococca alba (L.) Hitchc., S
Chiococca nitida Benth., S
Chomelia estrellana Müll. Arg., D
Chomelia melanoides Müll. Arg., D
Chomelia monadiinoi Steyermark., I

Chomelia tenuiflora Benth., I, S, D

Coccocypselum aureum (Spreng.) Cham. & Schlecht., K

Coccocypselum guianense (Aubl.) K. Schum., I, K, M, S

Coccocypselum herbaceum P. Browne, I

Coccocypselum hirsutum Bartl. ex DC., K, M

Coccocypselum fontanai Kunth, I

Cosmibuera grandiflora (Ruiz & Pav.) Rusby, K, M, D

Cosmibuera triflora (Benth.) Klotsch, D

Coussarea ampiensis Steyermark., S

Coussarea ampla Müll. Arg., D

Coussarea fanshawei Steyermark., K

Coussarea grandis Müll. Arg., D

Coussarea granvillei Delprete & B. Boom, S

Coussarea undulatana Standl., S

Coussarea pariculata (Vahl) Standl., I, K, S

Coussarea racemosa A. Rich., S

Coussarea revoluta Steyermark., D

Coussarea violacea Aubl., S

Coutarea hexandra (Jacq.) K. Schum., S

Didymochlamys corniculata N.E. Br., K

Dialia hyssopifolia (Willd. ex Roem. & Schult.) Cham.

& Schlecht., I

Dialia ocrifolia (Willd. ex Roem. & Schult.) Bremek., I, K, M, S

Diodia spicata Miq., S

Duroia amapaana Steyermark., M

Duroia aquatica (Aubl.) Bremek., S

Duroia eriopila L.f., I, K, M, S

Duroia fusifera (Spruce ex Benth. & Hook. f.) Hook. f. ex K. Schum., I

Duroia geripoides (Spruce) Hook. f. ex K. Schum., I

Duroia granabanensis Steyermark., D

Duroia longiflora Ducke, S, D

Duroia microphylla Huber, D

Duroia micrantha (Ladbr.) Zarucchi & J.H. Kirkbr., I

Duroia sacifera (Mart.) Hook.f. ex K. Schum., D

Faramea capillipes Müll. Arg., D

Faramea corymbosa Aubl., S, D

Faramea egregia Sandwith, K

Faramea guianensis (Aubl.) Bremek., S

Faramea lourteigiana Steyermark., S

Faramea multiflora A. Rich. ex DC., S

Faramea occidentalis (L.) A. Rich., I, M

Faramea platyneura Müll. Arg., D

Faramea quadricostata Bremek., I, K, M, S

Faramea sessilifolia (Kunth) DC., I, M

Faramea spathacar Müll. Arg. ex Standl., K

Faramea tinguiaria Müll. Arg., S

Faramea torquata Müll. Arg., D

Ferdinandusa dliptica Pohl, D

Ferdinandusa goudotiana K. Schum., M

Ferdinandusa guainiae Spruce ex K. Schum., K

Ferdinandusa hirsuta Standl., D

Ferdinandusa parviflora Ducke, S

Ferdinandusa uaupensis Spruce ex K. Schum., I

Genipa americana L., I, K, M

Genipa spruana Steyermark., I, K, S

Gecphila cordifolia Miq., K, M, S, D

Gecphila repens (L.) I.M. Johnston., I, K, S, D

Gecphila tenius (Müll. Arg.) Standl., S

Gonzagaluria diaxii Cham. & Schlecht., I, M, S

- Guettarda acreana* K. Krause, **I, S**
Guettarda argentea Lam., **I**
Guettarda spruciana Müll. Arg., **I, S**
Hamelia axillaris Sw., **S**
Henriquezia verticillata Spruce ex Benth., **D**
Hillia illustris (Vell.) K. Schum., **I, M, S**
Hillia parasitica Jacq., **K, S**
Hillia illei K. Krause, **D**
Iertia oxycarpa (Aubl.) J.F. Gmel., **S**
Iertia hypoleuca Benth., **I, K, M, D**
Iertia parviflora Vahl, **I**
Iertia rosea Spruce ex K. Schum., **D**
Iertia spiciformis DC., **S**
Ixora aluminicola Steyermark., **M, S**
Ixora davisi Sandwith, **M**
Ixora ferrari (Jacq.) Benth., **I**
Ixora floribunda (A. Rich.) Griseb., **M**
Ixora graciliflora Benth., **I, M, S**
Ixora intensa K. Krause, **D**
Ixora intropilosa Steyermark., **M**
Ixora panurensis Müll. Arg., **I, D**
Ixora piresii Steyermark., **S**
Ixora pubescens Willd. ex Schult. & Schult. f., **S**
Ixora schomburgkiana Benth., **K**
Ixora ullei K. Krause, **K**
Kotchubaea insignis Fisch. ex DC., **D**
Kotchubaea semisericea Ducke, **D**
Kotchubaea sericanthia Standl., **D**
Ladenbergia amazónica Ducke, **D**
Malanea hypoleuca Steyermark., **K, M, D**
Malanea microphylla Bartl. ex Griseb., **I, K, M, S, D**
Malanea obvata Hochr., **K**
Malanea sarmientosa Aubl., **M**
Manettia alba (Aubl.) Wernham, **K, S**
Manettia coccinea (Aubl.) Willd., **S**
Manettia redinata L., **S**
Mitraria hirtus (L.) DC., **I**
Morinda bradyalyx (Bremek.) Steyermark., **M, S**
Morinda calycina (Benth.) Steyermark., **I**
Morinda debilis (Sandwith) Steyermark., **M**
Morinda teniflora (Benth.) Steyermark., **I, M**
Morinda triphylla (Ducke) Steyermark., **D**
Odenlandia cornifolia L., **M**
Odenlandia lancifolia (Schumach.) DC., **S**
Paganea capitata Benth., **I, K, M**
Paganea guianensis Aubl., **K, M**
Paganea microphylla Spruce ex Benth., **D**
Paganea thyrsiflora Spruce ex Benth., **K**
Palicourea amapaensis Steyermark., **D**
Palicourea anisodoba (Müll. Arg.) B.M. Boom & M.T. Campos, **D**
Palicourea brachyloba (Müll. Arg.) B. Boom, **S**
Palicourea ciliophylla DC., **S**
Palicourea crocea (Sw.) Roem. & Schult., **K, M, S**
Palicourea croceoides Ham., **I, K, M, S**
Palicourea guianensis Aubl., **I, K, M, S, D**
Palicourea longiflora (Aubl.) A. Rich., **S, D**
Palicourea longistipulata (Müll. Arg.) Standl., **S, D**
Palicourea nitidella (Müll. Arg.) Standl., **D**
Palicourea quadrifolia (Rudge) DC., **S**
Palicourea triphylla DC., **I, K**
- Palicourea virens* (Poepp. & Endl.) Standl., **D**
Patima guianensis Aubl., **S**
Perama dichotoma Poepp. & Endl., **K**
Perama galoides (Kunth) Poit., **I, K**
Perama hirsuta Aubl., **I, K**
Posoqueria coriacan M. Martens & Galeotti, **K**
Posoqueria latifolia (Rudge) Roem. & Schult., **K, M, S**
Posoqueria longiflora Aubl., **I, K**
Posoqueria panamensis (Walp. & Duchass.) Walp., **I, K**
Psydrotia acuminata Benth., **K, S**
Psydrotia alliontha Steyermark., **S**
Psydrotia anaps Kunth, **K, M**
Psydrotia aneurophylla (Standl.) Steyermark., **K**
Psydrotia apoda Steyermark., **I, M, S, D**
Psydrotia appuriana Steyermark., **K**
Psydrotia astrelantha Wernham, **I, M, S, D**
Psydrotia bahiensis DC., **I, M, S, D**
Psydrotia barbiflora DC., **I, K**
Psydrotia blepharophylla (Standl.) Steyermark., **S**
Psydrotia borjeensis Kunth, **S**
Psydrotia bostrychothrys Sandwith, **K**
Psydrotia bradybotrys Müll. Arg., **I, S**
Psydrotia bracteocardia (DC.) Müll. Arg., **I, K**
Psydrotia brenckampiana Steyermark., **S**
Psydrotia callithrix (Miq.) Steyermark., **S**
Psydrotia capitata Ruiz & Pav., **I, K, M, S**
Psydrotia carthaginensis Jacq., **K, S**
Psydrotia dilorantha Benth., **K**
Psydrotia cincta Standl., **D**
Psydrotia colorata (Willd. ex Roem. & Schult.) Müll. Arg., **S**
Psydrotia croadiamys Sandwith, **K**
Psydrotia capilaris (Müll. Arg.) Standl., **I, S**
Psydrotia deflexa DC., **M, S**
Psydrotia deinocalyx Sandwith, **D**
Psydrotia erecta (Aubl.) Standl. & Steyermark., **S, D**
Psydrotia farstaucae (Standl.) Steyermark., **K**
Psydrotia gracilenta Müll. Arg., **D**
Psydrotia granvillei Steyermark., **S**
Psydrotia guadalupensis (DC.) R.A. Howard, **K, S**
Psydrotia henriquesii Wernham, **K**
Psydrotiahoffmannseggiana (Willd. ex Roem. & Schult.) Müll. Arg., **K, M**
Psydrotia horizontalis Sw., **I**
Psydrotia humboldtiana (Cham.) Müll. Arg., **D**
Psydrotia iodotricha Müll. Arg., **K, S**
Psydrotia irwinii Steyermark., **M**
Psydrotia kaieteurensis Sandwith, **K**
Psydrotia kappleri (Miq.) Müll. Arg. ex Benoit, **S**
Psydrotia lateralis Steyermark., **S**
Psydrotia ligularis (Rudge) Steyermark., **S**
Psydrotia lupulina Benth., **I, M**
Psydrotia microphylla Ruiz & Pav., **S**
Psydrotia minaensis Steyermark., **D**
Psydrotia mporicoides DC., **I, K, M, S, D**
Psydrotia mituraensis Steyermark., **K**
Psydrotia mizarunensis Standl., **K**
Psydrotia malusula Müll. Arg., **D**
Psydrotia microbotrys Ruiz ex Standl., **I, S**
Psydrotia microbracteata Steyermark., **S**
Psydrotia microdon (DC.) Urb., **I**

- Psychotria noroides* Steyer., S
Psychotria nussbaumi (Jacq.) Steyer., K
Psychotria oblonga (DC.) Steyer., S
Psychotria officinalis (Aubl.) Raeusch., I, M, S
Psychotria pacimoniae Müll. Arg., D
Psychotria perfruginea Steyer., S
Psychotria platypoda DC., K, S, D
Psychotria podocaphala (Müll. Arg.) Standl., D
Psychotria poeppigiana Müll. Arg., I, K, S, D
Psychotria polycaphala Benth., I, D
Psychotria potaroensis (Sandwith) Steyer., K
Psychotria prunai Steyer., D
Psychotria psittacina Steyer., K
Psychotria puberulenta Steyer., M
Psychotria pullei Bremek., S
Psychotria purgens Steyer., S
Psychotria naevosa (Aubl.) Raeusch., I, S
Psychotria raniflora Rusby, K
Psychotria rhombibractea C.M. Taylor & M.T. Campos ined, D
Psychotria rosa (Benth.) Müll. Arg., K, M
Psychotria sullensis Steyer., S
Psychotria sciaphila S. Moore, D
Psychotria sphaerocephala Müll. Arg., D
Psychotria subundulata Benth., K, D
Psychotria tapajozensis Standl., K
Psychotria transiens Wernham, K
Psychotria tridiophoroides Müll. Arg., S
Psychotria uliginosa Sw., I, K, M, S
Psychotria ulviformis Steyer., S
Psychotria uraoplata Steyer., S
Psychotria variegata Steyer., S
Psychotria viridibractea Steyer., S
Randia armata (Sw.) DC., I
Randia asperifolia (Sandwith) Sandwith, M, S
Randia ciliolata Cham., I
Randia nitida (Kunth) DC., S
Renilia annazonica K. Schum., D
Renilia ilei K. Krause, D
Renilia sp., I
Retiniphyllum schionburgkii (Benth.) Müll. Arg., I, K
Rudgea ayanganensis Steyer., K
Rudgea brenckampiana Steyer., S
Rudgea cornifolia (Humb. & Bonpl. ex Roem. & Schult.) Standl., I, M
Rudgea cornigera Bremek., M
Rudgea crassiloba (Benth.) B.L. Rob., I
Rudgea fissistipula Müll. Arg., I, D
Rudgea graciliflora Standl., D
Rudgea guyanensis (A. Rich.) Sandwith, S
Rudgea hostmanniana Benth., I, M
Rudgea lanceifolia Salisb., S
Rudgea sandemanii Sandwith, S
Rudgea standleyana Steyer., S
Rudgea stipulacea (DC.) Steyer., I, S
Sabicea amazônica Wernham, D
Sabicea aspera Aubl., M, S
Sabicea glabrescens Benth., K, M
Sabicea oblongifolia (Miq.) Steyer., I
Sabicea surinamensis Bremek., M
Sabicea villosa Willd. ex Roem. & Schult., I, S
- Schraderia polycephala* DC., D
Sipanea biflora (L.f.) Cham. & Schltdl., M
Sipanea coarctata Steyer., K
Sipanea prateris Aubl., I, K, M, S, D
Sipanea wilson-brownii R.S. Cowan, I, S
Spermatoxylon assurgens Ruiz & Pav., I
Spermatoxylon capitata Ruiz & Pav., M, S, D
Spermatoxylon exilis (L.O. Williams) C.D. Adams, D
Spermatoxylon oxyrhynchus Burm. f., S
Splindanthus nivalis Spruce ex K. Schum., S
Tocoyena longiflora Aubl., S, D
Uncaria guianensis (Aubl.) J.F. Gmel., I, M, S
Uncaria tomentosa (Willd. ex Roem. & Schult.) DC., S
Wierszewiczia sdranckei K. Schum., D
- Rutaceae**
- Adisanthus fusciflorus* Ducke, D
Condioarpus fanhuswi (Sandwith) Kallunki & Pirani, I
Condioarpus guyanensis (Pulle) Kallunki & Pirani, S
Condioarpus toxicarius (Engl.) Kallunki & Pirani, M
Ertela trifolia (L.) Kuntze, I, D
Erythroditius brasiliense Nees & Mart., S
Esenbeckia coarctata Kaastra, S
Hertia longifolia Benth. ex Engl., D
Hertia regia Sandwith, M
Hertia superba Ducke, D
Nyctialanthus spaciois Ducke, D
Raputia sp., D
Ticorea foetida Aubl., I, S
Ticorea pedicellata DC., M
Zanthoxylum apicalatum (Sandwith) P.G. Waterman, M
Zanthoxylum compactum (Huber ex Albuq.) P.G. Waterman, I
Zanthoxylum edmanii (Urb.) Alain, S
Zanthoxylum huberi P.G. Waterman, D
Zanthoxylum pentandrum (Aubl.) R.A. Howard, S
Zanthoxylum rhoifolium Lam., S, D
- Sabiaceae**
- Meliosma palustre* Kuhlm., D
- Salviniaeae**
- Salvinia auriculata* Aubl., I
- Sapindaceae**
- Allophylus angustatus* (Triana & Planch.) Radlk., S
Allophylus latifolius Huber, S, D
Allophylus leucodadys Radlk., S
Allophylus racemosus Sw., I
Allophylus robustus Radlk., S
Cupania hirsuta Radlk., I, K, M
Cupania hispida Radlk., D
Cupania rubiginosa (Poir.) Radlk., K, D
Cupania scribneriana Rich., I, M, S, D
Matayba arborea (Aubl.) Radlk., M, S, D
Matayba amptoneura Radlk., M
Matayba elegans Radlk., I
Matayba grandis Radlk., D
Matayba guianensis Aubl., D
Matayba indegans Spruce ex Radlk., M, D
Matayba laevigata Radlk., M

Mataïba microlepis Radlk., I
Mataïba macrostylis Radlk., M, D
Mataïba oligandra Sandwith, K
Mataïba opaca Radlk., M, D
Mataïba peruviana Radlk., K, S, D
Mataïba purgans (Poepp.) Radlk., I, S, D
Paulinia alata (Ruiz & Pav.) G. Don, S
Paulinia capreolata (Aubl.) Radlk., M, S, D
Paulinia castaneifolia Radlk., D
Paulinia dathrata Radlk., S, D
Paulinia cuprina Kunth, D
Paulinia fibulata Rich. ex Juss., S
Paulinia grandifolia Benth. ex Radlk., M, D
Paulinia ingifolia Rich. ex Juss., I, M
Paulinia laeta Radlk., D
Paulinia latifolia Benth. ex Radlk., I, S
Paulinia leioarpa Griseb., I
Paulinia lingulata Acev.-Rodr., S
Paulinia livida Radlk., M
Paulinia paduarpa Benth., I, M, S
Paulinia perlata Radlk., I
Paulinia pinnata L., M
Paulinia plagioptera Radlk., I, S
Paulinia rubiginosa Cambess., S
Paulinia rufescens Rich. ex Juss., I, M
Paulinia rugosa Benth. ex Radlk., M, D
Paulinia stellata Radlk., I, S
Paulinia stenopetala Sagot, S
Paulinia stipularis Benth. ex Radlk., D
Paulinia tricornis Radlk., S
Paulinia uloptera Radlk., D
Paulinia vespertilio Sw., K
Paulinia xestophylla Radlk., D
Porocystis touliacoides Radlk., D
Pseudima frutescens (Aubl.) Radlk., I, S
Serjania cirracasana (Jacq.) Willd., I
Serjania cirrantillata Radlk., D
Serjania didymandra Radlk., S
Serjania exarata Radlk., K
Serjania grandifolia Sagot ex Radlk., S
Serjania membranacea Splitg., D
Serjania oblongifolia Radlk., I, S
Serjania paniculata Kunth, I
Serjania paucidentata DC., I, M, S, D
Serjania pyramidata Radlk., S
Serjania setulosa Radlk., S
Talisia allenii Croat, D
Talisia carinata Radlk., I, S
Talisia cerasina (Benth.) Radlk., D
Talisia dathrata Radlk., S
Talisia cipularis Radlk., D
Talisia elephantipes Sandwith, M
Talisia exintia K.U. Kramer, D
Talisia firm Radlk., D
Talisia furfuracea Sandwith, M
Talisia guianensis Aubl., S, D
Talisia henidasyn Radlk., S
Talisia longifolia (Benth.) Radlk., S, D
Talisia microphylla (Mart.) Radlk., S, D
Talisia megaphylla Sagot ex Radlk., I, S
Talisia micrantha Radlk., S

Talisia microphylla Uittien, M
Talisia mollis Kunth ex Cambess., I, S, D
Talisia pedicellaris Radlk., S
Talisia praelata Radlk., S, D
Talisia reticulata Radlk., S
Talisia simbooides K.U. Kramer, S
Talisia squarrosa Radlk., M
Talisia veraluciana Guarim, D
Thinouia myriantha Triana & Planch., S
Toulicia elliptica Radlk., M
Toulicia guianensis Aubl., I, M, D
Toulicia pulchriata Radlk., I, M, D
Urvillea ulmacea Kunth, I
Vooranara guianensis Aubl., S, D

Sapotaceae

Chrysophyllum rubriflora Ducke, D
Chrysophyllum amazonicum T.D. Penn., D
Chrysophyllum argenteum Jacq., S, D
Chrysophyllum columbianum (Aubrév.) T.D. Penn., D
Chrysophyllum cauefolium (Rudge) A. DC., S
Chrysophyllum lucentifolium Cronquist, M, S, D
Chrysophyllum manoaense (Aubrév.) T.D. Penn., D
Chrysophyllum poniferum (Eyma) T.D. Penn., M, S, D
Chrysophyllum prieurii A. DC., S, D
Chrysophyllum sanguinolentum (Pierre) Baehni, M, S, D
Chrysophyllum sparsiflorum Klotzsch ex Miq., I, M, D
Chrysophyllum ucuquirana-branai (Aubrév. & Pellegr.) T.D. Penn., D
Chrysophyllum venezuelanense (Pierre) T.D. Penn., S
Diplodon cuspidatum (Hoehne) Cronquist, S
Eadinusa guianensis Eyma, I, M, S, D
Eadinusa lancolata (Mart. & Eichler) Pierre, S, D
Eadinusa psilophylla Sandwith, M
Eadinusa ramiflora Mart., S
Elaeolum glabrescens (Mart. & Eichler) Aubrév., D
Elaeolum iuda (Baehni) Aubrév., D
Elaeolum sdionburgkiana (Miq.) Baill., K
Manilkara bidentata (A. DC.) A. Chev., I, K, M, S, D
Manilkara aculeantei Pires & W.A.Rodrigues, D
Manilkara huberi (Ducke) A. Chev., S
Manilkara paraensis (Huber) Standl., S
Micropholis acutangula (Ducke) Eyma, S, D
Micropholis brodiiodroma T.D. Penn., D
Micropholis aisiquairensis Aubrév., D
Micropholis ayernensis T.D. Penn., S
Micropholis cylindroarpa (Poepp.) Pierre, D
Micropholis egenis (A. DC.) Pierre, D
Micropholis guyanensis (A. DC.) Pierre, S, D
Micropholis longipadiellata Aubrév., S
Micropholis malmoniana Pierre, K, S
Micropholis mensalis (Baehni) Aubrév., D
Micropholis obscura T.D. Penn., S
Micropholis porphyrocarpa (Baehni) Monach., S, D
Micropholis splendens Gilly ex Aubrév., D
Micropholis submarginalis Pires & T.D. Penn., S
Micropholis triniflora Ducke, D
Micropholis vendoea (Mart. & Eichler) Pierre, I, K, M, S, D
Micropholis willianii Aubrév. & Pellegrin, D
Pouteria ambanifolia (Sandwith) T.D. Penn., M, S, D
Pouteria anomila (Pires) T.D. Penn., D

- Pouteria bilocularis* (H. Winkl.) Baehni, **S, D**
Pouteria aimito (Ruiz & Pav.) Radlk., **I, M, S, D**
Pouteria ampanulata Baehni, **D**
Pouteria ayrenensis (A. DC.) Eyma, **S**
Pouteria dadantha Sandwith, **M, D**
Pouteria angustifolia Pilz, **D**
Pouteria coriacea (Pierre) Pierre, **M, S**
Pouteria cispida (A. DC.) Baehni, **I, K, M, S, D**
Pouteria decorticans T.D. Penn., **S**
Pouteria deliciosa T.D. Penn., **S**
Pouteria durlandii (Standl.) Baehni, **M**
Pouteria exigua Sandwith, **M, S**
Pouteria elegans (A. DC.) Baehni, **D**
Pouteria engleri Eyma, **M, S, D**
Pouteria erythrodrysa T.D. Penn., **D**
Pouteria eugeniifolia (Pierre) Baehni, **K, S, D**
Pouteria favarisi Pires & T.D. Penn., **D**
Pouteria filipes Eyma, **M, S, D**
Pouteria fimbriata Baehni, **M, D**
Pouteria flavilatex T.D. Penn., **D**
Pouteria francisiana Baehni, **D**
Pouteria freitasii T.D. Penn., **D**
Pouteria gardneri (Mart. & Miq.) Baehni, **D**
Pouteria gloriosa (Miq.) Radlk., **D**
Pouteria gorgijpii Eyma, **S, D**
Pouteria guianensis Aubl., **K, M, S, D**
Pouteria hispida Eyma, **I, M, S, D**
Pouteria jaricensis Pires & T.D. Penn., **S**
Pouteria kaieturensis T.D. Penn., **K**
Pouteria laevigata (Mart.) Radlk., **S, D**
Pouteria latianthera T.D. Penn., **D**
Pouteria macrophylla (Lam.) Eyma, **D**
Pouteria mmaensis (Aubrév. & Pellegr.) T.D. Penn., **D**
Pouteria maxima T.D. Penn., **S, D**
Pouteria melanopoda Eyma, **S**
Pouteria mirim T.D. Penn., **D**
Pouteria multiflora (A. DC.) Eyma, **D**
Pouteria oblongolata Pires, **I, S, D**
Pouteria opposita (Ducke) T.D. Penn., **D**
Pouteria peruviana (Aubrév.) Bernardi, **D**
Pouteria petiolata T.D. Penn., **D**
Pouteria platyphylla (A.C. Sm.) Baehni, **D**
Pouteria putamen-ovi T.D. Penn., **S**
Pouteria reticulata (Engl.) Eyma, **M, S, D**
Pouteria retinervis T.D. Penn., **S, D**
Pouteria rigidopsis (Monach.) T.D. Penn., **I**
Pouteria rodriquesiana Pires & T.D. Penn., **S**
Pouteria rostrata (Huber) Baehni, **D**
Pouteria singularis T.D. Penn., **S**
Pouteria speciosa (Ducke) Baehni, **I, M, S**
Pouteria stipulifera T.D. Penn., **D**
Pouteria surinamensis Baehni, **I, M, D**
Pouteria tarumunensis Pires, **D**
Pouteria torta (Mart.) Radlk., **I, M, S, D**
Pouteria venosa (Mart.) Baehni, **I, M, S, D**
Pouteria verticillata T.D. Penn., **D**
Pouteria virescens Baehni, **S, D**
Pouteria williamii (Aubrév. & Pellegr.) T.D. Penn., **D**
Pouteria sp. nov. aff. *similans*, **D**
Pradosia bardii (Monach.) T.D. Penn., **K**
Pradosia codilearia (Lecomte) T.D. Penn., **D**
Pradosia decipiens Ducke, **D**

- Pradosia ptychiandra* (Eyma) T.D. Penn., **I, M, S**
Pradosia schomburgkiana (A. DC.) Cronquist, **I, M, D**
Pradosia surinamensis (Eyma) T.D. Penn., **I, M**
Pradosia verticillata Ducke, **S, D**
Saraulius brasiliensis (A. DC.) Eyma, **S, D**
- Schizaeaceae**
Actinostadys pernula (Sw.) Hook., **K, M, D**
Anemia sp., **S**
Schizaea elegans (Vahl) Sm., **K, S, D**
Schizaea fluminensis Miers ex J.W. Sturm, **I, K, M, S, D**
Schizaea incaranta Schkuhr, **K, M, D**
- Scrophulariaceae**
Adictaria guianensis Pennell, **K**
Angdania sp., **S**
Bacopa aquatica Aubl., **I, M**
Berjaninia reflexa (Benth.) D'Arcy, **I**
Budimera rosea Kunth, **I**
Capraria biflora L., **S**
Conoea aquatica Aubl., **I, K**
Lindernia crustacea (L.) F. Muell., **M, S, D**
Lindernia diffusa (L.) Wetst., **M, S, D**
Scoparia dulcis L., **K, M, S, D**
Stenandria pratensis (Aubl.) B. L. Turner, **I**
- Selaginellaceae**
Selaginella amazonica Spring, **D**
Selaginella arthritica Alston, **S**
Selaginella bryophila Spring, **D**
Selaginella epirrhiza Spring, **K, S**
Selaginella falata (P. Beauv.) Spring, **S**
Selaginella flagellata Spring, **K, S**
Selaginella mazariutense Jenman, **K**
Selaginella noxne-hollandiae (Sw.) Spring, **S**
Selaginella parkeri (Hook. & Grev.) Spring, **I, M, S, D**
Selaginella poreloides (Lam.) Spring, **K, M**
Selaginella potaroensis Jenman, **K**
Selaginella producta Baker, **K, M**
Selaginella radiata (Aubl.) Spring, **S**
Selaginella revoluta Baker, **S**
Selaginella rhodostadija Baker, **K**
Selaginella sandwithii Alston, **K**
Selaginella sobolifera A.R. Sm., **K**
Selaginella sulcata (Desv. ex Poir.) Spring ex Martt., **S**
Selaginella tuberculata Spruce ex Baker, **K**
Selaginella wildepilosa Baker, **K**
- Simaroubaceae**
Picramnia guianensis (Aubl.) Jans.-Jac., **I, M**
Picramnia juniniana J.F. Macbr., **D**
Picramnia latifolia Tul., **I, S**
Picramnia microstachys Klotzsch ex Engl., **S**
Picramnia magnifolia J.F. Macbr., **I**
Picramnia sellowii Planch., **S**
Picroloma sprucei Hook. f., **D**
Siniba arborei ined., **D**
Siniba adron Planch., **I, M, D**
Siniba guianensis Aubl., **I, M, S, D**
Siniba monophylla (Oliv.) Cronquist, **K**
Siniba multiflora A. Juss., **M**
Siniba polypylla (Cavalcante) W.W. Thomas, **D**
Siniba sp. nov., **D**
Sinuaria amara Aubl., **K, M, S, D**

Smilacaceae

- Smilax cuminensis* Humb. & Bonpl. ex Willd., **M**
Smilax elastica Griseb., **D**
Smilax krukovi A.C. Sm., **I**
Smilax lasseriana Steyermark., **I, M**
Smilax latipes Gleason, **I, M**
Smilax poeppigii Kunth, **M**
Smilax pseudosiphilitica Kunth, **D**
Smilax riadiana A. DC., **S**
Smilax sartorensis A. DC., **M**
Smilax satilensis J.D. Mitch., **S**
Smilax schomburgkiana Kunth, **I, K, M, S**
Smilax siphilitica Humb. & Bonpl. ex Willd., **I, K, M, S, D**

Solanaceae

- Brunfelsia guianensis* Benth., **S**
Brunfelsia martiana Plowman, **S, D**
Capsicum frutescens L., **I, S**
Cestrum megalophyllum Dunal, **I**
Cestrum racemosum Ruiz & Pav., **I**
Cyphomandra endopogon Bitter, **S**
Dukeodendron astroides Kuhlm., **D**
Lycianthes pauciflora (Vahl) Bitter, **I, K, S**
Marker amporoti Ducke, **I, S**
Marker coccinea Rich., **M, S, D**
Marker longiflora Miers, **I**
Marker sessiliflora Ducke, **I, K, M, S**
Physalis angulata L., **S**
Physalis pubescens L., **K, S**
Solanckia amariaana L., **D**
Solanckia grandiflora Benth., **I**
Solanum adhaerens Roem. & Schult., **M**
Solanum americanum Mill., **S**
Solanum acaps Ruiz & Pav., **S**
Solanum asperum Rich., **I, S**
Solanum ariacum Dunal, **I, M, S**
Solanum astatum M. Nee, sp. nov. ined., **S**
Solanum crinitum Lam., **I, M, D**
Solanum fulvidium Bitter, **D**
Solanum jannicense Mill., **S**
Solanum leucocarpum Dunal, **I, M, S, D**
Solanum monadiophyllum Dunal, **I**
Solanum morii S. Knapp, **S**
Solanum oppositifolium Ruiz & Pav., **S**
Solanum paludosum Moric., **M**
Solanum penicile Sendtn., **I, S**
Solanum rubiginosum Vahl, **M, S**
Solanum rugosum Dunal, **M, S, D**
Solanum schiedtterianum Walp., **I, K, S, D**
Solanum sendtnerianum van Heurck & Müll. Arg., **D**
Solanum stramoniifolium Hort. ex Benth., **I, K, M, D**
Solanum subinerme Jacq., **M, D**
Solanum torvum Sw., **S**
Solanum velutinum Dunal, **S**
Solanum sp. nov., **M**

Sterculiaceae

- Byttneria cordifolia* Sagot, **D**
Byttneria divaricata Benth., **I**
Byttneria morii L.C. Barnett & Dorr, **S**
Herrania kamkuensis R.E. Schult., **S**

Herrania lentiscata (M.R. Schomb.) R.E. Schult., **I**

Malodia arenaea Benth., **I**

Malodia missifolia Benth., **K**

Sterculia duckeana da Silva & Coelho, **D**

Sterculia excelsa Mart., **D**

Sterculia frondosa Rich., **S, D**

Sterculia guianensis Sandwith, **I, M**

Sterculia pruriens (Aubl.) K. Schum., **I, M, S, D**

Sterculia rugosa R. Br., **I, M**

Sterculia villifera Steud., **I, S**

Theobroma caao L., **K, S**

Theobroma grandiflorum (Willd. ex Spreng.) K. Schum., **D**

Theobroma subinanum Mart., **D**

Theobroma sylvestre Mart., **D**

Theobroma velutinum Benoist, **S**

Waltheria indica L., **I, M**

Strelitziaceae

- Phenakospermum guyannense* (Rich.) Endl. ex Miq., **I, K, S**

Styracaceae

- Styrax discolor* M.F.Silva, **D**
Styrax pallidus A. DC., **S**
Styrax sieberi Perkins, **S**
Styrax squamulosa M.F.Silva, **D**
Styrax tessmannii Perkins, **S**

Symplocaceae

- Symplocos martinicensis* Jacq., **S**
Symplocos sp., **M**

Tectariaceae

- Ctenitis refulgens* (Klotzsch ex Mett.) C. Chr. ex Vareschi, **S**
Cydropeltis seniordata (Sw.) J. Sm., **I, M**
Lastreopsis effusa (Sw.) Tindale, **S**
Tectaria heradeifolia (Willd.) Underw., **I, S**
Tectaria incisa Cav., **S**
Tectaria plantaginea (Jacq.) Maxon, **I, K, M, S**
Tectaria trifoliata (L.) Cav., **I, S**
Triphophyllum acutibulum Holttum, **M**
Triphophyllum dicksonioides (Fée) Holttum, **K, S, D**
Triphophyllum funestum (Kunze) Holttum, **I, K, S, D**

Theaceae

- Ternstroemia dentata* (Aubl.) Sw., **D**
Ternstroemia punctata (Aubl.) Sw., **I, K, M**
Ternstroemia schomburgkiana Benth., **K**
Ternstroemia irophora Kobuski, **D**

Thelypteridaceae

- Thelypteris abrupta* (Desv.) Proctor, **M, S**
Thelypteris arborescens (Humb. & Bonpl. ex Willd.) C.V. Morton, **D**
Thelypteris decussata (L.) Proctor, **S**
Thelypteris gemmifera (Hieron.) A.R. Sm., **S**
Thelypteris glandulosa (Desv.) Proctor, **S**
Thelypteris hispida (Decne.) C.F. Reed, **S**
Thelypteris juruensis (C. Chr.) R.M. Tryon & D.S. Conant, **S**
Thelypteris leptoleptii (Hook.) R.M. Tryon, **S**
Thelypteris microphylla (Kunze) C.V. Morton, **S**
Thelypteris nephrodioides (Klotzsch) Proctor, **S**

- Thelypteris opulenta* (Kaulf.) Fosberg, I, M
Thelypteris pennata (Poir.) C.V. Morton, I, S
Thelypteris poiteana (Bory) Proctor, I, S
Thelypteris serrata (Cav.) Alston, S
Thelypteris tetragona (Sw.) Small, I
- Theophrastaceae**
Clavija lancifolia Desf., I, S
Clavija sp., D
- Thurniaceae**
Thurnia jennmannii Hook.f., K
Thurnia sphaerocephala (Rudge) Hook.f., I, K, M, S, D
- Thymelaeaceae**
Daphnopsis longifolia Taub., I
Daphnopsis sp., S
Goddallia guianensis Benth., I
Schoenobius daphnoides Mart., S, D
- Tiliaceae**
Apeiba glabra Aubl., S
Apeiba petoum Aubl., I, M, S, D
Apeiba tibourbou Aubl., I, S
Cordioria hirtus L., I
Cordioria orinocensis Kunth, I
Luehea speciosa Willd., S
Lueheopsis rosea (Ducke) Burret, M, D
Lueheopsis rugosa (Pulle) Burret, M, S
Mollia lepidota Spruce ex Benth., M
Mollia ulei Burret, K
Vasconea aldiornoides Baill., I, M
- Trigoniaceae**
Trigonia hypoleuca Griseb., I
Trigonia laevis Aubl., I, K, M, S
Trigonia nivea Cambess., I
Trigonia subapicosa Benth., I
Trigonia villosa Aubl., I, S
- Triuridaceae**
Peltiphyllum luteum Gardner, M
Sciaphila albescens Benth., M, S
Sciaphila digantha Maas, D
Sciaphila picta Miers, D
Sciaphila purpurea Benth., D
Sciaphila rubra Maas, D
Soridium spruceanum Miers, S
Triuris hyalina Miers, M
- Turneraceae**
Piriqueta cistoides (L.) Griseb., I, D
Turnera aurantiaca Benth., I, M
Turnera avassavica Urb., I
Turnera glaziovii Urb., S
Turnera rupestris Aubl., I, M
Turnera scabra Millsp., I
Turnera subulata Sm., D
- Ulmaceae**
Anodocarya edentula Kuhl., S, D
Cdtis iguanaea (Jacq.) Sarg., I, S
Cdtis sdipipii Standl., I
Trem micrantha (L.) Blume, I, K, M, S
Trem sp., D
- Urticaceae**
Bodineria sp., S
- Helianthostylis sprucei* Baill., D
Laportea aestuans (L.) Chew, M, S
Pilea imparifolia Wedd., S
Pilea microphylla (L.) Liebm., S, D
Pilea pubescens Liebm., S
Urena caracasana (Jacq.) Griseb., I, S
Urena laciniata Goudot ex Wedd., S
- Verbenaceae**
Aegiphila bracteolosa Moldenke, D
Aegiphila integrifolia (Jacq.) B.D. Jacks., K, S, D
Aegiphila intermedia Moldenke, D
Aegiphila laevis (Aubl.) J.F. Gmel., M, S
Aegiphila micrantha Ducke, M
Aegiphila membranacea Turcz., I, S, D
Aegiphila microalyxina Moldenke, D
Aegiphila racemosa Vell., S
Aegiphila villosa (Aubl.) J.F. Gmel., I, M, S
Amisonia ampestris (Aubl.) Moldenke, I, K
Amisonia lasioaulos Mart. & Schauer ex Schauer, D
Citharexylum macrophyllum Poir., I, S
Clerodendrum sp., S
Lantana camara L., I, S, D
Lantana ajabensis Schauer, D
Lippia alba (Mill.) N.E. Br., S
Petrea bradensis Steud., I, S, D
Petrea brevialyx Ducke, D
Petrea insignis Schauer, D
Petrea macrostachya Benth., I, M
Petrea volubilis L., I, M, S
Priox lappulaea (L.) Pers., S
Stadiotarpheta cayennensis (Rich.) Vahl, I, K, S, D
Stadiotarpheta jamicensis (L.) Vahl, K, M, S
Vitex calothrysia Sandwith, D
Vitex capitata Vahl, I
Vitex compressa Turcz., M
Vitex duckei Huber, D
Vitex guianensis Moldenke, S
Vitex spongicarpa Ducke, D
Vitex sprucei Briq., D
Vitex stahelii Moldenke, I, M
Vitex triflora Vahl, S, D
- Violaceae**
Amphirrhox longifolia (A. St.-Hil.) Spreng., I, M
Amphirrhox surinamensis Eichler, D
Corynostylis arborea (L.) S.F. Blake, I, S
Glosspernum sphacocarpum Triana & Planch., S
Hybanthus sp., S
Leonia cymosa Mart., D
Leonia glycyrrha Ruiz & Pav., S, D
Noisetia ordidiflora (Rudge) Ging., I, S
Paypayrola confertiflora Tul., I
Paypayrola grandiflora Tul., D
Paypayrola guianensis Aubl., I, M
Paypayrola longifolia Tul., I, M
Paypayrola sp., S
Rinorea amppensis Hekking, S, D
Rinorea brevipes (Benth.) S.F. Blake, M
Rinorea endorhiza Sandwith, M
Rinorea falanta (Mart. ex Eichler) Kuntze, D
Rinorea flavescentia (Aubl.) Kuntze, I, K, D
Rinorea guianensis Aubl., M, D

I = Iwokrama, K = Kaieteur Fallas, M = Mabura Hills, S = Saül (Central French Guiana), D = Reserva Ducke

- Rinorea lindeniana* (Tul.) Kuntze, I
Rinorea macrocarpa (Mart. ex Eichler) Kuntze, I, D
Rinorea neglecta Sandwith, S
Rinorea pubiflora (Benth.) Sprague & Sandwith, I, S, D
Rinorea racemosa (Martt. & Zucc.) Kuntze, D
Rinorea riana (DC. ex Ging.) Kuntze, nom. illeg., I, M, S
- Viscaceae**
Phoradendron acinacifolium Mart. ex Eichler, K
Phoradendron crassifolium (Pohl ex DC.) Eichler, I, K, M, S, D
Phoradendron fanshawei Maguire, K
Phoradendron inaequidentatum Rusby, K, D
Phoradendron obtusissimum (Miq.) Eichler, K
Phoradendron perrottetii (DC.) Eichler, I, M, S
Phoradendron piperoides (Kunth) Trel., I, K, M, S
Phoradendron racemosum (Aubl.) Krug & Urb., M, S
- Vitaceae**
Cissus erosa Rich., I, M, S, D
Cissus guyanensis Desc., D
Cissus subrhomboidea (Baker) Planch., I
Cissus verticillata (L.) Nicolson & C.E. Jarvis, I, M, S
Cissus sp., K
- Vittariaceae**
Aneuryia citrifolium (L.) Splitg., I, S
Antrophyum ajenense (Desv.) Spreng., K, S
Antrophyum guayanense Hieron., I, K, M, S, D
Antrophyum jenmanii Benedict, I, K, S
Antrophyum lanceolatum (L.) Kaulf., K, S
Hecistopteris kaietaurensis Kelloff & G. McKee, K
Hecistopteris pumila (Spreng.) J. Sm., K, M, S, D
Vittaria costata Kunze, I, K, M, S
Vittaria graminifolia Kaulf., I
Vittaria lineata (L.) Sm., M, S, D
Vittaria renata Fée, S
Vittaria stipitata Kunze, S
- Vochysiaceae**
Erisma bicolor Ducke, D
Erisma floribundum Rudge, S
Erisma uncinatum Warm., S
Qualea acuminata Spruce ex Warm., D
Qualea brevipedicellata Stafleu, D
Qualea coerulescens Aubl., S
Qualea mori-booni Marc.-Berti, S
Qualea paraeensis Ducke, D
- Quieteaceae**
Ruizterania albiflora (Warm.) Marc.-Berti, M, S, D
Ruizterania assiquiarensis (Spruce ex Warm.) Marc.-Berti, D
Ruizterania davida (Stafleu) Marc.-Berti, D
Ruizterania ferruginea (Steyermark) Marc.-Berti, K
Vochysia biloba Ducke, D
Vochysia compliata Ducke, D
Vochysia grandis Mart., D
Vochysia guianensis Aubl., S
Vochysia neyratii Normand, S
Vochysia rufescens W.A. Rodr., D
Vochysia schomburgkii Warm., M
Vochysia surinamensis Stafleu, I, M, S
Vochysia tetraphylla (G. Mey.) DC., I
Vochysia tormentosa (G. Mey.) DC., S
- Woodsiaceae**
Diplazium celtidifolium Kunze, S
Diplazium cristatum (Desv.) Alston, S
Diplazium expansum Willd., S
Diplazium grandifolium (Sw.) Sw., S
Heriodictyon marginatum (L.) C. Presl, S
- Xyridaceae**
Abelboda acutis Maguire, K
Abelboda americana (Aubl.) Lanj., K
Abelboda grandis Griseb., I, K
Orechanthe sp., K
Xyris cyperoides Gleason, K
Xyris fallax Malme, I, K
Xyris guianensis Klotzsch, K
Xyris involucrata Nees, I, K
Xyris jupiai Rich., I, K, D
Xyris laxifolia Mart., S
Xyris nalmava L.B. Sm., K
Xyris setigera F. Oliv., K
Xyris subnitiflora Malme, K
Xyris surinamensis Spreng., I, K
Xyris uleana Malme, K
- Zingiberaceae**
Reineeria floribunda K. Schum., I, K, S, D
Reineeria guianensis Maas, S
Reineeria monosperma Miq., I, S
Reineeria orinocensis Rusby, I, K, M, S
Reineeria thyrsoides (Ruiz & Pav.) Poep. & Endl., I

APPENDIX 2

IWOKRAMA PLANT COLLECTIONS

- Acanthaceae**
Justicia calycina – Acevedo-Rdgz., P.: 3351; Clarke, H.D.: 609, 636, 2495, 2517, 2526, 4212; McDowell, T.: 3253; Mori, S.: 24548
Justicia pectoralis – McDowell, T.: 3359
Justicia schomburgkiana – Clarke, H.D.: 399; Hoffman, B.: 1377; Mutchnick, P.: 415
Ruellia geniniflora – McDowell, T.: 2043
Trichanthera gigantea – Acevedo-Rdgz., P.: 3389
- Adiantaceae**
Adiantopsis radiata – Mori, S.: 24525
- Adiantum "rondonii"* – Mori, S.: 24407
Adiantum adiantoides – Mutchnick, P.: 485
Adiantum ajenense – Clarke, H.D.: 2608, 2714
Adiantum latifolium – Acevedo-Rdgz., P.: 3297; Hoffman, B.: 1409; McDowell, T.: 3371
Adiantum latifolium x serratifoliatum – Hoffman, B.: 1297
Adiantum olivaceum – Hoffman, B.: 1458
Adiantum phyllitis – Clarke, H.D.: 4307
Adiantum terminatum – Clarke, H.D.: 4280; Ehrlinghaus, C.: 116

- Adiantum tomentosum* – Clarke, H.D.: 2473; Mori, S.: 24414
- Pityrogramma calomelanos* – Hoffman, B.: 1339, 1492; McDowell, T.: 2027
- Anacardiaceae**
- Spondias mombin* – Acevedo-Rdgz., P.: 3436
- Tapirira guianensis* – McDowell, T.: 2032; Mori, S.: 24510, 24612, 24616; Mutchnick, P.: 495, 882
- Annonaceae**
- Anaxagorea dolichocarpa* – Acevedo-Rdgz., P.: 3426; Clarke, H.D.: 313, 554, 592, 1400, 1415, 2512, 2567, 2629, 4198, 4251; Hoffman, B.: 1401, 1475, 1487, 4582, 4872, 4876; McDowell, T.: 2110; Mori, S.: 24585; Mutchnick, P.: 384, 752, 933
- Annona haematantha* – Clarke, H.D.: 2576
- Annona hypoglauca* – Clarke, H.D.: 1542; Hoffman, B.: 1367, 1391, 1503; McDowell, T.: 1979; Mutchnick, P.: 483, 866
- Annona montana* – Hoffman, B.: 1537
- Annona sericea* – Acevedo-Rdgz., P.: 3381; Clarke, H.D.: 545
- Annona symphyocarpa* – Clarke, H.D.: 583, 2644; Mori, S.: 24543
- Baogeopsis multiflora* – Hoffman, B.: 4615, 4986; Mutchnick, P.: 785
- Cymbopetalum brasiliense* – Acevedo-Rdgz., P.: 3330; Clarke, H.D.: 4152, 4265; Mutchnick, P.: 961
- Duguetia alycina* – Clarke, H.D.: 192, 526, 2518, 4318; Hoffman, B.: 4520, 4995, 5038
- Duguetia incospicua* – Clarke, H.D.: 4324, 4329
- Duguetia neglecta* – Clarke, H.D.: 187, 1416, 2480, 4316; Hoffman, B.: 4587, 5001; Mutchnick, P.: 391
- Duguetia obsoeta* – Mutchnick, P.: 392
- Duguetia paraensis* – Clarke, H.D.: 1448; Hoffman, B.: 1468; Mori, S.: 24371; Mutchnick, P.: 393
- Duguetia quitarensis* – McDowell, T.: 1898
- Duguetia surinamensis* – Clarke, H.D.: 2566
- Duguetia yesiidian* – Clarke, H.D.: 161, 229, 1275, 1455; Hoffman, B.: 5003
- Fusaea longifolia* – Clarke, H.D.: 1396, 4330; McDowell, T.: 2106; Mutchnick, P.: 744
- Guatteria citriodora* – Clarke, H.D.: 670
- Guatteria sandenis* – Clarke, H.D.: 330, 401, 623, 1335; Hoffman, B.: 4619; Mutchnick, P.: 742
- Guatteria schomburgkiana* – Chanderbali, A.: 182; McDowell, T.: 2026
- Guatteria sp.* – Clarke, H.D.: 575, 1429, 2496, 2515, 4139, 4195; Hoffman, B.: 1400; Mori, S.: 24486, 24530, 24559, 24611
- Oxandra guianensis* – Hoffman, B.: 1463
- Pseudoxandra sp.* – Mori, S.: 24376
- Rollinia exsucca* – Acevedo-Rdgz., P.: 3452
- Trigyna caudata* – Clarke, H.D.: 233, 412
- Trigyna guianensis* – Hoffman, B.: 1465
- Unonopsis guatterioides* – Clarke, H.D.: 539, 1544; Mori, S.: 24369; Mutchnick, P.: 461
- Unonopsis rufescens* – Clarke, H.D.: 4194
- Unonopsis stipitata* – Clarke, H.D.: 1466, 1560, 2729, 4308
- Unonopsis sp.* – McDowell, T.: 3375
- Xylopia aromatica* – McDowell, T.: 1986
- Xylopia berthamii* – Clarke, H.D.: 1417; Ehringhaus, C.: 127
- Xylopia discreta* – Acevedo-Rdgz., P.: 3405; Clarke, H.D.: 1558; Hoffman, B.: 1559
- Xylopia nitida* – McDowell, T.: 2072, 2091
- Apocynaceae**
- Allananda atlantica* – Acevedo-Rdgz., P.: 3340
- Aspidosperma excelsum* – Clarke, H.D.: 678, 1293; Hoffman, B.: 4591, 4878
- Aspidosperma turgasii* – Clarke, H.D.: 420
- Bonafousia lorifera* – Clarke, H.D.: 328, 1350, 2500
- Bonafousia siphilitica* – Ehringhaus, C.: 75; Hoffman, B.: 1509; McDowell, T.: 1980
- Bonafousia undulata* – Clarke, H.D.: 171, 206, 207, 321, 408, 601, 1288, 1458, 1487, 2545, 2573, 2574, 2630; Hoffman, B.: 1490, 4577; Mutchnick, P.: 576, 930
- Courea guianensis* – Clarke, H.D.: 370
- Forsteronia guyanensis* – Acevedo-Rdgz., P.: 3449
- Lacistema aciculata* – Mutchnick, P.: 750
- Malouetia gracilis* – Clarke, H.D.: 2763; McDowell, T.: 3345; Mutchnick, P.: 561
- Malouetia tamquarina* – Clarke, H.D.: 162, 2730
- Mandevilla hirsuta* – Acevedo-Rdgz., P.: 3344; Clarke, H.D.: 1600
- Mandevilla sabra* – Acevedo-Rdgz., P.: 3343, 3387
- Mandevilla sp.* – Mutchnick, P.: 413
- Messerschmidia trifida* – Clarke, H.D.: 690, 1531; Hoffman, B.: 1287; McDowell, T.: 1962; Mutchnick, P.: 456, 527, 665
- Clontaderia monantha* – Clarke, H.D.: 1348; Hoffman, B.: 1372; Mutchnick, P.: 434
- Clontaderia nitida* – Clarke, H.D.: 2656
- Prestoria acatifolia* – Clarke, H.D.: 306
- Prestoria canita* – McDowell, T.: 1968b
- Prestoria tomentosa* – Mutchnick, P.: 439
- Tabernaemontana heterophylla* – Acevedo-Rdgz., P.: 3320; Clarke, H.D.: 1300; Hoffman, B.: 4954; Mutchnick, P.: 786
- Tabernaemontana undulata* – Acevedo-Rdgz., P.: 3428; Hoffman, B.: 1338, 1402, 1460; McDowell, T.: 3258, 3290
- Araceae**
- Anthurium expansum* – Clarke, H.D.: 641, 2510, 4153; Mutchnick, P.: 980
- Anthurium gracile* – Clarke, H.D.: 630, 1547, 4085; Hoffman, B.: 1508; Mutchnick, P.: 496, 515
- Anthurium thrinax* – Clarke, H.D.: 1430
- Anthurium trinerviae* – Clarke, H.D.: 2638, 4098
- Caladium bicolor* – Ehringhaus, C.: 48
- Heteropsis flexuosa* – Clarke, H.D.: 1336, 4163, 4217; Hoffman, B.: 4640, 4645, 4817, 5052, 5060, 5061, 5066, 5067, 5070, 5071
- Heteropsis melinonii* – Hoffman, B.: 5069
- Heteropsis spruceana* – Clarke, H.D.: 1489; Mutchnick, P.: 571
- Monstera adansonii* – Acevedo-Rdgz., P.: 3373; Clarke, H.D.: 4264
- Monstera obliqua* – Hoffman, B.: 1528
- Montrichardia arborescens* – Clarke, H.D.: 263; Mutchnick, P.: 435, 673
- Montrichardia linifera* – Mutchnick, P.: 805
- Pholidendron amorphoarum* – McDowell, T.: 2066
- Pholidendron fragrantissimum* – Acevedo-Rdgz., P.:

- 3360; Clarke, H.D.: 513, 1276, 1497; Ehringhaus, C.: 65; Hoffman, B.: 1574, 5062; Mutchnick, P.: 735
Philodendron hylaene – Clarke, H.D.: 1498; Mutchnick, P.: 731
Philodendron insigne – Ehringhaus, C.: 134
Philodendron jaminii – Hoffman, B.: 1470
Philodendron linnaei – Hoffman, B.: 5068; Mutchnick, P.: 736
Philodendron nuricatum – Clarke, H.D.: 1372; McDowell, T.: 2016; Mutchnick, P.: 436
Philodendron myrmecophilum – Clarke, H.D.: 157
Philodendron ornatum – Mutchnick, P.: 936
Philodendron padatum – Clarke, H.D.: 4315; Hoffman, B.: 5055
Philodendron placidum – Clarke, H.D.: 629
Philodendron rudgeanum – Clarke, H.D.: 1511
Philodendron solimoesense – Clarke, H.D.: 4344; Mutchnick, P.: 716
Philodendron surinamense – Mutchnick, P.: 623
Rhodopeltis oblongata – Clarke, H.D.: 2501
Spathiphyllum cuspidatum – Clarke, H.D.: 633, 2491, 4243, 4269; Ehringhaus, C.: 136; Hoffman, B.: 1459; Mori, S.: 24549
Stenispermatium imigurei – Clarke, H.D.: 2587, 4099, 4125
Syngonium podophyllum – Acevedo-Rdgz., P.: 3327; Clarke, H.D.: 4289; Hoffman, B.: 1407; McDowell, T.: 2082
Urospatha sagittifolia – Clarke, H.D.: 555; McDowell, T.: 3307
- Arecaceae**
- Astrocaryum gymacanthum* – Hoffman, B.: 1551
Astrocaryum sciophilum – Clarke, H.D.: 1344; Mutchnick, P.: 855
Attalea muripa – Mutchnick, P.: 807
Attalea microcarpa – Hoffman, B.: 4631
Batriss balanophora – McDowell, T.: 3306; Mori, S.: 24593
Batriss corosilla – Clarke, H.D.: 4262, 4337
Batriss elegans – Mutchnick, P.: 823
Batriss oligodada – Clarke, H.D.: 333, 487, 527; Mori, S.: 24653; Mutchnick, P.: 822, 852, 854
Batriss ptariana – Clarke, H.D.: 2597; Mori, S.: 24594
Batriss simplicifrons – Acevedo-Rdgz., P.: 3369; Clarke, H.D.: 2631; McDowell, T.: 3302; Mori, S.: 24398; Mutchnick, P.: 611, 613
Batriss sp. – Clarke, H.D.: 531, 1292, 1309
Desmoncus orthacanthos – Mutchnick, P.: 829
Desmoncus sp. – Acevedo-Rdgz., P.: 3354
Euterpe edulis – Clarke, H.D.: 1284, 1427
Geonoma baculifera – Clarke, H.D.: 486; Mutchnick, P.: 844
Geonoma deversa – Clarke, H.D.: 1298, 4336; Mutchnick, P.: 820
Geonoma euspatha – Hoffman, B.: 1418
Geonoma maximia – Clarke, H.D.: 648, 2532, 4167; Hoffman, B.: 1403, 1577; McDowell, T.: 3367; Mutchnick, P.: 959
Geonoma sp. – Clarke, H.D.: 403, 1316, 1490
Mauritiella armata – Hoffman, B.: 4633
Onocarpus bataua – Hoffman, B.: 4589
- Socratea exorrhiza** – Clarke, H.D.: 1320, 4266; Mutchnick, P.: 845, 849
- Aristolochiaceae**
- Aristolodgia iquiterensis* – Clarke, H.D.: 519; Mutchnick, P.: 573
Aristolodgia stirnamentis – Acevedo-Rdgz., P.: 3308
- Asclepiadaceae**
- Matelia stenorhiza* – Clarke, H.D.: 659
Tessaria guianensis – Hoffman, B.: 1376
- Aspleniaceae**
- Asplenium angustum* – Clarke, H.D.: 4083
Asplenium auriculatum – Clarke, H.D.: 4257
Asplenium cristatum – Ehringhaus, C.: 66
Asplenium serratum – Clarke, H.D.: 373, 634, 4082, 4225; Hoffman, B.: 1322, 1406, 1562; Mori, S.: 24412; Mutchnick, P.: 787
- Asteraceae**
- Calea calcoides* – Ehringhaus, C.: 93; McDowell, T.: 2040, 3273; Mori, S.: 24437
Calotropis solidaginosa – Mutchnick, P.: 769
Centratherum punctatum – McDowell, T.: 1885
Chromolaena squalida – Clarke, H.D.: 557
Clibodium surinamense – Acevedo-Rdgz., P.: 3386
Clibodium sylvestre – Hoffman, B.: 1552; McDowell, T.: 3366
Edipta prostrata – Clarke, H.D.: 1355
Eleutheranthera ruderalis – Clarke, H.D.: 500
Gnaphalium polyaulon – Mutchnick, P.: 766
Lepidapla gracilis – Hoffman, B.: 1316; McDowell, T.: 3275; Mutchnick, P.: 556
Mikania congesta – Clarke, H.D.: 262; Mutchnick, P.: 666
Mikania glomerata – Clarke, H.D.: 4206; McDowell, T.: 2104
Mikania hookeriana – Mori, S.: 24586
Mikania lindleyana – Mutchnick, P.: 411
Mikania parviflora – Clarke, H.D.: 1328; Mutchnick, P.: 840
Mikania psilosadiya – Mori, S.: 24471
Mikania trinitaria – Acevedo-Rdgz., P.: 3339
Piptocarpha triflora – Acevedo-Rdgz., P.: 3304
Roldania fruticosa – Clarke, H.D.: 561
Trichospira verticillata – Ehringhaus, C.: 61; Hoffman, B.: 1270; McDowell, T.: 1975; Mutchnick, P.: 765
Wulffia bacata – Acevedo-Rdgz., P.: 3323; Clarke, H.D.: 1602, 2685; Hoffman, B.: 1553; Mori, S.: 24575; Mutchnick, P.: 907
- Balanophoraceae**
- Hedyscepes aymerensis* – Acevedo-Rdgz., P.: 3295; Clarke, H.D.: 1516, 1574, 2588
- Begoniaceae**
- Begonia guaduensis* – Hoffman, B.: 1564
Begonia heloisana – Hoffman, B.: 1564a
- Bignoniaceae**
- Adenocalymnia inundatum* – Acevedo-Rdgz., P.: 3326
Annona paeonia – Hoffman, B.: 1379
Arrabidaea bilabiata – Acevedo-Rdgz., P.: 3315; McDowell, T.: 1963
Arrabidaea candicans – Mori, S.: 24456
Arrabidaea florida – Mutchnick, P.: 591
Arrabidaea inaequalis – Acevedo-Rdgz., P.: 3441

- Clytostom binatum* – Clarke, H.D.: 1548; Mutchnick, P.: 421
- Cydiota aquinoctalis* – Acevedo-Rdgz., P.: 3318, 3443; Clarke, H.D.: 269; McDowell, T.: 3270, 3334, 3339; Mutchnick, P.: 447
- Distidella elongata* – McDowell, T.: 3250; Mutchnick, P.: 602
- Jacaranda copia* – Hoffman, B.: 4569, 4609, 4841
- Jacaranda obtusifolia* – Clarke, H.D.: 2744; Hoffman, B.: 4546; McDowell, T.: 2025; Mutchnick, P.: 394, 824
- Lundia densiflora* – Acevedo-Rdgz., P.: 3400
- Menora raemosa* – Mori, S.: 24363
- Menora schomburgkii* – Mutchnick, P.: 414
- Mussatia hyacinthina* – Hoffman, B.: 4875
- Parabignonia steyermarkii* – Clarke, H.D.: 4165
- Paragorgia pyramidata* – McDowell, T.: 3282
- Pleurotorn dentata* – Mutchnick, P.: 626, 657
- Tabebuia insignis* – Mori, S.: 24519
- Tabebuia stenoalyx* – Mori, S.: 24566
- Tanaceum jaroba* – Mutchnick, P.: 873
- Tynanthus* sp. – Ehringhaus, C.: 94
- Bixaceae**
- Bixa orellana* – Clarke, H.D.: 2752
- Codiospernum orinocense* – Clarke, H.D.: 1501; Mutchnick, P.: 803, 913
- Bombacaceae**
- Catostomum fragrans* – Hoffman, B.: 4525; Mutchnick, P.: 802
- Padira aquatica* – Clarke, H.D.: 1333
- Padira insignis* – Clarke, H.D.: 349, 1442; Mutchnick, P.: 553, 869
- Boraginaceae**
- Cordia alliodora* – Chanderbali, A.: 164
- Cordia exaltata* – Clarke, H.D.: 234, 366, 546
- Cordia fallax* – Hoffman, B.: 4606
- Cordia grandiflora* – Clarke, H.D.: 217, 1376, 2691, 2748
- Cordia nodosa* – Acevedo-Rdgz., P.: 3451; Clarke, H.D.: 173, 430, 1469, 1493, 2530, 2722, 4168; Hoffman, B.: 1368, 4578; Mori, S.: 24572; Mutchnick, P.: 848
- Cordia sagotii* – Clarke, H.D.: 516
- Cordia schomburgkii* – McDowell, T.: 1939
- Cordia tetrandra* – Hoffman, B.: 1370
- Cordia* sp. – Mutchnick, P.: 578
- Hdiotropium filiforme* – Hoffman, B.: 1392; Mori, S.: 24354
- Hdiotropium ternatum* – Mutchnick, P.: 595
- Tournefortia cuspidata* – Acevedo-Rdgz., P.: 3294
- Tournefortia hirsutissima* – Clarke, H.D.: 304
- Tournefortia melanodactyla* – Mori, S.: 24422, 24428
- Tournefortia ulm* – McDowell, T.: 3356
- Tournefortia* sp. – Mutchnick, P.: 637
- Bromeliaceae**
- Aechma bromeliifolia* – Clarke, H.D.: 155
- Aechma mertensii* – Acevedo-Rdgz., P.: 3411; Clarke, H.D.: 467, 1538, 2652; McDowell, T.: 3333; Mutchnick, P.: 480
- Aechma tillandsioides* – Clarke, H.D.: 1343, 1556
- Ananas parguensis* – Clarke, H.D.: 376, 1505, 2766; McDowell, T.: 2024, 3380; Mutchnick, P.: 559, 737
- Guzmania lingulata* – Clarke, H.D.: 427, 4311; Ehringhaus, C.: 133
- Guzmania roezlii* – Clarke, H.D.: 4302
- Pitcairnia sprucei* – Mutchnick, P.: 734
- Burmanniaceae**
- Campylosiphon purpurascens* – Clarke, H.D.: 682
- Gymnosiphon breviflorus* – Clarke, H.D.: 1421
- Gymnosiphon divaricatus* – Clarke, H.D.: 194; Ehringhaus, C.: 129; Mori, S.: 24515
- Burseraceae**
- Crepidospermum goudotianum* – Hoffman, B.: 1570
- Crepidospermum rhoifolium* – Mutchnick, P.: 582
- Protium deandrum* – Clarke, H.D.: 2474, 4339; Mori, S.: 24474, 24642
- Protium guianense* – Clarke, H.D.: 661; Mutchnick, P.: 917, 939
- Protium heptaphyllum* – Acevedo-Rdgz., P.: 3409; Clarke, H.D.: 394, 464, 2739; Hoffman, B.: 1305, 1388, 4551; McDowell, T.: 1985, 3264; Mutchnick, P.: 417, 685, 887
- Protium opacum* – Clarke, H.D.: 2524, 4133, 4271
- Protium sagotianum* – Hoffman, B.: 1568
- Protium* sp. – Hoffman, B.: 5004
- Tetragastris altissima* – Clarke, H.D.: 1567
- Tetragastris hostmannii* – Mutchnick, P.: 796
- Tetragastris panamensis* – Mutchnick, P.: 725
- Cactaceae**
- Epiphyllum phyllanthus* – Clarke, H.D.: 1286; McDowell, T.: 1969; Mutchnick, P.: 524, 654, 794
- Campanulaceae**
- Centropogon cornutus* – Clarke, H.D.: 618, 4215
- Cannaceae**
- Canna indica* – Hoffman, B.: 1351
- Capparaceae**
- Cladone* sp. – Hoffman, B.: 1365
- Cratera tapia* – Clarke, H.D.: 309; Mutchnick, P.: 708
- Caricaceae**
- Jaanaria spinosa* – Clarke, H.D.: 4237; Hoffman, B.: 4917
- Caryocaraceae**
- Anthodiscus trifoliatus* – Clarke, H.D.: 167, 2765; McDowell, T.: 3265
- Caryoar glabrum* – Mori, S.: 24595
- Caryoar microcarpum* – Mutchnick, P.: 514
- Caryoar montanum* – Clarke, H.D.: 579
- Caryoar muciferum* – Clarke, H.D.: 327; Mutchnick, P.: 490, 781
- Cecropiaceae**
- Coussapoa asperifolia* – Clarke, H.D.: 341, 1377; Mutchnick, P.: 871
- Coussapoa microcephala* – Clarke, H.D.: 666; McDowell, T.: 3256
- Coussapoa viridifolia* – Clarke, H.D.: 2640
- Pouteria villosa* – Mutchnick, P.: 850
- Celastraceae**
- Gouania glabra* – Acevedo-Rdgz., P.: 3430b; Hoffman, B.: 4612; McDowell, T.: 2087; Mutchnick, P.: 387
- Maytenus guyanensis* – Clarke, H.D.: 2769
- Maytenus* sp. – Acevedo-Rdgz., P.: 3312; Hoffman, B.: 1265, 1312; Mutchnick, P.: 721

Chrysobalanaceae

- Couepia bracteosa* – Clarke, H.D.: 197, 198, 253, 254, 525; Mutchnick, P.: 920
Couepia comosa – Clarke, H.D.: 397, 688; Hoffman, B.: 1268; Mutchnick, P.: 686
Couepia multiflora – Mutchnick, P.: 562
Couepia paraensis – Hoffman, B.: 1321; Mutchnick, P.: 690
Couepia parillo – Clarke, H.D.: 2598; Mori, S.: 24542, 24589; Mutchnick, P.: 940
Hirtella hispidula – Hoffman, B.: 4555, 4853
Hirtella paniculata – Clarke, H.D.: 280, 2755; McDowell, T.: 2029; Mutchnick, P.: 519, 651, 879
Hirtella maemae – Clarke, H.D.: 446, 1337, 2770; Mutchnick, P.: 525, 530
Hirtella silian – Clarke, H.D.: 1464, 2610, 4127; Hoffman, B.: 4608
Hirtella sp. – Clarke, H.D.: 219; Hoffman, B.: 5006, 5019; Mori, S.: 24581
Liania alba – Clarke, H.D.: 2472, 2479; Hoffman, B.: 4581; Mutchnick, P.: 580a
Liania apetala – Clarke, H.D.: 1370; McDowell, T.: 1996
Liania boyanii – Clarke, H.D.: 532
Liania cinescens – Mutchnick, P.: 492
Liania coriacan – Clarke, H.D.: 2746; McDowell, T.: 3343; Mori, S.: 24391; Mutchnick, P.: 528, 747, 772, 774, 777
Liania densiflora – Clarke, H.D.: 1340; Hoffman, B.: 1421; McDowell, T.: 2068; Mutchnick, P.: 433
Liania discolor – Hoffman, B.: 4571
Liania heteromorpha – Mutchnick, P.: 779
Liania inana – Clarke, H.D.: 236, 2655
Liania intrapetiolaris – Mutchnick, P.: 521
Liania leptostachya – Clarke, H.D.: 1331; Hoffman, B.: 1308; Mutchnick, P.: 764, 867
Liania liariiflora – Clarke, H.D.: 4210
Liania longistyla – Clarke, H.D.: 524, 1425
Liania mijuscula – Clarke, H.D.: 1570
Liania parafolia – Mutchnick, P.: 705
Liania persaudii – Clarke, H.D.: 312; Hoffman, B.: 4559; Mori, S.: 24370
Liania polita – Hoffman, B.: 1371; Mori, S.: 24373; Mutchnick, P.: 659
Liania spruaci – Mutchnick, P.: 847
Liania sp. – Hoffman, B.: 4910
Parinari ampestris – Clarke, H.D.: 282, 346
Parinari raddoppii – Hoffman, B.: 4538

Clusiaceae

- Caraipa grandifolia* – Clarke, H.D.: 390, 1532
Caraipa punctulata – Clarke, H.D.: 4089; Hoffman, B.: 4598
Clisia columnaris – Clarke, H.D.: 2546
Clisia flava – Chanderbali, A.: 183; Clarke, H.D.: 424, 646, 2547
Clisia fockeana – Clarke, H.D.: 216, 224, 533; Hoffman, B.: 1444
Clisia grandiflora – Clarke, H.D.: 220, 627; Hoffman, B.: 1461, 5059; Mori, S.: 24489; Mutchnick, P.: 929
Clisia myriandra – Mutchnick, P.: 568, 916
Clisia nemorosa – Clarke, H.D.: 2678; Mutchnick, P.: 810

- Clusia palmicida* – Clarke, H.D.: 4164; Mori, S.: 24506, 24517
Clusia panapanari – Clarke, H.D.: 2764; Hoffman, B.: 1307; Mori, S.: 24608
Clusia viscosa – Hoffman, B.: 4636
Clusia sp. – Mutchnick, P.: 569
Garcinia benthamiana – Clarke, H.D.: 2580; Mutchnick, P.: 783
Garcinia macrophylla – Clarke, H.D.: 2711; Hoffman, B.: 4513
Garcinia madruño – Clarke, H.D.: 2771
Rheedia macrophylla – Hoffman, B.: 1404, 5044
Tocotita brevistaminea – Hoffman, B.: 5046; Mori, S.: 24374
Tocotita carinata – Clarke, H.D.: 2568
Tocotita cephalostigma – Mutchnick, P.: 431
Tocotita eggersii – Mori, S.: 24605
Tocotita longifolia – Hoffman, B.: 4597
Tocotita macrophylla – Mori, S.: 24534
Tocotita pyrifolia – Mutchnick, P.: 941
Tocotita schomburgkii – Clarke, H.D.: 674, 1568; Mori, S.: 24533
Vismia ayacensis – Clarke, H.D.: 1583; McDowell, T.: 1937; Mutchnick, P.: 883
Vismia guianensis – Clarke, H.D.: 544; Mutchnick, P.: 589
Vismia japiurensis – Ehringhaus, C.: 103; Mori, S.: 24472; Mutchnick, P.: 570
Vismia latifolia – Acevedo-Rdgz., P.: 3392, 3394
Vismia macrophylla – Clarke, H.D.: 556; Hoffman, B.: 1332, 1419, 1491; McDowell, T.: 2062, 2099
Vismia sessilifolia – Clarke, H.D.: 4286; Mori, S.: 24435
- Combretaceae**
Bidirectionalia macrophylla – Clarke, H.D.: 271
Bidirectionalia megalophylla – Clarke, H.D.: 1380, 2757; Hoffman, B.: 1320; Mori, S.: 24347; Mutchnick, P.: 440, 770
Combretum laxum – Acevedo-Rdgz., P.: 3302; McDowell, T.: 2071; Mutchnick, P.: 458, 565, 835
Combretum rotundifolium – Acevedo-Rdgz., P.: 3319; Clarke, H.D.: 285, 357, 1378; Hoffman, B.: 1299; McDowell, T.: 3329; Mutchnick, P.: 506, 512
Terminalia amazonia – Hoffman, B.: 1478, 4566
- Commelinaceae**
Commelinia rufipes – McDowell, T.: 3354
Didiorisandra hexandra – McDowell, T.: 3293
- Connaraceae**
Cnestidium guianense – Mori, S.: 24475
Connarus lambertii – Clarke, H.D.: 1334; Hoffman, B.: 1361; Mutchnick, P.: 644, 763
Connarus megacarpus – Clarke, H.D.: 4171
Connarus sp. – Hoffman, B.: 4899
- Convolvulaceae**
Calycolobus glaber – McDowell, T.: 3260
Dicranostyles ampla – Clarke, H.D.: 169, 389
Dicranostyles holostyla – Hoffman, B.: 4556
Iponmea phillomega – Clarke, H.D.: 4347
Iponmea squamosa – Mutchnick, P.: 653
Iponmea tiliacea – Clarke, H.D.: 1382; Mutchnick, P.: 906
Lysistyles sandersi – McDowell, T.: 2067; Mori, S.: 24507; Mutchnick, P.: 800

- Maripa saundersii* – Clarke, H.D.: 477; Hoffman, B.: 4930; McDowell, T.: 2065
- Merrenia aturenensis* – Clarke, H.D.: 1579
- Merrenia microalyx* – Clarke, H.D.: 1599; McDowell, T.: 2060, 3351; Mutchnick, P.: 581, 903
- Costaceae**
- Costus arabicus* – Hoffman, B.: 1296; Mutchnick, P.: 454
- Costus saibei* – Acevedo-Rdgz., P.: 3356; Clarke, H.D.: 163, 658, 1311, 2609; Ehringhaus, C.: 74; McDowell, T.: 1891, 3372
- Cucurbitaceae**
- Cayaponia ophthalmica* – Hoffman, B.: 1480
- Gurania bigorniacea* – Clarke, H.D.: 4141, 4186, 4288; Hoffman, B.: 1331; Mori, S.: 24648
- Gurania lobata* – Clarke, H.D.: 621
- Gurania spinulosa* – Clarke, H.D.: 4282
- Gurania subumbellata* – Mori, S.: 24473
- Psiguria triphylla* – Mutchnick, P.: 575
- Cyatheaceae**
- Cnemidaria spectabilis* – Clarke, H.D.: 4241
- Cnemidaria spectabilis* – Clarke, H.D.: 4131
- Cythea cyathoides* – Hoffman, B.: 1486
- Cythea microcarpa* – Mutchnick, P.: 609
- Cythea microdonta* – Mutchnick, P.: 928
- Cythea pungens* – Clarke, H.D.: 4120, 4278a
- Cythea surinamensis* – McDowell, T.: 3312; Mori, S.: 24393
- Cyclanthaceae**
- Asplundia maguirei* – Clarke, H.D.: 4273
- Thoracocarpus bissectus* – Clarke, H.D.: 2716; Hoffman, B.: 4536; Mutchnick, P.: 445
- Cyperaceae**
- Baequerdia cymosa* – Clarke, H.D.: 672; Mutchnick, P.: 922
- Bulbostylis juncea* – Clarke, H.D.: 564; Ehringhaus, C.: 79
- Calyptrariaea bicolor* – Clarke, H.D.: 2728
- Calyptrariaea glomerulata* – Clarke, H.D.: 222, 251, 371, 647a, 1476, 1477, 2476, 4248, 4297; Hoffman, B.: 1386; McDowell, T.: 3311b; Mori, S.: 24412a; Mutchnick, P.: 616
- Calyptrariaea paepigiana* – Clarke, H.D.: 1302
- Cyperus aggregatus* – Mutchnick, P.: 636
- Cyperus filifolius* – Hoffman, B.: 1315
- Cyperus haspan* – Clarke, H.D.: 2666; McDowell, T.: 2028
- Cyperus ligularis* – Hoffman, B.: 1329
- Cyperus lizulae* – Clarke, H.D.: 491; Ehringhaus, C.: 115; McDowell, T.: 3342; Mori, S.: 24439
- Cyperus niliifolius* – Clarke, H.D.: 472; Mutchnick, P.: 635
- Cyperus odoratus* – Mutchnick, P.: 890
- Cyperus trailii* – Mutchnick, P.: 768
- Diplacrum capitatum* – Clarke, H.D.: 550; Mori, S.: 24434
- Diplasia karataefolia* – Acevedo-Rdgz., P.: 3355; Clarke, H.D.: 1283; Ehringhaus, C.: 112; Mori, S.: 24452
- Eleocharis subfoliata* – Hoffman, B.: 1514
- Finibristyliis complanata* – Clarke, H.D.: 1398
- Finibristyliis niliaca* – McDowell, T.: 1978
- Finibristyliis tahliae* – Mutchnick, P.: 767
- Fluarea umbellata* – Mori, S.: 24459
- Hypolytrum ferrarii* – Clarke, H.D.: 1397; Mori, S.: 24445, 24523
- Hypolytrum longifolium* – Clarke, H.D.: 361, 473, 480, 1474
- Hypolytrum pulchrum* – Clarke, H.D.: 2663; Hoffman, B.: 1429
- Lagenacarpus guianensis* – Hoffman, B.: 1442
- Mapania surinamensis* – Clarke, H.D.: 2529
- Mapania sylvatica* – Clarke, H.D.: 635, 2577
- Rhyndospora albonarginata* – Clarke, H.D.: 694
- Rhyndospora amazonica* – Clarke, H.D.: 1478
- Rhyndospora barbata* – Clarke, H.D.: 563; Ehringhaus, C.: 111; Hoffman, B.: 1430; Mori, S.: 24478
- Rhyndospora cephalotes* – McDowell, T.: 1899; Mutchnick, P.: 566
- Rhyndospora holoschoenoides* – Ehringhaus, C.: 113; Hoffman, B.: 1330; Mori, S.: 24479
- Rhyndospora nervosa* – Clarke, H.D.: 1585
- Rhyndospora reptans* – Clarke, H.D.: 437
- Rhyndospora tenuella* – Clarke, H.D.: 2553
- Sderia cyperina* – Clarke, H.D.: 567
- Sderia flagellum-nigorum* – Clarke, H.D.: 218
- Sderia latifolia* – Mori, S.: 24556
- Sderia microgyna* – Clarke, H.D.: 244
- Sderia malaleuca* – Ehringhaus, C.: 114; Mori, S.: 24431
- Scleria microcarpa* – Hoffman, B.: 1313, 1517; McDowell, T.: 1960; Mutchnick, P.: 691
- Sderia stipata* – McDowell, T.: 1961
- Sderia stipularis* – Mori, S.: 24477
- Dennstaedtiaceae**
- Lindsaea divaricata* – Mori, S.: 24413
- Lindsaea guianensis* – Mutchnick, P.: 610
- Lindsaea lancea* – Clarke, H.D.: 4115, 4317; McDowell, T.: 3310; Mori, S.: 24394; Mutchnick, P.: 612
- Lindsaea quadrangularis* – McDowell, T.: 3320
- Lindsaea stricta* – Hoffman, B.: 1431
- Saccoloma elegans* – Clarke, H.D.: 1434
- Saccoloma inaequale* – Clarke, H.D.: 4132
- Dichapetalaceae**
- Dichapetalum palmarinum* – Hoffman, B.: 4981; Mori, S.: 24466
- Tapura guianensis* – Acevedo-Rdgz., P.: 3423; Clarke, H.D.: 522, 591, 1468, 2478, 2717, 2724, 4197; Ehringhaus, C.: 69; Hoffman, B.: 4544, 4879; Mutchnick, P.: 579, 615, 751
- Dilleniaceae**
- Curatella americana* – Mutchnick, P.: 881
- Davilla korthii* – Clarke, H.D.: 552; Ehringhaus, C.: 104; McDowell, T.: 1958
- Davilla nitida* – Mutchnick, P.: 830
- Dolioarpus breipadicellatus* – McDowell, T.: 2049
- Dolioarpus guianensis* – McDowell, T.: 2079
- Dolioarpus spraguei* – Clarke, H.D.: 1409
- Dolioarpus* sp. – Hoffman, B.: 4944
- Dioscoreaceae**
- Dioscorea antizorum* – Clarke, H.D.: 560
- Dioscorea puduia* – Mori, S.: 24509

- Dioscorea pilosiuscula* – Mutchnick, P.: 441
Dioscorea triunata – Hoffman, B.: 4638
Dioscorea sp. – Clarke, H.D.: 1502; Mutchnick, P.: 627
- Droseraceae**
Drosera capillaris – Hoffman, B.: 1435
- Dryopteridaceae**
Cyldium inerne – Clarke, H.D.: 375, 2569, 4126, 4207; Mutchnick, P.: 487
Cyclodium meniscioides – Clarke, H.D.: 4116; McDowell, T.: 3321; Mori, S.: 24395, 24557; Mutchnick, P.: 943
- Ebenaceae**
Diospyros iherensis – Clarke, H.D.: 4267
Diospyros lissocarpoides – Clarke, H.D.: 227, 388, 1352, 1450; Hoffman, B.: 1283, 1374, 4912; Mori, S.: 24368, 24570; Mutchnick, P.: 522
- Elaeocarpaceae**
Sloanea garckeana – Clarke, H.D.: 1457
Sloanea grandiflora – Clarke, H.D.: 2604, 4270; Hoffman, B.: 5012; Mori, S.: 24576; Mutchnick, P.: 782
Sloanea guianensis – Clarke, H.D.: 4095
Sloanea latifolia – Hoffman, B.: 1453
Sloanea parviflora – Hoffman, B.: 4928
- Eriocaulaceae**
Syngonanthus umbellatus – Clarke, H.D.: 2658
Torina fluviatilis – McDowell, T.: 2036; Mori, S.: 24440
- Erythroxylaceae**
Erythroxylum mucronatum – Acevedo-Rdgz., P.: 3404; Clarke, H.D.: 2498
- Euphorbiaceae**
Annona guianensis – Hoffman, B.: 1385, 1499; McDowell, T.: 1973, 3378; Mutchnick, P.: 508
Aparisthium cordatum – Clarke, H.D.: 4130; Mori, S.: 24453
Croton trinitatis – Clarke, H.D.: 1590; Hoffman, B.: 1340; McDowell, T.: 1974, 3350
Daledumpia affinis – Hoffman, B.: 1324; Mori, S.: 24356
Daledumpia parvibracteata – Clarke, H.D.: 176
Disocarpus essequibensis – Clarke, H.D.: 414, 1445; Hoffman, B.: 1479; Mori, S.: 24359; Mutchnick, P.: 502, 538, 754
Hieronima oblonga – Clarke, H.D.: 679
Maba biglandulosa – Clarke, H.D.: 2538
Maba piriri – Clarke, H.D.: 577; Hoffman, B.: 4897
Maba speciosa – Clarke, H.D.: 2635
Maba taquari – McDowell, T.: 2057; Mutchnick, P.: 655, 706, 821
Maprounia guianensis – Hoffman, B.: 4558; McDowell, T.: 1988
Margaritaria nobilis – Clarke, H.D.: 231; Mori, S.: 24564
Micrandra data – Clarke, H.D.: 381
Onphalia diandra – Acevedo-Rdgz., P.: 3440
Pausandra martinii – Clarke, H.D.: 594, 2606, 2628, 2682, 4201; Hoffman, B.: 1397, 4594, 4614, 4701, 4873, 5065; Mori, S.: 24503
Phyllanthus aardiminiensis – Clarke, H.D.: 2768
Phyllanthus juglandifolius – Ehringhaus, C.: 51
Phyllanthus urinaria – McDowell, T.: 3362
Phukenetia verrucosa – Clarke, H.D.: 622
Rupreditia bradysepala – Mutchnick, P.: 862
Sagotia racemosa – Clarke, H.D.: 329
Sandwithia guyanensis – Clarke, H.D.: 2619
Sapium jenmanii – Hoffman, B.: 4869
Sapium mortanum – Clarke, H.D.: 4342
- Fabaceae-Caesal.**
Bauhinia guianensis – Mutchnick, P.: 410
Bauhinia sp. – Clarke, H.D.: 2687, 4172; Hoffman, B.: 4588
Campsandra canosa – Hoffman, B.: 1319; Mori, S.: 24364
Campsandra laurifolia – Clarke, H.D.: 279
Campsandra sp. – Clarke, H.D.: 292, 363, 441, 2709; Mutchnick, P.: 420
Cassia cocamii – Clarke, H.D.: 2620; Mori, S.: 24609
Chamaecrista adiantifolia – Clarke, H.D.: 537
Chamaecrista apoucouita – Hoffman, B.: 4519; Mutchnick, P.: 395
Chamaecrista diphylla – Clarke, H.D.: 1587b
Chamaecrista hispidula – Clarke, H.D.: 1582; McDowell, T.: 1997
Channecrista nitidans – Clarke, H.D.: 502, 1413; Ehringhaus, C.: 101
Copifera sp. – Clarke, H.D.: 350; Hoffman, B.: 1561
Crudia glaberrima – Mutchnick, P.: 861
Crudia sp. – Clarke, H.D.: 303
Cynometra bauhiniifolia – Mutchnick, P.: 757, 838
Cynometra sp. – Clarke, H.D.: 299, 345
Dialium guianense – Clarke, H.D.: 455; Mutchnick, P.: 442
Dicorynia guianensis – Clarke, H.D.: 1358; Hoffman, B.: 1366; Mori, S.: 24350
Dimorphandra microstachya – Mori, S.: 24485
Elizabetha coccinea – Clarke, H.D.: 168, 1327; Hoffman, B.: 1317; Mori, S.: 24362; Mutchnick, P.: 650, 758
Elizabetha prinaps – Clarke, H.D.: 4202; Hoffman, B.: 4877
Elizabetha sp. – Mutchnick, P.: 563, 672
Eperua falata – Clarke, H.D.: 255, 680, 2613, 2719, 4084, 4211; Hoffman, B.: 4599, 4788; McDowell, T.: 2061; Mutchnick, P.: 438, 753
Eperua jenmanii – Mutchnick, P.: 760
Eperua rubiginosa – Clarke, H.D.: 191; Mutchnick, P.: 674
Eperua schomburgkiana – Clarke, H.D.: 1353, 2743; McDowell, T.: 3335; Mutchnick, P.: 446, 675, 728
Eperua sp. – Clarke, H.D.: 393, 442, 450; Mutchnick, P.: 536, 676, 684, 726
Heterostemon ellipticum – Mutchnick, P.: 520
Macrolobium aacifolium – Clarke, H.D.: 457, 1373, 2704; Hoffman, B.: 1363, 1513; McDowell, T.: 1964, 3287; Mutchnick, P.: 460, 554, 831
Macrolobium bifolium – Clarke, H.D.: 440; McDowell, T.: 3255; Mutchnick, P.: 409
Martiodendron exadsimum – Mutchnick, P.: 543, 645, 834
Martiodendron sp. – Clarke, H.D.: 685
Mora exadsa – Hoffman, B.: 4595, 4989; Mori, S.: 24377; Mutchnick, P.: 791

- Palone guianensis* – Hoffman, B.: 1454
- Peltogyne venosa* – Clarke, H.D.: 281, 468; Mutchnick, P.: 400, 403
- Senna latifolia* – Acevedo-Rdgz., P.: 3402; Clarke, H.D.: 4236
- Senna quinquangulata* – Clarke, H.D.: 433, 511, 639; Mutchnick, P.: 489
- Senna reticulata* – Mutchnick, P.: 713
- Senna undulata* – Mutchnick, P.: 908
- Swartzia berthamiana* – Clarke, H.D.: 2616; Hoffman, B.: 4522, 4531, 4537, 4947, 4951, 4966; Mori, S.: 24505
- Swartzia laeviairpa* – Clarke, H.D.: 2646
- Swartzia lamellata* – Acevedo-Rdgz., P.: 3433, 3437
- Swartzia racem* – Mutchnick, P.: 724
- Swartzia tillietii* – Clarke, H.D.: 2564, 2595
- Swartzia* sp. – Acevedo-Rdgz., P.: 3434; Clarke, H.D.: 540, 2603, 2623; Hoffman, B.: 4576, 4641, 4789, 4883, 4884, 4896, 5056, 5057; Mutchnick, P.: 494, 540
- Tadiigili guianensis* – Hoffman, B.: 4625
- Tadiigili* sp. – Clarke, H.D.: 277, 1364; Mutchnick, P.: 509, 856
- Fabaceae-Mimos.**
- Abareni jupunba* – Clarke, H.D.: 2541; McDowell, T.: 2059; Mutchnick, P.: 739
- Abareni mitaybifolia* – Clarke, H.D.: 2681, 2720
- Aacia tenuifolia* – Clarke, H.D.: 432
- Albizia subdinidiata* – Mutchnick, P.: 634, 877
- Balizia pedicellaris* – McDowell, T.: 2070
- Cadrelina ateniformis* – Hoffman, B.: 4548
- Hydrodiora corymbosa* – Clarke, H.D.: 686; McDowell, T.: 1971; Mutchnick, P.: 885
- Inga alata* – McDowell, T.: 2080
- Inga auristylae* – Clarke, H.D.: 4334
- Inga capitata* – Clarke, H.D.: 4305
- Inga disticha* – Clarke, H.D.: 261, 2699; Hoffman, B.: 1369; McDowell, T.: 3268, 3328
- Inga leioalyrina* – Clarke, H.D.: 4304
- Inga marginata* – Hoffman, B.: 4624
- Inga nobilis* – Clarke, H.D.: 462; Mutchnick, P.: 388, 429, 541
- Inga pezifera* – Acevedo-Rdgz., P.: 3450; Clarke, H.D.: 4296
- Inga rubiginosa* – Clarke, H.D.: 210
- Inga sertulifera* – Clarke, H.D.: 290; Mutchnick, P.: 804
- Inga thibaudiana* – Acevedo-Rdgz., P.: 3366; Clarke, H.D.: 1279, 1342
- Inga umbellifera* – Hoffman, B.: 4521
- Macrosamnea pubiramea* – Clarke, H.D.: 1524; Mutchnick, P.: 428
- Mimosa myriaderia* – Acevedo-Rdgz., P.: 3391; Clarke, H.D.: 445, 1401, 1414; Mori, S.: 24461; Mutchnick, P.: 516
- Mimosa pellita* – Clarke, H.D.: 689, 1375; Hoffman, B.: 1276; Mutchnick, P.: 470
- Mimosa pigra* – Mutchnick, P.: 891
- Mimosa pudica* – Clarke, H.D.: 665; Hoffman, B.: 1350; Mutchnick, P.: 910
- Pentadeltira mordola* – Clarke, H.D.: 166, 453, 2735; Hoffman, B.: 1349, 4585; McDowell, T.: 3289; Mori, S.: 24366; Mutchnick, P.: 401
- Zygia catarractae* – Clarke, H.D.: 265, 297, 1367; Hoffman, B.: 1285, 1359, 1511
- Zygia latifolia* – Clarke, H.D.: 1527, 2738; Mori, S.: 24348; Mutchnick, P.: 398
- Zygia* sp. – Clarke, H.D.: 1449
- Fabaceae-Papil.**
- Acosmum uniter* – Clarke, H.D.: 379, 1379; McDowell, T.: 1987; Mutchnick, P.: 547, 888
- Aeschnomene rufis* – Mutchnick, P.: 837
- Aeschnomene sensitiva* – Mutchnick, P.: 598
- Aeschnomene* sp. – Clarke, H.D.: 569, 1389, 1399
- Alexa imperatrica* – Clarke, H.D.: 1305
- Alexa* sp. – Clarke, H.D.: 287
- Centrosema sessilifolium* – Ehrlinghaus, C.: 59
- Centrosema* sp. – McDowell, T.: 1982
- Clathrotropis brachystala* – Acevedo-Rdgz., P.: 3328; Hoffman, B.: 4771; Mutchnick, P.: 743
- Clathrotropis glaucoptilla* – Hoffman, B.: 4596
- Clathrotropis macrocarpa* – Clarke, H.D.: 4086; Hoffman, B.: 4635, 4852; Mori, S.: 24476, 24491
- Clathrotropis* sp. – Hoffman, B.: 4563, 4845
- Dalbergia monstaria* – McDowell, T.: 3330; Mutchnick, P.: 718
- Dalbergia riedelii* – Clarke, H.D.: 456; Mori, S.: 24372; Mutchnick, P.: 482
- Dalbergia* sp. – Clarke, H.D.: 1392, 1536
- Desmodium nudans* – Clarke, H.D.: 1577; McDowell, T.: 3364
- Desmodium axillare* – Hoffman, B.: 1527
- Desmodium* sp. – Clarke, H.D.: 497
- Diodea guianensis* – Acevedo-Rdgz., P.: 3313, 3388
- Diodea micrantha* – Hoffman, B.: 1272
- Diodea nigraarpa* – Clarke, H.D.: 4216
- Diodea sabra* – Mutchnick, P.: 416
- Diodea virgata* – Hoffman, B.: 1271b
- Diodea* sp. – Clarke, H.D.: 343, 603, 1523, 2750; Mutchnick, P.: 914
- Eriosema simplicifolium* – Ehrlinghaus, C.: 76
- Eriosema* sp. – Clarke, H.D.: 571
- Etaballia dubia* – Clarke, H.D.: 1332, 1521; Hoffman, B.: 1291; Mutchnick, P.: 412
- Galactia* sp. – Clarke, H.D.: 1580; Hoffman, B.: 1519
- Hymenolobium* sp. – Hoffman, B.: 4552
- Lonchocarpus* sp. – Clarke, H.D.: 687, 2694; Mutchnick, P.: 548, 649
- Madhueria ferox* – Clarke, H.D.: 1351; Mutchnick, P.: 542, 697
- Madhueria floribundum* – Clarke, H.D.: 451; Mutchnick, P.: 567, 868
- Madhueria inundatum* – Hoffman, B.: 1357, 1560; McDowell, T.: 3281; Mutchnick, P.: 647, 720, 755
- Madhueria kegelii* – Mutchnick, P.: 911
- Madhueria leioplyllum* – Clarke, H.D.: 1533; Mutchnick, P.: 535
- Madhueria quinata* – Hoffman, B.: 5037; Mutchnick, P.: 463
- Madhueria* sp. – Clarke, H.D.: 340, 1349, 2753
- Macrotilian gracile* – McDowell, T.: 1946
- Mucuna urens* – Clarke, H.D.: 4351
- Mucuna* sp. – Clarke, H.D.: 1551
- Ormosia coriacea* – Hoffman, B.: 1364; Mutchnick, P.: 437

- Ormosia coccinea* – Clarke, H.D.: 278, 352, 447
Ormosia coutinhoi – Clarke, H.D.: 523
Ormosia fastigiata – McDowell, T.: 2034
Ormosia sp. – Clarke, H.D.: 2754
Paramidiaerium schomburgkii – Clarke, H.D.: 1368; Mutchnick, P.: 832
Vigna lasiocarpa – McDowell, T.: 1981, 2012
Vigna repens – McDowell, T.: 2039
Vigna sp. – Clarke, H.D.: 344, 1356; Mutchnick, P.: 418
Zornia sp. – Clarke, H.D.: 1587
- Flacourtiaceae**
Casaria connerviana – Hoffman, B.: 1541
Casaria singularis – Hoffman, B.: 4898
Casaria sylvestris – Clarke, H.D.: 2651
Homalium guianense – Mutchnick, P.: 427
Homaliumraemosum – Clarke, H.D.: 1520; Mutchnick, P.: 529
Neosprua sp. – McDowell, T.: 2103
- Gentianaceae**
Coutoubea ramosa – Clarke, H.D.: 499; Ehringhaus, C.: 97; Hoffman, B.: 1271a ; Mori, S.: 24349; Mutchnick, P.: 704, 899
Irlbachia alata – Acevedo-Rdgz., P.: 3350; Clarke, H.D.: 505; Ehringhaus, C.: 107; Mori, S.: 24436; Mutchnick, P.: 593
Irlbachia aculeolans – McDowell, T.: 2051
Irlbachia purpurascens – Clarke, H.D.: 653, 2555; Hoffman, B.: 1440
Vayria aphylla – Clarke, H.D.: 530, 2673; Ehringhaus, C.: 130; Mori, S.: 24386, 24518
Vayria aculeata – Clarke, H.D.: 326
Vayria corymbosa – Clarke, H.D.: 154, 256, 520, 2621; Ehringhaus, C.: 128; McDowell, T.: 3305a ; Mori, S.: 24446; Mutchnick, P.: 617
Vayria rosa – Clarke, H.D.: 2622
Vayriella parviflora – Clarke, H.D.: 338
- Gesneriaceae**
Besleria flavo-virens – Clarke, H.D.: 4143
Besleria laxiflora – Clarke, H.D.: 615, 2525, 4258
Chrysotheris rupestris – Hoffman, B.: 1395
Codonanthe aclarata – Clarke, H.D.: 319, 444, 599, 645, 1495, 1515, 2596, 2653, 4213; Mutchnick, P.: 405, 544, 792
Codonanthe crassifolia – Clarke, H.D.: 250, 443, 1322
Episcia xantha – Clarke, H.D.: 4214, 4260; Mori, S.: 24647
Nautilocalyx cordatus – Clarke, H.D.: 1439, 4112
Paradrymonia densa – Clarke, H.D.: 638, 2520
Paradrymonia maulata – Clarke, H.D.: 4181
- Gleicheniaceae**
Dicranopteris flexuosa – Mori, S.: 24430
- Gnetaceae**
Gnetum nodiflorum – Mutchnick, P.: 828
Gnetum paniculatum – Hoffman, B.: 4643; Mutchnick, P.: 533
Gnetum urans – Mori, S.: 24500
Gnetum sp. – McDowell, T.: 2045
- Grammitidaceae**
Codilidium furcatum – Clarke, H.D.: 2536; Mori, S.: 24544
- Codilidium linearifolium* – Clarke, H.D.: 4106
Codilidium serrulatum – Clarke, H.D.: 4287
- Haemodoraceae**
Xiphidiumpaerulum – Hoffman, B.: 1573; McDowell, T.: 3355
- Heliconiaceae**
Heliconia acuminata – Clarke, H.D.: 180, 322, 1296, 1500, 2483, 4224; McDowell, T.: 3379; Mutchnick, P.: 584, 733
Heliconia bihai – Clarke, H.D.: 4149; Hoffman, B.: 1550
Heliconia duartae – Clarke, H.D.: 474, 1594, 4345; Hoffman, B.: 1493, 1549; McDowell, T.: 1884
Heliconia hirsuta – Acevedo-Rdgz., P.: 3337; McDowell, T.: 1954
Heliconia lourteigiae – Mori, S.: 24633
Heliconia psittacorum – Acevedo-Rdgz., P.: 3372
Heliconia spathacircinata – Acevedo-Rdgz., P.: 3325
- Hippocrateaceae**
Hippocratea volubilis – Clarke, H.D.: 260, 298, 449, 2698; Hoffman, B.: 1266, 1354; McDowell, T.: 3262, 3331, 3332; Mutchnick, P.: 510, 875
Peritassa compta – Clarke, H.D.: 482, 1357; Mutchnick, P.: 539, 801
Peritassa laevigata – Hoffman, B.: 1352
Peritassa sp. – Clarke, H.D.: 1488
Prionostemma aspera – Clarke, H.D.: 1603
Salacia diliptia – Mutchnick, P.: 876
Salacia impressifolia – Mori, S.: 24390
Salacia juruana – Clarke, H.D.: 1306, 4091
Salacia maburensis – Clarke, H.D.: 320, 1443; Mutchnick, P.: 969
Salacia multiflora – Mori, S.: 24614
Tordia oralifolia – Clarke, H.D.: 514
- Humiriaceae**
Humiria balsamifera – Clarke, H.D.: 226, 656, 2654
Sdistostemon dichotomum – Hoffman, B.: 4564
Vantanea guianensis – Hoffman, B.: 1447
- Hymenophyllaceae**
Hymenophyllum polyanthos – Clarke, H.D.: 2586
Trichomanes ankersii – Clarke, H.D.: 4157; Mori, S.: 24399, 24417
Trichomanes arbuscula – Clarke, H.D.: 535; Mori, S.: 24405; Mutchnick, P.: 603
Trichomanes crispum – Mori, S.: 24416
Trichomanes diaphanum – Mori, S.: 24626
Trichomanes diversifrons – Clarke, H.D.: 4118
Trichomanes martiusii – Mutchnick, P.: 618
Trichomanes pediellatum – Clarke, H.D.: 2726, 4101; Mori, S.: 24528
Trichomanes pinatum – Clarke, H.D.: 675, 1571, 2499, 2572; Mori, S.: 24397, 24403
Trichomanes trollii – Clarke, H.D.: 652, 2570
- Icacinaceae**
Enniotum fagifolium – Clarke, H.D.: 668
- Lacistemataceae**
Lacistem aggregatum – Clarke, H.D.: 585; Hoffman, B.: 4543, 4843
Lacistem sp. – McDowell, T.: 2050

Lamiaceae

- Hyptis lanatula* – Clarke, H.D.: 510
Hyptis parkeri – McDowell, T.: 3349
Ocimum canescens – McDowell, T.: 2030

Lauraceae

- Aiouea guianensis* – Chanderbali, A.: 176, 260
Aiouea laevis – Clarke, H.D.: 2650
Aniba citrifolia – McDowell, T.: 2074, 2086
Aniba excelsa – Chanderbali, A.: 145, 156
Aniba hostmanniana – Clarke, H.D.: 2477
Aniba hypoglauca – Chanderbali, A.: 165
Aniba megaphylla – Hoffman, B.: 4627
Aniba panurensis – Chanderbali, A.: 180, 248, 266; Clarke, H.D.: 4309

- Cassytha filiformis* – Clarke, H.D.: 703; McDowell, T.: 1950

- Chlorocardium rodiei* – Chanderbali, A.: 142; Clarke, H.D.: 188, 538, 1303; Hoffman, B.: 4580; Mori, S.: 24487; Mutchnick, P.: 732

- Endlicheria chalisea* – Chanderbali, A.: 141, 159; Clarke, H.D.: 1465

- Endlicheria multiflora* – Chanderbali, A.: 147, 151, 152, 153, 269; Hoffman, B.: 1358; Mutchnick, P.: 687

- Endlicheria* sp. – Acevedo-Rdgz., P.: 3432

- Licaria amella* – Chanderbali, A.: 174, 178, 261; Clarke, H.D.: 2642

- Licaria debilis* – Chanderbali, A.: 272; Clarke, H.D.: 4314

- Licaria guianensis* – Clarke, H.D.: 2579

- Licaria martiniana* – Chanderbali, A.: 163

- Licaria* sp. – McDowell, T.: 2014

- Mezilaurus itauba* – Chanderbali, A.: 173

- Nectandra amazonum* – Chanderbali, A.: 148, 150, 161; Clarke, H.D.: 270, 1546, 2695; Hoffman, B.: 1390, 1484; McDowell, T.: 3263; Mutchnick, P.: 532, 643

- Nectandra globosa* – Chanderbali, A.: 143, 253; Clarke, H.D.: 483

- Oxter analiculata* – Chanderbali, A.: 157

- Oxter caanophifolia* – Chanderbali, A.: 154, 158, 168

- Oxter cernua* – Chanderbali, A.: 250

- Oxter guianensis* – Clarke, H.D.: 2684

- Oxter nigra* – Chanderbali, A.: 146, 162, 251, 268

- Oxter persulcata* – Chanderbali, A.: 181

- Oxter schomburgkiana* – Chanderbali, A.: 166, 167, 175, 259

- Oxter splendens* – Chanderbali, A.: 179

- Oxter* sp. – Clarke, H.D.: 4150; Mutchnick, P.: 965

- Rhodostemonodaphne crenatiapula* – Chanderbali, A.: 160
Rhodostemonodaphne konthiana – Chanderbali, A.: 171, 172, 257; Clarke, H.D.: 4277

- Rhodostemonodaphne novii* – Clarke, H.D.: 2689

- Rhodostemonodaphne praedaria* – Chanderbali, A.: 144, 177

- Rhodostemonodaphne sanders* – Clarke, H.D.: 647b, 2527, 4113; Mori, S.: 24529; Mutchnick, P.: 945

Lecythidaceae

- Couratari stellata* – Hoffman, B.: 4575

- Esdruvilera ariaea* – Clarke, H.D.: 2600, 2734, 4209, 4291

- Esdruvilera decolorans* – Clarke, H.D.: 2612; Mori, S.: 24494

- Esdruvilera pedicellata* – Clarke, H.D.: 230, 1573;

- Hoffman, B.: 4517, 4850, 4933, 5018, 5032; Mori, S.: 24381, 24516; Mutchnick, P.: 422

- Esdruvilera sigotiana* – Clarke, H.D.: 186, 572, 1299; Mori, S.: 24493

- Esdruvilera siniorum* – Clarke, H.D.: 4333

- Esdruvilera subglandulosa* – Acevedo-Rdgz., P.: 3446; Clarke, H.D.: 190, 273, 391; Mori, S.: 24380; Mutchnick, P.: 679, 778

- Esdruvilera undchenheimii* – Hoffman, B.: 4601; Mori, S.: 24444; Mutchnick, P.: 399, 419, 931

- Esdruvilera* sp. A – Hoffman, B.: 5035

- Esdruvilera* sp. C – Hoffman, B.: 4565

- Esdruvilera* sp. – Hoffman, B.: 4892, 4993; Mutchnick, P.: 678

- Gustavia augusta* – Acevedo-Rdgz., P.: 3413; Clarke, H.D.: 1557; Hoffman, B.: 1284; McDowell, T.: 1893, 1900; Mutchnick, P.: 537, 759

- Gustavia hexapetala* – Mori, S.: 24365

- Laythis alutacea* – Mori, S.: 24622; Mutchnick, P.: 555

- Laythis confertiflora* – Clarke, H.D.: 2471, 4087, 4088

- Laythis corrugata* – Acevedo-Rdgz., P.: 3438; Mori, S.: 24379; Mutchnick, P.: 799

- Laythis hirsutissima* – Clarke, H.D.: 1459; Mori, S.: 24382

Lentibulariaceae

- Utricularia foliosa* – Acevedo-Rdgz., P.: 3408

- Utricularia juncea* – Clarke, H.D.: 673

- Utricularia pusilla* – McDowell, T.: 3296; Mori, S.: 24438

- Utricularia* sp. – Hoffman, B.: 1443

Liliaceae-Amaryll.

- Hymenocallis tubiflora* – Hoffman, B.: 1529; Mori, S.: 24384

Liliaceae-Hypox.

- Curaligo scorzonerifolia* – McDowell, T.: 1949

Lissocarpaceae

- Lissocarpa guianensis* – Clarke, H.D.: 252

Loganiaceae

- Spigelia multiflora* – Clarke, H.D.: 2487

- Spigelia multiflora* – Clarke, H.D.: 608, 4246; Mori, S.: 24552

- Strychnos agens* – Clarke, H.D.: 578; Hoffman, B.: 4867; Mori, S.: 24607; Mutchnick, P.: 468, 870

- Strychnos guianensis* – Hoffman, B.: 4813

- Strychnos pacifica* – Mutchnick, P.: 863

Lomariopsidaceae

- Bolbitis senipinnatifida* – Clarke, H.D.: 4146, 4244, 4259; Mori, S.: 24553; Mutchnick, P.: 967

- Lomariopsis japiensis* – Clarke, H.D.: 4341

Loranthaceae

- Oryctanthus alveolatus* – Clarke, H.D.: 311

- Oryctanthus florulentus* – Hoffman, B.: 1378; Mutchnick, P.: 629, 658, 833

- Pithisia rufa* – Clarke, H.D.: 243

- Pithisia stellata* – McDowell, T.: 2083; Mutchnick, P.: 894

- Pithisia* sp. – Clarke, H.D.: 1519

Lycopodiaceae

- Lycopodiella caroliniana* – Clarke, H.D.: 2660

- Lycopodiella cernua* – Clarke, H.D.: 558, 2665

Lygodiaceae

- Lygodium micans* – Acevedo-Rdgz., P.: 3383
Lygodium volitile – Ehringhaus, C.: 72

Lythraceae

- Cuphea antisyphilitica* – Clarke, H.D.: 695

Malpighiaceae

- Banisteriopsis martiniana* – Clarke, H.D.: 655; Ehringhaus, C.: 98
Bunchosia argentea – Hoffman, B.: 4533
Byrsinima acerugo – Clarke, H.D.: 1403; Mori, S.: 24462
Byrsinima crassifolia – Clarke, H.D.: 570; Ehringhaus, C.: 77; Mutchnick, P.: 880
Byrsinima eugeniifolia – Clarke, H.D.: 2667
Byrsinima stipulacea – Hoffman, B.: 1424; Mori, S.: 24601, 24623
Heteropterys cristata – Mutchnick, P.: 406
Heteropterys multiflora – Clarke, H.D.: 1387
Heteropterys nervosa – Clarke, H.D.: 553
Heteropterys velutina – Clarke, H.D.: 1541
Heteropterys sp. – Mutchnick, P.: 811
Hiraea faginai – Clarke, H.D.: 289, 305, 1325, 2701; Hoffman, B.: 1288; Mutchnick, P.: 648, 695
Hiraea graciana – Clarke, H.D.: 660
Masaguia squam – Mutchnick, P.: 513
Spadix elegans – Mutchnick, P.: 825
Stigmaphyllon sinuatum – Acevedo-Rdgz., P.: 3309; Clarke, H.D.: 335, 405, 506, 1565; Ehringhaus, C.: 90; Hoffman, B.: 1446; Mori, S.: 24450; Mutchnick, P.: 585, 680, 912
Tetrapterys crispa – McDowell, T.: 2101
Tetrapterys disolor – Acevedo-Rdgz., P.: 3311; Clarke, H.D.: 461, 1529; McDowell, T.: 1886; Mutchnick, P.: 467, 517
Tetrapterys finripetala – Mori, S.: 24488
Tetrapterys mucronata – Clarke, H.D.: 2731; Mutchnick, P.: 631, 632, 664, 715
Tetrapterys styloptera – McDowell, T.: 3376

Malvaceae

- Hibiscus bifuratus* – Clarke, H.D.: 459; Mutchnick, P.: 614
Hibiscus furellatus – Acevedo-Rdgz., P.: 3406
Hibiscus sororius – Mutchnick, P.: 552
Pavonia cistanaefolia – McDowell, T.: 1890
Peltaea trinervis – McDowell, T.: 3272
Sida cordifolia – Clarke, H.D.: 1588
Sida glomerata – McDowell, T.: 3288
Urena lobata – McDowell, T.: 1945, 3274
Wissadula patera – McDowell, T.: 1895

Marantaceae

- Calathea elliptica* – Acevedo-Rdgz., P.: 3368; Clarke, H.D.: 1507, 1561, 4226; Ehringhaus, C.: 68; Hoffman, B.: 1411; Mori, S.: 24634
Calathea legreliana – McDowell, T.: 3373
Calathea lutea – Acevedo-Rdgz., P.: 3359
Ischnosiphon aromatica – Clarke, H.D.: 4323; Hoffman, B.: 1373
Ischnosiphon foliosus – Clarke, H.D.: 515, 643, 1423; Ehringhaus, C.: 117; Mori, S.: 24495
Ischnosiphon gracilis – Mori, S.: 24638
Ischnosiphon obliquus – Clarke, H.D.: 657; Hoffman, B.: 1540, 4528; Mori, S.: 24464

Ischnosiphon puberulus – Mori, S.: 24463

Maranta gibba – McDowell, T.: 1892

Maranta protracta – Acevedo-Rdgz., P.: 3371; Hoffman, B.: 1539

Monotagma spicatum – Clarke, H.D.: 368, 1295; Hoffman, B.: 1410; McDowell, T.: 3303; Mori, S.: 24496; Mutchnick, P.: 604, 605

Marattiaceae

- Danaea elliptica* – Clarke, H.D.: 4148
Danaea simplicifolia – Clarke, H.D.: 4187

Marcgraviaceae

- Marcgravia parviflora* – Clarke, H.D.: 4119, 4275; Mori, S.: 24536, 24645
Norantaa guianensis – Mutchnick, P.: 748
Sououbea guianensis – Clarke, H.D.: 448, 4301; Mutchnick, P.: 396

Melastomataceae

- Acotis laxa* – Hoffman, B.: 1457; McDowell, T.: 3318
Acotis purpurascens – Acevedo-Rdgz., P.: 3380; Ehringhaus, C.: 95; Hoffman, B.: 1344; Mutchnick, P.: 572
Bellucia grossularioides – Hoffman, B.: 1542; Mutchnick, P.: 594
Bellucia pentamera – Mutchnick, P.: 511
Clidenia conglomerata – Mori, S.: 24392
Clidenia hirta – McDowell, T.: 1951, 3314
Clidenia sericea – McDowell, T.: 2031
Condia vernosa – Hoffman, B.: 1427
Condia villosa – Hoffman, B.: 1437
Henrietta multiflora – Mutchnick, P.: 919
Henrietta stellaris – Mutchnick, P.: 423
Landra solenifera – Hoffman, B.: 1497
Macrocentrum cristatum – Hoffman, B.: 1456; Mutchnick, P.: 955
Maieta paepigii – Ehringhaus, C.: 138; McDowell, T.: 3304; Mutchnick, P.: 620
Miconia alata – McDowell, T.: 1938
Miconia apostadyna – Hoffman, B.: 1501; McDowell, T.: 1968a

Miconia argyrophylla – Acevedo-Rdgz., P.: 3376

Miconia bracteata – McDowell, T.: 3294

Miconia ceraniarpa – Mutchnick, P.: 474, 978

Miconia dryophylla – Hoffman, B.: 5031

Miconia ciliata – Hoffman, B.: 1557; McDowell, T.: 2033

Miconia fallax – Hoffman, B.: 1556

Miconia gratissima – Hoffman, B.: 1423

Miconia macrothyrsa – McDowell, T.: 1942; Mutchnick, P.: 902

Miconia miriae – Mutchnick, P.: 975

Miconia myriantha – Hoffman, B.: 1422

Miconia prasinia – Hoffman, B.: 1554

Miconia rufescens – Ehringhaus, C.: 80; Hoffman, B.: 1555

Mouriri grandiflora – Hoffman, B.: 1381

Myriaspore egenensis – Acevedo-Rdgz., P.: 3379; Hoffman, B.: 1524

Tibouchina aspera – Ehringhaus, C.: 78; Mutchnick, P.: 905

Toxox aristata – Ehringhaus, C.: 100, 135; McDowell, T.: 3308

- Toxoxa nitens* – Hoffman, B.: 1428
Toxoxa subciliata – Hoffman, B.: 1353
- Meliaceae**
- Carapa guianensis* – Acevedo-Rdgz., P.: 3431; Clarke, H.D.: 365, 1304; Hoffman, B.: 4593, 4882; Mutchnick, P.: 383, 843
Guarai guidonia – Hoffman, B.: 1526
Guarea kintthiana – Hoffman, B.: 4946
Guarea pubescens – Clarke, H.D.: 606, 1460, 2594; Mori, S.: 24527; Mutchnick, P.: 946
Tridilia dipo – Mutchnick, P.: 780, 817
Tridilia martiana – Hoffman, B.: 4567, 4967
Tridilia pallida – Ehringhaus, C.: 55; Hoffman, B.: 1572, 4509
Tridilia quadrijuga – Hoffman, B.: 5045
Trichilia schomburgkii – Acevedo-Rdgz., P.: 3298; Clarke, H.D.: 2589, 2647, 4219, 4328; Hoffman, B.: 4948
Tridilia sp. – Clarke, H.D.: 2605
- Mendonciaceae**
- Mendoncia hoffmannsegiana* – McDowell, T.: 2085; Mori, S.: 24583, 24584
Mendoncia squamuligera – Mori, S.: 24443
- Menispermaceae**
- Abuta* sp. – Clarke, H.D.: 4208
Cissampelos andromorpha – Hoffman, B.: 1547
Curarea andiciana – Clarke, H.D.: 2723; Hoffman, B.: 4616
Orthonephele schomburgkii – Clarke, H.D.: 170, 2702; Hoffman, B.: 1387; McDowell, T.: 3337
Sciadoteria ayenensis – Mutchnick, P.: 574
- Metaxyaceae**
- Metaxya rostrata* – Clarke, H.D.: 374; Ehringhaus, C.: 125; Hoffman, B.: 1455; McDowell, T.: 3322; Mori, S.: 24415; Mutchnick, P.: 486, 789, 925
- Monimiaceae**
- Mollinedia graziae* – Clarke, H.D.: 582, 2583, 2645; Hoffman, B.: 4868; Mori, S.: 24587, 24603; Mutchnick, P.: 476
Mollinedia laurina – Clarke, H.D.: 2544
Siparuna aspidata – Clarke, H.D.: 318; Mori, S.: 24563
Siparuna decipiens – Clarke, H.D.: 372, 1291, 1461, 2727, 4346; Hoffman, B.: 4931; Mori, S.: 24508
Siparuna guianensis – Acevedo-Rdgz., P.: 3338, 3396; Clarke, H.D.: 179, 212, 409, 548, 1595; Hoffman, B.: 1326, 1536; McDowell, T.: 3358; Mori, S.: 24468
- Moraceae**
- Brosimum guianense* – Mutchnick, P.: 797
Brosimum lacerans – Clarke, H.D.: 307
Brosimum utile – Mori, S.: 24620
Clarisia ilicifolia – Clarke, H.D.: 165
Ficus malacarpa – McDowell, T.: 3252
Ficus maxima – Clarke, H.D.: 610
Ficus paraensis – Clarke, H.D.: 683, 1550; Mutchnick, P.: 390, 462
Ficus trigona – McDowell, T.: 2089; Mutchnick, P.: 663
Heliaostylis tormentosa – Mori, S.: 24652
Pseudolmedia laevis – Hoffman, B.: 4909
Soroxa pubivena – Hoffman, B.: 1545
- Myristicaceae**
- Iryanthera juriuensis* – Mutchnick, P.: 932
Iryanthera lancifolia – Clarke, H.D.: 4177; Mori, S.: 24483
Iryanthera macrophylla – Clarke, H.D.: 2615
Iryanthera paraensis – Mutchnick, P.: 749
Virdia surinamensis – Acevedo-Rdgz., P.: 3424; Clarke, H.D.: 1562; Hoffman, B.: 4634
- Myrsinaceae**
- Ardisia guianensis* – Clarke, H.D.: 4254; Hoffman, B.: 1277, 1289
Cybianthus fulvpulverulentus – Clarke, H.D.: 221, 2662; Hoffman, B.: 4637
Cybianthus microbotrys – Clarke, H.D.: 4154; Mori, S.: 24526; Mutchnick, P.: 938, 970
Stylogyne orinocensis – Clarke, H.D.: 611
Stylogyne sp. – Mutchnick, P.: 756
- Myrtaceae**
- Calycrates bergii* – Clarke, H.D.: 4121
Calyptranthes pulla – Hoffman, B.: 1306; Mutchnick, P.: 564
Calyptranthes sp. – Hoffman, B.: 4901
Eugenia albicans – Mori, S.: 24535
Eugenia anastomosans – Clarke, H.D.: 2618
Eugenia arauakorum – Mutchnick, P.: 501
Eugenia biflora – McDowell, T.: 3261
Eugenia coffeefolia – Hoffman, B.: 4508, 5000
Eugenia cibrata – Clarke, H.D.: 1384
Eugenia cauillata – Clarke, H.D.: 172; Mori, S.: 24383
Eugenia egenis – Hoffman, B.: 1356, 1360; Mutchnick, P.: 473
Eugenia florida – Clarke, H.D.: 267
Eugenia lambertiana – Clarke, H.D.: 308, 342, 1381; Hoffman, B.: 1398; Mutchnick, P.: 546
Eugenia latifolia – Clarke, H.D.: 4340; Mori, S.: 24447
Eugenia ligustrina – Acevedo-Rdgz., P.: 3301
Eugenia luciae – Acevedo-Rdgz., P.: 3435
Eugenia mimus – Clarke, H.D.: 2575; Mutchnick, P.: 944
Eugenia patrisii – Acevedo-Rdgz., P.: 3416
Eugenia tafelbergia – Hoffman, B.: 1525
Eugenia tapacumensis – Clarke, H.D.: 377
Eugenia trinervia – Hoffman, B.: 4500
Eugenia sp. – Ehringhaus, C.: 67; Hoffman, B.: 4523, 4908, 5015
Myrcia calympa – Acevedo-Rdgz., P.: 3407; Clarke, H.D.: 2761; Ehringhaus, C.: 70; Hoffman, B.: 1318, 1498
Myrcia decorticans – Clarke, H.D.: 1390
Myrcia guianensis – Hoffman, B.: 4573; McDowell, T.: 2022, 3280
Myrcia inaequiloba – Clarke, H.D.: 1537; Mutchnick, P.: 633
Myrcia pyrifolia – Mutchnick, P.: 761, 858
Myrcia quinarensis – Clarke, H.D.: 692, 1388
Myrcia subobliqua – Clarke, H.D.: 476, 597, 1323, 1482; Hoffman, B.: 1282, 1311, 1380, 1416, 1533, 1576, 4620; McDowell, T.: 1941; Mori, S.: 24358; Mutchnick, P.: 771
Myrcia sylvatica – Clarke, H.D.: 534, 669, 2659; McDowell, T.: 3257
Myrcia sp. – Hoffman, B.: 4530

- Myrciaria dubia* – Clarke, H.D.: 1485
Myrciaria floribunda – Clarke, H.D.: 1504
Myrciaria visniefolia – Clarke, H.D.: 479, 1324, 2745;
 Hoffman, B.: 1309; McDowell, T.: 3267;
 Mutchnick, P.: 682
Plinia pittata – Clarke, H.D.: 1539
Psidium acutangulum – Clarke, H.D.: 284, 293, 295,
 478, 2707; Hoffman, B.: 1293; Mutchnick, P.: 464
Psidium guineense – McDowell, T.: 1952
Psidium persoonii – McDowell, T.: 3277
Psidium striatum – Mutchnick, P.: 452
- Nyctaginaceae**
Nea floribunda – Hoffman, B.: 4914
- Nymphaeaceae**
Victoria amazzonica – Mutchnick, P.: 545
- Ochnaceae**
Ouratea rupununiensis – Clarke, H.D.: 364; Hoffman,
 B.: 1304
Ouratea schomburgkii – Mutchnick, P.: 798
Ouratea superba – Hoffman, B.: 1512
Ouratea sp. – McDowell, T.: 1995
Sauvagesia erecta – Clarke, H.D.: 496; Ehringhaus, C.:
 108; Hoffman, B.: 1441; Mutchnick, P.: 450
Sauvagesia rubiginosa – Acevedo-Rdgz., P.: 3374
- Olacaceae**
Dulacia guianensis – Mutchnick, P.: 864
Heisteria cauliflora – Clarke, H.D.: 159, 378, 677,
 1444, 2688, 2710; Hoffman, B.: 1278; McDowell,
 T.: 3368; Mori, S.: 24361; Mutchnick, P.: 389, 466
Heisteria densifrons – Hoffman, B.: 4549, 4570;
 McDowell, T.: 2088
- Oleandraceae**
Cleandra articulata – Clarke, H.D.: 2560
- Onagraceae**
Ludwigia ercta – Hoffman, B.: 1301
Ludwigia leptocarpa – Clarke, H.D.: 1354; Mutchnick,
 P.: 842
Ludwigia rigida – Clarke, H.D.: 1406
Ludwigia serian – Mori, S.: 24458
- Orchidaceae**
Bifrenaria longicornis – Clarke, H.D.: 249
Bollea violacea – Clarke, H.D.: 2506, 4284, 4310
Brassavola martiana – Clarke, H.D.: 353, 359, 386,
 1366
Brassavola sp. – Clarke, H.D.: 2760
Brassia lawrenceana – Mutchnick, P.: 872
Campylocentrum fasciola – Clarke, H.D.: 1513
Campylocentrum micranthum – Clarke, H.D.: 1503
Cattleya violacea – Clarke, H.D.: 347, 351, 1365;
 Mutchnick, P.: 714, 719, 812
Caularthon bilobillatum – Clarke, H.D.: 384
Chiradiera cispidata – Clarke, H.D.: 642, 4155, 4240;
 Mori, S.: 24521
Cryptarrhena kegeli – Clarke, H.D.: 4175
Dichaetia sp. – Clarke, H.D.: 2522, 4107, 4285;
 Ehringhaus, C.: 118, 132; Mutchnick, P.: 839
Dimerandra sp. – Clarke, H.D.: 354; Hoffman, B.:
 1505
Elaeinthus caranta – Clarke, H.D.: 4104
Elaeinthus sp. – Clarke, H.D.: 1440; Mutchnick, P.:
 949
- Encyclia granitica* – Mutchnick, P.: 826
Encyclia wespia – McDowell, T.: 3344; Mutchnick, P.: 560
Encyclia sp. – Clarke, H.D.: 356
Epidendrum flexuosum – Mutchnick, P.: 453
Epidendrum microcarpum – Clarke, H.D.: 1545
Epidendrum nocturnum – Clarke, H.D.: 1525, 2549,
 2672, 2675, 2679
Epidendrum orchidiflorum – Clarke, H.D.: 246
Epidendrum purpurascens – Clarke, H.D.: 429
Epidendrum ramosum – Clarke, H.D.: 651, 4100
Epidendrum rigidum – Clarke, H.D.: 1362; Mutchnick,
 P.: 723
Epidendrum strobiliferum – Mutchnick, P.: 819
Habenaria leprariae – Hoffman, B.: 1432
Lokhartia imbricata – McDowell, T.: 2094
Masdevallia minuta – Mori, S.: 24613
Maxillaria brachybulbon – Clarke, H.D.: 422b
Maxillaria canariidii – Hoffman, B.: 1323, 1504
Maxillaria crassifolia – Mori, S.: 24400
Maxillaria discolor – Mori, S.: 24624
Maxillaria parkeri – Clarke, H.D.: 1420
Maxillaria parviflora – Clarke, H.D.: 421
Maxillaria unata – Clarke, H.D.: 422a ; McDowell,
 T.: 2095; Mutchnick, P.: 815
Maxillaria venezuelana – Clarke, H.D.: 2639
Maxillaria sp. – Acevedo-Rdgz., P.: 3453; Clarke,
 H.D.: 4105; Mori, S.: 24598
Otoneria sp. – Mutchnick, P.: 503
Orleansia amazzonica – Clarke, H.D.: 360, 385, 395,
 1383
Palmodiusspp. – Clarke, H.D.: 4147, 4298, 4303; Mori,
 S.: 24387; Mutchnick, P.: 960, 981
Paphinia sp. – Ehringhaus, C.: 119
Pleurothallis laniana – Mutchnick, P.: 606
Polystachya stenorhyncha – Clarke, H.D.: 2550, 2767
Quettetta microscopica – Hoffman, B.: 1467; Mutchnick,
 P.: 404
Quettetta sp. – Clarke, H.D.: 1514
Reichenbachianthus reflexus – Clarke, H.D.: 4102
Rodriguezia lanceolata – Clarke, H.D.: 1307, 1371;
 Mori, S.: 24388
Ruddolfia aurantiaca – Clarke, H.D.: 2637
Sapyglossitis sickii – Clarke, H.D.: 2676, 4097, 4312;
 Ehringhaus, C.: 131; Mori, S.: 24618
Sapyglossitis sp. – Clarke, H.D.: 415
Sdioburgkia sp. – Mutchnick, P.: 722, 897
Stelis sp. – Clarke, H.D.: 589, 4204; Hoffman, B.:
 1507
Trigonidium obtusum – Mutchnick, P.: 921
Vanilla sp. – Clarke, H.D.: 1575
Willschlaegia calcarata – Clarke, H.D.: 1432, 1454
Xerordis tridiorhiza – Clarke, H.D.: 4109
- Oxalidaceae**
Oxalis frutescens – Clarke, H.D.: 362, 684, 2759;
 Hoffman, B.: 1302; McDowell, T.: 3340;
 Mutchnick, P.: 638, 701
- Passifloraceae**
Passiflora amena – Clarke, H.D.: 410, 602, 1282
Passiflora auriculata – Clarke, H.D.: 562
Passiflora cincinnata – Clarke, H.D.: 259, 1359,
 1522; Hoffman, B.: 1483; McDowell, T.: 3283

- Passiflora cirrhiflora* – Clarke, H.D.: 4094
Passiflora occinea – Clarke, H.D.: 257, 431, 4191; Ehringhaus, C.: 89; Hoffman, B.: 1345, 1394; McDowell, T.: 3357; Mutchnick, P.: 580, 954
Passiflora fodiisiflora – Mutchnick, P.: 853
Passiflora glandulosa – Clarke, H.D.: 209, 518, 1281, 2543; Hoffman, B.: 1334, 1566; Mutchnick, P.: 577, 795
Passiflora laurifolia – Clarke, H.D.: 1598
Passiflora vespertilio – Clarke, H.D.: 1518; Ehringhaus, C.: 88; McDowell, T.: 3284
Passiflora sp. nov. – Hoffman, B.: 1530
- Phytolaccaceae**
Phytolacca rivinoides – Hoffman, B.: 1335
- Piperaceae**
Peperomia microstachya – Acevedo-Rdgz., P.: 3415; Clarke, H.D.: 559, 595, 1346, 1494; Mori, S.: 24558; Mutchnick, P.: 385
Peperomia obtusifolia – Clarke, H.D.: 4136, 4176
Peperomia orubiana – Clarke, H.D.: 4128, 4306
Peperomia quadrangularis – Acevedo-Rdgz., P.: 3305; McDowell, T.: 2096
Peperomia serpens – Clarke, H.D.: 4255; Mori, S.: 24643
Piper sp. – Clarke, H.D.: 1437
Piper aequale – McDowell, T.: 3315
Piper anisodactylon – Clarke, H.D.: 598
Piper arboreum – Acevedo-Rdgz., P.: 3353; Clarke, H.D.: 2497, 2513; McDowell, T.: 3325; Mutchnick, P.: 478
Piper aetelanum – Acevedo-Rdgz., P.: 3382; Clarke, H.D.: 541; Mutchnick, P.: 900
Piper bartlingianum – Clarke, H.D.: 316, 1289, 1314; Ehringhaus, C.: 52, 71; Hoffman, B.: 1415, 1489
Piper berbicense – Clarke, H.D.: 178, 434; McDowell, T.: 3309, 3313, 3324
Piper denneranum – Clarke, H.D.: 1313, 4294
Piper dilatatum – McDowell, T.: 1888
Piper emarginata – McDowell, T.: 1903
Piper hispidum – Acevedo-Rdgz., P.: 3370; Clarke, H.D.: 4283
Piper hostmanniarium – Clarke, H.D.: 232, 404; Hoffman, B.: 1535; McDowell, T.: 3323; Mutchnick, P.: 491
Piper insipiens – Clarke, H.D.: 2489, 4144, 4179
Piper obliquum – Clarke, H.D.: 4178
Piper tridioneuron – McDowell, T.: 2047
- Poaceae**
Arundinella hispida – Hoffman, B.: 1346
Axonopus longispica – Mori, S.: 24352
Digitaria horizontalis – Mori, S.: 24357
Guadua sp. – Hoffman, B.: 1389
Idmanthus leotocarpus – Clarke, H.D.: 4274
Idmanthus nemoralis – Clarke, H.D.: 2470
Idmanthus pallens – Acevedo-Rdgz., P.: 3420; Clarke, H.D.: 4249, 4276; McDowell, T.: 3348; Mori, S.: 24555
Idmanthus panicoides – Clarke, H.D.: 1301
Idmanthus tenuis – McDowell, T.: 3352
Lasiacis ligulata – McDowell, T.: 1889
Clyra latifolia – Acevedo-Rdgz., P.: 3322, 3333; Clarke, H.D.: 4349; Hoffman, B.: 1482, 1494, 1543; McDowell, T.: 3353
- Clyra longifolia* – Acevedo-Rdgz., P.: 3384; Clarke, H.D.: 1446; Ehringhaus, C.: 142; McDowell, T.: 1897; Mori, S.: 24360
Clyra nicarantia – Clarke, H.D.: 317, 2490; McDowell, T.: 2105; Mutchnick, P.: 972
Orthodada laxa – McDowell, T.: 3346
Panicum cyanescens – Hoffman, B.: 1438
Panicum hyacinthoides – Hoffman, B.: 1275
Panicum laxum – Hoffman, B.: 1522; McDowell, T.: 1977
Panicum micranthum – McDowell, T.: 2018
Panicum parvifolium – McDowell, T.: 1956
Panicum pilosum – Clarke, H.D.: 543, 4245; Hoffman, B.: 1328, 1342; McDowell, T.: 1972; Mutchnick, P.: 681
Panicum polyoxanthum – Hoffman, B.: 1439
Panicum rizale – Clarke, H.D.: 2552
Panicum rudgei – McDowell, T.: 2035
Panicum stoloniferum – Clarke, H.D.: 1475
Pariaua radiciflora – Hoffman, B.: 1393
Paspalum carinatum – Hoffman, B.: 1520
Paspalum canigatum – McDowell, T.: 3360
Paspalum coryneum – McDowell, T.: 1943
Paspalum undulanspermum – Mori, S.: 24353; Mutchnick, P.: 879a
Paspalum pilosum – McDowell, T.: 3363
Paspalum plicatulum – Hoffman, B.: 1314
Paspalum virgatum – McDowell, T.: 3347
Raddidla esenbeckii – Hoffman, B.: 1433
Thrasysa sandersi – Clarke, H.D.: 2551
- Podostemaceae**
Marathrum sp. – Mutchnick, P.: 699
Mourera fluviatilis – Clarke, H.D.: 396, 471; Mutchnick, P.: 557, 558, 700
- Polygonaceae**
Moutabai guianensis – Acevedo-Rdgz., P.: 3398; Clarke, H.D.: 392; Hoffman, B.: 4560; McDowell, T.: 2081; Mori, S.: 24467
Polygala adenophora – Clarke, H.D.: 700; McDowell, T.: 1948
Polygala subtilis – McDowell, T.: 2052
Polygala timonitoides – McDowell, T.: 2019
Securidaca marginata – Clarke, H.D.: 400, 2762; Mutchnick, P.: 809
Securidaca paniculata – Mutchnick, P.: 459
- Polygonaceae**
Coccoloba asperdens – Acevedo-Rdgz., P.: 3362; Clarke, H.D.: 663
Coccoloba densifrons – Clarke, H.D.: 1517; Hoffman, B.: 4539
Coccoloba gigantorrhachis – Clarke, H.D.: 4232
Coccoloba octata – Clarke, H.D.: 398
Coccoloba pruiniformis – Clarke, H.D.: 469
Polygonum acuminatum – Hoffman, B.: 1516; Mutchnick, P.: 896
Synuria paniculata – Clarke, H.D.: 1360, 1374, 1483; Hoffman, B.: 1292, 1362, 1515; McDowell, T.: 1992; Mutchnick, P.: 641, 895
- Polypodiaceae**
Campyloneurum phyllitidis – Clarke, H.D.: 4295; Mutchnick, P.: 806

- Campylopteris repens* – Clarke, H.D.: 1486
Dicranoglossum desvauxii – Clarke, H.D.: 4092; Mori, S.: 24408
Microgramma fuscopunctata – Mori, S.: 24406; Mutchnick, P.: 619
Microgramma lygodioidea – Mutchnick, P.: 775
Microgramma persariifolia – Acevedo-Rdgz., P.: 3385
Microgramma reptans – Clarke, H.D.: 1509, 4229, 4332; Mutchnick, P.: 788
Microgramma tecta – McDowell, T.: 2090
Microgramma thurnii – Clarke, H.D.: 183
Nephidiumcrassifolium – Clarke, H.D.: 604, 4205, 4252
Pedina consimilis – Hoffman, B.: 1474; Mutchnick, P.: 504
Pedina planula – McDowell, T.: 2097; Mutchnick, P.: 816
Pleopeltis percussa – Clarke, H.D.: 1492, 4256; Mutchnick, P.: 814
Polypodium dulce – Clarke, H.D.: 4325
Polypodium polypodioides – Hoffman, B.: 1506; McDowell, T.: 2092
- Pontederiaceae**
Eichornia diversifolia – Clarke, H.D.: 436
- Proteaceae**
Roupala schomburgkii – Clarke, H.D.: 2677
- Pteridaceae**
Pteris pungea – Clarke, H.D.: 4223; Mori, S.: 24641
- Quiinaceae**
Laurelia crenata – Clarke, H.D.: 369
Quiina guianensis – Mutchnick, P.: 884, 886
Quiina obsoleta – Hoffman, B.: 1420, 4572, 4848, 4921; Mori, S.: 24578
Quiina rhytidopus – Clarke, H.D.: 1473; Hoffman, B.: 1558; McDowell, T.: 1994
- Ramalinaceae**
Ramalina anaps – Clarke, H.D.: 2674
- Rapateaceae**
Rapatea paludosa – Clarke, H.D.: 1411, 2485; Ehringhaus, C.: 123; Hoffman, B.: 1412; McDowell, T.: 3299; Mori, S.: 24482; Mutchnick, P.: 923
Spathanthus unilateralis – Ehringhaus, C.: 122; Mutchnick, P.: 738, 924
- Rhabdodendraceae**
Rhabdodendron sylvestre – McDowell, T.: 3251
- Rhamnaceae**
Gouania blandrietiana – Clarke, H.D.: 1564
Gouania polygama – Acevedo-Rdgz., P.: 3363
Gouania velutina – Hoffman, B.: 1382
- Rhizophoraceae**
Cassiopourea guianensis – Clarke, H.D.: 417, 2599, 2601
Cassiopourea lasiocalyx – Clarke, H.D.: 235
- Rubiaceae**
Alibertia myraifolia – Hoffman, B.: 1563
Amiaria bidentata – Hoffman, B.: 1303
Amiaria guianensis – Clarke, H.D.: 175, 336, 1347, 4228
Borreria capitata – Clarke, H.D.: 1601
Borreria latifolia – Mori, S.: 24351; Mutchnick, P.: 596
Borreria prostrata – Mori, S.: 24346
Borreria verticillata – Clarke, H.D.: 696
Clinorrhiza microcarpa – Hoffman, B.: 1532
Chomelia monachini – Clarke, H.D.: 1386
Chomelia tenuiflora – Clarke, H.D.: 2747; Hoffman, B.: 5007
Chomelia sp. – Mutchnick, P.: 457
Coccocypselum guianense – Mori, S.: 24546
Coccocypselum herbacum – Acevedo-Rdgz., P.: 3375; Clarke, H.D.: 493
Coccocypselum tortuosa – Ehringhaus, C.: 91
Cousarea parcialata – Hoffman, B.: 1396
Diadia hyssopifolia – Hoffman, B.: 1274; McDowell, T.: 3341; Mori, S.: 24344, 24345, 24481; Mutchnick, P.: 549, 597, 639, 640
Diadia ocmifolia – Hoffman, B.: 1544
Duroia eriopila – Acevedo-Rdgz., P.: 3395; Clarke, H.D.: 189, 193; Hoffman, B.: 1414; Mori, S.: 24490; Mutchnick, P.: 818
Duroia fusifera – McDowell, T.: 1970
Duroia geaoides – Clarke, H.D.: 1394, 2641
Duroia micrantha – Hoffman, B.: 1500; Mori, S.: 24540, 24597
Faramea occidentalis – Clarke, H.D.: 4161, 4220; Hoffman, B.: 4924, 4927
Farmnia sessilifolia – Clarke, H.D.: 1471; Ehringhaus, C.: 57; Hoffman, B.: 1502; McDowell, T.: 1967, 1976
Ferdinandusa uauensis – Mori, S.: 24596
Genipa americana – Mutchnick, P.: 688, 935
Genipa spruana – Clarke, H.D.: 275, 355, 470, 2690; Hoffman, B.: 1273; Mutchnick, P.: 550, 915
Gephila repens – Acevedo-Rdgz., P.: 3314; McDowell, T.: 3311a
Gonzalagunia dicaxa – Clarke, H.D.: 613, 2627, 4247; Hoffman, B.: 1481; Mori, S.: 24550; Mutchnick, P.: 479
Guettarda acronia – Clarke, H.D.: 337
Guettarda argentea – Mori, S.: 24567
Hillia illustris – Clarke, H.D.: 1554
Isertia hypoleuca – Clarke, H.D.: 492, 2648; Ehringhaus, C.: 110; McDowell, T.: 3319; Mori, S.: 24451; Mutchnick, P.: 586
Isertia pariflora – Acevedo-Rdgz., P.: 3342; Clarke, H.D.: 1596; Mutchnick, P.: 813
Ixora ferrea – Clarke, H.D.: 2537, 2611, 2715; Hoffman, B.: 1469
Ixora graciliflora – Mutchnick, P.: 507
Ixora panurensis – Clarke, H.D.: 228, 426, 1441
Malanea macrophylla – Mori, S.: 24582
Mitracarpus hirtus – Hoffman, B.: 1300
Morinda calycina – Hoffman, B.: 1413, 1569; McDowell, T.: 2048
Morinda tenuiflora – Clarke, H.D.: 215, 1484, 1496
Paganella capitata – Clarke, H.D.: 237, 2668; Hoffman, B.: 1445
Palicourea croceoides – Clarke, H.D.: 413, 565, 628, 2481, 2482, 4081; Mori, S.: 24469
Palicourea guianensis – Clarke, H.D.: 325, 581, 1310, 4137; Ehringhaus, C.: 109; Mori, S.: 24455; Mutchnick, P.: 601
Palicourea riparia – Clarke, H.D.: 1535; Hoffman, B.: 1510; McDowell, T.: 1966; Mutchnick, P.: 608, 977

- Palicourea triphylla* – Acevedo-Rdgz., P.: 3367; Hoffman, B.: 1333; Mori, S.: 24433
- Peraea galoides* – McDowell, T.: 2017
- Peraea hirsuta* – Hoffman, B.: 1434
- Posaqueria longiflora* – Clarke, H.D.: 1534
- Posaqueria panamensis* – Mutchnick, P.: 523
- Psidotria apoda* – Clarke, H.D.: 484, 1422, 1451, 2519, 4111; Mutchnick, P.: 481
- Psidotria astrellantha* – Hoffman, B.: 1466
- Psidotria bahiensis* – Mutchnick, P.: 901
- Psidotria barbiflora* – Clarke, H.D.: 2540, 4110; McDowell, T.: 3374; Mutchnick, P.: 952
- Psidotria bradybotrys* – Clarke, H.D.: 177, 323
- Psidotria bracteocardia* – Clarke, H.D.: 1447, 1508; Hoffman, B.: 1565; McDowell, T.: 1887, 1896
- Psidotria capitata* – Clarke, H.D.: 2680
- Psidotria cipularis* – Clarke, H.D.: 607, 637, 4160, 4231
- Psidotria horizontalis* – Hoffman, B.: 1534
- Psidotria lippulina* – Clarke, H.D.: 2732; Hoffman, B.: 1279; Mutchnick, P.: 469
- Psidotria mappuroides* – Clarke, H.D.: 2508
- Psidotria microbotrys* – Clarke, H.D.: 4138
- Psidotria microdon* – Ehringhaus, C.: 50
- Psidotria officinalis* – Mori, S.: 24524
- Psidotria paupigiana* – Clarke, H.D.: 614, 2505, 2521, 4253; Mori, S.: 24592
- Psidotria polycephala* – Clarke, H.D.: 160, 488, 1452; Ehringhaus, C.: 56; Hoffman, B.: 1337, 1417; McDowell, T.: 3295
- Psidotria raenosa* – Hoffman, B.: 1405
- Psidotria uliginosa* – Clarke, H.D.: 605, 1433, 2523, 4140
- Randia arnita* – McDowell, T.: 2098; Mori, S.: 24378
- Randia ciliicina* – Ehringhaus, C.: 54
- Retiniphyllum schomburgkii* – Clarke, H.D.: 2669
- Rudgea cornifolia* – Clarke, H.D.: 202, 1456, 1472; Hoffman, B.: 1280
- Rudgea crassiloba* – Clarke, H.D.: 1326
- Rudgea fissistipula* – Mori, S.: 24385
- Rudgea hostmanniana* – Clarke, H.D.: 584, 590, 1431, 2492, 2516; Ehringhaus, C.: 126; Hoffman, B.: 1488, 1567, 4890; Mutchnick, P.: 607
- Rudgea stipulacea* – Clarke, H.D.: 407
- Sabicea oblongifolia* – Hoffman, B.: 1336; Mutchnick, P.: 424
- Sabicea villosa* – Clarke, H.D.: 501; Ehringhaus, C.: 106; McDowell, T.: 3254; Mori, S.: 24480
- Sipanea pratinoides* – Clarke, H.D.: 1506; Ehringhaus, C.: 60
- Sipanea wilson-brownii* – Clarke, H.D.: 2554, 4158
- Spermatophyllum assurgens* – McDowell, T.: 3317
- Spermatophyllum verticillata* – Hoffman, B.: 1523
- Uncaria guianensis* – Clarke, H.D.: 274; Hoffman, B.: 4510; McDowell, T.: 2084
- Rutaceae**
- Cordiaarpis fanshawei* – Clarke, H.D.: 402
- Ertelia trifolia* – Clarke, H.D.: 1512
- Ticorea foetida* – Clarke, H.D.: 411; Mori, S.: 24565
- Zanthoxylum compactum* – Clarke, H.D.: 1540, 2705
- Salviniaceae**
- Salvinia auriculata* – Clarke, H.D.: 1395, 1479
- Sapindaceae**
- Allophylus racemosus* – Acevedo-Rdgz., P.: 3457
- Cupania hirsuta* – Acevedo-Rdgz., P.: 3316; Clarke, H.D.: 203, 334; Hoffman, B.: 5047
- Cupania scribneriana* – Hoffman, B.: 1298; Mutchnick, P.: 776
- Matajba degans* – Clarke, H.D.: 387, 1308; McDowell, T.: 3336; Mutchnick, P.: 860
- Matajba microlepis* – Acevedo-Rdgz., P.: 3346; Clarke, H.D.: 301, 1528, 1543, 2741
- Matajba purgans* – Acevedo-Rdgz., P.: 3410
- Matajba* sp. – Hoffman, B.: 4632
- Paullinia ingefolia* – Acevedo-Rdgz., P.: 3447, 3448
- Paullinia latifolia* – Clarke, H.D.: 4203; Hoffman, B.: 1383; Mori, S.: 24561; Mutchnick, P.: 947
- Paullinia leioarpa* – Acevedo-Rdgz., P.: 3455
- Paullinia padivarpa* – Hoffman, B.: 5064
- Paullinia perlata* – Clarke, H.D.: 616
- Paullinia plagiopelta* – Mori, S.: 24619
- Paullinia rufescens* – Mori, S.: 24502
- Paullinia stellata* – Clarke, H.D.: 4239
- Pseudima frutescens* – Hoffman, B.: 4894
- Serjania caracasana* – Acevedo-Rdgz., P.: 3296
- Serjania oblongifolia* – Acevedo-Rdgz., P.: 3401, 3444
- Serjania paniculata* – Hoffman, B.: 4900
- Serjania paucidentata* – Acevedo-Rdgz., P.: 3361
- Talisia acuminata* – Clarke, H.D.: 2712; Mori, S.: 24577
- Talisia mollis* – Clarke, H.D.: 4227
- Tourticia guianensis* – Mutchnick, P.: 808
- Urvillea ulmacea* – Acevedo-Rdgz., P.: 3456
- Sapotaceae**
- Chrysophyllum sparsiflorum* – Hoffman, B.: 4568
- Eardinia guianensis* – Clarke, H.D.: 196, 213, 529, 1419
- Manilkara bidentata* – Hoffman, B.: 4554
- Micropholis venulosa* – Hoffman, B.: 5050
- Pouteria acuminata* – Mori, S.: 24628
- Pouteria caespitosa* – Clarke, H.D.: 266; Mori, S.: 24484; Mutchnick, P.: 927
- Pouteria hispida* – Clarke, H.D.: 4292
- Pouteria oblongolata* – Mori, S.: 24602
- Pouteria rigidopsis* – Clarke, H.D.: 2713
- Pouteria speciosa* – Clarke, H.D.: 2718
- Pouteria surinamensis* – Clarke, H.D.: 4162
- Pouteria torta* – Clarke, H.D.: 195, 1312, 4173; Mori, S.: 24560; Mutchnick, P.: 784
- Pouteria venosa* – Clarke, H.D.: 2683; Mutchnick, P.: 451
- Pouteria* sp. – Hoffman, B.: 4501, 4940
- Pradosia ptychandra* – Clarke, H.D.: 331
- Pradosia schomburgkiana* – Clarke, H.D.: 536; Hoffman, B.: 1290
- Pradosia surinamensis* – Clarke, H.D.: 2758
- Schizaeaceae**
- Schizaea fluminensis* – Mori, S.: 24401, 24512
- Scrophulariaceae**
- Bacopa aquatica* – McDowell, T.: 3297
- Bajaniinia reflexa* – McDowell, T.: 2023
- Budmera rosea* – Clarke, H.D.: 1578
- Conobea aquatica* – McDowell, T.: 2021
- Stenodia prateris* – Clarke, H.D.: 507

Selaginellaceae

- Selaginella parkeri* – Clarke, H.D.: 258, 315, 676, 1277; McDowell, T.: 3291; Mori, S.: 24402; Mutchnick, P.: 730

Simaroubaceae

- Picramnia guianensis* – Mutchnick, P.: 500
Picramnia latifolia – Clarke, H.D.: 620, 625, 2539, 2721, 4278b ; Hoffman, B.: 4965; Mutchnick, P.: 937, 957
Picramnia magnifolia – Clarke, H.D.: 4123
Sinna adron – Clarke, H.D.: 671; Mori, S.: 24442
Sinna guianensis – Hoffman, B.: 4871; Mori, S.: 24610

Smilacaceae

- Smilax krukovi* – Clarke, H.D.: 580
Smilax lasseriana – Hoffman, B.: 1472
Smilax latipes – Clarke, H.D.: 2528, 4124; Mori, S.: 24590; Mutchnick, P.: 976
Smilax schomburgkiana – Clarke, H.D.: 272, 452, 1319; Mutchnick, P.: 443, 471
Smilax siphilitica – Clarke, H.D.: 681

Solanaceae

- Capsicum frutescens* – McDowell, T.: 1940
Cestrum megalocephalum – Clarke, H.D.: 4182, 4221, 4300; Hoffman, B.: 4970
Cestrum racemosum – Mutchnick, P.: 630b
Lycianthes pauciflora – Clarke, H.D.: 4188; Mutchnick, P.: 951
Marker camponoti – Clarke, H.D.: 626
Marker longiflora – Mori, S.: 24531
Marker sessiliflora – Clarke, H.D.: 574
Solanum asperum – Acevedo-Rdgz., P.: 3307; McDowell, T.: 1957
Solanum coryaeum – Chanderbali, A.: 170; Clarke, H.D.: 512, 1408; Ehringhaus, C.: 105; Mori, S.: 24427; Mutchnick, P.: 588
Solanum crinitum – Acevedo-Rdgz., P.: 3417; Clarke, H.D.: 1563; Hoffman, B.: 1348; Mutchnick, P.: 583
Solanum leucocarpum – Clarke, H.D.: 617; Hoffman, B.: 1341, 1495; Mutchnick, P.: 587
Solanum monadiophyllum – Clarke, H.D.: 475, 1385, 2692; Hoffman, B.: 1294, 1327; McDowell, T.: 1990; Mutchnick, P.: 472, 646
Solanum pensile – Clarke, H.D.: 288, 1552, 4235; McDowell, T.: 3338; Mutchnick, P.: 857
Solanum pseudotuberosum – Clarke, H.D.: 624, 4185, 4299
Solanum stramoniifolium – Acevedo-Rdgz., P.: 3352; Clarke, H.D.: 1586; McDowell, T.: 3316

Sterculiaceae

- Brytnia divariata* – Acevedo-Rdgz., P.: 3310; Clarke, H.D.: 2751; Hoffman, B.: 1375; Mutchnick, P.: 625, 841
Herrania leniscaita – Clarke, H.D.: 1555; Hoffman, B.: 4920; Mori, S.: 24562
Melochia arecosa – McDowell, T.: 1991; Mutchnick, P.: 667
Sterculia guianensis – Hoffman, B.: 1462
Sterculia rigosa – Clarke, H.D.: 4134
Sterculia villosa – Hoffman, B.: 1477
Wilheria indica – Clarke, H.D.: 508, 1589; McDowell, T.: 1944

Strelitziaceae

- Phenakospermum guyanense* – Acevedo-Rdgz., P.: 3357; Clarke, H.D.: 1424

Tectariaceae

- Cyathostelma senioidata* – Hoffman, B.: 1575
Tectaria heracleifolia – Clarke, H.D.: 4180
Tectaria plantaginea – Clarke, H.D.: 2503, 4156; Hoffman, B.: 1476; Mori, S.: 24545, 24625
Tectaria trifoliata – Clarke, H.D.: 4261; Mori, S.: 24644; Mutchnick, P.: 968
Triphophyllum funestum – Mutchnick, P.: 971
Triphophyllum funestum – Clarke, H.D.: 4117

Theaceae

- Ternstroemia punctata* – Clarke, H.D.: 242

Thelypteridaceae

- Thelypteris opulenta* – Clarke, H.D.: 4200
Thelypteris pennata – Clarke, H.D.: 4222
Thelypteris poitana – McDowell, T.: 2102
Thelypteris tetragona – Hoffman, B.: 1408

Theophrastaceae

- Clavija lancifolia* – Acevedo-Rdgz., P.: 3303; Clarke, H.D.: 1572, 4230; Hoffman, B.: 1571

Thurniaceae

- Thurnia sphaerocephala* – Clarke, H.D.: 201; Mori, S.: 24627

Thymelaeaceae

- Daphnopsis longifolia* – Mori, S.: 24537; Mutchnick, P.: 956
Gordallia guianensis – Mutchnick, P.: 709, 712

Tiliaceae

- Apiba albiflora* – Hoffman, B.: 1496
Apiba petoum – Clarke, H.D.: 406
Cordiorus hirtus – Hoffman, B.: 1521
Cordiorus orinoensis – Ehringhaus, C.: 58; McDowell, T.: 1983
Vasconia aldiornoides – Clarke, H.D.: 1391; Hoffman, B.: 1286; Mutchnick, P.: 859

Trigonciaceae

- Trigonia hypoleuca* – Clarke, H.D.: 310; Hoffman, B.: 1355
Trigonia laevis – Clarke, H.D.: 184, 573, 662; Mori, S.: 24465
Trigonia nivea – Mutchnick, P.: 703
Trigonia subcampana – Mutchnick, P.: 531
Trigonia villosa – Clarke, H.D.: 383; McDowell, T.: 3278, 3327; Mutchnick, P.: 622, 662

Turneraceae

- Piriqueta cistoides* – McDowell, T.: 1959; Mutchnick, P.: 702
Turnera aurantiaca – Clarke, H.D.: 358, 1363, 2756; Ehringhaus, C.: 70a ; McDowell, T.: 3279; Mutchnick, P.: 599, 660, 661, 698
Turnera curassavica – Mutchnick, P.: 630a
Turnera nepalensis – Clarke, H.D.: 428; Hoffman, B.: 1471, 4763; Mutchnick, P.: 493
Turnera sabra – Clarke, H.D.: 1591

Ulmaceae

- Celtis schippii* – Hoffman, B.: 4504
Tremella microcarpa – Clarke, H.D.: 174; Hoffman, B.: 1325; McDowell, T.: 1894

Urticaceae

Urera airaasana – Clarke, H.D.: 593

Verbenaceae

Aegiphila membranacea – Clarke, H.D.: 4183, 4189, 4242; Mori, S.: 24640

Aegiphila villosa – Clarke, H.D.: 664

Annonia campastris – Clarke, H.D.: 1593

Citharexylum microphyllum – Clarke, H.D.: 4331

Lantana camara – McDowell, T.: 3365; Mutchnick, P.: 909

Petrea bradeata – Clarke, H.D.: 2565

Petrea macrostachya – Acevedo-Rdgz., P.: 3348; Clarke, H.D.: 208, 549, 1318, 1345, 1462, 2624, 4080; Mori, S.: 24504, 24569; Mutchnick, P.: 741

Petrea volubilis – McDowell, T.: 3298

Stachytarpheta guyanensis – Clarke, H.D.: 1576; McDowell, T.: 2054, 3361

Vitex capitata – McDowell, T.: 2038

Vitex stahlii – Clarke, H.D.: 1569; Hoffman, B.: 1546

Violaceae

Amplirrhox longifolia – Acevedo-Rdgz., P.: 3335; Clarke, H.D.: 158, 1491

Corynostylis arborea – Clarke, H.D.: 380; Mutchnick, P.: 397

Noisettia orquidiflora – Clarke, H.D.: 156

Paypayrola confertiflora – Clarke, H.D.: 423

Paypayrola guianensis – Mutchnick, P.: 484

Paypayrola longifolia – Chanderbali, A.: 155; Clarke, H.D.: 199, 324, 367, 490, 517, 1290, 1338;

Hoffman, B.: 4584; Mutchnick, P.: 727, 793, 934

Paypayrola sp. – Clarke, H.D.: 418

Rinorea flavaescens – Clarke, H.D.: 1285; Mutchnick, P.: 740

Rinorea lindeniana – Hoffman, B.: 1531

Rinorea microcarpa – Ehringhaus, C.: 53; Hoffman, B.: 4602, 4925; Mori, S.: 24389; Mutchnick, P.: 729

Rinorea pubiflora – Acevedo-Rdgz., P.: 3445; Clarke, H.D.: 164, 314, 332, 588, 596, 1467, 1510, 2602, 2625, 4250; Hoffman, B.: 1281, 1485, 1538, 4503, 4893; McDowell, T.: 3370; Mori, S.: 24571; Mutchnick, P.: 382, 745

Rinorea riana – Clarke, H.D.: 204, 1339, 4151;

Hoffman, B.: 1399, 1464; Mutchnick, P.: 505

Viscaceae

Phoradendron crassifolium – Mori, S.: 24600

Phoradendron perrottetii – Acevedo-Rdgz., P.: 3403

Phoradendron piperoides – Clarke, H.D.: 1410, 4166

Vitaceae

Cissus erosa – Hoffman, B.: 1343; McDowell, T.: 3285;

Mutchnick, P.: 624, 893

Cissus siayoides – Clarke, H.D.: 465; Mutchnick, P.: 642

Cissus subrhomboidea – Clarke, H.D.: 300

Cissus verticillata – Clarke, H.D.: 283, 1553; Mutchnick, P.: 534

Vittariaceae

Anettium atrifolium – Clarke, H.D.: 4234

Antrophyum guayanense – Mori, S.: 24411

Antrophyum jenmanii – Clarke, H.D.: 2632

Vittaria costata – McDowell, T.: 2093

Vittaria graninifolia – Clarke, H.D.: 2535

Vochysiaceae

Vodisia surinamensis – Clarke, H.D.: 2643

Vochysia tetraphylla – Clarke, H.D.: 291, 439; McDowell, T.: 1989, 3381; Mutchnick, P.: 407, 865

Xyridaceae

Abolbada grandis – Clarke, H.D.: 225, 248, 2661

Xyris fallax – Hoffman, B.: 1436

Xyris involucrata – Clarke, H.D.: 245

Xyris jupitiae – Clarke, H.D.: 498, 1402; Ehringhaus, C.: 92; Mori, S.: 24441

Xyris surinamensis – Clarke, H.D.: 239

Zingiberaceae

Renalmia floribunda – Clarke, H.D.: 211, 1341

Renalmia monosperma – Clarke, H.D.: 4272

Renalmia orinocensis – Clarke, H.D.: 644, 2488; Ehringhaus, C.: 140; McDowell, T.: 3300; Mutchnick, P.: 621, 974

Renalmia thyrsoides – Clarke, H.D.: 4145

APPENDIX 3

LIST OF RANKS OF SPECIES RICHNESS BY FAMILY FOR IWOKRAMA,
FOUR OTHER SITES IN NE S. AMERICA, AND THE GUIANAS OVERALL

Family	Iwokrama	I_rank	Kaieteur	K_rank	Mabura	M_rank	CFG	C_rank	Ducke	D_rank	Guianas	G_rank
Fabaceae	106	1	82	2	114	1	136	2	175	1	400	1
Rubiaceae	82	2	78	3	60	3	127	3	85	3	275	3
Orchidaceae	51	3	105	1	109	2	150	1	79	5	328	2
Cyperaceae	42	4	49	6	22	16	27	22.5	21	24	92	16
Myrtaceae	37	5	16	16.5	19	19	30	18	55	8	114	6
Melastomataceae	34	6.5	72	4	35	5.5	76	4	77	6	181	4
Poaceae	34	6.5	53	5	20	17.5	38	12	16	29.5	97	11
Lauraceae	32	8	11	25	28	9.5	51	7	88	2	141	5
Annonaceae	31	9.5	8	37.5	30	7	29	20	58	7	103	8
Araceae	31	9.5	20	12	23	14.5	57	5	43	15	100	10
Chrysobalanaceae	29	11.5	21	10	35	5.5	35	13.5	50	9	96	1.2
Clusiaceae	29	11.5	25	9	23	14.5	29	20	48	10.5	94	13
Euphorbiaceae	26	13	16	16.5	25	12	45	8.5	44	14	101	9
Sapindaceae	23	14	6	45.5	24	13	42	11	40	16	93	14.5
Bignoniaceae	22	15	17	14.5	37	4	43	10	45	12.5	88	17
Asteraceae	21	16	20	12	17	21.5	20	30	10	45.5	51	26
Apocynaceae	20	17.5	26	8	29	8	35	13.5	37	18	93	14.5
Malpighiaceae	20	17.5	14	20.5	26	11	24	27	12	37	65	21
Arecaceae	18	19.5	13	22	11	29	32	16.5	36	19	60	23.5
Piperaceae	18	19.5	11	25	17	21.5	45	8.5	31	20	75	18
Sapotaceae	16	21.5	9	31.5	28	9.5	55	6	81	4	114	7
Solanaceae	16	21.5	5	52	12	26.5	25	26	12	37	42	27
Lecythidaceae	15	23.5	15	18.5	17	21.5	32	16.5	38	17	66	20
Polygalaceae	15	23.5	10	27.5	5	56.5	23	28	8	56	31	37
Boraginaceae	14	25	3	68.5	9	36.5	14	40.5	6	66.5	34	30.5
Adiantaceae	11	28	2	87.5	2	99	22	29	5	71	28	42.5
Marantaceae	11	28	9	31.5	5	56.5	27	22.5	16	29.5	52	25
Moraceae	11	28	9	31.5	13	25	29	20	48	10.5	61	22
Verbenaceae	11	28	4	59.5	8	39	16	36	17	27.5	33	33
Violaceae	11	28	1	115.5	7	43.5	10	51	11	40.5	25	49
Burseraceae	10	33	5	52	10	33	26	24.5	45	12.5	60	23.5
Convolvulaceae	10	33	1	115.5	8	39	11	47	12	37	26	46.5
Hippocrateaceae	10	33	5	52	14	24	15	38.5	9	50	33	33
Hymenophyllaceae	10	33	17	14.5	11	29	26	24.5	11	40.5	41	28
Passifloraceae	10	33	7	42	10	33	12	44	13	33.5	29	40.5

APPENDIX 3 (continued)

Family	Iwokrama	I_rank	Kaiteur	K_rank	Mabura	M_rank	CFG	C_rank	Ducke	D_rank	Guianas	G_rank
Gentianaceae	9	37	8	37.5	10	33	15	38.5	8	56	22	53.5
Malvaceae	9	37	1	115.5	2	99	3	108.5	2	105	12	83
Meliaceae	9	37	3	68.5	6	49	16	36	22	23	32	35
Gesneriaceae	8	39	15	18.5	9	36.5	17	33	7	62	34	30.5
Bromeliaceae	7	42.5	33	7	20	17.5	33	15	17	27.5	69	19
Dennstaedtiaceae	7	42.5	8	37.5	5	56.5	12	44	6	66.5	19	59.5
Flacourtiaceae	7	42.5	0	152.5	10	33	17	33	18	26	33	33
Heliconiaceae	7	42.5	2	87.5	4	69	9	57	2	105	10	93
Polygonaceae	7	42.5	1	115.5	6	49	2	12.5	2	105	18	63
Sterculiaceae	7	42.5	2	87.5	4	69	7	72.5	8	56	21	55
Cucurbitaceae	6	47.5	2	87.5	8	39	14	40.5	6	66.5	18	63
Cyatheaceae	6	47.5	3	68.5	1	122.5	8	64.5	2	105	13	79
Dilleniaceae	6	47.5	6	45.5	11	29	7	72.5	13	33.5	23	51
Polygalaceae	6	47.5	7	42	5	56.5	7	72.5	7	62	26	46.5
Acanthaceae	5	58	2	87.5	4	69	18	31	4	76	27	44
Caryocaraceae	5	58	2	87.5	1	122.5	2	12.5	2	105	7	106
Combretaceae	5	58	5	52	7	43.5	6	78.5	10	45.5	20	57
Elaeocarpaceae	5	58	0	152.5	4	69	11	47	13	33.5	23	51
Menispermaceae	5	58	2	87.5	17	21.5	13	42	20	25	38	29
Monimiaceae	5	58	2	87.5	2	99	8	64.5	10	45.5	15	72
Myristicaceae	5	58	0	152.5	7	43.5	9	57	25	21.5	30	39
Ochnaceae	5	58	8	37.5	5	56.5	9	57	8	56	31	37
Schrophulariaceae	5	58	3	68.5	4	69	5	84.5	3	84.5	11	89
Simarubaceae	5	58	2	87.5	5	56.5	5	84.5	8	56	15	72
Smilacaceae	5	58	2	87.5	7	43.5	4	94.5	3	84.5	14	76.5
Tectariaceae	5	58	3	68.5	3	84	8	64.5	2	105	10	93
Tiliaceae	5	58	1	115.5	5	56.5	5	84.5	2	105	11	89
Trigoniaceae	5	58	1	115.5	1	122.5	2	12.5	0	162	5	119
Turneraceae	5	58	0	152.5	2	99	1	143.5	2	105	7	106
Vitaceae	5	58	7	42	4	69	10	51	3	84.5	12	83
Xyridaceae	5	58	14	20.5	0	156.5	1	143.5	1	135	15	72
Aspleniaceae	4	71.5	4	59.5	3	84	9	57	4	76	12	83
Cecropiaceae	4	71.5	2	87.5	6	49	11	47	25	21.5	31	37
Dioscoreaceae	4	71.5	3	68.5	6	49	3	108.5	1	135	17	65
Loganiaceae	4	71.5	2	87.5	12	26.5	16	36	13	33.5	29	40.5
Loranthaceae	4	71.5	5	52	7	43.5	8	64.5	8	56	20	57
Onagraceae	4	71.5	3	68.5	3	84	5	84.5	2	105	9	97
Quiinaceae	4	71.5	1	115.5	4	69	7	72.5	8	56	16	67.5

Family	Iwokrama	I_rank	Kaiteur	K_rank	Mabura	M_rank	CFG	C_rank	Ducke	D_rank	Guianas	G_rank
Rutaceae	4	71.5	0	152.5	4	69	7	72.5	9	50	22	53.5
Thelypteridaceae	4	71.5	0	152.5	2	99	12	44	1	135	15	72
Zingiberaceae	4	71.5	2	87.5	1	122.5	4	94.5	1	135	5	119
Bombacaceae	3	84.5	5	52	3	84	10	51	14	31	26	46.5
Burmanniaceae	3	84.5	8	37.5	6	49	8	64.5	11	40.5	18	61
Connaraceae	3	84.5	0	152.5	10	33	4	94.5	7	62	18	63
Eriocaulaceae	3	84.5	12	23	3	84	1	143.5	3	84.5	14	76.5
Gnetaceae	3	84.5	0	152.5	2	99	1	143.5	4	76	4	131.5
Grammitidaceae	3	84.5	9	31.5	4	69	8	64.5	2	105	12	83
Humiriaceae	3	84.5	2	87.5	3	84	4	94.5	10	45.5	14	76.5
Lamiaceae	3	84.5	2	87.5	1	122.5	8	64.5	3	84.5	11	89
Lentibulariaceae	3	84.5	20	12	1	122.5	0	166	1	135	19	59.5
Marcgraviaceae	3	84.5	4	59.5	4	69	3	108.5	6	66.5	12	83
Myrsinaceae	3	84.5	9	31.5	7	43.5	9	57	6	66.5	26	46.5
Olaeaceae	3	84.5	5	52	5	56.5	7	72.5	10	45.5	16	67.5
Rhamnaceae	3	84.5	0	152.5	1	122.5	2	123	1	135	5	119
Ulmaceae	3	84.5	1	115.5	1	122.5	3	108.5	2	105	4	131.5
Viscaceae	3	84.5	6	45.5	4	69	4	94.5	2	105	9	97
Vitaceae	3	84.5	1	115.5	2	99	2	123	2	105	5	119
Anacardiaceae	2	104.5	2	87.5	5	56.5	10	51	8	56	16	67.5
Aristolochiaceae	2	104.5	0	152.5	4	69	6	78.5	1	135	12	83
Asclepiadaceae	2	104.5	5	52	4	69	4	94.5	1	135	9	97
Begoniaceae	2	104.5	3	68.5	1	122.5	3	108.5	0	162	6	110.5
Bixaceae	2	104.5	1	115.5	0	156.5	1	143.5	0	162	2	148.5
Capparaceae	2	104.5	0	152.5	1	122.5	1	143.5	2	105	6	110.5
Celastraceae	2	104.5	2	87.5	2	99	4	94.5	3	84.5	7	106
Commelinaceae	2	104.5	3	68.5	1	122.5	5	84.5	2	105	9	97
Costaceae	2	104.5	0	152.5	1	122.5	6	78.5	3	84.5	8	101.5
Cyclanthaceae	2	104.5	8	37.5	3	84	7	72.5	5	71	14	76.5
Dichapetalaceae	2	104.5	0	152.5	4	69	4	94.5	5	71	7	106
Dryopteridaceae	2	104.5	6	45.5	2	99	8	64.5	2	105	10	93
Ebenaceae	2	104.5	2	87.5	3	84	9	57	10	45.5	16	67.5
Liliaceae	2	104.5	1	115.5	2	99	2	123	0	162	4	131.5
Lomariopsisidaeae	2	104.5	3	68.5	3	84	17	33	6	66.5	23	51
Lycopodiaceae	2	104.5	3	68.5	2	99	5	84.5	1	135	7	106
Lygoziaceae	2	104.5	3	68.5	1	122.5	1	143.5	1	135	4	131.5
Marattiaceae	2	104.5	1	115.5	0	156.5	3	108.5	2	105	3	140.5
Mendoniaceae	2	104.5	0	152.5	1	122.5	4	94.5	2	105	5	119
Podostemaceae	2	104.5	2	52	5	156.5	2	123	0	162	8	101.5

Family	Iwokrama	L_rank	Kaiteur	K_rank	Mabura	M_rank	CFG	C_rank	Ducke	D_rank	Guianas	G_rank	APPENDIX 3 (continued)	
Rapateaceae	2	104.5	9	31.5	1	122.5	2	123	4	76	11	89		
Rhizophoraceae	2	104.5	1	115.5	2	99	2	123	2	105	4	131.5		
Thymelaeaceae	2	104.5	0	152.5	0	156.5	2	123	1	135	4	131.5		
Vochysiaceae	2	104.5	1	115.5	3	84	10	51	11	40.5	28	42.5		
Balanophoraceae	1	130	1	115.5	0	156.5	1	143.5	0	162	1	164		
Cactaceae	1	130	0	152.5	3	84	3	108.5	1	135	6	110.5		
Campaniulaceae	1	130	1	115.5	0	156.5	1	143.5	0	162	1	164		
Caricaceae	1	130	0	152.5	0	156.5	1	143.5	0	162	1	164		
Drosaceae	1	130	2	87.5	0	156.5	0	166	0	162	3	140.5		
Erythroxylaceae	1	130	1	115.5	3	84	4	94.5	3	84.5	5	119		
Gleicheniaceae	1	130	2	87.5	0	156.5	1	143.5	2	105	4	131.5		
Haemodoraceae	1	130	0	152.5	0	156.5	2	123	0	162	2	148.5		
Icacinaceae	1	130	2	87.5	4	69	5	84.5	9	50	12	83		
Lacistemataceae	1	130	1	115.5	1	122.5	3	108.5	3	84.5	3	140.5		
Lythraceae	1	130	1	115.5	0	156.5	1	143.5	2	105	4	131.5		
Meryxaceae	1	130	1	115.5	1	122.5	1	143.5	1	135	1	164		
Nyctaginaceae	1	130	1	115.5	5	56.5	6	78.5	8	56	15	72		
Oleandraceae	1	130	4	59.5	2	99	3	108.5	4	76	9	97		
Oxalidaceae	1	130	0	152.5	1	122.5	1	143.5	2	105	3	140.5		
Phytolaccaceae	1	130	1	115.5	1	122.5	3	108.5	1	135	4	131.5		
Pontederiaceae	1	130	1	115.5	0	156.5	0	166	0	162	1	164		
Proteaceae	1	130	2	87.5	1	122.5	3	108.5	1	135	5	119		
Pteridaceae	1	130	0	152.5	0	156.5	3	108.5	2	105	5	119		
Rhabdodendraceae	1	130	0	152.5	1	122.5	1	143.5	2	105	2	148.5		
Schizaceae	1	130	4	59.5	3	84	3	108.5	4	76	5	119		
Selaginellaceae	1	130	11	25	3	84	9	57	3	84.5	20	57		
Selaginellaceae	1	130	1	115.5	0	156.5	1	143.5	0	162	1	164		
Theaceae	1	130	2	87.5	1	122.5	0	166	2	105	4	131.5		
Theophrastaceae	1	130	0	152.5	0	156.5	1	143.5	1	135	2	148.5		
Thuriaceae	1	130	2	87.5	1	122.5	1	143.5	1	135	2	148.5		
Urticaceae	1	130	0	152.5	1	122.5	7	72.5	2	105	8	101.5		
Alismataceae	0	159	0	152.5	1	122.5	0	166	0	162	1	164		
Amaranthaceae	0	159	0	152.5	0	156.5	4	94.5	1	135	4	131.5		
Anisophylleaceae	0	159	0	152.5	0	156.5	0	166	1	135	1	164		
Apiaceae	0	159	0	152.5	0	156.5	1	143.5	0	162	1	164		
Aquifoliaceae	0	159	4	59.5	1	122.5	0	166	1	135	5	119		
Araliaceae	0	159	0	152.5	2	99	3	108.5	2	105	5	119		
Blechnaceae	0	159	1	115.5	1	122.5	2	123	2	105	4	105		

Family	Iwokrama	L_rank	Kaiteur	K_rank	Mabura	M_rank	CFG	C_rank	Ducke	D_rank	Guianas	G_rank
Bonnetiaceae	0	159	2	87.5	0	156.5	0	166	0	162	2	148.5
Canellaceae	0	159	0	152.5	0	156.5	1	143.5	0	162	1	164
Caryophyllaceae	0	159	1	115.5	0	156.5	1	143.5	1	135	1	164
Cyrillaceae	0	159	1	115.5	0	156.5	0	166	0	162	1	164
Eremolepidaceae	0	159	0	152.5	0	156.5	0	166	1	135	1	164
Ericaceae	0	159	10	27.5	0	156.5	3	108.5	1	135	11	89
Hernandiaceae	0	159	0	152.5	0	156.5	4	94.5	2	105	6	110.5
Hugoniaceae	0	159	1	115.5	2	99	1	143.5	2	105	3	140.5
Iridaceae	0	159	0	152.5	0	156.5	1	143.5	0	162	1	164
Ixonanthaceae	0	159	2	87.5	0	156.5	0	166	0	162	2	148.5
Lissocarpaceae	0	159	0	152.5	1	122.5	0	166	0	162	1	164
Mayacaceae	0	159	1	115.5	0	156.5	1	143.5	0	162	2	148.5
Nymphaeaceae	0	159	1	115.5	0	156.5	1	143.5	0	162	3	140.5
Ophioglossaceae	0	159	0	152.5	0	156.5	0	166	1	135	1	164
Ophiliaceae	0	159	0	152.5	1	122.5	0	166	1	135	1	164
Peridiscaceae	0	159	0	152.5	0	156.5	0	166	1	135	1	164
Portulacaceae	0	159	0	152.5	1	122.5	0	166	0	162	1	164
Rafflesiaceae	0	159	0	152.5	0	156.5	1	143.5	1	135	2	148.5
Rosaceae	0	159	0	152.5	1	122.5	1	143.5	1	135	1	164
Sabiaceae	0	159	0	152.5	0	156.5	0	166	1	135	1	164
Seyracaceae	0	159	0	152.5	0	156.5	3	108.5	2	105	5	119
Symplocaceae	0	159	0	152.5	1	122.5	1	143.5	0	162	2	148.5
Triuriidae	0	159	0	152.5	3	84	2	123	4	76	8	101.5
Woodsiaaceae	0	159	0	152.5	0	156.5	5	84.5	0	162	5	119

APPENDIX 4

SPECIALISTS CONTRIBUTING DETERMINATIONS OF IWOKRAMA SPECIMENS

Family	Determiner(s)
Acanthaceae	D. Wasshausen (US)
Adiantaceae	D.B. Lellinger (US)
Anacardiaceae	J.D. Mitchell (NY)
Annonaceae	P.J.M. Maas (U)
Apocynaceae	L. Allorge (P) and A.J.M. Leeuwenberg (WAG)
Araceae	D.H. Nicolson (US)
Araceae	T.B. Croat (MO)
Arecaceae	A. Henderson (NY)
Arecaceae	F.W. Stauffer (VEN)
Aristolochiaceae	C. Feuillet (US)
Asclepiadaceae	G. Morillo (MERF)
Asclepiadaceae	J.C. Lindeman (U)
Aspleniaceae	G. McKee and D.B. Lellinger (US)
Asteraceae	V.A. Funk (US)
Balanophoraceae	H.D. Clarke (US)
Begoniaceae	D. Wasshausen (US) and J.C. Lindeman (U)
Bignoniaceae	A. Gentry (MO) and BDG
Bixaceae	H.D. Clarke (US) and R.L. Liesner (MO)
Bombacaceae	L.J. Dorr (US)
Boraginaceae	C. Feuillet (US) and J.S. Miller (MO)
Bromeliaceae	B.K. Holst (SEL) and E.J. Gouda (U)
Burmanniaceae	C.L. Kelloff (US) and P.J.M. Maas (U)
Burseraceae	D.Daly (NY)
Cactaceae	H.D. Clarke (US) and B.E. Leuenberger (B)
Campanulaceae	H.D. Clarke (US)
Cannaceae	P.J.M. Maas (U)
Capparaceae	J.C. Lindeman (U)
Capparaceae	M. Nee (NY)
Caricaceae	H.D. Clarke (US) and R.L. Liesner (MO)
Caryocaraceae	G.T. Prance (K)
Cecropiaceae	C.C. Berg (BG)
Celastraceae	A.R.A. Görts-van Rijn (U)
Chrysobalanaceae	G.T. Prance (K)
Clusiaceae	J.J. Pipoly (BRIT)
Combretaceae	C.A. Stace (LTR)
Commelinaceae	R.B. Faden (US)
Connaraceae	R.L. Liesner (MO)
Connaraceae	G. Aymard (PORT)
Convolvulaceae	D.F. Austin (FAU)
Costaceae	P.J.M. Maas (U)
Cucurbitaceae	M. Nee (NY)
Cyatraceae	D.B. Lellinger and G. McKee (US)
Cyclanthaceae	R.L. Liesner (MO)
Cyperaceae	M.T. Strong (MO)
Dennstaedtiaceae	D.B. Lellinger and G. McKee (US)
Dichapetalaceae	G.T. Prance (K)
Dilleniaceae	C.L. Kelloff (US) and G. Aymard (PORT)
Dioscoreaceae	C.L. Kelloff (US)
Droseraceae	J.C. Lindeman (U)
Dryopteridaceae	D.B. Lellinger and G. McKee (US)
Ebenaceae	P. Berry (WIS)
Elaeocarpaceae	H.D. Clarke and C.L. Kelloff (US)
Eriocaulaceae	BDG
Erythroxylaceae	P. Berry (WIS)
Euphorbiaceae	L.J. Gillespie (CAN), R.L. Liesner (MO), and W. Punt (U)
Fabaceae	R.C. Barneby (NY), H.D. Clarke (US), R.L. Liesner (MO), and O. Poncy (P)
Flacourtiaceae	H.D. Clarke (US), R.L. Liesner (MO), and J.C. Lindeman (U)
Gentianaceae	C.L. Kelloff (US) and P.J.M. Maas (U)
Gesneriaceae	C. Feuillet and L.E. Skog (US)
Gleicheniaceae	G. McKee (US)

Family	Determiner(s)
Gnetaceae	BDG
Grammitidaceae	G. McKee (US)
Haemodoraceae	BDG
Heliconiaceae	W.J. Kress (US) and P.J.M. Maas (U)
Hippocrateaceae	A.R.A. Görtz-van Rijn and A.M. Mennega (U)
Humiriaceae	H.D. Clarke (US), O. Huber (VEN), and R.L. Liesner (MO)
Hymenophyllaceae	D.B. Lellinger and G. McKee (US)
Icacinaceae	A.C. deRoon (U)
Lacistemataceae	R.L. Liesner (MO)
Lamiaceae	R.M. Harley (K)
Lauraceae	A. Chanderbali and H. van der Werff (MO)
Lecythidaceae	S.A. Mori (NY)
Lentibulariaceae	P.Taylor (K)
Liliaceae	BDG
Lissocarpaceae	P. Berry (WIS)
Loganiaceae	C.L. Kelloff (US) and R. L. Liesner (MO)
Lomariopsidaceae	G. McKee (US)
Loranthaceae	J.W. Kuijt (UVIC)
Lycopodiaceae	D.B. Lellinger and G. McKee (US)
Lygodiaceae	D.B. Lellinger and G. McKee (US)
Lythraceae	A. Lourteig (P)
Malpighiaceae	W.R. Anderson (MICH)
Malvaceae	L.J. Dorr (US)
Marantaceae	H. Kennedy (UBC)
Marattiaceae	D.B. Lellinger and G. McKee (US)
Marcgraviaceae	T. Hollowell (US)
Melastomataceae	T. Hollowell and J.J. Wurdack (US)
Meliaceae	T.D. Pennington (K)
Mendonciaceae	D. Wasshausen (US)
Menispermaceae	P. Hiepko (B)
Metaxyaceae	D.B. Lellinger and G. McKee (US)
Monimiaceae	S.S. Renner (MO)
Moraceae	C.C. Berg (BG)
Myristicaceae	BDG
Myrsinaceae	J.J. Pipoly (BRIT)
Myrtaceae	B.K. Holst (SEL)
Nyctaginaceae	G. Aymard (VEN)
Nymphaeaceae	T. Hollowell (US)
Ochnaceae	C. Castre (P)
Olaceae	H.D. Clarke (US) and R.L. Liesner (MO)
Oleandraceae	G. McKee (US)
Onagraceae	E. Zardini (MO)
Orchidaceae	E.A. Christenson
Oxalidaceae	A. Lourteig (P)
Passifloraceae	C. Feuillet (US)
Phytolaccaceae	C.L. Kelloff (US)
Piperaceae	A.R.A. Görtz-van Rijn (U)
Poaceae	E.J. Judziewicz (WIS)
Podostemaceae	H.D. Clarke (US)
Polygonaceae	A. Jacobs-Brouwer (U)
Polygonaceae	J. Brandbyge (AAU)
Polyopodiaceae	D.B. Lellinger and G. McKee (US)
Pontederiaceae	C.N. Horn (NEWB)
Proteaceae	J.C. Lindeman (U)
Pteridaceae	G. McKee (US)
Quiinaceae	C.L. Kelloff (US) and R.L. Liesner (MO)
Rapateaceae	P. Berry (WIS)
Rhabdodendraceae	A. Goldberg (US)
Rhamnaceae	H.D. Clarke (US) and J.C. Lindeman (U)
Rhizophoraceae	H.D. Clarke (US)
Rubiaceae	C.M. Taylor (MO)
Rutaceae	J. Kallunki (NY)

Family	Determiner(s)
Salviniaceae	G. McKee (US)
Sapindaceae	P. Acevedo-Rdgz. (US)
Sapotaceae	T.D. Pennington (K)
Schizaeaceae	C.L. Kelloff (US)
Scrophulariaceae	H.D. Clarke (US) and N.H. Holmgren (NY)
Selaginellaceae	D.B. Lellinger and G. McKee (US)
Simaroubaceae	R.L. Liesner (MO) and W. Thomas (NY)
Smilacaceae	R.L. Liesner (MO)
Solanaceae	M. Nee (NY)
Sterculiaceae	L.J. Dorr (US)
Strelitziaceae	P.J.M. Maas (U)
Tectariaceae	D.B. Lellinger and G. McKee (US)
Theaceae	A. Weitzman (US)
Thelypteridaceae	D.B. Lellinger and G. McKee (US)
Theophrastaceae	J.C. Lindeman (U)
Thurniaceae	M.T. Strong (US)
Thymelaeaceae	A. Goldberg (US) and R.L. Liesner (MO)
Tiliaceae	L.J. Dorr (US)
Trigoniaceae	C.L. Kelloff (US)
Turneraceae	R.L. Liesner (MO)
Ulmaceae	H.D. Clarke (US)
Urticaceae	H.D. Clarke (US)
Verbenaceae	M.J. Jansen-Jacobs (U)
Violaceae	H.D. Clarke (US) and W.H.A. Hekking (CM)
Viscaceae	J. Kuijt (UVIC)
Vitaceae	H.D. Clarke (US) and R.L. Liesner (MO)
Vittariaceae	D.B. Lellinger and G. McKee (US)
Vochysiaceae	C.L. Kelloff (US)
Xyridaceae	R. Kral (BRIT)
Zingiberaceae	P.J.M. Maas (U)



PLANT DIVERSITY OF THE IWOKRAMA FOREST, GUYANA

USING CHECKLISTS AND COLLECTING DATA TO INVESTIGATE PLANT DIVERSITY

I: A COMPARATIVE CHECKLIST OF THE PLANT DIVERSITY OF THE IWOKRAMA FOREST, GUYANA

Plant Diversity of the Iwokrama Forest, Guyana presents the results of floristic research conducted as part of the collection of baseline data for this 360,000 hectare area in central Guyana, an area that has been set aside for rainforest conservation and sustainable development. This work provides insight into the plant diversity of a pristine and previously undocumented lowland rainforest of the Guiana Shield. Extensive field work was carried out to make the plant collections that provide the basis for this flora and are detailed along with discussion of ecology and habitats, regional context, and comparison with four other recent floristic works of areas of comparable size on and adjacent to the Guiana Shield in northeastern South America. Appendices present lists of identified specimens, specialists that provided determinations for the various families, a synonymized checklist of the 1251 species of plants known from Iwokrama combined with those of the four other recent florulas, and a ranking of species diversity by family for these five areas. The combined checklist of 4659 species indicates that there is considerable floristic heterogeneity among even adjacent sites and will prove useful to botanists, conservation biologists, ecologists, and planners working in northeastern South America.

H.D. Clarke is Assistant Professor of Botany at the University of North Carolina at Asheville.

V.A. Funk is Research Scientist and Curator at the Smithsonian Institution.

T. Hollowell is Data Manager, Biological Diversity of the Guianas Program at the Smithsonian Institution.



BOTANICAL RESEARCH INSTITUTE OF TEXAS
CONSERVATOR OF OUR BOTANICAL HERITAGE