


**BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO AMPHIBIANS AND REPTILES IN THE
PROCEEDINGS AND TRANSACTIONS OF THE TEXAS ACADEMY
OF SCIENCE, VOLUME 1-30 (1892-1948),
SPECIAL PUBLICATIONS OF THE TEXAS ACADEMY
OF SCIENCE, 2 EDITIONS (1936-1938), AND THE
TEXAS JOURNAL OF SCIENCE, VOLUMES 1-45 (1949-1993)**



**Ernest A. Liner
Houma, Louisiana**

**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 119**

1998

**SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE**

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The present bibliography consists of all the papers, abstracts and reviews that have appeared in the *Proceedings and Transactions of the Texas Academy of Science*, Volumes 1-30, 1892-1948, *Special Publications of the Texas Academy of Science*, 2 editions, 1936-1938, and the *Texas Journal of Science*, Volumes 1-45, 1949-1993 concerning amphibians and reptiles. Abstracts by title only are not listed. Abstracts have Abs. placed after the title. All titles are numbered sequentially. All authors are listed alphabetically with junior author(s) cross referenced to the senior author.

The Proceedings and Transactions were sometimes published together or separately. Each section was designated as such giving the impression as two series so titles listed here is separated into the appropriate section. The Transactions for volume 22 were never published and volume 13 for the Proceedings and Transactions were never published. These appeared irregularly with a hiatus between the years 1913-1929. The Texas Journal of Science consists of four numbers a year, sometimes numbers are combined. All articles with original names are preceded by an *.

The scientific name index consists of all the herpetological names from the various series listed alphabetically and referenced to the numbered titles of the article in which it appears. All original spellings are maintained. No scientific names in the literature cited or bibliographies are listed. All original names are **boldfaced**. When both *i* or *ii* are used then *ii* is used for both.

The author wishes to thank C. Gans for suggesting this project. For suggesting the addition of a scientific name index G. R. Zug and W. R. Heyer. To A. H. Chaney for the loan of a large run of the early volumes and to J. R. Dixon for copying *Special Publications # 2* for me.

PROCEEDINGS OF THE TEXAS ACADEMY OF SCIENCE

- Brown, Sidney O. see Potter, George E., 1941.
1. Murray, Leo T. 1937. System of indices for the dermal skeleton of the Testudinata. 20: 16.
 2. ----1938. Basic research in outdoor herpetology in Texas. 22: 18-19.
 3. Potter, George E. and Sidney O. Brown. 1941. Color changes in *Phrynosoma cornutum*. 24: 7.
 4. Sanders, Ottys. 1938. Report on the collection of seventeen species of amphibians in Mexico. 21: 18-20.

TRANSACTIONS OF THE TEXAS ACADEMY OF SCIENCE

5. Brooks, Barney. 1906. The anatomy of the internal urogenital organs of certain North American lizards. 8: 23-38.
Brown, Sidney O., see Potter, George E., 1942; Smith, Hobart, 1946 (1948).
6. Chandler, H. R. 1943. Interrelation of the cortical and medullary tissue in the adrenal of *Phrynosoma cornutum*. 26:43.
7. Crimmins, M. L. 1946. The treatment of poisonous snakebites in Texas. 29: 54-61.
8. Ferguson, Thomas M. 1946 (1948). Quantitative effects of pituitary extracts and adrenaline on color changes in amphibians and reptiles. 30: 100-101.
9. Forsyth, John W. 1946 (1948). The histology of anuran limb regeneration: Abs. 30: 58.
10. Jones, A. W., B. W. Mounts and G. B. Wolcott. 1945. A pronoccephalid trematode from the *Pseudemys*. 28: 92-93.
11. Mitchell, J. D. 1903. The poisonous snakes of Texas, with notes on their habits. 5: 21-48.
Mounts, B. W., see Jones, A. W. and G. B. Wolcott, 1945.
12. Potter, George E. and Sidney O. Brown. 1942. Effect of sex and gonadotropic hormones on the development of the gonads in *Phrynosoma cornutum* during reproductive and non-reproductive phases: Abs. 25: 55-56.
13. Prather, John K. 1901. On the fossils of the Texas Cretaceous, especially those collected at Austin and Waco. 4: 85-87.
14. Sawin, H. J. 1944. A restoration of the Triassic amphibian *Buettneria*: Abs. 27: 128.
15. Smith, Hobart M. 1946 (1948). Neoteny in Texas salamanders: Abs. 30: 59-60.

16. ----- . 1946 (1948). The map turtles of Texas: Abs. 39: 60.
17. ----- and Sidney O. Brown. 1946 (1948). A hitherto neglected integumentary gland in the Texas tortoise: Abs. 30: 59.
18. ----- and Rosemary Warner. 1946 (1948). Evolution of the ophidian hyobranchium: Abs. 30: 64-65.
19. Strecker, John K., Jr. 1902. A preliminary report on the reptiles and batrachians of McLennan County, Texas. 4, pt. 2, (5): 95-101.
20. Townsend, C. H. Tyler. 1895. On the bio-geography of Mexico, Texas, New Mexico, and Arizona, with special reference to the limits of the life areas, and a provisional synopsis of the biogeographic divisions of America. 1: 71-96.
21. ----- . 1897. On the biogeography of Mexico and the southwestern United States. 2: 33-86.
22. Vincent, Ione. 1946 (1948). Studies on the endoparasites of the Texas horned lizard, *Phrynosoma cornutum* (Harlan). 30: 250-252.

Warner, Rosemary, see Smith, Hobart M., 1946 (1948).

Wolcott, G. B., see Jones, A. W. and B. W. Mounts, 1945.

23. Wright, Albert Hazen and Anna Allen Wright. 1938. Amphibians of Texas. 21: 5-35.
- Wright, Anna Allen, see Wright, Albert Hazen, 1938.

SPECIAL PUBLICATIONS OF THE TEXAS ACADEMY OF SCIENCE

24. Parks, H. B., V. L. Cory, and others. 1936. Biological survey of the east Texas Big Thicket area. The fauna and flora of the Big Thicket area. 1-51.
25. -----, -----, ----- . 1938. Biological survey of the east Texas Big Thicket area. The fauna and flora of the Big Thicket area. ed. 2: 1-51.

TEXAS JOURNAL OF SCIENCE

- Abuhteba, Ramadan M., see Cordes, James E., James M. Walker and James F. Scudday, 1989; Walker, James M., James E. Cordes and Mark A. Paulissen, 1990; Cordes, James E. and James M. Walker, 1990a, 199b.
26. Akersten, William A. 1967. Paleocology of the Red Light Local Fauna (Blancan), Hudspeth Co., Texas: Abs. 19: 413-414.
27. Altig, Ronald. 1971. Descriptive notes on the tadpoles of *Pseudacris ornata* and *Bufo alvarius*. 23: 301-303.
28. Anonymous. 1951. Xantus, Hungarian naturalist in the pioneer west. by Henry Miller Maddem and William P. Wreden: A review. 3: 145-146.
29. Applegate, Howard G. 1967. Pesticides at Presidio. V.

- Synopsis. 19: 353-361.
- Applegate, H. G., see Culley, D., 1966; 1967; Saxon, J. G. and J. M. Inglis, 1967.
- Armstrong, Neal E., see Hubbs, Clark, 1961.
30. Atebara, Milton Y. 1974. Effects of seasonal temperatures on the metabolism of *Bufo woodhousei*: Abs., 25: 128.
31. Awbrey, Frank T. 1963. Homing and home range in *Bufo valliceps*. 15: 127-141.
32. Axtell, Ralph W. 1960. The rediscovery of *Sceloporus prezygous* Smith, in Chiapas, Mexico, with a re-evaluation of its relationships. 12: 232-239.
33. ----- . 1961. *Eumeces epipleurotus* Cope, a revived name for the southwestern skink *Eumeces multivirgatus gagei* Taylor. 13: 345-351.
34. ----- . 1969. Another *Ficimia streckeri* from southern Texas. 20: 381.
- Bailey, Thomas F., see Michael, Edwin D., 1972.
35. *Baker, James Kenneth. 1957. *Eurycea troglodytes*: A new blind cave salamander from Texas. 9: 328-336.
36. Baldauf, Richard J. 1955. Contributions to the cranial morphology of *Bufo w. woodhousei* Girard. 7: 275-311.
37. ----- . 1957. Additional studies on the cranial morphology of *Bufo w. woodhousei* Girard. 9: 84-88.
38. ----- . 1958a. Contributions to the cranial morphology of *Bufo valliceps* Wiegmann. 10: 172-186.
39. ----- . 1958b. A procedure for the staining and sectioning of the heads of adult anurans. 10: 448-451.
40. ----- . 1962. The use of morphological criteria in studying anuran phylogeny: Abs. 14: 422.
41. ----- . 1964. Is *Calyptocephalella* the most primitive living frog?: Abs. 16: 476-477.
42. ----- and Ernest C. Tanzer. 1965. Contributions to the cranial morphology of the leptodactylid frog *Syrrhophus marnocki* Cope. 17: 71-100.
- Baldauf, Richard J., see Tanzer, Ernest C., 1971.
43. Baldrige, Robert S. and Daniel E. Wivagg. 1992. Predation on imported fire ants by blind snakes. 44: 250-252.
- Baldrige, Robert., see Watkins, F. and R. Gehlbach, 1967.
44. Barck, Alan. 1992. Paleontology of the Glen Rose Formation (Lower Cretaceous), Hood County, Texas. 44: 3-24.
45. Barton, Harry L. and Sheldon I. Guttman. 1972. Low temperature preservation of toad spermatozoa (genus *Bufo*). 23: 363-370.
- Best, Frank H., see Best, Troy L. and Hermana C. James, 1983.
46. Best, Troy L., Hermana C. James and Frank H. Best. 1983. Herpetofauna of the Pedro Armendariz Lava Field, New Mexico. 35: 245-255.
47. Bethea, Nancy J. 1972. Effect of temperature on heart rate of *Terrapene ornata*: Abs. 23: 604.
48. Blair, W. Frank. 1949. The biotic provinces of Texas. 2: 93-117.
49. ----- . 1955. Differentiation of mating call in spadefoots, genus *Scaphiopus*. 7: 183-188.

50. ----- . 1956a. Call difference as an isolation mechanism in southwestern toads (genus *Bufo*). 8: 87-106.
51. ----- . 1956b. Mating call and possible stage of speciation of the Great Basin spadefoot. 8: 236-238.
52. ----- . 1956c. The mating calls of hybrid toads. 8: 350-355.
53. ----- . 1957. Mating call and relationships of *Bufo hemiophrys* Cope. 9: 99-108.
54. ----- . 1958. Mating call and stage of speciation of two allopatric populations of spadefoots (*Scaphiopus*). 10: 484-488.
55. ----- . 1959. Genetic compatibility and species groups in U. S. toads (*Bufo*). 11: 427-453.
56. ----- . 1960. Radiation-induced genetic damage in the Mexican toad (*Bufo valliceps*). 12: 216-229.
57. ----- . 1961. Further evidence bearing on intergroup and intragroup genetic compatibility in toads (genus *Bufo*). 13: 163-175.
58. ----- . 1963. Intragroup genetic compatibility in the *Bufo americanus* species group of toads. 15: 15-34.
59. ----- . 1964a. Evidence bearing on relationships of the *Bufo boreas* group of toads. 16: 181-192.
60. ----- . 1964b. Relationships of the *Bufo cognatus* group of toads as indicated by hybridization experiments: Abs. 16: 494-495.
61. ----- . 1966. Genetic compatibility in the *Bufo valliceps* and closely related groups of toads. 18: 333-351.
62. ----- and David Pettus. 1954. The mating call and its significance in the Colorado River toad *Bufo alvarius* Girard). 6: 72-77.
63. Block, Edward F., IV. 1967. Parasites of the Texas cricket frog, *Acris crepitans*: Abs. 19: 422.
64. Bloom, Roy A. and Mohammed Y. H. Farooqui. 1992. Concentrations of nonprotein sulfhydryls in the Mediterranean gecko, *Hemidactylus turcicus* (Gekkonidae: Squamata). 44: 75-78.
65. Bonn, Edward W. and W. H. McCarley. 1953. The amphibians and reptiles of the Lake Texoma area. 5: 465-471.
66. Boston, Jim D. and Charles R. Willms. 1968. Characteristics of proteolytic activity of pepsin from *Rana catesbeiana*. 20: 77-86.
67. Brach, Vincent. 1992. Discovery of the Rio Grande chirping frog in Smith County, Texas (Anura: Leptodactylidae). 44: 490.
- Brindley, Darlene C., see Cannon, M. Samuel and Manley McGill, 1978.
68. Brockman, H. L. and J. P. Kennedy. 1962. Open heart surgery in *Alligator mississippiensis* Daudin: Abs. 14: 423-424.
69. ----- and J. P. Kennedy. 1963. Tolerance to aquatic submersion in *Alligator mississippiensis* following surgical occlusion of the left aortic orifice: Abs. 15: 417-418.
- Brodie, Edmund D., Jr., see Campbell, Jonathan A. and Daniel R. Formanowicz, Jr., 1989.
70. Brown, Bryce C. and Lillian M. Brown. 1967. Notable

- records of Tamaulipan snakes. 19: 323-326.
Brown, Bryce C., see Williams, Kenneth L. and Larry David Wilson, 1966.
71. Brown, Lauren E. 1970. Interspecies interactions as possible causes of racial size differences in the toads *Bufo americanus* and *Bufo woodhousei*. 21: 261-267.
72. ----- and Jack R. Pierce. 1965. Observations on the breeding behavior of certain anuran amphibians. 17: 313-317.
Brown, Lillian M., see Brown, Bryce C., 1967.
Brown, Sidney O., see Enslow, Donald H., 1956; 1957; 1958.
73. Brown, Ted L. and Ronald V. Lucchino. 1972. A record-sized specimen of the Texas horned lizard (*Phrynosoma cornutum*). 24: 353-354.
Brown, Ted L., see Degenhardt, William G. and David A. Easterla, 1976.
74. Buchanan, Elisabeth. 1985. *Xenopus* egg polarity expressed by uneven distribution of sperm mRNA: Abs. 37: 116.
Burdick, Deborah A., see McAllister, Chris T., Paul S. Freed, Steve J. Upton and Nixon A. Wilson, 1991.
75. Bush, Claranne. 1972. Sperm tail complex of *Ambystoma tigrinum* fine structure: Abs. 23: 598.
76. Camarillo R., Jose L. and Jonathan A. Campbell. 1993. A second confirmed population of the rare Mexican rattlesnake, *Crotalus transversus* (Serpentes: Viperidae). 45: 178-179.
77. Campbell, Jonathan A., Daniel R. Formanowicz, Jr. and Edmund D. Brode, Jr. 1989. Potential impact of rattlesnake roundups on natural populations. 41: 301-317.
Campbell, Jonathan A. see Camarillo R., Jose L., 1993.
78. Campbell, M. 1967. The effect of food availability on body size in *Bufo valliceps*: Abs. 19: 445.
79. Campbell, Phillip M. and W. K. Davis. 1971. The effects of various combinations of temperature and relative humidity on evaporative waterloss of *Bufo valliceps*. 22: 389-402.
80. Campbell, T. N., ed. 1958. Publications of the Texas Academy of Science, 1892-1957. 10: 86.
81. Camper, Jeffrey D, and James R. Dixon. 1990. High incidence of melanism in *Masticophis taeniatus girardi* (Reptilia: Colubridae), from the Cuatro Cienegas Basin of Coahuila, Mexico. 42: 202-204.
82. Cannon, M. Samuel, Darlene C. Brindley and Manly McGill. 1978. The paracnemid gland of *Bufo alvarius*. 30: 133-143.
83. Carl, Gary. 1981. Reproduction in the captive Brazos water snake, *Nerodia harteri*. 33: 77-78.
Cavazos, David, see King, Ken and Frank W. Judd, 1987.
84. Chaney, Allan H. and Robert E. Gordon. 1954. Notes on a population of *Sceloporus merriami merriami* Stejneger. 6: 78-82.
85. Chrapliwy, Pete S. and Edmond V. Malnate. 1961. The systematic status of the spadefoot toad *Spea laticeps* Cope. 13: 160-162.
86. Christiansen, James L. and William G. Degenhardt. 1969. An

- unusual variant of the whiptail lizard *Cnemidophorus gularis* (Sauria: Teiidae), from New Mexico. 21: 95-97.
87. Clark, Donald R., Jr. 1964. Reproduction and sexual dimorphism in a population of the rough earth snake, *Virginia striatula* (Linnaeus). 16: 265-295.
- Cobb, Vincent A., see Ford, Neil B. and William W. Lamar, 1990.
88. Cordes, James, E., James M. Walker and Ramadan M. Abuhteba. 1990a. *Cnemidophorus gularis septemvittatus* (Teiidae) from Pecos County, Texas. 42: 209-210.
89. -----, ----- and ----- . 199b. Genetic homogeneity in geographically remote populations of parthenogenetic *Cnemidophorus neomexicanus* (Sauria: Teiidae). 42: 303-305.
90. -----, James M. Walker, James F. Scudday and Ramadan M. Abuhteba. 1989. Distribution and habitat of the parthenogenetic whiptail lizard, *Cnemidophorus neomexicanus* (Sauria: Teiidae) in Texas. 41: 425-428.
- Cordes, James E., see Paulissen, Mark A. and James M. Walker, 1989; Walker, James M., Ramadan M. Abuhteba and Mark A. Paulissen, 1990; McAllister, Chris T. and James M. Walker, 1991; Walker, James M., 1993.
- Corn, David Bruce, see McAllister, Chris T. and Stanley E. Trauth, 1991.
91. Creel, Gordon C. 1963. Bat as a food item of *Rana pipiens*. 15: 104-106.
92. Crisp, Thomas M. 1964. Studies of reproduction in the female ovoviviparous lizard, *Sceloporus cyanogenys* (Cope): Abs. 16:481.
93. Culley, D. D., Jr. and H. G. Applegate. 1966. Pesticides at Presidio II. Birds, reptiles and mammals: Abs. 18: 110.
94. ----- and ----- . 1967. Pesticides at Presidio IV. Reptiles, birds, and mammals. 19: 301-310.
95. Curfman, B. E. and F. F. Davidson. 1966. Parasitic helminths of *Natrix erythrogaster transversa* Hallowell, the blotched water snake, in the Waco, Texas area: Abs. 18: 121.
96. Dalquest, Walter W. 1962. Tortoises from the Pliocene of Texas. 14: 192-196.
97. ----- . 1963. Large amphibian ichnites from the Permian of Texas. 15: 220-224.
- Davidson, F. F. see Curfman, B. E., 1966.
98. Davis, Billy J. 1971. A new size record for the Louisiana pine snake, *Pituophis melanoleucus ruthveni*. 23: 145.
99. Davis, W. K. 1967. Some observations on the distribution dynamics of the Mediterranean gecko, *Hemidactylus turcicus*, in Texas: Abs. 19: 446.
100. ----- . 1972. Some additional notes on the Mediterranean gecko, *Hemidactylus turcicus*, in Texas: Abs. 23: 577.
- Davis, W. K., see Campbell, Phillip M., 1971; Tupa, Dianna Dowden, 1976.
- Dean, Robert H., see McCrystal, Hugh K. and James R. Dixon, 1985.

101. Degenhardt, William G., Ted L. Brown and David A. Easterla. 1976. The taxonomic status of *Tantilla cucullata* and *Tantilla diabolus*. 27: 225-234.
102. Degenhardt, William G., see Christiansen, James L., 1969.
102. *Dixon, James Ray. 1957. Geographic variation and distribution of the genus *Tomodactylus* in Mexico. 9: 379-409.
103. -----. 1960. Epizootic algae on some turtles of Texas and Mexico. 12: 36-38.
104. -----. 1983. Taxonomic status of the Brazilian colubrid snake, *Xenodon suspectus* Cope. 35: 257-260.
105. *-----. 1991. Geographic variation and taxonomy of *Liophis almadensis* (Wagler) (Serpentes: Colubridae), and description of a new species of *Liophis* from Argentina and Bolivia. 43: 225-236.
106. ----- and Allan L. Marquezich. 1992. Taxonomy and geographic variation of *Liophis poecilogyrus* (Wied) from South America (Serpentes: Colubridae). 44: 131-166.
- Dixon, James Ray, see Duellman, William F., 1959; McCrystal, Hugh K., 1983; McCrystal, Hugh K. and Robert H. Dean; 1985; Hendricks, Fred S., 1986; Camper, Jeffery D., 1990; Liner, Ernest A., 1992.
- Drewes, R. C., see Murphy, Robert W., 1976.
107. *Duellman, William E. and James Ray Dixon. 1959. A new frog of the genus *Tomodactylus* from Michoacan, Mexico. 11: 78-82.
108. Dutton, Ronald H. and L. C. Fitzpatrick. 1974. Influence of seasonal temperatures on the metabolism of the rusty lizard, *Sceloporus olivaceus*: Abs. 25: 128-129.
109. Easterla, David A. 1978. The Mediterranean gecko, *Hemidactylus turcicus*, at Big Bend National Park, Texas. 39: 199.
- Easterla, David A., see Degenhardt, William G. and Ted L. Brown, 1976.
- Eck, L. J. see Raun, G. G., 1967.
110. Engeling, G. A. 1974. Population ecology of *Cophosaurus texanus* in Comal County, Texas: Abs. 25: 146.
111. Enlow, Donald H. and Sidney O. Brown. 1956. A comparative histological study of fossil and recent bone tissues. Part I. 8:405-443.
112. ----- and -----. 1957. A comparative histological study of fossil and recent bone tissues. Part II. 9: 186-214.
113. ----- and -----. 1958. A comparative histological study of fossil and recent bone tissues. Part III. 10: 187-230.
- Farooqui, Mohammed Y. H., see Bloom, Roy A., 1992.
114. Feduccia, J. Alan. 1971. The origin of terrestrial amphibia. 22: 255-263.
115. Fingal, W. A. 1964. The toxicity of DDT (Dichloro Diphenyl Trichloro Ethane) to *Xenopus laevis*: Abs. 16: 483.
- Fitzpatrick, L. C., see Dutton, Ronald H., 1974.
116. Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez,

- Mario Mancilla, Enrique Godinez and Irene Goyenechea Mayer. 1992. *Ophryacus undulatus* in the Mexican state of Hidalgo. 44: 249-250.
- Flury, Alvin G., see Jameson, David L., 1949.
117. Ford, Neil B., Vincent A. Cobb and William W. Lamar. 1990. Reproductive data on snakes from northeastern Texas. 42: 355-368.
- Forman, Jon R., see Jackson, Crawford G., Jr., 1976.
- Formanowicz, Daniel R., Jr., see Campbell, Jonathan A. and Edmund D. Brodie, Jr., 1989.
118. Fouquette, M. J., Jr. 1954. Food competition among four sympatric species of garter snakes, genus *Thamnophis*. 6: 172-188.
119. ----- . 1960. Call structure in frogs of the family Leptodactylidae. 12: 201-215.
120. ----- and H. L. Lindsay, Jr. 1955. An ecological survey of reptiles in parts of northwestern Texas. 7: 402-421.
- Freed, Deborah A., see McAllister, Chris T., John Riley and Paul S. Freed, 1992; Upton, Steve J. and Paul S. Freed, 1993.
121. Freed, Paul S. and Keith Neitman. 1988. Notes on predation on the endangered Houston toad, *Bufo houstonensis*. 40: 454-456.
- Freed, Paul S., see McAllister, Chris T., Steve J. Upton, Deborah A. Burdick and Nixon A. Wilson, 1991; Upton, Steve J. and Deborah A. Burdick, 1991; McAllister, Chris T., John Riley, and Deborah A. Freed, 1992; Upton, Steve J. and Deborah A. Freed, 1993.
122. Frost, S. J. 1949. The forest regions of Texas. 1: 52-55.
123. Fugler, Charles M. 1960. New herpetological records for British Honduras. 12: 8-13.
124. Gannon, Michael R. 1987. New western distributional record of *Terrapene carolina triunguis*. 39: 289-293.
125. -----, Michael R. Willig, Kevin B. Willis and Michael P. Moulton. 1990. Intraspecific comparisons of diet of *Cnemidophorus gularis* (Sauria: Teiidae) in central Texas. 42: 263-272.
- Garrett, Clay M., see Upton, Steve J. and Chris T. McAllister, 1993.
126. Gaston, Edwin W., Jr. 1959. Travel accounts of the southern plains: 1800-1850. 11: 3-16.
127. Gaudin, Anthony J. 1964. The tadpole of *Hyla californiae* Gorman. 16: 80-84.
128. Gehlbach, Frederick R. 1964. Reptiles and amphibians (Herpetozoa) in the North American Pliocene and Pleistocene epochs: Abs. 16:495.
129. ----- . 1965. Amphibians and reptiles from the Pliocene and Pleistocene of North America: A chronological summary and selected bibliography. 17: 56-70.
130. ----- . 1966. Community organization along the Guadalupe Escarpment, New Mexico-Texas, with special reference to the herpetofauna and vegetation: Abs. 18: 127.
131. ----- . 1969. Is a pile of tiger salamanders a

- superorganism?: Abs. 20: 300.
132. -----. 1991. The east-west transition zone of terrestrial vertebrates in central Texas: A biogeographical analysis. 43: 415-427.
Gehlbach, Frederick R., see McCoy, Clarence J., 1967; Watkins, F. and Robert Baldrige, 1967; Watkins, Julian F., Jr. and Robert W. Plsek, 1972.
133. Gloyd, Howard K. 1972. Ernest C. Tanzer, in memoriam. 24: 271.
Godinez, Enrique, see Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez, Mario Mancilla and Irene Goyenechea Mayer, 1992.
Goetze, Jim R., see Jones, Clyde, 1991.
Goldberg, Stephen R., see Chris t. McAllister, H. J. Holshuh and Stanley E. Trauth, 1993; Mitschler, Ralene R., Randall L. Morrison and Steve J. Upton, 1993.
134. Gordon, Robert E. and Donald W. Tinkle. 1960. A technique for collecting reptile eggs. 12: 14-16.
Gordon, Robert E., see Chaney, Allan H., 1954.
135. Goshold, William D. and Bob H. Slaughter. 1977. Procoelus versus opisthocoelus vertebrae. 28: 355-356.
136. Greene, Harry W. 1969. Fat storage in females of an introduced lizard, *Hemidactylus turcicus*, from Texas. 21: 233-235.
137. Guttman, Sheldon I. 1965. An electrophoretic analysis of the blood proteins of the genus *Siren*. 17: 268-277.
Guttman, Sheldon I., see Barton, Henry L., 1972.
- Harris, Rodney W., see Haywood, Charles A., 1971.
138. Harvey, Michael B. 1992a. The distribution of *Graptemys pseudogeographica* on the upper Sabine River. 44: 257-258.
139. -----. 1992b. Erratum (The distribution of *Graptemys pseudogeographica* on the upper Sabine River). 44: 494.
140. Hayes-Odum, Louise A. and Dennis Jones. 1993. Effects of drought on American alligator's (*Alligator mississippiensis*) in Texas. 45: 182-185.
141. -----, Debra Valdez, Marjorie Lowe, Loretta Weiss, Patricia H. Reiff and Dennis Jones. 1993. American alligator (*Alligator mississippiensis*) nesting at an inland Texas site. 45: 51-61.
142. Haywood, Charles A. and Rodney W. Harris. 1971. Fight between rock squirrel and bullsnake. 22: 427.
143. Hembrick, Patrick S. 1976. Additions to the Texas herpetofauna, with notes on peripheral range extensions and new records of Texas amphibians and reptiles. 27: 291-299.
144. Henderson, George G. 1961. Reproductive potential of *Microhyla olivacea*. 13: 355-356.
145. Hendricks, Albert C., J. T. Wyatt and D. E. Henley. 1971. Infestation of a Texas red-eared turtle by leeches. 22: 247.
146. Hendricks, Fred S. 1985. Intrapopulational variation in the caudal osteology of *Cnemidophorus tigris marmoratus* Baird and Girard (Reptilia: Teiidae). 37: 33-47.

147. *----- and James R. Dixon. 1986. Systematics and biogeography of *Cnemidophorus marmoratus* (Sauria: Teiidae). 38: 327-402.
 Henley, D. E., see Hendricks, Albert C. and J. T. Wyatt, 1971.
 Hernandez, Efrain, see Flores-Villela, Oscar, Fernando Mendoza, Mario Mancilla, Enrique Godinez and Irene Goyenechea Mayer, 1992.
 Hibbits, Terry, see Treadwell, R. W., 1969.
148. Hill, William H. 1971. Pleistocene snakes from a cave in Kendall County, Texas. 22: 209-216.
 Hockaday, Donald L., see Judd, Frank W. and Henry Nieuwendaal, 1991.
 Holford, Tricia, see Warwick, Clifford and Catrina Steedman, 1990.
149. Holman, J. Alan. 1965. A small Pleistocene herpetofauna from Houston, Texas. 17: 418-423.
150. ----- . 1966. The Pleistocene herpetofauna of Miller's Cave, Texas. 18: 372-377.
151. ----- . 1969. Pleistocene amphibians from a cave in Edward's County, Texas. 21: 63-67.
152. ----- . 1970. A Pleistocene herpetofauna from Eddy County, New Mexico. 22: 29-39.
 Holshuh, H. J., see McAllister, Chris T., Stephen R. Goldberg and Stanley E. Trauth, 1993.
 Hoover, B. Reed, see Slaughter, Bob H., 1963.
153. Horton, C. W. 1949. On the mechanics of the African spitting cobras, *Naja nigricollis* and *Hemachatus haemachatas*: Abs. 1 (1): 98.
154. Horvath, Kalman. 1971. Experimental lizard hosts of pentastomids. 22: 429.
155. Hubbs, Clark and Neal E. Armstrong. 1961. Minimum developmental temperature tolerance of two anurans, *Scaphiopus couchi* and *Microhyla olivacea*. 13: 358-362.
 Huff, R. E., see Ramirez, S. A., 1967.
156. Hughes, Norman. 1962. The number and form of chromosomes in the genus *Scaphiopus*. 14: 225-228.
157. Hunsacker, Don, II and Don Sellers. 1953. Notes on the possible integradation between the colubrine snakes, *Arizona elegans blanchardi* Klauber and *Arizona elegans elegans* Kennicott in Texas. 5: 268-269.
158. Ideker, Joe. 1974. *Storeria dekayi texana* from the caprock of northwest Texas. 25: 87.
159. ----- . 1976. Tadpole thermoregulatory behavior facilitates grackle predation. 27: 244-245.
160. Inger, Robert F. 1958. The vocal sac of the Colorado River toad (*Bufo alvarius* Girard). 10: 319-324.
 Inglis, J. M., see Saxon, J. G. and H. G. Applegate, 1967.
161. Jackson, Crawford G., Jr. and Jon R. Forman. 1976. A disjunct population of the eastern chicken turtle *Deirochelys reticularia* in northeastern Mississippi. 27: 243.
 Jacob, James S., see McDonald, Harry S., 1971.

- James, Hermana C., *see* Best, Troy L. and Frank H. Best, 1983.
162. James, Pauline. 1966. The Mexicam burrowing toad, *Rhinophrynus dorsalis*, an addition to the vertebrate fauna of the United States. 18: 272-276.
163. Jameson, David L. and Alvin G. Flury. 1949. The reptiles and amphibians of the Sierra Vieja Range of southwestern Texas. 1 (2): 54-77.
164. Jamieson, David H., Stanley E. Trauth and Chris T. McAllister. 1993. Food habits of male bird-voiced treefrogs, *Hyla avivoca* (Anura: Hylidae), in Arkansas. 45: 45-49.
165. Johnson, Clifford W. 1966. Species recognition in the *Hyla versicolor* complex. 18: 361-364.
Johnson, Gary D., *see* Nurry, Phillip A., 1987.
166. Jones, Clyde and Jim R. Goetze. 1991. Vertebrata remains found in barn owl pellets from Wilbarger County, Texas. 43: 326-328.
Jones, Dennis, *see* Hayes-Odum, Louise A., Debra Valdez, Marjorie Lowe, Loretta Weiss and Patricia H. Reiff, 1993; Hayes-Odum, Louise A., 1993.
167. Judd, Frank W., Henry Nieuwendaal and Donald L. Hockaday. 1991. The leatherback turtle, *Dermochelys coriacea*, in southernmost Texas. 43:101-103.
Judd, Frank W., *see* Selser, Kyle W., 1982; King, Ken and David Cavazos, 1987.
- Kallus, Frank T., *see* Vanatto, John C., 1975.
168. Kaplan, Arnold R. 1955. Darwin's *The Origin of Species* and the modern concept of evolution. 7: 389-395.
169. Kasper, Stephen and Dennis Parmley. 1990. A late Pleistocene herpetofauna from the lower Texas panhandle. 42: 289-294.
Kasper, Stephen, *see* Schafer, Tracy S., 1989.
170. Kassing, Edith Force. 1961. A life history study of the Great Plains ground snake, *Sonora episcopa episcopa*. 13: 185-203.
171. Keck, Michael B. 1993. New distributional records of amphibians and reptiles from Titus County, Texas. 45: 360-362.
Keirans, James F., *see* McAllister, Chris T., 1987.
Kennedy, J. P., *see* Brockman, H. L., 1962, 1963.
172. Kennedy, J. P. 1956. Food habits of the rusty lizard, *Sceloporus olivaceus* Smith. 8: 328-349.
173. ----- . 1961. Eggs of the eastern hognose snake, *Heterodon platyrhinos*. 13: 416-422.
174. ----- . 1964. Natural history notes on some snakes of eastern Texas. 16: 210-215.
175. Killebrew, F. C. 1972. Mitotic chromosomes of turtles: Abs. 24: 400.
176. ----- . 1976. Mitotic chromosomes of turtles II. Chelidae. 27: 149-154.
177. ----- . 1977. Mitotic chromosomes of turtles. IV. The Emydidae. 29: 245-253.
178. ----- and Raymond C. Stone, Jr. 1978. An unusual color

- pattern in Couch's spadefoot, *Scaphiopus couchi* (Anura: Pelobatidae). 39: 389.
179. King, Ken, David Cavazos and Frank W. Judd. 1987. *Anolis sagrei* (Sauria: Iguanidae) established in southern Texas. 39: 289-290.
180. Kroll, James C. 1971. Combat behavior in male Great Plains ground snakes (*Sonora episcopa episcopa*). 23: 300.
- Lamar, William W., see Ford, Neil B. and Vincent A. Cobb, 1990.
181. Laughlin, Harold E. 1959. Stomach contents of some aquatic snakes from Lake McAlester, Pittsburgh County, Oklahoma. 11: 83-85.
182. ----- and B. J. Wilks. 1962. The use of sodium pentobarbital in population studies of poisonous snakes. 14: 188-191.
- Laughlin, Harold E., see Wilks, B. J., 1962.
- Lindsay, H. L., Jr., see Fouquette, M. J., Jr., 1955.
183. *Liner, Ernest A. and James R. Dixon. 1992. A new species of the *Sceloporus scalaris* group from the Cerro Pena Nevada, Nuevo Leon, Mexico (Sauria: Iguanidae). 44: 421-427.
184. Littlejohn, Murray J. 1959. Artificial hybridization within the Pelobatidae and Microhylidae. 11: 57-59.
185. ----- . 1961a. Mating call discrimination by females of the spotted chorus frog (*Pseudacris clarki*). 13: 49-50.
186. ----- . 1961b. Artificial hybridization between some hylid frogs of the United States. 13: 176-184.
187. ----- and Ted C. Michaud. 1959. Mating call discrimination by females of Strecker's chorus frog (*Pseudacris streckeri*). 11: 86-92.
188. Long, David R. 1987. Reproductive and lipid patterns of a semiarid-adapted anuran, *Bufo cognatus*. 39: 3-13.
189. Lowe, Charles H., Jr. 1954. Isolating mechanisms in sympatric populations of southwestern anurans. 6: 265-270.
- Lowe, Marjorie, see Hayes-Odum, Louise A., Debra Valdez, Loretta Weiss, Patricia H. Reiff and Dennis Jones, 1993.
- Lucchino, Ronald V., see Brown, Ted L., 1972.
190. McAlister, Wayne H. 1959. The vocal structures and method of call production in the genus *Scaphiopus* Holbrook. 11: 60-77.
191. ----- . 1961. Artificial hybridization between *Rana a. areolata* and *Rana pipiens* from Texas. 13: 423-426.
192. McAllister, Chris T. 1990. Helminth parasites of unisexual and bisexual whiptail lizards (Teiidae) in North America. IV. The Texas spotted whiptail (*Cnemidophorus gularis*). 42: 381-388.
193. ----- . 1991. First report of *Mesocestoides* sp. Tetrathridia (Cyclophyllidea: Mesocestoididae) in the Texas alligator lizard, *Gerrhonotus liocephalus* (Sauria: Anguillidae), from Coahuila, Mexico. 43: 325-326.
194. ----- . 1992. Helminth parasites of unisexual and bisexual

- whiptail lizards (Teiidae) in North America. VIII. The Gila spotted whiptail (*Cnemidophorus flagellicaudus*), Sonoran spotted whiptail (*Cnemidophorus sonorae*), and plateau striped whiptail (*Cnemidophorus velox*). 44:233-239.
195. ----, James E. Cordes and James M. Walker. 1991. Helminth parasites of unisexual and bisexual whiptail lizards (Teiidae) in North America. VI. The gray-checked whiptail (*Cnemidophorus dixonii*). 43: 309-314.
196. ---- and Paul S. Freed. 1992. Larval *Abbreviata* sp. (Spirurida: Psysalopteridae) in introduced Rio Grande chirping frogs, *Syrrhophus cystignathoides campi* (Anura: Leptodactylidae), from Houston, Texas. 44: 359-361.
197. ----, ----, Steve J. Upton, Deborah A. Burdick and Nixon A. Wilson. 1991. Parasites of the rougtail gecko, *Cyrtopodion scabrum* (Sauria: Gekkonidae), from Galveston, Texas. 43: 199-204.
198. ----, Stephen R. Goldberg, H. J. Holshuh and Stanley E. Trauth. 1993. Disseminated mycotic dermatitis in a wild-caught timber rattlesnake, *Crotalus horridus* (Serpentes: Viperidae), from Arkansas. 45: 279-281.
199. ---- and James F. Keirans. 1987. Additional records of tick (Ascari: Ixodidae, Argasidae) ingestion by whiptail lizards, genus *Cnemidophorus*. 39: 287-288.
200. ----, John Riley, Paul S. Freed and Deborah A. Freed. 1992. *Raillietiella* (Pentastomida: Cephalobaenida) from a Malagasy chameleon, *Chamaeleo verrucosus* (Sauria: Chamaeleonidae), from Madagascar. 44: 492-493.
201. ----, Stanley E. Trauth and David Bruce Corn. 1991. Helminth parasites of unisexual and bisexual whiptail lizards (Teiidae) in North America. VII. The six-lined racerunner, *Cnemidophorus sexlineatus*. 43: 391-397.
202. ----, ----, V. Rick McDaniel and Russell B. McAllister. 1991. First record of the many-lined skink, *Eumeces multivirgatus* (Sauria: Scincidae), in Presidio County, Texas. 43: 439.
203. ---- and Steve J. Upton. 1992. A new species of *Eimeria* (Apicomplexa: Eimeriidae) from *Pseudemys texana* (Testudines: Emydidae), from north-central Texas. 44: 37-41.
204. ---- and Rocky Ward. 1986. New distributional records of Texas herpetofauna. 38: 65-69.
 McAllister, Chris T., see Jamieson, David H. and Stanley E. Trauth, 1993; Upton, Steve J. and Clay M. Garrett, 1993.
 McAllister, Russell B., see McAllister, Chris T., Stanley E. Trauth and V. Rick McDaniel, 1991.
 McCarley, W. H., see Bonn, Edward W., 1958.
 McClintock, Haskell, see Milstead, William W. and John S. Mecham, 1950.
205. McClung, G. Don and Terry Maxwell. 1976. New locality for *Agkistrodon contortrix pictigaster* (Crotalidae) in Texas. 27:405-406.
 McClure, William L., see Slaughter, Bob H., 1965.
206. McCoy, Clarence J. and Frederick R. Gehlbach. 1967. Cloacal hemorrhage and the defense display of the

- colubrid snake *Rhinocheilus lecontei*. 19: 349-352.
 McCrady, J. D., see M. Szabuniewicz, 1967.
207. McCrystal, Hugh K., Robert H. Dean and James R. Dixon. 1985. Range extension for the whiptail lizard *Cnemidophorus laredoensis* (Teiidae). 36: 283-284.
208. ----- and James R. Dixon. 1983. Eggs and young of Schott's whipsnake, *Masticophis taeniatus schotti*. 35: 161-163.
- McDaniel, V. Rick, see McAllister, Chris T., Stanley E. Trauth and Russell B. McAllister, 1991.
209. McDonald, Harry S. and James S. Jacob. 1971. Influence of size on the electrocardiogram of *Elaphe obsoleta*: Abs. 22: 300.
- McDonald, Harry S., see Tatum, Ella N., 1971.
- McGill, Manley, see Cannon, M. Samuel and Darlene C. Brindley, 1978.
- Malnate, Edmond V., see Chrapliwy, Pete S., 1961.
- Mancilla, Mario, see Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez, Enrique Godinez and Irene Goyenechea Mayer, 1992.
210. Mares, Michael A. 1971. Coprophagy in the Texas tortoise, *Gopherus berlandieri*. 23: 300-301.
211. ----- . 1972. Notes on *Bufo marinus* tadpole aggregations. 23: 434-435.
- Markezich, Allan H., see Dixon, James R., 1992.
212. Mather, Charles M. 1970. Some aspects of the life history of the ground skink *Lygosoma laterale*. 21: 429-438.
213. ----- . 1979. Incidence of mites on *Sceloporus variabilis* and *Sceloporus undulatus* (Sauria: Iguanidae) in south Texas. 31: 103.
- Maxwell, Terry, see McClung, G. Don, 1976.
- Mayer, Irene Goyenechea, see Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez, Mario Mancilla and Enrique Godinez, 1992.
214. Mecham, John S. 1954. Geographic variation in the green frog, *Rana clamitans* Latreille. 6: 1-24.
215. ----- . 1957. Some hybrid combinations between Strecker's chorus frog, *Pseudacris streckeri*, and certain related forms. 9: 337-345.
216. ----- . 1959. Experimental evidence of the relationship of the allopatric chorus frogs of the genus *Pseudacris*. 11: 343-347.
217. ----- . 1982. New distributional information for some snakes in western Texas. 34: 191.
- Mecham, John S., see Milstead, William W. and Haskell McClintock, 1950.
- Mendoza, Fernando, see Flores-Villela, Oscar, Efrain Hernandez, Mario Mancilla, Enrique Godinez and Irene Goyenechea Mayer, 1992.
218. Michael, Edwin D. and Thomas F. Bailey. 1972. Hibernation sites of *Anolis carolinensis* and *Sceloporus undulatus*. 24: 351-353.
- Michaud, Ted C., see Littlejohn, Murray J., 1959.
219. Milstead, William W. 1953. Geographic variation in the garter snake, *Thamnophis cyrtopsis*. 5: 348-379.

220. ----- . 1953. Ecological distribution of the lizards of the LaMota Mountain region of Trans-Pecos Texas. 5: 403-415.
221. ----- . 1957. Some aspects of competition in natural populations of whiptail lizards (genus *Cnemidophorus*). 9: 410-447.
222. ----- . 1958. A list of the arthropods found in the stomachs of whiptail lizards from four stations in southwestern Texas. 10: 443-446.
223. ----- . 1959. Drift-fence trapping of lizards on the Black Gap Wildlife Management Area of southwestern Texas. 11: 150-157.
224. ----- . 1960. Supplementary notes on the herpetofauna of the Stockton Plateau. 12: 228-231.
225. -----, John S. Mecham and Haskell McClintock. 1950. The amphibians of the Stockton Plateau in northern Terrell County, Texas. 2: 543-562.
226. Minckley, C. O. and W. E. Rinne. 1972. Another massasauga from Mexico. 23: 432-433.
227. *Mitchell, Robert W. and James R. Redell. 1965. *Eurycea tridentifera*, a new species of troglobitic salamander from Texas and a reclassification of *Typhlomolge rathbuni*. 17: 12-27.
228. ----- and Richard E. Smith. 1972. Some aspects of the osteology and evolution of the neotenic spring and cave salamanders (*Eurycea*, Plethodontidae) of central Texas. 23: 343-362.
229. Mitschler, Ralene R., Randall L. Morrison, Stephen R. Goldberg and Steve J. Upton. 1993. Redescription of *Eimeria sceloporis* (Apicomplexa: Eimeriidae) from a new host *Sceloporus jarrovii* (Sauria: Phrynosomatidae). 45: 356-358.
230. Moore, Richard H. 1976. Reproductive habits and growth of *Bufo speciosus* on Mustang Island, Texas, with notes on the ecological reproduction of other anurans. 27: 173-178.
231. Morrison, Eston O. 1961. A new locality record for the warty gecko. 13: 357.
232. ----- . 1967. Mite and lungworm infections in *Acris crepitans* from southern Oklahoma. 19: 328-329.
233. ----- . 1969. Erratum "Mite and lungworm infections in *Acris crepitans* from southern Oklahoma". 20: 303.
- Morrison, Randall L., **see** Mitschler, Ralene R., Stephen R. Goldberg and Steve J. Upton, 1993.
- Moulton, Michael P., **see** Gannon, Michael R., Michael R. Willig and Kevin B. Willis, 1990.
234. Murphy, Robert W. and R. C. Drewes. 1976. Comments on the occurrence of *Smilisca baudini* (Dumeril and Bibron) (Amphibia: Hylidae) in Bexar County, Texas. 27: 406-407.
235. Murry, Phillip A. and Gary D. Johnson. 1987. Clear Fork vertebrates and environments from the Lower Permian of north-central Texas. 39: 253-266.
- Neitman, Keith, **see** Freed, Paul S., 1988.

236. Nelson, Craig E. 1966. Systematics and distribution of snakes of the Central American genus *Hydromorphus* (Colubridae). 18: 365-371.
Nieuwendaal, Henry, see Judd, Frank W. and Donald L. Hockaday, 1991.
237. Oldham, R. S. 1976. Chorus maintenance in breeding populations of the *Rana pipiens* complex. 27: 323-325.
238. Olson, R. Earl. 1967a. Peripheral range extensions and some new records of Texas amphibians and reptiles. 19: 99-106.
239. -----. 1967b. Errata "Peripheral range extensions and some new records of Texas amphibians and reptiles". 19: 329.
240. -----. 1975. *Ficimia streckeri* in south Texas. 26: 614-615.
241. -----. 1976. Weight regimes in the tortoise *Gopherus berlandieri*. 27: 321-323.
242. -----. 1977. Evidence for the species status of Baird's ratsnake. 29: 79-84.
243. Osten, L. W. 1977. A protostegid (sea turtle) from the Taylor Formation of Texas. 29: 289-292.
244. Parker, Nancy R. 1964. The determination of the urodele forelimb: Abs. 16: 490.
245. Parmley, Dennis. 1982. Food items of roadrunners from Palo Alto County, north central Texas. 34: 94-95.
246. -----. 1986. An annotated key to isolated trunk vertebrae of *Elaphe* (Colubridae) species occurring in Texas. 38: 41-44.
247. -----. 1987. *Lampropeltis similis* from the Coffee Ranch Local Fauna (Hemphillian Land Mammal Age) of Texas. 39: 123-128.
248. -----. 1988. Late Pleistocene anurans from Fowlkes Cave, Culberson County, Texas. 40: 357-358.
249. -----. 1989. A plethodontid vertebra from the Mid-Hemphillian of Texas. 41: 434-435.
250. -----. 1990. A late Holocene herpetofauna from Montague County, Texas. 42: 412-415.
251. -----. 1992. Turtles from the Late Hemphillian (Latest Miocene) of Knox County, Nebraska. 44: 339-348.
Parmley, Dennis, see Kasper, Stephen, 1990.
252. Paulissen, Mark A., James E. Cordes and James M. Walker. 1989. Notes on the thermal biology of the Laredo whiptail, *Cnemidophorus "laredoensis"* (Teiidae). 41: 224-228.
Paulissen, Mark A., see Walker, James M., James E. Cordes, Ramadan M. Abuhteba, 1990.
253. Pettus, David. 1955. Notes on the breeding behavior of the common treefrog (*Hyla versicolor*). 7: 345-346.
Pettus, David, see Blair, W. Frank, 1954.
254. Pierce, Jack R. 1975. Genetic compatibility of *Hyla arenicolor* with other species in the family Hylidae. 26: 431-441.
Pierce, Jack R., see Brown, Lauren E., 1965.

255. Pitts, Richard M., Frances J. Swataski and Jerrold S. Scharninghausen. 1990. Distributional records for several snakes from Honduras. 42: 310-311.
Plsek, Robert W., see Watkins, Julian F., II and Frederick R. Gehlbach, 1972.
256. Pyburn, William F. 1955. Species discrimination in two sympatric lizards, *Sceloporus olivaceus* and *S. poinsetti*. 7: 312-315.
257. ----- . 1958. Size and movements of a local population of cricket frogs (*Acris crepitans*). 10: 325-342.
258. ----- . 1963. Observations on the life history of the treefrog *Phyllomedusa callidryas* (Cope). 15: 155-170.
259. ----- . 1963. Viability of F₁ hybrid treefrogs: Abs. 15: 441.
260. ----- . 1992. A new tree frog of the genus *Scinax* from the Vaupes River of northwestern Brazil. 44: 405-411.
261. Quinn, Hugh R. 1979. Sexual dimorphism in tail pattern of Oklahoma snakes. 31: 157-160.
262. Ramirez, S. A. and R. E. Huff. 1967. A cytological study of parthenogenetically activated eggs of *Rana pipiens*. 19: 41-56.
263. Raun, Gerald G. 1959. Terrestrial and aquatic vertebrates of a moist relict area in central Texas. 11: 158-171.
264. ----- . 1962. Observations on behavior of newborn hognosed snakes, *Heterodon p. platyrhinos*. 14: 3-6.
265. ----- . 1964. Effects on the Edwards Plateau on the distribution of Texas vertebrates: Abs. 16: 498.
266. ----- . 1966. The distribution of whipsnakes (*Masticophis taeniatus*) in Texas. 18: 226-227.
267. ----- and L. J. Eck. 1967. Vertebrate remains from four archeological sites in the Amistad Reservoir area, Val Verde County, Texas. 19: 138-150.
268. Reddell, James R. 1967. A checklist of the cave fauna of Texas. III. Vertebrates. 19: 184-226.
269. ----- . 1971. A checklist of the cave fauna of Texas. VI. Additional records of vertebrates. 22: 139-158.
Reddell, James R., see Mitchell, Robert W., 1965.
Reiff, Patricia H., see Hayes-Odum, Louise A., Debra Valdez, Marjorie Lowe, Loretta Weiss and Dennis Jones, 1993.
Riley, John, see McAllister, Chris T., Paul S. Freed and Deborah A. Freed, 1992.
Rinne, W. F., see Minckley, C. O., 1972.
270. Rose, Francis L. 1989. Aspects of the biology of the Concho watersnake (*Nerodia harteri paucimaculata*). 41: 115-130.
- Sanders, Ottys, see Smith, Hobart M., 1952.
271. *Sarjeant, William A. S. 1971. Vertebrate tracks from the Permian of Castle Peak, Texas. 22: 343-366.
272. *----- . 1976. Track of a small amphibian from the Pennsylvanium of Oklahoma. 27: 107-112.
273. Savage, Jay M. 1954. A revision of the toads of the *Bufo*

- debilis* complex. 6: 83-112.
274. Saxon, J. G., H. G. Applegate and J. M. Inglis. 1967. Male *Cnemidophorus tessellatus* Say from Presidio, Texas. 19: 233-234.
275. Schafer, Tracy S. and Stephen Kasper. 1989. Additional herpetological records for Texas. 41: 337-338.
Scharninghausen, Jerrold S., see Pitts, Richard M. and Frances J. Swataski, 1990.
Schmidly, David J., see Wilkens, Kenneth T., 1980.
276. Schmidt, Karl P. 1950. The concept of geographic range, with illustrations from amphibians and reptiles. 2: 326-334.
277. Scudday, James F. 1967. Additional notes on distribution of *Crotaphytus wislizeni* in Texas. 19: 396-397.
Scudday, James F., see Cordes, James E., James M. Walker and Ramadan M. Abuhteba, 1989.
278. Selcer, Kyle W. and Frank W. Judd. 1982. Variation in the reproductive ecology of *Holbrookia propinqua* (Sauria: Iguanidae). 34: 125-135.
Sellers, Don, see Hunsaker, Don, II, 1953.
279. Semken, Holmes A., Jr. 1961. Fossil vertebrates from Longhorn Cavern, Burnet County, Texas. 13: 290-310.
Session, Johnie J., see Terry, Robert J., 1956.
280. Slaughter, Bob H. and B. Reed Hoover. 1963. Occurrence of ichthyosaurian remains in the Cretaceous of Texas. 15: 339-343.
281. ----- and William L. McClure. 1965. The Sims Bayou Local Fauna: Pleistocene of Houston, Texas. 17: 404-417.
Slaughter, Bob H., see Goshold, William D., 1977.
282. Smith, Henry M. 1974. Drift-fence trapping of herptiles in Kenedy County: Abs. 25: 129.
283. Smith, Hobart M. and Ottys Sanders. 1952. Distributional data on Texas amphibians and reptiles. 4: 204-219.
Smith, Hobart M., see Smith, Philip W. and John E. Werler, 1952; Werler, John E., 1952.
284. *Smith, Philip W., Hobart M. Smith and John E. Werler. 1952. Notes on a collection of amphibians and reptiles from eastern Mexico. 4: 251-260.
Smith, Richard E., see Mitchell, Robert W., 1972.
Steedman, Catrina, see Warwick, Clifford and Tricia Holford, 1990.
285. Stiers, B. 1964. Chromatographic comparison of the parotoid gland secretions of three species groups of toads (genus *Bufo*): Abs. 16: 498.
Stone, Raymond C., Jr., see Killebrew, Flavius C., 1978.
286. Streett, J. C., Jr. 1958. The relation between liver weight and degree of restoration after partial hepatectomy in *Rana pipiens*. 10: 236-243.
287. ----- . 1961. Gross morphology and rate characteristics of liver restoration in *Rana pipiens*. 13: 61-71.
288. ----- . 1963. Bile duct regeneration in *Rana pipiens*: A progress report: Abs. 15: 431-432.
289. ----- . 1964. A note on a teratoma occurring in the leopard frog: Abs. 16: 493.
290. Subtelny, S. 1985. Endoderm heterografts between anuran

- species and primordial germ-cell migrations: Abs. 37: 108.
- Swataski, Frances J., see Pitts, Richard M. and Jerrold S. Scharninghausen, 1990.
291. Szabuniewicz, M. and J. D. McCrady. 1967. A case of "Siamese" twins in the turtle (*Pseudemys scripta elegans*). 19: 232-233.
292. Tanzer, Ernest C. 1965. Albinism in the Texas ratsnake, *Elaphe obsoleta lindheimeri* (Baird and Girard). 17: 237-238.
293. ---- and Richard J. Baldauf. 1971. Contributions to the cranial morphology of *Eleutherodactylus rugulosus* (Cope) (Anura: Leptodactylidae). 23: 29-55.
- Tanzer, Ernest C., see Baldauf, Richard J., 1965.
294. Tatum, Ella N. and Harry S. McDonald. 1971. Sensitivity of isolated snake heart to catecholamines: Abs. 22: 294.
295. Terry, Robert J. and Johnie J. Session. 1956. Studies on hind limb regeneration in larvae of *Rana pipiens*. 8: 275-282.
296. Thornton, W. A. 1960. Population dynamics in *Bufo woodhousei* and *Bufo valliceps*. 12: 176-200.
297. Throneberry, Jimmy B. 1962. Studies on the differentiation of hemoglobin in *Rana pipiens*: Abs. 14: 438.
298. Thurmond, John T. 1969. Notes on mosasaurs from Texas. 21: 69-80.
- Tinkle, Donald W., see Gordon, Robert E., 1960.
299. Trauth, Stanley E. 1992. A new subspecies of six-lined racerunner, *Cnemidophorus sexlineatus* (Sauria: Teiidae), from southern Texas. 44: 437-443.
- Trauth, Stanley E., see Chris T. McAllister and David Bruce Corn, 1991; McAllister, Chris T., V. Rick McDaniel and Russell B. McAllister, 1991; Jamieson, David H. and Chris T. McAllister, 1993; McAllister, Chris T., Stephen R. Goldberg and H. J. Holshuh, 1993.
300. Treadwell, R. W. and Hibbits, Terry. 1969. *Tantilla diabolus* from Val Verde County, Texas. 20: 281-282.
301. Tupa, Dianna Dowden and William K. Davis. 1976. Population dynamics of the San Marcos salamander, *Eurycea nana* Bishop. 27: 179-195.
302. Upton, Steve J., Paul S. Freed and Deborah A. Burdick. 1991. Description of a new species of *Eimeria* (Apicomplexa: Eimeriidae) from *Palmatogecko rangei* (Sauria: Gekkonidae) in Namibia. 43: 411-414.
303. ----, ---- and Deborah A. Freed. 1993. Redescription of *Eimeria bitis* (Apicomplexa) from *Bitis arietans* (Serpentes) from Namibia, Africa. 45: 315-318.
304. ----, Chris T. McAllister and Clay M. Garrett. 1993. Description of a new species of *Eimeria* (Apicomplexa: Eimeriidae) from *Heloderma suspectum* (Sauria: Helodermatidae). 45: 155-159.
- Upton, Steve J., see McAllister, Chris T., Paul S. Freed,

Deborah A. Burdick and Nixon A. Wilson, 1991; McAllister, Chris T., 1992; Mitschler, Ralene R., Randall L. Morrison and Stephen R. Goldberg, 1993.

- Valdez, Debra, *see* Hayes-Odum Louise A., Marjorie Lowe, Loretta Weiss, Patricia H. Reiff and Dennis Jones, 1993.
305. Vanatta, John C. and Frank T. Kallus. 1975. The physiological importance of potassium excretion by the urinaey bladder of *Bufo marinus*. 26: 291-293.
306. Volpe, E. Peter. 1959. Hybridization of *Bufo valliceps* with *Bufo americanus* and *Bufo terrestris*. 11: 335-342.
307. Wade, Virgil E. 1968. A range extension of the watersnake, *Natrix harteri harteri* Trapido. 20: 194-196.
308. Walker, James M. 1987a. Habitat and population destruction and recovery in the parthenogenetic whiptail lizard, *Cnemidophorus laredoensis* (Sauria: Teiidae), in southern Texas. 39: 81-88.
309. ----- . 1987b. Distribution and habitat of a new major clone of a parthenogenetic whiptail lizard (genus *Cnemidophorus*) in Texas and Mexico. 39: 313-334.
310. ----- and James E. Cordes. 1993. A new state record for the giant whiptail lizard, *Cnemidophorus sacki* Wiegmann, in Veracruz, Mexico. 45: 187-189.
311. -----, -----, Ramadan M. Abuhteba and Mark A. Paulissen. 1990. Additions to the distributional ecology of two parthenogenetic clonal complexes in the *Cnemidophorus laredoensis* subgroup (Sauria: Teiidae) in Texas and Mexico. 42:129-135.
- Walker, James M., *see* Paulissen, Mark A. and James E. Cordes, 1989; Cordes, James E., James F. Scudday and Ramadan M. Abuhteba, 1989; Cordes, James E. and Ramadan M. Abuhteba, 1990a, 1990b; McAllister, Chris T. and James E. Cordes, 1991.
- Ward, Rocky, *see* McAllister, Chris T., 1986.
312. Warwick, Clifford. 1990. Crocodilian slaughter methods with special reference to spinal cord severance. 42: 191-198.
313. -----, Catrina Steedman and Tricia Holford. 1990. Ecological implications of the red-eared turtle trade. 42: 419-422.
314. Wassermann, Aaron O. 1964. Recent and summarized interspecific hybridization within the Pelobatidae. 16: 334-341.
315. Watkins, F., R. Gehlbach and Robert Baldrige. 1967. The association of *Leptotyphlops dulcis* (Reptilia: Serpentes) with *Neivamyrmex nigrescens* (Insecta: Formicidae): Abs. 19: 447.
316. Watkins, Julian F., II, Frederick R. Gehlbach and Robert W. Plsek. 1972. Behavior of blind snakes (*Leptotyphlops dulcis*) in response to army ant (*Neivamyrmex nigrescens*). 23: 556-557.
317. Watson, Jon T. 1977. Effect of hypophysectomy in the lizard *Holbrookia propinqua*. 29: 255-262.
318. Webb, Robert G. 1963. The larva of the casque-headed

- frog, *Pternohyla fodiens* Boulenger. 15: 89-97.
319. -----. 1988. Type and type locality of *Sceloporus poinsetti* Baird and Girard (Sauria: Iguanidae). 40: 407-415.
320. *-----. 1990. Description of a new subspecies of *Bogertophis subocularis* (Brown) from northern Mexico (Serpentes: Colubridae). 42: 227-243.
- Weiss, Loretta, see Hayes-Odum, Louise A., Debra Valdez, Marjorie Lowe, Patricia H. Reiff and Dennis Jones, 1993.
321. Werler, John E. and Hobart M. Smith. 1952. Notes on a collection of reptiles and amphibians from Mexico, 1951-1952. 4: 551-573.
- Werler, John E., see Smith, Philip W. and Hobart M. Smith, 1952.
- Wivagg, Daniel E., see Robert S. Baldrige, 1992.
322. Wilkens, Kenneth T. and David J. Schmidly. 1980. Highway mortality of vertebrates in southeastern Texas. 32: 343-350.
323. Wilks, B. J. and Harold E. Laughlin. 1962. Artificial hybridization between the microhylid genera *Hypopachus* and *Gastrophryne*. 14: 183-187.
- Wilks, B. J., see Laughlin, Harold E., 1962.
324. *Williams, Kenneth L., Bryce C. Brown and Larry David Wilson. 1966. A new subspecies of the colubrid snake *Cemophora coccinea* (Blumenbach) from southern Texas. 18: 85-88.
- Willig, Michael R., see Gannon, Michael R., Kevin B. Willis and Michael P. Moulton, 1990.
- Willis, Kevin B., see Gannon, Michael R., Michael R. Willig and Michael P. Moulton, 1990.
- Willms, Charles R., see Boston, Jim D., 1968.
325. *Wilson, Larry David. 1970. The racer *Coluber constrictor* (Serpentes: Colubridae) in Louisiana and eastern Texas. 22: 67-85.
- Wilson, Larry David, see Williams, Kenneth L. and Bryce C. Brown, 1966.
- Wilson, Nixon A., see McAllister, Chris T., Paul S. Freed, Steve J. Upton and Deborah A. Burdick, 1991.
- Wyatt, J. T., see Hendricks, Albert C. and D. E. Henley, 1971.
326. York, Christopher L. 1949. The physical and vegetational basis for animal distribution in the Sierra Vieja Range of southwestern Texas. 1 (3): 46-52.

SCIENTIFIC NAME INDEX

- Abaster erythrogrammus* 129.
Ablabes baliodirus 321.
Abronia taeniata graminea 284, 321.
Abronia taeniata taeniata 284.
Acheria 111, 112.
Acris crepitans 63, 72, 118, 129, 150, 163, 186, 224, 232, 233, 238, 257, 263, 269, 270, 283.
Acris crepitans blanchardi 143, 158, 204.
Acris crepitans crepitans 171.
Acris gryllus 19, 24, 25, 48, 65, 150.
Acris gryllus crepitans 23, 225, 257.
Acris gryllus paludicola 283.
Acrodytes spilomma 321.
Agkistrodon 169.
Agkistrodon contortrix 112, 117, 129, 132, 148, 174.
Agkistrodon contortrix contortrix 238, 283, 322.
Agkistrodon contortrix laticinctus 205, 225, 238, 261, 283.
Agkistrodon contortrix mokeson 65, 238, 261, 283.
Agkistrodon contortrix pictigaster 205, 225.
Agkistrodon mokasen 24, 25, 48, 163.
Agkistrodon mokesen pictigaster 84.
Agkistrodon piscivorus 24, 25, 48, 117, 129, 148, 182.
Agkistrodon piscivorus leucostoma 65, 171.
Agkistrodon piscivorus leucostomus 283.
Alligator 112, 154.
Alligator mefferdi 129.
Alligator mississippiensis 69, 129, 149, 312.
Alligator mississippiensis 24, 25, 68, 140, 141, 281, 313.
Allosaurus 112.
Alsophis catherigerus 196.
Amblystoma 295.
Amblystoma opacum 19.
Ambystoma annulatum 23.
Ambystoma hibbardi 129.
Ambystoma jeffersonianum 23.
Ambystoma kansense 129.
Ambystoma maculatum 23, 24, 25, 48, 137, 283.
Ambystoma minshalli 129.
Ambystoma opacum, 23, 24, 25, 48, 204.
Ambystoma talpoideum 23, 48.
Ambystoma texanum 23, 24, 25, 48, 65, 75, 118, 129, 149, 263, 275, 281, 283.
Ambystoma tigrinum 23, 24, 25, 46, 48, 111, 129, 131, 150, 151, 152, 169, 244, 268.
Ambystoma tigrinum mavortium 137, 143, 163, 189, 225.
Ameiva tessellata 147.
Ameiva tessellatus tigris 147.
Ameiva undulata amphigramma 284, 321.
Ameiva undulata stuarti 321.
Amphiuma 137.
Amphiuma means 48, 129, 149, 281.
Amphiuma tridactylum 23, 171.
Amyda 2.
Amyda emoryi 24, 25, 225, 283.
Amyda ferox emoryi 65, 103.
Amyda mutica 25, 65, 103.
Ancistrodon contortrix 11, 19, 263, 268.
Ancistrodon contortrix laticinctus 224.
Ancistrodon contortrix pictigaster 224.
Ancistrodon piscivorus 11, 19, 181, 263.
Andruas matthewi 129.
Aneides 249.
Aneides lugubris 111.
Anhydrophryne 42, 293.
Ankistrodon 7.
Anniella 5.
Anolis allisoni 123.
Anolis carolinensis 8, 19, 24, 25, 48, 129, 132, 174, 218, 263, 317, 321.
Anolis carolinensis carolinensis 134.
Anolis intermedius 123.
Anolis kidderi 321.
Anolis nebuloides 321.
Anolis sagrei 123, 179.

- Anolis sallaei* 321.
Anolis sericeus 321.
Anolis ustus 321.
Apalone ferox 251.
Apalone guinni 251.
Apalone mutica 251.
Apalone spinifera 251.
Aristelliger georgeensis 123.
Arizona elegans 48, 77, 129, 143, 148, 150, 152, 163, 225, 263.
Arizona elegans blanchardi 120, 157, 261.
Arizona elegans elegans 70, 120, 157, 238, 283.
Ascaphus 37, 42, 293.
Ascaphus truei 111.
Aspidonectes emoryi 19.
Atractus 276.

Baptanodon 112.
Barisia imbricata 76.
Barisia imbricata ciliaris 183.
Bascanion anthicum 325.
Basiliscus vittatus 284, 321.
Batrachemys nasuta 176.
Batrachoseps 129.
Bitis arietans 303.
Boa 112, 154.
Boa constrictor 255.
Bogertophis subocularis amplinotus 320.
Bogertophis subocularis subocularis 320.
Bolitoglossa platydactyla 284, 321.
Bombina 82.
Bombina variegata 260.
Bothrops 154.
Bothrops dunni 321.
Brachiosaurus 112.
Brachycephalus 42, 293.
Buettneria 111, 112.
Buettneria howardensis 14.
Bufo 119, 169, 190, 254, 264, 285, 314.
Bufo alienus 59, 129.
Bufo alvarius 27, 50, 55, 59, 61, 62, 72, 82, 129, 160.
Bufo americana 36.
Bufo americanus 31, 36, 45, 50, 52, 53, 55, 57, 58, 59, 60, 61, 72, 121, 129, 137, 257, 283, 296, 306.
Bufo americanus americanus 19, 23, 24, 25, 71.
Bufo americanus charlesmithi 71, 171.
Bufo angusticeps 36, 38.
Bufo arenarum 61, 137, 286.
Bufo beddomii 36.
Bufo blombergi 61.
Bufo bocourti 61.
Bufo boreas 51, 55, 57, 59, 61, 79, 129.
Bufo brauni 61.
Bufo bufo 36, 61.
Bufo bufo asiaticus 59.
Bufo bufo bufo 59.
Bufo calamita 57, 59, 61.
Bufo californicus 36.
Bufo campi 129.
Bufo canaliferus 57, 59, 61.
Bufo canorus 55, 59, 61.
Bufo carens 61.
Bufo cavifrons 61.
Bufo coccifer 57, 61.
Bufo cognatus 23, 27, 46, 48, 50, 53, 55, 57, 59, 60, 62, 61, 79, 120, 129, 143, 152, 163, 188, 189, 225, 248, 250, 283.
Bufo compactilis 23, 48, 50, 53, 55, 57, 59, 60, 118, 223, 230, 263, 269, 279.
Bufo compactilis speciosus 163, 225, 283.
Bufo coniferus 61.
Bufo cristatus 61.
Bufo debilis 19, 23, 46, 48, 50, 55, 57, 61, 118, 152, 162, 248, 263, 268, 283.
Bufo debilis debilis 273.
Bufo debilis insidiosus 189, 273.
Bufo debilis retiformis 273.
Bufo fowleri 23, 24, 25, 36, 50, 52, 55, 137, 296, 306.
Bufo garmani 61.
Bufo gemmifer 57, 61.
Bufo granulatus 61, 106, 137.
Bufo hemiophrys 50, 53, 55, 57, 58, 59, 129.
Bufo hibbardi 129.
Bufo hololius 36.
Bufo horribilis 48.
Bufo houstonensis 50, 53, 55, 58, 121.
Bufo ibarraii 61.

- Bufo ictericus* 61, 106.
Bufo insidiosus 163, 189, 225, 273, 283.
Bufo kelloggi 61, 273.
Bufo latifrons 61.
Bufo lentiginosus 36.
Bufo luetkeni 61.
Bufo marinus 23, 36, 48, 50, 55, 58, 61, 82, 111, 137, 143, 151, 160, 162, 211, 305.
Bufo marmoratus 59, 61.
Bufo mazatlanensis 59, 61.
Bufo melanochloris 61.
Bufo melanostictus 36, 61.
Bufo microscaphus 27, 31, 50, 51, 57, 58, 61.
Bufo microscaphus californicus 55.
Bufo microscaphus microscaphus 55.
Bufo occidentalis 59, 61.
Bufo pantherinus 36.
Bufo paracnemis 61, 137.
Bufo parietalis 36.
Bufo peltacephalus 61.
Bufo perplexus 59, 61.
Bufo perreti 61.
Bufo punctatus 4, 23, 42, 48, 50, 51, 55, 57, 59, 61, 62, 72, 118, 129, 152, 163, 220, 225, 248, 268, 269, 275, 283.
Bufo quercicus 50, 55, 61, 129.
Bufo rangeri 61.
Bufo regularis 36, 38, 61, 82, 160.
Bufo repentinus 129.
Bufo retiformis 61.
Bufo rexroadensis 129.
Bufo speciosus 57, 60, 61, 129, 143, 152, 162, 204, 230, 248, 269, 250, 270.
Bufo spinulosus 59, 61.
Bufo spongifrons 129.
Bufo suspectus 129.
Bufo terrestris 31, 36, 50, 53, 55, 57, 58, 61, 111, 129, 306.
Bufo terrestris terrestris 189, 257.
Bufo tihenii 129.
Bufo valliceps 4, 19, 23, 24, 25, 31, 38, 48, 50, 52, 55, 56, 57, 59, 60, 62, 78, 79, 81, 118, 137, 152, 162, 173, 225, 230, 248, 258, 263, 268, 269, 273, 279, 282, 284, 290, 296, 306, 318.
Bufo valliceps valliceps 283, 321.
Bufo valliceps wilsoni 61.
Bufo variabilis 36.
Bufo viridis 36, 59, 61.
Bufo vulgaris 36.
Bufo woodhousei 4, 27, 30, 50, 52, 53, 57, 58, 59, 61, 62, 72, 77, 118, 120, 129, 137, 188, 263, 273, 296, 306.
Bufo woodhousei australis 143, 248.
Bufo woodhousei bexarensis 151, 152.
Bufo woodhousei fowleri 23, 55, 65, 71, 151, 160, 174.
Bufo woodhousei woodhousei 36, 37, 38, 55, 65, 71, 143, 151, 152, 245, 293.
Bufo woodhousii 48, 163, 225, 283.
Bufo woodhousii velatus 171, 204.
Cacopus 37.
Cacosternum 37.
Calamaria 276.
Callisaurus iraconoides 112.
Callopistes 146.
Calotes versicolor 317.
Calyptocephalella 41, 42.
Calyptocephalus 42.
Capitosaurus 41.
Captorhinus 112, 235.
Caretta caretta 129.
Carphophis 149.
Carphophis amoena 48.
Carphophis amoenus 129.
Carphophis amoenus vermis 24, 25.
Caudochelys rexroadensis 251.
Cemophora coccinea 117.
Cemophora coccinea coccinea 324.
Cemophora coccinea copei 204, 261.
Cemophora coccinea lineri 324.
Chamaeleo oustalet 200.
Chamaeleo verrucosus 200.
Chelonia mydas 129.

- Chelydra 112.
 Chelydra laticarinata 129.
 Chelydra osceola 2, 129.
 Chelydra serpentina 19, 24,
 25, 129, 201, 251, 263.
 Chelydra serpentina serpentina
 65, 103, 120, 238, 283.
 Chelydra sculpta 129.
 Chiasmocleis panamensis 184,
 323.
 Chinemys reevesii 177.
 Chiropoteritron chiropτερα
 284.
 Chiropoteritron chiropτεrus
 76.
 Chiropoteritron prisca 183.
 Chirotherium 271.
 Chondrotus microstomus 19.
 Chorophilus triseriata clarkii
 19.
 Chrysemys bellii 276.
 Chrysemys limnidytes 129.
 Chrysemus picta 129, 177, 201,
 251.
 Chrysemys picta bellii 203.
 Chrysemys picta dorsalis 143.
 Chrysemys scripta elegans 145,
 282.
 Chrysemys timida 129.
 Cimoliosaurus 13.
 Clemmys 251.
 Clemmys caspica leprosa 177.
 Clemmys guttata 103.
 Clemmys insculpta 129, 203.
 Clemmys japonica 177.
 Clemmys marmorata 129.
 Clemmys marmorata pallida 177.
 Clemmys owyheensis 129.
 Clidastes iguanavus 298.
 Clidastes propython 298.
 Clonophis kirtlandi 270.
 Cnemidophorus 169, 245, 279.
 Cnemidophorus baccatus 147.
 Cnemidophorus bilobatus 129.
 Cnemidophorus burti 194.
 Cnemidophorus burti
 stictogrammus 201.
 Cnemidophorus canus 147.
 Cnemidophorus catalinensis
 147.
 Cnemidophorus deppei deppei
 321.
 Cnemidophorus dixonii 194, 195,
 201.
 Cnemidophorus exsanguis 86,
 90, 125, 192, 194, 195.
 Cnemidophorus flagellicaudus
 194.
 Cnemidophorus gigas 310.
 Cnemidophorus gracilis 147.
 Cnemidophorus grahamii 48, 84,
 163, 225.
 Cnemidophorus grahamii
 grahamii 147.
 Cnemidophorus gulae 192.
 Cnemidophorus gularis 5, 19,
 48, 86, 125, 129, 192, 201,
 207, 252, 282, 308, 311.
 Cnemidophorus gularis gularis
 88, 199, 225, 299, 309.
 Cnemidophorus gularis
 octolineatus 163.
 Cnemidophorus gularis
 septemvittatus 88, 195.
 Cnemidophorus guttatus
 guttatus 284.
 Cnemidophorus hyperthrus 194.
 Cnemidophorus inornatus 29,
 46, 86, 89, 90, 94, 130,
 192, 194, 195, 220, 223,
 224, 283.
 Cnemidophorus inornatus
 heptagrammus 202.
 Cnemidophorus laredoensis 192,
 207, 252, 299, 308, 309,
 311.
 Cnemidophorus marmoratus 89,
 90, 201, 311.
 Cnemidophorus marmoratus
 marmoratus 147, 195.
 Cnemidophorus marmoratus
nigroriens 147.
 Cnemidophorus marmoratus
 pulcher 147.
 Cnemidophorus marmoratus
reticuloriens 147.
 Cnemidophorus marmoratus
 variolosus 147.
 Cnemidophorus melanostethus
 147.
 Cnemidophorus neomexicanus 46,
 86, 89, 90, 192, 194, 195,
 309.
 Cnemidophorus perplexus 48,
 163, 221, 222, 223, 225.
 Cnemidophorus sacki 88, 118,
 150, 192, 222, 263.
 Cnemidophorus sacki
 angusticeps 123.

- Cnemidophorus sacki communis* 321.
Cnemidophorus sacki exsanguis 221, 224.
Cnemidophorus sacki gigas 310.
Cnemidophorus sacki gularis 120, 221, 224, 321.
Cnemidophorus sacki sacki 310.
Cnemidophorus sacki semifasciatus 220, 221, 224.
Cnemidophorus scalaris 192.
Cnemidophorus septemvittatus 147, 192.
Cnemidophorus sexlineatus 8, 19, 24, 25, 48, 65, 89, 120, 125, 129, 143, 146, 150, 192, 194, 201, 223, 263, 275, 282, 283, 308, 309, 311.
Cnemidophorus sexlineatus sexlineatus 299.
Cnemidophorus sexlineatus stephensi 299.
Cnemidophorus sexlineatus tessellatus 147.
Cnemidophorus sexlineatus viridis 299.
Cnemidophorus sonorae 194.
Cnemidophorus tessellatus 46, 86, 89, 90, 192, 194, 199, 195, 202, 220, 225, 274, 283, 309.
Cnemidophorus tessellatus aethiops 147.
Cnemidophorus tessellatus gracilis 147.
Cnemidophorus tessellatus melanostethus 147.
Cnemidophorus tessellatus tessellatus 147.
Cnemidophorus tessellatus tigris 147.
Cnemidophorus tessellatus variolosus 147.
Cnemidophorus tessellatus tessellatus 29, 48, 94, 120, 130, 146, 221, 222, 224.
Cnemidophorus tessellatus tessellatus 163.
Cnemidophorus tigris 29, 46, 86, 89, 94, 125, 129, 192, 194, 201, 222, 273, 277.
Cnemidophorus tigris aethiops 147.
Cnemidophorus tigris celeripes 147.
Cnemidophorus tigris dickersoni 147.
Cnemidophorus tigris gracilis 147.
Cnemidophorus tigris marmoratus 146, 147, 204, 220, 221, 223.
Cnemidophorus tigris martyr 147.
Cnemidophorus tigris maximus 147.
Cnemidophorus tigris multiscutatus 147.
Cnemidophorus tigris mundus 147.
Cnemidophorus tigris pulcher 147.
Cnemidophorus tigris punctatus 147.
Cnemidophorus tigris rubidus 147.
Cnemidophorus tigris septentrionalis 147, 195.
Cnemidophorus tigris stejneri 147.
Cnemidophorus tigris tigris 147, 172.
Cnemidophorus tigris variolosus 147.
Cnemidophorus uniparens 90, 192, 194, 195.
Cnemidophorus variolosus 147.
Cnemidophorus velox 194.
Cochranella fleischmanni 119.
Coleonyx 223.
Coleonyx brevis 48, 163, 204, 220, 225.
Coleonyx elegans nemoralis 321.
Coleonyx variegatus 221.
Coleonyx variegatus brevis 268.
Coluber 152.
Coluber alternans 106.
Coluber bairdi 242.
Coluber constrictor 48, 77, 81, 117, 129, 143, 148, 149, 150, 169, 250, 263, 294.
Coluber constrictor anthicus 238, 325.
Coluber constrictor constrictor 24, 25, 325.
Coluber constrictor etheridgei 325.

- Coluber constrictor flaviventris* 24, 25, 65, 120, 238, 283, 325.
Coluber constrictor helvigularis 325.
Coluber constrictor latrunculus 325.
Coluber constrictor mormon 325.
Coluber constrictor oaxaca 217, 325.
Coluber constrictor paludicolus 325.
Coluber constrictor priapus 325.
Coluber constrictor stejnerianus 325.
Coluber flagellum 48, 149, 150.
Coluber flagellum testaceus 163, 220, 225.
Coluber flaviventris 325.
Coluber m-nigrum 106.
Coluber obsoletus 11.
Coluber poecilogyrus doliatus 106.
Coluber rosaliae 320.
Coluber spiloides 19.
Coluber subocularis 320.
Coluber taeniatus 48, 150.
Coluber taeniatus girardi 163, 225.
Coluber taeniatus ornatus 163, 220.
Colytocephalus gayi 36.
Compressidens 298.
Coniophanes frangivirgatus 321.
Coniophanes imperialis 48, 162.
Coniophanes imperialis clavatus 284, 321.
Coniophanes imperialis copei 321.
Coniophanes piceivittis piceivittis 321.
Coniophanes piceivittis taylori 321.
Coniophanes schmidti 321.
Conophis lineatus lineatus 321.
Conophis vittatus vittatus 321.
Constrictor 154.
Cophosaurus texana 132.
Cophosaurus texanus 110, 192.
Coronella almadensis 105.
Cosymbotus platyurus 136.
Cricotus 235.
Crinia 42.
Crinia georgiana 293.
Crocodylus 146.
Crocodylus 112.
Crocodylus moreleti 123.
Crotalophorus tergimimus 11.
Crotalus 7, 149, 279, 281.
Crotalus adamanteus 129.
Crotalus adamanteus atrox 11, 19.
Crotalus atrox 11, 46, 48, 77, 120, 129, 143, 148, 150, 152, 163, 169, 182, 220, 223, 225, 261, 263, 268, 269, 277.
Crotalus cerastes 201.
Crotalus confluentus 11.
Crotalus consors 11.
Crotalus cutulatus 48.
Crotalus durissus durissus 123.
Crotalus durissus tzabcan 123.
Crotalus giganteus 129.
Crotalus horridus 11, 19, 48, 129, 132, 148, 198, 263.
Crotalus horridus atricaudalus 24, 65, 174, 283.
Crotalus horridus atricaudatus 25.
Crotalus horridus horridus 25, 283.
Crotalus intermedius 76.
Crotalus lepidus 11, 48, 129, 152, 268.
Crotalus lepidus lepidus 84, 163, 220, 221, 224, 225, 238.
Crotalus lepidus morulus 183.
Crotalus lucifer 11.
Crotalus mitchellii 129, 201.
Crotalus molossus 11, 46, 48, 101, 148, 152.
Crotalus molossus molossus 163, 220, 224, 225, 268, 269.
Crotalus ornatus 11.
Crotalus potterensis 129.
Crotalus pricei miquihuanua 183.
Crotalus scutulatus 129, 152, 201, 225.

- Crotalus scutulatus scutulatus* 163, 204.
Crotalus transversus 76.
Crotalus viridis 46, 48, 73, 77, 129, 148, 152, 169, 225, 277.
Crotalus viridis viridis 120, 163, 261.
Crotaphytus 147.
Crotaphytus collaris 5, 8, 46, 48, 77, 129, 150, 152, 172, 201, 221, 245.
Crotaphytus collaris auriceps 120.
Crotaphytus collaris baileyi 65, 120, 163, 220, 225, 276.
Crotaphytus collaris collaris 120, 143, 225, 276, 283.
Crotaphytus reticulatus 48, 238.
Crotaphytus wislizenii 5, 46, 129, 273, 277.
Cryptobranchus 137.
Cryptobranchus alleganiensis 111.
Cryptobranchus mcalli 129.
Ctenosaura similis similis 284.
Cuora amboinensis 177.
Cyclemys dentata 177.
Cyclophis aestivus 19.
Cyclura carinata 112.
Cyrtopodion scabrum 197.

Deirochelys floridana 129.
Deirochelys reticularia 65, 103, 129, 238, 283.
Deirochelys reticularia miaria 143.
Deirochelys reticularia reticularia 101, 177.
Deirochelys reticulata 112.
Dendrobates 42.
Dendrobates auratus 36.
Dermodochelys 44.
Dermodochelys coriacea 167.
Desmatochelys 44.
Desmognathus 129.
Desmognathus brimleyorum 23.
Desmognathus fuscus 48.
Desmognathus fuscus brimleyorum 268.
Diadectes 97, 235.
Diadophis 149.
Diadophis elinorae 129.

Diadophis punctatus 48, 101, 129, 132, 143, 148.
Diadophis punctatus arnyi 25, 65, 120, 170, 225, 238, 261, 283.
Diadophis punctatus docilis 120.
Diadophis punctatus regalis 238.
Diadophis punctatus stictogenys 24.
Diadophis regalis 48, 225, 239.
Diadophis regalis arnyi 19.
Diadophis regalis blanchardi 163.
Diadophis regalis regalis 163.
Diaglena 318.
Dicamptodon 129.
Dicrodon 146.
Diemictylus viridescens 129.
Diemictylus viridescens louisianensis 65, 283.
Dimetrodon 97, 112, 235.
Dinodontosaurus 112.
Diplocaulus 235.
Diplodocus 112.
Dipsosaurus dorsalis 154, 273.
Discoglossus 82.
Dracena 146.
Dryadophis melanolomus tehuanae 321.
Dryadophis melanolomus veraecrucis 284.
Drymarchon corais 48, 129, 148.
Drymarchon corais couperi 24, 25.
Drymarchon corais erebennus 238.
Drymobius margaritiferus 48, 148.
Dryptosaurus 112.

Edaphosaurus 112.
Edaphosaurus pogonias 235.
Edops 111.
Elachistocleis 293.
Elaphe 129.
Elaphe bairdi 163, 225, 242.
Elaphe emoryi emoryi 283.
Elaphe guttata 129, 132, 148, 150, 152, 169, 246, 247, 250, 263, 268.

- Elaphe guttata emoryi* 120, 143, 261.
Elaphe laeta 24, 25, 48, 225.
Elaphe laeta intermontanus 163.
Elaphe laeta laeta 163.
Elaphe obsoleta 48, 77, 112, 129, 132, 148, 150, 169, 209, 225, 242, 245, 247, 250, 263, 269.
Elaphe obsoleta bairdi 224, 246, 268.
Elaphe obsoleta confinis 24, 25, 65.
Elaphe obsoleta lindheimerii 120, 143, 171, 174, 217, 246, 268, 283, 292.
Elaphe obsoleta obsoleta 174.
Elaphe rosaliae 320.
Elaphe sclerotica 163.
Elaphe subocularis 48, 163, 225, 238, 246, 269, 320.
Elaphe triaspis intermedia 321.
Elaphe vulpina 129, 148.
Elaps 20.
Elaps fulvius 11, 19.
Eleaphe obsoleta bairdi 238.
Eleutherodactylus 82.
Eleutherodactylus alfredi 284.
Eleutherodactylus atkinsi 196.
Eleutherodactylus augusti 129.
Eleutherodactylus augusti latrans 151, 268, 269.
Eleutherodactylus cuneatus 196.
Eleutherodactylus decoratus 284.
Eleutherodactylus diastema 119.
Eleutherodactylus dunni 284.
Eleutherodactylus fitzingeri 119.
Eleutherodactylus hidalgoensis 284.
Eleutherodactylus klinikowskii 196.
Eleutherodactylus latrans 23, 48, 111, 119, 225.
Eleutherodactylus natator 284
Eleutherodactylus occidentalis 119.
Eleutherodactylus rhodopsis 4.
Eleutherodactylus rugulosus 293.
Elgaria coerulea 193.
Elgaria multicarinata webbii 193.
Emydoidea blandingii 129, 201, 251.
Emydoidea twenti 129.
Emydura macquarii 176.
Emys orbicularis 177.
Engystoma carolinense 19.
Engystomops pustulosus 258, 284, 321.
Enyaliosaurus quinquecarinatus 321.
Erpetopus willistoni 271.
Eryops 97, 111, 235.
Eubaena 44.
Eumeces anthracinus 283.
Eumeces brevilineattus 84.
Eumeces brevilineatus 120, 163, 220, 225, 283.
Eumeces brevirostris pineus 183.
Eumeces copei 76.
Eumeces epipleurotus 33.
Eumeces fasciatus 24, 25, 65, 129, 132, 134, 172, 238, 276, 283.
Eumeces gaigei 33, 48.
Eumeces gilberti 129.
Eumeces guttulatus 5.
Eumeces inexpectatus 129.
Eumeces laticeps 24, 25, 48, 65, 132, 275.
Eumeces lynxe furcirostris 284.
Eumeces lynxe lynxe 284.
Eumeces multivirgatus 48.
Eumeces multivirgatus epipleurotus 33, 202.
Eumeces multivirgatus gaigeae 33, 202.
Eumeces multivirgatus gaigei 33.
Eumeces multivirgatus taylori 33.
Eumeces obsoletus 48, 112, 120, 129, 132, 143, 150, 163, 220, 225, 238, 269.
Eumeces obsoluetus 163.
Eumeces quinquelineatus 19.
Eumeces septentrionalis 172, 263.
Eumeces septentrionalis obtusirostris 120, 204, 283.
Eumeces skiltonianus 129.

- Eumeces striatulus* 129.
Eumeces taylori 33, 48.
Eumeces tetragrammus 48, 81, 148, 132, 163, 225, 321.
Eupemphix pustulosus 119.
Eurycea 249, 263.
Eurycea bislineata bislineata 23.
Eurycea gutto-lineata 23.
Eurycea latitans 15, 35, 48, 227, 228, 268, 269, 301.
Eurycea longicauda 48.
Eurycea lucifuga 23, 301.
Eurycea melanopleura 23.
Eurycea multiplicata 23.
Eurycea nana 15, 35, 48, 227, 228, 301.
Eurycea neotenes 2, 15, 23, 35, 48, 227, 228, 268, 301.
Eurycea pterophila 35, 48, 227, 228, 301.
Eurycea quadridigitata 204.
Eurycea quadridigitatus quadridigitatus 23.
Eurycea rathbuni 227, 228, 268, 269, 301.
Eurycea tridentifera 227, 228, 268, 269, 301.
Eurycea troglodytes 35, 227, 228, 268, 269, 301.
Eurycea tynerensis 301.
Euryodus 235.
Eutaenia praeocularis 219.
Eutaneia aurata 219.
Eutaenia cyrtopsis cyrtopsis 219.
Eutaenia cyrtopsis fulvus 219.
Eutaenia cyrtopsis ocellata 219.
Eutaenia eques collaris 219.
Eutaneia eques eques 219.
Eutaenia proxima 19.
Eutaenia pulchrilatus 219.
Eutaenia sirtalis dorsalis 19.
Eutaenia sumichrasti 219.
Farancia abacura 24, 25, 129.
Farancia abacura reinwardtii 204, 261, 283.
Ficimia cana 48, 163, 225.
Ficimia olivacea 70, 148, 284.
Ficimia streckeri 34, 48, 70, 240, 284.
Floridemys 129.
Floridemys nanus 96.
Gambelia wislizenii 48, 163, 225.
Gampsodactylum kabarcense 271.
Gastrophryne 82.
Gastrophryne areolata 24, 25.
Gastrophryne carolinensis 24, 25, 129, 143, 171, 174, 263, 323.
Gastrophryne olivacea 129, 143, 204, 263, 268, 269, 275, 323.
Gastrophryne texana 23.
Gastrophryne texensis 24, 25.
Gavialosuchus americanus 129.
Gehyra mutilatus 136.
Geochelone 96, 129, 149, 247.
Geochelone alleni 251.
Geochelone oelrichi 251.
Geochelone rexroadensis 251.
Geochelone riggsi 251.
Geochelone turgida 251.
Geoemyda rubida 321.
Gerrhonotus infernalis 5, 225.
Gerrhonotus liocephalus 48, 101, 118, 132, 163, 193, 220, 225.
Gerrhonotus liocephalus infernalis 183, 219.
Gerrhonotus multicarinatus 112, 129.
Gerrhosaurus flavigularis 199.
Globidens alabamensis 298.
Glyptops 112.
Goniopholus 112.
Gopherus 73, 112.
Gopherus agassizi 129.
Gopherus berlandieri 2, 15, 48, 210, 238, 241.
Gopherus campester 96.
Gopherus canyonensis 96.
Gopherus hayi 96.
Gopherus pansae 96.
Gopherus polyphemus 24, 25, 129.
Graptemys barbouri 177.
Graptemys cageli 177, 203.
Graptemys flavimaculata 177.
Graptemys geographica 16, 129, 177, 283.
Graptemys kohnii 138, 139, 177, 238.
Graptemys nigrinoda 177.
Graptemys oculifera 16, 177, 283.

- Graptemys pseudogeographica* 24, 65, 103, 139, 203, 263.
Graptemys pseudogeographica kohnii 16, 283.
Graptemys pseudogeographica oculifera 25.
Graptemys pseudogeographica pseudogeographica 16, 283.
Graptemys pseudogeographica sabinensis 138, 177.
Graptemys pseudogeographica versa 2, 16, 283.
Graptemys pulchra 177.
Graptemys versa 16, 238, 279, 283.
Gyalopion canum 101, 204.
Gynophthalmus sumichrasti 321.
Gyrinophilus porphyriticus 111.
- Haideotriton* 35.
Hainosaurus 298.
Haldea striatula 19, 48, 65, 129, 148, 174, 225, 263, 283.
Haldea valeriae 48, 148.
Heleophryne 37, 42, 293.
Heloderma suspectum 129.
Heloderma suspectum suspectum 304.
Hemachatus haemachatus 153.
Hemidactylium scutatum 23.
Hemidactylus frenatus 136.
Hemidactylus garnotti 146.
Hemidactylus turcicus 64, 99, 100, 109, 136, 197, 275.
Hemidactylus turcicus turcicus 231.
Hesperotestudo turgida 251.
Heterodon brevis 129.
Heterodon contortris 24.
Heterodon contortrix 25, 48.
Heterodon nascius 24.
Heterodon nasicus 25, 46, 73, 129, 143, 148, 169, 173, 225, 250, 264, 282.
Heterodon nasicus gloydi 171, 204, 261.
Heterodon nasicus kennerlyi 163.
Heterodon nasicus nasicus 120, 261, 283.
Heterodon platyrhinos 117, 129, 143, 148, 169, 173, 174, 250, 261, 281, 294.
Heterodon platyrhinos platyrhinos 65, 120, 149, 264.
Heterodon platyrhinus 19.
Heterodon plionasicus 129.
Heterodon simus 129, 148.
Holbrookia maculata 46, 48, 118, 143, 201, 220, 221, 225.
Holbrookia maculata approximans 163.
Holbrookia maculata lacerata 19, 283.
Holbrookia maculata maculata 120.
Holbrookia propinqua 48, 278, 317.
Holbrookia propinqua propinqua 25.
Holbrookia texana 5, 19, 48, 112, 118, 129, 130, 152, 163, 221, 225, 283.
Holbrookia texana scitula 84, 220, 223.
Holbrookia texana texana 84, 120.
Holbrookia texanum 8.
Holcoldus coryphaeus 298.
Hydrodynastes gigas 104.
Hydromorphus clarki 236.
Hydromorphus concolor 236.
Hydromorphus dunni 236.
Hyla 82, 111, 154.
Hyla arborescandens 284.
Hyla arenicolor 23, 48, 51, 72, 118, 127, 163, 220, 225, 254, 318.
Hyla avivoca 72, 164, 318.
Hyla baudinii 4, 23, 48, 258.
Hyla cadaverina 254.
Hyla californiae 127, 254.
Hyla carolinensis 19.
Hyla chrysoscelis 151, 164, 165, 254.
Hyla cinerea 8, 48, 72, 118, 150, 151, 164, 186, 230, 254, 259, 263, 282.
Hyla cinerea cinerea 23, 24, 25, 238, 283.
Hyla crucifer 48, 53, 72, 118, 186, 215.
Hyla crucifer crucifer 238, 283.
Hyla darlingi 284.

- Hyla dendroscarta* 284.
Hyla ebraccata 258.
Hyla euphorbiacea 321.
Hyla eximia 23, 76, 254.
Hyla femoralis 23, 24, 25, 48, 129, 254.
Hyla femoralis chryso-scelis 165.
Hyla gracilipes 23.
Hyla gratiosa 318.
Hyla leucophyllata 260.
Hyla microcephala 258.
Hyla microcephala martini 123.
Hyla miotympanum 4, 284.
Hyla mixomaculata 284.
Hyla ocularis 318.
Hyla picta 258.
Hyla regilla 36, 51, 79, 127, 186, 254, 296.
Hyla smithi 318.
Hyla spinipollex 219.
Hyla squirella 23, 24, 25, 48, 150, 174, 186, 204, 254, 259, 318.
Hyla staufferi 4, 258, 284, 321.
Hyla venulosa 4.
Hyla versicolor 48, 53, 72, 118, 150, 151, 164, 174, 186, 214, 253, 254, 263.
Hyla versicolor chryso-scelis 19, 23, 24, 25, 65, 165, 283.
Hyla versicolor phaeocrypta 165.
Hyla versicolor sandersi 165, 283.
Hyla versicolor versicolor 23, 24, 25, 165.
Hyla wrightorum 186.
Hyperolius 42, 293.
Hypopachus caprimus 111.
Hypopachus cuneus 4, 23, 48, 162, 282, 323.
Hypopachus cuneus nigroreticulatus 123.
Hypsiglena ochrorhyncha 48.
Hypsiglena ochrorhyncha ochrorhyncha 163, 220, 283.
Hypsiglena ochrorhyncha texana 163, 225, 238, 283.
Hypsiglena torquata 132, 148, 269.
Hypsiglena torquata jani 204.
Hypsiglena torquata ochrorhyncha 221.
Hypsiglena torquata texana 120.
Ichthyosaurus 112.
Ichthyosaurus missouriensis 298.
Iguana iguana rhinolopha 284.
Iguanodon 112.
Kachuga smithi 177.
Kachuga tecta 177.
Kaloula 37, 293.
Kannemeyeria 112.
Kentopyx 146.
Kinosternon arizonense 129.
Kinosternon bauri 129, 251.
Kinosternon carinatum 112.
Kinosternon cruentatum 251.
Kinosternon cruentatum cruentatum 103.
Kinosternon flavescens 24, 25, 112, 129, 163, 225, 250, 251, 263, 269, 282.
Kinosternon flavescens flavescens 103, 120, 143, 283.
Kinosternon hirtipes 251.
Kinosternon hirtipes murrayi 143.
Kinosternon integrum 103.
Kinosternon leucostoum 251.
Kinosternon louisianae 19.
Kinosternon scorpioides 137.
Kinosternon sonoriense 103, 143.
Kinosternon subrubrum 129, 134, 251, 263.
Kinosternon subrubrum hippocrepis 24, 25, 65, 103, 143, 204, 238, 283.
Labidosaurus 112, 235.
Lacerta viridis 5.
Lacerta vivipara 5, 146.
Lachesis 154.
Lachesis muta 106.
Laemactus serratus 112.
Lampropeltis 246.
Lampropeltis alterna 48, 163, 225.
Lampropeltis annulatus 11.
Lampropeltis calligaster 24, 25, 77, 129, 148, 150, 169, 247.

- Lampropeltis calligaster*
calligaster 65, 120, 143,
 238, 261, 283, 322.
Lampropeltis doliata 129.
Lampropeltis doliata annulata
 225.
Lampropeltis doliata arcifera
 284.
Lampropeltis doliata annulata
 70.
Lampropeltis doliata polyzona
 284.
Lampropeltis getulus 77, 147,
 169, 250.
Lampropeltis getulus 48, 129,
 148, 282.
Lampropeltis getulus
californiae 101.
Lampropeltis getulus holbrooki
 24, 25, 65, 87, 120, 143,
 206, 238, 261, 322.
Lampropeltis getulus splendida
 120, 143, 163, 225.
Lampropeltis intermedia 129.
Lampropeltis intermedius 129,
 247.
Lampropeltis mexicana 101,
 247.
Lampropeltis mexicana alterna
 269.
Lampropeltis mexicana blairi
 269.
Lampropeltis pyromelana 129,
 247.
Lampropeltis similis 247.
Lampropeltis triangulum 101,
 143, 148, 150, 169, 247.
Lampropeltis triangulum amauro
 24, 25, 261.
Lampropeltis triangulum
gentilis 261.
Lampropeltis triangulum
sypila 261.
Lampropeltis triangulum
triangulum 152.
Lampropeltis zonata 247.
Leimadophis poecilogyrus
amazonicus 106.
Leimadophis poecilogyrus
franciscanus 106.
Leimadophis poecilogyrus
intermedius 106.
Leimadophis poecilogyrus
lancinii 106.
Leimadophis poecilogyrus
montanus 106.
Leimadophis poecilogyrus
pictostriatus 106.
Leimadophis poecilogyrus
pineticola 106.
Leimadophis poecilogyrus
platensis 106.
Leimadophis poecilogyrus
xerophilus 106.
Leiopisma laterale 24, 25,
 48, 174, 225.
Leiuperus nitidus 102.
Leptodactylus 137.
Leptodactylus bolivianus 119.
Leptodactylus labialis 23, 48,
 119, 123, 258, 321.
Leptodactylus melanotus 4,
 119, 258, 284, 321.
Leptodactylus pentadactylus
 119.
Leptodactylus quadrivittatus
 119.
Leptodeira maculata 284, 321.
Leptodeira mystacina 321.
Leptodeira septentrionalis 48,
 162, 258.
Leptotyphlops dulcis 24, 25,
 43, 48, 101, 120, 132, 163,
 263, 283, 315, 321.
Leptotyphlops dulcis dulcis
 65, 143, 225, 316.
Leptotyphlops dulcis myopicus
 316.
Leptotyphlops humilis segregus
 163, 220, 225.
Leptotyphlops humilis
tenniculus 70.
Leptotyphlops myopica dissecta
 120.
Leptotyphlops myopicus
dissectus 283.
Leptotyphlops myopicus
myopicus 283.
Leptotyphlops phenops phenops
 284.
Lestosaurus curtirostris 298.
Limnoscelis 112.
Liodon curtirostris 298.
Liodytes alleni 129.
Lioheterodon modestum 200.
Liopisma laterale 11, 19,
 219.
Liophis almadensis 105.
Liophis carajasensis 105.
Liophis ceii 105.

- Liophis cobella flaviventris* 106.
Liophis conirostris 105.
Liophis epinephelus 105.
Liophis forsteri 106.
Liophis merremi sublineatus 106.
Liophis miliaris 106.
Liophis ornatissima 106.
Liophis poecilogyris 105.
Liophis poecilogyris albadspersus 106.
Liophis poecilogyris amazonicus 106.
Liophis poecilogyris caesius 106.
Liophis poecilogyris franciscanus 106.
Liophis poecilogyris montanus 106.
Liophis poecilogyris pictostriatus 106.
Liophis poecilogyris pinetincola 106.
Liophis poecilogyris platensis 106.
Liophis poecilogyris poecilogyris 106.
Liophis poecilogyris reticulatus 106.
Liophis poecilogyris schotti 106.
Liophis poecilogyris subfasciatus 106.
Liophis poecilogyris sublineatus 106.
Liophis poecilogyris xerophilus 106.
Liophis reginae viridicyanea 106.
Liophis subfasciatus 106.
Liophis typhlus gastrosticta 106.
Liophis typhlus olivacea 106.
Liophis verecundus 105, 106.
Liophis wagleri 105.
Liophis y-graecum 105.
Lithodytes latrans 19.
Loxocemus bicolor 255.
Lutainia marciana 21.
Lutainia proxima 21.
Lutainia vagrans 21.
Lygophis y-graecum 105.
Lygosoma laterale 65, 118, 134, 174, 212, 224, 238, 263.
Lysorophus 235.
Mabuya maculata 200.
Mabuya mabouya alliacea 321.
Mabuya punctata 200.
Mabuya quinquetaeniata margaritifera 199.
Macrochelys temminckii 24, 25, 103, 129.
Macrolemys temminckii 251.
Macrosaurus proriger 298.
Malaclemmys 2.
Malaclemys terrapin littoralis 103, 143.
Malayemys subtrijuga 177.
Manculus quadridigitatus 48, 268.
Manculus quadridigitatus paludicolus 283.
Manculus quadridigitatus uvidus 283.
Manolepis putnami 321.
Masticophis 152, 245.
Masticophis flagellum 46, 77, 87, 117, 129, 143, 148, 169, 250, 263, 268, 277.
Masticophis flagellum flagellum 24, 25, 65, 171, 238, 283, 322.
Masticophis flagellum testaceus 221, 238.
Masticophis flagellum testaceus 120, 283.
Masticophis mentovarius mentovarius 123, 321.
Masticophis taeniatus 129, 132, 148.
Masticophis taeniatus girardi 81, 204.
Masticophis taeniatus ornatus 84, 208, 221, 266.
Masticophis taeniatus schotti 204, 208, 266.
Masticophis taeniatus taeniatus 208.
Mauremys mutica 177.
Mauremys nigricans 177.
Megalosaurus 112.
Microbatrachylus mimimus 321.
Microbatrachylus pygmaeus 321.
Microhyla 37, 50, 82.
Microhyla areolata 23.
Microhyla carolinensis 23, 48.

- Microhyla carolinensis carolinensis* 283.
Microhyla carolinensis olivacea 283.
Microhyla olivacea 23, 48, 65, 118, 144, 155, 162, 163, 184, 225.
Microhyla usta 258.
Microsauropus acutipes 271.
Microsauropus clarki 271.
Microsauropus parvus 271.
Micruroides 174.
Micrurus 7, 276.
Micrurus affinis affinis 321.
Micrurus fitzingeri microgalbineus 70.
Micrurus fulvius 24, 48, 117, 129, 148, 263, 268.
Micrurus fulvius fulvius 25, 174.
Micrurus fulvius tenere 143, 174, 225.
Moodieochnus didactylus 271.
Mosasaurus 13, 112.
Mosasaurus conodon 298.
Mosasaurus horridus 298.
Mosasaurus maximus 298.
Mosasaurus missouriensis 298.
Myopterygius americanus 280.
Myopterygius campylodon 280.
Myopterygius petersoni 280.
Mystriosaurus 112.

Naja nigricollis 153.
Naomichelys 44.
Natrix 149, 281.
Natrix almada 105.
Natrix almadensis 105.
Natrix cyclopion 129.
Natrix erythrogaster 48, 129, 148, 152, 163, 181, 263.
Natrix erythrogaster flavigaster 143, 238, 283.
Natrix erythrogaster transversa 25, 65, 95, 120, 158, 224, 225, 283.
Natrix fasciata 148, 152.
Natrix fasciata confluens 24, 174.
Natrix fasciata erythrogaster 19.
Natrix fasciata fasciata 24, 25.
Natrix fasciata transversa 19.
Natrix fasciatus 11.

Natrix forsteri 106.
Natrix grahamii 19, 24, 25, 143, 174, 181, 283.
Natrix harteri 48, 270.
Natrix harteri harteri 307.
Natrix harteri paucimaculata 307.
Natrix kirtlandi 270.
Natrix rhombifera 19, 24, 25, 48, 148, 152, 163, 174, 225, 282, 294.
Natrix rhombifera blanchardi 70.
Natrix rhombifera rhombifera 70, 120, 261, 283.
Natrix rigida 48.
Natrix sipedon 48, 112, 129, 174, 181, 263.
Natrix sipedon confluens 25, 65, 283.
Natrix sipedon pleuralis 143, 261.
Natrix taxispilota 24, 25, 129, 181, 263.
Natrix taxispilota rhombifera 65.
Natrix transversa 24.
Natrix valida valida 321.
Nectophryne misera 36, 42.
Necturus 111.
Necturus beyeri 48.
Necturus maculatum 137.
Neoprocoela edentata 59.
Nerodia 250.
Nerodia erythrogaster 81, 117, 169.
Nerodia erythrogaster flavigaster 171.
Nerodia erythrogaster transversa 121, 270.
Nerodia fasciata 117.
Nerodia fasciata confluens 171.
Nerodia harteri harteri 83, 270.
Nerodia harteri paucimaculata 270.
Nerodia rhombifer 117.
Nerodia rhombifera 81, 169, 270.
Nerodia sipedon 169, 270.
Ninia diademata 321.
Nothosaurus 112.
Notophthalmus viridescens louisianensis 143, 204.

- Ocacia sinensis* 177.
Oedipus platydactylus 4.
Oklahomalchnus millsii 272.
Opheodrys aestivus 24, 25, 48, 65, 117, 120, 129, 148, 150, 170, 174, 217, 225, 263, 275.
Opheodrys vernalis 148, 150.
Opheomorphus doliatus caesius 106.
Opheosaurus ventralis 19.
Ophiacodon 112.
Ophibolus calligaster 19.
Ophibolus getulus 11.
Ophibolus getulus sayi 19.
Ophiodeiurus casi 112.
Ophiosaurus ventralis 48.
Ophisaurus attenuatus 129, 132, 250, 263.
Ophisaurus compressus 129.
Ophisaurus ventralis 24, 25, 65, 129.
Ophisaurus ventralis ventralis 283.
Ophryacus undulatus 116.
Osceola doliata doliata 19.
Ostodolepis 235.
Oxybelis brevirostris 106.
Oxybelis fulgidus 255.

Palacoplus 112.
Palaeoelaphe kansensis 129.
Paleofarancia brevispinosus 129.
Palmatogecko rangei 302.
Paludicola nitidus 102.
Parioxys 111, 112.
Pelagosaurus 112.
Pelobates 156.
Pelomedusa subrufa 176.
Peltosaurus granulatus 112.
Pelusios 176.
Peropus mutilatus 136.
Phrynella 293.
Phrynohyas modesta 123.
Phrynomerus 37, 42.
Phrynops gibba 176.
Phrynosoma 112.
Phrynosoma asio 73, 321.
Phrynosoma blainvillei 206.
Phrynosoma cornutum 3, 5, 6, 8, 12, 19, 22, 24, 25, 46, 48, 65, 73, 120, 125, 129, 130, 152, 163, 220, 221, 225, 263, 283.
Phrynosoma coronatum 129, 206.
Phrynosoma douglassii 48, 152.
Phrynosoma josecitensis 129.
Phrynosoma modestum 46, 48, 120, 129, 130, 143, 152, 163, 220, 221, 223, 225, 277.
Phrynosoma orbiculare 129.
Phrynosoma platyrhinos 129, 223.
Phyllodactylus lani 112.
Phyllodactylus muralis 321.
Phyllomedusa 82.
Phyllomedusa callidryas 258.
Phyllomedusa dacnicolor 318.
Phyllomedusa moreleti 258.
Physalaemus 102.
Phytosaurus 112.
Pipa 82.
Pituophis 150, 152, 169, 246.
Pituophis catenifer 48, 263, 277.
Pituophis catenifer affinis 284.
Pituophis catenifer sayi 65, 120, 163, 225, 284.
Pituophis deppei deppei 284.
Pituophis deppei lineaticollis 284.
Pituophis melanoleucus 46, 77, 129, 132, 143, 250.
Pituophis melanoleucus lodingi 98.
Pituophis melanoleucus melanoleucus 98.
Pituophis melanoleucus ruthveni 98.
Pituophis melanoleucus sayi 142, 148, 261.
Pituophis sayi sayi 24, 25.
Pityophis sayi 19.
Platecarpus coryphaeus 298.
Platecarpus curtirostris 298.
Platecarpus ictericus 298.
Platecarpus somenensis 298.
Platecarpus tympaniticus 298.
Plateosaurus 112.
Platypeltis emoryi 163.
Platysternon 44.
Plesiosaurus 13, 112.
Plethodon 249.
Plethodon glutinosus 19, 23, 24, 25, 48, 118, 129.
Plethodon glutinosus albagula 143, 268, 269.

- Plethodon glutinosus glutinosus* 268.
Plethodon ouachitae 23.
Pleuroderma guayapae 137.
Pleuroderma nebulosa 137.
Pleuroderma tucurmana 137.
Pliocercus elapoides celatus 284.
Plioplatecarpus 298.
Podocnemis dumeriliana 176.
Podocnemis expansa 112, 176.
Podocnemis lewyana 176.
Podocnemis unifilis 176.
Podocnemis vogli 176.
Potamophis 2, 87.
Potamophis striatulus 24, 25, 174.
Progmathodon overtoni 298.
Prolacerta 271.
Psammodynastes pulverulentus 321.
Pseudacris 151, 260, 296, 314.
Pseudacris brachyphona 215.
Pseudacris brimleyi 27.
Pseudacris clarkii 48, 65, 118, 150, 152, 185, 186, 187, 204, 215, 254, 263, 275, 283.
Pseudacris feriarum 186.
Pseudacris nigrita 24, 27, 48, 53, 215, 118, 150, 186, 187.
Pseudacris nigrita clarkii 4, 23, 25.
Pseudacris nigrita feriarum 214.
Pseudacris nigrita occidentalis 25.
Pseudacris nigrita triseriata 23, 65, 214, 283.
Pseudacris ornata 27, 150, 186, 215, 216.
Pseudacris streckeri 24, 25.
Pseudacris streckeri 23, 27, 48, 118, 150, 185, 186, 187, 215, 216, 263, 268, 282, 283.
Pseudacris streckeri streckeri 65.
Pseudacris triseriata 27, 72, 129, 150, 152, 187.
Pseudemys 112, 267.
Pseudemys caelata 129.
Pseudemys concinna 19, 238, 251.
Pseudemys concinna metterii 171, 203.
Pseudemys concinna texana 177.
Pseudemys elegans 24, 25.
Pseudemys floridana 129, 163, 251, 263.
Pseudemys floridana floridana 103.
Pseudemys floridana hoyi 103, 177, 238, 283.
Pseudemys floridana texana 103, 225, 283.
Pseudemys florilana 181.
Pseudemys idahoensis 129.
Pseudemys nelsoni 129, 177.
Pseudemys scripta 129, 163, 181, 238, 263, 281.
Pseudemys scripta callirostris 177.
Pseudemys scripta cataspila 321.
Pseudemys scripta elegans 65, 103, 120, 149, 177, 225, 283, 291.
Pseudemys scripta gaigeae 283.
Pseudemys scripta troostii 154.
Pseudemys texana 10, 24, 25, 203.
Pseudemys troostii 10.
Pseudis paradoxa 36.
Pseudobranchius 137, 149.
Pseudobranchius robestus 129.
Pseudobranchius vetustus 129.
Pseudoeurycea cephalica 76, 321.
Pseudoeurycea cephalica cephalica 284.
Pseudoeurycea galeanae 183.
Pseudoeurycea leprosa 284, 321.
Pseudoeurycea nigromaculata 284, 321.
Pseudotriton ruber 227.
Pteranodon 112.
Pterohyla dentata 318.
Pterohyla fodiens 273, 318.
Python reticulatus 321.
Rana 37, 42, 58.
Rana areolata 23, 24, 25.
Rana areolata areolata 191, 283.
Rana arvalis 36.
Rana aurora 36, 129.
Rana berlandieri 159, 237, 248.

- Rana blairi* 169, 248, 250, 270.
Rana boriconensis 214.
Rana catesbeiana 23, 24, 25, 36, 48, 65, 66, 72, 91, 111, 118, 129, 150, 152, 158, 159, 204, 214, 225, 238, 248, 257, 263, 283.
Rana catesbiana 19, 72.
Rana clamata 214.
Rana clamator 214.
Rana clamitans 23, 36, 48, 53, 72, 118, 154, 257, 268, 283.
Rana clamitans clamitans 171, 214, 238.
Rana clamitans melanota 214.
Rana dubita 129.
Rana ephippium 129.
Rana esculenta 36, 66, 82.
Rana fayeae 129.
Rana fischeri 48.
Rana flaviviridis 214.
Rana fontinalis 214.
Rana fisca 36.
Rana grayi 293.
Rana grylio 48, 129.
Rana mascareniensis 36.
Rana meadensis 129.
Rana moorei 129.
Rana nigrescens 214.
Rana nigricans 214.
Rana nigromaculata 214.
Rana onca 48.
Rana palmipes 284, 321.
Rana palustris 48, 129, 204, 248, 276, 283.
Rana parvissima 129.
Rana pipiens 4, 8, 19, 48, 56, 65, 72, 82, 91, 111, 118, 120, 123, 129, 149, 150, 152, 158, 189, 214, 220, 225, 237, 248, 250, 258, 262, 263, 268, 269, 279, 281, 282, 286, 287, 288, 289, 290, 295, 297.
Rana pipiens austriicola 321.
Rana pipiens berlandieri 163, 238, 283.
Rana pipiens brachycephala 283.
Rana pipiens fischeri 48.
Rana pipiens pipiens 23, 25, 191.
Rana pipiens sphenoccephala 143, 283.
Rana pliocenica 129.
Rana rexroadensis 129.
Rana robustocondyla 129.
Rana septentrionalis 214.
Rana sphenoccephala 23, 25, 237, 250.
Rana Sphenoccephala 24.
Rana sylvatica 9, 82, 118, 189, 214.
Rana sylvatica cantabrigensis 48.
Rana sylvatica latiremis 48.
Rana temporaria 36, 66, 276, 295.
Rana valida 129.
Ranaria melanota 214.
Rappia 36.
Regina 169, 250.
Regina grahamii 143, 148, 204.
Rhadinaea 149.
Rhadinaea dichroa preornata 106.
Rhadinaea flavilata 148.
Rhadinea flavilata 129.
Rhineura floridana 129.
Rhinochilus lecontei 19, 48, 132, 148.
Rhinocheilus lecontei lecontei 206.
Rhinocheilus lecontei tessellatus 163, 225, 261.
Rhinocheilus lecontei tessellatus 70, 120, 143, 206, 283.
Rhinoclemys funeria 177.
Rhinoclmys puntularia melanosterna 177.
Rhinophrynus 211.
Rhinophrynus dorsalis 123, 162.
Rhyacosiredon altamiranoi 76.
Salvadora grahamiae 48, 152, 163, 225.
Salvadora hexalepis 48, 148, 152, 225.
Salvadora hexalepis deserticola 163.
Salvadora lemniscata 321.
Salvadora lineata 48, 263, 283.
Sauromalus obesus 112, 129.
Scaphiopus 53, 82, 162, 169, 318.
Scaphiopus alexanderi 129.

- Scaphiopus bombifrons* 46, 49, 51, 118, 120, 129, 143, 152, 156, 159, 184, 190, 314.
Scaphiopus couchii 4, 19, 23, 46, 48, 49, 54, 62, 85, 118, 143, 151, 152, 155, 163, 178, 189, 190, 225, 238, 314.
Scaphiopus couchii couchii 283.
Scaphiopus couchii retifrenis 283.
Scaphiopus diversus 129.
Scaphiopus hammondii 23, 36, 48, 49, 51, 79, 85, 118, 143, 152, 156, 163, 184, 189, 190, 268, 314.
Scaphiopus hammondi multiplicatus 4.
Scaphiopus hammondii hammondii 225.
Scaphiopus holbrookii 31, 48, 49, 111, 129, 189, 190, 230.
Scaphiopus holbrookii holbrookii 23, 24, 25, 54, 314.
Scaphiopus holbrookii hurterii 23, 54, 238, 314.
Scaphiopus hurteri 49, 54, 65, 85, 118, 190, 211, 263, 283, 296.
Scaphiopus intermontanus 51, 190, 314.
Scaphiopus multiplicata 190.
Scaphiopus multiplicatus 46.
Scaphiopus pliobatrachus 129.
Scaphiopus retifrenis 283.
Scaphiopus studeri 129.
Scaphonyx 112.
Sceloporus 2, 150, 245.
Sceloporus aeneus 76, 183.
Sceloporus aeneus bicanthalis 284.
Sceloporus chaneyi 183.
Sceloporus clarkii 225, 229.
Sceloporus consobrinus consobrinus 24, 25.
Sceloporus cyanogenys 32, 48, 92.
Sceloporus edwardtaylori 321.
Sceloporus floridanus 5.
Sceloporus formosus 32.
Sceloporus formosus formosus 284, 321.
Sceloporus formosus scitulus 321.
Sceloporus goldmani 183.
Sceloporus graciosus 129, 152.
Sceloporus graciosus arenicolous 199.
Sceloporus graciosus gracilis 172.
Sceloporus graciosus graciosus 172.
Sceloporus grammicus 48, 76.
Sceloporus grammicus microlepidotus 183, 284.
Sceloporus jarrovi 32, 129, 183, 229.
Sceloporus magister 48, 129, 163, 172, 221, 225.
Sceloporus magister magister 220, 223.
Sceloporus malachiticus 32.
Sceloporus melanorhinus melanorhinus 321.
Sceloporus merriami 48, 163, 172, 192, 223.
Sceloporus merriami annulatus 220.
Sceloporus merriami merriami 84, 143, 220, 224, 225.
Sceloporus mucronatus mucronatus 284.
Sceloporus mucronatus omiltemanus 32.
Sceloporus occidentalis 129, 229.
Sceloporus olivaceus 48, 108, 120, 172, 143, 221, 225, 256, 263, 268, 283, 321.
Sceloporus poinsettii 32, 48, 84, 163, 220, 224, 225, 238, 256, 283, 319.
Sceloporus prezygous 32.
Sceloporus robustus 129.
Sceloporus scalaris samcolemani 183.
Sceloporus scalaris scalaris 183.
Sceloporus scalaris slevini 183.
Sceloporus scalaris unicanthalis 183.
Sceloporus serrifer plioporus 32, 280.
Sceloporus serrifer prezygous 32.
Sceloporus serrifer serrifer 32.

- Sceloporus siniferus siniferus* 321.
Sceloporus spinosus 19, 172.
Sceloporus spinosus clarkii 225.
Sceloporus spinosus floridanus 24, 25.
Sceloporus spinosus spinosus 183, 284.
Sceloporus teapensis 321.
Sceloporus torquatus 32, 172.
Sceloporus torquatus mikeprestoni 183.
Sceloporus torquatus torquatus 284.
Sceloporus undulatus 46, 48, 125, 129, 132, 152, 192, 201, 213, 218, 221, 263.
Sceloporus undulatus consobrinus 19, 84, 120, 163, 220, 225, 283, 299.
Sceloporus undulatus elongatus 194.
Sceloporus undulatus garmani 120.
Sceloporus undulatus hyacinthinus 8, 65, 172, 174, 283.
Sceloporus undulatus undulatus 24, 25.
Sceloporus variabilis 48, 148, 213, 229.
Sceloporus variabilis marmoratus 204, 321.
Sceloporus variabilis variabilis 284, 321.
Scinax blairi 260.
Scinax boesemani 260.
Scinax crospeospila 260.
Scinax cruentomma 260.
Scinax danae 260.
Scinax kennedyi 260.
Scinax lindsayi 260.
Scinax rostrata 260.
Scinax ruber 260.
Scinax squalirostris 260.
Scinax staufferi 260.
Scinax wandae 260.
Scinax x-signata 260.
Scincella assata assatum 321.
Scincella assata taylori 321.
Scincella caudaequinae 284.
Scincella gemmingeri gemmingeri 284.
Scincella laterale 81, 283.
Scincella silvicola 284.
Seymouria 111, 112, 235.
Siebenrockiella crassicollis 177.
Siredon pisciforme 286, 287.
Siren 2, 149.
Siren intermedia 23, 25, 48.
Siren intermedia nettingi 65, 137, 171.
Siren intermedia texana 137, 238.
Siren lacertina 23, 24, 25, 129, 137.
Siren simpsoni 129.
Sistrurus 169.
Sistrurus catenatus 77, 142, 148, 226.
Sistrurus catenatus consors 11.
Sistrurus catenatus edwardsii 11, 204.
Sistrurus catenatus tergeminus 204, 261.
Sistrurus miliaris streckeri 143.
Sistrurus miliarius 117, 129, 148.
Sistrurus miliarius miliarius 24, 25.
Sistrurus miliarius streckeri 24, 25, 65, 174, 238, 261.
Smilisca baudinii 111, 162, 234, 254, 318.
Smilisca baudinii baudinii 284.
Sonora 149.
Sonora episcopa 48, 148, 163, 225, 283.
Sonora episcopa episcopa 120, 170, 180, 261.
Sonora semiannulata 2, 46, 48, 101, 132, 163, 225.
Sonora semiannulata blanchardi 220.
Sonora taylori 48.
Spea 49, 190, 314.
Spea bombifrons 85.
Spea hammondi 85.
Spea laticeps 85.
Spelerpes bilineatus 23.
Spelerpes ruber 227.
Sphaerodactylus glaucus glaucus 321.
Sphaerodactylus glaucus torquatus 321.

- Sphenodon 36, 112, 113.
 Stegosaurus 112.
 Stenorrhina freminvillii
 apiata 321.
 Stenorrhina freminvillii
 lactea 321.
 Sternothaerus carinatus 238.
 Sternothaerus minor 129.
 Sternothaerus odoratus 129,
 238.
 Sternotherus carinatus 24, 25.
 Sternotherus carinatus
 carinatus 103.
 Sternotherus carinatus
 peltifer 103.
 Sternotherus minor 251.
 Sternotherus odoratus 24, 25,
 103, 143, 204, 251, 283,
 301.
 Sternothorus odoratus 263.
 Stilosoma vetustum 129.
 Storeria 174.
 Storeria dekayi 19, 24, 25,
 48, 65, 117, 129, 148, 263.
 Storeria dekayi texana 87,
 120, 143, 158, 171, 217,
 283.
 Storeria dekayi wrightorum
 283.
 Storeria hidalgoensis 183.
 Storeria occipitomaculata 117.
 Storeria storerioides 76.
 Syrrhophus 293.
 Syrrhophus campi 23, 48.
 Syrrhophus cystignathoides
 campi 67, 196.
 Syrrhophus gaigeae 48, 163,
 225, 283.
 Syrrhophus guttulatus 101,
 183.
 Syrrhophus leprus 321.
 Syrrhophus macrotympanum 102.
 Syrrhophus marnockii 23, 42,
 48, 118, 119, 129, 151, 219,
 224, 225, 268, 269, 283,
 296.
 Syrrhophus pipilans nebulosus
 119.
 Syrrhopus campi 4.

 Tantilla 150, 174.
 Tantilla atriceps 48, 101,
 163, 225.
 Tantilla coronata 129.
 Tantilla cucullata 101.
 Tantilla diabola 101, 300.
 Tantilla gracilis 19, 24, 25,
 143, 148, 170, 263, 268,
 321.
 Tantilla gracilis gracilis 87,
 283.
 Tantilla gracilis hallowelli
 283.
 Tantilla nigriceps 48, 101,
 143, 148, 163.
 Tantilla nigriceps fumiceps
 120, 238.
 Tantilla nigriceps nigriceps
 120.
 Tantilla rubra cucullata 101.
 Tantilla rubra diabola 101.
 Taricha 129.
 Teius 146.
 Telosaurus 112.
 Termatosaurus 112.
 Terrapene 149, 241, 251.
 Terrapene canaliculata 279.
 Terrapene carolina 48, 129,
 148, 263.
 Terrapene carolina major 283.
 Terrapene carolina triunguis
 65, 124, 143, 177, 238, 283.
 Terrapene coahuila 177.
 Terrapene major 24, 25.
 Terrapene ornata 19, 24, 25,
 46, 47, 48, 129, 163, 177,
 201, 210, 225, 263, 269,
 283.
 Terrapene ornata ornata 65,
 120, 143, 171, 238, 322.
 Terrapene triunguis 24, 25.
 Terrapene triunguis 2.
 Testudo 15, 112, 279.
 Testudo gilberti 96.
 Testudo orthopyga 96.
 Testudo osborniana 96.
 Testudo turgida 96.
 Tetraprion 318.
 Thamnophis 250, 303.
 Thamnophis arabdotus 219.
 Thamnophis bovalli 219.
 Thamnophis butleri 118.
 Thamnophis chrysocephalus 219,
 284.
 Thamnophis chrysocephalus
 219.
 Thamnophis cyrtopsis 148, 152,
 174.
 Thamnophis cyrtopsis cyclides
 219.

- Thamnophis cyrtopsis cyrtopsis* 118, 219, 220.
Thamnophis cyrtopsis ocellata 118, 143, 219, 268, 269.
Thamnophis cyrtopsis postremus 219.
Thamnophis cyrtopsis pulchrilatus 183.
Thamnophis cyrtopsis sumichrasti 219.
Thamnophis elegans 152.
Thamnophis eques 48.
Thamnophis eques cyrtopsis 163, 219, 225.
Thamnophis eques eques 219.
Thamnophis eques megalops 143.
Thamnophis eques postremus 219.
Thamnophis eques sumichrasti 219.
Thamnophis exsul 183.
Thamnophis macrostemma 48.
Thamnophis marcianus 24, 25, 48, 148, 152, 163, 225, 263.
Thamnophis marcianus marcianus 118, 143, 283.
Thamnophis marcianus nigrolateris 118, 120, 283.
Thamnophis melanogaster 219.
Thamnophis ordinatus ordinatus 219.
Thamnophis ordinoides 219.
Thamnophis phenax 219, 284.
Thamnophis proximus 117, 148, 150, 152, 159, 169, 255, 282.
Thamnophis proximus orarius 121.
Thamnophis proximus rubrilineatus 270.
Thamnophis radix 148, 152.
Thamnophis radix haydeni 120.
Thamnophis rozellae 219.
Thamnophis sauritus 48, 129, 181, 263.
Thamnophis sauritus chalceus 284.
Thamnophis sauritus proximus 24, 25, 65, 118, 120, 174, 283.
Thamnophis scalaris 76, 219.
Thamnophis sirtalis 48, 129, 148, 152, 169.
Thamnophis sirtalis annectens 118, 120, 204, 217.
Thamnophis sirtalis parietalis 118, 120.
Thamnophis sirtalis proximus 225.
Thamnophis sirtalis sirtalis 24, 25, 219.
Thamnophis sumichrasti cerebrosus 219.
Thamnophis sumichrasti fulvus 219.
Thamnophis sumichrasti praeocularis 219.
Thamnophis sumichrasti salvini 219.
Thamnophis sumichrasti sumichrasti 219.
Thamnophis vicinus 219.
Thorius pennatululus 284.
Tiliqua scincoides 200.
Toluca lineata lineata 284, 321.
Toluca lineata varians 321.
Toluca lineata wetmorei 284.
Tomodactylus 42.
Tomodactylus albolabris 102, 107.
Tomodactylus angustidigitorum 102, 107.
Tomodactylus anulae 102.
Tomodactylus dilatus 102, 107.
Tomodactylus fuscus 102.
Tomodactylus grandis 102.
Tomodactylus macrotympanum 102.
Tomodactylus nitidus 119.
Tomodactylus nitidus nitidus 102.
Tomodactylus nitidus orarius 102.
Tomodactylus nitidus petersi 102.
Tomodactylus petersi 102.
Tomodactylus rufescens 107.
Trachemys scripta 251.
Trachemys scripta elegans 203, 313.
Trachodon 112.
Trachydermochelys 112.
Tricertops 112.
Trigonocephalus scolecomorphus 105.
Trimeresurus puniceus 321.
Trimerorhachis 14, 111, 235.
Trimorphodon biscutatus 255.

- Trimorphodon biscutatus
 biscutatus 321.
 Trimorphodon tau 70.
 Trimorphodon upsilon 70.
 Trimorphodon vilkinsonii 48,
 101, 163, 225.
 Trionyx 149, 267.
 Trionyx ferox 129, 263.
 Trionyx guinni 251.
 Trionyx muticus muticus 204.
 Trionyx spinifer emoryi 238.
 Trionyx spinifera 129.
 Tripriion 318.
 Triturus 2, 82, 111, 137.
 Triturus kallerti 4.
 Triturus meridionalis 23, 24,
 25, 48.
 Triturus torosa 244.
 Triturus viridescens 48, 286,
 287.
 Triturus viridescens
 louisianensis 23.
 Triturus viridescens
 viridescens 23, 24, 25.
 Tropidoclonion lineatum 19,
 24, 25, 65, 132, 148, 170.
 Tropidoclonion lineatum
 annectens 261.
 Tropidoclonion lineatum
 mertensi 143.
 Tropidoclonion lineatum
 texanum 238.
 Tropidonotus clarkii 11.
 Tropidonotus collaris 219.
 Tropidonotus ordinatus eques
 219.
 Tropidophis 206.
 Tupinambis nigropunctatus 146.
 Tupinambis teguixin 146.
 Tylosaurus nepaeolicus 298.
 Tylosaurus proriger 298.
 Typhlomolge 268.
 Typhlomolge rathbuni 2, 15,
 23, 35, 48, 227, 228.
 Typhlomolge tridentifera 228.

 Uma notata notata 154.
 Uma scoporia 154.
 Uromacer catesbyi 106.
 Uromacer dorsalus 106.
 Uromacer frenatus 106.
 Uromacer oxyrhynchus 106.
 Urosaurus 321.
 Urosaurus ornatus 48, 143,
 194, 220, 223.
 Urosaurus ornatus ornatus 84,
 224, 225.
 Urosaurus ornatus schmidti
 163, 225.
 Urosaurus texanus 192.
 Uta stansburiana 46, 94, 129,
 130, 136, 221, 225, 277.
 Uta stansburiana stansburiana
 172.
 Uta stansburiana stejnegeri
 120, 163, 220, 223, 283.

 Varanops 235.
 Varanopus curridactylus 271.
 Varanopus elrodi 271.
 Varanopus didactylus 271.
 Varanopus impressus 271.
 Varanopus langstoni 271.
 Varanopus palmatus 271.
 Varanus niloticus 276.
 Varanus prasinus beccari 304.
 Vipera aspis 321.
 Vipera berus 321.
 Virginia striatula 87, 117,
 217.
 Virginia valeriae 117.
 Virginia valeriae elegans 24,
 25.

 Waggoneria 235.

 Xantusia vigilis 136.
 Xenodon angustirostris 104.
 Xenodon bertholdi 104.
 Xenodon colubrinus 104.
 Xenodon columbrinus 104.
 Xenodon gigas 104.
 Xenodon guentheri 104.
 Xenodon neovidii 104.
 Xenodon neuwiedi 104.
 Xenodon rhabdocephalus
 mexicanus 104.
 Xenodon rhabdocephalus
 rhabdocephalus 104.
 Xenodon schotti 106.
 Xenodon severus 104.
 Xenodon suspectus 104.
 Xenopus 74, 82, 111, 114.
 Xenopus laevis 115.

 Zamenis constrictor 19, 325.
 Zamenis flagellum 11, 19.
 Zatrachys 235.