



ANNOTATED BIBLIOGRAPHY TO THE HERPETOFAUNA  
OF THE  
PINE-OAK WOODLANDS  
OF THE  
SIERRA MADRE OCCIDENTAL, MEXICO



JAMES R. MCCRANIE  
&  
LARRY DAVID WILSON

Department of Biology  
Miami Dade Community College



SMITHSONIAN  
HERPETOLOGICAL INFORMATION  
SERVICE  
NO. 84

1990

SMITHSONIAN  
HERPETOLOGICAL  
INFORMATION  
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

## INTRODUCTION

This bibliography is a result of a literature search which helped form the foundation for our study entitled "The biogeography of the herpetofauna of the pine-oak woodlands of the Sierra Madre Occidental of Mexico" Milwaukee Pub. Mus. Contrib. Biol. Geol. (72):1-30, 1987.

The bibliography includes all references known to the authors that contain bonafide records of the occurrence of amphibians and reptiles in the pine-oak woodlands of the Sierra Madre Occidental of Mexico. The reader is referred to that study for a definition of the limits of the study area.

The 86 species included in the study and their literature citations are presented below in alphabetical order within their respective orders. We believe this bibliography (188 references) to be relatively complete through the year 1986. In addition, six later references are included in a addendum.

We wish to extend our sincere gratitude to Joy-Ann Perard for her typing of the manuscript. It was a time-consuming task, and we much appreciate her help.

## SPECIES LIST

## Class Amphibia

## Order Caudata

Ambystoma rosaceum 3, 5, 6, 28, 38, 48, 63, 79, 86, 94, 113, 114, 149, 159  
(also as tigrinum), 160 (as tigrinum), 175, 176, 177, 179, 190.

Ambystoma tigrinum 28, 113, 175.

Pseudoeurycea bellii 85, 161.

## Order Salientia

Bufo compactilis 38, 73, 160, 170, 175.

Bufo microscaphus 3, 22, 24 (as compactilis), 56, 106, 133, 170, 175, 176,  
177, 191.

Bufo occidentalis 38, 56, 57, 73, 93, 94, 106, 152, 160, 175, 176.

Bufo punctatus 160.

Bufo woodhousei 160.

Eleutherodactylus occidentalis 176.

Eleutherodactylus tarahumaraensis 142, 147, 175, 186

Hyla arenicolor 40, 42, 56, 57, 73, 79, 94, 152, 160, 175, 177, 186.

Hyla bistincta 40, 175.

Hyla eximia 3, 40, 42, 56, 63, 69, 73, 79, 131, 133, 160, 175, 176, 177, 179,  
186.

Rana chiricahuensis (all as R. pipiens or synonyms except 62, 102, and 175  
unless otherwise noted) 3, 19, 38, 42, 56 (as forreri), 57, 62, 63, 73, 94,  
102, 109, 111, 114, 152, 160, 175, 176, 177.

Rana magnaocularis 46, 62.

Rana pustulosa 57, 61, 175, 183.

Rana tarahumarae 18, 19, 35, 61, 62, 73, 79, 94, 131, 177, 185, 188.

Scaphiopus multiplicatus 38, 160, 175.

Tomodactylus nitidus 57, 175, 176.

Tomodactylus saxatilis 57, 164, 175, 176, 179.

Class Reptilia

Order Testudines

Kinosternon hirtipes (Because of considerable confusion in the literature on this and the following two species, only recent reviews are included.) 66, 67, 68, 129.

Kinosternon integrum 68, 129.

Kinosternon sonoriense 65, 66, 68, 129, 194.

Order Squamata

Suborder Sauria

Anolis nebulosus 38, 57, 94, 175, 176, 194.

Barisia imbricata 38, 55, 121, 132, 157, 158, 175, 176, 189.

Barisia levicollis 55, 132, 157, 194.

Cnemidophorus costatus 57, 94, 152 (as perplexus), 175, 187.

Cnemidophorus exsanguis 20, 41, 160, 194.

Elgaria kingii 11, 35, 43, 79, 94, 132, 152, 156, 160, 163, 169, 175, 176, 194.

Eumeces brevirostris 13, 34, 38, 42, 56, 82, 107, 132, 137, 146, 167, 175, 176, 184, 194.

Eumeces lynxe 38, 82, 100, 137, 167, 175.

Eumeces multilineatus 2 (as multivirgatus), 7 (as multivirgatus), 82, 95, 136, 194 (also as multivirgatus).

Eumeces parviauriculatus 82, 94, 107, 132, 152, 194.

Eumeces parvulus 57, 107.

Eumeces tetragrammus 79, 82, 83, 94, 107, 142, 146, 152, 194.

Gerrhonotus liocephalus 57, 175, 176, 178.

Phrynosoma douglassii 98, 160.

Phrynosoma orbiculare 12, 38, 42, 56, 64, 93, 97, 98, 105, 118, 121, 132, 144, 152, 160, 175, 194.

Sceloporus bulleri 45, 57, 87 (as torquatus), 166, 175, 176, 184.

Sceloporus clarkii 11, 57, 94, 144, 175, 194.

Sceloporus grammicus 2, 7, 12, 17, 21, 24, 35, 38, 54, 56, 79, 115, 120, 152, 160, 175, 176, 177, 194.

Sceloporus heterolepis 15, 17, 57, 78, 120, 168, 174, 175.

Sceloporus jarrovii 2, 7, 12, 17, 23, 33, 35, 38, 42, 54, 56, 57, 79, 94, 117, 120, 152, 160, 175, 176, 177, 178, 184, 194.

Sceloporus nelsoni 57, 94, 175.

Sceloporus poinsettii 12, 17, 21, 24, 35, 38, 42, 56, 79, 94, 109, 117, 126, 139, 152, 160, 175, 176, 194.

Sceloporus scalaris 4, 27, 35, 38, 54 (as aeneus), 79, 114, 116, 120, 127, 154, 160, 175, 194.

Sceloporus spinosus 94, 194.

Sceloporus torquatus 117.

Sceloporus virgatus 25, 26, 79, 80, 94, 152, 160, 180, 194.

Urosaurus ornatus 35, 160, 194.

#### Suborder Serpentes

Adelophis foxi 109, 110, 175.

Coluber constrictor 125, 175, 181, 182.

Conopsis nasus 14, 38, 56, 57, 72, 140, 142, 152, 153, 175, 176, 178.

Crotalus basiliscus 8, 57, 92, 175.

Crotalus lepidus 8, 16, 38, 53, 57, 58, 60, 76, 79, 88, 124, 142, 143, 151, 160, 175, 184.

Crotalus molossus 8, 35, 38, 53, 76, 77, 103, 124, 142, 152, 160, 175, 176.

Crotalus pricei 1, 8, 24, 32, 35, 38, 42, 53, 76, 77, 91, 118, 124, 142, 152, 160, 175, 176, 177.

Crotalus scutulatus 104, 160.

Crotalus stejnegeri 29, 76, 77.

- Crotalus willardi 8, 35, 53, 59, 60, 75, 76, 124, 142, 152, 160, 175, 193.
- Diadophis punctatus 10, 48, 50, 89, 130, 142, 145, 152, 160, 175.
- Dryadophis cliftoni 57, 175.
- Geophis dugesii 37, 57, 81, 142, 172, 175, 192.
- Hypsiglena torquata 160.
- Lampropeltis mexicana 47, 49, 51, 52, 162, 175.
- Lampropeltis pyromelana 79, 124, 130, 135, 141, 142, 148, 160.
- Leptophis diplotropis 57, 175.
- Masticophis mentovarius 57, 70, 71, 175.
- Masticophis taeniatus 101, 160, 184.
- Pituophis deppei 31, 39, 175.
- Pituophis melanoleucus 74, 134, 142, 160.
- Rhadinaea hesperia 57, 99, 142, 175.
- Rhadinaea laureata 38, 99, 174, 175.
- Salvadora bairdi 57, 94, 175.
- Salvadora grahamiae 142, 160, 175.
- Senticolis triaspis 36, 142, 152.
- Storeria storerioides 2, 56, 57, 94, 142, 145, 175, 176.
- Tantilla bocourti 90, 94, 176.
- Tantilla wilcoxi 84, 94, 123, 130, 42, 152.
- Thamnophis cyrtopsis 30 (part), 38 (as eques), 57, 79, 94, 96, 112 (as eques [part]), 122 (as eques), 124 (as eques), 128 (as eques), 138, 142, 152 (as eques), 160, 165, 173, 175.
- Thamnophis elegans 9, 24 (as cyrtopsis), 30 (as cyrtopsis [part]), 44, 122, 128, 130, 138, 142, 160, 171, 175.
- Thamnophis eques 30, 35, 38 (as macrostemma), 42, 108, 109, 112 (part), 119, 122 (as macrostemma megalops), 124 (as macrostemma megalops), 128 (as macrostemma), 138, 142, 160, 175, 177.
- Thamnophis melanogaster 30, 38, 109, 112, 122, 138, 142, 175.

Thamnophis melanogaster 30, 38, 109, 112, 122, 138, 142, 175.

Thamnophis nigronuchalis 30 (as rufipunctatus [part]), 122 (as rufipunctatus [part]), 142, 155 (also as rufipunctatus [part]), 175.

Thamnophis rufipunctatus 122 (part), 124, 128, 138, 142, 150, 152, 155 (part), 160, 177.

Trimorphodon tau None. Our record based upon LSUMZ 35157 collected in Nayarit at 22.4 mi SW Las Canoas, Durango at 2370 m.



## BIBLIOGRAPHY

1. Amaral, A. 1927. Studies of nearctic Ophidia II. Crotalus pricei Van Denburgh, 1896, a synonym of C. triseriatus (Wagler, 1830). Bull. Antivenin Inst. Amer. 1(2): 48-54.
2. Anderson, J.D. 1960. Storeria storerioides in western Mexico. Herpetologica 16(1): 63-66.
3. Anderson, J.D. 1961. The life history and systematics of Ambystoma rosaceum. Copeia 1961(4): 371-377.
4. Anderson, J.D. 1962. Egg laying and nesting in Sceloporus scalaris slevini. Herpetologica 18(3): 162-164.
5. Anderson, J.D. 1978. Ambystoma rosaceum. Cat. Amer. Amphib. Rept. 206.1-206.2.
6. Anderson, J.D., and R.G. Webb. 1978. Life history aspects of the Mexican salamander Ambystoma rosaceum (Amphibia, Urodela, Ambystomidae). J. Herpetol. 12(1): 89-93.
7. Anderson, J.D., and D.C. Wilhoft. 1959. A new subspecies of Eumeces multivirgatus from Mexico. Copeia 1959(1): 57-60.
8. Armstrong, B.L., and J.B. Murphy. 1979. The natural history of Mexican rattlesnakes. Univ. Kansas Mus. Natur. Hist. Spec. Publ. (5): i-vii + 1-88.
9. Baker, R.H., and R.G. Webb. 1976. Thamnophis elegans captures Sorex emarginatus. Herpetol. Rev. 7(3): 112.
10. Blanchard, F.N. 1942. The ring-neck snakes, genus Diadophis. Bull. Chicago Acad. Sci. 7(1): 1-144.
11. Bogert, C.M., and J.A. Oliver. 1945. A preliminary analysis of the herpetofauna of Sonora. Bull. Amer. Mus. Natur. Hist. 83(6): 297-426.
12. Boulenger, G.A. 1885. Catalogue of the Lizards in the British Museum (Natural History). Second ed. Vol. 2. Taylor and Francis; London.
13. Boulenger, G.A. 1887. Catalogue of the Lizards in the British Museum (Natural History). Second ed. Vol. 3. Taylor and Francis; London.
14. Boulenger, G.A. 1894. Catalogue of the Snakes in the British Museum (Natural History). Vol. 2. Taylor and Francis; London.
15. Boulenger, G.A. 1895 (1894). Second report on additions to the lizard collection in the Natural-History Museum. Proc. Zool. Soc. London 1894: 722-736.
16. Boulenger, G.A. 1896. Catalogue of the Snakes in the British Museum (Natural History). Vol. 3. Taylor and Francis; London.
17. Boulenger, G.A. 1897. A revision of the lizards of the genus Sceloporus. Proc. Zool. Soc. London 1897: 474-522.
18. Boulenger, G.A. 1917. Descriptions of new frogs of the genus Rana. Ann. Mag. Natur. Hist., ser. 8, 20: 413-418.
19. Boulenger, G.A. 1920. A monograph of the American frogs of the genus Rana. Proc. Amer. Acad. Arts Sci. 55: 413-480.
20. Burt, C.E. 1931. A study of the teiid lizards of the genus Cnemidophorus with special reference to their phylogenetic relationships. Bull U.S. Natl. Mus. (154): i-viii, + 1-286.

21. Carpenter, C.C. 1978. Comparative display behavior in the genus Sceloporus (Iguanidae). Milwaukee Pub. Mus. Contrib. Biol. Geol. (18): 1-71.
22. Chrapliwy, P.S. 1956. Extensions of known range of certain amphibians and reptiles of Mexico. *Herpetologica* 12(2): 121-124.
23. Chrapliwy, P.S. 1964. Taxonomy and distribution of the jarrovi complex of lizards of the torquantus group, genus Sceloporus. Ph.D. Thesis, Univ. Illinois.
24. Chrapliwy, P.S., and C.M. Fugler. 1955. Amphibians and reptiles collected in Mexico in the summer of 1953. *Herpetologica* 11(2): 121-128.
25. Cole, C.J. 1963. Variation, distribution, and taxonomic status of the lizard, Sceloporus undulatus virgatus Smith. *Copeia* 1963(2): 413-425.
26. Cole, C.J. 1968. Sceloporus virgatus. *Cat. Amer. Amph. Rept.* 72.1-72.2.
27. Cole, C.J. 1978. Karyotypes and systematics of the lizards in the variabilis, jalapae, and scalaris species groups of the genus Sceloporus. *Amer. Mus. Novitates* (2653): 1-13.
28. Collins, J.P. 1979. Sexually mature larvae of the salamanders Ambystoma rosaceum and A. trigrinum velasci from Chihuahua, Mexico: Taxonomic and ecologic notes. *J. Herpetol.* 13(3): 351-354.
29. Collins, J.T. 1982. Crotalus stejnegeri. *Cat. Amer. Amph. Rept.* 303.1-303.2.
30. Conant, R. 1963. Semiaquatic snakes of the genus Thamnophis from the isolated drainage system of the Rio Nazas and adjacent areas in Mexico. *Copeia* 1963(3): 473-499.
31. Conant, R. 1965. Miscellaneous notes and comments on toads, lizards, and snakes from Mexico. *Amer. Mus. Novitates* (2205): 1-38.
32. Conant, R. 1967. Vacation yields rare rattlesnake. *America's First Zoo* 19(4): 26.
33. Cope, E.D. 1887. Catalogue of batrachians and reptiles of Central America and Mexico. *Bull. U. S. Natl. Mus.* (32): 1-98.
34. Dixon, J.R. 1969. Taxonomic review of the Mexican skinks of the Eumeces brevirostris group. *Los Angeles Co. Mus. Natur. Hist. Contrib. Sci.* (168): 1-30.
35. Dominguez, P., T. Alvarez, and P. Huerta. 1977 (1974). Coleccion de anfibios y reptiles del noroeste de Chihuahua, Mexico. *Rev. Soc. Mexicana Hist. Natur.* 35: 117-142.
36. Dowling, H.G. 1960. A taxonomic study of the ratsnakes, genus Elaphe Fitzinger. VII. The triaspis section. *Zoologica* 45 (6): 53-80.
37. Downs, F.L. 1967. Intrageneric relationships among Colubrid snakes of the genus Geophis Wagler. *Misc. Publ. Mus. Zool. Univ. Michigan* (131): i-iv + 1-193.
38. Drake, J.J. 1958. The brush mouse Peromyscus boylii in southern Durango. *Publ. Michigan St. Mus., Biol. Ser.* 1(3): 97-132.
39. Duellman, W.E. 1960. A taxonomic study of the Middle American snake, Pituophis deppei. *Univ. Kansas Publ. Mus. Natur. Hist.* 10(10): 599-610.
40. Duellman, W.E. 1970. The hylid frogs of Middle America. *Monogr. Mus. Natur. Hist. Univ. Kansas* (1): i-xi + 1-753.

41. Duellman, W.E., and R.G. Zweifel. 1962. A synopsis of the lizards of the sexlineatus group (genus Cnemidophorus). Bull. Amer. Mus. Natur. Hist. 123(3): 155-210.
42. Dunn, E.R. 1936. The amphibians and reptiles of the Mexican expedition of 1934. Proc. Acad. Natur. Sci. Philadelphia 88: 471-477.
43. Fitch, H.S. 1938. A systematic account of the alligator lizards (Gerrhonotus) in the western United States and Lower California. Amer. Midl. Naturalist 20(2): 381-424.
44. Fitch, H.S. 1980. Remarks concerning certain western garter snakes of the Thamnophis elegans complex. Trans. Kansas Acad. Sci. 83(3): 106-113.
45. Fosdick, M.K. 1968. Distributional records from a collection of reptiles from western and central Mexico. Herpeton 3: 1-3.
46. Frost, J.S., and J.T. Bagnara. 1976. A new species of leopard frog (Rana pipiens complex) from northwestern Mexico. Copeia 1976(2): 332-338.
47. Garstka, W.R. 1982. Systematics of the mexicana species group of the colubrid genus Lampropeltis, with an (sic) hypothesis (sic) mimicry. Breviora (466): 1-35.
48. Gehlbach, F.R. 1965. Herpetology of the Zuni Mountains region, northwestern New Mexico. Proc. U. S. Natl. Mus. 116: 243-332.
49. Gehlbach, F.R. 1967. Lampropeltis mexicana. Cat. Amer. Amph. Rept. 55.1-55.2.
50. Gehlbach, F.R. 1974. Evolutionary relations of southwestern ringneck snakes (Diadophis punctatus). Herpetologica 30(2): 140-148.
51. Gehlbach, F.R., and J.K. Baker. 1962. Kingsnakes allied with Lampropeltis mexicana: Taxonomy and natural history. Copeia 1962(2): 291-300.
52. Gehlbach, F.R., and C.J. McCoy, Jr. 1965. Additional observations on variations and distribution of the Gray-banded kingsnake, Lampropeltis mexicana. Herpetologica 21(1): 35-38.
53. Gloyd, H.K. 1940. The rattlesnakes, genera Sistrurus and Crotalus. A study in zoogeography and evolution. Spec. Pub. Chicago Acad. Sci. (4): i-vii + 1-270.
54. Greene, H.W. 1972. Mexican reptiles in the Senckenberg Museum. Carnegie Mus. 15p.
55. Guillette, L.J., Jr., and H.M. Smith. 1982. A review of the Mexican lizard Barisia imbricata, and the description of a new subspecies. Trans. Kansas Acad. Sci. 85(1): 13-33.
56. Gunther, A. 1885-1902. Biologia Centrali-Americana. Reptilia and Batrachia. Porter; London.
57. Hardy, L.M., and R.W. McDiarmid. 1969. The amphibians and reptiles of Sinaloa, Mexico. Univ. Kansas Publ. Mus. Natur. Hist. 18(3): 39-252.
58. Harris, H.S., Jr., and R. S. Simmons. 1972. An April birth record for Crotalus lepidus with a summary of annual broods in rattlesnakes. Bull. Maryland Herpetol. Soc. 8(2): 54-56.
59. Harris, H. S., Jr., and R. S. Simmons. 1976. The paleogeography and evolution of Crotalus willardi, with a formal description of a new subspecies from New Mexico, United States. Bull. Maryland Herpetol. Soc. 12(1): 1-22.

60. Harris, H.S., Jr., and R. S. Simmons. 1978. A preliminary account of the rattlesnakes with the descriptions of four new subspecies. Bull. Maryland Herpetol. Soc. 14(3): 105-211.
61. Hillis, D.M., J.S. Frost, and R.G. Webb. 1984. A new species of frog of the Rana tarahumarae group from southwestern Mexico. Copeia 1984(2): 398-403.
62. Hillis, D.M., J.S. Frost, and D.A. Wright. 1983. Phylogeny and biogeography of the Rana pipiens complex: A biochemical evaluation. Syst. Zool. 32(2): 132-143.
63. Holman, J.A. 1965. A polymorphic deme of Hyla eximia Baird from Durango, Mexico. J. Ohio Herpetol. Soc. 5(1): 34.
64. Horowitz, S.B. 1955. An arrangement of the subspecies of the horned toad Phrynosoma orbiculare (Iguanidae). Amer. Midl. Naturalist 54(1): 204-218.
65. Iverson, J.B. 1976. Kinosternon sonoriense. Cat. Amer. Amph. Rept. 176.1-176.2.
66. Iverson, J.B. 1981. Biosystematics of the Kinosternon hirtipes species group (Testudines: Kinosternidae). Tulane Stud. Zool. Bot. 23(1): 1-74.
67. Iverson, J.B. 1985. Kinosternon hirtipes. Cat. Amer. Amph. Rept. 361.1-361.4.
68. Iverson, J.B. 1986. A checklist with Distribution Maps of the Turtles of the World. First ed. Privately Printed; Richmond.
69. Jameson, D.L., J.P. Mackey, and R.C. Richmond. 1966. The systematics of the Pacific tree frog, Hyla regilla. Proc. California Acad. Sci. 33: 551-620.
70. Johnson, J.D. 1977. The taxonomy and distribution of the Neotropical whipsnake Masticophis mentovarius (Reptilia, Serpentes, Colubridae). J. Herpetol. 11(3): 287-309
71. Johnson, J.D. 1982. Masticophis mentovarius. Cat. Amer. Amph. Rept. 295.1-295.4.
72. Johnson, R.M., and E.A. Liner. 1978. Conopsis nasus nasus (Reptilia, Serpentes, Colubridae) in Chihuahua, Mexico. J. Herpetol. 12(1): 108-109.
73. Kellogg, R. 1932. Mexican tailless amphibians in the United States National Museum. Bull. U. S. Natl. Mus. (160): i-iv + 1-224.
74. Klauber, L.M. 1947. Classification and ranges of the gopher snakes of the genus Pituophis in the western United States. Bull. Zool. Soc. San Diego (22): 1-81.
75. Klauber, L.M. 1949. The subspecies of the ridge-nosed rattlesnake, Crotalus willardi. Trans. San Diego Soc. Natur. Hist. 11(8): 121-140.
76. Klauber, L.M., 1952. Taxonomic studies of the rattlesnakes of mainland Mexico. Bull. Zool. Soc. San Diego (26): 1-143.
77. Klauber, L.M. 1972. Rattlesnakes: Their habits, life histories, and influence on mankind. 2 vols. Univ. California Press; Berkeley.

78. Langebartel, D.A. 1959. A new lizard (Sceloporus) from the Sierra Madre Occidental of Mexico. *Herpetologica* 15(1): 25-27.
79. Lara-Gongora, G. 1986. New distributional records for some Mexican reptiles and amphibians. *Bull. Maryland Herpetol. Soc.* 22(2): 62-67.
80. Larsen K.R., and W.W. Tanner. 1974. Numeric analysis of the lizard genus Sceloporus with special reference to cranial osteology. *Great Basin Naturalist* 34(1): 1-41.
81. Legler, J.M. 1959. A new snake of the genus Geophis from Chihuahua, Mexico. *Univ. Kansas Pub. Mus. Natur. Hist.* 11(4): 327-334.
82. Legler, J.M., and R.G. Webb. 1960. Noteworthy records of skinks (genus Eumeces) from northwestern Mexico. *Southwestern Naturalist* 5(1): 16-20.
83. Lieb, C.S. 1985. Systematics and distribution of the skinks allied to Eumeces tetragrammus. *Los Angeles Co. Mus. Natur. Hist. Contrib. Sci.* (327): 1-19.
84. Liner, E.A. 1983. Tantilla wilcoxi. *Cat. Amer. Amph. Rept.* 345.1-345.2.
85. Lowe, C.H., C.J. Jones, and J.W. Wright. 1968. A new plethodontid salamander from Sonora, Mexico. *Los Angeles Co. Mus. Natur. Hist. Contrib. Sci.* (140): 1-11.
86. Maldonado-Koerdell, M. 1964. Algunas problemas de sistematica y distribucion de la familia Amystomidae (Urodela, Amphibia) en la republica Mexicana. *Mems. Rev. Acad. Nac. Cienc. Antonio Alzate* 59(3/4): 379-388.
87. Martin, P.S. 1958. A biogeography of reptiles and amphibians in the Gomez Farias region, Tamaulipas, Mexico. *Misc. Pub. Mus. Zool. Univ. Michigan* (101): 1-102.
88. Martin del Campo, R. 1935. Nota acerca de la distribucion geografica de los reptiles ponzonosas en Mexico. *Ann. Inst. Biol. Univ. Mexico* 6(3/4): 219-300.
89. McCoy, C.J., Jr. 1964. Notes on snakes from northern Mexico. *Southwestern Naturalist* 9(1): 46-48.
90. McCranie, J.R. 1977. First record of Tantilla bocourti (Reptilia: Colubridae) from Zacatecas, Mexico. *Southwestern Naturalist* 22(2): 275.
91. McCranie, J.R. 1981a. Crotalus pricei. *Cat. Amer. Amph. Rept.* 266.1-266.2.
92. McCranie, J.R. 1981b. Crotalus basiliscus. *Cat. Amer. Amph. Rept.* 283.1-283.2.
93. McDiarmid, R.W. 1963. A collection of reptiles and amphibians from the highland faunal assemblage of western Mexico. *Los Angeles Co. Mus. Natur. Hist. Contrib. Sci.* (68): 1-15.
94. McDiarmid, R.W., J.F. Copp, and D.E. Breedlove. 1976. Notes on the herpetofauna of western Mexico: New records from Sinaloa and the Tres Marias Islands. *Los Angeles Co. Mus. Natur. Hist. Contrib. Sci.* (275): 1-17.
95. Mecham, J.S. 1980. Eumeces multivirgatus. *Cat. Amer. Amph. Rept.* 241.1-241.2.
96. Milstead, W.W. 1953. Geographic variation in the garter snake, Thamnophis cyrtopsis. *Texas J. Sci.* 5(3): 348-379.
97. Montanucci, R.R. 1979. Notes on systematics of horned lizards allied to Phrynosoma orbiculare (Lacertilia: Iguanidae). *Herpetologica* 35(2): 116-124.

98. Montanucci, R.R. 1981. Habitat separation between Phrynosoma douglassi and P. orbiculare (Lacertilia: Iguanidae) in Mexico. Copeia 1981(1): 147-153.
99. Myers, C.W. 1974. The systematics of Rhadinaea (Colubridae), a genus of New World snakes. Bull. Amer. Mus. Natur. Hist. 153(1): 1-262.
100. Parker, R.B. 1960. The status of a Mexican Lizard, Eumeces lynxe belli. Copeia 1960(4): 284-286.
101. Parker, W.S. 1982. Masticophis taeniatus. Cat. Amer. Amph. Rept. 304.1-304.4.
102. Platz, J.E., and J.S. Mecham. 1979. Rana chiricahuensis, a new species of leopard frog (Rana pipiens complex) from Arizona. Copeia 1979(3): 383-390.
103. Price, A.H. 1980. Crotalus molossus. Cat. Amer. Amph. Rept. 242.1-242.2.
104. Price, A.H. 1982. Crotalus scutulatus. Cat. Amer. Amph. Rept. 291.1-291.2.
105. Reeve, W.L. 1952. Taxonomy and distribution of the horned lizards genus Phrynosoma. Univ. Kansas Sci. Bull. 34(14): 817-960.
106. Riemer, W.J. 1955. Comments on the distribution of certain Mexican toads. Herpetologica 11(1): 17-23.
107. Robinson, M.D. 1979. Systematics of skinks of the Eumeces brevisrostris species group in western Mexico. Los Angeles Co. Mus. Natur. Hist. Contrib. Sci. (319): 1-13.
108. Rossman, D.A., 1965 (1964). A new subspecies of the common garter snake, Thamnophis sirtalis, from the Florida Gulf Coast. Proc. Louisiana Acad. Sci. 27: 67-73.
109. Rossman, D.A., and R.M. Blaney. 1968. A new natricine snake of the genus Adelophis from western Mexico. Occ. Pap. Mus. Zool. Louisiana St. Univ. (35): 1-12.
110. Rossman, D.A., and V. Wallach. 1987. Adelophis, A. copei, A. foxi. Cat. Amer. Amph. Rept. 408.1-408.2.
111. Ruibal, R. 1957. An altitudinal and latitudinal cline in Rana pipiens. Copeia 1957(3): 212-221.
112. Ruthven, A.G. 1908. Variations and genetic relationships of the garter-snakes. Bull. U.S. Natl. Mus. (61): i + xii + 1-201.
113. Shaffer, H.B. 1983. Biosystematics of Ambystoma rosaceum and A. tigrinum in northwestern Mexico. Copeia 1983(1): 67-78.
114. Shannon, F.A. 1951. Notes on a herpetological collection from Oaxaca and other localities in Mexico. Proc. U.S. Natl. Mus. 101: 465-484.
115. Sites, J.W., Jr., and J.R. Dixon. 1981. A new subspecies of the iguanid lizard, Sceloporus grammicus, from northeastern Mexico, with comments on its evolutionary implications and the status of S. g. disparilis. J. Herpetol. 15(1): 59-69.
116. Smith, H.M. 1937. A synopsis of the scalaris group of the lizard genus Sceloporus. Occ. Pap. Mus. Zool. Univ. Michigan (361): 1-8.
117. Smith, H.M. 1938 (1936). The lizards of the torquatus group of the genus Sceloporus Wiegmann 1828. Univ. Kansas Sci. Bull. 24(21): 539-693.
118. Smith, H.M. 1939a. An annotated list of the Mexican amphibians and reptiles in the Carnegie Museum. Ann. Carnegie Mus. 27: 311-320.

119. Smith, H.M. 1939b. Notes on Mexican reptiles and amphibians. Zool. Ser. Field Mus. Natur. Hist. 24(4): 15-35.
120. Smith, H.M. 1939c. The Mexican and Central American lizards of the genus Sceloporus. Zool. Ser. Field Mus. Natur. Hist. 26: 1-397.
121. Smith, H.M. 1942a. Mexican herpetological miscellany. Proc. U. S. Natl. Mus. 92: 349-395.
122. Smith, H.M. 1942b. The synonymy of the garter snakes (Thamnophis), with notes on Mexican and Central American species. Zoologica 27 (17): 97-123.
123. Smith, H.M. 1942c. A resume of Mexican snakes of the genus Tantilla. Zoologica 27(7): 33-42.
124. Smith, H.M. 1943. Summary of the collections of snakes and crocodylians made in Mexico under the Walter Rathbone Bacon Traveling Scholarship. Proc. U.S. Natl. Mus. 93: 393-504.
125. Smith, H.M. 1971. Distribution of the racer Coluber constrictor in Mexico. J. Herpetol. 5(3/4): 212-214.
126. Smith, H.M., and P.S. Chrapliwy. 1958. New and noteworthy Mexican herptiles from the Lidicker collection. Herpetologica 13(4): 267-271.
127. Smith, H.M., and W.P. Hall. 1974. Contributions to the concepts of reproductive cycles and the systematics of the scalaris group of the lizard genus Sceloporus. Great Basin Naturalist 34(2): 97-104.
128. Smith, H.M., C.W. Nixon, and P.W. Smith. 1950. Mexican and Central American garter snakes (Thamnophis) in the British Museum (Natural History). J. Linnean Soc. Zool. 41: 571-584.
129. Smith, H.M., and R.B. Smith. 1980 (1979). Synopsis of the Herpetofauna of Mexico. VI. Guide to Mexican Turtles. Bibliographic Addendum III. John Johnson; North Bennington.
130. Smith, H.M., and E.H. Taylor. 1945. An annotated checklist and key to the snakes of Mexico. Bull. U. S. Natl. Mus. (187): i-iv + 1-239.
131. Smith, H.M., and E.H. Taylor. 1948. An annotated checklist and key to the amphibia of Mexico. Bull. U. S. Natl. Mus. (194): i-iv + 1-118.
132. Smith, H.M., and E.H. Taylor. 1950. An annotated checklist and key to the reptiles of Mexico exclusive of the snakes. Bull. U. S. Natl. Mus. (199): i-v + 1-253.
133. Stebbins, R.C. 1951. Amphibians of western North America. Univ. California Press; Berkeley.
134. Stull, O.G. 1940. Variations and relationships in the snakes of the genus Pituophis. Bull. U. S. Natl. Mus. (175): i-vi + 1-225.
135. Tanner, W.W. 1953. A study of taxonomy and phylogeny of Lampropeltis pyromelana Cope. Great Basin Naturalist 13(1/2): 47-66.
136. Tanner, W.W. 1957. A new skink of the multivirgatus group from Chihuahua. Great Basin Naturalist 17(3/4): 111-117.
137. Tanner, W.W. 1958. Two new skinks from Durango, Mexico. Great Basin Naturalist 18(2): 57-62.
138. Tanner, W.W. 1959. A new Thamnophis from western Chihuahua with notes on four other species. Herpetologica 15(4): 165-172.
139. Tanner, W.W. 1960. Sceloporus p. poinsetti taken in Sonora. Herpetologica 16(4): 235.
140. Tanner, W.W. 1961. A new subspecies of Conopsis nasus from Chihuahua, Mexico. Herpetologica 17(1): 13-18.

141. Tanner, W.W. 1983. Lampropeltis pyromelana. Cat. Amer. Amph. Rept. 342.1-342.2.
142. Tanner, W.W. 1985. Snakes of western Chihuahua. Great Basin Naturalist 45(4): 615-676.
143. Tanner, W.W., J.R. Dixon, and H.S. Harris, Jr. 1972. A new subspecies of Crotalus lepidus from western Mexico. Great Basin Naturalist 32(1): 16-24.
144. Tanner, W.W. and W.G. Robinson, Jr. 1960a (1959). A collection of herptiles from Urique, Chihuahua. Great Basin Naturalist 19(4): 75-82.
145. Tanner, W.W., and W.G. Robinson, Jr. 1960b. New and unusual serpents from Chihuahua, Mexico. Herpetologica 16(1): 67-70.
146. Taylor, E.H. 1936. A taxonomic study of the cosmopolitan scincoid lizards of the genus Eumeces with an account of the distribution and relationships of its species. Univ. Kansas Sci. Bull. 23: 1-643.
147. Taylor, E.H. 1940a. A new frog from the Tarahumara Mountains of Mexico. Copeia 1940(4): 250-253.
148. Taylor, E.H. 1940b. A new Lampropeltis from western Mexico. Copeia 1940(4): 253-255.
149. Taylor, E.H. 1941a. Two new ambystomid salamanders from Chihuahua. Copeia 1941(3): 143-146.
150. Taylor, E.H. 1941b. Herpetological miscellany, No. II. Univ. Kansas Sci. Bull. 27(7): 105-139.
151. Taylor, E.H. 1944. Two new species of Crotalid snakes from Mexico. Univ. Kansas. Sci. Bull. 30(4): 47-56.
152. Taylor, E.H., and I.W. Knobloch. 1940. Report on an herpetological collection from the Sierra Madre Mountains of Chihuahua. Proc. Biol. Soc. Washington 53: 125-130.
153. Taylor, E.H., and H.M. Smith. 1942. The snake genera Conopsis and Toluca. Univ. Kansas Sci. Bull. 28(15): 325-363.
154. Thomas, R.A., and J.R. Dixon. 1976. A re-evaluation of the Sceloporus scalaris group (Sauria: Iguanidae). Southwestern Naturalist 20(4): 523-536.
155. Thompson, F.G. 1957. A new Mexican gartersnake (genus Thamnophis) with notes on related forms. Occ. Pap. Mus. Zool. Univ. Michigan (584): 1-10.
156. Tihen, J.A. 1948. Two races of Elgaria kingii Gray. Trans. Kansas Acad. Sci. 51(3): 299-301.
157. Tihen, J.A. 1949. A review of the lizard genus Barisia. Univ. Kansas Sci. Bull. 33(3): 217-256.
158. Tihen, J.A. 1954. Gerrhonotine lizards recently added to the American Museum collection, with further revisions of the genus Abronia. Amer. Mus. Novitates (1687): 1-26.
159. Van Devender, T.R. 1973. Populations of Ambystoma tigrinum and A. rosaceum in Chihuahua, Mexico. J. Arizona Acad. Sci. 8(1): 84.
160. Van Devender, T.R., and C.H. Lowe, Jr. 1977. Amphibians and reptiles of Yepomera, Chihuahua, Mexico. J. Herpetol. 11(1): 41-50.
161. Wake, D.B., and J.F. Lynch. 1976. The distribution, ecology, and evolutionary history of Plethodontid salamanders in Tropical America. Los Angeles Co. Mus. Natur. Hist. Sci. Bull. (25): 1-65.



162. Webb, R.G. 1961. A new kingsnake from Mexico, with remarks on the mexicana group of the genus Lampropeltis. Copeia 1961(3): 326-333.
163. Webb, R.G. 1962a. A new alligator lizard (genus Gerrhonotus) from western Mexico. Herpetologica 18(2): 73-79.
164. Webb, R.G. 1962b. A new species of frog (genus Tomodactylus) from western Mexico. Univ. Kansas Pub. Mus. Natur. Hist. 15(3): 175-181.
165. Webb, R.G. 1966. Resurrected names for Mexican populations of black-necked garter snakes Thamnophis cyrtopsis (Kennicott). Tulane Stud. Zool. 13(2): 55-70.
166. Webb, R.G. 1967. Variation and distribution of the iguanid lizard Sceloporus bulleri, and the description of a related new species. Copeia 1967(1): 202-213.
167. Webb, R.G. 1968. The Mexican skink Eumeces lynxe (Squamata, Scincidae). Pub. Michigan St. Mus. Biol. Ser. 4(1): 1-28.
168. Webb, R.G. 1969. Variation, status, and relationship of the iguanid lizard Sceloporus shannonorum. Herpetologica 25(4): 300-307.
169. Webb, R.G. 1970. Gerrhonotus kingii. Cat. Amer. Amph. Rept. 97.1-97.4.
170. Webb, R.G. 1972. Resurrection of Bufo mexicanus Brocchi for a highland toad in western Mexico. Herpetologica 28(1): 1-6.
171. Webb, R.G. 1976. A review of the garter snake Thamnophis elegans in Mexico. Los Angeles Co. Mus. Natur. Hist. Contrib. Sci. (284): 1-13.
172. Webb, R.G. 1977. Comments on snakes of the genus Geophis (Colubridae) from the Mexican states of Durango and Sinaloa. Southwestern Naturalist 21(4): 548-551.
173. Webb, R.G. 1980. Thamnophis cyrtopsis. Cat. Amer. Amph. Rept. 245.1-245.4.
174. Webb, R.G. 1982. Distributional records for Mexican reptiles. Herpetol. Rev. 13(4): 132.
175. Webb, R.G. 1984. Herpetogeography in the Mazatlan-Durango region of the Sierra Madre Occidental, Mexico. Pp. 217-241. In R.A. Seigel, L.E. Hunt, J.L. Knight, L. Malaret, and N.L. Zuschlag (eds.). Vertebrate ecology and systematics. A tribute to Henry S. Fitch. Univ. Kansas Mus. Natur. Hist. Spec. Publ (10): 1-278.
176. Webb, R.G., and R.H. Baker. 1962. Terrestrial vertebrates of the Pueblo Nuevo area of southwestern Durango, Mexico. Amer. Midland Naturalist 68(2): 325-333.
177. Webb, R.G., and R.H. Baker. 1984. Terrestrial vertebrates of the Cerro Mohinora region, Chihuahua, Mexico. Southwestern Naturalist 29(2): 243-246.
178. Webb, R.G., and M. Hensley. 1959. Notes on reptiles from the Mexican state of Durango. Pub. Michigan St. Mus. Biol. Ser. 1(6): 249-258.
179. Welbourn, W.C., Jr., and R.B. Loomis. 1970. Three new species of Hannemania (Acarina, Trombiculidae) from amphibians of western Mexico. Bull. So. California Acad. Sci. 69(2): 65-73
180. Williams, K.L. 1960. Taxonomic notes on Arizona herpetozoa. Southwestern Naturalist 5(1): 25-36.
181. Wilson, L.D. 1966. The range of the Rio Grande racer in Mexico and the status of Coluber oaxaca (Jan). Herpetologica 22(1): 42-47
182. Wilson, L.D. 1978. Coluber constrictor. Cat. Amer. Amph. Rept. 218.1-218.4.

183. Zweifel, R.G. 1954a. A new frog of the genus Rana from western Mexico with a key to the Mexican species of the genus. Bull. So. California Acad. Sci. 53(3): 131-141.
184. Zweifel, R.G. 1954b. Notes on the distribution of some reptiles in western Mexico. Herpetologica 10(3): 145-149.
185. Zweifel, R.G. 1955. Ecology, distribution, and systematics of frogs of the Rana boylei group. Univ. California Pub. Zool. 54(4): 207-292.
186. Zweifel, R.G. 1956. A survey of the frogs of the augusti group, genus Eleutherodactylus. Amer. Mus. Novitates (1813): 1-35.
187. Zweifel, R.G. 1959. Variation in and distribution of lizards of western Mexico related to Cnemidophorus sacki. Bull. Amer. Mus. Natur. Hist. 117(2): 57-116.
188. Zweifel, R.G. 1968. Rana tarahumarae. Cat. Amer. Amph. Rept. 66.1-66.2.

## ADDENDUM

189. Guillette, L.J., Jr., and G. Casas-Andreu. 1987. The reproductive biology of the high elevation Mexican lizard Barisia imbricata. Herpetologica 43(1): 29-38.
190. Jones, T.R., J.P. Collins, T.D. Kocher, and J.B. Mitton. 1988. Systematic status and distribution of Ambystoma tigrinum stebbinsi (Amphibia: Caudata). Copeia 1988(3): 621-635.
191. Price, A.H., and B.K. Sullivan. 1988. Bufo microscaphus. Cat. Amer. Amph. Rept. 415.1-415.3.
192. Restrepo T., J.H., and J.W. Wright. 1987. A new species of the Colubrid snake genus Geophis from Colombia. J. Herpetol. 21(3): 191-196.
193. Stille, B. 1987. Dorsal scale microdermatoglyphics and rattlesnake (Crotalus and Sistrurus) phylogeny (Reptilia: Viperidae: Crotalinae). Herpetologica 43(1): 98-104.
194. Tanner, W.W. 1987. Lizards and turtles of western Chihuahua. Great Basin Naturalist 47(3): 383-421.